

# NOTICES

## DEPARTMENT OF BANKING AND SECURITIES

### Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending March 5, 2024.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, may file comments in writing with the Department, for Bank Supervision, by e-mail to ra-bnbnksbmssnspt@pa.gov or for credit unions, by e-mail to ra-bncusubmissions@pa.gov and trust companies, by e-mail to ra-bntrustrsuprvsninq@pa.gov. Comments must be received no later than 30 days from the date that the notice regarding acceptance of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240, or for credit unions or trust companies (717) 783-2253.

### APPLICATIONS FOR COMMENT

#### BANKING INSTITUTIONS

No activity.

#### CREDIT UNIONS

No activity.

### OTHER APPLICATION ACTIVITY

#### BANKING INSTITUTIONS

##### Section 112 Acquisitions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Status</i>
03-01-2024	George E. Norcross, III Palm Beach Palm Beach County, FL  Gregory B. Braca Palm Beach Palm Beach County, FL  Philip A. Norcross Philadelphia Philadelphia County, PA  Alessandra T. Norcross Philadelphia Philadelphia County, PA  Alexander S. Norcross Philadelphia Philadelphia County, PA	Withdrawn

Application for approval to purchase or otherwise acquire voting control of shares that will result in ownership and control of 19.9% of the outstanding shares of common stock and 100% of the outstanding shares of the nonvoting Series B Preferred Stock of Republic First Bancorp, Inc., Philadelphia, PA, and thereby acquire 10% or more of the voting control of Republic Bank, Philadelphia, PA.

#### Branch Applications

##### De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Status</i>
02-28-2024	Pennian Bank Mifflintown Juniata County	34 South Market Street Elizabethville Dauphin County	Approved

**Branch Relocations**

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Status</i>
02-26-2024	Luzerne Bank Luzerne Luzerne County	<i>To:</i> 924 Wilkes-Barre Township Boulevard Wilkes-Barre Luzerne County  <i>From:</i> 67 Public Square Wilkes-Barre Luzerne County	Effective
03-01-2024	First Resource Bank Exton Chester County	<i>To:</i> 690 Stockton Drive Suite 300 Exton Chester County (Limited-Service Facility)  <i>From:</i> 1 East Uwchlan Avenue Suite 410 Exton Chester County (Limited-Service Facility)	Accepted

**CREDIT UNIONS**

No activity.

The Department's web site at [www.dobs.pa.gov](http://www.dobs.pa.gov) includes public notices for more recently filed applications.

WENDY S. SPICHER,  
*Secretary*

[Pa.B. Doc. No. 24-349. Filed for public inspection March 15, 2024, 9:00 a.m.]

## DEPARTMENT OF BANKING AND SECURITIES

### Maximum Lawful Rate of Interest for Residential Mortgages for the Month of April 2024

The Department of Banking and Securities (Department), under the authority contained in section 301 of the act of January 30, 1974 (P.L. 13, No. 6) (41 P.S. § 301), determines that the maximum lawful rate of interest for residential mortgages for the month of April 2024, is 6 3/4%.

The interest rate limitations under the Commonwealth's usury statute were pre-empted to a great extent by Federal law, the Depository Institutions Deregulation and Monetary Control Act of 1980 (Pub.L. No. 96-221). Further pre-emption was instituted with the signing of Pub.L. No. 96-399, which overrode State interest rate limitations on any individual who finances the sale or exchange of residential real property which the individual owns and which the individual occupies or has occupied as his principal residence.

Each month the Department is required by State law to compute and announce the ceiling rate on residential mortgages in this Commonwealth. This maximum rate is determined by adding 2.50 percentage points to the yield rate on long-term government bonds as published by the Federal Reserve Board or the United States Treasury, or both. The latest yield rate on long-term government securities is 4.36 to which was added 2.50 percentage points for a total of 6.86 that by law is rounded off to the nearest quarter at 6 3/4%.

WENDY S. SPICHER,  
*Secretary*

[Pa.B. Doc. No. 24-350. Filed for public inspection March 15, 2024, 9:00 a.m.]

## DEPARTMENT OF EDUCATION

### Proposed Grant Application by the Department of Education under Part B of the Individuals with Disabilities Education Act for Federal Fiscal Year 2024

Public comment is invited regarding the Department of Education's (Department) proposed grant application under Part B of the Individuals with Disabilities Education Act (IDEA-B) for Federal Fiscal Year 2024. The annual grant application provides, in part, assurances that the Commonwealth's policies and procedures in effect are consistent with the Federal requirements to ensure that a free appropriate public education is made available to all children with a disability from 3 years of age to 21 years of age, including children who have been suspended or expelled from school.

The Department is also seeking public comment on revisions to its Significant Disproportionality procedures, specifically its standard for measuring reasonable progress as set forth in 34 CFR 300.647(d)(2) (relating to determining significant disproportionality). In addition to defining reasonable progress as a reduction in the risk ratio of 0.25 or greater per year for 2 consecutive years, the Department seeks to define reasonable progress as also including a reduction in the risk ratio of 0.5 or greater over a period of 2 consecutive years. The purpose of this revision is to expand the way local educational agencies may demonstrate reasonable progress.

The public participation requirements relevant to Part B are set forth in the Part B regulations at 34 CFR 300.165 (relating to public participation) and in section 441(b)(7) of General Education Provisions Act (20 U.S.C. § 1232d(b)(7)). In accordance with these requirements, and prior to submitting a State plan or adopting any policies and procedures needed to comply with Part B (including any amendments to those policies and proce-

dures), or both, the Commonwealth must ensure reasonable opportunities for participation by local agencies, representatives of the class of individuals affected by this program and other interested institutions, organizations and individuals in the planning for and operation of the IDEA-B program. Section 76.102 of 34 CFR (relating to definition of "State plan" for part 76) indicates that the IDEA-B grant application is considered a State plan.

A copy of the proposed 2024 IDEA-B grant application and the current IDEA-B policies and procedures are available at <https://www.education.pa.gov/k-12/special%20education/idea/pages/default.aspx>. Alternative formats of the documents (for example, Braille, large print, CD) can be made available to members of the public upon request.

The Department will accept written public comment beginning March 18, 2024, until May 17, 2024. The written comments should be directed to Timothy Krushinski, Special Education Adviser, Bureau of Special Education, Department of Education, 607 South Drive, 5th Floor East Wing, Harrisburg, PA 17120, [tikrushins@pa.gov](mailto:tikrushins@pa.gov).

Public comment is also welcomed in alternative formats such as Braille, recorded comments and telephone comments for individuals with disabilities. Individuals with a disability who wish to submit comments by telephone should contact Aaron Ios, (717) 772-3500, [aioos@pa.gov](mailto:aioos@pa.gov).

Additionally, the Department will provide individuals wishing to present verbal testimony an opportunity to do so. One written copy of verbal testimony prior to the time of presentation would be appreciated. Presentations should be limited to 15 minutes.

Verbal testimony must be provided virtually on March 20, 2024, from 3 p.m. to 6 p.m.

To schedule an opportunity to present verbal testimony, or for persons with a disability who require an accommodation to participate in the proceedings, call Aaron Ios at (717) 772-3500, [aioos@pa.gov](mailto:aioos@pa.gov) no later than March 18, 2024. Individuals will be provided with a link in order to participate.

Following receipt of all written and verbal comments, the Department will consider all comments and make any

necessary modifications to the proposed 2024 IDEA-B grant application before submission of its Federal Fiscal Year 2024 IDEA-B grant application to the Secretary of the United States Department of Education and the revisions to the Significant Disproportionality procedures before implementation.

DR. KHALID N. MUMIN,  
*Secretary*

[Pa.B. Doc. No. 24-351. Filed for public inspection March 15, 2024, 9:00 a.m.]

## DEPARTMENT OF EDUCATION

### Updated Designation of School Districts to Receive Duquesne City School District's Senior High School Students; 24 P.S. § 16-1607

On September 16, 2023, the Department of Education (Department) published a notice entitled Designation of School Districts to Receive Duquesne City School District's Senior High School Students. That notice addressed the assignment of Duquesne City School District's (Duquesne) high school students to West Mifflin Area School District (West Mifflin) and East Allegheny School District (East Allegheny) for the 2023-2024 school year and the per-pupil tuition rate, calculated under section 1607 of the Public School Code of 1949 (School Code) (24 P.S. § 16-1607).

Through Act 35 of 2023, the formula for calculating the per-pupil tuition rate under section 1607 of the School Code was amended, effective with the 2023-2024 school year. Accordingly, the Department recalculated the per pupil tuition rate for the 2023-2024 school year. The revised tuition rate for Duquesne high school students attending West Mifflin or East Allegheny is \$16,465.65.

DR. KHALID N. MUMIN,  
*Secretary*

[Pa.B. Doc. No. 24-352. Filed for public inspection March 15, 2024, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Applications, Actions and Special Notices

---

## APPLICATIONS

---

### THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

### APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS UNDER THE CLEAN STREAMS LAW AND FEDERAL CLEAN WATER ACT

This notice provides information about persons who have applied to the Department of Environmental Protection (DEP) for a new, renewed, or amended NPDES or WQM permit, or a permit waiver for certain stormwater discharges, or have submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications and NOIs concern, but are not limited to, effluent discharges from sewage treatment facilities and industrial facilities to surface waters or groundwater; stormwater discharges associated with industrial activity (industrial stormwater), construction activity (construction stormwater), and municipal separate storm sewer systems (MS4s); the application of pesticides; the operation of Concentrated Animal Feeding Operations (CAFOs); and the construction of sewage, industrial waste, and manure storage, collection and treatment facilities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water

Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES and WQM permits that are available can be found on DEP's website (visit [www.dep.pa.gov](http://www.dep.pa.gov) and select Businesses, Water, Bureau of Clean Water, Wastewater Management, and NPDES and WQM Permitting Programs).

*Section Category*

I	Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received
II	Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs
III	Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity

Section I identifies the following applications and NOIs that have been received by DEP:

- Individual and General WQM Permit Applications Received—DEP provides a 15-day public comment period for Individual WQM Permit Applications for new and reissued permits. There is no public comment period for General WQM Permit NOIs.
- General Chapter 92a NPDES Permit NOIs Received—There is no public comment period for General NPDES NOIs received.
- All Transfer and Minor Amendment Applications/NOIs Received—Transfer and Minor Amendment Applications/NOIs received for Individual and General WQM Permits and Individual and General NPDES Permits, excluding PAG-01 and PAG-02, are identified but do not have public comment periods. DEP provides a 15-day public comment period for Individual WQM Permit Applications for amendments.

Additional information on these applications and NOIs may be reviewed by generating the “Applications and NOIs without Comment Periods Report” or, for Individual WQM Permit Applications, the “Applications Received with Comment Periods Report” on DEP's website at [www.dep.pa.gov/CWPublicNotice](http://www.dep.pa.gov/CWPublicNotice).

Section II identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to sewage, industrial waste, industrial stormwater, MS4s, pesticides and CAFOs. A 30-day public comment period applies to these applications and draft permits, except when a site-specific water quality criterion is used to establish effluent limitations, in which case a 45-day public comment period applies. The period for comment may be extended at the discretion of DEP for one additional 15-day period. Additional information, including links to draft permits and fact sheets that explain the basis for DEP's tentative determinations may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP's website at [www.dep.pa.gov/CWPublicNotice](http://www.dep.pa.gov/CWPublicNotice). Notification of 15-day extensions for comment will be provided in the “Applications Received with Comment Periods Report” (Comments column).

Section III identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to stormwater discharges associated with construction activities. A 30-day public comment period applies to these applications and draft permits. The period for comment may be extended at the discretion of the Department for one additional 15-day period. Additional information may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP's website at [www.dep.pa.gov/CWPublicNotice](http://www.dep.pa.gov/CWPublicNotice).

Applications, NOIs and draft permits, where applicable, may be reviewed at the DEP office that received the application or NOI. Members of the public are encouraged to use DEP's website to obtain additional information as discussed previously.

Comments received within the appropriate comment periods for WQM and NPDES permit applications will be retained by DEP and considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and the relevant facts upon which it is based.

DEP office contact information to review applications and NOIs and to submit comments for those applications, when applicable, is as follows:

*DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES\_SERO@pa.gov for permits in Sections I & II; RA-EPWW-SERO@pa.gov for permits in Section III.*

*DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES\_NERO@pa.gov for permits in Sections I & II; RA-EPWW-NERO@pa.gov for permits in Section III.*

*DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES\_SCRO@pa.gov for permits in Sections I & II; RA-EPWW-SCRO@pa.gov for permits in Section III.*

*DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES\_NCRO@pa.gov for permits in Sections I & II; RA-EPWW-NCRO@pa.gov for permits in Section III.*

*DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES\_SWRO@pa.gov for permits in Sections I & II; RA-EPWW-SWRO@pa.gov for permits in Section III.*



DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6340. Email: RA-EPNPDES\_NWRO@pa.gov for permits in Sections I & II; RA-EPWW-NWRO@pa.gov for permits in Section III.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES\_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

DEP will also accept requests or petitions for public hearings on applications. The request or petition must indicate the interest of the party filing and the reasons why a hearing is warranted. A hearing will be held if DEP determines that there is a significant public interest. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. DEP will postpone its final determination until after a public hearing is held.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

**I. Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received.**

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
0624801	Joint DEP/PFBC Pesticides Permit	New	Zweizig Farms 375 Zweizig Road Shoemakersville, PA 19555-9649	Perry Township Berks County	SCRO
1524801	Joint DEP/PFBC Pesticides Permit	New	Reimel Ted 1925 Rochambeau Drive Malvern, PA 19355-9722	Tredyffrin Township Chester County	SERO
4524801	Joint DEP/PFBC Pesticides Permit	New	Skytop Lodge Corp 1 Skytop Ldg Skytop, PA 18357-1001	Barrett Township Monroe County	NERO
3604202	Manure Storage and Wastewater Impoundments Individual WQM Permit	Amendment	1397 Robert Fulton Highway Quarryville, PA 17566-9630	East Drumore Township Lancaster County	SCRO
0294405	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Amendment	Univar Solutions USA LLC 328 Bunola River Road Bunola, PA 15020	Forward Township Allegheny County	SWRO
1591411	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	New	Martins Comm LLC 25 Randy Lane Cochranville, PA 19330-1647	West Nottingham Township Chester County	SERO
4006405	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Amendment	Aqua PA Wastewater Inc. 762 W Lancaster Avenue Bryn Mawr, PA 19010-3489	White Haven Borough Luzerne County	NERO
6402401	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Amendment	Camp Starlight Inc. P.O. Box 33389 Palm Beach Gardens, FL 33420	Preston Township Wayne County	NERO
NNOEXNC62	No Exposure Certification	Renewal	Herbert Cooper P.O. Box 40 Genesee, PA 16923-0040	Genesee Township Potter County	NCRO
NOEXSC419	No Exposure Certification	New	Cargill Cocoa & Chocolate Inc. 201 W Lincoln Avenue Lititz, PA 17543-1012	Lititz Borough Lancaster County	SCRO
NOEXSW089	No Exposure Certification	Renewal	Berkley Medical Resources 700 Mountain View Drive Smithfield, PA 15478-8924	Georges Township Fayette County	SWRO

## NOTICES

1357

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG030307	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Reladyne Inc. 1020 Louis Drive Warminster, PA 18974-2822	Warminster Township Bucks County	SERO
PAG032425	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	M & R Motors 4516 W Mountain View Drive Walnutport, PA 18088-9448	Walnutport Borough Northampton County	NERO
PAG033505	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Highspire Terminal DE LLC 900 S Eisenhower Boulevard Middletown, PA 17057-5503	Lower Swatara Township Dauphin County	SCRO
PAG034081	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Reading Terminal DE LLC 900 S Eisenhower Boulevard Middletown, PA 17057-5503	Spring Township Berks County	SCRO
PAG036177	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	6K Amastan Management LLC 541 Steubenville Pike Burgettstown, PA 15021-8559	Hanover Township Washington County	SWRO
PAG036189	PAG-03 NPDES General Permit for Industrial Stormwater	Amendment	Delmont Terminal LLC 900 S Eisenhower Boulevard Middletown, PA 17057-5503	Delmont Borough Westmoreland County	SWRO
PAG036477	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	GBC Advanced Materials LLC 580 Monastery Drive Latrobe, PA 15650-2659	Unity Township Westmoreland County	SWRO
PAG036573	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	RIDC Region Growth Fund 1001 Technology Drive Suite 1500 Mt Pleasant, PA 15666	East Huntingdon Township Westmoreland County	SWRO
PAG038373	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Rehrig Pacific Co. 1738 W 20 Street Erie, PA 16502-2116	Erie City Erie County	NWRO
PAG038400	PAG-03 NPDES General Permit for Industrial Stormwater	New	Ellwood Group Inc. P.O. Box 31 Ellwood City, PA 16117-0031	Ellwood City Borough Lawrence County	NWRO
PAG041296	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Triple L Properties LLC 7420 Macumber Road Oakfield, NY 14125-9719	Wolf Creek Township Mercer County	NWRO
PAG041297	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Triple L Properties LLC 7420 Macumber Road Oakfield, NY 14125-9719	Wolf Creek Township Mercer County	NWRO
PAG041299	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Armstrong Joseph 9243 Station Road Erie, PA 16510	Greenfield Township Erie County	NWRO
PAG058402	PAG-05 NPDES General Permit for Groundwater Cleanup	Renewal	Shenango Township 3439 Hubbard Middlesex Road West Middlesex, PA 16159-2547	Shenango Township Mercer County	NWRO
PAG123885	PAG-12 NPDES General Permit for CAFOs	Renewal	Adam S Martin Jr 390 Midway Road Bethel, PA 19507-9635	Bethel Township Berks County	SCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG124858	PAG-12 NPDES General Permit for CAFOs	Renewal	Hummer Brian J 473 Columbia Hill Road Danville, PA 17821-9317	Valley Township Montour County	SCRO
PAG124876	PAG-12 NPDES General Permit for CAFOs	Renewal	Y Run Farms 3252 Leona Road Troy, PA 16947-8554	Springfield Township Bradford County	SCRO
1024403	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Labans Michael 213 Hope Road Cranberry Township, PA 16066-3809	Cranberry Township Butler County	NWRO
WQG01432401	WQG-01 WQM General Permit	New	Triple L Properties LLC 7420 Macumber Road Oakfield, NY 14125-9719	Wolf Creek Township Mercer County	NWRO
WQG01432402	WQG-01 WQM General Permit	New	Triple L Properties LLC 7420 Macumber Road Oakfield, NY 14125-9719	Wolf Creek Township Mercer County	NWRO

**II. Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.**

*Northcentral Regional Office*

**PA0115321**, Sewage, SIC Code 4952, **Eric J. Pennington**, 95 Horn Road, Cogan Station, PA 17728-8694. Facility Name: Pennington Single Residence Sewage Treatment Plant. This existing facility is located in Lycoming Township, **Lycoming County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Little Gap Run, is located in State Water Plan watershed 10-A and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 400 GPD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Annl Avg XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Total Residual Chlorine (TRC)	XXX	XXX	XXX	XXX	XXX	Report
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX
				Geo Mean		

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

*Northeast Regional Office*

**PA0060640**, Sewage, SIC Code 4952, **Pennsylvania American Water Company**, 171 W. Johnson Highway, Norristown, PA 19401-3030. Facility Name: Saw Creek Estates Wastewater Treatment Facility. This existing facility is located in Lehman Township, **Pike County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Saw Creek, is located in State Water Plan watershed and is classified for aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.75 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.21	XXX	0.68
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	156.4	XXX	XXX	25.0	XXX	50.0
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> ) Raw Sewage Influent	XXX	XXX	XXX	Report	XXX	XXX
CBOD <sub>5</sub> Minimum % Removal (%)	Report	XXX	XXX	XXX	XXX	XXX
Total Suspended Solids	187.7	XXX	XXX	30.0	XXX	60.0
Total Suspended Solids Raw Sewage Influent	XXX	XXX	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
Oct 1 - Apr 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	9.0	XXX	18.0
Ammonia-Nitrogen	56.3	XXX	XXX	3.0	XXX	6.0
Nov 1 - Apr 30	18.8	XXX	XXX	Report	Report	XXX
May 1 - Oct 31	Report	Report	XXX	Report	Report	XXX
Copper, Total	Report	Daily Max	XXX	Report	Daily Max	XXX
Zinc, Total	Report	Report	XXX	Report	Report	XXX
		Daily Max			Daily Max	
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Total Dissolved Solids	XXX	XXX	XXX	Report	XXX	XXX
E. Coli (No./100 ml)	XXX	XXX	XXX	Avg Qrtly Report Avg Qrtly	XXX	XXX

In addition, the permit contains the following major special conditions:

- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

*Northeast Regional Office*

**PA0065391**, Pesticides, SIC Code 0782, **Ariel Landowners, Inc.**, P.O. Box 503, Lake Ariel, PA 18436-0503.

Description of Existing Activity: The application is for a renewal of an NPDES permit for a renewal of a discharge associated with the application of pesticides in Lake Township, **Wayne County**.

The receiving stream(s), Ariel Creek (HQ-CWF, MF), is (are) located in State Water Plan watershed(s) 1-C and is (are) classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. Applicators are required to follow product labeling instructions of pesticides, which may include provisions to reduce application doses and notify public water suppliers in the event applications are conducted near public water supply intakes. The discharges associated with the pesticide applications are not expected to affect public water supplies.

PA DEP has made a tentative determination to issue the NPDES permit subject to the terms and conditions of the permit. An anti-degradation analysis has been completed to document that pesticide application activities in High Quality (HQ) or Exceptional Value (EV) waters will be conducted in a manner that minimizes adverse environmental effects. The proposed permit contains conditions that require implementation of Pest Management Measures, Recordkeeping and Annual Reporting Requirements, Corrective Action Documentation and Reporting, and a Pesticides Discharge Management Plan.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA waiver is in effect.

*Northwest Regional Office*

**PA0102601**, Sewage, SIC Code 4952, **Jones Estates Franklin Village PA LLC**, 2310 South Miami Boulevard, Suite 238, Durham, NC 27703-4900. Facility Name: Franklin Mobile Home Village. This existing facility is located in Franklin Township, **Butler County**.



Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Mulligan Run, is located in State Water Plan watershed 20-C and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .028 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Daily Max XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	Daily Min 4.0	XXX	Daily Max XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.17	XXX	0.58
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	Geo Mean XXX	XXX	Report
Ammonia-Nitrogen	XXX	XXX	XXX	10.5	XXX	21
Nov 1 - Apr 30						
May 1 - Oct 31	XXX	XXX	XXX	3.5	XXX	7
Total Nitrogen	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	2.0	XXX	4

In addition, the permit contains the following major special conditions:

- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

**PA0103594**, Sewage, SIC Code 4952, 6515, **Windsor MHC LLC**, 3824 Trythall Street, Bethlehem, PA 18020-2925. Facility Name: Windsor MHP. This existing facility is located at 2871 Route 6N East, Edinboro, PA 16412 in Washington Township, **Erie County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary of Little Conneauttee Creek (CWF), is located in State Water Plan watershed 16-A and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0092 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Average Monthly	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	Daily Min 4.0	XXX	Daily Max XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	Daily Min 0.5	XXX	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	25.0	XXX	XXX	50
Total Suspended Solids	XXX	XXX	30.0	XXX	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		

Parameters	Mass Units (lbs/day)		Average Monthly	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Ammonia-Nitrogen Nov 1 - Apr 30	XXX	XXX	4.80	XXX	XXX	9.6
Nov 1 - Apr 30	XXX	XXX	4.80	XXX	XXX	9.6
E. Coli	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report Annl Avg	XXX	XXX

In addition, the permit contains the following major special conditions:

- Part C 2—Chlorine Minimization
- Part C 3—Dry Streams
- Part C 111—Solids Management for Lagoons

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

**PA0221627**, Sewage, SIC Code 6515, **Tammy J Ferringer**, 49 Silverbrook Lane, Mercer, PA 16137-6349. Facility Name: Stone Ridge Park MHP. This existing facility is located in Lackawannock Township, **Mercer County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SFTF sewage.

The receiving stream(s), Unnamed Tributary to Little Neshannock Creek (TSF), is located in State Water Plan watershed 20-A and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .002 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.38	XXX	0.89
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	25.0	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	XXX
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 200	XXX	XXX
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 8.4	XXX	16.8
Ammonia-Nitrogen Nov 1 - Apr 30	XXX	XXX	XXX	2.8	XXX	5.6
May 1 - Oct 31	XXX	XXX	XXX			

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

**PA0222381**, Sewage, SIC Code 4952, **Clearfield Jefferson County Region Airport Authority**, 377 Aviation Way, Reynoldsville, PA 15851-8143. Facility Name: Dubois Region Airport. This existing facility is located in Washington Township, **Jefferson County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Keys Run (CWF), is located in State Water Plan watershed 17-C and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .006 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX	
	Average Monthly	Average Weekly		Average Monthly	Maximum		
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX	
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0	
Dissolved Oxygen	XXX	XXX	Inst Min	XXX	XXX	XXX	
			4.0				
Total Residual Chlorine (TRC)	XXX	XXX	Inst Min	0.5	XXX	1.6	
			XXX				
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	25.0	XXX	50	
			XXX				
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60	
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	10,000	XXX	
				Oct 1 - Apr 30	Geo Mean	Wkly Avg	XXX
				May 1 - Sep 30	200	1,000	
E. Coli (No./100 ml)	XXX	XXX	XXX	Geo Mean	Wkly Avg	Report	
Ammonia-Nitrogen	XXX	XXX	Report	XXX	XXX	XXX	
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX	
			Avg Mo	Avg Qrtly	XXX		
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX	
				Avg Qrtly	XXX	XXX	

In addition, the permit contains the following major special conditions:

- Part C 2—Chlorine Minimization
- Part C 3—Dry Streams
- Part C 111—Solids Management for Lagoons

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

*Northwest Regional Office*

**PA0263931**, Sewage, SIC Code 4952, 8800, **Stephen J Gaffney**, 2101 Brickyard Road, North East, PA 16428-2825. Facility Name: Stephen Gaffney SRSTP. This existing facility is located in North East Township, **Erie County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Twelvemile Creek (HQ-CWF, MF), is located in State Water Plan watershed 15-A and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
			Inst Min			
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

*Northwest Regional Office*

**PA0271608**, Sewage, SIC Code 8800, **Donald Ward**, 185 Donaldson Road, Gibsonia, PA 15044. Facility Name: Donald Ward SRSTP. This existing facility is located in Clinton Township, **Butler County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Bull Creek (TSF), is located in State Water Plan watershed 18-A and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Annl Avg	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

*Northwest Regional Office*

**PA0295400**, Sewage, SIC Code 8800, **Jack Kinder LLC**, 1567 Sedgwick Road, Waterford, PA 16441-3845. Facility Name: Jack Kinder SRSTP. This proposed facility is located in Summit Township, **Erie County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to LeBoeuf Creek (TSF), is located in State Water Plan watershed 16-A and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Annl Avg	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

*Northwest Regional Office*

**PA0295582**, Sewage, SIC Code 8661, **Cottage Hill Wesleyan Methodist Church**, 231 Broad Street, New Bethlehem, PA 16242-1001. Facility Name: Cottage Hill Wesleyan Meth Church SFTF. This proposed facility is located in Porter Township, **Clarion County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SFTF sewage.

The receiving stream(s), Leisure Run, is located in State Water Plan watershed 17-C and is classified for aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0011 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Annl Avg	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

*Northwest Regional Office*

**PA0295604**, Sewage, SIC Code 8800, **William C Fox**, 15 Pleasant Street, Sugar Grove, PA 16350-1621. Facility Name: William C Fox SRSTP. This proposed facility is located in Freehold Township, **Warren County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary of Little Brokenstraw Creek, is located in State Water Plan watershed and is classified for aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report	XXX	Report

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

*Northwest Regional Office*

**PA0295671**, Sewage, SIC Code 8800, **Barry A Smith**, 4932 S Mechanicsville Road, Clarion, PA 16214-4734. Facility Name: Barry Smith SRSTP. This proposed facility is located in Limestone Township, **Clarion County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Little Piney Creek (CWF), is located in State Water Plan watershed 17-B and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

*Northwest Regional Office*

**PA0004995**, Industrial, SIC Code 3241, **Armstrong Cement & Supply Corporation**, 100 Clearfield Road, Cabot, PA 16023-9531. Facility Name: Armstrong Cement & Supply. This existing facility is located in Winfield Township, **Butler County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving streams, an Unnamed Tributary to the Rough Run (HQ-TSF) and the Rough Run (HQ-TSF), are located in State Water Plan watershed 18-F and are classified for High Quality Waters—Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.



The proposed effluent limits for Outfall 001 are based on a design flow of 0.0265 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min	XXX	XXX	XXX
			4.0			
Total Residual Chlorine (TRC)	XXX	XXX	Inst Min	0.5	XXX	1.6
			XXX			
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	25.0	XXX	50
			XXX			
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
				Geo Mean		
				200		
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean	XXX	1,000
May 1 - Sep 30				200		
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ammonia-Nitrogen	XXX	XXX	XXX	24.0	XXX	48
				Nov 1 - Apr 30		
				May 1 - Oct 31		
Total Nitrogen	XXX	XXX	XXX	8.0	XXX	16
				Report		
Total Phosphorus	XXX	XXX	XXX	Daily Max	XXX	XXX
				Report		
				Daily Max		

The proposed effluent limits for Outfall 004 are based on a design flow of 0.144 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	Inst Min	Report	XXX
				XXX		
Iron, Total	XXX	XXX	XXX	3.99	XXX	7.98
Aluminum, Total	XXX	XXX	XXX	Report	XXX	XXX
				XXX		
Arsenic, Total	XXX	XXX	XXX	Avg Qrtly	XXX	XXX
				Report		
				Avg Qrtly		

The proposed effluent limits for Outfall 005 are based on a design flow of 0.0648 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 010 are based on a design flow of 4.032 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	XXX
Iron, Total	XXX	XXX	XXX	Report	XXX	XXX
				XXX		
				Avg Qrtly		

The proposed effluent limits for Outfall 011 are based on a design flow of 0.144 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	XXX
Aluminum, Total	XXX	XXX	XXX	Report	XXX	XXX
				XXX		
				Avg Qrtly		

In addition, the permit contains the following major special conditions:

- Requirements Applicable to Stormwater Outfalls
- Best Management Practices (BMPs) for Concrete Batch Facilities

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

*Northwest Regional Office*

**PA0005029**, Industrial, SIC Code 4911, **Brookfield Power Piney & Deep Creek, LLC**, 482 Old Holtwood Road, Holtwood, PA 17532-9720. Facility Name: Piney Hydroelectric Station. This existing facility is located in Piney Township, **Clarion County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream, the Clarion River (WWF), is located in State Water Plan watershed 17-B and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 006 are based on a design flow of 0.183 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	100.0
Oil and Grease	XXX	XXX	XXX	15.0	XXX	30.0
Aluminum, Total	XXX	XXX	XXX	Report Daily Max	XXX	XXX
Iron, Total	XXX	XXX	XXX	Report Daily Max	XXX	XXX
Manganese, Total	XXX	XXX	XXX	Report Daily Max	XXX	XXX

The proposed effluent limits for Outfall 008 are based on a design flow of 0.286 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0

The proposed effluent limits for Outfall 009 are based on a design flow of 0.286 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0

The proposed effluent limits for Outfall 010 are based on a design flow of 0.286 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0

In addition, the permit contains the following major special conditions:

- Requirements Applicable to Stormwater Outfalls

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

*Southcentral Regional Office*

**Application No. PA0247600**, Concentrated Animal Feeding Operation (CAFO), **David H Martin (David Martin Farm CAFO)**, 420 Nottingham Road, Nottingham, PA 19362-9024.

David H Martin has submitted an application for an Individual NPDES permit for a renewal of an CAFO known as David Martin Farm CAFO, located in Little Britain Township, **Lancaster County**.

The CAFO is situated near Little Conowingo Creek (HQ-CWF, MF) and Unnamed Tributary to Little Conowingo Creek (HQ-CWF, MF) in Watershed 7-K, which are both classified for High Quality—Cold Water and Migratory Fish. The CAFO is designed to maintain an animal population of approximately 730.84 animal equivalent units (AEUs) consisting of 4,400 Swine Wean to Finish and 66,000 Pullets. Liquid swine manure is stored onsite in a concrete underbarn manure storage and solid pullet manure is kept in the barns until cleanout and export. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 100-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The Environmental Protection Agency (EPA) permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

*Southeast Regional Office*

**PA0044776**, Sewage, SIC Code 4952, **Northwestern Chester County Municipal Authority**, P.O. Box 308, Honey Brook, PA 19344-0308. Facility Name: Honey Brook Township STP. This existing facility is located in Honey Brook Township, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), West Branch Brandywine Creek (HQ-TSF, MF), is located in State Water Plan watershed 3-H and is classified for MF and High Quality Waters—Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.6 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average	Average Monthly	Average Weekly	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 6.0	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	1.7
Color (Pt-Co Units) (Pt-Co Units)	XXX	XXX	XXX	XXX	75
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	125	187	XXX	25.0	38.0
Nov 1 - Apr 30					
May 1 - Oct 31	68	102	XXX	14.0	21.0
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	XXX	Report	XXX	XXX
Raw Sewage Influent					
Total Suspended Solids	150	225	XXX	30.0	45.0
Total Suspended Solids	Report	XXX	Report	XXX	XXX
Raw Sewage Influent					
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX
Oct 1 - Apr 30				Geo Mean	
May 1 - Sep 30	XXX	XXX	XXX	200	XXX
				Geo Mean	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	144.1	XXX	XXX	28.8	XXX
Ammonia-Nitrogen	40.5	XXX	XXX	8.1	XXX
Nov 1 - Apr 30					
May 1 - Oct 31	13.5	XXX	XXX	2.7	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	XXX	XXX
Instream Monitoring					
Total Phosphorus	10.0	XXX	XXX	2.0	XXX
Nov 1 - Mar 31					
Apr 1 - Oct 31	9.0	XXX	XXX	1.8	XXX
Stream Flow, Minimum (MGD)	Report	Report	XXX	XXX	XXX
Instream Monitoring					

In addition, the permit contains the following major special conditions:

- No stormwater shall be directly admitted into sanitary sewers

- Proper disposal of collected screenings, slurries, sludges and other solids
- Permittee shall optimize chlorine dosages used for disinfection to minimize TRC in effluent
- Permittee shall develop and maintain Operations & Maintenance (O&M) Plan
- Seasonal effluent limits for fecal coliform

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect.

*Southeast Regional Office*

**PA0052035**, Sewage, SIC Code 4952, **Upper Makefield Township**, 1076 Eagle Road, Newtown, PA 18940-2818. Facility Name: Heritage Hills WWTP. This existing facility is located in Upper Makefield Township, **Bucks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Delaware River (WWF, MF) and Houghs Creek (WWF, MF), is located in State Water Plan watershed 2-E and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.172 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Daily Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (GPD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.23	XXX	0.45
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	14.3	XXX	XXX	10	XXX	20
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	14.3	XXX	XXX	10	XXX	20
Total Suspended Solids Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200.0	XXX	1,000.0
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200.0	XXX	1,000.0
				Geo Mean		
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ultraviolet light intensity (mW/cm <sup>2</sup> )	XXX	XXX	Report	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	4.3	XXX	XXX	3.0	XXX	6
Nitrate as N	XXX	XXX	XXX	Report	XXX	XXX
May 1 - Sep 30						
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.172 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Daily Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Total Dissolved Solids	XXX	XXX	XXX	Report	XXX	XXX
				Avg Qrtly		

The proposed effluent limits for Outfall 002 are based on a design flow of 0.159 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Daily Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (GPD)	Report	Report	XXX	XXX	XXX	XXX
		Daily Max				
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.23	XXX	0.45
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	13.3	XXX	XXX	10	XXX	20
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	13.3	XXX	XXX	10	XXX	20
Total Suspended Solids Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200.0	XXX	1,000.0
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean	XXX	1,000.0
May 1 - Sep 30	XXX	XXX	XXX	200.0	XXX	1,000.0
E. Coli (No./100 ml)	XXX	XXX	XXX	Geo Mean	XXX	Report
Ultraviolet light intensity (mW/cm <sup>2</sup> )	XXX	XXX	Report	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	4.0	XXX	XXX	3.0	XXX	6
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX

In addition, the permit contains the following major special conditions:

- Notification of designation of responsible operator
- Proper disposal of sludge, slurries and other solids
- Development and Implementation of Operation & Maintenance (O&P) Plan
- Requirements for discharge to Delaware River
- Requirements for discharge to groundwater recharge basins
- Seasonal effluent limits for fecal coliform

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Southeast Regional Office

**PA0055263**, Sewage, SIC Code 4952, **Executive Center Condo Association**, 350 S Main Street, Suite 211, Doylestown, PA 18901. Facility Name: Executive Center Condo Association STP. This existing facility is located in Plumstead Township, **Bucks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SFTF sewage.

The receiving stream(s), Unnamed Tributary of North Branch Neshaminy Creek (WWF, MF), is located in State Water Plan watershed 2-F and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .001 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 2.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	1.2	XXX	2.5
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	20	XXX	40
Nov 1 - Apr 30						
May 1 - Oct 31	XXX	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000
Ammonia-Nitrogen	XXX	XXX	XXX	Geo Mean 9.0	XXX	18
Nov 1 - Apr 30						
May 1 - Oct 31	XXX	XXX	XXX	3.0	XXX	6
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX



In addition, the permit contains the following major special conditions:

- AMR Reporting
- No Stormwater
- Necessary Property Rights
- Proper Sludge Disposal
- Abandon STP
- Minimize Chlorine Usage
- Small Stream Discharge
- Notification of Designated Operator

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

*Southeast Regional Office*

**PA0057002**, Industrial, SIC Code 4953, **Township of Haverford**, 1014 Darby Road, Havertown, PA 19083. Facility Name: Haverford Township Landfill Leachate TP. This existing facility is located in Haverford Township, **Delaware County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream, Darby Creek (TSF, MF), is located in State Water Plan watershed 3-G and is classified for Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .01 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
			Inst Min			
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.2
Color (Pt-Co Units)	XXX	XXX	XXX	XXX	XXX	100
Total Suspended Solids	XXX	XXX	XXX	30	60	75
Iron, Dissolved	XXX	XXX	XXX	XXX	XXX	7.0
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .01 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Specific Conductance (µmhos/cm)	XXX	XXX	XXX	XXX	Report	XXX
Total Dissolved Solids	XXX	XXX	XXX	XXX	Report	XXX
Dieldrin (ug/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Acquiring Necessary Property Rights
- Proper Sludge Disposal
- WQM Permits
- Applicable BAT if Developed
- Chlorine Optimization
- Small Stream Discharge

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

*Southwest Regional Office*

**PA0217301**, Sewage, SIC Code 4952, **Conemaugh Township, Somerset County**, 1120 Tire Hill Road, Johnstown, PA 15905-7707. Facility Name: Jerome WTP. This existing facility is located in Conemaugh Township, **Somerset County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Quemahoning Creek (CWF), is located in State Water Plan watershed 18-E and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.17 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Daily Max	XXX	XXX
				Report		
Aluminum, Total	XXX	XXX	XXX	Daily Max	XXX	XXX
				Report		
Iron, Total	XXX	XXX	XXX	Daily Max	XXX	XXX
				Report		
Manganese, Total	XXX	XXX	XXX	Daily Max	XXX	XXX
				Report		

The proposed effluent limits for Outfall 001 are based on a design flow of 0.17 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 001 are based on a design flow of 0.17 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX	
	Average Monthly	Weekly Average		Average Monthly	Weekly Average		
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX	
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0	
			Inst Min				
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX	
			Inst Min				
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.07	XXX	0.25	
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	35.5	53.2	XXX	25.0	37.5	50	
							Nov 1 - Apr 30
							May 1 - Oct 31
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	Report	XXX	Report	XXX	XXX	
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX	
Total Suspended Solids							
Raw Sewage Influent	42.6	63.8	XXX	30.0	45.0	60	
Total Suspended Solids							
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000	
							Oct 1 - Apr 30
							May 1 - Sep 30
Ammonia-Nitrogen	8.6	13.0	XXX	6.1	9.2	12.2	
							Nov 1 - Apr 30
							May 1 - Oct 31
Ammonia-Nitrogen	4.4	6.5	XXX	3.1	4.6	6.2	
							Nov 1 - Apr 30
							May 1 - Oct 31

In addition, the permit contains the following major special conditions:

- None.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southwest Regional Office

**PA0255408 A-1**, Sewage, SIC Code, **Lydia R Sargent**, 419 Patsy Drive, Gibsonia, PA 15044-8939. Facility Name: Sargent Properties SRSTP. This existing facility is located in Pine Township, **Allegheny County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary of Montour Run (TSF), is located in State Water Plan watershed 18-A and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200 Geo Mean	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report Avg Mo	XXX	Report

In addition, the permit contains the following major special conditions:

- None.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

*Southwest Regional Office*

**PAI136109**, MS4, **Municipality of Murrysville, Westmoreland County**, 4100 Sardis Road, Murrysville, PA 15668-1120.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Murrysville Borough, **Westmoreland County**. The receiving stream(s), Lyons Run (TSF), Abers Creek (TSF), Haymakers Run (HQ-CWF), Turtle Creek (TSF), Steels Run (HQ-CWF), and Pucketa Creek (TSF), is located in State Water Plan watershed 19-A and 18-A and is classified for Trout Stocking and High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA waiver is in effect for small MS4s and is not in effect for large MS4s.

---

**III. Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity.**

---

*Northeast Regional Office*

Applicant: **NP New Castle, LLC**

Applicant Address: 3315 N. Oak Trafficway, Kansas City, MO 64116

Application Number: **PAD540005**

Application Type: Renewal

Municipality/County: New Castle Township, **Schuylkill County**

Project Site Name: New Castle Industrial

Total Earth Disturbance Area (acres): 82 acres

Surface Waters Receiving Stormwater Discharges: 1. Mill Creek (CWF, MF); 2. UNT to Mud Run (CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

**Project Description:** This project involves the Renewal of PAD540005, a previously approved project which proposed the demolition of the existing “Schuylkill Shopping Mall” and the construction of two industrial warehouse buildings (890,000 ft<sup>2</sup> and 360,000 ft<sup>2</sup>, respectively), a 186-lot parking lot, a 208-lot parking lot, a 222-lot parking lot, access roads, truck loading/unloading areas, and the retrofitting/construction of stormwater management facilities. Overall, the redevelopment of the area will constitute a 3.48-acre reduction in impervious area when compared to existing conditions.

**Special Conditions:** N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP’s File Review Coordinator at 570-826-5472.

*Northeast Regional Office*

**Applicant: EKG Partnership**

**Applicant Address:** 239 Golf Hill Road, Honesdale, PA 18431-2212

**Application Number: PAD640015**

**Application Type:** Renewal

**Municipality/County:** Honesdale Borough, Texas Township, **Wayne County**

**Project Site Name:** Proposed Fill Site

**Total Earth Disturbance Area (acres):** 7.26 acres

**Surface Waters Receiving Stormwater Discharges:** UNT to Lackawaxen River (HQ-TSF, MF)

**Proposed Effluent Limitations:** The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

**Rate or Frequency of Discharge:** Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

**Project Description:** Renewal of a commercial/industrial fill site.

**Special Conditions:** N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP’s File Review Coordinator at 570-826-5472.

*Southeast Regional Office*

**Applicant: Old Easton Realty LLC**

**Applicant Address:** 876 N Easton Road, Doylestown, PA 18902-1020

**Application Number: PAD090100**

**Application Type:** New

**Municipality/County:** Buckingham Township, **Bucks County**

**Project Site Name:** Hyundai Dealership & Biotechnology Research Lab

**Total Earth Disturbance Area (acres):** 8.39 acres

**Surface Waters Receiving Stormwater Discharges:** Pine Run (TSF, MF)

**Proposed Effluent Limitations:** The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

**Rate or Frequency of Discharge:** Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

**Project Description:** Parcel is being redeveloped from Anthony-Sylvan Pools to car dealership along N Easton Rd and Biotech. Labs on Old Easton Road. First NPDES Application will be for demolition and remediation of the site. Permit amendment will be filed as part of Land Development approval for new work.

**Special Conditions:** N/A

You may review the permit application file by contacting DEP’s File Review Coordinator at 484-250-5910.

*Northcentral Regional Office*

**Applicant: Pennsylvania-American Water Company**

**Applicant Address:** 852 Wesley Drive, Mechanicsburg, PA 17055

**Application Number: PAD600015**

**Application Type:** New

**Municipality/County:** White Deer Township, **Union County**

**Project Site Name:** White Deer Creek Filter Plant

**Total Earth Disturbance Area (acres):** 1.95 acres

**Surface Waters Receiving Stormwater Discharges:** White Deer Creek (HQ-CWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Updating of existing Sewage Treatment plant.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 570-327-3693.

*Northcentral Regional Office*

Applicant: **Matthew Everitt**

Applicant Address: 8010 Buffalo Rd, Mifflinburg, PA 17844

Application Number: **PAD600014**

Application Type: New

Municipality/County: West Buffalo Township, **Union County**

Project Site Name: Matt Everitt AG Operation

Total Earth Disturbance Area (acres): 5.80 acres

Surface Waters Receiving Stormwater Discharges: Rapid Run (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The proposal is to construct a new poultry operation inclusive of two poultry barns (48' × 500'), manure storage (60' × 80'), gravel driveway, gravel pads, and associated stormwater management controls.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 570-327-3693.

*Southwest Regional Office*

Applicant: **Quaker Valley Recreation Association, Inc.**

Applicant Address: 100 Leetsdale Industrial Dr, Ste B, Leetsdale, PA 15056

Application Number: **PAD020027**

Application Type: Renewal

Municipality/County: Bell Acres Borough, **Allegheny County**

Project Site Name: Legacy Fields at Bouchard Family Park

Total Earth Disturbance Area (acres): 19.7 acres

Surface Waters Receiving Stormwater Discharges: Little Sewickley Creek (HQ-TSF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Development of athletic fields for the recreation association.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 412-442-4286.

*Southwest Regional Office*

Applicant: **NobelClad US Manufacturing**

Applicant Address: P.O. Box 317, Mount Braddock, PA 15465

Application Number: **PAD260023**

Application Type: New

Municipality/County: Dunbar Borough, **Fayette County**

Project Site Name: NobelClad—New Stockpile



Total Earth Disturbance Area (acres): 7.59 acres

Surface Waters Receiving Stormwater Discharges: Dunbar Creek (HQ-CWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construct a new material stockpile comprised of excavated rock.

Special Conditions: Infiltration testing shall be performed upon completion and stabilization of the Post Construction Stormwater Management BMPs identified as Infiltration Basin 1 and Infiltration Basin 2. Testing must be done in the immediate area of each BMP and follow the procedures in Appendix C of the Pennsylvania Stormwater Best Management Practices Manual.

You may review the permit application file by contacting DEP's File Review Coordinator at 412-442-4286.

*Northeast Regional Office*

Applicant: **Schuylkill Health System Development Corporation**

Applicant Address: LVHN 2100 Mack Blvd., Allentown, PA 18107

Application Number: **PAD480209**

Application Type: New

Municipality/County: Hanover Township, **Northampton County**

Project Site Name: UHS/LVHN Behavioral Health Hospital

Total Earth Disturbance Area (acres): 13.15 acres

Surface Waters Receiving Stormwater Discharges: Monocacy Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The project involves the construction of a Behavioral Healthcare Facility including associated parking areas, lighting, landscaping, stormwater management facilities and other miscellaneous improvements.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

*Northeast Regional Office*

Applicant: **Highland Village Development Co. LLC**

Applicant Address: 139 Andover Mohawk Rd., Andover, NJ 07821-5004

Application Number: **PAD520011**

Application Type: Renewal

Municipality/County: Lehman Township, **Pike County**

Project Site Name: Lehman's Pointe

Total Earth Disturbance Area (acres): 77.00 acres

Surface Waters Receiving Stormwater Discharges: UNT to Saw Creek, High Quality—Cold Water Fish, Migratory Fish (HQ-CWF, MF), EV Wetlands

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The project is renewing the permit for 214 single residential dwellings, driveways and associated stormwater facilities within an existing subdivided site.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

*Regional Permit Coordination Office*Applicant: **Rekha Tolani, LLC**

Applicant Address: 514 Wisteria Drive, Moosic, PA 18507

Application Number: **PAD220013**

Application Type: New

Municipality/County: Londonderry Township, **Dauphin County**

Project Site Name: Tolani—Middletown

Total Earth Disturbance Area (acres): 8.05 acres

Surface Waters Receiving Stormwater Discharges: Tributary to Iron Run (WWF, MF), Tributary to Conewago Creek (TSF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Rekha Toliani, LLC is proposing the construction of a convenience store with two adjacent commercial spaces, fuel pumps, a car wash, two hotels, and stormwater management facilities.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-772-5987.

*Southcentral Regional Office*Applicant: **First Energy Corp**

Applicant Address: 76 South Main Street, Akron, OH 44308

Application Number: **PA070001D**

Application Type: New

Municipality/County: Frankstown Township, **Blair County**

Project Site Name: Warrior Ridge 46kV G-Line Rebuild

Total Earth Disturbance Area (acres): 5.6 acres

Surface Waters Receiving Stormwater Discharges: Unnamed Tributary to New Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The project consists of rebuilding approximately 0.84 mile of a 46 kV overhead electric line within an existing right-of-way. The project will require temporary stream and wetland crossings to remove the existing poles, install new poles, and removal and installation of supporting guy wire and guy poles.

Special Conditions: To avoid adverse effects on Indiana Bats and their maternity habitat, conduct any tree cutting, tree inundation and prescribed burning from October 1 to March 31. The project is located in the vicinity of the Northern Long-Eared Bat for staging/fall swarming habitat. To ensure take is not reasonably certain to occur. Do not conduct tree removal from May 15 to August 15.

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

*Southwest Regional Office*Applicant: **Peoples Natural Gas Co. LLC**

Applicant Address: 375 North Shore Drive, Suite 600, Pittsburgh, PA 15212

Application Number: **PA650001D**

Application Type: New

Municipality/County: Salem Township, **Greene County**

Project Site Name: Greene Drive Replacement Project

Total Earth Disturbance Area (acres): 2.6 acres

Surface Waters Receiving Stormwater Discharges: Beaver Run (HQ-CWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The Project consists of the installation of 3,440 LF of new 2-inch plastic pipeline in Salem Township, Westmoreland County, PA. PNG intends to complete the entire Project using trenching methods. The existing pipeline will be abandoned in place. The Project will be restored to pre-construction conditions and no new permanent impervious areas are proposed.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 412-442-4286.

*Southwest Regional Office*

Applicant: **PA Cyber Charter School**

Applicant Address: 652 Midland Ave, Midland, PA 15059

Application Number: **PAD040118**

Application Type: New

Municipality/County: Midland Borough, **Beaver County**

Project Site Name: Proposed PA Cyber New Operations Center Redevelopment Project

Total Earth Disturbance Area (acres): 17.17 acres

Surface Waters Receiving Stormwater Discharges: Ohio River (WWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: This a new application for the development of an operations center for PA Cyber. The project is located along South 12th Street, just across from the Midland Innovation and Technology Charter School. The site was previously an LTV East Mills disposal site and is being remediated under the PA DEP Act 2 Land Recycling Program. The proposed complex will include a large warehouse building with office space, a two-story technology center, multiple asphalt parking areas and driveways, and multiple landscaped areas. The complex may also include two additional buildings which may be developed in the future. The site will include stormwater management facilities including four Managed Release Concept (MRC) underground detention systems and one MRC rain garden.

Special Conditions: 1. Prior to the beginning of work, all public water supplies or other water-related activities located downstream that may be affected by turbidity increases or other water quality changes caused by said work shall be sufficiently notified in advance to allow for preparation of any water quality changes. These include, at a minimum, Midland Borough Municipal Authority (Richard Corradi) at 724-643-4920. 2. Earth disturbance may not commence until all Act 537 authorizations have been obtained. 3. All limitations, conditions, procedures, testing, and monitoring which is in the Soil Management Plan (SMP) and/or any Act 2 remediation plan or site characterization provided with this application are to be followed. No deviation from the SMP is permitted without written authorization from the Department (DEP). a. If contaminants or conditions with the potential to cause pollution are found during construction which are beyond the scope of the SMP or Act 2 considerations, DEP and the County Conservation District shall be notified and measures implemented to contain potential pollution sources immediately upon discovery. b. Any contaminated material to be transported and disposed of off-site including but not limited to pumped groundwater may require permitting with DEP's Waste Management or Clean Water programs. These permits should be anticipated and shall be secured prior to earth disturbance.

You may review the permit application file by contacting DEP's File Review Coordinator at 412-442-4286.

*Regional Permit Coordination Office*

Applicant: **Tiny Estates, LLC**

Applicant Address: 867 Schwanger Road, Elizabethtown, PA 17022

Application Number: **PAD360112**

Application Type: New

Municipality/County: Mount Joy Township, **Lancaster County**

Project Site Name: Tiny Estates

Total Earth Disturbance Area (acres): 1.5 acres

Surface Waters Receiving Stormwater Discharges: tributary to Donegal Creek (CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Tiny Estates, LLC is proposing to demolish existing buildings and construct 14 pads and associated driveways, parking areas and stormwater management facilities for future expansion of the Tiny Estates development.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-772-5987.

*Northeast Regional Office*

Applicant: **James Schumm**

Applicant Address: 27 Monell Place, Beacon, NY 12508

Application Number: **PAD520054**

Application Type: New

Municipality/County: Milford Township, **Pike County**

Project Site Name: Milford Highlands Lot 55

Total Earth Disturbance Area (acres): 0.86 acre

Surface Waters Receiving Stormwater Discharges: Unnamed Tributary to Deep Brook, Exceptional Value (EV)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of a single-family dwelling with on-site septic system, well, and stormwater management.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

*Northeast Regional Office*

Applicant: **TMS Real Estate Investments, LLC**

Applicant Address: 980 Harvest Drive, Suite 200, Blue Bell, PA 19422-1908

Application Number: **PAD480197**

Application Type: New

Municipality/County: Bangor Borough and Washington Township, **Northampton County**

Project Site Name: Quarry Ridge—Townhome Development

Total Earth Disturbance Area (acres): 48.31 acres

Surface Waters Receiving Stormwater Discharges: Martins Creek (HQ-CWF, MF) and UNTs to Martins Creek (CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The project involves the development of a 70.87-acre property involving the construction of 255 residential townhome units, parking areas, access roadways, lighting, landscaping, utilities and stormwater management facilities.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

## **STATE CONSERVATION COMMISSION**

### **PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs**

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed



(National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling 717-787-8821.

Individuals wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Individuals in need of accommodations should contact the SCC through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

**ACT 38  
NUTRIENT MANAGEMENT PLANS  
CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/New</i>
Aurand Poultry LLC 135 Woodside Drive Bloomsburg, PA 17815	Columbia County	839.8	642	Layers	NA	Renewal
Lindell Farms LLC 5207 State Highway 957 Russell, PA 16345	Warren County	1,802.8	1,154.47	Holstein Dairy Cows	NA	New

**PUBLIC WATER SUPPLY PERMITS**

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for Public Water Supply (PWS) permits to construct or substantially modify public water systems.

Individuals wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30-days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (DEP) the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, DEP will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

**SAFE DRINKING WATER**

**Application(s) Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).**

*Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Thomas Filip, Environmental Engineer, 717-705-4708.*

**Application No. 3824501**, Construction, Public Water Supply.

Applicant	<b>Mt Lebanon Campmeeting Association, Inc.</b>
Address	23 Mt Lebanon Drive Lebanon, PA 17042
Municipality	North Lebanon Township
County	<b>Lebanon County</b>
Responsible Official	Earnst Meily 23 Mt Lebanon Drive Lebanon, PA 17042
Consulting Engineer	Hershey Engineering, Inc. 703 Woodcrest Ave Lebanon, PA 17042
Application Received	February 27, 2024
Description	Installation of manganese removal treatment and chlorine contact piping.

*Contact: Wade Cope, P.E., Environmental Engineer, 717-705-4708.*



**Application No. 5024502**, Construction, Public Water Supply.

Applicant **Newport Borough Water Authority**  
 Address 497 North Front Street  
 Newport, PA 17074  
 Municipality Oliver Township  
 County **Perry County**  
 Responsible Official Penny Frownfelter  
 497 North Front Street  
 Newport, PA 17074  
 Consulting Engineer Barton and Loguidice, DPC  
 3901 Hartzdale Drive  
 Suite 101  
 Camp Hill, PA 17011  
 Application Received February 8, 2024  
 Description Construction permit for the reactivation of Well No. 1 and associated treatment.

*Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Renee Diehl, Program Manager, ra-epswwd@pa.gov.*

**Application No. 0424507**, Construction, Public Water Supply.

Applicant **Allied Convenience LLC**  
 Address 107 Breckenridge Drive  
 Wexford, PA 15090  
 Municipality Darlington Borough  
 County **Beaver County**  
 Responsible Official Usman Azeem Chatta  
 107 Breckenridge Drive  
 Wexford, PA 15090  
 Consulting Engineer Lennon Smith  
 Souleret Engineering, Inc.  
 846 Fourth Avenue  
 Coraopolis, PA 15108  
 Application Received February 21, 2024  
 Description Replacement of filter media for the One Stop Shopper water system.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 1

**Acknowledgment of Notice(s) of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).**

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent (NOI) to Remediate. An acknowledgment of the receipt of a NOI to Remediate is used to identify a site where an individual proposes to, or has been required to, respond to a release of a regulated substance at a site. Individuals intending

to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a NOI to Remediate with DEP. A NOI to Remediate filed with DEP provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. An individual who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by DEP. Furthermore, an individual shall not be subject to citizen suits or other contribution actions brought by responsible individuals not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified individual, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following Notice(s) of Intent to Remediate.

*Northcentral Region: Environmental Cleanup & Brownfields Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Randy Farmerie, P.G., Environmental Program Manager, 570-327-3716.*

**Kingsley Unit Pad B**, Primary Facility ID # **873802**, 312 Marqies Way, New Albany, PA 18833, Monroe Township, **Bradford County**. Creston Environmental, LLC, P.O. Box 1373, Camp Hill, PA 17001 on behalf of Chesapeake Appalachia LLC, 14 Chesapeake Lane, Sayre, PA 18840, submitted a Notice of Intent to Remediate. The NIR concerns soil contaminated with lube oil. The applicant proposes to remediate the site to meet the Statewide health standard. The Notice of Intent to Remediate was published in *The Daily Review* on February 16, 2024. Application received: February 29, 2024.

**Shumhurst BRA Well Pad**, Primary Facility ID # **870184**, 3529 Spring Hill Road, Wyalusing, PA 18853, Tuscarora Township, **Bradford County**. Creston Environmental, LLC, P.O. Box 1373, Camp Hill, PA 17001 on behalf of Chesapeake Appalachia LLC, 14 Chesapeake Lane, Sayre, PA 18840, submitted a Notice of Intent to Remediate. The NIR concerns soil contaminated with

produced water. The applicant proposes to remediate the site to meet the Statewide health standard. The Notice of Intent to Remediate was published in *The Daily Review* on February 23, 2024. Application received: February 29, 2024.

*Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

Contact: Eric Supey, Environmental Program Manager.

**Dupont Terminal**, Primary Facility ID # **774849**, 675 Suscon Road, Pittston, PA 18640, Pittston Township, **Luzerne County**. Piedmont Geologic, 6003-145 Chapel Hill Road, Raleigh, NC 27607 on behalf of Dupont Terminals-DE, LLC, 900 South Eisenhower Boulevard, Middletown, PA 17057, submitted a Notice of Intent to Remediate. Soil and groundwater were contaminated with petroleum from historic petroleum terminal operations. The Notice of Intent to Remediate was published in *The Times Leader* on February 18, 2024. Application received: February 28, 2024.

**1016 Lower Demunds Road**, Primary Facility ID # **873822**, 1016 Lower Demunds Road, Dallas, PA 18612, Dallas Township, **Luzerne County**. LaBella Associates, 1000 Dunham Drive, Suite B, Dunmore, PA 18512 on behalf of The Harriet J. Parker Trust, 1016 Lower Demunds Road, Dallas, PA 18612, submitted a Notice of Intent to Remediate. Soil and groundwater were contaminated with petroleum from aboveground and underground storage tanks. The Notice of Intent to Remediate was published in *The Citizens Voice* on January 19, 2024. Application received: February 29, 2024.

**Pitt Ohio Express Hazleton**, Primary Facility ID # **873807**, 588 Oak Ridge Road, Hazleton, PA 18201, Hazle Township, **Luzerne County**. Geo-Technology Associates, 2405 John Fries Highway, Quakertown, PA 18951 on behalf of Terminal Leasing, Inc., 588 Oak Ridge Road, Hazleton, PA 18201, submitted a Notice of Intent to Remediate. Soil was contaminated by a release of styrene. The Notice of Intent to Remediate was published in *The Standards Speaker* on February 29, 2024. Application received: March 1, 2024.

*Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

Contact: Charline Bass, Administrative Assistant, 484-250-5787.

**Anthony & Sylvan Pools Site**, Primary Facility ID # **871197**, 3739 North Easton Road, Doylestown, PA 18902, Buckingham Township, **Bucks County**. Jeffrey T. Bauer, PG, Whitestone Associates, Inc., 1600 Manor Drive, Suite 220, Chalfont, PA 18914 on behalf of Tony Geonnotti, Fred Beans Automotive Group, 876 North Easton Road, Doylestown, PA 18902, submitted a Notice of Intent to Remediate. The site has been found to be contaminated with PCBs that have contaminated soil on the site. The proposed future use of the property will be nonresidential for development with a car dealership and biotechnology lab. The proposed cleanup standard for the site is the Statewide health standard. The Notice of Intent to Remediate was published in *Bucks County Courier Times* on December 13, 2023. Application received: November 21, 2023.

**109 Fairview Boulevard**, Primary Facility ID # **873130**, 109 Fairview Boulevard, Crum Lynne, PA 19022, Ridley Township, **Delaware County**. Gil Marshall, Marshall Geoscience Inc., 170 1st Avenue, Collegeville, PA 19426 on behalf of Gary Cocco, Eddystone

Commons LLC, 201 Saville Avenue, Eddystone, PA 19022, submitted a Notice of Intent to Remediate. The site has been found to be contaminated with No. 2 fuel oil, unleaded gasoline and kerosene. The proposed future use of the property will continue to be nonresidential. The proposed cleanup standard for the site is the Statewide health standard/site-specific standard. The Notice of Intent to Remediate was published in *Delaware County Daily Times* on January 19, 2023. Application received: January 17, 2023.

**2029-2059 York Road**, Primary Facility ID # **850612**, 2029-2059 York Road, Jamison, PA 18929, Warwick Township, **Bucks County**. Richard Lake, Geo-Technology Associates, Inc., 2405 John Fries Highway, Quakertown, PA 18951 on behalf of Bill Creeger, Pulte Homes of PA LP, 750 US Highway 202, Suite 500, Bridgewater, NJ 08807, submitted a Notice of Intent to Remediate. The metals lead and arsenic and the pesticide dieldrin were reported in soil and groundwater. The intended future use of the property is residential. The proposed cleanup standard for the site is the Statewide health standard/site-specific standard. The Notice of Intent to Remediate was published in *Bucks County Courier Times* on June 1, 2022. Application received: January 24, 2024.

*Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

Contact: Kam Miseikyte, Clerical Assistant 2, 412-442-4091.

**Mather Coal Site**, Primary Facility ID # **628482**, 1st and 8th Streets, Mather, PA 15346, Morgan Township, **Greene County**. AMO Environmental Decisions, 875 North Easton Road, Suite 10, Doylestown, PA 18902 on behalf of Greene County Industrial Development Authority, 93 East High Street, Waynesburg, PA 15370, submitted a Notice of Intent to Remediate. The former Gateway site initially operated as a coal processing and loading facility to support deep mining operations of the Pittsburgh coal seam from the early 1920's to the early 1960's. From 1975 through 1984, Gateway Forest Products operated a creosote treatment plant at the Site. Since 1984 the Gateway site has been used for the storage of heavy equipment and construction materials as well as several large piles of creosote-treated timbers left from the Gateway operations. Environmental investigations performed from the 1990's through 2023 have identified arsenic, 1,1-Biphenyl, benzo(A)Pyrene, and Benzo(B)Fluoranthene in soils at concentrations above applicable PA DEP Non-Residential MSCs. Large coal refuse piles were regraded and revegetated as part of a coal refuse pile reclamation project completed by BAMR in 2016. A portion of the site not within the regraded sections of the parcel, approximately 15.3 acres is proposed to be redeveloped into a nonresidential solar farm. The Notice of Intent to Remediate was published in *The Observer-Reporter* on February 14, 2024. Application received: February 20, 2024.

## AIR QUALITY

### PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department of Environmental Protection (DEP) has developed an integrated plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for DEP, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents

relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The DEP received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, DEP's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate DEP Regional Office. Appointments for scheduling a review must be made by calling the appropriate DEP Regional Office. The address and telephone number of the Regional Office is listed before the application notices.

Individuals wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the DEP's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

Any individual wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if DEP, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when DEP determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate DEP Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

#### PLAN APPROVALS

**Notice of Intent to Issue Plan Approval(s) and Notice of Intent to Issue or Amend Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These Actions May Include the Administrative Amendments of an Associated Operating Permit.**

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: David Balog, P.E., New Source Review Section Chief, 814-332-6328.*

**37-00331F: RWE Holding Company**, 535 Rundle Rd, New Castle, PA 16101, Taylor Township, **Lawrence County**. Application received: October 16, 2023. For the replacement of a Cartridge Dust Collector controlling the dry bulk carbon transfer process at the facility. The project potential emissions are estimated at 0.9 tpy PM. The facility is a Natural Minor facility. DEP's review of the information submitted by the applicant indicates that air contamination sources will comply with all regulatory requirements, including monitoring, recordkeeping and reporting requirements, furthermore pertaining to air contamination sources and the emission of air pollutants including the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12. Based on this finding, DEP proposes to issue a plan approval for the proposed activity. If DEP determines that the sources are constructed and operated in compliance with the plan approval conditions and the specifications of the application for plan approval, the requirements established in the plan approval will be incorporated into an Operating Permit pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.*

**PA-26-00618A: DeGusipe Services LLC dba DeGusipe Funeral Home & Crematory**, 65 N Gallatin Avenue, Uniontown, PA 15401, City of Uniontown, **Fayette County**. Application received: July 14, 2023. In accordance with 25 Pa. Code §§ 127.44 and 127.45, the Pennsylvania Department of Environmental Protection (DEP) is providing notice that it intends to issue an Air Quality Plan Approval (PA-26-00618A) to DeGusipe Services, LLC (DeGusipe) to authorize installation and temporary operation of a natural gas-fired multiple chamber cremator for human remains, manufactured by Matthews International, Model No. IE43-PPI rated at 150 lbs/hr and maximum charge capacity of 750 lbs. at their facility located in Uniontown City, Fayette County. Emissions from crematory will be controlled by operating and maintaining the proposed Matthews IE43-PPI according to the manufacturer's specifications and instructions. The plan approval requires that the proposed crematory incinerator shall always be operated and maintained in a manner consistent with good operating, maintenance, and air pollution control practices. Upon authorization of this plan approval the DeGusipe facility's potential to emit will not exceed 1.0 ton VOC, 1.0 ton NO<sub>x</sub>, 2.14 tons CO, 0.91 ton SO<sub>x</sub>, 2.14 tons PM<sub>10</sub>, and 0.67 ton HAPs. The DeGusipe facility is subject to the best available technology (BAT). The emission limit restrictions, monitoring, recordkeeping, reporting, and work standards practice conditions of the proposed plan approval have been derived from the applicable requirements of 25 Pa. Code Chapters 121—145. DeGusipe's Plan Approval application, the Department's Air Quality Review Memorandum, and the Proposed Air Quality Plan Approval for this project are available for review by any interested party at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To request a review of the Plan Approval Application, to receive an electronic copy of the Department's Air Quality Review Memorandum, or to



receive an electronic copy of the Department's proposed Air Quality Plan Approval for this project, a person may contact Jesse Parihar at jparihar@pa.gov or 412.442.4030. A person may oppose the proposed Plan Approval by filing a written protest with the Department through Jesse Parihar via the U.S. Postal Service to Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222; email to jparihar@pa.gov; or fax to 412.442.4194. Additional written comments may also be submitted. Each protest or set of written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval (PA-26-00618A) and a concise statement of the objections to the plan approval issuance and the relevant facts upon which the objections are based. All comments must be received prior to the close of business 30 days after the date of this publication.

### OPERATING PERMITS

#### Notice of Intent to Issue Title V Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Norman Frederick, Facility Permitting Chief, 570-826-2409.*

**48-00095, Ecopax, LLC**, 3600 Glover Rd., Easton, PA 18040, Forks Township, **Northampton County**. Application received: February 19, 2024. The Department intends to issue a renewal Title V Operating Permit for the operation of sources at their polystyrene foam product manufacturing facility. Ecopax is considered a major stationary source for VOCs and is subject to RACT III. The proposed permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

#### Notice of Intent to Issue Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

*Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**19-00020, Kawneer Company, Inc.**, 500 East 12th Street, Bloomsburg, PA 17815, City of Bloomsburg, **Columbia County**. Application received: November 17, 2022. The Department intends to issue a renewal of the State Only (Synthetic Minor) Operating Permit for the Bloomsburg facility. The facility is currently operating under SMOP 19-00020. The facility's main sources include 56 natural-gas-fired space heaters all rated less than 0.40 MMBtu/hr, six natural-gas-fired space heaters all rated between 3.0 MMBtu/hr and 7.0 MMBtu/hr, one 4.0 MMBtu/hr natural-gas-fired paint drying oven, four 4,000-gallon storage tanks equipped with natural-gas-fired burners, six 7,500-gallon storage tanks equipped with natural-gas-fired burners, one 4.67 MMBtu/hr natural-gas-fired pre-heat furnace, one 5.0 MMBtu/hr natural-gas-fired oven, one 18.8 brake-horsepower propane-fired generator, four spray booths, one paint mixing operation, all painting operations are controlled by

booth filters and a thermal oxidizer, one water treatment facility, two wastewater treatment facilities, two 174 brake-horsepower diesel-fired generators, one 51 brake-horsepower diesel-fired generator, one solvent recycler, one powder coating system, two 4,000-gallon pre-treat tanks, 17 anodizing tanks, one Pour and Debridge process, one Insulpour process, and one billet saw with chip collector (vents indoors). The facility has potential emissions of 23.14 tons per year of carbon monoxide, 28.01 tons per year of nitrogen oxides, 0.2 ton per year of sulfur oxides, 2.72 tons per year of particulate matter with an aerodynamic diameter of less than 10 microns, 2.72 tons per year of particulate matter with an aerodynamic diameter of less than 2.5 microns, 24.16 tons per year of volatile organic compounds, 19.50 tons per year of total hazardous air pollutants (HAPs), and 32,658 tons per year of carbon dioxide equivalents (greenhouse gases). The Pour and Debridge operation and Insulpour operation were approved via RFD that was submitted with the renewal application. The emission limits and work practice standards along with testing, monitoring, recordkeeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 25 Pa. Code Chapters 121—145, as well as 40 CFR Parts 60 and 63. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

*Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.*

**36-05106, Premier Custom Built, Inc.**, 110 Short Street, New Holland, PA 17557, East Earl Township, **Lancaster County**. Application received: September 26, 2023. To issue a State-Only Operating Permit for its cabinet manufacturing facility. The facility's actual emissions for 2022 were reported as 0.13 tpy CO, 0.15 tpy NO<sub>x</sub>, 0.08 tpy PM<sub>10</sub> and PM<sub>2.5</sub>, 0.00 tpy SO<sub>x</sub>, 17.86 tpy VOC, 4.43 tpy of combined HAPs and 1.90 tpy of a single HAP (toluene). The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 25 Pa. Code §§ 129.52, 129.77 and 129.101—129.107.

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.*

**09-00084, Grand View Hospital**, 700 Lawn Avenue, Sellersville, PA 18960, West Rockhill Township, **Bucks County**. Application received: August 28, 2023. This action is a renewal of a State Only Synthetic Minor Operating Permit. The facility's major emission sources include: three (3) low-NO<sub>x</sub> boilers, one (1) low-NO<sub>x</sub> boiler with induced FGR system, and three (3) emergency generator sets. The facility also has various sources that have been determined to be insignificant including three (3) steam-to-heat heat exchangers, four (4) electric chillers, one (1) cooling tower and one (1) small parts washer.

Potential emissions at the facility, after electing to take limit are as follows: 24.26 tons per year of NO<sub>x</sub>; 9.99 tons per year of CO; 46.46 tons per year PM; and less than 1 ton per year each of SO<sub>x</sub>, VOC and HAP. In addition to applicable State requirements the facility is subject to 40 CFR Part 60 Subparts Dc and IIII and 40 CFR 63 Subpart ZZZZ. The permit will include monitoring, recordkeeping, and reporting requirements designed to keep the facility within all applicable air quality requirements. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

#### PLAN APPROVALS

**Receipt of Plan Approval Application(s) and Notice of Intent to Issue Plan Approval(s) and Notice of Intent to Issue or Amend Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B and Subchapter F. These Actions May Include the Administrative Amendments of an Associated Operating Permit.**

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Shailesh Patel, New Source Review Chief, 570-826-2357.*

**48-00119B, Ultra-Poly Corporation**, 102 Demi Road, Portland, PA 18351, Portland Borough, **Northampton County**. Application received: February 14, 2024.

Notice is hereby given in accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), that the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to Ultra-Poly Corporation (102 Demi Road, Portland, PA18351) for their facility located in Portland Borough, Northampton County. This Plan Approval No. 48-00119b will be incorporated into a State Only Operating Permit through an administrative amendment at a later date.

For the installation and operation of two existing baghouse dust collectors at the facility added to building 2 to reduce fugitive PM emissions from plastic processing. This facility is a Non-Title V facility. The baghouse dust collectors will collect 99.9% of particulate emissions generated from the cleaning operations before dust is collected via a hopper to be sent to a landfill. Estimated particulate actual emissions will be 0.368 ton/year. The use of baghouse dust collectors capable of removing 99.9% of emissions meets Department's BAT criteria for this type of process. The company will operate the sources and maintain the system in accordance with the good engineering practices to assure proper operation of the system. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the

information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No.: 48-00119B and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Shailesh Patel, Environmental Engineer Manager, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Phone 570-826-2357 within 30 days after publication date.

#### COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21).

Mining activity permits issued in response to such applications are also subject to applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (DEP). A copy of the application is available for inspection at the District Mining Office indicated above each application. Requests for 401 Water Quality Certifications are included in individual application only if noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or Local Government Agency or Authority to DEP at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences). Such comments or objections should contain the name, address and phone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform DEP on the basis of comment or objection and relevant facts upon which it is based.

In addition, requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating



to informal conferences), must also contain a brief summary of the issues to be raised by the requestor at the conference and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application is associated with an application for an NPDES permit. A separate notice will be provided for the draft NPDES permit.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

#### *Coal Applications*

*Effluent Limits*—The following range of effluent limits (Table 1) will apply to NPDES permits issued in conjunction with the associated coal mining activity permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

*California District Mining Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.*

*Contact: Bonnie Herbert, Clerical Assistant 3.*

**Mining Permit No. 32051301. GP12-32051301. Rosebud Mining Company**, 301 Market Street, Kittanning, PA 16201, Buffington and Brush Valley Townships, **Indiana County**. To renew the permit. Includes renewal of Air Quality GPA/GP-12 Authorization. Application received: January 23, 2024. Accepted: February 23, 2024.

**Mining Permit No. 30841316. NPDES No. PA0213535. Consol Pennsylvania Coal Company LLC**, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, Richhill Township, **Greene County**. To revise the permit and related NPDES permit to revise several pond outlet systems and installation of a storm sewer system. One new NPDES point is proposed, and one existing NPDES point will be relocated. Receiving stream: Enlow Fork; classified for the following use: TSF. Application received: January 29, 2024. Accepted: February 28, 2024.

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.*

*Contact: Melanie Ford-Wigfield, 814-472-1900, ra-epcambria@pa.gov.*

**Mining Permit No. 56120116. NPDES No. PA0269174. LCT Energy, LP**, 938 Mount Airy Drive, Suite 200, Johnstown, PA 15904, Stonycreek Township, **Somerset County**. Permit renewal for the continued operation and restoration of a bituminous surface and auger mine affecting 127.3 acres. Receiving stream: unnamed tributaries to Boone Run, classified for the following use: CWF. Application received: February 27, 2024.

**Mining Permit No. 32901602. NPDES No. PA0214442. Robindale Energy Services, Inc.**, 224 Grange Hall Road, P.O. Box 228, Armagh, PA 15920, Burrell Township, **Indiana County**. Transfer of permit and mining activity permit for I-22 Tipple Prep Plant from Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201 affecting 40.8 acres. Receiving streams: Unnamed Tributary to Conemaugh River classified for the following use: CWF. Application received: February 28, 2024.

**Mining Permit No. 56130105. NPDES No. PA0269298. J & J Svonavec Excavating, Inc.**, 110 Windermere Lane, Somerset, PA 15501, Elk Lick Township, **Somerset County**. NPDES renewal of an existing bituminous surface mine affecting 95.0 acres. Receiving streams: unnamed tributary to/and Casselman River, classified for the following uses: CWF & WWF. Application received: March 5, 2024.

**Mining Permit No. 32830113. NPDES No. PA0605778. Beilchick Brothers**, P.O. Box 7, Heilwood, PA 15745, Buffington Township, **Indiana County**. NPDES renewal for continued operation and restoration of a bituminous surface and auger mine affecting 410.5 acres. Receiving streams: unnamed tributaries to/and Mardis Run, classified for the following use: CWF. Application received: March 5, 2024.

**Mining Permit No. 56130111. NPDES No. PA0269361. Coal Loaders, Inc.**, 210 East Main Street, P.O. Box 556, Ligonier, PA 15658, Stonycreek Township, **Somerset County**. NPDES Renewal for the continued operation and restoration of a bituminous surface and auger mine affecting 44.9 acres. Receiving stream: Stonycreek River, classified for the following use: CWF. Application received: February 27, 2024.

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.*

*Contact: Cassie Stanton, Clerical Assistant 2.*

**Mining Permit No. 17240102. NPDES No. PA0270075. Coal Loaders, Inc.**, 210 East Main Street, Ligonier, PA 15658, Bigler Township and Woodland Township, **Clearfield County**. Applications for a new bituminous coal surface mine permit and associated NPDES permit affecting 168 acres. The surface mining operation proposes to conduct blasting and includes a proposed wetland encroachment to remove and mitigate two separate areas of wetlands. The

areal extent of the wetlands proposed to be impacted is 0.345 acre. Receiving stream(s): Upper Morgan Run to Clearfield Creek to West Branch Susquehanna River classified for the following use(s): CWF. Application received: March 4, 2024. Accepted: March 4, 2024.

*Noncoal Applications*

*Effluent Limits*—The following Table 2 effluent limits apply to NPDES permits issued in conjunction with a noncoal mining permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Table 2

Parameter	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity must always exceed acidity.			
pH must always be greater than 6.0; less than 9.0.			

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.*

*Contact: Melanie Ford-Wigfield, 814-472-1900, ra-epcambria@pa.gov.*

**Mining Permit No. 56920302. NPDES No. PA0212326. New Enterprise Stone & Lime Co., Inc.,** P.O. Box 77, New Enterprise, PA 16664, Shade Township, **Somerset County.** Renewal of NPDES permit. Receiving stream: Laurel Run classified for the following use: CWF. Application received: February 29, 2024.

*Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.*

*Contact: Alicia Cook, Clerical Assistant 3, 814-797-0815.*

**Mining Permit No. 3072SM2. NPDES No. PA0605336. Allegheny Mineral Corporation,** P.O. Box 1022, Kittanning, PA 16201, Marion Township and Mercer Township, **Butler County.** Renewal of an NPDES permit. Application received: February 29, 2024.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

*Contact: RA-EPPottsvilleDMO@pa.gov.*

**Mining Permit No. 58130807. William H. Shay,** 258 Shay Road, Thompson, PA 18465, Gibson Township, **Susquehanna County.** Stage I & II bond release of a quarry operation affecting 1.0 acre on property owned by Harold Davis. Application received: March 4, 2024.

**MINING ACTIVITY NPDES DRAFT PERMITS**

This notice provides information about applications for a new, amended or renewed National Pollutant Discharge Elimination System (NPDES) permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (DEP) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

*Effluent Limits for Coal Mining Activities*

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

*Effluent Limits for Noncoal Mining Activities*

The limits for noncoal mining activities as provided in 25 Pa. Code § 77.522 are pH 6 to 9 and other parameters DEP may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

*Coal NPDES Draft Permits*

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.*

*Contact: Cassie Stanton, Clerical Assistant 2.*

**NPDES No. PA0219801. Mining Permit No. 17940107. River Hill Coal Company, Inc.,** P.O. Box 141, Kylertown, PA 16847, Karthaus Township, **Clearfield County**. Application received: November 22, 2023. Accepted: November 28, 2023.

Modification of an NPDES permit to add an additional outfall for discharge of water resulting from bituminous coal surface mining affecting 531 acres. Receiving stream(s): Saltlick Run, classified for the following use(s): HQ-CWF.

The following additional NPDES outfall requires a non-discharge alternative:

<i>Outfall No.</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
034 (TBNDA)	New	Treatment Facility	No Discharge

There is no proposed surface discharge from the previously listed facilities to the receiving stream due to the implementation of Best Management Practices in the form of NDA pond and dispersion pipes. BAT effluent limits as per 25 Pa. Code § 87.102 will be applied to the outfall effluent entering the New Non-Discharge Alternative (NNDA) system for the protection of the groundwater.

*Noncoal NPDES Draft Permits*

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.*

*Contact: Melanie Ford-Wigfield, 814-472-1900, ra-epcambria@pa.gov.*

**NPDES No. PA0009814. Mining Permit No. 4174SM2. New Enterprise Stone & Lime Co., Inc.,** P.O. Box 77, New Enterprise, PA 16664, Shade Township, **Somerset County**. Renewal and modification of NPDES permit affecting 146.5 acres. Receiving stream: Laurel Run classified for the following use: CWF. Application received: May 9, 2023.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following outfalls discharge to Laurel Run:

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>
001	Existing	Treatment/Stormwater Outfall
002	New	Treatment/Stormwater Outfall

The proposed effluent limits for the previously listed outfalls are as follows:

The following limits apply to all weather discharges from all facilities to Laurel Run:

<i>Discharge Parameter</i>	<i>Minimum</i>	<i>Discharge Limitations</i>			<i>Monitoring Requirements</i>	
		<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>	<i>Measurement Frequency (minimum<sup>1</sup>)</i>	<i>Sample Type</i>
Total Iron (mg/L)		1.5	3.0	3.7	2/Month	Grab
Total Manganese (mg/L)		1.0	2.0	2.5	2/Month	Grab
Total Aluminum (mg/L)		0.75	0.75	0.75	2/Month	Grab
Specific Conductance (micromhos)			Report		2/Month	Grab
Total Alkalinity (mg/L)			Report		2/Month	Grab
Total Acidity (mg/L)			Report		2/Month	Grab
Net Alkalinity (mg/L)			Report		2/Month	Calculated
pH (S.U.)	6.0			9.0	2/Month	Grab
Total Suspended Solids (mg/L)	N/A	35	70	90	2/Month	Grab
Flow (gpm)			Report		2/Month	Measured
Temperature (°F)			Report		2/Month	Measured

**NPDES No. PA0613371. Mining Permit No. 28030301. D L George & Sons Construction Company,** 20 East 6th Street, Waynesboro, PA 17268, Antrim Township, **Franklin County**. Renewal of NPDES permit affecting approximately 43 acres. Receiving stream: Paddy Run classified for the following use: WWF. Application received: May 24, 2023.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following outfalls discharge to Paddy Run:

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>
001	Existing	Stormwater Outfall

The following limits apply to dry weather discharges from all facilities to Paddy Run:

<i>Discharge Parameter</i>	<i>Minimum</i>	<i>Discharge Average Monthly</i>	<i>Limitations Maximum Daily</i>	<i>Instantaneous Maximum</i>	<i>Monitoring Requirements Measurement Frequency (minimum<sup>1</sup>)</i>	<i>Sample Type</i>
Total Suspended Solids (mg/L)	N/A	35	70	90	2/Month	Grab
Specific Conductance (micromhos)			Report		2/Month	Grab
pH (S.U.)	6.0			9.0	2/Month	Grab
Flow (gpm)			Report		2/Month	Measured
Temperature (°F)			Report		2/Month	Measured

The following limits apply to precipitation events less than or equal to the 10-year/24-hour for discharges from all facilities to Paddy Run:

<i>Discharge Parameter</i>	<i>Minimum</i>	<i>Discharge Average Monthly</i>	<i>Limitations Maximum Daily</i>	<i>Instantaneous Maximum</i>	<i>Monitoring Requirements Measurement Frequency (minimum<sup>1</sup>)</i>	<i>Sample Type</i>
pH (S.U.)	6.0	N/A	N/A	9.0	2/Month	Grab
Total Settleable Solids (mL/L)	N/A	N/A	N/A	0.5	2/Month	Grab
Flow (gpm)			Report		2/Month	Measured

The following limits apply to precipitation events greater than the 10-year/24-hour for discharges from all facilities to Paddy Run:

<i>Discharge Parameter</i>	<i>Minimum</i>	<i>Discharge Average Monthly</i>	<i>Limitations Maximum Daily</i>	<i>Instantaneous Maximum</i>	<i>Monitoring Requirements Measurement Frequency (minimum<sup>1</sup>)</i>	<i>Sample Type</i>
pH (S.U.)	6.0	N/A	N/A	9.0	2/Month	Grab

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

*Contact: RA-EPPottsvilleDMO@pa.gov.*

**NPDES Permit No. PA0225771. Mining Permit No. 64730304. Heidelberg Materials Northeast, LLC,** 7660 Imperial Way, Allentown, PA 18195, Dennison Township, **Luzerne County.** Renew NPDES permit, affecting 147.5 acres. Receiving stream: UNT to Wright Creek, classified for the following uses: HQ-CWF, MF. TMDL for Aluminum, Iron, and Manganese. Application received: November 6, 2023. Non-Discharging Best Management Practices will be in effect. Application received: November 6, 2023.

**FEDERAL WATER POLLUTION CONTROL ACT SECTION 401**

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (DEP). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), as well as relevant State requirements. Individuals objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain

the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The DEP may schedule a fact-finding hearing or an informal conference in response to comments if deemed necessary. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 a.m. and 4:00 p.m. on each working day at the office noted above the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

**WATER OBSTRUCTIONS AND ENCROACHMENTS**

**Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).**

*Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.*

*Contact: RA-EPEASTERNOGPRG@pa.gov.*

**E0829224-003. Chesapeake Appalachia LLC,** 14 Chesapeake Lane, Sayre, PA 18840, Wysox Township, **Bradford County.** U.S. Army Corps of Engineers Baltimore District. Application received: February 28, 2024.



To construct, operate and maintain:

1. a 16-inch diameter temporary waterline and a timber mat bridge impacting 440 square feet of a Palustrine Emergent Wetland (Rome, PA Quadrangle, Latitude: 41.80581°, Longitude: -76.363222°);

2. a 16-inch diameter temporary waterline and a timber mat bridge impacting 250 square feet of Palustrine Scrub-Shrub Wetland and 7,890 square feet of a Palustrine Emergent Wetland (Rome, PA Quadrangle, Latitude: 41.80581°, Longitude: -76.363222°);

3. a 16-inch diameter temporary waterline and a timber mat bridge impacting 20 linear feet (300 square feet) of an unnamed tributary to Wysox Creek (CWF, MF) and 2,360 square feet of floodway impacts (Rome, PA Quadrangle, Latitude: 41.803318°, Longitude: -76.360137°);

4. a 16-inch diameter temporary waterline and a timber mat bridge impacting 20 linear feet (140 square feet) of an unnamed tributary to Wysox Creek (CWF, MF) and 2,900 square feet of floodway impacts (Rome, PA Quadrangle, Latitude: 41.802847°, Longitude: -76.360142°);

5. a 16-inch diameter temporary waterline impacting 20 linear feet (160 square feet) of an unnamed tributary to Wysox Creek (CWF, MF), 7,440 square feet of floodway impacts, and 40 square feet of Palustrine Emergent Wetland (Rome, PA Quadrangle, Latitude: 41.800713°, Longitude: -76.359131°);

6. a 16-inch diameter temporary waterline impacting 2 linear feet (2 square feet) of an unnamed tributary to Wysox Creek (CWF, MF), 128 square feet of floodway impacts, (Rome, PA Quadrangle, Latitude: 41.800352°, Longitude: -76.357994°);

7. a 16-inch diameter temporary waterline and a timber mat bridge impacting 2,400 square feet of floodway impacts to an unnamed tributary to Wysox Creek (CWF, MF), and 7,540 square feet of Palustrine Emergent Wetland (Rome, PA Quadrangle, Latitude: 41.798870°, Longitude: -76.357146°);

8. a 16-inch diameter temporary waterline and a timber mat bridge impacting 1,040 square feet of a Palustrine Emergent Wetland (Rome, PA Quadrangle, Latitude: 41.799002°, Longitude: -76.354204°);

9. a 16-inch diameter temporary waterline and a timber mat bridge impacting 840 square feet of floodway impacts to an unnamed tributary to Wysox Creek (CWF, MF), and 2,140 square feet of Palustrine Emergent Wetland (Rome, PA Quadrangle, Latitude: 41.798385°, Longitude: -76.353122°);

10. a 16-inch diameter temporary waterline and a timber mat bridge impacting 20 linear feet (180 square feet) of an unnamed tributary to Wysox Creek (CWF, MF), 2,700 square feet of floodway impacts, and 1,800 square feet of Palustrine Emergent Wetland (Rome, PA Quadrangle, Latitude: 41.798188°, Longitude: -76.351574°);

11. a 16-inch diameter temporary waterline and a timber mat bridge impacting 8,440 square feet of a Palustrine Emergent Wetland (Rome, PA Quadrangle, Latitude: 41.796714°, Longitude: -76.350821°);

12. a 16-inch diameter temporary waterline and a timber mat bridge impacting 2,880 square feet of a Palustrine Emergent Wetland (Rome, PA Quadrangle, Latitude: 41.795139°, Longitude: -76.350832°);

13. a 16-inch diameter temporary waterline impacting 8 linear feet (13 square feet) of an unnamed tributary to

Vought Creek (WWF, MF), 128 square feet of floodway impacts, (Rome, PA Quadrangle, Latitude: 41.784365°, Longitude: -76.350365°);

14. a 16-inch diameter temporary waterline impacting 467 square feet of a Palustrine Emergent Wetland (Rome, PA Quadrangle, Latitude: 41.784091°, Longitude: -76.358823°).

The project will result in 80 linear feet (795 square feet) of temporary stream impacts, 18,934 square feet (0.435 acre) of temporary floodway impacts, 32,677 square feet (0.780 acre) of temporary PEM wetland impacts, and 250 square feet (0.006 acre) of temporary PSS wetland impacts, all for the purpose of establishing a temporary water supply for Marcellus well development in Wysox Township, Bradford County.

*Northcentral Region: Waterways & Wetlands Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: James Cassidy, Senior Civil Engineer, 570-855-9764.*

**E4104224-002. Cascade Township**, 1456 Kellyburg Road, Trout Run, PA 17771, Cascade Township, **Lycoming County**. U.S. Army Corps of Engineers Baltimore District. Application received: January 24, 2024.

This project is the installation of 120' of stacked rock wall with riprap transitions to existing streambank at either end at 2369 Slacks Run Road, Trout Run, PA 17771. The wall is 8' high to match the existing, eroding streambank. This project is being constructed on an area that was a front yard prior to recent, significant stream-caused erosion. Latitude: 41.4459°, Longitude: -76.9370°.

*Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: 717-705-4802.*

**E3603223-009. Bent Creek Country Club Golf Course Improvement**, Greenside Drive, Lititz, PA 17543, East Hempfield and Manheim Township, **Lancaster County**. U.S. Army Corps of Engineers Baltimore District. Application received: September 8, 2023.

To install and maintain a 6-inch HDPE irrigation line across the Little Conestoga Creek (WWF) and along its floodway at three different locations: GP-5-1 (40.121745, -76.357791), GP-5-2 (40.120662, -76.357014), and GP-5-3 (40.119331, -76.356084); and 2) to re-grade and maintain a bunker on Hole # 4 on the floodway of Little Conestoga Creek that will permanently impact approximately 30-linear feet of watercourse, 0.4 acre of floodway, and 0.01 acre of permanent wetland impact, all for the purpose of improving the golf course. The project is located approximately 0.07 mile southwest of the intersection of Shadewood Pi. and Greenside Dr. (Latitude: 40.120437°N; Longitude: -76.357156°W) in East Hempfield and Manheim Township, Lancaster County.

**E2203224-001. Hershey Entertainment & Resorts Company**, 27 West Chocolate Avenue, Suite 100, Hershey, PA 17033, Derry Township, **Dauphin County**. U.S. Army Corps of Engineers Baltimore District. Application received: February 19, 2024.

To demolish and remove existing features temporarily impacting approximately 5,212 square feet of the floodway of Spring Creek (WWF, MF) and permanently impacting approximately 1,009 square feet of the floodway of Spring Creek (WWF, MF). All proposed work is for the purpose of preparing the area for a future



attraction. The project is located at Longitude: 40.28727, Latitude: -76.55420 in Derry Township, Dauphin County. There are no wetland impacts associated with this project. Latitude: 40.28727°, Longitude: -76.55420°.

*Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Dana Drake, Program Manager.*

**E1105223-001. Johnstown Redevelopment Authority**, 416 Main Street, Suite 200, Johnstown, PA 15901, City of Johnstown, **Cambria County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: July 7, 2023. Latitude: 40° 20' 22", Longitude: -78° 55' 20".

**E1105223-001. Johnstown Redevelopment Authority**, Suite 200, 416 Main Street Johnstown, PA 15901; Pittsburgh ACOE District

To:

1. Construct and maintain 31 lf of 18 in smooth line corrugated plastic culvert, in association with a road crossing of a UNT to Hinckston Run (WWF).

2. Construct and maintain 25 lf of 24 in smooth line corrugated plastic culvert in association with a road crossing of this same UNT to Hinckston Run, at another location.

3. Construct and maintain 71 feet of rock lined channel in this same UNT to Hinckston Run.

4. Construction and maintain access road in 0.044 acre of permanent impact and 0.071 acre of temporary impact in the Floodway of this same UNT to Hinckston Run and floodplain of the Conemaugh River (WWF).

5. Construct and maintain a 20 feet long rock Apron outlet in the floodway of Hinckston Run (WWF).

For the purpose of the construction of a new access road from the existing Iron Street to an area approximately 115 acres of developable property. The project will cumulatively and permanently impact 100 LF of watercourse and 0.15 acre of floodway. The project will cumulatively and temporarily impact 0.29 acre of floodway.

The project site is located at 124 Iron street, City of Johnstown, PA 15906 (Johnstown, PA USGS topographic quadrangle; N: 40°, 20', 22"; W: -78°, 55', 20"; Sub-basin 18; USACE Pittsburgh District), in City of Johnstown, **Cambria County**.

**E6305222-001. Forest View Lane Partners LLC**, 3700 S. Water Street, Suite 150, Pittsburgh, PA 15203, North Strabane Township, **Washington County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: January 4, 2022. Latitude: 40° 14' 59", Longitude: -80° 9' 35".

**E6305222-001. Forest View Land Partners LLC**, 3700 S Water Street, Suite 150, City of Pittsburgh, Allegheny County; Pittsburgh ACOE District.

The Applicant has been given consent to:

Construct, operate, and maintain:

1. A 15" diameter, 92 linear foot (LF) smooth lined corrugated plastic pipe (SLCPP) with R-4 outlet protection of R003 an Unnamed Tributary (UNT) to Little Chartiers Creek (HQ-WWF), for the purpose of road construction, which will permanently impact 96 LF of watercourse R003 and 9,600 square feet (SF) of its floodway. The crossing will additionally impact a de

minus amount (67 square feet) of Wetland W002, a palustrine emergent (PEM) wetland.

2. An 8" diameter, 40 LF SLCPP extension with R-4 outlet protection, of an existing 8" diameter culverted road crossing of R004 a UNT to Little Chartiers Creek (HQ-WWF), for the purpose of road construction, which will permanently impact 55 linear feet of watercourse R004 and 5,500 SF of its floodway.

3. A 15" diameter, 138 linear foot reinforced concrete pipe (RCP) stream enclosure with R-4 outlet protection of R006 a UNT to Little Chartiers Creek (HQ-WWF), for the purpose of road construction, which will permanently impact 107 LF of watercourse R006 and 10,700 SF of its floodway. This stream enclosure will additionally impact a de minus amount (1,330 square feet) of wetland W001, a PEM wetland.

4. One (1) 8" diameter water utility line crossing of R003, one (1) 8" diameter water utility crossing of R004, and five (5) utility line crossings of R006 consisting of one (1) 2" diameter natural gas line, one (1) 30" diameter storm sewer line, one (1) 8" diameter sanitary sewer line, one (1) 8" water line, and (1) 2" diameter electric utility line. All of these utility line crossings will occur entirely within the fills associated with the road crossings noted in the previously listed items 1, 2, and 3.

5. Roadway fill within the floodway of R007 a UNT to Little Chartiers Creek (HQ-WWF), which will permanently impact 7,000 SF of R007's floodway.

6. One (1) 2" diameter natural gas utility line crossing of the floodway of R007. This utility line crossing is entirely within the area of roadway fill noted in the previously listed item 5.

7. One (1) 24" SLCPP stormwater basin outfall structure to R001. This outfall structure will result in permanent impacts to 21 LF of watercourse R001 and 1,050 SF of its floodway.

8. One (1) 24" SLCPP stormwater outfall to R005 UNT to Little Chartiers Creek (HQ-WWF). This outfall structure will result in permanent impacts to 21 LF of watercourse R005 and 1,050 SF of its floodway.

For the purpose of developing approximately 36.5 acres to be utilized as a residential subdivision with 47 lots.

Cumulatively, the project will permanently impact 300 linear feet of UNTs to Little Chartiers Creek and 0.81 acre of their floodways. Mitigation for impacts to watercourses will be provided through enhancement of 400 linear feet of an off-site stream. Additionally, cumulative, permanent wetland impacts are de minus and total 0.031 acre.

The project site is located along Locust Street, 0.13 miles south of its intersection with Poplar Street (Canonsburg & Washington East, PA USGS topographic quadrangle; N: 40°, 14', 59"; W: -80°, 9', 35"; Sub-basin 20F; USACE Pittsburgh District), in North Strabane Township, **Washington County**.

#### DAM SAFETY

*Central Office: Waterways & Wetlands Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-783-5784.*

*Contact: Roger Adams, P.E., Sr. Civil Engineer Hydraulic, 717-772-3969.*

**D06-003. City of Reading**, 815 Washington Street, Reading, PA 19601, City of Reading, **Berks County**. The project is to modify, operate, and maintain the Egelman

Reservoir Dam and reservoir located at 2300 Hill Road and across Ross Valley Creek, a tributary to the Schuylkill River, (WWF, MF) in the City of Reading. The project is to lower the hazard potential of the dam by placing 10 feet of engineered fill within the existing reservoir to reduce the normal pool depth to 4.5 feet. The proposal

includes a new auxiliary spillway and embankment improvements. The project will impact approximately 2.5 acres of open water resources with the placement/discharge of fill, Latitude: 40.3401°, Longitude: -75.8955°. Application received: December 8, 2023.

---

## ACTIONS

---

### THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department of Environmental Protection (DEP) has taken the following actions on previously received applications for new, amended, and renewed National Pollutant Discharge Elimination System (NPDES) and Water Quality Management (WQM) permits, applications for permit waivers, and Notice of Intent (NOIs) for coverage under General Permits, as listed in the following tables. This notice of final action is published in accordance with 25 Pa. Code Chapters 91, 92a, and 102 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). The official file for each listed action can be reviewed at the DEP or delegated County Conservation District (CCD) office identified in the table for the action. DEP/CCD office contact information is listed as follows for Section I and is contained within the table for Section II. Additional information for permits issued under 25 Pa. Code Chapters 91 and 92a and Individual permits under 25 Pa. Code Chapter 102, including links to Individual Chapter 92a NPDES and WQM Permits, may be reviewed by generating the “Final Actions Report” on DEP’s website at [www.dep.pa.gov/CWPublicNotice](http://www.dep.pa.gov/CWPublicNotice).

DEP office contact information to review official files relating to the final actions in Section I is as follows:

*DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES\_SERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SERO@pa.gov for Chapter 102 permits.*

*DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES\_NERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NERO@pa.gov for Chapter 102 permits.*

*DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES\_SCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SCRO@pa.gov for Chapter 102 permits.*

*DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES\_NCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NCRO@pa.gov for Chapter 102 permits.*

*DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES\_SWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SWRO@pa.gov for Chapter 102 permits.*

*DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6078. Email: RA-EPNPDES\_NWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NWRO@pa.gov for Chapter 102 permits.*

*DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES\_Permits@pa.gov.*

*DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.*

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law).

The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law. For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board. Individuals who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. Important legal rights are at stake, however, so individuals should contact a lawyer at once.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

For actions taken on applications for pipelines that are regulated by the Federal Energy Regulatory Commission (FERC).

Any person aggrieved by this action may challenge it in an appropriate legal forum. The State and Federal courts are currently split on whether the proper forum to challenge a Department permit, authorization or approval for a facility or activity subject to the Federal Natural Gas Act, 15 U.S.C.A. §§ 717 et seq., is the United States Court of Appeals for the Third Circuit or the Pennsylvania Environmental Hearing Board. See *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl. Prot.*, 833 F.3d 360 (3d Cir. 2016); *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl. Prot.*, 903 F.3d 65 (3d Cir. 2018), cert. denied, 139 S. Ct. 1648, 203 L. Ed. 899 (2019) and *Cole v. Dep't. of Env'tl. Prot.*, 1577 C.D. 2019 WL 2420667 (Pa. Cmwlth Ct. June 15, 2021) (Pet. for Allowance of Appeal pending); *West Rockhill Twp. v. Dep't of Env'tl. Prot.*, No. 1595 C.D. 2019 WL 2426014 (Pa. Cmwlth. June 15, 2021) (Pet. for Allowance of Appeal pending).

**I. Final Action(s) on NPDES and WQM Permit Application(s) and NOIs for Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides, CAFOs and Individual Construction Stormwater.**

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0259900	CAFO Individual NPDES Permit	Issued	Brian Byers 81 Four Pines Road Quarryville, PA 17566-9799	East Drumore Township Lancaster County	SCRO
PAD090101	Chapter 102 Individual NPDES Permit	Issued	North Penn Water Authority Montgomery County 300 Forty Foot Road Lansdale, PA 19446-4017	West Rockhill Township Bucks County	SERO
PAD150098	Chapter 102 Individual NPDES Permit	Issued	The Hankin Group 707 Eagleview Boulevard Suite 400 Exton, PA 19341-1159	Upper Uwchlan Township Chester County	SERO
PAD150310	Chapter 102 Individual NPDES Permit	Issued	802 E Baltimore Pike LLC 20 S Olive Street Suite 203 Media, PA 19063-3228	East Marlborough Township Chester County	SERO
PAD150319	Chapter 102 Individual NPDES Permit	Issued	Zook John D 3930 E Newport Road Gordonville, PA 17529-9716	West Caln Township Chester County	SERO
PAD230071	Chapter 102 Individual NPDES Permit	Issued	James A Nolen III Dynasty Trust 950 W Valley Forge Road King of Prussia, PA 19406-4534	Newtown Township Delaware County	SERO
PAD390274	Chapter 102 Individual NPDES Permit	Issued	GM 001 LLC 1047 Cetrionia Road Breinigsville, PA 18031-1410	Lower Macungie Township Lehigh County	NERO
PAD400067	Chapter 102 Individual NPDES Permit	Issued	Rice Township 3000 Church Road Mountain Top, PA 18707-9035	Rice Township Luzerne County	NERO
PAD450137	Chapter 102 Individual NPDES Permit	Issued	Tobyhanna Army Depot 11 Hap Arnold Boulevard Tobyhanna, PA 18466-5002	Coolbaugh Township Monroe County	NERO
PAD450192	Chapter 102 Individual NPDES Permit	Issued	Pleasant Valley Assembly of God P.O. Box 797 Broadheads ville, PA 18322	Chestnuthill Township Monroe County	NERO
PAD480203	Chapter 102 Individual NPDES Permit	Issued	Raab Joann 2650 Eagle Lane Hellertown, PA 18055-3361	Williams Township Northampton County	NERO
PAD510043	Chapter 102 Individual NPDES Permit	Issued	PA DOT Engineering District 6 0 7000 Geerdes Boulevard King Of Prussia, PA 19406-1525	Philadelphia City Philadelphia County	SERO
PAD630067	Chapter 102 Individual NPDES Permit	Issued	Forest View Land Partners LLC 3700 S Water Street Suite 150 Pittsburgh, PA 15203-2368	North Strabane Township Washington County	SWRO
PAD650011	Chapter 102 Individual NPDES Permit	Issued	Majestic Estates LLC 2366 Golden Mile Highway PMB 145 Pittsburgh, PA 15239	Murrysville Borough Westmoreland County	SWRO



## NOTICES

1393

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAD670081	Chapter 102 Individual NPDES Permit	Issued	TCNE Rte 74 Assoc LLC 300 Conshohocken State Road Suite 250 West Conshohocken, PA 19428-3801	Carroll Township York County	SCRO
PAD670087	Chapter 102 Individual NPDES Permit	Issued	Grant Donald Jr 36 Ridgewood Drive Hanover, PA 17331-8488	Codorus Township York County	SCRO
PAD670096	Chapter 102 Individual NPDES Permit	Issued	Columbia Gas of PA Inc. 1600 Colony Road York, PA 17408-4357	West Manheim Township York County	SCRO
PA0053554	Industrial Stormwater Individual NPDES Permit	Issued	Hyponex Corp 944 Newark Road Avondale, PA 19311-1133	New Garden Township Chester County	SERO
PA0056766	Industrial Stormwater Individual NPDES Permit	Issued	Philadelphia City Division of Aviation 2 International Plaza Suite 325 Philadelphia, PA 19113-1505	Philadelphia City Philadelphia County	SERO
0624801	Joint DEP/PFBC Pesticides Permit	Issued	Zweizig Farms 375 Zweizig Road Shoemakersville, PA 19555-9649	Perry Township Berks County	SCRO
3613850	Joint DEP/PFBC Pesticides Permit	Issued	Ephrata Township 265 Akron Road Ephrata, PA 17522-2611	Ephrata Township Lancaster County	SCRO
3913806	Joint DEP/PFBC Pesticides Permit	Issued	Four Seasons At Farmington 6995 Farmington Drive Macungie, PA 18062-8986	Lower Macungie Township Lehigh County	NERO
3923804	Joint DEP/PFBC Pesticides Permit	Issued	Barry Isett & Assoc Inc. 5420 Crackersport Road Allentown, PA 18104-9254	Upper Macungie Township Lehigh County	NERO
4523804	Joint DEP/PFBC Pesticides Permit	Issued	Lake Swiftwater Club Inc. P.O. Box 445 Henryville, PA 18332-0445	Paradise Township Monroe County	NERO
5817807	Joint DEP/PFBC Pesticides Permit	Issued	Genute Lillian 607 Lacey Drive Endwell, NY 13760	Choconut Township Susquehanna County	NERO
5823803	Joint DEP/PFBC Pesticides Permit	Issued	Deskiewicz Mike 8006 Glenwood Court New Tripoli, PA 18066-2955	Auburn Township Susquehanna County	NERO
6319807	Joint DEP/PFBC Pesticides Permit	Issued	Chapman Jeff 340 Jolly School Road Washington, PA 15301-9085	South Franklin Township Washington County	SWRO
6413821	Joint DEP/PFBC Pesticides Permit	Issued	Lake Quinn Assoc Inc. P.O. Box 64 South Canaan, PA 18459-0064	South Canaan Township Wayne County	NERO
6423806	Joint DEP/PFBC Pesticides Permit	Issued	Ulinsky Mark 2924 Hancock Highway Equinunk, PA 18417-3089	Damascus Township Wayne County	NERO
6423807	Joint DEP/PFBC Pesticides Permit	Issued	Spano Jim 540 Pleasant Mount Drive Forest City, PA 18421-4012	Mount Pleasant Township Wayne County	NERO
6423808	Joint DEP/PFBC Pesticides Permit	Issued	Thompson Wayne 137 Equinunk Creek Road Lakewood, PA 18439	Buckingham Township Wayne County	NERO
6518800	Joint DEP/PFBC Pesticides Permit	Issued	Westmoreland Farms HOA 3820 Old Willam Penn Highway Murrysville, PA 15668-1850	Murrysville Borough Westmoreland County	SWRO

## NOTICES

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAI133552	MS4 Individual NPDES Permit	Issued	Centre Township 449 Bucks Hill Road Mohrsville, PA 19541-9340	Centre Township Berks County	SCRO
PA0002372	Major Industrial Waste Facility < 250 MGD Individual NPDES Permit	Issued	International Waxes Inc. 45 Route 446 Smethport, PA 16749-5413	Keating Township McKean County	NWRO
PA0025437	Major Sewage Facility >= 1 MGD and < 5 MGD Individual NPDES Permit	Issued	North Coventry Township Municipal Authority 1485 East Schuylkill Road P.O. Box 833 Pottstown, PA 19464	North Coventry Township Chester County	SERO
PA0027367	Major Sewage Facility >= 1 MGD and < 5 MGD Individual NPDES Permit	Issued	Greenville Borough Sanitary Authority P.O. Box 604 125 Main Street Greenville, PA 16125-0604	Hempfield Township Mercer County	NWRO
PA0028428	Major Sewage Facility >= 1 MGD and < 5 MGD Individual NPDES Permit	Issued	Brockway Area Sewer Authority 501 Main Street Brockway, PA 15824-1326	Brockway Borough Jefferson County	NWRO
PA0026247	Major Sewage Facility >= 5 MGD Individual NPDES Permit	Issued	Hatfield Township Municipal Authority 3200 Advance Lane Colmar, PA 18915-9766	Hatfield Township Montgomery County	SERO
PA0042269	Major Sewage Facility >= 5 MGD Individual NPDES Permit	Issued	Lancaster Area Sewer Authority 130 Centerville Road Lancaster, PA 17603-4007	Manor Township Lancaster County	SCRO
PA0026191	Major Sewage Facility with CSOs Individual NPDES Permit	Issued	Huntingdon Borough P.O. Box 592 530 Washington Street Huntingdon, PA 16652-0592	Smithfield Township Huntingdon County	SCRO
2203401	Major Sewage Treatment Facility Individual WQM Permit	Issued	Derry Township Municipal Authority 670 Clearwater Road Hershey, PA 17033-2453	Derry Township Dauphin County	SCRO
2802201	Manure Storage and Wastewater Impoundments Individual WQM Permit	Issued	Mercer Vu Farms Inc. 12275 Mount Pleasant Road Mercersburg, PA 17236-9745	Montgomery Township Franklin County	SCRO
2811202	Manure Storage and Wastewater Impoundments Individual WQM Permit	Issued	Stoners Hijos Hill Inc. 7678 Oellig Road Mercersburg, PA 17236-9549	Peters Township Franklin County	SCRO
PA0051713	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Evonik Corp 1200 West Front Street Chester, PA 19013-3438	Chester City Delaware County	SERO



## NOTICES

1395

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0055913	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Corco Chemicals Corp 299 Cedar Lane Fairless Hills, PA 19030-4501	Falls Township Bucks County	SERO
PA0063304	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Blythe Township Municipal Authority 375 Valley Street New Philadelphia, PA 17959-1218	Cass Township Schuylkill County	NERO
PA0084450	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Raven Rock Mountain Complex 1155 Defense Pentagon Washington, DC 20301-1155	Liberty Township Adams County	SCRO
PA0084638	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Boyertown Borough 100 S Washington Street Boyertown, PA 19512-1521	Earl Township Berks County	SCRO
PA0087718	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Crystal Spring Hardwood Inc. 345 S Valley Road Crystal Spring, PA 15536-0034	Brush Creek Township Fulton County	SCRO
PA0100536	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	PA DCNR 4790 Chapman Dam Road Clarendon, PA 16313-2830	Pleasant Township Warren County	NWRO
PA0217948	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Highridge Water Authority 17 Maple Avenue Blairsville, PA 15717-1232	Saint Clair Township Westmoreland County	SWRO
PA0285188	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Hyperion Midstream LLC 501 Technology Drive Suite 1200 Canonsburg, PA 15317-7535	Elizabeth Township Allegheny County	SWRO
PA0093254	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Sugar Creek Rest Inc. 120 Lakeside Drive Worthington, PA 16262-5102	Sugarcreek Township Armstrong County	NWRO
PA0054780	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Concord Township 43 S Thornton Road Glen Mills, PA 19342-1325	Concord Township Delaware County	SERO
PA0080055	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	The York Water Co. 130 E Market Street York, PA 17401-1219	West Donegal Township Lancaster County	SCRO

## NOTICES

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
5423201	Minor and Non-NPDES Industrial Waste Treatment Facility Individual WQM Permit	Issued	Aqua PA Inc. P.O. Box 110 Route 4032 Shenandoah, PA 17976-0110	West Mahanoy Township Schuylkill County	NERO
3674401	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	The York Water Co. 130 E Market Street York, PA 17401-1219	West Donegal Township Lancaster County	SCRO
NOEXNE015	No Exposure Certification	Issued	Acton Tech Inc. 100 Thompson Street Pittston, PA 18640	Jenkins Township Luzerne County	NERO
NOEXNW018	No Exposure Certification	Issued	Barnes Group Inc. d/b/a Assoc Spring 226 S Center Street Corry, PA 16407-1935	Corry City Erie County	NWRO
NOEXNW107	No Exposure Certification	Issued	Controlled Molding Inc. 3043 Perry Highway Hadley, PA 16130-1923	Perry Township Mercer County	NWRO
NOEXSC412	No Exposure Certification	Issued	Recoil LLC 280 North East Street York, PA 17402	York City York County	SCRO
NOEXSE367	No Exposure Certification	Issued	Frontida Biopharm LLC 7722 Dungan Road Phila, PA 19111-2779	Philadelphia City Philadelphia County	SERO
NOEXSW244	No Exposure Certification	Issued	Emerson Proc Management Power & Water Solutions Inc. 200 Beta Drive Pittsburgh, PA 15238-2918	Ohara Township Allegheny County	SWRO
NOEXSW249	No Exposure Certification	Issued	Ametek Inc. 150 Freeport Road Pittsburgh, PA 15238-3408	Ohara Township Allegheny County	SWRO
NOEXSW250	No Exposure Certification	Issued	Norse Dairy System 311 Drum Avenue Somerset, PA 15501-3403	Somerset Borough Somerset County	SWRO
PAG030148	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Waste Management PA Inc. 5245 Bleigh Eve Philadelphia, PA 19136	Philadelphia City Philadelphia County	SERO
PAG030255	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Vane Line Bunkering LLC 4925 Ft Mifflin Road City Dock Phila, PA 19153	Philadelphia City Philadelphia County	SERO
PAG030264	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Tforce Freight Inc. 1000 Semmes Avenue Richmond, VA 23224-2246	Bensalem Township Bucks County	SERO
PAG030307	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Reladyne Inc. 1020 Louis Drive Warminster, PA 18974-2822	Warminster Township Bucks County	SERO
PAG032291	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Reynmil Inc. 194 Summer Hill Road Schuylkill Haven, PA 17972-9083	Wayne Township Schuylkill County	NERO

## NOTICES

1397

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG032342	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Fabcon Precast LLC 1200 Morea Road Mahanoy City, PA 17948	Mahanoy Township Schuylkill County	NERO
PAG032422	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Rock Hard Stone Inc. 1202 Marshwood Road Scranton, PA 18512	Bridgewater Township Susquehanna County	NERO
PAG032425	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	M & R Motors 4516 W Mountain View Drive Walnutport, PA 18088-9448	Walnutport Borough Northampton County	NERO
PAG033608	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	American Colloid Co. 600 Lincoln Street York, PA 17401-3317	York City York County	SCRO
PAG033639	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Loves Travel Stops & Country Stores Inc. P.O. Box 26210 Oklahoma City, OK 73126-0210	Union Township Lebanon County	SCRO
PAG033763	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Laurel Recycling Ephrata Recycling 339 E Fulton Street Ephrata, PA 17522-2421	Ephrata Township Lancaster County	SCRO
PAG033880	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Target Corp 3001 Archer Drive Chambersburg, PA 17202-7736	Guilford Township Franklin County	SCRO
PAG033898	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Petermann Northeast LLC 2601 Navistar Drive Lisle, IL 60532-3679	Mount Joy Township Lancaster County	SCRO
PAG034015	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	RH Sheppard Co. Inc. 101 Philadelphia Street Hanover, PA 17331-2038	Hanover Borough York County	SCRO
PAG034905	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Helmerich & Payne International Drilling Co. 460 S Drive M Roper Parkway Bullard, TX 75757	Boggs Township Centre County	NCRO
PAG034938	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Johnson Quarries Inc. P.O. Box 136 Le Raysville, PA 18829-0136	LeRaysville Borough Bradford County	NCRO
PAG036143	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Lee Concrete Products 648 Seanor Road Windber, PA 15963-7204	Paint Township Somerset County	SWRO
PAG036531	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Lanxess Corp 3499 Grand Avenue Pittsburgh, PA 15225-1507	Neville Township Allegheny County	SWRO
PAG036536	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Darling Ingredients Inc. 275 Alisa Street Somerset, PA 15501-7763	Somerset Township Somerset County	SWRO
PAG036539	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Interstate Chemicals Co. Inc. 725 State Street Rt 68 Vanport, PA 15009-9504	Vanport Township Beaver County	SWRO

## NOTICES

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG036570	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Accutrex Products Inc. 112 Southpointe Boulevard Canonsburg, PA 15317-9559	Chartiers Township Washington County	SWRO
PAG036571	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Berwind Coal Sales Co. 509 15th Street Windber, PA 15963-1658	Shade Township Somerset County	SWRO
PAG038318	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Winland Foods Inc. 11160 Parkway Drive North East, PA 16428-6512	North East Borough Erie County	NWRO
PAG038518	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	FMC Tech Measurement Solutions Inc. 1602 Wagner Avenue Erie, PA 16510-1444	Erie City Erie County	NWRO
PAG038532	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Blair Strip Steel Co. 1209 Butler Avenue New Castle, PA 16101-4369	New Castle City Lawrence County	NWRO
PAG040114	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Fowler Adam 31 Timber Lane Thornton, PA 19373-1050	Thornbury Township Delaware County	SERO
PAG041262	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Peggy and Thad Willsie 101 Chapman Road Warren, PA 16365-4305	Glade Township Warren County	NWRO
PAG041292	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Jeremy and Tanya Card 811 Stillwater Road Sugar Grove, PA 16350-4027	Sugar Grove Township Warren County	NWRO
PAG046476	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	McVicker Kevin 223 Wilpen Road Ligonier, PA 15658-2409	Ligonier Township Westmoreland County	SWRO
PAG130140	PAG-13 NPDES General Permit for MS4s	Issued	Downingtown Borough 4 W Lancaster Avenue Downingtown, PA 19335-2825	Downingtown Borough Chester County	SERO
PAG136372	PAG-13 NPDES General Permit for MS4s	Waived	Glen Osborne Borough P.O. Box 97 601 Thorn Street Sewickley, PA 15143	Glen Osborne Borough Allegheny County	SWRO
0110402	Pump Stations Individual WQM Permit	Issued	Cumberland Township Authority 1370 Fairfield Road Gettysburg, PA 17325-7267	Cumberland Township Adams County	SCRO
0290405	Sewer Extensions Individual WQM Permit	Issued	Fox Chapel Borough 401 Fox Chapel Road Pittsburgh, PA 15238-2225	Fox Chapel Borough Allegheny County	SWRO
2223404	Sewer Extensions Individual WQM Permit	Issued	Lower Swatara Township Municipal Authority 1499 Spring Garden Drive Middletown, PA 17057-3271	Lower Swatara Township Dauphin County	SCRO
7339	Sewer Extensions Individual WQM Permit	Issued	Greater Johnstown Water Authority 640 Franklin Street Johnstown, PA 15901-2630	Westmont Borough Cambria County	SWRO



**NOTICES**

**1399**

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
09018-S	Sewer Extensions Individual WQM Permit	Issued	Greater Johnstown Water Authority 640 Franklin Street Johnstown, PA 15901-2630	Westmont Borough Cambria County	SWRO
PA0087530	Single Residence STP Individual NPDES Permit	Issued	McAnulty Paul 3651 Waggoners Gap Road Carlisle, PA 17015-9540	North Middleton Township Cumberland County	SCRO
PA0222682	Single Residence STP Individual NPDES Permit	Issued	Maley Leasa A 6118 Maley Drive Limestone, NY 14753-9730	Corydon Township McKean County	NWRO
PA0240010	Single Residence STP Individual NPDES Permit	Issued	Paul L Labrie 112 Wetmore Trail Kane, PA 16735-2218	Hamilton Township McKean County	NWRO
PA0261793	Single Residence STP Individual NPDES Permit	Issued	Kauffman Laura Lee and Kauffman William S 110 Union Hall Road Carlisle, PA 17013-8391	North Middleton Township Cumberland County	SCRO
PA0272647	Single Residence STP Individual NPDES Permit	Issued	J Thomas and Karen L Chatham P.O. Box 242 Polk, PA 16342-0242	Frenchcreek Township Venango County	NWRO
6215406	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Peggy and Thad Willsie 101 Chapman Road Warren, PA 16365-4305	Glade Township Warren County	NWRO
PA0035670	Small Flow Treatment Facility Individual NPDES Permit	Issued	PA DOT Maintenance & Operations Bureau Bureau of Maintenance & Operations 400 North Street 6th Floor Harrisburg, PA 17120	Kiskiminetas Township Armstrong County	NWRO
PA0217794	Small Flow Treatment Facility Individual NPDES Permit	Issued	Camman Ind. 111 Strawcutter Road Derry, PA 15627-3615	Derry Township Westmoreland County	SWRO
WQG01652402	WQG-01 WQM General Permit	Issued	McVicker Kevin 223 Wilpen Road Ligonier, PA 15658-2409	Ligonier Township Westmoreland County	SWRO
1524401	WQG-02 WQM General Permit	Issued	PA American Water Co. 100 Cheshire Court Suite 104 Coatesville, PA 19320	Sadsbury Township Chester County	SERO

**II. Final Action(s) on PAG-01 and PAG-02 General NPDES Permit NOIs .**

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC390073	PAG-02 General Permit	Issued	Epernay Limited Partnership, LP c/o Dennis Benner 2005 City Line Road Suite 106 Bethlehem, PA 18107	Upper Saucon Township Lehigh County	Lehigh County Conservation District Lehigh County AG Center Suite 105 4184 Dorney Park Road Allentown, PA 18104-5728 610-391-9583 RA-EPWW-NERO@ pa.gov

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC230103 A-1	PAG-02 General Permit	Issued	Estates at Coventry Woods, LP 1604 Walnut Street 4th Floor Philadelphia, PA 19103	Springfield Township Delaware County	Delaware County Conservation District Rose Tree Park Hunt Club 1521 N. Providence Road Media, PA 19063 610-892-9484 RA-EPNPDES_SERO@ pa.gov
PAC390168 A-1	PAG-02 General Permit	Issued	Air Products and Chemicals, Inc. c/o Thomas Trexler 1940 Air Products Blvd. Allentown, PA 18106	Hanover Township Lehigh County	Lehigh County Conservation District Lehigh County AG Center Suite 105 4184 Dorney Park Road Allentown, PA 18104-5728 610-391-9583 RA-EPWW-NERO@ pa.gov
PAC540150	PAG-02 General Permit	Issued	Jeremy Huhn 430 Coal Mountain Road Orwigsburg, PA 17961	West Brunswick Township Schuylkill County	Schuylkill County Conservation District 1206 AG Center Drive Pottsville, PA 17901-9733 570-622-3742 RA-EPWW-NERO@ pa.gov
PAC510317	PAG-02 General Permit	Issued	4050 Conshohocken LLC 3705 Falls Circle Philadelphia, PA 19129	City of Philadelphia Philadelphia County	DEP, SERO 2 E. Main Street Norristown, PA 19401 484-250-5821 RA-EPNPDES_SERO@ pa.gov
PAC070120	PAG-02 General Permit	Issued	Pleasant View Farms 261 Pleasant View Farms Road Martinsburg, PA 16662	Taylor Township North Woodbury Township Blair County	Blair County Conservation District 1407 Blair Street Hollidaysburg, PA 16648 814-696-0877
PAC360812	PAG-02 General Permit	Issued	Core5 at I-283, LLC 1230 Peachtree Street, N.E. Suite 3560 Atlanta, GA 30309	Rapho Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360470 A-2	PAG-02 General Permit	Issued	Stephen Esh 203 N. Ronks Road Ronks, PA 17572	Leacock Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360861	PAG-02 General Permit	Issued	Fred Johnston Arsenal Building 1800 Herr Street Harrisburg, PA 17103	City of Lancaster Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361

## NOTICES

1401

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC360918	PAG-02 General Permit	Issued	PPL Electric Utilities Corporation 1639 Church Road Allentown, PA 18104	East Lampeter Manheim Upper Leacock Warwick West Earl Townships Lancaster City Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360882	PAG-02 General Permit	Issued	Jura, Inc. 134 Shellyland Road Building 6A Manheim, PA 17545	Rapho Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360887	PAG-02 General Permit	Issued	B&E Property Management Ltd 581 Camargo Road Quarryville, PA 17566	Providence Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC670309	PAG-02 General Permit	Issued	Stonewick LP 160 Ram Drive Hanover, PA 17331	Penn Township York County	York County Conservation District 2401 Pleasant Valley Rd. Suite 101 Room 139 York, PA 17402 717-840-7430
PAC670278	PAG-02 General Permit	Issued	Rexroth Equities LP 207 Redco Avenue Suite 1A Red Lion, PA 17356	Windsor Township York County	York County Conservation District 2401 Pleasant Valley Rd. Suite 101 Room 139 York, PA 17402 717-840-7430
PAC670659	PAG-02 General Permit	Issued	Wrightsville Borough 601 Water Street P.O. Box 187 Wrightsville, PA 17369	Wrightsville Borough York County	York County Conservation District 2401 Pleasant Valley Rd. Suite 101 Room 139 York, PA 17402 717-840-7430
PAC670233	PAG-02 General Permit	Issued	Burkentine Shop LLC 1454 Baltimore Street Hanover, PA 17331	Penn Township York County	York County Conservation District 2401 Pleasant Valley Rd. Suite 101 Room 139 York, PA 17402 717-840-7430
PAC540133	PAG-02 General Permit	Issued	Thomas Meager 2324 Second St. Newtown, PA 18940	West Mahanoy Township Schuylkill County	Schuylkill County Conservation District 1206 AG Center Drive Pottsville, PA 17901-9733 570-622-3742 RA-EPWW-NERO@ pa.gov

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC460851	PAG-02 General Permit	Issued	Methacton School District 1001 Krebel Mill Road Eagleville, PA 19403-2252	Lower Providence Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x 10 RA-EPNPDES_SERO@ pa.gov
PAC460778	PAG-02 General Permit	Issued	Audubon Land Development 2620 Egypt Road Norristown, PA 19403-2302	Lower Providence Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x 10 RA-EPNPDES_SERO@ pa.gov
PAC460353	PAG-02 General Permit	Denied	Audubon Land Development 2620 Egypt Road Norristown, PA 19403-2302	Lower Providence Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x 10 RA-EPNPDES_SERO@ pa.gov
PAC280344	PAG-02 General Permit	Issued	Brinton Byers 5371 Lemar Road Mercersburg, PA 17236	Peters Township Franklin County	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202 717-264-5499
PAD280019	PAG-02 General Permit	Issued	Infrastructure and Energy Alternatives 6325 Digital Way Suite 460 Indianapolis, IN 46278	Fannett Township Franklin County	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202 717-264-5499
PAC280343	PAG-02 General Permit	Issued	Washington Township Vernon Ashway 11798 Buchanan Trail East Waynesboro, PA 17268	Washington Township Franklin County	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202 717-264-5499
PAC210344	PAG-02 General Permit	Issued	Pennsylvania Turnpike Commission (PTC) 700 S Eisenhower Blvd Middletown, PA 17057	Upper Allen Township Cumberland County	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013 717-240-7812
PAC210337	PAG-02 General Permit	Issued	American Legion Post 751 295 Shady Lane Enola, PA 17025	East Pennsboro Township Cumberland County	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013 717-240-7812
PAC210340	PAG-02 General Permit	Issued	Cumberland Valley School District 6746 Carlisle Pike Mechanicsburg, PA 17050	Silver Spring Township Cumberland County	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013 717-240-7812



## NOTICES

1403

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC210121	PAG-02 General Permit	Issued	Mt. Zion Associates, LP 3400 Gateway Drive Pompano Beach, FL 33069	Hampden Township Cumberland County	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013 717-240-7812
PAC210319A-1	PAG-02 General Permit	Issued	J.C. Bar Development 224 St. Charles Way York, PA 17402	Hampden Township Cumberland County	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013 717-240-7812
PAC210323	PAG-02 General Permit	Issued	Shippensburg Dev, LLC 301 Route 17 North Ste 802 Rutherford, NJ 07070	Shippensburg Township Cumberland County	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013 717-240-7812
PAC250205	PAG-02 General Permit	Issued	Diamond Design Development LLC 2503 Peach Street Suite A Erie, PA 16502	Harborcreek Township Erie County	Erie County Conservation District 1927 Wager Road Erie, PA 16509 814-825-6403
PAC330048	PAG-02 General Permit	Issued	MSP Properties of Pennsylvania LP P.O. Box 1567 Beaver Falls, PA 15010	Brookville Borough Jefferson County	Jefferson County Conservation District 1514 Route 28 Brookville, PA 15825 814-849-7463
PAC630294	PAG-02 General Permit	Issued	Graziani Family, LP 1028 Skyline Drive Canonsburg, PA 15317	Cecil Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098 SWRO
PAC630308	PAG-02 General Permit	Issued	Apex North America, Inc 65 Washington Street Donora, PA 15033	Donora Borough Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098 SWRO
PAC630127A-1	PAG-02 General Permit	Issued	CVL Partners, LP P.O. Box 273 Atlasburg, PA 15004	Mount Pleasant Borough Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098 SWRO
PAC580030	PAG-02 General Permit	Issued	Adam Diaz Diaz Family Limited Partnership 7686 SR 167 Kingsley, PA 18826	Bridgewater Township Susquehanna County	Susquehanna County Conservation District 89 Industrial Drive Montrose, PA 18801 570-782-2105 RA-EPWW-NERO@ pa.gov

Permit Number	Permit Type	Action Taken	Applicant Name & Address	Municipality, County	Office
PAC330047	PAG-02 General Permit	Issued	Sykesville Borough 21 East Main Street Sykesville, PA 15865	Sykesville Borough Jefferson County	Jefferson County Conservation District 1514 Route 28 Brookville, PA 15825 814-849-7463

**STATE CONSERVATION COMMISSION  
NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR  
NPDES PERMITS FOR CAFOs**

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at 717-787-3483 for more information.

**NUTRIENT MANAGEMENT PLAN  
CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Shawn Martin 146 Greble Road Myerstown, PA 17067	Berks County Lebanon County	149	321.38	Broiler Sheep	NA	Approved

**PUBLIC WATER SUPPLY PERMITS**

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a

right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

**SAFE DRINKING WATER**

**Actions Taken Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).**

*Northcentral Region: Safe Drinking Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

Contact: Nadera Bellows, Clerical Assistant II, 570-327-0551.

**Construction Permit No. 1424503**, Major Amendment, Public Water Supply.

Applicant	<b>PA American Water— Philipsburg</b>
Address	852 Wesley Drive Mechanicsburg, PA 17055
Municipality	Boggs Township
County	<b>Clearfield County</b>
Consulting Engineer	Garret J Hargenrader 3121 Fairway Drive Altoona, PA 16602
Application Received	January 8, 2024
Permit Issued	February 27, 2024
Description	This permit authorizes construction of two new booster pump stations (known as SR 322 BPS and Spring Valley BPS) and approximately 10,500 LF of waterline to simultaneously supply residential demands and fill the Spring Valley Tanks.

**Construction Permit No. 1424504**, Major Amendment, Public Water Supply.

Applicant	<b>Kearns Campground</b>
Address	137 Kearns Road Spring Mills, PA 16875
Municipality	Potter Township and Spring Mills
County	<b>Centre County</b>
Consulting Engineer	Charles A Kehew II 18 South George Street Suite 300 York, PA 17401
Application Received	January 12, 2024
Permit Issued	March 4, 2024
Description	This permit approves upgrades to the existing Kearns Campground transient noncommunity water system. The existing water system includes Well No. 1, disinfection facilities, a hydropneumatic tank, two 120-gallon detention tanks, and the distribution system. Proposed modifications include installation of a flow meter, upgraded flow-paced disinfection facilities, two additional 120-gallon detention tanks, a 12-gpm flow restrictor, and verification of 4-log inactivation of viruses.

*Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

Contact: Darin Horst, Environmental Engineer, 717-705-4948.

**Construction Permit No. 3623534**, Major Amendment, Public Water Supply.

Applicant	<b>Rosies Property Management, LLC</b>
Address	827 Lancaster Pike Quarryville, PA 17566
Municipality	East Drumore Township
County	<b>Lancaster County</b>
Consulting Engineer	James R. Holley & Associates, Inc. 18 South George Street Suite 300 York, PA 17401
Application Received	July 25, 2023
Permit Issued	January 30, 2024
Description	Replacement of the softener and nitrate treatment, and addition of a neutralizer and ultraviolet unit.

**Operation Permit No. 7361001**, Public Water Supply.

Applicant	<b>Rosies Property Management, LLC</b>
Address	827 Lancaster Pike Quarryville, PA 17566
Municipality	East Drumore Township
County	<b>Lancaster County</b>
Consulting Engineer	DSBJ Enterprises LLC 515 2nd Lock Road Lancaster, PA 17603
Application Received	January 16, 2024
Permit Issued	January 30, 2024
Description	Transfer of all public water supply permits for PWS ID No. 7361001 from DSBJ Enterprises LLC (Papa Joe's Pizza) to Rosies Property Management LLC (Eagle Cafe).

**Operation Permit No. 7366413**, Public Water Supply.

Applicant	<b>H2O to Go, Inc.</b>
Address	12 East Elizabeth Street Maytown, PA 17550
Municipality	Palmyra Borough
County	<b>Dauphin County</b>
Application Received	December 7, 2023
Permit Issued	February 13, 2024
Description	Removal of Entry Points No. 168 and 170 for H <sub>2</sub> O to Go, Inc.

**Construction Permit No. 3623548 MA**, Minor Amendment, Public Water Supply.

Applicant	<b>Warwick Township Municipal Authority</b>
Address	315 Clay Road P.O. Box 336 Lititz, PA 17543
Municipality	Warwick Township
County	<b>Lancaster County</b>

Consulting Engineer Entech Engineering, Inc.  
201 Penn Street  
P.O. Box 32  
Reading, PA 19603

Application Received November 15, 2023

Permit Issued February 15, 2024

Description Construction of the 1.0 million-gallon Newport Road finished water storage tank with active mixer, modifications to existing Grant Street and Brookfield Road interconnects with Lititz Borough (PWS ID No. 7360126).

**Operation Permit No. 5020506**, Public Water Supply.

Applicant **Newport Borough Water Authority**

Address 497 North Front Street  
Newport, PA 17074

Municipality Howe Township

County **Perry County**

Consulting Engineer Barton & Loguidice, D.P.C.  
3901 Hartzdale Drive  
Suite 101  
Camp Hill, PA 17011

Application Received February 12, 2024

Permit Issued February 20, 2024

Description Operation of the replacement gaseous chlorine disinfection equipment, aeration tank, and removal of greensand filtration at the Howe Treatment Plant.

**Construction Permit No. 2823513**, Major Amendment, Public Water Supply.

Applicant **Antrim Township Municipal Authority**

Address 10655 Antrim Church Road  
P.O. Box 130  
Greencastle, PA 17225

Municipality Antrim Township

County **Franklin County**

Consulting Engineer Glace Associates, Inc.  
3705 Trindle Road  
Camp Hill, PA 17011

Application Received November 9, 2023

Permit Issued February 27, 2024

Description Well No. 3, 4-log treatment of viruses, 246,000-gallon finished water storage tank with mixer, and booster pumps.

**Construction Permit No. 3623535**, Major Amendment, Public Water Supply.

Applicant **Omas Family Campground**

Address 825 Sparrow Lane  
Bear, DE 19701

Municipality Colerain Township

County **Lancaster County**

Consulting Engineer Evans Mill Environmental, LLC  
101 Fellowship Road  
Uwchland, PA 19480

Application Received August 3, 2023

Permit Issued February 27, 2024

Description Installation of chlorine contact tanks, demonstration of 4-log treatment of viruses, and caustic soda for corrosion control.

**Operation Permit No. 5020506**, Public Water Supply.

Applicant **Newport Borough Water Authority**

Address 497 North Front Street  
Newport, PA 17074

Municipality Howe Township

County **Perry County**

Consulting Engineer Barton & Loguidice, D.P.C.  
3901 Hartzdale Drive  
Suite 101  
Camp Hill, PA 17011

Application Received February 23, 2024

Permit Issued February 29, 2024

Description Operation of the replacement gaseous chlorine disinfection equipment, radon removal system, zinc orthophosphate addition, caustic soda addition, SCADA controls, and removal of greensand filtration at the Howe Treatment Plant.

**Operation Permit No. 3620537**, Public Water Supply.

Applicant **Weaverland Valley Authority**

Address 4610 Division Highway  
East Earl, PA 17519

Municipality East Earl Township

County **Lancaster County**

Consulting Engineer Becker Engineering, LLC  
525 Greenfield Road  
Suite 201  
Lancaster, PA 17601

Application Received February 23, 2024

Permit Issued March 1, 2024

Description Partial operation permit for operation of replacement fire service pump discharge piping.

*Southeast Region: Safe Drinking Water Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Kimberleigh Rivers, Clerical Assistant, 484-250-5887.*

**Construction Permit No. 4623520**, Major Amendment, Public Water Supply.

Applicant **Aqua Pennsylvania, Inc.**

Address 762 W. Lancaster Avenue  
Bryn Mawr, PA 19010-3402

Municipality Upper Providence Township

County **Montgomery County**



Consulting Engineer Mott MacDonald  
111 Wood Avenue  
South Iselin, NJ 08830-4112

Application Received November 15, 2023

Permit Issued February 23, 2024

Description Addition of an anion exchange with prefiltration system at the Perkiomen Woods Well Station for the removal of PFAS.

*Northcentral Region: Safe Drinking Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Nadera Bellows, Clerical Assistant II, 570-327-0551.*

**Operation Permit 1424501MA.** PWSID No. **4140107.** **Gregg Township Water Authority**, P.O. Box 165, Spring Mills, PA 16875, Gregg Township, **Centre County**. Application received: January 8, 2024. Permit Issued: February 27, 2024. This permit authorizes the abandonment of Fireman's Spring raw water source, installation of one IFE turbidimeter, and one entry point actuated valve, integrating turbidimeters, chlorine analyzers, and entry point actuated valve into the existing SCADA system for alarm and shut down capabilities.

*Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Daniel J. Cannistraci, Environmental Engineering Specialist.*

**Construction Permit 7670841.** PWSID No. **7670841.** **Pleasant View Church**, 10384 Winterstown Rd, Red Lion, PA 17326, North Hopewell Township, **York County**. Application received: August 28, 2023. Permit Issued: March 4, 2024. Application for a soda ash feed and existing, unapproved softener was returned on March 4, 2024 because the applicant did not respond to two technical reviews.

*Contact: Wade Cope, P.E., Environmental Engineer, 717-705-4708.*

**Operation Permit 2123515 MA.** PWSID No. **7210029.** **Pennsylvania-American Water Company**, 852 Wesley Drive, Mechanicsburg, PA 17055, Silver Spring Township, **Cumberland County**. Application received: November 28, 2023. Permit Issued: February 28, 2024. Operation permit for filter media depth verification at the Silver Spring Water Treatment Plant.

*Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Renee Diehl, Program Manager, ra-epswsdw@pa.gov.*

**Operation Permit 4560037.** PWSID No. **4560037.** **Hooversville Borough**, 50 Main Street, P.O. Box 176, Hooversville, PA 15936, Hooversville Borough, **Somerset County**. Application received: February 27, 2024. Permit Issued: February 27, 2024. Comprehensive Operation Permit for Hooversville Borough

**Operation Permit 0224507.** PWSID No. **5020027.** **Monroeville Municipal Authority**, 219 Speelman Lane, Monroeville, PA 15146, Monroeville Borough, **Allegheny County**. Application received: February 27, 2024. Permit Issued: February 28, 2024. Tank mixing system and repairs to the Boyce Park Tank.

*Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Susan Wilbur, 717-705-4708.*

**Source Water Protection Program Approval** issued to Williamstown Borough Authority, 8693 Rt. 209, **PWSID 7220037**, Williamstown Borough, **Dauphin County** on February 27, 2024.

#### WATER ALLOCATIONS

**Actions Taken on Applications Received Under the Act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) Relating to the Acquisition of Rights to Divert Waters of the Commonwealth.**

*Southeast Region: Safe Drinking Water Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Kimberleigh C. Rivers, Clerical Assistant 2, 484-250-5887.*

**WA-09-775B**, Water Allocations. **Bucks County Water & Sewer Authority**, 1275 Almshouse Road, Warrington, PA 18976, Warrington Township, **Bucks County**. Bucks County Water & Sewer Authority requested the right to purchase up to 108,000 gpd, based on a 30-day average from Delaware River. Application received: November 29, 2023. Issued: February 29, 2024

#### SEWAGE FACILITIES ACT PLAN APPROVAL

**Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as Amended, 35 P.S. § 750.5.**

*Southcentral Region: Clean Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Noah Niedererr, Sewage Planning Specialist, 717-705-4768.*

#### Plan Location:

Municipality	Address	County
Lower Frankford Township	1205 Easy Road Carlisle, PA 17013	Cumberland County

#### Plan Description:

**Catherine Nori SFTF, A3-21913-140-3s.** Approval of a revision to the official plan of Lower Frankford Township, **Cumberland County**. The project is known as the Catherine Nori Small Flow Treatment Facility (SFTF) proposal. The plan provides a SFTF to serve a proposed single-family dwelling on 30.4 acres with total estimate sewage flows of 400 gpd. There will be a proposed discharge to Locust Creek. The proposed development is located along Buck Drive, approximately 0.25 mile east of the intersection of Run Road and Buck Drive, in Lower Frankford Township, Cumberland County. The Department's review of the plan revision has not identified any significant impacts resulting from the proposal. The DEP Code Number for the planning module is A3-21913-140-3s and the APS ID is 1106834. Any permits must be obtained in the name of the property owner.

#### BIOSOLIDS INDIVIDUAL PERMITS (PABIG, SSN AND PABIS)

The Department of Environmental Protection has taken the following actions on the previously received individual permit applications for the land application of treated sewage sludge (biosolids).

Any person aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. Section 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge this action, the appeal must reach the board within 30-days. A lawyer is not needed to file an appeal.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board 717-787-3483 for more information.

## **HAZARDOUS SITES CLEAN-UP UNDER THE ACT OF OCTOBER 18, 1988**

### **NOTICE OF PROMPT INTERIM RESPONSE**

*Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Dennis Low, 717-705-4853.*

### **Newberry Township PFC Site, Newberry and Fairview Townships, York County, Pennsylvania.**

The Pennsylvania Department of Environmental Protection (DEP), under the authority of the Hazardous Sites Cleanup Act (HSCA), 35 P.S. §§ 6020.101—6020.1305, has initiated a prompt interim response at the Newberry Township PFC site (Site). Specifically, this prompt interim response has been initiated pursuant to Sections 501(a) and 505(b) of the HSCA, 35 P.S. §§ 6020.501(a) and 6020.505(b). Notice of this action was initially published in the *Pennsylvania Bulletin* on December 30, 2023, and a corresponding public hearing was scheduled for February 13, 2024. See 50 Pa.B. 8131 (Dec. 30, 2023). However, due to the weather-related cancellation of the previously scheduled public hearing, DEP has opted to republish notice of this action, extend the public comment period an additional ninety (90) days from the publication of this notice, and reschedule the public hearing.

The Site is located in Newberry and Fairview Townships, **York County**. Groundwater serving a number of residential and commercial wells and springs in the area of Newberry and Fairview Townships is contaminated with Per- and Polyfluoroalkyl Substances (PFAS), a large class of man-made synthetic chemicals. The Site includes a mix of residential, commercial, and light-industrial properties. Public-water supply is interspersed through-

out much of the Site. At the present time, the source(s) and extent of PFAS contamination has not been identified or determined.

On January 14, 2023, the Pennsylvania Environmental Quality Board amended Section 202 of the Drinking Water Regulations, 25 Pa. Code § 109.202, and established maximum contaminant level goals (MCLGs) and maximum contaminant levels (MCLs) for Perfluorooctanoic acid (PFOA) and Perfluorooctanesulfonic acid (PFOS). MCLs for PFOA and PFOS were set to 14 and 18 nanograms per liter (ng/L), respectively. See 25 Pa. Code § 109.202(a)(4)(i)—(ii). Exposure to concentrations of PFOA and PFOS above the MCLs pose a threat to human health when ingested in water.

DEP has sampled private, commercial, and public-supply wells, monitor wells, springs, streams, and ponds since 2019 at the Site. From the sample results, DEP confirmed the presence of PFAS in groundwater and surface water. Specifically, thirteen (13) residential/commercial and two (2) public-supply wells/springs were found to contain PFOA and/or PFOS in excess of their respective MCLs. Id.

DEP considered three alternatives:

#### *Alternative 1. No Action.*

This alternative serves as a baseline and involves taking no action to remove, remediate, or contain the contaminated groundwater or reduce threats to human health at the Site. Risks posed by ingestion of water from contaminated private-water supplies would remain.

#### *Alternative 2. Provision of Bottled Water and Institutional Controls.*

This alternative provides for DEP to furnish commercial bottled water to impacted residences and businesses. Bottled water would be delivered regularly to each residence and business that has a water-supply contaminated in excess of the PFOA and/or PFOS MCLs throughout the course of the Site investigation. This would reduce the risk posed by ingestion of water containing PFOA and PFAS above the MCLs, and thus provide an increase in protection of human health and the environment. The present annual cost of this alternative for an assumed four-person residence is seven thousand one hundred dollars (\$7,100). In addition, DEP would implement activity and use limitations (AULs) either through environmental covenants or administrative orders. Said environmental covenants or administrative orders would be placed on deed records that would alert new property owners, and prospective property purchasers, of the health risks for continued use of contaminated private water-supplies.

#### *Alternative 3. Installation of Point Of Entry Treatment (POET) Systems and Institutional Controls.*

Under this alternative, POET systems would be installed by DEP at homes and businesses that utilize private-water supply wells or springs impacted by contamination above the established MCLs for PFOA and PFOS. DEP will provide bottled water until the POET systems are installed. Once installed, DEP will provide for the continuing operation and maintenance (O&M) of the POET systems throughout the course of the Site investigation. Should this alternative be selected as a final response action, then property owners would be responsible for continued O&M activities. In addition, DEP would implement AULs, either through environmental covenants or administrative orders placed on deed records, that would alert new property owners, and

prospective property purchasers, of the health risks for continued use of contaminated private water-supplies. Notification will also be placed on deed records that would indicate that DEP has installed a POET system in order to mitigate potential threat to human health from the contaminated water-supply.

This alternative will be protective of human health and will comply with the applicable requirement that ground water utilized for drinking-water use will comply the PFOA and PFOS MCLs. See 25 Pa. Code § 109.202(a)(4)(i)–(ii). The exhausted or “spent” carbon will be removed for regeneration or disposal in accordance with applicable regulations.

Initial installation of a POET system is estimated to cost six thousand dollars (\$6,000) per unit. Annual carbon change out and UV-light replacement is estimated at one thousand five hundred dollars (\$1,500). Annual sampling and analytical monitoring costs are estimated at one thousand dollars (\$1,000) per system.

DEP has selected Alternative 3 as the prompt interim response. Bottled water will be delivered for residences and businesses that exceed the PFOA and/or PFOS MCLs until a POET can be installed on the wells at the impacted properties. These systems will be monitored and maintained by DEP until further notice.

DEP is providing notice of this action under HSCA Sections 505(b) and 506(b), 35 P.S. §§ 6020.505(b) and 6020.506(b). The public comment period on this action, and its attendant administrative record, will extend an additional ninety (90) days from the publication date of this notice, to June 14, 2024. The administrative record, which contains information about this Site and supports DEP’s decision to perform this action, is available for public review and comment. The administrative record can be examined Monday through Friday, from 8:00 AM to 3:00 PM, at the DEP’s South Central Regional Office located at 909 Elmerton Avenue, Harrisburg, PA 17110, by contacting Mr. Dennis Low at 717-705-4853. The Administrative Record can also be reviewed online at: <https://www.dep.pa.gov/About/Regional/SouthcentralRegion/Community%20Information/Pages/Newberry-Township-PFC-Site.aspx>. Persons may submit written comments regarding this action to the Department by mailing them to Mr. Low at the DEP South Central Regional Office, 909 Elmerton Avenue, Harrisburg, PA 17110-8200 or email to [delow@pa.gov](mailto:delow@pa.gov), by June 14, 2024.

The public will have an opportunity to present oral comments regarding the proposed action at a public hearing that has been rescheduled for April 17, 2024 at 6:30 PM at Cross Roads Middle School Auditorium, 535 Fishing Creek Road, Lewisberry, PA. Persons wishing to present formal oral comment at the hearing should register before 4:00 PM, April 17, 2024 by calling John Repetz at 717-705-4904. There will be an informational presentation on DEP’s activities at the Site prior to the public hearing.

If no person registers to present oral comments, by April 17, 2024 the hearing will not be held, but will be replaced with an informational meeting. Persons interested in finding out if anyone has registered, and if the hearing will be held, should also contact John Repetz at the number previously listed.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should call John Repetz at the previously listed number or through the Pennsylvania Hamilton Relay Service at

1-800-654-5984 (TDD) to discuss how the Department may accommodate their needs.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 2

**The Following Plans and Reports Were Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101–6026.908).**

Provisions of Sections 301–308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301–6026.308) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act’s remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The Department has received the following plans and reports.

*Northcentral Region: Environmental Cleanup & Brownfields Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Randy Farmerie, P.G., Environmental Program Manager, 570-327-3716.*

**Kingsley Unit Pad B**, Primary Facility ID # **873802**, 312 Marqies Way, New Albany, PA 18833, Monroe Township, **Bradford County**. Creston Environmental, LLC, P.O. Box 1373, Camp Hill, PA 17001, on behalf of Chesapeake Appalachia LLC, 14 Chesapeake Lane, Sayre, PA 18840, submitted a Final Report concerning remediation of soil contaminated with lube oil. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

**Shumhurst BRA Well Pad**, Primary Facility ID # **870184**, 3529 Spring Hill Road, Wyalusing, PA 18853,



Tuscarora Township, **Bradford County**. Creston Environmental, LLC, P.O. Box 1373, Camp Hill, PA 17001, on behalf of Chesapeake Appalachia LLC, 14 Chesapeake Lane, Sayre, PA 18840, submitted a Final Report concerning remediation of soil contaminated with produced water. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

**Cornwall Mountain 1-8H Unconventional Well Site**, Primary Facility ID # **873643**, 601 Breeding Flat Road, Trout Run, PA 17771, Lewis Township, **Centre County**. Moody and Associates, Inc., 101 N. Main Street, Suite 3, Athens, PA 18810, on behalf of Range Resources—Appalachia, LLC, 3000 Town Center Boulevard, Canonsburg, PA 15317, submitted a Final Report concerning remediation of soil contaminated with produced water. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

**Inflection Energy (PA) LLC Reynolds Produced Fluid Release**, Primary Facility ID # **873675**, 1109 Caleb Creek Road, Cogan Station, PA 17729, Gamble Township, **Lycoming County**. Penn Environmental & Remediation, Inc., 13180 Route 6, Mansfield, PA 16933, on behalf of Inflection Energy (PA), LLC, 145 Choate Circle, Montoursville, PA 17754, submitted a Final Report concerning remediation of soil contaminated with produced water. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

*Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Charline Bass, Administrative Assistant, 484-250-5787.*

**1700 North 49th Street**, Primary Facility ID # **816258**, 1700 North 49th Street, Philadelphia, PA 19131, City of Philadelphia, **Philadelphia County**. Meredith Braverman, Arcadis U.S., Inc., 1007 North Orange Street, Suite 411 and 412, Wilmington, DE 19801, on behalf of Michael Grygo, Comcast of Philadelphia, LLC, 3800 Horizon Boulevard, 3rd Floor, Suite 300, Trevoise, PA 19053, submitted a Final Report concerning remediation of soil and groundwater contaminated with MTBE, 1,2,4-trimethylbenzene (1,2,4-TMB), and 1,3,5-TMB. The Final Report is intended to document remediation of the site to meet the Statewide health and site-specific standards.

**3111 Grays Ferry Avenue**, Primary Facility ID # **848277**, 3111 Grays Ferry Avenue, Philadelphia, PA 19146, City of Philadelphia, **Philadelphia County**. Craig Herr, Liberty Environmental, Inc., 315 West Street, Suite 205, Lancaster, PA 17603, on behalf of Paul Frank, 3111 Grays Ferry, LLC, 2141 Downyflake Lane, Suite 400, Allentown, PA 18103, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of groundwater contaminated with VOCs, SVOCs and metals. The Remedial Investigation Report/Cleanup Plan is intended to document remediation of the site to meet the site-specific standards.

**446 & 456-588 Swedeland Road**, Primary Facility ID # **857032**, 446 and 456-588 Swedeland Road, King of Prussia, PA 19406, Upper Merion Township, **Montgomery County**. Thomas Allman, EQT Exeter, 100 Matsonford Road, Building 5, Suite 250, Radnor, PA 19087, on behalf of Glennon Graham, Jr. August Mack Environmental, Inc., 806 Fayette Street, Conshohocken, PA 19428, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of soil and groundwater contami-

nated with BTEX, cumene, MTBE, 1,2,4-TMB, 1,3,5-TMB, lead and PAHs. The Remedial Investigation Report/Cleanup Plan is intended to document remediation of the site to meet the site-specific standards.

**901 North 9th Street**, Primary Facility ID # **856326**, 901 North 9th Street, Philadelphia, PA 19123, City of Philadelphia, **Philadelphia County**. Stephen D. Brower, PG, Environmental Standards, Inc., 1140 Valley Forge Road, P.O. Box 810, Valley Forge, PA 19482, on behalf of Elise Halter, Post Quaker Property Owner, LLC, 1021 North Hancock Street, Suite 1, Philadelphia, PA 19123, submitted a Remedial Investigation Report/Risk Assessment Report/Cleanup Plan concerning remediation of soil contaminated with solvents. The Remedial Investigation Report/Risk Assessment Report/Cleanup Plan is intended to document remediation of the site to meet the site-specific standards.

**2029-2059 York Road**, Primary Facility ID # **850612**, 2029-2059 York Road, Jamison, PA 18929, Warwick Township, **Bucks County**. Richard Lake, Geo-Technology Associates, Inc., 2405 John Fries Highway, Quakertown, PA 18951, on behalf of Bill Creeger, Pulte Homes of PA LP, 750 US Highway 202, Suite 500, Bridgewater, NJ 08807, submitted a Final Report concerning remediation of soil and groundwater contaminated with lead, arsenic, the pesticide dieldrin, and No. 2 and No. 6 fuel oil. The Final Report is intended to document remediation of the site to meet the site-specific standards.

**Romill Associates, LP**, Primary Facility ID # **844303**, 1312 Ridge Pike, Conshohocken, PA 19428, Plymouth Township, **Montgomery County**. Michael Kern, Mountain Research, LLC, 825 25th Street, Altoona, PA 16601, on behalf of Charles J. Miller, MMCO Auto LLC, 1312 Ridge Pike, Conshohocken, PA 19428, submitted a Cleanup Plan concerning remediation of soil and groundwater contaminated with benzene, methyl tertiary butyl ether (MTBE), tetrachloroethene (PCE), and trichloroethene (TCE). The Cleanup Plan is intended to document remediation of the site to meet the site-specific standards.

*Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Kam Miseikyte, Clerical Assistant 2, 412-442-4091.*

**Leatherwood WL Hopkins Well Pad**, Primary Facility ID # **873457**, 264 Hopkins Run Road, Sycamore, PA 15364, Morris Township, **Greene County**. Moody and Associates, Inc., 1720 Washington Road, Suite 100, Washington, PA 15301, on behalf of Leatherwood LLC, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, submitted a Final Report concerning remediation of soil contaminated with aluminum, barium, boron, chloride, iron, lithium, manganese, selenium, strontium, vanadium, and zinc. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

**Penneco Pettit # 6 Well Pad**, Primary Facility ID # **870458**, 321 Shelleby Road, Holbrook, PA 15341, Richhill Township, **Greene County**. Woodard & Curran, 400 Penn Center Boulevard, Suite 600, Pittsburgh, PA 15235, on behalf of Penneco Oil Company, Inc., 6608 Route 22, Delmont, PA 15626, submitted a Final Report concerning remediation of soil contaminated with acenaphthene, anthracene, benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, benzo(g,h,i)perylene, biphenyl, chrysene, fluoranthene, fluorene, indeno(1,2,3-cd)pyrene, 2-methylaphthalene, phenanthrene, pyrene, benzene, sec-butyl-



benzene, tert-butylbenzene, cyclohexane, ethylbenzene, isopropyl benzene (cumene), naphthalene, toluene, 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, xylene, and phenolics. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

**Duquesne Electric & Manufacturing Co**, Primary Facility ID # **861363**, 475 Butler Street, Pittsburgh, PA 15223, Etna Borough, **Allegheny County**. American Geosciences, Inc., 3925 Reed Boulevard, Suite 400, Murrysville, PA 15668, on behalf of Duquesne Electric & Manufacturing Co., 475 Butler Street, Pittsburgh, PA 15223, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of soil and groundwater contaminated with PCBs, metals, and chlorinated VOCs. The Remedial Investigation Report/Cleanup Plan is intended to document remediation of the site to meet the site-specific standards.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 3

#### The Department Has Taken Action on the Following Plans and Reports Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following plans and reports.

*Northcentral Region: Environmental Cleanup & Brownfields Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Randy Farmerie, P.G., Environmental Program Manager, 570-327-3716.*

**Sandy Ridge Wind Farms O & M Building**, Primary Facility ID # **868744**, 140 Big Fill Run, Tyrone, PA 16686, Taylor Township, **Centre County**. Keystone Environmental Health & Safety Services Inc., 1111 12th Avenue, Altoona, PA 16601, on behalf of Sandy Ridge Wind LLC, 140 Big Fill Run, Tyrone, PA 16686, submitted a Final Report concerning remediation of soil contaminated with hydraulic oil. The Final Report demonstrated attainment of the Statewide health standards. Approved: February 28, 2024.

*Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Charline Bass, Administrative Assistant, 484-250-5787.*

**Corona Corporation**, Primary Facility ID # **805973**, 820 Main Street, Red Hill, PA 18076, Red Hill Borough, **Montgomery County**. Andrew K. Markoski, PG, Patriot Environmental Management, LLC, 2404 Brown Street, Philadelphia, PA 19464, on behalf of Betty Gerlach, c/o Harriet R. Litz, Esq, 598 Main Street, P.O. Box 24, Red Hill, PA 18076, submitted a Final Report concerning remediation of soil contaminated with trichloroethylene, benzene, toluene, ethylbenzene, xylenes, isopropyl benzene, naphthalene, 1,2,4- and 1,3,5- trimethylbenzene and cis-1,2-dichloroethylene, and a non-residential site-specific standard in groundwater for trichloroethylene, tetrachloroethylene, cis-1,2-dichloroethylene, vinyl chloride and 1,2,4-trimethylbenzene. The Final Report demonstrated attainment of the Statewide health and site-specific standards. Approved: February 6, 2024.

**Raleigh Mill Roeper Facility**, Primary Facility ID # **840813**, 1617-35 North 5th Street, Philadelphia, PA 19122, City of Philadelphia, **Philadelphia County**. Kevin J. Davis, PE, Pennoni Associates, Inc., 1900 Market Street, Suite 300, Philadelphia, PA 19103, on behalf of Lawrence McKnight, PE, The Riverwards Group, 320 Richmond Street, Philadelphia, PA 19134, submitted a Risk Assessment/Final Report concerning remediation of soil and groundwater contaminated with VOCs, SVOCs and metals. The Final Report demonstrated attainment of the site-specific standards. Approved: February 6, 2024.

**2636 East York Street**, Primary Facility ID # **854895**, 2636 East York Street, Philadelphia, PA 19122, City of Philadelphia, **Philadelphia County**. Kevin J. Davis, PE, Pennoni, 1900 Market Street, Suite 300, Philadelphia, PA 19103, on behalf of Lawrence McKnight, L&M Real Estate Development, LLC, 3020 Richmond Street, Philadelphia, PA 19134, submitted a Final Report concerning

remediation of soil and groundwater contaminated with metals. The Final Report demonstrated attainment of the site-specific standards. Approved: February 9, 2024.

**Philadelphia Energy Solutions Refinery**, Primary Facility ID # **780190**, 3144 Passyunk Avenue, Philadelphia, PA 19145, City of Philadelphia, **Philadelphia County**. Philadelphia Energy Solutions Refinery, 3144 Passyunk Avenue, Philadelphia, PA 19145, on behalf of Colleen Costello, Sanborn, Head & Associates, Inc., 755 Business Center Drive, Suite 110, Horsham, PA 19044, submitted a Remedial Investigation Report concerning remediation of soil and groundwater contaminated with lead and petroleum hydrocarbons. The Report demonstrated attainment of the site-specific standards. Approved: February 9, 2024.

**640 North Lewis Road and 155 South Limerick Road—Turtle Creek North Zone**, Primary Facility ID # **864073**, 640 North Lewis Road and 155 South Limerick Road, Limerick, PA 19468, Limerick Township, **Montgomery County**. David Kistner, AECOM, 625 West Ridge Pike, Suite E-100, Conshohocken, PA 19428, on behalf of Susan Salinas, Teleflex, Inc., 3085 Old Conejo Road, Newbury Park, CA 91320, submitted a Remedial Investigation Report/Risk Assessment Report/Cleanup Plan concerning remediation of groundwater contaminated with VOCs. The Report demonstrated attainment of the site-specific standards. Approved: February 12, 2024.

**Inlox Chemical Company**, Primary Facility ID # **619750**, 2101 South Swanson Street, Philadelphia, PA 19148, City of Philadelphia, **Philadelphia County**. David Farrington, PG, Brickhouse Environmental, 515 South Franklin Street, West Chester, PA 19328, on behalf of David Newman, NDA Swanson, LLC, 601 Gates Road, Suite 1, Vestal, NY 13850, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of soil and groundwater contaminated with PFAS. The Report demonstrated attainment of the site-specific standards. Approved: February 9, 2024.

*Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Kam Miseikyte, Clerical Assistant 2, 412-442-4091.*

**Former Horsehead Corp Facility**, Primary Facility ID # **782002**, 300 Frankfort Road, Monaca, PA 15061, Potter Township, **Beaver County**. Environmental Resources Management, Inc., 75 Valley Stream Parkway, Suite 200, Malvern, PA 19355, on behalf of Shell Chemical Appalachia, LLC, 300 Frankfort Road, Monaca, PA 15061, submitted a Final Report concerning remediation of soil and groundwater contaminated with Beryllium, chromium, copper, silver, aroclor, 1016, aroclor, 1221, aroclor, 1232, aroclor, 1242, aroclor, 248, aroclor, 1254, aroclor, 1260, 1,2,4,5-tetrachlorobenzene, 1,2,4-trichlorobenzene, 1,2-dichlorobenzene, 1,3-dichlorobenzene, 1,4-dichlorobenzene, 2,2-oxybis(1-chloropropane), 2,3,4,6-tetrachlorophenol, 2,4,5-trichlorophenol, 2,4,6-trichlorophenol, 2,4-dichlorophenol, 2,4-dimethylphenol, 2,4-dinitrophenol, 2,4-dinitrotoluene, 2,6-dinitrotoluene, 2-chloronaphthalene, 2-chlorophenol, 2-methylnaphthalene, 2-nitroaniline, 2-nitrophenol, 3-methylphenol, 3-nitroaniline, 3,3'-dichlorobenzidine, 4-methylphenol, 4-chloro-3-methylphenol, 4-nitrophenol, ace-naphthene, acenaphthylene, acetophenone, anthracene, atrazine, benzo(a)anthracene,

benzo(a)pyrene, benzo(b)fluoranthene, benzo(g,h,i)perylene, benzo(k)fluoranthene, benzyl, butyl phthalate, bis(2-chloroethoxy)methane, bis(2-ethylhexyl)phthalate, carbazole, chrysene, dibenzo(a,h)anthracene, dibenzofuran, dibutyl phthalate, dichloroethyl, ether, diethyl phthalate, dinitro-o-cresol, di-n-octylphthalate, fluoranthene, fluorene, hexa-chlorobenzene, hexachlorobutadiene, hexachlorocyclopentadiene, hexachloroethane, indeno(1,2,3-cd)pyrene, isophorone, naphthalene, nitrobenzene, n-nitrosodi-n-propylamine, n-nitrosodiphenylamine, o-cresol, p-chloroaniline, pentachlorophenol, phenanthrene, phenol, p-nitroaniline, pyrene, 1,1,1-trichloroethane, 1,1,2,2-tetrachloroethane, 1,1,2-trichloroethane, 1,1-dichloroethane, 1,1-dichloroethene, 1,2-dichloroethane, 1,2-dichloropropane, 1,4-dioxane, 2-butanone, 2-hexanone, 4-methyl-2-pentanone, acetone, benzene, bromodichloromethane, bromoform, carbon, disulfide, carbon, tetrachloride, chlorobenzene, chlorobromomethane, chloroethane, chloroform, chloromethane, cis-1,2-dichloroethene, cis-1,3-dichloropropene, cumene, cyclohexane, dibromochloromethane, ethylbenzene, methyl, acetate, methyl, bromide, methyl, chloride, methyl, tert, butyl, ether, methylene, chloride, styrene, tetrachloroethene, toluene, trans-1,2-dichloroethene, trichloroethene, vinyl, chloride, xylenes, antimony, arsenic, cadmium, iron, lead, manganese, mercury, nickel, selenium, thallium, and zinc for soil. beryllium, chromium, copper, 1,2,4,5-tetrachlorobenzene, 1,2,4-trichlorobenzene, 1,2-dichloro-enzene, 1,3-dichlorobenzene, 1,4-dichlorobenzene, 2,2-oxybis(1-chloropropane), 2,3,4,6-tetrachlorophenol, 2,4,5-trichlorophenol, 2,4,6-trichlorophenol, 2,4-dichlorophenol, 2,4-dimethylphenol, 2,4-dinitrophenol, 2,4-dinitrotoluene, 2,6-dinitrotoluene, 2-chloronaphthalene, 2-chlorophenol, 2-methylnaphthalene, 2-nitroaniline, 2-nitrophenol, 3-methylphenol, 3-nitroaniline, 3,3'-dichlorobenzidine, 4-methylphenol, 4-chloro-3-methylphenol, 4-nitrophenol, acenaphthene, acenaphthylene, acetophenone, anthracene, atrazine, benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, benzo(g,h,i)perylene, benzo(k)fluoranthene, benzyl butyl phthalate, biphenyl, bis(2-chloroethoxy)methane, bis(2-ethylhexyl)phthalate, carbazole, chrysene, dibenzo(a,h)anthracene, dibenzofuran, dibutyl phthalate, dichloroethyl ether, diethyl phthalate, dinitro-o-cresol, di-n-octyl phthalate, fluoranthene, fluorene, hexachlorobenzene, hexachlorobutadiene, hexachlorocyclopentadiene, hexachloroethane, indeno(1,2,3-cd)pyrene, isophorone, naphthalene, nitrobenzene, n-nitrosodi-n-propylamine, n-nitrosodiphenylamine, o-cresol, p-chloroaniline, pentachlorophenol, phenanthrene, phenol, p-nitroaniline, pyrene, 1,1,1-trichloroethane, 1,1,2,2-tetrachloroethane, 1,1,2-trichloroethane, 1,1-dichloroethane, 1,1-dichloroethene, 1,2-dichloroethane, 1,2-dichloropropane, 1,4-dioxane, 2-butanone, 2-hexanone, 4-methyl-2-pentanone, acetone, benzene, bromodichloromethane, bromoform, carbon disulfide, carbon tetrachloride, chlorobenzene, chlorobromomethane, chloroethane, chloroform, chloromethane, cis-1,2-dichloroethene, cis-1,3-dichloropropene, cumene, cyclohexane, dibromochloromethane, ethylbenzene, methyl acetate, methyl bromide, methyl chloride, methyl tert butyl ether, methylene chloride, styrene, tetrachloroethene, toluene, trans-1,2-dichloroethene, trichloroethene, vinyl chloride, xylenes, aluminum, antimony, arsenic, cadmium, cobalt, iron, lead, manganese, mercury, nickel, selenium, silver, and thallium for soil. The Final Report did not demonstrate attainment of the Statewide health and site-specific standards. Issued a technical deficiency letter: February 6, 2024.



## DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

**Actions(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for Determination of Applicability for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other than Coal Ash.**

*Southwest Region: Waste Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Waste Management Program Manager.*

**WMGR123SW067. Range Resources—Appalachia, LLC, 3000 Town Center Blvd, Canonsburg, PA 15317, Fawn Township, Allegheny County.** A Determination of Applicability for coverage under Residual Waste General Permit No. WMGR123SW067 was issued by the Southwest Regional Office. Range Resources—Appalachia, LLC is proposing to place twenty vertical 350 bbl capacity tanks and associated equipment to act as a water reuse storage facility to be used to support unconventional well completions. The storage facility will include tanks within a secondary containment system, drive-on truck containment system, and transfer pump and will be located at 2801 Lardintown Road, Tarentum, PA 15084. Application received: August 31, 2023. Permit issued: February 22, 2024.

Persons interested in reviewing the permit may contact Waste Management Program Manager, 412-442-4000, Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

## OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

**Actions(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Regulations to Operate Solid Waste Processing or Disposal Area or Site.**

*Northeast Region: Waste Management Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Roger Bellas, Environmental Program Manager, 570-826-2201.*

**101537. Waste Management of Pennsylvania, Inc., 1725 Brookside Road, Macungie, PA 18062, Lower Macungie Township, Lehigh County.** A permit reissuance to transfer the Hinkle Transfer Station permit from Hinkle Transfer Station, LLC to Waste Management of Pennsylvania, Inc. Application received: April 21, 2023. Permit issued: February 27, 2024.

Persons interested in reviewing the permit may contact Roger Bellas, Environmental Program Manager, 570-826-2201, Northeast Region, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

## AIR QUALITY

**Actions(s) Taken on General Plan Approval(s) and Operating Permit(s) Usage Authorized Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to Construct, Modify, Reactivate or Operate Air Contamination Sources and Associated Air Cleaning Devices.**

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Eric Gustafson.*

**GP13-10-00441A: Best Choice Paving, 1173 Chicora Road, Chicora, PA 16025, Donegal Township, Butler County.** The Department authorized the construction and operation one 30 tons per hour Margui Engenharia counter-flow model CC 9252 asphalt plant consisting of a 2.7 MMBtu/hr propane-fired dryer burner and a Margui Engenharia baghouse, and one 5495-gallon liquid asphalt storage tank pursuant to the General Plan Approval and/or General Operating Permit BAQ-GPA/GP-13: Hot Mix Asphalt Plants at the Chicora Asphalt Plant facility. Application received: October 19, 2023. Authorized: February 21, 2024. Expiration date: February 20, 2029.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.*

**GP5A-63-01020B/AG5A-63-00004B: Range Resources Appalachia, LLC, 3000 Town Center Blvd., Canonsburg, PA 15317, Cross Roads Borough, Washington County.** Was issued authorization for the continued operation of their existing and modified sources which include: Six (6) gas wells, six (6) GPUs each rated at 2.0 MMBtu/hr, one (1) indirect fired line heater rated at 0.5 MMBtu/hr, three (3) 500-bbl condensate tanks, three (3) 500-bbl produced water storage tanks, truck load-out for condensate and produced water, one (1) VRT-100, two (2) electric driven VRU's, 46 continuous bleeders, 89 intermittent bleeders, fugitives, and blowdowns at their Godwin George Well Site located in Cross Creek Township, Washington County. Application received: February 9, 2024. Authorized: February 28, 2024.

**GP5-30-00833A/AG5-30-00039A: EQM Gathering Opco, LLC, 2200 Energy Drive, Canonsburg, PA 15317, Waynesburg Borough, Greene County.** Issued authorization for operation and construction of sources which include: Two (2) 60 MMscfd dehydrators with associated reboilers each rated at 1.54 MMBtu/hr, one (1) dehydrator rated at 80 MMscfd. All dehy units are controlled by an enclosed Envirotherm Flare rated at 6.0 MMBtu/hr; four (4) catalytic heaters two (2) rated at 0.00385 MMBtu/hr and two (2) rated at 0.0046 MMBtu/hr, two (2) Produced water tank each 16,800-gallon capacity; one (1) used oil tank 16,800-gallon, three (3) TEG tanks each 500-gallon, Truck loadout operations produced water, Fugitive emissions, at White's Ridge Dehydration Station located in Waynesburg Borough, Greene County. Application received: January 12, 2024. Authorized: February 28, 2024.

**Actions(s) Taken on Plan Approval(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and Regulations in 25 Pa. Code Chapter 127, Subchapter B Relating to Construction, Modification and Reactivation of Air Contamination Sources and Associated Air Cleaning Devices.**

*Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**59-00002D: Eastern Gas Transmission & Storage, Inc.**, 6603 West Broad Street, Richmond, VA 23230, Farmington Township, **Tioga County**. The Department issued a plan approval to install selective catalytic reduction units on Engines 1 and 2 (Source IDs P101 and P102) to comply with RACT III NO<sub>x</sub> emission limits at the Tioga Compressor Station facility. The plan approval contains the necessary requirements including testing, monitoring, recordkeeping, and reporting conditions to ensure compliance with all applicable Federal and State regulations. Application received: January 3, 2023. Issued: February 29, 2024. Expiration date: August 28, 2025.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.*

**22-03102B: Derry Township Municipal Authority**, 670 Clearwater Road, Hershey, PA 17033, Derry Township, **Dauphin County**. For the installation of an Ecoremedy gasifier and dryer system to produce syngas (that will be combusted for process heat) and Class A biosolids. The proposed process will treat solids downstream of the existing anaerobic digester. The gasification process will convert organic solids into syngas and ash residuals. The process will be controlled by a multiclone, venturi wet scrubber and packed bed scrubber at the municipal waste facility. Application received: May 18, 2023. Issued: March 5, 2024.

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: James Beach, New Source Review Chief, 484-250-5920.*

**09-0059B: Saint Mary Medical Center**, 1201 Langhorne Newton Rd, Langhorne, PA 19047, Middletown Township, **Bucks County**. This action is for the issuance of a plan approval for the installation of a 35.66 MMBtu/hr natural gas fired boiler at a general medical and surgical hospital. Application received: October 26, 2023. Issued: February 28, 2024.

**09-0007G: GROWS Landfill/Waste Management**, 1400 Bordentown Rd, Morrisville, PA 19067, Falls Township, **Bucks County**. An extension for the temporary shakedown to demonstrate compliance of the short-term sulfur oxide (SO<sub>x</sub>) limits for a Back-up Enclosed Flare at their landfill. Application received: February 14, 2024. Issued: February 28, 2024.

**15-0162: Longwood Funeral Home & Cremation of Matthew Genereux, Inc.**, 913 E Baltimore Pike, Kennett Square, PA 19348-1835, East Marlborough Township, **Chester County**. This action is for a plan approval to install and operate a new human crematory unit. The crematory unit is the only source of emissions at the facility. Application received: September 25, 2023. Issued: March 1, 2024.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.*

**PA-04-00727C: Lambeth, Inc., d/b/a Five Points Pet Crematory Services**, 2061 Broadhead Road, Aliquippa, PA 15001, Hopewell Township, **Beaver County**. Plan approval extension issuance effective February 28, 2024, to prepare and complete the stack testing procedure for a natural gas-fired pet crematory, manufactured by Matthews Environmental Solutions, IEB-20 rated at 150 lbs/hr at their facility located in Hopewell Township, Beaver County. Application received: February 28, 2024. Issued: February 28, 2024.

**Plan Approval Revision(s) Issued Including Extension(s), Minor Modification(s) and Transfer(s) of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.**

*Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**18-00035A: Terreva Renewable Energy, LLC**, 3340 Peachtree Road, Suite 170, Atlanta, GA 30326, Wayne Township, **Clinton County**. The Department approved authorization to extend the temporary operating period for the shakedown of sources while the company awaits compliance test protocol approval at their landfill gas to pipeline quality natural gas facility located at the Wayne Township Landfill. The plan approval expiration date has been extended to August 30, 2024. Application received: February 29, 2024. Extension: March 1, 2024. New expiration date: August 30, 2024.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: David Balog, P.E., New Source Review Section Chief, 814-332-6328.*

**42-004K: American Refining Group, Inc.**, 77 North Kendall Avenue, Bradford, PA 16701-1726, City of Bradford, **McKean County**. Issued a 6-month plan approval extension to allow the facility to continue project shakedown activities. Extension expires August 28, 2024. Application received: January 26, 2024. Issued: February 28, 2024.

**25-179E: Erie Sewer Authority**, 68 Port Access Road, Erie, PA 16507, City of Erie, **Erie County**. Issued an 18-month plan approval extension to allow project construction and shakedown to continue. Extension expires August 28, 2025. Application received: February 22, 2024. Issued: February 28, 2024.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.*

**67-03056B: SKF USA Inc.**, 20 Industrial Dr., Hanover, PA 17331, Penn Township, **York County**. For the installation of a plasma spray booth and associated cold cleaning equipment at the facility. The spray booth will use a plasma arc to melt metal oxide powder and apply it as a coating, and particulate matter will be controlled by a dust collector. The cleaning equipment will be an immersion cold cleaning machine. The plan approval was extended. Application received: February 20, 2024. Issued: March 5, 2024.

*Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.*



**36-05158D: Perdue AgriBusiness, LLC**, 1897 River Road, Marietta, PA 17547, Conoy Township, **Lancaster County**. For the modification of the vertical seed conditioner (VSC) fan discharge and the ability to combust propane in Grain Dryer No. 2 (Source ID 104) at the soybean processing facility. The plan approval was extended. Application received: February 12, 2024. Issued: February 27, 2024.

**36-050010: Armstrong World Industries, Inc.**, 1507 River Road, Marietta, PA 17547, East Donegal Township, **Lancaster County**. For the modification to the existing dust collection system on the PIF Line (ID 250) at the ceiling tile plant. Specifically, the project will replace the internally vented 20,000 acfm baghouse (Control ID D05—Baghouse # 27) and the internally vented 4,000 acfm receiver baghouse (baghouse # 7) with a 57,000 acfm baghouse and a new 1,830 acfm receiver baghouse, respectively. The 57,000 acfm baghouse is an existing baghouse (Control C130—Baghouse # 30) which will be relocated, rebuilt and equipped with new high-efficiency filters. The two new baghouses are to be vented to atmosphere. Additionally, Armstrong is proposing to add additional dust pickups to existing Baghouse # 26 (Control ID D04), which controls the equalizers (Sources IDs 204 and 210), and Baghouse # 4 (Control ID D01) which controls the PIF line feeder and sander (Source ID 250). The additional pickup points will improve dust collection on existing operations. No production equipment will be modified or added during the project. The plan approval was extended. Application received: February 5, 2024. Issued: February 29, 2024.

**Title V Operating Permit(s) Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.**

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Norman Frederick, Facility Permitting Chief, 570-826-2409.*

**35-00002: PEI Power, LLC**, 500 Technology Dr., 2nd Floor, Canonsburg, PA 15316, Archbald Borough, **Lackawanna County**. The Department issued a renewal Title V Operating Permit for the operation of boilers and turbines at their electricity generating facility. The permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: September 7, 2022. Accepted: September 7, 2022. Issued: February 13, 2024.

**40-00121: Greater Hazleton City Joint Sewer Authority**, P.O. Box 651, Hazleton, PA 18201, West Hazleton Borough, **Luzerne County**. The Department issued an initial Title V Operating Permit for the operation of a sewage sludge incinerator; two methanol storage tanks and three emergency generators at their wastewater treatment plant. The permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: October 3, 2022. Accepted: October 3, 2022. Issued: February 20, 2024.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.*

**05-05021: Creative Pultrusions, Inc.**, 214 Industrial Lane, Alum Bank, PA 15521-8304, West Saint Clair Township, **Bedford County**. For the existing fiberglass pultrusion operation at the Alum Bank plant. The Title V permit was renewed. Application received: September 13, 2023. Issued: February 27, 2024.

**Operating Permit(s) for Non-Title V Facilities Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.**

*Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**49-00028: Wildwood Cemetery Company**, 1151 Cemetery Street, Williamsport, PA 17701, City of Sunbury, **Northumberland County**. The Department issued a renewal State Only Operating Permit for the Pomfret Manor Cemetery crematory facility. The State Only Operating Permit contains requirements including monitoring, recordkeeping, and reporting conditions to ensure compliance with applicable Federal and State regulations. Application received: May 30, 2023. Renewal issued: February 26, 2024. New expiration date: February 25, 2029.

**41-00072: Reynolds Iron Works, Inc.**, 157 Palmer Industrial Road, Williamsport, PA 17701, Woodward Township, **Lycoming County**. The Department issued a renewal State Only (Natural Minor) Operating Permit for the company's Williamsport metal fabrication facility. The State Only Operating Permit contains the necessary requirements including monitoring, recordkeeping, and work practice conditions to ensure compliance with all applicable Federal and State regulations. Application received: May 30, 2023. Renewal issued: March 1, 2024. New expiration date: February 28, 2029.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Norman Frederick, Facility Permitting Chief, 570-826-2409.*

**40-00004: Silgan White Cap Corporation**, 1190 Corporate Center Drive, Oconomowoc, WI 53066, Hazle Township, **Luzerne County**. The Department has issued an initial State-Only (Synthetic Minor) Operating Permit for the Hazle Township facility. Sources at this facility include their printing lines, coating lines, solvent clean-up, coating mix room, and an emergency generator. This permit also contains two thermal oxidizers as control devices. The Operating Permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: January 8, 2024. Accepted: January 8, 2024. Issued: February 28, 2024.

**45-00021: Lehigh Valley Hospital Pocono**, 206 East Brown Street, East Stroudsburg, PA 18301-3094, East Stroudsburg Borough, **Monroe County**. The Department has issued a renewal State-Only (Natural Minor) Operating Permit for the East Stroudsburg Borough facility. Sources at this facility include their boilers and emergency generators. The Operating Permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Applica-

tion received: December 15, 2023. Accepted: December 15, 2023. Issued: February 28, 2024.

**13-00009: Weatherly Casting & Machine Co. LLC**, P.O. Box 21, Weatherly, PA 18255, Weatherly Borough, **Carbon County**. The Department issued a renewal State-Only Operating Permit for the operation of sources at their iron and iron alloy foundry. The permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: March 20, 2023. Accepted: March 20, 2023. Issued: February 28, 2024.

**39-00036: St. Luke's Health Network Inc.**, 801 Ostrum St., Bethlehem, PA 18015, Fountain Hill Borough, **Lehigh County**. The Department issued a renewal State-Only Operating Permit for the operation of boilers and emergency generators at their hospital facility. The permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: November 11, 2022. Accepted: November 11, 2022. Issued: February 13, 2024.

**64-00015: Bedrock Quarries, Inc.**, P.O. Box 196, 2052 Lucon Rd, Skippack, PA 19474-0196, Damascus Township, **Wayne County**. The Department has issued a renewal State-Only (Natural Minor) Operating Permit for the Damascus Township facility. Sources at this facility include their primary, secondary, and tertiary crushers, primary scalping screen, product screens, and conveyance system. This permit also incorporates their wet suppression system as a control device. The Operating Permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: December 21, 2023. Accepted: December 21, 2023. Issued: February 29, 2024.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.*

**37-00368: Amerikohl Aggregates, Inc.**, 1384 State Route 711, Stahlstown, PA 15687, Shenango Township, **Lawrence County**. The Department issued the State Only Operating Permit for Amerikohl Aggregates, Inc. Moscipan Mine. The sources at the facility include the processing plant (crushers, screens, conveyors, and stockpiles) and diesel engines. The engines are subject to 40 CFR 60 Subpart IIII. The processing plant is subject to 40 CFR part 60 Subpart OOO. Emissions from the facility are less than the major source thresholds with a potential of 32.6 tpy NO<sub>x</sub>; 7.02 tpy CO; 2.14 tpy SO<sub>x</sub>; 4.14 tpy PM; 4.83 tpy PM<sub>10</sub>; and 2.59 tpy VOC. The facility is a Natural Minor. The permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act. The permit contains a compliance schedule to perform initial performance testing per 40 CFR Part 60 Subpart OOO within 30 days of startup of the 2024 season. Application received: February 17, 2023. Issued: February 27, 2024.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.*

**21-05012: Mount Holly Springs Specialty Paper, Inc.**, 1 Mountain Street, Mt. Holly Springs, PA 17065-1406, Mount Holly Springs Borough, **Cumberland County**. For the specialty paper manufacturing facility. The State-Only permit was renewed. Application received: August 29, 2023. Issued: February 27, 2024.

**67-05096: Blockhouse Co., Inc.**, 3285 Farmtrail Road, York, PA 17406-5602, Manchester Township, **York County**. For the wood furniture manufacturing facility. The State-Only permit was renewed. Application received: June 16, 2023. Issued: February 27, 2024.

**67-05141: IWM International LLC**, 500 East Middle Street, Hanover, PA 17331-2027, Hanover Borough, **York County**. For the woven metal mesh products manufacturing facility. The State-Only permit was renewed. Application received: June 12, 2023. Issued: March 4, 2024.

*Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.*

**06-03087: Arkema, Inc.**, 1112 Lincoln Road, Birdsboro, PA 19508-1804, Exeter Township, **Berks County**. For the nylon polymer manufacturing facility. The State-Only permit was renewed. Application received: July 14, 2023. Issued: March 1, 2024.

---

### Operating Permit Revisions Issued Including Administrative Amendments, Minor Modifications or Transfer of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.*

**24-00083: Mersen USA**, 215 Stackpole Street, Saint Marys, PA 15857-1401, City of Saint Marys, **Elk County**. The permit was administratively amended to incorporate the requirements of plan approval 24-083AA. Application received: August 1, 2023. Revised: February 27, 2024.

---

## ACTIONS ON COAL AND NONCOAL APPLICATIONS

**Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the National Pollutant Discharge Elimination System (NPDES) permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1103). Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).**

---



*Coal Permits*

*California District Mining Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.*

*Contact: Bonnie Herbert, Clerical Assistant 3.*

**Mining Permit No. 30121301. NPDES No. PA0236195. Consol Pennsylvania Coal Company LLC**, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, Richhill, Morris and Center Townships, **Greene County**. To revise the permit and related NPDES permit for installation of a 1.3-miles-long overhead powerline. Application received: April 7, 2023. Accepted: May 26, 2023. Issued: February 22, 2024.

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.*

*Contact: Melanie Ford-Wigfield, 814-472-1900, ra-epcambria@pa.gov.*

**Mining Permit No. 07920101. NPDES No. PA0599581. RES Coal, LLC**, 51 Airport Road, Clearfield, PA 16830, Allegheny Township, **Blair County**. NPDES renewal of a bituminous surface mine affecting 474.0 acres. Receiving streams: unnamed tributaries to/ and Sugar Run classified for the following use: CWF. Application received: August 2, 2023. Renewal issued: March 1, 2024.

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.*

*Contact: Cassie Stanton, Clerical Assistant 2.*

**Mining Permit No. 14743701. PA Mines LLC**, 600 Hamilton Street, Suite 600, Allentown, PA 18101, Rush Township, **Centre County**. Permit renewal and a major revision to the permit boundary to add 12 acres to the existing coal refuse disposal site affecting 150 acres. The renewal is for reclamation only. Receiving stream(s): Moshannon Creek and UNT to Moshannon Creek classified for the following use(s): TSF. Application received: June 14, 2023. Accepted: June 26, 2023. Issued: March 5, 2024.

**Mining Permit No. 17921602. NPDES No. PA0214191. King Coal Sales, Inc.**, P.O. Box 712, Philipsburg, PA 16866, Morris Township, **Clearfield County**. Permit renewal for a coal preparation plant and associated NPDES permit affecting 26.0 acres. Receiving stream(s): Alder Run classified for the following use(s): CWF. Application received: August 24, 2023. Accepted: August 25, 2023. Issued: March 5, 2024.

*Noncoal Permits*

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.*

*Contact: Melanie Ford-Wigfield, 814-472-1900, ra-epcambria@pa.gov.*

**Mining Permit No. 28900301. NPDES No. PA0595861. David H. Martin Excavating, Inc.**, 4961 Cumberland Highway, Chambersburg, PA 17202, Greene Township, **Franklin County**. NPDES renewal of an existing large industrial mineral permit. Receiving streams unnamed tributary to Rock Spring Branch of Back Creek, a tributary to Conococheague Creek, a tributary to the Potomac River classified for the following use: TSF. Application received: November 21, 2022. Renewal issued: February 29, 2024.

*Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.*

*Contact: Alicia Cook, Clerical Assistant 3, 814-797-0815.*

**Mining Permit No. 62040803. Michael Zurkan, Jr.**, 87 Crestview Blvd., Warren, PA 16365, Sugar Grove Township, **Warren County**. Final bond release for a small industrial minerals surface mine. Application received: February 1, 2024. Issued: March 1, 2024.

*New Stanton District Mining Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.*

*Contact: Tracy Norbert 724.925.5500, RA-EPNEWSTANTON@pa.gov.*

**Mining Permit No. 03200401. NPDES No. PA0278467. Brady's Bend Limestone Company, LLC**, Box 217, 10900 South Avenue, North Lima, OH 44452, Bradys Bend Township, **Armstrong County**. Permit issued for commencement, operation and restoration of a large noncoal surface and underground mine and associated NPDES permit, affecting 36.4 surface acres and 465.4 underground acres; receiving streams: Pine Run to Sugar Creek to the Allegheny River, classified for the following use: WWF. Application received: July 8, 2020. Issued: March 5, 2024.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

*Contact: RA-EPPottsvilleDMO@pa.gov.*

**Mining Permit No. 40870302. NPDES Permit No. PA0225827. East Point Aggregate, LLC**, 925 Harvard Avenue, Bethlehem, PA 18015, Foster Township, **Luzerne County**. Transfer of a quarry operation and NPDES Permit affecting 105.54 acres. Receiving stream: UNT to Lehigh River. Application received: April 5, 2023. Transfer issued: February 28, 2024.

#### ACTIONS ON BLASTING ACTIVITY APPLICATIONS

---

**Action(s) Taken on Application(s) Under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting Activity Performed as Part of a Coal or Noncoal Mining Activity will be Regulated by the Mining Permit for that Coal or Noncoal Mining Activity.**

---

*Blasting Permits*

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

*Contact: RA-EPPottsvilleDMO@pa.gov.*

**Permit No. 36244103. Keystone Blasting Service**, 15 Hopland Road, Lititz, PA 17543, Clay Township, **Lancaster County**. Construction blasting for Sharp Shoppers Warehouse. Application received: February 19, 2024. Permit issued: February 27, 2024. Expiration date: July 30, 2024.

**Permit No. 36244104. Valley Rock Solutions, LLC**, P.O. Box 246, Macungie, PA 18062, Strasburg Township, **Lancaster County**. Construction blasting for Sight & Sounds Theatres detention pond. Application received: February 23, 2024. Permit issued: February 29, 2024. Expiration date: September 30, 2024.

#### FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (DEP) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, DEP has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Individuals aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board 717-787-3483 for more information.

#### WATER OBSTRUCTIONS AND ENCROACHMENTS

**Action(s) Taken on Application(s) for the Following Activities Filed Under The Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and the Clean Streams Law and Notice of Final Action for Certification Under Section 401 of the FWPCA.**

*Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: 717-705-4802.*

**E0503223-001. Plenary Walsh Keystone Partners, 4 Penn Cent Blvd, Pittsburgh, PA 15276, Juniata Township, Bedford County. U.S. Army Corps of Engineers Baltimore District.**

Giving its consent to leave and maintain 0.08 acre after-the-fact wetland fill which remained post-construction from a bridge replacement project authorization under GP-11-05-16-104. The project is located along the SR 30 crossing over Burns Creek (WWF) in Juniata Township, Bedford County (Latitude: 40.0395; Longitude: -78.6878). The applicant proposes the purchase of 0.16 acre wetland credits from the Land Reclamation Group LLC Tunnel Road Mitigation Bank (MB9915-0003) as compensatory mitigation for the wetland fill. Application received: January 12, 2023. Issued: February 28, 2024.

#### DAM SAFETY

*Central Office: Waterways & Wetlands Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-783-5784.*

*Contact: Josh Fair, Water Program Specialist, 717-772-5988.*

**D40-238EA. Chet Mozloom, Executive Director, The Lands at Hillside Farms, 65 Hillside Road, Shavertown, PA 18708, Kingston Township, Luzerne County.** The Department has reviewed and approved a proposal to remove the Hillside Farms Dam to eliminate a threat to public safety and to restore approximately 100 feet of stream channel to a free-flowing condition. The proposed restoration project includes excavation and grading of accumulated sediment to establish a desirable slope in the stream reach. Four grade control structures will also be constructed. The project is located across Huntsville Creek (CWF, MF) (Kingston, PA Quadrangle, Latitude: 41.2972; Longitude: -75.9363). Project was approved on 3/4/2024. Application received: September 13, 2023. Approved: March 4, 2024.

#### EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

*Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.*

*Contact: RA-EPEASTERNOGPRG@pa.gov.*

ESCGP # 3 **ESG295823029-00**  
Applicant Name **Coterra Energy, Inc.**  
Contact Person Kenneth Marcum  
Address 2000 Park Lane, Suite 300  
City, State, Zip Pittsburgh, PA 15275-1121  
Township(s) Bridgewater Township  
County **Susquehanna County**



Receiving Stream(s) and Classification(s) Tributary 29869 to East Branch Creek (CWF, MF), Beebe Creek (CWF, MF)

Application received: December 20, 2023  
Issued: February 29, 2024

ESCGP # 3 **ESG291223002-00**

Applicant Name **Seneca Resources Co, LLC**

Contact Person Douglas Kepler

Address 51 Zents Boulevard

City, State, Zip Brookville, PA 15825-2701

Township(s) Shippen Township

County **Cameron County**

Receiving Stream(s) and Classification(s) UNT to Elk Fork (EV, MF), UNT to Indian Camp Run (EV, MF)

Application received: December 11, 2023

Issued: February 29, 2024

ESCGP # 3 **ESG295823023-00**

Applicant Name **Coterra Energy, Inc.**

Contact Person Kenneth Marcum

Address 2000 Park Lane, Suite 300

City, State, Zip Pittsburgh, PA 15275

Township(s) Brooklyn Township and Lathrop Township

County **Susquehanna County**

Receiving Stream(s) and Classification(s) Hop Bottom Creek # 4923 (CWF, MF), UNT to Martins Creek # 87825 (CWF, MF)

Application received: October 23, 2023

Issued: March 1, 2024

ESCGP # 3 **ESG290824003-00**

Applicant Name **Chesapeake Appalachia, LLC**

Contact Person Eric Haskins

Address 14 Chesapeake Lane

City, State, Zip Sayre, PA 18840

Township(s) Orwell Township

County **Bradford County**

Receiving Stream(s) and Classification(s) Wysox Creek (CWF, MF)

Application received: January 29, 2024

Issued: March 4, 2024

ESCGP # 3 **ESG295823027-00**

Applicant Name **Williams Field Services Co, LLC**

Contact Person Jayme Stotka

Address 2000 Commerce Drive

City, State, Zip Pittsburgh, PA 15275

Township(s) Gibson Township

County **Susquehanna County**

Receiving Stream(s) and Classification(s) Bear Swamp Creek # 35258 (CWF, MF)

Application received: November 29, 2023

Issued: March 4, 2024

*Southcentral Region: Clean Water Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: 717-705-4802.*

ESCP # **PAD280019**

Applicant Name **Infrastructure and Energy Alternatives, Inc.**

Contact Person Marisa Policastro

Address 6325 Digital Way, Suite 460

City, State, Zip Indianapolis, IN 46278-1679

Township(s) Fannett Township

County **Franklin County**

Receiving Stream(s) and Classification(s) Dry Run (CWF, MF) and UNT to Dry Run (CWF, MF)

Application received: April 24, 2023

Permit issued: December 18, 2023

*Southwest District: Oil and Gas Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: RA-EPSW-OGSUBMISSION@pa.gov.*

ESCGP # 3 **ESG073019035-01**

Applicant Name **EQT Prod Co—More Cowbell Well Site**

Contact Person Todd Klaner, (724) 746-9043

TKlaner@eqt.com

Address 154 Calvert Hill Road

City, State, Zip Mt. Morris, PA 15349

Township(s) Perry Township

County **Greene County**

Receiving Stream(s) and Classification(s) 001. Little Shannon Run, Ch 93 Class CWF 002. UNT to Shannon Run, Ch 93. Class WWF

Application received: January 16, 2024

Permit modification issued: February 28, 2024

## CORRECTIVE ACTION UNDER ACT 32, 1989

### PREAMBLE 2

**The Following Plan(s) and Report(s) Were Submitted Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).**

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

**CMP Clearfield**, Storage Tank Facility ID # **17-25092**, 1126 South 2nd Street, Clearfield, PA 16830, Clearfield Borough, **Clearfield County**. McKee Environmental, Inc., 86 Quartz Drive, Bellefonte, PA 16823, on behalf of EDPO LLC, dba CMP-Energy, P.O. Box 669, Philipsburg, PA 16866, submitted a Remedial Action Completion Report concerning remediation of soil contaminated with petroleum. The report is intended to document the remedial actions for meeting residential and nonresidential Statewide health standards.

*Northcentral Region: Environmental Cleanup & Brownfields Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Randy Farmerie, P.G., Environmental Program Manager, 570-327-3716.*

**Coalport Minit Mart 212**, Storage Tank Facility ID # **17-70601**, 1135 Main Street, Coalport, PA 16627, Coalport Borough, **Clearfield County**. Gary C. Calvert LLC, P.O. Box 504, Hollidaysburg, PA 16648, on behalf of Nittany Oil Company, Inc., 321 North Front Street, Philipsburg, PA 16886, submitted a Remedial Action Plan concerning remediation of groundwater contaminated with unleaded gasoline. The plan is intended to document the remedial actions for meeting nonresidential Statewide health standards.

*Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Chris, 724-598-2206.*

**BFS Grove City W Main**, Storage Tank Facility ID # **43-14158**, 201 West Main Street, Grove City, PA 16127, Grove City Borough, **Mercer County**. Antea USA, Inc., 10320 Little Patuxent Parkway, Suite 200, Columbia, MD 21044, on behalf of BP Products North America, Inc., P.O. Box 101925, Arlington, VA 22210, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan is intended to document the remedial actions for meeting nonresidential Statewide health and site-specific standards.

*Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Robin L Yerger, LPG, 717-705-4837.*

**CIF Hanover**, Storage Tank Facility ID # **67-60540**, 1049 Carlisle Street, Hanover, PA 17331-1102, Hanover Township, **York County**. Mountain Research LLC, 825 25th Street, Altoona, PA 16601, on behalf of Harinderpal Sawhney, 24 John Randolph Drive, New Freedom, PA 17349, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with Petroleum constituents. The plan is intended to document the remedial actions for meeting nonresidential site-specific standards.

**Rutters Farm Store 54**, Storage Tank Facility ID # **67-32277**, 5305 Susquehanna Trail, York, PA 17402, Conewago Township, **York County**. United Environmental Services, Inc., P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of CHR Corporation, 2295 Susquehanna Trail, York, PA 17404, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum contaminants. The plan is intended to document the remedial actions for meeting nonresidential Statewide health and site-specific standards.

*Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Richard M. Staron, Professional Geologist Manager, 484-250-5717.*

**101 E Hunting Park Avenue**, Storage Tank Facility ID # **51-09761**, 101 E Hunting Park Ave., Philadelphia, PA 19124, Philadelphia, **Philadelphia County**. LaBella Associates, P.C., 1000 Dunham Drive, Suite B, Dunmore, PA 18512, on behalf of 101 East Hunting Park, LP, 8205 Rose Petal Drive, Philadelphia, PA 19111, submitted a

Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan is intended to document the remedial actions for meeting nonresidential site-specific standards.

## CORRECTIVE ACTION UNDER ACT 32, 1989

### PREAMBLE 3

---

**Action(s) Taken on the Following Plans and Reports Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).**

---

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

*Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Eric Supey, Environmental Program Manager.*

**FastFill 4**, Storage Tank Facility ID # **54-27781**, 356 Center Avenue, Schuylkill Haven, PA 17972, Schuylkill Haven Borough, **Schuylkill County**. Synergy Environmental, 155 Railroad Plaza, Royersford, PA 19468, on behalf of Vista Fuels, LLC, 2083 West Penn Pike, Suite 16, Andreas, PA 18221, submitted a Remedial Action Plan concerning remediation of groundwater contaminated with diesel. The plan was not acceptable to meet the Statewide health standards and was disapproved by DEP on February 29, 2024.

**Clarks Summit**, Storage Tank Facility ID # **35-20610**, 101 North State Street, Clarks Summit, PA 18411, Clarks Summit Borough, **Lackawanna County**. CT Consultants, 1915 North 12th Street, Toledo, OH 43604, on

behalf of CVS, One CVS Drive, Woonsocket, RI 02895, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum. The plan was not acceptable to meet the site-specific standards and was disapproved by DEP on February 28, 2024.

**Parker Oil**, Storage Tank Facility ID # **45-50013**, 320 North 9th Street, Stroudsburg, PA 18360, Stroudsburg Borough, **Monroe County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Parker Oil Company, 311 Strawberry Hill Road, Saylorsburg, PA 18353, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum. The plan was acceptable to meet the Statewide health standards and was approved by DEP on March 4, 2024.

*Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Robin L Yerger, LPG, 717-705-4837.*

**CIF Hanover**, Storage Tank Facility ID # **67-60540**, 1049 Carlisle Street, Hanover, PA 17331-1102, Hanover Borough, **York County**. Mountain Research LLC, 825 25th Street, Altoona, PA 16601, on behalf of Harinderpal Sawhney, 24 John Randolph Drive, New Freedom, PA 17349, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with Petroleum constituents. The plan was acceptable to meet the nonresidential site-specific standards and was approved by DEP on March 1, 2024.

**Rutters Farm Store 54**, Storage Tank Facility ID # **67-32277**, 5305 Susquehanna Trail, York, PA 17402, Conewago Township, **York County**. United Environmental Services, Inc., P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of CHR Corporation, 2295 Susquehanna Trail, York, PA 17404, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum contaminants. The plan was not acceptable to meet the nonresidential Statewide health and site-specific standards and was disapproved by DEP on March 4, 2024.

*Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Richard M. Staron, Professional Geologist Manager, 484-250-5717.*

**Woodland Gardens**, Storage Tank Facility ID # **23-34639**, 553 Church Lane, Yeadon, PA 19050, Yeadon Borough, **Delaware County**. ARM Brickhouse, 515 South Franklin Street, West Chester, PA 19382, on behalf of Mr. Nicholas Canavati, 209 Hazel Ridge Drive, Wilmington, DE 19810, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report demonstrated attainment of the nonresidential site-specific standards and was approved by DEP on March 5, 2024.

**Lukoil 69232**, Storage Tank Facility ID # **09-41459**, 1400 Eaton Rd., Warrington, PA 18976, Warrington Township, **Bucks County**. EnviroTrac Ltd., 602 S. Bethlehem Pike, Suite A2 and 3, Ambler, PA 19002, on behalf of Lukoil North America, LLC, 302 Harper Drive, Suite 303, Moorestown, NJ 08057, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report demonstrated attainment of the residential State-

wide health and site-specific standards and was approved by DEP on February 12, 2024.

**Sunoco 0363 3799**, Storage Tank Facility ID # **51-30606**, 100 W. Queen Ln., Philadelphia, PA 19144, City of Philadelphia, **Philadelphia County**. Groundwater & Environmental Services, Inc., 440 Creamery Way, Suite 500, Exton, PA 19341, on behalf of Evergreen Resources Management Operations, 2 Righter Parkway, Suite 120, Wilmington, DE 19803, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan was acceptable to meet the nonresidential Statewide health and site-specific standards and was approved by DEP on February 12, 2024.

**Speedway 6724**, Storage Tank Facility ID # **46-16883**, 2818 Easton Rd., Willow Grove, PA 19090, Upper Moreland Township, **Montgomery County**. AECOM, 625 West Ridge Pike, Suite E-100, Conshohocken, PA 19428, on behalf of Speedway LLC, P.O. Box 1500, Springfield, OH 44501, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The combined plan and report demonstrated attainment of the nonresidential Statewide health standards and was approved by DEP on February 15, 2024.

**51st Street Term**, Storage Tank Facility ID # **51-10420**, 1630 S. 51 St., Philadelphia, PA 19143, City of Philadelphia, **Philadelphia County**. Arcadis U.S., Inc., 1 Harvard Way, Suite 5, Hillsborough, NJ 08844, on behalf of Alliance 51st Street LLC, 40 Morris Avenue, Suite 230, Bryn Mawr, PA 19010, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline, diesel, and heating oil. The report was acceptable to meet the nonresidential site-specific standards and was approved by DEP on February 22, 2024.

**9853 Bustleton Avenue Partners**, Storage Tank Facility ID # **51-43012**, 9853 Bustleton Ave., Philadelphia, PA 19115, City of Philadelphia, **Philadelphia County**. Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073, on behalf of Z Brothers Sunoco, 9853 Butleton Ave., Philadelphia, PA 19115, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report demonstrated attainment of the nonresidential Statewide health standards and was approved by DEP on February 26, 2024.

**Lukoil 69210**, Storage Tank Facility ID # **23-42596**, 729 Highland Avenue, Chester, PA 19013, City of Chester, **Delaware County**. EnviroTrac Ltd., 602 S. Bethlehem Pike, Suite A2 and 3, Ambler, PA 19002, on behalf of Lukoil North America, LLC, 302 Harper Drive, Suite 303, Moorestown, NJ 08057, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report demonstrated attainment of the residential Statewide health and site-specific standards and was approved by DEP on February 28, 2024.

**Former Sunoco 0004 6862**, Storage Tank Facility ID # **23-32483**, 327 MacDade Boulevard, Collingdale, PA 19023, Collingdale Borough, **Delaware County**. Synergy Environmental, Inc., 155 Railroad Plaza, 1st Floor, Royersford, PA 19468, on behalf of Station Management Consultants, 439 South Governor Printz Boulevard, Essington, PA 19029, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum products. The plan was not acceptable to meet



the nonresidential Statewide health standards and was disapproved by DEP on March 1, 2024.

*Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Kam Miseikyte, Clerical Assistant 2, 412-442-4091.*

**Leland Park Community Center**, Storage Tank Facility ID # **02-23038**, 5230 Wolfe Drive, Pittsburgh, PA 15236, Baldwin Borough, **Allegheny County**. Flynn Environmental, Inc., 5640 Whipple Avenue Northwest, North Canton, OH 44720, on behalf of Baldwin Borough of Allegheny County, 3344 Churchview Avenue, Pittsburgh, PA 15227, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report demonstrated attainment of the residential Statewide health standards and was approved by DEP on February 20, 2024.

**Honey Bear Mini Mart # 201**, Storage Tank Facility ID # **26-05807**, 2561 Memorial Boulevard, Connellsville, PA 15425, Bullsken Township, **Fayette County**. Insite Group, Inc., 611 South Irvine Avenue, Sharon, PA 16146, on behalf of OCI, Inc., d/b/a Graft Oil Company, 2561 Memorial Boulevard, Connellsville, PA 15425, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report demonstrated attainment of the nonresidential site-specific standards and was approved by DEP on February 23, 2024.

**7 Eleven # 40481**, Storage Tank Facility ID # **65-24183**, 140 West Pittsburgh Street, Greensburg, PA 15601, City of Greensburg, **Westmoreland County**. AECOM Technical Services, 625 West Ridge Pike, Suite E-100, Conshohocken, PA 19428, on behalf of 7-Eleven, Inc., 3200 Hackberry Road, P.O. Box # 711, Dallas, TX 75221, submitted a Remedial Action Plan concerning remediation of groundwater contaminated with unleaded gasoline. The plan was acceptable to meet the nonresidential Statewide health standards and was approved by DEP on February 26, 2024.

**CORRECTION—previously published on January 27, 2024.**

**Tomazich Service Station**, Storage Tank Facility ID # **02-11951**, 301 West Allegheny Road, Imperial, PA 15126, North Fayette Township, **Allegheny County**. AECOM Technical Services, 707 Grant Street, Floor 5, Pittsburgh, PA 15219, on behalf of Tomazich Service Station, 301 West Allegheny Road, Imperial, PA 15126, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with toluene, ethylbenzene, xylenes, isopropylbenzene and 1,3,5-trimethylbenzene (TMB) in groundwater; benzene, MTBE, naphthalene, and 1,2,4-TMB in groundwater. Petroleum impacted soil and groundwater exceeding the nonresidential Statewide health standard remains on the site property but it has been determined that the impacted groundwater will not migrate beyond the property boundary and Montour Run. The report demonstrated attainment of the residential Statewide health and site-specific standards and was approved by DEP on February 15, 2024.

---

## SPECIAL NOTICES

---

### WATER PROGRAMS

## FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

*Central Office: Regional Permit Coordination Office, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101.*

*Contact: RA-EPREGIONALPERMIT@pa.gov.*

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Any person aggrieved by this action may challenge it in an appropriate legal forum. The state and Federal courts are currently split on whether the proper forum to challenge a Department permit, authorization or approval for a facility or activity subject to the Federal Natural Gas Act, 15 U.S.C.A. §§ 717 et seq., is the United States Court of Appeals for the Third Circuit or the Pennsylvania Environmental Hearing Board. See *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl. Prot.*, 833 F.3d 360 (3d Cir. 2016); *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl. Prot.*, 903 F.3d 65 (3d Cir. 2018), cert. denied, 139 S. Ct. 1648, 203 L. Ed. 899 (2019) and *Cole v. Dep't. of Env'tl. Prot.*, 1577 C.D. 2019 WL 2420667 (Pa. Cmwlth Ct. June 15, 2021) (Pet. for Allowance of Appeal pending); *West Rockhill Twp. v. Dep't of Env'tl. Prot.*, No. 1595 C.D. 2019 WL 2426014 (Pa. Cmwlth. June 15, 2021) (Pet. for Allowance of Appeal pending). You should promptly consult with a lawyer on the steps to take if you wish to challenge this action and to best protect your interests. Important legal rights are at stake. You should show this document to a lawyer at once.

---

**Actions on Applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification Under Section 401 of the FWPCA.**

*Permits, Environmental Assessments and 401 Water Quality Certifications Issued:*

### WATER OBSTRUCTIONS AND ENCROACHMENTS

*Central Office: Regional Permit Coordination Office, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101.*

*Contact: RA-EPREGIONALPERMIT@pa.gov.*

**Texas Eastern Transmission, LP**, 2601 Market Place, Suite 400, Harrisburg, PA 17110. Ruscombmanor and Washington Township, **Berks County**, U.S. Army Corps of Engineers, Philadelphia District.

The applicant is authorized to construct and maintain water obstructions and encroachments associated with the repair of three identified anomalies along the 30-inch Line 19 natural gas pipeline.

**E0683223-012.** The proposed project impacts include a total of 170 square feet of temporary impacts and 5 square feet of permanent impacts to UNT to Furnace Creek (CWF); 575 square feet of temporary floodway



impacts; and 0.50 acre of temporary impacts and 0.01 acre of permanent impacts to PEM (EV) wetlands.

The project is located 0.5 mile east of Memorial Highway/Route 662 (Latitude: 40.411389°; Longitude: -75.813333°) in Ruscombmanor Township and 0.37 mile west of Kulps Rd (Latitude: 40.423275°; Longitude: -75.607356°) in Washington Township, **Berks County**.

#### WATER OBSTRUCTIONS AND ENCROACHMENTS

The following permit application has been received by the Department. Persons objecting to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the Regional Permit Coordination Office as noted before the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates.

More information regarding the permit applications related to this proposed project may be available online ([dep.pa.gov/pipelines](http://dep.pa.gov/pipelines)) or in the Department's Regional Permit Coordination Office. The Department's Regional Permit Coordination Office can be contacted at 717-772-5987 or [RA-EPREGIONALPERMIT@pa.gov](mailto:RA-EPREGIONALPERMIT@pa.gov).

Comments on the applications can be emailed or sent via postal mail to the Department of Environmental Protection, Regional Permit Coordination Office, Rachel Carson Building, 400 Market Street, 10<sup>th</sup> Floor, Harrisburg, PA 17101, [RA-EPREGIONALPERMIT@pa.gov](mailto:RA-EPREGIONALPERMIT@pa.gov).

Persons with a disability that require an auxiliary aid, service or other accommodation should contact the specified Department office. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

#### Applications Received under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P.S. § 679.302).

*Central Office: Regional Permit Coordination Office, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101.*

*Contact: [RA-EPREGIONALPERMIT@pa.gov](mailto:RA-EPREGIONALPERMIT@pa.gov).*

**E0383224-005, Eastern Gas Transmission and Storage, Inc.**, 925 White Oaks Boulevard, Bridgeport WV, 26330, TL-474 Pipeline Culvert Replacement and Landslide Remediation Project, Kiskiminetas Township, **Armstrong County**, Army Corps of Engineers, Pittsburgh District.

Applicant is proposing the following water obstructions and encroachments:

- to remediate a landslide that will result in permanent impacts to approximately 0.20 acre of a PEM wetland (Other) and,
- to construct and maintain the replacement of a 39-foot-long, 24-inch diameter metal culvert at an existing

stream crossing with a 57 foot long, 30-inch diameter HDPE culvert with riprap inlet and outlet protection resulting in 72 feet of permanent impact to tributary to Kiskiminetas River (WWF).

The project is located 0.18-mile northeast of Roaring Run Trail (Latitude: 40.550663°; Longitude: -79.529999°) in Kiskiminetas Township, **Armstrong County**.

#### Application for National Pollutant Discharge Elimination System (NPDES) Permit under the Clean Streams Law and Federal Clean Water Act.

*Southwest Region: Clean Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Jamie Ley, 412-442-4133.*

The Department of Environmental Protection (DEP) has received an application for a General NPDES Permit from the applicant named as follows to authorize existing discharges of Industrial Stormwater from the project site named as follows to surface waters of the Commonwealth.

Applicant: **Armada Waste OH-PA, LLC**

Applicant Address: 1306 Main Street, Glenwillard, PA 15046-5407

Application Number: **PAG036343** (Formerly PAR506117)

Project Site Name: Iron City Express

Municipality/County: Crescent Township, **Allegheny County**

Surface Waters Receiving Discharges: Ohio River (WWF)

*Project Description:* The facility is operated as a trucking company with support offices and a maintenance garage. It specializes in the processing and disposal of construction and recyclable waste.

DEP has made a tentative decision to deny the application for the PAG-03 General NPDES Permit. A 30-day public comment period applies to this application and tentative decision. Interested persons may submit written comments to DEP at the previously listed address for DEP's consideration in taking a final action on the permit application. You may also review the permit application file by contacting DEP's File Review Coordinator at 412-442-4000.

#### OIL AND GAS MANAGEMENT

**Approval of Water Management Plan Source 16 PennEnergy Resources, LLC, 3000 Westinghouse Drive, Suite 300, Cranberry Township, PA 16066, Economy Borough, Beaver County. Action Associated with Joint Permit Authorization E0407222-001. See 54 Pa.B. 743 (2-17-2024).**

*Southwest District Office: Bureau of Oil and Gas Operations, 400 Waterfront Drive, Pittsburgh, PA 15222.*

*Contact: Brian K. Bailey, P.E., [RA-EPSW-OGSUBMISSION@pa.gov](mailto:RA-EPSW-OGSUBMISSION@pa.gov).*

**Penn Energy Resources, LLC**, is authorized in accordance with Section 3211(m) of the Oil and Gas Act, 58 Pa.C.S. Sec. 3211(m) and Section 78a.69 of the regulations, 25 Pa. Code Sec. 78a.69, to withdraw up to 1.5 million gallons of water per day from a specified location on Big Sewickley Creek subject to conditions in the approved Water Management Plan including approved pass-by flow requirements and seasonal limitations, such as prevention of earthwork in the stream channel between February 15 and June 1 without prior written approval from the Pennsylvania Fish and Boat Commis-

sion. The location of the withdrawal is described as being 320 feet from the intersection with Hoenig Road on the right side of Cooney Hollow Road. (Latitude: 40.609538, Longitude: -80.180296). The Department received comments related to the Water Management Plan from June 18, 2022 to November 15, 2023. The approved Water Management Plan and the Department's responses to comments on the Water Management Plan are available to the public at <https://www.dep.pa.gov/About/Regional/SouthwestRegion/Community%20Information/Pages/PennEnergy-Water-Management-Plan.aspx>.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the Pennsylvania Bulletin unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

#### WASTE, AIR, RADIATION AND REMEDIATION

##### **Notice of Proposed Revision to the State Implementation Plan (SIP) for Oxides of Nitrogen (NO<sub>x</sub>), Volatile Organic Compounds (VOC), Notice of Public Hearing, and Notice of Intent to Issue Revised Air Quality Operating Permit 48-00095.**

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Mark Wejkszner, Air Quality Program Manager, 570-826-2528.*

Approval of a Reasonably Available Control Technology (RACT III) plan for **Ecopax, LLC** located in Forks Township, **Northampton County**. In accordance with 25 Pa. Code §§ 129.111—129.115, the Department of Environmental Protection (Department) has made a preliminary determination to approve a RACT III plan and an amendment to the SIP for the polystyrene foam product manufacturing facility owned and operated by Ecopax, LLC.

The proposed SIP revision does not adopt any new regulations. It incorporates the provisions and requirements contained in the RACT III approval for the facility, which are intended to satisfy the requirements for the 2015 National Ambient Air Quality Standard (NAAQS) for ozone.

The proposed conditions for the alternative RACT III determination, if finally approved, will be incorporated into a revised operating permit (48-00095) for the facility. The relevant RACT III requirements will be submitted to U.S. EPA as a revision to Pennsylvania's SIP and will remain in effect until replaced pursuant to 40 CFR Part 51 and approval by United States Environmental Protection Agency (EPA). Requirements that are not part of the RACT III determination will be excluded from the SIP submittal. The following is a summary of the proposed conditions for the alternative RACT III determination for this operation that will be submitted to the EPA as a SIP revision:

Ecopax has requested the following alternative case-by-case RACT III determination for the following sources through this significant operating permit modification, which will be submitted to the EPA as an amendment to the SIP:

For the regenerative thermal oxidizer (RTO) controlled processes, including the extruder lines, curing room, grinders, repelletizers, fluff silos, and thermoformers, RACT III shall be the continued operation of the RTO with a VOC destruction/removal efficiency (DRE) greater than 98%.

Other sources at the facility which are not included in the alternative RACT III determination include air contamination sources subject to a presumptive RACT requirement or RACT emissions limitation in 25 Pa. Code § 129.112, air contamination sources that are exempt from 25 Pa. Code §§ 129.112—114 because they have the PTE of less than 1 tpy of NO<sub>x</sub> and/or less than 1 tpy of VOC, in accordance with 25 Pa. Code § 129.111(c), and air contamination sources that are exempt from 25 Pa. Code §§ 129.112—114 because they are already subject to certain Chapter 129 RACT requirements (i.e., 25 Pa. Code §§ 129.51, 129.52(a)—(k) and Table I categories 1—11, 129.52a—129.52e, 129.54—129.63a, 129.64—129.69, 129.71—129.75, 129.77, and 129.101—129.107), in accordance with 25 Pa. Code § 129.111(a).

The operating permit will contain additional record-keeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No. 48-00095 and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Mark

Wejkszner, Air Quality Program Manager, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, phone number 570-826-2528 within 30 days after publication date.

[Pa.B. Doc. No. 24-353. Filed for public inspection March 15, 2024, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Bond Rate Guidelines for the Calculation of Land Reclamation Bonds on Coal Mining Operations

The Department of Environmental Protection (Department) announces the 2024 land reclamation bond rate guidelines for anthracite and bituminous coal mining operations. These rates become effective April 1, 2024. The authority for bonding coal mining operations is found under The Clean Streams Law (35 P.S. §§ 691.1—691.1001), the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19b), the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66) and the regulations promulgated thereunder at 25 Pa. Code Chapter 86, Subchapter F (relating to bonding and insurance requirements).

The unit costs listed in these guidelines will be used in calculating the land reclamation bonds for surface coal mining operations including, surface mines, coal refuse disposal sites, coal refuse reprocessing sites, coal processing facilities and the surface facilities associated with underground mining operations.

The procedures for calculating land reclamation bonds are described in the Department's Technical Guidance Document 563-2504-001, "Conventional Bonding for Land Reclamation—Coal," which is available on the Department's web site at <http://www.eLibrary.dep.state.pa.us>. The Department calculated the rate of inflation using 5-year averages. For the rate of inflation, the Consumer Price Index (Northeast Urban) from the United States Department of Labor, Bureau of Labor Statistics, was averaged for the calendar years 2019—2023, resulting in a rate of 3.45%. This rate of inflation will be used in calculating bond amounts for permit renewal or permit mid-term bond liability reviews on or after April 1, 2024.

The Department may review the adequacy of bonds on existing permits based on the bond rate guidelines at any time. The Department will conduct these reviews before issuing permit renewals. The Department may conduct similar reviews at the midterm of a permit and before approving a permit revision.

These bond rate guidelines do not apply to bonds ensuring replacement of water supplies under section 3.1(c) of the Surface Mining Conservation and Reclamation Act (52 P.S. § 1396.3a(c)) or to bonds ensuring compliance with the requirements of The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21).

### General Methodology

The Department developed the bond rate guidelines for 2024 from the unit costs for competitively bid contracts for abandoned mine reclamation projects using the lowest total bid for each contract. Contract bid data is available for various unit operations needed to complete reclamation of a mine site for the years 1998—2023. For most categories, a 3-year (2021—2023) average was used to calculate the guidelines. Some categories require another approach due to limited data represented in the bid contracts, such as selective grading. As discussed with the Department's Mining and Reclamation Advisory Board in 2023, the Department had quantified the cost increases for 2022 compared to 2021 and calculated a 17% increase for any items not represented in a bid contract that year. For example, there were no contracts in 2022 that included selective grading. Therefore, using the 17% increase factor, the selective grading bond rate cost went up \$300. Prior to this increase, the selective grading cost per acre had remained at \$1,700 for the last 8 years. It was likely this amount did not represent the actual cost. If a project with selective grading occurs, the actual rate would be higher and be reflected in a dramatic increase for this rate. The Department has used this 17% increase factor for any items that were not represented in a bid contract in 2023. The new approach by the Department is intended to minimize these dramatic increases by ensuring bond rates stay reasonable based on increases seen in other unit operations. For any items that were represented in a bid contract in 2023, the Department used the weighted average of the lowest total bid contract for the previous 3 years for the 2024 bond rate guidelines.

If a unit operation necessary to calculate a reclamation bond is not listed in Tables 1 or 2, then additional cost information available may be used. Unit costs (such as haulage over 1 mile for grading) may be calculated using a standard reference such as the most recent edition of *Means Building Construction Cost Data* or the most recent version of the Office of Surface Mining *Handbook for Calculation of Reclamation Bond Amounts*. Specific unit costs may be adjusted using information provided by other stakeholders including permittee-provided reclamation cost estimates which include supporting calculations such as prevailing wage costs, installation costs and the like.

The fees associated with the Land Maintenance Bond Program are presented in Table 3. There has been no change in these rates for 2024.

The bond rate guidelines are available electronically at <http://www.dep.pa.gov/Business/Land/Mining/BureauofMiningPrograms/Bonding/Pages/BondRates.aspx>. For background information and supporting documentation regarding bonding rate guidelines, contact the Bureau of Mining Programs, Division of Permitting and Compliance, P.O. Box 8461, Harrisburg, PA 17105-8461, (717) 787-5103.

### Mine Sealing Costs

The mine sealing bond rate guidelines are presented in Table 2.

### Effective Date

The bond rate guidelines in this notice become effective April 1, 2024.



Table 1

## Standard Bond Rate Guidelines for Year 2024

<i>Unit Operation</i>	<i>Unit Measure</i>	<i>Unit Costs (\$)</i>
Mobilization/Demobilization	Job	4.5% of direct costs or \$45,000, whichever is less
Grading (< 500 ft. push)	Cubic Yard	1.50
Load/Haul/Dump/Grading ( $\geq$ 500 ft.)	Cubic Yard	2.50
Load/Haul/Dump/Grading (1,000 ft. up to 1 mile) Underground and Refuse Only	Cubic Yard	3.00
Load/Haul/Dump/Grading (> 1 mile) Underground and Refuse Only	Cubic Yard	Use Standard References
Selective Grading	Acre	2,350.00
Revegetation	Acre	3,200.00
Tree Planting	Tree	1.00
Ditch Excavation	Cubic Yard	7.00
Jute Matting	Square Yard	6.00
High Velocity Erosion Control	Square Yard	3.00
AASHTO No. 1	Ton	45.00
AASHTO No. 57	Ton	90.00
R3 Rock Lining	Square Yard	48.00
R4 Rock Lining	Square Yard	39.00
R5 Rock Lining	Square Yard	50.00
Geotextile/Filter Fabric	Square Yard	17.00
Subsurface Drain	Lineal Foot	26.00
Erosion and Sedimentation Control (Temporary Installation)	Job	Lump sum (5% of direct costs for site)
Pond Removal Active Phase <sup>1</sup>	Pond	3,800.00
Stage 3 Maintenance Bond Non-Cropland Areas (Land Uses Where Crop Yields Are Not Required)	Acre	100.00
Stage 3 Maintenance Bond Cropland (Not Row Crops) Pastureland or Land Occasional Cut for Hay (Excludes Seed Cost)	Acre	500.00
Stage 3 Maintenance Bond Cropland Area-Row Crops (includes seed cost)	Acre	1,200.00
Stage 3 Mobilization	Job	2,500.00
Pond Removal—Stage 3	Cubic Yards (Embankment Volume) Plus Top Soiling and Revegetation Cost	Use <500 Grading for Pond Embankment Volume Plus Top Soiling and Revegetation Cost for the Area Disturbed
Ditch Removal—Stage 3	Lineal Foot	0.75
Equipment Tire Removal and Disposal	Tire	300.00
Structure Demolition	Costs Will Be Calculated Using Costs Listed in the Construction Industry's Latest Annual Cost Publications, such as <i>Means Building Construction Cost Data.</i>	



**Table 2**  
**Mine Sealing Bond Rate Guidelines for Year 2024**

<i>Sealing Bituminous Underground Mine Drift and Slope Openings</i>		
<i>Unit Operation</i>	<i>Unit Measure</i>	<i>Unit Costs (\$)</i>
Concrete Work	Cubic yard	114.00
Masonry Work	Square foot	16.50
Fill Material & Earthwork <sup>2</sup>	Cubic yard	19.00
Security Fencing	Lineal foot	32.50
Mobilization Cost	Job	5% of Total Amount
<i>Sealing Bituminous Underground Mine Shaft Openings</i>		
Concrete Material	Cubic Yard	110.00
Aggregate Material	Cubic Yard	32.50
Fill material and Earthwork <sup>2</sup>	Cubic Yard	8.50
Security Fencing	Lineal Foot	32.50
Mobilization Cost	Job	5% of Total Amount
<i>Sealing Boreholes at Bituminous Underground Mines</i>		
<i>Dimension</i>	<i>Minimum Cost Per Hole (\$)</i>	<i>Unit Cost (\$) Per Lineal Foot</i>
12 Inch or Less Diameter	1,850	6.50
Larger Than 12 Inch Diameter	2,450	9.00

<sup>1</sup> Unit cost not from the Department's Bureau of Abandoned Mine Reclamation (BAMR) bids; includes dewatering, grading, topsoil placement and revegetation.

<sup>2</sup> Mine sealing costs are minimum costs. Additional costs per mine seal will be assessed based on specific design criteria, such as the thickness of the seal and the volume of backfill material required, using appropriate material, equipment and labor costs from BAMR bid abstracts or from an industry-standard cost estimation publication, for example, *Means Estimating Handbook* or *Walker's Building Estimator's Reference Book*.

**Table 3**  
**Land Maintenance Financial Guarantee Fees for Year 2024**

<i>Fee Category</i>	<i>Fee (\$)</i>
Publication	1,000.00
Administrative	300.00

JESSICA SHIRLEY,  
*Interim Acting Secretary*

[Pa.B. Doc. No. 24-354. Filed for public inspection March 15, 2024, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Bond Rate Guidelines for the Calculation of Land Reclamation Bonds on Noncoal Mining Operations

The Department of Environmental Protection (Department) announces the bond schedule for noncoal mining operations. The authority for bonding noncoal mining operations is found under The Clean Streams Law (35 P.S. §§ 691.1—691.1001), the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326) and the regulations promulgated thereunder at 25 Pa. Code Chapter 77, Subchapter D (relating to bonding and insurance requirements). The rates listed in this schedule will be used in calculating the bonds for surface noncoal mining operations including surface mines and facilities

and the surface facilities associated with underground mining operations. Other activities, including special revegetation plans, wetland mitigation or stream channel restoration, will be estimated on a case-by-case basis.

Under 25 Pa. Code § 77.202 (relating to determination of bond amount), the Department is providing notice of the bond schedule for noncoal surface mine sites.

The bond schedule reflects the requirement that the amount of bond shall be the estimated cost to the Department if it had to complete the reclamation, restoration and abatement work under the Noncoal Surface Mining Conservation and Reclamation Act. The rates will become effective upon publication and will remain in effect until they are revised through a subsequent notice.

The bond rate schedules are available at [www.dep.pa.gov/Business/Land/Mining/BureauofMiningPrograms/Bonding/Pages/default.aspx](http://www.dep.pa.gov/Business/Land/Mining/BureauofMiningPrograms/Bonding/Pages/default.aspx). For background information and supporting documentation regarding bonding rate

schedules, contact the Bureau of Mining Programs, Division of Permitting and Compliance, P.O. Box 8461, Harrisburg, PA 17105-8461, (717) 787-5103.

*General Methodology*

The basic approach to bonding large noncoal sites is to apply a flat per-acre rate (to cover minor grading and revegetation) and supplement that with bond to account for spoil storage, backfilling, highwall blasting, demolition or other site-specific costs. For mine sites where consolidated material is mined below the water table, the reclamation bond calculation must account for reclamation slopes to a depth of 50 feet below the anticipated postmining water level.

For sites that can be mined in lateral phases, the operator can choose to bond the permit area in phases. The operator must identify the portion of the permit area on which mining and reclamation activities will occur within the phase. The Department will calculate the bond liability based on the maximum portion of the permitted area that the permittee is authorized to disturb at any specific time. This area is described in the permittee's mining and reclamation plans and must include all the land affected by mining activities that is not planted, growing and stabilized.

*Per-Acre Rates—Applicable to Disturbed (Not Reclaimed) Area*

\$3,500 per acre for mining area (This rate includes select grading and revegetation.)

\$1,830 per acre for support areas (This rate includes revegetation.)

*Spoil Storage/Earthmoving*

The rate of \$1.05 (cost per cubic yard) for grading applies to spoil stored or other additional earthmoving (for example, backfilling for contour mines, subsoil replacement where more than 12 inches of soil is needed to meet post-mining land use or topsoil placement).

*Blasting to Achieve the Reclamation Slope*

The following rates apply to highwalls where blasting is necessary to achieve the final slope. Blaster's estimates may be used instead of these rates.

**Table 1**

**Highwall/Bench Height (Feet) Cost per Linear Foot of Highwall/Bench**

Up to 20	\$10
21 up to 30	\$20
31 up to 40	\$40
41 up to 50	\$55
>50	\$75

*Mine Sealing*

Mine sealing costs should be calculated using the Bond Rate Schedule in Table 2.

**Table 2**

**Mine Sealing Bond Rate Schedule<sup>1</sup>**

<i>Sealing Underground Mine Drift and Slope Openings</i>		
<i>Unit Operation</i>	<i>Unit Measure</i>	<i>Unit Costs (\$)</i>
Concrete Work	Cubic Yard	114.00
Masonry Work	Square Foot	16.50

<i>Sealing Underground Mine Drift and Slope Openings</i>		
<i>Unit Operation</i>	<i>Unit Measure</i>	<i>Unit Costs (\$)</i>
Fill Material and Earthwork	Cubic Yard	19.00
Security Fencing	Lineal Foot	32.50
Mobilization Cost	Job	4% of Total Amount

<i>Sealing Underground Mine Shaft Openings</i>		
<i>Unit Operation</i>	<i>Unit Measure</i>	<i>Unit Costs (\$)</i>
Concrete Material	Cubic Yard	110.00
Aggregate Material	Cubic Yard	32.50
Fill Material and Earthwork	Cubic Yard	8.50
Security Fencing	Lineal Foot	32.50
Mobilization Cost	Job	4% of Total Amount

<i>Sealing Boreholes at Underground Mines</i>		
<i>Dimension</i>	<i>Minimum Cost Per Hole (\$)</i>	<i>Unit Cost (\$) Per Lineal Foot</i>
12-Inch or Less Diameter	1,850	6.50
Larger than 12-Inch Diameter	2,450	9.00
Mobilization Cost	Job	4% of Total Amount

<sup>1</sup> Mine sealing costs are minimum costs. Additional costs per mine seal will be assessed based on specific design criteria, such as the thickness of the seal and the volume of backfill material required, using appropriate material, equipment and labor costs from Bureau of Abandoned Mine Reclamation bid abstracts or from an industry-standard cost estimation publication, for example, *Means Estimating Handbook* or *Walker's Building Estimator's Reference Book*.

*Other Items*

A flat rate of \$3,800 will be used for each pond requiring reclamation. This rate includes dewatering, grading, topsoil replacement and revegetation.

Large equipment tires remaining at a site will be bonded at \$300 per tire.

Available cost information will be used in the event that a unit operation necessary to calculate a reclamation bond is not listed in the schedule. If enough data is not available, the rate will be set from a standard reference like *Means Building Construction Cost Data* or *Walker's Building Estimator's Reference Book*.

Demolition costs for structures that are not compatible with the post-mining land use will be calculated using these references. Structures that have reasonable post-mining uses do not require bonding.

*Mobilization*

Add 4% of the amount, up to \$40,000, for mobilization costs.

*Large Noncoal—Unconsolidated Material*

Mining of unconsolidated material includes sites where the mining is above and below groundwater. The cost of reclamation for these two types of mining include selective grading to achieve the reclamation slopes and the

safety bench around the water impoundment to meet the requirements of 25 Pa. Code § 77.594 (relating to final slopes).

The cost to grade the highwall to the approved reclamation slope above the groundwater table will be calculated based on the area of the highwall (determined by the length of highwall to be reclaimed multiplied by the horizontal width of the reclamation slope) to be reclaimed and the height of the highwall. The Department will use the following rates for bonding permits mining unconsolidated material:

- \$1,700 per acre for mining up to 35 feet
- \$2,400 per acre for 36 to 65 feet
- \$5,000 per acre over 65 feet

The cost to establish the safety bench on water impoundments will be calculated based on the area around the perimeter of the impoundment multiplied by the width of the safety bench. The Department will use \$1,700 per acre for bonding the safety bench.

The Department will use the Bond Rate Schedule for spoil, storage and earthmoving (cost per cubic yard) for sites that will use unmarketable material to achieve the reclamation contours on unconsolidated material mine sites.

#### *Small Noncoal Sites*

##### *Category 1: Small Noncoal Permits—Affected Area is 1 Acre or Less*

For all small noncoal permits with 1 acre or less affected at any time, the bond amount is \$1,500 (one acre affected) and an additional \$2,500 for mobilization/demobilization, for a total of \$4,000. These permits meet the 25 Pa. Code § 77.108(e)(4) (relating to permit for small noncoal operations), standard for concurrent reclamation with no more than 1 acre affected at any time.

##### *Category 2: Small Noncoal Permits with Greater than 1 Acre Affected—Consolidated Material*

For small noncoal permits with greater than 1 acre affected at any time, the following rates\* apply:

- \$1,830 per acre for support
- \$3,000 per acre for mining up to 35 feet total depth
- \$4,000 per acre for 36 to 65 feet total depth
- \$5,000 per acre over 65 feet total depth

An additional \$2,500 for mobilization/demobilization must be included.

\*These rates assume the highwalls will be blasted for reclamation. Costs for backfilling may be applicable to some sites for which the “Spoil Storage/Earthmoving” rate for noncoal operations will apply.

##### *Category 3: Small Noncoal Permits with Greater than 1 Acre Affected—Unconsolidated Material*

For sand and gravel pits and topsoil mines where the operator has received Department approval for mineral extraction over 1 acre, as specified in 25 Pa. Code § 77.108(e)(4), a flat rate of \$3,500 per acre should be used.

Category 1 and 2 rates apply to the General Permit for Bluestone (GP-105). Acreage to be rounded up to the nearest whole acre for all calculations.

*Effective Date:* This schedule will become effective upon publication.

JESSICA SHIRLEY,  
*Interim Acting Secretary*

[Pa.B. Doc. No. 24-355. Filed for public inspection March 15, 2024, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### **Proposed Revised General Plan Approval and/or General Operating Permit for Coal-Mine Methane Enclosed Flares (BAQ-GPA/GP-21); Public Comment Opportunity; (2700-PM-BAQ0029c)**

The Department of Environmental Protection (Department) announces the opportunity for public comment on the proposed revised General Plan Approval and/or General Operating Permit for Coal-Mine Methane Enclosed Flares (BAQ-GPA/GP-21).

Notice of availability of related documents and opportunity to submit comments for revised GP-21 will be published in the *Pennsylvania Bulletin* and in six newspapers of general circulation and sent to nearby states and the United States Environmental Protection Agency in full compliance with 25 Pa. Code § 127.612(a) (relating to public notice and review period).

GP-21 was originally published in the *Pennsylvania Bulletin* at 53 Pa.B. 6005 (September 23, 2023) and available for authorization on September 23, 2023. Based on additional information that was presented to the Department after September 23, 2023, the Department has decided to propose changes based on that information.

The proposed revised General Permit contains a revision to the Best Available Technology requirement for nitrogen oxide emissions and an added option for installing a continuous methane monitor. The proposed revised nitrogen oxide (NOx) emission limit is 0.15 lbs/MMBtu.

Relevant documents are available on the Department’s web site at [www.depgreenport.state.pa.us/elibrary/](http://www.depgreenport.state.pa.us/elibrary/) or by contacting David Clark, P.O. Box 8468, Harrisburg, PA 17105, (717) 772-3942, [davclark@pa.gov](mailto:davclark@pa.gov).

The Department must receive comments within 45 days from the date of this publication. Commentators are encouraged to submit comments using the Department’s eComment system at [www.ahs.dep.pa.gov/eComment](http://www.ahs.dep.pa.gov/eComment) or by e-mail to [ecomment@pa.gov](mailto:ecomment@pa.gov). Comments submitted by facsimile will not be accepted. Comments, including comments submitted by e-mail, must include the commentator’s name and address. Written comments may be mailed to the Policy Office, Department of Environmental Protection, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2063. Use “Proposed Revised GP-21” as the subject line in written communication.

JESSICA SHIRLEY,  
*Interim Acting Secretary*

[Pa.B. Doc. No. 24-356. Filed for public inspection March 15, 2024, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Sewage Advisory Committee Meeting Cancellation

The March 20, 2024, meeting of the Sewage Advisory Committee (Committee) is cancelled. The next scheduled Committee meeting date is September 18, 2024. Notice of any additional Committee meetings scheduled will be published in the *Pennsylvania Bulletin*.

Information about Committee meetings, including agendas, meeting materials and in-person and remote participation options, will be available on the Committee's webpage, found through the Public Participation tab on the Department of Environmental Protection's (Department) web site at [www.dep.pa.gov](http://www.dep.pa.gov) (select "Public Participation," then "Advisory Committees," then "Water," then "Sewage Advisory Committee").

Individuals are encouraged to visit the Committee's webpage to confirm meeting date, time and location prior to each meeting. Questions concerning the Committee can be directed to Janice Vollerero at [jvollerero@pa.gov](mailto:jvollerero@pa.gov) or (717) 772-5157.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Department at (717) 783-2360 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

JESSICA SHIRLEY,  
*Interim Acting Secretary*

[Pa.B. Doc. No. 24-357. Filed for public inspection March 15, 2024, 9:00 a.m.]

## DEPARTMENT OF HUMAN SERVICES

### Federally Qualified Health Center Alternative Payment Methodology

This notice announces an extension of an alternative payment methodology (APM) for services provided by qualified public Federally Qualified Health Centers (FQHC) and FQHC look-alikes operated by a city of the first class through March 31, 2029, subject to the approval of the Centers for Medicare & Medicaid Services (CMS). The APM will continue to provide additional funds to qualified FQHCs that provide a high volume of services to Medical Assistance (MA) beneficiaries to enable the FQHCs to maintain and expand access to health care services.

#### Background

Section 1902(bb)(1) of the Social Security Act (42 U.S.C. § 1396a(bb)(1)) provides for payment to FQHCs using a Prospective Payment System (PPS) methodology. For services provided to beneficiaries receiving services in a managed care delivery system, states must make supplemental payments equal to the amount the FQHC would have been paid under the PPS. See 42 U.S.C. § 1396a(bb)(5). States can also pay providers using an APM. See 42 U.S.C. § 1396a(bb)(6).

#### APM for FQHCs Operated by a City of the First Class

On July 24, 2019, CMS approved the Department of Human Services' (Department) request to implement an APM to pay qualifying FQHCs, located in and operated by a city of the first class and that agreed to the APM in writing, a Medical Assistance Encounter Rate (MAER) for medical services provided to MA beneficiaries for dates of service April 1, 2019, through March 31, 2022. On January 18, 2022, CMS approved the Department's request to continue this APM for dates of service April 1, 2022, through March 31, 2024.

Subject to the approval of CMS, the Department will continue to pay qualifying FQHCs, located in and operated by a city of the first class and that agree to the APM in writing, the FQHC's MAER as supplemental payments, effective on March 31, 2024, as applied to the number of medical services provided to MA beneficiaries for dates of service April 1, 2024, through March 31, 2029.

#### Fiscal Impact

The estimated annual fiscal impact, as a result of the continued funding allocation for these payments, is \$38.971 million in total funds.

#### Public Comment

Interested persons are invited to submit written comments regarding this APM to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, P.O. Box 2675, Harrisburg, PA 17120, RA-PWMAProgComments@pa.gov. Comments received within 30 days will be reviewed and considered.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

VALERIE A. ARKOOSH,  
*Secretary*

**Fiscal Note:** 14-NOT-1615. Under section 612 of The Administrative Code of 1929 (71 P.S. § 232), (1) General Fund; (2) Implementing Year 2023-24 is \$0; (3) 1st Succeeding Year 2024-25 is \$13,126,000; 2nd Succeeding Year 2025-26 through 5th Succeeding Year 2028-29 are \$17,502,000; (4) 2022-23 Program—\$589,137,000; 2021-22 Program—\$644,059,000; 2020-21 Program—\$808,350,000; (7) MA—Fee-for-Service; (8) recommends adoption. The executive budget proposal included funds to cover this increase.

[Pa.B. Doc. No. 24-358. Filed for public inspection March 15, 2024, 9:00 a.m.]

## DEPARTMENT OF REVENUE

### Pennsylvania \$160 Million Cash Blowout Instant Lottery Game 1682

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania \$160 Million Cash Blowout ("\$160 Million Cash Blowout"). The game number is PA-1682.

2. *Price:* The price of a \$160 Million Cash Blowout instant lottery game ticket is \$30.



3. *Play symbols:* Each \$160 Million Cash Blowout instant lottery game ticket will contain one play area featuring a “WINNING NUMBERS” area, a “YOUR NUMBERS” area and five “MULTIPLIER” spots designated as “2X MULTIPLIER” spot, “5X MULTIPLIER” spot, “10X MULTIPLIER” spot, “20X MULTIPLIER” spot and “30X MULTIPLIER” spot. The play symbols and their captions located in the “WINNING NUMBERS” area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRT), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN) and 40 (FORT). The play symbols and their captions located in the “YOUR NUMBERS” area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRT), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN), 40 (FORT), Stack of Cash (CASH) symbol and a Vault (WINALL) symbol. The play symbols and prize amounts and their captions located in the five “MULTIPLIER” play spots are: NOMULT (TRYAGAIN), TRYAGAIN (NOMULT), NOMULT (TRYAGAIN), TRYAGAIN (NOMULT), NOMULT (TRYAGAIN), TRYAGAIN (NOMULT), \$30<sup>00</sup> (THIRTY), \$40<sup>00</sup> (FORTY), \$50<sup>00</sup> (FIFTY), \$100 (ONE HUN), \$150 (ONEHUNFTY), \$500 (FIV HUN), \$1,000 (ONE THO) and a BLOWOUT (MLTPLY) symbol.

4. *Prize Symbols:* The prize symbols and their captions located in the “YOUR NUMBERS” area are: \$30<sup>00</sup> (THIRTY), \$40<sup>00</sup> (FORTY), \$50<sup>00</sup> (FIFTY), \$100 (ONE HUN), \$150 (ONEHUNFTY), \$300 (THR HUN), \$500 (FIV HUN), \$1,000 (ONE THO), \$3,000 (THR THO), \$30,000 (TRY THO), \$150,000 (HUNFTYTHO) and \$3MILL (THR MIL).

5. *Prizes:* The prizes that can be won in this game are: \$30, \$40, \$50, \$100, \$150, \$300, \$500, \$1,000, \$3,000, \$30,000, \$150,000 and \$3,000,000. For a complete description of how these prizes can be won, see section 8 (relating to number and description of prizes and approximate odds). A player can win up to 29 times on a ticket.

6. *Approximate number of tickets printed for the game:* Approximately 7,200,000 tickets will be printed for the \$160 Million Cash Blowout instant lottery game.

7. *Determination of prize winners:*

(a) Determination of prize winners for holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols are:

(1) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$3 MILL (THR MIL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$3,000,000. The prize shall be paid as a one-time, lump-sum cash payment.

(2) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$150,000 (HUNFTYTHO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$150,000.

(3) Holders of tickets upon which a Vault (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$1,000 (ONE THO) appears in ten of the “prize” areas, a prize symbol of \$500 (FIV HUN) appears in eight of the “prize” areas, a prize symbol of \$150 (ONEHUNFTY) appears in six of the “prize” areas and a prize symbol of \$100 (ONE HUN) appears in one of the “prize” areas, and upon which a BLOWOUT (MLTPLY) symbol appears in the “10X MULTIPLIER” spot, on a single ticket, shall be entitled to a prize of \$150,000.

(4) Holders of tickets upon which a Vault (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$30,000 (TRY THO) appears in four of the “prize” areas, a prize symbol of \$1,000 (ONE THO) appears in 20 of the “prize” areas and a prize symbol of \$3,000 (THR THO) appears in one of the “prize” areas, on a single ticket, shall be entitled to a prize of \$143,000.

(5) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$30,000 (TRY THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$30,000.

(6) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$1,000 (ONE THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, and upon which a BLOWOUT (MLTPLY) symbol appears in the “30X MULTIPLIER” spot, on a single ticket, shall be entitled to a prize of \$30,000.

(7) Holders of tickets upon which a Vault (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$300 (THR HUN) appears in 15 of the “prize” areas, a prize symbol of \$30<sup>00</sup> (THIRTY) appears in seven of the “prize” areas, a prize symbol of \$150 (ONEHUNFTY) appears in one of the “prize” areas, a prize symbol of \$100 (ONE HUN) appears in one of the “prize” areas and a prize symbol of \$40<sup>00</sup> (FORTY) appears in one of the “prize” areas, and upon which a BLOWOUT (MLTPLY) symbol appears in the “5X MULTIPLIER” spot, on a single ticket, shall be entitled to a prize of \$25,000.

(8) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$3,000 (THR THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$3,000.

(9) Holders of tickets upon which a Stack of Cash (CASH) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$300 (THR HUN) appears in the “prize” area under that Stack of Cash (CASH) symbol, and upon which a BLOWOUT (MLTPLY) symbol appears in the “10X MULTIPLIER” spot, on a single ticket, shall be entitled to a prize of \$3,000.

(10) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$300 (THR HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, and upon

which a BLOWOUT (MLTPLY) symbol appears in the "10X MULTIPLIER" spot, on a single ticket, shall be entitled to a prize of \$3,000.

(11) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$150 (ONEHUNFTY) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, and upon which a BLOWOUT (MLTPLY) symbol appears in the "20X MULTIPLIER" spot, on a single ticket, shall be entitled to a prize of \$3,000.

(12) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$100 (ONE HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, and upon which a BLOWOUT (MLTPLY) symbol appears in the "30X MULTIPLIER" spot, on a single ticket, shall be entitled to a prize of \$3,000.

(13) Holders of tickets upon which a Vault (WINALL) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$150 (ONEHUNFTY) appears in ten of the "prize" areas and a prize symbol of \$100 (ONE HUN) appears in 15 of the "prize" areas, on a single ticket, shall be entitled to a prize of \$3,000.

(14) Holders of tickets upon which a Vault (WINALL) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$100 (ONE HUN) appears in all 25 of the "prize" areas, on a single ticket, shall be entitled to a prize of \$2,500.

(15) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$1,000 (ONE THO) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(16) Holders of tickets upon which a Stack of Cash (CASH) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$1,000 (ONE THO) appears in the "prize" area under that Stack of Cash (CASH) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(17) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$100 (ONE HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, and upon which a BLOWOUT (MLTPLY) symbol appears in the "10X MULTIPLIER" spot, on a single ticket, shall be entitled to a prize of \$1,000.

(18) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$50<sup>00</sup> (FIFTY) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, and upon which a BLOWOUT (MLTPLY) symbol appears in the "20X MULTIPLIER" spot, on a single ticket, shall be entitled to a prize of \$1,000.

(19) Holders of tickets upon which a Vault (WINALL) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$50<sup>00</sup> (FIFTY) appears in ten of the "prize" areas, a prize symbol of \$40<sup>00</sup> (FORTY) appears in five of the "prize" areas and a prize symbol of \$30<sup>00</sup> (THIRTY) appears in ten of the "prize" areas, on a single ticket, shall be entitled to a prize of \$1,000.

(20) Holders of tickets upon which a Vault (WINALL) symbol appears in the "YOUR NUMBERS" area and a

prize symbol of \$40<sup>00</sup> (FORTY) appears in ten of the "prize" areas and a prize symbol of \$30<sup>00</sup> (THIRTY) appears in 15 of the "prize" areas, on a single ticket, shall be entitled to a prize of \$850.

(21) Holders of tickets upon which a Vault (WINALL) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$30<sup>00</sup> (THIRTY) appears in all 25 of the "prize" areas, on a single ticket, shall be entitled to a prize of \$750.

(22) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$500 (FIV HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$500.

(23) Holders of tickets upon which a Stack of Cash (CASH) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$500 (FIV HUN) appears in the "prize" area under that Stack of Cash (CASH) symbol, on a single ticket, shall be entitled to a prize of \$500.

(24) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$100 (ONE HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, and upon which a BLOWOUT (MLTPLY) symbol appears in the "5X MULTIPLIER" spot, on a single ticket, shall be entitled to a prize of \$500.

(25) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$50<sup>00</sup> (FIFTY) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, and upon which a BLOWOUT (MLTPLY) symbol appears in the "10X MULTIPLIER" spot, on a single ticket, shall be entitled to a prize of \$500.

(26) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$40<sup>00</sup> (FORTY) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, and upon which a BLOWOUT (MLTPLY) symbol appears in the "10X MULTIPLIER" spot, on a single ticket, shall be entitled to a prize of \$400.

(27) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$300 (THR HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$300.

(28) Holders of tickets upon which a Stack of Cash (CASH) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$300 (THR HUN) appears in the "prize" area under that Stack of Cash (CASH) symbol, on a single ticket, shall be entitled to a prize of \$300.

(29) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$150 (ONEHUNFTY) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, and upon which a BLOWOUT (MLTPLY) symbol appears in the "2X MULTIPLIER" spot, on a single ticket, shall be entitled to a prize of \$300.

(30) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$30<sup>00</sup>





(1) Holders of tickets upon which a prize amount of \$1,000 (ONE THO) appears in the “5X MULTIPLIER” spot, on a single ticket, shall be entitled to a prize of \$5,000.

(2) Holders of tickets upon which a prize amount of \$500 (FIV HUN) appears in the “10X MULTIPLIER” spot, on a single ticket, shall be entitled to a prize of \$5,000.

(3) Holders of tickets upon which a prize amount of \$100 (ONE HUN) appears in the “20X MULTIPLIER” spot, on a single ticket, shall be entitled to a prize of \$2,000.

(4) Holders of tickets upon which a prize amount of \$100 (ONE HUN) appears in the “10X MULTIPLIER” spot, on a single ticket, shall be entitled to a prize of \$1,000.

(5) Holders of tickets upon which a prize amount of \$50<sup>00</sup> (FIFTY) appears in the “20X MULTIPLIER” spot, on a single ticket, shall be entitled to a prize of \$1,000.

(6) Holders of tickets upon which a prize amount of \$30<sup>00</sup> (THIRTY) appears in the “30X MULTIPLIER” spot, on a single ticket, shall be entitled to a prize of \$900.

(7) Holders of tickets upon which a prize amount of \$100 (ONE HUN) appears in the “5X MULTIPLIER” spot, on a single ticket, shall be entitled to a prize of \$500.

(8) Holders of tickets upon which a prize amount of \$50<sup>00</sup> (FIFTY) appears in the “10X MULTIPLIER” spot, on a single ticket, shall be entitled to a prize of \$500.

(9) Holders of tickets upon which a prize amount of \$150 (ONEHUNFTY) appears in the “2X MULTIPLIER” spot, on a single ticket, shall be entitled to a prize of \$300.

(10) Holders of tickets upon which a prize amount of \$30<sup>00</sup> (THIRTY) appears in the “10X MULTIPLIER” spot, on a single ticket, shall be entitled to a prize of \$300.

(11) Holders of tickets upon which a prize amount of \$50<sup>00</sup> (FIFTY) appears in the “5X MULTIPLIER” spot, on a single ticket, shall be entitled to a prize of \$250.

(12) Holders of tickets upon which a prize amount of \$40<sup>00</sup> (FORTY) appears in the “5X MULTIPLIER” spot, on a single ticket, shall be entitled to a prize of \$200.

(13) Holders of tickets upon which a prize amount of \$30<sup>00</sup> (THIRTY) appears in the “5X MULTIPLIER” spot, on a single ticket, shall be entitled to a prize of \$150.

(14) Holders of tickets upon which a prize amount of \$50<sup>00</sup> (FIFTY) appears in the “2X MULTIPLIER” spot, on a single ticket, shall be entitled to a prize of \$100.

(15) Holders of tickets upon which a prize amount of \$40<sup>00</sup> (FORTY) appears in the “2X MULTIPLIER” spot, on a single ticket, shall be entitled to a prize of \$80.

(16) Holders of tickets upon which a prize amount of \$30<sup>00</sup> (THIRTY) appears in the “2X MULTIPLIER” spot, on a single ticket, shall be entitled to a prize of \$60.

8. *Number and description of prizes and approximate odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>When Any Of YOUR NUMBERS Match Any WINNING NUMBER, Win Prize Shown Under The Matching Number. Win With:</i>	<i>MULTIPLIER SPOTS:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 7,200,000 Tickets:</i>
\$30 w/ STACK OF CASH		\$30	12.5	576,000
\$30		\$30	20	360,000
\$40 w/ STACK OF CASH		\$40	20	360,000
\$40		\$40	25	288,000
\$50 w/ STACK OF CASH		\$50	27.27	264,000
\$50		\$50	150	48,000
\$50 × 2		\$100	300	24,000
\$50	2X w/ BLOWOUT	\$100	150	48,000
	\$50 w/ 2X SPOT	\$100	150	48,000
\$100 w/ STACK OF CASH		\$100	300	24,000
\$100		\$100	300	24,000
\$30 × 5		\$150	300	24,000
(\$30 w/ STACK OF CASH) + \$40	\$40 w/ 2X SPOT	\$150	300	24,000
(((\$30 w/ STACK OF CASH) × 2) + \$30	\$30 w/ 2X SPOT	\$150	150	48,000
\$30	5X w/ BLOWOUT	\$150	150	48,000
	\$30 w/ 5X SPOT	\$150	150	48,000
\$150 w/ STACK OF CASH		\$150	300	24,000
\$150		\$150	300	24,000
\$30 × 10		\$300	12,000	600
\$50 × 6		\$300	12,000	600
(\$30 × 5) + \$50	\$50 w/ 2X SPOT	\$300	1,200	6,000



NOTICES

<i>When Any Of YOUR NUMBERS Match Any WINNING NUMBER, Win Prize Shown Under The Matching Number. Win With:</i>	<i>MULTIPLIER SPOTS:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 7,200,000 Tickets:</i>
(\$30 w/ STACK OF CASH) + \$30	5X w/ BLOWOUT	\$300	1,200	6,000
(\$50 w/ STACK OF CASH) + (\$30 × 2) + \$40	2X w/ BLOWOUT	\$300	1,200	6,000
\$30	10X w/ BLOWOUT	\$300	1,200	6,000
\$150	2X w/ BLOWOUT	\$300	1,200	6,000
	\$30 w/ 10X SPOT	\$300	1,200	6,000
	\$150 w/ 2X SPOT	\$300	857.14	8,400
\$300 w/ STACK OF CASH		\$300	1,200	6,000
\$300		\$300	12,000	600
\$50 × 10		\$500	24,000	300
\$100 × 5		\$500	24,000	300
\$30 × 10	\$40 w/ 5X SPOT	\$500	12,000	600
\$40 × 2	(\$50 w/ 2X SPOT) + (5X w/ BLOWOUT)	\$500	12,000	600
(((\$40 w/ STACK OF CASH) × 5) + \$50	2X w/ BLOWOUT	\$500	12,000	600
\$50	10X w/ BLOWOUT	\$500	12,000	600
\$100	5X w/ BLOWOUT	\$500	12,000	600
	\$50 w/ 10X SPOT	\$500	1,200	6,000
	\$100 w/ 5X SPOT	\$500	1,200	6,000
\$500 w/ STACK OF CASH		\$500	12,000	600
\$500		\$500	24,000	300
VAULT w/ (\$30 × 25)	\$50 w/ 5X SPOT	\$1,000	6,000	1,200
VAULT w/ ((\$40 × 10) + (\$30 × 15))	\$30 w/ 5X SPOT	\$1,000	6,000	1,200
VAULT w/ ((\$50 × 10) + (\$40 × 5) + (\$30 × 10))		\$1,000	6,000	1,200
\$100 × 10		\$1,000	120,000	60
\$40 × 2	(\$40 w/ 5X SPOT) + (10X w/ BLOWOUT)	\$1,000	60,000	120
(((\$40 w/ STACK OF CASH) × 10) + \$100	2X w/ BLOWOUT	\$1,000	60,000	120
(\$50 w/ STACK OF CASH) × 2	\$30 w/ 30X SPOT	\$1,000	12,000	600
\$50	20X w/ BLOWOUT	\$1,000	12,000	600
\$100	10X w/ BLOWOUT	\$1,000	60,000	120
	\$50 w/ 20X SPOT	\$1,000	12,000	600
	\$100 w/ 10X SPOT	\$1,000	30,000	240
\$1,000 w/ STACK OF CASH		\$1,000	120,000	60
\$1,000		\$1,000	120,000	60
VAULT w/ (\$100 × 25)	\$50 w/ 10X SPOT	\$3,000	720,000	10
VAULT w/ ((\$150 × 10) + (\$100 × 15))		\$3,000	720,000	10
\$100	30X w/ BLOWOUT	\$3,000	360,000	20
\$150	20X w/ BLOWOUT	\$3,000	360,000	20
\$300	10X w/ BLOWOUT	\$3,000	720,000	10
\$3,000		\$3,000	1,440,000	5
VAULT w/ ((\$300 × 15) + (\$30 × 7) + \$150 + \$100 + \$40)	(\$500 w/ 10X SPOT) + (5X w/ BLOWOUT)	\$30,000	720,000	10
(\$300 w/ STACK OF CASH) × 10	10X w/ BLOWOUT	\$30,000	720,000	10
\$1,000	30X w/ BLOWOUT	\$30,000	720,000	10

<i>When Any Of YOUR NUMBERS Match Any WINNING NUMBER, Win Prize Shown Under The Matching Number. Win With:</i>	<i>MULTIPLIER SPOTS:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 7,200,000 Tickets:</i>
\$30,000		\$30,000	1,440,000	5
VAULT w/ (( $\$30,000 \times 4$ ) + ( $\$1,000 \times 20$ ) + $\$3,000$ )	( $\$1,000$ w/ 5X SPOT) + ( $\$100$ w/ 20X SPOT)	\$150,000	1,440,000	5
VAULT w/ (( $\$1,000 \times 10$ ) + ( $\$500 \times 8$ ) + ( $\$150 \times 6$ ) + $\$100$ )	10X w/ BLOWOUT	\$150,000	1,440,000	5
$\$1,000 \times 5$	30X w/ BLOWOUT	\$150,000	1,440,000	5
\$150,000		\$150,000	1,440,000	5
\$3,000,000		\$3,000,000	1,440,000	5

Reveal a “Stack of Cash” (CASH) symbol, win prize shown under that symbol automatically.

Reveal a “Vault” (WINALL) symbol, win all 25 prizes shown!

MULTIPLIER SPOTS: Reveal a cash prize amount, multiply the amount shown by the multiplier for that spot and win that amount. Reveal a “BLOWOUT” (MLTPY) symbol in any spot, multiply any prize won in the YOUR NUMBERS area by the multiplier for that spot.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell \$160 Million Cash Blowout instant lottery game tickets.

10. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed prize money:* For a period of 1 year from the announced close of \$160 Million Cash Blowout, prize money from winning \$160 Million Cash Blowout instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the \$160 Million Cash Blowout instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote \$160 Million Cash Blowout or through normal communications methods.

PATRICK BROWNE,  
*Secretary*

[Pa.B. Doc. No. 24-359. Filed for public inspection March 15, 2024, 9:00 a.m.]

## DEPARTMENT OF REVENUE

### Pennsylvania CLUE™ Instant Lottery Game 1684

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania CLUE™ (“CLUE™”). The game number is PA-1684. CLUE™ is separated into four themed scenes: Study (“Scene 1”), Billiard Room (“Scene 2”), Library (“Scene 3”) and Ballroom (“Scene 4”). All scenes are organized under the same game and the same prize structure and no one scene is determinative of the prizes available to be won on any individual game ticket, or the Second-Chance Drawing entries provided for in section 10.

2. *Price:* The price of a CLUE™ instant lottery game ticket is \$5.

3. *Play symbols:* Each CLUE™ instant lottery game ticket will contain one play area featuring a “WINNING NUMBERS” area, a “YOUR NUMBERS” area and one

“WHODUNIT WINALL” area containing a “SUSPECT” area and three “GUESS” areas designated as “GUESS # 1,” “GUESS # 2” and “GUESS # 3.”

(a) The play symbols and their captions located in the “WINNING NUMBERS” area in all four “Scenes” are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWNIN) and 30 (THIRT).

(b) The play symbols and their captions located the “YOUR NUMBERS” area of “Scene 1” are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWNIN), 30 (THIRT) and a STUDY (5TIMES) symbol.

(c) The play symbols and their captions located the “YOUR NUMBERS” area of “Scene 2” are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWNIN), 30 (THIRT) and a BILLIARDS (5TIMES) symbol.

(d) The play symbols and their captions located the “YOUR NUMBERS” area of “Scene 3” are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWNIN), 30 (THIRT) and a LIBRARY (5TIMES) symbol.

(e) The play symbols and their captions located the “YOUR NUMBERS” area of “Scene 4” are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWNIN), 30 (THIRT) and a BALLROOM (5TIMES) symbol.

(f) The play symbols and their captions located in the “SUSPECT” area and the “GUESS” area within the “WHODUNIT WINALL” area in all four “Scenes” are: Miss Scarlett (MISS SCARLETT) symbol, Mr. Green (MR. GREEN) symbol, Professor Plum (PROFESSOR PLUM) symbol, Colonel Mustard (COLONEL MUSTARD) symbol, Mr. Black (MR. BLACK) symbol, Solicitor Peacock (SOLICITOR PEACOCK) symbol and a Chef White (CHEF WHITE) symbol.

4. *Prize Symbols:* The prize symbols and their captions located in the “YOUR NUMBERS” area of all four “Scenes” are: \$5<sup>00</sup> (FIV DOL), \$10<sup>00</sup> (TEN DOL), \$25 (TWY FIV), \$40 (FORTY), \$50 (FIFTY), \$100 (ONE HUN), \$200 (TWO HUN), \$500 (FIV HUN), \$1,000 (ONE THO), \$5,000 (FIV THO) and \$200,000 (TWOHUNTHO).

5. *Prizes:* The prizes that can be won in this game are: \$5, \$10, \$25, \$40, \$50, \$100, \$200, \$500, \$1,000, \$5,000 and \$200,000. For a complete description of how these prizes can be won, see section 9 (relating to number and description of prizes and approximate odds). A player can win up to 12 times on a ticket.

6. *Approximate number of tickets printed for the game:* Approximately 10,800,000 tickets will be printed for the CLUE™ instant lottery game.

7. *Second-Chance Drawing:* The Pennsylvania Lottery will conduct a CLUE™ Drawing for which non-winning CLUE™ instant lottery game tickets may be eligible as provided in section 10.

8. *Determination of prize winners:*

(a) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$200,000 (TWOHUNTHO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$200,000.

(b) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$5,000 (FIV THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$5,000.

(c) Holders of tickets upon which a STUDY (5TIMES) symbol, a BILLIARDS (5TIMES) symbol, a LIBRARY (5TIMES) symbol or a BALLROOM (5TIMES) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$1,000 (ONE THO) appears in the “prize” area under that STUDY (5TIMES) symbol, BILLIARDS (5TIMES) symbol, LIBRARY (5TIMES) symbol or BALLROOM (5TIMES) symbol, on a single ticket, shall be entitled to a prize of \$5,000.

(d) Holders of tickets upon which any of the “GUESS” play symbols match the “SUSPECT” play symbol in the “WHODUNIT WINALL” area and a prize symbol of \$1,000 (ONE THO) appears in four of the “prize” areas, a prize symbol of \$200 (TWO HUN) appears in four of the “prize” areas and a prize symbol of \$50 (FIFTY) appears in four of the “prize” areas in the “YOUR NUMBERS” area, on a single ticket, shall be entitled to a prize of \$5,000.

(e) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$1,000 (ONE THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(f) Holders of tickets upon which a STUDY (5TIMES) symbol, a BILLIARDS (5TIMES) symbol, a LIBRARY (5TIMES) symbol or a BALLROOM (5TIMES) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$200 (TWO HUN) appears in the “prize” area under that STUDY (5TIMES) symbol, BILLIARDS (5TIMES) symbol, LIBRARY (5TIMES) symbol or BALLROOM (5TIMES) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(g) Holders of tickets upon which any of the “GUESS” play symbols match the “SUSPECT” play symbol in the “WHODUNIT WINALL” area and a prize symbol of \$200 (TWO HUN) appears in four of the “prize” areas and a prize symbol of \$25 (TWY FIV) appears in eight of the “prize” areas in the “YOUR NUMBERS” area, on a single ticket, shall be entitled to a prize of \$1,000.



(h) Holders of tickets upon which any of the "GUESS" play symbols match the "SUSPECT" play symbol in the "WHODUNIT WINALL" area and a prize symbol of \$100 (ONE HUN) appears in eight of the "prize" areas and a prize symbol of \$50 (FIFTY) appears in four of the "prize" areas in the "YOUR NUMBERS" area, on a single ticket, shall be entitled to a prize of \$1,000.

(i) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$500 (FIV HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$500.

(j) Holders of tickets upon which a STUDY (5TIMES) symbol, a BILLIARDS (5TIMES) symbol, a LIBRARY (5TIMES) symbol or a BALLROOM (5TIMES) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$100 (ONE HUN) appears in the "prize" area under that STUDY (5TIMES) symbol, BILLIARDS (5TIMES) symbol, LIBRARY (5TIMES) symbol or BALLROOM (5TIMES) symbol, on a single ticket, shall be entitled to a prize of \$500.

(k) Holders of tickets upon which any of the "GUESS" play symbols match the "SUSPECT" play symbol in the "WHODUNIT WINALL" area and a prize symbol of \$200 (TWO HUN) appears in two of the "prize" areas and a prize symbol of \$10<sup>00</sup> (TEN DOL) appears in ten of the "prize" areas in the "YOUR NUMBERS" area, on a single ticket, shall be entitled to a prize of \$500.

(l) Holders of tickets upon which any of the "GUESS" play symbols match the "SUSPECT" play symbol in the "WHODUNIT WINALL" area and a prize symbol of \$100 (ONE HUN) appears in four of the "prize" areas, a prize symbol of \$25 (TWY FIV) appears in two of the "prize" areas, a prize symbol of \$10<sup>00</sup> (TEN DOL) appears in four of the "prize" areas and a prize symbol of \$5<sup>00</sup> (FIV DOL) appears in two of the "prize" areas in the "YOUR NUMBERS" area, on a single ticket, shall be entitled to a prize of \$500.

(m) Holders of tickets upon which any of the "GUESS" play symbols match the "SUSPECT" play symbol in the "WHODUNIT WINALL" area and a prize symbol of \$50 (FIFTY) appears in eight of the "prize" areas and a prize symbol of \$25 (TWY FIV) appears in four of the "prize" areas in the "YOUR NUMBERS" area, on a single ticket, shall be entitled to a prize of \$500.

(n) Holders of tickets upon which a STUDY (5TIMES) symbol, a BILLIARDS (5TIMES) symbol, a LIBRARY (5TIMES) symbol or a BALLROOM (5TIMES) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$50 (ONE HUN) appears in the "prize" area under that STUDY (5TIMES) symbol, BILLIARDS (5TIMES) symbol, LIBRARY (5TIMES) symbol or BALLROOM (5TIMES) symbol, on a single ticket, shall be entitled to a prize of \$250.

(o) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$200 (TWO HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$200.

(p) Holders of tickets upon which a STUDY (5TIMES) symbol, a BILLIARDS (5TIMES) symbol, a LIBRARY (5TIMES) symbol or a BALLROOM (5TIMES) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$40 (FORTY) appears in the "prize" area under that STUDY (5TIMES) symbol, BILLIARDS (5TIMES)

symbol, LIBRARY (5TIMES) symbol or BALLROOM (5TIMES) symbol, on a single ticket, shall be entitled to a prize of \$200.

(q) Holders of tickets upon which any of the "GUESS" play symbols match the "SUSPECT" play symbol in the "WHODUNIT WINALL" area and a prize symbol of \$50 (FIFTY) appears in two of the "prize" areas and a prize symbol of \$10<sup>00</sup> (TEN DOL) appears in ten of the "prize" areas in the "YOUR NUMBERS" area, on a single ticket, shall be entitled to a prize of \$200.

(r) Holders of tickets upon which any of the "GUESS" play symbols match the "SUSPECT" play symbol in the "WHODUNIT WINALL" area and a prize symbol of \$40 (FORTY) appears in three of the "prize" areas, a prize symbol of \$10<sup>00</sup> (TEN DOL) appears in seven of the "prize" areas and a prize symbol of \$5<sup>00</sup> (FIV DOL) appears in two of the "prize" areas in the "YOUR NUMBERS" area, on a single ticket, shall be entitled to a prize of \$200.

(s) Holders of tickets upon which any of the "GUESS" play symbols match the "SUSPECT" play symbol in the "WHODUNIT WINALL" area and a prize symbol of \$25 (TWY FIV) appears in four of the "prize" areas, a prize symbol of \$10<sup>00</sup> (TEN DOL) appears in five of the "prize" areas, a prize symbol of \$5<sup>00</sup> (FIV DOL) appears in two of the "prize" areas and a prize symbol of \$40 (FORTY) appears in one of the "prize" areas in the "YOUR NUMBERS" area, on a single ticket, shall be entitled to a prize of \$200.

(t) Holders of tickets upon which a STUDY (5TIMES) symbol, a BILLIARDS (5TIMES) symbol, a LIBRARY (5TIMES) symbol or a BALLROOM (5TIMES) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$25 (TWY FIV) appears in the "prize" area under that STUDY (5TIMES) symbol, BILLIARDS (5TIMES) symbol, LIBRARY (5TIMES) symbol or BALLROOM (5TIMES) symbol, on a single ticket, shall be entitled to a prize of \$125.

(u) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$100 (ONE HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$100.

(v) Holders of tickets upon which any of the "GUESS" play symbols match the "SUSPECT" play symbol in the "WHODUNIT WINALL" area and a prize symbol of \$25 (TWY FIV) appears in two of the "prize" areas and a prize symbol of \$5<sup>00</sup> (FIV DOL) appears in ten of the "prize" areas in the "YOUR NUMBERS" area, on a single ticket, shall be entitled to a prize of \$100.

(w) Holders of tickets upon which any of the "GUESS" play symbols match the "SUSPECT" play symbol in the "WHODUNIT WINALL" area and a prize symbol of \$10<sup>00</sup> (TEN DOL) appears in eight of the "prize" areas and a prize symbol of \$5<sup>00</sup> (FIV DOL) appears in four of the "prize" areas in the "YOUR NUMBERS" area, on a single ticket, shall be entitled to a prize of \$100.

(x) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$50 (FIFTY) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$50.

(y) Holders of tickets upon which a STUDY (5TIMES) symbol, a BILLIARDS (5TIMES) symbol, a LIBRARY



(5TIMES) symbol or a BALLROOM (5TIMES) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$10<sup>00</sup> (TEN DOL) appears in the “prize” area under that STUDY (5TIMES) symbol, BILLIARDS (5TIMES) symbol, LIBRARY (5TIMES) symbol or BALLROOM (5TIMES) symbol, on a single ticket, shall be entitled to a prize of \$50.

(z) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$40 (FORTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$40.

(aa) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$25 (TWY FIV) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$25.

(bb) Holders of tickets upon which a STUDY (5TIMES) symbol, a BILLIARDS (5TIMES) symbol, a LIBRARY (5TIMES) symbol or a BALLROOM (5TIMES) symbol

appears in the “YOUR NUMBERS” area and a prize symbol of \$5<sup>00</sup> (FIV DOL) appears in the “prize” area under that STUDY (5TIMES) symbol, BILLIARDS (5TIMES) symbol, LIBRARY (5TIMES) symbol or BALLROOM (5TIMES) symbol, on a single ticket, shall be entitled to a prize of \$25.

(cc) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$10<sup>00</sup> (TEN DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$10.

(dd) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$5<sup>00</sup> (FIV DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$5.

9. *Number and description of prizes and approximate odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>When Any Of YOUR NUMBERS Match Any WINNING NUMBER, Win Prize Shown Under The Matching Number. Win With:</i>	<i>WHODUNIT WINALL:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 10,800,000 Tickets:</i>
\$5		\$5	8.7	1,242,000
\$5 × 2		\$10	46.15	234,000
\$10		\$10	30	360,000
\$5 × 5		\$25	600	18,000
(\$5 × 3) + \$10		\$25	600	18,000
(\$10 × 2) + \$5		\$25	600	18,000
\$5 w/ 5 TIMES SYMBOL		\$25	35.29	306,000
\$25		\$25	600	18,000
\$5 × 8		\$40	600	18,000
\$10 × 4		\$40	600	18,000
\$25 + \$10 + \$5		\$40	600	18,000
(\$5 w/ 5 TIMES SYMBOL) + (\$5 × 3)		\$40	600	18,000
\$40		\$40	600	18,000
\$5 × 10		\$50	600	18,000
(\$5 w/ 5 TIMES SYMBOL) + \$25		\$50	600	18,000
\$10 w/ 5 TIMES SYMBOL		\$50	600	18,000
\$50		\$50	600	18,000
	WHODUNIT WINALL MATCH w/ ((\$10 × 8) + (\$5 × 4))	\$100	1,333	8,100
	WHODUNIT WINALL MATCH w/ ((\$25 × 2) + (\$5 × 10))	\$100	1,333	8,100
\$10 × 10		\$100	120,000	90
\$50 + \$40 + \$10		\$100	24,000	450
(((\$5 w/ 5 TIMES SYMBOL) × 2) + \$50		\$100	24,000	450
(((\$5 w/ 5 TIMES SYMBOL) × 4		\$100	24,000	450

<i>When Any Of YOUR NUMBERS Match Any WINNING NUMBER, Win Prize Shown Under The Matching Number. Win With:</i>	<i>WHODUNIT WINALL:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 10,800,000 Tickets:</i>
(\$10 w/ 5 TIMES SYMBOL) + (\$5 w/ 5 TIMES SYMBOL) + (\$5 × 5)		\$100	24,000	450
(\$10 w/ 5 TIMES SYMBOL) × 2		\$100	24,000	450
\$100		\$100	120,000	90
	WHODUNIT WINALL MATCH w/ ((\$25 × 4) + (\$10 × 5) + (\$5 × 2) + \$40)	\$200	12,000	900
	WHODUNIT WINALL MATCH w/ ((\$40 × 3) + (\$10 × 7) + (\$5 × 2))	\$200	12,000	900
	WHODUNIT WINALL MATCH w/ ((\$50 × 2) + (\$10 × 10))	\$200	12,000	900
\$50 × 4		\$200	24,000	450
(((\$10 w/ 5 TIMES SYMBOL) × 2) + (\$25 × 4))		\$200	24,000	450
(\$25 w/ 5 TIMES SYMBOL) + ((\$5 w/ 5 TIMES SYMBOL) × 3)		\$200	24,000	450
\$40 w/ 5 TIMES SYMBOL		\$200	24,000	450
\$200		\$200	120,000	90
	WHODUNIT WINALL MATCH w/ ((\$50 × 8) + (\$25 × 4))	\$500	4,000	2,700
	WHODUNIT WINALL MATCH w/ ((\$100 × 4) + (\$25 × 2) + (\$10 × 4) + (\$5 × 2))	\$500	3,429	3,150
	WHODUNIT WINALL MATCH w/ ((\$200 × 2) + (\$10 × 10))	\$500	3,429	3,150
\$100 × 5		\$500	120,000	90
(((\$50 w/ 5 TIMES SYMBOL) × 2)		\$500	120,000	90
\$100 w/ 5 TIMES SYMBOL		\$500	24,000	450
\$500		\$500	120,000	90
	WHODUNIT WINALL MATCH w/ ((\$100 × 8) + (\$50 × 4))	\$1,000	2,160,000	5
	WHODUNIT WINALL MATCH w/ ((\$200 × 4) + (\$25 × 8))	\$1,000	2,160,000	5
(\$100 w/ 5 TIMES SYMBOL) + (\$100 × 5)		\$1,000	2,160,000	5
\$200 w/ 5 TIMES SYMBOL		\$1,000	2,160,000	5
\$1,000		\$1,000	2,160,000	5
	WHODUNIT WINALL MATCH w/ ((\$1,000 × 4) + (\$200 × 4) + (\$50 × 4))	\$5,000	2,160,000	5
\$1,000 w/ 5 TIMES SYMBOL		\$5,000	2,160,000	5
\$5,000		\$5,000	2,160,000	5
\$200,000		\$200,000	1,080,000	10

*SCENE 1:*

Reveal a "STUDY" (5TIMES) symbol, win 5 TIMES the prize shown under that symbol!

*SCENE 2:*

Reveal a "BILLIARDS" (5TIMES) symbol, win 5 TIMES the prize shown under that symbol!

*SCENE 3:*

Reveal a "LIBRARY" (5TIMES) symbol, win 5 TIMES the prize shown under that symbol!

*SCENE 4:*

Reveal a "BALLROOM" (5TIMES) symbol, win 5 TIMES the prize shown under that symbol!

WHODUNIT WINALL: When any GUESS matches the SUSPECT, win all 12 prizes shown in the YOUR NUMBERS area!

Prizes, including top prizes, are subject to availability at the time of purchase.

10. *Second-Chance Drawing:* The CLUE™ Second-Chance Drawing from the Pennsylvania Lottery for qualifying instant and Fast Play lottery game tickets ("Drawing"):

(a) *Qualifying Tickets:* Non-winning PA-1684 CLUE™ (\$5) Instant lottery game tickets and PA-5231 CLUE™ (\$5) Fast Play lottery game tickets are eligible for entry into the Drawing.

(b) *Participation and entry:*

(1) Entrants must have a registered lottery account in order to participate in the Drawing. To create a lottery account, visit <https://www.PAILottery.com>. Creating a lottery account is free.

(2) A registered lottery account holder is subject to the iLottery regulations and specifically agrees to be bound by the iLottery terms and conditions located at <https://www.pailottery.com/signup/terms-and-conditions/>, as well as any related policies.

(3) To establish a lottery account, players must provide the following information:

(i) The player's name as it appears on a valid government-issued identification or tax documents;

(ii) The player's date of birth;

(iii) The entire or last four digits of the player's Social Security Number, or comparable equivalent;

(iv) The player's address;

(v) The player's telephone number;

(vi) The player's email address;

(vii) Any other information established by the Lottery to be necessary to verify the age and identity of the player.

(4) An individual may be required to provide additional information or documentation, as set forth in the iLottery terms and conditions, to establish a lottery account or register for iLottery. The information may be used for iLottery registration or to confirm information provided by that individual during the registration process.

(5) To enter the Drawing, entrants must submit the identifying information from at least one Qualifying Ticket via the Drawing's promotional web site, available at <https://www.palottery.com>, or the Lottery's official mobile application during the entry period. The identifying information from a Qualifying Ticket may be submitted only once in the Drawing. Entries will automatically be awarded at the time of successful submission of a Qualifying Ticket. No other method of submission will be accepted, and entries submitted using any other method,

including entries mailed or hand-delivered to the Pennsylvania Lottery, are not valid and will be disqualified.

(6) Each entry must be complete and the information supplied by the entrant must be accurate. Incomplete entries cannot be accepted.

(7) Only one claimant per entry is allowed.

(8) Entrants must be 18 years of age or older.

(9) Players may submit the identifying information from an unlimited number of Qualifying Tickets in the Drawing.

(10) Once an entry has been submitted it cannot be withdrawn or changed.

(c) *Drawing description:*

(1) The Lottery will conduct one CLUE™ Second-Chance Drawing from among all qualifying Instant and Fast Play lottery game qualifying tickets. All time references are Eastern Prevailing Time.

(2) The entry period for qualifying PA-1684 CLUE™ Instant lottery game tickets will begin after 11:59:59 p.m. March 21, 2024 and will end at 11:59:59 p.m. May 9, 2024. The entry period for qualifying PA-5231 CLUE™ Fast Play lottery game tickets will begin after 4:59:59 a.m. March 22, 2024 and will end at 11:59:59 p.m. May 9, 2024. All entries received during the entry periods will be entered into the Drawing tentatively scheduled to be held between May 10, 2024 and May 24, 2024.

(3) The entry period for the Drawing will be posted to the Pennsylvania Lottery's publicly accessible web site.

(4) The number of entries an entrant will receive for the Drawing is determined by the purchase price of the Qualifying Ticket entered. The purchase price and corresponding number of entries for the Qualifying Ticket is as follows: PA-1684 CLUE™ (\$5) = five entries; and PA-5231 CLUE™ (\$5) = five entries.

(5) Players may review prizes won and their entries for the Drawing via the Drawing's promotional web site.

(d) *Prizes available to be won, determination of winners and odds of winning:*

(1) The prize entitlements described below are subject to all restrictions and limitations described in section 10(e), or those mentioned anywhere else in these rules.

(2) Lottery will conduct one Drawing from among all the entries received during the entry period as described in section 10(c)(2).

(i) The first through the third entries selected in the Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of \$50,000, less required income tax withholding.

(ii) The fourth through the fifty-third entries selected in the Drawing will be winning entries and the entrants

who submitted those winning entries shall each be entitled to a prize of \$100 iLottery Bonus Money.

(3) All prizes will be paid as a lump-sum cash payment or uploaded to a winning player's lottery account.

(4) Winners of iLottery Bonus Money are not required to claim a prize. Winners of iLottery Bonus Money will have the iLottery Bonus Money credited to their lottery account and will receive an email notifying them that they won a prize.

(5) The number of winning entries to be selected for the Drawing will be posted to the Pennsylvania Lottery's publicly accessible web site.

(6) The odds of winning in the Drawing depend upon the number of entries received for the Drawing.

(7) A computer-generated randomizer will be used to select the Drawing winners.

(e) *Drawing restrictions:*

(1) To be eligible to participate in the Drawing, entrants must have complied with the requirements of these rules.

(2) The Lottery is not responsible for late, lost or misdirected entries not entered into the Drawing. The Lottery is not responsible for entries that are not entered into the Drawing because of incompatible internet browsers, mobile Lottery application failure or other technical issues. The Lottery is not responsible for entries not entered due to delays in creating a lottery account or the inability to create a lottery account. If a Drawing entry is selected as a winner and rejected or otherwise disqualified during or following the Drawing, the Lottery will select one entry to replace the rejected or otherwise disqualified entry in accordance with these rules and Lottery procedure.

(3) If any discrepancy exists between these rules and any material describing the Drawing, these rules shall govern.

(4) Employees of the Pennsylvania Lottery, 9Rooftops Marketing, LLC (formerly known as MARC USA, LLC), Hasbro, Inc., Scientific Games, LLC and MDI Entertainment, LLC, (collectively "SG") and their subcontractors, or a spouse, child, brother, sister or parent residing as a member of the same household in the principal place of residence of any such person are not eligible to participate in the Drawing. Offer void where prohibited or restricted.

(5) The Lottery reserves the right, in its sole discretion, to cancel or suspend the Drawing and change these rules if the Drawing cannot be conducted as planned due to errors in these rules or advertising, unauthorized intervention, tampering, fraud, technical errors, viruses, worms, bugs or any other cause that, in the Lottery's sole judgment, could corrupt or impair the administration, security, fairness, integrity or proper conduct of the Drawing.

(6) All entries shall be subject to verification by the Pennsylvania Lottery.

(7) The Lottery reserves the right, in its sole discretion, to disqualify an entrant found to be tampering with the operation of the Drawing or to be acting in violation of these rules or applicable law.

(8) The Drawing is governed by the laws of the Commonwealth of Pennsylvania. Applicable laws and regulations apply.

(9) Prizes must be claimed within 1 year of the drawing date of the Drawing in which the prize was won. If no claim is made within one (1) year of the drawing date of the Drawing in which the prize was won, the right of an entrant to claim the prize won, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided by statute.

(10) Final determination of winners will be made by the Secretary, whose judgment will be final and binding.

(11) A prize awarded in the Drawing to a person who dies before receiving the prize shall be paid according to 61 Pa. Code § 811.16 (relating to prizes payable after death of a prize winner).

(12) A winner is responsible for all taxes arising from or in connection with any prize won.

(13) A player may only win the prize for which the player is first selected in the Drawing. Subsequent entries, from the same individual, selected in the same Drawing will be disqualified and one replacement entry will be selected.

(14) Winners of iLottery Bonus Money must abide by the iLottery terms and conditions, the iLottery Bonus Policy and these rules. iLottery Bonus Money will expire 90 days from the date on which the winner was notified, via email, of the prize win, as further detailed in section 10(d)(4). iLottery Bonus Money has a five times play through requirement in order to convert the iLottery Bonus Money into cash. For example, for a player winning \$100 of iLottery Bonus Money, the player is required to place \$500 in wagers before the iLottery Bonus Money awarded is converted into cash which may be withdrawn from the player's account.

(15) Prizes are not transferrable.

(16) Other restrictions may apply.

11. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell CLUE™ instant lottery game tickets.

12. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

13. *Unclaimed prize money:* For a period of 1 year from the announced close of CLUE™, prize money from winning CLUE™ instant lottery game tickets will be retained by the Secretary for payment to the persons



entitled thereto. If no claim is made within 1 year of the announced close of the CLUE™ instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

14. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

15. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote CLUE™ or through normal communications methods.

PATRICK BROWNE,  
Secretary

[Pa.B. Doc. No. 24-360. Filed for public inspection March 15, 2024, 9:00 a.m.]

## DEPARTMENT OF REVENUE

### Pennsylvania Cool Mom Club Instant Lottery Game 1685

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Cool Mom Club (“Cool Mom Club”). The game number is PA-1685.

2. *Price:* The price of a Cool Mom Club instant lottery game ticket is \$5.

3. *Play symbols:* Each Cool Mom Club instant lottery game ticket will contain one play area and one “COOL CASH” area. The play symbols and their captions located in the play area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRT), Flower (FLOWER) symbol and a Peace Sign (WINALL) symbol. The play symbols and their captions located in the “COOL CASH” area are: Purse (PURSE) symbol, Sun (SUN) symbol, Heart (HEART) symbol, Kiss (KISS) symbol, Candy (CANDY) symbol, Coffee (COFFEE) symbol, Bow (BOW) symbol, Gift (GIFT) symbol and a Butterfly (BTRFLY) symbol.

4. *Prize symbols:* The prize symbols and their captions located in the play area are: \$5<sup>00</sup> (FIV DOL), \$10<sup>00</sup> (TEN DOL), \$15<sup>00</sup> (FIFTEEN), \$20<sup>00</sup> (TWENTY), \$50<sup>00</sup> (FIFTY), \$75<sup>00</sup> (SVY FIV), \$100 (ONE HUN), \$200 (TWO HUN), \$500 (FIV HUN), \$1,000 (ONE THO) and \$100,000(ONEHUNTHO). The prize symbols and their captions located in the “COOL CASH” area are: \$5<sup>00</sup> (FIV DOL), \$10<sup>00</sup> (TEN DOL), \$15<sup>00</sup> (FIFTEEN), \$20<sup>00</sup> (TWENTY), \$50<sup>00</sup> (FIFTY), \$75<sup>00</sup> (SVY FIV), \$100 (ONE HUN), \$200 (TWO HUN) and \$500 (FIV HUN).

5. *Prizes:* The prizes that can be won in this game are: \$5, \$10, \$15, \$20, \$50, \$75, \$100, \$200, \$500, \$1,000 and

\$100,000. The prizes that can be won in the “COOL CASH” area are: \$5, \$10, \$15, \$20, \$50, \$75, \$100, \$200 and \$500. For a complete description of how these prizes can be won, see section 8 (relating to number and description of prizes and approximate odds). A player can win up to 16 times on a ticket.

6. *Approximate number of tickets printed for the game:* Approximately 5,400,000 tickets will be printed for the Cool Mom Club instant lottery game.

7. *Determination of prize winners:*

(a) Holders of tickets upon which a Flower (FLOWER) symbol appears in the play area and a prize symbol of \$100,000 (ONEHUNTHO) appears in the “prize” area under that Flower (FLOWER) symbol, on a single ticket, shall be entitled to a prize of \$100,000.

(b) Holders of tickets upon which a Flower (FLOWER) symbol appears in the play area and a prize symbol of \$1,000 (ONE THO) appears in the “prize” area under that Flower (FLOWER) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(c) Holders of tickets upon which a Peace Sign (WINALL) symbol appears in the play area and a prize symbol of \$100 (ONE HUN) appears in five of the “prize” areas and a prize symbol of \$50<sup>00</sup> (FIFTY) appears in ten of the “prize” areas, on a single ticket, shall be entitled to a prize of \$1,000.

(d) Holders of tickets upon which a Flower (FLOWER) symbol appears in the play area and a prize symbol of \$500 (FIV HUN) appears in the “prize” area under that Flower (FLOWER) symbol, on a single ticket, shall be entitled to a prize of \$500.

(e) Holders of tickets upon which a Butterfly (BTRFLY) symbol appears in the “COOL CASH” area and a prize symbol of \$500 (FIV HUN) appears in the “prize” area to the right of that Butterfly (BTRFLY) symbol, on a single ticket, shall be entitled to a prize of \$500.

(f) Holders of tickets upon which a Peace Sign (WINALL) symbol appears in the play area and a prize symbol of \$75<sup>00</sup> (SVY FIV) appears in two of the “prize” areas, a prize symbol of \$50<sup>00</sup> (FIFTY) appears in five of the “prize” areas, a prize symbol of \$20<sup>00</sup> (TWENTY) appears in two of the “prize” areas and a prize symbol of \$10<sup>00</sup> (TEN DOL) appears in six of the “prize” areas, on a single ticket, shall be entitled to a prize of \$500.

(g) Holders of tickets upon which a Peace Sign (WINALL) symbol appears in the play area and a prize symbol of \$75<sup>00</sup> (SVY FIV) appears in five of the “prize” areas, a prize symbol of \$20<sup>00</sup> (TWENTY) appears in five of the “prize” areas and a prize symbol of \$5<sup>00</sup> (FIV DOL) appears in five of the “prize” areas, on a single ticket, shall be entitled to a prize of \$500.

(h) Holders of tickets upon which a Peace Sign (WINALL) symbol appears in the play area and a prize symbol of \$50<sup>00</sup> (FIFTY) appears in four of the “prize” areas, a prize symbol of \$10<sup>00</sup> (TEN DOL) appears in ten of the “prize” areas and a prize symbol of \$100 (ONE HUN) appears in one of the “prize” areas, on a single ticket, shall be entitled to a prize of \$400.

(i) Holders of tickets upon which a Flower (FLOWER) symbol appears in the play area and a prize symbol of \$200 (TWO HUN) appears in the “prize” area under that Flower (FLOWER) symbol, on a single ticket, shall be entitled to a prize of \$200.

(j) Holders of tickets upon which a Butterfly (BTRFLY) symbol appears in the “COOL CASH” area and a prize

symbol of \$200 (TWO HUN) appears in the “prize” area to the right of that Butterfly (BTRFLY) symbol, on a single ticket, shall be entitled to a prize of \$200.

(k) Holders of tickets upon which a Peace Sign (WINALL) symbol appears in the play area and a prize symbol of \$20<sup>00</sup> (TWENTY) appears in five of the “prize” areas and a prize symbol of \$10<sup>00</sup> (TEN DOL) appears in ten of the “prize” areas, on a single ticket, shall be entitled to a prize of \$200.

(l) Holders of tickets upon which a Peace Sign (WINALL) symbol appears in the play area and a prize symbol of \$10<sup>00</sup> (TEN DOL) appears in all 15 of the “prize” areas, on a single ticket, shall be entitled to a prize of \$150.

(m) Holders of tickets upon which a Flower (FLOWER) symbol appears in the play area and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under that Flower (FLOWER) symbol, on a single ticket, shall be entitled to a prize of \$100.

(n) Holders of tickets upon which a Butterfly (BTRFLY) symbol appears in the “COOL CASH” area and a prize symbol of \$100 (ONE HUN) appears in the “prize” area to the right of that Butterfly (BTRFLY) symbol, on a single ticket, shall be entitled to a prize of \$100.

(o) Holders of tickets upon which a Peace Sign (WINALL) symbol appears in the play area and a prize symbol of \$10<sup>00</sup> (TEN DOL) appears in five of the “prize” areas and a prize symbol of \$5<sup>00</sup> (FIV DOL) appears in ten of the “prize” areas, on a single ticket, shall be entitled to a prize of \$100.

(p) Holders of tickets upon which a Peace Sign (WINALL) symbol appears in the play area and a prize symbol of \$5<sup>00</sup> (FIV DOL) appears in 14 of the “prize” areas and a prize symbol of \$10<sup>00</sup> (TEN DOL) appears in one of the “prize” areas, on a single ticket, shall be entitled to a prize of \$80.

(q) Holders of tickets upon which a Flower (FLOWER) symbol appears in the play area and a prize symbol of \$75<sup>00</sup> (SVY FIV) appears in the “prize” area under that Flower (FLOWER) symbol, on a single ticket, shall be entitled to a prize of \$75.

(r) Holders of tickets upon which a Butterfly (BTRFLY) symbol appears in the “COOL CASH” area and a prize symbol of \$75<sup>00</sup> (SVY FIV) appears in the “prize” area to the right of that Butterfly (BTRFLY) symbol, on a single ticket, shall be entitled to a prize of \$75.

(s) Holders of tickets upon which a Peace Sign (WINALL) symbol appears in the play area and a prize symbol of \$5<sup>00</sup> (FIV DOL) appears in all 15 of the “prize” areas, on a single ticket, shall be entitled to a prize of \$75.

(t) Holders of tickets upon which a Flower (FLOWER) symbol appears in the play area and a prize symbol of

\$50<sup>00</sup> (FIFTY) appears in the “prize” area under that Flower (FLOWER) symbol, on a single ticket, shall be entitled to a prize of \$50.

(u) Holders of tickets upon which a Butterfly (BTRFLY) symbol appears in the “COOL CASH” area and a prize symbol of \$50<sup>00</sup> (FIFTY) appears in the “prize” area to the right of that Butterfly (BTRFLY) symbol, on a single ticket, shall be entitled to a prize of \$50.

(v) Holders of tickets upon which a Flower (FLOWER) symbol appears in the play area and a prize symbol of \$20<sup>00</sup> (TWENTY) appears in the “prize” area under that Flower (FLOWER) symbol, on a single ticket, shall be entitled to a prize of \$20.

(w) Holders of tickets upon which a Butterfly (BTRFLY) symbol appears in the “COOL CASH” area and a prize symbol of \$20<sup>00</sup> (TWENTY) appears in the “prize” area to the right of that Butterfly (BTRFLY) symbol, on a single ticket, shall be entitled to a prize of \$20.

(x) Holders of tickets upon which a Flower (FLOWER) symbol appears in the play area and a prize symbol of \$15<sup>00</sup> (FIFTEEN) appears in the “prize” area under that Flower (FLOWER) symbol, on a single ticket, shall be entitled to a prize of \$15.

(y) Holders of tickets upon which a Butterfly (BTRFLY) symbol appears in the “COOL CASH” area and a prize symbol of \$15<sup>00</sup> (FIFTEEN) appears in the “prize” area to the right of that Butterfly (BTRFLY) symbol, on a single ticket, shall be entitled to a prize of \$15.

(z) Holders of tickets upon which a Flower (FLOWER) symbol appears in the play area and a prize symbol of \$10<sup>00</sup> (TEN DOL) appears in the “prize” area under that Flower (FLOWER) symbol, on a single ticket, shall be entitled to a prize of \$10.

(aa) Holders of tickets upon which a Butterfly (BTRFLY) symbol appears in the “COOL CASH” area and a prize symbol of \$10<sup>00</sup> (TEN DOL) appears in the “prize” area to the right of that Butterfly (BTRFLY) symbol, on a single ticket, shall be entitled to a prize of \$10.

(bb) Holders of tickets upon which a Flower (FLOWER) symbol appears in the play area and a prize symbol of \$5<sup>00</sup> (FIV DOL) appears in the “prize” area under that Flower (FLOWER) symbol, on a single ticket, shall be entitled to a prize of \$5.

(cc) Holders of tickets upon which a Butterfly (BTRFLY) symbol appears in the “COOL CASH” area and a prize symbol of \$5<sup>00</sup> (FIV DOL) appears in the “prize” area to the right of that Butterfly (BTRFLY) symbol, on a single ticket, shall be entitled to a prize of \$5.

8. *Number and description of prizes and approximate odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>Reveal a “Flower” (FLOWER) Symbol, Win Prize Shown Under That Symbol. Win With:</i>	<i>COOL CASH:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 5,400,000 Tickets:</i>
	\$5 w/ BUTTERFLY	\$5	20	270,000
\$5		\$5	24	225,000
\$5 × 2		\$10	150	36,000
	\$10 w/ BUTTERFLY	\$10	24	225,000

NOTICES

1445

<i>Reveal a "Flower" (FLOWER) Symbol, Win Prize Shown Under That Symbol. Win With:</i>	<i>COOL CASH:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 5,400,000 Tickets:</i>
\$10		\$10	150	36,000
\$5 × 3		\$15	600	9,000
\$5	\$10 w/ BUTTERFLY	\$15	150	36,000
\$10	\$5 w/ BUTTERFLY	\$15	150	36,000
	\$15 w/ BUTTERFLY	\$15	60	90,000
\$15		\$15	300	18,000
\$10 × 2		\$20	600	9,000
\$5 × 2	\$10 w/ BUTTERFLY	\$20	150	36,000
\$10 + \$5	\$5 w/ BUTTERFLY	\$20	150	36,000
\$15	\$5 w/ BUTTERFLY	\$20	150	36,000
	\$20 w/ BUTTERFLY	\$20	120	45,000
\$20		\$20	600	9,000
5 × 10		\$50	600	9,000
\$5 × 6	\$20 w/ BUTTERFLY	\$50	600	9,000
\$10 × 4	\$10 w/ BUTTERFLY	\$50	600	9,000
	\$50 w/ BUTTERFLY	\$50	600	9,000
\$50		\$50	600	9,000
PEACE SIGN w/ (\$5 × 15)		\$75	279.07	19,350
\$15 × 4	\$15 w/ BUTTERFLY	\$75	4,000	1,350
\$10 × 6	\$15 w/ BUTTERFLY	\$75	4,000	1,350
	\$75 w/ BUTTERFLY	\$75	4,000	1,350
\$75		\$75	6,000	900
PEACE SIGN w/ ((\$5 × 14) + \$10)	\$20 w/ BUTTERFLY	\$100	851.06	6,345
PEACE SIGN w/ ((\$10 × 5) + (\$5 × 10))		\$100	1,000	5,400
\$10 × 10		\$100	12,000	450
\$50 + \$20 + \$15 + \$5	\$10 w/ BUTTERFLY	\$100	2,400	2,250
	\$100 w/ BUTTERFLY	\$100	2,400	2,250
\$100		\$100	12,000	450
PEACE SIGN w/ (\$10 × 15)	\$50 w/ BUTTERFLY	\$200	4,800	1,125
PEACE SIGN w/ ((\$20 × 5) + (\$10 × 10))		\$200	4,800	1,125
(\$50 × 2) + (\$10 × 5)	\$50 w/ BUTTERFLY	\$200	24,000	225
	\$200 w/ BUTTERFLY	\$200	24,000	225
\$200		\$200	24,000	225
PEACE SIGN w/ ((\$50 × 4) + (\$10 × 10) + \$100)	\$100 w/ BUTTERFLY	\$500	120,000	45
PEACE SIGN w/ ((\$75 × 5) + (\$20 × 5) + (\$5 × 5))		\$500	120,000	45
\$50 × 10		\$500	120,000	45
(\$100 × 4) + (\$5 × 10)	\$50 w/ BUTTERFLY	\$500	120,000	45
	\$500 w/ BUTTERFLY	\$500	120,000	45
\$500		\$500	120,000	45
PEACE SIGN w/ ((\$75 × 2) + (\$50 × 5) + (\$20 × 2) + (\$10 × 6))	\$500 w/ BUTTERFLY	\$1,000	540,000	10

<i>Reveal a "Flower" (FLOWER) Symbol, Win Prize Shown Under That Symbol. Win With:</i>	<i>COOL CASH:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 5,400,000 Tickets:</i>
PEACE SIGN w/ ((\$100 × 5) + (\$50 × 10))		\$1,000	540,000	10
\$1,000		\$1,000	540,000	10
\$100,000		\$100,000	540,000	10

Reveal a "Peace Sign" (WINALL) symbol, win all 15 prizes shown!

COOL CASH: Reveal a "Butterfly" (BTRFLY) symbol, win prize shown to the right of that symbol automatically! COOL CASH is played separately.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Cool Mom Club instant lottery game tickets.

10. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed prize money:* For a period of 1 year from the announced close of Cool Mom Club, prize money from winning Cool Mom Club instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Cool Mom Club instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be

disseminated through media used to advertise or promote Cool Mom Club or through normal communications methods.

PATRICK BROWNE,  
*Secretary*

[Pa.B. Doc. No. 24-361. Filed for public inspection March 15, 2024, 9:00 a.m.]

## DEPARTMENT OF REVENUE

### Pennsylvania End Zone Cash Xpress Sports Game Terminal-Based Lottery Game

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 875.4 (relating to notice of terminal-based lottery game rules), the Secretary of Revenue hereby provides public notice of the rules for the following terminal-based lottery game:

1. *Name:* The name of the terminal-based Xpress Sports game is Pennsylvania End Zone Cash ("End Zone Cash"). The game will commence at the discretion of the Secretary and will continue until the Secretary publicly announces a suspension or termination date.

2. *Effective date:* Effective for ticket sales occurring on or after March 19, 2024, the End Zone Cash game will be operated in accordance with the terminal-based lottery game regulations at 61 Pa. Code §§ 875.1—875.17 and this game notice and will continue until the Secretary publicly announces a suspension or termination date.

3. *Price:* The price of an End Zone Cash ticket is based on the amount the player selects to wager per drawing and the number of consecutive drawings the player selects. The minimum amount a player can wager per ticket is \$1. Players can wager up to \$20 per drawing for up to 20 consecutive drawings.

4. *Description of the End Zone Cash lottery game:*

(a) End Zone Cash is designed to give players the opportunity to win one prize for each play.

(b) Each End Zone Cash drawing is a simulation of eight different matchups between 16 different football teams. Each of the eight matchups will result in a winning team for that matchup.

(c) For each End Zone Cash drawing, the player must select the winning teams to win their matchup, also referred to as a "parlay." The player must choose at least three teams to parlay per drawing. Players can parlay up to a maximum of eight teams per drawing. No matchup can end in a tie.



(1) For the selected parlay to win, all of the teams that the player selected in that parlay must be among the eight winning teams selected in the drawing outcome, as described in section 6(b), below. The player cannot select both a team and its opponent as winning teams.

(2) If a single team in the player’s parlay does not appear among the eight winning teams selected in the drawing outcome, the entire parlay does not win.

(3) *For example:* Team 1, Team 3 and Team 7 were selected as a three-team parlay to win their respective matchups. If all three selected teams win, the player wins the corresponding prize for that combination. If only two of the three teams win their matchups, there is no prize awarded.

(4) Each team, numbered from 1 to 16, will be randomly assigned a city name for each drawing, from among: Baltimore, Buffalo, Chicago, Cincinnati, Cleveland, Dallas, Denver, Green Bay, New England, New Orleans, New York, Philadelphia, Pittsburgh, San Francisco, Seattle and Washington. The assigned city name does not affect the team’s chance to win.

(5) Each team number is assigned a specific chance to win their respective matchup, as follows:

Team 1: 75%	vs.	Team 16: 25%
Team 2: 70%	vs.	Team 15: 30%
Team 3: 68%	vs.	Team 14: 32%
Team 4: 65%	vs.	Team 13: 35%
Team 5: 63%	vs.	Team 12: 37%
Team 6: 60%	vs.	Team 11: 40%
Team 7: 55%	vs.	Team 10: 45%
Team 8: 50%	vs.	Team 9: 50%

(6) The player may select the Touchdown Multiplier option when wagering, as described in section 9 (relating to touchdown multiplier option), below. Players who selected the Touchdown Multiplier option and who win an End Zone Cash drawing prize will have the chance to multiply any prize won in that drawing, as described in section 9, below.

(7) Each drawing is independent of all other drawings and any prior drawings are not determinative of the outcome of any subsequent drawing.

(d) End Zone Cash game tickets may be purchased from an authorized retailer or at a Lottery self-service terminal.

(1) To purchase a ticket at an authorized retailer, a player may remit the purchase price and submit a completed End Zone Cash bet slip to the authorized retailer. Alternatively, a player may make their winning team selections, select the number of consecutive drawings for which the winning team selection should be entered, whether to select the Touchdown Multiplier option and select the play amount by verbally relaying the same to an authorized retailer.

(2) To purchase a ticket at a Pennsylvania Lottery self-service terminal, the player may insert a dollar amount equal to the total purchase price and a completed End Zone Cash bet slip into the self-service terminal. Alternatively, a player may make their winning team selections, select the number of consecutive drawings for which the winning team selections should be entered, whether to select the Touchdown Multiplier option and

select the play amount by manually entering the information into the Lottery self-service terminal.

(e) Players can win a prize identified in section 7 (relating to determination of prize winners and prizes available to be won).

(f) A player may purchase plays for up to 20 consecutive drawings in advance.

(g) An End Zone Cash ticket may not be canceled or voided once printed by the Lottery terminal, even if printed in error.

5. *End Zone Cash bet slip and ticket characteristics:*

(a) *End Zone Cash bet slip:*

(1) An End Zone Cash bet slip is an optically readable card issued by the Pennsylvania Lottery that a player may use to make play selections. When using an End Zone Cash bet slip, the player shall make selections in each of the following: the amount to play per drawing (Section 1 of the bet slip); the number of consecutive End Zone Cash drawings on which to wager (Section 2 of the bet slip); number of winning teams to parlay (Section 3 of the bet slip); which teams win their matchup (Section 4 of the bet slip); and whether to select the Touchdown Multiplier option (Section 5 of the bet slip).

(i) The amount per play for each outcome consists of the following options: \$1, \$2, \$3, \$4, \$5, \$10 and \$20.

(ii) The number of consecutive drawings that can be selected, are: 1, 2, 3, 4, 5, 10 and 20.

(iii) The number of winning teams to parlay that can be selected, are: 3, 4, 5, 6, 7 and 8.

(iv) The individual winning teams that can be selected, are: Team 1, Team 2, Team 3, Team 4, Team 5, Team 6, Team 7, Team 8, Team 9, Team 10, Team 11, Team 12, Team 13, Team 14, Team 15 or Team 16.

(2) End Zone Cash bet slips shall be available at no cost to the player.

(3) Plays shall be selected in accordance with the instructions printed on the End Zone Cash bet slip.

(4) An End Zone Cash bet slip has no pecuniary or prize value, does not constitute evidence of the purchase of a ticket or the numbers selected and may not be used to claim a prize.

(5) An End Zone Cash bet slip must be completed manually. The use of mechanical, electronic, computer generated or any other non-manual method of marking bet slips is prohibited.

(b) *End Zone Cash tickets:*

(1) An End Zone Cash ticket shall contain the date the ticket was purchased, the parlay selected, the team number selections, the number of consecutive drawings and the corresponding drawing number (also referred to as a “Draw ID”) range selected, whether the Touchdown Multiplier option had been selected, the cost of the play, the total cost of the ticket and validation data.

(2) An End Zone Cash ticket shall be the only valid proof of the play or plays purchased and the only valid receipt for claiming a prize.

(3) An End Zone Cash ticket shall only be valid for the Draw ID or range of Draw IDs printed on the ticket.

(4) A separate End Zone Cash ticket shall be issued for each bet slip submitted and purchase price remitted.

6. *Time, place and manner of conducting drawings:*

(a) *Time of drawing:* End Zone Cash drawings are high frequency drawings occurring multiple times per day. End Zone Cash drawings will be held as determined and publicly announced by the Secretary.

(b) *Place and manner of conducting drawings:* End Zone Cash drawings will be conducted by the Lottery Central Computer System. The Lottery Central Computer System will select, at random, one outcome per drawing. Each outcome will consist of a selection of eight winning teams from the eight different matchups between the 16 different football teams in that drawing. The validity of a drawing will be determined solely by the Lottery.

7. *Determination of prize winners and prizes available to be won:*

(a) *Determination of Prize Winners:*

(1) Holders of tickets upon which all the player's selected teams match the winning teams in the outcome selected by the Lottery shall be the winner of a prize, as described in section 7(b) (related to prizes available to be won).

(2) The prizes for each drawing are based on a single prize table for each parlay, from three to eight, of teams selected to win their games, as described in section 4(c) above.

(3) The winning outcome for each drawing and the range of prizes available to be won for that winning outcome will be posted to the Lottery's publicly accessible web site and will be displayed visually at retail locations with monitors that display the drawings.

(b) *Prizes available to be won:*

(1) The prizes available to be won for End Zone Cash will range from \$2<sup>00</sup> to \$2,500<sup>00</sup> per each \$1 played and vary based on the specific player wager selections for each individual drawing.

(2) The prize table for each parlay is based on a \$1 play. To determine the prize for a winning ticket, the player must multiply the prize amount in the prize table by the player's wager.

(c) The number of prize categories and the allocation of prize money among the prize categories may be changed at the discretion of the Secretary and changes will be announced by public notice. Any such changes will apply prospectively to End Zone Cash drawings as of the date specified in the public notice.

8. *Probability of winning:* The consolidated prize table for End Zone Cash is as follows:

<i>Number of Teams:</i>	<i>MINIMUM</i>		<i>MAXIMUM</i>	
	<i>Chances are:</i>	<i>Prizes:</i>	<i>Chances are:</i>	<i>Prize:</i>
3 Team Parlay	1 in 2.8	\$2.00	1 in 41.67	\$30.00
4 Team Parlay	1 in 4.31	\$3.00	1 in 119.05	\$85.00
5 Team Parlay	1 in 6.84	\$5.00	1 in 321.75	\$225.00
6 Team Parlay	1 in 11.4	\$8.00	1 in 804.38	\$565.00
7 Team Parlay	1 in 20.73	\$15.00	1 in 1,788	\$1,250.00
8 Team Parlay	1 in 41.46	\$30.00	1 in 3,575	\$2,500.00

9. *Touchdown Multiplier option:*

(a) The Touchdown Multiplier option shall be available in association with the End Zone Cash game and will continue until the Secretary publicly announces a suspension or termination thereof. Players may purchase the Touchdown Multiplier option for the chance to multiply the result of a base End Zone Cash drawing win by 2, 3, 4, 5 or 10. The Secretary on occasion may announce, as a special promotion, multipliers greater than ten or other changes to features of the End Zone Cash Multiplier option.

(b) At the time of purchasing an End Zone Cash ticket from a Lottery retailer, a player may choose the Touchdown Multiplier option by marking the "YES" box for the Touchdown Multiplier on the bet slip. The Touchdown Multiplier option may be purchased, at the discretion of the player, by paying three times the base End Zone Cash play amount. For example, if the player purchases a \$1<sup>00</sup> base End Zone Cash play, the total cost of the wager with the Touchdown Multiplier option will cost \$3<sup>00</sup>.

(c) The Touchdown Multiplier will be determined by the total number of Touchdowns scored by all teams during the eight matches played for each drawing.

(d) End Zone Cash tickets that contain the Touchdown Multiplier option and one or more plays eligible for

prizes, as described in section 7 (relating to determination of prize winners and prizes available to be won), shall be entitled to a total prize calculated by multiplying the base End Zone Cash prize won by the End Zone Cash Multiplier value selected for the drawing in which the ticket was entered.

(e) The odds of a Touchdown Multiplier occurring in an End Zone Cash drawing are:

<i>End Zone Cash Multiplier Value</i>	<i>Odds of Occurring Per Play are 1 in</i>
2X	2
3X	5
4X	5.56
5X	11.11
10X	33.33

10. *Retailer Incentive and Marketing Promotion programs:*

(a) The Lottery may conduct a separate retailer incentive program for retailers who sell End Zone Cash tickets. The conduct of the program will be governed by 61 Pa. Code § 811.41 (relating to promotional prizes).

(b) The Pennsylvania Lottery may conduct promotional drawings associated with the End Zone Cash game. End Zone Cash tickets will be imprinted with a unique code to be used by players to enter the promotional drawings. The promotional drawings may be held independently of or in conjunction with the regular End Zone Cash drawings. The Secretary will announce the existence of the promotional drawings. Winners of promotional drawings will be randomly selected from the group of qualified entries. A description of the available prize or prizes and the specific rules and other information necessary for the conduct of the promotional drawings will be posted to the Lottery's publicly accessible web site. A copy of the same will also be kept on file with the Lottery and will be available upon request.

(c) The Pennsylvania Lottery may conduct promotional payouts associated with the End Zone Cash game. End Zone Cash tickets will be imprinted with a promotional message used to alert the player holding the ticket of the promotional opportunity. The Secretary will announce the existence of the promotional payouts. A description of the available promotional prize payouts and the specific rules and other information necessary for the conduct of the promotional payouts will be posted to the Lottery's publicly accessible web site. A copy of the same will also be kept on file with the Lottery and will be available upon request.

(d) The Pennsylvania Lottery may conduct promotional activities to promote the sale of the End Zone Cash game, including offering tickets at a discounted price. Details of any such offering will be disseminated through media used to advertise or promote End Zone Cash or through normal communications methods.

11. *Unclaimed prize money:* For a period of 1 year from the date in which a prize is won, prize money from winning End Zone Cash game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the date on which the prize is won, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

PATRICK BROWNE,  
Secretary

[Pa.B. Doc. No. 24-362. Filed for public inspection March 15, 2024, 9:00 a.m.]

## DEPARTMENT OF REVENUE

### Pennsylvania EZ Grand Instant Lottery Game 1686

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania EZ Grand ("EZ Grand"). The game number is PA-1686.

2. *Price:* The price of an EZ Grand instant lottery game ticket is \$1.

3. *Play symbols:* Each EZ Grand instant lottery game ticket will contain one play area. The play symbols and their captions located in the play area are: Vault (VAULT) symbol, Ring (RING) symbol, Piggy Bank (PIGBNK) symbol, Moneybag (MNYBAG) symbol, Star (STAR) symbol, Gold Bar (GOLD) symbol, Keys (KEYS) symbol, Stack of Coins (COINS) symbol, Chest (CHEST) symbol, Wallet (WALLET) symbol, Cash (CASH) symbol and an EZ (GRAND) symbol.

4. *Prize symbols:* The prize symbols and their captions located in the play area are: FREE (TICKET), \$1<sup>00</sup> (ONE DOL), \$2<sup>00</sup> (TWO DOL), \$5<sup>00</sup> (FIV DOL), \$10<sup>00</sup> (TEN DOL), \$25<sup>00</sup> (TWY FIV), \$50<sup>00</sup> (FIFTY), \$100 (ONE HUN), \$500 (FIV HUN) and \$1,000 (ONE THO).

5. *Prizes:* The prizes that can be won in this game are: Free \$1 Ticket, \$1, \$2, \$5, \$10, \$25, \$50, \$100, \$500 and \$1,000. For a complete description of how these prizes can be won, see section 8 (relating to number and description of prizes and approximate odds). A player can win up to five times on a ticket.

6. *Approximate number of tickets printed for the game:* Approximately 8,400,000 tickets will be printed for the EZ Grand instant lottery game.

7. *Determination of prize winners:*

(a) Holders of tickets upon which an EZ (GRAND) symbol appears in the play area and a prize symbol of \$1,000 (ONE THO) appears in the "prize" area under that EZ (GRAND) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(b) Holders of tickets upon which a Cash (CASH) symbol appears in the play area and a prize symbol of \$500 (FIV HUN) appears in the "prize" area under that Cash (CASH) symbol, on a single ticket, shall be entitled to a prize of \$500.

(c) Holders of tickets upon which a Cash (CASH) symbol appears in the play area and a prize symbol of \$100 (ONE HUN) appears in the "prize" area under that Cash (CASH) symbol, on a single ticket, shall be entitled to a prize of \$100.

(d) Holders of tickets upon which a Cash (CASH) symbol appears in the play area and a prize symbol of \$50<sup>00</sup> (FIFTY) appears in the "prize" area under that Cash (CASH) symbol, on a single ticket, shall be entitled to a prize of \$50.

(e) Holders of tickets upon which a Cash (CASH) symbol appears in the play area and a prize symbol of \$25<sup>00</sup> (TWY FIV) appears in the "prize" area under that Cash (CASH) symbol, on a single ticket, shall be entitled to a prize of \$25.

(f) Holders of tickets upon which a Cash (CASH) symbol appears in the play area and a prize symbol of \$10<sup>00</sup> (TEN DOL) appears in the "prize" area under that Cash (CASH) symbol, on a single ticket, shall be entitled to a prize of \$10.

(g) Holders of tickets upon which a Cash (CASH) symbol appears in the play area and a prize symbol of \$5<sup>00</sup> (FIV DOL) appears in the "prize" area under that Cash (CASH) symbol, on a single ticket, shall be entitled to a prize of \$5.

(h) Holders of tickets upon which a Cash (CASH) symbol appears in the play area and a prize symbol of \$2<sup>00</sup> (TWO DOL) appears in the "prize" area under that Cash (CASH) symbol, on a single ticket, shall be entitled to a prize of \$2.

(i) Holders of tickets upon which a Cash (CASH) symbol appears in the play area and a prize symbol of \$1<sup>00</sup> (ONE DOL) appears in the “prize” area under that Cash (CASH) symbol, on a single ticket, shall be entitled to a prize of \$1.

(j) Holders of tickets upon which a Cash (CASH) symbol appears in the play area and a prize symbol of FREE (TICKET) appears in the “prize” area under that

Cash (CASH) symbol, on a single ticket, shall be entitled to a prize of one EZ Grand instant game ticket or one Pennsylvania Lottery instant game ticket of equivalent sale price which is currently on sale.

8. *Number and description of prizes and approximate odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>Reveal a “Cash” (Cash) Symbol, Win Prize Shown Under That Symbol. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 8,400,000 Tickets:</i>
FREE	FREE \$1 TICKET	9.09	924,000
\$1 × 2	\$2	33.33	252,000
\$2	\$2	33.33	252,000
\$1 × 5	\$5	100	84,000
(\$1 × 3) + \$2	\$5	200	42,000
(\$2 × 2) + \$1	\$5	200	42,000
\$5	\$5	100	84,000
\$2 × 5	\$10	500	16,800
\$5 × 2	\$10	250	33,600
(\$1 × 3) + \$5 + \$2	\$10	333.33	25,200
(\$2 × 2) + \$5 + \$1	\$10	333.33	25,200
\$10	\$10	500	16,800
\$5 × 5	\$25	6,000	1,400
(\$5 × 3) + \$10	\$25	6,000	1,400
(\$10 × 2) + (\$2 × 2) + \$1	\$25	6,000	1,400
(\$10 × 2) + \$5	\$25	6,000	1,400
\$25	\$25	12,000	700
\$10 × 5	\$50	12,000	700
\$25 × 2	\$50	12,000	700
(\$10 × 2) + \$25 + \$5	\$50	12,000	700
\$50	\$50	12,000	700
\$25 × 4	\$100	120,000	70
\$50 × 2	\$100	120,000	70
(\$25 × 2) + \$50	\$100	120,000	70
\$100	\$100	120,000	70
\$100 × 5	\$500	840,000	10
\$500	\$500	840,000	10
\$1,000 w/ EZ SYMBOL	\$1,000	10,500	800

Reveal an “EZ” (GRAND) symbol, win \$1,000 instantly!

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell EZ Grand instant lottery game tickets.

10. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in

a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled



only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed prize money:* For a period of 1 year from the announced close of EZ Grand, prize money from winning EZ Grand instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the EZ Grand instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote EZ Grand or through normal communications methods.

PATRICK BROWNE,  
Secretary

[Pa.B. Doc. No. 24-363. Filed for public inspection March 15, 2024, 9:00 a.m.]

## DEPARTMENT OF REVENUE

### Pennsylvania Red Hot 5s Instant Lottery Game 1683

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Red Hot 5s (“Red Hot 5s”). The game number is PA-1683.

2. *Price:* The price of a Red Hot 5s instant lottery game ticket is \$10.

3. *Play symbols:* Each Red Hot 5s instant lottery game ticket will contain one play area featuring a “WINNING NUMBERS” area and a “YOUR NUMBERS” area, which includes 15 number symbols, three of which are designated as “5X SPOTS,” and one “BLAZIN’ BONUS” area. The “BLAZIN’ BONUS” area is played separately. The number symbols and their captions located in the “WINNING NUMBERS” area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN) and 30 (THIRT). The play symbols and their captions located in the “YOUR NUMBERS” area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16

(SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRT) and a RED HOT (WINPRZ) symbol. The play symbols and prize amounts and their captions located in the “BLAZIN’ BONUS” area are: TRYAGAIN (NOBONUS) symbol, NOBONUS (TRYAGAIN) symbol, TRYAGAIN (NOBONUS) symbol, NOBONUS (TRYAGAIN) symbol, \$10 (TEN DOL), \$15 (FIFTEEN), \$20 (TWENTY), \$30 (THIRTY), \$50 (FIFTY), \$100 (ONE HUN) \$150 (ONEHUNFTY), \$200 (TWH HUN) and \$500 (FIV HUN).

4. *Prize Symbols:* The prize symbols and their captions, located in the “YOUR NUMBERS” area, are: \$10<sup>00</sup> (TEN DOL), \$15<sup>00</sup> (FIFTEEN), \$20<sup>00</sup> (TWENTY), \$30<sup>00</sup> (THIRTY), \$50<sup>00</sup> (FIFTY), \$100 (ONE HUN), \$150 (ONEHUNFTY), \$200 (TWO HUN), \$500 (FIV HUN), \$1,000 (ONE THO), \$5,000 (FIV THO) and \$500,000 (FIVHUNTHO).

5. *Prizes:* The prizes that can be won in this game are: \$10, \$15, \$20, \$30, \$50, \$100, \$150, \$200, \$500, \$1,000, \$5,000 and \$500,000. For a complete description of how these prizes can be won, see section 8 (relating to number and description of prizes and approximate odds). A player can win up to 16 times on a ticket.

6. *Approximate number of tickets printed for the game:* Approximately 10,800,000 tickets will be printed for the Red Hot 5s instant lottery game.

#### 7. Determination of prize winners:

(a) Holders of tickets upon which any of the “YOUR NUMBERS” number symbols match any of the “WINNING NUMBERS” number symbols and a prize symbol of \$500,000 (FIVHUNTHO) appears in the “Prize” area under the matching “YOUR NUMBERS” number symbol, on a single ticket, shall be entitled to a prize of \$500,000.

(b) Holders of tickets upon which any of the “YOUR NUMBERS” number symbols match any of the “WINNING NUMBERS” number symbols and a prize symbol of \$5,000 (FIV THO) appears in the “Prize” area under the matching “YOUR NUMBERS” number symbol, on a single ticket, shall be entitled to a prize of \$5,000.

(c) Holders of tickets upon which any of the “YOUR NUMBERS” number symbols in a “5X” SPOT match any of the “WINNING NUMBERS” number symbols and a prize symbol of \$1,000 (ONE THO) appears in the “Prize” area under the matching “YOUR NUMBERS” number symbol, on a single ticket, shall be entitled to a prize of \$5,000.

(d) Holders of tickets upon which any of the “YOUR NUMBERS” number symbols match any of the “WINNING NUMBERS” number symbols and a prize symbol of \$1,000 (ONE THO) appears in the “Prize” area under the matching “YOUR NUMBERS” number symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(e) Holders of tickets upon which a RED HOT (WINPRZ) symbol appears in the play area and a prize symbol of \$1,000 (ONE THO) appears in the “Prize” area under that RED HOT (WINPRZ) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(f) Holders of tickets upon which any of the “YOUR NUMBERS” number symbols in a “5X” SPOT match any of the “WINNING NUMBERS” number symbols and a prize symbol of \$200 (TWO HUN) appears in the “Prize” area under the matching “YOUR NUMBERS” number symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(g) Holders of tickets upon which any of the “YOUR NUMBERS” number symbols match any of the “WINNING NUMBERS” number symbols and a prize symbol of \$500 (FIV HUN) appears in the “Prize” area under the matching “YOUR NUMBERS” number symbol, on a single ticket, shall be entitled to a prize of \$500.

(h) Holders of tickets upon which a RED HOT (WINPRZ) symbol appears in the play area and a prize symbol of \$500 (FIV HUN) appears in the “Prize” area under that RED HOT (WINPRZ) symbol, on a single ticket, shall be entitled to a prize of \$500.

(i) Holders of tickets upon which any of the “YOUR NUMBERS” number symbols in a “5X” SPOT match any of the “WINNING NUMBERS” number symbols and a prize symbol of \$100 (ONE HUN) appears in the “Prize” area under the matching “YOUR NUMBERS” number symbol, on a single ticket, shall be entitled to a prize of \$500.

(j) Holders of tickets upon which a prize amount of \$500 (FIV HUN) appears in the “BLAZIN’ BONUS” area, on a single ticket, shall be entitled to a prize of \$500.

(k) Holders of tickets upon which any of the “YOUR NUMBERS” number symbols match any of the “WINNING NUMBERS” number symbols and a prize symbol of \$200 (TWO HUN) appears in the “Prize” area under the matching “YOUR NUMBERS” number symbol, on a single ticket, shall be entitled to a prize of \$200.

(l) Holders of tickets upon which a RED HOT (WINPRZ) symbol appears in the play area and a prize symbol of \$200 (TWO HUN) appears in the “Prize” area under that RED HOT (WINPRZ) symbol, on a single ticket, shall be entitled to a prize of \$200.

(m) Holders of tickets upon which a prize amount of \$200 (TWO HUN) appears in the “BLAZIN’ BONUS” area, on a single ticket, shall be entitled to a prize of \$200.

(n) Holders of tickets upon which any of the “YOUR NUMBERS” number symbols match any of the “WINNING NUMBERS” number symbols and a prize symbol of \$150 (ONEHUNFTY) appears in the “Prize” area under the matching “YOUR NUMBERS” number symbol, on a single ticket, shall be entitled to a prize of \$150.

(o) Holders of tickets upon which a RED HOT (WINPRZ) symbol appears in the play area and a prize symbol of \$150 (ONEHUNFTY) appears in the “Prize” area under that RED HOT (WINPRZ) symbol, on a single ticket, shall be entitled to a prize of \$150.

(p) Holders of tickets upon which any of the “YOUR NUMBERS” number symbols in a “5X” SPOT match any of the “WINNING NUMBERS” number symbols and a prize symbol of \$30<sup>00</sup> (THIRTY) appears in the “Prize” area under the matching “YOUR NUMBERS” number symbol, on a single ticket, shall be entitled to a prize of \$150.

(q) Holders of tickets upon which a prize amount of \$150 (ONEHUNFTY) appears in the “BLAZIN’ BONUS” area, on a single ticket, shall be entitled to a prize of \$150.

(r) Holders of tickets upon which any of the “YOUR NUMBERS” number symbols match any of the “WINNING NUMBERS” number symbols and a prize symbol of \$100 (ONE HUN) appears in the “Prize” area under the matching “YOUR NUMBERS” number symbol, on a single ticket, shall be entitled to a prize of \$100.

(s) Holders of tickets upon which a RED HOT (WINPRZ) symbol appears in the play area and a prize symbol of \$100 (ONE HUN) appears in the “Prize” area under that RED HOT (WINPRZ) symbol, on a single ticket, shall be entitled to a prize of \$100.

(t) Holders of tickets upon which any of the “YOUR NUMBERS” number symbols in a “5X” SPOT match any of the “WINNING NUMBERS” number symbols and a prize symbol of \$20<sup>00</sup> (TWENTY) appears in the “Prize” area under the matching “YOUR NUMBERS” number symbol, on a single ticket, shall be entitled to a prize of \$100.

(u) Holders of tickets upon which a prize amount of \$100 (ONE HUN) appears in the “BLAZIN’ BONUS” area, on a single ticket, shall be entitled to a prize of \$100.

(v) Holders of tickets upon which any of the “YOUR NUMBERS” number symbols match any of the “WINNING NUMBERS” number symbols and a prize symbol of \$50<sup>00</sup> (FIFTY) appears in the “Prize” area under the matching “YOUR NUMBERS” number symbol, on a single ticket, shall be entitled to a prize of \$50.

(w) Holders of tickets upon which a RED HOT (WINPRZ) symbol appears in the play area and a prize symbol of \$50<sup>00</sup> (FIFTY) appears in the “Prize” area under that RED HOT (WINPRZ) symbol, on a single ticket, shall be entitled to a prize of \$50.

(x) Holders of tickets upon which any of the “YOUR NUMBERS” number symbols in a “5X” SPOT match any of the “WINNING NUMBERS” number symbols and a prize symbol of \$10<sup>00</sup> (TEN DOL) appears in the “Prize” area under the matching “YOUR NUMBERS” number symbol, on a single ticket, shall be entitled to a prize of \$50.

(y) Holders of tickets upon which a prize amount of \$50 (FIFTY) appears in the “BLAZIN’ BONUS” area, on a single ticket, shall be entitled to a prize of \$50.

(z) Holders of tickets upon which any of the “YOUR NUMBERS” number symbols match any of the “WINNING NUMBERS” number symbols and a prize symbol of \$30<sup>00</sup> (THIRTY) appears in the “Prize” area under the matching “YOUR NUMBERS” number symbol, on a single ticket, shall be entitled to a prize of \$30.

(aa) Holders of tickets upon which a RED HOT (WINPRZ) symbol appears in the play area and a prize symbol of \$30<sup>00</sup> (THIRTY) appears in the “Prize” area under that RED HOT (WINPRZ) symbol, on a single ticket, shall be entitled to a prize of \$30.

(bb) Holders of tickets upon which a prize amount of \$30 (THIRTY) appears in the “BLAZIN’ BONUS” area, on a single ticket, shall be entitled to a prize of \$30.

(cc) Holders of tickets upon which any of the “YOUR NUMBERS” number symbols match any of the “WINNING NUMBERS” number symbols and a prize symbol of \$20<sup>00</sup> (TWENTY) appears in the “Prize” area under the matching “YOUR NUMBERS” number symbol, on a single ticket, shall be entitled to a prize of \$20.

(dd) Holders of tickets upon which a RED HOT (WINPRZ) symbol appears in the play area and a prize symbol of \$20<sup>00</sup> (TWENTY) appears in the “Prize” area under that RED HOT (WINPRZ) symbol, on a single ticket, shall be entitled to a prize of \$20.

(ee) Holders of tickets upon which a prize amount of \$20 (TWENTY) appears in the “BLAZIN’ BONUS” area, on a single ticket, shall be entitled to a prize of \$20.

(ff) Holders of tickets upon which any of the “YOUR NUMBERS” number symbols match any of the “WINNING NUMBERS” number symbols and a prize symbol of \$15<sup>00</sup> (FIFTEEN) appears in the “Prize” area under the matching “YOUR NUMBERS” number symbol, on a single ticket, shall be entitled to a prize of \$15.

(gg) Holders of tickets upon which a RED HOT (WINPRZ) symbol appears in the play area and a prize symbol of \$15<sup>00</sup> (FIFTEEN) appears in the “Prize” area under that RED HOT (WINPRZ) symbol, on a single ticket, shall be entitled to a prize of \$15.

(hh) Holders of tickets upon which a prize amount of \$15 (FIFTEEN) appears in the “BLAZIN’ BONUS” area, on a single ticket, shall be entitled to a prize of \$15.

(ii) Holders of tickets upon which any of the “YOUR NUMBERS” number symbols match any of the “WIN-

NING NUMBERS” number symbols and a prize symbol of \$10<sup>00</sup> (TEN DOL) appears in the “Prize” area under the matching “YOUR NUMBERS” number symbol, on a single ticket, shall be entitled to a prize of \$10.

(jj) Holders of tickets upon which a RED HOT (WINPRZ) symbol appears in the play area and a prize symbol of \$10<sup>00</sup> (TEN DOL) appears in the “Prize” area under that RED HOT (WINPRZ) symbol, on a single ticket, shall be entitled to a prize of \$10.

(kk) Holders of tickets upon which a prize amount of \$10 (TEN DOL) appears in the “BLAZIN’ BONUS” area, on a single ticket, shall be entitled to a prize of \$10.

8. *Number and description of prizes and approximate odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>When Any Of YOUR NUMBERS Match Any WINNING NUMBER, Win PRIZE Shown Under The Matching Number. Win With:</i>	<i>BLAZIN’ BONUS:</i>	<i>Win:</i>	<i>Approximate Chances Of Winning Are 1 In:</i>	<i>Approximate No. Of Winners Per 10,800,000 Tickets:</i>
	\$10	\$10	25	432,000
\$10 w/ RED HOT		\$10	17.14	630,000
\$10		\$10	150	72,000
	\$15	\$15	75	144,000
\$15 w/ RED HOT		\$15	40	270,000
\$15		\$15	120	90,000
\$10 × 2		\$20	120	90,000
\$10	\$10	\$20	28.57	378,000
	\$20	\$20	60	180,000
\$20 w/ RED HOT		\$20	600	18,000
\$20		\$20	600	18,000
\$10 × 3		\$30	600	18,000
\$15 × 2		\$30	600	18,000
\$15	\$15	\$30	300	36,000
(\$10 w/ RED HOT) × 2	\$10	\$30	200	54,000
\$30 w/ RED HOT		\$30	60	180,000
\$30		\$30	600	18,000
\$10 × 5		\$50	600	18,000
(((\$10 w/ RED HOT) × 2) + (\$10 × 2))	\$10	\$50	600	18,000
(\$20 w/ RED HOT) + (\$10 w/ RED HOT)	\$20	\$50	600	18,000
	\$50	\$50	600	18,000
\$10 w/ 5X SPOT		\$50	200	54,000
\$50 w/ RED HOT		\$50	600	18,000
\$50		\$50	600	18,000
\$20 × 5		\$100	600	18,000
(\$10 w/ 5X SPOT) + (\$10 w/ RED HOT) + \$10	\$30	\$100	600	18,000
	\$100	\$100	600	18,000
\$20 w/ 5× SPOT		\$100	600	18,000
\$100 w/ RED HOT		\$100	600	18,000
\$100		\$100	600	18,000
\$50 × 3		\$150	4,000	2,700
(\$10 w/ 5X SPOT) × 3		\$150	800	13,500



<i>When Any Of YOUR NUMBERS Match Any WINNING NUMBER, Win PRIZE Shown Under The Matching Number. Win With:</i>	<i>BLAZIN' BONUS:</i>	<i>Win:</i>	<i>Approximate Chances Of Winning Are 1 In:</i>	<i>Approximate No. Of Winners Per 10,800,000 Tickets:</i>
\$20 w/ 5X SPOT	\$50	\$150	2,400	4,500
	\$150	\$150	12,000	900
\$30 w/ 5X SPOT		\$150	2,400	4,500
\$150 w/ RED HOT		\$150	6,000	1,800
\$150		\$150	12,000	900
\$50 × 4		\$200	12,000	900
\$100 × 2		\$200	12,000	900
(\$10 w/ 5X SPOT) + ((\$10 w/ RED HOT) × 10) + (\$20 × 2)	\$10	\$200	6,000	1,800
(((\$10 w/ 5X SPOT) × 3) + (\$10 × 3))	\$20	\$200	6,000	1,800
\$30 w/ 5X SPOT	\$50	\$200	6,000	1,800
	\$200	\$200	12,000	900
\$200 w/ RED HOT		\$200	24,000	450
\$200		\$200	24,000	450
\$100 × 5		\$500	24,000	450
(((\$30 w/ 5X SPOT) × 3) + ((\$10 w/ RED HOT) × 3))	\$20	\$500	3,000	3,600
(\$50 w/ 5X SPOT) + ((\$10 w/ 5X SPOT) × 2) + (\$10 × 12)	\$30	\$500	3,000	3,600
	\$500	\$500	24,000	450
\$100 w/ 5X SPOT		\$500	3,000	3,600
\$500 w/ RED HOT		\$500	120,000	90
\$500		\$500	120,000	90
\$100 × 10		\$1,000	120,000	90
(((\$20 w/ 5X SPOT) × 3) + ((\$30 w/ RED HOT) × 5) + \$50)	\$500	\$1,000	40,000	270
(((\$30 w/ 5X SPOT) × 3) + (\$150 × 2) + (\$10 × 5))	\$200	\$1,000	30,000	360
(\$100 w/ 5X SPOT) × 2		\$1,000	120,000	90
\$200 w/ 5X SPOT		\$1,000	120,000	90
\$1,000 w/ RED HOT		\$1,000	120,000	90
\$1,000		\$1,000	120,000	90
\$1,000 w/ 5X SPOT		\$5,000	1,080,000	10
\$5,000		\$5,000	1,080,000	10
\$500,000		\$500,000	1,080,000	10

When a matching number is in a 5X SPOT, win 5 TIMES the PRIZE shown under the matching number.

Reveal a "RED HOT" (WINPRZ) symbol, win PRIZE shown under that symbol automatically.

BLAZIN' BONUS: Reveal a cash prize amount, win that amount! BLAZIN' BONUS is played separately.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Red Hot 5s instant lottery game tickets.

10. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in

a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall



be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed prize money:* For a period of 1 year from the announced close of Red Hot 5s, prize money from winning Red Hot 5s instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Red Hot 5s instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Red Hot 5s or through normal communications methods.

PATRICK BROWNE,  
Secretary

[Pa.B. Doc. No. 24-364. Filed for public inspection March 15, 2024, 9:00 a.m.]

## DEPARTMENT OF TRANSPORTATION

### State Transportation Innovation Council Business Meeting

The State Transportation Innovation Council will hold its virtual business meeting on Thursday, March 21, 2024, from 1 p.m. to 3 p.m. For more information, including an agenda and registration, contact Jaclyn Huss, (717) 787-2360, jahuss@pa.gov.

MICHAEL CARROLL,  
Secretary

[Pa.B. Doc. No. 24-365. Filed for public inspection March 15, 2024, 9:00 a.m.]

## DEPARTMENT OF TRANSPORTATION

### Watercraft Trailer Forfeiture; Maximum Amount

Chapter 73, Subchapter B of 75 Pa.C.S. (relating to watercraft trailer forfeiture) applies only to a watercraft trailer with a resale value based upon established industry standards equal to or less than the maximum amount set forth in 75 Pa.C.S. § 7321(c) (relating to scope of subchapter and legislative intent). Subsection 7321(c) of 75 Pa.C.S. provides that for the year 2006, the maximum amount will be \$1,000 and for each year thereafter, the

maximum amount will be fixed annually by the Department of Transportation (Department) based upon the maximum amount in the prior year as adjusted to reflect the change in the Consumer Price Index for All Urban Consumers for the United States for all items as published by the United States Department of Labor, Bureau of Labor Statistics, for the previous 12-month period. Section 7321(c) of 75 Pa.C.S. further provides that the maximum amount as adjusted will be rounded to the nearest multiple of \$5 and the Department will give notice of the new maximum amount by publication in the *Pennsylvania Bulletin*.

Under 75 Pa.C.S. § 7321(c)(3), the Department has fixed the maximum amount for 2024 as \$1,530.

MICHAEL CARROLL,  
Secretary

[Pa.B. Doc. No. 24-366. Filed for public inspection March 15, 2024, 9:00 a.m.]

## ENVIRONMENTAL HEARING BOARD

### Coalition to Save Old Crow Wetland v. Department of Environmental Protection and M & G Realty, Inc., Permittee; EHB Doc. No. 2024-061-BP

Coalition to Save Old Crow Wetland has appealed the issuance by the Department of Environmental Protection of NPDES Permit No. PAD310013 authorizing discharge of stormwater in Smithfield Township, Huntingdon County.

The appeal is filed with the Environmental Hearing Board (Board). The notice of appeal, and other filings related to the appeal, may be reviewed by any interested person through the Board's web site at <http://ehb.courtapps.com>. If information concerning this notice is required in an alternative form, contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984. A date for the hearing on the appeal has not yet been scheduled.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.81 (relating to intervention). Copies of the Board's rules of practice and procedure are available online and upon request from the Board.

STEVEN C. BECKMAN,  
Chairperson

[Pa.B. Doc. No. 24-367. Filed for public inspection March 15, 2024, 9:00 a.m.]

## ENVIRONMENTAL HEARING BOARD

### Eric Oliver v. Department of Environmental Protection and M & G Realty, Inc., Permittee; EHB Doc. No. 2024-063-BP

Eric Oliver has appealed the issuance by the Department of Environmental Protection of NPDES Permit No. PAD310013 authorizing discharge of stormwater in Smithfield Township, Huntingdon County.

The appeal is filed with the Environmental Hearing Board (Board). The notice of appeal, and other filings related to the appeal, may be reviewed by any interested

person through the Board’s web site at <http://ehb.courtapps.com>. If information concerning this notice is required in an alternative form, contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984. A date for the hearing on the appeal has not yet been scheduled.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.81 (relating to intervention). Copies of the Board’s rules of practice and procedure are available online and upon request from the Board.

STEVEN C. BECKMAN,  
*Chairperson*

[Pa.B. Doc. No. 24-368. Filed for public inspection March 15, 2024, 9:00 a.m.]

## FISH AND BOAT COMMISSION

### Boat and Marine Forfeiture; Maximum Amount

Chapter 53, Subchapter C of 30 Pa.C.S. (relating to boat and marine forfeiture) applies only to boats and related equipment with a resale value based upon estab-

lished industry standards equal to or less than the maximum amount set forth in 30 Pa.C.S. § 5331(c) (relating to scope of subchapter). This subsection provides that for the year 2006, the maximum amount will be \$5,000 and for each year thereafter, the maximum amount will be fixed annually by the Fish and Boat Commission (Commission) based upon the maximum amount in the prior year as adjusted to reflect the change in the Consumer Price Index for All Urban Consumers for the United States for all items as published by the United States Department of Labor, Bureau of Labor Statistics, for the previous 12-month period. The subsection further provides that the maximum amount as adjusted will be rounded to the nearest multiple of \$5 and that the Commission will give notice of the new maximum amount by publication in the *Pennsylvania Bulletin*. The Commission previously fixed the maximum amount for 2023 at \$7,435.

Under 30 Pa.C.S § 5331(c), the Commission has fixed the maximum amount for 2024 as \$7,740.

TIMOTHY D. SCHAEFFER,  
*Executive Director*

[Pa.B. Doc. No. 24-369. Filed for public inspection March 15, 2024, 9:00 a.m.]

## INDEPENDENT REGULATORY REVIEW COMMISSION

### Notice of Filing of Final Rulemaking

The Independent Regulatory Review Commission (Commission) received the following regulation. It is scheduled to be considered on the date noted. The Commission’s public meetings are held at 333 Market Street, 14th Floor, Harrisburg, PA at 10 a.m. To obtain a copy of the regulation, interested parties should first contact the promulgating agency. If a copy cannot be obtained from the promulgating agency, the Commission will provide a copy or it can be viewed on the Commission’s web site at [www.irrc.state.pa.us](http://www.irrc.state.pa.us).

<i>Final-Form Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>	<i>Public Meeting</i>
57-335	Pennsylvania Public Utility Commission Rulemaking Regarding Hazardous Liquid Public Utility Safety Standards at 52 Pa. Code Chapter 59; Notice of Proposed Rulemaking	02/28/24	04/18/24

GEORGE D. BEDWICK,  
*Chairperson*

[Pa.B. Doc. No. 24-370. Filed for public inspection March 15, 2024, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Application for Decrease in Underwriting Authority of Everett Cash Mutual Insurance Co.

Everett Cash Mutual Insurance Co. (Everett), a Commonwealth domiciled mutual property insurance company, has filed an application to decrease its lines of underwriting authority. The class of authority that Everett is applying to delete is accident and health, as defined by section 202(c)(2) of The Insurance Company Law of 1921 (40 P.S. § 382(c)(2)). The filing was made under the requirements of section 322 of The Insurance Company Law of 1921 (40 P.S. § 445).

Persons wishing to comment on the grounds of public or private interest to the application are invited to submit a

written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include the name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient details to inform the Department of the exact basis of the statement. Written statements should be directed to Steven L. Yerger, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, [syarger@pa.gov](mailto:syarger@pa.gov).

MICHAEL HUMPHREYS,  
*Insurance Commissioner*

[Pa.B. Doc. No. 24-371. Filed for public inspection March 15, 2024, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Highmark Request for Modification of the Commissioner's Approving Determination and Order (Order No. ID-RC-13-06) Dated April 29, 2013, as Modified July 28, 2017; Public Informational Hearing; Notice 2024-02

The Insurance Department (Department) will hold a public informational hearing regarding Highmark Health's (Highmark) request for modification of the Department's Approving Determination and Order dated April 29, 2013, (Order No. ID-RC-13-06) (2013 Order) under Condition 27 of the 2013 Order, as modified.

The request for modification was filed with the Department on October 16, 2023, and is available on the Department's web site at <https://www.insurance.pa.gov/Companies/IndustryActivity/CorporateTransactionsOfPublicInterest/Pages/Highmark-Modification-Request.aspx>. Written comments were accepted under Notice 2023-17 and Notice 2023-20 for an extended period of 75 days, from December 2, 2023, through February 15, 2024. Comments received have been made part of the public record regarding this filing and are available on the Department's web site. Copies of the comments received were forwarded to Highmark for appropriate response. Highmark's responses are also available on the Department's web site.

Logistical details of this in-person public informational hearing are as follows:

*Date and Time:* Wednesday, May 1, 2024, beginning at 10 a.m., scheduled to conclude no later than 1 p.m.

*Location for In-person Attendance:* Capital Associates Building, 901 North 7th Street, Administrative Hearings Office, Harrisburg, PA. Directions to the Capital Associates Building are at <https://www.insurance.pa.gov/Regulations/Pages/Directions-to-CAB-Building.aspx>.

*Virtual Attendance:* The hearing is scheduled to be publicly viewable through remote access. The Department will not receive testimony remotely. Directions for remote access will be posted at <https://www.insurance.pa.gov/Companies/IndustryActivity/CorporateTransactionsOfPublicInterest/Pages/Highmark-Modification-Request.aspx> not less than 48 hours prior to the hearing.

*Recording:* The proceeding will be recorded by a court reporter.

*Nature of Hearing:* This in-person public informational hearing will provide for Highmark and Compass Lexecon to each make 15-minute oral presentations and then for interested persons to present comments relevant to this matter.

#### *Preregistration and Order of Speakers:*

*Preregister to Attend the Public Informational Hearing:* Persons attending the public informational hearing will be asked to sign in at the registration desk. To expedite signing in, the Department strongly encourages preregistration on or before Wednesday, April 24, 2024, by e-mail to Kimberly Sheaffer at [kimsheaffe@pa.gov](mailto:kimsheaffe@pa.gov). Preregistration is not required. An advance copy of the agenda will be distributed to persons who preregister to attend the public informational hearing.

*Preregister to Speak at the Public Informational Hearing:* Interested persons wishing to present comments should register in advance as previously stated, indicating an intent to present comments. Walk-ins will be accepted, time permitting. The Department anticipates scheduling 5—10-minute time slots per individual but will take into account other factors.

*Submission of Written Comments:* After preregistering online to speak, submit advance copies of comments to Kimberly Sheaffer at [kimsheaffe@pa.gov](mailto:kimsheaffe@pa.gov). The Department requests that individuals who do not preregister provide a written copy of their testimony the day of the hearing.

*Order of Speakers:* It is anticipated that speakers will be heard in the following order:

- (a) Highmark.
- (b) Compass Lexecon.
- (c) Preregistered speakers who filed written comments by April 24, 2024.
- (d) Preregistered speakers who did not file written comments by April 24, 2024.
- (e) Same day walk-in requests to speak, time permitting.
- (f) Speakers who wish to present additional comments, time permitting.

*ADA Notice:* Individuals who require the assistance of auxiliary aids or services to participate in or attend this public informational hearing, whether in-person or through remote viewing, should call the Director of the Bureau of Administration at (717) 787-4298. Individuals who are hearing impaired should call the Department, TTY/TDD (717) 783-3898.

*Updates:* The Department encourages the public to check the Department's web site for updates. Additional details concerning the informational hearing, such as the availability to view the proceeding remotely, will be posted on the web site as the time for the hearing approaches.

Questions regarding this notice should be directed to Kimberly Sheaffer by e-mail at [kimsheaffe@pa.gov](mailto:kimsheaffe@pa.gov) or by mail at Insurance Department, 1341 Strawberry Square, Harrisburg, PA 17120.

MICHAEL HUMPHREYS,  
*Insurance Commissioner*

[Pa.B. Doc. No. 24-372. Filed for public inspection March 15, 2024, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Ebony Long; License Denial Appeal; Doc. No. AG24-02-024

Under Article VI-A of The Insurance Department Act of 1921 (40 P.S. §§ 310.1—310.99a), Ebony Long has appealed the denial of the application for a 1033 Written Waiver to engage in the business of insurance. The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure).



A prehearing telephone conference initiated by this office is scheduled for April 9, 2024, at 10 a.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before April 5, 2024. A date for a hearing shall be determined, if necessary, at the prehearing conference.

Protests, petitions to intervene or notices of intervention, if any, must be electronically filed on or before March 26, 2024. The e-mail address to be used for the Administrative Hearings Office is ra-hearings@pa.gov. Answers to protests, petitions to intervene or notices of intervention, if any, shall be electronically filed on or before April 5, 2024.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodations to participate in the hearing, contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

MICHAEL HUMPHREYS,  
*Insurance Commissioner*

[Pa.B. Doc. No. 24-373. Filed for public inspection March 15, 2024, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Xiangchao Zhang; License Denial Appeal; Doc. No. AG24-02-014

Under Article VI-A of The Insurance Department Act of 1921 (40 P.S. §§ 310.1—310.99a), Xiangchao Zhang has appealed the denial of an application for an insurance producer's license. The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure).

A prehearing telephone conference initiated by this office is scheduled for April 11, 2024, at 10 a.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before April 9, 2024. A date for a hearing shall be determined, if necessary, at the prehearing/settlement conference.

Protests, petitions to intervene or notices of intervention, if any, must be electronically filed on or before March 28, 2024. The e-mail address to be used for the Administrative Hearings Office is ra-hearings@pa.gov. Answers to protests, petitions to intervene or notices of intervention, if any, shall be electronically filed on or before April 9, 2024.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodations to participate in the hearing, contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

MICHAEL HUMPHREYS,  
*Insurance Commissioner*

[Pa.B. Doc. No. 24-374. Filed for public inspection March 15, 2024, 9:00 a.m.]

## LEGISLATIVE REFERENCE BUREAU

### Documents Filed But Not Published

The Legislative Reference Bureau (Bureau) accepted the following documents during the preceding calendar month for filing without publication under 1 Pa. Code § 3.13(b) (relating to contents of *Bulletin*). The Bureau will continue to publish on a monthly basis either a summary table identifying the documents accepted during the preceding calendar month under this subsection or a statement that no documents have been received. For questions concerning or copies of documents filed, but not published, call (717) 783-1530.

#### *Executive Board*

Resolution No. CB-24-06, Dated February 14, 2024. Authorizes the International Union, United Government Security Officers of America, Local 304 bargaining unit (R1) Collective Bargaining Agreement (9/1/23—8/31/27). The CBA provides for the establishment of rates of pay, hours of work, and other conditions of employment for the period September 1, 2023, through August 31, 2027.

Resolution No. CB-24-07, Dated February 14, 2024. Authorizes the International Union, United Government Security Officers of America, Local 304 meet-and-discuss unit (R2) Memorandum of Understanding (9/1/23—8/31/27). The MOU provides for the establishment of rates of pay, hours of work, and other conditions of employment for the period September 1, 2023, through August 31, 2027.

Resolution No. CB-24-08, Dated February 28, 2024. Authorizes the summary of changes for the memorandum of understanding between the Commonwealth, PASSHE and the Pennsylvania Doctors Alliance signed on February 7, 2024. The Summary of Changes for the Memorandum of Understanding provides for the establishment of rates of pay, hours of work, and other conditions of employment for the period July 1, 2023, through June 30, 2027.

Resolution No. CB-24-09, Dated February 28, 2024. Authorizes the Summary of Changes for the Collective Bargaining Agreement between the Commonwealth, PASSHE and the Pennsylvania Doctors Alliance signed on January 23, 2024, covering the period July 1, 2019, through June 30, 2027.

#### *Governor's Office*

Administrative Circular No. 24-06—Approval of 2024-25 Advancement Accounts and Completion of Form STD-133, Request for Approval of Advancement Account, Dated February 15, 2024.

Administrative Circular No. 24-07—Closing Instructions No. 1, Fiscal Year 2023-24; Submission of Purchasing Documents, Dated February 7, 2024.

AMY J. MENDELSON,  
*Director*  
*Pennsylvania Code and Bulletin*

[Pa.B. Doc. No. 24-375. Filed for public inspection March 15, 2024, 9:00 a.m.]



## MILK BOARD

### Hearing and Presubmission Schedule for All Milk Marketing Areas; Over-Order Premium

Under the provisions of the Milk Marketing Law (31 P.S. §§ 700j-101—700j-1302), the Milk Board (Board) will conduct a public hearing for Milk Marketing Areas 1—6 on May 1, 2024, at 10 a.m. in Room 309, Department of Agriculture Building, 2301 North Cameron Street, Harrisburg, PA 17110.

The purpose of the hearing is to receive testimony and exhibits concerning the level and duration of the Class I over-order premium.

The staff of the Board is deemed to be a party to this hearing, and the attorney representing staff is deemed to have entered his appearance. Other persons who wish to present evidence may be included on the Board's list of parties by: (1) having their attorney file with the Board on or before 12 p.m. on March 26, 2024, a notice of appearance substantially in the form prescribed by 1 Pa. Code § 31.25 (relating to form of notice of appearance); or (2) if unrepresented by counsel, filing with the Board on or before 12 p.m. on March 6, 2024, notification of their desire to be included as a party. Parties shall indicate in their notices of appearance if alternate means of service, that is, e-mail or fax, are acceptable. Notices of appearance filed electronically should be directed to [deberly@pa.gov](mailto:deberly@pa.gov).

The parties shall observe the following requirements for advance filing of witness information and exhibits. The Board may exclude witnesses or exhibits of a party that fails to comply with these requirements. Copies of the filings will be available on the Board web site at <http://www.mmb.pa.gov/Public%20Hearings/>. Filing may be done by mail to the Board office or electronically to [deberly@pa.gov](mailto:deberly@pa.gov).

1. By 2 p.m. on April 2, 2024, the petitioner shall file with the Board one original or one electronic copy and ensure receipt by all other parties of one copy of:

a. A list of witnesses who will testify for the petitioner, along with a statement of the subjects concerning which each witness will testify. A witness who will be offered as an expert shall be so identified, along with the witness's area or areas of proposed expertise. For expert witnesses there shall also be filed a written report or written testimony explaining the substance of the facts and opinions to which the expert is expected to testify and a summary of the grounds for each opinion.

b. Each exhibit to be presented, including testimony to be offered in written form.

2. By 2 p.m. on April 16, 2024, each responding party shall file and serve as set forth in paragraph 1 information concerning rebuttal witnesses and copies of rebuttal exhibits.

3. By 2 p.m. on April 23, 2024, parties shall file and serve as set forth in paragraph 1 information concerning surrebuttal witnesses and copies of surrebuttal exhibits.

Parties that wish to offer in evidence documents on file with the Board, public documents or records in other proceedings before the Board, or wish the Board to take official notice of facts, shall comply with, respectively,

1 Pa. Code § 35.164, § 35.165, § 35.167 or § 35.173. Whenever these rules require production of a document as an exhibit, five copies shall be provided for Board use and one copy shall be provided to each interested party.

Requests by parties for Board staff to provide data pertinent to the hearing shall be made in writing addressed to [deberly@pa.gov](mailto:deberly@pa.gov) and received in the Board office by 12 p.m. on April 17, 2024.

The filing address for the Board is Milk Board, Room 110, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA 17110.

BETSY ALBRIGHT,  
*Secretary*

[Pa.B. Doc. No. 24-376. Filed for public inspection March 15, 2024, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### General Rule Transaction

**A-2024-3047087 and A-2024-3047089. CBTS Technology Solutions, LLC and Cincinnati Bell Extended Territories, LLC, d/b/a altafiber connected services.** Joint application of CBTS Technology Solutions, LLC and Cincinnati Bell Extended Territories, LLC, d/b/a altafiber connected services for approval of a general rule transaction.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before Monday, April 1, 2024. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission (Commission) by means of eService on the Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) or at 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available for inspection on the Commission's web site and at the applicant's business address.

*Joint Applicants:* CBTS Technology Solutions, LLC; Cincinnati Bell Extended Territories, LLC, d/b/a altafiber connected services

*Through and By Counsel:* Catherine G. Vasudevan, Morgan, Lewis & Bockius, LLP, 2222 Market Street, Philadelphia, PA 19103-3007, (215) 963-5000, fax (215) 963-5001, [catherine.vasudevan@morganlewis.com](mailto:catherine.vasudevan@morganlewis.com); Andrew D. Lipman, Joshua M. Bobeck, Danielle Burt, Morgan, Lewis & Bockius, LLP, 1111 Pennsylvania Avenue, NW, Washington, DC 20004-2541, (202) 739-3000, fax (202) 739-3001, [andrew.lipman@morganlewis.com](mailto:andrew.lipman@morganlewis.com), [joshua.bobeck@morganlewis.com](mailto:joshua.bobeck@morganlewis.com), [danielle.burt@morganlewis.com](mailto:danielle.burt@morganlewis.com); Mary Talbott, Chief Legal Officer, Cincinnati Bell, Inc., 221 East Fourth Street, Cincinnati, OH 45202, (513) 652-0313, [mary.talbott@altafiber.com](mailto:mary.talbott@altafiber.com)

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 24-377. Filed for public inspection March 15, 2024, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Guidelines for Eligible Customer Lists; Docket No. M-2010-2183412

With this Secretarial Letter, the Commission seeks comments from interested parties regarding the guidelines for the Eligible Customer Lists (ECLs) that Electric Distribution Companies (EDCs) make available to Electric Generation Suppliers (EGSs) and that Natural Gas Distribution Companies (NGDCs) make available to Natural Gas Suppliers (NGSs). The ECL, in general, includes a listing of those utility customers eligible for choice, along with customer addresses, rate class and load information.<sup>1</sup> Specifically, the Commission is interested in comments concerning the use of electronic methods to deliver communications to customers concerning the ECL, and the use of electronic methods for customers to respond to the utility with their ECL preferences.

#### *Background*

The Commission implemented the ECL via Order entered November 12, 2010, at Docket No. M-2010-2183412, outlining interim guidelines for EDCs' provision of ECLs. That Order provided for uniform categories of customer information to be made available to EGSs by EDCs and addressed customers' ability to restrict the inclusion of their information in the ECL.

On November 10, 2011, the Commission entered a Final Order on Reconsideration updating the interim ECL guidelines. Following subsequent processes, including informal and formal comments, the Commission adopted final ECL guidelines through the ECL Order on October 23, 2014. In relevant part, the ECL Order directs EDCs to conduct a solicitation every three years, beginning in the first quarter of 2015, to update their ECLs. These solicitations provide customers an opportunity to restrict the inclusion of their information in the ECL that is provided to EGSs. Customers who do not respond to a solicitation are automatically included in the ECL unless they otherwise request to be excluded.

On August 15, 2013, the Commission entered a Final Order at Docket No. M-2012-2324075 establishing analogous requirements for Natural Gas Distribution Companies (NGDCs). Like the EDC-related Order noted above, the NGDCs were directed to conduct a solicitation every three years to update their ECLs and to provide customers an opportunity to restrict the inclusion of their information that is provided to NGSs.

On October 30, 2020, Duquesne filed a petition for a waiver (2021 ECL Petition) with the Commission at Docket No. P-2020-3022674 to expand email ECL service to include "e-communication customers" in addition to e-Billing customers for its 2021 ECL solicitation. E-communication customers are those residential customers who have not registered for e-Billing but have provided their email address to Duquesne and consented to receive electronic communications. The 2021 ECL Petition pertained only to the 2021 triennial ECL solicitation.

In the January 14, 2021 Order granting the 2021 ECL Petition (January 14, 2021 Order), the Commission determined that it was in the public interest to allow Duquesne to serve the 2021 ECL solicitation for

e-communications customers, finding, in part, that doing so would "reduce[el] costs, will provide useful analytical information on the effectiveness of ECL solicitation by email, and is consistent with consumer preferences." January 14, 2021 Order at p.7.

Pursuant to the January 14, 2021 Order, Duquesne conducted its 2021 triennial ECL solicitation electronically for customers who opted-in to electronic mailings of certain communications but have not opted for electronic mailings of bills. On December 30, 2021, at Docket No. P-2020-3022674, Duquesne provided a report to the Commission and stakeholders, as directed by the January 14, 2021 Order, with an evaluation of the electronic ECL solicitation and lessons learned (December 2021 Report).

By Petition filed September 29, 2023, Duquesne asserted that because the ECL Order only pertained to the 2021 solicitation, additional clarification is needed for the 2024 and subsequent solicitations. Duquesne contended that granting their Petition would be in the public interest because it would better align the ECL solicitation method with customer expectations and preferences, enable enhanced solicitation tracking and messaging, and substantially reduce costs borne by customers. Moreover, considering the successes of their 2021 ECL solicitation, including the high open rate for email solicitations and Duquesne's actual cost savings, and Duquesne's efforts to increase customer engagement in 2024, it would be in the public interest to allow Duquesne to continue electronically distributing the ECL solicitations, including their 2024 ECL solicitation.

By a January 18, 2024 Opinion and Order (January 18, 2024 Order), the Commission granted, in part, and denied, in part, Duquesne's petition. The Commission found that allowing Duquesne to provide its solicitations to customers as requested would serve the public interest by reducing costs, providing useful analytical information on the effectiveness of ECL solicitation by email, and is consistent with consumer preferences. However, we agreed with the suggestions made by the OCA that Duquesne's request to expand email solicitation should only apply to the 2024 ECL solicitation period and not future solicitation periods, and that the request to expand email solicitation should apply only to Duquesne, and not to other EDCs. We further agreed with the OCA that we should initiate a proceeding to investigate the efficacy of email solicitation during the triennial ECL periods on a statewide basis and consider amendments to the current Interim Guidelines to better address consumers' preferences during future ECL solicitation periods. January 18, 2024 Order at p.8.

Accordingly, the Commission directed the Office of Competitive Market Oversight in conjunction with the Law Bureau to open a proceeding at Docket No. M-2010-2183412 to update the eligible customer list guidelines. January 18, 2024 Order at pp. 8-9. Further, while the January 18, 2024 Order was in reference to Duquesne Light and the EDCs and EGSs, we believe that it is appropriate to expand this proceeding to also consider the ECL guidelines for the NGDCs and NGSs, since the guidelines for the two industries are very similar and we think it is in the public interest to maintain consistency between the two industries as it relates to ECL processes. Similar processes will lessen the likelihood of confusion for consumers, utilities, and suppliers alike.

<sup>1</sup> Customer telephone numbers are not included on the ECL under any circumstances.

*Request for Comments*

The Commission is requesting comments from all interested parties on the guidelines that govern the ECL, especially the use of electronic methods in communicating with customers, in lieu of written notices sent via the U.S. Postal Service. We point parties to the above-noted January 18, 2024 Order for additional discussion and guidance on this topic. Upon review and consideration of the comments filed by the parties, the Commission will determine next steps in updating the ECL guidelines.

Interested parties are invited to file written comments at this docket within sixty (60) days of publication of this Secretarial Letter in the *Pennsylvania Bulletin*. Comments to this Secretarial Letter may be filed electronically through the Commission's e-filing system.<sup>2</sup> Alternatively, one original signed copy of comments may be filed with the Commission's Secretary at: Pennsylvania Public Utility Commission, Commonwealth Keystone Building, 2nd Floor, 400 North Street, Harrisburg, PA 17120. All pages of filed comments, with the exception of a cover letter, must be numbered.

If you have any questions about this Secretarial Letter, please contact one of the following: Director of the Office of Competitive Market Oversight Daniel Mumford at dmumford@pa.gov or (717) 525-2084, Deputy Director of the Office of Competitive Market Oversight and Deputy Chief Counsel with the Law Bureau Kriss E. Brown at kribrown@pa.gov or (717) 787-4518.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 24-378. Filed for public inspection March 15, 2024, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Internal Merger

**A-2024-3047024. AT&T Corp. and AT&T Enterprises, Inc.** Joint application of AT&T Corp. and AT&T Enterprises, Inc. (collectively, AT&T) in which AT&T respectfully requests the Pennsylvania Public Utility Commission (Commission) to approve an internal merger between AT&T Corp. and AT&T Enterprises, Inc. (which will be renamed AT&T Enterprises, LLC immediately following completion of the merger).

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before Monday, April 1, 2024. Filings must be made with the Secretary of the Commission by means of eService on the Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) or at 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available for inspection on the Commission's web site and at the applicant's business address.

*Joint Applicants:* AT&T Corporation; AT&T Enterprises, Inc.

*Through and By Counsel:* Justin J. Watkins, Partner, Faegre Drinker Biddle & Reath, LLP, One Logan Square, Suite 2000, Philadelphia, PA 19103, (215) 988-2593;

<sup>2</sup> <https://www.puc.pa.gov/efiling/default.aspx>.

Joseph Monaghan, AT&T, One AT&T Way, N3A13, Bedminster, NJ 07921, (908) 532-6317

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 24-379. Filed for public inspection March 15, 2024, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Natural Gas Service

**A-2024-3047056. Columbia Gas of Pennsylvania, Inc.** Application for approval of abandonment of natural gas service by Columbia Gas of Pennsylvania, Inc. to five active residential premises and one inactive residential premises in Westmoreland County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before April 1, 2024. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available only online for inspection and copying on the Pennsylvania Public Utility Commission's (Commission) web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business address. Parties to proceedings pending before the Commission must open and use an eFiling account through the Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) or they may submit the filing by overnight delivery to the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. If a filing contains confidential or proprietary material, the filing is required to be submitted by overnight delivery. Large filings containing confidential or proprietary material may be submitted through the Commission's Share Point File system with advanced notice to the Commission prior to submittal.

*Applicant:* Columbia Gas of Pennsylvania, Inc., 121 Champion Way, Suite 100, Canonsburg, PA 15317

*Through and By Counsel for:* Candis A. Tunilo, Esquire, 800 North Third Street, Suite 204, Harrisburg, PA 17102, [ctunilo@nisource.com](mailto:ctunilo@nisource.com); Theodore J. Gallagher, Esquire, 121 Champion Way, Suite 100, Canonsburg, PA 15317, [tjgallagher@nisource.com](mailto:tjgallagher@nisource.com)

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 24-380. Filed for public inspection March 15, 2024, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility



Commission (Commission). Formal protests, petitions to intervene and answers must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before April 1, 2024. Filings must be made electronically through eFiling to the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by April 1, 2024. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission's eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. The documents filed in support of the application are only available for inspection through the Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) by searching under the docket number as follows or by searching the applicant's web site.

**Applications of the following for approval to begin operating as common carriers for transportation of persons as described under each application.**

**A-2023-3043315. Vida Quard Transportation, Inc.** (2314 North Front Street, Philadelphia, PA 19133) in paratransit service, limited to service for Pennsylvania Managed Care organizations, between points in the Counties of Bucks and Montgomery, and the City and County of Philadelphia.

**A-2024-3046750. Grace Human Services, LLC** (1313 North 52nd Street, 1st Floor Front, Philadelphia, Philadelphia County, PA 19131) for the right to begin to transport, as a common carrier, by motor vehicle, persons in paratransit service, limited to individuals aged 18 years or older who are physically and intellectually disabled, between points in the Counties of Bucks, Chester, Delaware and Montgomery, and the City and County of Philadelphia.

**Application of the following for approval to begin operating as a broker for transportation of persons as described under the application.**

**A-2024-304710. PTM Transportation, LLC** (800 Lincoln Avenue, Marmora, Cape May County, NJ 08223) for the right to begin to arrange transportation of passengers, between points in Pennsylvania. *Attorney:* Kenneth R. Stark, Esquire, McNees Wallace & Nurick, 100 Pine Street, Harrisburg, PA 17101.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 24-381. Filed for public inspection March 15, 2024, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Service of Notice of Motor Carrier Formal Complaints

Formal complaints have been issued by the Pennsylvania Public Utility Commission. Answers must be filed in accordance with 52 Pa. Code (relating to public utilities). Answers are due April 1, 2024, and must be made with the Secretary, Pennsylvania Public Utility Commission,

400 North Street, Harrisburg, PA 17120, with a copy to the First Deputy Chief Prosecutor, Pennsylvania Public Utility Commission.

### Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Cooper Transportation, LLC; Docket No. C-2024-3040680

#### COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That Cooper Transportation, LLC, Respondent, maintains a mailing address of 28 W. Upper Ferry Rd., Ewing, NJ 08628.
2. On May 5, 2023, by Commission Secretarial letter, Respondent was issued a certificate of public convenience by this Commission authorizing transportation, as a common carrier, by motor vehicle, property, excluding household goods in use, between points in Pennsylvania at PUC utility code no. 8926174 at A-2023-3040045.
3. On November 15, 2023, PUC Enforcement Officer Michael Johncola was assigned a Safety Fitness Review for Cooper Transportation, LLC. Officer Johncola conducted a search of PUC records and discovered an insurance lapse and suspension letter dated November 4, 2023. Officer Johncola spoke to the carrier owner, Davone Cooper, who indicated that he was no longer operating. Officer Johncola advised the carrier of the cancellation of certificate process.
4. As of January 16, 2024, Officer Johncola discovered the carrier has failed to complete the process.
5. That Respondent, by failing to achieve a satisfactory evaluation on a safety fitness review, violated 66 Pa. § 501(c) and, for failure to maintain adequate, efficient, and safe service and facilities, violated 66 Pa. § 1501. The penalty for this violation is cancellation of the certificate held by Respondent with this Commission at utility code 8926174.

Wherefore, the Bureau of Investigation and Enforcement hereby requests that the Commission revoke the certificate of public convenience issued to Cooper Transportation, LLC at PUC utility code number 8926174.

Respectfully submitted,  
Andrew Turriziani, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement  
100 Lackawanna Avenue, Room 320  
Scranton, PA 18503

#### VERIFICATION

I, Andrew Turriziani, hereby state that the facts above set forth are true and correct to the best of my knowl-



edge, information, and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 24 January 2024

Andrew Turriziani, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within twenty (20) days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An Answer is a written explanation of circumstances wished to be considered in determining the outcome. The Answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your Answer must be verified, and the original shall be mailed to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
400 North Street, 2nd Floor  
Harrisburg, PA 17120

Or you may eFile your Answer using the Commission's website at [www.puc.pa.gov](http://www.puc.pa.gov). The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Bureau of Investigation and Enforcement  
Pennsylvania Public Utility Commission  
400 North Street, 3rd Floor  
Harrisburg, PA 17120

Or, e-mailed to: [RA-PCCmplntResp@pa.gov](mailto:RA-PCCmplntResp@pa.gov)

B. If you fail to answer this complaint within twenty (20) days, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty. The penalty could include a fine, the suspension or revocation of your certificate of public convenience or other remedy.

C. If you file an Answer, which admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty.

D. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The judge is not bound by the optional fine set forth above.

E. Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714.

**Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. David Temple, Esq; Docket No. C-2024-3041372**

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth

of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That David Temple, Esq, Respondent, maintains a mailing address of 111 Buck Road, Building 500, Suite 1, Huntington Valley, PA 19006.

2. On June 12, 2023, by Commission Secretarial letter, Respondent was issued a certificate of public convenience by this Commission authorizing Aladdin Limo, Inc., to transport persons, by motor vehicles in group and party service, in vehicles seating 11—15 passengers including the driver, between points in the counties of Bucks, Chester, Delaware, Lehigh, Montgomery, and Philadelphia, except those areas under the jurisdiction of the Philadelphia Parking Authority at PUC utility code no. 640261 at A-2023-3039917.

3. On August 11, 2023, PUC Enforcement Officer Douglas Wells attempted to contact the carrier by email. A second email was sent on October 6, 2023. A phone call was placed October 13, 2023 at which time I was advised that the respondent was out of the country and was due to return in a few weeks. Another email was sent on November 15, 2023. On November 17, 2023, Officer Wells sent a No-Contact letter to the respondent. A second No-Contact letter was sent on November 27, 2023 and a Certified No-Contact letter was sent on December 22, 2023.

4. That Respondent, by failing to achieve a satisfactory evaluation on a safety fitness review, violated 66 Pa. § 501(c) and, for failure to maintain adequate, efficient, and safe service and facilities, violated 66 Pa. § 1501. The penalty for this violation is cancellation of the certificate held by Respondent with this Commission at utility code 640261.

*Wherefore*, the Bureau of Investigation and Enforcement hereby requests that the Commission revoke the certificate of public convenience issued to David Temple, Esq, T/A Aladdin Limo, Inc., at PUC utility code number 640261.

Respectfully submitted,  
Andrew Turriziani, Chief  
Bureau of Investigation and Enforcement  
Motor Carrier Enforcement Division  
400 North Street  
Harrisburg, PA 17120

VERIFICATION

I, Andrew Turriziani, hereby state that the facts above set forth are true and correct to the best of my knowledge, information, and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 24 January 2024

Andrew Turriziani, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement

## PHILADELPHIA PARKING AUTHORITY

### Service of Notice of Motor Carrier Applications in the City of Philadelphia

#### NOTICE

A. You must file an Answer within twenty (20) days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An Answer is a written explanation of circumstances wished to be considered in determining the outcome. The Answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your Answer must be verified, and the original shall be mailed to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
400 North Street, 2nd Floor  
Harrisburg, PA 17120

Or you may eFile your Answer using the Commission's website at [www.puc.pa.gov](http://www.puc.pa.gov). The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Bureau of Investigation and Enforcement  
Pennsylvania Public Utility Commission  
400 North Street, 3rd Floor  
Harrisburg, PA 17120

Or, e-mailed to: [RA-PCCmplntResp@pa.gov](mailto:RA-PCCmplntResp@pa.gov)

B. If you fail to answer this complaint within twenty (20) days, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty. The penalty could include a fine, the suspension or revocation of your certificate of public convenience or other remedy.

C. If you file an Answer, which admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty.

D. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The judge is not bound by the optional fine set forth above.

E. Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714.

ROSEMARY CHIAVETTA,  
Secretary

[Pa.B. Doc. No. 24-382. Filed for public inspection March 15, 2024, 9:00 a.m.]

The following permanent authority applications to render service as common carriers in the City of Philadelphia have been filed with the Philadelphia Parking Authority's (PPA) Taxicab and Limousine Division (TLD). Formal protests must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority) with the TLD's Office of the Clerk, 2415 South Swanson Street, Philadelphia, PA 19148, no later than April 1, 2024. The nonrefundable protest filing fee is \$5,000 payable to the PPA by certified check or money order. The applications are available for inspection at the TLD between 9 a.m. and 4 p.m., Monday through Friday (contact TLD Director Peter Carnival at (215) 683-9653 to make an appointment) or may be inspected at the business addresses of the respective applicants or attorneys, or both.

**Doc. No. A-24-02-04. Book A Car PA, Inc.** (1883 Strahle Street, Philadelphia, PA 19152): An application for a limousine certificate of public convenience (CPC) to transport persons and their baggage in luxury limousine service on an exclusive basis, arranged for in advance, between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* David Temple, Esq., 111 Buck Road, Building 500, Suite 1, Huntingdon Valley, PA 19006.

**Doc. No. A-24-02-05. Korban Ali, LLC** (12459 Nanton Drive, Philadelphia, PA 19154): An application for a medallion taxicab CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* Shintia Zaman Riva, Esq., 1914 Chandler Street, Philadelphia, PA 19111.

**Doc. No. A-24-02-06. Zbazz Tran, Inc.** (76 Chaddwyck Boulevard, New Castle, DE 19720): An application for a medallion taxicab CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* Shintia Zaman Riva, Esq., 1914 Chandler Street, Philadelphia, PA 19111.

**Doc. No. A-24-02-07. Voyage Limousine, LLC** (1883 Strahle Street, Philadelphia, PA 19152): An application for a limousine CPC to transport persons and their baggage in luxury limousine service on an exclusive basis, arranged for in advance, between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* David Temple, Esq., 111 Buck Road, Building 500, Suite 1, Huntingdon Valley, PA 19006.

RICH LAZER,  
Executive Director

[Pa.B. Doc. No. 24-383. Filed for public inspection March 15, 2024, 9:00 a.m.]

## STATE CONSERVATION COMMISSION

### Action on Odor Management Plans for Concentrated Animal Operations and Concentrated Animal Feeding Operations and Volunteers Complying with the Commonwealth's Facility Odor Management Program

The State Conservation Commission has taken the following actions on previously received applications for Odor Management Plans under 3 Pa.C.S. §§ 501—522 (relating to nutrient management and odor management).

Persons aggrieved by any action may appeal under 3 Pa.C.S. § 517 (relating to appealable actions), section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Hamilton Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, so individuals interested in challenging this action should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

#### Odor Management Plan—Public Notice Spreadsheet—Actions

<i>Ag Operation Name, Address</i>	<i>County/Township</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>New, Amended or Existing</i>	<i>Action Taken</i>
Timothy R. Goss—Goss Family Farm 123 Decatur Road McClure, PA 17841	Mifflin County/ Decatur Township	718.5	Swine/ Cattle	Amended	Approved
Timothy H. Hurst—Home Farm 788 King Pen Road Kirkwood, PA 17536	Lancaster County/ Little Britain Township	48.98	Cattle	New	Approved
Loren Horning—Broiler Farm 10696 Route 235 Beaver Springs, PA 17812	Snyder County/ Adams Township	186.97	Poultry/ Broilers	New	Approved
Nathan Zimmerman—Layer Farm 760 North Market Street Myerstown, PA 17067	Lebanon County/ Heidelberg Township	251.2	Poultry/ Layers	New	Approved
Shawn L. Martin—The Martin Farm 146 Greble Road Myerstown, PA 17067	Berks County/ Tulpehocken Township	107.04	Poultry/ Broilers	New	Approved
Denis Beachel—Marr Farm 309 Fairview Road Danville, PA 17821	Montour County/ Limestone Township	424.85	Poultry/ Turkey	Existing	Rescinded
Vernon Leid—Swine Site 1 31 Dad Burnham's Road Pine Grove, PA 17963	Schuylkill County/ Washington Township	74.79	Swine	New	Approved
Hoffman Brother's Farm, LLC— Broiler Farm 2262 Middle Road Richfield, PA 17086	Snyder County/ West Perry Township	280.11	Poultry/ Broilers	New	Approved

RUSSELL REDDING,  
*Chairperson*

[Pa.B. Doc. No. 24-384. Filed for public inspection March 15, 2024, 9:00 a.m.]



## SUSQUEHANNA RIVER BASIN COMMISSION

### Projects Approved for Consumptive Uses of Water

The Susquehanna River Basin Commission (Commission) has approved by rule the following projects from January 1, 2024, through January 31, 2024.

For further information, contact Jason E. Oyler, General Counsel and Secretary, (717) 238-0423, Ext. 1312, fax (717) 238-2436, joyler@srbc.gov. Regular mail inquiries may be sent to the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788.

#### *Supplementary Information*

This notice lists the projects, described as follows, receiving approval for the consumptive use of water under the Commission's approval by rule process in 18 CFR 806.22(f) (relating to standards for consumptive uses of water) for the time period previously specified.

#### *Water Source Approval—Issued Under 18 CFR 806.22(f):*

1. RENEWAL—BKV Operating, LLC; Pad ID: Macialek 1 Pad; ABR-201201010.R2; Washington Township, Wyoming County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: January 16, 2024.

2. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: Elwell; ABR-201201009.R2; Wilmot Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: January 16, 2024.

3. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: Redbone; ABR-201201004.R2; Wilmot Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: January 16, 2024.

4. RENEWAL—EQT ARO, LLC; Pad ID: Lycoming H&FC Pad F; ABR-201309015.R2; Lewis Township, Lycoming County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: January 16, 2024.

5. RENEWAL—SWN Production Company, LLC; Pad ID: FLICKS RUN; ABR-201201011.R2; Cogan House Township, Lycoming County, PA; Consumptive Use of Up to 4.9990 mgd; Approval Date: January 16, 2024.

6. RENEWAL—SWN Production Company, LLC; Pad ID: TI-46 Bliss Pad; ABR-201701001.R1; Liberty Township, Tioga County, PA; Consumptive Use of Up to 4.9990 mgd; Approval Date: January 16, 2024.

7. RENEWAL—XPR Resources, LLC; Pad ID: Alder Run Land 3H; ABR-201812003.R1; Cooper Township, Clearfield County, PA; Consumptive Use of Up to 0.9900 mgd; Approval Date: January 16, 2024.

8. RENEWAL—XPR Resources, LLC; Pad ID: Alder Run Land LP 1H; ABR-201812002.R1; Cooper Township, Clearfield County, PA; Consumptive Use of Up to 0.9900 mgd; Approval Date: January 16, 2024.

9. SWN Production Company, LLC; Pad ID: NR 13 Brant West; ABR-202401001; Great Bend Township, Susquehanna County, PA; Consumptive Use of Up to 4.9990 mgd; Approval Date: January 16, 2024.

10. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: Alvarez; ABR-201301012.R2; Wilmot Township, Bradford County, and Windham Township, Wyoming County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: January 28, 2024.

11. RENEWAL—Coterra Energy, Inc.; Pad ID: SquierR P1; ABR-201401004.R2; Brooklyn Township, Susquehanna County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: January 28, 2024.

12. RENEWAL—Repsol Oil & Gas USA, LLC; Pad ID: Johnson (02 135) K; ABR-201701003.R1; Hamilton Township, Tioga County, PA; Consumptive Use of Up to 6.0000 mgd; Approval Date: January 28, 2024.

13. RENEWAL—Seneca Resources Company, LLC; Pad ID: Tolbert 263; ABR-201201022.R2; Jackson Township, Tioga County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: January 28, 2024.

14. RENEWAL—SWN Production Company, LLC; Pad ID: HEBDA-VANDEMARK; ABR-201201025.R2; Stevens Township, Bradford County, PA; Consumptive Use of Up to 4.9990 mgd; Approval Date: January 28, 2024.

15. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: Fox; ABR-201201007.R2; Mehoopany Township, Wyoming County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: January 30, 2024.

16. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: HOFFMAN UNIT PAD; ABR-201901002.R1; Overton Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: January 30, 2024.

17. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: Kathryn; ABR-201201006.R2; Wilmot Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: January 30, 2024.

18. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: Raimo; ABR-201201005.R2; Monroe Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: January 30, 2024.

19. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: Ridenour; ABR-201201008.R2; Cherry Township, Sullivan County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: January 30, 2024.

20. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: Rogers Drilling Pad; ABR-201401006.R2; Lenox Township, Susquehanna County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: January 30, 2024.

21. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: Yoder Drilling Pad # 1; ABR-201201003.R2; Leroy Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: January 30, 2024.

22. RENEWAL—Range Resources—Appalachia, LLC; Pad ID: Corson, Eugene 1H—6H; ABR-201201017.R2; Anthony Township, Lycoming County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: January 30, 2024.

23. RENEWAL—Repsol Oil & Gas USA, LLC; Pad ID: COOLEY (05 266) D; ABR-201901003.R1; Pike Township, Bradford County, PA; Consumptive Use of Up to 6.0000 mgd; Approval Date: January 30, 2024.

24. RENEWAL—SWN Production Company, LLC; Pad ID: NR-15-HUGHES-PAD; ABR-201401007.R2; Great Bend Township, Susquehanna County, PA; Consumptive Use of Up to 4.9990 mgd; Approval Date: January 30, 2024.

25. RENEWAL—SWN Production Company, LLC; Pad ID: WY 04 DIMMIG; ABR-201401009.R2; Forkston Township, Wyoming County, PA; Consumptive Use of Up to 4.9990 mgd; Approval Date: January 30, 2024.

26. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: Burkhart; ABR-201201028.R2; Forks Township, Sullivan



County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: January 31, 2024.

27. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: Calmitch; ABR-201201029.R2; Wilmot Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: January 31, 2024.

28. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: Finan; ABR-201301014.R2; Wilmot Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: January 31, 2024.

29. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: Rosiemar; ABR-201301016.R2; Auburn Township, Susquehanna County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: January 31, 2024.

30. RENEWAL—Repsol Oil & Gas USA, LLC; Pad ID: Barner 709; ABR-201201031.R2; Liberty Township, Tioga County, PA; Consumptive Use of Up to 6.0000 mgd; Approval Date: January 31, 2024.

*Authority:* Pub.L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806 and 808

*Dated:* February 28, 2024

ANDREW D. DEHOFF,  
*Executive Director*

[Pa.B. Doc. No. 24-385. Filed for public inspection March 15, 2024, 9:00 a.m.]

