

PENNSYLVANIA BULLETIN

Volume 54
Saturday, March 23, 2024 • Harrisburg, PA
Number 12
Pages 1517-1646

Agencies in this issue

The Governor
The Courts
Department of Banking and Securities
Department of Community and Economic
Development
Department of Conservation and Natural
Resources
Department of Education
Department of Environmental Protection
Department of Health
Department of Human Services
Department of Transportation
Environmental Quality Board
Governor's Office
Insurance Department
Pennsylvania Gaming Control Board
Pennsylvania Public Utility Commission
Susquehanna River Basin Commission
Detailed list of contents appears inside.



**Latest Pennsylvania Code Reporter
(Master Transmittal Sheet):**

No. 592, March 2024

CUT ON DOTTED LINES AND ENCLOSE IN AN ENVELOPE

CHANGE NOTICE/NEW SUBSCRIPTION

If information on mailing label is incorrect, please email changes to info@pbulletin.com or mail to:

FRY COMMUNICATIONS, INC.
Attn: *Pennsylvania Bulletin*
800 W. Church Rd.
Mechanicsburg, PA 17055-3198

CUSTOMER NUMBER (6 digit number above name on mailing label)

NAME OF INDIVIDUAL

OFFICE NAME—TITLE

ADDRESS (Number and Street)

(City) (State) (Zip Code)

TYPE OR PRINT LEGIBLY

PENNSYLVANIA



BULLETIN

(ISSN 0162-2137)

The *Pennsylvania Bulletin* is published weekly by Fry Communications, Inc. for the Commonwealth of Pennsylvania, Legislative Reference Bureau, 641 Main Capitol Building, Harrisburg, Pennsylvania 17120, under the policy supervision and direction of the Joint Committee on Documents under 45 Pa.C.S. Part II (relating to publication and effectiveness of Commonwealth documents). The subscription rate is \$87.00 per year, postpaid to points in the United States. Individual copies are \$2.50. Checks for subscriptions and individual copies should be made payable to "*Fry Communications, Inc.*" Periodicals postage paid at Harrisburg, Pennsylvania.

Postmaster send address changes to:

FRY COMMUNICATIONS, Inc.
Attn: *Pennsylvania Bulletin*
800 West Church Road
Mechanicsburg, Pennsylvania 17055-3198
(717) 766-0211 ext. 2340
(800) 334-1429 ext. 2340 (toll free, out-of-State)
(800) 524-3232 ext. 2340 (toll free, in State)

Orders for subscriptions and other circulation matters should be sent to:

Fry Communications, Inc.
Attn: *Pennsylvania Bulletin*
800 West Church Road
Mechanicsburg, Pennsylvania 17055-3198

Copyright © 2024 Commonwealth of Pennsylvania

Editorial preparation, composition, printing and distribution of the *Pennsylvania Bulletin* is effected on behalf of the Commonwealth of Pennsylvania by FRY COMMUNICATIONS, Inc., 800 West Church Road, Mechanicsburg, Pennsylvania 17055-3198.

CONTENTS

THE GOVERNOR

Increase in the minimum wage to be paid to persons employed by, and by means of contracts with, Commonwealth agencies under the Governor's jurisdiction effective July 1, 2024 1524

THE COURTS

JUDICIAL SYSTEM GENERAL PROVISIONS

Amendment of financial regulation pursuant to 42 Pa.C.S. § 3502(C); No. 615 judicial administration docket 1525

LOCAL COURT RULES

Bucks County

Promulgation of rules of judicial administration No. 5102.1 and 5103.1; administrative order No. 120 1525

Carbon County

Adoption of local rules of judicial administration CARB.R.J.A. 5102—5105 for the custody of exhibits in court proceedings; case No. 24-CV-0442; 24-RW-0095; CP-13-AD-0000006-2024 1526

Clarion County

Adoption of local rules of administrative procedure—custody of exhibits; 174 CD 2024 1528

Monroe County

Local rule of judicial administration 5101 to 5104 adopted; 5 CV 2024 1529

Montgomery County

Adoption of local rule of judicial administration 5104*—custody of exhibits; No. 2024-00001 1531
Rescission of local rule of civil procedure 223*—custody and storage of trial exhibits; No. 2024-00001 1532

Pike County

Local rule judicial administration 5102 et al. custody of exhibits; No. 300-2024 1532

Snyder County

Judicial administration; No. MC-35-2024 1535

Union County

Judicial administration; No. AD-3-2024 1535

EXECUTIVE AND INDEPENDENT AGENCIES

DEPARTMENT OF BANKING AND SECURITIES

Notices

Actions on applications 1553

DEPARTMENT OF COMMUNITY AND ECONOMIC DEVELOPMENT

Notices

Substantial amendment to the 2019—2023 Consolidated Plan and 2019 Action Plan; public hearing 1554

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

Notices

Conservation and Natural Resources Advisory Council public meeting 1554

DEPARTMENT OF EDUCATION

Notices

Application by Trinity School for Ministry to amend articles of incorporation 1555

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices

Applications, actions and special notices 1555
Draft Total Maximum Daily Load Program priorities for 2024—2032; available for public comment 1634
Laboratory Accreditation Advisory Committee meeting scheduled 1635
Planning grant award under section 901 of the Municipal Waste Planning, Recycling and Waste Reduction Act, Act 101 of 1988 1635

DEPARTMENT OF HEALTH

Notices

Ambulatory surgical facilities; requests for exceptions 1636
Home care agencies and home care registries; requests for exceptions 1636
Home health care agencies; requests for exceptions 1637
Hospitals; requests for exceptions 1637
Special Supplemental Nutrition Program for Women, Infants and Children (WIC Program); competitive prices and peer group criteria 1638

DEPARTMENT OF HUMAN SERVICES

Notices

Disproportionate share and supplemental hospital payments 1641

DEPARTMENT OF TRANSPORTATION

Notices

Finding 1641

ENVIRONMENTAL QUALITY BOARD

Proposed Rulemaking

Acceptance of rulemaking petition for study 1552

GOVERNOR'S OFFICE

Notice

Regulatory agenda; correction 1642

Available Online at <http://www.pacodeandbulletin.gov>

INSURANCE DEPARTMENT

Notices

Autism spectrum disorders coverage—maximum benefit adjustment; notice 2024-03 1643

Review procedure hearing under the Unfair Insurance Practices Act 1643

PENNSYLVANIA GAMING CONTROL BOARD

Rules and Regulations

Roulette side wagers and variations—temporary regulations; Blackjack side wagers and variations—temporary regulations; Ultimate Texas Hold 'Em Poker side wagers and variations—temporary regulations; Criss-Cross Poker side wagers and variations—temporary regulations; Crazy Time—temporary regulations 1537

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Notices

Service of notice of motor carrier applications 1644

SUSQUEHANNA RIVER BASIN COMMISSION

General permits notice 1645

Projects approved for consumptive uses of water 1645

Projects approved for minor modifications 1646

READER'S GUIDE TO THE PENNSYLVANIA BULLETIN AND THE PENNSYLVANIA CODE

Pennsylvania Bulletin

The *Pennsylvania Bulletin* is the official gazette of the Commonwealth of Pennsylvania. It is published weekly. A cumulative subject matter index is published quarterly.

The *Pennsylvania Bulletin* serves several purposes. It is the temporary supplement to the *Pennsylvania Code*, which is the official codification of agency rules and regulations, Statewide court rules, and other statutorily authorized documents. Changes in the codified text, whether by adoption, amendment, rescission, repeal or emergency action, must be published in the *Pennsylvania Bulletin*.

The following documents are published in the *Pennsylvania Bulletin*: Governor's Executive Orders; Summaries of Enacted Statutes; Statewide and Local Court Rules; Attorney General Opinions; Motor Carrier Applications before the Pennsylvania Public Utility Commission; Applications and Actions before the Department of Environmental Protection; Orders of the Independent Regulatory Review Commission; and other documents authorized by law.

The text of certain documents published in the *Pennsylvania Bulletin* is the only valid and enforceable text. Courts are required to take judicial notice of the *Pennsylvania Bulletin*.

Adoption, Amendment or Repeal of Regulations

Generally an agency wishing to adopt, amend or rescind regulations must first publish in the *Pennsylvania Bulletin* a Proposed Rulemaking. There are limited instances when the agency may omit the proposal step; it still must publish the adopted version.

The Proposed Rulemaking contains the full text of the change, the agency contact person, a fiscal note required by law and background for the action.

The agency then allows sufficient time for public comment before taking final action. A Final Rulemaking must be published in the *Pennsylvania Bulletin* before the changes can take effect. If the agency wishes to adopt changes to the Proposed Rulemaking to enlarge the scope, it must repropose.

Citation to the *Pennsylvania Bulletin*

Cite material in the *Pennsylvania Bulletin* by volume number, a page number and date. Example: Volume 1, *Pennsylvania Bulletin*, page 801, January 9, 1971 (short form: 1 Pa.B. 801 (January 9, 1971)).

Pennsylvania Code

The *Pennsylvania Code* is the official codification of rules and regulations issued by Commonwealth agencies, Statewide court rules and other statutorily authorized documents. The *Pennsylvania Bulletin* is the temporary supplement to the *Pennsylvania Code*, printing changes when they are adopted. These changes are then permanently codified by the *Pennsylvania Code Reporter*, a monthly, loose-leaf supplement.

The *Pennsylvania Code* is cited by title number and section number. Example: Title 10 *Pennsylvania Code* § 1.1 (short form: 10 Pa. Code § 1.1).

Under the *Pennsylvania Code* codification system, each regulation is assigned a unique number by title and section. Titles roughly parallel the organization of Commonwealth government.

How to Find Rules and Regulations

Search for your area of interest in the *Pennsylvania Code*. The *Pennsylvania Code* is available at www.pacodeandbulletin.gov.

Source Notes give the history of regulations. To see if there have been recent changes not yet codified, check the List of *Pennsylvania Code* Chapters Affected in the most recent issue of the *Pennsylvania Bulletin*.

A chronological table of the history of *Pennsylvania Code* sections may be found at www.legis.state.pa.us/cfdocs/legis/CH/Public/pcde_index.cfm.

A quarterly List of *Pennsylvania Code* Sections Affected lists the regulations in numerical order, followed by the citation to the *Pennsylvania Bulletin* in which the change occurred.

The *Pennsylvania Bulletin* is available at www.pacodeandbulletin.gov.

Subscription Information: (717) 766-0211
General Information and Finding Aids: (717) 783-1530

Printing Format

Rules, Regulations and Statements of Policy in Titles 1—107 of the Pennsylvania Code

Text proposed to be added is printed in **underscored bold face**. Text proposed to be deleted is enclosed in brackets [] and printed in **bold face**.

Proposed new chapters and sections are printed in regular type to enhance readability. Final rulemakings and statements of policy are printed in regular type.

Ellipses, a series of five asterisks, indicate text that is not amended.

In Proposed Rulemakings and proposed Statements of Policy, existing text corresponds to the official codified text in the *Pennsylvania Code*.

Court Rules in Titles 201—246 of the Pennsylvania Code

Added text in proposed and adopted court rules is printed in **underscored bold face**. Deleted text in proposed and adopted court rules is enclosed in brackets [] and printed in **bold face**.

Proposed new chapters and rules are printed in regular type to enhance readability.

Ellipses, a series of five asterisks, indicate text that is not amended.

Fiscal Notes

Section 612 of The Administrative Code of 1929 (71 P. S. § 232) requires the Governor's Budget Office to prepare a fiscal note for regulatory actions and administrative procedures of the administrative departments, boards, commissions and authorities receiving money from the State Treasury. The fiscal note states whether the action or procedure causes a loss of revenue or an increase in the cost of programs for the Commonwealth or its political subdivisions. The fiscal note is required to be published in the *Pennsylvania Bulletin* at the same time as the change is advertised.

A fiscal note provides the following information: (1) the designation of the fund out of which the appropriation providing for expenditures under the action or procedure shall be made; (2) the probable cost for the fiscal year the program is implemented; (3) projected cost estimate of the program for each of the 5 succeeding fiscal years; (4) fiscal history of the program for which expenditures are to be made; (5) probable loss of revenue for the fiscal year of its implementation; (6) projected loss of revenue from the program for each of the 5 succeeding fiscal years; (7) line item, if any, of the General Appropriation Act or other appropriation act out of which expenditures or losses of Commonwealth funds shall occur as a result of the action or procedures; and (8) recommendation, if any, of the Secretary of the Budget and the reasons therefor.

The omission of an item indicates that the agency text of the fiscal note states that there is no information available with respect thereto. In items (3) and (6) information is set forth for the first through fifth fiscal years, following the year the program is implemented, which is stated. In item (4) information is set forth for the current and two immediately preceding years. In item (8) the recommendation, if any, made by the Secretary of the Budget is published with the fiscal note. "No fiscal impact" means no additional cost or revenue loss to the Commonwealth or its local political subdivision is intended. See 4 Pa. Code Chapter 7, Subchapter R (relating to fiscal notes).

Reproduction, Dissemination or Publication of Information

Third parties may not take information from the *Pennsylvania Code* and *Pennsylvania Bulletin* and reproduce, disseminate or publish information except as provided by 1 Pa. Code § 3.44:

§ 3.44. General permission to reproduce content of *Code* and *Bulletin*.

Information published under this part, which information includes, but is not limited to, cross references, tables of cases, notes of decisions, tables of contents, indexes, source notes, authority notes, numerical lists and codification guides, other than the actual text of rules or regulations may be reproduced only with the written consent of the [Legislative Reference] Bureau. The information which appears on the same leaf with the text of a rule or regulation, however, may be incidentally reproduced in connection with the reproduction of the rule or regulation, if the reproduction is for the private use of a subscriber and not for resale. There are no other restrictions on the reproduction of information published under this part, and the Commonwealth hereby consents to a reproduction.

THE GOVERNOR

GOVERNOR'S OFFICE

Increase in the Minimum Wage to be Paid to Persons Employed by, and by Means of Contracts with, Commonwealth Agencies under the Governor's Jurisdiction Effective July 1, 2024

Beginning in 2024, Section 1.b. of Executive Order 2016-02 (Amended) requires the minimum wage paid to:

- (a) employees of Commonwealth agencies under the Governor's jurisdiction; and,
- (b) employees as defined in the Minimum Wage Act of 1968, who (pursuant to a lease or property, or to a contract for services or construction that exceeds the applicable small purchase threshold, including bilateral modifications to such leases or contracts) directly perform services or construction for a Commonwealth agency under the Governor's jurisdiction; or, who directly perform services for the Commonwealth and are employed by a lessor of property to the Commonwealth; or spend at least 20 percent of their working time in a given work week performing an ancillary service,

to be increased by an annual cost-of-living adjustment by applying the year-over-year percentage change in the Consumer Price Index for All Urban Consumers for the Pennsylvania, New Jersey, Delaware and Maryland area as officially reported by the United States Department of Labor, Bureau of Labor Statistics. The revised minimum wage amount is to be published in the *Pennsylvania Bulletin*.

Effective July 1, 2024, the revised minimum wage amount applicable to such employees under Executive Order 2016-02 (Amended) is \$16.74 per hour.

URI MONSON,
Secretary

[Pa.B. Doc. No. 24-387. Filed for public inspection March 22, 2024, 9:00 a.m.]

THE COURTS

Title 204—JUDICIAL SYSTEM GENERAL PROVISIONS

PART VII. ADMINISTRATIVE OFFICE OF PENNSYLVANIA COURTS

[204 PA. CODE CH. 207]

Amendment of Financial Regulation Pursuant to 42 Pa.C.S. § 3502(C); No. 615 Judicial Adminis- tration Docket

Order

Per Curiam

And Now, this 6th day of March, 2024, it is Ordered, pursuant to Article V, Section 10(c) of the Constitution of Pennsylvania and 42 Pa.C.S. § 3502(a), that the attached amendments to the Financial Regulation are hereby adopted.

To the extent that notice of proposed rulemaking may be required by Pa.R.J.A. 103(a), the immediate promulgation of the regulation is hereby found to be in the interests of efficient administration. *See* Pa.R.J.A. 103(a)(3).

This Order is to be processed in accordance with Pa.R.J.A. 103(b), and the amendments shall be effective April 1, 2024.

Annex A

TITLE 204. JUDICIAL SYSTEM GENERAL PROVISIONS

PART VII. ADMINISTRATIVE OFFICE OF PENNSYLVANIA COURTS

CHAPTER 207. TRANSMITTING REMITTANCES

§ 207.3. Online Payment Convenience Fee—Adjust- ment of Fines, Costs, Fees, and Other Remit- tances.

(a) Pursuant to 42 Pa.C.S. § 3502(c)(3), the Court Administrator of Pennsylvania hereby adjusts the level of fines, costs, fees, and other remittances by assessing a non-refundable [**\$2.75**] **2.75 percent (%)** convenience fee for online credit/debit card payments of court costs, fines, fees, and restitution associated with pre-existing cases, cases initiated within the Magisterial District Judge, Common Pleas, and Appellate Court Case Management Systems of the Pennsylvania Courts, or filings submitted via the Guardianship Tracking System. **The 2.75 % convenience fee shall also be assessed on any other online credit/debit card payments initiated through the AOPC's UJS Portal.** Said amount shall be paid through a contracted financial intermediary and shall be added at the time of the payment.

(b) This regulation shall become effective [**January 1, 2010**] **April 1, 2024**, and shall apply to all online credit/debit card payments initiated through the AOPC's UJS Portal [**made on or after this date on pre-existing cases, cases initiated within the Magisterial District Judge, Common Pleas, and Appellate**

Court Case Management Systems of the Pennsylvania Courts, or filings submitted via the Guardianship Tracking System].

[Pa.B. Doc. No. 24-388. Filed for public inspection March 22, 2024, 9:00 a.m.]

Title 255—LOCAL COURT RULES

BUCKS COUNTY

Promulgation of Rules of Judicial Administration No. 5102.1 and 5103.1; Administrative Order No. 120

Order

And Now, this 12th day of March, 2024, the Court hereby promulgates Bucks County Rules of Judicial Administration No. 5102.1 and 5103.1 as follows:

Rule 5102.1. Custody of Exhibits. General Provi- sions.

(a) *Documentary Exhibits. Court Proceedings before a Judge.* The court clerk or other member of the Court's staff as designated by the presiding judge shall be the "Custodian," as defined by Pa.R.J.A. 5101(a)(2), of all documentary exhibits, photographs, and photographs of non-documentary exhibits submitted and accepted or rejected during the court proceeding, and shall maintain an index of exhibits.

(b) *Documentary Exhibits. Court Proceedings before a Hearing Officer or other Quasi-judicial officer.* The Hearing Officer or other Quasi-judicial officer conducting a record proceeding shall be the "Custodian," as defined by Pa.R.J.A. 5101(a)(2), of all documentary exhibits, photographs, and photographs of non-documentary exhibits submitted and accepted or rejected during the proceeding, and shall maintain an index of exhibits.

(1) The Custodian shall secure and maintain all documentary exhibits during court proceedings, including breaks and recesses, unless otherwise provided in Pa.R.J.A. 5103(c)-(d).

(2) Should the nature of the proceeding require that more than one custodian serve, the initial custodian shall provide the subsequent custodian (and so on, if more than two custodians serve) with the submitted and accepted or rejected exhibits and the index of exhibits.

(c) *Non-documentary Exhibits. All Court Proceedings.* Subject to Pa.R.J.A. No. 5104(c) and (d), the court clerk or other member of the Court's staff as designated by the presiding judge or the Hearing Officer or other Quasi-judicial officer shall be the "Custodian," as defined by Pa.R.J.A. 5101(a)(2), of all non-documentary exhibits which, in the discretion of the Court or Hearing Officer, may be reasonably maintained in the Custodian's possession during the proceeding. In the event that any non-documentary exhibit is not able to be retained by the Custodian due to its bulk, size, or any other factor, the proponent of such bulky or oversize exhibit shall be the Custodian thereof, as provided by Pa.R.J.A. No. 5103(c)(3).

(d) *After Court Proceedings.*

(1) *Custodian.* The Custodian of exhibits defined by sections (a), (b) and (c) above shall, at the conclusion of the proceeding:

(i) retain or take custody of all documentary exhibits, photographs, and photographs of non-documentary exhibits accepted or rejected during the court proceeding;

(ii) file all documentary exhibits, photographs, and photographs of non-documentary exhibits with the appropriate records office immediately following, but in any event no later than five (5) business days of, the conclusion of the proceeding, unless otherwise directed by the Court; and

Note: For the purposes of this rule, “the appropriate records office” shall be the filing/records office in which the legal papers on which the court proceeding is based are filed.

(iii) secure and maintain all other non-documentary exhibits as:

- a. provided by rule;
- b. directed by the court; or
- c. agreed by the parties with the approval of the Court.

(e) *Alternate Custodial Process.* Notwithstanding any provision above, the parties may agree to an alternate custodial process if approved by the presiding judge, hearing officer or other quasi-judicial officer.

Rule 5103.1. Custody of Exhibits. Special Provisions.

(a) *Reproduction of Oversized or Voluminous Documentary Exhibits.*

(1) Where any intended documentary exhibit exceeds 200 pages (single sided) in length, the proponent shall cause the exhibit to be converted into a portable document file (“pdf”) and stored on a portable media device. For purposes of submission to the Court and retention, the proponent shall place the portable media device in an envelope not to exceed 8.5 × 11 inches in size bearing a label or containing a separate sheet of paper describing the contents of the portable media device, which description shall include at minimum:

- (i) the case caption and docket number;
- (ii) identity of the presiding judge or officer;
- (iii) proponent’s name;
- (iv) a brief description of the document and its content, which may include date of creation of the original documents (if known), date of conversion to pdf format, date of the proceeding at which it will be submitted, and the exhibit number or other designation assigned by the Court upon submission (if known).

(b) *Maintenance and Security of Bulky or Oversized Non-documentary Exhibits During and After the Court Proceeding.*

(1) In any proceeding at which a party anticipates submission of bulky or oversized non-documentary exhibits, the submitting party shall make the Court aware of the nature of any such exhibit and shall request that the Court conduct a conference at which the Court shall determine the appropriate procedure for submission, maintenance and security of any such exhibit both during and after the proceeding, or for any alternate or necessary arrangements as determined by the Court in its discretion.

(2) The Court shall enter an order confirming the procedures determined for submission, handling and security of any such exhibit.

This rule shall be effective 30 days from the date of publication in the *Pennsylvania Bulletin*.

By the Court

RAYMOND F. McHUGH,
President Judge

[Pa.B. Doc. No. 24-389. Filed for public inspection March 22, 2024, 9:00 a.m.]

Title 255—LOCAL COURT RULES

CARBON COUNTY

Adoption of Local Rules of Judicial Administration CARB.R.J.A. 5102—5105 for the Custody of Exhibits in Court Proceedings; Case No. 24-CV-0442; 24-RW-0095; CP-13-AD-0000006-2024

Administrative Order No. 10-2024

And Now, this 7th day of March, 2024, in order to establish Carbon County Local Rules of Judicial Administration CARB.R.J.A. 5102—5105 pertaining to the Custody of Exhibits in Court Proceedings, it is hereby

Ordered and Decreed that Carbon County Court of Common Pleas Local Rules of Judicial Administration CARB.R.J.A. 5102—5105 are *Adopted*, to be effective thirty (30) days after publication in the *Pennsylvania Bulletin*. A copy of each rule is as follows for easy reference.

The Carbon County District Court Administrator is *Ordered and Directed* to do the following with the Administrative Order and Rule:

1. E-mail one (1) copy with the Administrative Office of Pennsylvania Courts to adminrules@pacourts.us.
2. Mail one (1) copy with the Legislative Reference Bureau for publication in the *Pennsylvania Bulletin* to PA Code and Bulletin, Legislative Reference Bureau, 647 Main Capitol Building, Harrisburg, PA 17120 and e-mail one (1) copy in Microsoft Word format to bulletin@palrb.us.
3. Publish this local rule on the www.carboncourts.com website within 30 days after the publication in the *Pennsylvania Bulletin*.
4. File one (1) copy in the Carbon County Prothonotary, Register of Wills/Orphans Court, and Clerk of Courts Offices.
5. E-mail one (1) copy for publication in the *Carbon County Law Journal*.
6. Forward one (1) copy to the Carbon County Law Library.

By the Court

ROGER N. NANOVIC,
President Judge

Rule 5102. Custody of Exhibits. General Provisions.

(a) *During Court Proceedings.*

Unless otherwise directed by the court at the time of the Court Proceeding, during any Court Proceeding before a presiding judge of the Carbon County Court of Common

Pleas, including breaks and recesses, the Court Stenographer shall be the Custodian of all exhibits admitted into evidence. Those exhibits offered but not admitted into evidence shall be retained by the Proponent of the exhibit as Custodian thereof.

(b) *After Court Proceedings.*

(1) *Documents:* At the conclusion of a Court Proceeding, the Court Stenographer shall be the Custodian of all documentary exhibits, photographs and photographs of all non-documentary exhibits admitted into evidence during the proceeding. As Custodian of such documents, the Court Stenographer shall take and maintain custody of these exhibits and secure them at a location (Court Evidence Room) made available to the Stenographer for these purposes or as otherwise directed by the court. In accordance with Pa.R.J.A. No. 5103(a)(1), if a Proponent offers into evidence a document that is larger in size than 8 1/2 × 11 inches, the Proponent shall ensure that a copy of the document reduced to 8 1/2 × 11 inches (or smaller) is entered into the record.

(2) *Non-Documents:* With the exception of any weapons, ammunition, drugs, contraband or other dangerous or hazardous materials which are addressed in paragraph 3 below, and unless otherwise directed by the court, at the conclusion of a Court Proceeding, the Court Stenographer shall retain custody of all non-documentary exhibits admitted into evidence and secure and maintain them at a location (Court Evidence Room) made available to the Stenographer for these purposes. With respect to any non-documentary exhibit, the Proponent shall also ensure that a photograph (no larger in size than 8 1/2 × 11 inches) of the exhibit is entered into the record for inclusion in the documentary record.

At the conclusion of any post-trial proceedings, and after the exhaustion of any direct appeals or other pending direct challenges related to the proceedings, all such non-documentary exhibits, excluding cash, jewelry and other valuables as further addressed in paragraph 4 below, shall be returned by the Court Stenographer to the Proponent of the exhibit who will thereafter be responsible for maintaining and securing the exhibit as Custodian thereof until the latter of the expiration of any applicable retention schedule, law, rule, regulation or policy, or as otherwise directed by the court. To facilitate the transfer of non-documentary exhibits to the Proponent, upon receiving notice from the Stenographer of the intended transfer, the Proponent of the exhibits shall arrange with the Stenographer to have the exhibits picked up and upon receipt of such exhibits shall execute a receipt prepared by the Stenographer acknowledging the Proponent's receipt.

Any non-documentary exhibits not admitted into evidence shall be retained by the Proponent of the exhibit as Custodian thereof.

(3) At the conclusion of any Court Proceeding at which any weapons, ammunition, drugs, contraband or other dangerous or hazardous materials were admitted into evidence, unless otherwise ordered by the court, such exhibits shall be maintained and secured by the Proponent of the exhibit as Custodian thereof, including during any post-trial proceedings and until the exhaustion of any direct appeals or other pending direct challenges related to the proceedings. With respect to the exhibits covered by this paragraph, the Proponent shall ensure that a

photograph (no larger in size than 8 1/2 × 11 inches) of the exhibit is also entered into the record for inclusion in the documentary record. The Proponent of these exhibits shall further be responsible for maintaining and securing them until the latter of the expiration of any applicable retention schedule, law, rule, regulation or policy, or as otherwise directed by the court. With respect to any weapons, ammunition, drugs, contraband or other dangerous or hazardous materials which have been admitted into evidence, at the conclusion of the Court Proceedings, the Court Stenographer shall complete a transfer of custody document describing all such exhibits being transferred to the Proponent, said document to be signed by the Stenographer evidencing this transfer and acknowledged by the Proponent in writing acknowledging the Proponent's receipt of all such exhibits.

As to any weapons, ammunition, drugs, contraband or other dangerous or hazardous materials which have not been admitted into evidence, such exhibits shall be retained by the Proponent of the exhibit as Custodian thereof.

(4) At the conclusion of any Court Proceeding in which cash, jewelry or other valuables were admitted into evidence, such exhibits shall be maintained and secured by the Court Stenographer as Custodian thereof in a safe in the secured Court Evidence Room. Alternatively, with the Sheriff's consent, as to these exhibits, the Court Stenographer may designate the Sheriff as the Custodian's designee. If any of the exhibits covered by this paragraph are not admitted into evidence, the exhibits shall be retained by the Proponent of the exhibit as Custodian thereof.

(5) The court stenographer shall prepare an Index of Exhibits setting forth a numbered list of exhibits and for each exhibit identify the Proponent, whether the exhibit was admitted or rejected from evidence, and a textual description or identification of the exhibit. This Index shall be filed by the court stenographer in the appropriate Records Office within five business days of the conclusion of the court proceeding. The court stenographer shall retain a copy of the Index of Exhibits and provide a copy to counsel for each party, or to a party directly if unrepresented.

Rule 5103. Custody of Exhibits. Special Provisions.

(a) Any non-documentary exhibit which is retained by the Proponent during or after the Court, Master, or Hearing Officer proceeding must be photographed in color by the Proponent and presented in a letter-sized form (8 1/2 × 11 inches) document for inclusion in the record prior to the end of the proceeding. The photograph shall be marked as an exhibit and identified in the exhibits index.

(b) Any digital exhibit that is not also presented via photograph, and any documentary exhibits of extraordinary size or bulk shall be entered into the record on a Universal Serial Bus (USB) flash drive. Multiple digital exhibits may be submitted by a party on one USB flash drive.

Rule 5104. Custody of Exhibits. Local Rule. Prohibition.

(a) Excluded from the requirements of Carbon County Rule of Judicial Administration 5102 regarding the custody, retention and safeguarding of exhibits offered into evidence, whether or not admitted, are record hearings which may be appealed de novo to the Carbon County Court of Common Pleas or upon which exceptions or objections can be filed to the Carbon County Court of

Common Pleas. This exception includes but is not limited to proceedings before hearing officers in divorce, custody, support, delinquency, and dependency matters.

(b) Any exhibits offered into evidence in a proceeding excluded by this Rule from being subject to C.C.R.J.A. 5102 shall be retained by the hearing officer or master as Custodian thereof until thirty days after the time for filing an appeal, exceptions or objections has passed and shall thereafter be returned to the Proponent of the exhibit unless an appeal, exceptions or objections have been filed. In the event an appeal, exceptions or objections have been filed to the hearing officer's/master's findings and decision, upon being notified by the Court Stenographer that the required deposit for making a transcription has been received or is excused, the hearing officer/master shall transfer and deliver the exhibits to the Court Stenographer accompanied by a descriptive list of the exhibits transferred to be signed by the hearing officer/master and acknowledged in writing by the Court Stenographer, which list shall be retained by the Court Stenographer.

Rule 5105. Custody of Exhibits. Confidentiality. Exhibits Under Seal.

(a) The Proponent of an exhibit containing confidential information or confidential documents, as defined in the Case Records Access Policy of the Unified Judicial System of Pennsylvania ("Policy"), shall give a copy of the exhibit and a certification prepared in compliance with the Policy to the Court Stenographer no later than five days after the conclusion of the Court Proceeding, shall serve a copy on the presiding judge with a proposed order to have the document sealed or information therein kept confidential, if appropriate, and file a copy of the certification with the appropriate Records Office.

(b) Exhibits sealed by the Court during the Court proceeding shall not be accessible by the public.

[Pa.B. Doc. No. 24-390. Filed for public inspection March 22, 2024, 9:00 a.m.]

Title 255—LOCAL COURT RULES

CLARION COUNTY

Adoption of Local Rules of Administrative Procedure—Custody of Exhibits; 174 CD 2024

Order of Court

And Now, this 29th day of February, 2024, effective April 1, 2024 or thirty (30) days after publication in the *Pennsylvania Bulletin*, in accordance with Pa.R.J.A. 5101—5105, which address Custody of Exhibits in Court Proceedings and were issued by an Order of the Pennsylvania Supreme Court (to take effect on April 1, 2024), the Local Rules of the Clarion County Court of Common Pleas are hereby amended to include the new local rules 5102—5104 which are set forth as follows.

The Clarion County District Court Administrator is Ordered and Directed to do the following:

1. File one (1) copy with the Administrative Office of Pennsylvania Courts via email to admin.rules@pacourts.us.

2. File two (2) paper copies and one (1) electronic copy in a Microsoft Word format only to bulletin@palrb.us with the Legislative Reference Bureau for publication in the *Pennsylvania Bulletin*.

3. Publish these Rules on the Clarion County Court website at www.co.clarion.pa.us.

4. Incorporate the local rules into the set of Clarion County local rules within thirty (30) days after the publication of the local rules in the *Pennsylvania Bulletin*.

5. File one (1) copy of the local rules in the appropriate filing office for public inspection and copying.

By the Court

SARA J. SEIDLE-PATTON,
President Judge

Local Rules of Administrative Procedure.

Local Rules 5102, 5103 and 5104 are issued to align Clarion County Court of Common Pleas practice and procedure with Pa.R.J.A. 5101—5105. Reference to Pa.R.J.A. 5102—5105 shall be made when interpreting Clarion County Local Rules 5102, 5103 and 5104 and when determining the procedure and practice for custody of exhibits and exhibit retention in Clarion County.

Rule 5102. Custody of Exhibits. General Provisions.

(a) The bailiff, or bailiff's designee, of a court proceeding shall be designated as the "custodian," as defined by Pa.R.J.A. 5101(a)(2), for all documentary exhibits, photographs, and photographs of non-documentary exhibits accepted or rejected during the court proceeding and shall continue as custodian of all documentary exhibits, photographs and photographs of non-documentary exhibits after the court proceeding.

(b) The custodian shall utilize an Index of Exhibits form prescribed by the court to record all exhibits offered in a court proceeding in accordance with Pa.R.J.A. 5102(b)(2).

(c) The custodian serving at the conclusion of the proceeding shall file with the appropriate records office all submitted exhibits and index of exhibits within 5 business days of the conclusion of the proceeding.

(d) The proponent shall retain custody of non-documentary exhibits, including, but not limited to weapons, cash, other items of value, drugs, or other dangerous materials and bulky, oversized, or otherwise physically impractical exhibits at all times during and after a court proceeding and must appropriately secure and maintain all such exhibits.

Rule 5103. Custody of Exhibits. Special Provisions.

(1) Non-documentary exhibits must be photographed by the proponent, converted to 8 1/2 × 11 sized documents, and appropriately marked and produced to the custodian during the court proceeding.

(2) Unless otherwise provided by the presiding judge, at the conclusion of the court proceeding, non-documentary evidence shall be returned to the proponent for safekeeping as required by any applicable retention schedule, statute, rule, regulation, or policy, or until further order of court.

(3) Unless otherwise ordered, the proponent shall maintain non-documentary exhibits for the following time periods:

i. *Non-criminal matters.* Retain exhibits until the later of the expiration of the appeal period or final disposition of the appeal if one is taken.

ii. *Criminal matters:*

1. *Homicides.* Retain exhibits 75 years.

2. *Summary cases.* Retain exhibits 5 years.

3. *Other cases.* Retain exhibits 20 years.

(b) Any digital exhibit that cannot be printed (i.e., audio or video recording) shall be entered into the record on a Universal Serial Bus (USB) flash drive (or other format if expressly approved by the court). If one party has multiple digital exhibits, they may be submitted together on one USB flash drive.

(c) Any exhibit containing confidential information or equivalent to any of the categories enumerated in Pa. Access Policy § 8.0 shall include a Confidential Document Form so that the document can be properly sealed by the records office.

Rule 5104. Exempt Proceedings.

Any record hearing that may be appealed de novo to the Court of Common Pleas or upon which exceptions or objections can be filed to the Court of Common Pleas shall be exempt from the custody of exhibits procedures set forth in Rules 5102 and 5103. These hearings shall include, but are not limited to, divorce master's hearings, arbitration hearings, and hearings before a Domestic Relations hearing officer.

[Pa.B. Doc. No. 24-391. Filed for public inspection March 22, 2024, 9:00 a.m.]

Title 25—LOCAL COURT RULES

MONROE COUNTY

Local Rule of Judicial Administration 5101 to 5104 Adopted; 5 CV 2024

Order

And Now, this 12th day of March, 2024, it is *Ordered* that Monroe County Rules of Judicial Administration 5101 to 5104 (Monroe Co.R.J.A. 5101—5104) are as follows and adopted, effective thirty (30) days after publication in the *Pennsylvania Bulletin*.

It Is Further Ordered that the District Court Administrator shall:

1. File one (1) electronic copy of these Rules with the Administrative Office of Pennsylvania Courts via email to adminrules@pacourts.us.

2. File two (2) paper copies of this Order and Rules with the Legislative Reference Bureau and one (1) electronic copy in Microsoft Word format only via email to bulletin@palrb.us for publication in the *Pennsylvania Bulletin*.

3. Arrange to have these Rules published on the Monroe County Bar Association website at www.monroebar.org.

4. Arrange to have these Rules, as well as all local rules, published on the 43rd Judicial District website at www.monroepacourts.us.

5. Keep these Rules, as well as all local rules of this Court, continuously available for public inspection and copying in the respective Monroe County filing office

a. Upon request and payment of reasonable cost of reproduction and mailing, the respective filing office shall furnish to any person a copy of any local rule.

By the Court

MARGHERITA PATTI-WORTHINGTON,
President Judge

LOCAL RULES OF JUDICIAL ADMINISTRATION COURT OF COMMON PLEAS 43RD JUDICIAL DISTRICT MONROE COUNTY

Rule 5101. Custody of Exhibits in Court Proceedings.

(a) Matters regarding exhibits not addressed in these Local Rules shall be governed by Pa.R.J.A. 5101—5104.

Rule 5102. Custody of Exhibits. General Provisions.

(a) *During Court Proceedings.* The Court Reporter/Recorder/Monitor shall be the Custodian of all exhibits admitted or rejected during a Court Proceeding, including breaks and recesses, except:

(1) The Proponent shall secure all non-documentary exhibits that are bulky, oversized, or physically impractical for the Court Reporter/Recorder/Monitor to maintain, or evidence that is weapons, cash, items of value, drugs, or dangerous materials, while the Court Proceeding is in session, and during all breaks and recesses.

(2) In advance of a Court Proceeding, the Proponent shall prepare a photographic copy of all potential non-documentary exhibits pursuant to Pa.R.J.A. 5103(b) for submission to the Court Reporter/Recorder/Monitor at the conclusion of the Court Proceeding in accordance with all applicable Local Rules.

(3) The Proponent shall include a Confidential Information Form or Confidential Document Form for any exhibit offered into evidence that contains confidential information or confidential documents as defined in the Case Records Public Access Policy of the Unified Judicial System of Pennsylvania. These forms shall be given by the Proponent to the Court Reporter/Recorder/Monitor at the time the evidence is introduced.

(b) *After Court Proceedings.*

(1) *Custodian.* After the close of Court Proceedings:

(i) *Documentary Exhibits*—The Court Reporter/Recorder/Monitor shall be the Custodian of all documentary exhibits, photographs, and photographs of non-documentary exhibits accepted or rejected. The Court Reporter/Recorder/Monitor shall take custody of, secure, and maintain all documentary exhibits, photographs, and photographs of non-documentary exhibits accepted or rejected during the Court proceeding in a format approved by the Court;

(ii) *Non-Documentary Exhibits*—The Proponent of all non-documentary exhibits, including but not limited to bulky or oversized exhibits, weapons, cash, items of value, drugs, or dangerous materials shall secure said exhibits after Court Proceedings and maintain same as required by all applicable retention schedules, statutes, rules, regulations, and policies, or until further order of the Court. The Proponent shall not modify, tamper with or otherwise permit the degradation of any non-documentary exhibit.

(2) *Index of Exhibits.* Within five days of the conclusion of a Court Proceeding, the Court Reporter/Recorder/Monitor shall file with the appropriate filing office an index of exhibits, which shall include for each exhibit the proponent, whether the exhibit was admitted into evidence, and a textual description or identification of the exhibit. The Court Reporter/Recorder/Monitor shall use the Index of Exhibits Template included below.

(3) For video, all files shall be in .mp4 format or, in the event that a Proponent receives from a third party a video file that is not convertible (e.g. Motor Vehicle Recordings (“MVRs”)), the Proponent shall include on the USB with the video file, the appropriate software required to view the video.

Comment: This provision shall be phased in over time but no later than January 1, 2025 to enable counsel to meet the requirements of this provision.

Rule 5104. Local Rule. Prohibition.

(a) *Reserved.*

(b) *Optional Provision.* Support, Divorce, Juvenile, and Dependency Hearing Officer hearings, being proceedings of record upon which exceptions or objections can be filed, are specifically excepted from the provisions of this chapter.

[Pa.B. Doc. No. 24-392. Filed for public inspection March 22, 2024, 9:00 a.m.]

Title 255—LOCAL COURT RULES

MONTGOMERY COUNTY

Adoption of Local Rule of Judicial Administration 5104*—Custody of Exhibits; No. 2024-00001

Order

And Now, this 7th day of March, 2024, the Court hereby adopts Montgomery County Local Rule of Judicial Administration 5104*—Custody of Exhibits. This Local Rule shall become effective on April 1, 2024.

The Court Administrator is directed to publish this Order once in the *Montgomery County Law Reporter* and in *The Legal Intelligencer*. In conformity with Pa.R.J.A. 103, one (1) certified copy of this Order shall be filed with the Administrative Office of Pennsylvania Courts. Two (2) certified copies shall be distributed to the Legislative Reference Bureau for publication in the *Pennsylvania Bulletin*. One (1) copy shall be filed with the Law Library of Montgomery County, and one (1) copy with each Judge of this Court. This Order shall also be published on the Court’s website and incorporated into the complete set of the Court’s Local Rules.

By the Court

CAROLYN TORNETTA CARLUCCIO,
President Judge

Local Rule of Judicial Administration 5104*. Custody of Exhibits.

(a) *Custodian of Exhibits During Court Proceedings.* The court reporter is designated as the custodian of all documentary exhibits unless otherwise provided in this Rule or directed by the Court. The proponent is designated as the custodian of all non-documentary exhibits.

(b) *Custodian of Exhibits After Court Proceedings.* The court reporter is designated as the custodian of all documentary exhibits unless otherwise provided in this Rule or directed by the Court. The proponent is designated as the custodian of all non-documentary exhibits.

(c) *Standards for Filing of Exhibits with the Records Office.* At the conclusion of the court proceeding, the

custodian shall comply with the requirements of Pa.R.J.A. 5102(b). All documentary exhibits shall be submitted to the record office by the custodian within five (5) business days following the close of the court proceeding. Exhibits may be e-filed with the record office, if available, and if provided to the custodian in electronic format. Nothing in this rule shall prevent the filing of exhibits prior to court proceedings, as is the current practice in juvenile dependency cases.

(d) *Standards for the Reproduction of Oversized or Voluminous Documentary Exhibits or Photographs.* In compliance with Pa.R.J.A. 5103(a) and (b), if a proponent offers into evidence a documentary exhibit or photograph that is larger in size than 8-1/2 × 11 inches, the proponent shall ensure that a copy of the document or photograph reduced to 8-1/2 × 11 inches (or smaller) is entered into the record. A proponent who provides a reduced copy of an oversized exhibit shall ensure that the reproduced document is clear and capable of further reproduction or transfer to digital media.

(e) *Standards for the Maintenance and Security of Bulky or Oversized Non-Documentary Exhibits During and After Court Proceedings.*

1) *Generally.* If a proponent offers into evidence a non-documentary exhibit, the proponent shall provide a photograph (no larger in size than 8-1/2 × 11 inches) of the exhibit which will be made a part of the record. A proponent who provides a photograph of a non-documentary exhibit shall ensure that the photograph is clear and capable of further reproduction or transfer to digital media.

2) *Weapons, Contraband, Hazardous Materials.* In any proceeding in which weapons, cash, other items of value, drugs, or other dangerous materials are offered into evidence, the proponent shall secure the exhibits while the court proceeding is in session, as well as during all breaks, recesses and after the court proceeding. During the proceeding, the proponent shall exercise all appropriate safeguards necessary to protect the public based on the nature of the exhibit.

(f) *Digital Media.* A proponent shall ensure that an exhibit in a digital format entered into the record is in a format acceptable to the court. The proponent shall maintain possession of any exhibit in a digital format such as a computer disc, DVD or thumb drive during and after the court proceeding.

(g) *Retention of Non-Documentary Exhibits.* Proponents who are maintaining non-documentary exhibits after court proceedings shall do so in compliance with the retention policies that apply to the respective filing office, as set forth in the County Records Manual.

(h) *Proceedings Excluded from Rule.* Record hearings that may be appealed de novo to the Court of Common Pleas or upon which exceptions or objections can be filed to the Court of Common Pleas, including proceedings before this court’s family and juvenile hearing officers, shall be excluded from the provisions of Rules 5101—5105 of the Pennsylvania Rules of Judicial Administration.

[Pa.B. Doc. No. 24-393. Filed for public inspection March 22, 2024, 9:00 a.m.]

Title 255—LOCAL COURT RULES

MONTGOMERY COUNTY

Rescission of Local Rule of Civil Procedure 223*— Custody and Storage of Trial Exhibits; No. 2024- 00001

Order

And Now, this 7th day of March, 2024, the Court hereby Rescinds Montgomery County Local Rule of Civil Procedure 223*—Custody and Storage of Trial Exhibits, effective April 1, 2024.

The Court Administrator is directed to publish this Order once in the *Montgomery County Law Reporter* and in *The Legal Intelligencer*. In conformity with Pa.R.J.A. 103, one (1) certified copy of this Order shall be filed with the Administrative Office of Pennsylvania Courts. Two (2) certified copies shall be distributed to the Legislative Reference Bureau for publication in the *Pennsylvania Bulletin*. One (1) copy shall be filed with the Law Library of Montgomery County, and one (1) copy with each Judge of this Court. This Order shall also be published on the Court's website and incorporated into the complete set of the Court's Local Rules.

By the Court

CAROLYN TORNETTA CARLUCCIO,
President Judge

Local Rule of Civil Procedure 223*. Custody and Storage of Trial Exhibits.

[Rescinded.]

[Pa.B. Doc. No. 24-394. Filed for public inspection March 22, 2024, 9:00 a.m.]

Title 255—LOCAL COURT RULES

PIKE COUNTY

Local Rule Judicial Administration 5102 et al. Custody of Exhibits; No. 300-2024

Administrative Order

And Now, this 6th day of March, 2024, pursuant to Pa.R.J.A. 5104, the Court Orders the following:

1. The Court Administrator of the 60th Judicial District is hereby Ordered to do the following:

a. File one certified copy of this Order with the Administrative Office of Pennsylvania Courts to adminrules@pacourt.us;

b. Submit two paper copies of this Order to the Legislative Reference Bureau and one electronic copy in Microsoft Word format only to Bulletin@palrb.us for publication in the *Pennsylvania Bulletin*;

c. Provide one copy of this Order to the members of the Pike County Bar Association;

d. Incorporate the Rule into the set of Local Rules within thirty (30) days of publication of the Local Rule in the *Pennsylvania Bulletin* and publish the rules on the Court's website at court.pikepa.org;

e. File this Order in the Prothonotary's Office of Pike County.

By the Court

HON. GREGORY H. CHELAK,
President Judge

Rule 5102.1. Custody of Exhibits Generally.

(a) *Application*. These Rules, 60th Jud.Dis.R.Jud.Adm. 5102.1—5105 and Pa.R.J.A. 5101—5105, shall apply to Court Proceedings as defined by Pa.R.J.A. 5101(a)(1).

(b) *Index of Exhibits and Confidential Information*.

1. During all court proceedings, the court Stenographer/Transcriptionist shall maintain the index of exhibits. The court Stenographer/Transcriptionist shall utilize the index of exhibits form denoted at the end of these Rules.

2. In all court proceedings, the proponent shall include a properly completed confidential information form or confidential document form for any exhibit offered into evidence that contains confidential information or confidential documents as defined in the Case Records Public Access Policy of the Unified Judicial System of Pennsylvania. These forms shall be given by the proponent to the court Stenographer/Transcriptionist maintaining the Index of Exhibits at the time evidence is introduced.

3. The index of exhibits shall be filed of record with the corresponding Records Office, as defined by Pa.R.J.A. 5101(a)(7), not later than five business days after the conclusion of the Court Proceeding pursuant to Pa.R.J.A. 5104(a)(2).

Rule 5102.2. Custody of Exhibits.

(a) *During Court Proceedings*. The Court Stenographer/Transcriptionist shall be designated the Custodian of all exhibits admitted or rejected during a Court proceeding. The Court Stenographer/Transcriptionist shall secure and maintain all exhibits during the court proceeding, including breaks and recesses, except:

1. If a non-documentary exhibit is bulky, oversized, or physically impractical for the Custodian to maintain, the Custodian may direct that the Proponent offering the exhibit maintain custody of it, and secure it during the Court proceedings.

2. If weapons, cash, items of value, drugs, or dangerous materials are offered into evidence, the Proponent shall secure the exhibits while the Court proceeding is in session, and during all breaks and recesses.

(b) *After Court Proceedings*.

1. Within five days of the conclusion of any Court proceeding, the Court Stenographer/Transcriptionist shall transfer custody of all exhibits admitted or rejected during the Court proceeding to the Prothonotary, Clerk of the Criminal Court or Clerk of the Orphans' Court, as may be the applicable Records Office, which shall take custody of all exhibits, file all documentary exhibits and photographs, and secure and maintain all exhibits.

2. *Index of Exhibits*. Together with the exhibits from the Court Proceeding, the Court Stenographer/Transcriptionist shall provide a numbered list of exhibits to the Prothonotary, Clerk of the Criminal Court or Clerk of the Orphans' Court not later than five business days after the Court proceeding. For each exhibit, the Stenographer/Transcriptionist shall identify the Proponent, whether the exhibit was admitted or rejected from evidence, and a textual description or identification of the exhibit. The original index of exhibits shall be filed with the appropriate Records Office simultaneously with the exhibits from

the Court Proceeding. The Stenographer/Transcriptionist shall retain a copy of the index.

3. *Confirmation.* If exhibits are transferred from a Court Stenographer/Transcriptionist back to a Proponent-Custodian pursuant to subsection (a)(2) of this Rule, the Court Stenographer/Transcriptionist shall confirm that the Proponent-Custodian has provided the appropriate photographic exhibit as required by Rule 5103.1(a) to the Court Stenographer/Transcriptionist at the conclusion of the Court proceeding, unless the Court otherwise directed by the Court.

(c) *During and After Domestic Relations Master and Hearing Officer Proceedings.*

1. The Master or Hearing Officer conducting a Domestic Relations hearing shall be the Custodian of the exhibits admitted during the hearing—with the exception of weapons, cash, items of value, drugs or dangerous materials, which shall be retained by the Proponent during the proceeding.

2. The Master or Hearing Officer shall confirm that the Proponent-Custodian has transferred custody of any exhibit maintained in his/her custody during the proceeding to the Master or Hearing Officer at the end of the proceeding. Such latter exhibits shall be maintained by the appropriate filing office or as directed by the Hearing Officer or Master.

3. The Master or Hearing Officer shall file all exhibits, together with an index of the exhibits, with the Prothonotary within five business days of the filing of their Report and Recommendation with the Court. The exhibits index shall include a numbered list of exhibits, and for each exhibit shall identify the Proponent, whether the exhibit was admitted or rejected from evidence, and a textual description or identification of the exhibit.

Rule 5103. Custody of Exhibits. Special Provisions.

(a) *Photographs of Non-Documentary Exhibits.*

1. In advance of any court proceeding, the proponent shall prepare a physical, photographic copy of all non-documentary exhibits pursuant to Pa.R.J.A. 5103(b).

2. Any non-documentary exhibit shall be retained by the Proponent during and after the Court, Master, or Hearing Officer proceeding.

3. The non-documentary exhibit must be photographed in color by the Proponent and presented in a letter-sized form (8 1/2 by 11 inches) document for inclusion in the record prior to the end of the proceeding. The photograph shall be marked as an exhibit and identified in the exhibits index.

(b) *Media & Videos.* Any media or videos presented at a Court Proceeding shall be retained by the proponent. The proponent shall submit a copy of the media or video on a portable Universal Serial Bus (USB) flash drive and it shall be entered into the record.

(c) *Reproduction of Oversized or Voluminous Documentary Exhibits.* Where the intended, original documentary exhibit(s) exceeds 150 pages (single sided), the proponent shall cause the exhibit to be transformed into a portable document file (“pdf”) and placed onto a Universal Serial Bus (USB) flash drive and it shall be entered into the record.

(d) *Weapons, Contraband, and Hazardous Materials Pursuant to Pa. R.J.A. 5103(d), and Other Dangerous Items.*

1. *Dangerous Items Defined.* “Dangerous Items” within these Rules shall include, but are not limited to, weapons, cash, currency, money, negotiable instruments, other items of value, drugs, dangerous materials, guns, knives, explosives, controlled substances, narcotics, intoxicants, toxic materials, biological items, and biohazards. “Dangerous Items” may also include other items not specifically defined herein as determined by the presiding judge.

2. The presiding judge in any court proceeding may issue special instructions to address the method by which dangerous items are offered into evidence, including the party that shall secure the exhibits while the court proceeding is in session, as well as during all breaks and recesses, which method shall be confirmed by court order.

3. In the absence of a court order, in any court proceeding where dangerous items are offered as evidence, the proponent shall secure the exhibits while the court proceeding is in session, as well as during all breaks and recesses.

4. During a court proceeding, the proponent shall exercise all appropriate safeguards necessary to protect the public based on the nature of the exhibit. Exhibits comprised of dangerous items are prohibited from viewing in the jury room. The presiding judge may direct alternative viewing arrangements for such exhibits upon the request of the jury.

5. At the conclusion of a court proceeding, all dangerous items which have been offered into evidence, whether or not admitted of record, shall be kept in the custody of the proponent, the proponent’s Designee, or such other person as designated by the presiding judge.

6. Dangerous items categorized under this Rule may only be disposed of or destroyed by a court order.

7. If there are dangerous items which require temporary storage, the Sheriff’s Office shall provide the proponent with an escort to the Records Office, as defined by Pa.R.J.A. 5101(a)(7), or other secure area designated by the presiding judge.

8. In advance of any court proceeding, the proponent shall prepare a physical, photographic copy of any weapon, contraband hazardous material or dangerous items exhibits pursuant to Pa.R.J.A. 5103(b).

9. The weapon, contraband hazardous material or dangerous items exhibit must be photographed in color by the Proponent and presented in a letter-sized form (8 1/2 by 11 inches) document for inclusion in the record prior to the end of the proceeding. The photograph shall be marked as an exhibit and identified in the exhibits index.

Rule 5105. Confidentiality. Exhibits Under Seal.

(a) The Proponent of an exhibit containing confidential information or confidential documents, as defined in the Case Records Access Policy of the Unified Judicial System of Pennsylvania, shall include a confidential document form, prepared in compliance with the Policy, so the exhibit may be sealed by the Records Office.

(b) Exhibits sealed by the Court during the Court proceeding shall not be accessible by the public. The Prothonotary, Clerk of the Criminal Court or Clerk of the Orphans’ Court shall ensure the confidentiality of such documents as defined in the Case Records Access Policy of the Unified Judicial System of Pennsylvania.

Title 255—LOCAL COURT RULES

SNYDER COUNTY

Judicial Administration; No. MC-35-2024

Order

And Now, this 8th day of March, 2024, inasmuch as the Supreme Court of Pennsylvania has adopted Pa.R.J.A. 5101—5105, with a directive that local rules of judicial administration comply with Pa.R.J.A. 5101—5105, no later than April 1, 2024, the Order of Court is as follows:

1. Local Rule of Judicial Administration 5102 (Custody of Exhibits in Court Proceedings) is hereby adopted as follows to this Order of Court.

2. This Order of Court and Local Rule of Judicial Administration 5102 shall be promulgated in accordance with Pa.R.J.A. 103(c), effective thirty days after publication in the *Pennsylvania Bulletin*.

The District Court Administrator is directed to:

1. File one (1) certified copy of this Administrative Order with the Administrative Office of Pennsylvania Courts via email to adminrules@pacourts.us;

2. File two (2) paper copies and one (1) electronic copy in Word format to bulletin@palrb.us with Legislative Reference Bureau for publication in the *Pennsylvania Bulletin*;

3. Incorporate the rule into the 17th Judicial District Rules of this Court within thirty (30) days after publication of the Local Rules in the *Pennsylvania Bulletin* on the county website.

17CV5102 and 17CR5102. Custody of Exhibits.

(a) *Scope*. Local rule 5102 is hereby issued to align the practice and procedure in the Court of Common Pleas for the 17th Judicial District with Pa.R.J.A. 5101—5105. These local rules incorporate the terms of art and their definitions as set forth in Pa.R.J.A. 5101(a). These local rules do not apply to any record hearing which may be appealed de novo to the Court of Common Pleas or upon which exceptions or objections can be filed to the Court of Common Pleas.

(b) *Custodian*. The proponent of any exhibit being offered into evidence shall be its custodian. The custodian is responsible for safeguarding and maintaining the exhibit(s) until the conclusion of the proceedings.

(c) *Format of Exhibits*. The custodian shall ensure that the format of an exhibit, including size and material, is compatible with the records office's ability to maintain and retrieve it. This includes the following: (i) offering as an exhibit an 8 1/2 by 11 inch copy of any oversized (larger than 8 1/2 by 11 inches) documentary evidence; (ii) offering as an exhibit copies of any voluminous documentary evidence on a digital storage device; and (iii) offering any digital media (e.g., video and/or audio recordings) as an exhibit on a digital storage device in a format that uses publicly available software for retrieval, or includes any proprietary software necessary for retrieval.

(d) *Submission to the Court*. Unless instructed otherwise by the presiding judge, the custodian shall submit any exhibits to the Court at the conclusion of the court proceeding in order to ensure that the exhibits are filed with the records office for incorporation into the docket within the next five business days. The custodian shall submit to the Court a numbered list of exhibits offered into evidence that includes the following: (i) a textual

description or identification of each exhibit; and (ii) whether the exhibit was admitted into or rejected from evidence by the Court.

(e) *Retention by the Custodian*. Unless instructed otherwise by the presiding judge, the custodian shall retain custody after the conclusion of court proceedings of the following: (i) non-documentary evidence (i.e., physical evidence including, but not limited to, clothing, weapons, cash or other items of value, drugs, and dangerous or biohazardous materials); or (ii) evidence that is bulky, oversized or otherwise impractical for the records office to store/maintain. In such cases, the custodian shall ensure that a photograph (no larger than 8 1/2 by 11 inches) of such evidence is offered as an exhibit and included in the index of exhibits.

By the Court

LORI HACKENBERG,
President Judge

[Pa.B. Doc. No. 24-396. Filed for public inspection March 22, 2024, 9:00 a.m.]

Title 255—LOCAL COURT RULES

UNION COUNTY

Judicial Administration; No. AD-3-2024

Order

And Now, this 8th day of March, 2024, inasmuch as the Supreme Court of Pennsylvania has adopted Pa.R.J.A. 5101—5105, with a directive that local rules of judicial administration comply with Pa.R.J.A. 5101—5105, no later than April 1, 2024, the Order of Court is as follows:

1. Local Rule of Judicial Administration 5102 (Custody of Exhibits in Court Proceedings) is hereby adopted as follows to this Order of Court.

2. This Order of Court and Local Rule of Judicial Administration 5102 shall be promulgated in accordance with Pa.R.J.A. 103(c), effective thirty days after publication in the *Pennsylvania Bulletin*.

The District Court Administrator is directed to:

1. File one (1) certified copy of this Administrative Order with the Administrative Office of Pennsylvania Courts via email to adminrules@pacourts.us;

2. File two (2) paper copies and one (1) electronic copy in Word format to bulletin@palrb.us with Legislative Reference Bureau for publication in the *Pennsylvania Bulletin*;

3. Incorporate the rule into the 17th Judicial District Rules of this Court within thirty (30) days after publication of the Local Rules in the *Pennsylvania Bulletin* on the county website.

17CV5102 and 17CR5102. Custody of Exhibits.

(a) *Scope*. Local rule 5102 is hereby issued to align the practice and procedure in the Court of Common Pleas for the 17th Judicial District with Pa.R.J.A. 5101—5105. These local rules incorporate the terms of art and their definitions as set forth in Pa.R.J.A. 5101(a). These local rules do not apply to any record hearing which may be appealed de novo to the Court of Common Pleas or upon which exceptions or objections can be filed to the Court of Common Pleas.

(b) *Custodian.* The proponent of any exhibit being offered into evidence shall be its custodian. The custodian is responsible for safeguarding and maintaining the exhibit(s) until the conclusion of the proceedings.

(c) *Format of Exhibits.* The custodian shall ensure that the format of an exhibit, including size and material, is compatible with the records office's ability to maintain and retrieve it. This includes the following: (i) offering as an exhibit an 8 1/2 by 11 inch copy of any oversized (larger than 8 1/2 by 11 inches) documentary evidence; (ii) offering as an exhibit copies of any voluminous documentary evidence on a digital storage device; and (iii) offering any digital media (e.g., video and/or audio recordings) as an exhibit on a digital storage device in a format that uses publicly available software for retrieval, or includes any propriety software necessary for retrieval.

(d) *Submission to the Court.* Unless instructed otherwise by the presiding judge, the custodian shall submit any exhibits to the Court at the conclusion of the court proceeding in order to ensure that the exhibits are filed with the records office for incorporation into the docket within the next five business days. The custodian shall submit to the Court a numbered list of exhibits offered

into evidence that includes the following: (i) a textual description or identification of each exhibit; and (ii) whether the exhibit was admitted into or rejected from evidence by the Court.

(e) *Retention by the Custodian.* Unless instructed otherwise by the presiding judge, the custodian shall retain custody after the conclusion of court proceedings of the following: (i) non-documentary evidence (i.e., physical evidence including, but not limited to, clothing, weapons, cash or other items of value, drugs, and dangerous or biohazardous materials); or (ii) evidence that is bulky, oversized or otherwise impractical for the records office to store/maintain. In such cases, the custodian shall ensure that a photograph (no larger than 8 1/2 by 11 inches) of such evidence is offered as an exhibit and included in the index of exhibits.

By the Court

LORI HACKENBERG,
President Judge

[Pa.B. Doc. No. 24-397. Filed for public inspection March 22, 2024, 9:00 a.m.]

RULES AND REGULATIONS

Title 58—RECREATION

PENNSYLVANIA GAMING CONTROL BOARD

[58 PA. CODE CHS. 617b, 633b, 653b, 674b
AND 690]

Roulette Side Wagers and Variations—Temporary Regulations; Blackjack Side Wagers and Variations—Temporary Regulations; Ultimate Texas Hold 'Em Poker Side Wagers and Variations—Temporary Regulations; Criss-Cross Poker Side Wagers and Variations—Temporary Regulations; Crazy Time—Temporary Regulations

The Pennsylvania Gaming Control Board (board), under the general authority in 4 Pa.C.S. § 1202(b)(30) (relating to general and specific powers) and the specific authority in 4 Pa.C.S. § 13A02(1) and (2) (relating to regulatory authority) and § 13A03 (relating to temporary table game regulations), adopts the temporary regulations in §§ 617b.4, 617b.5, 633b.17—633b.21, 653b.2—653b.5, 674b.1 and 690.1—690.8 to read as set forth in Annex A. The board's temporary regulations will be added to Part VII (relating to Gaming Control Board) as part of Subpart K (relating to table games).

Purpose

This temporary rulemaking adds new side wagers and variations to existing games available for play in this Commonwealth.

Explanation

The additions to Chapter 617b (relating to Roulette side wagers and variations—temporary regulations) add Roulette Up, an optional side wager that pays depending upon the length of winning Roulette numbers increasing in value. Additionally, Roulette X is being added as a variation of Roulette. Roulette X is similar to already authorized Lightning Roulette in that it incorporates increased payout odds being randomly applied to the Roulette table.

The additions to Chapter 633b (relating to Blackjack side wagers and variations—temporary regulations) add multiple side wager options and increase payable options for existing side wagers. The first addition is 21+3 progressive, which will authorize the existing Three Card Poker side wager to be offered as a progressive wager. The second addition is Royal Match progressive, which will authorize the existing Royal Match 21 side wager to be offered as a progressive wager. The third addition adds an additional payable option for the existing King's Bounty side wager. The fourth addition is the Blazing 7's wager, which will allow certificate holders to offer the existing Blazing 7's progressive wager with a non-progressive payable. The fifth addition is the Blazing 7's multi-progressive wager, a variation of the authorized Blazing 7's progressive wager that utilizes multiple progressive meters.

The additions to Chapter 653b (relating to Ultimate Texas Hold 'Em Poker side wagers and variations—temporary regulations) add additional side wager options and additional payable options. The first addition adds

an additional payable option for the Trips wager. The second addition adds an additional payable option for the already authorized optional Bad Beat bonus wager. The third addition adds the optional Play the Board wager, which wins depending upon the hand formed from the five community cards. The fourth addition is the optional Ultimate Pairs wager, which wins based upon the combination that the player's individual two cards create.

The addition of Chapter 674b (relating to Criss-Cross Poker side wagers and variations—temporary regulations) authorizes the Ultimate Pairs wager to be offered as an optional side wager with the Criss-Cross Poker game. As previously noted, the Ultimate Pairs wager wins based upon the combination of the player's individual two cards.

The addition of Chapter 690 (relating to Crazy Time—temporary regulations) contains the rules governing the play of Crazy Time, a wheel-based game where players place a wager on what segment the wheel will stop on upon completion of the spin. Crazy Time, compared to other wheel-based games already authorized, contains some segments of the wheel which trigger bonus games to determine payout odds. These games are Coin Flip, Cash Hunt, Pachinko and Crazy Time World.

Fiscal Impact

Commonwealth. The board does not expect that this temporary rulemaking will have a fiscal impact on the board or other Commonwealth agencies. Updates to Rules Submission forms and internal control procedures will be reviewed by existing board staff.

Political subdivisions. This temporary rulemaking will have no fiscal impact on political subdivisions of this Commonwealth.

Private sector. This temporary rulemaking will provide certificate holders with additional table game options. If a certificate holder decides to offer any of the side wagers or variations authorized under this temporary rulemaking within the licensed facility, the certificate holder will be required to train their dealers on the rules of play and purchase new equipment—specifically table layouts corresponding to the game and wagers offered. Costs incurred to train employees or purchase/lease equipment should be offset by the proceeds of gaming.

General public. This temporary rulemaking will have no fiscal impact on the general public.

Paperwork Requirements

If a certificate holder seeks to offer any of the side wagers or variations contained in these temporary regulations, the certificate holder will be required to submit a Rules Submission form reflecting the choices for how the game will be offered, with the selected side wagers and variations identified. These forms are available on the board's public web site and are submitted to board staff electronically.

Effective Date

This temporary rulemaking will become effective upon publication in the *Pennsylvania Bulletin* and will expire 2 years from the date of publication.

Public Comments

While this rulemaking will be effective upon publication, the board is seeking comments from the public and affected parties as to how this temporary regulation might be improved. Interested persons are invited to

submit written comments, suggestions or objections regarding this temporary rulemaking within 30 days after the date of publication in the *Pennsylvania Bulletin* to Robert Wood, Assistant Chief Counsel, Attention: Regulation # 125-248 Public Comment, Pennsylvania Gaming Control Board, 303 Walnut Street, 5th Floor, Harrisburg, PA 17101, or submitted by electronic mail, subject: Regulation # 125-248 to PGCBregs@pa.gov.

Contact Person

The contact person for questions about this proposed rulemaking is Robert Wood, Assistant Chief Counsel, (717) 346-8300.

Regulatory Review

Under 4 Pa.C.S. § 13A03, the board is authorized to adopt temporary regulations which are not subject to the provisions of sections 201—205 of the act of July 31, 1968 (P.L. 769, No. 240), referred to as the Commonwealth Documents Law (CDL) (45 P.S. §§ 1201—1205); the Regulatory Review Act (RRA) (71 P.S. §§ 745.1—745.14); and sections 204(b) and 301(10) of the Commonwealth Attorneys Act (CAA) (71 P.S. §§ 732-204(b) and 732-301(10)). These temporary regulations expire 2 years after publication in the *Pennsylvania Bulletin*.

Findings

The board finds that:

(1) Under 4 Pa.C.S. § 13A03, the temporary regulations are exempt from the requirements of the RRA, sections 201—205 of the CDL and sections 204(b) and 301(10) of the CAA.

(2) The adoption of the temporary regulations is necessary and appropriate for the administration and enforcement of 4 Pa.C.S. Part II (relating to gaming).

Order

The board, acting under 4 Pa.C.S. Part II, orders that:

(1) The regulations of the board, 58 Pa. Code Chapters 617b, 633b, 653b, 674b and 690, are amended by adding §§ 617b.4, 617b.5, 633b.17—633b.21, 653b.2—653b.5, 674b.1 and 690.1—690.8 to read as set forth in Annex A.

(2) The temporary regulations are effective March 23, 2024.

(3) The temporary regulations will be posted on the board's web site and published in the *Pennsylvania Bulletin*.

(4) The temporary regulations shall be subject to amendment as deemed necessary by the board.

(5) The chairperson of the board shall certify this order and Annex A and deposit them with the Legislative Reference Bureau as required by law.

DENISE J. SMYLER,
Chairperson

Fiscal Note: 125-248. No fiscal impact; recommends adoption.

Annex A

TITLE 58. RECREATION

PART VII. GAMING CONTROL BOARD

SUBPART K. TABLE GAMES

CHAPTER 617b. ROULETTE SIDE WAGERS AND VARIATIONS—TEMPORARY REGULATIONS

§ 617b.4. Roulette Up.

(a) A certificate holder may, if specified in its Rules Submission form filed under § 601a.2 (relating to table

games Rules Submissions), offer to each player who placed a Roulette wager in accordance with § 617a.3 (relating to placement of wagers) the option of placing a Roulette Up wager. If the certificate holder is offering the Roulette Up wager, Roulette may be played on a double zero Roulette wheel or a single zero Roulette wheel as described in § 617a.1(d) (relating to Roulette ball; Roulette wheel and table; physical characteristics; double zero Roulette wheel used as a single zero Roulette wheel).

(b) The layout for a Roulette table shall be submitted to the Bureau of Gaming Operations for approval in accordance with § 601a.10(a) (relating to approval of table game layouts, signage and equipment) and if the certificate holder offers the Roulette Up wager, in addition to the requirements in § 617a.1, the layout shall contain a separate area designated for the placement of the Roulette Up wager. The layout shall also contain a Roulette Up streak tracker, which shall be used for tracking the Roulette Up streak.

(c) If the certificate holder is offering the Roulette Up wager as a progressive wager, the Roulette table must have a progressive table game system, in accordance with § 605a.7 (relating to progressive table games), for the placement of the Roulette Up progressive wager. The progressive table game system must include any of the following:

(1) A wagering device that acknowledges or accepts the placement of the progressive wager.

(2) A device that controls or monitors the placement of progressive wagers at the gaming table, including a mechanism, such as a lock-out button, that prevents the recognition of any progressive wager that a player attempts to place after the dealer has announced “no more bets.”

(d) A player who has placed a Roulette wager in accordance with § 617a.3 (relating to placement of wagers) may place a Roulette Up wager prior to the starting number for the Roulette Up streak being established.

(e) After any Roulette Up wagers have been placed, the Roulette game shall proceed in accordance with § 617a.5 (relating to rotation of wheel and ball).

(f) The compartment the ball comes to rest in under § 617a.5(c) shall constitute the starting number for the Roulette Up streak. The dealer shall place a lammer or dolly in the 1 box on the Roulette Up streak tracker.

(g) Once the starting number has been established, successive rounds of Roulette shall continue. The result of each spin of the wheel and announcement of the number in accordance with § 617a.5(c) shall determine whether the Roulette Up streak continues or ends as determined by the following:

(1) The Roulette Up streak shall continue so long as the number announced is greater than the number which preceded it, as determined by the following:

(i) When the number is greater than the number preceding it in the Roulette Up streak, the dealer shall move the lammer or dolly to the next box on the Roulette Up streak tracker.

(ii) For purposes of a double zero wheel, 00 shall be deemed to be greater than 0, but less than 1.

(2) The Roulette Up streak, and therefore Roulette Up wager, shall end when any of the following occur:

- (i) The Roulette number spun is less than or equal to the preceding number spun.
- (ii) The number 36 is spun.
- (iii) The longest Roulette Up streak has been reached.

(h) Once the Roulette Up streak has ended, the Roulette Up wager shall be settled according to one of the following paytables, which shall be included in the certificate holder's Rules Submission form filed in accordance with § 601a.2:

(1) *Non-progressive paytables:*

<i>Streak Length</i>	<i>Paytable A</i>	<i>Paytable B</i>	<i>Paytable C</i>	<i>Paytable D</i>	<i>Paytable E</i>
8	400 to 1	400 to 1	275 to 1	800 to 1	250 to 1
7	150 to 1	100 to 1	150 to 1	400 to 1	125 to 1
6	100 to 1	25 to 1	25 to 1	100 to 1	50 to 1
5	30 to 1	10 to 1	15 to 1	30 to 1	15 to 1
4	10 to 1	4 to 1	10 to 1	20 to 1	5 to 1
3	2 to 1	2 to 1	3 to 1	Loss	1 to 1
2	Loss	Push	Loss	Loss	Push
1	Loss	Loss	Loss	Loss	Loss

(2) *Progressive paytables:*

<i>Progressive Paytable 1</i>				
<i>Streak Length</i>	<i>Payout</i>	<i>Seed / Reseed</i>	<i>Incrementation</i>	<i>Reserve Rate</i>
9	100% of progressive meter	10,000× the progressive wager	20%	4%
8	3,000 for 1			
7	1,500 for 1			
6	250 for 1			
5	25 for 1			
4	Loss			
3	Loss			
2	Loss			
1	Loss			

<i>Progressive Paytable 2</i>				
<i>Streak Length</i>	<i>Payout</i>	<i>Seed / Reseed</i>	<i>Incrementation</i>	<i>Reserve Rate</i>
9	100% of progressive meter	10,000× the progressive wager	20%	4%
8	5,000 for 1			
7	2,000 for 1			
6	200 for 1			
5	20 for 1			
4	Loss			
3	Loss			
2	Loss			
1	Loss			

<i>Progressive Paytable 3</i>				
<i>Streak Length</i>	<i>Payout</i>	<i>Seed / Reseed</i>	<i>Incrementation</i>	<i>Reserve Rate</i>
9	100% of progressive meter	10,000× the progressive wager	18%	4%
8	1,000 for 1			
7	500 for 1			
6	100 for 1			
5	20 for 1			

RULES AND REGULATIONS

<i>Progressive Paytable 3</i>				
<i>Streak Length</i>	<i>Payout</i>	<i>Seed / Reseed</i>	<i>Incrementation</i>	<i>Reserve Rate</i>
4	10 for 1			
3	Loss			
2	Loss			
1	Loss			

<i>Progressive Paytable 4</i>				
<i>Streak Length</i>	<i>Payout</i>	<i>Seed / Reseed</i>	<i>Incrementation</i>	<i>Reserve Rate</i>
9	n/a	3,000× the progressive wager	18%	5%
8	100% of progressive meter			
7	250 for 1			
6	50 for 1			
5	20 for 1			
4	4 for 1			
3	2 for 1			
2	Loss			
1	Loss			

<i>Progressive Paytable 5</i>				
<i>Streak Length</i>	<i>Payout</i>	<i>Seed / Reseed</i>	<i>Incrementation</i>	<i>Reserve Rate</i>
9	n/a	3,000× the progressive wager	18%	5%
8	100% of progressive meter			
7	350 for 1			
6	75 for 1			
5	15 for 1			
4	4 for 1			
3	2 for 1			
2	Loss			
1	Loss			

<i>Progressive Paytable 6</i>				
<i>Streak Length</i>	<i>Payout</i>	<i>Seed / Reseed</i>	<i>Incrementation</i>	<i>Reserve Rate</i>
9	n/a	3,000× the progressive wager	18%	5%
8	100% of progressive meter			
7	500 for 1			
6	100 for 1			
5	20 for 1			
4	10 for 1			
3	Loss			
2	Loss			
1	Loss			

<i>Progressive Paytable 7</i>				
<i>Streak Length</i>	<i>Payout</i>	<i>Seed / Reseed</i>	<i>Incrementation</i>	<i>Reserve Rate</i>
9	n/a	3,000× the progressive wager	19%	n/a

<i>Progressive Paytable 7</i>				
<i>Streak Length</i>	<i>Payout</i>	<i>Seed / Reseed</i>	<i>Incrementation</i>	<i>Reserve Rate</i>
8	100% of progressive meter			
7	450 for 1			
6	100 for 1			
5	20 for 1			
4	10 for 1			
3	Loss			
2	Loss			
1	Loss			

§ 617b.5. Roulette X.

(a) A certificate holder may offer to players a game entitled Roulette X, a variation on Lightning Roulette. Unless otherwise provided under this section, Roulette X shall follow the rules and procedures of Lightning Roulette under § 617b.3 (relating to Lightning Roulette).

(b) The layout for a Roulette X table shall be submitted to the Bureau of Gaming Operations for approval in accordance with § 601a.10(a) (relating to approval of table game layouts, signage and equipment). A Roulette X table shall have in place a board-approved Roulette random number generator that determines the multiplier and also determines the specific payout that will be paid for a winning straight wager placed on a multiplier.

(c) Roulette X may be played on either a single zero or double zero roulette wheel.

(d) After all wagers have been placed, the random number generator shall be initiated and will select between 2 and 5 numbers on the layout that are the multipliers. The multipliers will be illuminated and will indicate what the increased payout will be for a winning straight wager placed on that multiplier.

(e) If the Roulette ball comes to rest in one of the numbers that has been illuminated as a multiplier and a player has placed a straight wager on that number, the player’s straight wager shall win and be paid based upon the increased payout displayed on the layout.

(f) Notwithstanding the provisions of § 617a.4 (relating to payout odds), if a player’s straight wager wins but the number the player wagered on is not selected as a multiplier by the random number generator, the player shall be paid at odds corresponding to the certificate holder’s selected paytable under subsection (g).

(g) Roulette X wagers shall be settled according to one of the following paytables, which shall be included in the certificate holder’s Rules Submission form filed in accordance with § 601a.2 (relating to table games Rules Submissions):

	<i>Paytable A</i>	<i>Paytable B</i>
<i>Roulette wheels authorized</i>	<i>Single zero/double zero wheels</i>	<i>Double zero wheel</i>
Straight wager payout odds	28 to 1	30 to 1
Multipliers	50 to 1	50 to 1
	100 to 1	100 to 1
	250 to 1	175 to 1
	500 to 1	250 to 1

CHAPTER 633b. BLACKJACK SIDE WAGERS AND VARIATIONS—TEMPORARY REGULATIONS

§ 633b.17. 21+3 progressive.

(a) A certificate holder may offer players the option to place a 21+3 progressive wager, a progressive wager variation of the Three Card Poker side wager authorized under § 633a.6(e)(9) (relating to wagers). Unless otherwise specified under this section, the 21+3 progressive wager shall follow the rules and procedures of the Three Card Poker wager under § 633a.6(e)(9).

(b) The 21+3 progressive may be played on a Blackjack table that utilizes between three and eight decks of cards comprised of 52 cards per deck.

(c) In addition to the layout requirements under § 633a.2 (relating to Blackjack table; card reader device; physical characteristics; inspections), the Blackjack table must have a progressive table game system, in accord-

ance with § 605a.7 (relating to progressive table games), for the placement of the 21+3 progressive wager. If the certificate holder is offering a progressive payout wager on multiple linked tables or games in the same licensed facility, the progressive table game system must comply with the requirements in § 605a.8 (relating to linked progressive table games). The progressive table game system must include any of the following:

(1) A wagering device at each betting position that acknowledges or accepts the placement of the progressive wager.

(2) A device that controls or monitors the placement of progressive wagers at the gaming table, including a mechanism, such as a lock-out button, that prevents the recognition of any progressive wager that a player attempts to place after the dealer has announced “no more bets.”

(d) If specified in its Rules Submission form required under § 601a.2 (relating to table games Rules Submissions), a certificate holder may offer to each player who placed a Blackjack wager in accordance with § 633a.6(d) the option of placing a 21+3 progressive wager.

(e) After placing a Blackjack wager as required in § 633a.6(d) and any optional wagers, including the 21+3 progressive wager, the dealer shall announce “no more bets” and, if the 21+3 progressive wager is being offered, use the progressive table game system to prevent the placement of any additional progressive wagers. If any progressive wagers have been made, the dealer shall collect the wagers and, on the layout in front of the table inventory container, verify that the number of value chips wagered equals the number of progressive wagers accepted by the progressive table game system. The dealer shall then place the value chips into the table inventory container.

(f) If a player has won a 21+3 progressive payout, the dealer shall do all of the following:

- (1) Verify that the hand is a winning hand.
- (2) Verify that the appropriate light on the progressive table game system has been illuminated.
- (3) Have a floorperson or above validate the progressive payout in accordance with the certificate holder’s approved internal control procedures.
- (4) Pay the winning 21+3 progressive wager in accordance with the payout odds in subsection (g). If a player has won a progressive payout that is a percentage of the jackpot amount on the progressive meter, the progressive payout may not be paid from the table inventory container. If a player has won a progressive payout that is not being paid from the table inventory container, the cards of that player must remain on the table until the necessary documentation has been completed.
- (g) The certificate holder shall pay out winning 21+3 progressive wagers, for the highest ranking three-card hand formed, at the odds in one of the following payout tables selected by the certificate holder in its Rules Submission form filed in accordance with § 601a.2:

<i>Hand</i>	<i>Paytable 1</i>	<i>Paytable 4</i>	<i>Paytable 7</i>	<i>Paytable 10</i>
3 aces or 3 kings (certificate holder declared suit)	100% of progressive meter	100% of progressive meter	100% of progressive meter	100% of progressive meter
3 aces or 3 kings (suited)	100% of progressive meter	100% of progressive meter	2,000 for 1	3,000 for 1
Three-of-a-kind (suited)	125 for 1	150 for 1	150 for 1	200 for 1
Straight flush	25 for 1	40 for 1	40 for 1	30 for 1
Three-of-a-kind	20 for 1	20 for 1	20 for 1	20 for 1
Straight	7 for 1	7 for 1	5 for 1	10 for 1
Flush	3 for 1	3 for 1	3 for 1	loss

<i>Hand</i>	<i>Paytable 2</i>	<i>Paytable 5</i>	<i>Paytable 8</i>
3 aces, 3 kings or 3 queens (certificate holder declared suit)	100% of progressive meter	100% of progressive meter	100% of progressive meter
3 aces, 3 kings or 3 queens (suited)	100% of progressive meter	100% of progressive meter	2,000 for 1
Three-of-a-kind (suited)	125 for 1	150 for 1	125 for 1
Straight flush	25 for 1	40 for 1	40 for 1
Three-of-a-kind	20 for 1	20 for 1	20 for 1
Straight	6 for 1	7 for 1	6 for 1
Flush	2 for 1	2 for 1	2 for 1

<i>Hand</i>	<i>Paytable 3</i>	<i>Paytable 6</i>	<i>Paytable 9</i>	<i>Paytable 11</i>
3 aces (certificate holder declared suit)	100% of progressive meter	100% of progressive meter	100% of progressive meter	100% of progressive meter
3 aces (suited)	100% of progressive meter	100% of progressive meter	2,000 for 1	3,000 for 1
Three-of-a-kind (suited)	125 for 1	150 for 1	150 for 1	200 for 1
Straight flush	25 for 1	40 for 1	40 for 1	30 for 1
Three-of-a-kind	20 for 1	20 for 1	20 for 1	20 for 1
Straight	7 for 1	7 for 1	5 for 1	10 for 1
Flush	3 for 1	3 for 1	3 for 1	loss

(h) The initial seed and reseed amounts, increment rate and reserve rate listed in the following chart shall correspond with the paytable selected under subsection (g) and shall be included by the certificate holder in its Rules Submission form filed in accordance with § 601a.2:

<i>Paytable</i>	<i>Number of Decks</i>	<i>Seed / Reseed (represented compared to 21+3 wager)</i>	<i>Increment Rate</i>	<i>Reserve Rate</i>
Paytable 1	3	2,000×	20%	0
Paytable 1	4 or more	2,000×	17%	0
Paytable 2	3	3,000×	24%	0
Paytable 2	4 or more	2,000×	17%	0
Paytable 3	3	N/A	17%	4%
Paytable 3	4 or more	\$2000	17%	0
Paytable 4	4 or more	\$2000	17%	0
Paytable 5	4 or more	\$2000	17%	0
Paytable 6	4 or more	\$2000	17%	0
Paytable 7	4 or more	N/A	16%	4%
Paytable 8	4 or more	N/A	15%	5%
Paytable 9	4 or more	N/A	16%	4%
Paytable 10	4 or more	N/A	17%	4%
Paytable 11	4 or more	N/A	18%	4%

§ 633b.18. Royal Match progressive.

(a) A certificate holder may offer players the option to place a Royal Match progressive side wager, which is a progressive variation of the Royal Match 21 wager authorized under § 633a.6(e)(4) (relating to wagers).

(b) The Royal Match progressive side wager shall win if any of the following occur:

- (1) The player’s initial two cards are a two-card straight flush.
- (2) The player’s initial two cards are a Royal Match.
- (3) The player’s and dealer’s initial two cards are a Crown Treasure.

(c) The layout for a Blackjack table shall be submitted to the Bureau of Gaming Operations and approved in accordance with § 601a.10(a) (relating to approval of table game layouts, signage and equipment) and if the certificate holder offers the Royal Match progressive wager, in addition to the requirements in § 633a.2 (relating to Blackjack table; card reader device; physical characteristics; inspections), the layout shall contain a separate area for each player designated for the placement of the Royal Match progressive wager.

(d) If the certificate holder is offering the Royal Match progressive wager, the Blackjack table must have a progressive table game system, in accordance with § 605a.7 (relating to progressive table games), for the placement of the Royal Match progressive wager. If the certificate holder is offering a progressive payout wager on multiple linked tables or games in the same licensed facility, the progressive table game system must comply with the requirements in § 605a.8 (relating to linked progressive table games). The progressive table game system must include all of the following:

- (1) A wagering device at each betting position that acknowledges or accepts the placement of the Royal Match progressive wager.
- (2) A device that controls or monitors the placement of Royal Match progressive wagers at the gaming table,

including a mechanism, such as a lock-out button, that prevents the recognition of any progressive wager that a player attempts to place after the dealer has announced “no more bets.”

(e) If specified in its Rules Submission form required under § 601a.2 (relating to table games Rules Submissions), a certificate holder may offer to each player who placed a Blackjack wager in accordance with § 633a.6(d) (relating to wagers) the option of placing a Royal Match progressive wager.

(f) After placing a Blackjack wager as required in § 633a.6(d) and any optional wagers including the Royal Match progressive wager, the dealer shall announce “no more bets” and, if the Royal Match progressive wager is being offered, use the progressive table game system to prevent the placement of any additional progressive wagers. If any progressive wagers have been made, the dealer shall collect the wagers and, on the layout in front of the table inventory container, verify that the number of value chips wagered equals the number of progressive wagers accepted by the progressive table game system. The dealer shall then place the value chips into the table inventory container.

(g) The dealer shall then deal the cards in accordance with § 633a.7(a)—(g) (relating to procedure for dealing the cards; completion of each round of play). Immediately after the second card is dealt to each player and the dealer, but prior to any additional cards being dealt or before a card reader device is utilized, the dealer shall, starting with the player farthest to the dealer’s right and continuing around the table in a counterclockwise direction, settle the player’s optional wagers by collecting all losing wagers and paying all winning wagers. The following apply:

- (1) If a player placed a Royal Match progressive wager and the player’s initial two cards are not a two-card straight flush or a Royal Match, the Royal Match progressive wager is lost and shall be collected.

(2) If a player placed a Royal Match progressive wager and the player's initial two cards are a two-card straight flush, the dealer shall pay the winning Royal Match progressive wager in accordance with subsection (i).

(3) If a player placed a Royal Match progressive wager and the player's initial two card cards are a Royal Match and the dealer's up card is not a king or queen, the dealer shall pay the winning Royal Match progressive wager in accordance with subsection (i).

(4) If a player placed a Royal Match progressive wager and the player's initial two cards are a Royal Match and the dealer's up card is a king or queen, the players Royal Match progressive wager shall be settled after the dealer's hole card is exposed but prior to settling the player's blackjack wager. If after exposing the hole card the dealer also has a Royal Match, the player shall be paid a Crown Treasure payout in accordance with subsection (i).

(h) If a player has won a Royal Match progressive payout, the dealer shall do all of the following:

- (1) Verify that the hand is a winning hand.
- (2) Verify that the appropriate light on the progressive table game system has been illuminated.
- (3) Have a floorperson or above validate the progressive payout in accordance with the certificate holder's approved internal control procedures.

(4) Pay the winning Royal Match progressive wager in accordance with the payout odds in subsection (i). If a player has won a progressive payout that is a percentage of the jackpot amount on the progressive meter, the progressive payout may not be paid from the table inventory container. If a player has won a progressive payout that is not being paid from the table inventory container, the cards of that player must remain on the table until the necessary documentation has been completed.

(5) Pay the Envy Bonus, in accordance with subsection (k), to all players who made a Royal Match progressive wager. Players are entitled to multiple Envy Bonuses if more than one other player has a Crown Treasure. A player is not entitled to an Envy Bonus for his own hand.

(i) The certificate holder shall pay out winning Royal Match progressive wagers at the odds in following payout table:

<i>Hand</i>	<i>Paytable A</i>
Crown Treasure	100% of meter
Royal Match	60 to 1
Two-card straight flush	10 to 1
Seed amount	10,000× the minimum wager
Increment rate	15%

(j) If in the same round of play two or more players have won the same progressive jackpot amount on the progressive meter, the jackpot amount shall be split equally between the winning players.

(k) When any player wins with a Crown Treasure, an Envy Bonus shall be paid to all other players who have made a Royal Match progressive wager at a payout of 500 to 1.

(l) After settling the Royal Match progressive wagers, the dealer shall continue the hand in accordance with § 633a.7(i)—(t).

(m) The following terms, when used in this section, have the following meanings:

Two-card straight flush—Two cards of the same suit in consecutive order.

Royal Match—A king and queen of the same suit.

Crown Treasure—When both the player's and dealer's hands are comprised of a Royal Match combination.

§ 633b.19. King's Bounty—additional payable.

(a) A certificate holder that offers the King's Bounty wager in accordance with § 633a.6(e)(6) (relating to wagers) may offer the King's Bounty wager with the payable authorized under § 633a.13(h) (relating to payout odds; payout limitation) (to be known as payable A) or payable B authorized under subsection (d).

(b) A certificate holder shall specify the selected payable as part of the Rules Submission form filed in accordance with § 601a.2 (relating to table games Rules Submissions).

(c) All other aspects of the King's Bounty wager shall follow the rules and procedures outlined in § 633a.6(e)(6).

(d) *Additional payable:*

<i>Hand</i>	<i>Paytable B</i>
King of spades pair and dealer Blackjack	1,000 to 1
King of spades pair	100 to 1
Suited kings pair	30 to 1
Suited queens, jacks or 10s pair	20 to 1
Suited 20	10 to 1
Pair of kings	8 to 1
Any 20	6 to 1

§ 633b.20. Blazing 7's wager.

(a) The layout for a Blackjack table shall be submitted to the Bureau of Gaming Operations and approved in accordance with § 601a.10(a) (relating to approval of table game layouts, signage and equipment) and if the certificate holder offers the Blazing 7's wager authorized under subsection (c), the layout shall contain a separate area designated for the placement of the Blazing 7's wager for each player.

(b) If specified in its Rules Submission form filed under § 601a.2 (relating to table games Rules Submissions), a certificate holder may offer to each player who placed a Blackjack wager in accordance with § 633a.6(d) (relating to wagers) the option of placing a Blazing 7's wager, which shall win if either of the player's initial two cards is a seven.

(c) After placing a Blackjack wager as required in § 633a.6(d) and any optional wagers, including the Blazing 7's wager, the dealer shall deal the cards in accordance with § 633a.7(a)—(g) (relating to procedure for dealing the cards; completion of each round of play).

(d) As part of the dealing procedures of § 633a.7(g), the dealer shall settle the Blazing 7's wager as follows:

(1) If a player placed a Blazing 7's wager and neither of their initial two cards is a seven, the Blazing 7's wager is lost and shall be collected.

(2) If the player placed a Blazing 7's wager and at least one of their initial two cards is a seven, the Blazing 7's

wager shall win, and the dealer shall pay the winning Blazing 7's wager in accordance with subsection (e).

(3) If the player placed a Blazing 7's wager and both of their initial two cards are sevens, and the dealer's up card is a seven, the Blazing 7's wager shall win, and the dealer shall pay the winning Blazing 7's wager in accordance with subsection (e).

(e) The certificate holder shall pay out winning Blazing 7's progressive wagers at the odds in Paytable A as follows:

<i>Hand</i>	<i>Paytable A</i>
Three 7's—all diamonds	5,000 to 1
Three 7's—same suit	2,000 to 1
Three 7's—same color	1,000 to 1
Three 7's	500 to 1
Player first two cards (two 7's)	40 to 1
Either of player's first two cards (one 7)	2 to 1

(f) After settling the Blazing 7's wagers, the dealer shall continue the hand in accordance with § 633a.7(g)—(t).

§ 633b.21. Blazing 7's multi-progressive wager.

(a) The layout for a Blackjack table shall be submitted to the Bureau of Gaming Operations and approved in accordance with § 601a.10(a) (relating to approval of table game layouts, signage and equipment) and if the certificate holder offers the Blazing 7's multi-progressive wager authorized under subsection (c), the layout shall contain a separate area designated for the placement of the Blazing 7's multi-progressive wager for each player. The Blackjack table must have a progressive table game system in accordance with § 605a.7 (relating to progressive table games) for the placement of Blazing 7's multi-progressive wagers. The progressive table game system must include all of the following:

(1) A wagering device at each betting position that acknowledges or accepts the placement of the Blazing 7's multi-progressive wager.

(2) A device that controls or monitors the placement of progressive payout wagers at the gaming table, including a mechanism, such as a lock-out button, that prevents the placement of any Blazing 7's multi-progressive wagers that a player attempts to place after the dealer has begun dealing the cards.

(b) If specified in its Rules Submission form filed under § 601a.2 (relating to table games Rules Submissions), a certificate holder may offer to each player who placed a Blackjack wager in accordance with § 633a.6(d) (relating to wagers) the option of placing a Blazing 7's multi-progressive wager, which shall win if either of the player's initial two cards is a seven.

(c) After placing a Blackjack wager as required in § 633a.6(d) and any optional wagers, including the Blazing 7's multi-progressive wager, the dealer shall deal the cards in accordance with § 633a.7(a)—(f) (relating to procedure for dealing the cards; completion of each round of play).

(d) The dealer shall settle any optional wagers, including the Blazing 7's multi-progressive wager, in accordance with § 633a.7(g). The following apply:

(1) If a player placed a Blazing 7's multi-progressive wager and neither of their initial two cards is a seven, the Blazing 7's multi-progressive wager is lost and shall be collected.

(2) If the player placed a Blazing 7's multi-progressive wager and at least one of their initial two cards is a seven, the Blazing 7's multi-progressive wager shall win, and the dealer shall pay the winning Blazing 7's wager in accordance with subsection (f).

(3) If the player placed a Blazing 7's wager and both of their initial two cards are sevens and the dealer's up card is a seven, the Blazing 7's multi-progressive wager shall win, and the dealer shall pay the winning Blazing 7's multi-progressive wager in accordance with subsection (f).

(e) If a player has won the Blazing 7's multi-progressive wager, the dealer shall do all of the following:

(1) Verify that the hand is a winning hand.

(2) Have a floorperson or above verify any Blazing 7's multi-progressive payout with odds greater than 200 for 1 in accordance with approved internal control procedures submitted under § 465a.2 (relating to internal control systems and audit protocols).

(3) Pay the player the winning Blazing 7's multi-progressive wager in accordance with subsection (f). If a player has won a progressive payout that is 10% or more of the jackpot amount on the progressive meter, the progressive payout may not be paid from the table inventory container. If a player has won a progressive payout that is not being paid from the table inventory container, the cards of the player must remain on the table until the necessary documentation has been completed. If more than one player at the table has won a progressive payout that is 100% of the jackpot amount on the progressive meter, each player shall share the maximum amount equally.

(f) The certificate holder shall pay out winning Blazing 7's multi-progressive wagers at the odds in one of the following paytables selected by the certificate holder in its Rules Submission form filed in accordance with § 601a.2:

<i>Hand</i>	<i>Paytable A</i>	<i>Paytable B</i>
Three 7's—diamonds	100% of mega	100% mega
Three 7's—same suit	100% of major	100% major
Three 7's—same color	100% minor	100% minor
Three 7's	400 to 1	200 to 1
Player's first two cards (two 7's)	30 to 1	25 to 1
Either of player's first two cards (one 7)	2 to 1	3 to 1

(g) The rate of progression for the meters and the initial seed used for the Blazing 7's multi-progressive shall be as follows:

<i>Hand</i>	<i>Seed</i>	<i>Incrementation</i>
Mega	2,000× the minimum wager	14%
Major	1,000× the minimum wager	6%
Minor	500× the minimum wager	4%

(h) After settling the Blazing 7's multi-progressive wagers, the dealer shall continue the hand in accordance with § 633a.7(g)—(t).

**CHAPTER 653b. ULTIMATE TEXAS HOLD 'EM
POKER SIDE WAGERS AND
VARIATIONS—TEMPORARY REGULATIONS**

§ 653b.2. Trips additional payable options.

(a) The certificate holder may, if specified in its Rules Submission form filed under § 601a.2 (relating to table games Rules Submissions), offer players an alternate Trips wager payable to the paytables outlined in § 653a.12(c) (relating to payout odds; Envy Bonus; rate of progression; payout limitation).

(b) The additional Trips wager payable option is as follows:

<i>Hand</i>	<i>Paytable E</i>
Royal flush	50 to 1
Straight flush	40 to 1
Four-of-a-kind	30 to 1
Full house	7 to 1
Flush	6 to 1
Straight	5 to 1
Three-of-a-kind	3 to 1

(c) Notwithstanding the provisions in this section, the rules and procedures governing the Trips wager under §§ 653a.2, 653a.7, 653a.11, 653a.12(h) and 653a.13 shall remain in effect.

§ 653b.3. Bad Beat bonus wager additional payable options.

(a) If the certificate holder offers the Bad Beat bonus wager as authorized under § 653a.7(d)(6) (relating to wagers), the certificate holder may, if specified in its Rules Submission form filed under § 601a.2 (relating to table games Rules Submissions), offer players an alternate payable to the paytables outlined in § 653a.12(g) (relating to payout odds; Envy Bonus; rate of progression; payout limitation).

(b) The additional Bad Beat bonus wager payable option is as follows:

<i>Hand</i>	<i>Paytable C</i>
Straight flush	2,500 to 1
Four-of-a-kind	500 to 1
Full house	50 to 1
Flush	30 to 1

<i>Hand</i>	<i>Paytable C</i>
Straight	20 to 1
Three-of-a-kind	9 to 1

(c) Notwithstanding the provisions in this section, the rules and procedures governing the Bad Beat bonus wager under §§ 653a.2, 653a.7, 653a.11, 653a.12(h) and 653a.13 shall remain in effect.

§ 653b.4. Play the Board wager.

(a) If the certificate holder offers Ultimate Texas Hold 'Em Poker as described in Chapter 653a (relating to Ultimate Texas Hold 'Em Poker), the certificate holder may, if specified in its Rules Submission form filed under § 601a.2 (relating to table games Rules Submissions), offer to each player who has placed Ultimate Texas Hold 'Em wagers in accordance with § 653a.7(d)(1) (relating to wagers) the optional Play the Board wager.

(b) The layout and signage for the Ultimate Texas Hold 'Em Poker table shall be submitted to the Bureau of Gaming Operations for approval in accordance with § 601a.10(a) (relating to approval of table game layouts, signage and equipment). In addition to the betting areas designated under § 653a.2(b) (relating to Ultimate Texas Hold 'Em Poker table physical characteristics), the layout shall include a designated area for the placement of the Play the Board wager.

(c) After placing the Ultimate Texas Hold 'Em wagers as required in § 653a.7(d), and any optional wagers including the Play the Board wager, the dealer shall deal the cards in accordance with § 653a.11(a)—(f) (relating to procedures for completion of each round of play). If a player having made a Play the Board wager chooses to fold, the Play the Board wager shall be treated in the same manner as the Trips wager or Six Card bonus wager under § 653a.11(f)(2)(i) and remain on the table until settled.

(d) The dealer shall continue to deal the round to completion consistent with § 653a.11(g)—(n). Play the Board wagers shall be settled as part of the settlement of optional wagers prior to the removal of cards under § 653a.11(n).

(e) The Play the Board wager shall win and be paid according to subsection (f) if the five community cards form a hand comprised of a pair of tens or better.

(f) The certificate holder shall pay out winning Play the Board wagers at the odds in one of the following paytables selected by the certificate holder in its Rules Submission form filed in accordance with § 601a.2:

<i>Hand</i>	<i>Paytable A</i>	<i>Paytable B</i>	<i>Paytable C</i>
Royal flush	1,000 to 1	1,000 to 1	1,000 to 1
Straight flush	200 to 1	200 to 1	200 to 1
Four-of-a-kind	100 to 1	100 to 1	100 to 1
Full house	50 to 1	50 to 1	50 to 1
Flush	40 to 1	40 to 1	40 to 1
Straight	25 to 1	25 to 1	20 to 1
Three-of-a-kind	7 to 1	6 to 1	6 to 1
Two pair	3 to 1	3 to 1	3 to 1
Pair—10s or better	1 to 1	1 to 1	1 to 1

§ 653b.5. Ultimate Pairs wager.

(a) If the certificate holder offers Ultimate Texas Hold 'Em Poker as described in Chapter 653a (relating to Ultimate Texas Hold 'Em Poker), the certificate holder may, if specified in its Rules Submission form filed under § 601a.2 (relating to table games Rules Submissions), offer to each player who has placed Ultimate Texas Hold 'Em wagers in accordance with § 653a.7(d)(1) (relating to wagers) the optional Ultimate Pairs wager.

(b) The layout and signage for the Ultimate Texas Hold 'Em Poker table shall be submitted to the Bureau of Gaming Operations for approval in accordance with § 601a.10(a) (relating to approval of table game layouts, signage and equipment). In addition to the betting areas designated under § 653a.2(b) (relating to Ultimate Texas Hold 'Em Poker table physical characteristics), the layout shall include a designated area for the placement of the Ultimate Pairs wager.

(c) After placing the Ultimate Texas Hold 'Em wagers as required in § 653a.7(d) and any optional wagers including the Ultimate Pairs wager, the dealer shall deal the cards in accordance with § 653a.11(a)–(f) (relating to

procedures for completion of each round of play). If a player having made an Ultimate Pairs wager chooses to fold, the Play the Board wager shall be treated in the same manner as the Trips wager or Six Card bonus wager under § 653a.11(f)(2)(i) and remain on the table until settled.

(d) The dealer shall continue to deal the round to completion consistent with § 653a.11(g)–(n). Ultimate Pairs wagers shall be settled as part of the settlement of optional wagers prior to the removal of cards under § 653a.11(n).

(e) The Ultimate Pairs wager shall win and be paid in accordance with subsection (f) if the player's two individual cards, or if Paytable F is selected the player's two individual cards combined with the dealer's two cards, form a hand comprised of a designated winning combination under the certificate holder selected payable.

(f) The certificate holder shall pay out winning Ultimate Pairs wagers at the odds in one of the following paytables selected by the certificate holder in its Rules Submission form filed in accordance with § 601a.2:

<i>Player's Individual Two Cards</i>	<i>Paytable A</i>	<i>Paytable B</i>	<i>Paytable C</i>
Ace/ace and dealer ace/ace	n/a	n/a	n/a
Ace of hearts and ace of diamonds	n/a	n/a	100 to 1
Ace/ace	30 to 1	30 to 1	30 to 1
Ace/king (suited)	25 to 1	20 to 1	20 to 1
Ace/queen (suited) or player ace/jack (suited)	20 to 1	20 to 1	20 to 1
Ace/king	15 to 1	10 to 1	10 to 1
King/king, queen/queen or jack/jack	10 to 1	5 to 1	4 to 1
Ace/queen or ace/jack	5 to 1	10 to 1	10 to 1
Pair—10s or less	3 to 1	5 to 1	4 to 1

<i>Player's Individual Two Cards</i>	<i>Paytable D</i>	<i>Paytable E</i>	<i>Paytable F</i>
Ace/ace and dealer ace/ace	n/a	n/a	1,000 to 1
Ace of hearts and ace of diamonds	50 to 1	n/a	n/a
Ace/ace	25 to 1	25 to 1	30 to 1
Ace/king (suited)	20 to 1	20 to 1	25 to 1
Ace/queen (suited) or player ace/jack (suited)	20 to 1	20 to 1	20 to 1
Ace/king	10 to 1	10 to 1	15 to 1
King/king, queen/queen or jack/jack	5 to 1	5 to 1	10 to 1
Ace/queen or ace/jack	10 to 1	10 to 1	5 to 1
Pair—10s or less	5 to 1	5 to 1	3 to 1

CHAPTER 674b. CRISS-CROSS POKER SIDE WAGERS AND VARIATIONS—TEMPORARY REGULATIONS

§ 674b.1. Ultimate Pairs wager.

(a) If the certificate holder offers Criss-Cross Poker as described in Chapter 674a (relating to Criss-Cross Poker), the certificate holder may, if specified in its Rules Submission form filed under § 601a.2 (relating to table games Rules Submissions), offer to each player who has placed Criss-Cross Poker wagers in accordance with

§ 674a.7(d) (relating to wagers) the optional Ultimate Pairs wager.

(b) The layout and signage for the Criss-Cross Poker table shall be submitted to the Bureau of Gaming Operations for approval in accordance with § 601a.10(a) (relating to approval of table game layouts, signage and equipment). In addition to the betting areas designated under § 674a.2(b) (relating to Criss-Cross Poker table physical characteristics), the layout shall include a designated area for the placement of the Ultimate Pairs wager.

(c) After placing the Criss-Cross Poker wagers as required in § 674a.7(d) and any optional wagers, including the Ultimate Pairs wager, the dealer shall deal the cards in accordance with § 674a.11(a) and (b) (relating to procedures for completion of each round of play). If a player having made an Ultimate Pairs wager chooses not to place an Across Bet, thereby folding, the Ultimate Pairs wager shall be treated in the same manner as the Five Card bonus wager under § 674a.11(b) and remain on the table until settled.

(d) The dealer shall continue to deal the round to completion consistent with § 674a.11(c)—(i). Ultimate

Pairs wagers shall be settled as part of the settlement of optional wagers prior to the removal of cards under § 674a.11(i).

(e) The Ultimate Pairs wager shall win and be paid according to subsection (f) if the player’s two individual cards form a hand comprised of a designated winning combination under the certificate holder selected payable.

(f) The certificate holder shall pay out winning Ultimate Pairs wagers at the odds in one of the following paytables selected by the certificate holder in its Rules Submission form filed in accordance with § 601a.2:

<i>Player’s Initial Two Cards</i>	<i>Paytable A</i>	<i>Paytable B</i>	<i>Paytable C</i>
Ace of hearts and ace of diamonds	n/a	n/a	100 to 1
Ace/ace	30 to 1	30 to 1	30 to 1
Ace/king (suited)	25 to 1	20 to 1	20 to 1
Ace/queen (suited) or player ace/jack (suited)	20 to 1	20 to 1	20 to 1
Ace/king	15 to 1	10 to 1	10 to 1
King/king, queen/queen or jack/jack	10 to 1	5 to 1	4 to 1
Ace/queen or ace/jack	5 to 1	10 to 1	10 to 1
Pair—10s or less	3 to 1	5 to 1	4 to 1

<i>Player’s Initial Two Cards</i>	<i>Paytable D</i>	<i>Paytable E</i>
Ace of hearts and ace of diamonds	50 to 1	n/a
Ace/ace	25 to 1	25 to 1
Ace/king (suited)	20 to 1	20 to 1
Ace/queen (suited) or player ace/jack (suited)	20 to 1	20 to 1
Ace/king	10 to 1	10 to 1
King/king, queen/queen or jack/jack	5 to 1	5 to 1
Ace/queen or ace/jack	10 to 1	10 to 1
Pair—10s or less	5 to 1	5 to 1

CHAPTER 690. CRAZY TIME—TEMPORARY REGULATIONS

- Sec. 690.1. Crazy Time layout; physical characteristics.
- 690.2. Wagers and rotation of the wheel.
- 690.3. Top Slot multiplier.
- 690.4. Payout odds.
- 690.5. Coin Flip bonus game.
- 690.6. Cash Hunt bonus game.
- 690.7. Pachinko bonus game.
- 690.8. Crazy Time World bonus game.

§ 690.1. Crazy Time layout; physical characteristics.

(a) Crazy Time gaming shall be conducted at a circular wheel at least 5 feet in diameter. The rim of the wheel must be divided into 54 equally spaced sections with 21 sections containing the number 1, 13 sections containing the number 2, 7 sections containing the number 5, 4 sections containing the number 10, 4 sections containing the Coin Flip bonus game symbol, 2 sections containing the Cash Hunt bonus game symbol, 2 sections containing the Pachinko bonus game symbol and 1 section containing the Crazy Time World bonus game symbol.

(b) The sections required under subsection (a) must be arranged clockwise around the rim of the wheel in the following order: 1, 2, 5, 1, 2, Pachinko bonus game, 1, 5,

1, 2, 1, Coin Flip bonus game, 1, 2, 1, 10, 2, Cash Hunt bonus game, 1, 2, 1, 5, 1, Coin Flip bonus game, 1, 5, 2, 10, 1, Pachinko bonus game, 1, 2, 5, 1, 2, Coin Flip bonus game, 1, 10, 1, 5, 1, Cash Hunt bonus game, 1, 2, 5, 1, 2, Coin Flip bonus game, 2, 1, 10, 2, 1, Crazy Time World bonus game.

(c) Each section of the wheel must also display the base payout odds in § 690.4 (relating to payout odds) for the wager, except when the following occur:

(1) The final payout odds for each wager may be increased based upon the results of the Top Slot multiplier as outlined under § 690.3 (relating to Top Slot multiplier).

(2) The final payout odds for any bonus game shall be established during the play of the bonus game as outlined in §§ 690.5—690.8.

(d) The sections containing bonus game symbols trigger a subsequent bonus game.

(e) The wheel must contain a clapper capable of selecting a particular section of the wheel upon the conclusion of the spin.

(f) Each Crazy Time table must have a drop box and tip box attached on the same side of the gaming table as,

but on opposite sides of, the dealer, as approved by the Bureau of Casino Compliance in accordance with § 601a.10(g) (relating to approval of table game layouts, signage and equipment).

(g) The layout for a Crazy Time table shall be submitted to the Bureau of Gaming Operations and approved in accordance with § 601a.10(a) and contain the following, at a minimum:

- (1) The name or logo of the certificate holder.
- (2) Specific betting areas for the placement of wagers, including spaces for 1, 2, 5, 10, Coin Flip bonus game, Cash Hunt bonus game, Pachinko bonus game and Crazy Time World bonus game.
- (3) The payout odds for each of the permissible wagers.
- (4) The minimum or maximum wagers, or both, that may be placed and the maximum payout limit per round, if applicable.

§ 690.2. Wagers and rotation of the wheel.

(a) Prior to the spinning of the Crazy Time wheel, the dealer shall announce “no more bets.”

(b) The Crazy Time wheel shall be spun by the dealer in either direction and must complete at least three revolutions to constitute a valid spin.

(c) A wager shall be settled in accordance with the wager’s position on the layout when the clapper comes to rest in a section of the wheel.

(d) If the clapper comes to rest between two numbers or symbols upon completion of the spin of the wheel, the spin shall be void and the dealer shall respin the wheel.

(e) If upon completion of the spin the wheel comes to rest on a section of the wheel with 1, 2, 5 or 10, the dealer shall first collect all losing wagers and then pay off all winning wagers in accordance with § 690.4 (relating to payout odds).

(f) If upon completion of the spin the wheel comes to rest on a section of the wheel with a Coin Flip bonus game symbol, a Cash Hunt bonus game symbol, a Pachinko bonus game symbol or the Crazy Time World bonus game symbol, the dealer shall first collect all losing wagers. The dealer shall then proceed to play the winning bonus game to determine the payout odds and pay off all winning wagers.

§ 690.3. Top Slot multiplier.

(a) The Top Slot multiplier shall be a slot machine-style game to determine what, if any, multiplier shall be applied to the Crazy Time game.

(b) The Top Slot multiplier shall consist of the following two reels:

(1) The first reel shall contain each of the betting options available to players: 1, 2, 5, 10, Coin Flip bonus game, Cash Hunt bonus game, Pachinko bonus game and Crazy Time World bonus game.

(2) The second reel shall contain potential multipliers consisting of 1, 2, 3, 4, 5, 7, 10, 15 and 20.

(c) The Top Slot multiplier shall be spun during each round of Crazy Time. The Top Slot multiplier spin shall commence concurrently with the spinning of the Crazy Time wheel under § 690.2(b) (relating to wagers and rotation of the wheel). The following apply:

(1) If the first reel (betting option) and second reel (multiplier) align, then the multiplier shown shall be applied to the betting option shown.

(2) If the first reel (betting option) and the second reel (multiplier) do not align on both a betting option and a multiplier, then no Top Slot multiplier shall be applied to the Crazy Time game.

§ 690.4. Payout odds.

(a) A certificate holder shall pay out winning Crazy Time wagers at no less than the odds in the following payable:

<i>Result</i>	<i>Payout Odds</i>
1	1 to 1
2	2 to 1
5	5 to 1
10	10 to 1
Coin Flip	2 to 1
Cash Hunt	5 to 1
Pachinko	2 to 1
Crazy Time World	15 to 1

(b) If upon completion of the spin the wheel came to rest on a bonus game section of the wheel, the bonus game shall be played to determine the winning wager payout odds in accordance with §§ 690.5—690.8.

(c) Notwithstanding subsections (a) and (b), if a Top Slot multiplier was triggered in accordance with § 690.3 (relating to Top Slot multiplier), then the winning payout odds shall be applied. For example, if a Top Slot multiplier results in 7× on the 5 betting position, winning bets on the 5 would be paid at odds of 35 to 1. Similarly, if a Coin Flip bonus game results in a winning payout of 10× (10 to 1) and the Top Slot multiplier during the base game resulted in 7× on the Coin Flip betting position, then the winning Coin Flip wager would be settled as odds of 70 to 1.

§ 690.5. Coin Flip bonus game.

(a) Coin Flip is a bonus game in which the result of a coin flip determines the payout odds.

(b) The Coin Flip game shall be comprised of a coin with two distinct sides, such as red and blue.

(c) Before the coin is flipped, multiplier values shall be randomly generated and assigned to either side of the coin. The following apply to multipliers:

(1) The multipliers may range from 2× to 100×.

(2) If a Top Slot multiplier is applied in accordance with subsection (e), the final payout odds may exceed the 100× stated in paragraph (1).

(d) Once multiplier values have been assigned, the coin shall be flipped and the side of the coin that comes to rest face up shall constitute the winning payout odds.

(e) If applicable, the Top Slot multiplier authorized under § 690.3 (relating to Top Slot multiplier) shall be multiplied by the payout odds determined in accordance with subsection (c) prior to the coin being flipped. For example, if the Coin Flip results in 5× (5 to 1 odds) and the Top Slot multiplier was 7× on the Coin Flip bonus game, then the winning payout odds for the round would be 35 to 1.

(f) Notwithstanding subsection (d), a Rescue Flip may randomly be activated after an initial flip where all of the following occur:

(1) The small multiplier was 2× or 3×.

- (2) The big multiplier was greater than 15×.
- (3) The coin landed with the small multiplier facing up.

(g) If the conditions of subsection (f)(1)—(3) have been met, a Rescue Flip may commence, with the coin being flipped and the face up side of the coin constituting the winning payout odds. The result of the Rescue Flip is the final outcome.

§ 690.6. Cash Hunt bonus game.

(a) Cash Hunt is a shooting gallery-style bonus game in which the payout odds are revealed by shooting a symbol to reveal the payout odds hidden beneath.

(b) Cash Hunt shall be comprised of a board containing 108 multipliers. The following apply:

- (1) The multipliers may range from 5× to 500×.
- (2) If a Top Slot multiplier is applied in accordance with subsection (g), the final payout odds may exceed the 500× stated in paragraph (1).

(c) At the beginning of the Cash Hunt game, the multipliers shall start by being visible to players. The multipliers shall then be covered by symbols and shuffled.

(d) Following the shuffling of the multipliers, a countdown timer shall commence, indicating the time a player has left to select one of the 108 symbols. If the player does not make a selection before the time elapses, one of the 108 symbols will be automatically selected at random.

(e) After a symbol has been selected, the multiplier beneath shall be revealed and shall constitute the winning payout odds.

(f) Each eligible player's payout shall be based upon their individual selection made in accordance with subsection (d) and not on the outcome of any other player's selection.

(g) If applicable, the Top Slot multiplier authorized under § 690.3 (relating to Top Slot multiplier) shall be multiplied by all 108 payout odds prior to the multipliers being covered and shuffled under subsection (c). For example, if the initial Cash Hunt multiplier is 5× (5 to 1 odds) and the Top Slot multiplier was 7×, the Cash Hunt multiplier would become 35× (35 to 1) prior to the multiplier being covered and shuffled.

§ 690.7. Pachinko bonus game.

(a) Pachinko is a bonus game in which a puck is dropped down a wall to determine the winning multiplier.

(b) Pachinko shall be conducted on a Pachinko board which shall be a wall consisting of a multitude of pegs above 16 landing spots which display potential multipliers.

(c) The Pachinko game shall begin with potential multiplier being generated and displayed at the bottom of the Pachinko board. The following apply to multipliers:

- (1) The multipliers may range from 2× to 400×.
- (2) In addition to the multiplier range stated in paragraph (1), "Double" may be displayed in one slot.

(3) If a Top Slot multiplier is applied in accordance with subsection (f), the final payout odds may exceed the 400× stated in paragraph (1).

(d) The game presenter shall drop the puck from the randomly selected location at the top of the Pachinko board in the area directly above and between landing spots 4 through 13—the center half of the Pachinko board. The puck will proceed to travel through the pegs

on the board and come to rest in one of the landing spots indicating the winning payout odds.

(e) In the event that the puck comes to rest in slot marked "Double," all of the following apply:

- (1) All other multipliers in the other landing spots shall be doubled.
- (2) The "Double" shall be replaced with 50×.

(3) The puck drop zone shall be randomly selected and the game presenter shall drop the puck from the randomly selected drop zone.

(4) The puck shall proceed to travel through the pegs on the board and come to rest in a landing spot. The multiplier displayed in the landing spot shall constitute the winning payout odds.

(f) If applicable, the Top Slot multiplier authorized under § 690.3 (relating to Top Slot multiplier) shall be multiplied by all 16 payout odds prior to the puck being dropped in accordance with subsection (d). For example, if the initial Pachinko multiplier is 5× (5 to 1 odds) and the Top Slot multiplier was 7× on Pachinko, the multiplier would become 35× (35 to 1).

(g) Notwithstanding subsections (d) and (e), a Rescue Drop may randomly be activated when the puck comes to rest on a 2×, 3× or 4× multiplier. When a Rescue Drop is activated, all of the following apply:

(1) A multiplier lower than the triggering multiplier shall be updated to be equal to the triggering multiplier. For example, if the puck came to rest in a 4× multiplier slot, all 2× or 3× shall be replaced with 4×.

(2) A multiplier equal to or greater than the triggering multiplier shall remain the same. For example, if the puck came to rest in a 4× multiplier slot, the 4× and any multipliers greater than 4× will remain unchanged.

(3) The puck drop zone shall be randomly selected and the game presenter shall drop the puck from the randomly selected drop zone.

(4) The puck shall proceed to travel through the pegs on the board and come to rest in a landing spot. The multiplier displayed in the landing spot shall constitute the winning payout odds. No additional Rescue Drops shall follow.

§ 690.8. Crazy Time World bonus game.

(a) Crazy Time World is a virtual wheel-based bonus game.

(b) Crazy Time World shall be played on a wheel comprised of 64 sections and three clappers. The following apply:

(1) Each of the 64 sections of the wheel shall contain multipliers ranging from 15× to 400×.

(2) In addition to the multiplier range stated in paragraph (1), "Double" may be displayed in one section of the wheel.

(3) The multipliers shall be randomly assigned to the 64 wheel sections.

(4) The three clappers shall be spaced so that there are at least two sections of the wheel between clappers. For example, if the first clapper is on section 1, then the second clapper will be on section 4, and the third clapper shall be on section 7.

(5) If a Top Slot multiplier is applied in accordance with subsection (f), or the doubling outlined under subsection (e), the final payout odds may exceed the 400× stated in paragraph (1).

(c) At the beginning of the Crazy Time World game, a countdown timer shall commence, indicating the time a player has left to select one of the three clappers. If the player does not make a selection before the time elapses, one of the clappers will be automatically selected at random.

(d) After the time for players to select a clapper has elapsed, the game presenter shall start the wheel rotation by pressing the button. When the wheel stops spinning, the multiplier indicated by the player's selected clapper shall constitute the winning payout odds.

(e) In the event that the player's selected clapper comes to rest on wheel section marked "Double," all of the following apply:

(1) All multipliers on the wheel shall be doubled and the wheel spun again.

(2) Only those players who selected the clapper which landed on double shall continue to take part. The result of the spin shall constitute the winning payout odds.

(3) If the clapper lands on a section marked with "Double" a second time, all multipliers on the wheel shall be doubled a second time. The "Double" shall be replaced by a 50x multiplier and the wheel spun again. The result of the spin shall constitute the winning payout odds and may exceed the 400x stated in subsection (b)(1).

(f) If applicable, the Top Slot multiplier authorized under § 690.3 (relating to Top Slot multiplier) shall be multiplied by all 64 payout odds prior to the timer for players to select a clapper commencing under subsection (c). For example, if the initial Crazy Time World multiplier is 15x (15 to 1 odds) and the Top Slot multiplier was 7x on Crazy Time World, the multiplier would become 105x (105 to 1).

[Pa.B. Doc. No. 24-398. Filed for public inspection March 22, 2024, 9:00 a.m.]

PROPOSED RULEMAKING

ENVIRONMENTAL QUALITY BOARD

Acceptance of Rulemaking Petition for Study

On March 12, 2024, the Environmental Quality Board accepted a rulemaking petition for study under 25 Pa. Code Chapter 23 (relating to Environmental Quality Board policy for processing petitions—statement of policy). The petition, submitted by Consol Pennsylvania Coal Company, requests the amendment of 25 Pa. Code § 93.9v (relating to Drainage List V) to redesignate Fletcher Run in Greene County from High Quality—Warm Water Fishes to Warm Water Fishes.

Under 25 Pa. Code § 93.4d(a) (relating to processing of petitions, evaluations and assessments to change a designated use), the Department of Environmental Protection (Department) is required to publish a notice of intent to

assess candidate waters. The Department's assessment notice for this rulemaking petition will appear in a future issue of the *Pennsylvania Bulletin*.

The previously-referenced petition is available to the public by contacting the Environmental Quality Board, P.O. Box 8477, Harrisburg, PA 17105-8477, (717) 787-4526, and is accessible on the Department's web site at www.dep.pa.gov (select "Public Participation," then "Environmental Quality Board," then "2024 Meetings," under "Meeting Agendas/Minutes/Handouts," see "March 12, 2024").

JESSICA SHIRLEY,
Interim Acting Chairperson

[Pa.B. Doc. No. 24-399. Filed for public inspection March 22, 2024, 9:00 a.m.]

NOTICES

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending March 12, 2024.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, may file comments in writing with the Department, for Bank Supervision, by e-mail to ra-bnbnksbmsnspspt@pa.gov or for credit unions, by e-mail to ra-bncusubmissions@pa.gov and trust companies, by e-mail to ra-bntrustsuprvsninq@pa.gov. Comments must be received no later than 30 days from the date that the notice regarding acceptance of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240, or for credit unions or trust companies (717) 783-2253.

APPLICATIONS FOR COMMENT

BANKING INSTITUTIONS

No activity.

CREDIT UNIONS

No activity.

OTHER APPLICATION ACTIVITY

BANKING INSTITUTIONS

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Status</i>
03-08-2024	Farmers and Merchants Trust Co. of Chambersburg Chambersburg Franklin County	4765 Linglestown Road Harrisburg Dauphin County	Accepted
03-12-2024	Penn Community Bank Doylestown Bucks County	3100 West Tilghman Street Allentown Lehigh County	Accepted
03-12-2024	Penn Community Bank Doylestown Bucks County	2285 Schoenersville Road Bethlehem Lehigh County	Accepted

Branch Relocations

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Status</i>
02-20-2024	Elderton State Bank Elderton Armstrong County	<i>To:</i> 2014 River Road North Apollo Armstrong County <i>From:</i> 1906 River Road North Apollo Armstrong County	Opened
03-12-2024	Greenville Savings Bank Greenville Mercer County	<i>To:</i> 108 South Market Street New Wilmington Lawrence County <i>From:</i> 3302 Wilmington Road New Castle Lawrence County	Approved

Branch Discontinuances

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Status</i>
02-29-2024	AmeriServ Financial Bank Johnstown Cambria County	1059 Franklin Street Johnstown Cambria County	Closed

CREDIT UNIONS**Branch Applications****De Novo Branches**

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Status</i>
03-12-2024	Healthcare First Credit Union Johnstown Cambria County	189 Mini Mall Road Ebensburg Cambria County	Accepted

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

WENDY S. SPICHER,
Secretary

[Pa.B. Doc. No. 24-400. Filed for public inspection March 22, 2024, 9:00 a.m.]

DEPARTMENT OF COMMUNITY AND ECONOMIC DEVELOPMENT

Substantial Amendment to the 2019—2023 Consolidated Plan and 2019 Action Plan; Public Hearing

On March 27, 2020, the Coronavirus Aid, Relief, and Economic Security Act (CARES Act) (Pub.L. No. 116-136) was signed into law to respond to the growing effects of the novel coronavirus (COVID-19) public health crisis. The CARES Act provides special allocations to the Commonwealth under the Community Development Block Grant—Cares (CDBG-CV), Emergency Solutions Grant and Housing Opportunities for People with AIDS Grant programs to be used to prevent, prepare for and respond to the COVID-19 pandemic.

Annually, the Department of Community and Economic Development (Department) prepares the Action Plan which outlines the methods of distribution for Federal funding received by the Commonwealth through the United States Department of Housing and Urban Development (HUD). For the 2019 Action Plan, the Methods of Distribution to the Commonwealth's resources will be updated, which according to the Pennsylvania Citizen Participation Plan for the Consolidated Plan constitutes a change in the distribution of funds under the plan and requires an amendment to the original Consolidated Plan and Action Plan.

The Department intends to substantially amend the CDBG-CV program listed in the 2019 Annual Action Plan.

The proposed substantial amendment will reallocate \$1,429,880 from the technical assistance line-item to be made available through funding opportunities for public infrastructure and public facility projects.

Public Review and Comment Period

The substantial amendment to the 2019—2023 Consolidated Plan and 2019 Annual Action Plan will be available, starting on March 23, 2024, at the Department's web site at <https://dced.pa.gov/housing-and-development/consolidated-plan-annual-plans-reports/>. The substantial amendment is available for public comment from March 23, 2024, until April 22, 2024.

A public hearing will be held on April 10, 2024, at 1 p.m. by means of Microsoft Teams. The call-in information to access the public hearing is (267) 332-8737 followed by the phone conference ID: 829 405 634#.

The hearing will be shortened if there is no one to testify or there is minimal response.

Individuals with a disability or limited English proficiency who wish to participate in the public hearing should contact David Grey, dgrey@pa.gov, (717) 214-5341 or TDD at (717) 346-0308 to discuss how the Department can accommodate their requests.

Comments on the substantial amendment to the 2019—2023 Consolidated Plan and 2019 Annual Action Plan may be electronically submitted to the Department at dcedchdpubliccomments@pa.gov. Written comments may be submitted to David Grey, Center for Community and Housing Development, Department of Community and Economic Development, 400 North Street, 4th Floor, Commonwealth Keystone Building, Harrisburg, PA 17120-0225. Comments must be received by 4 p.m. on April 22, 2024, to be included as testimony in the amendment that will be submitted to HUD.

RICK SIGER,
Secretary

[Pa.B. Doc. No. 24-401. Filed for public inspection March 22, 2024, 9:00 a.m.]

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

Conservation and Natural Resources Advisory Council Public Meeting

The Conservation and Natural Resources Advisory Council (Council) to the Department of Conservation and Natural Resources (Department) will hold a public meeting on March 27, 2024, at 10 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. The public meeting may be attended by means of Microsoft Teams through a link found on the Council's web site prior to the public meeting at www.dcnr.pa.gov/cnrc.

Questions concerning this public meeting or agenda items can be directed to Gretchen Leslie at (717) 772-9084. For public comment to be considered at the public meeting, follow the instructions on the Council's web site.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Aara Vinsh directly at (717) 787-9306 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984

(TDD) to discuss how the Department may accommodate their needs.

CINDY ADAMS DUNN,
Secretary

[Pa.B. Doc. No. 24-402. Filed for public inspection March 22, 2024, 9:00 a.m.]

DEPARTMENT OF EDUCATION

Application by Trinity School for Ministry to Amend Articles of Incorporation

Notice of Opportunity for Hearing and Invitation to Protest

Under 24 Pa.C.S. § 6503(e) (relating to certification of institutions), the Department of Education (Department) will consider the application for approval of a Certificate of Authority for Trinity School for Ministry to change their name to Trinity Anglican Seminary, to update their purpose clause to include men and women for ministry preparation in other countries and the worldwide community, to simplify articles so trustees will not have to review both the Articles of Incorporation and Bylaws, to more precisely match PA statutes and be consistent with the Internal Revenue Code, to replace the word “succession” with the word “existence,” to remove unnecessary or

outdated sections and to permit a majority of the board at a meeting at which a quorum is present to amend the Articles of Incorporation.

In accordance with 24 Pa.C.S. § 6503(e), the Department will act upon the application without a hearing, unless within 30 days after the publication of this notice in the *Pennsylvania Bulletin* a written request for public hearing is filed with the Department, along with a notice of intervention, a petition to intervene or protest in accordance with 1 Pa. Code §§ 35.23 and 35.24 (relating to protests) or 1 Pa. Code §§ 35.27—35.32 (relating to intervention).

Petitions to intervene, protest and request for hearing shall be filed with the Division of Higher Education, Access and Equity, 607 South Drive, 3E, Harrisburg, PA 17120 on or before the due date prescribed by this notice. Persons wishing to review the application should call (717) 783-6786 or write to the previously listed address to schedule a time for a review.

Persons with a disability who wish to attend the hearing, if held, and require an auxiliary aid, service or other accommodation to participate, should contact the Division of Higher Education, Access and Equity at (717) 783-6786 to discuss accommodations.

DR. KHALID N. MUMIN,
Secretary

[Pa.B. Doc. No. 24-403. Filed for public inspection March 22, 2024, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS UNDER THE CLEAN STREAMS LAW AND FEDERAL CLEAN WATER ACT

This notice provides information about persons who have applied to the Department of Environmental Protection (DEP) for a new, renewed, or amended NPDES or WQM permit, or a permit waiver for certain stormwater discharges, or have submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications and NOIs concern, but are not limited to, effluent discharges from sewage treatment facilities and industrial facilities to surface waters or groundwater; stormwater discharges associated with industrial activity (industrial stormwater), construction activity (construction stormwater), and municipal separate storm sewer systems (MS4s); the application of pesticides; the operation of Concentrated Animal Feeding Operations (CAFOs); and the construction of sewage, industrial waste, and manure storage, collection and treatment facilities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES and WQM permits that are available can be found on DEP’s website (visit www.dep.pa.gov and select Businesses, Water, Bureau of Clean Water, Wastewater Management, and NPDES and WQM Permitting Programs).

<i>Section</i>	<i>Category</i>
----------------	-----------------

- | | |
|-----|--|
| I | Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received |
| II | Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs |
| III | Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity |

Section I identifies the following applications and NOIs that have been received by DEP:

- Individual and General WQM Permit Applications Received—DEP provides a 15-day public comment period for Individual WQM Permit Applications for new and reissued permits. There is no public comment period for General WQM Permit NOIs.
- General Chapter 92a NPDES Permit NOIs Received—There is no public comment period for General NPDES NOIs received.
- All Transfer and Minor Amendment Applications/NOIs Received—Transfer and Minor Amendment Applications/NOIs received for Individual and General WQM Permits and Individual and General NPDES Permits, excluding PAG-01 and PAG-02, are identified but do not have public comment periods. DEP provides a 15-day public comment period for Individual WQM Permit Applications for amendments.

Additional information on these applications and NOIs may be reviewed by generating the “Applications and NOIs without Comment Periods Report” or, for Individual WQM Permit Applications, the “Applications Received with Comment Periods Report” on DEP’s website at www.dep.pa.gov/CWPublicNotice.

Section II identifies individual NPDES permit applications received and draft permits indicating DEP’s tentative determination relating to sewage, industrial waste, industrial stormwater, MS4s, pesticides and CAFOs. A 30-day public comment period applies to these applications and draft permits, except when a site-specific water quality criterion is used to establish effluent limitations, in which case a 45-day public comment period applies. The period for comment may be extended at the discretion of DEP for one additional 15-day period. Additional information, including links to draft permits and fact sheets that explain the basis for DEP’s tentative determinations may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP’s website at www.dep.pa.gov/CWPublicNotice. Notification of 15-day extensions for comment will be provided in the “Applications Received with Comment Periods Report” (Comments column).

Section III identifies individual NPDES permit applications received and draft permits indicating DEP’s tentative determination relating to stormwater discharges associated with construction activities. A 30-day public comment period applies to these applications and draft permits. The period for comment may be extended at the discretion of the Department for one additional 15-day period. Additional information may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP’s website at www.dep.pa.gov/CWPublicNotice.

Applications, NOIs and draft permits, where applicable, may be reviewed at the DEP office that received the application or NOI. Members of the public are encouraged to use DEP’s website to obtain additional information as discussed previously.

Comments received within the appropriate comment periods for WQM and NPDES permit applications will be retained by DEP and considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and the relevant facts upon which it is based.

DEP office contact information to review applications and NOIs and to submit comments for those applications, when applicable, is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES_SERO@pa.gov for permits in Sections I & II; RA-EPWW-SERO@pa.gov for permits in Section III.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES_NERO@pa.gov for permits in Sections I & II; RA-EPWW-NERO@pa.gov for permits in Section III.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES_SCRO@pa.gov for permits in Sections I & II; RA-EPWW-SCRO@pa.gov for permits in Section III.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES_NCRO@pa.gov for permits in Sections I & II; RA-EPWW-NCRO@pa.gov for permits in Section III.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES_SWRO@pa.gov for permits in Sections I & II; RA-EPWW-SWRO@pa.gov for permits in Section III.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6340. Email: RA-EPNPDES_NWRO@pa.gov for permits in Sections I & II; RA-EPWW-NWRO@pa.gov for permits in Section III.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

DEP will also accept requests or petitions for public hearings on applications. The request or petition must indicate the interest of the party filing and the reasons why a hearing is warranted. A hearing will be held if DEP determines that

there is a significant public interest. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. DEP will postpone its final determination until after a public hearing is held.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

I. Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received.

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
1522805	Joint DEP/PFBC Pesticides Permit	Amendment	Traditions at Inniscrone 5 Christy Drive Chadds Ford, PA 19317	London Grove Township Chester County	SERO
1524802	Joint DEP/PFBC Pesticides Permit	New	Sugar Knoll HOA c/o CKS Management Inc. 1012 W 9th Avenue King of Prussia, PA 19406-1093	Easttown Township Chester County	SERO
2324802	Joint DEP/PFBC Pesticides Permit	New	Ardrossan Farms Owners Association 807 Newtown Road Villanova, PA 19085-1031	Radnor Township Delaware County	SERO
2913803	Joint DEP/PFBC Pesticides Permit	Transfer	Shenandoah Area Council BSA 107 Youth Development Court Winchester, VA 22602-2430	Dublin Township Fulton County	SCRO
3121801	Joint DEP/PFBC Pesticides Permit	Amendment	US Army Corp Of Engineering 6145 Seven Points Road Hesston, PA 16647-8303	Penn Township Huntingdon County	SCRO
3914802	Joint DEP/PFBC Pesticides Permit	Renewal	Hanover Township 2202 Grove Road Allentown, PA 18109-3039	Hanover Township Lehigh County	NERO
6724801	Joint DEP/PFBC Pesticides Permit	New	Keegan Alicia 12831 Glessick School Road Felton, PA 17322-8271	East Hopewell Township York County	SCRO
1474401	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Amendment	Nittany Grove Condominium Comm Association 204 Timberwood Trail Centre Hall, PA 16828-7817	Harris Township Centre County	NCRO
3113401	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Amendment	Grier Foundation 2522 Grier School Road P.O. Box 308 Tyrone, PA 16686-0308	Warriors Mark Township Huntingdon County	SCRO
5024401	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	New	MRPI Amity Hall LLC 509 S Exeter Street Suite 216 Baltimore, MD 21202-4365	Watts Township Perry County	SCRO
NOEXNW236	No Exposure Certification	New	Teledyne Flir Surveillance Inc. 183 Northpointe Boulevard Freeport, PA 16229-2603	South Buffalo Township Armstrong County	NWRO
NOEXSW251	No Exposure Certification	Renewal	Lamagna Food Group LLC N3569 Vanden Bosch Road Kaukauna, WI 54130	Verona Borough Allegheny County	SWRO
PAG030124	PAG-03 NPDES General Permit for Industrial Stormwater	Transfer	SIKA MBCC US LLC 6450 Bristol Pike Levittown, PA 19057-4916	Bristol Township Bucks County	SERO
PAG030310	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Congoleum Acquisition LLC 4401 Ridge Road Trainer, PA 19061	Trainer Borough Delaware County	SERO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG030312	PAG-03 NPDES General Permit for Industrial Stormwater	New	Fenix Parts Inc. 1245 Sleepy Hollow Road Pennsburg, PA 18073-2405	Milford Township Bucks County	SERO
PAG032331	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	DFA Dairy Brands Fluid LLC 100 Manheim Road Schuylkill Haven, PA 17972	North Manheim Township Schuylkill County	NERO
PAG035045	PAG-03 NPDES General Permit for Industrial Stormwater	New	Vault Pressure Control 229 W Sam Houston Parkway Suite 200 Houston, TX 77043	Muncy Township Lycoming County	NCRO
PAG043984	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Broad Top Township P.O. Box 57 124 Hitchens Road Defiance, PA 16633-0057	Broad Top Township Bedford County	SCRO
PAG045285	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Transfer	Hammered Dreams LLC 210 Heverly Lane Bellefonte, PA 16823-4163	Boggs Township Clearfield County	NCRO
PAG046478	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Dewar James & Stephanie 7785 Lincoln Highway Central City, PA 15926-7500	Indian Lake Borough Somerset County	SWRO
PAG058350	PAG-05 NPDES General Permit for Groundwater Cleanup	Renewal	United Refinery Co. of PA P.O. Box 780 15 Bradley Street Warren, PA 16365-0780	Pittsfield Township Warren County	NWRO
PAG058397	PAG-05 NPDES General Permit for Groundwater Cleanup	Renewal	United Refinery Co. of PA P.O. Box 688 15 Bradley Street Warren, PA 16365-0688	Ridgway Township Elk County	NWRO
PAG058398	PAG-05 NPDES General Permit for Groundwater Cleanup	Renewal	United Refinery Co. of PA 15 Bradley Street P.O. Box 688 Warren, PA 16365-3224	Kane Borough McKean County	NWRO
PAG123539	PAG-12 NPDES General Permit for CAFOs	Renewal	Martin Eldwin 12950 Forge Road Mercersburg, PA 17236-9415	Warren Township Franklin County	SCRO
PAG124825	PAG-12 NPDES General Permit for CAFOs	Renewal	Pine Hurst Acres 3304 Sunbury Road Danville, PA 17821-9454	Rush Township Northumberland County	SCRO
PAG124832	PAG-12 NPDES General Permit for CAFOs	Renewal	Lapp Emmanuel L 322 Hatchery Road Dalmatia, PA 17017-8210	Lower Mahanoy Township Northumberland County	SCRO
PAG124862	PAG-12 NPDES General Permit for CAFOs	Renewal	Jim & Linda Kucharski 39 Old Mill Road Liberty, PA 16930-9210	Liberty Borough Tioga County	SCRO
PAG124869	PAG-12 NPDES General Permit for CAFOs	Renewal	Oak Spring Farms 272 Middle Road Centre Hall, PA 16828-8105	Harris Township Centre County	SCRO
PAG133751	PAG-13 NPDES General Permit for MS4s	Renewal	McSherrystown Borough 338 Main Street McSherrystown, PA 17344-1708	McSherrystown Borough Adams County	SCRO
PAG136220	PAG-13 NPDES General Permit for MS4s	Renewal	Crafton Borough 100 Stotz Avenue Pittsburgh, PA 15205-2893	Crafton Borough Allegheny County	SWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
1024405	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Lazar Bruce 131 Miller Road Sarver, PA 16055-8932	Clinton Township Butler County	NWRO
2524401	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Kaulbach Melissa 6011 Bridlewood Drive Fairview, PA 16415-2709	Fairview Township Erie County	NWRO
0624203	Small Flow Treatment Facility Individual WQM Permit	New	Stellar Homes LLC P.O. Box 553 Oley, PA 19547-0553	Oley Township Berks County	SCRO
1024404	Small Flow Treatment Facility Individual WQM Permit	New	Mihalek Vincent 114 Turk Road Slippery Rock, PA 16057-5232	Brady Township Butler County	NWRO
1708402	Small Flow Treatment Facility Individual WQM Permit	Transfer	Hammered Dreams LLC 210 Heverly Lane Bellefonte, PA 16823-4163	Boggs Township Clearfield County	NCRO
WQG01562401	WQG-01 WQM General Permit	New	Dewar James & Stephanie 7785 Lincoln Highway Central City, PA 15926-7500	Indian Lake Borough Somerset County	SWRO

II. Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.

Northcentral Regional Office

PA0115053, Sewage, SIC Code 4952, **Nicholas Wolff Foundation, Inc.**, P.O. Box 810, Millville, PA 17846-0810. Facility Name: Camp Victory Hospital Campground. This existing facility is located in Greenwood Township, **Columbia County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Mud Run (TSF), is located in State Water Plan watershed 5-C and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.01 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	Daily Min Report Daily Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ammonia-Nitrogen	XXX	XXX	XXX	Geo Mean	10.0	XXX
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

Northcentral Regional Office

PA0115231, Sewage, SIC Code 4952, **Woodland Bigler Area Authority**, P.O. Box 27, Woodland, PA 16881-0027. Facility Name: Woodland Bigler Area Authority Wastewater Treatment Facility. This existing facility is located in Bradford Township, **Clearfield County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Roaring Run, is located in State Water Plan watershed 8-C and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.225 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Report Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.43	XXX	1.43
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	46	75	XXX	25.0	40.0	50
Total Suspended Solids	80	120	XXX	45.0	65.0	90
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	Geo Mean	XXX	Report
Total Nitrogen	Report	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen	Report	Report	XXX	Report	Report	XXX
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX
Copper, Total	XXX	Report	XXX	XXX	Report	XXX
Zinc, Total	XXX	Daily Max Report	XXX	XXX	Daily Max Report	XXX
Biochemical Oxygen Demand (BOD ₅)	Report	Daily Max XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						

The proposed effluent limits for Outfall 001 are based on a design flow of 0.225 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Report Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.43	XXX	1.43
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	46	75	XXX	25.0	40.0	50
Total Suspended Solids	80	120	XXX	45.0	65.0	90
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	Geo Mean	XXX	Report
Total Nitrogen	Report	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen	18.44	27.66	XXX	9.83	14.74	19.66
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX
Copper, Total	XXX	Report	XXX	XXX	Report	XXX
Zinc, Total	XXX	Daily Max Report	XXX	XXX	Daily Max Report	XXX
Biochemical Oxygen Demand (BOD ₅)	Report	Daily Max XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is not in effect.

Northeast Regional Office

PA0061301, Sewage, SIC Code 5812, **Inn at Starlight Lake**, 289 Starlight Lake Road, Starlight, PA 18461. Facility Name: Inn at Starlight Lake WWTP. This existing facility is located in Buckingham Township, **Wayne County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, an Unnamed Tributary to Shehawken Creek (HQ-CWF), is located in State Water Plan watershed 1-A and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.004 MGD.

(From Permit Effective Date to 1 Year After Permit Effective Date)

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	1.2	XXX	2.8
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.004 MGD.

(From 1 Year After Permit Effective Date to Permit Expiration Date)

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.1
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Nov 1 - Apr 30						
May 1 - Oct 31	XXX	XXX	XXX	16.0	XXX	32.0

The proposed effluent limits for Outfall 001 are based on a design flow of 0.004 MGD.

(From Permit Effective Date to Permit Expiration Date)

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 001 are based on a design flow of 0.004 MGD.

(From Permit Effective Date to Permit Expiration Date)

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Avg Qrtly Report	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Avg Qrtly Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Avg Qrtly Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.004 MGD.

(From Permit Effective Date to Permit Expiration Date)

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
		Daily Max				
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		

In addition, the permit contains the following major special conditions:

- Solids Management
- TRC and Ammonia-Nitrogen Effluent Limits Compliance Schedule

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

PA0065242, Sewage, SIC Code 4952, **Lower Milford Township**, 7607 Chestnut Hill Church Road, Coopersburg, PA 18036-3712. Facility Name: Limeport Village WWTF. This existing facility is located in Lower Milford Township, **Lehigh County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, Saucon Creek (HQ-CWF, MF), is located in State Water Plan watershed 2-C and is classified for High—Quality Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.035 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Dissolved Solids	XXX	XXX	XXX	1,000	XXX	2,000
				Avg Qrtly		

The proposed effluent limits for Outfall 001 are based on a design flow of 0.035 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Biochemical Oxygen Demand (BOD ₅)	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent	Annl Avg			Annl Avg		
Total Suspended Solids	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent	Annl Avg			Annl Avg		
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
	Annl Avg			Annl Avg		
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
	Annl Avg			Annl Avg		
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
	Annl Avg			Annl Avg		
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX
	Annl Avg			Annl Avg		
Total Phosphorus (Total Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
(lbs)	Annl Avg					

The proposed effluent limits for Outfall 001 are based on a design flow of 0.035 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
		Daily Max				
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	XXX	XXX	Non-Detect
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	5.8	XXX	XXX	20.0	XXX	40.0
Nov 1 - Apr 30						
May 1 - Oct 31	2.9	XXX	XXX	10.0	XXX	20.0

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Suspended Solids	2.9	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Geo Mean				9.0	XXX	18.0
Ammonia-Nitrogen	2.6	XXX	XXX			
Nov 1 - Apr 30						
May 1 - Oct 31	0.9	XXX	XXX	3.0	XXX	6.0
Total Phosphorus	0.6	XXX	XXX	2.0	XXX	4.0

In addition, the permit contains the following major special conditions:

- Solids Management
- TRC Effluent Limitation Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

PA0014681, Industrial, SIC Code 2047, **Nestlé Purina PetCare Company**, 2050 Pope Road, Allentown, PA 18104-9308. Facility Name: Nestlé Purina PetCare Company. This existing facility is located in South Whitehall Township, **Lehigh County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving streams, Jordan Creek (TSF, MF) and an Unnamed Tributary to Jordan Creek (HQ—CWF, MF), are located in State Water Plan watershed 2-C. Jordan Creek is classified for Trout Stocking and Migratory Fish, aquatic life, water supply and recreation. The Unnamed Tributary to Jordan Creek is classified for High Quality-Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.53 MGD.

(From Permit Effective Date to Completion of WWTP Construction)

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.10	XXX	0.24
Temperature (°F)	XXX	XXX	XXX	XXX	XXX	110.0
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	30.0	60.0	75.0
Nov 1 - Apr 30						
May 1 - Oct 31	XXX	XXX	XXX	20.0	40.0	50.0
Carbonaceous Biochemical Oxygen Demand (CBOD ₅) Industrial Influent	XXX	XXX	XXX	Report	XXX	XXX
CBOD ₅ Minimum % Removal (%)	XXX	XXX	XXX	85.0	XXX	XXX
				Min Mo Avg		
Total Suspended Solids	42.3	Report	XXX	25.0	50.0	62.5
Total Dissolved Solids	XXX	XXX	XXX	1,200	2,400	3,000
Oil and Grease	XXX	XXX	XXX	15.0	XXX	30.0
Fecal Coliform (No./100 mL)	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Total Nitrogen	242.6	XXX	XXX	Report	XXX	XXX
Oct 1 - Apr 30						
May 1 - Sep 30	80.86	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	18.18	Report	XXX	4.38	8.76	8.76
Nov 1 - Apr 30						
May 1 - Oct 31	6.06	Report	XXX	1.46	2.92	2.92
Nitrate as N	202.14	XXX	XXX	Report	XXX	XXX
Oct 1 - Apr 30						
May 1 - Sep 30	67.38	XXX	XXX	Report	XXX	XXX

NOTICES

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Phosphorus Oct 1 - Apr 30	43.56	XXX	XXX	Report	XXX	XXX
May 1 - Sep 30	21.78	XXX	XXX	Report	XXX	XXX
Iron, Dissolved	XXX	XXX	XXX	XXX	7.0	XXX
Copper, Total	Report	Report	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.53 MGD.
(From Permit Effective Date to 3 Years After Permit Effective Date)

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Zinc, Total	Report	Report	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.53 MGD.
(From 3 Years After Permit Effective Date to Permit Expiration Date)

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Zinc, Total	Report	Report	XXX	0.120	0.125	0.125

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD.
(From Permit Effective Date to Permit Expiration Date)

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 004 are based on a design flow of 0 MGD.
(From Permit Effective Date to Permit Expiration Date)

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 005 are based on a design flow of 1.08 MGD.
(From Completion of WWTP Construction to Increased Flow Effective Date)

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Instant. Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.28	XXX	0.94
Temperature (°F)	XXX	XXX	XXX	XXX	XXX	108.6
Feb 1 - 29						
Jun 1 - 30	XXX	XXX	XXX	XXX	XXX	107.3

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Jan 1 - 31	XXX	XXX	XXX	XXX	XXX	110.0
Mar 1 - May 31						
Aug 1 - Oct 31						
Nov 1 - 30	XXX	XXX	XXX	XXX	XXX	106.5
Dec 1 - 31	XXX	XXX	XXX	XXX	XXX	98.5
Temperature Increase (°F)	XXX	XXX	XXX	XXX	XXX	2.0
Jul 1 - 31						
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	50.0	50.0
Carbonaceous Biochemical Oxygen Demand (CBOD ₅) Industrial Influent	XXX	XXX	XXX	Report	XXX	XXX
CBOD ₅ Minimum % Removal (%)	XXX	XXX	XXX	85.0	XXX	XXX
				Min Mo Avg		
Total Suspended Solids	XXX	XXX	XXX	30.0	60.0	60.0
Total Dissolved Solids	XXX	XXX	XXX	1,200	2,400	3,000
Oil and Grease	XXX	XXX	XXX	15.0	XXX	30.0
Fecal Coliform (No./100 mL)	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Total Nitrogen	242.6	XXX	XXX	Report	XXX	XXX
Oct 1 - Apr 30						
May 1 - Sep 30	80.86	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	18.18	Report	XXX	Report	Report	XXX
Nov 1 - Apr 30		Daily Max				
May 1 - Oct 31	6.06	Report	XXX	11.47	22.94	22.94
		Daily Max				
Nitrate as N	202.14	XXX	XXX	Report	XXX	XXX
Oct 1 - Apr 30						
May 1 - Sep 30	67.38	XXX	XXX	Report	XXX	XXX
Total Phosphorus	43.56	XXX	XXX	Report	XXX	XXX
Oct 1 - Apr 30						
May 1 - Sep 30	21.78	XXX	XXX	Report	XXX	XXX
Iron, Dissolved	XXX	XXX	XXX	XXX	7.0	XXX
Copper, Total	Report	Report	XXX	Report	Report	XXX
Zinc, Total	1.98	3.06	XXX	0.22	0.34	0.55

The proposed effluent limits for Outfall 005 are based on a design flow of 1.5 MGD.

(From Increased Flow Effective Date to Permit Expiration Date)

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
		Daily Max				
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.22	XXX	0.72
Temperature (°F)	XXX	XXX	XXX	XXX	XXX	94.2
Jan 1 - 31						
Feb 1 - 29	XXX	XXX	XXX	XXX	XXX	89.4
Jun 1 - 30	XXX	XXX	XXX	XXX	XXX	97.4
Mar 1 - May 31	XXX	XXX	XXX	XXX	XXX	110.0
Aug 1 - Oct 31						
Nov 1 - 30	XXX	XXX	XXX	XXX	XXX	107.7
Dec 1 - 31	XXX	XXX	XXX	XXX	XXX	82.6
Temperature Increase (°F)	XXX	XXX	XXX	XXX	XXX	2.0
Jul 1 - 31						
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	50.0	50.0
Carbonaceous Biochemical Oxygen Demand (CBOD ₅) Industrial Influent	XXX	XXX	XXX	Report	XXX	XXX
CBOD ₅ Minimum % Removal (%)	XXX	XXX	XXX	85.0	XXX	XXX
				Min Mo Avg		
Total Suspended Solids	XXX	XXX	XXX	30.0	60.0	60.0
Total Dissolved Solids	XXX	XXX	XXX	1,200	2,400	3,000
Oil and Grease	XXX	XXX	XXX	15.0	XXX	30.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Nitrogen	242.6	XXX	XXX	Report	XXX	XXX
Oct 1 - Apr 30						
May 1 - Sep 30	80.86	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	18.18	Report	XXX	Report	Report	XXX
Nov 1 - Apr 30		Daily Max				
May 1 - Oct 31	6.06	Report	XXX	8.62	17.24	17.24
		Daily Max				
Nitrate as N	202.14	XXX	XXX	Report	XXX	XXX
Oct 1 - Apr 30						
May 1 - Sep 30	67.38	XXX	XXX	Report	XXX	XXX
Total Phosphorus	43.56	XXX	XXX	Report	XXX	XXX
Oct 1 - Apr 30						
May 1 - Sep 30	21.78	XXX	XXX	Report	XXX	XXX
Iron, Dissolved	XXX	XXX	XXX	XXX	7.0	XXX
Copper, Total	Report	Report	XXX	Report	Report	XXX
Zinc, Total	2.25	3.62	XXX	0.18	0.29	0.47

In addition, the permit contains the following major special conditions:

- Chemical Additives
- Requirements Applicable to Stormwater Outfalls
- Biological Assessments and Temperature Monitoring
- Water Quality-Based Effluent Limitations for Toxic Pollutants
- WQBELs Below Quantitation Limits

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

PAI132277, MS4, **Hazleton City, Luzerne County**, 40 N Church Street, Hazleton, PA 18201-5862.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Hazleton City, **Luzerne County**. The receiving streams, Dreck Creek (HQ-CWF, MF) and Hazle Creek (HQ-CWF, MF), are located in State Water Plan watershed 2-B and are classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA waiver is in effect for small MS4s and is not in effect for large MS4s.

Northeast Regional Office

PA0276022, Storm Water, SIC Code 2652, **Great Northern Corporation**, 395 Strobe Road, Appleton, WI 54915. Facility Name: Great Northern Lamination. This existing facility is located in Upper Macungie Township, **Lehigh County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial stormwater.

The receiving stream(s), Iron Run (HQ-CWF, MF), is located in State Water Plan watershed 2-C and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	XXX	Report
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	XXX	XXX	Report
Total Phosphorus	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	XXX	Report
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	XXX	XXX	Report
Total Phosphorus	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 003 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	XXX	Report
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	XXX	XXX	Report
Total Phosphorus	XXX	XXX	XXX	XXX	XXX	Report

In addition, the permit contains the following major special conditions:

- Stormwater Outfalls and Authorized Non-Stormwater Discharges
- Best Management Practices (BMPs)
- Routine Inspections
- Preparedness, Prevention and Contingency (PPC) Plan
- Stormwater Monitoring Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

PA0276791, Storm Water, SIC Code 3281, **Stateline Quarry Inc.**, 1677 Creamery Road, Clifford, PA 18407. Facility Name: Stateline Quarry. This proposed facility is located in Apolacon Township, **Susquehanna County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated industrial stormwater.

The receiving stream(s), Cork Hill Creek (HQ-CWF, MF) and Cork Hill Creek, is located in State Water Plan watershed 4-B and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northwest Regional Office

PA0032603, Sewage, SIC Code 6515, **Trillium Tiny Home & RV Community LLC**, 1501 E Poland Avenue, Bessemer, PA 16112-9249. Facility Name: Trillium Tiny Home and RV Community MHP. This existing facility is located at 2948 Ben Franklin Highway, Edinburg, PA 16116-4706 in Mahoning Township, **Lawrence County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Shenango River, is located in State Water Plan watershed 20-A and is classified for Warm Water Fishes (WWF), aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0062 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	Daily Min	XXX	Daily Max	XXX
			4.0		XXX	
Total Residual Chlorine (TRC)	XXX	XXX	Daily Min	0.12	XXX	0.41
			XXX	25	XXX	50
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	30	XXX	60
Total Suspended Solids	XXX	XXX	XXX	2,000	XXX	10,000
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	Geo Mean	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	200	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean	XXX	12.0
Ammonia-Nitrogen	XXX	XXX	XXX	6.0	XXX	4.0
Nov 1 - Apr 30	XXX	XXX	XXX	2.0	XXX	4.0
May 1 - Oct 31	XXX	XXX	XXX	XXX	XXX	Report
E. Coli (No./100 ml)	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Annl Avg	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
				Annl Avg		

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0210285, Sewage, SIC Code 1623, **Benjamin Newton**, 2415 Jackson Avenue, Warren, PA 16365-4389. Facility Name: Benjamin Newton SRSTP. This existing facility is located in Glade Township, **Warren County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Glade Run (CWF), is located in State Water Plan watershed 16-B and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
			Inst Min			
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0265144, Sewage, SIC Code 8800, **Lifestyle Support Service Inc.**, 201 W High Street, Suite 1, Ebensburg, PA 15931-1590. Facility Name: Lifestyle Support Service Warren SRSTP. This existing facility is located in Conewango Township, **Warren County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Dougherty Run (CWF), is located in State Water Plan watershed 16-B and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0272493, Sewage, SIC Code 8800, **Randy Corosu**, 11516 Five Points Road, Home, PA 15747. Facility Name: Randy Corosu SRSTP. This existing facility is located in Washington Township, **Indiana County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to South Branch Plum Creek (HQ-CWF), is located in State Water Plan watershed 17-E and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0295507, Sewage, SIC Code 4952, **Renick Bros Construction Co.**, 434 Grove City Road, Slippery Rock, PA 16057-2524. Facility Name: Renick Bros Mech Construction SFTF. This proposed facility is located in Slippery Rock Township, **Butler County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SFTF sewage.

The receiving stream(s), Unnamed Tributary to Wolf Creek (CWF), is located in State Water Plan watershed 20-C and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .00155 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	Inst Min XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX
				Geo Mean		

In addition, the permit contains the following major special conditions:

- Part C 150—UV Cleaning

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0081191, Sewage, SIC Code 7033, **MHC PA Dutch Country LP**, 2 N Riverside Plaza, Chicago, IL 60606-2600. Facility Name: PA Dutch Country Golf Course. This existing facility is located in Manheim Borough, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Chickies Creek (WWF), is located in State Water Plan watershed 7-G and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .025 MGD.—Limits

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	Daily Min XXX	0.5	XXX	1.6
CBOD ₅	XXX	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ammonia-Nitrogen	XXX	XXX	XXX	Geo Mean 9.0	XXX	18
Nov 1 - Apr 30						
May 1 - Oct 31	XXX	XXX	XXX	3.0	XXX	6
Total Phosphorus	XXX	XXX	XXX	2.0	XXX	4
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Daily Max Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Daily Max Report	XXX

In addition, the permit contains the following major special conditions:

- Stormwater prohibition, approval contingencies, management of collected screenings, slurries, sludges and other solids, dry stream discharge condition, management of solids and chlorine minimization

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0081949, Sewage, SIC Code 4952, **Lancaster Area Sewer Authority**, 130 Centerville Road, Lancaster, PA 17603-4007. Facility Name: LASA Brownstown WWTP. This existing facility is located in West Earl Township, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, Conestoga River (WWF, MF), is located in State Water Plan watershed 7-J and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .545 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	113	181	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD ₅)	Report	Report Daily Max	XXX	Report	XXX	XXX
Raw Sewage Influent Total Suspended Solids	136	204	XXX	30.0	45.0	60
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean Report	XXX	XXX
Ultraviolet light intensity (mW/cm ²)	XXX	XXX	Report	Report	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	9.1	XXX	XXX	2.0	XXX	4
Copper, Total	XXX	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .545 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

<i>Parameter</i>	<i>Mass Units (lbs/day)⁽¹⁾</i>		<i>Monthly</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>	
Ammonia—N	Report	Report	XXX	Report	XXX	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX	XXX
Net Total Nitrogen ⁽³⁾	Report	8,219	XXX	XXX	XXX	XXX
Net Total Phosphorus ⁽³⁾	Report	1,096	XXX	XXX	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

Southcentral Regional Office

PA0266876, Sewage, SIC Code 8811, **Becker, John C, III**, 14 Petsch Road, Reading, PA 19606-9300. Facility Name: Becker Residence. This existing facility is located in Alsace Township, **Berks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Antietam Creek (CWF, MF), is located in State Water Plan watershed 3-C and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Daily Maximum	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

In addition, the permit contains the following major special conditions:

- Annual Monitoring Reports must be submitted to the DEP.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0024228, Industrial, SIC Code 2015, **Table Trust Brands LLC**, 2609 Route 22, Fredricksburg, PA 17026. Facility Name: Hain Pure Protein Chicken Proc Plant. This existing facility is located in Bethel Township, **Lebanon County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Elizabeth Run (WWF), Deep Run (WWF), and Beach Run (WWF), is located in State Water Plan watershed 7-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .6 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.019	XXX	0.06
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	50	100	XXX	10	20	25
Total Suspended Solids	Report	Report	XXX	10	20	25
Total Suspended Solids (Total Load, lbs) (lbs)	XXX	45,800	XXX	XXX	XXX	XXX
Total Suspended Solids (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Oil and Grease	Report	Report	XXX	8	14	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	400	XXX	XXX
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Geo Mean		
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report	XXX	XXX	103.0	147.0	XXX
Ammonia-Nitrogen	Total Mo			XXX	XXX	XXX
Nov 1 - Apr 30	20	40	XXX	4.0	8.0	10
May 1 - Oct 31	7.5	15	XXX	1.5	3.0	3.75
Ammonia-Nitrogen (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	Total Mo			Report	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	XXX	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	Report	XXX	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	Total Mo	5.0	XXX	0.5	1.0	1.25
Total Suspended Solids (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Suspended Solids (Total Load, lbs) (lbs)	XXX	45,800	XXX	XXX	XXX	XXX
		Total Annual				

The proposed effluent limits for Outfalls 002—005 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

The proposed monitoring requirements and effluent limits for implementation of Pennsylvania’s Chesapeake Bay Watershed Implementation Plan are as follows for Outfall 001.—Limits.

Parameters	Mass Units (lbs/day)		Monthly	Concentrations (mg/L)		Instant. Maximum
	Monthly	Annual		Monthly Average	Maximum	
Total Nitrogen (Total Load, lbs) Effluent Net	XXX	18,982	XXX	XXX	XXX	XXX
Total Nitrogen (Total Load, lbs)	XXX	Total Annual Report	XXX	XXX	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs) (lbs)	XXX	Total Annual Report	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	XXX	Total Annual Report	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) Effluent Net	XXX	766	XXX	XXX	XXX	XXX

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department’s Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

In addition, the permit contains the following major special conditions:

- Chesapeake Bay nutrient requirements
- Requirements for stormwater outfalls
- Chlorine minimization
- Collected screenings, slurries, sludges, and solids management,
- Chemical additives
- Condition for effluent limitations below detection limits

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

Southcentral Regional Office

PA0247197, Industrial, SIC Code 4952, **City of Lancaster**, 120 N Duke Street, Lancaster, PA 17608-1599. Facility Name: Conestoga Water Treatment Plant. This existing facility is located in Lancaster City, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream, Conestoga River (WWF), is located in State Water Plan watershed 7-J and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .9 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	Report	XXX	Inst Min	0.5	XXX	1.6
Total Suspended Solids	Report	Report	XXX	30	60	75
Aluminum, Total	Report	Report	XXX	4.0	8.0	10
Iron, Total	Report	Report	XXX	2.0	4.0	5.0

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average	Daily		Average	Daily	
	Monthly	Maximum		Monthly	Maximum	
Manganese, Total	Report	Report	XXX	1.0	2.0	2.5

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

PAS223502, Storm Water, SIC Code 2875, **Frey Group LLC**, 372 Puseyville Road, Quarryville, PA 17566-9501. Facility Name: Frey Group LLC. This existing facility is located in East Drumore Township, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of stormwater associated with industrial activity.

The receiving stream(s), Unnamed Tributary to West Branch Octoraro Creek (HQ-CWF, MF), is located in State Water Plan watershed 7-K and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfalls 001—003:

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average	Average		Average	Daily	
	Monthly	Weekly		Monthly	Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Dissolved Oxygen	XXX	XXX	XXX	XXX	Report	XXX
Color (Pt-Co Units)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Total Dissolved Solids	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Arsenic, Total	XXX	XXX	XXX	XXX	Report	XXX
Chromium, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX
Pentachlorophenol	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Stormwater Outfalls and Authorized Non-Stormwater Discharges
- Best Management Practices (BMPs), including applicable BMPs from Appendix D and Appendix F from the PAG-03 (effective 3/24/2023)
- Routine Inspections
- Preparedness, Prevention, and Contingency (PPC) Plan
- Stormwater Monitoring Requirements (including Benchmarks for pH, COD, TSS, and Nitrate-Nitrite as N)
- Other Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southeast Regional Office

PA0031747, Sewage, SIC Code 8211, **Glen Mills Schs**, P.O. Box 5001, Concordville, PA 19331-5001. Facility Name: Glen Mills Schs STP. This existing facility is located in Thornbury Township, **Delaware County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Chester Creek (TSF, MF), is located in State Water Plan watershed 3-G and is classified for Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .15 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Daily Max XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 4.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.2
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	31	XXX	XXX	25	XXX	50
Total Suspended Solids	38	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	25	XXX	XXX	20.0	XXX	40
Nov 1 - Apr 30						
May 1 - Oct 31	13	XXX	XXX	10.0	XXX	20
Total Phosphorus	2.5	XXX	XXX	2.0	XXX	4
Nov 1 - Apr 30						
May 1 - Oct 31	1.3	XXX	XXX	1.0	XXX	2
Total Dissolved Solids	Report	XXX	XXX	Report	XXX	XXX
	Avg Qrtly			Avg Qrtly		

In addition, the permit contains the following major special conditions:

- No Stormwater
- Acquire Necessary Property Rights
- Proper Sludge Disposal
- Abandon STP when Municipal Sewers Available
- Chlorine Optimization
- Operator Notification
- Fecal Coliform Reporting
- Operations and Maintenance Plan
- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Southeast Regional Office

PA0245054, Sewage, SIC Code 4952, **Dougherty Shawn Jr**, 1507 Charles Road, West Chester, PA 19382. Facility Name: Dougherty Res. This existing facility is located in Westtown Township, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to East Branch Chester Creek (TSF, MF), is located in State Water Plan watershed 3-G and is classified for Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Annl Avg XXX	XXX	6.0	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	Daily Min XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

In addition, the permit contains the following major special conditions:

- SFTF maintenance including measurement of depth of septage and scum, 3-year septic tank pumping requirement, reporting requirement of a completed AMR form
- Stormwater prohibition
- Property rights
- Proper disposal of solid
- UV Cleaning

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Southeast Regional Office

PA0042617, Industrial, SIC Code 3317, **Viant Collegeville LLC**, 200 West 7th Avenue, Trappe, PA 19426-0992. Facility Name: Viant Collegeville LLC. This existing facility is located in Trappe Borough, **Montgomery County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Donny Brook (TSF), is located in State Water Plan watershed 3-E and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 002 are based on a design flow of .112 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
1,1,1-Trichloroethane	XXX	XXX	XXX	0.2	0.4	0.5
Trichloroethylene	XXX	XXX	XXX	0.005	0.01	0.013
Chromium, Hexavalent	XXX	XXX	XXX	0.009	0.018	0.023
1,4-Dioxane	XXX	XXX	XXX	Avg Qrtly Report	Report	XXX

The proposed effluent limits for Outfall 003 is based on a storm event

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Acquire Necessary Property Rights
- Proper Sludge Disposal
- WQM Permits Requirement
- BAT/ELG Reopener
- Dry Stream Discharge
- Aire Stripper Tower Wastewater
- Groundwater Cleanup Reports
- Stormwater Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Southeast Regional Office

PA0244279, Industrial, SIC Code 4941, **Telford Borough Authority**, 50 Penn Avenue, Telford, PA 18969-1911. Facility Name: Telford Borough Authority Water System Well No 4. This existing facility is located in West Rockhill Township, **Bucks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Unnamed Tributary of East Branch Perkiomen Creek (TSF, MF), is located in State Water Plan watershed 3-E and is classified for Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0046 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly	Minimum	Average Monthly	Daily Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
			Inst Min			
Total Suspended Solids	XXX	XXX	XXX	30	60	75
Iron, Total	XXX	XXX	XXX	1.5	3.0	3.75

The proposed effluent limits for Outfall 001 are based on a design flow of .0046 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly	Minimum	Average Monthly	Daily Maximum	
Arsenic, Total	XXX	XXX	XXX	Report	XXX	XXX

In addition, the permit contains the following major special conditions:

Part C Special Conditions

- Property Rights
- Solid Waste Management
- WQM Permits
- BAT/BCT
- Sample when Operational

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Southeast Regional Office

PAI130046, MS4, Whitpain Township, Montgomery County, 960 Wentz Road, Blue Bell, PA 19422-1835.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Whitpain Township, **Montgomery County**. The receiving stream(s), Stony Creek (TSF, MF), Unnamed Tributary to Plymouth Creek (WWF, MF), and Unnamed Tributary to Wissahickon Creek (TSF, MF), is located in State Water Plan watershed 3-F and is classified for Trout Stocking, Migratory Fishes, and Warm Water Fishes, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA waiver is in effect for small MS4s and is not in effect for large MS4s.

Southeast Regional Office

PAI130049, MS4, Upper Gwynedd Township, Montgomery County, One Parkside Place, North Wales, PA 19454.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Upper Gwynedd Township, **Montgomery County**. The receiving stream(s), Wissahickon Creek (TSF, MF), Towamencin Creek (TSF, MF), Unnamed Tributary to Wissahickon Creek (TSF, MF), and Unnamed Tributary to Zacharias Creek (TSF, MF), is located in State Water Plan watershed 3-F and 3-E and is classified for Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA waiver is in effect for small MS4s and is not in effect for large MS4s.

PAI130073, MS4, Skippack Township, Montgomery County, P.O. Box 164, Skippack, PA 19474-0164.

Southeast Regional Office

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Skippack Township, **Montgomery County**. The receiving stream(s), Unnamed Tributary to Skippack Creek (TSF, MF) and Unnamed Tributary to Perkiomen Creek (TSF, MF), is located in State Water Plan watershed 3-E and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA waiver is in effect for small MS4s and is not in effect for large MS4s.

Southeast Regional Office

PA0058670, Storm Water, SIC Code 3273, **Eureka Stone Quarry Inc. dba JDM Materials Co.**, 851 County Line Road, Huntingdon Valley, PA 19006-1111. Facility Name: JDM Materials Norristown Batch Plant. This existing facility is located in Plymouth Township, **Montgomery County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial stormwater.

The receiving stream(s), Schuylkill River (WWF), is located in State Water Plan watershed 3-F and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 002 are based on a stormwater.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Semi-Annual Average	Daily Maximum	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	50.0	100.0	100
Oil and Grease	XXX	XXX	XXX	Report	Report	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Aluminum, Total	XXX	XXX	XXX	Report	XXX	XXX
Iron, Total	XXX	XXX	XXX	Report	XXX	XXX

In addition, the permit contains the following major special conditions:

- I. Stormwater outfalls and authorized non-stormwater discharges
- II. Best management practices (BMPS)
- III. Stormwater monitoring requirements
- IV. Routine inspections
- V. Preparedness, prevention and contingency (PPC) plan
- VI. Other requirements
 - A. Property rights
 - B. BMPs to control TSS and pH
 - C. Public nuisance
 - D. Sludge disposal
 - E. 10-year, 24-hour rainfall event

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Southwest Regional Office

PA0093165, Sewage, SIC Code 4952, **PA American Water Co.**, 800 W Hershey Park Drive, Hershey, PA 17033-2400. Facility Name: PA American Water—Claysville STP. This existing facility is located in Donegal Township, **Washington County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Dutch Fork (HQ-WWF), is located in State Water Plan watershed 20-E and is classified for High Quality Waters—Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .16 MGD.—Interim Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Total Suspended Solids	33.4	50.7	XXX	25.0	38.0	50
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.03	XXX	0.10

The proposed effluent limits for Outfall 001 are based on a design flow of .16 MGD.—Final Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Total Suspended Solids	13	20	XXX	10.0	15.0	20
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.02	XXX	0.02

The proposed effluent limits for Outfall 001 are based on a design flow of .16 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	13	20	XXX	10.0	15.0	20
Biochemical Oxygen Demand (BOD ₅)	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent Total Suspended Solids	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Nov 1 - Apr 30	XXX	XXX	XXX	Geo Mean	XXX	400
May 1 - Oct 31	XXX	XXX	XXX	200	XXX	400
Ammonia-Nitrogen	5.0	8.0	XXX	Geo Mean	6.0	8
Nov 1 - Apr 30	2.0	3.0	XXX	4.0	2.0	3
May 1 - Oct 31	2.0	3.0	XXX	1.5	2.0	3
Total Phosphorus	2.5	4.0	XXX	2.0	3.0	4
<i>E. Coli</i> (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
				Daily Max		

The following major condition has been added to the permit:

- A compliance schedule for Total Residual Chlorine and Total Suspended Solids in Part C.III.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southwest Regional Office

PA0285056, Industrial, SIC Code 4911, **Duquesne Light Co.**, 2825 New Beaver Avenue, Pittsburgh, PA 15233. Facility Name: Cheswick Generating Station. This proposed facility is located in Springdale Township, **Allegheny County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated industrial waste.

The receiving stream, Tawney Run (WWF), is located in State Water Plan watershed 18-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0288 MGD.—Interim Limits.

Parameters	Mass Units (lbs/day)		Instant. Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	Report	XXX	XXX	Report
Arsenic, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Boron, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Chromium, Hexavalent (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Copper, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Iron, Dissolved	XXX	XXX	XXX	Report	Report	XXX
Iron, Total	XXX	XXX	XXX	Report	Report	XXX
Lead, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Manganese, Total	XXX	XXX	XXX	Report	Report	XXX
Selenium, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .0288 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Arsenic, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Boron, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Chromium, Hexavalent (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Copper, Total (ug/L)	XXX	XXX	XXX	23.6	36.8	XXX
Iron, Dissolved	XXX	XXX	XXX	Report	Report	XXX
Iron, Total	XXX	XXX	XXX	3.43	5.352	XXX
Lead, Total (ug/L)	XXX	XXX	XXX	8.79	13.7	XXX
Manganese, Total	XXX	XXX	XXX	2.287	3.568	XXX
Selenium, Total (ug/L)	XXX	XXX	XXX	11.4	17.8	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .0288 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Schedule of Compliance
- Landfill Leachate Discharge

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southwest Regional Office

PAI136127, MS4, Mt. Pleasant Township, P.O. Box 158, Mammoth, PA 15664-0158.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Mount Pleasant Township, **Westmoreland County**. The receiving streams, Tributary 37964 to Brush Run (CWF), Tributary 37776 to Welty Run (HQ-CWF), Jacobs Creek (WWF), Sewickley Creek (HQ-CWF), Shupe Run (WWF), and Boyer Run (WWF), is located in State Water Plan watershed 19-D and is classified for Warm Water Fishes, Cold Water Fishes, and High Quality Waters— Cold Water Fishes, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA waiver is in effect for small MS4s and is not in effect for large MS4s.

III. Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity.

Southcentral Regional Office

Applicant: **Bedford Area School District**

Applicant Address: 330 East John Street, Bedford, PA 15522

Application Number: **PAD050008 A-1**

Application Type: Major Amendment

Municipality/County: Bedford Borough, **Bedford County**

Project Site Name: Bedford High School Campus and Athletic Facility Improvements

Total Earth Disturbance Area (acres): 11.53 acres

Surface Waters Receiving Stormwater Discharges: Shobers Run (HQ—CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The project involves an addition to the existing High School building, relocation and replacement of the existing athletic stadium with synthetic turf, reconfiguration of the existing high school parking area, installation of synthetic turf in the existing athletic stadium within the existing track, stormwater management facilities, and related site improvements.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

Northeast Regional Office

Applicant: Lafayette College

Applicant Address: 901 Bushkill Drive, Easton, PA 18042-1402

Application Number: PAD480207

Application Type: New

Municipality/County: Forks Township, Northampton County

Project Site Name: Wallach Sports Performance and Lacrosse Center

Total Earth Disturbance Area (acres): 6.4 acres

Surface Waters Receiving Stormwater Discharges: Bushkill Creek (HQ—CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Property is proposed to be developed with a Lacrosse Field House and Men's/Women's Lacrosse Field. The site will contain related site amenities and improvements inclusive of pedestrian access, landscaping, utilities, and stormwater management facilities.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Northeast Regional Office

Applicant: Traditions of America, LP—Green Pond

Applicant Address: 201 King of Prussia Road, Suite 370, Radnor, PA 19087

Application Number: PAD480063

Application Type: Renewal

Municipality/County: Bethlehem Township, Northampton County

Project Site Name: Traditions of America at Green Pond

Total Earth Disturbance Area (acres): 106 acres

Surface Waters Receiving Stormwater Discharges: Nancy Run (CWF, MF); Bushkill Creek (HQ-CWF, MF), Wetlands

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The project consists of the construction of an age-restricted planned residential development with 171 single families and 58 twins with related site improvements.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Southcentral Regional Office

Applicant: 206 Rohrerstown Road

Applicant Address: 2450 Marietta Avenue, Lancaster, PA 17601

Application Number: PAD360001

Application Type: Renewal

Municipality/County: East Hempfield Township, Lancaster County

Project Site Name: Lime Spring Square

Total Earth Disturbance Area (acres): 102 acres

Surface Waters Receiving Stormwater Discharges: Brubaker Run (WWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Project consists of the construction of multi-use commercial and industrial buildings and associated parking facilities and utilities within the approximately 102-acre site.

Special Conditions: Flow and Water Quality Monitoring: The permittee shall implement its approved plan for flow and water quality monitoring, titled, "Brubaker Run Flow and Water Quality Monitoring Plan," dated February 28, 2017. Modifications to the plan including changes to monitoring locations, monitoring frequency and temporary cessation of monitoring shall be approved by the Department prior to implementation. **Incorporation of Prior Approved Plans:** The complete E&S and PCSM Plans approved by the Department under NPDES Permit Nos. PAG02003615074 (issued August 13, 2015), PAG02003615074(1) (issued November 15, 2016), and PAD360001 (issued November 23, 2021) are hereby fully incorporated into this permit. The NPDES Permit authorizations previously identified are hereby revoked and replaced by this individual NPDES permit.

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

Southcentral Regional Office

Applicant: Mid-Atlantic Interstate Transmission

Applicant Address: 2800 Pottsville Pike, P.O. Box 16001, Reading, PA 19612-6001

Application Number: PAD060093

Application Type: New

Municipality/County: Hamburg Borough; Jefferson, Penn, Upper Bern, and Tilden Townships, **Berks County**

Project Site Name: 825 Bernville-South Hamburg 69kV Rebuild

Total Earth Disturbance Area (acres): 89.8 acres

Surface Waters Receiving Stormwater Discharges: Northkill Creek (CWF, MF), UNT Northkill Creek (CWF, MF), Leshler Run (WWF, MF), UNT Leshler Run (WWF, MF), Mill Creek (TSF, MF), UNT Mill Creek (TSF, MF), Hassler Run (TSF, MF), UNT Hassler Run (TSF, MF), Schuylkill River (WWF, MF), UNT Schuylkill River (WWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Powerline Transmission Rebuild.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

Southcentral Regional Office

Applicant: ALDI Inc.

Applicant Address: 8751 Gas House Pike, Frederick, MD 21701

Application Number: PAD670104

Application Type: New

Municipality/County: Carroll Township, **York County**

Project Site Name: Proposed ALDI Food Market

Total Earth Disturbance Area (acres): 4.70 acres

Surface Waters Receiving Stormwater Discharges: UNT to Dogwood Run (CWF) via EV Wetlands

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Retail food market with on-site parking areas.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

Southcentral Regional Office

Applicant: **Brandywine Heights Area School District**

Applicant Address: 200 W Weis Street, Topton, PA 19562-1532

Application Number: **PAD060096**

Application Type: New

Municipality/County: Longswamp Township, **Berks County**

Project Site Name: Brandywine Heights Athletic Renovations

Total Earth Disturbance Area (acres): 9.82 acres

Surface Waters Receiving Stormwater Discharges: UNT to Little Lehigh Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Reconstruction of Track and Athletic Fields.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

Southcentral Regional Office

Applicant: **Amos E. Stoltzfus**

Applicant Address: 562 Hilldale Rd, Holtwood, PA 17532

Application Number: **PAD360109**

Application Type: New

Municipality/County: Martic Township, **Lancaster County**

Project Site Name: Amos E. Stoltzfus

Total Earth Disturbance Area (acres): 1.59 acres

Surface Waters Receiving Stormwater Discharges: UNT to Tucquan Creek (HQ-CWF, MF) and an open-water pond

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of a new barn and driveway.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

Southcentral Regional Office

Applicant: **Escambia Properties, LLC**

Applicant Address: 18 Sagecrest Circle, Enola, PA 17025

Application Number: **PAD670084**

Application Type: New

Municipality/County: Newberry and Fairview Townships, **York County**

Project Site Name: Southern Crossings

Total Earth Disturbance Area (acres): 32.00 acres

Surface Waters Receiving Stormwater Discharges: UNT to Fishing Creek (TSF, MF) and UNT to Fishing Creek (TSF, MF) via EV Wetlands

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Proposed residential development with 198 townhomes, 5 single family detached dwellings and associated roads.

Special Conditions: Wetland monitoring.

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

Southcentral Regional Office

Applicant: **Charter Homes Development Company**

Applicant Address: 322 North Arch Street, Lancaster, PA 17603-2991

Application Number: **PAD210106**

Application Type: New

Municipality/County: Middlesex Township, **Cumberland County**

Project Site Name: Grange

Total Earth Disturbance Area (acres): 79.73 acres

Surface Waters Receiving Stormwater Discharges: Letort Spring Run (HQ-CWF, MF) and UNT to Letort Spring Run (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of 665 residential homes and 12,000 sq ft of commercial space.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

Northwest Regional Office

Applicant: **National Fuel Gas Distribution Corporation**

Applicant Address: 1100 State Street, Erie, PA 16501

Application Number: **PAD200012**

Application Type: New

Municipality/County: Conneaut Lake Borough and Sadsbury Township, **Crawford County**

Project Site Name: Meadville Loop Phase 2 Pipeline

Total Earth Disturbance Area (acres): 20.5 acres

Surface Waters Receiving Stormwater Discharges: UNT Conneaut Outlet HQ WWF, Conneaut Lake (HQ-WWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Installation of 12,300 feet of 8-inch diameter steel gas pipeline via open cut and boring methods and construction of two geocell main line valve pads.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 814-332-6078.

Northwest Regional Office

Applicant: **Sheetz Inc.**

Applicant Address: 351 Sheetz Way, Claysburg, PA 16625

Application Number: **PAD610007**

Application Type: New

Municipality/County: Barkeyville Borough, **Venango County**

Project Site Name: Sheetz Store—Gibb Road

Total Earth Disturbance Area (acres): 7.1 acres

Surface Waters Receiving Stormwater Discharges: East Branch Wolf Creek (CWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Demolition of existing buildings and construction of a Sheetz convenience store and fuel station.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 814-332-6078.

Northcentral Regional Office

Applicant: **Centre Hills Country Club**

Applicant Address: 153 Country Club Road, State College, PA 16801

Application Number: **PAD140108**

Application Type: New

Municipality/County: State College Borough, **Centre County**

Project Site Name: Centre Hills Country Club Aquatics and Racquets Complex

Total Earth Disturbance Area (acres): 6.5 acres

Surface Waters Receiving Stormwater Discharges: Trib 23040 to Slab Cabin Run (HQ-CWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The construction of a pool house, pool, tennis courts, and associated stormwater facilities.

Special Conditions: ABACT

You may review the permit application file by contacting DEP's File Review Coordinator at 570-327-3693.

Southeast Regional Office

Applicant: **Free Range Associates, LP**

Applicant Address: 120 Pennsylvania Avenue, Malvern, PA 19355

Application Number: **PAD150329**

Application Type: New

Municipality/County: West Chester Borough, **Chester County**

Project Site Name: 322-342 W. Market Street Redevelopment

Total Earth Disturbance Area (acres): 1.98 acres

Surface Waters Receiving Stormwater Discharges: UNT to Taylor Run (TSF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Free Range Associates, LP is proposing to construct a residential apartment building consisting of 181 living units on a 1.74-acre parcel located at 330 West Market Street in West Chester Borough, Chester County, PA.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 484-250-5910.

Southwest Regional Office

Applicant: **Albion Lawrenceville, LLC**

Applicant Address: 1211 W 22nd Street, Suite 408, Oak Brook, IL 60523

Application Number: **PAD020086**

Application Type: New

Municipality/County: City of Pittsburgh, **Allegheny County**

Project Site Name: Albion Residential—Butler Street

Total Earth Disturbance Area (acres): 2.91 acres

Surface Waters Receiving Stormwater Discharges: Allegheny River (WWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Albion Lawrenceville, LLC is proposing to construct a multi-story building with retail and residential components. The lot exists as a gravel/grassed parking area, as well as a paved access easement and paved asphalt parking lot areas. The existing building at 5255 Butler Street will be incorporated into the proposed building. The proposed building will utilize a green roof to manage stormwater runoff from the site.

Special Conditions: Earth disturbance may not commence until all Act 537 authorizations have been obtained. All limitations, conditions, procedures, testing, and monitoring which is in the Soil Management Plan (SMP) and/or any Act 2 remediation plan or site characterization provided with this application are to be followed. No deviation from the SMP is permitted without written authorization from the Department (DEP). If contaminants or conditions with the potential to cause pollution are found during construction which are beyond the scope of the SMP or Act 2 considerations, DEP and the County Conservation District shall be notified and measures implemented to contain potential pollution sources immediately upon discovery. Any contaminated material to be transported and disposed of off-site including but not limited to pumped groundwater may require permitting with DEP's Waste Management or Clean Water programs. These permits should be anticipated and shall be secured prior to earth disturbance.

You may review the permit application file by contacting DEP's File Review Coordinator at 412-442-4286.

PUBLIC WATER SUPPLY PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for Public Water Supply (PWS) permits to construct or substantially modify public water systems.

Individuals wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30-days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (DEP) the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, DEP will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

SAFE DRINKING WATER

Application(s) Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Daniel J. Cannistraci, Environmental Engineering Specialist.

Application No. 3624507, Construction, Public Water Supply.

Applicant	Stuarts Bar, LLC
Address	496 Solanco Rd Quarryville, PA 17566
Municipality	Martic Township
County	Lancaster County
Responsible Official	Robbie Stuart Owner P.O. Box 213 Peach Bottom, PA 17560
Consulting Engineer	Steckbeck Engineering and Surveying, Inc. 279 N. Zinns Mill Rd Suite A Lebanon, PA 17042
Application Received	February 29, 2024
Description	This permit application is for an existing, unapproved nitrate treatment unit, and upgrades to the existing cation exchange and disinfection systems.

Application No. 3624508, Construction, Public Water Supply.

Applicant	Flory's Camping
Address	99 N Ronks Rd Ronks, PA 17572
Municipality	East Lampeter Township
County	Lancaster County
Responsible Official	Claudette Korznieceki P.O. Box 308 Ronks, PA 17572
Consulting Engineer	Steckbeck Engineering and Surveying, Inc. 279 N. Zinns Mill Rd Suite A Lebanon, PA 17042
Application Received	March 4, 2024

Description This Public Water Supply permit application is for modifications to the filtration, cation exchange, and nitrate removal systems at Flory's Camping.

Southwest District: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Renee Diehl, Program Manager; ra-epswsdu@pa.gov.

Application No. 2624503, Construction, Public Water Supply.

Applicant **Municipal Authority of Westmoreland County**

Address 124 Park and Pool Road
New Stanton, PA 15372

Municipality East Huntingdon Township

County **Westmoreland County**

Responsible Official Bruce Rubrecht
124 Park and Pool Road
New Stanton, PA 15068

Consulting Engineer Gibson-Thomas Engineering Co.,
Inc.
1004 Ligonier Street
Latrobe, PA 15650

Application Received February 26, 2024

Description Rehabilitation of the Mount Pleasant Tank # 2, including interior and exterior painting and installation of a mixer and vent.

Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Renee Diehl, Program Manager; ra-epswsdu@pa.gov.

Application No. 0223535, Construction, Public Water Supply.

Applicant **Pennsylvania American Water Company**

Address 852 Wesley Drive
Mechanicsburg, PA 17055

Municipality Union Township

County **Washington County**

Responsible Official Bruce Aiton
852 Wesley Drive
Mechanicsburg, PA 17055

Consulting Engineer Bankson Engineers, Inc.
267 Blue Run Road
Suite 200
Cheswick, PA 15024

Application Received December 15, 2023

Description Pennsylvania American Water Company is proposing to upgrade the raw water intake infrastructure at the E. H. Aldrich Water Treatment Plant. Proposed upgrades include new raw water pumps, replacement of sections of transmission lines near the intake structure, and addition of an electrical building.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 1

Acknowledgment of Notice(s) of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent (NOI) to Remediate. An acknowledgment of the receipt of a NOI to Remediate is used to identify a site where an individual proposes to, or has been required to, respond to a release of a regulated substance at a site. Individuals intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a NOI to Remediate with DEP. A NOI to Remediate filed with DEP provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. An individual who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by DEP. Furthermore, an individual shall not be subject to citizen suits or other contribution actions brought by responsible individuals not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified individual, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following Notice(s) of Intent to Remediate.

Northcentral Region: Environmental Cleanup & Brownfields Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Randy Farmerie, P.G., Environmental Program Manager, 570-327-3716.

Wissler 4HX on the Wissler Unit Pad, Primary Facility ID # **873952**, 1895 Ellenton Mountain Road, Canton, PA 17724, McNett Township, **Lycoming County**. Creston Environmental, LLC, P.O. Box 1373, Camp Hill, PA 17001 on behalf of Chesapeake Appalachia LLC, 14 Chesapeake Lane, Sayre, PA 18840, submitted a Notice of Intent to Remediate. The NIR concerns remediation of soil contaminated with production fluid. The applicant proposes to remediate the site to meet the Statewide health standard. The Notice of Intent to Remediate was published in the *Williamsport Sun-Gazette* on March 4, 2024. Application received: March 6, 2024.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Charline Bass, Administrative Assistant, 484-250-5787.

Metech Corporation Site, Primary Facility ID # **873654**, 410 Conestoga Road, Elverson, PA 19520, East Nantmeal Township, **Chester County**. Carla DaParma, Arcadis U.S., Inc., 2100 Georgetown Drive, Suite 402, Sewickley, PA 15143 on behalf of Cassie Johnson, Parker Lord, 6035 Parkland Boulevard, Mayfield Heights, OH 41124, submitted a Notice of Intent to Remediate. Soil and groundwater at the site have been contaminated with chlorinated solvents. The future use of the property has the potential to be residential. The proposed cleanup standard for the site is the Statewide health standard/site-specific standard. The Notice of Intent to Remediate was published in the *Daily Local News* on December 14, 2023. Application received: February 1, 2024.

8362-8280 State Road, Primary Facility ID # **873683**, 8362-8280 State Road, Philadelphia, PA 19136, City of Philadelphia, **Philadelphia County**. David Berry, The Vertex Companies, LLC, 2501 Seaport Drive, Suite 110, Chester, PA 19013 on behalf of Lucie McDonald, JRM Developers, 9525 Frankford Avenue, Philadelphia, PA 19114, submitted a Notice of Intent to Remediate. The site has been found to be contaminated with petroleum constituents related to former on-site unregulated heating oil underground tanks. The proposed future use of the site will continue to be a nonresidential, multi-tenant, light industrial building. The proposed cleanup standard for the site is the Statewide health standard/site-specific standard. The Notice of Intent to Remediate was published in the *Metro Philadelphia* on January 24, 2024. Application received: January 29, 2024.

Contact: Charline Bass, Administrative Assistant, 484-250-5787.

1488 Sugartown Road, Primary Facility ID # **861315**, 1488 Sugartown Road, Paoli, PA 19301, Easttown Township, **Chester County**. Douglas Schott, PG, ARM Group LLC, 515 South Franklin Street, West Chester, PA 19301 on behalf of Kurt Spiess, EMG Remediation Services, P.O. Box 129, 5066 Rear West Chester Pike, Edgemont, PA 19028, submitted a Notice of Intent to Remediate. The site has been found to be contaminated with No. 2 fuel oil which has contaminated soil and groundwater. The proposed future use of the property will remain residential. The proposed cleanup standard for the site is the Statewide health standard. The Notice of Intent to Remediate

was published in the *Daily Local News* on January 26, 2024. Application received: January 29, 2024.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Kam Miseikyte, Clerical Assistant 2, 412-442-4091.

Leatherwood Briston Fonner # 1, Primary Facility ID # **873796**, Fonner Run Road, Sycamore, PA 15364, Morris Township, **Greene County**. Civil & Environmental Consultants, Inc., 700 Cherrington Parkway, Moon Township, PA 15108 on behalf of Leatherwood LLC, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, submitted a Notice of Intent to Remediate. The Site is a residential property with a portion of the property historically used for the production of crude oil and natural gas from the Briston-Fonner 1 Well (Permit No. 059-01613), which is a conventional well. The Site has been found to be contaminated with crude oil which is suspected to have contaminated soil in the vicinity of the well. There are plans to immediately plug the conventional well (Briston-Fonner-1) on the property. After the well is plugged, the property will be used for residential purposes. The Notice of Intent to Remediate was published in the *Observer-Reporter* on February 16, 2024. Application received: February 23, 2024.

Gibsonia Commons, Primary Facility ID # **873871**, 5317 William Flynn Highway, Gibsonia, PA 15044, Richland Township, **Allegheny County**. ECS Mid-Atlantic, LLC, 100 East Kensinger Drive, Suit 300, Cranberry Township, PA 16066 on behalf of GRHH CSOK LLC, 6263 North Scottsdale Road, Suite 142, Phoenix, AZ 85250, submitted a Notice of Intent to Remediate. The site was formerly utilized as an automobile service garage and retail petroleum fueling station. Soil at the site has been impacted with the volatile organic compound (VOC) 1,2,4-TMB. Groundwater at the site has been impacted with VOCs including benzene, 1,2-dichloroethane, naphthalene, 1,1,2-trichloroethane, and 1,2,4-trimethylbenzene. The Notice of Intent to Remediate was published in the *New Pittsburgh Courier* on February 28, 2024. Application received: March 4, 2024.

RESIDUAL WASTE GENERAL PERMITS

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other than Coal Ash.

Northeast Region: Waste Management Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Roger Bellas, Environmental Program Manager, 570-826-2201.

WMGR081-NE004. GER Solutions LLC, 635 S. Tenth Street, Unit 600, Allentown, PA 18103, City of Allentown, **Lehigh County**. A permit renewal application for continued coverage under General Permit WMGR081 for the processing of electronic waste for beneficial reuse. Application received: March 7, 2024. Deemed administratively complete: March 8, 2024.

Comments or questions concerning the application should be directed to Roger Bellas, Environmental Program Manager, 570-826-2201, Northeast Region, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for Determination of Applicability for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other than Coal Ash.

Southcentral Region: Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Carrie A. Fleming, Program Manager.

WMGR081SC006. Responsible Recycling Services, LLC, 805 Tomahawk Drive, Kutztown, PA 19530, Maxatawny Township, **Berks County**. This application is for the renewal of general permit WMGR081SC006 which authorizes the processing by disassembling, mechanical processing (by sizing, shaping, separating and volume reduction only), and associated storage prior to reuse or recycling at the processing or transfer facility, of uncontaminated and source-separated electronic devices. Application received: January 23, 2024. Deemed administratively complete: March 8, 2024.

Questions concerning the application should be directed to John L. Oren, P.E. Permits Chief, Southcentral Region, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984.

WMGR081SC002. Precision Recyclers, Inc., 104 South 18th Street, Harrisburg, PA 17104, City of Harrisburg, **Dauphin County**. This is for a renewal of general permit WMGR081SC002 which authorizes the processing by disassembling, mechanical processing (by sizing, shaping, separating and volume reduction only), and associated storage prior to reuse or recycling at the processing or transfer facility, of uncontaminated and source-separated electronic devices. Application received: January 18, 2024. Deemed administratively complete: March 6, 2024.

Questions concerning the application should be directed to John L. Oren, P.E., Permits Chief, Southcentral Region, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984.

HAZARDOUS WASTE TRANSPORTER LICENSE

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); and Hazardous Waste Regulations to Transport Hazardous Waste.

Renewal Applications Received

Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7561.

Contact: Jonathan Adams.

Lewis Environmental, LLC, 155 Railroad Plaza, Royersford, PA 19468. **License No. PA-AH 0591.** Accepted: February 29, 2024.

EAP Industries, Inc., P.O. Box 275, Atlasburg, PA 15004. **License No. PA-AH 0660.** Accepted: January 29, 2024.

Active Environmental Technologies, Inc., 203 Pine Street, Mount Holly, NJ 08060. **License No. PA-AH 0840.** Accepted: February 21, 2024.

Sun Environmental Corp., 4655 Crossroads Park Drive, Liverpool, NY 13088. **License No. PA-AH 0841.** Accepted: January 24, 2024.

First Call Environmental, LLC, 11461 Fox Cross Road, Ashland, VA 23005. **License No. PA-AH 0921.** Accepted: January 31, 2024.

REGULATED MEDICAL AND CHEMOTHERAPEUTIC WASTE TRANSPORTER LICENSE

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) and Act 93 of June 28, 1988 (P.L. 525, No. 93) and Regulations to Transport Regulated Medical and Chemotherapeutic Waste License.

Renewal Applications Received

Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7561.

Contact: Jonathan Adams.

Biosan Disposal LLC, 155 Great Arrow Ave., Buffalo, NY 14207. **License No. PA-HC 0276.** Accepted: March 4, 2024.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department of Environmental Protection (DEP) has developed an integrated plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for DEP, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The DEP received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, DEP's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate DEP Regional Office. Appointments for scheduling a review must be made by

calling the appropriate DEP Regional Office. The address and telephone number of the Regional Office is listed before the application notices.

Individuals wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the DEP's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

Any individual wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if DEP, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when DEP determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate DEP Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

PLAN APPROVALS

Application(s) Received for Plan Approval(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B That May Have Special Public Interest. These Plan Approval Applications are in Review and No Decision on Disposition Has Been Reached.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: David Balog, New Source Review Section Chief, 814-332-6328.

43-00359B: Wabtec Grove City Remanufacturing Plant, 660 Barkeyville Road, Grove City, PA 16127, Grove City Borough, **Mercer County**. Application received: January 26, 2024.

Proposing to install a new aqueous Frame Washer operation at their facility. The washer will utilize detergents that contain VOC.

Notice of Intent to Issue Plan Approval(s) and Notice of Intent to Issue or Amend Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These Actions May Include the Administrative Amendments of an Associated Operating Permit.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: David Balog, New Source Review Section Chief, 814-332-6328.

24-00131Z: SGL Carbon, 900 Theresia Street, St. Marys, PA 15857, City of Saint Marys, **Elk County**. Application received: August 23, 2023.

The Department of Environmental Protection intends to issue a plan approval to SGL Carbon's facility to install one (1) new dust collector(s) to control PM emissions from their new sawing operation at their facility located in City of Saint Marys, Elk County. This is an existing natural minor facility. Public notice is required for sources required to obtain a Plan Approval in accordance with 25 Pa. Code § 127.44.

Source 104, Sawing Operation, consists of one (1) Mazak "Integrex E-1850V" CNC machine and one (1) Friggi "2 MF 2000x2000x4000 TM Horizontal Dual Column" band saw which will be controlled by a cartridge style dust collector (Source ID C104). The control device is designed for an inlet volume of 8,000 CFM at 68 degrees Fahrenheit and will control PM emissions.

The Sawing Operation processes graphite at a rate of 445 tpy per saw and, for permitting purposes, are assumed to operate 8,760 hours annually. 10,899 lbs/month of graphite dust is loaded into the collector. SGL grossly overestimates their emissions by assuming that all 10,899 lbs is emitted as particulate. Their analysis with the efficiency of the dust collector cartridges (99.9995%) is that 0.54 lb/month will be emitted after the control device. They provided manufacturer guarantees of the previously mentioned control efficiency. The 0.54 lb/month equates to 0.00324 ton per year and 0.00095 lb/hr. To ensure proper operation, SGL must regularly monitor the pressure drop and visual emissions of the new dust collector. The dust collector will be equipped with a broken cartridge alarm.

Fugitive emissions will be prohibited. Monitoring of the baghouse pressure drop will be required. Visible stack emissions will be prohibited. The quality of the filter media will be monitored through yearly inspections and the use of a broken cartridge detection system. A copy of the control device manufacturer's operational and maintenance literature will always be maintained onsite. Records of all monitoring and maintenance will be kept. Spare filter media and parts for monitoring systems will be kept on site. All excursions from normal operating values will be recorded and corrected as needed. A plan to resolve repeated excursions will be developed and implemented as needed.

The Plan Approval will contain testing, recordkeeping, emission restriction, reporting, and work practice requirements designed to keep the facility operating within all applicable air quality requirements.

In accordance with 25 Pa. Code § 127.44(f)(1), all the pertinent documents regarding this application (applica-

tions, review memos, and draft approvals) are also available for review from 8:00 a.m. to 4:00 p.m. at the Meadville Regional DEP office (Air Quality). Appointments for scheduling a review must be made by calling the DEP at (814) 332-6940.

In accordance with 25 Pa. Code § 127.44(f)(2), a 30-day comment period, from the date of publication, will exist for the submission of comments. Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to Regional Air Quality Program Manager, Pennsylvania Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335-3494 and must contain the name, address and telephone number of the person submitting the comments, identification of the proposed plan approval [24-00131Z: SGL Carbon] and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Eric Gustafson, 230 Chestnut St., Meadville, PA 16335; Phone (814) 332-6819. In accordance with 25 Pa. Code § 127.45, a person may oppose the proposed plan approval by filing a written protest with the Department's Northwest Region.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Eric Gustafson, 814-332-6819.

43-00385B: Cronimet Specialty Metals USA, Inc., 209 Reynolds Industrial Park Rd., Greenville, PA 16125, Pymatuning Township, **Mercer County.** Application received: September 14, 2023.

The Department of Environmental Protection intends to issue a plan approval to Cronimet's facility for a change in operation of two (2) existing burn-off ovens (Source ID 104 and 105) permitted under GP4-43-00385D general plan approval and operating permit at their facility located in City of Pymatuning Township, Mercer County. This is an existing natural minor facility. Public notice is required for sources required to obtain a Plan Approval in accordance with 25 Pa. Code § 127.44. Source 104 and 105, Burn-Off Oven 4 & 5, consists of two (2) Eco Burn-Off Ovens Corp Model EBR-287 and have a throughput of 0.8 MBtu/hr of natural gas and rated at 20 lbs per hour. They are equipped with Midco International J-121 burners and a secondary chamber. The primary burner is rated at 0.325 MBtu/hr and the secondary is rated at 0.475 MBtu/hr. The units are equipped with low NO_x burners and secondary chambers to reduce emissions. The secondary chamber must be capable of reducing particulate matter emissions to or below 0.02 grain per dry standard cubic foot(gr/dscf) corrected to 12% CO₂, maintain a minimum temperature of 1,400°F during the period of operation, and have a minimum retention time of gas within the secondary chamber of at least 0.5 second. This is the established BAT for burn-off ovens in the GP4 general operating permit and plan approval.

Potential emissions from the subject source(s) will be as follows:

	NO _x	CO	SO _x	PM ₁₀	PM _{2.5}	VOC
104	0.95	1.45	0.22	0.67	0.63	0.30
105	0.95	1.45	0.22	0.67	0.63	0.30

Throughput restrictions:

- Burn off ovens shall not be used to burn coatings that contain halogenated hydrocarbons like PVC, or Teflons.

- Burn off ovens may be used to remove cured hydrocarbon coatings, grease or oils from metal parts.

- The Burn off ovens may be used for the following list of materials: Drying grindings, Shavings, Swarf, Turnings, Chips, Sludge, Pucked grindings (briquette), Burn-off filters, Filter paper cartridges, Cartridges, & Filter rolls only if the material meets one of the following:

- The precious metal content must be over 0.05 percent by weight.

- The combined metal or oxide forms of Ni, Co, Mo, W, V, Cu, Zn, Al, Ti, Si, Fe, B, Cr, Mg, Mn, Zr, Nb, Ta, Sn, Ga, In, total must be over 5 percent by weight.

- The rare earth metals content must be over 10 percent by weight.

Monitoring and record-keeping requirements:

- Install, maintain, and operate a temperature indicator and recorder to measure and record the temperature in the secondary chamber of the burn-off oven.

- Maintain records of the type of material that enters the ovens.

- Maintain records of the weight percent of the recoverable metals with the specific metals recovered in the record.

The Plan Approval will contain testing, recordkeeping, emission restriction, reporting, and work practice requirements designed to keep the facility operating within all applicable air quality requirements.

In accordance with 25 Pa. Code § 127.44(f)(1), all the pertinent documents regarding this application (applications, review memos, and draft approvals) are also available for review from 8:00 a.m. to 4:00 p.m. at the Meadville Regional DEP office (Air Quality). Appointments for scheduling a review must be made by calling the DEP at (814) 332-6940.

In accordance with 25 Pa. Code § 127.44(f)(2), a 30-day comment period, from the date of publication, will exist for the submission of comments. Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to Regional Air Quality Program Manager, Pennsylvania Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335-3494 and must contain the name, address and telephone number of the person submitting the comments, identification of the proposed plan approval [43-00385B: Cronimet Specialty Metals USA, Inc. and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments

received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Eric Gustafson, 230 Chestnut St., Meadville, PA 16335; Phone (814) 332-6819. In accordance with 25 Pa. Code § 127.45, a person may oppose the proposed plan approval by filing a written protest with the Department's Northwest Region.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.

PA-65-00990C: Tenaska Pennsylvania Partners, LLC, 14302 FNB Pkwy, Omaha, NE 68154, South Huntingdon Township, **Westmoreland County**. Application received: December 30, 2023.

Notice is hereby given in accordance with 25 Pa. Code §§ 127.44–127.46 that the Pennsylvania Department of Environmental Protection (Department) intends to issue a modification to Plan Approval PA-65-00990C for the existing natural gas-fired combined cycle power plant known as the Westmoreland Generating Station in South Huntingdon Township, Westmoreland County owned and operated by Tenaska Pennsylvania Partners, LLC to incorporate Reasonably Available Control Technology (RACT) III requirements. Requirements include 25 Pa. Code § 129.112(d) for the auxiliary boiler to install, maintain and operate the source in accordance with the manufacturer's specifications and with good operating practices for the control of the VOC emissions and 25 Pa. Code § 129.112(g)(2)(iii)(B) to limit VOC emissions from the combined cycle units to 2 ppmvd VOC (as propane) at 15% oxygen. The RACT III Notification, the Department's Air Quality Review Memorandum, and the Proposed Air Quality Plan Approval for this modification are available for review by any interested party at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the Department's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx>. A person may oppose the proposed plan approval by filing a written protest with the Department through Alexander Sandy, Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222; asandy@pa.gov; or fax 412-442-4194. Each protest or set of written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval (PA-65-00990C) and a concise statement of the objections to the plan approval and the relevant facts upon which the objections are based. All comments must be received prior to the close of business 30 days after the date of this publication.

Notice of Proposed Revision to the State Implementation Plan for Oxides of Nitrogen, Notice of Public Hearing, and Notice of Intent to Issue Revised Air Quality Operating Permit 63-00027.

Southwest Regional Office, Air Quality Program, 400 Waterfront Dr, Pittsburgh, PA 15222.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief, 412-442-4336.

CORRECTION—previously published on December 9, 2023.

63-00027: Jessop Steel, LLC, 500 Green Street, Washington, PA 15301, Canton Township, **Washington County**. Application received: September 28, 2023.

Approval of a Title V Operating Permit Modification and Reasonably Available Control Technology (RACT III) plan for Jessop Steel, LLC located in Canton Township, Washington County.

In accordance with 25 Pa. Code §§ 127.424, 127.425 and 127.521, the Department of Environmental Protection (DEP) is providing notice that it intends to issue a modified Title V operating permit (TV-63-00027) to Jessop Steel, LLC to incorporate RACT III requirements.

The following sources at this facility are addressed in this RACT III proposal:

- Source 031, two (2) 3.94 MMBtu/hr Miura LX-100SG boilers;
- Source 220, Miscellaneous Space Heaters rated at a combined 60.0 MMBtu/hr;
- Source 102, one (1) shot-blast unit;
- Source 110, seven (7) 110" Olson Mill Heating Furnaces rated at 20.0 MMBtu/hr each;
- Source 126, Pickling Operations rated at 25 TPH;
- Source 127, Production Burning rated at 20 TPH;
- Source 130, two (2) Grinding Machines;
- Source 140, fourteen (14) Bar Mill Annealing Furnaces rated at various capacities between 3.3 and 15.0 MMBtu/hr;
- Source 150, one (1) Salem 6425-7A S.W.S.L. 400" Annealing Furnace;
- Source 160, one (1) Salem 6425-7A D.W.S.L. 400" Annealing Furnace;
- Source 170, Parts Cleaners;
- Source 180, one (1) Olson Engineering 4836-6 100" Mill Reheat Furnace;
- Source 181, one (1) LOI, Inc. 110" Mill Reheat Furnace rated at 26.1 MMBtu/hr;
- Source 210, Cooling Towers;
- Source 230, Vehicle Travel;
- Source 250, one (1) Core Furnace Systems Charge Fire Furnace rated at 22.0 MMBtu/hr;
- Source 260, one (1) Core Furnace Systems Hybrid Annealing Furnace rated at 34.8 MMBtu/hr; and
- Miscellaneous Sources including a wastewater treatment plant, a wastewater treatment plant silo, a bag-house dust silo, a sulfuric acid storage tank, a process tank, non-VOC and non-HAP storage tanks, plasma cutters, shears, levelers, flatteners, cut-off saws, CleaNOx pickling, two (2) gantry belt grinders, and two (2) high efficiency cyclones.

The facility has potential emissions of 257.2 TPY NO_x; 165.4 TPY CO; 76.8 TPY PM; 1.8 TPY SO_x; 29.25 TPY VOC; 5.6 TPY total HAP; 1.6 TPY single HAP; and 29,069 TPY CO_{2e}. Emission limitations, operating requirements, and work practice standards along with monitoring, recordkeeping, and reporting requirements have been included in this proposed revision to the Title V operating permit to ensure that the facility complies with applicable Federal and State air quality regulations.

Furthermore, in accordance with 25 Pa. Code §§ 129.111–129.115, the Pennsylvania Department of Environmental Protection has made a preliminary determination to approve a RACT III plan and an amendment to the State Implementation Plan (SIP) for the aforementioned facility. The facility is not subject to any RACT III requirements for VOC.

The proposed SIP revision does not adopt any new regulations. It incorporates the provisions and requirements contained in the amended RACT III approval for the facility, which are intended to satisfy the requirements for the 1997, 2008, and 2015 National Ambient Air Quality Standard (NAAQS) for ozone.

The proposed amendments to the RACT III determination, if finally approved, will be incorporated into a revised operating permit 63-00027 for the facility. The relevant RACT III requirements will be submitted to the U.S. Environmental Protection Agency (EPA) as a revision to Pennsylvania’s State Implementation Plan and will remain in effect until replaced pursuant to 40 CFR 51 and approval by the EPA. Requirements that are not part of the RACT III determination will be excluded from the SIP submittal.

The following is a summary of the proposed amendments to the RACT III determination for this operation that will be submitted to the EPA as a SIP revision:

Source ID	Description	Regulatory Citation	RACT	TVOP 63-00027 Condition No.
110	110" Mill Heating Furnaces No. 1-7	§ 129.112(a)	The owner and operator shall not exceed the following emission limitation for all furnaces included in this source: 1.61 lbs NO _x /MMBtu heat input combined; 0.23 lb NO _x /MMBtu per furnace	Section D Source 110 Condition # 001
150	SWSL 400" Annealing Furnace	§ 129.112(a)	The owner and operator shall not exceed the following emission limitation for this source: 0.18 lb NO _x /MMBtu heat input	Section D Source 150 Condition # 001
160	DWSL 400" Annealing Furnace	§ 129.112(a)	The owner and operator shall not exceed the following emission limitation for this source: 0.18 lb NO _x /MMBtu heat input	Section D Source 160 Condition # 001
180	Olson 110" Mill Reheat Furnace No. 8	§ 129.112(a)	The owner and operator shall not exceed the following emission limitation for this source: 0.23 lb NO _x /MMBtu heat input	Section D Source 180 Condition # 001
181	LOI 110" Mill Reheat Furnace No. 9	§ 129.112(a)	The owner and operator shall not exceed the following emission limitation for this source: 0.23 lb NO _x /MMBtu heat input	Section D Source 181 Condition # 001
250	110" Mill Heating Furnace No. 10 (Idled)	§ 129.112(a)	The owner and operator shall not exceed the following emission limitation for this source: 0.23 lb NO _x /MMBtu heat input	Section D Source 250 Condition # 001
260	Hybrid Annealing Furnace	§ 129.112(a)	The owner and operator shall not exceed the following emission limitation for this source: 0.18 lb NO _x /MMBtu heat input	Section D Source 260 Condition # 001

Additional testing, monitoring, and recordkeeping requirements are included in the proposed modification to the Title V operating permit.

Public hearing. A public hearing will be held on April 23, 2024, from 9:30–10:00 a.m. at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To register to speak at a hearing, or to inquire if a hearing will be held, please contact Thomas Joseph at 412-442-4336. The last day to pre-register to speak at the hearing will be April 16, 2024. If we do not receive any pre-registered speakers by this date, the hearing will be cancelled.

Please note that any updates made to any aspect of the hearing, including whether or not a hearing will be held, will be posted online at <https://www.dep.pa.gov/About/Regional/SouthwestRegion/Community%20Information/Pages/default.aspx>. We ask that you contact Thomas Joseph at 412-442-4336 or monitor our website to determine if a hearing will be held.

Persons wishing to present testimony at the hearing should contact Thomas Joseph at 412-442-4336 at least one week in advance of the hearing to reserve a time to

present testimony. Oral testimony will be limited to a maximum of 10 minutes per individual and two written copies of the oral testimony are requested. Each organization is requested to designate one witness to present testimony on its behalf. Persons unable to attend the hearing, if it is held, may submit three (3) copies of a written statement and exhibits within 10 days thereafter to Mark Gorog, Environmental Program Manager, Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222.

Persons wishing to file a written protest or provide comments or additional information may submit the information to Mark Gorog, Environmental Program Manager, Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A 30-day comment period from March 23, 2024 will exist for the submission of comments, protests, and information. Each submission must contain the name, address, and telephone number of the person submitting the comments, identification of the RACT III Operating Permit including the permit number and a concise statement regarding the relevancy of the

information or objections to the RACT III Plan or the operating permit modification.

All pertinent documents are available for public review between 8 a.m. and 4 p.m. at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Appointments for scheduling a review may be made online at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx> and by contacting Thomas Joseph, Environmental Engineering Manager, at 412-442-4336 or tjoseph@pa.gov.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodations to do so should contact Lauren Camarda at 412-442-4203 or the Pennsylvania Hamilton Relay Service at 1-800-654-5984 (TDD) to discuss how the Department may accommodate your needs.

OPERATING PERMITS

Notice of Intent to Issue Title V Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.

15-00043, Energy Transfer Market & Terminal (formerly Sunoco Market & Terminal), 41 Malin Rd, Malvern, PA 19355, East Whiteland Township, Chester County. Application received: November 14, 2023. The Department of Environmental Protection (DEP) intends to renew a Title V Operating Permit for Energy Transfer M & T, LP (Formerly Sunoco M & T), Inc. Energy Transfer operates a bulk gasoline terminal which receives gasoline via underground pipelines and then stores and distributes the gasoline. The primary air emission from this facility is Volatile Organic Compounds (VOCs). Energy Transfer is a major VOC stationary source as defined in Title I, Part D of the Clean Air Act Amendments. The average actual emissions over the last six years was 10 tons of VOCs. The proposed Title V Operating Permit renewal does not adopt any new regulations and does not reflect any change in air emissions from the facility. The current Title V Permit was issued on May 9, 2019. Upon final approval, the permit will be issued for a period of five (5) years. The renewed permit includes testing, monitoring, recordkeeping, reporting and work practice requirements designed to keep the facility operating within all applicable local, State, and Federal air quality requirements. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

Notice of Intent to Issue Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

14-00037, Spectrum Control, Inc., 1900 West College Avenue, State College, PA 16801, Ferguson Township, Centre County. Application received: December 15, 2023. In accordance with 25 Pa. Code §§ 127.424 and 127.425, the Department of Environmental Protection has received a permit application and intends to issue a renewal of an Air Quality Operating Permit for the Spectrum Control facility. The subject facility has the following potential emissions: 7.21 TPY of CO; 10.94 TPY of NO_x; 0.05 TPY of SO_x; 12.48 TPY of PM/PM₁₀; 22.55 TPY of VOC; 5.47 TPY of HAP and 2,747 TPY of CO₂e. The Department has determined that the sources at the facility satisfy Best Available Technology (BAT) requirements, pursuant to 25 Pa. Code §§ 127.1 and 127.12, as well as the National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines, 40 CFR Part 63 Subpart ZZZZ Sections 63.6580—63.6675. The operating permit will include emission limits and work practice standards along with testing, monitoring, recordkeeping and reporting requirements to ensure the facility complies with all applicable air quality regulations. All requirements including applicable Federal and State regulations and appropriate monitoring, recordkeeping, and reporting conditions regarding compliance with the requirements have been included in the proposed State Only Operating Permit renewal.

08-00050, Eureka Resources, LLC, 315 Second St, Williamsport, PA 17701, Standing Stone Township, Bradford County. Application received: December 18, 2023. The Department intends to issue a renewal State Only Operating Permit for the Standing Stone Plant. The facility is currently operating under State Only Operating Permit 08-00050. The facility's sources include one 6.4 MMBtu/hr, natural/propane/No. 2 fuel oil-fired boiler, one wastewater treatment plant, a salt extraction process, a membrane biological reactor, reverse osmosis, and ion exchange process, several storage tanks and silos, and a 200 kW emergency diesel-fired generator engine. The facility has potential emissions of 5.88 TPY of CO; 14.31 TPY of NO_x; 0.06 TPY of SO_x; 5.08 TPY of PM/PM₁₀; 14.40 TPY of VOCs; 7.45 TPY of methanol; 8.85 TPY of combined hazardous air pollutants; 7,827 TPY GHGs. The emergency generator engine is subject to 40 CFR Part 63, Subpart ZZZZ—National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines. The boiler is subject to 40 CFR Part 63, Subpart JJJJJJ—National Emissions Standards for Hazardous Air Pollutants for Industrial, Commercial, and Institutional Boilers Area Sources. The emission limits and work practice standards along with testing, monitoring, recordkeeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 25 Pa. Code Chapters 121—145, as well as 40 CFR Part 63. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Norman Frederick, Facility Permitting Chief, 570-826-2409.

39-00035, Allentown City—Lehigh County, 112 W Union Street, Allentown, PA 18102-4912, City of Allentown, **Lehigh County**. Application received: February 27, 2024. The Department intends to issue a renewal State-Only Operating Permit (natural minor) for the Allentown plant. Sources at this facility include their boilers, aerated grit chambers, sludge belt presses, chlorine contact chamber, digester gas wasteburner flares, settling tanks, headworks, heaters, plastic and rock media trickling filters, and thickening tanks. Sources also include quad scrubber systems used as control devices. The proposed operating permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

40-00069, Independent Recycling Company LLC, 99 Stevens Ln, Exeter, PA 18643-1232, Exeter Borough, **Luzerne County**. Application received: March 5, 2024. The Department intends to issue a renewal State-Only Operating Permit (natural minor) for the Exeter Borough facility. Sources at this facility include their six wash tanks part of the reclamation process and a scrubber as a control device. The proposed operating permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

39-00062, Tri City Marble LLC, 4724 Springside Ct, Allentown, PA 18104-9488, Upper Macungie Township, **Lehigh County**. Application received: March 8, 2024. The Department intends to issue a renewal State-Only Operating Permit (synthetic minor) for the Upper Macungie Township facility. Sources at this facility include their gel coat and grinding operations. This also includes a spray booth with filters and a dust collector as control devices. The proposed operating permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

01-05030, Hanover Prest Paving Company, 240 Bender Rd., Hanover, PA 17331-9079, Mount Pleasant Township, **Adams County**. Application received: July 3, 2023. For the operation of a batch asphalt plant. This is for renewal of the existing State-Only Permit. Actual 2021 air emissions from the facility are estimated at 1.23 tons CO, and less than 1 ton of NO_x, CO, VOC, SO₂, and HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

07-05025, Sunoco Partners Marketing & Terminals, LP, Rt. 764 N. and Sugar Run Road, Altoona, PA 16601, Allegheny Township, **Blair County**. Application received: December 21, 2023. To issue a State Only Operating Permit for the Altoona petroleum terminal. This is for renewal of the existing State-Only Permit. Facility-wide actual emissions in 2022 were estimated to be the following: NO_x—0.26 tpy, CO—0.66 tpy, VOC—4.75 tpy and Total HAPs—0.77 tpy. The operating permit will include emission limits and work practice standards along

with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR 63 Subpart BBBBBB—National Emission Standards for Hazardous Air Pollutants for Source Category: Gasoline Distribution Bulk Terminals, Bulk Plants, and Pipeline Facilities.

67-03117, GEA Systems North America LLC, 3475 Board Road, York, PA 17406, Manchester Township, **York County**. Application received: August 28, 2023. For the operation of an industrial refrigeration and heating equipment manufacturing plant. This is for renewal of the existing State-Only Permit. The facility wide PTE is estimated to be 6.79 tpy VOC, and less than 1 ton each of NO_x, HAP, CO, SO_x, and PM. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

67-03043, Envirite of PA, Inc., 730 Vogelsong Road, York, PA 17404, City of York, **York County**. Application received: June 27, 2023. To issue a State-Only Operating Permit for the operation of a waste treatment facility. This is a renewal of the facility's Natural Minor air quality operating permit. The subject facility has potential emissions of 9.0 tpy of PM, 5.9 tpy of HAPs, and 4.4 tpy of VOCs. The operating permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 25 Pa. Code § 129.77.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.

09-00227, Central Bucks Crematory, Inc., 344 N Main St, Doylestown, PA 18901, Doylestown Borough, **Bucks County**. Application received: December 22, 2023. This action is for the renewal of a non-Title V, Natural Minor Operating Permit for the operation of one (1) Human Crematory. During this renewal there have been no changes to the source or updates to the permit. The primary pollutant of concern is Particulate Matter (PM). The potential total PM emissions for the Crematory is 1.15 tons per year and 0.02 gr/dscf. Central Bucks Crematory, Inc. is categorized as a natural minor facility and will not exceed any major source thresholds. The permit includes monitoring, recordkeeping and reporting requirements designed to address all applicable air quality requirements. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief, 412-442-4336.

04-00445, Veka, Inc., 100 Veka Drive, Fombell, PA 16123, Marion Township, **Beaver County**. Application received: March 3, 2023. In accordance with 25 Pa. Code §§ 127.424 and 127.425, the Department of Environmen-

tal Protection (DEP) has received an application and is providing notice that it intends to issue a renewed synthetic minor state-only operating permit to Veka, Inc. for the residential and commercial polyvinyl chloride (PVC) window and door system profiles manufacturing facility located in Marion Township, Beaver County. Sources of emissions consist of three (3) lamination lines, mixing operations, eight (8) storage silos, one (1) 157-hp Cummins Power Generation DSFAE-1525953 diesel-powered emergency generator engine, one (1) AC Fire Pump FP14RJHC-1500 diesel-powered fire pump engine, one (1) parts washer, and miscellaneous sources including a regrind operation, pump room, cooling tower, laboratory hood, and extruder process. Potential emissions from this facility are estimated to be 9.90 TPY total HAP, 9.90 TPY of any single HAP, 2.4 TPY NO_x, 0.6 TPY CO, 0.5 TPY VOC, 0.2 TPY SO_x, 1.0 TPY PM₁₀, and 1.0 TPY PM_{2.5}. The facility is limited to not exceed 9.90 TPY total HAP, 2.7 TPY VOC, and has hourly and 12-month rolling totals limiting MeCl usage. This operating permit renewal incorporates the requirements of plan approval PA-04-00445D. Those who wish to provide the Department with additional written information that they believe should be considered prior to the issuance of the synthetic minor State-Only Operating Permit may submit the information to Tom Joseph, Facilities Permit Chief, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Operating Permit (04-00445) and concise statements regarding the relevancy of the information or objections to issuance of the Operating Permit. A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to Tom Joseph, Environmental Engineering Manager, at the previously listed address or by contacting Tom Joseph directly at the following information. All comments must be received prior to the close of business 30 days after the date of this publication. The application, DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx> and by contacting Thomas Joseph, Environmental Engineering Manager, at 412-442-4336 or tjoseph@pa.gov.

COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law

(35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21).

Mining activity permits issued in response to such applications are also subject to applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (DEP). A copy of the application is available for inspection at the District Mining Office indicated above each application. Requests for 401 Water Quality Certifications are included in individual application only if noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or Local Government Agency or Authority to DEP at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences). Such comments or objections should contain the name, address and phone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform DEP on the basis of comment or objection and relevant facts upon which it is based.

In addition, requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must also contain a brief summary of the issues to be raised by the requestor at the conference and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application is associated with an application for an NPDES permit. A separate notice will be provided for the draft NPDES permit.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Coal Applications

Effluent Limits—The following range of effluent limits (Table 1) will apply to NPDES permits issued in conjunction with the associated coal mining activity permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Table 1

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l

Table 1

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

California District Mining Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

Contact: Bonnie Herbert, Clerical Assistant 3.

Mining Permit No. 56100701. NPDES No. PA0235989. Heritage Coal & Natural Resources, LLC, 550 Beagle Road, Rockwood, PA 15557, Milford Township, **Somerset County**. To transfer the permit and related NPDES permit from Wilson Creek Energy, LLC. Application received: January 3, 2024. Accepted: March 6, 2024.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. 49080101. Last Time Coal Co., 119 Greenwood Street, Trevorton, PA 17881, Zerbe Township, **Northumberland County**. Renew an anthracite surface mine operation affecting 111.3 acres. Receiving stream: Zerbe Run, classified for the following uses: CWF, MF. Application received: March 4, 2024.

Noncoal Applications

Effluent Limits—The following Table 2 effluent limits apply to NPDES permits issued in conjunction with a noncoal mining permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Table 2

Parameter	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity must always exceed acidity.			
pH must always be greater than 6.0; less than 9.0.			

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

Contact: Alicia Cook, Clerical Assistant 3, 814-797-0815.

Mining Permit No. 42042804. NPDES No. PA0280658. Richard A. Powell, 1423 West Kane Road, Kane, PA 16735, Wetmore Township, **McKean County**. Renewal of an NPDES permit. Application received: February 1, 2024.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

Contact: Cassie Stanton, Clerical Assistant 2.

Mining Permit No. 41990301. NPDES No. PA0238287. Glenn O. Hawbaker, Inc., 1952 Waddle Road, State College, PA 16803, Armstrong Township, **Lycoming County**. Renewal application for an NPDES permit associated with a large noncoal (industrial minerals) mining site affecting 44.21 acres. Receiving stream(s): Hagerman Run classified for the following use(s): CWF, MF. Application received: March 11, 2024. Accepted: March 11, 2024.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. 8173SM1. NPDES Permit No. PA0594148. Heidelberg Materials Northeast, LLC, 7660 Imperial Way, Allentown, PA 18195, East Caln and West Whiteland Townships, **Chester County**. Renew NPDES Permit on a quarry operation affecting 303.62 acres. Receiving stream: UNT to Valley Creek, classified for the following uses: CWF, MF. Application received: March 1, 2024.

Mining Permit No. 64240301. NPDES Permit No. PA0226432. Wayco, Inc., 198 O'Connell Road, Waymart, PA 18427, Berlin Township, **Wayne County**. Commencement, operation and restoration of a quarry operation affecting 59.0 acres. Receiving stream: UNT to Indian Orchard Brook, classified for the following uses: EV-CWF, MF. Application received: February 14, 2024.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed National Pollutant Discharge Elimination System (NPDES) permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (DEP) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code § 77.522 are pH 6 to 9 and other parameters DEP may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

Coal NPDES Draft Permits

California District Mining Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

Contact: Bonnie Herbert, Clerical Assistant 3.

CORRECTION—previously published on February 17, 2024.

NPDES No. PA0215121. Mining Permit No. 56981301. Quecreek Mining, Inc., P.O. Box 260, 1576 Stoystown Road, Friedens, PA 15541, Somerset Township, **Somerset County.** Application received: September 27, 2023. Accepted: September 27, 2023.

A renewal to the NPDES permit, affecting 47.86 surface acres and 4,774.0 underground acres related to a coal mining activity permit. Receiving stream(s): Quemahoning Creek, classified for the following use: CWF. Kiskiminetas-Conemaugh River Watershed TMDL.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The proposed effluent limits for Outfall 001 discharging to Quemahoning Creek are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (mgd)	-	-	-	Report
Iron (mg/l)	-	1.5	3.0	3.8
Manganese (mg/l)	-	1.0	2.0	2.5
Aluminum (mg/l)	-	0.75	0.75	-
Suspended Solids (mg/l)	-	35.0	70.0	90.0
pH (s.u.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃ (mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃ (mg/l)	-	-	-	Report
Alkalinity, Net (mg/l)	0.0	-	-	-
Osmotic Pressure (mOs/kg)	-	-	-	Report
Total Dissolved Solids (mg/l)	-	-	-	Report
Sulfate (mg/l)	-	-	-	Report
Chloride (mg/l)	-	-	-	Report

The proposed effluent limits for Outfall 003 discharging to Tributary 45560 to Quemahoning Creek are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	-
Suspended Solids	(mg/l)	-	35.0	70.0	90.0
pH	(s.u.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Sulfate	(mg/l)	-	-	-	Report

The proposed effluent limits for Outfall 005 discharging to Tributary 45560 to Quemahoning Creek are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	-
Suspended Solids	(mg/l)	-	35.0	70.0	90.0
pH	(s.u.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Sulfate	(mg/l)	-	-	-	Report

The proposed effluent limits for Outfall 006 discharging to Quemahoning Creek are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	-
Suspended Solids	(mg/l)	-	35.0	70.0	90.0
pH	(s.u.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Total Dissolved Solids	(mg/l)	-	-	-	Report
Sulfate	(mg/l)	-	-	-	Report

The EPA Waiver is not in effect.

Noncoal NPDES Draft Permits

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

Contact: Alicia Cook, Clerical Assistant 3, 814-797-0815.

NPDES No. PA0259322. Mining Permit No. 10120303. Allegheny Mineral Corporation, P.O. Box 1022, Kittanning, PA 16201, Worth Township, **Butler County**. Renewal of an NPDES permit for discharge of water resulting from surface mining of industrial materials affecting 317.7 acres. Receiving stream(s): unnamed tributaries to Slippery Rock Creek and Slippery Rock Creek, classified for the following use: CWF. Application received: December 21, 2023.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following outfalls discharge to unnamed tributaries to Slippery Rock Creek and Slippery Rock Creek:

<i>Outfall No.</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001	Existing	Sediment Pond E	Precipitation Induced, 305.6 MGD
002	Existing	Sediment Pond F	Precipitation Induced, 194.4 MGD
003	Existing	Sediment Pond G	Precipitation Induced, 311.8 MGD
004	Existing	Sediment Pond I	Precipitation Induced, 78.5 MGD
005	Existing	Treatment Pond FB	Intermittent (Pumped), 150.0 MGD
006	Existing	Treatment Pond GB	Intermittent (Pumped), 150.0 MGD
007	Existing	Treatment Pond IB	Intermittent (Pumped), 150.0 MGD
008	Existing	Sediment Pond D	Precipitation Induced, 187.5 MGD
009	Existing	Sediment Pond J	Precipitation Induced, 75.7 MGD

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: 005 (All Discharges)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/L)	1.5	3.0	3.7
Manganese (mg/L)	1.0	2.0	2.5
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Sulfate (mg/L)		Report	
Flow (gpm)		Report	
Temperature (°C)		Report	
Specific Conductivity (µmhos/cm)		Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: 006, 007 (All Discharges)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/L)	3.0	6.0	7.0
Manganese (mg/L)	2.0	4.0	5.0
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Sulfate (mg/L)		Report	
Flow (gpm)		Report	
Temperature (°C)		Report	
Specific Conductivity (µmhos/cm)		Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

<i>Outfalls: 001, 002 (Discharges during Dry Weather)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/L)	1.5	3.0	3.7
Manganese (mg/L)	1.0	2.0	2.5
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Sulfate (mg/L)		Report	
Flow (gpm)		Report	
Temperature (°C)		Report	
Specific Conductivity (µmhos/cm)		Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

<i>Outfalls: 008 (Discharges during Dry Weather)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/L)	2.4	4.8	6.0
Manganese (mg/L)	1.7	3.4	4.2
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Sulfate (mg/L)		Report	
Flow (gpm)		Report	
Temperature (°C)		Report	
Specific Conductivity (µmhos/cm)		Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

<i>Outfalls: 003, 004 and 009 (Discharges during Dry Weather)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/L)	3.0	6.0	7.0
Manganese (mg/L)	2.0	4.0	5.0
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Sulfate (mg/L)		Report	

Outfalls: 003, 004 and 009 (Discharges during Dry Weather)
 Parameter

30-Day Average

Daily Maximum

Instant. Maximum

Flow (gpm)
 Temperature (°C)
 Specific Conductivity (µmhos/cm)
 pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
 Alkalinity must exceed acidity at all times.

Report
 Report
 Report

Outfalls: 003, 004 and 009 (Discharges after ≤10-yr/24-hr Precip. Event)
 Parameter

30-Day Average

Daily Maximum

Instant. Maximum

Iron (mg/L)
 Total Settleable Solids (mL/L)
 Sulfate (mg/L)
 Flow (gpm)
 Temperature (°C)
 Specific Conductivity (µmhos/cm)
 pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
 Alkalinity must exceed acidity at all times.

N/A
 N/A
 Report
 Report
 Report
 Report

Outfalls: 003, 004 and 009 (Discharges after >10-yr/24-hr Precip. Event)

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
 Alkalinity must exceed acidity at all times.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

NPDES Permit No. PA0611999. Mining Permit No. 7974SM2. Heidelberg Materials Northeast, LLC, 7660 Imperial Way, Allentown, PA 18195, Nockamixon Township, Bucks County. Application received: December 20, 2023.

Renew NPDES permit affecting 83.5 acres. Receiving stream: Rapp Creek, classified for the following use: EV-MF.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following treated wastewater outfalls discharge to Rapp Creek:

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001	Existing	Treatment Facility Outfall	0.94 MGD

The proposed effluent limits for the previously listed outfall are as follows:

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
pH ⁱ (S.U.)	6.0			9.0
Total Alkalinity (as CaCO ₃) (mg/L)			Monitor And Report	
Total Acidity (as CaCO ₃) (mg/L)			Monitor And Report	
Net Alkalinity (mg/L)	0.0			
Total Suspended Solids (mg/L)		35.0	70.0	90.0
Discharge (MGD)		0.94	0.94	
Arsenic (µg/L)			Monitor And Report	
Oil and Grease (mg/L)			Monitor And Report	
Turbidity (NTU)		40.0	80.0	100.0

ⁱThis Parameter is applicable at all times.

NPDES Permit No. PA0224642. Mining Permit No. 09080301. H & K Group, Inc., P.O. Box 196, Skippack, PA 19474, Hilltown Township, Bucks County. Application received: April 27, 2023.

Renew NPDES permit affecting 52.9 acres. Receiving stream: UNT to Morris Run., classified for the following uses: TSF, MF.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following treated wastewater outfalls discharge to UNT to Morris Run:

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001	Existing	Treatment Facility Outfall	1.75 MGD

The proposed effluent limits for the previously listed outfall are as follows:

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Total Alkalinity (as CaCO ₃) (mg/L)			Monitor And Report	
Total Acidity (as CaCO ₃) (mg/L)			Monitor And Report	
Net Alkalinity (mg/L)	0.0			
Total Suspended Solids (mg/L)		35.0	70.0	90.0
Total Dissolved Solids (mg/L)		500	750	
Total Iron (mg/L)		3.0	6.0	7.0
Discharge (MGD)		1.75		

¹This Parameter is applicable at all times

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (DEP). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301–303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311–1313, 1316 and 1317), as well as relevant State requirements. Individuals objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The DEP may schedule a fact-finding hearing or an informal conference in response to comments if deemed necessary. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 a.m. and 4:00 p.m. on each working day at the office noted above the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1–693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Michele Lauer, Clerical Assistant 2, 570-830-3077.

E480224-003. Upper Nazareth Township, 100 Newport Township, Nazareth, PA 18064, Upper Nazareth Township, **Northampton County**. U.S. Army Corps of Engineers Philadelphia District. Application received: February 5, 2024.

To construct and maintain a riparian restoration buffer and a walking path permanently impacting 190 feet of the floodway in Schoeneck Creek (WWF, MF). The walking path will be 6 feet wide. To construct and maintain an outfall, choked with rip rap, for the riparian restoration buffer permanently impacting 20 feet of Schoeneck Creek (WWF, MF). The project is located in Upper Nazareth Township, Northampton County, PA. (Wind Gap, PA Quadrangle, Latitude: 40° 75' 05"; Longitude: -75° 30' 49").

E3502123-009. PA Department of Transportation, Eng District 4-0, 55 Keystone Industrial Park, Dunmore, PA 18512, Elmhurst Township, **Lackawanna County**. U.S. Army Corps of Engineers Baltimore District. Application received: December 8, 2023.

To authorize the following water obstructions and encroachments associated with the SR 0435 Sections 251–253 Project: Culvert Replacements:

1. To remove the existing structures and to construct and maintain an 37' wide single span box culvert carrying Front Street (T-733) across a tributary to Roaring Brook (CWF, MF) having a 14' normal clear span and a 5' minimum underclearance and to construct and maintain appurtenant structure features. (Impact S_384_CULV 1);

2. To remove the existing structure and to construct and maintain a 90' wide single span box culvert carrying Lackawanna Railroad across a tributary to Roaring Brook (CWF, MF) having a 14' normal clear span and a 5' minimum underclearance and to construct and maintain appurtenant structure features. (S_384_CULV_2);

3. To remove the existing structure and to construct and maintain a 45' wide two-span bridge carrying SR 435 across a tributary to Roaring Brook (CWF, MF) having a 290' normal clear span and a 22' minimum underclearance and to construct and maintain appurtenant structure features. (S_384_BRG1);

4. To remove the existing structure and to construct and maintain a 58.5' wide single span bridge carrying SR 435 across Roaring Brook (CWF, MF) having a 68' normal clear span and an 18.5' minimum underclearance and to construct and maintain appurtenant structure features. (S_479_BRG1) Outfalls;

5. To construct and maintain an outfall in the floodway of a tributary to Roaring Brook (CWF, MF) consisting of a riprap channel. (S_384_OF1);

6. To construct and maintain an outfall in the floodway and watercourse of a tributary to Roaring Brook (CWF, MF) consisting of an outfall pipe, an endwall and riprap outlet protection. (S_384_OF2);

7. To construct and maintain an outfall in the floodway of a tributary to Roaring Brook (CWF, MF) consisting of an outfall pipe and riprap outlet protection. (S_384_OF3);

8. To construct and maintain an outfall in the watercourse and floodway of Roaring Brook (CWF, MF) consisting of a riprap channel. (S_479_OF1) Other Impacts;

9. To place 0.08 acre of fill in the floodway of a tributary to Roaring Brook (CWF, MF) for the purpose of the relocation of an access road. (S_384_IMP6);

10. To place 0.05 acre of fill in the floodway of a tributary to Roaring Brook (CWF, MF) for the purpose of the intersection of SR 0435/G.C. Smither Street (northern terminus) (Moscow and Olyphant, PA Quadrangles, Latitude: 41.371548°, Longitude: -75.542946° to Latitude: 41.377910°, Longitude: -75.544594° in Elmhurst Township, Lackawanna County. Latitude: 41.371548°, Longitude: -75.542946°.

11. To place 0.08 acre of fill in the floodway along 140-LF of a Roaring Brook (CWF, MF) for the purpose of streambank protection and stabilization. (S_479_SBP1)

The proposed project is located along SR 0435 and extends from approximately 200' south of the SR 435/Gardner Road intersection (southern terminus) to the intersection of SR 0435/G.C. Smither Street (northern terminus) (Moscow and Olyphant, PA Quadrangles, Latitude: 41.371548°, Longitude: -75.542946° to Latitude: 41.377910°, Longitude: -75.544594° in Elmhurst Township, Lackawanna County. Latitude: 41.371548°, Longitude: -75.542946°.

Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Elaine Henderson, Clerical Assistant 3, 484-250-5157.

E2301224-001. Delaware County, 201 West Front Street, Media, PA 19603, Aston Township and Middletown Township, **Delaware County**. U.S. Army Corps of Engineers Philadelphia District. Application received: February 6, 2024. Latitude: 39.865725°, Longitude: -75.406622°.

Delaware County is proposing the following water obstruction and encroachment activities along an approximate 1.5-mile segment of the proposed 14-foot-wide Chester Creek Branch Rail to Trail project on existing railroad tracks, impacting approximately 0.02 acre of wetlands. The proposed activities are:

1. To remove the existing rails, ties, and ballasts.
2. To construct and maintain a 14-foot-wide trail in the 100-year floodway of Chester Creek.
3. To replace a deteriorated existing pipe carrying Channel 7 (UNT to Chester Creek, WWF/MF), and construct and maintain an 84-inch CMP (75 feet × 7 feet) with a steel end section installed upstream and a rock riprap apron installed downstream at 39. (STA 38+35). Additional rock will be placed to stabilize the washed-out current conditions. The work will also include temporary placement of a clean water bypass pumping system within Channel 7, totaling 20 linear feet (240 square feet). This work also includes permanent placement of fill in wetlands and temporary excavation to wetlands. To construct the trail, 0.008 acre (304 square feet) of permanent fill will be placed in PEM/PSS/PFO Wetland C (39.86557°, -75.40296°/STA 39+50) and 0.001 acre (40 square feet) of permanent fill in PEM/PSS Wetland D (39.86557°, -75.40296°/STA 38+75). A temporary excavation to construct the trail will impact 0.008 acre (332 square feet) of PEM/PSS/PFO Wetland C (39.86557°, -75.40296°/STA 39+50) and 0.001 acre (61 square feet) of temporary excavation in PEM/PSS Wetland D (39.86557°, -75.40296°/STA 38+75).
4. To construct and maintain a 72-inch CMP (93 feet × 6 feet) carrying Channel 6 (UNT to Chester Creek, WWF/MF) under the Dutton Mill Road Trailhead and Parking Lot with a steel end section will outlet over a

riprap apron on the downstream end before entering Chester Creek outside the LOD. To place fill in Channel 6 (UNT to Chester Creek, WWF/MF) totaling 160 linear feet (3,520 square feet) at 39.86719°, -75.40822° (STA 55+90). The work includes temporary placement of a diversion dike and clean water bypass pumping system within Channel 6 totaling 22 linear feet (176 square feet).

5. To maintain the 48-inch RCP (75 feet × 6 feet) carrying Channel 5 (UNT to Chester Creek, TSF/MF) and add a rock riprap apron to the downstream side at 39.86965°, -75.41056° (STA 72+50). The work includes any flow from the intermittent Channel 5 will be pumped and filtered before entering Chester Creek, totaling 15 linear feet (90 square feet) of temporary impact.

6. To construct and maintain a 31.50-foot plank beam structure (31.5 feet × 13.5 feet × 62 feet) over Channel 4 (UNT to Chester Creek, TSF/MF) and add rock to stabilize the sediment around the washout at 39.87255°, -75.41362° (STA 79+90). Fill will be added to Channel 4 totaling 26 linear feet (208 square feet). The work includes a diversion dike and clean water bypass pumping system will be utilized to install both the structure and the stabilizing rock on either side of the washout, totaling 61 linear feet (366 square feet) of temporary impact.

7. To construct and maintain an 84-inch CMP with a steel end section and a rock riprap apron to replace the deteriorated existing pipe carrying Channel 3 under the railway at 39.87255°, -75.41355° (STA 84+60) totaling in 105 linear feet (735 square feet). The work includes a diversion dike and clean water bypass pumping system will be utilized to install both the pipe and the stabilizing rock, totaling 44 linear feet (308 square feet) of temporary impact.

8. To maintain and enhance the existing single span riveted steel plate girder bridge (119.7 feet × 15.8 feet × 66.2 feet) carrying the Chester Creek Trail over Chester Creek and place R-6 rock on the abutments to stabilize the structure at 39.89401°, -75.41355° (STA 90+00), totaling 68 linear feet (816 square feet). Temporary excavation to improve the abutments totaling 65 linear feet (520 square feet).

The site is located approximately between the southern trail head off of Bridgewater Road (SR 3018) in Aston Township and Chester Creek Road (SR 3015) and terminate in Middletown Township—Station 27+00 to Station 94+50 (Marcus Hook, PA USGS map, Lat: 39.865725, Long: -75.406622) in Aston and Middletown Townships, Delaware County.

E4601224-007. Green Lane Borough, 214 Main Street, Green Lane, PA 18054, Green Lane Borough, **Montgomery County**. U.S. Army Corps of Engineers Philadelphia District. Application received: February 12, 2024.

Green Lane Borough is proposing to demolish existing houses, accessory structures, foundations, pads, slabs, walkways, and driveways with other site improvements associated a Chapter 106 Floodplain Management and Site Restoration Permit for the six (6) properties listed as follows. All disturbed areas will be properly backfilled to uniform grade with the adjacent undisturbed area and will be seeded stabilized. 1) 132 Gravel Pike includes 0.136 acre of disturbance (USGS PA Perkiomenville Quadrangle—Latitude: 40.337620 N, Longitude: 75.472470 W). 2) 762 Lumber Street includes 0.106 acre of disturbance (USGS PA Perkiomenville Quadrangle—Latitude: 40.340660 N, Longitude: 75.471070 W). 3) 766

Lumber Street includes 0.170 acre of disturbance (USGS PA Perkiomenville Quadrangle—Latitude: 40.340660 N, Longitude: 75.471030 W). 4) 767 Lumber Street includes 0.181 acre of disturbance (USGS PA Perkiomenville Quadrangle—Latitude: 40.341860 N, Longitude: 75.470810 W). 5) 769 Lumber Street includes 0.040 acre of disturbance (USGS PA Perkiomenville Quadrangle—Latitude: 40.341920 N, Longitude: 75.470810 W).

E4601224-008. Green Lane Borough, 214 Main Street, Green Lane, PA 18054, Green Lane Borough, **Montgomery County**. U.S. Army Corps of Engineers Philadelphia District. Application received: February 12, 2024.

Green Lane Borough is proposing to demolish existing houses, accessory structures, foundations, pads, slabs, walkways, and driveways with other site improvements associated a Chapter 106 Floodplain Management and Site Restoration Permit for the three (3) properties listed as follows. All disturbed areas will be properly backfilled to uniform grade with the adjacent undisturbed area and will be seeded stabilized. 1) 759 Lumber Street includes 0.176 acre of disturbance (USGS PA Perkiomenville Quadrangle—Latitude: 40.341740 N, Longitude: 75.470810 W). 2) 770 Lumber Street includes 0.340 acre of disturbance (USGS PA Perkiomenville Quadrangle—Latitude: 40.340760 N, Longitude: 75.470840 W). 3) 778 Lumber Street includes 0.120 acre of disturbance (USGS PA Perkiomenville Quadrangle—Latitude: 40.34150 N, Longitude: 75.471270 W).

E5101124-003. Pennsylvania Department of Transportation, 7000 Geerdes Boulevard, King of Prussia, PA 19406, City of Philadelphia, **Philadelphia County**. U.S. Army Corps of Engineers Philadelphia District. Application received: February 7, 2024.

PennDOT District 6-0 is proposing to remove an existing 156.75-foot-long, 66.625-foot-wide two-span prestressed concrete adjacent box beam bridge over Frankford Creek (WWF-MF) and in its place, construct and maintain an 181-foot-long, 73.271-foot-wide two-span prestressed concrete bulb-tee bream for the I-95 Section BR3 (SR 0095 Northbound Realignment Project). This activity also includes the construction and maintenance of a temporary causeway to reconstruct the center pier, installation of temporary coffer dams/excavation support and protection systems, construction and maintenance of a 24-inch diameter RCP outfall, and placement of riprap scour protection at the pier and abutments and will result in a total of 183 linear feet of permanent watercourse impact, 104 linear feet of temporary watercourse impact, 2,157 square feet of permanent floodway impact, and

4,261 square feet of temporary floodway impact. This project is located on northbound I-95 over Frankford Creek, after the Castor Avenue on-ramp, and associated with the overall upgrades to the Betsy Ross Bridge interchange within the City of Philadelphia (USGS PA Camden; Frankford). Latitude: 39.995927°, Longitude: -75.082822°.

STORAGE TANKS

SITE-SPECIFIC INSTALLATION PERMITS

The following Storage Tank Site-Specific Installation Permit application has been received by the Department of Environmental Protection (DEP) and is currently under review. Individuals wishing to comment on the proposed permit are invited to submit a statement to the Bureau of Environmental Cleanup and Brownfields, Division of Storage Tanks, P.O. Box 8762, Harrisburg, PA 17105-8762, within 30-days from the date of this publication. Comments may also be submitted via email to tanks@pa.gov. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform DEP of the exact basis of the comment and the relevant facts upon which it based.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Application(s) Received for Storage Tank Site-Specific Installation Permits Under the Authority of the Storage Tank Spill Prevention Act (35 P.S. §§ 6021.304, 6021.504, 6021.1101 and 6021.1102) and Under 25 Pa. Code Chapter 245, Subchapter C.

SSIP Application No.	42002
Applicant Name	Daniel B. Krieg, Inc.
Address	4200 Paxton St.
City, State, Zip	Harrisburg, PA 17111
County	Dauphin County
Municipality	Lower Paxton Township
Tank Type	Nine ASTs storing petroleum products and hazardous substances
Tank Capacity	76,400 gallons total
Application Received	March 11, 2024

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department of Environmental Protection (DEP) has taken the following actions on previously received applications for new, amended, and renewed National Pollutant Discharge Elimination System (NPDES) and Water Quality Management (WQM) permits, applications for permit waivers, and Notice of Intent (NOIs) for coverage under General Permits, as listed in the following tables. This notice of final action is published in accordance with 25 Pa. Code Chapters 91, 92a, and 102 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). The official file for each listed action can be reviewed at the DEP or delegated County Conservation District (CCD) office identified in the table for the action. DEP/CCD office contact information is listed as follows for Section I and is contained within the table for Section II. Additional information for permits issued under 25 Pa. Code Chapters 91 and 92a and Individual permits under 25 Pa. Code Chapter 102, including links to Individual Chapter 92a NPDES and WQM Permits, may be reviewed by generating the “Final Actions Report” on DEP’s website at www.dep.pa.gov/CWPublicNotice.

DEP office contact information to review official files relating to the final actions in Section I is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES_SERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SERO@pa.gov for Chapter 102 permits.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES_NERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NERO@pa.gov for Chapter 102 permits.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES_SCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SCRO@pa.gov for Chapter 102 permits.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES_NCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NCRO@pa.gov for Chapter 102 permits.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES_SWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SWRO@pa.gov for Chapter 102 permits.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6078. Email: RA-EPNPDES_NWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NWRO@pa.gov for Chapter 102 permits.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law).

The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law. For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board. Individuals who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. Important legal rights are at stake, however, so individuals should contact a lawyer at once.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

For actions taken on applications for pipelines that are regulated by the Federal Energy Regulatory Commission (FERC).

Any person aggrieved by this action may challenge it in an appropriate legal forum. The State and Federal courts are currently split on whether the proper forum to challenge a Department permit, authorization or approval for a facility or activity subject to the Federal Natural Gas Act, 15 U.S.C.A. §§ 717 et seq., is the United States Court of Appeals for the Third Circuit or the Pennsylvania Environmental Hearing Board. See *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl. Prot.*, 833 F.3d 360 (3d Cir. 2016); *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl. Prot.*, 903 F.3d 65 (3d Cir. 2018), cert. denied, 139 S. Ct. 1648, 203 L. Ed. 899 (2019) and *Cole v. Dep't. of Env'tl. Prot.*, 1577 C.D. 2019 WL 2420667 (Pa. Cmwlth Ct. June 15, 2021) (Pet. for Allowance of Appeal pending); *West Rockhill Twp. v. Dep't of Env'tl. Prot.*, No. 1595 C.D. 2019 WL 2426014 (Pa. Cmwlth. June 15, 2021) (Pet. for Allowance of Appeal pending).

I. Final Action(s) on NPDES and WQM Permit Application(s) and NOIs for Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides, CAFOs and Individual Construction Stormwater.

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0246859	CAFO Individual NPDES Permit	Issued	Hickory Lane Farm LLC 230 Clarks Run Road Blain, PA 17006-6219	Jackson Township Perry County	SCRO
PA0259969	CAFO Individual NPDES Permit	Issued	Sensenig Jonas O. 1147 Silver Spring Road Holtwood, PA 17532-9741	Drumore Township Lancaster County	SCRO
PAD330008	Chapter 102 Individual NPDES Permit	Issued	Loves Travel Stops & Country Stores Inc. 10601 N Pennsylvania Avenue Oklahoma City, OK 73120-4108	Pine Creek Township Jefferson County	NWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAD360110	Chapter 102 Individual NPDES Permit	Issued	PPL Electric Utilities Corp 1639 Church Road Allentown, PA 18104-9342	East Donegal Township Lancaster County	SCRO
PAD400066	Chapter 102 Individual NPDES Permit	Issued	Butler West Partners LLC 833 Scranton Carbondale Highway Scranton, PA 18508-1123	Butler Township Luzerne County	NERO
PAD480198	Chapter 102 Individual NPDES Permit	Issued	Executive Land Holdings IV LLC 3843 West Chester Pike Newtown Square, PA 19073-2304	Allen Township Northampton County	NERO
PA520003D	Chapter 102 Individual NPDES Permit	Issued	PPL Elec Utilities Corp 1639 Church Rd. Allentown, PA18104-9342	Lackawaxen Township Pike County	NERO
PAD520051	Chapter 102 Individual NPDES Permit	Issued	For Petes Sake Cancer Respite Foundation 620 W Germantown Pike Plymouth Meeting, PA 19462-1068	Lackawaxen Township Pike County	NERO
PA0294233	Industrial Stormwater Individual NPDES Permit	Issued	Brenntag Northeast LLC 5083 Pottsville Pike Reading, PA 19605-9724	Ontelaunee Township Berks County	SCRO
PA0294306	Industrial Stormwater Individual NPDES Permit	Issued	Loves Travel Stops & Country Stores Inc. P.O. Box 26210 Oklahoma City, OK 73126-0210	Middlesex Township Cumberland County	SCRO
1522805	Joint DEP/PFBC Pesticides Permit	Issued	Traditions at Inniscrone 5 Christy Drive Chadds Ford, PA 19317	London Grove Township Chester County	SERO
1524801	Joint DEP/PFBC Pesticides Permit	Issued	Reimel Ted 1925 Rochambeau Drive Malvern, PA 19355-9722	Tredyffrin Township Chester County	SERO
1524802	Joint DEP/PFBC Pesticides Permit	Issued	Sugar Knoll HOA c/o CKS Management Inc. 1012 W 9th Avenue King of Prussia, PA 19406-1093	Easttown Township Chester County	SERO
2324802	Joint DEP/PFBC Pesticides Permit	Issued	Ardrossan Farms Owners Association 807 Newtown Road Villanova, PA 19085-1031	Radnor Township Delaware County	SERO
4523803	Joint DEP/PFBC Pesticides Permit	Issued	International Gymnastics Camp School Inc. 100 Gymnastics Way Stroudsburg, PA 18360-7954	Jackson Township Monroe County	NERO
4821802	Joint DEP/PFBC Pesticides Permit	Issued	Traditions of America Bridle Path HOA 2600 Presidential Boulevard Bethlehem, PA 18017-7724	Hanover Township Northampton County	NERO
4821803	Joint DEP/PFBC Pesticides Permit	Issued	Traditions of America Bridle Path HOA 2600 Presidential Boulevard Bethlehem, PA 18017-7724	Hanover Township Northampton County	NERO
5823804	Joint DEP/PFBC Pesticides Permit	Issued	Joanne Mayerazk 13810 Dimock to Nicholson Road Hop Bottom, PA 18824-7706	Lathrop Township Susquehanna County	NERO

NOTICES

1607

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAI130060	MS4 Individual NPDES Permit	Waived	Pennsbury Township Chester County 702 Baltimore Pike Chadds Ford, PA 19317-9346	Pennsbury Township Chester County	SERO
PAI130090	MS4 Individual NPDES Permit	Waived	Lower Oxford Township 220 Township Road Oxford, PA 19363-1239	Lower Oxford Township Chester County	SERO
PAI133533	MS4 Individual NPDES Permit	Issued	Topton Borough 205 S Callowhill Street Topton, PA 19562-1750	Topton Borough Berks County	SCRO
4390201	Major Industrial Waste Treatment Facility Individual WQM Permit	Issued	NLMK PA LLC 15 Roemer Boulevard Farrell, PA 16121-2201	Farrell City Mercer County	NWRO
PA0035718	Minor Industrial Waste Facility with ELG Individual NPDES Permit	Issued	John Koller & Son Inc. 1734 Perry Highway Fredonia, PA 16124-2720	Fairview Township Mercer County	NWRO
PA0217751	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Sewickley Borough Water Authority 900 Ohio River Boulevard Sewickley, PA 15143-2024	Sewickley Borough Allegheny County	SWRO
PA0232963	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	American Truck Plazas LLC 1460 N Ridge Road Milton, PA 17847-7877	Turbot Township Northumberland County	NCRO
PA0032913	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Jones Estates Scenic View PA LLC 2310 S Miami Boulevard Suite 238 Durham, NC 27703-5798	Pymatuning Township Mercer County	NWRO
PA0029874	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Skytop Lodge Corp 1 Skytop Lodge Road Skytop, PA 18357	Barrett Township Monroe County	NERO
PA0115207	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Orangeville Borough P.O. Box 176 Orangeville, PA 17859-0176	Orangeville Borough Columbia County	NCRO
PA0276073	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Lemon Township Tunkhannock Township Joint Municipal Sewer Authority 26 Billings Mill Road Tunkhannock, PA 18657-7807	Tunkhannock Township Wyoming County	NERO
0288428	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Sands Inc. 2000 Georgetown Drive Suite 100 Sewickley, PA 15143-8992	Franklin Park Borough Allegheny County	SWRO
4311401	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Jones Estates Scenic View PA LLC 2310 S Miami Boulevard Suite 238 Durham, NC 27703-5798	Pymatuning Township Mercer County	NWRO

NOTICES

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
NOEXNW098	No Exposure Certification	Issued	Samuel Son & Co. USA Inc. 6 Whitney Drive Harmony, PA 16037-7748	Harmony Borough Butler County	NWRO
NOEXSW174	No Exposure Certification	Issued	Bacharach Inc. 621 Hunt Valley Circle New Kensington, PA 15068-7074	Washington Township Westmoreland County	SWRO
PAG030026	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Titan International Inc. 740 Queen Street Pottstown, PA 19464-6008	Pottstown Borough Montgomery County	SERO
PAG030101	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	General Machine Products KT LLC 3111 Old Lincoln Highway Trevose, PA 19053	Bensalem Township Bucks County	SERO
PAG030173	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	LKQ Northeast Inc. 3350 S 61 Street Philadelphia, PA 19153	Philadelphia City Philadelphia County	SERO
PAG030188	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Covanta Delaware Valley LP 10 Highland Avenue Chester, PA 19013-2231	Chester City Delaware County	SERO
PAG030310	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Congoleum Acquisition LLC 4401 Ridge Road Trainer, PA 19061	Trainer Borough Delaware County	SERO
PAG030312	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Fenix Parts Inc. 1245 Sleepy Hollow Road Pennsburg, PA 18073-2405	Milford Township Bucks County	SERO
PAG032221	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	McClain Stone Co. Inc. P.O. Box J Tunkhannock, PA 18657	Brooklyn Township Susquehanna County	NERO
PAG032244	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Susquehanna Transfer LLC 294 Ellsworth Drive Montrose, PA 18801-8856	Bridgewater Township Susquehanna County	NERO
PAG032344	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Northampton Generating Co. LP 1 Horwith Drive Northampton, PA 18067-9728	Northampton Borough Northampton County	NERO
PAG032390	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Gen Dynamics Land System 175 East Street Eynon, PA 18403-1326	Archbald Borough Lackawanna County	NERO
PAG032427	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Tempur Production USA LLC d/b/a Mountain Top Foam 25 Elmwood Road Mountaintop, PA 18707	Wright Township Luzerne County	NERO
PAG033509	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	FedEx Ground Pkg System Inc. Environmental Services 1000 Fedex Drive Moon Township, PA 15108	Lower Swatara Township Dauphin County	SCRO
PAG033563	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Hoober Inc. P.O. Box 518 Intercourse, PA 17534-0518	Leacock Township Lancaster County	SCRO

NOTICES

1609

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG033630	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	AMZ Manufacturing Corp 2206 Pennsylvania Avenue York, PA 17404-1790	York City York County	SCRO
PAG033634	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Smeal LTC LLC 64 Cocalico Creek Road Ephrata, PA 17522-9455	West Earl Township Lancaster County	SCRO
PAG033790	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	TE Connectivity Corp P.O. Box 3608 M S 106-019 Harrisburg, PA 17105-3608	Lower Swatara Township Dauphin County	SCRO
PAG033807	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Altoona Terminal DE LLC 900 S Eisenhower Boulevard Middletown, PA 17057-5503	Allegheny Township Blair County	SCRO
PAG033904	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Tate Access Floors Inc. 52 Springvale Road Red Lion, PA 17356-8337	Windsor Township York County	SCRO
PAG033926	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Morgan Truck Body LLC d/b/a Morgan Corp P.O. Box 588 Morgantown, PA 19543-0588	Brecknock Township Lancaster County	SCRO
PAG033997	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	FedEx Ground Pkg System Inc. 1000 FedEx Drive Moon Township, PA 15108-9373	Fairview Township York County	SCRO
PAG033999	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Morgan Truck Body LLC d/b/a Morgan Corp P.O. Box 588 Morgantown, PA 19543-0588	Ephrata Borough Lancaster County	SCRO
PAG034014	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Energex American Inc. 95 Energex Drive Mifflintown, PA 17059-7748	Walker Township Juniata County	SCRO
PAG034035	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Dayton Parts LLC 1300 N Cameron Street Harrisburg, PA 17103-1010	Harrisburg City Dauphin County	SCRO
PAG034068	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	RH Sheppard Co. Inc. 101 Philadelphia Street Hanover, PA 17331-2038	Hanover Borough York County	SCRO
PAG034081	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Reading Terminal DE LLC 900 S Eisenhower Boulevard Middletown, PA 17057-5503	Spring Township Berks County	SCRO
PAG034829	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Samuel J Lansberry Inc. P.O. Box 58 Woodland, PA 16881-0058	Bradford Township Clearfield County	NCRO
PAG034943	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	HRI Inc. 1750 W College Avenue State College, PA 16801-2719	Williamsport City Lycoming County	NCRO
PAG034959	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Domtar Paper Co. LLC 100 W Center Street Johnsonburg, PA 15845-1444	Bradford Township Clearfield County	NCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG038348	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Lindy Paving Inc. 1807 Shenango Road New Galilee, PA 16141-2241	Millcreek Township Erie County	NWRO
PAG038570	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	AMG Titanium LLC 551 Northgate Circle New Castle, PA 16105-5547	New Castle City Lawrence County	NWRO
PAG041247	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Foster Rose 9805 German Road North East, PA 16428-5801	Greenfield Township Erie County	NWRO
PAG041286	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Priatko Michael 336 Maple Road Pittsburgh, PA 15239-1906	Otter Creek Township Mercer County	NWRO
PAG080025	PAG-08 General Permit for Beneficial Use of Biosolids	Issued	Green Fig Land LLC 10 Woodford Lane Malvern, PA 19355-2801	East Whiteland Township Chester County	SERO
PAG132315	PAG-13 NPDES General Permit for MS4s	Waived	Salem Township Luzerne County 38 Bomboy Lane Berwick, PA 18603	Salem Township Luzerne County	NERO
3597	Sewer Extensions Individual WQM Permit	Issued	Greater Johnstown Water Authority 640 Franklin Street Johnstown, PA 15901-2630	Westmont Borough Cambria County	SWRO
5446	Sewer Extensions Individual WQM Permit	Issued	Greater Johnstown Water Authority 640 Franklin Street Johnstown, PA 15901-2630	Westmont Borough Cambria County	SWRO
5483	Sewer Extensions Individual WQM Permit	Issued	Greater Johnstown Water Authority 640 Franklin Street Johnstown, PA 15901-2630	Westmont Borough Cambria County	SWRO
5596	Sewer Extensions Individual WQM Permit	Issued	Greater Johnstown Water Authority 640 Franklin Street Johnstown, PA 15901-2630	Westmont Borough Cambria County	SWRO
6130	Sewer Extensions Individual WQM Permit	Issued	Greater Johnstown Water Authority 640 Franklin Street Johnstown, PA 15901-2630	Westmont Borough Cambria County	SWRO
6446	Sewer Extensions Individual WQM Permit	Issued	Greater Johnstown Water Authority 640 Franklin Street Johnstown, PA 15901-2630	Westmont Borough Cambria County	SWRO
6936	Sewer Extensions Individual WQM Permit	Issued	Greater Johnstown Water Authority 640 Franklin Street Johnstown, PA 15901-2630	Westmont Borough Cambria County	SWRO
PA0291668	Single Residence STP Individual NPDES Permit	Issued	Crist Kerri A. 714 Lower Riggles Gap Road Altoona, PA 16601-8836	Antis Township Blair County	SCRO
PA0295442	Single Residence STP Individual NPDES Permit	Issued	Snyder Joseph G. 386 Smittys Road Tidioute, PA 16351-7242	Deerfield Township Warren County	NWRO
PA0295477	Single Residence STP Individual NPDES Permit	Issued	Bruno Amy 522 Branchton Road Slippery Rock, PA 16057-3214	Slippery Rock Township Butler County	NWRO

NOTICES

1611

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
0216405	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Semple Ian L 2436 Henry Road Sewickley, PA 15143-9151	Bell Acres Borough Allegheny County	SWRO
0722402	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Crist Kerri A 714 Lower Riggles Gap Road Altoona, PA 16601-8836	Antis Township Blair County	SCRO
1023418	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Bruno Amy 522 Branchton Road Slippery Rock, PA 16057-3214	Slippery Rock Township Butler County	NWRO
4323409	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Priatko Michael 336 Maple Road Pittsburgh, PA 15239-1906	Otter Creek Township Mercer County	NWRO
6223404	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Snyder Joseph G 386 Smittys Road Tidioute, PA 16351-7242	Deerfield Township Warren County	NWRO
WQG02462401	WQG-02 WQM General Permit	Issued	Upper Merion Sanitary and Stormwater Authority 175 W Valley Forge Road King Of Prussia, PA 19406-1851	Upper Merion Township Montgomery County	SERO

II. Final Action(s) on PAG-01 and PAG-02 General NPDES Permit NOIs.

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC540145	PAG-02 General Permit	Issued	David Pannucci 1786 Salcman Road Waterloo, NY 13165	Blythe Township Schuylkill County	Schuylkill County Conservation District 1206 AG Center Drive Pottsville, PA 17901-9733 570-622-3742 RA-EPWW-NERO@pa.gov
PAC350058	PAG-02 General Permit	Issued	Mericle 1200 East Lackawanna, LLC 100 Baltimore Drive Wilkes-Barre, PA 18702	Olyphant Borough Lackawanna County	Lackawanna County Conservation District 1027 S. Abington Rd. South Abington Township, PA 18411 570-382-3086 RA-EPWW-NERO@pa.gov
PAC400300	PAG-02 General Permit	Issued	Tangent Development, LLC Tom Hammond 204 Gale Road Kennett Square, PA 19348	Salem Township Luzerne County	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991 RA-EPWW-NERO@pa.gov
PAC390210	PAG-02 General Permit	Issued	STACK—Allentown & Hanover, LLC c/o Nache Nielson 2801 N. Thanksgiving Way Suite 100 Lehi, UT 84043	City of Allentown Lehigh County	Lehigh County Conservation District Lehigh County AG Center Suite 105 4184 Dorney Park Road Allentown, PA 18104-5728 610-391-9583 RA-EPWW-NERO@pa.gov

NOTICES

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC010219A-1	PAG-02 General Permit	Issued	Akshay D. Vidyarthi 7686 Paradise Heights Road Abbottstown, PA 17301	Tyrone Township Adams County	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325 717-334-0636
PAC010263	PAG-02 General Permit	Issued	Michael D. and Nancy J. Bross c/o John Grim 1147 Eichelberger Road Hanover, PA 17331	Berwick Township Adams County	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325 717-334-0636
PAC670138	PAG-02 General Permit	Issued	London Croft LLC 214A Willow Valley Lake Drive Willow Street, PA 17548	Manchester Township York County	York County Conservation District 2401 Pleasant Valley Rd. Suite 101 Room 139 York, PA 17402 717-840-7430
PAC220398	PAG-02 General Permit	Issued	Kevin Pauza 3555 Gordon Drive Naples, FL 34102	Derry Township South Londonderry Township Dauphin County Lebanon County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
PAC220389 A-1	PAG-02 General Permit	Issued	York Haven Power Company, LLC 7315 Wisconsin Ave Ste 1100 W Bethesda, MD 20814	Londonderry Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
PAC230290	PAG-02 General Permit	Issued	Aston Township 2 New Road Aston, PA 19014	Aston Township Delaware County	Delaware County Conservation District Rose Tree Park Hunt Club 1521 N. Providence Road Media, PA 19063 610-892-9484 RA-EPNPDES_SERO@ pa.gov
PAC230273	PAG-02 General Permit	Issued	Upper Darby School District 4611 Bond Avenue Drexel Hill, PA 19026	Clifton Heights Borough Delaware County	Delaware County Conservation District Rose Tree Park Hunt Club 1521 N. Providence Road Media, PA 19063 610-892-9484 RA-EPNPDES_SERO@ pa.gov
PAC100314	PAG-02 General Permit	Issued	Courtyards at Crestview LP P.O. Box 449 Mars, PA 16046	Middlesex Township Butler County	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC100313	PAG-02 General Permit	Issued	Desuta Properties LLC 1568 Perry Highway Portersville, PA 16051	Muddycreek Township Butler County	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270
PAC250213	PAG-02 General Permit	Issued	JLM Real Estate Investments LLC 950 East Main Street P.O. Box 472 Schuylkill Haven, PA 17972	Fairview Township Erie County	Erie County Conservation District 1927 Wager Road Erie, PA 16509 814-825-6403
PAC540106	PAG-02 General Permit renewal	Issued	Eagle Rock Community Association, Inc. Attn: James Sebia 1 Country Club Drive Hazle Township, PA 18202	North Union Township East Union Township Black Creek Township Hazle Township Schuylkill County Luzerne County	Schuylkill County Conservation District 1206 AG Center Drive Pottsville, PA 17901-9733 570-622-3742 RA-EPWW-NERO@pa.gov
PAC430106	PAG-02 General Permit	Issued	Jackson Center Solar LLC and Hackson Center Solar II LLC 110 Edison Place Suite 302 Newark, NJ 07102	Jackson Township Mercer County	Mercer County Conservation District 24 Avalon Court Suite 300 Mercer, PA 16137 724-662-2242

**STATE CONSERVATION COMMISSION
NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR
NPDES PERMITS FOR CAFOs**

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at 717-787-3483 for more information.

**NUTRIENT MANAGEMENT PLAN
CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Charles and Elanie Craig C & E Farm 99 King Pen Road Nottingham, PA 19362	Lancaster County	354.4	539.99	Dairy	HQ	Approved

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

SAFE DRINKING WATER

Actions Taken Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northcentral Region: Safe Drinking Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Nadera Bellows, Clerical Assistant II, 570-327-0551.

Construction Permit No. 1423511, Major Amendment, Public Water Supply.

Applicant	Penns Cave, Inc.
Address	222 Penns Cave Road Centre Hall, PA 16828
Municipality	Gregg Township
County	Centre County
Consulting Engineer	David M Cummings 420 Allegheny Street Centre Hall, PA 16828
Application Received	November 17, 2023
Permit Issued	March 8, 2024

Description	This permit authorizes the permittee to remove the UV disinfection system, remove the acid neutralizing system, install six Pentair Wellmate UT-80, 80-gallon storage tanks, install a Goulds V-250 pressure tank and a Goulds J7S shallow well pump in Gregg Township, Centre County.
Construction Permit No. 4723503	Major Amendment, Public Water Supply.
Applicant	Geisinger Medical Center
Address	100 North Academy Drive Danville, PA 17822
Municipality	Mahoning Township
County	Montour County
Consulting Engineer	Matthew Coleman 330 Innovation Blvd Suite 104 State College, PA 16801
Application Received	September 26, 2023
Permit Issued	March 8, 2024
Description	This permit grants permission to install a chloramination system for secondary disinfection at Geisinger Medical Center.

Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Wade Cope, P.E., Environmental Engineer, 717-705-4708.

Operation Permit 3066629. PWSID No. **3066629**. **Michael Jay Properties, LLC**, 415 Water Street, Temple, PA 19560, Muhlenberg Township, **Berks County**. Application received: February 20, 2024. Permit Issued: March 6, 2024. Comprehensive operation permit for a new vending system.

Operation Permit 6723525 MA. PWSID No. **7670086**. **Red Lion Municipal Authority**, P.O. Box 190, Red Lion, PA 17356, Windsor Township, **York County**. Application received: December 14, 2023. Permit Issued: March 7, 2024. Operation permit for the designation of treatment segments for calculation of 1-log Giardia inactivation and relocation of pH analyzer.

Operation Permit 7671299. PWSID No. **7671299**. **Mount Zion Evangelical Church**, 863 Lewisberry Road, Lewisberry, PA 17339, Fairview Township, **York County**. Application received: February 26, 2024. Permit Issued: March 8, 2024. Comprehensive operation permit for treatment system upgrades.

Operation Permit 7670833. PWSID No. **7670833**. **KBK-HR Associates, LLC**, 1628 John F. Kennedy Boulevard, 23rd Floor, Philadelphia, PA 19103, Dover Township, **York County**. Application received: February 20, 2024. Permit Issued: March 11, 2024. Comprehensive operation permit for treatment system upgrades at Honey Run Golf Club.

Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: RA-EPSWSDW@pa.gov.

Operation Permit 1119507MA. PWSID No. **4110011.** **Gallitzin Borough Water Authority**, 411 Convent Street, Suite 10, Gallitzin, PA 16641, Gallitzin Township, **Cambria County**. Application received: February 8, 2024. Permit Issued: March 6, 2024. Issuance of Operation Permit No. 1119507MA to Gallitzin Borough Water Authority, for various upgrades at the Gallitzin Borough Water Treatment Plant, including the installation of new valves and a partial replacement of filter media.

Operation Permit 1124503MA. PWSID No. **4110011.** **Gallitzin Borough Water Authority**, 411 Convent Street, Suite 10, Gallitzin, PA 16641, Gallitzin Township, **Cambria County**. Application received: February 20, 2024. Permit Issued: March 6, 2024. Issuance of Updated Operation Permit No. 1124503MA for the installation and use of a new Entry Point Chlorine Analyzer for the Gallitzin Borough Water Authority Water Treatment Plant.

Contact: Renee Diehl, Program Manager; ra-epswsdw@pa.gov.

Operation Permit 0221553MA. PWSID No. **5020011.** **Moon Township Municipal Authority**, 1700 Beaver Grade Road, Coraopolis, PA 15108, Moon Township, **Allegheny County**. Application received: February 13, 2024. Permit Issued: March 11, 2024. Rehabilitated Ranney Collector Well.

Northcentral Regional Office: Safe Drinking Water Program, 208 W 3rd St, Williamsport, PA 17701.

Contact: Edie Gair, P.G., 570-327-3779.

Source Water Protection Approval issued to **Middleburg Municipal Authority (Public Water Supply)**, 13 N. Main Street, Middleburg, PA 17842, Middleburg Borough, **Snyder County** on February 26, 2024:

The Safe Drinking Water Program approved the plan for the Middleburg Municipal Authority community water system. The personnel involved with the development of this SWP are to be commended for taking these proactive steps to protect these water sources for their community. Development of the SWP plan was funded by the Department of Environmental Protection.

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as Amended, 35 P.S. § 750.5.

Northeast Region: Clean Water Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Amy Bellanca P.E., Environmental Program Manager, 570-826-2318.

Plan Location:

Borough or Township	Borough or Township Address	County
Butler Township	211 Broad Street, Fountain Springs, PA 17921	Schuylkill County
Cass Township	1209 Valley Road, Pottsville, PA 17901	Schuylkill County
Foster Township	1540 Sunbury Rd., Pottsville, PA 17901	Schuylkill County
Frailey Township	23 Maryland Street, Donaldson, PA 17981	Schuylkill County
Reilly Township	25 Pine Street, Branchdale, PA 17923	Schuylkill County
Conyngham Township	209 Smith Street, Wilburton, PA 17888	Columbia County

Plan Description:

Schuylkill County Municipal Authority Gordon/Butler Act 537 Plan Update. The proposal consists of the expansion of the Schuylkill County Municipal Authority (SCMA)—Gordon Wastewater Treatment Plant (WWTP) from 0.6 MGD to 1.5 MGD to accommodate flows from SCMA's existing Gordon Borough and Butler Township WWTPs as well as anticipated development within the planning area. The existing Butler Township WWTP will be converted into a pump station (0.288 MGD capacity) and convey wastewater to the proposed, expanded Gordon—SCMA WWTP. A ten-inch forcemain and a twelve-inch gravity conveyance line will be constructed to convey wastewater from the proposed Butler pumping station to the Gordon WWTP. SCMA will continue to own, operate and maintain their portions of the collection and conveyance systems located in Gordon Borough and Butler Township. The proposed Gordon—SCMA WWTP will continue to treat wastewater from the service area that is currently serviced by the existing Gordon Borough WWTP, as well as the service area that is currently serviced by the Butler Township WWTP.

The proposed project will be funded by the Authority using PENNVEST funds or a United States Department of Agriculture Rural Utility Service (RUS) loan. The authority will seek traditional municipal loans if either of these funding methods are unavailable.

The Plan proposes to utilize funding from the United States Department of Agriculture (USDA) Rural Develop-

ment Program to fully implement the Plan's selected alternative's activities. This review has not identified any significant environmental impacts resulting from this proposal.

Contact: Amy Bellanca, Clean Water Program Manager, 570-826-2318.

Plan Location:

Municipality	Address	County
Fairview Township	65 Shady Tree Drive Mountain Top, PA 18707	Luzerne County

Plan Description:

Glen Summit Area Act 537 Plan. The Plan's selected alternative involves the replacement of sanitary sewer lines to address multiple issues with the existing collection system in the Glen Summit area of the Township. The existing collection system's lines are comprised of several different materials that are severely deteriorated and at the end of their useful life. Accordingly, the existing sanitary sewer lines are subject to significant Inflow and Infiltration (I/I) which places additional burdens on the wastewater treatment plant (WWTP) that is owned, operated, and maintained by MAJSA. There are also many conflicts with the location of the existing collection system, as trees and portions of homes and decks are directly above the existing sewer lines. The existing lines will be abandoned in place. The proposed collection system will be more aligned with the area's roadways (all necessary easements are in place) and

capable of expansion, if desired. There are currently 65 developed/residential dwellings and 32 undeveloped/vacant parcels (97 total EDUs) in the planning area. There is potential for future development, but this is not anticipated. MAJSA will continue to own, operate, and maintain the collection/conveyance system in their service area, and the sanitary wastewater will continue to be treated at their WWTP.

Southcentral Region: Clean Water Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Lindsay Graeff, Sewage Planning Specialist, 717-705-4866.

Plan Location:

<i>Municipality</i>	<i>Address</i>	<i>County</i>
New Morgan Borough	200 Bethlehem Drive Bldg C Suite 102 Morgantown, PA 19534	Berks County

Plan Description:

Southern Berks Industrial Park Development, A3-06814-026-3. The Department of Environmental Protection (DEP) has reviewed the proposed Official Plan revision. The proposed development is located along Morgantown Road in New Morgan Borough and consists of constructing industrial warehouses with sewage flows of 96,250 gallons per day to be collected, conveyed, and treated by the New Morgan Borough Municipal Authority.

Contact: Noah D. Niedererr, Sewage Planning Specialist, 717-705-4768.

Plan Location:

<i>Municipality</i>	<i>Address</i>	<i>County</i>
Lurgan Township	8650 McClays Mill Road Newburg, PA 17240	Franklin County

Plan Description:

William Ile SFTF, A3-28911-131-3s. Approval of a revision to the official plan of Lurgan Township, **Franklin County**. The project is known as the William Ile Small Flow Treatment Facility (SFTF) proposal. The plan provides a SFTF to repair a malfunctioning on-lot sewage disposal system serving a single-family dwelling on 0.41 acre with total estimated sewage flows of 400 gpd. There will be a proposed stream discharge to a channel tributary to Paxton Run. The proposed development is located at 7030 Mowersville Road in Lurgan Township, Franklin County. The Department's review of the plan revision has not identified any significant impacts resulting from the proposal. The DEP Code Number for the planning module is A3-28911-131-3s and the APS ID is 1104401. Any permits must be obtained in the name of the property owner.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The Following Plans and Reports Were Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department

of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The Department has received the following plans and reports.

Northcentral Region: Environmental Cleanup & Brownfields Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Randy Farmerie, P.G., Environmental Program Manager, 570-327-3716.

Wissler 4HX on the Wissler Unit Pad, Primary Facility ID # **873952**, 1895 Ellenton Mountain Road, Canton, PA 17724, McNett Township, **Lycoming County**. Creston Environmental, LLC, P.O. Box 1373, Camp Hill, PA 17001, on behalf of Chesapeake Appalachia LLC, 14 Chesapeake Lane, Sayre, PA 18840, submitted a Final Report concerning remediation of soil contaminated with production fluid. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Indian Foot Well Pad Lease Road, Primary Facility ID # **871844**, 2170 Marqies Way, New Albany, PA 18833, Monroe Township, **Bradford County**. Creston Environmental, LLC, P.O. Box 1373, Camp Hill, PA 17001, on behalf of Chesapeake Appalachia LLC, 14 Chesapeake Lane, Sayre, PA 18840, submitted a Final Report concerning remediation of soil contaminated with produced water. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Global Macungie Terminal, Primary Facility ID # **873254**, 3740 Tank Farm Road, Macungie, PA 18049, Lower Macungie Township, **Lehigh County**. JMT Envi-

ronmental Technologies, 710 Uhler Road, Easton, PA 18040, on behalf of Harned Durham Energy, LLC, 4893 Buckeye Road, Emmaus, PA 18049, submitted a Final Report concerning remediation of soil contaminated with heating oil. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

100 Benedict Street, Primary Facility ID # **832085**, 100 Benedict Street, Pittston, PA 18640, City of Pittston, **Luzerne County**. LaBella Associates, 1000 Dunham Drive, Suite B, Dunmore, PA 18512, on behalf of City of Pittston, 35 Broad Street, Pittston, PA 18640, submitted a Final Report concerning remediation of soil and groundwater contaminated with volatile organic compounds, semi-volatile organic compounds, and metals. The Final Report is intended to document remediation of the site to meet the Statewide health and site-specific standards.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Environmental Cleanup & Brownfields Program Manager, 717-705-4705.

Kastenbaum Residence, Primary Facility ID # **838506**, 3 Seven Springs Drive, Reading, PA 19607, Cumru Township, **Berks County**. Liberty Environmental, Inc., 505 Penn Street, Suite 400, Reading, PA 19601, on behalf of Mr. Michael Kastenbaum, 2000 Cambridge Avenue, Apt. 151, Wyomissing, PA 19610, submitted a combined Remedial Investigation Report/Cleanup Plan/Final Report concerning remediation of soil and groundwater contaminated with VOCs. The combined Remedial Investigation Report/Cleanup Plan/Final Report is intended to document remediation of the site to meet the Statewide health and site-specific standards.

Janet Fourman Property, Primary Facility ID # **828163**, 1040 Kathleen Street, Lebanon, PA 19056, Lebanon Township, **Lebanon County**. Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073, on behalf of Ms. Janet Fourman, 1040 Kathleen Street, Lebanon, PA 17046, submitted a Final Report concerning remediation of soil and groundwater contaminated with No. 2 Fuel Oil. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Charline Bass, Administrative Assistant, 484-250-5787.

Dutton Mill Properties LLC, Primary Facility ID # **739750**, 308 East Dutton Road, Brookhaven, PA 19015, Middletown Township, **Delaware County**. Timothy Uhler, GES, Inc., 440 Creamery Way, Suite 500, Exton, PA 19341, on behalf of Herb Sweeney, Brookhaven Properties, LP, 308 Dutton Mill Road, Brookhaven, PA 19015, submitted a Risk Assessment/Cleanup Plan concerning remediation of soil and groundwater contaminated with lead, other organics, inorganics and PAHs. The Risk Assessment/Cleanup Plan is intended to document remediation of the site to meet the site-specific standards.

Tinicum Release Site, Primary Facility ID # **829316**, 6 Industrial Highway, Essington, PA 19029, Tinicum Township, **Delaware County**. Stephanie Grillo, Groundwater & Environmental Services, Inc., 440 Creamery

Way, Suite 500, Exton, PA 19341, on behalf of Bradford L. Fish, Sunoco Pipeline LP, 100 Green Street, Marcus Hook, PA 19061, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The Remedial Investigation Report/Cleanup Plan is intended to document remediation of the site to meet the site-specific standards.

Pottstown Plating Works Site, Primary Facility ID # **841331**, 215 South Washington Street, Pottstown, PA 19464, Pottstown Borough, **Montgomery County**. Joseph Kraycik, Environmental Standards, Inc., 1140 Valley Forge Road, P.O. Box 810, Valley Forge, PA 19482, on behalf of John Jones, 215 South Washington Street, LLC, 800 Industrial Highway, Pottstown, PA 19464, submitted a Risk Assessment/Final Report concerning remediation of soil and groundwater contaminated with chlorinated solvents. The Risk Assessment/Final Report is intended to document remediation of the site to meet the site-specific standards.

2029-2059 York Road, Primary Facility ID # **850612**, 2029-2059 York Road, Jamison, PA 18929, Warwick Township, **Bucks County**. Richard Lake, Geo-Technology Associates, Inc., 2405 John Fries Highway, Quakertown, PA 18951, on behalf of Bill Creeger, Pulte Homes of PA LP, 750 US Highway 202, Suite 500, Bridgewater, NJ 08807, submitted a Final Report concerning remediation of soil contaminated with lead, arsenic, the pesticide dieldrin, and No. 2 and No. 6 fuel oil. The Final Report is intended to document remediation of the site to meet the site-specific standards.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Kam Miseikyte, Clerical Assistant 2, 412-442-4091.

Greylock Wildcat Well Pad, Primary Facility ID # **873211**, 339 Dudas Road, Mt. Morris, PA 15349, Whiteley Township, **Greene County**. Moody and Associates, Inc., 1720 Washington Road, Suite 100, Washington, PA 15301, on behalf of Greylock Production, LLC, 500 Corporate Landing, Charleston, WV 25311, submitted a Final Report concerning remediation of soil contaminated with aluminum, barium, boron, chloride, iron, lithium, manganese, selenium, strontium, vanadium, and zinc. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

EQT Barley Wine Well Pad, Primary Facility ID # **863641**, 1799 Toms Run Road, Holbrook, PA 15341, Jackson Township, **Greene County**. Key Environmental, Inc., 200 Third Avenue, Carnegie, PA 15106, on behalf of EQT Production Company, 625 Liberty Avenue, 17th Floor, Pittsburgh, PA 15222, submitted a Final Report concerning remediation of soil contaminated with chloride. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Philips Respironics, Primary Facility ID # **869535**, 1740 Golden Mile Highway, Monroeville, PA 15146, Monroeville Borough, **Allegheny County**. Haley & Aldrich, Inc., 6500 Rockside Road, Suite 200, Cleveland, OH 44131, on behalf of Philips North America LLC, 15313 West 95th Street, Lenexa, KS 66219, submitted a Remedial Investigation Report/Risk Assessment Report/Cleanup Plan concerning remediation of soil and ground-

water contaminated with trichloroethene, cis-1,2-dichloroethene and vinyl chloride. The Remedial Investigation Report/Risk Assessment Report/Cleanup Plan is intended to document remediation of the site to meet the site-specific standards.

Haser Place, Primary Facility ID # **868719**, Geyer Road, Pittsburgh, PA 15209, Reserve Township, **Allegheny County**. KU Resources, Inc., 22 South Linden Street, Duquesne, PA 15110, on behalf of Amani Development, LLC, 606 Liberty Avenue, 3rd Floor, Pittsburgh, PA 15222, submitted a Remedial Investigation Report/Risk Assessment Report/Cleanup Plan concerning remediation of soil contaminated with arsenic, iron, manganese, nickel, cobalt, vanadium, and benzo(p)fluoranthene. The Remedial Investigation Report/Risk Assessment Report/Cleanup Plan is intended to document remediation of the site to meet the site-specific standards.

CORRECTION—previously published on March 2, 2024.

Rush Run Road Incident, Primary Facility ID # **871294**, Rush Run Road, Sycamore, PA 15364, Center Township, **Greene County**. SE Technologies, LLC, 500 Mosites Way, Pittsburgh, PA 15205, on behalf of EQT Corporation, 625 Liberty Avenue, 17th Floor, Pittsburgh, PA 15222, submitted a Final Report concerning remediation of soil contaminated with chloride. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department Has Taken Action on the Following Plans and Reports Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated

substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following plans and reports.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

34 Buck Maple Lane, Primary Facility ID # **864494**, 34 Buck Maple Lane, Blakeslee, PA 18610, Buck Township, **Luzerne County**. Crawford Environmental Services, 20 Cardinal Drive, Birdsboro, PA 19508, on behalf of Furino Fuels, Inc., 116 MTCA Drive, Swiftwater, PA 18370, submitted a Final Report concerning remediation of soil contaminated with heating oil. The Final Report demonstrated attainment of the Statewide health standards. Approved: March 6, 2024.

Square One 103, Primary Facility ID # **687445**, 158—160 South Third Street, Easton, PA 18042, **Northampton County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Lisa Dell'Alba and Brenda Rosado, P.O. Box AA, Hellertown, PA 18055, submitted a Final Report concerning remediation of soil and groundwater contaminated with heating oil. The Final Report demonstrated attainment of the Statewide health and site-specific standards. Approved: March 11, 2024.

Migliore Property, Primary Facility ID # **832049**, 163 Roberts Road, Mount Bethel, PA 18343, Upper Mount Bethel Township, **Northampton County**. Trimpi Associates, 1635 Old Plains Road, Pennsburg, PA 18073, on behalf of 163 Roberts Road, LLC, 28 Riddle Drive, Bedford, NH 03110, submitted a Final Report concerning remediation of soil contaminated with heating oil. The Final Report demonstrated attainment of the Statewide health standards. Approved: March 12, 2024.

Former Omega Tool, Primary Facility ID # **746647**, 4136 Church Street, Portland, PA 18351, Upper Mount Bethel Township, **Northampton County**. Envirosearch Consulting, P.O. Box 940, Springhouse, PA 19477, on behalf of Turkey Ridge Properties, P.O. Box 753, Far Hills, NJ 07931, submitted a Final Report concerning remediation of soil contaminated with polyaromatic hydrocarbons from historic site operations. The Final Report demonstrated attainment of the Statewide health standards. Approved: March 12, 2024.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Jordan, 814-332-6172.

Kenneth D Mumau 1, Primary Facility ID # **869916**, 1599 Hartman Road, Marion Center, PA 15759, Grant Township, **Indiana County**. Woodard & Curran, 400 Penn Center Blvd, Suite 600, Pittsburgh, PA 15235, on behalf of Penneco Oil Company, Inc., 6608 Route 22, Delmont, PA 15626, submitted a Final Report concerning remediation of soil contaminated with Aluminum, Barium, Boron, Chloride, Iron, Lithium, Manganese, Selenium, Strontium, Vanadium, and Zinc. The Final Report demonstrated attainment of the Statewide health standards. Approved: March 11, 2024.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Environmental Cleanup & Brownfields Program Manager, 717-705-4705.

Former Fincor Automation, Inc., Primary Facility ID # **676150**, 3750 East Market Street, York, PA 17402, Springettsbury Township, **York County**. WSP USA, Inc., 4139 Oregon Pike, Ephrata, PA 17522, on behalf of Emerson Electric Company, 8000 West Florissant Avenue, Saint Louis, MO 63136, submitted a Cleanup Plan/Final Report concerning remediation of groundwater contaminated with VOCs, SVOCs & Metals. The Report did not demonstrate attainment of the site-specific standards. Issued a technical deficiency letter: March 5, 2024.

Wawa Reading Store 274, Primary Facility ID # **856211**, 3650 Pottsville Pike, Reading, PA 19605, Muhlenberg Township, **Berks County**. Aquaterra Technologies, Inc., 901 South Bolmar Street, Suite 1A, West Chester, PA 19382, on behalf of Wawa, Inc., 260 West Baltimore Pike, Wawa, PA 19063, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of soil contaminated with Lead. The Report demonstrated attainment of the site-specific standards. Approved: March 6, 2024.

Chambersburg Borough Electric Svc. Center, Primary Facility ID # **846874**, 80 South Franklin Street, Chambersburg, PA 17201, Chambersburg Borough, **Franklin County**. BL Companies, 2601 Market Place, Suite 350, Harrisburg, PA 17110, on behalf of Borough of Chambersburg, 100 South 2nd Street, Chambersburg, PA 17201, submitted a Baseline Workplan concerning remediation of soil and groundwater contaminated with VOCs, SVOCs & Inorganic Compounds. The Plan demonstrated attainment of the special industrial area provision of act 2. Approved: March 7, 2024.

Richard Barley Property, Primary Facility ID # **870020**, 153 Lingenfelter Road, Bedford, PA 15522, Bedford Township, **Bedford County**. Mountain Research, LLC, 825 25th Street, Altoona, PA 16601, on behalf of Mr. Richard Barley, 7 Greenwich Drive, Carlisle, PA 17015, submitted a Final Report concerning remediation of soil contaminated with No. 2 Fuel Oil. The Final Report demonstrated attainment of the Statewide health standards. Approved: March 7, 2024.

Woods Drive Site, Primary Facility ID # **859282**, 38 Woods Drive, Mechanicsburg, PA 17050, Silver Spring Township, **Cumberland County**. BL Companies, 2601

Market Place, Suite 350, Harrisburg, PA 17110, on behalf of 38 Woods Drive, LLC, 430 North Front Street, Wormleysburg, PA 17043, submitted a combined Remedial Investigation Report/Cleanup Plan/Final Report concerning remediation of soil and groundwater contaminated with Arsenic & Lead. The Report demonstrated attainment of the Site-Specific, Statewide Health, & Background. Approved: March 11, 2024.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Kam Miseikyte, Clerical Assistant 2, 412-442-4091.

East Liberty Phase IV, Primary Facility ID # **837380**, along Larimer Avenue, Winslow Street, and Maxwell Way, Pittsburgh, PA 15206, City of Pittsburgh, **Allegheny County**. KU Resources, Inc., 22 South Linden Street, Duquesne, PA 15110, on behalf of Housing Authority of the City of Pittsburgh, 412 Boulevard of the Allies, Suite 901, Pittsburgh, PA 15219, submitted a Final Report concerning remediation of soil contaminated with arsenic, benzene, carbon disulfide, cis-1,2-dichloroethene, chloroform, methyl ethyl ketone, tetrachloroethane, toluene, trichloroethane, xylenes, acenaphthene, anthracene, benzo(a)anthracene, benzo(a)pyrene, benzo(g,h,i)perylene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene, bis(2-ethylhexyl)phthalate, fluoranthene, dibenzofuran, dibenz(a,h)anthracene, fluorene, 2-methyl-naphthalene, naphthalene, phenanthrene, pyrene, indeno (1,2,3-cd) pyrene, antimony, arsenic barium, beryllium, boron, cadmium, chromium, cobalt, copper, cyanide, iron, lead, manganese, mercury, nickel, selenium, silver, thallium, tin, vanadium, and zinc. The Final Report demonstrated attainment of the site-specific standards. Approved: February 29, 2024.

Former Allenport Steel Mill Property, Primary Facility ID # **859358**, 1 Wheeling Pitt Drive, Allenport, PA 15412, Allenport Borough, **Washington County**. KU Resources, Inc., 22 South Linden Street, Duquesne, PA 15110, on behalf of Mon River Industrial Group, LLC, P.O. Box 249, Allenport, PA 15142, submitted a Final Report concerning remediation of soil and groundwater contaminated with 1,1,1-trichloroethane, 1,1-dichloroethane, 1,2,4-trimethylbenzene, 1,2-dichlorobenzene, 1,3,5-trimethylbenzene, 1,3-dichlorobenzene, 1,4-dichlorobenzene, 2-butanone, 2-hexanone, 4-methyl-2-pentanone, acetone, benzene, carbon disulfide, cis-1,2-dichloroethene, cyclohexane, ethylbenzene, isopropyl benzene, methyl acetate, methyl cyclohexane, tetrachloroethene, toluene, trichloroethene, vinyl chloride, xylenes, 2-methylnaphthalene, acenaphthene, acenaphthylene, acetophenone, anthracene, benzaldehyde, benzo(a)anthracene, benzo(a)pyrene, benzo(b)luoranthene, benzo(ghi)perylene, benzo(k)fluoranthene, bis(2-ethylhexyl)phthalate, carbazole, chrysene, dibenzo(a,h)anthracene, dibenzofuran, fluoranthene, fluorene, indeno(1,2,3-cd)pyrene, naphthalene, p-chloro-m-cresol, phenanthrene, pyrene, aroclor 1242, aroclor 1248, aroclor 1254, aroclor 1260, aroclor 1268, arsenic, barium, cadmium, chromium (criii), chromium (crvi), lead, mercury, selenium, and silver for soil; chloroform, trichlorofluoromethane, acenaphthene, benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, benzo(ghi)perylene, bis(2-ethylhexyl)phthalate, dibenzo(a,h)anthracene, indeno(1,2,3-cd)pyrene, pentachlorophenol, arsenic, barium, cadmium, chromium, lead, mercury, and selenium for groundwater. The Final Report demonstrated attainment of the site-specific standards. Approved: February 28, 2024.

Rush Run Road Incident, Primary Facility ID # **871294**, Rush Run Road, Sycamore, PA 15364, Center Township, **Greene County**. SE Technologies, LLC, 500 Mosites Way, Pittsburgh, PA 15205, on behalf of EQT Corporation, 625 Liberty Avenue, 17th Floor, Pittsburgh, PA 15222, submitted a Final Report concerning remediation of soil contaminated with chloride. The Final Report demonstrated attainment of the Statewide health standards. Approved: March 5, 2024.

HAZARDOUS WASTE TRANSPORTER LICENSE

Action(s) Taken on Hazardous Waste Transporter License Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); and Hazardous Waste Regulations to Transport Hazardous Waste.

Transporter License Reissued

Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7561.

Contact: Jonathan Adams.

Lewis Environmental, LLC, 155 Railroad Plaza, Royersford, PA 19468. **License No. PA-AH 0591**. Application received: February 29, 2024. Effective March 7, 2024.

EAP Industries, Inc., P.O. Box 275, Atlasburg, PA 15004. **License No. PA-AH 0660**. Application received: January 29, 2024. Effective March 7, 2024.

Active Environmental Technologies, Inc., 203 Pine Street, Mount Holly, NJ 08060. **License No. PA-AH 0840**. Application received: February 21, 2024. Effective March 7, 2024.

Sun Environmental Corp., 4655 Crossroads Park Drive, Liverpool, NY 13088. **License No. PA-AH 0841**. Application received: January 24, 2024. Effective March 7, 2024.

First Call Environmental, LLC, 11461 Fox Cross Road, Ashland, VA 23005. **License No. PA-AH 0921**. Application received: January 31, 2024. Effective February 28, 2024.

REGULATED MEDICAL AND CHEMOTHERAPEUTIC WASTE TRANSPORTER LICENSE

Action(s) Taken on Regulated and Chemotherapeutic Waste Transporter License Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); Act 93 of June 28, 1988 (P.L. 525, No. 93); and Regulated Medical and Chemotherapeutic Regulations to Transport Regulated Medical and Chemotherapeutic Waste.

Transporter License Reissued

Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7561.

Contact: Jonathan Adams.

Biosan Disposal LLC, 155 Great Arrow Ave., Buffalo, NY 14207. **License No. PA-HC 0276**. Received on March 4, 2024. Effective March 7, 2024.

REGISTRATION FOR RESIDUAL WASTE GENERAL PERMITS

Actions(s) Taken on Registration(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other than Coal Ash.

Southcentral Region: Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Carrie A. Fleming, Program Manager.

WMGR025SC06. Dickinson College, 28 North College Street, Carlisle, PA 17013, South Middleton Township, **Cumberland County**. This registration is for Dickinson College's facility at 553 Park Drive, Boiling Springs, PA 17007, and authorizes the composting and beneficial use of source-separated wastes including a) agricultural waste other than mortalities; b) butcher waste other than whole carcass; c) food processing waste; d) pre-consumer and post-consumer food residuals; e) yard waste; f) land clearing and grubbing material; g) untreated wood waste; h) gypsum wallboard; i) paper; j) cardboard; k) waxed cardboard; l) virgin paper mill sludge; and m) spent mushroom waste for use as a soil conditioner, soil amendment, fertilizer, mulch or for erosion control. Application received: August 8, 2023. Issued: March 12, 2024.

Persons interested in reviewing the permit may contact John L. Oren, P.E., Permits Chief, Southcentral Region, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

DETERMINATION OF APPLICABILITY FOR MUNICIPAL WASTE GENERAL PERMITS

Actions(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for Determination of Applicability for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.

Southcentral Region: Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Carrie A. Fleming, Program Manager.

WMGM030SC002. Derry Township, 600 Clearwater Road, Hershey, PA 17033, Derry Township, **Dauphin County**. This determination of applicability under a WMGM030 general permit is for Derry Township's operation off of Gravel Road, Palmyra, PA 17078. This general permit authorizes the composting of yard waste and beneficial use of the compost so produced at compost sites. The waste streams accepted for composting shall be non-liquid waste and limited to the following categories of municipal waste: yard waste, leaf waste, grass clippings, garden residue, tree trimmings, chipped shrubbery and other vegetative material. The beneficial uses of the finished compost are for the marketing or distribution as

a soil substitute, soil conditioner, soil amendment, fertilizer, or mulch. Application received: October 14, 2022. Issued: March 11, 2024.

Persons interested in reviewing the permit may contact John L. Oren, P.E., Permits Chief, Southcentral Region, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

Southwest Region: Waste Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Waste Management Program Manager.

WMGM019SW003. Reserve Park Recycling and Transfer, Inc., 408 Hoffman Road, Pittsburgh, PA 15212, Reserve Township, **Allegheny County**. An application for renewed coverage under General Permit No. WMGM019SW003 was approved by the Southwest Regional Office. WMGM019SW003 authorizes the processing and beneficial use of: waste concrete and asphalt to produce a roadway construction material; wood waste and uncontaminated soil to produce topsoil and mulch for landscaping purposes; and leaf and yard waste to produce compost at the Michael Brothers Reserve Park Facility located at 408 Hoffman Road, Pittsburgh, PA 15212. Application received: January 13, 2023. Renewal issued: March 6, 2024.

Persons interested in reviewing the permit may contact Waste Management Program Manager, 412-442-4000, Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Actions(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101–6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101–4000.1904); and Residual Waste Regulations for Determination of Applicability for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other than Coal Ash.

Northeast Region: Waste Management Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Roger Bellas, Environmental Program Manager, 570-826-2201.

WMGR028-NE012. New Enterprise Stone & Lime Co., Inc., P.O. Box 77, New Enterprise, PA 16664, North Whitehall Township, **Lehigh County**. A determination of applicability for the beneficial use of asphalt plant baghouse fines as a soil additive at the Ormrod Hot Mix Asphalt Plant. Application received: June 6, 2023. Permit issued: March 8, 2024.

Persons interested in reviewing the permit may contact Roger Bellas, Environmental Program Manager, 570-826-2201, Northeast Region, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

WMGR028-NE013. New Enterprise Stone & Lime Co., Inc., P.O. Box 77, New Enterprise, PA 16664, Bath Borough, East Allen Township, **Northampton County**. A

determination of applicability for the beneficial use of asphalt plant baghouse fines as a soil additive at the Bath Hot Mix Asphalt Plant. Application received: June 5, 2023. Permit issued: March 8, 2024.

Persons interested in reviewing the permit may contact Roger Bellas, Environmental Program Manager, 570-826-2201, Northeast Region, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

WMGR028-NE014. New Enterprise Stone & Lime Co., Inc., P.O. Box 77, New Enterprise, PA 16664, Lower Macungie Township, **Lehigh County**. A determination of applicability for the beneficial use of asphalt plant baghouse fines as a soil additive at the Wescosville Hot Mix Asphalt Plant. Application received: June 12, 2023. Permit issued: March 8, 2024.

Persons interested in reviewing the permit may contact Roger Bellas, Environmental Program Manager, 570-826-2201, Northeast Region, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

Southcentral Region: Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Carrie A. Fleming, Program Manager.

WMGR081SC004. re: Cycle Reverse Logistics, LLC, 121-123 Commerce Avenue, Greencastle, PA 17225, Antrim Township, **Franklin County**. This general permit authorizes the processing by disassembling, mechanical processing (by sizing, shaping, separating and volume reduction only), and associated storage prior to reuse or recycling at the processing or transfer facility, of uncontaminated and source-separated electronic devices. Application received: October 27, 2023. Permit issued: March 11, 2024.

Persons interested in reviewing the permit may contact John L. Oren, P.E., Permits Chief, Southcentral Region, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Actions(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101–6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101–4000.1904); and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southwest Region: Waste Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Waste Program Manager.

101691. Triumvirate Environmental of Pittsburgh, Inc., 200 Inner Belt Road, Somerville, MA 02143, Penn Township, **Westmoreland County**. Major modification to increase capacity, remove 2 PIWS machines, install 3 autoclaves, perform changes to facility layout, install a shredded waste conveyance system, and to begin accepting RCRA category CF, DM, and DF containers to the Jeannette ICW Facility located at 1092 Claridge Elliott Road. Application received: February 27, 2017. Deemed

administratively complete: May 28, 2021. Issued a technical deficiency letter: September 17, 2017.

Persons interested in reviewing the permit may contact Regional Files, Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

AIR QUALITY

Actions(s) Taken on General Plan Approval(s) and Operating Permit(s) Usage Authorized Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to Construct, Modify, Reactivate or Operate Air Contamination Sources and Associated Air Cleaning Devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Shailesh Patel, P.E., Environmental Group Manager.

GP3-35-037: Meshoppen Stone, P.O. Box 127, Meshoppen, PA 18630, Ransom Township, **Lackawanna County**. Operation of a portable crushing plant with waters sprays. Application received: March 5, 2024. Issued: March 12, 2024.

GP9-35-035: Meshoppen Stone, P.O. Box 127, Meshoppen, PA 18630, Ransom Township, **Lackawanna County**. Installation and operation of diesel IC engines. Application received: March 5, 2024. Issued: March 12, 2024.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

GP1-01-03028D: Plainville Brands, LLC, 304 S. Water St., New Oxford, PA 17350, New Oxford Borough, **Adams County**. For two existing natural gas-fired boilers, 16.8 MMBtu/hr boiler and 14.3 MMBtu/hr respectively, under GP1, at the poultry processing facility. The general permit authorization was renewed. Application received: February 23, 2024. Issued: March 5, 2024.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

GP1-38-03065: CorrChoice PA, LLC, 390 N. Lingle Ave., Palmyra, PA 17078, North Londonderry Township, **Lebanon County**. For two 16.8 MMBtu/hr natural gas-fired boilers, under GP1, at the facility. The general permit authorization was renewed. Application received: February 26, 2024. Issued: March 6, 2024.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.

PA-65-01032A: Alumaticore Ventures, LLC, 1145 Donner Avenue, Monessen, PA 15062, City of Monessen, **Westmoreland County**. For additional time for temporary operation, for construction of Source ID 103, and for review of performance of test report Application received: January 5, 2024. Issued: February 27, 2024.

GP5A-04-00749B/AG5A-04-00002B: Pin Oak Energy Partners, LLC, 388 S. Main Street, Suite 401, Akron, OH 44311, Darlington Borough, **Beaver County**. Issued authorization for change of ownership and continued operations of the previously authorized sources which include: one (1) Cummins at 600 bhp, one (1) natural gas

well, one (1) Arrow Compressor engine at 60 bhp, one (1) GPU rated at 1.0 MMBtu/hr, one (1) dehydrator rated at 3.0 MMscfd with a reboiler at 0.2 MMBtu/hr, one (1) 400-bbl produced water storage tank, truck load-out, station fugitives, and blow-downs at their McRoberts Comp. Station located in Darlington Township, Beaver County. Application received: February 7, 2024. Authorized: March 12, 2024 .

Actions(s) Taken on Plan Approval(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and Regulations in 25 Pa. Code Chapter 127, Subchapter B Relating to Construction, Modification and Reactivation of Air Contamination Sources and Associated Air Cleaning Devices.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

47-00014E: United States Gypsum Company, 86 PPL Road, Washingtonville, PA 17821, Derry Township, **Montour County**. The Department issued a plan approval for the proposed construction and operation of a new secondary rock crushing system installation as well as a new mill/extension for the natural gypsum processing project that will allow for the usage of this new material, in addition to the existing synthetic gypsum material, at their Washingtonville plant/wallboard manufacturing productions facility along with the ancillary sources and other modifications to the above facility. The plan approval contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions to ensure compliance with all applicable Federal and State Air quality regulations. Application received: June 15, 2023. Issued: March 1, 2024. Expiration date: September 30, 2025.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

06-05069AE: East Penn Manufacturing Co., Inc., 102 Deka Rd., Lyon Station, PA 19536, Penn Township, **Berks County**. For the replacement of a 48,000 cfm cartridge collector C81/C81A with one new 120,000 cfm fabric filter dust collector with a HEPA filter at the S-1 Facility. The plan approval also includes the removal one flash dry oven and one pasting line controlled by C89/C89A. Application received: August 24, 2023. Issued: March 6, 2024.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: James Beach, New Source Review Chief, 484-250-5920.

09-0249: Pet Meadow/Morrisville, 6 Steel Rd E, Morrisville, PA 19067-3613, Falls Township, **Bucks County**. This action is for a plan approval extension for the installation of animal cremation equipment at a new facility. This action also incorporates another animal crematory that was permitted under Plan Approval 09-0249A. This plan approval allows for the opening the crematory loading door to reposition the charge during the cremation cycle. Application received: February 26, 2024. Issued: March 6, 2024.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.

PA-63-00999A: EQM Poseidon Midstream, LLC, 2200 Energy Drive, Canonsburg, PA 15317, West Pike Run Township, **Washington County**. Plan approval extension effective March 28, 2024, with expiration on September 28, 2024, to extend the period for installation of five compressor engines, two tri ethylene glycol dehydrators, four produced water tanks, three low pressure pig receivers, one high pressure pig launcher, miscellaneous lubrication oil tanks, and piping components in natural gas service at Blue Moon Compressor Station located in West Pike Run Township, Washington County. Temporary operation of five compressor engines, two tri ethylene glycol dehydrators, four produced water tanks, miscellaneous lubrication oil tanks, and piping components in natural gas service previously authorized under GP5-63-00999A is also extended. Application received: March 4, 2024. Issued: March 7, 2024.

Plan Approval Revision(s) Issued Including Extension(s), Minor Modification(s) and Transfer(s) of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

08-00010P: Global Tungsten & Powders Corp., 1 Hawes Street, Towanda, PA 18848, North Towanda Township, **Bradford County**. The Department authorized the temporary operating period of the sources in the plan approval during shakedown and while awaiting compliance demonstration. Application received: February 20, 2024. Revised: February 26, 2024. New expiration date: September 4, 2024.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: David Balog, P.E., New Source Review Section Chief, 814-332-6328.

42-00249A: Highland Field Services—Seven Mile Minerals, Zents Boulevard, Brookville, PA 15825, Sergeant Township, **McKean County**. Issued a plan approval extension for continuing shakedown activities. Extension expires July 31, 2024. Permittee was asked to submit for an initial State Only Operating Permit if possible, during the term of this extension. Application received: January 2, 2024. Issued: January 30, 2024.

37-00377A: US Rolloffs, Inc., 213 Gardner Avenue, New Castle, PA 16101, City of New Castle, **Lawrence County**. Issued a plan approval extension to allow continuing project shakedown activities. Extension expires August 23, 2024. Application received: January 18, 2024. Issued: February 23, 2024.

25-179E: Erie City Sewer Authority—Erie City Sewage Treatment Plant, 68 Port Access Road, Erie, PA 16507, City of Erie, **Erie County**. Issued a plan approval extension to allow more time for project construction. This extension expires August 28, 2025. Application received: February 22, 2024. Issued: February 28, 2024.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

21-03034A: Penn Valley Crematory, LLC, 167 North Enola Road, Enola, PA 17025, East Pennsboro Township, **Cumberland County**. For an existing crematory at the funeral home facility. The plan approval was extended. Application received: March 3, 2024. Issued: March 7, 2024.

67-05016I: Eagle Casting, LLC, 447 E. Middle St., Hanover, PA 17331, Hanover Borough, **York County**. For replacement of a Flex-Kleen bin vent collector on the Source 111 Silos with Airmatic dust cartridges as well as changes to the Group 006 CAM-related conditions necessitated by the new control device, at the foundry. The plan approval was extended. Application received: March 6, 2024. Issued: March 7, 2024.

44-05001E: Standard Steel, LLC, 500 N. Walnut Street, Burnham, PA 17009, Burnham Borough, **Mifflin County**. For the steel mill. Plan Approval No. 44-05001E authorizes construction of a new radial forging machine, a new rotary reheat furnace (designated Source 205A) and supporting ancillary equipment (e.g., roller conveyors, transfer robot, ingot saws, etc.), including a robotic torch cutter for the forged axle ends. The existing radial forger and walking beam reheat furnace [Source 204] will remain operational while the new equipment is brought on-line during the shake down period and will remain in place as a backup to the proposed new equipment. The plan approval was extended. Application received: February 27, 2024. Issued: March 7, 2024.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

22-03109A: Dimon Funeral Home & Cremation Services, Inc., 201 East Market Street, Williamstown, PA 17098, Williamstown Borough, **Dauphin County**. For a new crematory unit at their funeral home. The plan approval was extended. Application received: February 20, 2024. Issued: March 5, 2024.

22-03102A: Derry Township Municipal Authority, 670 Clearwater Road, Hershey, PA 17033, Derry Township, **Dauphin County**. For the construction of a biogas-fired combined heat and power (CHP) generation system including gas conditioning and gas conveyance systems at the Waste Water Treatment Facility. The plan approval was extended. Application received: February 16, 2024. Issued: March 5, 2024.

36-03221A: CK Manufacturing, LLC, 330 Millwood Road, Lancaster, PA 17603, Pequea Township, **Lancaster County**. For the light-duty truck body and barn stall railings coating booth. The plan approval was extended. Application received: March 4, 2024. Issued: March 7, 2024.

36-03224A: Miller Fiberglass, LLC, 905 Strasburg Pike, Strasburg, PA 17579, Strasburg Township, **Lancaster County**. For the construction and operation of a custom fiberglass and plastic products manufacturing operation. The plan approval was extended. Application received: March 1, 2024. Issued: March 7, 2024.

36-05158G: Perdue AgriBusiness, LLC, 1897 River Road, Marietta, PA 17547, Conoy Township, **Lancaster County**. For the modification of the Lowest Achievable Emission Rate (LAER) limits on Source ID 206 at the soybean processing facility. The plan approval was extended. Application received: February 27, 2024. Issued: March 5, 2024.

36-05158H: Perdue AgriBusiness, LLC, 1897 River Road, Marietta, PA 17547, Conoy Township, **Lancaster County**. For approval of a Reasonably Available Control Technology (RACT) 3 plan, for the grain elevator and soybean oil extraction facility. The plan approval was extended. Application received: February 27, 2024. Issued: March 5, 2024.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

47-00001: Montour LLC, P.O. Box 128, Washingtonville, PA 17884, Derry Township, **Montour County**. The Department issued a revised Title V Operating Permit for the Montour Steam Electric Station to incorporate applicable requirements pursuant to a Case-by-Case RACT II determination for NO_x emissions from the facility's two utility boilers. The revised Title V Operating Permit contains all applicable regulatory requirements including testing, monitoring, recordkeeping and reporting conditions to ensure compliance with all applicable State and Federal Air Quality regulations. Application received: December 30, 2022. Revised: March 4, 2024. Expiration date: December 31, 2024.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.

46-00198: Blommer Chocolate Co, 1101 Blommer Dr, East Greenville, PA 18041-2140, Upper Hanover Township, **Montgomery County**. This action is for the renewal of a Title V Operating Permit for the manufacture of wholesale chocolate and cocoa products, such as cocoa powder, cocoa butter and chocolate liquor. The permit renewal was subject to the conditions of RACT III per 25 Pa. Code §§ 129.111—129.115 (reference 52 Pa.B. 6960) for volatile organic compound VOC emissions. Conditions for demonstrating compliance with the applicable requirements of RACT III were added to the permit through this renewal. Application received: January 24, 2023. Issued: March 11, 2024.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief, 412-442-4336.

TV-65-00354: Energy Transfer Marketing & Terminals, LP, 1734 Old Route 66, Delmont, PA 15626, Salem Township, **Westmoreland County**. On March 11, 2024, the Department issued a significant Operating Permit modification of Title V Operating Permit # TV-65-00354 for the Delmont Terminal located in the Salem Township, Westmoreland County. The facility consists of six storage tanks with capacities between 268,548 and 2,497,194 gallons and two storage tanks with capacities of 99,180 and 100,072 gallons which store gasoline and liquid VOCs with a vapor pressure lower than gasoline, one 1,292,382 gallon storage tank storing distillate oil, and equipment for gasoline and distillate tanker truck loading racks. Ethanol is blended into the raw gasoline in the loading racks. VOC emissions are controlled by internal floating roofs in storage tanks. VOC emissions during loading are also normally controlled by a vapor recovery unit (VRU), or alternatively, a backup, vapor combustion unit (VCU). These changes are being made in accordance with the significant Operating Permit modification provisions of

25 Pa. Code § 127.541. There are no changes to equipment or emissions of air pollution being approved by this action. Emission restrictions, testing, monitoring, recordkeeping, reporting, and work practice conditions in the Title V Operating Permit have been derived from the applicable requirements of 40 CFR Parts 60, 61, 63, and 70, and Pa. Code Title 25, Article III, Chapters 121—145. Application received: February 9, 2023. Deemed administratively complete: February 23, 2023.

Operating Permit(s) for Non-Title V Facilities Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

41-00060: Frito Lay, Inc., 220 North Reach Road, Williamsport, PA 17701, City of Williamsport, **Lycoming County**. The Department issued a renewal State Only Operating Permit for the Williamsport Plant. The State Only Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions. Application received: October 13, 2023. Renewal issued: February 29, 2024. New expiration date: February 28, 2029.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Norm Frederick, 570-826-2409.

39-00041: Greenwood Cemetery Association, 2010 W Chew Street, Allentown, PA 18104-5550, City of Allentown, **Lehigh County**. The Department issued a renewal State-Only (Natural) Minor Permit for the funeral services and crematories facility in Allentown City, Lehigh County. The primary sources consist of three (3) human crematory incinerators. The control devices consist of secondary after burners. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP), and VOC's. The Operating Permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: June 16, 2023. Renewal issued: March 4, 2024.

39-00057: St. Luke's Health Network Inc., Allentown Campus, 1736 Hamilton Street, Allentown, PA 18104-5656, City of Allentown, **Lehigh County**. The Department issued a renewal State-Only (Synthetic Minor) Permit to operate a general medical and surgical hospital in Allentown City, Lehigh County. The primary sources consist of three (3) boilers and two (2) emergency generators. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP), and volatile organic compounds (VOC) emissions. The Operating Permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: October 11, 2023. Renewal issued: March 7, 2024.

Contact: Norman Frederick, Facility Permitting Chief, 570-826-2409.

39-00103: Bosch Rexroth Corp., 2315 City Line Road, Bethlehem, PA 18017-2131, City of Bethlehem, **Lehigh County**. The Department has issued a renewal State-Only (Synthetic Minor) Operating Permit for the Bethlehem facility. Sources at this facility include their paint booths, auto paint spray gun, and an equipment parts washer. This permit also incorporates filter panels for the paint booths as control devices. The Operating Permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: January 8, 2024. Accepted: January 8, 2024. Issued: March 6, 2024.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.

24-00022: St. Marys Carbon Co., 259 Eberl St., Saint Marys, PA 15857-1677, City of Saint Marys, **Elk County**. The Department issued the renewal State Only Natural Minor Operating Permit for the carbon, graphite, and metal/graphite production facility. The facility's primary emission sources include eight natural gas boilers, four carbon baking kilns, four belt chain furnaces, four curing ovens, three continuous furnaces, five smoke ovens, three carbon baking furnaces, two carbon/graphite mixers controlled by thermal oxidizers, a graphitization system, finishing departments and associated machines, a backup generator, and a degreaser. The potential emissions of the primary pollutants from the facility are as follows: 13.80 TPY NO_x, 11.52 TPY CO, 10.53 TPY VOC, 0.38 TPY total HAP, 4.35 TPY PM₁₀ and PM_{2.5}, and 9.32 TPY SO_x; thus, the facility is a natural minor. The backup generator is subject to 40 CFR 63 Subpart ZZZZ, NESHAP for Stationary Reciprocating Internal Combustion Engines. The carbon/graphite mixers were subject to Plan Approval 24-022B for the installation of thermal oxidizers to control emissions of SO_x. At this issuance, the conditions of this plan approval have been integrated into the Operating Permit. The renewal permit contains emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act. Application received: November 9, 2022. Issued: March 5, 2024.

37-00368: Amerikohl Aggregates, Inc., 1384 State Route 711, Stahlstown, PA 15687, Shenango Township, **Lawrence County**. The Department issued the State Only Operating Permit for Amerikohl Aggregates, Inc. Moscipan Mine. The sources at the facility include the processing plant (crushers, screens, conveyors, and stockpiles) and diesel engines. The engines are subject to 40 CFR 60 Subpart IIII. The processing plant is subject to 40 CFR part 60 Subpart OOO. Emissions from the facility are less than the major source thresholds with a potential of 32.6 tpy NO_x; 7.02 tpy CO; 2.14 tpy SO_x; 4.14 tpy PM; 4.83 tpy PM₁₀; and 2.59 tpy VOC. The facility is a Natural Minor. The permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act. The permit contains a compliance schedule to perform initial performance testing per 40 CFR Part 60 Subpart OOO within 30 days of startup of the 2024 season. Application received: February 17, 2023. Issued: February 27, 2024.

10-00047: Ascensus Specialties Callery, LLC, 1424 Mars Evans City Rd, Evans City, PA 16033-9360, Forward Township, **Butler County**. The Department issued the renewal State Only Natural Minor Operating Permit for the industrial organic and inorganic chemical manufacturing facility. The facility's primary emission sources include two natural gas-fired boilers (10.5 mmBtu/hr and 14.288 mmBtu/hr), miscellaneous natural gas combustion, building 24 alkylborane production, hood 1B, building 31 product & process development, building 31 R&D, building 37 boranes derivatives, building 37 bag filling station, building 37 boranes derivatives hydrogen vent, heated t-butanol storage tanks, building 44 alcoholates production, building 44 dryers & powder packaging, building 44 pilot plant, building 44 filter deactivation, building 64 potassium production, building 86 cylinder cleaning, building 94 powder packaging dust collection, building 98 tank farm and truck station, miscellaneous emergency generators (5), and miscellaneous storage tanks. The potential emissions of the primary pollutants from the facility after permit limitations are as follows: 27.29 TPY NO_x, 19.47 TPY CO, 45.40 TPY VOC, 3.92 TPY PM₁₀ and PM_{2.5}, 0.48 TPY SO_x, 11.49 TPY combined HAPs, 3.62 TPY methanol, 0.54 TPY toluene, and 6.19 TPY hexane; thus, the facility is a natural minor. The building 72 boiler is subject to 40 CFR 60 Subpart Dc, NSPS for Small Industrial-Commercial-Institutional Steam Generating Units. The tank farm is subject to 40 CFR 60 Subpart Kb, NSPS for Storage Vessels. Four of the emergency generators are subject to 40 CFR 63, Subpart ZZZZ, NESHAP for Stationary Reciprocating Internal Combustion Engines. The gatehouse emergency generator is subject to 40 CFR 60, Subpart JJJJ, NSPS for Stationary Spark Ignition Internal Combustion Engines. A 550-gallon gasoline storage tank permitted under miscellaneous storage tanks is subject to 40 CFR 63, Subpart CCCCC, NESHAP for Gasoline Dispensing Facilities. The renewal permit contains restrictions related to the quantities of materials consumed or processed, which are enforceable as a practical matter; and associated emission limits, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act. Application received: November 14, 2022. Issued: March 5, 2024.

42-00095: Georgia-Pacific Bradford, 1 Owens Way, Bradford, PA 16701-3750, Bradford Township, **McKean County**. The Department issued the renewal State Only Natural Minor Operating Permit for the corrugated container manufacturing facility. The facility's primary emission sources include two natural gas-fired boilers (15.7 mmBtu/hr and 20.9 mmBtu/hr), miscellaneous process equipment, an outdoor starch silo, a metal parts degreaser, and finishing operations. The potential emissions of the primary pollutants from the facility are as follows: 15.73 TPY NO_x, 13.21 TPY CO, 12.68 TPY VOC, 7.74 TPY total HAPs, 23.79 TPY PM₁₀, 8.38 TPY PM_{2.5}, and 0.09 TPY SO_x; thus, the facility is a natural minor. The boilers are subject to recordkeeping requirements of 40 CFR Part 60, Subpart Dc, Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units. The renewal permit contains emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act. Application received: January 17, 2023. Issued: March 5, 2024.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

06-03061: IFS Industries, Inc., P.O. Box 1053, Reading, PA 19603-1053, City of Reading, **Berks County**. For the adhesive manufacturing facility. The State-Only permit was renewed. Application received: June 1, 2023. Issued: March 4, 2024.

22-03055: Rausch Creek Drying & Packaging, LLC, 401 Machamer Avenue, P.O. Box 1, Wiconisco, PA 17097-0001, Wiconisco Township, **Dauphin County**. For the coal preparation plant. The State-Only permit was renewed. Application received: October 23, 2023. Issued: March 6, 2024.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.

46-00171: Lesjofors Real Estate Co LLC, 1 Spring Ave, Lansdale, PA 19466-1883, Lansdale Borough, **Montgomery County**. This action is for the renewal of a Non-Title V Facility, State-Only, Natural Minor Permit for the operation of boilers, a parts washer, and a number of spring-forming machines that are operated by the former owner John Evans Sons, Inc. Application received: August 11, 2023. Issued: March 6, 2024.

23-00052: Prospect CCMC, One Medical Center Blvd, Upland, PA 19013-3995, Upland Borough, **Delaware County**. This action is for the renewal of the Synthetic Minor Operating Permit for the operation of boilers, emergency engines, and water heaters at the Crozer-Chester Medical Center. Application received: April 5, 2023. Issued: March 6, 2024.

09-00104: Daniel Tanney Mfg, 3268 Clive Ave, Bensalem, PA 19020-6509, Bensalem Township, **Bucks County**. This action is for the renewal of the Natural Minor Permit for a metal fabricator that applies powder coatings to forklift battery casings and battery parts. Application received: April 14, 2023. Issued: March 8, 2024.

46-00150: Montgomery County SPCA/Upper Frederick Facility, 19 E Ridge Pike, Conshohocken, PA 19428-2116, Upper Frederick Township, **Montgomery County**. This action is for the renewal of a Non-Title V Facility, State-Only, Natural Minor Permit for a propane fired animal crematorium with a rated capacity of 150 lbs/hr. Application received: September 21, 2022. Issued: March 8, 2024.

15-00121: Delaware Valley Custom Marble, 4 Briar Dr, West Grove, PA 19390-9455, Penn Township, **Chester County**. This action is for the renewal of a Synthetic Minor Operating Permit for the operation of a cast polymer manufacturing facility. Application received: October 17, 2023. Issued: March 11, 2024.

Operating Permit Revisions Issued Including Administrative Amendments, Minor Modifications or Transfer of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

06-05078: FR & S, Inc./Pioneer Crossing Landfill, 727 Redlane Rd., Birdsboro, PA 19508, Exeter Township, **Berks County**. For the municipal solid waste landfill.

The Title V permit underwent a significant modification to revise Section E, Group SG01, Condition # 004 to update the allowable hourly emission of SO₂ for Source IDs C01 and C02. However, the 12-month permitted limit of 55 tons/yr of SO₂ for the affected sources remains unchanged. Application received: September 28, 2023. Issued: March 4, 2024.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.

46-00255: Schumacher & Benner Funeral Home & Crematory, 359 King St, Pottstown, PA 19464, Pottstown Borough, **Montgomery County**. This action is for the renewal of a State Only Operating Permit for the operation of a natural gas-fired crematory unit for human remains. Application received: May 3, 2023. Issued: March 5, 2024.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief, 412-442-4336.

63-00990: Donora Dock, LLC, 1501 Ligonier St., Latrobe, PA 15650, Carroll Township, **Washington County**. On March 7, 2024, the Department issued an administrative amendment of Air Quality Synthetic Minor State Only Operating Permit to incorporate the requirements of Plan Approval # PA-63-00990C pursuant to 25 Pa. Code § 127.450(a)(5) at the Donora Terminal located in Carroll Township, Washington County. This facility is subject to the applicable requirements of Pa. Code Title 25, Chapters 121—145. The amended Operating Permit includes conditions relating to applicable emissions restrictions, testing, monitoring, record-keeping, reporting and work practice standards requirements. Application received: December 4, 2023. Deemed administratively complete: February 28, 2024.

De Minimis Emissions Increases Authorized under 25 Pa. Code § 127.449.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.

DEM-63-00947: MarkWest Liberty Midstream & Resources, LLC, Tower 1, Suite 1600, Denver, CO 80202, Hopewell Township, **Washington County**. On November 16, 2022, Markwest Liberty Midstream & Resources submitted a request for a de minimis emission increase at its Lowry Compressor Station. This Notice is published per 25 Pa. Code § 127.449(i). The compressor station is a natural gas gathering station with natural gas-fueled compressor engines. The project is the completion of a manufacturer offered "CAT Low Emission Engine Upgrade" on Source ID # 105 (CAT3516 LE, 1,340-bhp, SI, NG-fueled, compressor engine) and the associated removal of two (2) natural gas-driven pneumatic devices. The upgrade will reduce NO_x emissions at full engine capacity to a maximum of 0.5 grams per bhp-hour. Markwest Liberty will comply with requirements in DEM-63-00947.

DEM-26-00413B: Texas Eastern Transmission, LP, 915 N. Eldridge Parkway, Suite 1100, Houston, TX 77079, North Union Township, **Fayette County**. On January 16, 2024, Texas Eastern Transmission, LP submitted a request for a de minimis emission increase at its Uniontown Compressor Station. This Notice is published per

25 Pa. Code § 127.449(i). The compressor station is a natural gas pipeline, transmission station with natural gas-fueled compressor engines. The project is the addition of a system of necessary piping components to connect seven (7), new, natural gas, cooling bays, at the station. Texas Eastern Transmission will comply with requirements in DEM-26-00413B. Operation of the new piping components will potentially emit 0.33 ton of VOC, 0.01 ton of all HAPs combined, and 361 tons of CO₂e, per year. Potential air emissions from the facility will increase by the same amount. Therefore, under item Number “36 Source(s) qualifying under § 127.449 as de minimis emission increases.” of “Section 127.14(a)(8) Exemptions that do not require the submission of an RFD form” in the Department’s Plan Approval and Operating Permit Exemption List (275-2101-003/July 1, 2021) on Page 8, the change is exempt from requiring Department authorization. However, the upgrade and operation of the equipment are subject to certain requirements for this exemption to be effective. The constructed equipment and these requirements will be incorporated into the State Only Operating Permit at a later time. There was one earlier emission change at the Uniontown Compressor Station since the initial SOOP was issued on July 14, 2020. On November 9, 2022, this emission change increased potential facility emissions by 0.001 ton of VOC and 2.5 tons of CO₂e, per year.

ACTIONS ON COAL AND NONCOAL APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the National Pollutant Discharge Elimination System (NPDES) permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1103). Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Coal Permits

California District Mining Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

Contact: Bonnie Herbert, Clerical Assistant 3.

Mining Permit No. 17031301. NPDES No. PA0235571. Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, Burnside and Montgomery Townships, Cherry Tree Borough, Clearfield and Indiana Counties. To revise the permit and related NPDES permit for the addition of the Lower Freeport, Upper Kittanning and Lower Kittanning Coal Seams to the existing underground and subsidence control plan area and add an outfall; affecting 7.5 surface acres. Receiving

stream(s): Unnamed Tributary (“A”) Kilns Run, classified for the following use: CWF. Application received: July 12, 2021. Accepted: September 8, 2021. Issued: March 8, 2024.

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

Contact: Cayleigh Boniger, Clerical Supervisor 2, 814-797-0824.

Mining Permit No. 33080105. NPDES No. PA0258547. Original Fuels, Inc., P.O. Box 343, Punxsutawney, PA 15767, Perry Township and Young Township, Jefferson County. Permit renewal application for a bituminous surface coal mine and associated NPDES permit affecting 447.4 acres. Receiving stream(s): Unnamed tributary to Mahoning Creek, classified for the following use(s): CWF. Application received: April 4, 2023. Issued: March 8, 2024.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. 40100201. Susquehanna Haul & Drilling, LLC, 249 Harland Street, Exeter, PA 18643, Salem Township and Shickshinny Borough, Luzerne County. Renew an anthracite coal refuse reprocessing operation for reclamation activities only, affecting 25.0 acres. Receiving stream: Paddy Run. Application received: April 12, 2022. Renewal issued: March 8, 2024.

Mining Permit No. 54071301. Kimmel’s Mining, Inc., 1744 East Grand Avenue, Tower City, PA 17980, Porter, Williams and Wiconisco Townships, Schuylkill and Dauphin Counties. Renew an anthracite underground mine operation affecting 26.4 acres. Receiving stream: Wiconisco Creek. Application received: September 14, 2022. Renewal issued: March 8, 2024.

Noncoal Permits

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

Contact: Alicia Cook, Clerical Assistant 3, 814-797-0815.

Mining Permit No. 20142801. KEFO Corporation, 19824 Cochran Road, Meadville, PA 16335, Vernon Township, Crawford County. Final bond release for a small industrial minerals surface mine. Application received: February 13, 2024. Issued: March 5, 2024.

Mining Permit No. 20102801. KEFO Corporation, 19824 Cochran Road, Meadville, PA 16335, Vernon Township, Crawford County. Final bond release for a small industrial minerals surface mine. Application received: February 13, 2024. Issued: March 5, 2024.

Mining Permit No. 62100801. NPDES No. PA0280631. William D. Jackson, 64 Shady Avenue, Corry, PA 16407, Spring Creek Township, Warren County. Renewal of an NPDES permit. Application received: December 20, 2023. Issued: March 8, 2024.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

Contact: Cassie Stanton, Clerical Assistant 2.

Mining Permit No. 59230801. GP-104 No. PAM219010. Burtville Enterprises, LLC, 2093 Bells Run Road, Shinglehouse, PA 16748, Middlebury Township, Tioga County. Permit issued for a small noncoal (industrial minerals) operation affecting 2.5 acres. This new permit supersedes the existing large noncoal permit, Permit No. 4976SM2. Receiving stream(s): Crooked Creek

classified for the following use(s): WWF, MF. Application received: August 21, 2023. Accepted: August 22, 2023. Application received: August 21, 2023. Accepted: August 22, 2023. Issued: March 5, 2024.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. 64232501. Gustin Stone Supply, Inc., 2390 Creamton Drive, Lakewood, PA 18439, Preston Township, **Wayne County**. Commencement, operation and restoration of a GP105 quarry operation affecting 5.0 acres. Receiving streams: UNT to Shadigee Creek. Application received: August 23, 2023. Permit issued: March 8, 2024.

Mining Permit No. 64232501. GP104 No. PAM123023. Gustin Stone Supply, Inc., 2390 Creamton Drive, Lakewood, PA 18439, Berlin Township, **Wayne County**. Coverage under the General NPDES Stormwater Permit for stormwater discharges associated with mining activities (BMP-GP-104). Receiving stream: UNT to Shadigee Creek. Application received: August 23, 2023. Coverage issued: March 8, 2024.

Mining Permit No. 58230802. GP104 No. PAM123034. David Vannort, 46 Rock Road, Vestal, NY 13850, Jessup Township, **Susquehanna County**. Coverage under the General NPDES Stormwater Permit for stormwater discharges associated with mining activities (BMP-GP-104). Receiving stream: UNT to Middle Branch Wyalusing Creek. Application received: October 13, 2023. Coverage issued: March 8, 2024.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Action(s) Taken on Application(s) Under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting Activity Performed as Part of a Coal or Noncoal Mining Activity will be Regulated by the Mining Permit for that Coal or Noncoal Mining Activity.

Blasting Permits

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Permit No. 39244101. Schlouch, Inc., 132 Excelsior Drive, Blandon, PA 19510, City of Bethlehem, **Lehigh County**. Construction blasting for Martin Towers. Application received: February 29, 2024. Permit issued: March 6, 2024. Expiration date: February 28, 2025.

Permit No. 36244105. Keystone Blasting Service, 15 Hopeland Road, Lititz, PA 17543, Strasburg Township, **Lancaster County**. Construction blasting for Wilmer Smoker basement. Application received: March 6, 2024. Permit issued: March 8, 2024. Expiration date: July 30, 2024.

Permit No. 36244106. Maine Drilling & Blasting, Inc., P.O. Box 1140, Gardiner, ME 04345, West Donegal Township, **Lancaster County**. Construction blasting for Bishop Woods. Application received: March 6, 2024. Permit issued: March 8, 2024. Expiration date: March 6, 2025.

Permit No. 64244101. Holbert Explosives, Inc., 237 Mast Hope Plank Road, Suite A, Lackwaxen, PA 18435,

Damascus Township, **Wayne County**. Construction blasting for Mickey Brdar driveway. Application received: March 7, 2024. Permit issued: March 8, 2024. Expiration date: March 7, 2025.

Permit No. 35244105. Maine Drilling & Blasting, Inc., P.O. Box 1140, Gardiner, ME 04345, Dickson City Borough, **Lackawanna County**. Construction blasting for Belmont Wawa Lot 3 and 4. Application received: March 7, 2024. Permit issued: March 11, 2024. Expiration date: March 7, 2025.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (DEP) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, DEP has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Individuals aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board 717-787-3483 for more information.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Action(s) Taken on Application(s) for the Following Activities Filed Under The Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and the Clean Streams Law and Notice of Final Action for Certification Under Section 401 of the FWPCA.

Central Office: Regional Permit Coordination Office, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101.

Contact: RA-EPREGIONALPERMIT@pa.gov.

E1583223-007. Pennsylvania Turnpike Commission, 700 S. Eisenhower Blvd, Middletown, PA 17057, Caernarvon Township, Honey Brook Township, and West Nantmeal Township, **Berks County** and **Chester County**. U.S. Army Corps of Engineers Baltimore District.

To construct and maintain a channel change consisting of the relocation of 249 feet of a tributary to Conestoga River (WWF, MF) and to remove and replace an existing access road across the same tributary with a 16-foot long, 12-inch diameter reinforced concrete pipe. In total the project will result in less than 0.01 acre of temporary and less than 0.01 acre of permanent stream impact, 0.25 acre of temporary and 0.18 acre of permanent floodway impact, and no wetland impacts. The project is located at Twin Valley Road and PA Turnpike near MP300.04 (Elverson, PA Quadrangle, in Caernarvon Township, Berks County and Honey Brook Township & West Nantmeal Township, Chester County. Latitude: (40.148691°, Longitude: -75.854469°. Application received: March 1, 2023. Issued: March 7, 2024.

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Michele Lauer, Clerical Assistant 2, 570-830-3077.

E4002223-006. Christopher Vincelli, 265 Magnolia Drive, Dallas, PA 18612, Harveys Lake Borough, **Luzerne County**. U.S. Army Corps of Engineers Baltimore District.

To remove an existing structure and to construct and maintain a 2,502 ft² dock structure within the normal pool elevation of Harveys Lake (HQ—CWF, MF). The project is located at Pole # 260 along Lakeside Drive (SR 415) (Harveys Lake, PA Quadrangle, Latitude: 41° 21' 19"; Longitude: -76° 2' 24") in Harveys Lake Borough, Luzerne County. Application received: March 16, 2023. Issued: March 5, 2024.

E6402223-003. Wayne County Commissioners, 925 Court Street, Honesdale, PA 18431, Honesdale Borough, **Wayne County**. U.S. Army Corps of Engineers Philadelphia District.

To construct and maintain an approximately 60' long 20' wide portion of a river access gravel drive, a 20' long by 20' wide precast boat launch ramp, a 302' long (8' wide portion) and 338' long (5' wide portion) of a concrete trail for access to and along the waters edge, and a 18' x 7' wide access staircase within the FEMA floodway of the Lackawaxen River (HQ—TSF, MF) on the river's southern shore. The project is located at Industrial Point at the intersection of 12th Street and Industrial Point in Honesdale Borough, Wayne County, PA, Quadrangle Latitude: 41° 34' 38.4" Longitude: -75° 15' 15". Latitude: 41° 34' 38.4", Longitude: -75° 15' 15". Application received: September 9, 2023. Issued: March 12, 2024.

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Dana Drake, Program Manager.

E0205222-030. Kossman Development Company, 11 Parkway Center, Pittsburgh, PA 15220, Robinson Township, **Allegheny County**. U.S. Army Corps of Engineers

Pittsburgh District. Latitude: 40° 15' 51", Longitude: -80° 15' 19". Application received: November 10, 2022. Issued: March 11, 2024.

The applicant phase been given consent to:

Construct and maintain a solar panel consisting of a foundation support that will permanently impact 16 ft² of Wetland C (PEM) and the solar panel that will partially cover 1,160 ft² of this same wetland. Cumulatively, the solar panel will impact a de minimus (0.03 acre) amount of Wetland C, in association with the development of a solar farm, in an unused parking lot behind the Omega corporate office building.

The project site is located at 1000 Omega Drive, Pittsburgh, PA 15205 (Pittsburgh West, PA USGS topographic quadrangle; N: 40° 15' 51.44"; W: -80° 04' 19.48"; Sub-basin 20F; USACE Pittsburgh District), in Robinson Township, Allegheny County.

E0205223-001. Presto Volunteer Fire Department, 5228 Thomas Run Rd, Presto, PA 15142, Collier Township, **Allegheny County**. U.S. Army Corps of Engineers Pittsburgh District. Latitude: 40° 22' 21.72", Longitude: -80° 07' 10.56". Application received: January 16, 2023. Issued: March 6, 2023.

1. Construct, operate and maintain a garage addition to the Presto Voluntary Fire Department. Building construction will impact 132 square feet of floodway to Chartiers Creek (WWF).

2. Construct, operate and maintain a 7-foot-wide stormwater outfall and 22 x 28 outlet protection within Charities Creek floodway.

3. Excavate 121 cubic yards of fill along the left descending bank of Chartiers Creek.

For the purpose of constructing a garage addition for new fire truck storage and firefighter living space. The total earth disturbance for the project is 0.25 acre, with approximately 0.13 acre of impact within the floodway of Chartiers Creek.

The project site is located at 5228 Thoms Run Road (Bridgeville, PA USGS topographic quadrangle; N: 40° 22' 21.72"; W: -80° 07' 10.56"; Sub-basin 20 F; USACE Pittsburgh District), in Collier Township, Allegheny County.

DAM SAFETY

Central Office: Waterways & Wetlands Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-783-5784.

Contact: Josh Fair, Water Program Specialist, 717-772-5988.

D36-318EA. Melvin Beiler, 225 N Hollander Rd, Gordonville, PA 17529, Leacock Township, **Lancaster County**. The Department has reviewed and approved the restoration plan to remove the Beiler Dam to eliminate a threat to public safety and to restore approximately 80 feet of stream channel to a free-flowing condition. The dam is two feet high. The proposed restoration project includes the construction of two grade control riffles. The project is located across a tributary to Muddy Run (WWF, MF) (New Holland, PA Quadrangle, Latitude: 40.0546, Longitude: 76.1018). Project was approved on 3/8/24. Application received: January 8, 2024. Approved: March 8, 2024.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.

Contact: RA-EPEASTERNNOGPRG@pa.gov.

ESCGP # 3 ESG295824003-00

Applicant Name **Coterra Energy, Inc.**

Contact Person Kenneth Marcum
Address 2000 Park Lane, Suite 300
City, State, Zip Pittsburgh, PA 15275-1121
Township(s) Springville Township
County **Susquehanna County**

Receiving Stream(s) and Classification(s) Thomas Creek (CWF, MF), UNT to Thomas Creek (CWF, MF)

Application received: January 22, 2024

Issued: March 7, 2024

Northwest Region: Oil and Gas Management Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Kate Hogue Clerical Supervisor, 814-332-6868.

ESCGP # 3 ESG081023015-00

Applicant Name **PennEnergy Resources, LLC**

Contact Person Richard Watson
Address 3000 Westinghouse Drive, Ste. 300
City, State, Zip Canonsburg, PA 16066-5239
Township(s) Middlesex Township
County **Butler County**

Receiving Stream(s) and Classification(s) Glade Run (WWF); UNT to Glade Run (WWF)

Application received: December 28, 2023

Approved: March 11, 2024

ESCGP # 3 ESG080323011-00

Applicant Name **Snyder Bros, Inc.**

Contact Person Carl Rose

Address P.O. Box 1022

City, State, Zip Kittanning, PA 16201

Township(s) East Franklin Township

County **Armstrong County**

Receiving Stream(s) and Classification(s) Trib 46203 to Glade Run (TSF); UNT 1 to Glade Run (TSF); UNT 2 to Glade Run (TSF); UNT 3 to Glade Run (TSF)

Application received: October 27, 2023

Approved: March 7, 2024

Southwest District: Oil and Gas Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: RA-EPSW-OGSUBMISSION@pa.gov.

ESCGP # 3 ESG073024003-00

Applicant Name **CNX Gas Co, LLC—Moose Lake To Etrn Waterline**

Contact Person Brett Matthews, Project Manager Permitting III, (724) 485-3786, BrettMatthews@cnx.com

Address 0.25 Mile East of Palmer Road and

Greene Valley Road

City, State, Zip Aleppo, PA 15310

Township(s) Aleppo Township

County **Greene County**

Receiving Stream(s) and Classification(s) 001. Lat 39.82483, Long -80.51639, Grave Creek, Ch 93. class WWF 002. Lat 39.82467, Long -80.51657, Tributary 32370 to Harts Run, Ch 93. class WWF 003. Lat 39.82502, Long -80.51305, Tributary 32369 to Harts Run, Ch 93. class WWF

Application received: January 29, 2024

Issued: March 6, 2024

Southwest Region: Oil and Gas Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: RA-EPSW-OGSUBMISSION@pa.gov.

ESCGP # 3 ESG076523007-00

Applicant Name **APEX WML Midstream LLC—Draftina Pipeline**

Contact Person JD McNally, Vice President

(724) 719-2611, jdmcnally@apexenergyllc.com

Address 0.1 mile south of Blank Road and Gombach Road
City, State, Zip Jeanette, PA 15644

Township(s) Penn Township

County **Westmoreland County**

Receiving Stream(s) and Classification(s) 001. Lat 40.37665, Long -79.62500, UNT to Bushy Run, Ch. 93 class TSF

Application received: September 7, 2023

Issued: March 7, 2024

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 2

The Following Plan(s) and Report(s) Were Submitted Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed

and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Valley Mart 8, Storage Tank Facility ID # **40-22024**, 412 South Main Street, Wilkes-Barre, PA 18703, City of Wilkes-Barre, **Luzerne County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of 412 Main, LLC, 1534 Highway 315 Boulevard, Wilkes-Barre, PA 18702, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with gasoline. The plan is intended to document the remedial actions for meeting Statewide health standards.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Richard M. Staron, Professional Geologist Manager, 484-250-5717.

Blue Bell Sunoco, Storage Tank Facility ID # **46-20382**, 889 Dekalb Pike, Blue Bell, PA 19422, Whitpain Township, **Montgomery County**. Claymore Environmental LLC, 650 Germantown Pike, Lafayette Hill, PA 19444, on behalf of Brian Halligan, 113 E Mill Road, Flourtown, PA 19031, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan is intended to document the remedial actions for meeting nonresidential Statewide health standards.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Kam Miseikyte, Clerical Assistant 2, 412-442-4091.

GetGo # 3191, Storage Tank Facility ID # **02-30678**, 1675 Duncan Avenue, Allison Park, PA 15101, McCandless Township, **Allegheny County**. PVE, LLC, 2000 Georgetown Drive, Suite 101, Sewickley, PA 15143, on behalf of Giant Eagle, Inc., 101 Kappa Drive, Pittsburgh, PA 15238, submitted a Remedial Action Plan concerning remediation of groundwater contaminated with unleaded gasoline. The plan is intended to document the remedial actions for meeting residential Statewide health standards.

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 3

Action(s) Taken on the Following Plans and Reports Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101–6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

J&N Citgo/Marshalls Creek Texaco, Storage Tank Facility ID # 45-37117/45-16999, 2601 Milford Road, Marshalls Creek, PA 18335, Smithfield Township, **Monroe County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of J&N Service Center, 2601 Milford Road, Marshalls Creek, PA 18353, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum. The report demonstrated attainment of the site-specific standards and was approved by DEP on March 7, 2024.

Gas N Goods, Storage Tank Facility ID # **45-12376**, 5677 Hamilton South, Sciota, PA 18354, Hamilton Township, **Monroe County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Gas N Goods, Inc., P.O. Box 342, Sciota, PA 18354, submitted a Remedial Action

Completion Report concerning remediation of soil and groundwater contaminated with petroleum. The report demonstrated attainment of the Statewide health standards and was approved by DEP on March 7, 2024.

136 Verma, Storage Tank Facility ID # **48-51086**, 136 East Lawn Road, Nazareth, PA 18064, Upper Nazareth Township, **Northampton County**. Synergy Environmental, 155 Railroad Plaza, Royersford, PA 19468, on behalf of PALGC UST I, LLC, 645 Hamilton Street, Suite 500, Allentown, PA 18101, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with gasoline. The plan was not acceptable to meet the Statewide health standards and was disapproved by DEP on March 11, 2024.

Square One 103, Storage Tank Facility ID # **48-51488**, 158-160 South Third Street, Easton, PA 18042, City of Easton, **Northampton County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Square One Markets, Inc., P.O. Box AA, Hellertown, PA 18055, submitted a Remedial Action Plan concerning remediation of groundwater contaminated with petroleum. The plan was acceptable to meet the site-specific standards and was approved by DEP on March 12, 2024.

Contact: Kam Miseikyte, Clerical Assistant 2, 412-442-4091.

Coraopolis Faststop, Storage Tank Facility ID # **02-37401**, 879 4th Avenue, Coraopolis, PA 15108, Coraopolis Borough, **Allegheny County**. Cribbs & Associates, Inc., P.O. Box 44, Delmont, PA 15626, on behalf of Bolea Oil Production, Inc., 879 4th Avenue, Coraopolis, PA 15108, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan was acceptable to meet the residential Statewide health standards and was approved by DEP on March 5, 2024.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Bill, 814-332-6671.

United Ref, Storage Tank Facility ID # **62-90266**, 15 Bradley Street, Warren, PA 16365, Warren Township, **Warren County**. Groundwater & Environmental Services, Inc., 508 Thomson Park Drive, Cranberry Township, PA 16066, on behalf of United Refining Company, 814 Lexington Avenue, P.O. Box 688, Warren, PA 16365, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with Petroleum. The plan was acceptable to meet the nonresidential Statewide health standards and was approved by DEP on March 7, 2024.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Richard M. Staron, Professional Geologist Manager, 484-250-5717.

Vince Iacones Auto, Storage Tank Facility ID # **23-14999**, 198 Saxer Ave., Springfield, PA 19064, Springfield Township, **Delaware County**. Aquaterra Technologies, Inc., P.O. Box 744, West Chester, PA 19381, on behalf of Vince Iacone, 198 Saxer Avenue, Springfield, PA 19064, submitted a Remedial Action Plan concerning

remediation of soil and groundwater contaminated with unleaded gasoline. The plan was acceptable to meet the site-specific standards and was approved by DEP on March 7, 2024.

SPECIAL NOTICES

WATER PROGRAMS

Public hearing to accept additional comments on the documentation and plans associated with the Individual NPDES Permit Application No. PAD480196.

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Michele Lauer, Clerical Assistant 2, 570-830-3077.

On May 25, 2023, the Department of Environmental Protection (PA DEP/Department) received an NPDES Permit application for the Proposed Industrial Project, 300 Gateway Drive, Bethlehem, PA in Hanover Township, **Northampton County**. The application was deemed administratively complete on September 12, 2023. Written public comments were received during the public comment period.

The Department will hold a public hearing to accept additional comments on the documentation and plans associated with the Individual NPDES Permit Application No. PAD480196 for the discharge of stormwater from construction activities to the following receiving water-courses:

Monocacy Creek HQ-CWF, MF.

The applicant is as follows:

Arcadia Development Corporation, 3332 Bingen Road, Bethlehem, PA 18015

Contact: Richard Thulin—President.

The public hearing will be conducted on April 29, 2024 from 6:00—9:00 pm at the Bethlehem School District, Nitschmann Middle School located at 1002 West Union Blvd, Bethlehem, PA 18018. Representatives from the Department's Waterways & Wetlands Program, the Northampton County Conservation District, Arcadia Development Corporation will be in attendance.

The Department requests that individuals wishing to testify at the hearing submit a written notice of intent to Colleen Connolly, Community Relations Coordinator at: coconnolly@pa.gov. The Department will accept requests up to the day of the hearing. The Department requests that individuals limit their testimony to 5 minutes so that all individuals have the opportunity to testify. The Department can only review comments made with regard to the NPDES Permit Application No. PAD480196 documentation and plans. Written copies of oral testimony are requested. All comments, whether delivered orally during the hearing or submitted in writing will carry equal weight and consideration with DEP. Individuals attending the hearing will have the opportunity to testify if they so desire; however, individuals who preregister to testify will be given priority on the agenda.

Persons with a disability who wish to testify and require an auxiliary aid, service or other accommodation should contact Colleen Connolly at: coconnolly@pa.gov or the Pennsylvania Hamilton Relay Service at (800) 654-

5984 (TDD) to discuss how the Department can meet their needs. Dial 711 to access Pennsylvania Relay services.

The NPDES permit application documentation and conceptual plans are available for review at the Northampton County Conservation District Office, Northampton County Conservation District Greystone Building, 14 Gracedale Avenue, Nazareth PA 18064 and/or the DEP Northeast Regional Office, 2 Public Square, Wilkes-Barre, PA (570) 826-2511. For further information, contact Colleen Connolly, Community Relations Coordinator of the Department's Northeast Regional Office at (570) 826-2035.

Public Hearing: Maiden Creek Warehouse NPDES application.

Southcentral Region: Waterways and Wetlands Program, 909 Elmerton Ave., Harrisburg, PA 17110.

Contact info: Scott R. Williamson, 717-705-4802.

On May 2, 2024, beginning at 6:00 PM at the Maidencreek Township building (1A Quarry Road, Blandon, PA 19510), the Pennsylvania Department of Environmental Protection (DEP) will hold a public hearing regarding Maiden Creek Associates, LP's (MCA) application for a DEP Individual National Pollutant Discharge Elimination System permit for Stormwater Discharges Associated with Construction Activities (NPDES Construction Stormwater). MCA, 120 W. Germantown Pike, Plymouth Meeting, PA 19462, proposes to construct a 930,000 square foot warehouse building, access roads, associated stormwater facilities, and improvements to Allentown Pike to support the project. The NPDES Construction Stormwater permit application No. is PAD060076 and the application proposes 83.7 acres of earth disturbance activity. Notice of receipt of MCA's complete application was published in the *Pennsylvania Bulletin* (Volume 53, Number 08) dated February 25, 2023. Notice of receipt of MCA's complete application and Notice of DEP's tentative determination to issue NPDES permit PAD060076 and draft permit was published in the *Pennsylvania Bulletin* (Volume 53, Number 51) dated December 23, 2023.

The purpose of the hearing is to collect additional public comments on the Individual NPDES Construction Stormwater permit application submitted and the Draft NPDES permit for this project. The DEP has already received written public comments and requests for DEP to hold a public hearing. The public comments received to date primarily allege concerns about potentially contaminated stormwater runoff to Peters Creek, inadequacy of the proposed stormwater management best management practices, concerns about stormwater runoff affecting Lake Ontelaunee and the City of Reading's water supply, the potential storage of lithium-ion batteries or hazardous materials at the site, and compliance with Article 1, Section 27 of the *Pennsylvania Constitution*. Concerns about increased traffic, noise, and compliance with local municipal ordinances were also expressed.

The proposed MCA warehouse site is located in Maidencreek Township, Berks County at Route 222 and Evansville Road, Blandon, PA, 19510. Stormwater discharges from the proposed project would be to Peters Creek. As identified in 25 Pa. Code § 93.9f (relating to

Drainage List F), Peters Creek has a designated use listed as Exceptional Value (EV), and Migratory Fishes. The proposed stormwater discharges will be conveyed from the site's best management practices to the surface waters of the Commonwealth. The best management practices and proposed discharge locations can be viewed through a file review or at the project's DEP webpage as follows. MCA's NPDES Construction Stormwater permit application, draft Individual NPDES Permit and Fact Sheet is available for public review at the DEP Southcentral Region Office (SCRO) or the DEP's SCRO's webpage under the Community Information Tab, Maiden Creek Warehouse project. The DEP SCRO webpage, "Community Information" tab web address is: <https://www.dep.pa.gov/About/Regional/SouthcentralRegion/Community%20Information/Pages/default.aspx>.

Individuals who wish to offer testimony at the public hearing should register with John Repetz, Community Relations Coordinator for DEP's Southcentral Region, at 717-705-4904 or by email at jrepetz@pa.gov by 4:00 PM on May 1, 2024. Oral comments are limited to five minutes per person. To ensure that all speakers have a fair and equal opportunity to present their testimony, relinquishing of time to other speakers will be prohibited, and groups are asked to designate one speaker. Registration is not required simply to attend the hearing.

Individuals with questions regarding the hearing or application can also contact the DEP at 717-705-4802. Individuals wishing to schedule a file review at the SCRO should call 717-705-4732.

Written comments on this application or the draft NPDES permit will be accepted until the conclusion of the public hearing on May 2, 2024, and may be submitted to RA-EPWW-SCRO@pa.gov or mailed to the SCRO, Waterways and Wetlands Program, 909 Elmerton Ave., Harrisburg, PA 17110-8200. To assist with mail routing, DEP requests that mailed comments contain the following on the envelope: "Comments on Maiden Creek Warehouse, PAD060076."

WASTE, AIR, RADIATION AND REMEDIATION

Notice of Certification to Perform Radon-Related Activities in Pennsylvania.

Central Office: Radiation Protection Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101.

Contact: 717-783-3594, Austyn Shank.

In the month of February 2024, Department of Environmental Protection of the Commonwealth of Pennsylvania, under the authority contained in the Radon Certification Act, act of July 9, 1987, P.L. 238, No. 43 (63 P.S. §§ 2001—2014) and regulations promulgated thereunder at 25 Pa. Code Chapter 240, has certified the persons listed as follows to perform radon related activities in Pennsylvania. The period of certification is two years. (For a complete list of persons currently certified to perform radon-related activities in Pennsylvania and for information as to the specific testing devices that persons certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P.O. Box 8469, Harrisburg, PA 17105-8469, (1-800-23RADON).

<i>Name</i>	<i>Address</i>	<i>Certification</i>
Bryan Cole	317 McWilliams Road Trafford, PA 15085-9745	Testing Individual
Jason Muckey	2300 Grand Central Avenue Horseheads, NY 14845-2500	Testing Individual
Steven Kowatic	1370 Meadowlark Drive Pittsburgh, PA 15243-1218	Testing Individual
Piotr Podolecki	11 Timber Drive Alburtis, PA 18011-2548	Mitigation Individual
Kathleen Remsnyder	P.O. Box 126707 Harrisburg, PA 17111	Testing Individual
Mark Long	800 Frailey Road Emmitsburg, MD 21727-9202	Testing Individual
Kevin Crane	435 Crescent Moon Drive Cogan Station, PA 17728-8226	Testing Individual
CEI/Housemaster Home Inspections	435 Crescent Moon Drive Cogan Station, PA 17728-8226	Testing Firm
David Dowling	273 Krulock Road Uniontown, PA 15401-5161	Testing Individual
David Demar	P.O. Box 296 Green Lane, PA 18054-0296 2-6707	Testing Individual
David Demar	P.O. Box 296 Green Lane, PA 18054-0296	Mitigation Individual
Accurate Radon Control	P.O. Box 296 Green Lane, PA 18054-0296	Mitigation Firm
Jeffrey Ronzel	1248 Greenway Lane Kunkletown, PA 18058-7890	Testing Individual
Craig Lennox	801 Soni Drive Trooper, PA 19403-1232	Testing Individual
John Quimby, IV	8285 Post Road Alison Park, PA 15101-3269	Testing Individual
Sean Mulcahy	2969 State Route 23 South Newfoundland, NJ 07435	Mitigation Individual
Obar Systems, Inc	2969 State Route 23 South Newfoundland, NJ 07435	Mitigation Firm
Kevin Dunkle	P.O. Box 211 Worthington, PA 16262-0211	Mitigation Individual
Greg Karkowsky	5850 Centre Avenue Apt 407 Pittsburgh, PA 15206-3785	Testing Individual
Christopher Thomas	640 Keystone Street Greenburg, PA 15601-4330	Testing Individual
Richard Barto	112 Shields Lane Slippery Rock, PA 16057-2826	Testing Individual

[Pa.B. Doc. No. 24-404. Filed for public inspection March 22, 2024, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Draft Total Maximum Daily Load Program Priorities for 2024—2032; Available for Public Comment

Under section 303(d)(1)(A) of the Federal Clean Water Act (33 U.S.C. § 1313(d)(1)(A)) requires states to create a priority ranking for waterways that require Total Maximum Daily Load (TMDL) development. This priority

ranking must include the cause of the impairment and take into account both the severity of the pollution and the uses to be made of the waterbodies. To meet this requirement, the Department of Environmental Protection's (Department) TMDL program has developed a draft TMDL prioritization strategy for the United States Environmental Protection Agency's (EPA) 2022—2032 Vision for the Clean Water Act Section 303(d) Program (Program). This draft TMDL prioritization strategy will help guide the Department's selection of specific waterbodies for plan development on a 2-year cycle in accordance with

40 CFR 130.7(b)(4) (relating to total maximum daily loads (TMDL) and individual water quality-based effluent limitations). For more information on the Program visit www.epa.gov/tmdl/Vision.

The Department’s draft TMDL Prioritization Strategy for the EPA’s 2022—2032 Vision is available for review on the Department’s eComment web site at www.ahs.dep.pa.gov/eComment.

Interested persons may submit comments through Monday, April 22, 2024. Comments, including comments submitted by e-mail, must include the commentator’s name and address. Commentators are encouraged to submit comments using the Department’s online eComment tool at www.ahs.dep.pa.gov/eComment. Written comments may also be sent by e-mail to ecomment@pa.gov or mailed to the Department of Environmental Protection, Policy Office, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2063. Comments received on the draft TMDL Prioritization Strategy for the EPA’s 2022—2032 Vision during the public comment period will be reviewed and considered in the Department’s evaluation.

For further information contact Michael Morris, Water Quality Specialist in the Water Quality Division of the Department’s Bureau of Clean Water, at michamorri@pa.gov or (717) 772-5670. Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 can contact the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

JESSICA SHIRLEY,
Interim Acting Secretary

[Pa.B. Doc. No. 24-405. Filed for public inspection March 22, 2024, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Laboratory Accreditation Advisory Committee Meeting Scheduled

On Tuesday, April 23, 2024, the Laboratory Accreditation Advisory Committee (Committee) will be holding a meeting at 9 a.m. at the Rachel Carson State Office Building, 4th Floor Training Room, Harrisburg, PA. Individuals may attend the meeting in person or remotely.

Information about Committee meetings, including agendas, meeting materials and in-person and remote participation options, will be available on the Committee’s webpage, found through the Public Participation tab on the Department of Environmental Protection’s (Department) web site at www.dep.pa.gov (select “Public Participation,” then “Advisory Committees,” then “Laboratory Accreditation,” then “Laboratory Accreditation Advisory Committee”).

Individuals are encouraged to visit the Committee’s webpage to confirm meeting date, time and location prior to each meeting. Questions concerning the Committee can be directed to Annmarie Beach at anbeach@pa.gov or (717) 346-8212.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Department at (717) 783-2360 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

JESSICA SHIRLEY,
Interim Acting Secretary

[Pa.B. Doc. No. 24-406. Filed for public inspection March 22, 2024, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Planning Grant Award under Section 901 of the Municipal Waste Planning, Recycling and Waste Reduction Act, Act 101 of 1988

The Department of Environmental Protection announces the following grant to Lancaster County under section 901 of the Municipal Waste Planning, Recycling and Waste Reduction Act (Act 101) (53 P.S. § 4000.901) and section 208 of the Small Business and Household Pollution Prevention Program Act (35 P.S. § 6029.208).

Planning grants are awarded to counties for 80% of approved costs for preparing municipal waste management plans, as required by Act 101, for carrying out related studies, surveys, investigations, inquiries, research and analysis, including those related to siting, environmental mediation, education programs on pollution prevention and household hazardous waste (HHW) and providing technical assistance to small businesses for pollution prevention. Grants may be awarded for feasibility studies and project development for municipal waste processing or disposal facilities, except for facilities for the combustion of municipal waste that are not proposed to be operated for the recovery of energy. The grant awards are predicated on the receipt of recycling fees required by sections 701 and 702 of Act 101 (53 P.S. §§ 4000.701 and 4000.702) and the availability of funds in the Recycling Fund.

Inquiries regarding the grant offering can be directed to Mark Vottero, Department of Environmental Protection, Bureau of Waste Management, Division of Waste Minimization and Planning, Rachel Carson State Office Building, P.O. Box 8472, Harrisburg, PA 17105-8472, at mvottero@pa.gov or (717) 772-5719.

Act 101, Section 901 HHW Education Grant

<i>Region</i>	<i>County</i>	<i>Applicant</i>	<i>Project</i>	<i>Grant</i>
Southcentral	Lancaster	Lancaster County	HHW Education	\$75,000

JESSICA SHIRLEY,
Interim Acting Secretary

[Pa.B. Doc. No. 24-407. Filed for public inspection March 22, 2024, 9:00 a.m.]

DEPARTMENT OF HEALTH

Ambulatory Surgical Facilities; Requests for Exceptions

The following ambulatory surgical facilities (ASF) have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license ASFs under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following requests for exceptions relate to regulations governing ASF licensure in 28 Pa. Code Chapters 29, 51 and 551—571 (relating to miscellaneous health provisions; general information; and ambulatory surgical facilities).

<i>Facility Name</i>	<i>Regulation</i>
Children's Dental Surgery of Philadelphia	28 Pa. Code § 551.22(3)(i) (relating to criteria for performance of ambulatory surgery on pediatric patients)
Geisinger Healthplex State College Outpatient Surgery and Endoscopy Center	28 Pa. Code § 553.31(a) (relating to administrative responsibilities)
Geisinger Surgery Center—Highland Park	28 Pa. Code § 553.31(a)
Jefferson Surgical Center	28 Pa. Code § 553.31(a)
UPMC Community Surgery Center	28 Pa. Code § 553.31(a)

The previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed contact information. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,
Acting Secretary

[Pa.B. Doc. No. 24-408. Filed for public inspection March 22, 2024, 9:00 a.m.]

DEPARTMENT OF HEALTH

Home Care Agencies and Home Care Registries; Requests for Exceptions

The following requests for exceptions relate to regulations governing Home Care Agencies and Home Care Registries licensure under 28 Pa. Code Chapter 611 (relating to home care agencies and home care registries). The following agencies have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license home care agencies and home care registries under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b).

<i>License #</i>	<i>Facility Name</i>	<i>Address</i>	<i>Regulation</i>
32753601	Emerest Health of PA	2801 Freeport Road Suite 4 Natrona Heights, PA 15065	28 Pa. Code § 611.51(a)(1) (relating to hiring or rostering of direct care workers)
71823601	Help at Home	337 Washington Avenue Suite 4 Warren, PA 16365	28 Pa. Code § 611.51(a)(1)
12073601	Mama816, LLC	600 Eagleview Boulevard Exton, PA 19341	28 Pa. Code § 611.51(a)(1)

The previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Home Health, 2525 North 7th Street, Harrisburg, PA 17110, (717) 783-1379, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail or e-mail to the Division at the previously listed contact information. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Home Health, at ra-dhhomehealth@pa.gov, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,
Acting Secretary

[Pa.B. Doc. No. 24-409. Filed for public inspection March 22, 2024, 9:00 a.m.]

DEPARTMENT OF HEALTH

Home Health Care Agencies; Requests for Exceptions

The following requests for exceptions relate to regulations governing Home Health Care Agencies licensure under 28 Pa. Code Chapter 601 (relating to home health care agencies). The following agencies have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license home health care agencies under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b).

<i>License #</i>	<i>Facility Name</i>	<i>Address</i>	<i>Regulation</i>
771705	Concordia Visiting Nurses	601 North Pike Road Cabot, PA 16023	28 Pa. Code § 601.22 (relating to agency evaluation and review)
702305	Lehigh Valley Home Care	2024 Lehigh Street Suite 100 Allentown, PA 18103	28 Pa. Code § 601.6 (relating to definitions) 28 Pa. Code § 601.22

The previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Home Health, 2525 North 7th Street, Harrisburg, PA 17110, ra-dhhomehealth@pa.gov, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail or e-mail to the Division at the previously listed contact information. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Home Health, at (717) 783-1379, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,
Acting Secretary

[Pa.B. Doc. No. 24-410. Filed for public inspection March 22, 2024, 9:00 a.m.]

DEPARTMENT OF HEALTH

Hospitals; Requests for Exceptions

The following hospital has filed a request for an exception under 28 Pa. Code § 153.1 (relating to minimum standards). Requests for exceptions under this section relate to minimum standards that hospitals must comply with under the *Guidelines for Design and Construction of Hospitals—2018 Edition*, *Guidelines for Design and Construction of Outpatient Facilities—2018 Edition* or the *Guidelines for Design and Construction of Hospitals—2022 Edition*, *Guidelines for Design and Construction of Outpatient Facilities—2022 Edition*. The following list includes the citation to the section under the *Guidelines* that the hospital is seeking an exception.

<i>Facility Name</i>	<i>FGI Guidelines Section and relating to</i>	<i>Yr^{1,2}</i>
Thomas Jefferson University Hospitals, Inc.	2.6-3.1.2.2(2)(a) and (b) and (3) space requirements	22-O

¹ 2018 Year FGI Regulations for Outpatient Facilities are indicated by “-O.”

² 2022 Year FGI Regulations for Outpatient Facilities are indicated by “-O.”

The previously listed request is on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed contact information. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care, at (717) 783-8980, or for speech and/or hearing impaired persons V/TT (717) 783-6154 or call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,
Acting Secretary

[Pa.B. Doc. No. 24-411. Filed for public inspection March 22, 2024, 9:00 a.m.]

DEPARTMENT OF HEALTH

Special Supplemental Nutrition Program for Women, Infants and Children (WIC Program); Competitive Prices and Peer Group Criteria

Peer Group Criteria

The WIC Management Information System automatically assigns stores to one of five peer groups depending on store size, number of registers and where the store is located as follows:

<i>Square footage</i>	0—999 sq/ft	1,000—4,999 sq/ft	5,000—9,999 sq/ft	10,000—19,999 sq/ft	20,000—99,999 sq/ft
<i>Peer group</i>	5	4	3	2	1
<i>Number of cash registers</i>	0-1	2—4	5—9	10—19	20+
				<i>Geography</i>	
<i>Weighting</i>		<i>Population Ranges</i>		<i>Density</i>	
<i>Square footage</i>	30%		0—69,999	Remote Rural	0—50
<i>Registers</i>	30%		70,000—124,999	Rural	51—99
<i>Geography</i>	40%		125,000—249,999	Slightly Urban	100—199
			250,000—499,999	Urban	200—499
			500,000—999,999	Metro Market Edge	500—1,000
			1,000,000+	Metro Market Center	1,000+

Competitive Prices for Peer Group 1 Stores

Under 28 Pa. Code §§ 1103.4(5) and 1105.3(a)(1) (relating to selection criteria for authorization and reauthorization; and terms and conditions of participation) and 7 CFR 246.12 (relating to food delivery methods), the WIC Program hereby publishes notice of the Competitive Prices for Peer Group 1 Stores.

Competitive Prices

To remain WIC Authorized, each store must maintain the minimum inventory of the following WIC food items at, or below, the Competitive Prices listed for the store’s peer group. Effective April 1, 2024, through June 30, 2024, the Competitive Prices for WIC Authorization for Peer Group 1 Stores are as follows:

<i>Description</i>	<i>Peer Group</i>	<i>Competitive Prices</i>
Bread—16 oz.	1	\$4.91
Brown Rice—16 oz.	1	\$1.74
Canned Beans (15.5—16 oz. can)	1	\$1.74
Cereal (per oz.)	1	\$0.42
Cheese—16 oz.	1	\$7.57
Cheese—Kosher—16 oz.	1	\$15.60
Dried Beans/peas (1 pound)	1	\$2.77

<i>Description</i>	<i>Peer Group</i>	<i>Competitive Prices</i>
Fresh shell eggs (dozen)	1	\$4.00
Infant Cereal (8 oz. container)	1	\$3.95
Infant Fruits (4 oz. or 2—2 oz. pack)	1	\$1.48
Infant Meats (2 oz. container)	1	\$1.78
Infant Vegetables (4 oz. or 2—2 oz. pack)	1	\$1.51
Juice 11.5/12 oz.	1	\$3.76
Juice 48 oz.	1	\$4.84
Juice 64 oz.	1	\$5.17
Light Tuna 5 oz.	1	\$1.69
Milk—Kosher—Low Fat 1/2 gallon	1	\$5.34
Milk—Low Fat 1/2 gallon	1	\$2.78
Milk—Whole—Kosher 1/2 gallon	1	\$5.79
Milk—Whole 1/2 gallon	1	\$3.12
Oats—16 oz.	1	\$2.30
Peanut Butter (16—18 oz.)	1	\$4.25
Salmon 6 oz.	1	\$3.98

<i>Description</i>	<i>Peer Group</i>	<i>Competitive Prices</i>
Sardines 3.75 oz.	1	\$1.66
Similac Adv Conc 13 oz.	1	\$8.45
Similac Adv Pwd 12.4 oz.	1	\$26.70
Similac Isomil Pwd 12.4 oz.	1	\$26.80
Tortilla—16 oz.	1	\$4.26
Whole Wheat Pasta—16 oz.	1	\$2.31

Competitive Prices for Peer Group 2 Stores

Under 28 Pa. Code §§ 1103.4(5) and 1105.3(a)(1) and 7 CFR 246.12, the WIC Program hereby publishes notice of the Competitive Prices for Peer Group 2 Stores.

Competitive Prices

To remain WIC Authorized, each store must maintain the minimum inventory of the following WIC food items at, or below, the Competitive Prices listed for the store's peer group. Effective April 1, 2024, through June 30, 2024, the Competitive Prices for WIC Authorization for Peer Group 2 Stores are as follows:

<i>Description</i>	<i>Peer Group</i>	<i>Competitive Prices</i>
Bread—16 oz.	2	\$5.32
Brown Rice—16 oz.	2	\$2.22
Canned Beans (15.5—16 oz. can)	2	\$1.89
Cereal (per oz.)	2	\$0.47
Cheese—16 oz.	2	\$8.33
Cheese—Kosher—16 oz.	2	\$18.20
Dried Beans/peas (1 pound)	2	\$2.93
Fresh shell eggs (dozen)	2	\$4.38
Infant Cereal (8 oz. container)	2	\$4.78
Infant Fruits (4 oz. or 2—2 oz. pack)	2	\$1.57
Infant Meats (2 oz. container)	2	\$1.85
Infant Vegetables (4 oz. or 2—2 oz. pack)	2	\$1.57
Juice 11.5/12 oz.	2	\$4.15
Juice 48 oz.	2	\$5.49
Juice 64 oz.	2	\$6.03
Light Tuna 5 oz.	2	\$1.76
Milk—Kosher—Low Fat 1/2 gallon	2	\$5.72
Milk—Low Fat 1/2 gallon	2	\$3.04
Milk—Whole—Kosher 1/2 gallon	2	\$6.05
Milk—Whole 1/2 gallon	2	\$3.32
Oats—16 oz.	2	\$2.73
Peanut Butter (16—18 oz.)	2	\$4.33
Salmon 6 oz.	2	\$4.29
Sardines 3.75 oz.	2	\$2.07
Similac Adv Conc 13 oz.	2	\$9.35
Similac Adv Pwd 12.4 oz.	2	\$30.68
Similac Isomil Pwd 12.4 oz.	2	\$30.78
Tortilla—16 oz.	2	\$4.51

<i>Description</i>	<i>Peer Group</i>	<i>Competitive Prices</i>
Whole Wheat Pasta—16 oz.	2	\$2.42

Competitive Prices for Peer Group 3 Stores

Under 28 Pa. Code §§ 1103.4(5) and 1105.3(a)(1) and 7 CFR 246.12, the WIC Program hereby publishes notice of the Competitive Prices for Peer Group 3 Stores.

Competitive Prices

To remain WIC Authorized, each store must maintain the minimum inventory of the following WIC food items at, or below, the Competitive Prices listed for the store's peer group. Effective April 1, 2024, through June 30, 2024, the Competitive Prices for WIC Authorization for Peer Group 3 Stores are as follows:

<i>Description</i>	<i>Peer Group</i>	<i>Competitive Prices</i>
Bread—16 oz.	3	\$5.47
Brown Rice—16 oz.	3	\$2.34
Canned Beans (15.5—16 oz. can)	3	\$1.92
Cereal (per oz.)	3	\$0.49
Cheese—16 oz.	3	\$8.40
Cheese—Kosher—16 oz.	3	\$19.83
Dried Beans/peas (1 pound)	3	\$3.13
Fresh shell eggs (dozen)	3	\$4.71
Infant Cereal (8 oz. Container)	3	\$4.99
Infant Fruits (4 oz. or 2—2 oz. pack)	3	\$1.64
Infant Meats (2 oz. container)	3	\$1.91
Infant Vegetables (4 oz. or 2—2 oz. pack)	3	\$1.66
Juice 11.5/12 oz.	3	\$4.37
Juice 48 oz.	3	\$5.67
Juice 64 oz.	3	\$6.18
Light Tuna 5 oz.	3	\$1.89
Milk—Kosher—Low Fat 1/2 gallon	3	\$6.11
Milk—Low Fat 1/2 gallon	3	\$3.30
Milk—Whole—Kosher 1/2 gallon	3	\$6.31
Milk—Whole 1/2 gallon	3	\$3.56
Oats—16 oz.	3	\$3.00
Peanut Butter (16—18 oz.)	3	\$4.43
Salmon 6 oz.	3	\$4.99
Sardines 3.75 oz.	3	\$2.22
Similac Adv Conc 13 oz.	3	\$11.71
Similac Adv Pwd 12.4 oz.	3	\$33.55
Similac Isomil Pwd 12.4 oz.	3	\$33.90
Tortilla—16 oz.	3	\$4.73
Whole Wheat Pasta—16 oz.	3	\$3.16

Competitive Prices for Peer Group 4 Stores

Under 28 Pa. Code §§ 1103.4(5) and 1105.3(a)(1) and 7 CFR 246.12, the WIC Program hereby publishes notice of the Competitive Prices for Peer Group 4 Stores.

Competitive Prices

To remain WIC Authorized, each store must maintain the minimum inventory of the following WIC food items at, or below, the Competitive Prices listed for the store's peer group. Effective April 1, 2024, through June 30, 2024, the Competitive Prices for WIC Authorization for Peer Group 4 Stores are as follows:

<i>Description</i>	<i>Peer Group</i>	<i>Competitive Prices</i>
Bread—16 oz.	4	\$6.62
Brown Rice—16 oz.	4	\$2.82
Canned Beans (15.5—16 oz. can)	4	\$2.30
Cereal (per oz.)	4	\$0.66
Cheese—16 oz.	4	\$11.04
Cheese—Kosher—16 oz.	4	\$22.10
Dried Beans/peas (1 pound)	4	\$3.33
Fresh shell eggs (dozen)	4	\$5.14
Infant Cereal (8 oz. container)	4	\$5.52
Infant Fruits (4 oz. or 2—2 oz. pack)	4	\$1.92
Infant Meats (2 oz. container)	4	\$2.02
Infant Vegetables (4 oz. or 2—2 oz. pack)	4	\$1.89
Juice 11.5/12 oz.	4	\$4.68
Juice 48 oz.	4	\$6.81
Juice 64 oz.	4	\$7.88
Light Tuna 5 oz.	4	\$2.47
Milk—Kosher—Low Fat 1/2 gallon	4	\$7.15
Milk—Low Fat 1/2 gallon	4	\$4.21
Milk—Whole—Kosher 1/2 gallon	4	\$7.23
Milk—Whole 1/2 gallon	4	\$4.33
Oats—16 oz.	4	\$5.55
Peanut Butter (16—18 oz.)	4	\$5.97
Salmon 6 oz.	4	\$5.46
Sardines 3.75 oz.	4	\$3.32
Similac Adv Conc 13 oz.	4	\$14.31
Similac Adv Pwd 12.4 oz.	4	\$39.57
Similac Isomil Pwd 12.4 oz.	4	\$39.84
Tortilla—16 oz.	4	\$5.03
Whole Wheat Pasta—16 oz.	4	\$3.55

Competitive Prices for Peer Group 5 Stores

Under 28 Pa. Code §§ 1103.4(5) and 1105.3(a)(1) and 7 CFR 246.12, the WIC Program hereby publishes notice of the Competitive Prices for Peer Group 5 Stores.

Competitive Prices

To remain WIC Authorized, each store must maintain the minimum inventory of the following WIC food items at, or below, the Competitive Prices listed for the store's peer group. Effective April 1, 2024, through June 30, 2024, the Competitive Prices for WIC Authorization for Peer Group 5 Stores are as follows:

<i>Description</i>	<i>Peer Group</i>	<i>Competitive Prices</i>
Bread—16 oz.	5	\$6.97
Brown Rice—16 oz.	5	\$3.50
Canned Beans (15.5—16 oz. can)	5	\$2.83
Cereal (per oz.)	5	\$0.69
Cheese—16 oz.	5	\$14.14
Cheese—Kosher—16 oz.	5	\$23.92
Dried Beans/peas (1 pound)	5	\$3.87
Fresh shell eggs (dozen)	5	\$5.56
Infant Cereal (8 oz. container)	5	\$6.66
Infant Fruits (4 oz. or 2—2 oz. pack)	5	\$2.03
Infant Meats (2 oz. container)	5	\$2.46
Infant Vegetables (4 oz. or 2—2 oz. pack)	5	\$1.98
Juice 11.5/12 oz.	5	\$4.94
Juice 48 oz.	5	\$7.63
Juice 64 oz.	5	\$9.07
Light Tuna 5 oz.	5	\$2.93
Milk—Kosher—Low Fat 1/2 gallon	5	\$8.10
Milk—Low Fat 1/2 gallon	5	\$5.37
Milk—Whole—Kosher 1/2 gallon	5	\$8.45
Milk—Whole 1/2 gallon	5	\$5.32
Oats—16 oz.	5	\$5.85
Peanut Butter (16—18 oz.)	5	\$6.93
Salmon 6 oz.	5	\$6.24
Sardines 3.75 oz.	5	\$3.47
Similac Adv Conc 13 oz.	5	\$17.60
Similac Adv Pwd 12.4 oz.	5	\$44.89
Similac Isomil Pwd 12.4 oz.	5	\$45.82
Tortilla—16 oz.	5	\$6.05
Whole Wheat Pasta—16 oz.	5	\$3.67

**United State Department of Agriculture (USDA)
Nondiscrimination Statement:**

In accordance with Federal civil rights law and the USDA civil rights regulations and policies, this institution is prohibited from discriminating on the basis of race, color, national origin, sex (including gender identity and sexual orientation), disability, age or reprisal or retaliation for prior civil rights activity.

Program information may be made available in languages other than English. Persons with disabilities who require alternative means of communication to obtain program information (for example, Braille, large print, audiotape, American Sign Language) should contact the responsible State or local agency that administers the program or the USDA's TARGET Center at (202) 720-2600 (voice and TTY) or contact the USDA through the Federal Relay Service at (800) 877-8339.

To file a program discrimination complaint, a complainant should complete a Form AD-3027, USDA Program Discrimination Complaint Form which can be obtained online at <https://www.usda.gov/sites/default/files/documents/>

USDA-OASCR%20P-Complaint-Form-0508-0002-508-11-28-17Fax2Mail.pdf, from any USDA office, by calling (866) 632-9992, or by writing a letter addressed to the USDA. The letter must contain the complainant's name, address, telephone number and a written description of the alleged discriminatory action in sufficient detail to inform the Assistant Secretary for Civil Rights about the nature and date of an alleged civil rights violation. The completed AD-3027 form or letter must be submitted to the United States Department of Agriculture, Office of the Assistant Secretary for Civil Rights, 1400 Independence Avenue, SW, Washington, DC 20250-9410, fax: (833) 256-1665 or (202) 690-7442, Program.Intake@usda.gov.

This institution is an equal opportunity provider.

Persons with a disability who require an alternative format of this listing (for example, large print, audiotope, Braille) should contact the Department of Health, Bureau of WIC, 625 Forster Street, 7th Floor West, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-1289, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The Pennsylvania WIC program is funded by the USDA. The USDA is an equal opportunity provider.

DR. DEBRA L. BOGEN,
Acting Secretary

[Pa.B. Doc. No. 24-412. Filed for public inspection March 22, 2024, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Disproportionate Share and Supplemental Hospital Payments

The Department of Human Services (Department) is providing final notice of its funding allocation for Fiscal Year (FY) 2023-2024 inpatient disproportionate share hospital (DSH) payments to qualifying inpatient acute care general, psychiatric and rehabilitation hospitals and qualifying psychiatric and rehabilitation units of acute care general hospitals, outpatient supplemental payments to qualifying inpatient acute care general hospitals, direct medical education payments to qualifying inpatient acute care general hospitals, and certain DSH and supplemental payments to new hospitals. The Department is not otherwise changing the qualifying criteria or payment methodology for these payments.

The Department published notice of its intent to allocate funding for these payments at 53 Pa.B. 6011 (September 23, 2023). The Department received no public comments during the 30-day comment period and will implement the changes as described in its notice of intent.

Fiscal Impact

The FY 2023-2024 impact, as a result of the funding allocation for these payments, is \$258.220 million in total funds.

VALERIE A. ARKOOSH,
Secretary

Fiscal Note: Fiscal Note 14-NOT-1616 remains valid for the final adoption of the subject regulation.

[Pa.B. Doc. No. 24-413. Filed for public inspection March 22, 2024, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Finding

Under section 2002 of The Administrative Code of 1929 (71 P.S. § 512) establishing the Department of Transportation (Department), the Director of the Bureau of Design and Delivery, as delegated by the Secretary of Transportation, makes the following written finding:

The proposed South Bridge Alternative is the preferred alternative for the I-83 South Bridge Replacement project, SR 0083, Section 094 in Dauphin and Cumberland Counties. The preferred alternative would consist of: (1) replacing the existing South Bridge with a wider five-lane per direction bridge, widened to the south; (2) reconfiguring the Lemoyne Interchange on the West Shore of the Susquehanna River, including replacing the South Third Street Bridge over I-83 and the Norfolk Southern Railroad with a wider and longer structure; and (3) replacing the viaduct (bridge) from the Susquehanna River to Cameron Street, and reconstructing the Front Street/Second Street Interchange on the East Shore of the Susquehanna River.

The Environmental Assessment (EA) and EA comment responses have been evaluated by the Federal Highway Administration (FHWA) and were determined to discuss adequately and accurately the need, environmental issues, and impacts of the proposed project and mitigation measures that will be taken to minimize harm as stipulated in the EA. Based on the EA, the FHWA has issued a finding of no significant impact for the project. The Bureau of Design and Delivery has concluded that all State Environmental Evaluation Requirements, as published in section 2002 of The Administrative Code of 1929, have been satisfied.

The proposed project is anticipated to result in the following minor alterations of the Harrisburg City Parks, 7 Parkway Plan/Capital Area Greenbelt: the newly reconstructed piers for the South Bridge and Second Street off ramp; the temporary relocation of the upper portion of the Greenbelt Trail during construction; the temporary closure of the lower portion of the Greenbelt Trail during construction, and the tree removal; and right-of-way acquisition. The FHWA has determined that the proposed project constitutes a de minimis use of the Harrisburg City Parks, 7 Parkway Plan/Capital Area Greenbelt. Based on the documentation, it can be concluded that the harm to the resource has been minimized, all feasible and prudent alternatives have been explored to avoid impact upon the resource and the intent of section 2002(a)(15) of The Administrative Code of 1929 has been fulfilled as it relates to this project.

In the absence of a feasible and prudent alternative that eliminates any impact to section 2002 resources, it is recommended that the Department proceed with further development of this project.

MARK J. CHAPPELL, PE,
Acting Director
Bureau of Design and Delivery

[Pa.B. Doc. No. 24-414. Filed for public inspection March 22, 2024, 9:00 a.m.]

GOVERNOR’S OFFICE

Regulatory Agenda; Correction

An error occurred in the Department of Revenue’s list of regulations under development or consideration included in the Regulatory Agenda that was published at 54 Pa.B. 1471, 1484 (March 16, 2024). Following is the corrected list. The remainder of the Regulatory Agenda was accurate as published.

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
<i>Department of Revenue (DOR)</i>			
Corporate Net Income Tax 61 Pa. Code § 153.26a (Proposed Rulemaking) Sales factor sourcing sales of services	June 2024, as Proposed	Under the authority contained in section 6 of the Fiscal Code (72 P.S. § 6) and section 401 of the TRC (72 P.S. § 7401(3)), the Department proposes the addition of § 153.26a (relating to sales factor sourcing sales of services). Act 52 of 2013 enacted a revised methodology for sourcing revenue from sales of services in the computation of CNIT. The proposed rulemaking will establish the processes for sourcing service income and the apportionment of taxpayers’ business income to this Commonwealth and ensure that all taxpayers implement uniform methods for sourcing their sales of services to this Commonwealth. Informal public outreach was conducted October/November 2020.	Jack Frehafer (717) 346-4637
Corporate Net Income Tax 61 Pa. Code Chapter 153 (Proposed Rulemaking) Business income and nonbusiness income	June 2024, as Proposed	Under the authority contained in section 6 of Fiscal Code (72 P.S. § 6) and section 401 of the TRC (72 P.S. § 7401(3)), the Department is proposing amendments to the CNIT regulations by adding section 153.24a (relating to business and nonbusiness income) due to legislative changes and further development of the Unitary Business Principle of the U.S. Constitution in case law. Informal public outreach was conducted January/February 2020. Proposed rulemaking was delivered to the Office of General Counsel (OGC), Governor’s Policy (GPO) and Budget Offices (GBO) for review on 12/23/2021. It was resubmitted on 10/26/2023, subsequently approved by all 3 agencies and delivered to the Office of Attorney General (OAG) on 11/30/2023. OAG issued a Tolling Memorandum on 12/21/2023. During the 1st Quarter 2024, the Department will draft its response to OAG’s Tolling Memorandum.	Michael Vadner (717) 346-4640

<i>Regulation Being Considered</i>	<i>Proposed Date of Promulgation</i>	<i>Need and Legal Basis for Action</i>	<i>Agency Contact</i>
Personal Income Tax 61 Pa. Code §§ 5.1 et seq. (Proposed Rulemaking) Amendments [Payment by Electronic Funds Transfer] Payment Methods for Obligations Due the Commonwealth	March 2024, as Proposed	Under the authority contained in section 9 of The Fiscal Code (72 P.S. § 9), the Department and Treasury jointly propose amendments to Chapter 5, Payment Methods for Obligations Due the Commonwealth. The proposed rulemaking will be adding additional tax types such as 1099-Miscellaneous Withholding, Alternative Fuels Tax, Cigarette Tax, Consumer Fireworks Tax, Pari-Mutuel Tax, Public Transportation Assistance Taxes and Fees, Tavern Games Tax, Tobacco Products Tax, Unstampable Little Cigar Tax, Vehicle Rental Tax, Wine Excise Tax, the addition of credit/debit as an acceptable form of electronic payment and remove any reference to a specific address for the delivery of certified or cashier's checks. Informal public outreach was conducted July/August 2022. Proposed rulemaking delivered to OGC, GPO and GBO for review on 12/07/2022 and subsequently approved by all 3 agencies for delivery to OAG on 11/06/2023. On 12/01/2023 a Tolling Memorandum was issued by OAG. The Department submitted its response to OAG's Tolling Memorandum on 12/28/2023. During the 1st Quarter 2024 the regulation remains under review at OAG.	John Brenner (717) 705-3906

[Pa.B. Doc. No. 24-415. Filed for public inspection March 22, 2024, 9:00 a.m.]

INSURANCE DEPARTMENT

Autism Spectrum Disorders Coverage—Maximum Benefit Adjustment; Notice 2024-03

Section 635.2 of The Insurance Company Law of 1921 (40 P.S. § 764h) requires:

After December 30, 2011, the Insurance Commissioner shall, on or before April 1 of each calendar year, publish in the *Pennsylvania Bulletin* an adjustment to the maximum benefit equal to the change in the United States Department of Labor Consumer Price Index for All Urban Consumers (CPI-U) in the preceding year, and the published adjusted maximum benefit shall be applicable to the following calendar years to health insurance policies issued or renewed in those calendar years.

The CPI-U change for the year preceding December 30, 2023, was an increase of 3.4%. Accordingly, the maximum benefit, previously adjusted to \$48,786 per year, is hereby adjusted to \$50,445 for policies issued or renewed in calendar year 2025.

Questions regarding this notice may be directed to the Bureau of Life, Accident and Health, Insurance Department, 1311 Strawberry Square, Harrisburg, PA 17120, ra-rateform@pa.gov.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 24-416. Filed for public inspection March 22, 2024, 9:00 a.m.]

INSURANCE DEPARTMENT

Review Procedure Hearing under the Unfair Insurance Practices Act

The following insureds have requested a hearing as authorized under section 8 of the Unfair Insurance Practices Act (act) (40 P.S. § 1171.8) in connection with the termination of the insureds' homeowners policy. The proceedings will be governed in accordance with the requirements of the act, 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). This administrative hearing will be held as follows. Failure by the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

A prehearing telephone conference initiated by this office is scheduled for April 11, 2024, at 1 p.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before April 9, 2024.

The hearing will be held in the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17130.

Appeal of Aesha and Scott Lynch; AMCO Insurance Company; File No. 23-118-290742; Doc. No. P24-02-003; April 25, 2024, 10 a.m.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner (Commissioner)

will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 24-417. Filed for public inspection March 22, 2024, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Formal protests, petitions to intervene and answers must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before April 8, 2024. Filings must be made electronically through eFiling to the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by April 8, 2024. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission's eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. The documents filed in support of the application are only available for inspection through the Commission's web site at www.puc.pa.gov by searching under the listed docket number as follows or by searching the applicant's web site.

Applications of the following for approval to *begin* operating as *common carriers* for transportation of *persons* as described under each application.

A-2024-3045901. Future Days, LLC (112 Park Place, Kingston, Luzerne County, PA 18704) for the right to begin to transport, as a common carrier, by motor vehicle, persons in paratransit service, from points in the Counties of Lackawanna and Luzerne, to points in Pennsylvania, and return.

A-2024-3045903. Future Days, LLC (112 Park Place, Kingston, Luzerne County, PA 18704) for the right to begin to transport, as a common carrier, by motor vehicle, persons in airport transfer service, from points in the Counties of Lackawanna and Luzerne to Harrisburg International Airport, Lehigh Valley International Airport and Wilkes-Barre Scranton International Airport, and vice versa.

A-2024-3046856. Trinite Fleet, LLC (1209 Hale Street, Philadelphia, PA 19111) to transport, as a common carrier, by motor vehicle, persons in paratransit service, from points in the City and County of Philadelphia, to points in Pennsylvania, and return.

A-2024-3047059. BGP, LLC, t/a PA Transportation Services (2045 Westgate Drive, Suite 100, Bethlehem, Lehigh County, PA 18017) persons in paratransit service, from points in the Counties of Carbon, Lackawanna, Luzerne, Monroe and Schuylkill, to points in Pennsylvania, and return.

Applications of the following for the approval of the right and privilege to *discontinue/abandon* operating as *common carriers* by motor vehicle and for cancellation of the certificate of public convenience as described under each application.

A-2024-3047074. Rochelle Bush Jones, t/a Rose Transport (5002 North 11th Street, Philadelphia, Philadelphia County, PA 19141) discontinuance of service and cancellation of its certificate, to transport, as a common carrier, by motor vehicle, at A-2019-3011370, persons in paratransit service, from points in the City and County of Philadelphia to the following correctional facilities and entertainment venues: State Correctional Institution (SCI) Benner Township, SCI Camp Hill, SCI Chester, SCI Coal Township, SCI Frackville, SCI Houtzdale, SCI Huntingdon, SCI Laurel Highlands, SCI Mahanoy, SCI Muncy, SCI Phoenix, SCI Pine Grove, Quehanna Motivational Boot Camp, SCI Retreat, SCI Rockview, SCI Smithfield, SCI Somerset, SCI Waymart, Dorney Park, Hershey Park, Sesame Place and the Philadelphia Zoo, and return.

A-2024-3047075. Diamonds Auto Transport, LLC (150 North Radnor Chester Road, Suite F-200, Radnor, Delaware County, PA 19087) for the discontinuance and cancellation of its right to transport, as a common carrier, by motor vehicle, persons in paratransit service, from points in Delaware County and the City and County of Philadelphia, to points in Pennsylvania, and return, as originally docketed at A-2023-3041939.

A-2024-3047210. Michael Mizur, t/a Limo 1 (3015 North Front Street, Whitehall, Lehigh County, PA 18052) for the discontinuance and cancellation of his right to transport persons, in group and party service, in vehicles seating between 11 and 15 passengers, including the driver, from points in Lehigh and Northampton Counties, to points in Pennsylvania, and return; excluding areas under the jurisdiction of the Philadelphia Parking Authority, as originally docketed at A-2013-2356615.

A-2024-3047217. Newtown American Legion Ambulance Squad, Inc., t/d/b/a Newtown Ambulance Squad (2651 South Eagle Road, Newtown, Bucks County, PA 18940) discontinuance of service and cancellation of its certificate, to transport, as a common carrier, by motor vehicle, at A-00115887, persons in paratransit service, between points in the Boroughs of Bristol, Langhorne Manor, Newtown and Pennel and the Townships of Bensalem, Bristol, Falls, Lower Makefield, Lower Southampton, Middletown, Newtown, Northampton, Upper Makefield and Wrightstown, all located in Bucks County, and from points in said territory, to points in Pennsylvania, and vice versa, limited to the following

vehicles: ambulances, wheelchair lift vans, buses and automobiles: Subject to the following condition, that no right power or privilege is granted to provide transportation services to points in the Township of Upper Southampton and Warminster, Bucks County.

A-2024-3047374. Mary Jane T. Kline (4447 Glenville Road, Cochranville, Chester County, PA 19330) for the discontinuance and cancellation of her right to transport, as a common carrier, persons in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, from points in the portion of Chester County west of Route 10 and Lancaster County, to points in Pennsylvania, and return, as originally docketed at A-2009-2141314.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 24-418. Filed for public inspection March 22, 2024, 9:00 a.m.]

SUSQUEHANNA RIVER BASIN COMMISSION

General Permits Notice

The Susquehanna River Basin Commission lists the following General Permits for the project under 18 CFR 806.17(c)(4) (relating to general permits) from February 1, 2024, through February 29, 2024.

For further information contact Jason E. Oyler, General Counsel and Secretary, (717) 238-0423, Ext. 1312, fax (717) 238-2436, joyler@srbc.gov. Regular mail inquiries may be sent to the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788.

Supplementary Information

This notice lists General Permits for the project described as follows, under 18 CFR 806.17(c)(4), for the time period previously specified:

1. Cherokee Pharmaceuticals, LLC, General Permit Approval of Coverage No. GP-01-20240204, Riverside Borough, Northumberland County, PA; groundwater remediation system withdrawal approved up to 0.600 mgd (30-day average); Approval Date: February 9, 2024.

Authority: Pub.L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806 and 808

Dated: March 7, 2024

ANDREW D. DEHOFF,
Executive Director

[Pa.B. Doc. No. 24-419. Filed for public inspection March 22, 2024, 9:00 a.m.]

SUSQUEHANNA RIVER BASIN COMMISSION

Projects Approved for Consumptive Uses of Water

The Susquehanna River Basin Commission (Commission) has approved by rule the following projects from February 1, 2024, through February 29, 2024.

For further information contact Jason E. Oyler, General Counsel and Secretary, (717) 238-0423, Ext. 1312, fax (717) 238-2436, joyler@srbc.gov. Regular mail inquiries may be sent to the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788.

Supplementary Information

This notice lists the projects, described as follows, receiving approval for the consumptive use of water under the Commission's approval by rule process in 18 CFR 806.22(f) (relating to standards for consumptive uses of water) for the time period previously specified.

Water Source Approval—Issued Under 18 CFR 806.22(f):

1. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: Hurley Drilling Pad # 1; ABR-201201040.R2; Cherry Township, Sullivan County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: February 5, 2024.

2. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: Manahan; ABR-201201036.R2; Albany Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: February 5, 2024.

3. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: Messersmith; ABR-201201037.R2; Wilmot Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: February 5, 2024.

4. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: SGL289C; ABR-201201034.R2; West Burlington Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: February 5, 2024.

5. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: Warburton; ABR-201201033.R2; Forks Township, Sullivan County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: February 5, 2024.

6. RENEWAL—Seneca Resources Company, LLC; Pad ID: My TB INV LLC 6076; ABR-201702001.R1; Deerfield Township, Tioga County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: February 8, 2024.

7. RENEWAL—Seneca Resources Company, LLC; Pad ID: Rich Valley Pad F; ABR-201402002.R2; Shippen Township, Cameron County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: February 8, 2024.

8. RENEWAL—Seneca Resources Company, LLC; Pad ID: Rich Valley Pad G; ABR-201402001.R2; Shippen Township, Cameron County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: February 8, 2024.

9. RENEWAL—Range Resources—Appalachia, LLC; Pad ID: Cornwall 1H—5H; ABR-201402006.R2; Lewis Township, Lycoming County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: February 13, 2024.

10. RENEWAL—Repsol Oil & Gas USA, LLC; Pad ID: COREY (07 089) J; ABR-201402008.R2; Choconut Township, Susquehanna County, PA; Consumptive Use of Up to 6.0000 mgd; Approval Date: February 13, 2024.

11. RENEWAL—Repsol Oil & Gas USA, LLC; Pad ID: KROPIEWNICKI (07 038) J; ABR-201402004.R2; Apolacon Township, Susquehanna County, PA; Consumptive Use of Up to 6.0000 mgd; Approval Date: February 13, 2024.

12. RENEWAL—Repsol Oil & Gas USA, LLC; Pad ID: YORK (07 088) R; ABR-201402005.R2; Little Meadows Borough, Susquehanna County, PA; Consumptive Use of Up to 6.0000 mgd; Approval Date: February 13, 2024.

13. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: Ferraro; ABR-201202007.R2; Terry Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: February 14, 2024.

14. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: Makayla; ABR-201202008.R2; Wilmot Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: February 14, 2024.

15. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: Schlapfer; ABR-201202006.R2; Albany Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: February 14, 2024.

16. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: Moyer; ABR-201202019.R2; Overton Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: February 19, 2024.

17. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: Yadpad; ABR-201202020.R2; Wilmot Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: February 19, 2024.

18. RENEWAL—Coterra Energy, Inc.; Pad ID: Jeffers Farms P2; ABR-201702002.R1; Harford Township, Susquehanna County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: February 19, 2024.

19. RENEWAL—Repsol Oil & Gas USA, LLC; Pad ID: CAPRIO (07 077) S; ABR-201402011.R2; Apolacon Township, Susquehanna County, PA; Consumptive Use of Up to 6.0000 mgd; Approval Date: February 19, 2024.

20. RENEWAL—SWN Production Company, LLC; Pad ID: RU-65-LEONARD-PAD; ABR-201402010.R2; Jackson Township, Susquehanna County, PA; Consumptive Use of Up to 4.9990 mgd; Approval Date: February 19, 2024.

21. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: HEMLOCK RIDGE ESTATES PAD; ABR-201902003.R1; McNett Township, Lycoming County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: February 26, 2024.

22. RENEWAL—Coterra Energy, Inc.; Pad ID: MakoskyT P1; ABR-201402012.R2; Brooklyn Township, Susquehanna County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: February 26, 2024.

23. RENEWAL—Coterra Energy, Inc.; Pad ID: MillardK P1; ABR-201402013.R2; Jessup Township, Susquehanna County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: February 26, 2024.

24. Repsol Oil & Gas USA, LLC; Pad ID: DECRISTO (01-128); ABR-202402002; Sullivan Township, Tioga County, PA; Consumptive Use of Up to 6.0000 mgd; Approval Date: February 26, 2024.

25. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: Muzzy Drilling Pad # 1; ABR-201202027.R2; Ulster Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: February 29, 2024.

26. RENEWAL—Seneca Resources Company, LLC; Pad ID: Kreitzer 505; ABR-201202030.R2; Rutland Township, Tioga County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: February 29, 2024.

27. Repsol Oil & Gas USA, LLC; Pad ID: UPHAM (05-093); ABR-202402001; Pike Township, Bradford County, PA; Consumptive Use of Up to 6.0000 mgd; Approval Date: February 29, 2024.

Authority: Pub.L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806 and 808

Dated: March 7, 2024

ANDREW D. DEHOFF,
Executive Director

[Pa.B. Doc. No. 24-420. Filed for public inspection March 22, 2024, 9:00 a.m.]

SUSQUEHANNA RIVER BASIN COMMISSION

Projects Approved for Minor Modifications

The Susquehanna River Basin Commission (Commission) lists the minor modifications approved for previously approved projects from January 1, 2024, through February 29, 2024.

For further information contact Jason E. Oyler, General Counsel and Secretary, (717) 238-0423, Ext. 1312, fax (717) 238-2436, joyler@srbc.net. Regular mail inquiries may be sent to the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788.

Supplementary Information

This notice lists previously approved projects, receiving approval of minor modifications, described as follows, under 18 CFR 806.18 (relating to approval modifications) or Commission Resolution Nos. 2013-11 and 2015-06 for the time period previously specified.

1. Koppers, Inc., Docket No. 20231209, Clinton Township, Lycoming County, PA; correction in Section 3 of source name; Correction Issue Date: January 9, 2024.

2. Dart Container Corporation of Pennsylvania, Docket No. 20040910-3, Upper Leacock Township, Lancaster County, PA; modification approval to add public water supply (Upper Leacock Township Municipal Authority) as an additional source of consumptive use, with no changes to existing quantities; Approval Date: February 23, 2024.

3. Murry Development Corporation—Crossgates Golf Club, Docket No. 20231223, Manor Township and Millersville Borough, Lancaster County, PA; modification approval to change the consumptive use mitigation method; Approval Date: February 29, 2024.

Authority: Pub.L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806 and 808

Dated: March 7, 2024

ANDREW D. DEHOFF,
Executive Director

[Pa.B. Doc. No. 24-421. Filed for public inspection March 22, 2024, 9:00 a.m.]

