

# NOTICES

## DEPARTMENT OF BANKING AND SECURITIES

### Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending March 26, 2024.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, may file comments in writing with the Department, for Bank Supervision, by e-mail to ra-bnbnksbmssnspt@pa.gov or for credit unions, by e-mail to ra-bncusubmissions@pa.gov and trust companies, by e-mail to ra-bntrustsuprvsninq@pa.gov. Comments must be received no later than 30 days from the date that the notice regarding acceptance of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240, or for credit unions or trust companies (717) 783-2253.

### APPLICATIONS FOR COMMENT

#### BANKING INSTITUTIONS

No activity.

#### CREDIT UNIONS

No activity.

### OTHER APPLICATION ACTIVITY

#### BANKING INSTITUTIONS

##### Branch Applications

##### De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Status</i>
03-26-2024	Somerset Trust Company Somerset Somerset County	100 North Main Street Greensburg Westmoreland County	Accepted

##### Branch Relocations

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Status</i>
03-21-2024	First Resource Bank Exton Chester County	<i>To:</i> 690 Stockton Drive Suite 300 Exton Chester County (Limited-Service Facility)  <i>From:</i> 1 East Uwchlan Avenue Suite 410 Exton Chester County (Limited-Service Facility)	Approved

#### CREDIT UNIONS

No activity.

The Department's web site at [www.dobs.pa.gov](http://www.dobs.pa.gov) includes public notices for more recently filed applications.

WENDY S. SPICHER,  
*Secretary*

[Pa.B. Doc. No. 24-468. Filed for public inspection April 5, 2024, 9:00 a.m.]

# DEPARTMENT OF ENVIRONMENTAL PROTECTION

## Applications, Actions and Special Notices

---

### APPLICATIONS

---

#### THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

#### APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS UNDER THE CLEAN STREAMS LAW AND FEDERAL CLEAN WATER ACT

This notice provides information about persons who have applied to the Department of Environmental Protection (DEP) for a new, renewed, or amended NPDES or WQM permit, or a permit waiver for certain stormwater discharges, or have submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications and NOIs concern, but are not limited to, effluent discharges from sewage treatment facilities and industrial facilities to surface waters or groundwater; stormwater discharges associated with industrial activity (industrial stormwater), construction activity (construction stormwater), and municipal separate storm sewer systems (MS4s); the application of pesticides; the operation of Concentrated Animal Feeding Operations (CAFOs); and the construction of sewage, industrial waste, and manure storage, collection and treatment facilities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES and WQM permits that are available can be found on DEP's website (visit [www.dep.pa.gov](http://www.dep.pa.gov) and select Businesses, Water, Bureau of Clean Water, Wastewater Management, and NPDES and WQM Permitting Programs).

<i>Section</i>	<i>Category</i>
----------------	-----------------

- |     |  |
|-----|--|
| I   | Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received                                |
| II  | Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs |
| III | Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity  |

Section I identifies the following applications and NOIs that have been received by DEP:

- Individual and General WQM Permit Applications Received—DEP provides a 15-day public comment period for Individual WQM Permit Applications for new and reissued permits. There is no public comment period for General WQM Permit NOIs.
- General Chapter 92a NPDES Permit NOIs Received—There is no public comment period for General NPDES NOIs received.
- All Transfer and Minor Amendment Applications/NOIs Received—Transfer and Minor Amendment Applications/NOIs received for Individual and General WQM Permits and Individual and General NPDES Permits, excluding PAG-01 and PAG-02, are identified but do not have public comment periods. DEP provides a 15-day public comment period for Individual WQM Permit Applications for amendments.

Additional information on these applications and NOIs may be reviewed by generating the “Applications and NOIs without Comment Periods Report” or, for Individual WQM Permit Applications, the “Applications Received with Comment Periods Report” on DEP's website at [www.dep.pa.gov/CWPublicNotice](http://www.dep.pa.gov/CWPublicNotice).

Section II identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to sewage, industrial waste, industrial stormwater, MS4s, pesticides and CAFOs. A 30-day public comment period applies to these applications and draft permits, except when a site-specific water quality criterion is used to establish effluent limitations, in which case a 45-day public comment period applies. The period for comment may be extended at the discretion of DEP for one additional 15-day period. Additional information, including links to draft permits and fact sheets that explain the basis for DEP's tentative determinations may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP's website at [www.dep.pa.gov/CWPublicNotice](http://www.dep.pa.gov/CWPublicNotice). Notification of 15-day extensions for comment will be provided in the “Applications Received with Comment Periods Report” (Comments column).

Section III identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to stormwater discharges associated with construction activities. A 30-day public comment period applies to these applications and draft permits. The period for comment may be extended at the discretion of the Department for one additional 15-day period. Additional information may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP's website at [www.dep.pa.gov/CWPublicNotice](http://www.dep.pa.gov/CWPublicNotice).

Applications, NOIs and draft permits, where applicable, may be reviewed at the DEP office that received the application or NOI. Members of the public are encouraged to use DEP's website to obtain additional information as discussed previously.

Comments received within the appropriate comment periods for WQM and NPDES permit applications will be retained by DEP and considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and the relevant facts upon which it is based.

DEP office contact information to review applications and NOIs and to submit comments for those applications, when applicable, is as follows:

*DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES\_SERO@pa.gov for permits in Sections I & II; RA-EPWW-SERO@pa.gov for permits in Section III.*

*DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES\_NERO@pa.gov for permits in Sections I & II; RA-EPWW-NERO@pa.gov for permits in Section III.*

*DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES\_SCRO@pa.gov for permits in Sections I & II; RA-EPWW-SCRO@pa.gov for permits in Section III.*

*DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES\_NCRO@pa.gov for permits in Sections I & II; RA-EPWW-NCRO@pa.gov for permits in Section III.*

*DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES\_SWRO@pa.gov for permits in Sections I & II; RA-EPWW-SWRO@pa.gov for permits in Section III.*

*DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6340. Email: RA-EPNPDES\_NWRO@pa.gov for permits in Sections I & II; RA-EPWW-NWRO@pa.gov for permits in Section III.*

*DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES\_Permits@pa.gov.*

*DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.*

DEP will also accept requests or petitions for public hearings on applications. The request or petition must indicate the interest of the party filing and the reasons why a hearing is warranted. A hearing will be held if DEP determines that there is a significant public interest. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. DEP will postpone its final determination until after a public hearing is held.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

**I. Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received.**

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAD390100	Chapter 102 Individual NPDES Permit	Transfer	Madison Village Management LLC P.O. Box 86 Bath, PA 18014-0086	Lynn Township Lehigh County	NERO
1513824	Joint DEP/PFBC Pesticides Permit	Renewal	Robert Fry 326 Lucas Road Phoenixville, PA 19460	East Vincent Township Chester County	SERO
1513857	Joint DEP/PFBC Pesticides Permit	Renewal	Griffiths Robert E 9 Rapps Run Drive Malvern, PA 19355-9663	Charlestown Township Chester County	SERO
1513868	Joint DEP/PFBC Pesticides Permit	Renewal	Daylesford Lakes 183 Daylesford Lakes Berwyn, PA 19321	Tredyffrin Township Chester County	SERO
1513914	Joint DEP/PFBC Pesticides Permit	Renewal	Willistown Knoll HOA P.O. Box 1119 Chadds Ford, PA 19317-0658	Willistown Township Chester County	SERO
3819805	Joint DEP/PFBC Pesticides Permit	Amendment	MHC TT LP 493 S Mount Pleasant Road Lebanon, PA 17042-4870	South Annville Township Lebanon County	SCRO

## NOTICES

1829

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
4623810	Joint DEP/PFBC Pesticides Permit	Amendment	Starfield Comm Association c/o Continental Properties Management 975 Easton Road Suite 102 Warrington, PA 18976-1858	Upper Providence Township Montgomery County	SERO
4824801	Joint DEP/PFBC Pesticides Permit	New	Roseto Rod & Gun Club PA 30 Shooktown Road Bangor, PA 18013-9391	Washington Township Northampton County	NERO
1501417	Land Application and Reuse of Sewage Individual WQM Permit	Renewal	Nantmeal Warwick Sewer Co. Inc. 26 E Main Street Elverson, PA 19520	Warwick Township Chester County	SERO
1587447	Land Application and Reuse of Sewage Individual WQM Permit	Renewal	Ponds of Woodward HOA 801 Burrows Run Road Chadds Ford, PA 19317-9238	Kennett Township Chester County	SERO
0183401	Major Sewage Treatment Facility Individual WQM Permit	Amendment	Littlestown Borough Authority 41 South Columbus Avenue Littlestown, PA 17340-1612	Littlestown Borough Adams County	SCRO
0474418	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Amendment	PA American Water Co. 203 Sycamore Street Punxsutawney, PA 15767-1357	Koppel Borough Beaver County	SWRO
1524403	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	New	Martins Comm LLC 25 Randy Lane Cochranville, PA 19330-1647	West Nottingham Township Chester County	SERO
4017404	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Amendment	Aqua PA Wastewater Inc. 762 W Lancaster Avenue Bryn Mawr, PA 19010-3489	White Haven Borough Luzerne County	NERO
NNOEXNC34	No Exposure Certification	Transfer	Westlake Royal Bldg Products LLC 112 Industrial Parkway Elkland, PA 16920-1457	Elkland Borough Tioga County	NCRO
NNOEXNC61	No Exposure Certification	Renewal	Supelco Inc. 595 N Harrison Road Bellefonte, PA 16823-6217	Spring Township Centre County	NCRO
NNOEXSC34	No Exposure Certification	Renewal	ITT Ind Inc. 33 Centerville Road Lancaster, PA 17603-4004	East Hempfield Township Lancaster County	SCRO
NOEXNW082	No Exposure Certification	Renewal	Essentra Plastics LLC dba Essentra Components 3123 Station Road Erie, PA 16510-6501	Wesleyville Borough Erie County	NWRO
NOEXNW193	No Exposure Certification	Renewal	Wickmac Inc. 1399 County Line Road New Castle, PA 16101-2955	Hickory Township Lawrence County	NWRO
NOEXSE320	No Exposure Certification	Renewal	Crown Cork & Seal Co. Inc. 770 Township Line Road Yardley, PA 19067	Ambler Borough Montgomery County	SERO
PAG032423	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Harford Stone Co. 1060 Bartholomew Road Kingsley, PA 18826-7773	Harford Township Susquehanna County	NERO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG034083	PAG-03 NPDES General Permit for Industrial Stormwater	New	White Oak Mills Inc. 419 W High Street Elizabethtown, PA 17022-2143	Elizabethtown Borough Lancaster County	SCRO
PAG036444	PAG-03 NPDES General Permit for Industrial Stormwater	Amendment	Mccutcheon Enterprises Inc. 250 Park Road Apollo, PA 15613-8730	Allegheny Township Westmoreland County	SWRO
PAG038519	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	TSK Partners Inc. 1533 E 12th Street Erie, PA 16511-1747	Erie City Erie County	NWRO
PAG041303	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Mason Christine 1491 Bimber Run Road Tidioute, PA 16351-5331	Limestone Township Warren County	NWRO
PAG041304	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	McLusky James 718 Greenfield Road Mercer, PA 16137	Lackawannock Township Mercer County	NWRO
PAG041305	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Gebauer Tonya 338 Oil Valley Road Duke Center, PA 16729-9754	Otto Township McKean County	NWRO
PAG041306	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Kenneth & Joan Larsen 1220 Howard Road Russell, PA 16345-6026	Pine Grove Township Warren County	NWRO
PAG041307	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Passinger Mitchell 3390 Egypt Hollow Road Russell, PA 16345-4528	Pine Grove Township Warren County	NWRO
PAG041308	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Melinda & Timothy Davison 28231 Route 66 Lucinda, PA 16235-2825	Knox Township Clarion County	NWRO
PAG041309	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	McCullough Paul D 20 Schultz Lane Sharpsville, PA 16150	Jefferson Township Mercer County	NWRO
PAG041310	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Boyer Shawn 53 Valley View Drive New Wilmington, PA 16142	Pulaski Township Lawrence County	NWRO
PAG041313	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Asay Jennarose 17270 Townhouse Road Saegertown, PA 16433-3852	Hayfield Township Crawford County	NWRO
PAG043987	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Susquehanna Resources 307 Leaders Heights Road York, PA 17402-5024	Hellam Township York County	SCRO
PAG046479	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Crawford George 125 Graham Avenue Washington, PA 15301-9079	South Franklin Township Washington County	SWRO
PAG046480	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Wolverine Properties LLC 5877 Commerce Street Suite 001 Pittsburgh, PA 15206-3835	Indiana Township Allegheny County	SWRO

## NOTICES

1831

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG123856	PAG-12 NPDES General Permit for CAFOs	Renewal	Round Hill Poultry 6108 Carlisle Pike East Berlin, PA 17316-9583	Reading Township Adams County	SCRO
PAG123936	PAG-12 NPDES General Permit for CAFOs	Renewal	Brubaker Kevin 7117 Bernville Road Bernville, PA 19506-8637	Jefferson Township Berks County	SCRO
PAG123947	PAG-12 NPDES General Permit for CAFOs	New	Cedar Pine Farms LLC 1015 Heritage Avenue Shippensburg, PA 17257-9267	Todd Township Fulton County	SCRO
4395411	Pump Stations Individual WQM Permit	Amendment	Pine Twp Mercer County 545 Barkeyville Road Grove City, PA 16127-4701	Pine Township Mercer County	NWRO
0273428	Sewer Extensions Individual WQM Permit	Transfer	Allegheny County Sanitary Authority ALCOSAN 3300 Preble Avenue Pittsburgh, PA 15233-1025	Pittsburgh City Allegheny County	SWRO
3298	Sewer Extensions Individual WQM Permit	Transfer	Allegheny County Sanitary Authority ALCOSAN 3300 Preble Avenue Pittsburgh, PA 15233-1025	Pittsburgh City Allegheny County	SWRO
0461S29	Sewer Extensions Individual WQM Permit	Transfer	Allegheny County Sanitary Authority ALCOSAN 3300 Preble Avenue Pittsburgh, PA 15233-1025	Pittsburgh City Allegheny County	SWRO
0463S33	Sewer Extensions Individual WQM Permit	Transfer	Allegheny County Sanitary Authority ALCOSAN 3300 Preble Avenue Pittsburgh, PA 15233-1025	Pittsburgh City Allegheny County	SWRO
4757	Sewer Extensions Individual WQM Permit	Transfer	Allegheny County Sanitary Authority ALCOSAN 3300 Preble Avenue Pittsburgh, PA 15233-1025	Pittsburgh City Allegheny County	SWRO
1018403	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Alex & Jessie Borst 198 McBride Road Slippery Rock, PA 16057-4926	Brady Township Butler County	NWRO
5610406	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Sines Lori L 1300 Buckstown Road Stoystown, PA 15563-8811	Stonycreek Township Somerset County	SWRO
WQG01022401	WQG-01 WQM General Permit	New	Wolverine Properties LLC 5877 Commerce Street Suite 001 Pittsburgh, PA 15206-3835	Indiana Township Allegheny County	SWRO
WQG01202404	WQG-01 WQM General Permit	New	Asay Jennarose 17270 Townhouse Road Saegertown, PA 16433-3852	Hayfield Township Crawford County	NWRO
WQG01252401	WQG-01 WQM General Permit	New	Orelski Darrell 10850 Wattsburg Road Erie, PA 16509-7404	Venango Township Erie County	NWRO
WQG01632401	WQG-01 WQM General Permit	New	Crawford George 125 Graham Avenue Washington, PA 15301-9079	South Franklin Township Washington County	SWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
WQG02024302	WQG-02 WQM General Permit	New	Cumberland Township Authority Adams County 1370 Fairfield Road Gettysburg, PA 17325-7267	Cumberland Township Adams County	SCRO
WQG02432401	WQG-02 WQM General Permit	New	Hermitage Municipal Authority Mercer County 800 North Hermitage Road Hermitage, PA 16148	Hermitage City Mercer County	NWRO

## II. Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.

### *Northeast Regional Office*

**PA0064157**, Sewage, SIC Code 4952, **New Ringgold Borough**, P.O. Box 188, New Ringgold, PA 17960-0188. Facility Name: New Ringgold Borough WWTP. This existing facility is located in New Ringgold Borough, **Schuylkill County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, Little Schuylkill River (CWF, MF), is located in State Water Plan watershed 3-A and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.04 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
				Annl Avg		

The proposed effluent limits for Outfall 001 are based on a design flow of 0.04 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
		Daily Max				
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	8.0	13.0	XXX	25.0	40.0	50.0
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	10.0	15.0	XXX	30.0	45.0	60.0
Total Suspended Solids	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ammonia-Nitrogen	XXX	XXX	XXX	Geo Mean		
Nov 1 - Apr 30				Report	XXX	Report
May 1 - Oct 31	8.0	XXX	XXX	25.0	XXX	50.0

In addition, the permit contains the following major special conditions:

- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

*Northeast Regional Office*

**PA0276821**, Storm Water, SIC Code 4213, **Old Dominion Freight Line Inc.**, 500 Old Dominion Way, Thomasville, NC 27360-8923. Facility Name: Old Dominion Freight Line—Tvp. This proposed facility is located in Pocono Township, **Monroe County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated industrial stormwater.

The receiving stream(s), Unnamed Tributary to Reeders Run (HQ-CWF, MF), is located in State Water Plan watershed 1-E and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

*Northeast Regional Office*

**PAS322201**, Storm Water, SIC Code 3944, 3951, 3952, **Crayola LLC**, 1100 Church Lane, Easton, PA 18040-6638. Facility Name: Crayola LLC Church Lane Plant. This existing facility is located in Forks Township, **Northampton County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial stormwater.

The receiving stream(s), Bushkill Creek (HQ-CWF, MF), is located in State Water Plan watershed 1-F and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
pH (S.U.)	XXX	XXX	Report Inst Min	XXX	XXX	Report
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	XXX	Report
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	Report
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	XXX	XXX	Report
Total Phosphorus	XXX	XXX	XXX	XXX	XXX	Report
Aluminum, Total	XXX	XXX	XXX	XXX	XXX	Report
Iron, Total	XXX	XXX	XXX	XXX	XXX	Report
Lead, Total	XXX	XXX	XXX	XXX	XXX	Report
Zinc, Total	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
pH (S.U.)	XXX	XXX	Report Inst Min	XXX	XXX	Report
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	XXX	Report
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	Report
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	XXX	XXX	Report
Total Phosphorus	XXX	XXX	XXX	XXX	XXX	Report
Aluminum, Total	XXX	XXX	XXX	XXX	XXX	Report



<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Iron, Total	XXX	XXX	XXX	XXX	XXX	Report
Lead, Total	XXX	XXX	XXX	XXX	XXX	Report
Zinc, Total	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 003 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	Report Inst Min	XXX	XXX	Report
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	XXX	Report
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	Report
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	XXX	XXX	Report
Total Phosphorus	XXX	XXX	XXX	XXX	XXX	Report
Aluminum, Total	XXX	XXX	XXX	XXX	XXX	Report
Iron, Total	XXX	XXX	XXX	XXX	XXX	Report
Lead, Total	XXX	XXX	XXX	XXX	XXX	Report
Zinc, Total	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 004 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	Report Inst Min	XXX	XXX	Report
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	XXX	Report
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	Report
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	XXX	XXX	Report
Total Phosphorus	XXX	XXX	XXX	XXX	XXX	Report
Aluminum, Total	XXX	XXX	XXX	XXX	XXX	Report
Iron, Total	XXX	XXX	XXX	XXX	XXX	Report
Lead, Total	XXX	XXX	XXX	XXX	XXX	Report
Zinc, Total	XXX	XXX	XXX	XXX	XXX	Report

In addition, the permit contains the following major special conditions:

- Stormwater Outfalls and Authorized Non-Stormwater Discharges
- Best Management Practices (BMPs)
- Routine Inspections
- Preparedness, Prevention and Contingency (PPC) Plan
- Stormwater Monitoring Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

*Northwest Regional Office*

**PA0043036**, Sewage, SIC Code 7032, **PA Conference Association of Seventh Day Adventists Inc.**, 76 Lodge Road, Rossiter, PA 15772-6720. Facility Name: Laurel Lake Camp & Retreat Center. This existing facility is located in Banks Township, **Indiana County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treateds.

The receiving stream(s), Straight Run, is located in State Water Plan watershed 17-D and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0105 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum	
	Average Monthly	Average Weekly		Average Monthly	Maximum		
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX	
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX	
Dissolved Oxygen	XXX	XXX	Daily Min	XXX	Daily Max	XXX	
			5.0		XXX		
Total Residual Chlorine (TRC)	XXX	XXX	Daily Min	0.3	XXX	1.0	
			XXX				XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	15.0	XXX	30	
			XXX				XXX
Total Suspended Solids	XXX	XXX	XXX	25.0	XXX	50	
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	2,000	XXX	10,000	
							Oct 1 - Apr 30
							May 1 - Sep 30
E. Coli (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000	
							XXX
Ammonia-Nitrogen	XXX	XXX	XXX	XXX	Report	XXX	
							Nov 1 - Apr 30
							May 1 - Oct 31
Total Nitrogen	XXX	XXX	XXX	9.0	XXX	18	
Total Phosphorus	XXX	XXX	XXX	3.0	XXX	6	
							XXX
					Report	XXX	
					Daily Max		

In addition, the permit contains the following major special conditions:

- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

**PA0264644**, Sewage, SIC Code 4952, 8800, **Libby Abbey**, 2867 Cobham Park Road, Warren, PA 16365-8310. Facility Name: Libby Abbey SRSTP. This existing facility is located in Glade Township, **Warren County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Glade Run (CWF), is located in State Water Plan watershed 16-B and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report	XXX	XXX
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

**PA0295744**, Sewage, SIC Code 8800, **Bruce Lazar**, 131 Miller Road, Sarver, PA 16055-8932. Facility Name: Bruce Lazar SRSTP. This proposed facility is located in Clinton Township, **Butler County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Lardintown Run (TSF), is located in State Water Plan watershed 18-A and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

**PA0000213**, Industrial, SIC Code 4941, **PA American Water Company**, 852 Wesley Drive, Mechanicsburg, PA 17055-4436. Facility Name: PA American Water Kane. This existing facility is located in Kane Borough, **McKean County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream, the Hubert Run (CWF), is located in State Water Plan watershed 16-B and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.009 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	1.0	1.25
Total Suspended Solids	XXX	XXX	XXX	30.0	60.0	75
Aluminum, Total	XXX	XXX	XXX	1.0	2.0	2.5
Iron, Total	XXX	XXX	XXX	2.0	4.0	5
Manganese, Total	XXX	XXX	XXX	1.0	2.0	2.5
Copper, Total	XXX	XXX	XXX	Report Avg Qrtly	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

**PA0221775**, Industrial, SIC Code 2951, **HRI Inc.**, 1750 West College Avenue, State College, PA 16801-2719. Facility Name: HRI Brookville Asphalt Plant. This existing facility is located in Pine Creek Township, **Jefferson County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream is Fivemile Run, located in State Water Plan watershed 17-C and classified for Cold Water Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of N/A MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Flow (MGD)	XXX	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 101 are based on a design flow of .00015 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Flow (MGD)	XXX	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Daily Max XXX	6.0 Inst Min	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Southcentral Regional Office

**PA0020621**, Sewage, SIC Code 4952, **Waynesboro Borough Authority**, P.O. Box 310, Waynesboro, PA 17268-0310. Facility Name: Waynesboro STP. This existing facility is located in Waynesboro Borough, **Franklin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to East Branch Antietam Creek (CWF, MF) and Unnamed Tributary to East Branch Antietam Creek (CWF), is located in State Water Plan watershed 13-C and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.6 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Daily Max XXX	7.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.36	XXX	1.17
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	330	530	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent		Daily Max				
Total Suspended Solids	400	600	XXX	30	45	60
Total Suspended Solids	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent		Daily Max				
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	Geo Mean	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N (Total Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	Total Mo	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
(lbs)	Total Mo					
Ammonia-Nitrogen	180	XXX	XXX	13.5	XXX	27
Nov 1 - Apr 30						
May 1 - Oct 31	60	XXX	XXX	4.5	XXX	9
Ammonia-Nitrogen (Total Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
(lbs)	Total Mo					
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
(lbs)	Total Mo					
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus (Total Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
(lbs)	Total Mo					

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average	Weekly		Average	Daily	
	Monthly	Average		Monthly	Maximum	
Copper, Total	XXX	XXX	XXX	0.053	0.132	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 1.6 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average	Weekly		Average	Daily	
	Monthly	Average		Monthly	Maximum	
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

Southcentral Regional Office

**PA0022233**, Sewage, SIC Code 4952, **Arendtsville Borough Municipal Authority**, 1 Chestnut Street, Arendtsville, PA 17303. Facility Name: Arendtsville STP. This existing facility is located in Arendtsville Borough, **Adams County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Conewago Creek (CWF), is located in State Water Plan watershed 7-F and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.14 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average	Weekly		Average	Weekly	
	Monthly	Average		Monthly	Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
		Daily Max				
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.4	XXX	1.0
CBOD <sub>5</sub>	23.0	35.0	XXX	20.0	30.0	40.0
May 1 - Oct 31						
Nov 1 - Apr 30	29.0	46.5	XXX	25.0	40.0	50.0
BOD <sub>5</sub>	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent		Daily Max				
Total Suspended Solids	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent		Daily Max				
Total Suspended Solids	35.0	52.5	XXX	30.0	45.0	60.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000
May 1 - Sep 30				Geo Mean		
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
				Geo Mean		
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ammonia-Nitrogen	7.0	XXX	XXX	6.0	XXX	12.0
May 1 - Oct 31						
Nov 1 - Apr 30	21.0	XXX	XXX	18.0	XXX	36.0
Total Phosphorus	2.3	XXX	XXX	2.0	XXX	4.0
Copper, Total	Report	Report	XXX	Report	Report	XXX
		Daily Max			Daily Max	

The proposed effluent limits for Outfall 001 are based on a design flow of 0.14 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average	Weekly		Average	Weekly	
	Monthly	Average		Monthly	Average	
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
	Annl Avg			Annl Avg		
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
	Annl Avg			Annl Avg		
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
	Annl Avg			Annl Avg		

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

*Southcentral Regional Office*

**PA0023604**, Sewage, SIC Code 4952, **McAlisterville Area Joint Authority**, P.O. Box 61, McAlisterville, PA 17049-0061. Facility Name: McAlisterville STP. This existing facility is located in Fayette Township, **Juniata County**.

Description of Existing Activity: The application is for NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Little Lost Creek (TSF), is located in State Water Plan watershed 12-A and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.13 MGD.—Interim Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	Report Inst Min	0.17	XXX	0.56
CBOD <sub>5</sub>	27.0	43.0	XXX	25.0	40.0	50.0
BOD <sub>5</sub>	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	32.0	49.0	XXX	30.0	45.0	60.0
Total Suspended Solids	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent						
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Ammonia-Nitrogen	6.5	XXX	XXX	6.0	XXX	12.0
Nov 1 - Apr 30						
May 1 - Oct 31	2.1	XXX	XXX	2.0	XXX	4.0
Total Phosphorus	2.1	XXX	XXX	2.0	XXX	4.0
Nitrate-Nitrite as N	XXX	Report	XXX	Report	XXX	XXX
		Semi Avg		semi avg		
Total Nitrogen (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
(lbs)		Semi Avg				
Total Kjeldahl Nitrogen	XXX	Report	XXX	Report	XXX	XXX
		Semi Avg		semi avg		

The proposed effluent limits for Outfall 001 are based on a design flow of 0.13 MGD.—Final Limits.

Parameters	Mass Units (lbs/day)		Daily Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Ultraviolet light intensity (mW/cm <sup>2</sup> )	XXX	XXX	Report	XXX	XXX	XXX
CBOD <sub>5</sub>	27.0	43.0	XXX	25.0	40.0	50.0
BOD <sub>5</sub>	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	32.0	49.0	XXX	30.0	45.0	60.0
Total Suspended Solids	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent						
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Ammonia-Nitrogen	2.1	XXX	XXX	2.0	XXX	4.0
May 1 - Oct 31						
Nov 1 - Apr 30	6.5	XXX	XXX	6.0	XXX	12.0
Total Phosphorus	2.1	XXX	XXX	2.0	XXX	4.0
Nitrate-Nitrite as N	XXX	Report	XXX	Report	XXX	XXX
		Semi Avg		Semi Avg		
Total Nitrogen (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
(lbs)		Semi Avg				

Parameters	Mass Units (lbs/day)		Daily Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Weekly Average	
Total Kjeldahl Nitrogen	XXX	Report Semi Avg	XXX	Report Semi Avg	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

**PA0070378**, Sewage, SIC Code 8211, **Blue Mountain Academy**, 2363 Mountain Road, Hamburg, PA 19526-8745. Facility Name: Blue Mountain Academy STP. This existing facility is located in Tilden Township, **Berks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Mill Creek (TSF), is located in State Water Plan watershed 3-B and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.05 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	25.0	XXX	50.0
BOD <sub>5</sub>	XXX	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Total Dissolved Solids	XXX	XXX	XXX	1,000	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000
May 1 - Sep 30				Geo Mean		
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
				Geo Mean		
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ammonia-Nitrogen	XXX	XXX	XXX	9.0	XXX	18.0
May 1 - Oct 31						
Nov 1 - Apr 30	XXX	XXX	XXX	20.0	XXX	40.0

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

**PA0081582**, Sewage, SIC Code 4952, **Possum Valley Municipal Authority**, 609 Clearview Road, Aspers, PA 17304-9703. Facility Name: Possum Valley STP. This existing facility is located in Menallen Township, **Adams County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Opossum Creek (TSF), is located in State Water Plan watershed 7-F and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.12 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.4	XXX	1.4
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	25.0	40.0	XXX	25.0	40.0	50.0

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	Report Daily Max	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	30.0	45.0	XXX	30.0	45.0	60.0
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000
May 1 - Sep 30				Geo Mean		
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
E. Coli (No./100 ml)	XXX	XXX	XXX	Geo Mean	XXX	Report
Ammonia-Nitrogen	6.0	XXX	XXX	XXX	XXX	12.0
May 1 - Oct 31				6.0	XXX	
Nov 1 - Apr 30	18.0	XXX	XXX	18.0	XXX	36.0
Total Phosphorus	2.0	XXX	XXX	2.0	XXX	4.0

The proposed effluent limits for Outfall 001 are based on a design flow of .12 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Annl Avg	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
				Annl Avg	XXX	XXX
				Report	XXX	XXX
				Annl Avg	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

**PA0084174**, Sewage, SIC Code 3999, **Envigo Global Services Inc.**, 310 Swamp Bridge Road, Denver, PA 17517-8723. Facility Name: Envigo Global Services Inc. This existing facility is located in West Cocalico Township, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, Unnamed Tributary to Cocalico Creek (WWF), is located in State Water Plan watershed 7-J and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .05 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Maximum	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 001 are based on a design flow of .05 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min	XXX	XXX	XXX
			5.0			
Total Residual Chlorine (TRC)	XXX	XXX	Inst Min	0.14	XXX	0.46
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000



Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	9.0	XXX	18
Nov 1 - Apr 30						
May 1 - Oct 31	XXX	XXX	XXX	3.0	XXX	9.0
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	2.0	XXX	4.0
Copper, Total	XXX	XXX	XXX	0.049	XXX	0.12
Zinc, Total	XXX	XXX	XXX	0.3	XXX	0.7
Hardness, Total (as CaCO <sub>3</sub> )	XXX	XXX	XXX	Report	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

**PA0088668**, Sewage, SIC Code 4952, **Metal Township Municipal Authority**, 17001 Fannettsburg Road E, Fannettsburg, PA 17221. Facility Name: Metal Township STP. This existing facility is located in Metal Township, **Franklin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), West Branch Conococheague Creek (CWF, MF), is located in State Water Plan watershed 13-C and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .04 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Daily Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	8.0	13.0	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	Report Daily Max	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	10.0	15.0	XXX	30.0	45.0	60
Total Suspended Solids	Report	Report Daily Max	XXX	Report	XXX	XXX
Raw Sewage Influent						
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Geo Mean				Geo Mean		
Ultraviolet light intensity (mW/cm <sup>2</sup> )	XXX	XXX	Report	XXX	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report	Report Daily Max	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .04 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Daily Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 001 are based on a design flow of .04 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Daily Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Total Nitrogen	Report	Report	XXX	Report	Report	XXX
Avg Qrtly	Avg Qrtly	Daily Max		Avg Qrtly	Daily Max	
Total Phosphorus	Report	Report	XXX	Report	Report	XXX
Avg Qrtly	Avg Qrtly	Daily Max		Avg Qrtly	Daily Max	

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

*Southcentral Regional Office*

**PA0247898**, Sewage, SIC Code 6552, **David L Fite Realty, Ltd**, 103 Fite Way, Suite D, Quarryville, PA 17566-9394. Facility Name: Commerce Commons Development. This existing facility is located in Providence Township, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, South Fork Big Beaver Creek (TSF), is located in State Water Plan watershed 7-K and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0186 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Oil and Grease	XXX	XXX	XXX	15	XXX	30
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Nitrate-Nitrite as N	XXX	Report Daily Max	XXX	Geo Mean Report Daily Max	XXX	XXX
Total Nitrogen	XXX	Report Daily Max	XXX	Report Daily Max	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	12	XXX	24
Nov 1 - Apr 30						
May 1 - Oct 31	XXX	XXX	XXX	4.0	XXX	8.0
Total Kjeldahl Nitrogen	XXX	Report Daily Max	XXX	Report Daily Max	XXX	XXX
Total Phosphorus	Report Total Mo	XXX	XXX	2.0	XXX	4.0

The proposed effluent limits for Outfall 001 are based on a design flow of .0186 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Total Phosphorus (Total Load, lbs) (lbs)	XXX	113 Total Annual	XXX	XXX	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

*Southcentral Regional Office*

**PA0294373**, Sewage, SIC Code 8811, **April Maher**, 773 White Fox Road, Altoona, PA 16601-7452. Facility Name: Maher Residence. This proposed facility is located in Logan Township, **Blair County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Spring Run (WWF, MF), is located in State Water Plan watershed 11-A and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0006 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

*Southcentral Regional Office*

**PAS203502**, Storm Water, SIC Code 3325, 3462, 3494, **Bonney Forge Corp**, 14496 Croghan Pike, Mount Union, PA 17066-8869. Facility Name: Bonney Forge Corp. This existing facility is located in Shirley Township, **Huntingdon County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of stormwater associated with industrial activity.

The receiving stream(s), Juniata River (WWF, MF) and Unnamed Tributary to Juniata River (HQ-CWF, MF), is located in State Water Plan watershed 12-C and is classified for High Quality—Cold Water, Migratory Fish, Warm Water Fishes, and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfalls 001—003:

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Chromium, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Stormwater Outfalls and Authorized Non-Stormwater Discharges
- Best Management Practices (BMPs), including applicable BMPs from Appendix B from the PAG-03 (effective 3/24/2023)
- Routine Inspections
- Preparedness, Prevention, and Contingency (PPC) Plan
- Stormwater Monitoring Requirements (including Benchmarks for TSS, Oil and Grease, BOD<sub>5</sub>, and COD)
- Other Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

*Southeast Regional Office*

**PA0025488**, Sewage, SIC Code 4952, **Avondale Borough, Chester County**, P.O. Box 247, Avondale, PA 19311-0247. Facility Name: Avondale Borough STP. This existing facility is located in Avondale Borough, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to East Branch White Clay Creek (CWF, MF), is located in State Water Plan watershed 3-I and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .5 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 4.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.4	XXX	0.8
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	104.0	167.0	XXX	25.0	40.0	50
Nov 1 - Apr 30						
May 1 - Oct 31	62.5	96.0	XXX	15.0	23.0	30
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	75.0	112.5	XXX	18.0	27.0	36
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Total Nitrogen	83.4	XXX	XXX	20.0	XXX	40
Ammonia-Nitrogen	15.0	XXX	XXX	3.6	XXX	7.2
Nov 1 - Apr 30						
May 1 - Oct 31	5.0	XXX	XXX	1.2	XXX	2.4
Total Phosphorus	8.0	XXX	XXX	2.0	XXX	4
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

Disposed in DELCORA

In addition, the permit contains the following major special conditions:

- A. No Stormwater
- B. Property Rights
- C. Sludge Disposal
- D. Chlorine Minimization
- E. Responsible Operator
- F. Average weekly
- G. Remedial Measures if Unsatisfactory Effluent
- H. Change of Ownership
- I. TMDL/WLA Analysis
- J. Certified Operator

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect.

*Southeast Regional Office*

**PA0057274**, Sewage, SIC Code 8811, **Antionette & Michael Hughes**, 305 Auburn Drive, Downingtown, PA 19335-4420. Facility Name: Hughes SRSTP. This existing facility is located in Upper Uwchlan Township, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Marsh Creek, is located in State Water Plan watershed and is classified for Migratory Fishes and High Quality Waters—Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 500 gpd.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Annual Average	Daily Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report	XXX	Report
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	10.0	20.0	40
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000
Total Nitrogen	XXX	XXX	XXX	40.0	XXX	80
Ammonia-Nitrogen	XXX	XXX	XXX	1.5	XXX	3
Total Phosphorus	XXX	XXX	XXX	10.0	XXX	20

In addition, the permit contains the following major special conditions:

- A. No Stormwater
- B. Acquire Necessary Property Rights
- C. Proper Sludge Disposal
- D. Abandon STP when Municipal Sewers Available
- E. AMR Submittal to DEP
- F. Total Residual Chlorine Requirement
- G. Public Nuisance
- H. Change of Ownership
- I. Fecal Coliform Imax Reporting

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

*Southeast Regional Office*

**PA0245585**, Sewage, SIC Code 8051, **Chatham Acres Healthcare Grp Inc.**, 23700 Commerce Park, Beachwood, OH 44122-5827. Facility Name: Twin Pines Health Care Center. This proposed facility is located in London Grove Township, **Chester County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to East Branch White Clay Creek (EV), is located in State Water Plan watershed 3-I and is classified for Exceptional Value Waters, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .027 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX Daily Max	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.1	XXX	0.1
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	5.6	XXX	XXX	25	XXX	50
Nov 1 - Apr 30						
May 1 - Oct 31	4.5	XXX	XXX	20	XXX	40
Total Suspended Solids	6.8	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	7.88	XXX	XXX	35	XXX	70
Ammonia-Nitrogen	2.1	XXX	XXX	9.0	XXX	18
Nov 1 - Apr 30						
May 1 - Oct 31	0.7	XXX	XXX	3.0	XXX	6
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	0.45	XXX	XXX	2.0	XXX	4

The proposed effluent limits for Outfall 001 are based on a design flow of .015 MGD.—Final Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX Daily Max	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 6.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	2.5	XXX	Inst Min XXX	20.0	XXX	40
Nov 1 - Apr 30						
May 1 - Oct 31	1.3	XXX	XXX	10.0	XXX	20
Total Suspended Solids	1.3	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000
Ultraviolet light intensity (mW/cm <sup>2</sup> )	XXX	XXX	XXX	Geo Mean Report	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Daily Max Report	XXX	XXX
Total Nitrogen	2.5	XXX	XXX	20.0	XXX	40
Ammonia-Nitrogen	1.1	XXX	XXX	9.0	XXX	18
Nov 1 - Apr 30						
May 1 - Oct 31	0.4	XXX	XXX	3.0	XXX	6
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	0.13	XXX	XXX	1.0	XXX	2

The proposed effluent limits for Outfall 001 are based on a design flow of .027 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Daily Maximum	Maximum	
E. Coli (No./100 ml)	XXX	XXX	XXX	Report	XXX	XXX

In addition, the permit contains the following conditions:

- A. Acquire Necessary Property Rights
- B. Proper Sludge Disposal
- C. WQM Permits Requirement

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

*Southeast Regional Office*

**PAI130021, MS4, Marple Township, Delaware County**, 227 S Sproul Road, Broomall, PA 19008-2341.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Marple Township, **Delaware County**. The receiving stream(s), Unnamed Tributary to Crum Creek (WWF, MF), Langford Run (WWF, MF), Whetstone Run (WWF, MF), Trout Run (WWF, MF), Crum Creek (WWF, MF), Darby Creek (TSF, MF), and Hotland Run (EV (existing use)), is located in State Water Plan watershed 3-G and is classified for Trout Stocking, Warm Water Fishes, and Migratory Fishes, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA waiver is in effect for small MS4s and is not in effect for large MS4s.

*Southwest Regional Office*

**PA0098183**, Sewage, SIC Code 4952, **Sands Inc.**, 2000 Georgetown Drive, Suite 100, Sewickley, PA 15143-8992. Facility Name: Stone Mansion STP. This existing facility is located in Franklin Park Borough, **Allegheny County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Swale to Unnamed Tributary of East Branch Big Sewickley Creek (TSF), is located in State Water Plan watershed 20-G and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

NOTICES

The proposed effluent limits for Outfall 001 are based on a design flow of 0.03583 MGD.—Limits

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX Daily Max	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	4.0 Daily Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.02	XXX	0.04
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ammonia-Nitrogen	XXX	XXX	XXX	Geo Mean		
Nov 1 - Apr 30				3.0	XXX	6.0
May 1 - Oct 31	XXX	XXX	XXX	2.0	XXX	4.0

The proposed effluent limits for Outfall 001 are based on a design flow of 0.03583 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Daily Max Report	XXX
					Daily Max	

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southwest Regional Office

**PA0009466**, Industrial, SIC Code 2026, **Vale Wood Dairy**, 517 Vale Wood Road, Loretto, PA 15940-6605. Facility Name: Vale Wood Dairy. This existing facility is located in Munster Township, **Cambria County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Clearfield Creek (WWF, MF), is located in State Water Plan watershed 8-C and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.012 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Average Monthly	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Total Residual Chlorine (TRC)	XXX	XXX	Daily Min			
Biochemical Oxygen Demand (BOD <sub>5</sub> )	5.2	10.4	0.5	XXX	XXX	1.6
Total Suspended Solids	7.8	15.6	51.9	XXX	103.8	XXX
Total Nitrogen	XXX	XXX	78.0	XXX	155.8	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Dissolved	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Manganese, Total	XXX	XXX	XXX	XXX	Report	XXX
PFOA	XXX	XXX	XXX	XXX	Report	XXX
PFOS	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA	XXX	XXX	XXX	XXX	Report	XXX
PFBS	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0.0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Daily Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southwest Regional Office

**PA0254894**, Storm Water, SIC Code 5052, **Bognar & Co. Inc.**, 733 Washington Road, Pittsburgh, PA 15228-2022. Facility Name: Bognar Somerset Plant. This existing facility is located in Black Township, **Somerset County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial stormwater.

The receiving stream(s), Laurel Run (WWF) and Bromm Run (WWF), is located in State Water Plan watershed 19-F and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Flow (MGD)	XXX	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	XXX	XXX	9.0
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	50.0
Oil and Grease	XXX	XXX	XXX	XXX	30.0	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	0.75	XXX
Iron, Total	XXX	XXX	XXX	XXX	3.0	XXX
Manganese, Total	XXX	XXX	XXX	XXX	1.0	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0.0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Flow (MGD)	XXX	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	XXX	XXX	9.0
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	50.0
Oil and Grease	XXX	XXX	XXX	XXX	30.0	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	XXX
Oct 1 - Mar 31				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	XXX
				Geo Mean		
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	0.75	XXX
Iron, Total	XXX	XXX	XXX	XXX	3.0	XXX
Manganese, Total	XXX	XXX	XXX	XXX	1.0	XXX

The proposed effluent limits for Outfall 003 are based on a design flow of 0.0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Flow (MGD)	XXX	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	XXX	XXX	9.0
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	50.0
Oil and Grease	XXX	XXX	XXX	XXX	30.0	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX



<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Aluminum, Total	XXX	XXX	XXX	XXX	0.75	XXX
Iron, Total	XXX	XXX	XXX	XXX	3.0	XXX
Manganese, Total	XXX	XXX	XXX	XXX	1.0	XXX

The proposed effluent limits for Outfall 004 are based on a design flow of 0.0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	XXX	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	XXX	XXX	9.0
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	50.0
Oil and Grease	XXX	XXX	XXX	XXX	30.0	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	0.75	XXX
Iron, Total	XXX	XXX	XXX	XXX	3.0	XXX
Manganese, Total	XXX	XXX	XXX	XXX	1.0	XXX

The proposed effluent limits for Outfall 005 are based on a design flow of 0.0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	XXX	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	XXX	XXX	9.0
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	50.0
Oil and Grease	XXX	XXX	XXX	XXX	30.0	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	0.75	XXX
Iron, Total	XXX	XXX	XXX	XXX	3.0	XXX
Manganese, Total	XXX	XXX	XXX	XXX	1.0	XXX

The proposed effluent limits for Outfall 006 are based on a design flow of 0.0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	XXX	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	XXX	XXX	9.0
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	50.0
Oil and Grease	XXX	XXX	XXX	XXX	30.0	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	0.75	XXX
Iron, Total	XXX	XXX	XXX	XXX	3.0	XXX
Manganese, Total	XXX	XXX	XXX	XXX	1.0	XXX

The proposed effluent limits for Outfall 007 are based on a design flow of 0.0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	XXX	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	XXX	XXX	9.0
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	50.0
Oil and Grease	XXX	XXX	XXX	XXX	30.0	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	0.75	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Iron, Total	XXX	XXX	XXX	XXX	3.0	XXX
Manganese, Total	XXX	XXX	XXX	XXX	1.0	XXX

The proposed effluent limits for Outfall 008 are based on a design flow of 0.0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	XXX	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	XXX	XXX	9.0
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	50.0
Oil and Grease	XXX	XXX	XXX	XXX	30.0	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	0.75	XXX
Iron, Total	XXX	XXX	XXX	XXX	3.0	XXX
Manganese, Total	XXX	XXX	XXX	XXX	1.0	XXX

The proposed effluent limits for Outfall 009 are based on a design flow of 0.0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	XXX	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	XXX	XXX	9.0
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	50.0
Oil and Grease	XXX	XXX	XXX	XXX	30.0	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	0.75	XXX
Iron, Total	XXX	XXX	XXX	XXX	3.0	XXX
Manganese, Total	XXX	XXX	XXX	XXX	1.0	XXX

The proposed effluent limits for Outfall 010 are based on a design flow of 0.0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	XXX	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	XXX	XXX	9.0
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	50.0
Oil and Grease	XXX	XXX	XXX	XXX	30.0	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	0.75	XXX
Iron, Total	XXX	XXX	XXX	XXX	3.0	XXX
Manganese, Total	XXX	XXX	XXX	XXX	1.0	XXX

The proposed effluent limits for Outfall 011 are based on a design flow of 0.0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	XXX	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	XXX	XXX	9.0
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	50.0
Oil and Grease	XXX	XXX	XXX	XXX	30.0	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	0.75	XXX

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Iron, Total	XXX	XXX	XXX	XXX	3.0	XXX
Manganese, Total	XXX	XXX	XXX	XXX	1.0	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is not in effect.

---

### III. Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity.

---

#### *Northcentral Regional Office*

Applicant: **Nittany Valley Partners, LP**

Applicant Address: 1304 Megan Drive, State College, PA 16803

Application Number: **PAD140054**

Application Type: Renewal

Municipality/County: Patton Township, **Centre County**

Project Site Name: Nittany Valley Sports Centre

Total Earth Disturbance Area (acres): Previous phases: 39.25 acres; Decibel Hotel Phases 2C and 2D: 7.25 acres

Surface Waters Receiving Stormwater Discharges: Buffalo Run (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Decibel Hotel Phases 2C and 2D. Ongoing phased development with associated stormwater facilities.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 570-327-3693.

#### *Northcentral Regional Office*

Applicant: **The Pennsylvania State University**

Applicant Address: 139J Physical Plant Building, University Park, PA 16802

Application Number: **PAD140034**

Application Type: Renewal

Municipality/County: State College Borough and College Township, **Centre County**

Project Site Name: University Park Wastewater Trmt Plant

Total Earth Disturbance Area (acres): 8.6 acres

Surface Waters Receiving Stormwater Discharges: Thompson Run (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of upgrades to the existing wastewater treatment plant with the goal of producing a higher quality effluent and addressing aging infrastructure.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 570-327-3693.

#### *Southcentral Regional Office*

Applicant: **Happy Holliday LLC**

Applicant Address: 30 Happy Valley Drive, Reedsville, PA 17084

Application Number: **PAD440030**

Application Type: New

Municipality/County: Brown Township, **Mifflin County**

Project Site Name: Tru by Hilton Hotel

Total Earth Disturbance Area (acres): 2.0 acres

Surface Waters Receiving Stormwater Discharges: UNT to Kishacoquillas Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of hotel building and associated PCSM BMPs. Note that the site has already been developed with a hotel and this newly proposed construction will be a separate, second hotel on the project site.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

*Southcentral Regional Office*

Applicant: **Mr. Jonas King**

Applicant Address: 422A Spring Valley Road, Quarryville, PA 17566

Application Number: **PAD360117**

Application Type: New

Municipality/County: East Drumore Township, **Lancaster County**

Project Site Name: Prop. Dwelling and Farm Buildings for Jonas King

Total Earth Disturbance Area (acres): 4.93 acres

Surface Waters Receiving Stormwater Discharges: UNT to Conowingo Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of proposed dwelling, farmstead, and associated PCSM BMPs.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

*Southcentral Regional Office*

Applicant: **Leonard Brubacher**

Applicant Address: 582 Lambert Road, Narvon, PA 17555

Application Number: **PAD360114**

Application Type: New

Municipality/County: Caernarvon Township, **Lancaster County**

Project Site Name: Leonard Brubacher LD Plan

Total Earth Disturbance Area (acres): 8 acres

Surface Waters Receiving Stormwater Discharges: UNT Black Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: To construct a new poultry barn with stormwater controls.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

*Northeast Regional Office*Applicant: **PPL Electric Utilities Corporation (PPL EU)**

Applicant Address: 1639 Church Road, Allentown, PA 18104-9342

Application Number: **PAD350044**

Application Type: New

Municipality/County: Ransom Township, Newton Township, and Exeter Township, **Lackawanna County** and **Luzerne County**

Project Site Name: Stanton-Summit (STAN-SUMT) Corten Rebuild Project

Total Earth Disturbance Area (acres): 282.7 acres

Surface Waters Receiving Stormwater Discharges: Susquehanna River (WWF, MF), UNT to Susquehanna River (CWF, MF), UNT to Gardner Creek (CWF, MF), UNT to St. John's Creek (CWF, MF), Lucky Run (CWF, MF), Lindy Creek (CWF, MF) &amp; EV wetlands

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&amp;S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: PPL Electric Utilities (PPL EU) proposes to rebuild approximately 7.7 miles of the existing Stanton-Summit (STAN-SUMT) Transmission Line with the intent of replacing the existing Corten steel lattice tower structures with new Light-Duty (LD) steel monopole structures. The new monopoles would offset approximately 10 feet north of the current Corten tower locations to account for constructing the new structures while the existing line is still active. All of the new monopoles will be located within the approximately 320-foot-wide right of way (ROW) that contains the STAN-SUMT line and another parallel transmission line. Access to the project area will use a series of existing private gravel access roads or the public roadway system where practicable.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

*Northeast Regional Office*Applicant: **Pennsylvania Department of Transportation Engineering District 4-0**

Applicant Address: 55 Keystone Industrial Park, Dunmore, PA 18512

Application Number: **PAD350041**

Application Type: New

Municipality/County: Elmhurst Township, **Lackawanna County**

Project Site Name: SR 435 Section 251 and 253 Bridge Replacements

Total Earth Disturbance Area (acres): 10.41 acres

Surface Waters Receiving Stormwater Discharges: 1. Roaring Brook (CWF, MF); 2. UNT to Roaring Brook (CWF, MF); and 3. EV Wetlands

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&amp;S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The proposed project shall consist of replacing two mainline structures on SR 435, as well as some associated roadway and drainage improvements. The Section 251 structure to be replaced carries SR 435 over the Delaware &amp; Lackawanna (D&amp;L) Railroad and an Unnamed Tributary (UNT) to Roaring Brook. The second structure being replaced (Section 253 structure) is about 1/4 mile north of the Section 251 bridge and carries SR 435 over Roaring Brook.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

*Northcentral Regional Office*Applicant: **National Fuel Gas Distribution Corporation**

Applicant Address: 1100 State Street, Erie, PA 16501

Application Number: **PAD120003**

Application Type: New

Municipality/County: Shippen Township, **Cameron County**

Project Site Name: VM71D Pipeline Replacement

Total Earth Disturbance Area (acres): 30.32 acres

Surface Waters Receiving Stormwater Discharges: Sugar Bush Hollow, Bear Run, East Branch Hicks Run, West Creek, Cards Hollow

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: VM71D Pipeline replacement is to replace and modernize two sections of distribution pipeline involving 2.73 miles of 8-inch bare steel and 0.37 mile of 6-inch CTA with 6-inch or 8-inch coated steel. The proposed methods are abandonment of existing pipeline in place and open cut excavation methods for new installation. The LOD has been reduced where possible to avoid wetland and stream crossings.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 570-327-3693.

*Northcentral Regional Office*

Applicant: **Amos K. Stoltzfus**

Applicant Address: 44 Walnut Lane, Sacramento, PA 17968

Application Number: **PAD170005**

Application Type: New

Municipality/County: Knox Township, **Clearfield County**

Project Site Name: Poultry Barn

Total Earth Disturbance Area (acres): 13.88 acres

Surface Waters Receiving Stormwater Discharges: Carson Run, McNeel Run, Clearfield Creek

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of an 85,000 SF facility to raise and house chickens. Stormwater will be managed through MRC basins.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 570-327-3693.

*Northcentral Regional Office*

Applicant: **Triple D Truss LLC**

Applicant Address: 78 W. Dunkle Road, Mill Hall, PA 17751

Application Number: **PAD180032**

Application Type: New

Municipality/County: Lamar Township, **Clinton County**

Project Site Name: Triple D Truss Laydown Yard Improvements

Total Earth Disturbance Area (acres): 9.21 acres

Surface Waters Receiving Stormwater Discharges: Fishing Creek

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

**Project Description:** This project is for construction of approximately 7 acres of gravel area and associated stormwater management facilities for the unenclosed storage. An infiltration pond will be used for on-site stormwater treatment.

**Special Conditions:** N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 570-327-3693.

*Regional Permit Coordination Office*

**Applicant:** **Cardinal Ridge Properties, LLC**

**Applicant Address:** 670 Netzley Drive, Denver, PA 17517

**Application Number:** **PAD360115**

**Application Type:** New

**Municipality/County:** East Cocalico Township, **Lancaster County**

**Project Site Name:** Hoover Truck Repair

**Total Earth Disturbance Area (acres):** 7.40 acres

**Surface Waters Receiving Stormwater Discharges:** Cocalico Creek (WWF)

**Proposed Effluent Limitations:** The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

**Rate or Frequency of Discharge:** Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

**Project Description:** Cardinal Ridge Properties is proposing to construct a building, access drive, parking area and stormwater management facilities for Hoover Truck Repair.

**Special Conditions:** N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-772-5987.

*Northeast Regional Office*

**Applicant:** **Blue Ridge Real Estate**

**Applicant Address:** P.O. Box 707, Blakeslee, PA 18610-0707

**Application Number:** **PAD130016**

**Application Type:** New

**Municipality/County:** Kidder Township, **Carbon County**

**Project Site Name:** Laurel Woods II

**Total Earth Disturbance Area (acres):** 8.88 acres

**Surface Waters Receiving Stormwater Discharges:** 1. UNT to Tunkhannock Creek (HQ-CWF, MF)

**Proposed Effluent Limitations:** The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

**Rate or Frequency of Discharge:** Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

**Project Description:** This project consists of the second renewal of an existing NPDES permit (PAD130016, formerly PAI021313005), and previously authorized the construction of sixty-six (66) residential units along existing access roads (Rockledge Drive, Woodsbluff Court, Woodhollow Court, and Laurelwoods Drive) as part of the "Laurel Woods II" development project.

**Special Conditions:** N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

*Northcentral Regional Office*

**Applicant:** **Glenn O. Hawbaker, Inc.**

**Applicant Address:** 1952 Waddle Road, State College, PA 16803

**Application Number:** **PAD140047**

**Application Type:** Renewal

**Municipality/County:** Patton Township, **Centre County**

**Project Site Name:** Glenn O. Hawbaker, Inc.—Recycle Center

Total Earth Disturbance Area (acres): 42.4 acres

Surface Waters Receiving Stormwater Discharges: UNT to Spring Creek (HQ-CWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of an office, scales, parking area, and constructed fill areas to handle construction and demolition materials to be reprocessed/recycled and sold to local contractors/public through a retail sale area onsite.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 570-327-3693.

*Southeast Regional Office*

Applicant: **Envirowaste LLC**

Applicant Address: 13 Pattison Avenue, Philadelphia, PA 19148-5624

Application Number: **PAD510239**

Application Type: New

Municipality/County: City of Philadelphia, **Philadelphia County**

Project Site Name: Envirowaste Transfer Station

Total Earth Disturbance Area (acres): 1.87 acres

Surface Waters Receiving Stormwater Discharges: Delaware River (WWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The existing site consists of an existing to remain 13,000 SF building and other smaller associated buildings. There is an existing bioretention basin and a subsurface detention system with an outlet control structure, all to remain. The proposed development consists of a 10,000 SF building addition to the existing building, as well as a proposed smaller 170 SF building. Concrete pavement is proposed to the north and west of the building addition. The existing bioretention basin will be expanded for the additional stormwater.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 484-250-5910.

*Southcentral Regional Office*

Applicant: **Windsor Township**

Applicant Address: 1480 Windsor Road, Red Lion, PA 17356

Application Number: **PAD670105**

Application Type: New

Municipality/County: Windsor Township, **York County**

Project Site Name: Windsor Township Community Center

Total Earth Disturbance Area (acres): 14.70 acres

Surface Waters Receiving Stormwater Discharges: Kreutz Creek (WWF) via EV Wetlands, UNT to Kreutz Creek (WWF) via EV Wetlands and Kreutz Creek

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Community center building, sports fields, pavilions, paved walking path and parking areas.

Special Conditions: N/A



You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

*Southcentral Regional Office*

Applicant: **North Lebanon Fire & Emergency Services**

Applicant Address: 107 South King Street, P.O. Box 689, Jonestown, PA 17038-9724

Application Number: **PAD380031**

Application Type: New

Municipality/County: Union Township, **Lebanon County**

Project Site Name: Green Point Fire Co.

Total Earth Disturbance Area (acres): 2.00 acres

Surface Waters Receiving Stormwater Discharges: UNT to Trout Run (CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of fire hall building, parking, and associated PCSM BMPs.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

*Northeast Regional Office*

Applicant: **Ron Del Development Company**

Applicant Address: 3242 Farmersville Rd., Bethlehem, PA 18020

Application Number: **PAD480072**

Application Type: Renewal

Municipality/County: Lower Nazareth Township, **Northampton County**

Project Site Name: Colts Run South (Renewal)

Total Earth Disturbance Area (acres): 47.45 acres

Surface Waters Receiving Stormwater Discharges: UNT to Monocacy Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Renewal of a 30 lot subdivision consisting of single family homes, new roadway, public water and on-lot septic and associated stormwater management facilities.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

*Northeast Regional Office*

Applicant: **Plains Development Partners, LLC**

Applicant Address: 201 S. Maple Avenue, Ambler, PA 19002

Application Number: **PAD400079**

Application Type: New

Municipality/County: Plains Township, **Luzerne County**

Project Site Name: Wawa #8225

Total Earth Disturbance Area (acres): 6.0 acres

Surface Waters Receiving Stormwater Discharges: UNT to Mill Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The project proposes the construction of a 6,049 SF C-Store and gas station with 16 pumps on a proposed 10.78-acre parcel in Plains Township. The proposed 10.78-acre parcel is the result of a lot consolidation plan which will be submitted as part of this project. The project will provide parking for 84 vehicles inclusive of 4 ADA compliant parking spaces. Other site improvements include stormwater management facilities, site lighting, utility extensions and 2 driveways. The site will have access points from SR 315 and SR 2020 (E. Main Street).

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP’s File Review Coordinator at 570-826-5472.

**STATE CONSERVATION COMMISSION  
PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS  
FOR NPDES PERMITS FOR CAFOs**

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling 717-787-8821.

Individuals wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Individuals in need of accommodations should contact the SCC through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

**ACT 38  
NUTRIENT MANAGEMENT PLANS  
CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/New</i>
Matt McClellan 443 Coolbaugh Hill Road Granville Summit, PA 16926	Bradford County	192.5	509.69	Swine	NA	Renewal
Dean Stump 48 Rehrersburg Road Richland, PA 17087	Berks County	16.8	408.42	Poultry Heifers Pigs	NA	Renewal
Larry Horst 460 Klingers Church Road Lykens, PA 17048	Dauphin County	71.6	368.78	Poultry (Pullets)	NA	Renewal

**PUBLIC WATER SUPPLY PERMITS**

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for Public Water Supply (PWS) permits to construct or substantially modify public water systems.

Individuals wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30-days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should

include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (DEP) the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, DEP will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

### SAFE DRINKING WATER

#### Application(s) Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

*Northwest Region: Safe Drinking Water Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945/814-332-6899.*

*Contact: David J. Sterrett, P.E., Environmental Engineer, 814-332-6846.*

**Application No. 3224501**, Construction, Public Water Supply.

Applicant	<b>Indiana County Municipal Services Authority</b>
Address	602 Kolter Drive Indiana, PA 15701
Municipality	Canoe Township
County	<b>Indiana County</b>
Responsible Official	Marty Maschak Executive Director 602 Kolter Drive Indiana, PA 15701
Consulting Engineer	Christopher D. Wharton, PE Gibson-Thomas Engineering Co., Inc. 1004 Ligonier Street P.O. Box 853 Latrobe, PA 15650
Application Received	March 25, 2024
Description	Rossiter Water Treatment Plant: Clearwell Baffling addition; High Service Pump Replacement and Raw Waterline Modification.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 1

#### Acknowledgment of Notice(s) of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent (NOI) to Remediate. An acknowledgment of the receipt of a NOI to Remediate is used to identify a site where an individual proposes to, or has been required to, respond to a release of a regulated substance at a site. Individuals intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a NOI to

Remediate with DEP. A NOI to Remediate filed with DEP provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. An individual who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by DEP. Furthermore, an individual shall not be subject to citizen suits or other contribution actions brought by responsible individuals not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified individual, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following Notice(s) of Intent to Remediate.

*Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Eric Supey, Environmental Program Manager.*

**Former Elementis Pigments**, Primary Facility ID # **636923**, 1525 Wood Avenue, Easton, PA 18042, Wilson Borough and Easton City, **Northampton County**. Langan Engineering and Environmental Services, 1818 Market Street, Suite 3300, Philadelphia, PA 19103 on behalf of Abruzzi Trust, 848 North Rainbow Boulevard # 5114, Las Vegas, NV 89107, submitted a Notice of Intent to Remediate. Soil and groundwater were contaminated with volatile organic compounds, semi-volatile organic compounds, and metals from historic site operations. The Notice of Intent to Remediate was published in *The Morning Call* on March 7, 2024. Application received: March 19, 2024.

**UGI 1730 Murray Street Transformer Release**, Primary Facility ID # **869756**, 1730 Murray Street, Forty Fort, PA 18704, Forty Fort Borough, **Luzerne County**. BL Companies, 1100 First Avenue, Suite 104, King of Prussia, PA 19406 on behalf of UGI Utilities, Inc., 1 UGI Drive, Denver, PA 17517, submitted a Notice of Intent to Remediate. Soil was contaminated by a release of transformer oil. The Notice of Intent to Remediate was pub-

lished in *The Times Leader* on March 20, 2024. Application received: March 20, 2024.

*Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Environmental Cleanup & Brownfields Program Manager, 717-705-4705.*

**Charlene Kane Property**, Primary Facility ID # **874283**, 28404 Route 35 North, Oakland Mills, PA 17076, Fayette Township, **Juniata County**. McKee Environmental, Inc., 86 Quartz Drive, Bellefonte, PA 16823 on behalf of Ms. Charlene Kane, 28404 Route 35 North, Oakland Mills, PA 17076, submitted a Notice of Intent to Remediate. Notice of Intent to Remediate soil contaminated with Heating Oil. The site will be remediated to the Statewide health standard. Future use of the site will continue to be residential. The Notice of Intent to Remediate was published in *The Sentinel* on March 21, 2024. Application received: March 19, 2024.

**The Lofts at Lititz Springs**, Primary Facility ID # **874327**, 100 Warwick Street, Lititz, PA 17543, Lititz Borough, **Lancaster County**. Liberty Environmental, Inc., 505 Penn Street, Suite 400, Reading, PA 19601 on behalf of Pleasant View Communities, 544 North Penryn Road, Manheim, PA 17545, submitted a Notice of Intent to Remediate. Notice of Intent to Remediate soil contaminated with Metals and Arsenic. The site will be remediated to the site-specific standard. Future use of the site will be residential. The Notice of Intent to Remediate was published in *LNP* on March 7, 2024. Application received: March 18, 2024.

**The Lofts at Lititz Springs**, Primary Facility ID # **874327**, 100 Warwick Street, Lititz, PA 17543, Lititz Borough, **Lancaster County**. Liberty Environmental, Inc., 505 Penn Street, Suite 400, Reading, PA 19601 on behalf of 48 N. Broad Street, LLC c/o Oak Tree Development Group, 1650 Manheim Pike, Lancaster, PA 17601, submitted a Notice of Intent to Remediate. Notice of Intent to Remediate soil contaminated with Metals and Arsenic. The site will be remediated to the site-specific standard. Future use of the site will be residential. The Notice of Intent to Remediate was published in *LNP* on March 7, 2024. Application received: March 18, 2024.

#### DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

**Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for Determination of Applicability for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other than Coal Ash.**

*Southcentral Region: Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Carrie A. Fleming, Program Manager.*

**WMGR019SC004, Eagle Casting, LLC**, 447 East Middle Street, Hanover, PA 17331, Hanover Borough, **York County**. This is for the reissuance to Eagle Casting, LLC of General Permit WMGR019SC004 which authorizes the beneficial use of foundry wastes from (1) waste foundry sand from ferrous and nonferrous casting foundries, (2) system dust generated by ferrous metal

casting foundries, or (3) slag and refractories generated by ferrous metal casting foundries, for use as (1) roadway construction material, (2) a component or ingredient in the manufacturing of concrete or asphalt products, (3) a soil additive or soil substitute, and (4) non-roadway construction activity. Application received: February 1, 2024. Deemed administratively complete: March 25, 2024.

Comments or questions concerning the application should be directed to John L. Oren, P.E., Permits Chief, Southcentral Region, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

*Southwest Region: Waste Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Waste Management Program Manager.*

**WMGR123SW071, Range Resources—Appalachia, LLC**, 3000 Town Center Blvd, Canonsburg, PA 15317, Hanover Township, **Beaver County**. A Determination of Applicability for coverage under Residual Waste General Permit No. WMGR123 was received. Range Resources—Appalachia, LLC is proposing to place one 17,000 bbl capacity tank and associated equipment to act as a water reuse storage facility to be used to support unconventional well completions. The storage facility will include tanks within a secondary containment system, drive-on truck containment system, and transfer pump. The facility will be located at the Littell Bend Tank Pad, 2196 State Route 18, Aliquippa, PA 15001. Application received: March 4, 2024. Deemed administratively complete: March 18, 2024.

Comments or questions concerning the application should be directed to RA-EP-EXTUPLSWRO@pa.gov, Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

**WMGR144SW003, Beaver Valley Slag Inc.**, 100 Bet-Tech Drive, Aliquippa, PA 15001, Center Township, Hopewell Township, and City of Aliquippa, **Beaver County**. An application for renewed coverage under Residual Waste General Permit No. WMGR144SW003 was received. The facility beneficially uses blast furnace slag and steel slag from historic steel making operations at the site or from the residual waste landfill for excavation and use as a construction material sub-base, hot or warm mix pavement aggregate, ready mix concrete ingredient, and/or Marcellus shale pad construction/well annular material. Application received: February 22, 2024. Deemed administratively complete: March 13, 2024.

Comments or questions concerning the application should be directed to RA-EP-EXTUPLSWRO@pa.gov, Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

**WMGR123SW020, Range Resources—Appalachia, LLC**, 3000 Town Center Blvd, Canonsburg, PA 15317, Smith Township, **Washington County**. An application to modify coverage under Residual Waste General Permit

No. WMGR123SW020 was received. Range Resources—Appalachia, LLC is proposing to modify the approved permit for the Carns Tank Pad Reuse Water Storage Facility to allow for the following: placement of two 65,000-bbl (nominal) capacity aboveground storage tanks (ASTs) and six 500-bbl (nominal) capacity vertical tanks, to act as a reuse fluid storage facility used to support unconventional well development activities. The nine 350-bbl vertical tanks currently permitted for drilling fluid storage at the facility will be removed. The facility will include secondary containment structures, a drive-on truck containment system, and water transfer appurtenances. Application received: March 1, 2024. Deemed administratively complete: March 21, 2024.

Comments or questions concerning the application should be directed to RA-EP-EXTUPLSWRO@pa.gov, Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

#### OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

**Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Regulations to Operate Solid Waste Processing or Disposal Area or Site.**

*Northeast Region: Waste Management Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Roger Bellas, Environmental Program Manager, 570-826-2201.*

**603456. Greater Hazleton Joint Sewer Authority,** P.O. Box 651, Valmont Industrial Park, Hazleton, PA 18201, West Hazleton Borough, **Luzerne County.** An application for permit renewal for the continued operation of a sewage sludge incinerator at GHJSA's municipal wastewater treatment plant. Application received: March 20, 2024. Deemed administratively complete: March 25, 2024.

Comments or questions concerning the application should be directed to Roger Bellas, Environmental Program Manager, 570-826-2201, Northeast Region, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

#### DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

**Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for Determination of Applicability for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other than Coal Ash.**

*Southcentral Region: Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Carrie A. Fleming, Program Manager.*

**WMGR081SC005. EZPC Recycling, LLC,** 160-11 12th Road, Whitestone, NY 11357, Sinking Spring Borough, **Berks County.** This application is for the renewal of EZPC Recycling, LLC's coverage under Residual Waste General Permit WMGR081 for their facility located at 35 Queen Street in Sinking Spring, PA 19608, which authorizes the processing by disassembling, mechanical processing (by sizing, shaping, separating and volume reduction only), and associated storage prior to reuse or recycling at the processing or transfer facility, of uncontaminated and source-separated electronic devices. Application received: October 26, 2023. Deemed administratively complete: March 20, 2024.

Questions concerning the application should be directed to John L. Oren, P.E., Permits Chief, Southcentral Region, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984.

**WMGR081SC007. iGreen Electronics, LLC,** 1600 Limekiln Road, Douglassville, PA 19518, Muhlenberg Township, **Berks County.** This application is for the renewal of iGreen Electronics, LLC's coverage under Residual Waste General Permit WMGR081 which authorizes the processing by disassembling, mechanical processing (by sizing, shaping, separating and volume reduction only), and associated storage prior to reuse or recycling at the processing or transfer facility, of uncontaminated and source-separated electronic devices. Application received: February 20, 2024. Deemed administratively complete: March 25, 2024.

Questions concerning the application should be directed to John L. Oren, P.E., Permits Chief, Southcentral Region, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984.

## AIR QUALITY

### PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department of Environmental Protection (DEP) has developed an integrated plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for DEP, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The DEP received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, DEP's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate DEP Regional Office. Appointments for scheduling a review must be made by calling the appropriate DEP Regional Office. The address

and telephone number of the Regional Office is listed before the application notices.

Individuals wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the DEP's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

Any individual wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if DEP, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when DEP determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate DEP Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

### PLAN APPROVALS

**Notice of Intent to Issue Plan Approval(s) and Notice of Intent to Issue or Amend Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These Actions May Include the Administrative Amendments of an Associated Operating Permit.**

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: David G. Balog, P.E. New Source Review Section Chief, 814-332-6328.*

**25-00911B: Humane Society of Northwestern PA, 2433 Zimmerly Road, Erie, PA 16506, Mill Creek Township, Erie County.** Application received: August 2, 2023. 25-00911B: The Department intends to issue a plan approval to the Humane Society of Northwestern PA (2407 Zimmerly Road, Erie, PA 16506), for the construction and initial operation of an animal crematory at their facility in Millcreek Township, Erie County. Public notice

is required for sources required to obtain a Plan Approval in accordance with 25 Pa. Code § 127.44. The crematory has been reviewed to evaluate its incorporation of BAT. The BAT contained in the GP-14 is considered to be current BAT. This unit meets or exceeds each of the technologies or specifications identified in the GP-14; therefore, the use of this unit is considered to be meeting BAT for the construction of a crematory. Emissions are estimated to be: less than 2.0 tons per year (tpy) of: CO, particulate matter, and less than 1.0 tpy of: SO<sub>x</sub>, NO<sub>x</sub>, VOC, and HAP (each). The Plan Approval will contain testing, recordkeeping, emission restriction, reporting, and work practice requirements designed to keep the facility operating within all applicable air quality requirements. In accordance with 25 Pa. Code § 127.44(e)(1), all the pertinent documents regarding this application (applications, review memos, and draft approvals) are also available for review from 8:00 a.m. to 4:00 p.m. at the Meadville Regional DEP office (Air Quality). Appointments for scheduling a review must be made by calling the DEP at (814) 332-6340. In accordance with 25 Pa. Code § 127.44(e)(2), a 30-day comment period, from the date of publication, will exist for the submission of comments. Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to Regional Air Quality Program Manager, Pennsylvania Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335-3494 and must contain the name, address and telephone number of the person submitting the comments, identification of the proposed plan approval [25-00911B] and a concise statement regarding the relevancy of the information or objections to the issuance of the permit. A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. In accordance with 25 Pa. Code § 127.45, a person may oppose the proposed plan approval by filing a written protest with the Department's Northwest Region. Written comments or requests for a public hearing should be directed to Eric A. Gustafson, 230 Chestnut St., Meadville, PA 16335; Phone (814) 332-6819. In accordance with 25 Pa. Code § 127.45, a person may oppose the proposed plan approval by filing a written protest with the Department's Northwest Region.

*Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.*

**36-05167A: AHF Products LLC, 1067 Dillerville Road, Lancaster, PA 17603-2613, City of Lancaster, Lancaster County.** Application received: January 24, 2024. For the installation of hot melt adhesive coating operations at their flooring manufacturing plant. Plan Approval No. 36-05167A is for the installation of hot melt adhesive coating operations to the Luxury Vinyl Tile (LVT) production line. Adhesive fumes from the coating operations will be collected by a capture hood and sent to a 4,000 cfm Smog-Hog model SHN electrostatic precipitator (ESP). The ESP will be vented internally. Potential emissions from the project are estimated to be 3.46 tpy VOC. DEP's review of the information submitted by the applicant indicates that the air contamination sources as constructed or modified will comply with all regulatory

requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1, 127.12 and 129.77. Based on these findings, the Department proposes to issue a plan approval for the proposed construction. If, after the project has been implemented, the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specification of the application for plan approval, the requirements established in the plan approval will be incorporated into an operating permit pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450.

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: James Beach, New Source Review Chief, 484-250-5920.*

**09-0235C: CP Converters, Inc.**, 181 Rittenhouse Cir, Bristol, PA 19007, Bristol Township, **Bucks County**. Application received: February 15, 2024. This action is for the installation of a new flexible packaging flexographic printing press (Source ID 260—Press 26) which will exhaust to the existing regenerative thermal oxidizer (C01—RTO) at the facility located in Bristol Township, Bucks County. Post-control Volatile Organic Compound (VOC) and Hazardous Air Pollutant (HAP) emissions are less than 25 tons per year VOC and any combination HAP and less than 10 tons per year any individual HAP; the facility is classified as a Synthetic Minor Facility. The requirements of 25 Pa. Code § 129.67a apply to the flexible packaging printing press. The plan approval will include monitoring, testing, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft plan approval can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

### OPERATING PERMITS

#### **Notice of Intent to Issue Title V Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.**

*Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**47-00001, Montour LLC**, P.O. Box 128, Washingtonville, PA 17884, Derry Township, **Montour County**. Application received: December 8, 2023. Under 25 Pa. Code § 127.521, the Department of Environmental Protection (DEP) intends to issue a Title V Operating Permit revision to Montour, LLC for their Montour Steam Electric Station. The Montour representative to contact regarding this operating permit is Ms. Kathleen Potter, 600 Hamilton St, Suite 600, Allentown, PA 18101. The facility is currently operating under TVOP 47-00001. The facility's sources include two utility-scale coal/gas-fired boilers, two auxiliary boilers, and ancillary equipment such as fuel gas heaters and emergency generators and fire pump engines. The proposed permit revision is to incorporate the applicable requirements of Plan Approvals 47-00001G and 47-00001H for new and modified sources

that are part of the facility's natural gas conversion project. The plan approvals were issued on 12/19/2017 and 9/2/2020 respectively. The VOC emissions increase from the gas conversion project will not exceed 39.3 tons per year. There is no expected net increase of other types of emissions from the project. The emission limits, throughput limitations and work practice standards along with testing, monitoring, recordkeeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 40 CFR Parts 52, 60, 63, and 25 Pa. Code Article III, Chapters 121—145. The applicable presumptive RACT 3 requirements of 25 Pa. Code § 129.112 are also included in the proposed permit revision. Copies of the application, DEP's analysis and all pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636. Any person(s) wishing to provide the Department of Environmental Protection with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the Department of Environmental Protection at the address shown in the preceding paragraph. A 30-day comment period from the date of this publication will exist for the submission of comments. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit (Permit No. 47-00001) and concise statements regarding the relevancy of the information or objections to issuance of the permit. A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department of Environmental Protection determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Muhammad Q. Zaman, Environmental Program Manager, Department of Environmental Protection, Air Quality Program, Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, 570-327-3638. Persons with a disability who wish to comment and require an auxiliary aid, service, or other accommodation to participate should contact the Northcentral Regional Office at 570-327-3659. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at 800-654-5984.

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.*

**46-00010, Covanta Plymouth Renewable Energy LLC**, 1155 Conshohocken Rd, Conshohocken, PA 19428-1028, Plymouth Borough, **Montgomery County**. Application received: May 23, 2022.

Covanta Plymouth Renewable Energy LLC (CPRE) in Plymouth Township, Montgomery County operates a waste to energy facility consisting of two municipal waste combustors (MWC) designed to combust 600 tons per day of municipal solid waste. Each MWC is equipped with air pollution control equipment to reduce emissions of hydro-

gen chloride, mercury, nitrogen oxides, particulate matter, sulfur oxides and volatile organic compounds. The facility has a diesel-fired internal combustion engine for emergency power. CPRE has installed new auxiliary burners on the MWCs and a boiler fire suppression system within the past five years.

This action is a renewal of the Title V Operating Permit (TVOP) and to incorporate the presumptive reasonable achievable control technology (RACT) measures for the existing MWCs and emergency generator into the operating permit.

CPRE is subject to the EPA approved Section 111(d)/129 State Plan for Large Municipal Waste Combustors in which PA adopted the Emission Guidelines under 40 CFR Part 60, Subpart Cb.

The potential emissions from the facility are as follows: 246.3 tons per year (tpy) carbon monoxide, 0.008 tpy Lead, 93 tpy hydrogen chloride, 520.3 tpy nitrogen oxides, 0.0075 tpy Mercury, 53.1 tpy particulate matter, 163.2 tpy sulfur oxides, and 24.99 tpy volatile organic compounds.

The renewal operating permit will contain monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act. The facility is subject to the Title V Operating Permit requirements adopted in 25 Pa. Code Chapter 127, Subchapter G.

A 30-day public comment period is provided for persons wishing to file a written protest, objection, comments or additional information, which they believe should be considered prior to the issuance of a permit. The written comments, information, protests or objections may be submitted to Janine Tulloch-Reid, Environmental Engineering Manager, Air Quality Program, at 2 East Main Street, Norristown, PA 19401, or at [jtullochre@pa.gov](mailto:jtullochre@pa.gov) on or before the closing date of this 30-day public comment period. The 30-day public comment period closes on May 6, 2024.

Each written submission must contain the name, address and telephone number of the person submitting the comments, identification of the TVOP application, including the permit number, and a concise statement regarding the operating permit condition that the person is commenting on and the relevancy of the information or objections to issuance of the TVOP.

A public meeting and hearing will be held on May 21, 2024 at 6:00 P.M. at the Aclamo Community Center, 801 W. Marshall Street, Norristown, PA 19401, to accept oral comments on the proposed Title V Operating Permit renewal. To register to speak at the hearing, please contact Ms. Stephanie Berardi, Regional Communications Manager, at [sberardi@pa.gov](mailto:sberardi@pa.gov) or 484.250.5808. Speakers must pre-register in order to testify at the hearing. The last day to pre-register to speak at the hearing will be May 14, 2024.

Oral testimony at the hearing will be limited to a maximum of 5 minutes per individual and two written copies of the oral testimony are requested. Each organization is requested to designate one witness to present testimony on its behalf. Persons unable to attend the hearing may submit a written statement and exhibits within 10 days thereafter to Janine Tulloch-Reid at 2 E. Main Street, Norristown, PA 19401, or at [jtullochre@pa.gov](mailto:jtullochre@pa.gov).

All pertinent documents are available electronically for public review and copies can be requested by contacting Janine Tulloch-Reid at 484-250-5920 or at [jtullochre@pa.gov](mailto:jtullochre@pa.gov).

Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at [RA-EPSEROAQPUBCOM@pa.gov](mailto:RA-EPSEROAQPUBCOM@pa.gov).

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Thomas Joseph, P.E., Facilities Permitting Chief, 412-442-4336.*

**26-00535, Fayette Power Company LLC**, 498 N Redwood St., Masontown, PA 15461, German Township, **Fayette County**. Application received: May 17, 2023. In accordance with 25 Pa. Code §§ 127.424, 127.425 and 127.521, the Department is providing notice of intent to issue a permit modification for the Title V Operating Permit to incorporate presumptive RACT III requirements at a natural gas-fired power plant located in German Township, Fayette County. The main emissions sources include one natural gas-fired boiler, two natural gas-fired combined cycle combustion turbines with oxidation catalysts and selective catalytic reduction, two diesel-fired emergency engines, and one condenser cooling tower. The turbines are subject to presumptive RACT III limits of 4 ppmvd NO<sub>x</sub> at 15% O<sub>2</sub> and 2 ppmvd VOC (as propane) at 15% oxygen. The other subject sources are required to install, maintain and operate the source in accordance with the manufacturer's specifications and with good operating practices. The appropriate RACT III conditions and citations are included in this permit modification, and the presumptive RACT II conditions and citations are removed. The application, DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx> and by contacting Tom Joseph, Environmental Engineering Manager, at 412-442-4336 or [tjoseph@pa.gov](mailto:tjoseph@pa.gov). Those who wish to provide the Department with additional written information that they believe should be considered prior to the issuance of the Title V Operating Permit may submit the information to Tom Joseph, Facilities Permit Chief, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed operating permit (TVOP-26-00535) and concise statements regarding the relevancy of the information or objections to issuance of the Operating Permit. All comments must be received prior to the close of business 30 days after the date of this publication. A public hearing may be held in accordance with 25 Pa. Code § 127.429, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. If a public hearing is held, all persons who have properly filed a protest under 25 Pa. Code § 127.426 may appear and give testimony. The Department is not required to hold a conference or hearing. The applicant, the protestant, and other participants will be notified of the decision to hold a hearing (and the time, place and purpose of such hearing) by publication in the newspaper or by the *Pennsylvania*



*Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to Tom Joseph, Facilities Permit Chief, at the previously listed address.

### OPERATING PERMITS

#### Notice of Intent to Issue Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Norm Frederick, 570-826-2409.*

**45-00011, Pleasant Valley School District, Pleasant Valley High**, 2233 Route 115, Suite 100, Brodheads ville, PA 18322, Chestnuthill Township, **Monroe County**. Application received: October 4, 2023. The Department intends to issue a renewal State-Only (Synthetic Minor) Permit for the operation of elementary and secondary schools in Chestnuthill Township, Monroe County. The primary sources consist of two (2) coal fired boilers and one (1) No. 2 oil fired boiler. Regenerative centrifugal cyclones are used for control devices for the sources. The sources are considered minor emission sources of nitrogen oxide (NO<sub>x</sub>), sulfur oxides (SO<sub>x</sub>), carbon monoxide (CO), total suspended particulate (TSP), and volatile organic compounds (VOC) emissions. The proposed operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

**45-00027, Pleasant Valley School District, Polk Township Elementary School**, Route 209, Brodheads ville, PA 18322, Polk Township, **Monroe County**. Application received: October 4, 2023. The Department intends to issue a renewal State-Only (Synthetic Minor) Permit for the operation of elementary and secondary schools in Polk Township, Monroe County. The primary sources consist of one (1) coal fired boiler and one (1) No. 2 oil fired boiler. A regenerative centrifugal cyclone is used for a control device for the sources. The sources are considered minor emission sources of nitrogen oxide (NO<sub>x</sub>), sulfur oxides (SO<sub>x</sub>), carbon monoxide (CO), total suspended particulate (TSP), and volatile organic compounds (VOC) emissions. The proposed operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

**39-00058, Packaging Corporation of America**, 7451 Cetronia Rd, Allentown, PA 18106-9123, Upper Macungie Township, **Lehigh County**. Application received: February 1, 2024. The Department intends to issue a renewal State-Only Operating Permit (natural minor) for the Upper Macungie Township facility. Sources at this facility include their boilers, corrugator, hogger, flexo, rotary die cutter, converting machine, and emergency generator. Sources at this facility also include a cyclone as a control device. The proposed operating permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

*Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.*

**05-03022, Cronimet Specialty Metals USA, Inc.**, 172 Friendship Village Rd., Bedford, PA 15522-6621, Bedford Township, **Bedford County**. Application received: November 30, 2023. For the operation of a metal and metal alloy processing facility. This is for an initial State-Only Permit. Potential air emissions from the facility are estimated at 4.80 tpy NO<sub>x</sub>, 2.24 tpy CO, and less than 1 tpy of PM<sub>10</sub>, VOC, SO<sub>2</sub>, and HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

**28-05001, Martin's Famous Pastry Shoppe, Inc.**, 1000 Potato Roll Lane, Chambersburg, PA 17202, Guilford Township, **Franklin County**. Application received: August 29, 2023. For the operation of a bakery facility. This is for renewal of the existing State-Only Permit. Actual 2022 air emissions from the facility are estimated at 47.34 tons VOC; 6.48 tons NO<sub>x</sub>; 5.43 tons CO; and less than 1 ton of PM, SO<sub>2</sub>, and HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

**21-03128, Penn State Health—Holy Spirit Medical Center**, 503 North 21st Street, Camp Hill, PA 17011, East Pennsboro Township, **Cumberland County**. Application received: November 29, 2023 to issue a State Only Operating Permit for the Holy Spirit Medical Center in East Pennsboro Township, Cumberland County. This is for renewal of the existing State-Only Permit. Potential air emissions from the facility are estimated at 43.07 tpy NO<sub>x</sub>, 21.49 tpy CO, 2.58 tpy PM<sub>10</sub>, 3.71 tpy VOCs, < 1 tpy SO<sub>x</sub> and < 1 tpy HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions for Federal 40 CFR 63 Subpart ZZZZ—NESHAPS for Stationary Reciprocating Internal Combustion Engines, and 40 CFR 60 Subpart IIII—Standards of Performance for Stationary Compression Ignition Internal Combustion Engines.

**67-05015, Topflight Corp.**, 277 Commerce Dr., Glen Rock, PA 17327, Springfield Township, **York County**. Application received: March 23, 2023. For the operation of a label printing facility. This is for renewal of the existing State-Only Permit. Potential air emissions from the facility are estimated at 62.54 tpy VOC, 0.03 tpy total HAP, 1.79 tpy NO<sub>x</sub>, 1.23 tpy CO, 0.11 tpy PM, and 0.01 tpy SO<sub>x</sub>. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 25 Pa. Code § 129.67a—Control of VOC emissions from flexible packaging printing presses, 25 Pa. Code § 129.67b—Control of VOC emissions from offset lithographic printing presses and letterpress printing presses, and 40 CFR Part 63, Subpart ZZZZ—National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocal Internal Combustion Engines.

*Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.*

**06-03004, Metropolitan Edison Co.**, 800 Cabin Hill Drive, Greensburg, PA 15601, Muhlenberg Township, **Berks County**. Application received: October 20, 2023. For the operation of their emergency generators for their office complex. This is for renewal of the existing State-Only Permit. The facility potential emissions are 0.79 ton of CO, 7.59 tons of NO<sub>x</sub>, 0.12 ton of PM, 1.94 tons of SO<sub>x</sub>, and 0.17 ton of VOC. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include 40 CFR Part 63 Subpart ZZZZ—National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines and 40 CFR 60, Subpart IIII—Standards of Performance for Stationary Compression Ignition Internal Combustion Engines.

**06-05159, Alpek Polyester USA, LLC**, 4030 Pottsville Pike, Reading, PA 19605, Muhlenberg Township, **Berks County**. Application received: December 8, 2023. To issue a State Only Operating Permit for their three (3) engines for their combined heat and power system, two (2) 7.877 MMBtu/hr Miura boilers, two (2) emergency generators and emergency fire pump. The potential emissions from the facility are estimated at 31.99 tpy of NO<sub>x</sub>, 20.08 tpy of CO, 6.52 tpy of PM, 0.69 tpy of SO<sub>x</sub>, 17.78 tpy of VOCs and 3.00 tpy of Formaldehyde. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR Part 60 Subpart JJJJ—Standards of Performance for Stationary Spark Ignition Internal Combustion Engines and 40 CFR 60, Subpart IIII—Standards of Performance for Stationary Compression Ignition Internal Combustion Engines.

**36-03224, Miller Fiberglass, LLC**, 905 Strasburg Pike, Strasburg, PA 17579, Strasburg Township, **Lancaster County**. Application received: December 1, 2023. For operation of a custom fiberglass and plastic products manufacturing operation. The potential emissions from are 3.36 tpy of VOC, 0.1 tpy of PM, 4.47 tpy of Total HAP's and 2.31 tpy of a Single HAP (Styrene). The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulation. Among other items, the conditions include 25 Pa. Code § 123.13 for particulate matter emission limits.

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.*

**46-00179, Lehigh Valley Dairy Farms**, 880 Allentown Rd, Lansdale, PA 19446, Upper Gwynedd Township, **Montgomery County**. Application received: May 30, 2023. This action is for the renewal of a State Only, Natural Minor Operating Permit. Lehigh Valley Dairy Farms (LVD) operates a milk processing plant where raw milk (unpasteurized) is received then pasteurized, homogenized and packaged for distribution. LVD operates two natural gas fired boilers (rated at 12.6 MMBtu/h) at this facility. The aggregate Nitrogen Oxide (NO<sub>x</sub>) potential to emit is 7.89 tons per year, and the facility is classified as a natural minor for NO<sub>x</sub> emissions. LVD also submitted a change of ownership form for the name change from Dean Foods (Tuscan Lehigh Dairies) to Dairy Farmers of America (Lehigh Valley Dairy Farms). This Operating

Permit renewal includes monitoring, recordkeeping and work practice requirements designed to ensure this facility complies with all applicable air quality regulations. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

## PLAN APPROVALS

### Receipt of Plan Approval Application(s) and Notice of Intent to Issue Plan Approval(s) and Notice of Intent to Issue or Amend Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B and Subchapter F. These Actions May Include the Administrative Amendments of an Associated Operating Permit.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Shailesh R Patel, P.E., New Source Review Chief, 570-826-2357.*

**48-00117C, L&M Fabrication and Machine, Inc.**, 3813-3814 Chrisphalt Drive, Bath, PA 18014, East Allen Township, **Northampton County**. Application received: October 18, 2023. In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to L & M Fabrication and Machine, Inc. (3813-3814 Chrisphalt Drive, Bath, PA 18014) for their facility in East Allen Township, Northampton County. This Plan Approval No. 48-00117C will be incorporated into a Synthetic Minor Permit at a later date. Plan Approval No. 48-00117C is for the installation and operation of one (1) paint spray booth and one (1) 4,800 CFM baghouse to control dust from a metal cutting operation. The main emissions from the paint spray booth source is VOCs. The new source will meet 25 Pa. Code § 129.52 for surface coating of Miscellaneous metal parts. These limits will meet BAT for this source. The company shall be subject to and comply with 25 Pa. Code § 123.13 for PM emissions from the baghouse. These limits will meet BAT requirements for this source. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements. Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711. Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Permit No. 48-00117C and a concise statement regarding the relevancy of the information or objections to the issuance of the permit. A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written

comments or requests for a public hearing should be directed to Shailesh R Patel, Environmental Group Manager, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711, Phone 570-826-2357 within 30 days after publication date.

## COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21).

Mining activity permits issued in response to such applications are also subject to applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (DEP). A copy of the application is available for inspection at the District Mining Office indicated above each application. Requests for 401 Water Quality Certifications are included in individual application only if noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or Local Government Agency or Authority to DEP at the address of the District Mining Office indicated above each

application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences). Such comments or objections should contain the name, address and phone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform DEP on the basis of comment or objection and relevant facts upon which it is based.

In addition, requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must also contain a brief summary of the issues to be raised by the requestor at the conference and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application is associated with an application for an NPDES permit. A separate notice will be provided for the draft NPDES permit.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

### Coal Applications

**Effluent Limits**—The following range of effluent limits (Table 1) will apply to NPDES permits issued in conjunction with the associated coal mining activity permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Table 1

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

*California District Mining Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.*

*Contact: Bonnie Herbert, Clerical Assistant 3.*

**Mining Permit No. 11841301. NPDES No. PA0001317. Pristine Resources Land LLC**, 301 Market Street, Kittanning, PA 16201, Cambria, Allegheny, Munster, Portage, Summerhill and Croyle Townships, **Cambria County**. To renew the permit and related NPDES permit. Application received: February 9, 2024. Accepted: March 14, 2024.

**Mining Permit No. 30841317. NPDES No. PA0213527. Consol Pennsylvania Coal Company LLC**, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, Morris and Richhill Townships, **Washington and Greene Counties**. To revise the permit and related NPDES permit to revise 3,409 underground and subsidence control plan acres from development to longwall mining. Application received: February 21, 2024. Accepted: March 20, 2024.

**Mining Permit No. 30841316. NPDES No. PA0213535. Consol Pennsylvania Coal Company LLC**, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, Richhill and Aleppo Townships, **Greene County**. To revise the permit and related NPDES permit for installation of a 1.4-mile-long overhead electric line, affecting 18.8 proposed surface acres. Application received: February 14, 2024. Accepted: March 19, 2024.

*New Stanton District Mining Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.*

*Contact: Tracy Norbert, Clerical Assistant 3.*

**Mining Permit No. 03910115. NPDES No. PA0200174. Allegheny Mineral Corporation**, P.O. Box 1022, Kittanning, PA 16201, West Franklin Township, **Armstrong County**. Renewal application for continued mining and

associated NPDES permit, affecting 468.8 acres. Receiving streams: unnamed tributaries to Buffalo Creek and Buffalo Creek, classified for the following use HQ-TSF. Application received: March 13, 2024.

**Mining Permit No. 03793072. PA0061237. Consol Mining Company, LLC**, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, Kiskiminetas and Young Townships, **Armstrong** and **Indiana Counties**. Renewal application for reclamation only to an existing bituminous surface mine and associated NPDES permit, affecting 302.0 acres. Receiving streams: Unnamed tributaries to Big Run and unnamed tributaries to Long Run, classified for the following uses: CWF and WWF. Application received: March 20, 2024.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

*Contact: RA-EPPottsvilleDMO@pa.gov.*

**Mining Permit No. 54080102. Keystone Anthracite Co., Inc.**, 259 N. 2nd Street, Girardville, PA 17935, West Mahanoy Township, **Schuylkill County**. Correction to an anthracite surface mine and coal refuse reprocessing operation to mine within 100 feet of the right-of-way of SR 4031 and update Module 23. Receiving streams: Mahanoy Creek and Shenandoah Creek, classified for the following uses: WWF and CWF, MF. Application received: March 21, 2024.

**MINING ACTIVITY NPDES DRAFT PERMITS**

This notice provides information about applications for a new, amended or renewed National Pollutant Discharge Elimination System (NPDES) permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (DEP) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

*Effluent Limits for Coal Mining Activities*

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

*Effluent Limits for Noncoal Mining Activities*

The limits for noncoal mining activities as provided in 25 Pa. Code § 77.522 are pH 6 to 9 and other parameters DEP may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

*Noncoal NPDES Draft Permits*

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.*

*Contact: Melanie Ford-Wigfield, 814-472-1900, ra-epcambria@pa.gov.*

**NPDES No. PA0612383. Mining Permit No. 6875SM3. Glenn O. Hawbaker, Inc.**, 1952 Waddle Road, Suite 203, State College, PA 16802, Armagh Township, **Mifflin County**. Renewal of an NPDES permit for limestone quarry affecting 114.7 acres. Receiving stream(s): unnamed tributary to Honey Creek, classified for the following use(s): HQ-CWF. Application received: January 16, 2024.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following outfall discharges to unnamed tributary to Honey Creek:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
002	N

The proposed effluent limits for the previously listed outfall are as follows:

<i>Outfalls: 002</i> <i>Parameter</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant.</i> <i>Maximum</i>
Total Suspended Solids (mg/l)	35.0	70.0	90.0
Temperature (°C)			Report
Specific Conductance (µmohs/cm)			Report
Flow (gpm)			Report

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.

**NPDES No. PA0594300. Mining Permit No. 7574SM1. Pennsy Supply, Inc.,** 2400 Thea Drive, Suite 3A, Harrisburg, PA 17110, Silver Spring Township, **Cumberland County**. Renewal of an NPDES permit affecting 153 acres related to a noncoal mining activity permit. Receiving stream: Conodoguinet Creek, classified for the following use: WWF. Application received: November 28, 2023.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following treated wastewater outfalls discharge to Conodoguinet Creek:

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001	Existing	Stormwater	Precipitation Induced
002	Existing	Stormwater	Precipitation Induced
003	Existing	Stormwater	Precipitation Induced
005	Existing	Pit Water	0.96 MGD

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: 005 (All Discharges)</i> <i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant</i> <i>Maximum</i>
Total Suspended Solids (ml/L)	XXX	35.0	70.0	90.0
pH (S.U.)	6.0	XXX	XXX	9.0
Temperature (°C)	XXX	XXX	XXX	Report
Total Dissolved Solids (mg/L)	XXX	XXX	XXX	Report
Oil and Grease	XXX	XXX	XXX	Report
Flow (gpm)	XXX	10.08	XXX	XXX

  

<i>Outfalls: 001—003 and 005</i> <i>(Dry Weather Discharges)</i> <i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant</i> <i>Maximum</i>
Total Suspended Solids (ml/L)	XXX	35.0	70.0	90.0
pH (S.U.)	6.0	XXX	XXX	9.0
Temperature (°C)	XXX	XXX	XXX	Report
Flow (gpm)	XXX	XXX	XXX	Report

  

<i>Outfalls: 001—003 (10-yr/24-hr Precip. Event)</i> <i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant</i> <i>Maximum</i>
Total Settleable Solids (ml/L)	XXX	XXX	XXX	0.5
pH (S.U.)	6.0	XXX	XXX	9.0

  

<i>Outfalls: 001—003 (&gt;10-yr/24-hr Precip. Event)</i> <i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant</i> <i>Maximum</i>
pH (S.U.)	6.0	XXX	XXX	9.0

*Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.*

*Contact: Alicia Cook, Clerical Assistant 3, 814-797-0815.*

**NPDES No. PA0280640. Mining Permit No. 24092801. S. E. Dyne Stone Sales, LLC,** P.O. Box 733, 3913 Route 6 West, Kane, PA 16735, Highland Township,

**Elk County.** Renewal of an NPDES permit for management of water on a small industrial minerals surface mine affecting 5.0 acres. Receiving stream(s): Unnamed tributary to Wolf Run, classified for the following use(s): HQ-CWF. There are no permitted NPDES outfalls, all water must be contained on site. Application received: February 22, 2024.

## FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (DEP). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), as well as relevant State requirements. Individuals objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The DEP may schedule a fact-finding hearing or an informal conference in response to comments if deemed necessary. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 a.m. and 4:00 p.m. on each working day at the office noted above the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

### WATER OBSTRUCTIONS AND ENCROACHMENTS

#### Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

*Northcentral Region: Waterways & Wetlands Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Andrew Ross, EIT, Project Manager, 570-321-6575.*

**E1804219-005. Clinton County**, 232 East Main Street, Lock Haven, PA 17745, Pine Creek Township and Wayne Township, **Clinton County**. U.S. Army Corps of Engineers Baltimore District. Application received: October 17, 2023.

Bald Eagle Valley Trail—Phases 4 and 5. Application is for a permit amendment for Phase 5. Phase 4 construction has been completed. The Phase 5 design authorized under the initial submission proposed the trail to the south, along River Road. However, the property along the previous alignment was sold during the construction of Phase 4, and the new property owner will not allow construction of the trail at that location. As such, the north alignment presented in this permit amendment request is being pursued. Latitude: 41.166295°, Longitude: -77.333913°.

*Contact: Stephen Kardohely, Project Manager, 814-342-8216.*

**E1704224-001. Westover Borough**, 143 Tannery Road, Westover, PA 16692, Westover Borough, **Clearfield County**. U.S. Army Corps of Engineers Baltimore District. Application received: February 28, 2024.

Westover Borough has applied for a Chapter 105 Small Projects permit for the improvements to Mary Street including to stabilize the roadway, improve drainage, and make the road more flood resilient. There are no anticipated adverse impacts to wetlands or waters of the U.S. or aquatic resources from this project. The proposed project is located within the floodway of Chest Creek which is listed in 25 Pa. Code Chapter 93 designation use of High Quality—Cold Water Fishery (HQ-CWF). Latitude: 40° 45' 5.88", Longitude: -78° 39' 59.38".

**E5304224-003. UGI Utilities, Inc.**, 1 UGI Drive, Denver, PA 17517, Hebron Township, **Potter County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: March 4, 2024.

UGI Utilities is applying for a Chapter 105 Small Projects permit for a utility line replacement of approximately 18,650 feet of steel gas main that runs through a private easement located within PA Game Commission owned property. UGI proposes to install the new main within Whitney Creek Road right of way which will require the crossing of Whitney Creek three times via horizontal directional drilling. The project is located within the floodplain of Whitney Creek which is listed in 25 Pa. Code Chapter 93 designation use of Exceptional Value (EV) with natural trout reproduction. Latitude: 41° 51' 2.96", Longitude: -78° 2' 38.79".

*Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Michele Lauer, Clerical Assistant 2, 570-830-3077.*

**E4802224-001. Pennsylvania American Water Co.**, 171 W. Johnson Highway, Norristown, PA 19401, Bushkill Township, **Northampton County**. U.S. Army Corps of Engineers Philadelphia District. Application received: January 11, 2024.

To construct and maintain a 16-inch DIP water line crossing of Sobers Run (EV, MF). The utility line will be installed via directional drilling under the stream bed. The project is located in Bushkill Township, Northampton County, PA, Quadrangle, Latitude: 40° 49' 14", Longitude: -75° 18' 42".

**F4002224-001. Conyngham Township (Luzerne County Flood Protection Authority)**, P.O. Box 1999, Kingston, PA 18704, Conyngham Township, **Luzerne County**. U.S. Army Corps of Engineers Baltimore District. Application received: February 8, 2024.

To demolish and remove structures located on the following sites in the floodplain of the Susquehanna River through the Wyoming Valley Levee Raising Project—Mitigation Program. Sites will be restored and stabilized to open space. Sites are owned by the Luzerne County Flood Protection Authority (LCFPA) and are in Conyngham Township, Luzerne County. 1. 95 Italy Street, Mocanaqua, PA 18655 (Shickshinny, PA Quadrangle, Latitude: 41° 8' 20.60"; Longitude: -76° 8' 27.58"); 2. 97 Italy Street, Mocanaqua, PA 18655.

**F4002224-002. Plymouth Township (Luzerne County Flood Protection Authority)**, P.O. Box 1909, Kingston, PA 18704, Plymouth Township, **Luzerne County**. U.S. Army Corps of Engineers Baltimore District. Application received: February 8, 2024.

To demolish and remove structures located on the following sites in the floodplain of the Susquehanna River through the Wyoming Valley Levee Raising Project—Mitigation Program. Sites will be restored and stabilized to open space. Sites are owned by the Luzerne County Flood Protection Authority (LCFPA) and are in Plymouth Township, Luzerne County. 1. 165 U.S. Route 11, West Nanticoke, PA 18634 (Shickshinny, PA Quadrangle, Latitude: 41° 13' 21.68"; Longitude: -76° 1' 10.31"); 2. 175 U.S. Route 11, West Nanticoke, PA 18634 (Shickshinny, PA Quadrangle, Latitude: 41° 13' 21.65"; Longitude: -76° 1' 12.36").

*Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: 717-705-4802.*

**E6703224-002. South Branch LP, LLC**, 6259 Reynolds Mill Road, York, PA 17360, North Codorus and Springfield Townships, **York County**. U.S. Army Corps of Engineers Baltimore District. Application received: January 26, 2024.

The applicant proposes to install and maintain a bridge crossing over a portion of the South Branch of the Codorus Creek (WWF, MF). The project will include 470.0-square feet of permanent impact to the watercourse (10.0-feet in length (upstream to downstream)) by 47.0-feet in width as well as 1,224.0-square feet of permanent impact to the associated floodway. Wetlands will not be impacted as a result of this project. The project is located at 6259 Reynolds Mill in North Codorus and Springfield Townships, York County (Latitude: (39.8912), Longitude: (-76.7475)).

**E0103224-001. Bolton Development, LLC**, 4175 Hanover Pike, Manchester, MD 21102, Straban and Cumberland Townships and Gettysburg Borough, **Adams County**. U.S. Army Corps of Engineers Baltimore District. Application received: January 10, 2024.

To install and maintain 1) 20-feet of 4-inch gas line, 20-feet of 12-inch water line, 20-feet of 8-inch sanitary sewer line, and 20-feet of 5-inch Polyvinyl Chloride conduit containing electrical and cable lines across a UNT to Rock Creek (WWF, MF) and wetlands and 20-feet of 8-inch sanitary sewer line across Rock Creek (WWF, MF) and wetlands under a General Permit 5 registration; 2) 23-feet of a 24-inch reinforced concrete pipe outfall structure and 35-feet of an 18-inch reinforced concrete pipe outfall structure projecting into a UNT to Rock Creek (WWF, MF) under a General Permit 4 registration; 3) a 80-foot span concrete deck steel frame single span bridge across a UNT to Rock Creek (WWF, MF) and wetlands; 4) a pedestrian walkway consisting of 17-feet of 36-inch diameter smooth lined corrugated plastic pipe across a UNT to Rock Creek (WWF, MF); and 5) and 16-feet of 12-inch diameter pipe across wetlands, all for the purpose of the construction of a new residential subdivision. The project is located 0.23 mile from the intersection of Hunterstown Road and York Road in Straban Township, Adams County (Latitude: 39.839904, Longitude: -77.216732).

**E6703223-013. Sheetz, Inc.**, 351 Sheetz Way, Claysburg, PA 16625, East Manchester Township, **York County**. U.S. Army Corps of Engineers Baltimore District. Application received: October 3, 2023.

The applicant proposes to fill 53.0-linear feet (106-square feet) of an Unnamed Tributary (UNT) to Codorus Creek and 6,016-square feet of a PEM wetland for the purpose of constructing a Sheetz convenience store.

0.14 acre of mitigation credits will be purchased from the East Branch Codorus Creek Mitigation Bank to offset the permanent watercourse/wetland impacts associated with the project. The project is located at 4044 N. George St. Ext, Manchester, PA 17345 in East Manchester Township, York County (Latitude: (40.0407), Longitude: (-76.7255)).

*Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Elaine Henderson, Clerical Assistant 3, 484-250-5157.*

**WV1501224-002, EA1501224-002. Christine Carapico McGowan**, 2127 Flowing Springs Road, Chester Springs, PA 19425, West Vincent Township, **Chester County**. U.S. Army Corps of Engineers Philadelphia District. Application received: March 11, 2024.

To breach the shallow farm pond and rehabilitate an approximately 250 feet stream along the pond bed within UNT to Birch Run (EV) associated with the applicant's request for a 105.12(a)(16) waiver to conduct pond and stream restoration and enhancement. The proposed rehabilitation will include the following: 1) Installation of fencing around wetlands and establish single horse access. 2) Improve and control stormwater. 3) The existing pond will be converted to a palustrine emergent wetland. 4) A floodplain bench will be created through the project area and will be stabilized and planted with an emergent wetland seed mix. Willow live stakes will also be planted along the floodway to provide additional stabilization, etc. The project is located on Nokota Preserve land (Pottstown, PA USGS Quadrangle) in West Vincent Township, Chester County. Latitude: 40.12989°, Longitude: -75.63487°.

*Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Dana Drake, Program Manager.*

**E6505124-001. PennDOT District 12-0**, 825 N. Galatin Ave. Ext., Uniontown, PA 15401, Mount Pleasant Borough and Unity Township, **Westmoreland County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: January 19, 2024.

To:

1. Remove an existing 37-LF, 6' by 7.6' Stone Masonry R/C Slab Bridge, and to construct and maintain a new 99-LF, 7' by 7' R/C Box Culvert, with end walls and rock aprons, having a permanent impact of 127 LF and a temporary impact of 175 LF to an unnamed tributary (UNTST-12) to Sewickley Creek (HQ-CWF), as well as a permanent impact of 0.120 acre and temporary impact of 0.050 acre to the floodway of ST-12.

2. Construct and maintain a new 30-LF, 18" RCP stormwater outfall, namely DB-3, having a permanent impact of 0.012 acre and a temporary impact of 0.033 acre to the floodway of ST-12.

3. Remove an existing 54-LF, 24" RCP culvert, and to place and maintain fill within 106 LF of a UNT (ST-13) to Sewickley Creek (HQ-CWF). Then, to construct and maintain a new 106-LF 36" RCP culvert to convey ST-13, including new end walls and rock apron, having a combined permanent impact of 160 LF and a temporary impact of 198 LF to ST-13, as well as a permanent impact of 0.463 acre and a temporary impact of 0.123 acre to the floodway of ST-13. The temporary impacts are associated with erosion and sedimentation control measures during construction.

4. Construct and maintain a new 30-LF, 18" RCP stormwater outfall, namely DB-4, with new end walls and rock apron, having a permanent impact of 6 LF and a temporary impact of 22 LF to a UNT (ST-13) to Sewickley Creek (HQ-CWF).

5. Place and maintain fill within 0.075 acre of the floodway of a UNT (ST-14-1) to Sewickley Creek (HQ-CWF), also having a temporary impact of 0.035 acre of the floodway of ST-14-1.

6. Remove an existing 64-LF, 48" RCP culvert, to place and maintain fill within 99 LF of a UNT (ST-9) to Ninemile Run (WWF), and to construct and maintain, at a new location, a new 118-LF, 48" RCP, with end walls and rock aprons, having a permanent impact of 163 LF and a temporary impact of 205 LF to ST-9, as well as a permanent impact of 0.374 acre and a temporary impact of 0.278 acre to the floodway of ST-9. The temporary impacts are associated with erosion and sedimentation control measures during construction.

7. Construct and maintain a new 80-LF 18" RCP stormwater outfall, namely DB-10, with new end walls and rock apron, having a permanent impact of 5-LF and a temporary impact of 10 LF to ST-9, as well as a permanent impact of 0.03 acre and a temporary impact of 0.015 to the floodway of ST-9.

8. Place and maintain fill within 215 LF of a UNT (ST-8) to Ninemile Run (WWF), consisting of 73-LF of 84" RCP and 142 LF of open channel. The existing pipe will be abandoned in place by cutting, capping, and filling. Then, to construct and maintain a new 83-LF long, 7' by 7' R/C Box Culvert, with end walls and rock aprons, and to construct and maintain 114 LF of relocated channel, resulting in a net loss of 28 LF of open channel, and having a combined permanent impact of 215 LF and a temporary impact of 288 LF to ST-8, as well as a permanent impact of 0.23 acre and a temporary impact of 0.20 acre to the floodway of ST-8. The temporary impacts are associated with erosion and sedimentation control measures during construction.

9. Construct and maintain a new 40-LF, 18" stormwater outfall, namely DB-9, having a permanent impact of 0.007 acre and a temporary impact of 0.035 acre to the floodway of ST-8.

10. Construct and maintain a new 70-LF, 18" HDPE stormwater outfall, namely 1072-Outfall, with end walls and rock apron, having a permanent impact of 6 LF and a temporary impact of 10 LF to ST-8.

11. Place and maintain fill within 388 LF of a UNT (ST-4) to Ninemile Run (WWF), consisting of 54 LF of 18" CCP, 151 LF of 24" RCP, and 183 LF of open channel. The existing pipes will be abandoned in place by cutting, capping, and filling. Then, to construct and maintain a new 182-LF, 48" RCP culvert with end walls and rock apron, and 148 LF of relocated channel, resulting in a net loss of 35 LF of open channel, and having a combined permanent impact of 388 LF and a temporary impact of 403 LF to ST-4, as well as a permanent impact of 0.77 acre and a temporary impact of 0.31 acre to the floodway of ST-4. The temporary impacts are associated with erosion and sedimentation control measures during construction.

12. Construct and maintain a new 20-LF 24" RCP stormwater outfall, namely ST-4 Outfall, with end walls and rock apron, having a permanent impact of 5 LF and a temporary impact of 10 LF to ST-4.

13. Place and maintain fill within 66 LF of a UNT (ST-5) to Ninemile Run (WWF), and to construct and

maintain 82 LF of relocated channel, resulting in a net gain of 16 LF of open channel, and having a permanent and temporary impact of 66 LF to ST-5, and a permanent and temporary impact of 0.152 acre to the floodway of ST-5. The temporary impacts are associated with erosion and sedimentation control measures during construction.

14. Construct and maintain a new stormwater basin and drainage swale by excavating within 0.003 acre of a Palustrine Emergent (PEM) Wetland (W-23).

15. Place and maintain fill within 0.005 acre of a PEM Wetland (W-20).

16. Construct and maintain a temporary drainage swale, as well as other erosion and sediment pollution controls, having a temporary impact of 0.011 acre to a PEM Wetland (W-18).

17. Place and maintain fill within 0.030 acre of a PEM Wetland (W-17), also having a temporary impact of 0.040 acre to W-17. The temporary impacts are associated with erosion and sedimentation control measures during construction.

18. Place and maintain fill within 0.091 acre of a PEM Wetland (W-15), also having a temporary impact of 0.049 acre to W-15. The temporary impacts are associated with erosion and sedimentation control measures during construction.

19. Place and maintain fill within 0.038 acre of a PEM Wetland (W-16), also having a temporary impact of 0.026 acre to W-16. The temporary impacts are associated with erosion and sedimentation control measures during construction.

20. Place and maintain fill within 0.036 acre of a PEM Wetland (W-11), having a temporary impact of 0.020 acre to W-11. The temporary impacts are associated with erosion and sedimentation control measures during construction.

21. Place and maintain fill within 0.027 acre of a PEM Wetland (W-14).

22. Place and maintain fill within 0.041 acre of a PEM Wetland (W-10), also having a temporary impact of 0.019 acre to W-10. The temporary impacts are associated with erosion and sedimentation control measures during construction.

23. Place and maintain fill within 0.010 acre of a PEM/PSS Wetland (W-22).

24. Place and maintain fill within 0.145 acre of a PSS Wetland (W-7), also having a temporary impact of 0.042 acre to W-7. The temporary impacts are associated with erosion and sedimentation control measures during construction.

25. Place and maintain fill within 0.014 acre of a PEM Wetland (W-21), also having a temporary impact of 0.014 acre to W-21. The temporary impacts are associated with erosion and sedimentation control measures during construction.

26. Place and maintain fill within 0.03 acre of a PEM Wetland (W-2).

27. Place and maintain fill within 0.006 acre of a PSS Wetland (W-3), also having a temporary impact of 0.014 acre to W-3. The temporary impacts are associated with erosion and sedimentation control measures during construction.

28. Place and maintain fill within 0.002 acre of a PEM Wetland (W-1), also having a temporary impact of 0.057



acre to W-1. The temporary impacts are associated with erosion and sedimentation control measures during construction.

29. Mitigation for stream impacts will be provided by constructing approximately 600 LF perennial stream channel restoration within Linn Run (HQ-CWF), including mud sills, cross vanes, root wads, as well as appurtenant grading and planting. Mitigation for wetland impacts will be provided by the use of credits from the PennDOT District 12-0's SGL # 297 Compensatory Wetland Mitigation Bank.

For the purpose of widening and realigning portions of PA SR 981. The project will have a cumulative and permanent impact to 1,603 LF and a cumulative temporary impact to 1,536 LF of watercourses. The project will

also have permanent impact to 0.619 acre and a temporary impact to 0.302 acre of wetlands.

The project site begins on SR 2023, Bell Memorial Church Road, at approximately 4,000 LF south of the intersection SR 130 and SR 2023, and continues along SR 2023 to the point where SR 2023 and SR 981 merge. The project continues along SR 981 and ends approximately 2,000 LF north of the intersection of SR 981, Airport Road, and SR 981, Pleasant Unity Road, (Latrobe and Mammoth, PA USGS topographic quadrangles; start coordinates N: 40°, 9', 8.4348"; W: 79°, 43', 54.9696", end coordinates N: 40°, 15', 53.9814"; W: 79°, 25', 29.8626", Sub-basins 18C and 19D; USACE Pittsburgh District), in Mount Pleasant and Unity Townships, Westmoreland County.

---

## ACTIONS

---

### THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department of Environmental Protection (DEP) has taken the following actions on previously received applications for new, amended, and renewed National Pollutant Discharge Elimination System (NPDES) and Water Quality Management (WQM) permits, applications for permit waivers, and Notice of Intent (NOIs) for coverage under General Permits, as listed in the following tables. This notice of final action is published in accordance with 25 Pa. Code Chapters 91, 92a, and 102 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). The official file for each listed action can be reviewed at the DEP or delegated County Conservation District (CCD) office identified in the table for the action. DEP/CCD office contact information is listed as follows for Section I and is contained within the table for Section II. Additional information for permits issued under 25 Pa. Code Chapters 91 and 92a and Individual permits under 25 Pa. Code Chapter 102, including links to Individual Chapter 92a NPDES and WQM Permits, may be reviewed by generating the "Final Actions Report" on DEP's website at [www.dep.pa.gov/CWPUBLICNOTICE](http://www.dep.pa.gov/CWPUBLICNOTICE).

DEP office contact information to review official files relating to the final actions in Section I is as follows:

*DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES\_SERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SERO@pa.gov for Chapter 102 permits.*

*DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES\_NERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NERO@pa.gov for Chapter 102 permits.*

*DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES\_SCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SCRO@pa.gov for Chapter 102 permits.*

*DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES\_NCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NCRO@pa.gov for Chapter 102 permits.*

*DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES\_SWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SWRO@pa.gov for Chapter 102 permits.*

*DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6078. Email: RA-EPNPDES\_NWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NWRO@pa.gov for Chapter 102 permits.*

*DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES\_Permits@pa.gov.*

*DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.*

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law).

The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law. For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not

needed to file an appeal with the Board. Individuals who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. Important legal rights are at stake, however, so individuals should contact a lawyer at once.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

For actions taken on applications for pipelines that are regulated by the Federal Energy Regulatory Commission (FERC).

Any person aggrieved by this action may challenge it in an appropriate legal forum. The State and Federal courts are currently split on whether the proper forum to challenge a Department permit, authorization or approval for a facility or activity subject to the Federal Natural Gas Act, 15 U.S.C.A. §§ 717 et seq., is the United States Court of Appeals for the Third Circuit or the Pennsylvania Environmental Hearing Board. See *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl. Prot.*, 833 F.3d 360 (3d Cir. 2016); *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl. Prot.*, 903 F.3d 65 (3d Cir. 2018), cert. denied, 139 S. Ct. 1648, 203 L. Ed. 899 (2019) and *Cole v. Dep't. of Env'tl. Prot.*, 1577 C.D. 2019 WL 2420667 (Pa. Cmwlth Ct. June 15, 2021) (Pet. for Allowance of Appeal pending); *West Rockhill Twp. v. Dep't of Env'tl. Prot.*, No. 1595 C.D. 2019 WL 2426014 (Pa. Cmwlth. June 15, 2021) (Pet. for Allowance of Appeal pending).

**I. Final Action(s) on NPDES and WQM Permit Application(s) and NOIs for Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides, CAFOs and Individual Construction Stormwater.**

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA390002D	Chapter 102 Individual NPDES Permit	Issued	PA Turnpike Comm P.O. Box 67676 Harrisburg, PA 17106-7676	Lower Macungie Township Lehigh County	RPCO
PA480001D	Chapter 102 Individual NPDES Permit	Issued	PPL Electric Utilities Corp 827 Hausman Road GENN 4 Allentown, PA 18104-9392	Lehigh Township Northampton County	NERO
PAD020073	Chapter 102 Individual NPDES Permit	Issued	Pittsburgh City Allegheny County 2840 Liberty Avenue Pittsburgh, PA 15222-4775	Pittsburgh City Allegheny County	SWRO
PAD040112	Chapter 102 Individual NPDES Permit	Issued	Rustic Meadows Farm 1230 Mercer Road Ellwood City, PA 16117-5122	South Beaver Township Beaver County	SWRO
PAD230068	Chapter 102 Individual NPDES Permit	Issued	B9 Ridge Owner LLC 602 W Office Center Drive Fort Washington, PA 19034-3216	Trainer Borough Delaware County	SERO
PAD380036	Chapter 102 Individual NPDES Permit	Issued	Boose Properties LP 279 N Zinns Mill Road Lebanon, PA 17042-9544	South Lebanon Township Lebanon County	SCRO
PAD390092	Chapter 102 Individual NPDES Permit	Issued	Macungie Investors LLC P.O. Box 429 Conshohocken, PA 19428	Lower Macungie Township Lehigh County	NERO
PAD390100	Chapter 102 Individual NPDES Permit	Issued	Madison Village Management LLC P.O. Box 86 Bath, PA 18014-0086	Lynn Township Lehigh County	NERO
PAD390115	Chapter 102 Individual NPDES Permit	Issued	Upper Macungie Group 104 Old Mill Road Sellersville, PA 18960-1413	Upper Macungie Township Lehigh County	NERO
PAD500021	Chapter 102 Individual NPDES Permit	Issued	Mid Atlantic Interstate Trans LLC 2800 Pottsville Pk P.O. Box 16001 Reading, PA 19612-6001	Milford Township Juniata County	SCRO
PAD560012	Chapter 102 Individual NPDES Permit	Issued	Twin Ridges LLC 2925 Richmond Avenue Suite 11 Houston, TX 77098-3130	Southampton Township Somerset County	SWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0058602	Industrial Stormwater Individual NPDES Permit	Issued	Delaware Valley Concrete Co. Inc. 248 E County Line Road Hatboro, PA 19040-2116	Hatboro Borough Montgomery County	SERO
PA0245593	Industrial Stormwater Individual NPDES Permit	Issued	EP Henry An Oldcastle Co. 16 Anderson Road Parker Ford, PA 19457	East Coventry Township Chester County	SERO
PA0264920	Industrial Stormwater Individual NPDES Permit	Issued	Commercial Asphalt Supply 161 Plain Grove Road P.O. Box 672 Valencia, PA 16059-1523	Clearfield Township Butler County	NWRO
PA0276839	Industrial Stormwater Individual NPDES Permit	Issued	Carindal IG 50 Elmwood Avenue Mountain Top, PA 18707-2100	Wright Township Luzerne County	NERO
1024801	Joint DEP/PFBC Pesticides Permit	Issued	Corey Pacek 115 Lake Manor Butler, PA 16002-8891	Penn Township Butler County	NWRO
1024802	Joint DEP/PFBC Pesticides Permit	Issued	Justin D'Appolonia 315 Myoma Road Mars, PA 16046-2117	Adams Township Butler County	NWRO
1513824	Joint DEP/PFBC Pesticides Permit	Issued	Robert Fry 326 Lucas Road Phoenixville, PA 19460	East Vincent Township Chester County	SERO
1513857	Joint DEP/PFBC Pesticides Permit	Issued	Griffiths Robert E 9 Rapps Run Drive Malvern, PA 19355-9663	Charlestown Township Chester County	SERO
1513868	Joint DEP/PFBC Pesticides Permit	Issued	Daylesford Lakes 183 Daylesford Lakes Berwyn, PA 19321	Tredyffrin Township Chester County	SERO
1513914	Joint DEP/PFBC Pesticides Permit	Issued	Willistown Knoll HOA P.O. Box 1119 Chadds Ford, PA 19317-0658	Willistown Township Chester County	SERO
2024801	Joint DEP/PFBC Pesticides Permit	Issued	John Aronson 124 Oakhurst Drive McMurray, PA 15317-2631	North Shenango Township Crawford County	NWRO
2519810	Joint DEP/PFBC Pesticides Permit	Issued	Emily Yochim 8804 Avonia Road Girard, PA 16417-8304	Fairview Township Erie County	NWRO
2524802	Joint DEP/PFBC Pesticides Permit	Issued	Thomas Makowski 10221 Hamot Road Waterford, PA 16441-3331	McKean Township Erie County	NWRO
2913803	Joint DEP/PFBC Pesticides Permit	Issued	Shenandoah Area Council BSA 107 Youth Development Court Winchester, VA 22602-2430	Dublin Township Fulton County	SCRO
3524801	Joint DEP/PFBC Pesticides Permit	Issued	BGN Development Corp 1024 Springbrook Avenue Moosic, PA 18507-1814	Ransom Township Lackawanna County	NERO
3624801	Joint DEP/PFBC Pesticides Permit	Issued	MHC Spring Gulch LLC 475 Lynch Road New Holland, PA 17557-9568	Salisbury Township Lancaster County	SCRO
3721802	Joint DEP/PFBC Pesticides Permit	Issued	John L Drespling 424 Stonehouse Lane Volant, PA 16156-6632	Hickory Township Lawrence County	NWRO
3723802	Joint DEP/PFBC Pesticides Permit	Issued	Dan Harbison 1725 Mount Jackson Road Enon Valley, PA 16120-1321	North Beaver Township Lawrence County	NWRO

## NOTICES

1877

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
3924801	Joint DEP/PFBC Pesticides Permit	Issued	Saks Nancy 2288 Flint Hill Road Coopersburg, PA 18036-9218	Upper Saucon Township Lehigh County	NERO
4024801	Joint DEP/PFBC Pesticides Permit	Issued	David Mason Properties c/o Farmland Properties LLC 278 Street John's Road Drums, PA 18222	Butler Township Luzerne County	NERO
4320811	Joint DEP/PFBC Pesticides Permit	Issued	Paul Petersheim 19 Lower Road Cochranton, PA 16314-3017	French Creek Township Mercer County	NWRO
4324801	Joint DEP/PFBC Pesticides Permit	Issued	Ken Jones 4004 Wynwood Drive Sharpsville, PA 16150-9024	South Pymatuning Township Mercer County	NWRO
4617802	Joint DEP/PFBC Pesticides Permit	Issued	Huntingdon Valley CC 2295 Country Club Drive Huntingdon Valley, PA 19006-5607	Abington Township Montgomery County	SERO
4623810	Joint DEP/PFBC Pesticides Permit	Issued	Starfield Comm Association c/o Continental Properties Management 975 Easton Road Suite 102 Warrington, PA 18976-1858	Upper Providence Township Montgomery County	SERO
5817806	Joint DEP/PFBC Pesticides Permit	Issued	Holthausen Robert 1109 Cymry Drive Berwyn, PA 19312	Herrick Township Susquehanna County	NERO
6424801	Joint DEP/PFBC Pesticides Permit	Issued	Mineur's Farm LLC 9 Deer Path Road Califon, NJ 07830	Damascus Township Wayne County	NERO
6724801	Joint DEP/PFBC Pesticides Permit	Issued	Keegan Alicia 12831 Glessick School Road Felton, PA 17322-8271	East Hopewell Township York County	SCRO
PAI130506	MS4 Individual NPDES Permit	Issued	Solebury Township Bucks County P.O. Box 139 3092 Sugan Road Solebury, PA 18963-0139	Solebury Township Bucks County	SERO
PAI133523	MS4 Individual NPDES Permit	Issued	Terre Hill Borough Lancaster County P.O. Box 250 300 Broad Street Terre Hill, PA 17581-0250	Terre Hill Borough Lancaster County	SCRO
PA0024571	Major Sewage Facility >= 5 MGD Individual NPDES Permit	Issued	Cranberry Township Butler County 2525 Rochester Road Cranberry Township, PA 16066-6420	Cranberry Township Butler County	NWRO
PA0027006	Major Sewage Facility with CSOs Individual NPDES Permit	Issued	Tamaqua Borough Schuylkill County 320 East Broad Street Tamaqua, PA 18252	Walker Township Schuylkill County	NERO
5422401	Major Sewage Treatment Facility Individual WQM Permit	Issued	Shenandoah Municipal Sewer Authority Schuylkill County 15 W Washington Street Borough Hall Shenandoah, PA 17976-1708	Shenandoah Borough Schuylkill County	NERO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
3223202	Manure Storage and Wastewater Impoundments Individual WQM Permit	Issued	Brookside Dairy Farm 2677 Old Route 56 Highway W Homer City, PA 15748-7600	Center Township Indiana County	NWRO
PA0009270	Minor Industrial Waste Facility with ELG Individual NPDES Permit	Issued	Post Consumer Brands Inc. 20802 Kensington Boulevard Lakeville, MN 55044-8052	South Centre Township Columbia County	NCRO
PA0064173	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Heislars Cloverleaf Dairy Inc. 723 Catawissa Road Tamaqua, PA 18252-5126	Walker Township Schuylkill County	NERO
PA0218821	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Indiana County Municipal Service Authority 602 Kolter Drive Indiana, PA 15701-3570	Cherryhill Township Indiana County	NWRO
PA0070424	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Caernarvon Township Municipal Authority Berks County 601 Hemlock Road P.O. Box 291 Morgantown, PA 19543-8894	Caernarvon Township Berks County	SCRO
PA0088188	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Gratz Borough Municipal Authority Dauphin County 125 N Center Street Gratz, PA 17030	Gratz Borough Dauphin County	SCRO
PA0218812	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Indiana County Municipal Service Authority 602 Kolter Drive Indiana, PA 15701-3570	Montgomery Township Indiana County	NWRO
PA0218928	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Cadogan Township Armstrong County P.O. Box 309 Cadogan, PA 16212-0309	Cadogan Township Armstrong County	NWRO
1908201	Minor and Non-NPDES Industrial Waste Treatment Facility Individual WQM Permit	Issued	Post Consumer Brands Inc. 20802 Kensington Boulevard Lakeville, MN 55044-8052	South Centre Township Columbia County	NCRO
0474418	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	PA American Water Co. 203 Sycamore Street Punxsutawney, PA 15767-1357	Koppel Borough Beaver County	SWRO
1003404	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	H & H Properties Investments LLC 211 Lincoln Highway Fairless Hills, PA 19030-1101	Lancaster Township Butler County	NWRO

## NOTICES

1879

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
1524403	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Martins Comm LLC 25 Randy Lane Cochranville, PA 19330-1647	West Nottingham Township Chester County	SERO
1704402	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Woodward Township Sewer & Water Authority Clearfield County P.O. Box 6 131 Punkin Hollow Drive Houtzdale, PA 16651-0006	Woodward Township Clearfield County	NCRO
NNOEXSC34	No Exposure Certification	Issued	ITT Ind Inc. 33 Centerville Road Lancaster, PA 17603-4004	East Hempfield Township Lancaster County	SCRO
NOEXNE057	No Exposure Certification	Issued	Pretium Pkg 13515 Barrett Parkway Drive Ballwin, MO 63021-5806	Hazle Township Luzerne County	NERO
PAG030124	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Sika MBCC US LLC 6450 Bristol Pike Levittown, PA 19057-4916	Bristol Township Bucks County	SERO
PAG030167	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Orthodox Auto Co. Inc. 5247 Unruh Avenue Philadelphia, PA 19135-2912	Philadelphia City Philadelphia County	SERO
PAG030313	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Edlon Inc. A Pfaudler Co. 117 West State Street Avondale, PA 19311	Avondale Borough Chester County	SERO
PAG030315	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	710 Trainer St LLC 710 Trainer Street Trainer, PA 19013	Trainer Borough Delaware County	SERO
PAG032413	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Ward Trucking LLC P.O. Box 1553 Altoona, PA 16603-1553	Wilkes-Barre City Luzerne County	NERO
PAG033847	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Carlisle Construction Materials LLC 1285 Ritner Highway Carlisle, PA 17013-9381	Carlisle Borough Cumberland County	SCRO
PAG033919	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Rolling Frito Lay Sales LP 23 Beethoven Street Binghamton, NY 13905-4250	East Lampeter Township Lancaster County	SCRO
PAG033976	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	FedEx Corp 3620 Hacks Cross Road Building B 3rd Floor Memphis, TN 38125-8800	Swatara Township Dauphin County	SCRO
PAG034023	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Toppa Interamerica Inc. 378 Thousand Oaks Boulevard Morgantown, PA 19543-9769	Caernarvon Township Berks County	SCRO
PAG034024	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Cresline Plastic Pipe Co. Inc. 264 Silver Spring Road Mechanicsburg, PA 17050-2840	Hampden Township Cumberland County	SCRO

## NOTICES

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG034037	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Bwise Trailers 1002 Wayne Avenue Chambersburg, PA 17201-2999	Chambersburg Borough Franklin County	SCRO
PAG034894	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Autoneum North American Inc. 480 W 5th Street Bloomsburg, PA 17815-1563	Bloomsburg Town Columbia County	NCRO
PAG034997	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Sims Metal East LLC 1 Linden Avenue Jersey City, NJ 07305	Madison Township Columbia County	NCRO
PAG035044	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Kevins Junkyard LLC 150 Loner Lane Port Matilda, PA 16870-8627	Taylor Township Centre County	NCRO
PAG036493	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Jordan Auto Parts Inc. 217 Moffit Road Dilliner, PA 15327-2615	Dunkard Township Greene County	SWRO
PAG036495	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Stoelzle Glass USA Inc. 400 9th Street Monaca, PA 15061-1862	Monaca Borough Beaver County	SWRO
PAG036538	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Ace Auto Wrecking Inc. 4550 Verona Road Verona, PA 15147-1733	Penn Hills Township Allegheny County	SWRO
PAG038324	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	PHB Inc. 7900 W Ridge Road Fairview, PA 16415-1807	Fairview Township Erie County	NWRO
PAG038386	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Ellwood Specialty Steel Co. 499 Honey Bee Lane New Castle, PA 16105-3807	Wilmington Township Lawrence County	NWRO
PAG038398	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Integral Scrap & Recycling Inc. 155 Airport Road Suite A Indiana, PA 15701-8904	White Township Indiana County	NWRO
PAG038421	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Lane Enterprises LLC 3905 Hartzdale Drive Camp Hill, PA 17011-7837	Pulaski Township Lawrence County	NWRO
PAG038432	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Zurn Water LLC 1301 Raspberry Street Erie, PA 16502-1543	Erie City Erie County	NWRO
PAG038476	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Crossett Inc. 201 S Carver Street Warren, PA 16365-2867	Bradford Township McKean County	NWRO
PAG038486	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Vesuvius Penn Corp 915 Clyde Street Wampum, PA 16157-4403	Wampum Borough Lawrence County	NWRO
PAG038487	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Crossett Inc. 201 S Carver Street Warren, PA 16365-2867	Warren City Warren County	NWRO

## NOTICES

1881

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG038513	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Miller Welding & Mach Co. P.O. Box G Brookville, PA 15825-0607	Rose Township Jefferson County	NWRO
PAG038515	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Ridg-U-Rak Inc. 120 S Lake Street P.O. Box 150 North East, PA 16428-1232	North East Borough Erie County	NWRO
PAG038576	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Tforce Freight Inc. 1000 Semmes Avenue Richmond, VA 23224-2246	Millcreek Township Erie County	NWRO
PAG038605	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Greenleaf Corp 18695 Greenleaf Drive Saegertown, PA 16433-4429	Hayfield Township Crawford County	NWRO
PAG041257	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Cochran Steven R 204 Fleming Road Grove City, PA 16127-6216	Pine Township Mercer County	NWRO
PAG041264	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Weisensee Stephanie 768 Saxonburg Boulevard Saxonburg, PA 16056-9729	Clinton Township Butler County	NWRO
PAG041291	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Preston Benjamin 155 Miller Hill Road Warren, PA 16365-8655	Conewango Township Warren County	NWRO
PAG041293	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Jesse and Virginia Horton 8127 Station Road Erie, PA 16510-5705	Harborcreek Township Erie County	NWRO
PAG041294	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Lifestyle Support Service Inc. P.O. Box 303 1109 Deveaux Street Elmora, PA 15737-0303	Conewango Township Warren County	NWRO
PAG041295	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Megan Caldwell and Ravi Chekka 6025 Mill Stone Drive Fairview, PA 16415-2247	Springfield Township Erie County	NWRO
PAG045139	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Patel Arpan P 18 Eagle Drive Towaco, NJ 07082-1282	Huston Township Centre County	NCRO
PAG100054	PAG-10 NPDES General Permit for Hydrostatic Test Water	Issued	MIPC LLC 920 Cherry Tree Road Aston, PA 19104	Upper Chichester Township Delaware County	SERO
PAG123600	PAG-12 NPDES General Permit for CAFOs	Issued	David L. Weaver 740 Marion Drive Womelsdorf, PA 19567-9497	Marion Township Berks County	SCRO
PAG123944	PAG-12 NPDES General Permit for CAFOs	Issued	Martin Larry Dean 61 Cherry Hill Road Richland, PA 17087-9619	Tulpehocken Township Berks County	SCRO
PAG128304	PAG-12 NPDES General Permit for CAFOs	Issued	Brookside Dairy Farm 2677 Old Route 56 Highway W Homer City, PA 15748-7600	Center Township Indiana County	SCRO



## NOTICES

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG133751	PAG-13 NPDES General Permit for MS4s	Waived	McSherrystown Borough Adams County 338 Main Street McSherrystown, PA 17344-1708	McSherrystown Borough Adams County	SCRO
4123403	Pump Stations Individual WQM Permit	Issued	PA Department of Corr Muncy State Corr Institution P.O. Box 180 Muncy, PA 17756-0180	Clinton Township Lycoming County	NCRO
PA0228877	Single Residence STP Individual NPDES Permit	Issued	Lanzafame Tracy 1743 Old Berwick Road Bloomsburg, PA 17815-3032	Orange Township Columbia County	NCRO
PA0239836	Single Residence STP Individual NPDES Permit	Issued	Keppler Lawrence 8 Deer Run Bradford, PA 16701-2466	Corydon Township McKean County	NWRO
PA0245089	Single Residence STP Individual NPDES Permit	Issued	Matthew S and Barbara E Delaney 1405 Wexford Circle West Chester, PA 19380-5815	East Goshen Township Chester County	SERO
PA0271713	Single Residence STP Individual NPDES Permit	Issued	Black Beth 1903 Cable Hollow Road Russell, PA 16345-5029	Pine Grove Township Warren County	NWRO
PA0285218	Single Residence STP Individual NPDES Permit	Issued	Seivers Jeffrey D 246 Blackwoods Road Freedom, PA 15042-9645	New Sewickley Township Beaver County	SWRO
PA0295426	Single Residence STP Individual NPDES Permit	Issued	Lauffenburger Shawwna 1573 Cole Hill Road Russell, PA 16345-5331	Pine Grove Township Warren County	NWRO
0423403	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Seivers Jeffrey D 246 Blackwoods Road Freedom, PA 15042-9645	New Sewickley Township Beaver County	SWRO
1402402	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Patel Arpan P 18 Eagle Drive Towaco, NJ 07082-1282	Huston Township Centre County	NCRO
1904401	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Lanzafame Tracy 1743 Old Berwick Road Bloomsburg, PA 17815-3032	Orange Township Columbia County	NCRO
6223403	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Lauffenburger Shawwna 1573 Cole Hill Road Russell, PA 16345-5331	Pine Grove Township Warren County	NWRO
WQG01432301	WQG-01 WQM General Permit	Issued	Cochran Steven R 204 Fleming Road Grove City, PA 16127-6216	Pine Township Mercer County	NWRO
WQG02092401	WQG-02 WQM General Permit	Issued	Bucks County Water & Sewer Authority 1275 Almshouse Road Warrington, PA 18976-1209	Plumstead Township Bucks County	SERO

**II. Final Action(s) on PAG-01 and PAG-02 General NPDES Permit NOIs.**

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC090666	PAG-02 General Permit	Issued	Bristol Township 2801 Bath Road Bristol, PA 19007	Bristol Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 RA-EPNPDES_SERO@ pa.gov
PAC090643 A1	PAG-02 General Permit	Issued	The County of Bucks 55 East Court Street Doylestown, PA 18901-4318	Bristol Borough Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 RA-EPNPDES_SERO@ pa.gov
PAC090655	PAG-02 General Permit	Issued	Towpath Road LLC 149 Newbold Road Fairless Hills, PA 19030-4309	Falls Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 RA-EPNPDES_SERO@ pa.gov
PAC090264	PAG-02 General Permit	Issued	Toll Mid-Atlantic PL Company, Inc 250 Gibraltar Road Horsham, PA 19044-2323	Warrington Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 RA-EPNPDES_SERO@ pa.gov
PAC090652	PAG-02 General Permit	Issued	Heritage Crown Realty, LLC 341 West Butler Avenue Doylestown, PA 18901-Doylestown	New Britain Borough Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 RA-EPNPDES_SERO@ pa.gov
PA350001C	PAG-02 General Permit	Issued	Archaea CCS LLC 500 Technology Dr Upper Floor Canonsburg, PA 15317-9588	Olyphant Borough and Throop Borough Lackawanna County	DEP Eastern Oil & Gas District 208 West Third Street Williamsport, PA 17701 RA-EPEASTERNOGPRG@ pa.gov
PAC480185	PAG-02 General Permit	Issued	Myers Power Products 2950 E. Philadelphia St. Ontario, CA 91713	Tatamy Borough Northampton County	Northampton County Conservation District 14 Gracedale Ave. Greystone Building Nazareth, PA 18064-9211 610-829-6276 RA-EPWW-NERO@ pa.gov
PAC380298	PAG-02 General Permit	Issued	Garman Builders at Wynfield, LLC 529 East Main Street Lititz, PA 17543	South Annville Township Lebanon County	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 717-277-5275

## NOTICES

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC380300	PAG-02 General Permit	Issued	Mid-Atlantic Transmission 2800 Pottsville Pike Reading, PA 19605	Bethel and Swatara Townships Lebanon County	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 717-277-5275
PAC670200A-1	PAG-02 General Permit	Issued	York Hospitality LLC 334 Arsenal Road York, PA 17402	Manchester Township York County	York County Conservation District 2401 Pleasant Valley Rd. Suite 101 Room 139 York, PA 17402 717-840-7430
PAC670685	PAG-02 General Permit	Issued	CFT NV Development LLC 1120 N Town Center Drive Suite 150 Las Vegas, NV 89144	Springettsbury Township York County	York County Conservation District 2401 Pleasant Valley Rd. Suite 101 Room 139 York, PA 17402 717-840-7430
PAC670696	PAG-02 General Permit	Issued	Columbia Gas of PA 1600 Colony Road York, PA 17408	Manchester Township York County	York County Conservation District 2401 Pleasant Valley Rd. Suite 101 Room 139 York, PA 17402 717-840-7430
PAC080077	PAG-02 General Permit	Issued	UGI Utilities Inc 1 UGI Drive Denver, PA 17517	Springfield Township Bradford County	Bradford County Conservation District 200 Lake Rd Ste E Towanda, PA 18848-9693 570-265-5539
PAC080081	PAG-02 General Permit	Issued	RES Water—Avis LLC 1373 Washington Pike Suite 100 Bridgeville, PA 15017	Canton Township Bradford County	Bradford County Conservation District 200 Lake Rd Ste E Towanda, PA 18848-9693 570-265-5539
PAC140087 A-1	PAG-02 General Permit	Issued	JFDC Land Acquisition f/k/a Loesch Construction Lane Avenue Centre Hall, PA 16828	Potter Township Centre County	Centre County Conservation District 414 Holmes Ave Ste 4 Bellefonte, PA 16823-1400 814-355-6817
PAC140172	PAG-02 General Permit	Issued	CE-Shady Farm LLC 234 Shady Farm Lane Bellefonte, PA 16823	Walker Township Centre County	Centre County Conservation District 414 Holmes Ave Ste 4 Bellefonte, PA 16283 814-355-6817
PAC140163	PAG-02 General Permit	Issued	Centre Lime & Stone Company 1952 Waddle Rd State College, PA 16803	Spring Township Centre County	Centre County Conservation District 414 Holmes Ave Ste 4 Bellefonte, PA 16283 814-355-6817

## NOTICES

1885

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC140074	PAG-02 General Permit	Issued	Graymont PA, Inc 375 Graymont Road Bellefonte, PA 16823	Spring Township Centre County	Centre County Conservation District 414 Holmes Ave Ste 4 Bellefonte, PA 16283 814-355-6817
PAC170083	PAG-02 General Permit	Issued	Laughner and Patel Developers c/o Bob Laughner Developac Rom Extension Harrisburg, PA 17112	Sandy Township Clearfield County	Clearfield County Conservation District 6395 Clearfield- Woodland Hwy Suite 2 Clearfield, PA 16830-1923 814-765-2629
PAC170021	PAG-02 General Permit	Issued	Penn Highlands DuBois c/o William Chinn 100 Hospital Ave DuBois, PA 15801	Sandy Township Clearfield County	Clearfield County Conservation District 6395 Clearfield- Woodland Hwy Suite 2 Clearfield, PA 16830-1923 814-765-2629
PAC360908	PAG-02 General Permit	Issued	Strasburg Borough 145 Precision Avenue Strasburg, PA 17579	Strasburg Borough Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360920	PAG-02 General Permit	Issued	Royal Buck LLC 5321 Meridian Boulevard Warrington, PA 18976	Manor Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360885	PAG-02 General Permit	Issued	SK Smucker Properties, LLC 2047 Rockvale Road Lancaster, PA 17602	West Lampeter Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360865	PAG-02 General Permit	Issued	Catherine Hershey School for Early Learning New Danville P.O. Box 830 Hershey, PA 17033	Pequea Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC010098	PAG-02 General Permit	Issued	BLG Construction, LLC 11 Pleasant Hill Court Dillsburg, PA 17019	Huntington Township Adams County	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325 717-334-0636
PAC560088	PAG-02 General Permit	Issued	Municipal Authority of the Borough of Somerset 347 West Union Street Somerset, PA 15501	Somerset Borough and Somerset Township Somerset County	Somerset County Conservation District 6024 Glades Pike Suite 103 Somerset, PA 15501 814-445-4652 SWRO

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC560089	PAG-02 General Permit	Issued	Municipal Authority of the Borough of Somerset 347 West Union Street Somerset, PA 15501	Somerset Borough and Somerset Township Somerset County	Somerset County Conservation District 6024 Glades Pike Suite 103 Somerset, PA 15501 814-445-4652 SWRO
PAC630198A-2	PAG-02 General Permit	Issued	Angelo Quarture 275 Johnson Rd Canonsburg, PA 15317	Chartiers Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098 SWRO
PAC040143	PAG-02 General Permit	Issued	76 RBG Development 1709 Shady Knoll Court Sewickley, PA 15143	Chippewa Township Beaver County	Beaver County Conservation District 156 Cowpath Road Aliquippa, PA 15001 724-378-1701 SWRO
PAC040151	PAG-02 General Permit	Issued	Municipal Water Authority of Aliquippa 140 Bet-Tech Drive Aliquippa, PA 15001	Hopewell Township and City of Aliquippa Beaver County	Beaver County Conservation District 156 Cowpath Road Aliquippa, PA 15001 724-378-1701 SWRO
PAC630144	PAG-02 General Permit	Issued	Hydro Recovery, LP 1975 Waddle Rd State College, PA 19803	Hanover Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098 SWRO
PAC010259	PAG-02 General Permit	Issued	C. E. Williams Sons, Inc. 1141 Highland Avenue Rd Gettysburg, PA 17325	Mount Joy Township Adams County	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325 717-334-0636
PAC420026	PAG-02 General Permit	Issued	UGI Utilities Inc 1 UGI Drive Denver, PA 17517	Liberty Township and Keating Township McKean County	McKean County Conservation District 17137 Route 6 Smethport, PA 16749 814-887-4001
PAC200104	PAG-02 General Permit	Issued	PADOT District 1 255 Elm Street Oil City, PA 16301	Bloomfield Township Crawford County	Crawford County Conservation District 21742 German Road Meadville, PA 16335 814-763-5269
PAC350164	PAG-02 General Permit	Issued	Carbondale Corner, LLC 276 Post Road West Suite 201 Westport, CT 06880	City of Carbondale Lackawanna County	Lackawanna County Conservation District 1027 S. Abington Rd. South Abington Township, PA 18411 570-382-3086 RA-EPWW-NERO@ PA.GOV

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC390216	PAG-02 General Permit	Issued	Patriot American Parkway, LP c/o Alan Werther 1200 Liberty Ridge Drive Suite 115 Wayne, PA 19087	Hanover Township Lehigh County	Lehigh County Conservation District Lehigh County AG Center Suite 105 4184 Dorney Park Road Allentown, PA 18104-5728 610-391-9583 RA-EPWW-NERO@ PA.GOV
PAC510302	PAG-02 General Permit	Issued	Rebuild Philadelphia 1515 Arch Street Mezzanine Level Philadelphia, PA 19102	City of Philadelphia Philadelphia County	DEP, SERO 2 E. Main Street Norristown, PA 19401 484-250-5821 RA-EPNPDES_SERO@ pa.gov
PAC010009	PAG-02 General Permit	Issued	Heartland Investment Properties, LLC 1060 Baltimore Street Hanover, PA 17331	McSherrystown Borough Adams County	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325 717-334-0636
PAC510282	PAG-02 General Permit	Issued	Southeastern Pennsylvania Transportation Authority (SEPTA) 1234 Market Street Philadelphia, PA 19107-3736	City of Philadelphia Philadelphia County	DEP, SERO 2 E. Main Street Norristown, PA 19401 484-250-5821 RA-EPNPDES_SERO@ pa.gov

## STATE CONSERVATION COMMISSION

### NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at 717-787-3483 for more information.

**NUTRIENT MANAGEMENT PLAN  
CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS**

Agricultural Operation Name and Address	County	Total Acres	Animal Equivalent Units	Animal Type	Special Protection Waters (HQ or EV or NA)	Approved or Disapproved
Kevin Snader— Sunset Family Farms LLC 221 Sunset Drive Fredericksburg, PA 17026	Lebanon County	154.3	274.65	Broiler	NA	Approved

**PUBLIC WATER SUPPLY PERMITS**

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

**SAFE DRINKING WATER**

**Actions Taken Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).**

*Northcentral Region: Safe Drinking Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Nadera Bellows, Clerical Assistant II, 570-327-0551.*

**Construction Permit No. 1424506MA**, Minor Amendment, Public Water Supply.

Applicant	<b>State College Borough Water Authority</b>
Address	1201 West Branch Road State College, PA 16801

Municipality                      State College Borough  
County                                **Centre County**

Consulting Engineer              David Pedersen  
1321 Fairway Drive  
Altoona, PA 16602

Application Received              February 14, 2024

Permit Issued                        March 19, 2024

Description                        This permit authorizes installation of the existing reagglomerated bituminous coal media that was installed in the GAC filters, instead of the originally permitted coconut shell based GAC. In addition, special conditions A and R of operation Permit No. 1418501 have been updated to specify use of reagglomerated bituminous coal GAC media and related requirements.

*Northcentral Region: Safe Drinking Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Nadera Bellows, Clerical Assistant II, 570-327-0551.*

**Operation Permit 1418501. PWSID No. 4140096. State College Borough Water Authority**, 1201 West Branch Road, State College, PA 16801, State College Borough, **Centre County**. Application received: March 19, 2024. Permit Issued: March 19, 2024. Special conditions A and R of operation Permit No. 1418501 have been updated to specify use of reagglomerated bituminous coal GAC media and related requirements.

*Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Daniel J. Cannistraci, Environmental Engineering Specialist.*

**NCWSA Construction Permit 7360439. PWSID No. 7360439. Hershey Farm Restaurant**, 240 Hartman Bridge Rd, Ronks, PA 17572, Strasburg Township, **Lancaster County**. Application received: December 19, 2023. Permit Issued: March 15, 2024. This action authorizes the construction of a new noncommunity public water system at Hershey Farm Restaurant & Inn. The water system will consist of three (3) wells, cartridge filtration, ion exchange, disinfection, finished water storage, pumps and appurtenances.

**NCWSA Construction Permit 7500378. PWSID No. 7500378. Tangled Vines Winery, LLC**, 510 Shuler Rd, Shermans Dale, PA 17090, Centre Township, **Perry**

**County.** Application received: February 14, 2024. Permit Issued: March 20, 2024. This action approves a new transient noncommunity water system at Tangled Vines Winery, consisting of a well, pressure tank, and appurtenances.

**Corrosion Control Treatment Feasibility Study Permit 3060803.** PWSID No. 3060803. **New Morgan Borough Utilities Authority**, 200 Bethlehem Drive, Suite 102, Morgantown, PA 19543, **New Morgan Borough, Berks County.** Application received: October 6, 2023. Permit Issued: March 25, 2024. An application for a Corrosion Control Feasibility Study was withdrawn on March 25, 2024.

*Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

Contact: RA-EPSWSDW@pa.gov.

**Construction Permit 1124501MA.** PWSID No. 4110011. **Gallitzin Borough Water Authority**, 411 Convent Street, Suite 10, Gallitzin, PA 16641, Gallitzin Township, **Cambria County.** Application received: January 31, 2024. Permit Issued: March 15, 2024. Issuance of Construction Permit No. 1124501MA to Gallitzin Borough Water Authority for the construction of the 209,000-gallon replacement "Low", finished water storage tank, rehabilitation of the existing 340,000-gallon High Tank, and the installation of a generator at the Low Tank Pump Station.

Contact: Renee Diehl, Program Manager.

**Construction Permit 6524502.** PWSID No. 5650032. **Municipal Authority of Westmoreland County**, 124 Park & Pool Road, New Stanton, PA 15672, Penn Township and West Leechburg Borough, **Westmoreland County.** Application received: January 25, 2024. Permit Issued: March 26, 2024. Painting of the 160,000-gallon West Leechburg # 2 and 500,000-gallon Sunrise tanks and the installation of tank mixers.

#### SEWAGE FACILITIES ACT PLAN APPROVAL

**Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as Amended, 35 P.S. § 750.5.**

*Northwest Region: Clean Water Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

Contact: Cynthia Selby, Environmental Group Manager, 814-332-6643.

Plan Location:

Municipality	Address	County
Center Township	1212 Neal Road Homer City, PA 15748	Indiana County

Plan Description:

Cherry Run Sewer Extension, M6-23-124. This Planning Module Component 3m provides for construction of 2,200 linear feet of 8" gravity sewer to serve 26 existing residential dwellings currently served by on-lot sewage disposal systems. All 26 connections to the gravity line will flow to a pump station with an operating capability of 1.875 GPM. From the pump station, 1,190 linear feet of 2" force main will convey the sewage flows to an existing manhole located at the intersection of Cherry Run Road and Water Works Road. The project will be connected to the Cherry Run Road collection system and will generate 10,400 gallons of sewage per day to be treated at the

Central **Indiana County** Joint Sanitary Authority's Wastewater Treatment Facility.

*Southcentral Region: Clean Water Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

Contact: Jessica Williams, Sewage Planning Specialist 1, 717-705-4723.

Plan Location:

Municipality	Address	County
Fermanagh Township	109 Municipal Road Mifflintown, PA 17059	Juniata County

Plan Description:

Fermanagh Township Sewer Plan Amendment, D1-34904-ACT. Approval of an Update Revision to the official plan of Fermanagh Township, **Juniata County** has been issued. This action is a result of the review of a planning module for the Fermanagh Township Sewer Plan Amendment (DEP Code No. D1-34904-ACT; APS ID No. 972677). The new Update Revision proposes to address the previously approved 2021 Update Revision wherein it was determined that needs areas 1, 2 and 4 would be served by a new public sewer extension, with flows from Area 1 to be sent to the Twin Borough WWTP and those from Areas 2 and 4 would be sent to the privately owned Arch Rock Development (aka Groninger) WWTP. The current Update Revision proposes that the Township purchases and decommissions the Groninger WWTP, and that flows from all designated needs areas would be sent to the Twin Borough WWTP. Approximately 36,300 linear feet of new gravity sewer with intermittent pump stations is proposed to serve the needs areas. The extension of public sewer will result in an additional estimated 415 EDUs, or 91,150 gallons per day, to the Twin Borough WWTP.

#### SEWAGE FACILITIES ACT PLAN DISAPPROVAL

**Plan Disapprovals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as Amended, 35 P.S. § 750.5.**

*Northwest Region: Clean Water Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

Contact: Cynthia Selby, Environmental Group Manager, 814-332-6643.

Plan Location:

Municipality	Address	County
City of Corry	100 South Center Street Corry, PA 16407	Erie County

Plan Description:

City of Corry Act 537 Update, M6-24-065. This project was denied as an administratively complete application. The plan was not adopted by the City of Corry, it was adopted by the Municipal Authority of the City of Corry.

#### BIOSOLIDS INDIVIDUAL PERMITS (PABIG, SSN AND PABIS)

The Department of Environmental Protection has taken the following actions on the previously received individual permit applications for the land application of treated sewage sludge (biosolids).

Any person aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. Section 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office



Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge this action, the appeal must reach the board within 30-days. A lawyer is not needed to file an appeal.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board 717-787-3483 for more information.

*Southcentral Region: Clean Water Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Thomas J. Sweeney, Jr. Soils Scientist, 717-705-4786.*

**Site Suitability Notice for Land Application Under Approved PAG08** for Synagro, 62 North Main Street, Stewartstown, PA 17363, Ayr Township, **Fulton County**. Hoopengardner Farm Biosolids Site, 2144 Waltz Road, Big Cove Tannery, PA 17212. Notification of First Land Application received: February 15, 2024. Approved: March 25, 2024.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 2

**The Following Plans and Reports Were Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).**

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A

remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The Department has received the following plans and reports.

*Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Eric Supey, Environmental Program Manager.*

**UGI 1730 Murray Street Transformer Release, Primary Facility ID # 869756**, 1730 Murray Street, Forty Fort, PA 18704, Forty Fort Borough, **Luzerne County**. BL Companies, 1100 First Avenue, Suite 104, King of Prussia, PA 19406, on behalf of UGI Utilities, Inc., 1 UGI Drive, Denver, PA 17517, submitted a Final Report concerning remediation of soil contaminated with transformer oil. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

**A. Duie Pyle Trucking Terminal, Primary Facility ID # 873512**, 2900 Hoover Avenue, Allentown, PA 18109, City of Allentown, **Lehigh County**. Compliance Management International, 2750 Morris Road, Suite A101, Lansdale, PA 19446, on behalf of A. Duie Pyle, 650 Westtown Road, P.O. Box 564, West Chester, PA 19381, submitted a Final Report concerning remediation of soil contaminated with diesel. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

**Aldrich Well Pad 1, Primary Facility ID # 770319**, 2882 Great Bend Turnpike, Susquehanna, PA 18847, Gibson Township, **Susquehanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801, on behalf of Coterra Energy, Inc., 2000 Park Lane, Suite 300, Pittsburgh, PA 15275, submitted a Final Report concerning remediation of soil contaminated with production fluid (brine). The Final Report is intended to document remediation of the site to meet the Statewide health standards.

*Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Environmental Cleanup & Brownfields Program Manager, 717-705-4705.*

**Charlene Kane Property, Primary Facility ID # 874283**, 28404 Route 35 North, Oakland Mills, PA 17076, Fayette Township, **Juniata County**. McKee Environmental, Inc., 86 Quartz Drive, Bellefonte, PA 16823, on behalf of Ms. Charlene Kane, 28404 Route 35 North, Oakland Mills, PA 17076, submitted a Final Report concerning remediation of soil contaminated with Heating

Oil. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

**A.S.K. Foods, Inc. East Plant, Primary Facility ID # 871205**, 134 North Locust Street, Palmyra, PA 17078, Palmyra Borough, **Lebanon County**. ARM Group, LLC, 515 South Franklin Street, West Chester, PA 19382, on behalf of A.S.K. Foods, Inc., 77 North Hetrick Avenue, Palmyra, PA 17078, submitted a Final Report concerning remediation of soil contaminated with Unleaded Gasoline. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

**Hess Mills, Primary Facility ID # 874112**, 6 South Vintage Road, Paradise, PA 17562, Paradise Township, **Lancaster County**. Reliance Environmental, Inc., 235 North Duke Street, Lancaster, PA 17602, on behalf of Compass Quarries, Inc., 1805 Berks Road, Worcester, PA 19490, submitted a Final Report concerning remediation of soil contaminated with Used Motor Oil. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

*Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Charline Bass, Administrative Assistant, 484-250-5787.*

**355 West Market Street, Primary Facility ID # 867047**, 355 West Market Street, West Chester, PA 19380, West Chester Borough, **Chester County**. Stephan Huxta, Huxta Environmental, 461 Merlin Road, Phoenixville, PA 19460, on behalf of Gary Toll, 355 West Market Associates, LLC, 120 Pennsylvania Avenue, Malvern, PA 19355, submitted a Final Report concerning remediation of groundwater contaminated with chlorinated solvents. The Final Report is intended to document remediation of the site to meet the background standards.

**Panzer Residence, Primary Facility ID # 832938**, 10 Unity Turn, Levittown, PA 19056, Middletown Township, **Bucks County**. Richard D. Trimpi, Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073, on behalf of Andrea Gluch, State Farm Insurance, P.O. Box 106169, Atlanta, GA 30348, submitted a Final Report concerning remediation of soil and groundwater contaminated with petroleum. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

**River Pointe Parcel # 2, Primary Facility ID # 86477**, 75 East 4th Street, Bridgeport, PA 19405, Bridgeport Borough, **Montgomery County**. Jeffery K. Walsh, PG, Penn E&R, Inc., 400 Dublin Pike, Doylestown, PA 18901, on behalf of Anthony E. Maras, Esq., DPD-Brightview, LP, 740 Sansom Street, Suite 501, Philadelphia, PA 19106, submitted a Final Report concerning remediation of soil contaminated with PAHs and metals. The Final Report is intended to document remediation of the site to meet the site-specific standards.

**12 Stanton Avenue, Primary Facility ID # 874092**, 12 Stanton Avenue, West Chester, PA 19382, West Chester Borough, **Chester County**. Alexander Ostrobrod, Union Technical Group, P.O. Box 8123, Pelham, NY 10803, on behalf of Dan Duffey, DE Duffey & Sons, 1982 Butler Pike # 3701, Conshohocken, PA 19428, submitted a Final Report concerning remediation of soil contaminated with No. 2 fuel oil. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

**38th & Brown Street, Primary Facility ID # 869026**, 777, 779, 781, 783, 785, 787 North 38th Street; 770, 772, 774 North Dekalb Street; 3716, 3718, 3720, 3722, 3724, 3726 Brown Street, Philadelphia, PA 19104, City of Philadelphia, **Philadelphia County**. Kevin Burns, Batta Environmental Associates, Inc., 6 Garfield Way, Newark, DE 19713, on behalf of Yanique Joyner, Women's Community Revitalization Project, 100 West Oxford Street, Philadelphia, PA 19122, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of soil contaminated with PAHs and metals. The Remedial Investigation Report/Cleanup Plan is intended to document remediation of the site to meet the site-specific standards.

**Holland Village, Primary Facility ID # 841598**, 280 Middle Holland Road, Holland, PA 18966, Northampton Township, **Bucks County**. I. Scott Renneisen, Terraphase Engineering, Inc., 1100 East Hector Street, Suite 400, Conshohocken, PA 19428, on behalf of David Baker, Dia-kon Lutheran Social Ministries, 960 Century Drive, Mechanicsburg, PA 17055, submitted a Risk Assessment/Remedial Investigation/Final Report concerning remediation of soil and groundwater contaminated with No. 2 fuel oil. The Risk Assessment/Remedial Investigation/Final Report is intended to document remediation of the site to meet the Statewide health and site-specific standards.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 3

---

**The Department Has Taken Action on the Following Plans and Reports Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).**

---

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan,

is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following plans and reports.

*Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Eric Supey, Environmental Program Manager.*

**316 Dorys Road**, Primary Facility ID # **850933**, 316 Dorys Road, Dingmans Ferry, PA 18328, Porter Township, **Pike County**. Bluestone Environmental, 196 Beach Lake Highway, Honesdale, PA 18431, on behalf of Robert Takacs, 1170 West Main Street, Stroudsburg, PA 18360, submitted a Final Report concerning remediation of soil and groundwater contaminated with heating oil. The Final Report demonstrated attainment of the Statewide health standards. Approved: March 19, 2024.

*Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Charline Bass, Administrative Assistant, 484-250-5787.*

**East Tenth Street HSCA Site**, Primary Facility ID # **630967**, 201 East 10th Street, Marcus Hook, DE 19061, Marcus Hook Borough, **Delaware County**. Peter D. Beyer, PG, Environmental Resources Management, Inc., 75 Valley Stream Parkway, Suite 200, Malvern, PA 19355, on behalf of Tiffany Kung, FMC Corporation, 2929 Walnut Street, Philadelphia, PA 19104, submitted a Risk Assessment/Final Report concerning remediation of soil and groundwater contaminated with SVOCs, VOCs and PCBs. The Final Report did not demonstrate attainment of the site-specific standards. Disapproved: March 13, 2024.

**Sunoco Marcus Hook Refinery (AOI-2)**, Primary Facility ID # **778392**, 100 Green Street, Marcus Hook, PA 19061, Marcus Hook Borough, **Delaware County**. Colleen Costello, Sanborn, Head & Associates, Inc., 755 Business Center Drive, Suite 110, Horsham, PA 19044, on behalf of Fiona Livingston, Evergreen Resources Management Operations, 2 Righter Parkway, Suite 120, Wilmington, PA 19803, submitted a Cleanup Plan concerning remediation of soil and groundwater contaminated with. The Plan demonstrated attainment of the site-specific standards. Approved: March 18, 2024.

**2717-2727 North Howard Street Site**, Primary Facility ID # **857067**, 2717-2727 North Howard Street, Philadelphia, PA 19140, City of Philadelphia, **Philadelphia County**. Brad Summerville, PE, PT Consultants, Inc., 560 Benigno Boulevard, 2nd Floor, Bellmawr, NJ 08031, on behalf of Nino Cutrufello, Callahan Ward Companies, 2610 Hirst Terrace, Havertown, PA 19083, submitted a

Risk Assessment/Remedial Investigation/Final Report concerning remediation of soil contaminated with arsenic. The Report did not demonstrate attainment of the site-specific standards. Issued an administrative deficiency letter: March 18, 2024.

**1420 Delmar Drive**, Primary Facility ID # **836635**, 1420 Delmar Drive, Folcroft, PA 19032, Folcroft Borough, **Delaware County**. Joseph Kraycik, Environmental Standards, Inc., 1140 Valley Forge Road, P.O. Box 810, Valley Forge, PA 19482, on behalf of Clayton Manthorpe, Cambo GP, LP, 1420 Delmar Drive, Folcroft, PA 19032, submitted a Remedial Investigation Report/Risk Assessment Report/Cleanup Plan concerning remediation of soil and groundwater contaminated with VOCs. The Report demonstrated attainment of the site-specific standards. Approved: March 19, 2024.

**Sunoco Inc., Philadelphia Refinery (AOI 10)**, Primary Facility ID # **720775**, 3144 Passyunk Avenue, Philadelphia, PA 19145, City of Philadelphia, **Philadelphia County**. Colleen Costello, Sanborn, Head & Associates, Inc., 755 Business Center Drive, Suite 110, Horsham, PA 19044, on behalf of Tiffani L. Doerr, PG, Evergreen Resources Management, 2 Righter Parkway, Suite 120, Wilmington, DE 19803, submitted a Risk Assessment/Cleanup Plan concerning remediation of soil and groundwater contaminated with lead and organics. The Report demonstrated attainment of the site-specific standards. Approved: March 13, 2024.

#### OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

**Actions(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Regulations to Operate Solid Waste Processing or Disposal Area or Site.**

*Northeast Region: Waste Management Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Roger Bellas, Environmental Program Manager, 570-826-2201.*

**603455. Liberty Soils, LLC**, 411 NW Park Avenue, Suite 401, Portland, OR 97209, Reilly Township, **Schuylkill County**. A permit renewal for the continued operation of a municipal waste biosolids processing facility. Application received: June 19, 2023. Issued: March 21, 2024.

Persons interested in reviewing the permit may contact Roger Bellas, Environmental Program Manager, 570-826-2201, Northeast Region, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

*Southcentral Region: Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: John Oren, Waste Management Permits Section Chief, 717-705-4907.*

**101737. Berks Waste and Rail Transfer, LLC**, 25 Service Caster Way, Birdsboro, PA 19508, Cumru Township, **Berks County**. Application for a new municipal waste transfer station permit. Application received: November 9, 2023. Deemed administratively complete: November 30, 2023. Issued: March 15, 2024.

Persons interested in reviewing the permit may contact John Oren, Waste Management Permits Section Chief, (717-705-4907), Southcentral Region, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

*Southwest Region: Waste Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Waste Management Program Manager.*

**101686. Reserve Park Recycling and Transfer, Inc.**, 408 Hoffman Road, Pittsburgh, PA 15212, Reserve Township, **Allegheny County**. The Department approved of the Closure Plan and Closure Report for the Reserve Park Construction and Demolition Waste Transfer Facility located at 408 Hoffman Road, Pittsburgh, PA 15212 (Reserve Township, Allegheny County). In addition, the Department terminated Permit ID 101686 and approved of the release of the bond at the request of the permittee. Application received: November 13, 2023. Approved: March 21, 2024.

Persons interested in reviewing the permit may contact Regional Files, 412-442-4000, Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

## AIR QUALITY

### Actions(s) Taken on General Plan Approval(s) and Operating Permit(s) Usage Authorized Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to Construct, Modify, Reactivate or Operate Air Contamination Sources and Associated Air Cleaning Devices.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Shailesh R Patel, P.E., New Source Review Chief, 570-826-2357.*

**GP3-35-036: E.R. Linde Construction Corporation**, 239 Golf Hill Road, Honesdale, PA 18431, Archbald Borough, **Lackawanna County**. To construct and operate a Portable Crushing Operation with water sprays at Archbald Business Park. Application received: January 31, 2024. Issued: February 13, 2024.

**GP11-35-026: E.R. Linde Construction Corporation**, 239 Golf Hill Road, Honesdale, PA 18431, Archbald Borough, **Lackawanna County**. To operate six (6) nonroad engines at Archbald Business Park. Application received: January 31, 2024. Issued: February 27, 2024.

**AG5A-58-00076A: Coterra Energy Inc.**, 2000 Park Lane, Ste 300, Pittsburgh, PA 15275, Auburn Township, **Susquehanna County**. To operate one (1) 1340 BHP Caterpillar G3516 IC Engine with OXCAT at the Dobrosielski, S. Pad 1 well pad site. Application received: January 29, 2024. Issued: February 22, 2024.

**AG5A-58-00079A: Coterra Energy Inc.**, 2000 Park Lane, Ste 300, Pittsburgh, PA 15275, Springville Township, **Susquehanna County**. To operate one (1) 1340 BHP Caterpillar G3516 IC Engine with OXCAT at the Lauer, D. Pad 1 well pad site. Application received: February 28, 2024. Issued: March 26, 2024.

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.*

**GP1-22-03054A: UPMC Community General Osteopathic Hospital**, 218 South 2nd Street, Harrisburg, PA 17104, Lower Paxton Township, **Dauphin County**. For two natural gas/No. 2 oil-fired boilers, under GP1, at the Community General Osteopathic Hospital. The general permit authorization was renewed. Application received: January 31, 2024. Issued: March 18, 2024.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.*

**GP5A-30-00242C/AG5A-30-00002D: CNX Gas Company, LLC**, 1000 Horizon Vue Drive, Canonsburg, PA 15317, Richhill Township, **Greene County**. Issued authorization on March 20, 2024, for the continued operation of their existing and modified sources which include: Seven (7) Marcellus Shale gas wells, one (1) Diesel engine at 275 bhp, eight (8) GPU's each rated at 1.75 MMBtu/hr, two (2) Line heaters at 1.05 MMBtu/hr, four (4) 400-bbl storage tanks, one (1) 400-bbl sand separator tank, truck loadout for produced water, two (2) 10.3 MMBtu/hr VDU's, Pneumatic devices, Fugitive emissions components, and Miscellaneous gas venting at their existing MOR-40 Well Pad located in Richhill Township, Greene County. Application received: March 4, 2024. Authorized: March 20, 2024.

**AG5A-63-00007D (GP5A-63-01017C): Diversified Production, LLC**, 101 McQuiston Drive, Jackson Center, PA 16133, Morris Township, **Washington County**. With expiration on March 1, 2029, received reauthorization to use GP-5A at the Nineveh NV-34 Well Pad. Application received: January 18, 2024. Authorized: March 1, 2024.

### Actions(s) Taken on Plan Approval(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and Regulations in 25 Pa. Code Chapter 127, Subchapter B Relating to Construction, Modification and Reactivation of Air Contamination Sources and Associated Air Cleaning Devices.

*Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**41-00010G: Andritz, Inc.**, 35 Sherman Street, Muncy, PA 17756, Muncy Borough and Muncy Creek Township, **Lycoming County**. The Department issued a plan approval for revisions of Synthetic Minor Operating Permit to allow changes in operating hours and/or material throughputs for Source IDs P139, P142, and P144 at the Muncy foundry facility. The plan approval contains all necessary requirements including testing, monitoring, recordkeeping, and reporting conditions to ensure compliance with all applicable Federal and State regulations. Application received: August 18, 2023. Issued: March 22, 2024. Expiration date: September 21, 2025.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Shailesh R Patel, P.E., New Source Review Chief, 570-826-2357.*

**54-00022G: Hydro Extrusion USA, LLC**, 53 Pottsville Street, Cressona, PA 17929, Cressona Borough,

**Schuylkill County.** For installation of one (1) new aluminum scrap shredder, associated scrap bunkers, one (1) new 21.0 Million British thermal units per hour (MMBtu/hr) natural gas fired reverberatory melting furnace with propane back-up fuel and two (2) new 7.8 (MMBtu/hr) natural gas/propane fired sow heaters to increase the melting and casting capacity of pre- and post-consumer aluminum scrap. Application received: April 3, 2023. Issued: November 27, 2023.

**40-00155A: Nucor Towers and Structures,** 225 Kiwanis Boulevard, West Hazelton, PA 18202, West Hazleton Borough, **Luzerne County.** For the operation of one (1) 10,550 CFM baghouse to control dust from one (1) shot blast booth and one (1) 4,000 CFM baghouse to control dust from one (1) dry plasma cutting table. Application received: June 23, 2023. Issued: January 12, 2024.

**54-00099A: Re-Match USA, Inc.,** 92 Progress Avenue, Tamaqua, PA 18252, Rush Township, **Schuylkill County.** For an artificial turf recycling facility which includes one (1) propane fired dryer, and various shredding, sifting, and screening machines using thirteen (13) cyclonic separators and four (4) baghouse dust collectors to control particulate matter (PM) emissions. Application received: September 29, 2022. Issued: January 30, 2024.

*Philadelphia: Air Management Services: Air Quality Program, 321 University Avenue, Philadelphia, PA 19104-4543.*

*Contact: Maryjoy Ulatowski, Chief, Source Registration, 215-685-9476.*

**IP23-000157: Temple University—Health Sciences Campus,** 3401 North Broad Street, Philadelphia, PA 19140, City of Philadelphia, **Philadelphia County.** The City of Philadelphia, Air Management Services (AMS) issued a Plan Approval to extend the temporary operation of the Replacement Boilers CSP-B-04 and CSP-B-05, each rated at 89.98 MMBtu/hr. The extension is effective until 1/5/2025. Application received: May 24, 2023. Issued: July 5, 2023.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.*

**67-05142B: Johnson Controls, Inc.,** 100 JCI Way, York, PA 17406, East Manchester Township, **York County.** For the installation of a spray coating booth and fin press. The Plan Approval will authorize to install a spray coating booth controlled by a fabric filter and by using compliant coatings and application methods. The facility will also install one fin press. Application received: November 20, 2023. Issued: March 12, 2024.

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: James Beach, New Source Review Chief, 484-250-5920.*

**46-0005AX: Merck Sharp & Dohme, LLC/West Point Plant,** 770 Sumneytown Pike, West Point, PA 19486-8000, Upper Gwynedd Township, **Montgomery County.** A plan approval extension for the temporary shakedown operation of a 2,000-kW natural gas-fired electric generator for non-emergency and peak shaving use and two 750-kW natural gas-fired generators for emergency use. Application received: March 12, 2024. Issued: March 25, 2024.

**46-0037AE: Global Advanced Metals USA, Inc.,** 650 County Line Rd, Boyertown, PA 19512, Douglass Township, **Montgomery County.** A plan approval extension for the installation of a new vacuum belt filter and dust collector. Application received: March 7, 2024. Issued: March 25, 2024.

**15-0160: Internation Paper Co/Atglen,** P.O. Box 465, 4581 Lower Valley Rd, Atglen, PA 19310-0465, West Sadsbury Township, **Chester County.** A plan approval extension for the temporary shakedown operation of a box manufacturing facility. Application received: March 8, 2024. Issued: March 25, 2024.

---

**Plan Approval Revision(s) Issued Including Extension(s), Minor Modification(s) and Transfer(s) of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.**

---

*Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**55-00001F: Hummel Station, LLC,** 2386 N Old Trail Road, Shamokin, PA 17876, Shamokin Dam Borough, **Snyder County.** The Department extended the authorization to temporarily operate the cooling towers constructed under the plan approval at the Hummel Station electric generating station. Application received: February 13, 2024. Extension: February 16, 2024. New expiration date: August 20, 2024.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.*

**34-05002B: Texas Eastern Transmission, LP,** 3318 Pumping Station Road, East Waterford, PA 17021, Lack Township, **Juniata County.** For the construction of two (2) new Solar Titan 130, 18,100 HP, natural gas-fired, simple cycle turbines at the Perulack Compressor Station. These new turbines will replace four (4) of the existing natural gas-fired, turbines (Source IDs 034—037). The turbines will be built with SoLoNO<sub>x</sub> dry low NO<sub>x</sub> (DLN) technology for the control of NO<sub>x</sub> and equipped with oxidation catalysts for the control of CO, VOCs and organic hazardous air pollutants (HAPS). The facility is also replacing the current Waukesha 600 bhp emergency generator (Source ID 040) and Leroi 600 bhp emergency generator (Source ID 041) with Waukesha, VGF24GL, 585 bhp, and CAT 3512C, 1,114 bhp, natural gas, emergency generators. The project will also include the installation of two (2) fuel gas heaters, each rated at 1.154 MMBtu/hr heat input, one (1) 1,880 gallon pipeline liquid tanks, one (1) 3,550 gallon oil tank, one (1) 12,690 gallon oily water tank, one (1) truck loading source for pipeline liquids, one (1) truck loading source for used oil, one (1) truck loading source for oily water and five (5) separator vessels (two (2) 33 gallon vessels, (2) 83 gallon vessels and one (1) 185 gallon vessels) associated with the blowdown separators. The plan approval was extended. Application received: March 12, 2024. Issued: March 26, 2024.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.*

**PA-65-01135: Brandywine Green LLC** (dba Trusted Journey Pet Memorial Services), 2 Daniels Way, Cranston, RI 02921, Murrysville Borough, **Westmoreland County**. For plan approval extension, with expiration on September 28, 2024, to authorize continued temporary operation of two (2) animal crematory incinerators. Application received: February 3, 2024. Effective: March 28, 2024.

**PA-30-00072J: Consol Pennsylvania Coal Company, LLC**, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, East Finley Township, **Washington County**. For plan approval extension to authorize continued temporary operation of sources and controls associated with the Bailey Prep Plant throughput increase. Application received: February 9, 2024. Effective: March 28, 2024.

**PA-63-01011: MarkWest Liberty Midstream & Resources, LLC**, 4600 J Barry Court, Suite 500, Canonsburg, PA 15317, Smith Township, **Washington County**. For plan approval extension, with expiration on September 28, 2024, to authorize continued temporary operation of air contamination sources and controls at the Harmon Creek Gas Plant (Harmon Creek 2). Application received: February 16, 2024. Effective: March 28, 2024.

**PA-63-01011: MarkWest Liberty Midstream & Resources, LLC**, 4600 J Barry Court, Suite 500, Canonsburg, PA 15317, Smith Township, **Washington County**. For plan approval modification to reflect initial temporary operation of air contamination sources and controls associated with the Harmon Creek Gas Plant (Harmon Creek 2). Application received: February 1, 2024. Effective: February 14, 2024.

**PA-04-00445E: Veka, Inc.**, 100 Veka Drive, Fombell, PA 16123, Marion Township, **Beaver County**. For plan approval modification, with expiration on August 28, 2024, to authorize continued temporary operation of air contamination sources and controls at the Veka Fombell Plant. Application received: March 11, 2024. Effective: March 12, 2024.

---

**Operating Permit(s) for Non-Title V Facilities Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.**

---

*Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**17-00044: Metaltech, Inc.**, 3547 Watson Highway, Dubois, PA 15801, Sandy Township, **Clearfield County**. The Department issued a renewal State Only Operating Permit for the Sandy Township plant. The State Only Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions. Application received: May 18, 2023. Renewal issued: March 19, 2024. New expiration date: March 18, 2029.

**12-00004: Wabtec US Rail, Inc.**, 55 South Pine Street, Emporium, PA 15834, Emporium Borough, **Cameron County**. The Department issued a renewal State Only Operating Permit for the Emporium plant. The State Only Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping and

reporting conditions. Application received: November 12, 2023. Renewal issued: March 19, 2024. New expiration date: March 18, 2029.

**47-00011: Heidelberg Materials NE, LLC**, 7660 Imperial Way, Allentown, PA 18195, Limestone Township, **Montour County**. The Department issued a renewal State Only (Synthetic Minor) Operating Permit for the Milton Quarry stone processing plant. The State Only (Synthetic Minor) Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions. Application received: January 24, 2024. Renewal issued: March 20, 2024. New expiration date: March 19, 2029.

**17-00070: Baronick Funeral Home & Crematorium, Inc.**, 211 South Main St, DuBois, PA 15801, City of DuBois, **Clearfield County**. The Department issued a State Only Operating Permit renewal on October 16, 2023, for continued operation of the Baronick crematorium facility. All applicable Federal and State regulatory requirements are incorporated into the renewal permit, including the testing, monitoring, recordkeeping, reporting, and work practices as necessary to verify compliance. Application received: December 15, 2022. Renewal issued: October 16, 2023. New expiration date: October 15, 2028.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Norm Frederick, 570-826-2409.*

**48-00099: Cap Glass Allentown, LLC/Greenstar**, 799 Smith Ln, Northampton, PA 18067-1500, Northampton Borough, **Northampton County**. The Department issued a renewal State-Only (Natural Minor) Permit for this manufacturing of Flat Glass facility located in Northampton Borough, Northampton County. The main sources at this facility consists of glass sorting operations, hazemag glass crusher, and trommel. The control devices are baghouses. The sources are considered a minor emission source of nitrogen oxide (NO<sub>x</sub>), sulfur oxides (SO<sub>x</sub>), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. The Operating Permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: December 7, 2022. Renewal issued: March 20, 2024.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.*

**16-00134: Car Mate Trailers, Inc.**, P.O. Box 155, Leeper, PA 16233, Farmington Township, **Clarion County**. The Department issued the renewal of the State-Only Operating Permit for the Car Mate Trailers, Inc., facility which fabricates cargo and utility trailers. Permitted sources at the facility include a 500,000 Btu/hr natural gas boiler, 2 paint booths, 2 natural gas fueled air-makeup units, welding operations, paint mixing, manual paint application operations, and miscellaneous natural gas heating emissions. Potential Emissions for the site are as follows: 3.07 tpy CO; 3.88 tpy NO<sub>x</sub>; 0.62 tpy particulate matter; 0.02 tpy SO<sub>x</sub>; 40.6 tpy VOC; 9.91 tpy xylene; 7.46 tpy ethylbenzene; and 19.4 tpy all HAPs combined. The facility is a Natural Minor. The Operating Permit will include a site-level VOC emission restriction of 49.32 tpy. Conditions from previous permits and plan approvals are incorporated into the renewal. The permit contains emission restrictions, recordkeeping, and work

practice requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act. Application received: November 1, 2022. Renewal issued: February 27, 2024.

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.*

**15-00092: Paoli Memorial Hospital**, 255 W Lancaster Ave, Paoli, PA 19301-1792, Willistown Township, **Chester County**. This action is for the renewal of the Synthetic Minor Permit for the boilers, generators, and ethylene oxide sterilizers operated at a hospital. Application received: June 9, 2023. Issued: March 22, 2024.

**Operating Permit Revisions Issued Including Administrative Amendments, Minor Modifications or Transfer of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.**

*Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**41-00021: Buckeye Terminals LLC**, 1466 Sylvan Dell Road, South Williamsport, PA 17702, Armstrong Township, **Lycoming County**. The Department issued a revised State Only Operating Permit for Buckeye Energy Service's South Williamsport bulk petroleum distribution facility. Revision No. 1 was issued for the incorporation of a John Zink Company model ZCT-2-6-35-2-2/6 vapor combustion unit (VCU) authorized via plan approvals 41-00021A. The revision also includes an updated malfunction condition at Site Level as well as a revised testing requirement for the P101. The revised State Only Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping, and reporting conditions to ensure compliance with all applicable Federal and State Air regulations. Application received: October 23, 2023. Effective: March 21, 2024. Revised: March 21, 2024.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.*

**25-00025: GE Transportation Erie Plant**, Bldg 9, Rm 201, 2901 E Lake Rd, Erie, PA 16531-0001, Lawrence Park Township, **Erie County**. The permit was administratively amended to change the responsible official. Application received: January 31, 2024. Revised: March 8, 2024.

**16-00132: Clarion Boards LLC**, P.O. Box 340, 143 Fiberboard Rd, Shippensburg, PA 16254, Paint Township, **Clarion County**. The permit was administratively amended to incorporate the requirements of plan approval 16-132Q. Application received: December 7, 2023. Revised: March 25, 2024.

**03-00185: Vista Metals Kittanning Plant**, 1024 E Smithfield Street, McKeesport, PA 15135, East Franklin Township, **Armstrong County**. The permit was adminis-

tratively amended to incorporate the requirements of plan approval 03-185B. Application received: February 7, 2024. Revised: March 14, 2024.

## ACTIONS ON COAL AND NONCOAL APPLICATIONS

**Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21).** The final action on each application also constitutes action on the National Pollutant Discharge Elimination System (NPDES) permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1103). Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

### Coal Permits

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.*

*Contact: Melanie Ford-Wigfield, 814-472-1900, ra-epcambria@pa.gov.*

**Mining Permit No. 44930301. NPDES No. PA0595985. Glenn O. Hawbaker, Inc.**, 1952 Waddle Road, Suite 203, State College, PA 16802, Armagh Township, **Mifflin County**. Renewal of NPDES permit affecting 173.8 acres. Receiving stream: unnamed tributary to Honey Creek, classified for the following use: HQ—CWF. Application received: September 19, 2023. Renewal issued: March 20, 2024.

*New Stanton District Mining Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.*

*Contact: Tracy Norbert, RA-EPNEWSTANTON@pa.gov.*

**Mining Permit No. 02860201. PA0588407. IP Harmar Holdings LLC**, 2929 Allen Parkway, Suite 3275, Houston, TX 77019, Harmar Township, **Allegheny County**. Renewal application for reclamation only to an existing bituminous surface mine permit, affecting 168.2 acres; receiving stream: Guys Run, classified for the following use: WWF. Application received: March 20, 2024.

### Noncoal Permits

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.*

*Contact: Melanie Ford-Wigfield, 814-472-1900, ra-epcambria@pa.gov.*

**Mining Permit No. 56090301. NPDES No. PA0262846. New Enterprise Stone & Lime Co., Inc.**, P.O. Box 77, New Enterprise, PA 16664, Jefferson Township, **Somerset County**. Permit modification to encom-

pass permit numbers 4074SM12 and 56010301 with this large industrial mineral mine. Total permit acres will be 577.4. Receiving stream: unnamed tributary to Kooser Run and unnamed tributaries to Shafer Run (tributaries to Laurel Creek), classified for the following use: HQ—CWF. Application received: May 11, 2023. Permit issued: March 4, 2024.

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.*

*Contact: Cassie Stanton, Clerical Assistant 2.*

**Mining Permit No. 1479401. NPDES No. PA0118001.** Graymont (PA), Inc., 375 Graymont Road, Bellefonte, PA 16823, Spring Township, **Centre County**. Renewal for an existing NPDES on a large noncoal surface mining site affecting 67.3 acres. Receiving stream(s): Logan Branch classified for the following use(s): CWF, MF. Application received: December 18, 2023. Accepted: December 20, 2023. Issued: March 19, 2024.

**Mining Permit No. 14120302. NPDES No. PA0118001. Graymont (PA), Inc.,** 375 Graymont Road, Bellefonte, PA 16823, Spring Township, **Centre County**. Renewal for an existing NPDES on a large noncoal surface mining site affecting 257.8 acres. Receiving stream(s): Logan Branch classified for the following use(s): CWF, MF. Application received: December 18, 2023. Accepted: December 20, 2023. Issued: March 19, 2024.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

*Contact: RA-EPPottsvilleDMO@pa.gov.*

**Mining Permit No. 58222504. Brandon Barlow,** 3560 SR 2012, Clifford Township, PA 18470, Clifford Township, **Susquehanna County**. Commencement, operation and restoration of a GP105 quarry operation affecting 10.0 acres. Receiving stream: East Branch Tunkhannock Creek. Application received: October 22, 2021. Permit issued: March 21, 2024.

**Mining Permit No. 58222504. GP104 Permit No. PA122006. Brandon Barlow,** 3560 SR 2012, Clifford Township, PA 18470, Clifford Township, **Susquehanna County**. Coverage under the General NPDES Stormwater Permit for stormwater discharges associated with mining activities (BMP-GP-104). Receiving stream: East Branch Tunkhannock Creek. Application received: October 22, 2021. Coverage issued: March 21, 2024.

#### ACTIONS ON BLASTING ACTIVITY APPLICATIONS

**Action(s) Taken on Application(s) Under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting Activity Performed as Part of a Coal or Noncoal Mining Activity will be Regulated by the Mining Permit for that Coal or Noncoal Mining Activity.**

##### *Blasting Permits*

*New Stanton District Mining Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.*

*Contact: Tracy Norbert, RA-EPNEWSTANTON@pa.gov.*

**Permit No. 03244101. Wampum Hardware Company,** 636 Paden Road, New Galilee, PA 16141, North Buffalo Township, **Armstrong County**. Blasting Activity Permit for the development of the PER-W38 well pad site,

with an expiration date of December 31, 2024. Application received: March 25, 2024. Issued: March 26, 2024.

**Permit No. 65244101. Senex Explosives Inc.,** 710 Millers Run Road, Cuddy, PA 15031, East Huntingdon Township, **Westmoreland County**. Blasting activity permit for construction/demolition of the Republic Services—Greenridge Landfill, with an expiration date of April 1, 2025. Application received: March 18, 2024. Issued: March 25, 2024.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

*Contact: RA-EPPottsvilleDMO@pa.gov.*

**Permit No. 38244101. Keystone Blasting Service,** 15 Hopland Road, Lititz, PA 17543, West Cornwall Township, **Lebanon County**. Construction blasting for 419 Apartments. Application received: March 15, 2024. Permit issued: March 19, 2024. Expiration date: December 30, 2024.

**Permit No. 39244102. Valley Rock Solutions, LLC,** P.O. Box 246, Macungie, PA 18062, Upper Macungie Township, **Lehigh County**. Construction blasting for Fallbrooke Subdivision. Application received: March 9, 2024. Permit issued: March 19, 2024. Expiration date: December 31, 2024.

**Permit No. 40244104. Hayduk Enterprises, Inc.,** 257 Riverside Drive, Factoryville, PA 18419, Fairmount Township, **Luzerne County**. Blasting for Larry Dohl Farm use shale. Application received: March 15, 2024. Permit issued: March 20, 2024. Expiration date: December 30, 2024.

**Permit No. 09244103. American Rock Mechanics, Inc.,** 7531 Chestnut Street, Zionsville, PA 18092, West Rockhill Township, **Bucks County**. Construction blasting for West Rockhill Fox Warehouse on Quarry Road. Application received: March 18, 2024. Permit issued: March 22, 2024. Expiration date: December 31, 2024.

**Permit No. 48244101. American Rock Mechanics, Inc.,** 7531 Chestnut Street, Zionsville, PA 18092, Lower Saucon Township, **Northampton County**. Construction blasting for Steel Club Townhouses Phase 2. Application received: March 14, 2024. Permit issued: March 22, 2024. Expiration date: December 31, 2024.

**Permit No. 64244102. Maine Drilling & Blasting, Inc.,** P.O. Box 1140, Gardiner, ME 04345, Clinton Township, **Wayne County**. Construction blasting for Witherow Residence. Application received: March 22, 2024. Permit issued: March 25, 2024. Expiration date: March 22, 2025.

**Permit No. 06244101. Keystone Blasting Service,** 15 Hopland Road, Lititz, PA 17543, Kutztown Borough, **Berks County**. Construction blasting for Hilltop Development Phase 3. Application received: March 21, 2024. Permit issued: March 26, 2024. Expiration date: July 30, 2024.

**Permit No. 35244106. Maine Drilling & Blasting, Inc.,** P.O. Box 1140, Gardiner, ME 04345, Ranson Township and Taylor Borough, **Lackawanna County**. Blasting for Alliance Sanitary Landfill. Application received: March 18, 2024. Permit issued: March 26, 2024. Expiration date: March 18, 2025.

**Permit No. 35244107. Hayduk Enterprises, Inc.,** 257 Riverside Drive, Factoryville, PA 18419, Scott Township, **Lackawanna County**. Construction blasting for



Roba's Lakeland Orchard. Application received: March 22, 2024. Permit issued: March 26, 2024. Expiration date: December 30, 2024.

**Permit No. 58244103. DW Drilling & Blasting, LLC**, 2733 East Battlefield Street # 320, Springfield, MO 65804, Bridgewater Township, **Susquehanna County**. Construction blasting for Frystak Gas Pad. Application received: March 18, 2024. Permit issued: March 26, 2024. Expiration date: March 17, 2025.

## FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (DEP) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, DEP has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Individuals aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board 717-787-3483 for more information.

### WATER OBSTRUCTIONS AND ENCROACHMENTS

**Action(s) Taken on Application(s) for the Following Activities Filed Under The Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and the Clean Streams Law and Notice of Final Action for Certification Under Section 401 of the FWPCA.**

*Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

Contact: Michele Lauer, Clerical Assistant 2, 570-830-3077.

**E4002223-018. Bridging Pennsylvania Developer I, LLC**, Nova Tower 1, Suite 300, 1 Allegheny Square East, Pittsburgh, PA 15212-5318, White Haven Borough, **Luzerne County**. U.S. Army Corps of Engineers Philadelphia District.

To authorize the following water obstructions and encroachments associated with the SR 0080 Sec 08B bridge replacement project: 1. To remove the existing Eastbound structure and to construct and maintain a 4-span continuous steel girder bridge having a span of 855-foot, width of 56.0-foot and approximate minimum underclearance of 36.56-foot. Structure will be shifted approximately 56 feet south. 2. To remove the existing Westbound structure and to construct and maintain a 4-span continuous steel girder bridge having a span of 770-foot, width of 44.0-foot and approximate minimum underclearance of 36.56-foot. The project is located at SR 008 Segment 2728 Offset 0000 Eastbound and SR 0080 Segment 2729 Offset 0000 Westbound crossing of Lehigh River (HQ—CWF, MF) in White Haven Borough, Luzerne County. (White Haven, PA Quadrangle, Latitude: 41.055875, Longitude: -75.770622). The project occurs in both Luzerne and Carbon Counties and is associated with Permit E1302223-003. Application received: August 18, 2023. Issued: March 21, 2024.

**E1302223-003. Bridging Pennsylvania Developer I, LLC**, Nova Tower 1, Suite 300, 1 Allegheny Square East, Pittsburgh, PA 15212-5318, East Side Borough and Kidder Township, **Carbon County**. U.S. Army Corps of Engineers Philadelphia District.

To authorize the following water obstructions and encroachments associated with the SR 0080 Sec 08B bridge replacement project: 1. To remove the existing Eastbound structure and to construct and maintain a 4-span continuous steel girder bridge having a span of 855-foot, width of 56.0-foot and approximate minimum underclearance of 36.56-foot. Structure will be shifted approximately 56 feet south. 2. To remove the existing Westbound structure and to construct and maintain a 4-span continuous steel girder bridge having a span of 770-foot, width of 44.0-foot and approximate minimum underclearance of 36.56-foot. 3. To extend an existing stream enclosure by adding 31.5-foot to an existing 12-foot by 6-foot concrete box culvert for a total length of 274.5-foot carrying Tributary Lehigh River. The project is located at SR 008 Segment 2728 Offset 0000 Eastbound and SR 0080 Segment 2729 Offset 0000 Westbound crossing of Lehigh River (HQ—CWF, MF) in East Side Borough and Kidder Township, Carbon County. (White Haven, PA Quadrangle, Latitude: 41.055875, Longitude: -75.770622). The project occurs in both Luzerne and Carbon Counties and is associated with Permit E4002223-018. Application received: August 18, 2023. Issued: March 21, 2024.

**E4802223-008. Walnutport Borough**, 417 Lincoln Avenue, Walnutport, PA 18088-1418, Walnutport Borough, **Northampton County**. U.S. Army Corps of Engineers Philadelphia District.

To remove an existing structure and to construct and maintain a 27-foot long, 6-foot high concrete, 1-foot wide retaining wall, a 5.5-foot long, 6-foot high, 1-foot wide concrete endwall, and a 6-foot long, 6-foot high, 1-foot wide concrete wingwall adjoining an existing 24-inch x

42-inch elliptical culvert crossing associated with Lock # 23 within the Lehigh Canal (CWF, MF). The project is located approximately 350-feet northwest of the intersection of South Canal Street and South Railroad Street, Cementon, PA Quadrangle Latitude: 40°, 45', 4", Longitude: -75°, 35', 59") in Walnutport Borough, Northampton County. Application received: November 3, 2023. Issued: March 21, 2024.

**E4802223-009. Kay Mitman, LLC**, 5930 Hamilton Boulevard, Suite 101, Allentown, PA 18106, Forks Township, **Northampton County**. U.S. Army Corps of Engineers Philadelphia District.

To construct and maintain an outfall structure in the floodway of Bushkill Creek (HQ—CWF, MF) consisting of a 36-inch RCP pipe with a concrete headwall and rip rap apron. The project is located on the left of Bushkill Drive approximately 1.7 miles west after the intersection with Detrich Road (SR-690) (Easton, PA Quadrangle Latitude: 40°, 42', 18", Longitude: -75°, 14', 27") in Forks Township, Northampton County. Application received: November 17, 2023. Issued: March 22, 2024.

**E5202223-002. Lucy Stewart**, P.O. Box 565, Millrift, PA 18349, Shohola Township, **Pike County**. U.S. Army Corps of Engineers Philadelphia District.

To construct and maintain a driveway crossing of Sap Brook (HQ—CWF) and adjacent wetlands consisting of a 20.0-foot long precast concrete box culvert having a 6.0-foot span and a 4.5-foot underclearance with concrete headwalls and wingwalls. The project includes 0.01-acre impact to PEM/PSS EV wetlands. The project is located approximately 500 feet West of the intersection of Woodtown Road and Smokey Joe Wood Road in Shohola Twp., Pike County (Shohola, PA Quadrangle, Latitude: 41.406253, Longitude: -74.893280). Application received: November 20, 2023. Issued: March 26, 2024.

*Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: RA-EPWW-NWRO@pa.gov.*

**E4306223-004. Jackson Center Solar, LLC and Jackson Center Solar II, LLC**, 110 Edison Place, Suite 312, Newark, NJ 07102, Jackson Township, **Mercer County**. U.S. Army Corps of Engineers Pittsburgh District.

To permanently impact 0.04 acre of wetland (PEM) and temporarily impact 4.54 acres of wetland (PEM) for construction of a solar electric generation facility located on Henderson Road approximately 0.85 mile east of the intersection of SR 62 and Henderson Road. Latitude: 41.285185°, Longitude: -80.108727°. Application received: October 12, 2023. Issued: March 21, 2024.

**E4306223-003. Greenville Borough**, 125 Main Street, Greenville, PA 16125, Greenville Borough, **Mercer County**. U.S. Army Corps of Engineers Pittsburgh District.

To construct and maintain two infiltration basins within the channel and floodway of Tributary 36166 to Shenango River (WWF) and to construct and maintain 700 linear feet of 36-inch stream enclosure/storm sewer in Tributary 36166 to Shenango River (WWF) to alleviate flooding along North Third Street temporarily impacting approximately 0.52 acre of floodway and permanently impacting approximately 0.09 acre of watercourse and 0.58 acre of floodway. Latitude: 41.403852°, Longitude: -80.398232°. Application received: July 19, 2023. Issued: March 21, 2024.

*Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Dana Drake, Program Manager.*

**E5605222-004. Somerset Borough Municipal Authority**, 347 W. Union Street, Somerset, PA 15501, Somerset Borough, **Somerset County**. U.S. Army Corps of Engineers Pittsburgh District.

Application received: October 31, 2022. Issued: March 22, 2024.

*Pennsylvania Bulletin Description:*

The applicant has been given consent to:

1. Remove an existing ford crossing and construct and maintain a replacement 60' long x 12' wide prefabricated bridge with a 35' wide x 5' high waterway opening in Shaffer Run (HQ—CWF, MF),
2. Construct and maintain a temporary 43' long x 12' wide stream crossing in Shaffer Run,

For the purpose of providing safe access to Shaffer Run Well 2, which is currently inaccessible during periods of high flow or flooding. The project will cumulatively and permanently impact approximately 12 LF of watercourse and 0.273 acre of floodway. The project will temporarily impact 12 LF of watercourse and 0.017 of floodway.

The project site is located off of Shaffer Run Road (T-397), approximately 1.8 from its intersection with W Bakersville Edie Road (SR 4001) (Bakersville, PA USGS topographic quadrangle; N: -40°, 4', 22.1061"; W: -79°, 12' 56.1531"; Sub-basin 19E; USACE Pittsburgh District), in Jefferson Township, Somerset County.

#### **EROSION AND SEDIMENT CONTROL**

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free

pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

*Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.*

*Contact: RA-EPEASTERNOGPRG@pa.gov*

ESCGP # 3 **ESG295823030-00**  
 Applicant Name **Coterra Energy, Inc.**  
 Contact Person Kenneth Marcum  
 Address 2000 Park Lane, Suite 300  
 City, State, Zip Pittsburgh, PA 15275 Township(s) Auburn  
 Township  
 County **Susquehanna County**  
 Receiving Stream(s) and Classification(s) UNT to Dority  
 Creek (CWF, MF)  
 Application received: December 20, 2023  
 Issued: March 20, 2024

ESCGP # 3 **ESG295924003-00**  
 Applicant Name **JKLM Energy, LLC**  
 Contact Person Joseph Harrick  
 Address 2200 Georgetown Drive, Suite 500  
 City, State, Zip Sewickley, PA 15143-8753  
 Township(s) Lawrence Township  
 County **Tioga County**  
 Receiving Stream(s) and Classification(s) Cowanesque  
 River (WWF, MF), UNT to Tioga River (WWF, MF)  
 Application received: February 6, 2024  
 Issued: March 21, 2024

*Northwest Region: Oil and Gas Management Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Kate Hogue, Clerical Supervisor, 814-332-6868.*

ESCGP # 3 **ESG084223001-00**  
 Applicant Name **Highland FLD SVC, LLC**  
 Contact Person Douglas Kepler  
 Address 51 Zents Blvd  
 City, State, Zip Brookville, PA 16735  
 Township(s) Sergeant Township  
 County **McKean County** Receiving Stream(s) and Classi-  
 fication(s) County Line  
 Run and Tributaries (HQ—CWF); Doe Run and Tribu-  
 taries (HQ—CWF); East Branch Clarion River and  
 Tributaries (HQ—CWF); Gum Boot Run and Tributaries  
 (HQ—CWF); Lick Run and Tributaries (HQ—CWF)  
 South Fork West Branch Potato Creek and Tributaries  
 (HQ—CWF); UNT to Elk Fork (EV, MF); West Fork  
 West Branch Potato Creek and Tributaries (HQ—CWF)  
 Application received: October 3, 2023  
 Approved: March 26, 2024

ESCGP # 3 **ESG081623001-00**  
 Applicant Name **Snyder Bros, Inc.**  
 Contact Person Carl Rose  
 Address P.O. Box 1022, One Glade Park East  
 City, State, Zip Kittanning, PA 16201  
 Township(s) Redbank Township  
 County **Clarion County**  
 Receiving Stream(s) and Classification(s) Tributary 48244  
 of Town Run (CWF); Tributary 48268 of Pine Creek  
 (CWF); Tributary 48269 of Pine Creek (CWF)  
 Application received: September 11, 2023  
 Approved: March 21, 2024

ESCGP # 3 **ESX180050012-01 Sharisky Pad ESCGP  
 Renewal**  
 Applicant Name **Snyder Bros, Inc.**  
 Contact Person Carl Rose  
 Address P.O. Box 1022  
 City, State, Zip Kittanning, PA 16201

Township(s) Washington Township  
 County **Armstrong County**  
 Receiving Stream(s) and Classification(s) Huling Run  
 (TSF), Trib 49006 to Huling Run (TSF), Trib 49012 to  
 Huling Run (TSF)  
 Application received: December 19, 2023  
 Issued: March 19, 2024

*Southwest District: Oil and Gas Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: RA-EPSW-OGSUBMISSION@pa.gov.*

ESCGP # 3 **ESG073024004-00**  
 Applicant Name **EQM Gathering of PA LLC—  
 J E Phillips L3684 and R L Throckmorton L4125**  
 Contact Person Todd Klaner, (724) 746-9043  
 TKlaner@eqt.com  
 Address 0.2 Mile East of Covered Bridge Road  
 City, State, Zip Holbrook, PA 15341  
 Township(s) Center Township  
 County **Greene County**  
 Receiving Stream(s) and Classification(s) 001. Lat  
 39.86648, Long -80.31821, Hoge Run, Ch. 93 Class  
 HQ—WWF 002. Lat 39.86264, Long -80.33165, UNT  
 (40638) to House Run, Ch. 93 Class HQ—WWF 003.  
 Lat 39.86023, Long -80.32495, UNT (40636) to House  
 Run, Ch. 93 Class HQ—WWF  
 Application received: February 9, 2024  
 Issued: March 20, 2024

ESCGP # 3 **ESG073024001-00**  
 Applicant Name **Equitrans Water SVC (PA), LLC—  
 Cole Farm Impoundment Reclamation Project**  
 Contact Person GREGG 724-271-7600  
 GWest@equitransmidstream.com  
 Address 0.4 Mile east of Silo Road and Iron Rock Road  
 City, State, Zip Holbrook, PA 15341  
 Township(s) Center Township  
 County **Greene County**  
 Receiving Stream(s) and Classification(s) 001. Lat  
 39.81643, Long -80.28560, Tributary 40669 to Hargus  
 Creek, Ch. 93 Class HQ—WWF 002. Lat 39.81660,  
 Long -80.28424, Tributary 40666 to Hargus Creek, Ch.  
 93 Class HQ—WWF 003. Lat 39.81533, Long -80.28455,  
 Tributary 40669 to Hargus Creek, Ch. 93 Class HQ—  
 WWF  
 Application received: January 11, 2024  
 Issued: March 20, 2024

ESCGP # 3 **ESG076324001-00**  
 Applicant Name **Markwest Liberty Midstream & Re-  
 sources LLC—Hunter Longwall Mining Panels 3  
 And 4**  
 Contact Person Patrick Rudy, VP of Engineering and  
 Technical Services G&P, (724) 754-9214  
 PSRudy@marathonpetroleum.com  
 Address 0.1 Mile East of Old National Pike and Toll Gate  
 Road  
 City, State, Zip West Alexander, PA 15376  
 Township(s) Donegal Township  
 County **Washington County**  
 Receiving Stream(s) and Classification(s) 001. Lat  
 40.10119, Long -80.46972, UNT to Middle Wheeling  
 Creek, Ch. 93 Class WWF 002. Lat 40.10716, Long  
 -80.47750, UNTs to Dutch Fork Creek, Ch. 93 Class  
 HQ—WWF  
 Application received: January 29, 2024  
 Issued: March 22, 2024

**ESCGP # 3 ESG073024006-00**

Applicant Name **EQT Gathering of PA LLC—  
Holbrook Stoa**ge Field

Contact Person Todd Klaner, (724) 746-9043  
TKlaner@eqt.com

Address 0.5 Mile East of Tower Road (T-436)

City, State, Zip Holbrook, PA 15341

Township(s) Center Township

County **Greene County** Receiving Stream(s) and Classification(s) 001. Lat

39.88511, Long -80.32064, South Fork Tenmile Creek,

Ch 93 class HQ—WWF 002. Lat 39.86882, Long

-80.30790, UNT to McCourtney Run, Ch 93 class

HQ—WWF 003. Lat 39.87058, Long -80.32549, UNT

(40634) to Hoge Run, Ch 93 class HQ—WWF 004. Lat

39.86911, Long -80.31953, UNT (40633) to Hoge Run,

Ch 93 class HQ—WWF 005. Lat 39.86502, Long

-80.31586, Hoge Run, Ch 93 class HQ—WWF

Application received: February 28, 2024

Issued: March 25, 2024

## CORRECTIVE ACTION UNDER ACT 32, 1989

### PREAMBLE 2

**The Following Plan(s) and Report(s) Were Submitted Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).**

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

*Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Gregory Bowman, Environmental Group Manager, 717-705-4705.*

**Reliance Associates, Storage Tank Facility ID # 36-38090**, 2270 New Holland Pike, Lancaster, PA 17601-5420, Upper Leacock Township, **Lancaster County**. Scientific Based Solutions, LLC, 612 Carsonia Avenue, Reading, PA 19606, on behalf of Reliance Associates, LLC, 2270 New Holland Pike, Lancaster, PA 17601, submitted a Combined Remedial Action Plan and Remedial Action Completion Report concerning remediation of soil contaminated with petroleum constituents. The combined plan and report is intended to document the remedial actions for meeting nonresidential Statewide health and site-specific standards.

*Contact: Robin L Yerger, LPG.*

**Whetstone Service Station, Storage Tank Facility ID # 07-27601**, 1318 Dunning's Highway, Claysburg, PA 16625, Greenfield Township, **Blair County**. Keystone Environmental Health and Safety Services, Inc., 1111 12th Avenue, Altoona, PA 16601, on behalf of Rex Whetstone, 123 South Bedford St, Bedford, PA 15522, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum constituents. The report is intended to document the remedial actions for meeting nonresidential Statewide health standards.

*Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Richard M. Staron, Professional Geologist Manager, 484-250-5717.*

**Jack Lynch, Storage Tank Facility ID # 46-42903**, 260 Butler Ave., Ambler, PA 19002, Ambler Borough, **Montgomery County**. August Mack Environmental, Inc., 806 Fayette Street, Conshohocken, PA 19428, on behalf of Robert Lynch, 260 East Butler Ave., Ambler, PA 19002, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan is intended to document the remedial actions for meeting nonresidential Statewide health and site-specific standards.

## CORRECTIVE ACTION UNDER ACT 32, 1989

### PREAMBLE 3

**Action(s) Taken on the Following Plans and Reports Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).**

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern,

documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

*Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Eric Supey, Environmental Program Manager.*

**507 Country Store, Storage Tank Facility ID # 52-50886**, 288 Route 507, Tafton, PA 18464, Palmyra Township, **Pike County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of 507 Country Store, LLC, 288 Route 507, Tafton, PA 18464, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with gasoline. The report demonstrated attainment of the Statewide health standards and was approved by DEP on March 21, 2024.

*Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Robin L. Yerger, LPG.*

**Whetstone Service Station, Storage Tank Facility ID # 07-27601**, 13138 Dunning's Highway, Claysburg, PA 16625, Greenfield Township, **Blair County**. Keystone Environmental Health and Safety Services, Inc., 1111 12th Avenue, Altoona, PA 16601, on behalf of Rex Whetstone, 123 South Bedford St, Bedford, PA 15522, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum constituents. The report did not demonstrate attainment of the nonresidential Statewide health standards and was disapproved by DEP on March 25, 2024.

## SPECIAL NOTICES

### WATER PROGRAMS

#### Application for National Pollutant Discharge Elimination System (NPDES) Permit for Discharges of Stormwater Associated with Construction Activities.

*Southcentral Region: Clean Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Southcentral Regional Office: Waterways and Wetlands Program Manager, 909 Elmerton Ave. Harrisburg, PA 17110-8200, 717-705-4802, email: RA-EPWW-SCRO@pa.gov.*

This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the

Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES permits that are available can be found on DEP's website (visit [www.dep.pa.gov](http://www.dep.pa.gov) and select Businesses, Water, Bureau of Clean Water, Stormwater Management, and Construction Stormwater Programs).

The Department of Environmental Protection (DEP) has received an application for an Individual NPDES Permit from the applicant named as follows to authorize discharges of stormwater associated with construction activities from the project site named as follows to surface waters of the Commonwealth.

Applicant: **Chestnut Grove Development, LLC**

Applicant Address: 165 Chestnut Grove Road, Dillsburg, PA 17019

Application Number: PAD670089

Project Site Name: **Chestnut Grove**

Project Site Address: Southwest Intersection of Carroll Drive and Chestnut Grove Road, Dillsburg, PA 17019

Municipality/County: Carroll Township, **York County**

Total Earth Disturbance Area: 30.5 acres

Surface Waters Receiving Stormwater Discharges: UNT to Yellow Breeches (CWF, MF), UNT to Stony Run (CWF, MF) and Wetlands

Project Description: Development of 59 single family homes, 24 semi-detached residences with roads and utilities.

The Department of Environmental Protection (DEP) has made a tentative decision to deny the application for the Individual NPDES Permit. Interested persons may submit written comments to DEP at the previously listed address for DEP's consideration in taking a final action on the permit application. You may also review the permit application file by contacting DEP's File Review Coordinator at 717.705.4732.

#### Proposed State Water Quality Certification Required By Section 401 Of The Clean Water Act For The US Army Corps Of Engineers Codorus Creek Flood Risk Management.

*Southcentral Region: Waterways and Wetlands Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**DEP File No. WQ6703223-001. U.S. Army Corps of Engineers** ("Applicant"), Baltimore District, 2 Hopkins Plaza, Baltimore, MD 21201-2930. Codorus Creek Flood Risk Management Maintenance Project in York City, **York County** (York, PA Quadrangles, from Lat: 39.9705, Long: -76.7274 to Lat: 39.9841, Long: -76.7233).

On February 23, 2024, Applicant requested a state water quality certification from the Department of Environmental Protection (Department), as required by Section 401 of the Clean Water Act (33 U.S.C.A. § 1341), to ensure that the operation and maintenance of the Codorus Creek Flood Risk Management (FRM) Maintenance Project will protect water quality in this Commonwealth through compliance with State water quality standards and associated State law requirements, which are consistent with the requirements of the Clean Water Act.

The proposed project consists of rehabilitation of the flood channel system through the removal of shoaled material above and below the waterline within the

Codorus Creek Channel, totaling approximately 3.7 acres with 0.05 acre of emergent wetland impact.

The Department anticipates issuing a State water quality certification to the applicant for the Codorus Creek FRM Maintenance Project that will require compliance with the following State water quality permitting programs, criteria and conditions established pursuant to State law to ensure that the Codorus Creek FRM Project does not violate applicable state water quality standards set forth in 25 Pa. Code Chapters 93 and 96:

1. *Erosion and Sediment Control Permit*—Applicant shall comply with the Department's Chapter 102 Erosion and Sediment Control requirements pursuant to the Commonwealth's Clean Streams Law and Storm Water Management Act (32 P.S. §§ 680.1—680.17), and all applicable implementing regulations (25 Pa. Code Chapter 102).

2. *Erosion and Sediment Control Plan*—Applicant shall develop an Erosion and Sediment Control Plan that is consistent with the requirements identified in 25 Pa. Code Chapter 102. Applicant shall implement best management practices (BMPs) to minimize the potential for accelerated erosion and sedimentation from the project and to protect, maintain, reclaim and restore water quality and the existing and designated uses of waters of the Commonwealth and comply with all applicable implementing regulations (25 Pa. Code Chapter 102) pursuant to Pennsylvania's Clean Streams Law.

3. *Water Obstruction and Encroachment*—Applicant shall comply with the requirements of 25 Pa. Code Chapter 105 for the construction, operation and maintenance of all water obstructions and encroachments associated with the Codorus Creek FRM Project pursuant to Pennsylvania's Clean Streams Law, Dam Safety and Encroachments Act (32 P.S. §§ 673.1—693.27), and Flood Plain Management Act (32 P.S. §§ 679.101—679.601).

4. *Water Quality Monitoring*—The Department retains the right to specify additional studies or monitoring to ensure that the receiving water quality is not adversely impacted by any operational and construction process that may be employed by Applicant.

5. *Inspection*—The Codorus Creek FRM Maintenance Project, including all relevant records, are subject to inspection at reasonable hours and intervals by an authorized representative of the Department to determine compliance with this State Water Quality Certification, including all required State water quality permits and State water quality standards. A copy of this certification shall be available for inspection by the Department, or an authorized representative thereof, during such inspections of the Codorus Creek FRM Project.

6. *Transfer of Projects*—If Applicant intends to transfer any legal or equitable interest in the Codorus Creek FRM Project which is affected by this State Water Quality Certification, Applicant shall serve a copy of this certification upon the prospective transferee of the legal and equitable interest at least thirty (30) days prior to the contemplated transfer and shall simultaneously inform the Department Regional Office of such intent. Notice to the Department shall include a transfer agreement signed by the existing and new owners containing a specific date for transfer of certification responsibility, coverage, and liability between them.

7. *Correspondence*—All correspondence with and submittals to the Department concerning this State Water Quality Certification shall be addressed to: Department of Environmental Protection, Southcentral Regional Office, Program Manager, Waterways and Wetlands, 909 Elmerston Avenue, Harrisburg, PA 17110.

8. *Reservation of Rights*—The Department may suspend or revoke this State Water Quality Certification if it determines that Applicant has not complied with the terms and conditions of this certification. The Department may require additional measures to achieve compliance with applicable law, subject to Applicant's applicable procedural and substantive rights.

9. *Other Laws*—Nothing in this State Water Quality Certification shall be construed to preclude the institution of any legal action or relieve Applicant from any responsibilities, liabilities, or penalties established pursuant to any applicable Federal or state law or regulation.

10. *Severability*—The provisions of this State Water Quality Certification are severable and should any provision of this certification be declared invalid or unenforceable, the remainder of the certification shall not be affected thereby.

Prior to issuance of the final State Water Quality Certification, the Department will consider all relevant and timely written comments, suggestions or objections submitted to the Department within 30 days of this notice. Written comments should be submitted to the Department by e-mail to RA-EPWW-SCRO@pa.gov or by mail to the previously listed address or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) and should be directed to Program Manager, Waterways and Wetlands Program. Comments must be submitted in writing and contain the name, address and telephone number of the person commenting and a concise statement of comments, objections, or suggestions on this proposed State Water Quality Certification. No comments submitted by facsimile will be accepted.

## OIL AND GAS MANAGEMENT

### Good Samaritan Act Project Proposals Received.

*Southwest District: Oil and Gas Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: RA-EPSW-OGSUBMISSION@pa.gov.*

The following project proposal has been received by the Department of Environmental Protection. A copy of the proposal is available for inspection at the DEP Southwest (Pittsburgh) Regional Office, 400 Waterfront Dr., Pittsburgh, PA 15222 between 9 a.m. and 4 p.m.

**EGSOG02-0004—Douglas # 1 Abandoned Well Plugging. Diversified Production LLC** is planning to plug an abandoned oil and gas well (API No. 003-22586) located in Ohio Township, **Allegheny County**. The well is located at 40.55397, -80.08789, on the corner of Douglas and McAleer Roads. Complete project proposal received March 20, 2024.

[Pa.B. Doc. No. 24-469. Filed for public inspection April 5, 2024, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Availability of Technical Guidance

Technical guidance documents (TGD) are available on the Department of Environmental Protection's (Department) web site at [www.dep.state.pa.us/elibrary/](http://www.dep.state.pa.us/elibrary/). The "Technical Guidance Final Documents" heading is the link to a menu of the various Department bureaus where each bureau's final TGDs are posted. The "Technical Guidance Draft Documents" heading is the link to the Department's draft TGDs.

#### Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to view and download TGDs. When this option is not available, persons can order a paper copy of any of the Department's draft or final TGDs by contacting the Department at (717) 783-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

#### Changes to TGDs

Following is the current list of recent changes. Persons who have questions or comments about a particular document should contact the person whose name and phone number are listed with each document.

#### Draft TGD:

**DEP ID:** 263-4200-001. **Title:** Closure Requirements for Aboveground Storage Tank Systems. **Description:** The purpose of this TGD is to establish minimum standards that must be met to comply with the closure requirements for regulated large aboveground storage tank systems. This TGD includes procedures for closure notification, tank system closure, tank handling, waste management and disposal, site assessment, sampling, sample analysis, release reporting and recordkeeping. This TGD was revised to update sampling requirements consistent with regulatory requirements and other TGDs. In addition, information was included that would be relevant to the storage tank owner during storage tank closure activities. Minor editorial changes were also made.

The Aboveground Storage Tank System Closure Report Form (2630-FM-BECB0514) was also updated to capture the changes to this TGD and to improve completeness of reported information. The program is soliciting public comments on the Closure Report Form alongside comments on this TGD. The draft Aboveground Storage Tank System Closure Report Form can be accessed through the "Forms" folder on the Department's eLibrary at <https://greenport.pa.gov/elibrary/GetFolder?FolderID=2678> and select Environmental Cleanup and Brownfields.

**Written Comments:** The Department will consider all comments received on or before May 6, 2024. Comments, including comments submitted by electronic mail, must

include the originator's name and address. Commentators are encouraged to submit comments using the Department's online eComment tool at [www.ahs.dep.pa.gov/eComment](http://www.ahs.dep.pa.gov/eComment). Written comments can be submitted by e-mail to [ecomment@pa.gov](mailto:ecomment@pa.gov), or by mail to the Department of Environmental Protection, Policy Office, 400 Market Street, P.O. Box 2063, Harrisburg, PA 17105-2063.

**Contact:** Questions regarding this TGD should be directed to Magen Majeski, (717) 772-5810 or by e-mail to [mmajeski@pa.gov](mailto:mmajeski@pa.gov).

**Effective Date:** Upon publication of notice as final in the *Pennsylvania Bulletin*.

#### Draft TGD:

**DEP ID:** 263-4500-601. **Title:** Closure Requirements for Underground Storage Tank Systems. **Description:** The purpose of this TGD is to establish minimum standards that must be met to comply with the closure requirements for regulated underground storage tank systems. This TGD includes procedures for closure notification, tank system closure, tank handling, waste management and disposal, site assessment, sampling requirements, sample analysis, analytical requirements, release reporting and recordkeeping. This TGD was revised to update sampling requirements consistent with regulatory requirements. In addition, information was included that would be relevant to the storage tank owner during storage tank closure activities. Minor editorial changes were also made.

The Underground Storage Tank System Closure Report Form (2630-FM-BECB0159) was also updated to capture the changes to this TGD and improve the completeness of reported information. The program is soliciting public comments on the Closure Report Form alongside comments on this TGD. The draft Underground Storage Tank System Closure Report Form can be accessed through the "Forms" folder on the Department's eLibrary at <https://greenport.pa.gov/elibrary/GetFolder?FolderID=2678> and select Environmental Cleanup and Brownfields.

**Written Comments:** The Department will consider all comments received on or before May 6, 2024. Comments, including comments submitted by electronic mail, must include the originator's name and address. Commentators are encouraged to submit comments using the Department's online eComment tool at [www.ahs.dep.pa.gov/eComment](http://www.ahs.dep.pa.gov/eComment). Written comments can be submitted by e-mail to [ecomment@pa.gov](mailto:ecomment@pa.gov), or by mail to the Department of Environmental Protection, Policy Office, 400 Market Street, P.O. Box 2063, Harrisburg, PA 17105-2063.

**Contact:** Questions regarding this TGD should be directed to Kalynn Conner, (717) 772-5825 or by e-mail to [kaconner@pa.gov](mailto:kaconner@pa.gov).

**Effective Date:** Upon publication of notice as final in the *Pennsylvania Bulletin*.

JESSICA SHIRLEY,  
Interim Acting Secretary

[Pa.B. Doc. No. 24-470. Filed for public inspection April 5, 2024, 9:00 a.m.]

**DEPARTMENT OF ENVIRONMENTAL PROTECTION**

**Planning Grant Award under Section 901 of the Municipal Waste Planning, Recycling and Waste Reduction Act, Act 101 of 1988**

The Department of Environmental Protection announces the following grant to Lebanon County under section 901 of the Municipal Waste Planning, Recycling and Waste Reduction Act (Act 101) (53 P.S. § 4000.901) and section 208 of the Small Business and Household Pollution Prevention Program Act (35 P.S. § 6029.208).

Planning grants are awarded to counties for 80% of approved costs for preparing municipal waste management plans, as required by Act 101, for carrying out related studies, surveys, investigations, inquiries, research and analysis, including those related to siting, environmental mediation, education programs on pollution prevention and household hazardous waste (HHW) and providing technical assistance to small businesses for pollution prevention. Grants may be awarded for feasibility studies and project development for municipal waste processing or disposal facilities, except for facilities for the combustion of municipal waste that are not proposed to be operated for the recovery of energy. Grant awards are predicated on the receipt of recycling fees required by sections 701 and 702 of Act 101 (53 P.S. §§ 4000.701 and 4000.702) and the availability of funds in the Recycling Fund.

Inquiries regarding the grant offering can be directed to Mark Vottero, Department of Environmental Protection, Bureau of Waste Management, Division of Waste Minimization and Planning, Rachel Carson State Office Building, P.O. Box 8472, Harrisburg, PA 17105-8472, at mvottero@pa.gov or (717) 772-5719.

**Act 101, Section 901 HHW Education Grant**

<i>Region</i>	<i>County</i>	<i>Applicant</i>	<i>Project</i>	<i>Grant</i>
Southcentral	Lebanon	Lebanon County	HHW Education	\$58,864

JESSICA SHIRLEY,  
*Interim Acting Secretary*

[Pa.B. Doc. No. 24-471. Filed for public inspection April 5, 2024, 9:00 a.m.]

**DEPARTMENT OF HEALTH**

**Special Pharmaceutical Benefits Program Advisory Council Public Meeting**

The Statewide Special Pharmaceutical Benefits Program (SPBP) Advisory Council, established by the Department of Health (Department) to aid in the carrying out of its Federal grant responsibilities under section 2616 of the Ryan White Comprehensive AIDS Resources Emergency Act of 1990 (42 U.S.C. § 300ff-26), will hold a public meeting on Thursday, April 25, 2024, from 10 a.m. to 3 p.m. at the Penn Harris Hotel, 1150 Camp Hill Bypass, Camp Hill, PA 17011. There will be a virtual option available using Microsoft Teams. Persons may participate by dialing in by location at (267) 332-8737. The meeting ID is 189 191 754#. The meeting will begin promptly at 10 a.m. and participants are urged to call in by 9:50 a.m.

The SPBP Advisory Council will provide program guidance and recommendations to the Department's SPBP in regard to the following: drug formulary, covered lab services, drug utilization review, clinical programs, eligibility and program management.

For additional information or for persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so contact Sandy Brosius, Bureau of Communicable Diseases, Department of Health, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120, (717) 547-3419, or for speech or hearing impaired persons call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The Department reserves the right to cancel this meeting without prior notice.

DR. DEBRA L. BOGEN,  
*Acting Secretary*

[Pa.B. Doc. No. 24-472. Filed for public inspection April 5, 2024, 9:00 a.m.]

**DEPARTMENT OF LABOR AND INDUSTRY**

**Uniform Construction Code Review and Advisory Council Meetings**

The Uniform Construction Code Review and Advisory Council will hold meetings at 9 a.m. on Thursday, April 18, 2024; Thursday, May 2, 2024; Thursday, May 16, 2024; Thursday, May 30, 2024; Thursday, June 13, 2024; and Thursday, June 27, 2024.

*Dial by individual's location:*

- (929) 205-6099 US (New York)
- (301) 715-8592 US (Washington DC)
- (312) 626-6799 US (Chicago)
- (669) 900-6833 US (San Jose)
- (253) 215-8782 US (Tacoma)
- (346) 248-7799 US (Houston)

*Meeting ID:* 361 131 6502

*Passcode:* 259161

Individuals who do not have the Zoom software may download the software at <https://zoom.us/downloads>. This allows use of the web cam on an individual's computer.



The Americans with Disabilities Act contact is Kristen Gardner at (717) 346-1497.

Questions concerning this meeting may be directed to Kristen Gardner at (717) 346-1497.

NANCY WALKER,  
*Secretary*

[Pa.B. Doc. No. 24-473. Filed for public inspection April 5, 2024, 9:00 a.m.]

## DEPARTMENT OF TRANSPORTATION

### State Transportation Advisory Committee Meeting

The State Transportation Advisory Committee will hold a meeting on Wednesday, April 10, 2024, from 10 a.m. to 12 p.m. This meeting will be held in the Keystone Building, 8N1, 400 North Street, Harrisburg, PA and by means of Microsoft Teams. The meeting information, including the agenda, is available at <https://bit.ly/3uViY3n>.

Individuals may join the meeting remotely at [https://teams.microsoft.com/dl/launcher/launcher.html?url=%2F\\_%23%2F1%2Fmeetup-join%2F19%3Ameeting\\_MGU0Njg2MmQtYTU3ZC00N2FILTk0MzMtNzc0MDM2NTE2ZTVh%40thread.v2%2F0%3Fcontext%3D%257b%2522Tid%2522%253a%2522418e2841-0128-4dd5-9b6c-47fc5a9a1bde%2522%252c%2522Oid%2522%253a%25225254d3e7-0194-4a47-999f-79cb74a9b0ae%2522%257d%26anon%3Dtrue&type=meetup-join&deeplinkId=5f538d21-31f5-4b48-85c0-65c33524f1be&directDl=true&msLaunch=true&enableMobilePage=true&suppressPrompt=true](https://teams.microsoft.com/dl/launcher/launcher.html?url=%2F_%23%2F1%2Fmeetup-join%2F19%3Ameeting_MGU0Njg2MmQtYTU3ZC00N2FILTk0MzMtNzc0MDM2NTE2ZTVh%40thread.v2%2F0%3Fcontext%3D%257b%2522Tid%2522%253a%2522418e2841-0128-4dd5-9b6c-47fc5a9a1bde%2522%252c%2522Oid%2522%253a%25225254d3e7-0194-4a47-999f-79cb74a9b0ae%2522%257d%26anon%3Dtrue&type=meetup-join&deeplinkId=5f538d21-31f5-4b48-85c0-65c33524f1be&directDl=true&msLaunch=true&enableMobilePage=true&suppressPrompt=true). The meeting ID is 237 384 589 539. The passcode is Z6XsWh.

To download Microsoft Teams, go to <https://www.microsoft.com/en-us/microsoft-teams/download-app>. To join on the web, go to <https://www.microsoft.com/en-us/microsoft-teams/join-a-meeting?rtc=1>.

To call into the meeting, dial (267) 332-8737 and enter 801114660# as the conference ID. To find a local number, go to <https://dialin.teams.microsoft.com/783683fb-6d69-4e8b-aa52-814e500ad7b8?id=801114660>. To reset the PIN number, go to <https://dialin.teams.microsoft.com/usp/voicemail>.

For more information, contact the Office of the State Transportation Commission, (717) 787-2913, RA-PennDOTSTC@pa.gov.

MICHAEL CARROLL,  
*Secretary*

[Pa.B. Doc. No. 24-474. Filed for public inspection April 5, 2024, 9:00 a.m.]

## ENVIRONMENTAL HEARING BOARD

### Hatfield Township Municipal Authority v. Department of Environmental Protection; EHB Doc. No. 2024-080-L

Hatfield Township Municipal Authority has appealed the issuance by the Department of Environmental Protection of NPDES Permit No. PA0026247 authorizing a discharge to West Branch Neshaminy Creek from the Hatfield Township STP facility in Hatfield Township, Montgomery County.

The appeal is filed with the Environmental Hearing Board (Board). The notice of appeal, and other filings related to the appeal, may be reviewed by any interested person through the Board's web site at <http://ehb.courtapps.com>. If information concerning this notice is required in an alternative form, contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984. A date for the hearing on the appeal has not yet been scheduled.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.81 (relating to intervention). Copies of the Board's rules of practice and procedure are available online and upon request from the Board.

STEVEN C. BECKMAN,  
*Chairperson*

[Pa.B. Doc. No. 24-475. Filed for public inspection April 5, 2024, 9:00 a.m.]

## ENVIRONMENTAL QUALITY BOARD

### Meeting Cancellation

The April 9, 2024, meeting of the Environmental Quality Board (Board) is cancelled. The next regular meeting of the Board is tentatively scheduled for Tuesday, May 14, 2024. The meeting will begin at 9 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. Individuals may attend the meeting in person or remotely.

Information on how to join the meeting, as well as agenda and meeting materials, will be available on the Board's webpage, found through the Public Participation tab on the Department of Environmental Protection's (Department) web site at [www.dep.pa.gov](http://www.dep.pa.gov) (select "Public Participation," then "Environmental Quality Board," then "2024 Meetings").

Individuals are encouraged to visit the Board's webpage to confirm meeting date, time and location prior to each meeting. Questions concerning the May 14, 2024, meeting can be directed to Laura Griffin at [laurgriffi@pa.gov](mailto:laurgriffi@pa.gov) or (717) 783-8727.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Department at (717) 783-8727 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

JESSICA SHIRLEY,  
*Interim Acting Chairperson*

[Pa.B. Doc. No. 24-476. Filed for public inspection April 5, 2024, 9:00 a.m.]

## FISH AND BOAT COMMISSION

### Temporary Change to Fishing Regulations; Tobyhanna Lake, Monroe County

The Executive Director of the Fish and Boat Commission (Commission), acting under the authority of 58 Pa. Code § 65.25 (relating to temporary changes to

fishing regulations), has taken immediate action to temporarily modify fishing regulations at Tobyhanna Lake, Monroe County, in anticipation of a complete drawdown of the lake. The Executive Director is lifting all seasons, sizes and daily limits for all species, except trout. The season, sizes and daily limits for trout at Tobyhanna Lake will remain under 58 Pa. Code § 61.1(d) (relating to Commonwealth inland waters), effective April 6, 2024. The Executive Director has found that this action is necessary and appropriate for the management of fish at this lake.

The Executive Director will cause these temporary modifications to fishing regulations to be posted in the vicinity of the lake, and the modified regulations will be fully effective and enforceable when so posted. These temporary modifications will remain in effect until January 1, 2025, unless the Commission shall by then, by appropriate action, have approved the designation or redesignation of waters or shall have approved the revision to the regulation in question.

TIMOTHY D. SCHAEFFER,  
*Executive Director*

[Pa.B. Doc. No. 24-477. Filed for public inspection April 5, 2024, 9:00 a.m.]

## HEALTH CARE COST CONTAINMENT COUNCIL

### Meetings Scheduled

The Health Care Cost Containment Council (Council) has scheduled the following meetings: Data Systems Committee meeting on April 17, 2024, at 9 a.m.; Council meetings on May 4, 2024, at 8:30 a.m. and July 11, 2024, at 10 a.m.; and Payment Data Advisory Group meetings on April 18, 2024, May 23, 2024, and June 20, 2024, at 10 a.m. Agendas will be available 24 hours in advance at <https://www.phc4.org/about-the-council/council-meetings/>.

The public is invited to participate. Contact [rgreenawalt@phc4.org](mailto:rgreenawalt@phc4.org) at least 24 hours in advance for participation instructions.

BARRY BUCKINGHAM,  
*Executive Director*

[Pa.B. Doc. No. 24-478. Filed for public inspection April 5, 2024, 9:00 a.m.]

## INDEPENDENT REGULATORY REVIEW COMMISSION

### Actions Taken by the Commission

The Independent Regulatory Review Commission met publicly at 10 a.m., Thursday, March 21, 2024, and announced the following:

*Actions Taken—Regulations Approved:*

Pennsylvania Gaming Control Board # 125-246: Table Games Side Wager and Variations—Final Regulations (amends 58 Pa. Code Chapters 617b, 623b, 627b, 629b, 631b, 633b, 635b, 639b, 641b, 643b, 645b, 647b, 649b, 653b, 655b, 657b, 659b, 670b, 685b, 687b, 688b, and 689a)

State Ethics Commission # 63-08: Technical Revisions for Statutory Consistency, Clarity and Modernization (amends 51 Pa. Code Chapters 11, 13, 15, 17, 19, 21, 23, and 25)

Environmental Hearing Board # 106-14: Practice and Procedure (amends 25 Pa. Code Chapter 1021)

State Board of Medicine # 16A-4953: Registration of Naturopathic Doctors (amends 49 Pa. Code Chapters 16 and 18 and adds Subchapter M to Chapter 18)

### Approval Order

Public Meeting Held  
March 21, 2024

*Commissioners Voting:* George D. Bedwick, Chairperson; John F. Mizner, Esq., Vice Chairperson; John J. Soroko, Esq.; Murray Ufberg, Esq., recusing; Dennis A. Watson, Esq.

*Pennsylvania Gaming Control Board—  
Table Games Side Wager and Variations—Final  
Regulations  
Regulation No. 125-246 (# 3386)*

On February 15, 2024, the Independent Regulatory Review Commission (Commission) received this regulation from the Pennsylvania Gaming Control Board (Board). This rulemaking amends 58 Pa. Code Chapters 617b, 623b, 627b, 629b, 631b, 633b, 635b, 639b, 641b, 643b, 645b, 647b, 649b, 653b, 655b, 657b, 659b, 670b, 685b, 687b, 688b, and 689a. Notice of proposed rulemaking was omitted for this regulation; it will become effective upon publication in the *Pennsylvania Bulletin*.

This final-omitted rulemaking adopts existing temporary regulations related to table game rules and procedures into final-form regulations.

We have determined this regulation is consistent with the statutory authority of the Board (4 Pa.C.S. §§ 1202(b)(30) and 13A02(1) and (2)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

*By Order of the Commission:*

This regulation is approved.

### Approval Order

Public Meeting Held  
March 21, 2024

*Commissioners Voting:* George D. Bedwick, Chairperson; John F. Mizner, Esq., Vice Chairperson; John J. Soroko, Esq.; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

*State Ethics Commission—  
Technical Revisions for Statutory Consistency,  
Clarity and Modernization  
Regulation No. 63-08 (# 3385)*

On January 24, 2024, the Independent Regulatory Review Commission (Commission) received this regulation from the State Ethics Commission (Commission). This rulemaking amends 51 Pa. Code Chapters 11, 13, 15, 17, 19, 21, 23, and 25. Notice of proposed rulemaking was omitted for this regulation; it will become effective upon publication in the *Pennsylvania Bulletin*.

The final-omitted regulation consists of technical revisions necessary for statutory consistency, clarity, and modernization to regulations that have not been updated since 2001.

We have determined this regulation is consistent with the statutory authority of the Commission (65 Pa.C.S. § 1107(1); 45 P.S. § 1204(3)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

*By Order of the Commission:*

This regulation is approved.

**Approval Order**

Public Meeting Held  
March 21, 2024

*Commissioners Voting:* George D. Bedwick, Chairperson; John F. Mizner, Esq., Vice Chairperson; John J. Soroko, Esq.; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

*Environmental Hearing Board—  
Practice and Procedure  
Regulation No. 106-14 (# 3377)*

On June 6, 2023, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Environmental Hearing Board (Board). This rulemaking amends 25 Pa. Code Chapter 1021. The proposed regulation was published in the June 17, 2023 *Pennsylvania Bulletin* with a public comment period ending on July 17, 2023. The final-form regulation was submitted to the Commission on February 15, 2024.

This final regulation amends the rules of practice and procedure of the Board to provide the Department of Environmental Protection (Department) and persons challenging Department actions before the Board with more specific guidance on how to represent their interests. The purpose of the amendments is to make practice before the Board more efficient by reducing paperwork and less costly by avoiding the need for litigation over interpretation of the rules.

We have determined this regulation is consistent with the statutory authority of the Board (35 P.S. §§ 7515(c) and 691.307(b), 27 Pa.C.S. § 7708) and the intention of

the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

*By Order of the Commission:*

This regulation is approved.

**Approval Order**

Public Meeting Held  
March 21, 2024

*Commissioners Voting:* George D. Bedwick, Chairperson; John F. Mizner, Esq., Vice Chairperson; John J. Soroko, Esq.; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

*State Board of Medicine—  
Registration of Naturopathic Doctors  
Regulation No. 16A-4953 (# 3324)*

On November 30, 2021, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the State Board of Medicine (Board). This rulemaking amends 49 Pa. Code Chapters 16 and 18 and adds Subchapter M to Chapter 18. The proposed regulation was published in the December 18, 2021 *Pennsylvania Bulletin* with a public comment period ending on January 18, 2022. The final-form regulation was submitted to the Commission on January 18, 2024.

The rulemaking implements the Naturopathic Doctor Registration Act (63 P.S. §§ 272.101—272.301), establishes fees for initial registration and biennial renewal of registration and removes outdated provisions of the Board’s regulations relating to “drugless therapists.”

We have determined this regulation is consistent with the statutory authority of the State Board of Medicine (63 P.S. §§ 272.202(6), 272.203(b) and 272.207 and 63 P.S. § 422.8) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

*By Order of the Commission:*

This regulation is approved.

GEORGE D. BEDWICK,  
*Chairperson*

[Pa.B. Doc. No. 24-479. Filed for public inspection April 5, 2024, 9:00 a.m.]

**INDEPENDENT REGULATORY REVIEW COMMISSION**

**Notice of Comments Issued**

Section 5(g) of the Regulatory Review Act (71 P.S. § 745.5(g)) provides that the Independent Regulatory Review Commission (Commission) may issue comments within 30 days of the close of the public comment period. The Commission comments are based upon the criteria contained in section 5.2 of the Regulatory Review Act (71 P.S. § 745.5b).

The Commission has issued comments on the following proposed regulation. The agency must consider these comments in preparing the final-form regulation. The final-form regulation must be submitted within 2 years of the close of the public comment period or it will be deemed withdrawn.

<i>Reg. No.</i>	<i>Agency / Title</i>	<i>Close of the Public Comment Period</i>	<i>IRRC Comments Issued</i>
16A-6522	State Board of Physical Therapy Early Exam and CE for Clinical Instruction 54 Pa.B. 383 (January 27, 2024)	02/26/24	03/27/24

**State Board of Physical Therapy Regulation  
# 16A-6522 (IRRC # 3394)**

**Early Exam and CE for Clinical Instruction**

**March 27, 2024**

We submit for your consideration the following comments on the proposed rulemaking published in the January 27, 2024 *Pennsylvania Bulletin*. Our comments are based on criteria in Section 5.2 of the Regulatory Review Act (RRA) (71 P.S. § 745.5b). Section 5.1(a) of the RRA (71 P.S. § 745.5a(a)) directs the State Board of Physical Therapy (Board) to respond to all comments received from us or any other source.

**Section 40.14. Examination; failure; reexamination.—  
Clarity; Reasonableness.**

Section 1306(c) of the Physical Therapy Practice Act (Act) states, in part:

In case of failure at the first examination, the applicant for licensure shall have, after the expiration of 60 days and within one year from the first failure, the privilege of a second examination. . . . An applicant may take the examination no more than three times in a consecutive 12-month period.

63 P.S. § 1306(c). These provisions are currently found in existing subsections (a) and (d).

The Board proposes to delete from subsection (a) the existing language, which includes, “In cases of failure at the first examination, the applicant shall have, after the expiration of 60 days and within 1 year from the date of the first failure, the privilege of a second examination. . . .” and replace it with the requirement that “[a]pplicants shall successfully pass the [National Physical Therapy Examination (NPTE)].” The proposed language no longer addresses the statutory timeframe regarding a second examination. We have concerns about the Board retaining a portion of Section 1306(c) of the Act in the regulation and at the same time deleting a portion of the same statutory provision from the regulation. While we recognize that the statute sets forth the requirements for a second examination, for ease of reference and clarity for the regulated community, we recommend that the Board retain in the final regulation the timeframe related to a second examination.

Additionally, we acknowledge that, as of this date, the NPTE schedule currently fulfills the statutory 60-day “waiting period” because exams are naturally separated by more than 60 days. However, if the NPTE changes the exam schedule to offer more frequent testing opportunities, it could be possible for an applicant to take an exam prior to the expiration of the statutorily-required 60 days.

For these reasons, we ask the Board to retain the timeframe regarding a second examination from Section 1306(c) of the Act in the final regulation to ensure the testing requirements from the Act are clear and easily accessible for the regulated community.

This comment applies also to Section 40.164(b)(1) (relating to physical therapist assistant certification examination), in which the Board is proposing to delete similar language. We ask the Board to retain the timeframe

language found in Section 1309.1(b) of the Act in the final regulation.

GEORGE D. BEDWICK,  
*Chairperson*

[Pa.B. Doc. No. 24-480. Filed for public inspection April 5, 2024, 9:00 a.m.]

## INSURANCE DEPARTMENT

**Alleged Violation of Insurance Laws; James J. Vassallo, Jr.; Doc. No. SC24-03-004**

Notice is hereby given of the Order to Show Cause issued on March 21, 2024, by the Deputy Insurance Commissioner of the Commonwealth in the previously referenced matter. Violations of the following are alleged: section 611-A(4)—(7), (17) and (20) of The Insurance Department Act of 1921 (40 P.S. § 310.11(4)—(7), (17) and (20)).

The respondent shall file a written answer to the Order to Show Cause within 30 days of the date of issue. If the respondent files a timely answer, a formal administrative hearing shall be held in accordance with 2 Pa.C.S. §§ 501—508 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure), 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure) and other relevant procedural provisions of law.

Answers, motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed in writing with the Hearings Administrator, Insurance Department, Administrative Hearings Office, 901 North 7th Street, Harrisburg, PA 17102, ra-hearings@pa.gov.

Persons with a disability who wish to attend the previously referenced administrative hearing, and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Joseph Korman, Agency ADA Coordinator, jkorman@pa.gov, (717) 787-4429.

MICHAEL HUMPHREYS,  
*Insurance Commissioner*

[Pa.B. Doc. No. 24-481. Filed for public inspection April 5, 2024, 9:00 a.m.]

## INSURANCE DEPARTMENT

**LifeSecure Insurance Company; Rate Increase Filing for Individual LTC Forms LS-LTC-0004 and LS-LTC-00045 (LFSC-134040332); Rate Filing**

LifeSecure Insurance Company is requesting approval to increase the premium an aggregate 47.4% on 606 Pennsylvania policyholders of individual LTC forms LS-LTC-0004 and LS-LTC-00045.

Unless formal administrative action is taken prior to June 10, 2024, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department’s web site at [www.insurance.pa.gov](http://www.insurance.pa.gov).

Interested parties are invited to submit written comments, suggestions or objections to Sean Carmody, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, [scarmody@pa.gov](mailto:scarmody@pa.gov) within 20 days after publication of this notice in the *Pennsylvania Bulletin*.

MICHAEL HUMPHREYS,  
*Insurance Commissioner*

[Pa.B. Doc. No. 24-482. Filed for public inspection April 5, 2024, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Andrew Richard Sutton; Motor Vehicle Physical Damage Appraiser License Denial Appeal; Doc. No. AG24-03-023

Under the Motor Vehicle Physical Damage Appraiser Act (63 P.S. §§ 851—863), Andrew Richard Sutton has appealed the denial of an application for a motor vehicle physical damage appraiser license. The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure).

A prehearing telephone conference initiated by this office is scheduled for May 2, 2024, at 11 a.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before April 30, 2024. A date for a hearing shall be determined, if necessary, at the prehearing conference.

Protests, petitions to intervene or notices of intervention, if any, must be electronically filed on or before April 18, 2024. The e-mail address to be used for the Administrative Hearings Office is [ra-hearings@pa.gov](mailto:ra-hearings@pa.gov). Answers to protests, petitions to intervene or notices of intervention, if any, shall be electronically filed on or before April 30, 2024.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodations to participate in the hearing, contact Joseph Korman, (717) 787-4429, [jkorman@pa.gov](mailto:jkorman@pa.gov).

MICHAEL HUMPHREYS,  
*Insurance Commissioner*

[Pa.B. Doc. No. 24-483. Filed for public inspection April 5, 2024, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Use of Artificial Intelligence Systems by Insurers; Notice 2024-04

The Insurance Department (Department) reminds all insurers that hold certificates of authority or are otherwise authorized to engage in the business of insurance in this Commonwealth that decisions or actions impacting consumers that are made or supported by advanced analytical and computational technologies, including Artificial Intelligence (AI) systems (as defined as follows),

must comply with all applicable insurance laws and regulations. This includes those laws that address unfair trade practices and unfair discrimination. This notice sets forth the Department's expectations as to how insurers will govern the development/acquisition and use of certain AI technologies, including the AI systems described herein. This notice also advises insurers of the type of information and documentation that the Department may request during an investigation or examination of any insurer regarding its use of the technologies and AI systems.

### SECTION 1: INTRODUCTION, BACKGROUND AND LEGISLATIVE AUTHORITY

#### *Background*

AI is transforming the insurance industry. AI techniques are deployed across all stages of the insurance life cycle, including product development, marketing, sales and distribution, underwriting and pricing, policy servicing, claim management and fraud detection.

AI may facilitate the development of innovative products, improve consumer interface and service, simplify and automate processes, and promote efficiency and accuracy. However, AI, including AI systems, can present unique risks to consumers, including the potential for inaccuracy, unfair discrimination, data vulnerability, and lack of transparency and explainability. Insurers should take actions to minimize these risks.

The Department encourages the development and use of innovation and AI systems that contribute to safe and stable insurance markets. However, the Department expects that decisions made and actions taken by insurers using AI systems will comply with all applicable Federal and State laws and regulations.

The Department recognizes the Principles of Artificial Intelligence that the National Association of Insurance Commissioners (NAIC) adopted in 2020 as an appropriate source of guidance for insurers as they develop and use AI systems. Those principles emphasize the importance of the fairness and ethical use of AI; accountability; compliance with state laws and regulations; transparency; and safe, secure, fair, and robust systems and processes. These fundamental principles should guide insurers in their development and use of AI systems and underlie the expectations set forth in this notice.

#### *Legislative Authority*

An insurer's use of AI is subject to several existing Commonwealth laws and regulations, including but not limited to:

- *The Unfair Insurance Practices Act (40 P.S. §§ 1171.1—1171.15) and the Unfair Claims Settlement Practices (UCSP) Regulations, Chapter 146 of Title 31, Pennsylvania Code Subchapter A (31 Pa. Code §§ 146.1—146.10)*. The Unfair Insurance Practices Act (UIPA) regulates trade practices in the business of insurance by defining practices that constitute unfair methods of competition or unfair or deceptive acts and practices and prohibiting the trade practices so defined or determined. The UCSP regulations set forth standards for the investigation and disposition of claims arising under policies or certificates of insurance issued to residents in this Commonwealth. Actions taken by insurers in this Commonwealth must not violate the UIPA or the UCSP regulations, regardless of the methods the insurer used to determine or support its actions. As discussed as follows, insurers are expected to adopt practices, including governance frameworks and risk management protocols, that

are designed to ensure that the use of AI systems does not result in: 1) unfair trade practices, as defined in the UIPA; or 2) unfair claims settlement practices, as defined in the UCSP regulations.

- *Corporate Governance Annual Disclosure (CGAD) Requirements, Chapter 39 of Title 40 of the Pennsylvania Consolidated Statutes (40 Pa.C.S. §§ 3901—3911).* This Chapter requires insurers to report on governance practices and to provide a summary of the insurer's corporate governance structure, policies and practices. The content, form and filing requirements for CGAD information are set forth in Chapter 39. The CGAD requirements are applicable to the elements of the insurer's corporate governance framework that address the insurer's use of AI systems to support actions and decisions that impact consumers.

- *The Casualty and Surety Rate Regulatory Act (40 P.S. §§ 1181—1199), the Fire, Marine and Inland Marine Rate Regulatory Act (40 P.S. §§ 1221—1238), Article V-A of The Insurance Company Law of 1921—the Property and Casualty Filing Reform Act (40 P.S. §§ 710-1—710-19), Article VII of the Workers' Compensation Act (77 P.S. §§ 1035.1—1035.22) and Article VII of The Insurance Company Law of 1921 (regarding Title Insurance Companies; 40 P.S. §§ 910-1—910-55).* These acts require that property/casualty (P/C) insurance rates not be excessive, inadequate or unfairly discriminatory. The requirements of these acts apply regardless of the methodology that the insurer used to develop rates, rating rules and rating plans subject to those provisions. That means that an insurer is responsible for assuring that rates, rating rules and rating plans that are developed using AI techniques and predictive models that rely on data and machine learning do not result in excessive, inadequate or unfairly discriminatory insurance rates with respect to all forms of casualty insurance—including fidelity, surety and guaranty bond—and to all forms of property insurance—including fire, marine and inland marine insurance, and any combination of any of the foregoing.

- *Article IX of The Insurance Department Act of 1921—Examinations (40 P.S. §§ 323.1—323.8).* Article IX establishes an effective and efficient system for examining the activities, operations, financial condition and affairs of all persons transacting the business of insurance in this Commonwealth. An insurer's conduct in this Commonwealth, including its use of AI systems to make or support actions and decisions that impact consumers, is subject to investigation, examination and market analysis. Section 4 of this notice provides guidance on the kinds of information and documents that the Department may request in the context of an AI-focused investigation, including a market conduct action.

## SECTION 2: DEFINITIONS

The following terms are defined for purposes of this notice:

**“AI system.”** A machine-based system or set of processes that can, for a given set of objectives, generate outputs such as predictions, recommendations, content (such as text, images, videos or sounds), or other output influencing decisions made in real or virtual environments. AI systems are designed to operate with varying levels of autonomy.

**“Adverse consumer outcome.”** A decision by an insurer that is subject to insurance regulatory standards enforced by the Department that adversely impacts the consumer in a manner that violates those standards.

**“Algorithm.”** A clearly specified mathematical process for computation or a set of rules that, if followed, will give a prescribed result.

**“Artificial intelligence (AI).”** A branch of computer science that uses data processing systems that perform functions normally associated with human intelligence, such as reasoning, learning and self-improvement, or the capability of a device to perform functions that are normally associated with human intelligence such as reasoning, learning and self-improvement. This definition considers machine learning to be a subset of artificial intelligence.

**“Degree of potential harm to consumers.”** The severity of adverse economic impact that a consumer might experience as a result of an adverse consumer outcome.

**“Generative artificial intelligence (Generative AI).”** A class of AI systems that generate content in the form of data, text, images, sounds or video, that is similar to, but not a direct copy of, pre-existing data or content.

**“Insurer.”** A risk-bearing entity acting under authority of the Department including an insurance company, association, exchange, interinsurance exchange, health maintenance organization, preferred provider organization, professional health services plan corporation subject to Chapter 63 of Title 40 of the *Pennsylvania Consolidated Statutes* (regarding professional health services plan corporations; 40 Pa.C.S. §§ 6301—6335), a hospital plan corporation subject to Chapter 61 of Title 40 of the *Pennsylvania Consolidated Statutes* (regarding hospital plan corporations; 40 Pa.C.S. §§ 6101—6127), fraternal benefit society, beneficial association, Lloyd's insurer or health plan corporation.

**“Machine Learning (ML).”** A field within artificial intelligence that focuses on the ability of computers to learn from provided data without being explicitly programmed.

**“Model Drift.”** The decay of a model's performance over time arising from underlying changes such as the definitions, distributions or statistical properties between the data used to train the model and the data on which it is deployed.

**“Predictive Model.”** The mining of historic data using algorithms or machine learning, or both, to identify patterns and predict outcomes that can be used to make or support the making of decisions.

**“Third Party”** An organization other than the insurer that provides services, data or other resources related to AI.

## SECTION 3: REGULATORY GUIDANCE AND EXPECTATIONS

Decisions or determinations subject to regulatory oversight that are made by insurers using AI systems must comply with the legal and regulatory standards that apply to those decisions or determinations, including those laws and requirements as outlined in Section 1. These standards require, at a minimum, that decisions made by insurers are not inaccurate, arbitrary, capricious or unfairly discriminatory. Compliance with these standards is required regardless of the tools and methods insurers use to make such decisions. However, because, in the absence of proper controls, AI has the potential to increase the risk of inaccurate, arbitrary, capricious or unfairly discriminatory outcomes for consumers, it is important that insurers adopt and implement controls specifically related to their use of AI that are designed to mitigate the risk of adverse consumer outcomes.

Consistent therewith, all insurers authorized to do business in this Commonwealth that use AI systems are expected to develop, implement and maintain a written program (an "AIS program") for the responsible use of AI systems that make or support decisions related to regulated insurance practices. The AIS program should be designed to mitigate the risk of adverse consumer outcomes, including, at a minimum, to maintain compliance with the statutory and regulatory provisions set forth in Section 1 of this notice.

The Department recognizes that robust governance, risk management controls and internal audit functions play a core role in mitigating the risk that decisions driven by AI systems will violate unfair trade practice laws and other applicable existing legal standards. The Department also encourages the development and use of verification and testing methods to identify errors and bias in predictive models and AI systems, as well as the potential for unfair discrimination in the decisions and outcomes resulting from the use of predictive models and AI systems.

The controls and processes that an insurer adopts and implements as part of its AIS program should be reflective of, and commensurate with, the insurer's own assessment of the degree and nature of risk posed to consumers by the AI systems that it uses, considering: (i) the nature of the decisions being made, informed or supported using the AI system; (ii) the type and degree of potential harm to consumers resulting from the use of AI systems; (iii) the extent to which humans are involved in the final decision-making process; (iv) the transparency and explainability of outcomes to the impacted consumer; and (v) the extent and scope of the insurer's use or reliance on data, predictive models and AI systems from third parties. Similarly, controls and processes should be commensurate with both the risk of adverse consumer outcomes and the degree of potential harm to consumers.

As discussed in Section 4, the decisions made as a result of an insurer's use of AI systems are subject to the Department's examination to determine whether the insurer's reliance on AI systems is compliant with all applicable existing statutory and regulatory standards governing the conduct of the insurer.

#### *AIS Program Guidelines*

The Department suggests the following guidelines and best practices for the development and use of AIS programs. These guidelines are not intended to be binding upon insurers, nor are they intended to, in any way, restrict or limit the Department's discretion to evaluate an insurer's compliance with applicable laws or regulations. Likewise, the following guidelines do not constitute an exhaustive list of items that the Department will consider when determining compliance with the Commonwealth's existing regulatory and statutory requirements.

##### *1.0. General Guidelines.*

- 1.1. The AIS program should be designed to mitigate the risk that the insurer's use of an AI system will result in adverse consumer outcomes.
- 1.2. The AIS program should address governance, risk management controls and internal audit functions.
- 1.3. The AIS program should vest responsibility for the development, implementation, monitoring and oversight of the AIS program and for setting the insurer's strategy for AI systems with senior management accountable to the board or an appropriate committee of the board.

- 1.4. The AIS program should be tailored to and proportionate with the insurer's use and reliance on AI and AI systems. Controls and procedures should be focused on the mitigation of adverse consumer outcomes and the scope of the controls and procedures applicable to a given AI system use case should reflect and align with the degree of potential harm to consumers with respect to that use case.
- 1.5. The AIS program may be independent of or part of the insurer's existing Enterprise Risk Management program. The AIS program may adopt, incorporate or rely upon, in whole or in part, a framework or standards developed by an official third-party standard organization, such as the National Institute of Standards and Technology Artificial Intelligence Risk Management Framework, Version 1.0.
- 1.6. The AIS program should identify and address the use of all AI systems across the insurance life cycle, including areas such as product development and design, marketing, use, underwriting, rating and pricing, case management, claim administration and payment, and fraud detection.
- 1.7. The AIS program should address all phases of an AI system's life cycle, including design, development, validation, implementation (both systems and business), use, on-going monitoring, updating and retirement.
- 1.8. The AIS program should address the AI systems used with respect to regulated insurance practices whether developed by the insurer or embedded within an affiliate or third-party vendor process.
- 1.9. The AIS program should include processes and procedures providing notice to impacted consumers that AI systems are in use and provide access to appropriate levels of information based on the phase of the insurance life cycle in which the AI systems are being used.

##### *2.0. Governance.*

The AIS program should include a governance framework for the oversight of AI systems used by the insurer. Governance should prioritize transparency, fairness and accountability in the design and implementation of the AI systems, recognizing that proprietary and trade secret information must be protected. An insurer may consider adopting new internal governance structures or rely on the insurer's existing governance structures; however, in developing its governance framework, the insurer should consider addressing the following items:

- 2.1. The policies, processes and procedures, including risk management and internal controls, to be followed at each stage of an AI system life cycle, from proposed development to retirement.
- 2.2. The requirements adopted by the insurer to document compliance with the AIS program policies, processes, procedures and standards. Documentation requirements should be developed with Section 4 in mind.
- 2.3. The insurer's internal AI system governance accountability structure, such as:
  - a) The formation of centralized, federated or otherwise constituted committees comprised of representatives from appropriate disciplines and units within the insurer, such

as business units, product specialists, actuarial, data science and analytics, underwriting, claims, compliance and legal.

b) Scope of responsibility and authority, chains of command and decisional hierarchies.

c) The independence of decision-makers and lines of defense at successive stages of the AI system life cycle.

d) Monitoring, auditing, escalation, and reporting protocols and requirements.

e) Development and implementation of ongoing training and supervision of personnel.

- 2.4. Specifically with respect to predictive models: the insurer's processes and procedures for designing, developing, verifying, deploying, using, updating and monitoring predictive models, including a description of methods used to detect and address errors, performance issues, outliers or unfair discrimination in the insurance practices resulting from the use of the predictive model.

### 3.0. *Risk Management and Internal Controls.*

The AIS program should document the insurer's risk identification, mitigation, and management framework and internal controls for AI systems generally and at each stage of the AI system life cycle. Risk management and internal controls should address the following items:

- 3.1. The oversight and approval process for the development, adoption or acquisition of AI systems, as well as the identification of constraints and controls on automation and design to align and balance function with risk.
- 3.2. Data practices and accountability procedures, including data currency, lineage, quality, integrity, bias analysis and minimization, and suitability.
- 3.3. Management and oversight of predictive models (including algorithms used therein), including:
  - a) Inventories and descriptions of the predictive models.
  - b) Detailed documentation of the development and use of the predictive models.
  - c) Assessments such as interpretability, repeatability, robustness, regular tuning, reproducibility, traceability, model drift and the auditability of these measurements where appropriate.
- 3.4. Validating, testing and retesting as necessary to assess the generalization of AI system outputs upon implementation, including the suitability of the data used to develop, train, validate and audit the model. Validation can take the form of comparing model performance on unseen data available at the time of model development to the performance observed on data post-implementation, measuring performance against expert review or other methods.
- 3.5. The protection of non-public information, particularly consumer information, including unauthorized access to the predictive models themselves.
- 3.6. Data and record retention.
- 3.7. Specifically with respect to predictive models: a narrative description of the model's intended goals and objectives and how the model is developed and validated to ensure that the AI systems that rely

on such models correctly and efficiently predict or implement those goals and objectives.

### 4.0. *Third Party AI Systems and Data.*

Each AIS program should address the insurer's process for acquiring, using or relying on: (i) third-party data to develop AI systems; and (ii) AI systems developed by a third party, which may include, as appropriate, the establishment of standards, policies, procedures and protocols relating to the following considerations:

- 4.1. Due diligence and the methods, which may include human oversight, employed by the insurer to assess the third party and its data or AI systems acquired from the third party to ensure that decisions made or supported from such AI systems that could lead to adverse consumer outcomes will meet the legal standards imposed on the insurer itself.

- 4.2. Where appropriate and available, the inclusion of terms in contracts with third parties that:
  - a) Provide audit rights or entitle the insurer to receive audit reports, or both, such as System and Organization Control 2 reports or other generally accepted reports, performed by qualified auditing entities, which specifically encompass the AI in scope of the review.
  - b) Require the third party to cooperate with the insurer with regard to regulatory inquiries and investigations related to the insurer's use of the third party's product or services.

a) Provide audit rights or entitle the insurer to receive audit reports, or both, such as System and Organization Control 2 reports or other generally accepted reports, performed by qualified auditing entities, which specifically encompass the AI in scope of the review.

b) Require the third party to cooperate with the insurer with regard to regulatory inquiries and investigations related to the insurer's use of the third party's product or services.

- 4.3. The performance of contractual rights regarding audits or other activities, or both, to confirm the third party's compliance with contractual and, where applicable, regulatory requirements.

## **SECTION 4: REGULATORY OVERSIGHT AND EXAMINATION CONSIDERATIONS**

The Department's regulatory oversight of insurers includes oversight of an insurer's conduct in this Commonwealth, including its use of AI systems to make or support decisions that impact consumers. Regardless of the existence or scope of a written AIS program, in the context of an investigation or market conduct action or at any time determined necessary by the Insurance Commissioner, an insurer can expect to be asked to respond to an inquiry or provide documentation, or both, pertaining to its development, deployment and use of AI systems, or any specific predictive model, AI system or application and its outcomes (including adverse consumer outcomes) from the use of those AI systems, as well as any other information or documentation deemed relevant by the Department.

Insurers should expect those inquiries to include (but not be limited to) the insurer's governance framework, risk management and internal controls (including the considerations identified in Section 3). In addition to conducting a review of any of the items listed in this notice, the Department may also ask questions regarding any specific model, AI system or its application, including requests for the following types of information or documentation, or both:

### 1.0. *Information and Documentation Relating to AI System Governance, Risk Management and Use Protocols.*

- 1.1. Information and documentation related to or evidencing the insurer's AIS program, including:



- a) The current written AIS program.
- b) Information and documentation relating to or evidencing the adoption of the AIS program.
- c) The scope of the insurer's AIS program, including any and all AI systems and technologies whether or not included in or addressed by the AIS program.
- d) The structure and mechanisms by which the AIS program is tailored to and proportionate with the insurer's use and reliance on AI systems, the risk of adverse consumer outcomes and the degree of potential harm to consumers.
- e) The policies, procedures, guidance, training materials and other information relating to the adoption, implementation, maintenance, monitoring and oversight of the insurer's AIS program, including:
  - i. Processes and procedures for the development, adoption or acquisition of AI systems, such as:
    - (1) Identification of constraints and controls on automation and design.
    - (2) Data governance and controls, including practices related to data lineage, quality, integrity, bias analysis and minimization, suitability, and data currency.
  - ii. Processes and procedures related to the management and oversight of predictive models, including measurements, standards, or thresholds adopted or used by the insurer in the development, validation, and oversight of models and AI systems.
  - iii. Protection of nonpublic information, particularly consumer information, including unauthorized access to predictive models themselves.
- 1.2. Information and documentation relating to the insurer's pre-acquisition/pre-use diligence, monitoring, oversight and auditing of data or AI systems developed by a third party.
- 1.3. Information and documentation relating to or evidencing the insurer's implementation and compliance with its AIS program, including documents relating to the insurer's monitoring and audit activities respecting compliance, including:
  - a) Documentation relating to or evidencing the formation and ongoing operation of the insurer's coordinating bodies for the development, use and oversight of AI systems.
  - b) Documentation related to data practices and accountability procedures, including data lineage, quality, integrity, bias analysis and minimization, suitability and data currency.
  - c) Management and oversight of predictive models and AI systems, including:
    - i. The insurer's inventories and descriptions of predictive models, and AI systems used by the insurer to make or support decisions that can result in adverse consumer outcomes.
    - ii. As to any specific predictive model or AI system that is the subject of investigation or examination:
      - (1) Documentation of compliance with all applicable AIS program policies, protocols and procedures in the development, use and oversight of predictive models and AI systems deployed by the insurer.
      - (2) Information about data used in the development and oversight of the specific model or AI system, includ-

ing the data source, provenance, data lineage, quality, integrity, bias analysis and minimization, suitability and data currency.

(3) Information related to the techniques, measurements, thresholds and similar controls used by the insurer.

d) Documentation related to validation, testing and auditing, including evaluation of model drift to assess the reliability of outputs that influence the decisions made based on predictive models. Note that the nature of validation, testing and auditing should be reflective of the underlying components of the AI system, whether based on predictive models or generative AI.

#### 2.0. *Third Party AI Systems and Data.*

In addition, if the investigation or examination concerns data, predictive model or AI systems collected or developed in whole or in part by third parties, the insurer should also expect the Department to request the following additional types of information and documentation:

- 2.1. Due diligence conducted on third parties and their data, models or AI systems.
- 2.2. Contracts with third-party AI system, model or data vendors, including terms relating to representations, warranties, data security and privacy, data sourcing, intellectual property rights, confidentiality and disclosures, and/or cooperation with regulators.
- 2.3. Audits or confirmation processes, or both, performed regarding third-party compliance with contractual and, where applicable, regulatory obligations.
- 2.4. Documentation pertaining to validation, testing and auditing, including evaluation of model drift.

#### SECTION 5. CONCLUSION

The Department recognizes that insurers may demonstrate compliance with the laws and regulations that govern their conduct in this Commonwealth in the use of AI systems through alternative means, including through practices that differ from those described in this notice. The goal of the notice is not to prescribe specific practices or to prescribe specific documentation requirements. Rather, the goal is to ensure that insurers in this Commonwealth are aware of the Department's expectations regarding the information as to how AI systems will be governed and managed and of the kinds of information and documents about an insurer's AI systems that the Department expects an insurer to produce when requested and best practices that should be employed when using AI systems.

As in all cases, investigations, examinations and market conduct actions may be performed using procedures that vary in nature, extent and timing in accordance with regulatory judgment. Work performed may include inquiry, examination of company documentation or any of the continuum of market actions outlined in the procedures described in an applicable NAIC handbook. These activities may involve the use of contracted specialists with relevant subject matter expertise. Nothing in this notice limits the authority of the Department to conduct any regulatory investigation, examination or enforcement action relative to any act or omission of any insurer that

the Department is authorized to perform under Commonwealth law.

MICHAEL HUMPHREYS,  
*Insurance Commissioner*

[Pa.B. Doc. No. 24-484. Filed for public inspection April 5, 2024, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Jaime Lyn Wisniewski; Order to Show Cause; Doc. No. SC24-03-003

The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure) except as modified by order.

A prehearing telephone conference initiated by this office is scheduled for April 30, 2024, at 11 a.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before April 26, 2024. A hearing will occur on May 9, 2024, at 9:30 a.m. in the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102.

Protests, petitions to intervene or notices of intervention, if any, must be electronically filed on or before April 16, 2024, with the Administrative Hearings Office. The e-mail address to be used for the Administrative Hearings Office is ra-hearings@pa.gov. Answers to protests, petitions to intervene or notices of intervention, if any, shall be electronically filed on or before April 26, 2024.

Persons with a disability who wish to attend the previously referenced administrative proceedings and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

MICHAEL HUMPHREYS,  
*Insurance Commissioner*

[Pa.B. Doc. No. 24-485. Filed for public inspection April 5, 2024, 9:00 a.m.]

## PATIENT SAFETY AUTHORITY

### Public Meeting

The Patient Safety Authority (Authority), established by section 303 of the Medical Care Availability and Reduction of Error (MCARE) Act (40 P.S. § 1303.303), announces a meeting of the Authority's Board to be held virtually by means of the Authority's webinar platform Zoom on Thursday, April 25, 2024, at 1 p.m. and is open to the general public.

There will be Zoom capabilities to attend the Board meeting remotely, so registration is required.

Individuals can register by going to <https://us06web.zoom.us/meeting/register/tZwvcuGoqDIuG93fWOHXVbghDbgiZczbZ-IA>.

After registering, individuals will receive a confirmation e-mail containing information about joining the meeting.

Individuals who are unable to sign in with the previously listed registration link may dial-in by using the following information:

*Meeting ID:* 882 5806 9419

*Passcode:* 6aW49t

*One tap mobile:*

(312) 626-6799, 88258069419# US (Chicago)

(646) 558-8656, 88258069419# US (New York)

*Dial by individual's location:*

(312) 626-6799 (Chicago)

(646) 558-8656 (New York)

(301) 715-8592 (Washington DC)

(305) 224-1968 (Florida)

(309) 205-3325 (Illinois)

(689) 278-1000 (Florida)

(719) 359-4580 (Colorado)

(720) 707-2699 (Denver)

(253) 215-8782 (Tacoma)

(346) 248-7799 (Houston)

*Meeting ID:* 882 5806 9419

*Find individual's local number:* <https://us06web.zoom.us/j/88258069419>

Individuals having questions regarding this meeting, which is open to the public, should contact the Authority at (717) 346-0469.

A closed executive session of the Authority's Board of Directors will be held on April 25, 2024, at 12:30 p.m. by means of Zoom. The purpose of the executive session is for consideration of personnel matters and to engage in nondeliberative informational discussions regarding various actions and matters, which have been approved at previous public meetings.

REGINA M. HOFFMAN, MBA, BSN, RN, CPPS,  
*Executive Director*

[Pa.B. Doc. No. 24-486. Filed for public inspection April 5, 2024, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### General Rule Transaction

**A-2024-3047838. Cincinnati Bell, Inc., CBTS Technology Solutions, LLC and CBTS Borrower, LLC.** Joint application of Cincinnati Bell, Inc., CBTS Technology Solutions, LLC and CBTS Borrower, LLC for approval of a general rule transaction involving a transfer of control of a telecommunications public utility.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before April 22, 2024. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission (Commission) by means of eService on the Commission's web site at <https://www.puc.pa.gov/filing-resources/efiling/> or 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are avail-

able for inspection on the Commission's web site and at the applicant's business address.

*Joint Applicants:* Cincinnati Bell, Inc.; CBTS Technology Solutions, LLC; CBTS Borrower, LLC

*Through and By:* Catherine G. Vasudevan, Morgan, Lewis & Bockius, LLP, 2222 Market Street, Philadelphia, PA 19103-3007, (215) 963-5000, fax (215) 963-5001, catherine.vasudevan@morganlewis.com; Andrew D. Lipman, Joshua M. Bobeck, Danielle Burt, Leetal Weiss, Morgan, Lewis & Bockius, LLP, 1111 Pennsylvania Avenue, NW, Washington, DC 20004-2541, (202) 739-3000, fax (202) 739-3001, andrew.lipman@morganlewis.com, joshua.bobeck@morganlewis.com, danielle.burt@morganlewis.com, leetal.weiss@morganlewis.com; Marc A. Korman, Sidley Austin, LLP, 1501 K Street, NW # 600, Washington, DC 20005, (202) 736-8000, fax (202) 736-8711, mkorman@sidley.com; Heather Cameron, Vice President and General Counsel, CBTS Technology Solutions, LLC, 25 Merchant Street, Cincinnati, OH 45246, (513) 397-9900, heather.cameron@cbts.com

ROSEMARY CHIAVETTA,  
Secretary

[Pa.B. Doc. No. 24-487. Filed for public inspection April 5, 2024, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Formal protests, petitions to intervene and answers must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before April 22, 2024. Filings must be made electronically through eFiling to the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by April 22, 2024. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission's eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. The documents filed in support of the application are only available for inspection through the Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) by searching under the listed docket number as follows or by searching the applicant's web site.

**Applications of the following for approval to begin operating as common carriers for transportation of persons as described under each application.**

**A-2024-3046753. Unicorn Transportation, Inc.** (300 Crystal Rock Road, Muhlenberg, Berks County, PA 19605) to transport, as a common carrier, by motor vehicle, persons in paratransit service, from points in the Counties of Allegheny, Beaver, Butler and Washington, to points in Pennsylvania, and return.

**A-2024-3047226. Compassion Transport Services, LLC, t/a Compassion Transport Services** (25 Franklin Street, P.O. Box 241, Biglerville, York County, PA 17307) for the right to begin to transport, as a common carrier, by motor vehicle, persons in nonemergency medical paratransit service, from points in the Counties of Adams, Cumberland, Dauphin, Franklin, Fulton, Perry and York, to points in Pennsylvania, and return.

**Application of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods as described under the application.**

**A-2024-3047107. Alien Home Services, LLC, t/a Alien Movers** (3045 Richmond Street, Apartment 207, Philadelphia, Philadelphia County, PA 19134) for the right to begin to transport, as a common carrier, by motor vehicle, household goods in use, between points in Pennsylvania.

**Application of the following for approval to begin operating as a broker for transportation of household goods in use as described under the application.**

**A-2024-3047676. Vellar Holdings, LLC, t/a Safe Ship Moving Services** (P.O. Box 4101, Boynton Beach, Palm Beach County, FL 33424) for a brokerage license evidencing the Commission's approval of the right and privilege to operate as a broker, to arrange for the transportation of household goods in use between points in Pennsylvania.

ROSEMARY CHIAVETTA,  
Secretary

[Pa.B. Doc. No. 24-488. Filed for public inspection April 5, 2024, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Transfer of Control

**A-2024-3047866. Communications Venture Corporation, d/b/a INdigital and INdigital Holdings, Inc.** Joint application of Communications Venture Corporation, d/b/a INdigital and INdigital Holdings, Inc. for approval of a transfer of control.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before April 22, 2024. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission (Commission) by means of eService on the Commission's web site at <https://www.puc.pa.gov/filing-resources/efiling/> or 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available for inspection on the Commission's web site and at the applicant's business address.

*Joint Applicants:* Communications Venture Corporation, d/b/a INdigital; INdigital Holdings, Inc.

*Through and By:* Robert E. Stup, Jr., Squire Patton Boggs (US), LLP, 2550 M Street, NW, Washington, DC 20037, (202) 626-6721, fax: (202) 457-6315, robert.stup@squirepb.com; Mark Grady, INdigital, 1616 Directors Row, Fort Wayne, IN 46808, (260) 469-2010,

mgrady@indigital.net; Cassandra Cole, INdigital, 1616 Directors Row, Fort Wayne, IN 46808, (740) 262-0306, ccole@indigital.net; Alexandra Gortchilova, Dentons Bingham Greenebaum, 10 West Market Street, 2700 Market Tower, Indianapolis, IN 46204, (317) 635-8900, alex.gortchilova@dentons.com; Francois Laflamme, 3400 R. de l'Eclipse bureau 700, Brossard, QC J4Z 0P3, (450) 651-5000, flaflamme@novacap.ca; Benjamin F. Rikkers, Foley & Lardner, LLP, 777 East Wisconsin Avenue, Milwaukee, WI 53202, (414) 319-7348, brikkers@foley.com; Nicole Sherwood, Squire Patton Boggs (US), LLP, 2550 M Street, NW, Washington, DC 20037, (202) 457-6512, nicole.sherwood@squirepb.com

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 24-489. Filed for public inspection April 5, 2024, 9:00 a.m.]

---

## PHILADELPHIA PARKING AUTHORITY

### Service of Notice of Motor Carrier Application in the City of Philadelphia

The following permanent authority application to render service as a common carrier in the City of Philadel-

phia has been filed with the Philadelphia Parking Authority's (PPA) Taxicab and Limousine Division (TLD). Formal protests must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority) with the TLD's Office of the Clerk, 2415 South Swanson Street, Philadelphia, PA 19148, no later than April 22, 2024. The nonrefundable protest filing fee is \$5,000 payable to the PPA by certified check or money order. The application is available for inspection at the TLD between 9 a.m. and 4 p.m., Monday through Friday (contact TLD Director Peter Carnival at (215) 683-9653 to make an appointment) or may be inspected at the business addresses of the respective applicants or attorneys, or both.

**Doc. No. A-24-03-02. MSI Cab, LLC** (1002 South 56th Street, Philadelphia, PA 19143): An application for a limousine certificate of public convenience to transport persons and their baggage in luxury limousine service on an exclusive basis, arranged for in advance, between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return.

RICH LAZER,  
*Executive Director*

[Pa.B. Doc. No. 24-490. Filed for public inspection April 5, 2024, 9:00 a.m.]

---

