

# NOTICES

## DEPARTMENT OF AGRICULTURE

### The Resilient Food Systems Infrastructure Program; 2024 Application Period

The Department of Agriculture (Department) announces the program requirements and application period for The Resilient Food Systems Infrastructure Program (Program) under the United States Department of Agriculture (USDA), Agriculture Marketing Service. Grants will be distributed to qualified applicants. The Program aims to create more diverse local and regional market options and create more economic opportunities for communities, allowing them to retain more of the value chain dollar. The Department intends to make up to \$19,311,559 available for grants under the Program.

#### 1. *Definitions.*

The following words and terms have the following meanings:

*Department*—The Pennsylvania Department of Agriculture.

*Middle of-the-supply-chain*—Activities that take place after the production of the agricultural product but before the product is sold to consumers. These activities include the processing, aggregation and distribution of agricultural products between leaving the field and entering the marketplace.

*Program*—Resilient Food Systems Infrastructure Program.

*SBA*—The United States Small Business Administration.

*Secretary*—The Secretary of the Department of Agriculture.

#### 2. *Program objectives.*

(a) *Purpose.* The purpose of the Program is to expand capacity and infrastructure for the aggregation, processing, manufacturing, storing, transporting, wholesaling or distribution of targeted local and regional agricultural products. This Program is intended to support food system crops and products meant for human consumption. Ineligible products include meat and poultry products which are funded through other USDA programs, wild-caught seafood, animal feed and forage products, fiber, landscaping products, tobacco and dietary supplements.

#### (b) *Applicants:*

(1) The following are eligible to apply for grants under the Program:

(i) Agricultural producers or processors, or groups of agricultural producers and processors.

(ii) Nonprofit organizations operating middle of-the-supply-chain activities such as processing, aggregation or distribution of targeted agricultural products.

(iii) For-profit entities operating middle of-the-supply-chain activities such as processing, aggregation or distribution of targeted agricultural products, whose activities are primarily focused for the benefit of local and regional producers and that meet the eligibility requirements of the SBA small business size standards.

(iv) Local government entities operating middle of-the-supply-chain activities such as processing, aggregation or distribution of targeted agricultural products.

(v) Tribal governments operating middle of-the-supply-chain activities such as processing, aggregation or distribution of targeted agricultural products.

(vi) Institutions such as schools, universities or hospitals bringing producers together to establish cooperative or shared infrastructure or investing in equipment that will benefit multiple producers' middle of-the-supply-chain activities such as processing, aggregation or distribution of targeted agricultural products.

(2) For-profit entities must meet the eligibility requirements of the SBA small business size standards matched to industries described in the North American Industry Classification System. For more information on these size standards, visit SBA's Size Standards web site at <https://www.sba.gov/document/support-table-size-standards>. For a quick check on whether a business qualifies, use the Size Standards Tool.

(3) Applicant businesses and organizations must be domestically owned and applicants' facilities must be physically located within this Commonwealth. Applicants doing business along the Commonwealth's border should only apply in one state to avoid duplication of Federal funds.

#### (c) *Activities include:*

(1) Hiring term-limited personnel to assist with project implementation activities.

(2) Purchasing special purpose equipment as defined in section 8.2 of the USDA AMS General Terms and Conditions. This includes the purchase of special purpose equipment for institutions or others that will benefit multiple producers through middle of-the-supply-chain activities such as processing, aggregation or distribution of targeted agricultural product.

(3) Analyzing potential facility upgrades and changes that meet regulatory requirements, obtaining design or architecture services and the like (to the extent these costs are directly related to the project).

(4) Planning for Hazard Analysis Critical Control Points or other food safety or worker safety measures or equipment recommendations.

(5) Upgrades or new facilities for processing specific agricultural products, including on farm processing or processing by an aggregator or cooperative, such as the following:

- On-farm post-harvest processing, preservation, storage/cold storage, cleaning and grading.
- Warehouse and storage, purchase of freezing equipment, freezer or cold storage.
- Processing, canning, preserving and pasteurization;
- Making products shelf-stable.
- Preparation and packing.
- Drying, hulling, shelling and milling.
- Cooking, baking, juicing, distilling and fermenting.

(d) *Project funding priorities:* The Department will prioritize eligible projects that pertain to the following gaps identified in the middle of-the-supply-chain in this Commonwealth:

- Projects submitted directly by growers, producers, processors, shippers and the like that support middle-of-the-supply-chain activities.

- Projects that benefit historically underserved farmers as defined by the USDA, socially disadvantaged farmers as defined by AB 1348, the Farmer Equity Act of 2017 or agricultural operations that qualify as small, disadvantaged businesses, women-owned businesses or veteran-owned businesses as defined by the SBA.

- Projects that enhance worker safety or facilitate compliance with the Produce Safety Rule of the Food Safety Modernization Act.

- “Shovel Ready” construction and infrastructure projects that can reasonably be completed within the grant duration.

- Projects that facilitate training opportunities, including training related to food safety, process modernization and use of equipment or enhanced facilities funded through the Program.

- Projects that further dairy processing in this Commonwealth.

- Projects that further value added processing for fruits and vegetables.

- Projects that focus on organic commodities, particularly processing.

- Projects that will serve food deserts as defined by the USDA census.

(e) *Competitive program*: The Program is competitive. Grant requests and related documentation will be reviewed by the Department, which will approve or reject each grant request.

(f) *Funds available basis*: Grants will only be awarded to the extent that funds are available for this purpose. The Department need not expend all the funds that are available for the Program.

3. *Limitations on grants*: The amount of a grant shall be between \$100,000 and \$3 million. Grant recipients are required to contribute 50% of the total proposed project cost as a match to Federal funding. This applies to all applicants except those who qualify for the reduced match. For historically underserved farmers and ranchers or for other businesses that qualify under SBA categories of small, disadvantaged business, women-owned small business or veteran-owned small business, the required match funding contribution or cost share is reduced to 25% of the project cost. The Department will require that applicants self-certify in their grant applications that they are eligible for this reduced match. A grant is a reimbursement grant, which means no payment of grant funds will be made by the Department until the applicant has provided documentation to the Department evidencing the completion of work in accordance with this notice and the terms and conditions of the executed grant agreement described in section 7 as follows. Request for reimbursement may be submitted once at the end of the grant period.

#### 4. *Uses of grant funds*:

(a) *Conformity to application*. Grant funds awarded to an applicant shall be expended solely to reimburse the cost of the specific activities described in the grant application.

(b) *Allowable expenditures of grant funds*. Grant funds may be expended to pay for any of the activities previously listed in section 2.(c).

#### 5. *Applications*:

(a) *Application required*: Interested applicants shall submit grant applications to the Department. An application shall include a detailed work plan and project budget.

(b) *Project starting and completion dates*: An application shall designate July 1, 2024, or a later date, as the project start date and May 24, 2027, or earlier, as the project completion date. Program grant funds will not be awarded or paid for project activities that occur before the stated project start date or after the stated project completion date.

(c) *Electronic applications only*: Interested applicants must submit a complete electronic project proposal and grant application using the Department’s Electronic Single Application web site at <http://www.esa.dced.state.pa.us>.

(d) *Application window*: Applications shall be submitted by 5 p.m. on Saturday, March 30, 2024.

#### 6. *Notice of disposition of application*:

The Department will e-mail notice of the acceptance or rejection of a grant application by Wednesday, May 1, 2024. This notice will be e-mailed to the address provided by the applicant in the grant application.

#### 7. *Grant agreement*:

After the Secretary approves a grant application, and as a precondition to the Department’s release of grant moneys to a successful applicant, the Department and the applicant shall execute a written or electronic grant agreement which establishes the terms and conditions subject to which the grant is made. The grant agreement will not be effective, and work should not begin, until all required signatures have been applied to the grant agreement. The grant agreement will contain and conform to the requirements of this notice and will also contain special terms and conditions as required by the Secretary. Among the terms of the grant agreement will be a requirement that the grant recipient provide the Department full and complete access to all records relating to the performance of the project and submit the information as the Department may require. Applicants who wish to view the full terms and conditions of the grant agreement in advance of submitting an application may contact the Department at the phone number or e-mail address in section 11. Applicants who are unable to agree to the terms and conditions should not apply.

#### 8. *Verification of project completion*:

(a) Within 30 days of completion of the project, the applicant shall provide the Department with proof of the completion of the project and eligibility to receive reimbursement grant funds from the Department.

(b) *Required documentation*: The proof described in subsection (a) shall consist of:

(1) Copies of invoices for goods or services directly related to the project, confirming that the total billed amount is at least the amount of the grant, along with the written certification of the president or treasurer of the applicant that the goods or services that are the subject of the invoices have been delivered or provided to the applicant.

(2) A certificate of completion, signed by the applicant or its president or treasurer, verifying completion of the project and stating that the grant funds will reimburse the applicant for costs incurred by the applicant in completing the project.

(3) A brief narrative describing the work completed, including any available metrics.

9. *Delivery of grant funds by the Department:* The Department will pay the grant amount to the applicant in a single payment within 45 days of receiving the proof of completion previously described in section 8.

10. *Reporting requirements:* Within 60 days of completing the project, grant recipients will submit a final report to the Department detailing the Program’s results based upon the evaluation method proposed in the application.

11. *Questions and additional information:* Questions on this Program, including the online application process, may be directed to the Bureau of Market Development, Department of Agriculture, 2301 North Cameron Street, Harrisburg, PA 17110-9408, (717) 257-6550, RA-AgBusiness@pa.gov.

RUSSELL REDDING,  
*Secretary*

[Pa.B. Doc. No. 24-42. Filed for public inspection January 12, 2024, 9:00 a.m.]

## DEPARTMENT OF BANKING AND SECURITIES

### Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending January 2, 2024.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, may file comments in writing with the Department, for Bank Supervision, by e-mail to ra-bnbnksbmssnspt@pa.gov or for credit unions, by e-mail to ra-bncusubmissions@pa.gov and trust companies, by e-mail to ra-bntrustsuprvsninq@pa.gov. Comments must be received no later than 30 days from the date that the notice regarding acceptance of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240, or for credit unions or trust companies (717) 783-2253.

### APPLICATIONS FOR COMMENT

#### BANKING INSTITUTIONS

No activity.

#### CREDIT UNIONS

No activity.

### OTHER APPLICATION ACTIVITY

#### BANKING INSTITUTIONS

##### Conversions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Status</i>
12-28-2023	Pitcairn Trust Company Jenkintown Montgomery County Conversion from a Stock Corporation to a Limited Liability Company.	Effective

##### Holding Company Acquisitions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Status</i>
12-28-2023	NexTier, Inc. Kittanning Armstrong County Application for approval to acquire 100% of Mars Bank, Mars, PA.	Approved

##### Branch Applications

##### De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Status</i>
01-02-2024	CNB Bank Clearfield Clearfield County	235 High Street Extension Unit 2 Victor Ontario County, NY	Accepted

**CREDIT UNIONS**  
**Articles of Amendment**

<i>Date</i>	<i>Name and Location of Institution</i>	<i>Status</i>
12-28-2023	BHCU Ridley Park Delaware County Amendment to Article 8 of the institution's Articles of Incorporation provides for change in field of membership.	Effective

The Department's web site at [www.dobs.pa.gov](http://www.dobs.pa.gov) includes public notices for more recently filed applications.

WENDY S. SPICHER,  
*Secretary*

[Pa.B. Doc. No. 24-43. Filed for public inspection January 12, 2024, 9:00 a.m.]

**DEPARTMENT OF**  
**BANKING AND SECURITIES**

**Maximum Lawful Rate of Interest for Residential Mortgages for the Month of February 2024**

The Department of Banking and Securities (Department), under the authority contained in section 301 of the act of January 30, 1974 (P.L. 13, No. 6) (41 P.S. § 301), determines that the maximum lawful rate of interest for residential mortgages for the month of February 2024, is 6 3/4%.

The interest rate limitations under the Commonwealth's usury statute were pre-empted to a great extent by Federal law, the Depository Institutions Deregulation and Monetary Control Act of 1980 (Pub.L. No. 96-221). Further pre-emption was instituted with the signing of Pub.L. No. 96-399, which overrode State interest rate limitations on any individual who finances the sale or exchange of residential real property which the individual owns and which the individual occupies or has occupied as his principal residence.

Each month the Department is required by State law to compute and announce the ceiling rate on residential mortgages in this Commonwealth. This maximum rate is determined by adding 2.50 percentage points to the yield rate on long-term government bonds as published by the Federal Reserve Board or the United States Treasury, or both. The latest yield rate on long-term government securities is 4.16 to which was added 2.50 percentage points for a total of 6.66 that by law is rounded off to the nearest quarter at 6 3/4%.

WENDY S. SPICHER,  
*Secretary*

[Pa.B. Doc. No. 24-44. Filed for public inspection January 12, 2024, 9:00 a.m.]

**DEPARTMENT OF CORRECTIONS**

**Record Retention Policy**

Under section 4 of Act 53 of 2023, the Secretary of the Department of Corrections (Department) is developing a record retention policy for all communications lawfully intercepted by employees of the Department.

Communications lawfully intercepted by an agent, as defined in 61 Pa.C.S. § 6101 (relating to definitions), retention shall be as follows:

All recordings will be automatically deleted from recording equipment and any associated servers 90 days from the date the recording is created, unless a particular recording falls into a designated category of significance as determined by the Department and set forth in policy. The retention period for recordings falling into a particular category shall be that which is set for the applicable category.

Communications lawfully intercepted by an individual employed in the Department, Bureau of Investigations and Intelligence holding a police officer commission under the act of May 21, 1943 (P.L. 469, No. 210), the retention period for any audio or video recording will be 3 years.

The retention period for all other lawfully intercepted communications by employees of the Department will follow previously established record retention policies for voice mail, phone messages, audio recordings of public meetings and security and surveillance tapes listed under the General Record Retention section created by the Office of Administration.

For questions, contact Chief Counsel Timothy Holmes, [tholmes@pa.gov](mailto:tholmes@pa.gov).

LAUREL HARRY,  
*Secretary*

[Pa.B. Doc. No. 24-45. Filed for public inspection January 12, 2024, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Applications, Actions and Special Notices

#### APPLICATIONS

### THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

#### APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS UNDER THE CLEAN STREAMS LAW AND FEDERAL CLEAN WATER ACT

This notice provides information about persons who have applied to the Department of Environmental Protection (DEP) for a new, renewed, or amended NPDES or WQM permit, or a permit waiver for certain stormwater discharges, or have submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications and NOIs concern, but are not limited to, effluent discharges from sewage treatment facilities and industrial facilities to surface waters or groundwater; stormwater discharges associated with industrial activity (industrial stormwater), construction activity (construction stormwater), and municipal separate storm sewer systems (MS4s); the application of pesticides; the operation of Concentrated Animal Feeding Operations (CAFOs); and the construction of sewage, industrial waste, and manure storage, collection and treatment facilities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES and WQM permits that are available can be found on DEP's website (visit [www.dep.pa.gov](http://www.dep.pa.gov) and select Businesses, Water, Bureau of Clean Water, Wastewater Management, and NPDES and WQM Permitting Programs).

<i>Section</i>	<i>Category</i>
I	Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received
II	Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs
III	Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity

Section I identifies the following applications and NOIs that have been received by DEP:

- Individual and General WQM Permit Applications Received—DEP provides a 15-day public comment period for Individual WQM Permit Applications for new and reissued permits. There is no public comment period for General WQM Permit NOIs.
- General Chapter 92a NPDES Permit NOIs Received—There is no public comment period for General NPDES NOIs received.
- All Transfer and Minor Amendment Applications/NOIs Received—Transfer and Minor Amendment Applications/NOIs received for Individual and General WQM Permits and Individual and General NPDES Permits, excluding PAG-01 and PAG-02, are identified but do not have public comment periods. DEP provides a 15-day public comment period for Individual WQM Permit Applications for amendments.

Additional information on these applications and NOIs may be reviewed by generating the “Applications and NOIs without Comment Periods Report” or, for Individual WQM Permit Applications, the “Applications Received with Comment Periods Report” on DEP's website at [www.dep.pa.gov/CWPublicNotice](http://www.dep.pa.gov/CWPublicNotice).

Section II identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to sewage, industrial waste, industrial stormwater, MS4s, pesticides and CAFOs. A 30-day public comment period applies to these applications and draft permits, except when a site-specific water quality criterion is used to establish effluent limitations, in which case a 45-day public comment period applies. The period for comment may be extended at the discretion of DEP for one additional 15-day period. Additional information, including links to draft permits and fact sheets that explain the basis for DEP's tentative determinations may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP's website at [www.dep.pa.gov/CWPublicNotice](http://www.dep.pa.gov/CWPublicNotice). Notification of 15-day extensions for comment will be provided in the “Applications Received with Comment Periods Report” (Comments column).

Section III identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to stormwater discharges associated with construction activities. A 30-day public comment period applies to these applications and draft permits. The period for comment may be extended at the discretion of the Department for one additional 15-day period. Additional information may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP's website at [www.dep.pa.gov/CWPublicNotice](http://www.dep.pa.gov/CWPublicNotice).

Applications, NOIs and draft permits, where applicable, may be reviewed at the DEP office that received the application or NOI. Members of the public are encouraged to use DEP's website to obtain additional information as discussed previously.

Comments received within the appropriate comment periods for WQM and NPDES permit applications will be retained by DEP and considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and the relevant facts upon which it is based.

DEP office contact information to review applications and NOIs and to submit comments for those applications, when applicable, is as follows:

*DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES\_SERO@pa.gov for permits in Sections I & II; RA-EPWW-SERO@pa.gov for permits in Section III.*

*DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES\_NERO@pa.gov for permits in Sections I & II; RA-EPWW-NERO@pa.gov for permits in Section III.*

*DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES\_SCRO@pa.gov for permits in Sections I & II; RA-EPWW-SCRO@pa.gov for permits in Section III.*

*DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES\_NCRO@pa.gov for permits in Sections I & II; RA-EPWW-NCRO@pa.gov for permits in Section III.*

*DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES\_SWRO@pa.gov for permits in Sections I & II; RA-EPWW-SWRO@pa.gov for permits in Section III.*

*DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6340. Email: RA-EPNPDES\_NWRO@pa.gov for permits in Sections I & II; RA-EPWW-NWRO@pa.gov for permits in Section III.*

*DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES\_Permits@pa.gov.*

*DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.*

DEP will also accept requests or petitions for public hearings on applications. The request or petition must indicate the interest of the party filing and the reasons why a hearing is warranted. A hearing will be held if DEP determines that there is a significant public interest. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. DEP will postpone its final determination until after a public hearing is held.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

### **I. Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received.**

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
0923829	Joint DEP/PFBC Pesticides Permit	New	Maldonado Mark 6319 Lower York Road New Hope, PA 18938-9670	Solebury Township Bucks County	SERO
1513854	Joint DEP/PFBC Pesticides Permit	Amendment	Knolls of Birmingham HOA 5 Christy Drive P.O. Box 1119 Chadds Ford, PA 19317-9682	Birmingham Township Chester County	SERO
1516810	Joint DEP/PFBC Pesticides Permit	Renewal	Ashwood Community Assoc c/o CCR Mgmt 427 Exton Commons Exton, PA 19341	Charlestown Township Chester County	SERO
2323801	Joint DEP/PFBC Pesticides Permit	New	Ott Michael 7 Tyler Lane Villanova, PA 19085-1407	Radnor Township Delaware County	SERO
4619805	Joint DEP/PFBC Pesticides Permit	Amendment	Sanatoga Commons HOA 128 Main Street Schweksville, PA 19473	Lower Pottsgrove Township Montgomery County	SERO
0400406	Major Sewage Treatment Facility Individual WQM Permit	Amendment	Economy Borough Municipal Authority Beaver County 2860 Conway Wallrose Road Baden, PA 15005-2306	Economy Borough Beaver County	SWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
6791408	Major Sewage Treatment Facility Individual WQM Permit	Amendment	New Freedom Borough Authority 49 E High Street New Freedom, PA 17349-9665	New Freedom Borough York County	SCRO
1884404	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Amendment	PA DOT Bureau of Project Delivery 400 North Street 6th Floor Harrisburg, PA 17105	Greene Township Clinton County	NCRO
NNOEXNC99	No Exposure Certification	Renewal	PNEU Dart Inc. 15223 State Route 87 Williamsport, PA 17701-9532	Plunketts Creek Township Lycoming County	NCRO
NOEXSC412	No Exposure Certification	New	Recoil LLC 280 North East Street York, PA 17402	York City York County	SCRO
NOEXSC413	No Exposure Certification	New	Earthcare Bethel LLC 3311 E Powell Avenue Evansville, IN 47714-0438	Bethel Township Berks County	SCRO
NOEXSW233	No Exposure Certification	Transfer	Wilmerding Whse LLC 108 Plunkett Drive Zelienople, PA 16063-8716	Wilmerding Borough Allegheny County	SWRO
NOEXSW248	No Exposure Certification	New	Colson Group Holdings LLC 1815 S Meyer Road Suite 750 Oakbrook Terrace, IL 60181	Murrysville Borough Westmoreland County	SWRO
PAG033590	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Cabinetworks Group 11823 Lenape Drive Mount Union, PA 17066-8715	Shirley Township Huntingdon County	SCRO
PAG034074	PAG-03 NPDES General Permit for Industrial Stormwater	New	Dutchland LLC 160 State Route 41 Gap, PA 17527	Sadsbury Township Lancaster County	SCRO
PAG038304	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Allegheny Structural Components Inc. 3778 Oneida Valley Road Emlenton, PA 16373-2514	Allegheny Township Butler County	NWRO
PAG043931	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Transfer	Marissa J Seasholtz & Thomas J Regan II 2402 Elizabeth Avenue Temple, PA 19560-9716	Muhlenberg Township Berks County	SCRO
PAG053521	PAG-05 NPDES General Permit for Groundwater Cleanup	Renewal	Nittany Oil Co. Inc. 321 N Front Street Philipsburg, PA 16866-2121	Lewistown Borough Mifflin County	SCRO
PAG123934	PAG-12 NPDES General Permit for CAFOs	Renewal	Barry Christopher L 221 Michters Road Newmanstown, PA 17073-8978	Heidelberg Township Lebanon County	SCRO
PAG124856	PAG-12 NPDES General Permit for CAFOs	Renewal	Scattered Acres Farms 190 Tyson School Road Catawissa, PA 17820-8212	Locust Township Columbia County	SCRO
PAG124859	PAG-12 NPDES General Permit for CAFOs	Renewal	Stonewall Pork LLC 242 Alder Run Road Millerton, PA 16936-9253	Jackson Township Tioga County	SCRO
1023420	Sewer Extensions Individual WQM Permit	New	Cranberry Township 2525 Rochester Road Cranberry Township, PA 16066-6420	Cranberry Township Butler County	NWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
4102402	Sewer Extensions Individual WQM Permit	Transfer	West Branch Region Authority 127 Girton Drive Muncy, PA 17756-6375	Muncy Creek Township Lycoming County	NCRO
461S066	Sewer Extension Individual WQM Permit	Amendment	W Mifflin Sanitary Sewer & Stormwater Authority 1302 Lower Bull Run Road West Mifflin, PA 15122-2902	West Mifflin Borough Allegheny County	SWRO
PA0233021	Single Residence STP Individual NPDES Permit	Transfer	Mantz Satchel C 2440 Valley View Road Bellefonte, PA 16823-8830	Benner Township Centre County	NCRO
0523403	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Stultz David 124 Ruskin Drive Altoona, PA 16602-2916	Napier Township Bedford County	SCRO
1419402	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Mantz Satchel C 2440 Valley View Road Bellefonte, PA 16823-8830	Benner Township Centre County	NCRO
WQG01061301	WQG-01 WQM General Permit	Transfer	Marissa J Seasholtz & Thomas J Regan II 2402 Elizabeth Avenue Temple, PA 19560-9716	Muhlenberg Township Berks County	SCRO

## II. Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.

### *Northeast Regional Office*

**PA0233366**, Storm Water, SIC Code 1389, **NexTier Completion Solutions, Inc.**, 3990 Rogerdale Road, Houston, TX 77042-5142. Facility Name: NexTier Mill Hall Facility. This existing facility is located in Lamar Township, **Clinton County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of industrial stormwater.

The receiving stream(s), Unnamed Tributary of Fishing Creek, is located in State Water Plan watershed 9-C and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed reporting requirements for Outfall 001 are as follows:

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

### *Northeast Regional Office*

**PA0029874**, Sewage, SIC Code 7011, **Skytop Lodge**, 1 Skytop Lodge Road, Skytop, PA 18357. Facility Name: Skytop Lodge STP. This existing facility is located in Barrett Township, **Monroe County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, Leavitt Branch (HQ-CWF, MF), is located in State Water Plan watershed 1-E and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.075 MGD.

(From Permit Effective Date to 3 Years After Permit Effective Date)



## NOTICES

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum Daily	
Copper, Total	XXX	XXX	XXX	Report	Report Daily Max	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.075 MGD.

(From 3 Years After Permit Effective Date to Permit Expiration Date)

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Copper, Total	0.036	0.056	XXX	0.058	0.091	0.146

The proposed effluent limits for Outfall 001 are based on a design flow of 0.075 MGD.

(From Permit Effective Date to Permit Expiration Date)

Parameters	Mass Units (lbs/day)		Instant. Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	25.0	XXX	50.0
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> ) Raw Sewage Influent	XXX	XXX	XXX	Report	XXX	XXX
CBOD <sub>5</sub> Minimum % Removal (%)	XXX	XXX	XXX	85.0	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	Min Mo Avg 30.0	XXX	60.0
Total Dissolved Solids	XXX	XXX	XXX	1,000	XXX	2,000
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	20.0	XXX	40.0
Nov 1 - Apr 30						
May 1 - Oct 31	XXX	XXX	XXX	9.0	XXX	18.0
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Zinc, Total	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.075 MGD.

(From Permit Effective Date to Permit Expiration Date)

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Quarterly	Average Weekly		Average Quarterly	Maximum	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

In addition, the permit contains the following major special conditions:

- Solids Management
- Water Quality-Based Effluent Limitations for Toxic Pollutants
- Corrosion Control Feasibility Study

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

**PA0061361**, Sewage, SIC Code 4952, **Smithfield Sewer Authority**, 1155 Red Fox Road, East Stroudsburg, PA 18301-9106. Facility Name: Smithfield Wastewater Treatment Plant. This existing facility is located in Smithfield Township, **Monroe County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Sambo Creek (CWF, MF), is located in State Water Plan watershed and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.40 MGD—Interim Limits.

(From Permit Effective Date to Four Years After Permit Effective Date)

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Average Monthly</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Weekly Average</i>	<i>Maximum</i>	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	XXX	XXX	0.68
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	83	130	25.0	40.0	XXX	50.0
Copper, Total	Report	XXX	Report	Report Daily Max	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.4 MGD—Final Limits.

(From Four Years After Permit Effective Date to Permit Expiration Date)

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Average Monthly</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Weekly Average</i>	<i>Maximum</i>	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	XXX	XXX	0.66
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	76.7	115.1	23.0	34.5	XXX	46.0
Copper, Total	0.069	0.11 Daily Max	0.021	0.032 Daily Max	XXX	0.052

The proposed effluent limits for Outfall 001 are based on a design flow of 0.4 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	Inst Min XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	100	150	XXX	30.0	45.0	60.0
Total Suspended Solids Raw Sewage Influent	XXX	XXX	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ammonia-Nitrogen	25.0	XXX	XXX	Geo Mean 7.5	XXX	15.0
Nov 1 - Apr 30						
May 1 - Oct 31	8.3	XXX	XXX	2.5	XXX	5.0
Zinc, Total	Report	XXX	Report Avg Mo	Report Daily Max	XXX	XXX
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Nitrate as N	XXX	XXX	XXX	Avg Qrtly Report	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Avg Qrtly Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Avg Qrtly Report	XXX	XXX

In addition, the permit contains the following major special conditions:

- Solids Management
- Water Quality-Based Effluent Limitations for Toxic Pollutants

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

*Northeast Regional Office*

**PA0276758**, Storm Water, SIC Code 4222, **ADUSA Distr LLC**, 2110 Executive Drive, Salisbury, NC 28147-9007. Facility Name: Adusa District Bethlehem. This proposed facility is located in Bethlehem Township, **Northampton County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated industrial stormwater.

The receiving stream(s), Monocacy Creek (HQ-CWF, MF), is located in State Water Plan watershed 2-C and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

*Northwest Regional Office*

**PA0028428**, Sewage, SIC Code 4952, **Brockway Area Sewer Authority**, 501 Main Street, Brockway, PA 15824-1326. Facility Name: Brockway Area WWTP. This existing facility is located in Brockway Borough, **Jefferson County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, the Little Toby Creek (CWF), is located in State Water Plan watershed 17-A and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.5 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	4.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	250.0	375.0	XXX	20.0	30.0	40
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	375.0	562.0	XXX	30.0	45.0	60
Total Suspended Solids	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	Geo Mean	XXX	Report
Ultraviolet light intensity (µw/cm <sup>2</sup> )	XXX	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen	243.0	XXX	XXX	Report	XXX	39
Nov 1 - Apr 30				19.5	XXX	
May 1 - Oct 31	81.0	XXX	XXX	6.5	XXX	13
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
				Annl Avg		
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
				Annl Avg		
Copper, Total	0.31	0.77	XXX	0.0248	0.062	XXX
	Avg Qrtly	Daily Max		Avg Qrtly	Daily Max	
Zinc, Total	Report	Report	XXX	Report	Report	XXX
	Avg Qrtly	Daily Max		Avg Qrtly	Daily Max	

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
1,1,1,2-Tetrachloroethane	Report Avg Qrtly	Report Daily Max	XXX	Report Avg Qrtly	Report Daily Max	XXX

In addition, the permit contains the following major special conditions:

- Solids Management
- Whole Effluent Toxicity (WET)

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is not in effect.

*Northwest Regional Office*

**PA0091898**, Sewage, SIC Code 6515, **UMH Properties Inc.**, 150 Clay Street, Morgantown, WV 26501-5942. Facility Name: Pine Valley Estates MHP STP. This existing facility is located in Kiskiminetas Township, **Armstrong County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Rattling Run (CWF), is located in State Water Plan watershed 18-B and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .05 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	0.05	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 6.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.03	XXX	0.06
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	Geo Mean	XXX	Report
Ammonia-Nitrogen	XXX	XXX	XXX	3.7	XXX	7.4
Nov 1 - Apr 30						
May 1 - Oct 31	XXX	XXX	XXX	1.4	XXX	2.8

The proposed effluent limits for Outfall 001 are based on a design flow of .05 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Nitrogen	XXX	XXX	XXX	Report Daily Max	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report Daily Max	XXX	XXX
Aluminum, Total	XXX	XXX	XXX	Report Daily Max	XXX	XXX
Iron, Total	XXX	XXX	XXX	Report Daily Max	XXX	XXX
Manganese, Total	XXX	XXX	XXX	Report Daily Max	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

*Northwest Regional Office*

**PA0093254**, Sewage, SIC Code 8059, **Sugar Creek Rest, Inc.**, 120 Lakeside Drive, Worthington, PA 16262-5102. Facility Name: Sugar Creek Rest Home. This existing facility is located in Sugarcreek Township, **Armstrong County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, an Unnamed Tributary to the Patterson Creek (HQ-TSF), is located in State Water Plan watershed 18-F and is classified for High Quality Waters—Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.02 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Daily Max XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	Daily Min 6.0	XXX	Daily Max XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.04	XXX	0.13
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	20.0	XXX	40.0
Total Suspended Solids	XXX	XXX	XXX	25.0	XXX	50.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ammonia-Nitrogen	XXX	XXX	XXX	6.9	XXX	13.8
Nov 1 - Apr 30						
May 1 - Oct 31	XXX	XXX	XXX	2.3	XXX	4.6
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
					Daily Max	
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
					Daily Max	

In addition, the permit contains the following major special conditions:

- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

*Northwest Regional Office*

**PA0103675**, Sewage, SIC Code 4952, 8661, **Miracle Mountain Ranch Missions, Inc.**, 101 Rodeo Drive, Spring Creek, PA 16436-2829. Facility Name: Miracle Mountain Ranch. This existing facility is located in Spring Creek Township, **Warren County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Brokenstraw Creek, is located in State Water Plan watershed 16-B and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0183 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Daily Max XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	Daily Min 4.0	XXX	Daily Max XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	25.0	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ammonia-Nitrogen	XXX	XXX	XXX	24.0	XXX	48
Nov 1 - Apr 30						
May 1 - Oct 31	XXX	XXX	XXX	8.0	XXX	16
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
				Annl Avg		
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
				Annl Avg		

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

**PA0265349**, Sewage, SIC Code 8800, **Douglas Aloï**, 1318 South Avenue, Bradford, PA 16701-3839. Facility Name: Douglas Aloï SRSTP. This existing facility is located in Bradford Township, **McKean County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), East Branch Tunungwant Creek, is located in State Water Plan watershed 16-C and is classified for, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
	Annl Avg					
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
			Inst Min			
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

**PA0100536**, Industrial, SIC Code 4941, 7999, **PA DCNR**, 4790 Chapman Dam Road, Clarendon, PA 16313-2830. Facility Name: Chapman State Park. This existing facility is located in Pleasant Township, **Warren County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream is an Unnamed Tributary to West Branch Tionesta Creek, located in State Water Plan watershed 16-F and classified for High Quality Waters—Cold Water Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .002 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
		Daily Max				
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
			Inst Min			
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Total Suspended Solids	XXX	XXX	XXX	30.0	60.0	75.0
Aluminum, Total	XXX	XXX	XXX	4.0	8.0	10.0

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Iron, Total	XXX	XXX	XXX	2.0	4.0	5.0
Manganese, Total	XXX	XXX	XXX	1.0	2.0	2.5

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

*Northwest Regional Office*

**PA0264920**, Storm Water, SIC Code 2951, **Commercial Asphalt Supply**, 161 Plain Grove Road, Valencia, PA 16059-1523. Facility Name: Commercial Asphalt Supply Fennelton. This existing facility is located in Clearfield Township, **Butler County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial stormwater.

The receiving stream(s), Unnamed Tributary to Buffalo Creek (HQ-TSF), is located in State Water Plan watershed 18-F and is classified for High Quality Waters—Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

*Southcentral Regional Office*

**PA0259951**, Sewage, SIC Code 8811, **Jody O Bradley**, 3143 Schellsburg Road, Claysburg, PA 16625-8316. Facility Name: Jody Bradley Properties. This existing facility is located in Greenfield Township, **Blair County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary of Smoky Run (CWF), is located in State Water Plan watershed 11-A and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0005 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Annual Average	Maximum	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report Avg Mo	XXX	Report

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	200 Avg Mo	XXX	XXX	XXX

In addition, the permit contains the following major special conditions: N/A

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

*Southcentral Regional Office*

**PA0294322**, Storm Water, SIC Code 2899, 5084, **Custom Milling & Consulting Inc.**, 1246 Maiden Creek Road, Fleetwood, PA 19522-8685. Facility Name: Custom Milling & Consulting. This facility is located in Maiden Creek Township, **Berks County**.

Description of Proposed Activity: The application is for a new NPDES permit for an existing discharge of stormwater associated with industrial activity.

The receiving stream(s), Peters Creek (EV, MF), is located in State Water Plan watershed 3-B and is classified for Exceptional Value Waters and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001:

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Stormwater Outfalls and Authorized Non-Stormwater Discharges
- Best Management Practices (BMPs), including applicable BMPs from Appendix F from the PAG-03 (effective 3/24/2023)
- Routine Inspections
- Preparedness, Prevention, and Contingency (PPC) Plan
- Stormwater Monitoring Requirements (including Benchmarks for pH, COD, TSS, Nitrate-Nitrite as N)
- Other Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

*Southeast Regional Office*

**PA0026859**, Sewage, SIC Code 4952, **PA American Water Company**, 920 Mountain Home Road, Sinking Spring, PA 19608. Facility Name: Coatesville STP. This existing facility is located in South Coatesville Borough, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, West Branch Brandywine Creek (WWF, MF), is located in State Water Plan watershed 3-H and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 7 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Daily Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	Inst Min	0.09	XXX	0.22
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	711	1,066	XXX	12.2	18.3	24.4
Nov 1 - Apr 30						
May 1 - Oct 31	355	533	XXX	6.1	9.2	12.2
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX



<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	964	1,446	XXX	30	45	60
Total Dissolved Solids	XXX	XXX	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000*
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ultraviolet light transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Total Nitrogen	876	XXX	XXX	15	XXX	XXX
Ammonia-Nitrogen	193	XXX	XXX	3.3	XXX	6.6
Nov 1 - Apr 30						
May 1 - Oct 31	64	XXX	XXX	1.1	XXX	2.2
Total Phosphorus	95	XXX	XXX	1.62	XXX	3.24
Nov 1 - Mar 31						
Apr 1 - Oct 31	48	XXX	XXX	0.81	XXX	1.62
Copper, Total	0.70	XXX	XXX	0.012	XXX	0.024

\*Shall not exceed in more than 10% of samples.

The proposed effluent limits for Outfall 001 are based on a design flow of 7 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Cyanide, Free	XXX	XXX	XXX	Report	XXX	XXX
				Avg Qrtly		
Silver, Total	XXX	XXX	XXX	Report	XXX	XXX
				Avg Qrtly		
Zinc, Total	XXX	XXX	XXX	Report	XXX	XXX
				Avg Qrtly		
Toxicity, Chronic - Ceriodaphnia Survival (TUc)	XXX	XXX	XXX	Report	XXX	XXX
				Daily Max		
Toxicity, Chronic - Ceriodaphnia Reproduction (TUc)	XXX	XXX	XXX	Report	XXX	XXX
				Daily Max		
Toxicity, Chronic - Pimephales Survival (TUc)	XXX	XXX	XXX	Report	XXX	XXX
				Daily Max		
Toxicity, Chronic - Pimephales Growth (TUc)	XXX	XXX	XXX	Report	XXX	XXX
				Daily Max		

The proposed effluent limits for Outfall 003 are based on an average stormwater flow—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Iron, Dissolved	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- No Stormwater
- Acquire Necessary Property Rights
- Proper Sludge Disposal
- Chlorine Optimization
- Operator Notification
- Fecal Coliform Reporting

- Industrial Pretreatment Program
- Solids Management
- WET Condition
- Stormwater Outfall Requirement

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect.

*Southeast Regional Office*

**PA0244503**, Sewage, SIC Code 8811, **Meyer Dean L**, P.O. Box 71, Wagontown, PA 19376-0071. Facility Name: Meyer SRSTP. This existing facility is located in West Caln Township, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to West Branch Brandywine Creek, is located in State Water Plan watershed 3-H and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0 Inst Min	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	20.0	XXX	40
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	9.0	XXX	18

In addition, the permit contains the following major special conditions:

- AMMR to DEP
- No stormwater
- Property Rights
- Sledge Removal
- Abandon STP when Municipal seers Available
- Maintenance
- AMR submittal

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

*Southeast Regional Office*

**PA0055913**, Industrial, SIC Code 2819, **Corco Chemical Corporation**, 299 Cedar Lane, Fairless Hills, PA 19030-4501. Facility Name: Corco Chemical Corporation IWTP. This existing facility is located in Falls Township, **Bucks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial wastewater.

The receiving stream(s), Martins Creek (WWF, MF), is located in State Water Plan watershed 2-E and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0072 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Iron, Total	XXX	XXX	XXX	Report	Report	XXX
Ethylbenzene	XXX	XXX	XXX	Report	Report	XXX
Benzene	XXX	XXX	XXX	0.001	0.002	0.0025
BTEX, Total	XXX	XXX	XXX	0.1	0.2	0.25
Chloroform	XXX	XXX	XXX	0.006	0.12	0.015
1,1-Dichloroethylene	XXX	XXX	XXX	Report	Report	XXX
trans-1,2-Dichloroethylene	XXX	XXX	XXX	0.2	0.4	0.5
Tetrachloroethylene	XXX	XXX	XXX	0.005	0.01	0.012
Toluene	XXX	XXX	XXX	Report	Report	XXX
Trichloroethylene	XXX	XXX	XXX	0.005	0.01	0.01
Xylenes, Total	XXX	XXX	XXX	Report	Report	XXX
Vinyl Chloride	XXX	XXX	XXX	0.002	0.004	0.005

The proposed effluent limits for Outfall 002 are based on a design flow of 0.115 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Dissolved Solids	XXX	XXX	XXX	Report	Report	XXX
Iron, Total	XXX	XXX	XXX	Avg Qrtly Report	Report	XXX
Manganese, Total	XXX	XXX	XXX	Avg Qrtly Report	Report	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0.115 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Temperature (deg F) (°F)	XXX	XXX	Inst Min	XXX	XXX	110
Tetrachloroethylene	XXX	XXX	XXX	Report	Report	XXX
Trichloroethylene	XXX	XXX	XXX	Report	Report	XXX

In addition, the permit contains the following major special conditions:

- Proper disposal of collected screenings, slurries, sludges and other solids
- Permittee shall develop a treatment facility operations and maintenance (O&M) plan
- Chemical additives usage and reporting requirements
- Groundwater remediation system requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

*Southwest Regional Office*

**PA0255149**, Sewage, SIC Code 8811, **Ian L Semple**, 2436 Henry Road, Sewickley, PA 15143-9151. Facility Name: Semple Properties SRSTP. This existing facility is located in Bell Acres Borough, **Allegheny County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary of Rippling Run (TSF), is located in State Water Plan watershed 20-G and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200 Geo Mean	XXX	XXX

In addition, the permit contains the following major special conditions:

- None.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

---

### III. Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity.

---

#### *Northeast Regional Office*

Applicant: **Pennsylvania Department of Transportation, Engineering District 5-0**

Applicant Address: 1002 Hamilton Street, Allentown, PA 18101

Application Number: **PAD450191**

Application Type: New

Municipality/County: Pocono Township, **Monroe County**

Project Site Name: SR 715 and SR 611 Improvements

Total Earth Disturbance Area (acres): 13.99 acres

Surface Waters Receiving Stormwater Discharges: Pocono Creek, HQ-CWF, MF

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Roadway improvements at the intersection of SR 611 and SR 715.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

#### *Northeast Regional Office*

Applicant: **Executive Land Holdings IV, LLC**

Applicant Address: 3843 West Chester Pike, Newtown Square, PA 19073-2304

Application Number: **PAD480201**

Application Type: New

Municipality/County: Allen Township, **Northampton County**

Project Site Name: Willowbrook Farm—Phase 5 (Twins & Singles)

Total Earth Disturbance Area (acres): 39.52 acres

Surface Waters Receiving Stormwater Discharges: Catasauqua Creek (CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The project involves the development of 108 twin homes and 29 single family homes. The site will also contain related improvements including parking areas, access roadways, lighting, landscaping, utilities and associated stormwater management facilities.

Special Conditions: M. Riparian Buffer Implementation Requirements. 1. The permittee shall maintain an existing riparian buffer or riparian forest buffer, convert a riparian buffer to a riparian forest buffer or establish a new riparian buffer or riparian forest buffer (either on the project site or at a separate off-site location within the same drainage list as the project site) in accordance with Riparian Buffer Module 4 (3800-PM-BCW0406d) and the approved PCSM Plan to satisfy riparian buffer requirements of 25 Pa. Code § 102.14 or section 402(c) of Pennsylvania's Clean Streams Law. 2. An existing, converted or newly established riparian forest buffer must meet the requirements set forth in 25 Pa. Code § 102.14(b). 3. The permittee shall comply with the mandatory requirements for all riparian buffers at 25 Pa. Code

§ 102.14(c). 4. The permittee shall provide for permanent protection of riparian buffers in accordance with 25 Pa. Code § 102.14(g). 5. The permittee shall submit DEP Form ID 3000-FM-OWP0100, PA Stream Buffer Tracking form, or equivalent, to DEP/CCD within one year of establishment or protection of the riparian buffer.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

*Northeast Regional Office*

Applicant: **For Pete's Sake Cancer Respite Foundation, c/o Marci Shankweiler**

Applicant Address: 620 West Germantown Pike, Suite 250, Plymouth Meeting, PA 19462

Application Number: **PAD520051**

Application Type: New

Municipality/County: Lackawaxen Township, **Pike County**

Project Site Name: FPS in Woodloch

Total Earth Disturbance Area (acres): 7.26 acres

Surface Waters Receiving Stormwater Discharges: Unnamed Tributary to Lackawaxen River, High Quality—Cold Water Fish (HQ-CWF), Teedyuskung Creek, High Quality—Cold Water Fish (HQ-CWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Proposed Construction of a 20-unit cancer respite facility in Lackawaxen, PA.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

*Southwest Regional Office*

Applicant: **City of Pittsburgh**

Applicant Address: 414 Grant Street, Pittsburgh, PA 15219

Application Number: **PAD020073**

Application Type: New

Municipality/County: City of Pittsburgh, **Allegheny County**

Project Site Name: 1201 Mifflin Rd., Pittsburgh, PA 15207—Lincoln Place

Total Earth Disturbance Area (acres): 3.13 acres

Surface Waters Receiving Stormwater Discharges: UNT to Streets Run (WWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of a new two-story combined firehouse and EMT building with a 19,600 square foot footprint, and associated asphalt and concrete surface parking.

Special Conditions: 1. All limitations, conditions, procedures, testing, and monitoring which is in the Material Management Plan (MMP) and/or any Act 2 remediation plan or site characterization provided with this application dated 10/20/2023 shall be followed. No deviation from the SMP is permitted without written authorization from the Department (DEP). If contaminants or conditions with the potential to cause pollution are found during construction which are beyond the scope of the MMP or Act 2 considerations, DEP and the County Conservation District shall be notified and measures implemented to contain potential pollution sources immediately upon discovery. Any contaminated material to be transported and disposed of off-site including but not limited to pumped groundwater may require permitting with DEP's Waste Management or Clean Water programs. These permits should be anticipated and shall be secured prior to earth disturbance.

You may review the permit application file by contacting DEP's File Review Coordinator at 412-442-4286.

**STATE CONSERVATION COMMISSION**  
**PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS**  
**FOR NPDES PERMITS FOR CAFOs**

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a

general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling 717-787-8821.

Individuals wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Individuals in need of accommodations should contact the SCC through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

**ACT 38**  
**NUTRIENT MANAGEMENT PLANS**  
**CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal / New</i>
Chris Esbenshade 2569 Maytown Road Marietta, PA 17547	Lancaster County	118.4	2,778.9	Layers	NA	New

**PUBLIC WATER SUPPLY PERMITS**

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for Public Water Supply (PWS) permits to construct or substantially modify public water systems.

Individuals wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30-days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (DEP) the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, DEP will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

**SAFE DRINKING WATER**

**Application(s) Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).**

*Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Daniel J. Cannistraci, Environmental Engineering Specialist.*

**Application No. 5023515**, Construction, Public Water Supply.

Applicant	<b>DDL Corporation</b>
Address	316 Airy View Rd Shermans Dale, PA 17090
Municipality	Carroll Township
County	<b>Perry County</b>
Responsible Official	Allen R. Lupfer, Owner 316 Airy View Rd Shermans Dale, PA 17090
Consulting Engineer	James R. Holley and Associates, Inc. 18 South George St Suite 300 York, PA 17401
Application Received	December 18, 2023
Description	This application proposes an arsenic removal unit at the DDL Corporation public water supply.

*Southeast Region: Safe Drinking Water Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Kimberleigh Rivers, Clerical Assistant 2, 484-250-5887.*

**Application No. 1523527**, Construction, Public Water Supply.

Applicant	<b>Doylestown Township Municipal Authority</b>
-----------	--

Address	425 Wells Road Doylestown, PA 18901
Municipality	Doylestown Township
County	<b>Bucks County</b>
Responsible Official	Brenton Eaton 425 Wells Road Doylestown, PA 18901
Consulting Engineer	Gilmore & Associates 65 East Butler Avenue Suite 100 New Britain, PA 18901-5106
Application Received	December 18, 2023
Description	Installation of Manganese and PFAS Treatment Systems adjacent to Central Well 5 to treat groundwater from Central Wells 5 and 7.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995  
PREAMBLE 1

---

### Acknowledgment of Notice(s) of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

---

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent (NOI) to Remediate. An acknowledgment of the receipt of a NOI to Remediate is used to identify a site where an individual proposes to, or has been required to, respond to a release of a regulated substance at a site. Individuals intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a NOI to Remediate with DEP. A NOI to Remediate filed with DEP provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. An individual who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by DEP. Furthermore, an individual shall not be subject to citizen suits or other contribution actions brought by responsible individuals not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date.

During this comment period the municipality may request that the following identified individual, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following Notice(s) of Intent to Remediate.

*Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Eric Supey, Environmental Program Manager.*

**Susan Well Pad**, Primary Facility ID # **862684**, 3508 State Route 3003, Laceyville, PA 18623, Auburn Township, **Susquehanna County**. Creston Environmental, P.O. Box 1373, Camp Hill, PA 17001 on behalf of Chesapeake Appalachia, LLC, 14 Chesapeake Lane, Sayre, PA 18847, submitted a Notice of Intent to Remediate. Soil was contaminated by releases of production fluid (brine). The Notice of Intent to Remediate was published in *The Daily Review* on December 18, 2023. Application received: December 28, 2023.

*Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Charline Bass, Administrative Assistant, 484-250-5787.*

**Newtown Racquetball**, Primary Facility ID # **871092**, 114 Pheasant Run, Newtown, PA 18940, Newton Township, **Bucks County**. Rich Trimpi, Trimpi Associates, Inc., 1635 Old Plains Roads, Pennsburg, PA 18073 on behalf of Brian Herman, Newtown Racquetball Associates, LLC, 120 Pheasant Run, Newtown, PA 18940, submitted a Notice of Intent to Remediate. A release of heating oil impacted the soil and was remediated. The current use and proposed future use of the source property is commercial. The proposed cleanup standard for the site is the Statewide health standard. The Notice of Intent to Remediate was published in the *Bucks County Courier Times* on November 3, 2023. Application received: November 16, 2023.

**200 West State Street**, Primary Facility ID # **853178**, 200 West State Street, Doylestown, PA 19142, Downingtown Borough, **Bucks County**. Shad Manning, REPSG, Inc., 6901 Kingsessing Avenue, Philadelphia, PA 19142 on behalf of Larry Thomson, Kola, LLC, 16 North Franklin Street, Suite 111, Doylestown, PA 19142, submitted a Notice of Intent to Remediate. Soil at the site has been contaminated with unleaded gasoline and No. 2 fuel oil. Future use of the site is anticipated to continue to be commercial. The proposed cleanup standard for the site is the site-specific standard. The Notice of Intent to Remediate was published in the *Intelligencer* on September 22, 2023. Application received: November 13, 2022.

**BP Point Breeze**, Primary Facility ID # **871208**, 6310 West Passyunk Avenue, Philadelphia, PA 19153, City of

Philadelphia, **Philadelphia County**. Haley Kmetz, Roux Associates, Inc., 402 Heron Drive, Logan Township, NJ 08085 on behalf of Kayla Knittel, BP Point Breeze, LLC, One Gatehall Drive, Suite 201, Parsippany, NJ 07054, submitted a Notice of Intent to Remediate. The site is impacted by VOCs, SVOCs in soil and VOCs, metals and PFAS in groundwater. The proposed future use of the property is for nonresidential purposes. The proposed cleanup standard for the site is the Statewide health standard/site-specific standard. The Notice of Intent to Remediate was published in the *Daily News Legals* on September 28, 2023. Application received: September 25, 2023.

*Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Kam Miseikyte, Clerical Assistant 2, 412-442-4091.*

**United Refining Co Asphalt Terminal**, Primary Facility ID # **871539**, 13 Mellon Street, Springdale, PA 15144, Springdale Borough, **Allegheny County**. Arcadis U.S., Inc., 2100 Georgetown Drive, Suite 402, Sewickley, PA 15143 on behalf of Chevron Environmental Management Company, 1500 Louisiana Street, Floor 38, Houston, TX 77002, submitted a Notice of Intent to Remediate. The 7.44-acre site is located in a mixed industrial and residential area on the north shore of the Allegheny River. The site has operated as an asphalt terminal since the 1950s, when it was owned by Gulf Oil Company (acquired by Chevron U.S.A. Inc. [Chevron] in 1985). In the early 1990s, the site was sold to its current owner and operator, United Refining Company. Site features include a two-story office building with a basement that contains an operating vapor mitigation system (VMS), several auxiliary buildings/sheds, loading platforms, a truck scale, seven aboveground storage tanks (ASTs) containing asphalt, as well as groundwater monitoring wells and air sparge wells. As a result of historical waste disposal practices, chlorinated volatile organic compounds (VOCs) have historically been identified in soil and groundwater. Soil excavations were completed in the source areas. Trichloroethene (TCE) is the primary constituent remaining in groundwater. Future expected use will be nonresidential. The Notice of Intent to Remediate was published in *The Pittsburgh Post-Gazette* on November 26, 2023. Application received: November 29, 2023.

**House of Metal**, Primary Facility ID # **871540**, 901 Pennsylvania Avenue, Pittsburgh, PA 15233, City of Pittsburgh, **Allegheny County**. American Geosciences, Inc., 3925 Reed Boulevard, Suite 400, Murrysville, PA 15668 on behalf of 901 Pennsylvania SRR, LLC, 411 Saline Street, Pittsburgh, PA 15217, submitted a Notice of Intent to Remediate. The subject property is located in Ward 22 in the western portion of the Central Northside neighborhood of Pittsburgh. Five parcels comprise the property identified Allegheny County tax parcel map, block, and lot numbers 22-S-213, 22-S-236, 22-S-270, 22-S-279, 22-S-316, 22-S-32 4. The parcels span approximately 7 acres. The property is currently used as leased office spaces and parking. However, historically the property was used for industrial purposes. Preliminary environmental investigations at the property have identified impacts to soil and groundwater by lead related to the historical industrial use. The Notice of Intent to Remediate was published in *The Pittsburgh Post-Gazette* on November 16, 2023. Application received: December 13, 2023.

## OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

**Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Regulations to Operate Solid Waste Processing or Disposal Area or Site.**

*Northwest Region: Waste Management Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Christina S. Wilhelm, Regional Solid Waste Program Manager, 814-332-6848.*

**101734. Finney Waste, LLC**, 1944 West 20th Street, Erie, PA 16502, Elk Creek Township, **Erie County**. Finney Waste, LLC submitted an application for a waste transfer station permit. The transfer station will be used to receive and temporarily store waste before hauling to another facility for disposal. The proposed transfer station will accept municipal waste hauled from residential, municipal, commercial, or institutional establishments and from community activities; and construction/demolition waste. Application received: December 26, 2023. Deemed administratively complete: December 26, 2023.

Comments or questions concerning the application should be directed to Christina S. Wilhelm, Regional Solid Waste Program Manager, 814-332-6848, Northwest Region, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

*Southcentral Region: Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: John Oren, Waste Management Permits Section Chief, 717-705-4907.*

**101611. Berks Transfer, Inc.**, 59 Willow Creek Road, Reading, PA 19605, Ontelaunee Township, **Berks County**. Major permit modification to an existing municipal transfer station permit. Berks Transfer, Inc. is proposing to increase the permitted maximum daily waste volume from 1,000 tons per day to 1,500 tons per day. Application received: December 13, 2023. Deemed administratively complete: December 27, 2023.

Comments or questions concerning the application should be directed to John Oren, Waste Management Permits Section Chief, 717-705-4907, Southcentral Region, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

## AIR QUALITY

### PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department of Environmental Protection (DEP) has developed an integrated plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting



process more efficient for DEP, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The DEP received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, DEP's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate DEP Regional Office. Appointments for scheduling a review must be made by calling the appropriate DEP Regional Office. The address and telephone number of the Regional Office is listed before the application notices.

Individuals wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the DEP's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

Any individual wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if DEP, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when DEP determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate DEP Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

PLAN APPROVALS

**Notice of Intent to Issue Plan Approval(s) and Notice of Intent to Issue or Amend Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These Actions May Include the Administrative Amendments of an Associated Operating Permit.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: James Beach, New Source Review Chief, 484-250-5920.*

**09-0059B: St. Mary Medical Center**, 1201 Langhorne-Newtown Rd, Langhorne, PA 19047, Middletown Township, **Bucks County**. Application received: October 23, 2023. St. Mary Medical Center (SMMC) submitted a Plan Approval application to the Department of Environmental Protection for the installation of a 35.66 MMBtu/hr natural gas fired boiler. SMMC operates as a general medical and surgical hospital and is classified as a synthetic minor facility for NO<sub>x</sub> emissions. The nitrogen oxide emissions from the new boiler will be controlled by a low NO<sub>x</sub> burner with flue gas recirculation. An annual hourly restriction to limit the boiler to 500 hours per year will be included in the plan approval as an enforceable condition. This will limit the boiler to 0.325 ton per year of NO<sub>x</sub> emissions and ensure SMMC maintains a synthetic minor status for NO<sub>x</sub> emissions. The Plan Approval will contain monitoring, recordkeeping, testing and work practice conditions designed to keep the facility operating within all applicable local, state, and Federal air quality requirements. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.*

**04-00034C: The Sherwin-Williams Manufacturing Company**, 372 Cleveland St, Rochester, PA 15074, Rochester Township, **Beaver County**. Application received: March 15, 2023.

Notice is hereby given in accordance with 25 Pa. Code §§ 127.44—127.46 that the Department of Environmental Protection (Department) intends to issue a modification to the Air Quality Plan Approval 04-00034C for the Sherwin-Williams Manufacturing Company Rochester Plant located at 372 Cleveland St, Rochester, PA 15074 in Rochester Township, **Beaver County**.

The proposed modifications to this plan approval include:

The updated facility-wide potential to emit (PTE) is summarized as follows:

VOC	PM <sub>10</sub> /PM <sub>2.5</sub>	SO <sub>x</sub>	NO <sub>x</sub>	CO	HAP	Single HAP	CO <sub>2e</sub>
tpy	tpy	Tpy	tpy	tpy	tpy	tpy	tpy
20.3	5.8	0.4	29.6	17.6	6.1	1.5	35,870

The revised facility potential to emit includes the emissions from the thermal oxidizer fuel combustion emissions based on final design. As a result of this modification (adding the fuel emission estimates from the thermal oxidization), the NO<sub>x</sub> emission increase from previous publication exceeds the 25 Pa. Code § 127.449 de minimis increase threshold of 1.0 tpy from a single source thus requiring republication for a 30-day comment period.

The plan approval 04-00034C; Section C; stated facility-wide emission limit for VOC and Hazardous Air Pollutant (HAP) emissions has been revised.

Tank 4085, under Source ID 101, is no longer part of the project and will not be constructed.

The Plan Approval 04-00034C; Section D; Source ID 101; stated thermal oxidation retention time and outlet VOC ppm requirements have been modified per this action. The revised condition reads: "Thermal Oxidizer shall control VOC and HAPs by a minimum of 95% or an outlet VOC ppm no greater than 8 ppm as propane, shall be operated at no lower than 1,400 degrees Fahrenheit, shall have a retention time of 1.0 second, and shall have a capture efficiency of 100%." This change does not meet the 25 Pa. Code § 121.1 definition of a Major Modification and the Department does not expect any emission increases from the retention time reduction since it meets best available technology.

The Department has approved the make and model of the thermal oxidizer for this project.

Plan approval 04-00034C; Section D; Source ID 101; Conditions # 002—004 (condition numbers based on the original Plan Approval), include typographical errors and as such, each of these conditions have been updated to exclude, "This performance test is to ensure compliance with the emission limits of Condition 2 in Section D." The changes to these conditions are a result of typographical errors which meets "administrative permit amendment" per 25 Pa. Code § 127.450(a)(1). As such, a 30-day comment period is not needed to fix these typographical errors.

South Tank Truck Area, Sherwin Williams proposes to install and operate adsorption equipment for the control of VOC/HAP and malodors. The Owner/Operator shall initiate construction no later than three (3) months after this plan approval modification issuance (or within a written extension timeframe approved by the Department).

North and South Tank Truck Area bulk storage tanks identified with VOC and potential odor emissions that are not controlled by the adsorption equipment shall minimize VOC/HAP emissions through control measures using pressure relief valves in accordance with 25 Pa. Code § 129.57 or vapor return lines, may include corrections to other minor typographical errors and omissions.

The authorization is subject to State Emission Standards. This Plan Approval has been conditioned to ensure compliance with all applicable rules. This includes emissions restrictions, operational restrictions, testing, monitoring, recordkeeping, reporting, and work practice requirements. Once compliance with the Plan Approval is demonstrated, the applicant will be required to revise the existing Synthetic Minor Operating Permit in accordance with 25 Pa. Code Subchapter F.

The Plan Approval Application, the Department's Air Quality Review Memorandum, the proposed Air Quality Plan Approval, and other relevant information for this

project are available for review by any interested party at the Department's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To request a review of the Plan Approval Application, to receive an electronic copy of the Department's Air Quality Review Memorandum, or to receive an electronic copy of the Department's proposed Air Quality Plan Approval for this project, a person may contact the Department at 412-442-4000.

A person may oppose the proposed plan approval by filing a written protest with the Department through Sheri Guerrieri, Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222, by e-mail at shguerrier@pa.gov or fax 412.442.4174. Each protest or set of written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval (PA-04-00034C) and a concise statement of the objections to the plan approval issuance and the relevant facts upon which the objections are based.

All comments must be received prior to the close of business 30 days after the date of this publication.

A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Sheri Guerrieri, Environmental Engineer Manager, Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222 or by email to shguerrier@pa.gov. All comments must be received prior to the close of business 30 days after the date of this publication.

### OPERATING PERMITS

#### Notice of Intent to Issue Title V Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

*Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**18-00030, First Quality Tissue LLC**, 904 Woods Ave, Lock Haven, PA 17745, Castanea Township, **Clinton County**. Application received: February 3, 2023. To issue a renewal Title V Operating Permit for their Lock Haven Plant. The facility's sources include multiple paper manufacturing machines each with a dedicated natural gas-fired boiler. Emissions from the paper machines are controlled by cyclone separators and wet scrubbers. The facility also includes ancillary air emissions sources such as a wastewater treatment operation, storage tanks, small heating units, emergency fire pump, etc. The facility has potential emissions of 199 tons per year (tpy) nitrogen oxides, 338 tpy carbon monoxide, 286 tpy particulate matter less than 10 microns in diameter, 206 tpy volatile organic compounds, 2 tpy sulfur oxides, 13 tpy hazardous air pollutants, and 385,717 tpy greenhouse gases. No emission or equipment changes are being proposed by this permit renewal action. The emission limits, throughput limitations and work practice standards along with testing, monitoring, recordkeeping and

reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 40 CFR Parts 60, 63, 64, and 70 and 25 Pa. Code Article III, Chapters 121—145. The proposed renewal also incorporates the applicable presumptive RACT 3 requirements of 25 Pa. Code § 129.112. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Norman Frederick, Facility Permitting Chief, 570-826-2409.*

**35-00002, PEI Power LLC**, 500 Technology Drive, 2nd Floor, Canonsburg, PA 15317, Archbald Borough, **Lackawanna County**. Application received: September 7, 2022. The Department intends to issue a renewal Title V Operating Permit for the operation of sources at their electricity generating plant. The proposed Title V Operating Permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

**40-00121, Greater Hazleton City Joint Sewer Authority**, P.O. Box 651, Hazleton, PA 18201, West Hazleton Borough, **Luzerne County**. Application received: October 3, 2022. The Department intends to issue an initial Title V Operating Permit for the operation of sources at their wastewater treatment plant. The proposed Title V Operating Permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.*

**06-05078, FR & S, Inc./Pioneer Crossing Landfill**, 727 Redlane Rd., Birdsboro, PA 19508, Exeter Township, **Berks County**. Application received: September 28, 2023. For their municipal solid waste landfill. Actual facility emissions of criteria pollutants and HAPs in 2022 were CO: 5.62 tpy; NO<sub>x</sub>: 2.13 tpy; PM: 21.76 tpy; SO<sub>x</sub>: 3.64 tpy; VOC: 11.10 tpy; Total HAP's: 9.33 tpy. The Title V permit is proposed to undergo a significant modification to revise Section E, Group SG01, Condition # 004 to update the allowable hourly emission of SO<sub>2</sub> for Source IDs C01 & C02. However, the 12-month permitted limit of 55 tons/yr of SO<sub>2</sub> for the affected sources remains unchanged.

**38-05019, Helix Ironwood LLC**, 305 Prescott Rd, Lebanon, PA 17042, South Lebanon Township, **Lebanon County**. Application received 11/18/2023. To issue a Title V Operating Permit renewal for the electric generating station. Additionally, the Department has made a preliminary determination to approve a Reasonably Available Control Technology (RACT) plan to be submitted for approval as part of the State Implementation Plan (SIP) for the facility.

In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) has

received an application and intends to issue an Air Quality Operating Permit renewal for the previously mentioned facility.

The actual emissions from the facility in 2022 year are estimated at 244 tpy of NO<sub>x</sub>, 15 tpy of CO, 18 tpy of PM<sub>10</sub>, 11 tpy of SO<sub>x</sub>, 8 tpy of VOC, 8 tpy of HAP and 24 tpy of NH<sub>3</sub>. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 25 Pa. Code §§ 129.111—129.115—Additional RACT Requirements for Major Sources of NO<sub>x</sub>, 40 CFR Part 60, Subpart GG—Standards of Performance for Stationary Gas Turbines, Cross State Air Pollution Rule (CSAPR) and 40 CFR Part 63, Subpart ZZZZ, National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines.

In accordance with 25 Pa. Code §§ 129.111—129.115 (relating to additional RACT requirements for major sources of NO<sub>x</sub> and VOCs for the 2015 ozone NAAQS), the Pennsylvania Department of Environmental Protection has made a preliminary determination to approve a RACT III plan, to be submitted as part of the State Implementation Plan (SIP).

The proposed SIP revision does not adopt any new regulations. It will incorporate the provisions and requirements contained in the RACT 3 approval, which are intended to satisfy the requirements for the 1997 National Ambient Air Quality Standard (NAAQS) and the 2008 NAAQS, and the 2015 NAAQS for ozone. The proposed RACT III plan, if approved by DEP, will be issued as a part of the facility's Title V operating permit renewal (38-05019). The relevant RACT III requirements will also be submitted to the U.S. Environmental Protection Agency (EPA) for approval and incorporation into Pennsylvania's State Implementation Plan. Requirements that are not part of the RACT III approval will be excluded from the SIP submittal.

The following is a summary of the proposed RACT III requirements for this facility that will be submitted to the EPA as a revision to the Commonwealth's SIP:

#### RACT III Case-by-Case Requirements

Source ID T001—No. 1 Combustion Turbine and Source ID T002—No. 2 Combustion Turbine

a. Pursuant to the Lowest Achievable Emission Rate (LAER) provisions of 25 Pa. Code § 127.205, the following emission limits apply to normal operation of each of the combustion turbines:

1. NO<sub>x</sub>: 4.5 ppm dry volume corrected to 15% oxygen, calculated as a 3-hour rolling block average during normal operation.
2. NO<sub>x</sub>: 0.018 lb/mmBtu, HHV, calculated as a 3-hour rolling block average during normal operation.
3. These emission limits ensure compliance with the NO<sub>x</sub> emission standard included in 40 CFR Part 60, Subpart GG.

b. Annual NO<sub>x</sub> emissions shall not exceed 442 tons per consecutive 12-month period. This limit includes emissions generated during all start-up and shutdown periods as well as during normal operation. NO<sub>x</sub> emissions from all startup, shutdown and load change periods are included in the annual NO<sub>x</sub> emission cap. Actual NO<sub>x</sub>

emissions shall be those measured by the facility's continuous emissions monitoring system (CEMS).

c. Pursuant to the Lowest Achievable Emission Rate (LAER) provisions of 25 Pa. Code § 127.205, the following emission limits apply to each of the combustion turbines during the stated periods. The definitions and durations of these periods are provided elsewhere in this approval. Maximum total emissions per turbine for startup and load change events shall not exceed the following values:

1. Cold startup: 731 pounds of NO<sub>x</sub>
2. Warm startup: 543 pounds of NO<sub>x</sub>
3. Hot startup: 295 pounds of NO<sub>x</sub>
4. Load change: 295 pounds of NO<sub>x</sub>

d. Normal operation of the combustion turbines is specified as all operation other than that occurring during the following designated periods:

1. Cold startup: Refers to restarts made more than 48 hours after shutdown; cold startup periods shall not exceed 15 hours per turbine per occurrence. A successful cold startup will be determined upon the turbine reaching 50% of full load; should the turbine trip prior to reaching 50% of full load, subsequent restarts will still be defined as a cold startup.

2. Warm startup: Refers to restarts made more than 8 hours, but less than or equal to 48 hours after shutdown; warm startup periods shall not exceed 10.5 hours per turbine per occurrence. A successful warm startup will be determined upon the turbine reaching 50% of full load; should the turbine trip prior to reaching 50% of full load, subsequent restarts will still be defined as a warm startup.

3. Hot startup: Refers to restarts made 8 hours or less after shutdown; hot startup periods shall not exceed 4 hours per turbine per occurrence.

4. Shutdown: Commences with the input of a stop command by the operator and ends with termination of combustion in the combustion chamber.

5. Load changes: Refers to the reduction in load of one or both combustion turbines to less than 50% of full load for a period of time not to exceed 6 hours for the purpose of balancing steam output from the units while changing the plant from two unit to one unit operation or from one unit to two unit operation; or to an automatic or operator selected reduction in load of one or both combustion turbines to less than 50% of full load due to instrumentation or equipment related maintenance and support activities which require reduced load operation.

6. The permittee shall maintain detailed records to document each interval defined previously. This information shall be made available to Department representatives upon request.

e. The permittee shall maintain detailed records of all maintenance performed on the air emissions control systems associated with the combustion turbines for the most recent five-year period.

f. The permittee shall operate the turbines in such a manner as to minimize the duration of start-up, shutdown and load change periods. All NO<sub>x</sub> emissions from these events will be quantified by the approved methods and are included in the annual facility limit for that pollutant.

g. The permittee shall monitor and record the following parameters for each of the SCR systems associated with the combustion turbines:

1. Catalyst bed inlet temperature
2. Ammonia solution injection rate
3. Ammonia solution concentration
4. Ammonia slip

h. The permittee shall maintain and operate a continuous monitoring system to monitor and record the natural gas consumption and total operating hours for each of the combustion turbines.

i. Compliance with the NO<sub>x</sub> emission limits in this Source Group shall be determined via CEMS data.

Upon approval by US EPA as a SIP revision, the provisions of Section E, Group 007 of this permit shall supersede the provisions of Section E, Group 006 of this permit. [Group 006 contains previously SIP-ed RACT 2 conditions for Sources T001 and T002. The only difference between Group 006 and 007 is that Group 007 changes all of the 70% references in Group 006 to 50%. This relates to the definitions of startups and load change.]

#### Public Comment Details:

A 30-day public comment period is provided for persons wishing to file a written protest, objection, comments or additional information, which they believe should be considered prior to the issuance of a permit. The written comments, information, protests or objections may be submitted to Thomas Hanlon, Environmental Engineering Manager, Air Quality Program, at 909 Elmerton Avenue, Harrisburg, PA 17110, or at thanlon@pa.gov on or before the closing date of this 30-day public comment period. The 30-day public comment period closes on February 12, 2024.

Each written submission must contain the name, address and telephone number of the person submitting the comments, identification of the RACT III permit, including the permit number, and a concise statement regarding the RACT III permit provision or requirement that the person is commenting on and the relevancy of the information or objections to issuance of the RACT III permit.

Public hearing. A public hearing will be held on February 27, 2024, at 10:00 a.m. at the DEP Southcentral Regional Office, 909 Elmerton Avenue, Harrisburg, PA 17110, to accept oral comments on the proposed RACT III permit action and the proposed SIP revision. To register to speak at the hearing, please contact Thomas Hanlon at 717.705.4862. Speakers must pre-register in order to testify at the hearing. The last day to pre-register to speak at the hearing will be the Friday before the hearing.

Oral testimony at the hearing will be limited to a maximum of 5 minutes per individual and two written copies of the oral testimony are requested. Each organization is requested to designate one witness to present testimony on its behalf. Persons unable to attend the hearing may submit a written statement and exhibits within 10 days thereafter to Thomas Hanlon at 909 Elmerton Avenue, Harrisburg, PA 17110, or at thanlon@pa.gov.

All pertinent documents are available electronically for public review and copies can be requested by contacting Thomas Hanlon at 717.705.4862 or at thanlon@pa.gov.

Individuals who are in need of an accommodation for the hearing as provided for in the Americans with Disabilities Act should contact Thomas Hanlon at 717.705.4862 or make accommodations through the Pennsylvania Hamilton Relay Service at 1-800-654-5984 (TDD).

### OPERATING PERMITS

#### Notice of Intent to Issue Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Norman Frederick, Facility Permitting Chief, 570-826-2409.*

**40-00112, Four Daughters LLC**, 1 Korn Street, Kingston, PA 18704-2637, Kingston Borough, **Luzerne County**. Application received: November 21, 2023. The Department intends to issue a renewal State-Only Operating Permit (synthetic minor) for sources such as their spray booth with panel filter, spray line with filter, and drying oven. The proposed operating permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.*

**10-00281, Coherent Corp**, 375 Saxonburg Blvd., Saxonburg, PA 16056, Clinton Township, **Butler County**. Application received: December 21, 2022. The Department intends to issue the renewal of the State Only Operating Permit for Coherent Corp (previously II—VI). The sources at the facility include miscellaneous combustion sources, batch vapor degreaser using a halogenated solvent, chemical vapor deposition units, hydrogen selenide gas production, thin film materials production, isopropyl alcohol vapor degreasers, batch vapor dryer, and emergency generators. The halogenated solvent vapor degreaser is subject to 40 CFR 63 Subpart T—NESHAP for Halogenated solvent cleaning. The emergency generators are subject to 40 CFR 63 Subpart ZZZZ and Subpart IIII. Emissions from the facility are less than the major source thresholds with a potential of 15.73 tpy NO<sub>x</sub>, 4.2 tpy methylene chlorine and 0.0037 tpy hydrogen selenide. The facility is a Natural Minor. The renewal permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.*

**21-05051, Pennsylvania State System of Higher Education—Shippensburg University**, 1871 Old Main Drive, Shippensburg, PA 17257, Shippensburg Township, **Cumberland County**. Application received: January 31, 2023. To issue a State Only Operating Permit for Shippensburg University. Potential emissions at the facility are estimated to be the following: CO—30.60 tpy, NO<sub>x</sub>—51.6 tpy, PM<sub>10</sub>—2.72 tpy, SO<sub>2</sub>—1.69 tpy, VOC—2.60 tpy. The operating permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR 60 Subpart IIII—Standards of Performance for Stationary Compression Ignition Internal Combustion Engines and 40 CFR 60 Subpart JJJJ—

Standards of Performance for Stationary Spark Ignition Internal Combustion Engines.

*Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.*

**36-05130, Masonic Villages**, 1 Masonic Drive, Elizabethtown, PA 17022, Elizabethtown Borough, **Lancaster County**. Application received: August 30, 2023. For the operation of their emergency generators and boilers for their residential living campus. The facility potential emissions are 21.88 tons of CO, 48.87 tons of NO<sub>x</sub>, 3.95 tons of PM, 2.63 tons of SO<sub>x</sub>, and 9.94 tons of VOC. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include 40 CFR 60, Subpart IIII—Standards of Performance for Stationary Compression Ignition Internal Combustion Engines and 40 CFR 60, Subpart Dc—Standards of Performance for Small Industrial-Commercial-institutional Steam Generating Units.

**06-03140, McNeilus Truck and Manufacturing, Inc.**, 524 Highway Street East, P.O. Box 70, Dodge Center, MN 55927, Caernarvon Township, **Berks County**. Application received: June 6, 2023. For the truck repair and replacement parts facility. The actual emissions from the facility in 2022 year are estimated at 0.5 ton of VOC and 0.1 ton of HAP. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR 63 Subpart HHHHHH.

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.*

**15-00054, Highway Materials Inc./Malvern Asphalt Plant**, 680 Morehall Road, Frazer, PA 19355, East Whiteland Township, **Chester County**. Application received: July 27, 2023. This action is for the renewal of the State Only Operating Permit for Highway Materials, Inc. operates a hot mix batch asphalt plant, consisting of a rotary dryer which primarily burns natural gas, but is also approved to burn propane and various liquid fuels. Air emissions from the asphalt plant are controlled by a knockout box and baghouse dust collector. The permit authorizes the operation of portable aggregate processing equipment powered by diesel-fired engines. The permit will also be amended to incorporate the requirements of plan approval 15-0054D, which revised the emission limits of the asphalt plant in accordance to the facility's most recent stack test. There have been no physical changes or modifications made to the asphalt plant since the permit was last amended in 2021. Highway Materials, Inc. is categorized as a synthetic minor facility because the facility has taken limits to keep the potential to emit below major source thresholds. The permit includes monitoring, recordkeeping and reporting requirements to address all applicable air quality requirements. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

## COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21).

Mining activity permits issued in response to such applications are also subject to applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (DEP). A copy of the application is available for inspection at the District Mining Office indicated above each application. Requests for 401 Water Quality Certifications are included in individual application only if noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or Local Government Agency or Authority to DEP at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's

newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences). Such comments or objections should contain the name, address and phone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform DEP on the basis of comment or objection and relevant facts upon which it is based.

In addition, requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must also contain a brief summary of the issues to be raised by the requestor at the conference and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application is associated with an application for an NPDES permit. A separate notice will be provided for the draft NPDES permit.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

### *Coal Applications*

*Effluent Limits*—The following range of effluent limits (Table 1) will apply to NPDES permits issued in conjunction with the associated coal mining activity permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.*

*Contact: Melanie Ford-Wigfield, 814-472-1900, ra-epcambria@pa.gov.*

**Mining Permit No. 32901602. NPDES No. PA0214442. Rosebud Mining Company,** 301 Market Street, Kittanning, PA 16201, Burrell Township, **Indiana County.** Renewal to the NPDES permit and mining activity permit for I-22 Tipple Prep Plant affecting 40.8 acres. Receiving streams: Unnamed Tributary to Conemaugh River classified for the following use: CWF. Application received: December 12, 2023.

**Mining Permit No. 31220101. NPDES No. PA0279854. J & J Svonavec Excavating, Inc.,** 110 Windermere Lane, Somerset, PA 15501, Wood Township, **Huntingdon County.** Permit revision to allow for the beneficial use of biosolids for land reclamation on a bituminous surface/sandstone mine affecting 134.5 acres. Receiving streams: Great Trough Creek, classified for the following uses: TSF. Application received: December 19, 2023.

**Mining Permit No. 11230101. NPDES No. PA0279901. RES Coal, LLC,** 51 Airport Road, Clearfield, PA 16830, Cresson Township, **Cambria County.** Commencement, operation and restoration of a bituminous surface mine affecting 364.0 acres. Receiving streams: Unnamed Tributary to Bear Rock Run and Unnamed Tributaries to Burgoon Run and Burgoon Run classified for the following use: CWF. Application received: December 5, 2023.

**Mining Permit No. 56160101. NPDES No. PA0279510. Coal Loaders, Inc.,** 210 East Main Street, P.O. Box 556, Ligonier, PA 15658, Paint Township and Windber Borough, **Somerset County.** Transfer of a bituminous surface and auger mine from Berwind Coal Sales Company, 509 15th Street, Windber, PA 15963 affecting 159.2 acres. Receiving streams: Weaver Run to Seese Run to Paint Creek/Stonycreek River Watershed, classified for the following uses: CWF. Application received: December 26, 2023.

**Mining Permit No. 56100105. NPDES No. PA0263079. Heritage Coal & Natural Resources, LLC,** 550 Beagle Road, Rockwood, PA 15557, Black Township, **Somerset County.** Transfer of a bituminous surface mine from Wilson

Creek Energy, LLC, P.O. Box 260, Friedens, PA 15541 affecting 149.3 acres. Receiving streams: Coxes Creek and Wilson Creek classified for the following uses: WWF. Application received: December 27, 2023.

**Mining Permit No. 56841612. NPDES No. PA0588491. Heritage Coal & Natural Resources, LLC**, 550 Beagle Road, Rockwood, PA 15557, Black Township, **Somerset County**. Transfer of a coal preparation plant mine and land change to industrial land use from Wilson Creek Energy, LLC, P.O. Box 260, Friedens, PA 15541 affecting 43.0 acres. Receiving streams: Coxes Creek classified for the following uses: WWF. Application received: December 27, 2023.

**Mining Permit No. 56230102. NPDES No. PA0279919. Wilson Creek Energy, LLC**, P.O. Box 260, Friedens, PA 15541, Somerset Township, **Somerset County**. Commencement, operation and restoration of a bituminous surface mine affecting 147.7 acres. Receiving streams: Unnamed Tributaries to Kimberly Run to Kimberly Run to East Branch to Coxes Creek to Casselman River classified for the following use: CWF, CWF/TMDL, CWF/TMDL). Application received: December 5, 2023.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

*Contact: RA-EPPottsvilleDMO@pa.gov.*

**Mining Permit No. 54910206. Rausch Creek Coal Preparation Lykens, LLC**, 978 Gap Street, Valley View, PA 17983, Tremont Township, **Schuylkill County**. Renew an anthracite coal refuse reprocessing operation affecting 54.6 acres. Receiving stream: Stumps Run, classified for the following uses: CWF, MF. Application received: December 18, 2023.

**Mining Permit No. 54180202. Rausch Creek Fuels, LLC**, 978 Gap Street, Valley View, PA 17983, Frailey Township, **Schuylkill County**. Renew an anthracite coal refuse reprocessing operation affecting 11.8 acres. Receiving stream: Good Spring Creek, classified for the following uses: CWF, MF. Application received: December 18, 2023.

#### *Noncoal Applications*

*Effluent Limits*—The following Table 2 effluent limits apply to NPDES permits issued in conjunction with a noncoal mining permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

*Table 2*

<i>Parameter</i>	<i>30-day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity must always exceed acidity.			
pH must always be greater than 6.0; less than 9.0.			

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.*

*Contact: Melanie Ford-Wigfield, 814-472-1900, ra-epcambria@pa.gov.*

**Mining Permit No. 4975SM5. NPDES No. PA0612430. Glen-Gery Corporation**, 1166 Spring Street, Wyomissing, PA 19610, Oxford Township, **Adams County**. Permit revision to remove 19.89 acres from the permit boundary on a large industrial mineral permit in Oxford Township, Adams County. Total permit acres goes from 110.3 to 91.05 acres. Receiving stream: unnamed tributary to South Branch Conewago Creek classified for the following use: WWF. Application received: December 20, 2023.

**Mining Permit No. 21050301. NPDES No. PA0224456. 30-35 Ridge Road, LLC**, 35 Ridge Road, Newville, PA 17241, North Newton Township, **Cumberland County**. Permit transfer from J.R. Zimmerman Enterprises, LLC, 82 Garden Spot Road, Ephrata, PA 17522, for continued operation and restoration of a large industrial mineral mine affecting 33.3 acres. Receiving streams: unnamed tributary to Green Spring Creek classified for the following use: CWF. Application received: December 1, 2023.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

*Contact: RA-EPPottsvilleDMO@pa.gov.*

**Mining Permit No. 66880301. PA0594229. H & K Group, Inc.**, P.O. Box 196, Skippack, PA 19474, Falls Township, **Bucks County**. Renew NPDES Permit affecting 94.6 acres. Receiving stream: Buttermilk Creek, classified for the following use: CWF. Application received: December 19, 2023.

**Mining Permit No. 7974SM2. PA0611999. Heidelberg Materials Northeast, LLC**, 7660 Imperial Way, Allentown, PA 18195, Nockamixon Township, **Bucks County**. Renew NPDES Permit affecting 83.5 acres. Receiving stream Rapp Creek, classified for the following uses: EV, MF. Application received: December 20, 2023.

*Contact: RA-EPPottsvilleDMO@pa.gov.*

**Mining Permit No. 58950815. Timothy Finch**, 1673 Sheldon Hill Road, Springville, PA 18844, Forest Lake Township, **Susquehanna County**. Stage I & II bond release of a quarry operation affecting 2.0 acres on property owned by Scott Wickizer. Application received: December 18, 2023.

**Mining Permit No. 58030828. Northeast Stone Works, Inc.**, P.O. Box 332, Montrose, PA 18802, Bridgewater Township, **Susquehanna County**. Stage I & II bond release of a quarry operation affecting 1.0 acre on property owned by Edward Starzek, Jr. Application received: December 26, 2023.

#### **MINING ACTIVITY NPDES DRAFT PERMITS**

This notice provides information about applications for a new, amended or renewed National Pollutant Discharge Elimination System (NPDES) permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities.

This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (DEP) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

*Effluent Limits for Coal Mining Activities*

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

*Effluent Limits for Noncoal Mining Activities*

The limits for noncoal mining activities as provided in 25 Pa. Code § 77.522 are pH 6 to 9 and other parameters DEP may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

*Coal NPDES Draft Permits*

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.*

*Contact: Melanie Ford-Wigfield, 814-472-1900, ra-epcambria@pa.gov.*

**NPDES No. PA0262439. Mining Permit No. 11070202. Ebensburg Power Company,** 224 Grange Hall Road, P.O. Box 228, Armagh, PA 15920, Nanty Glo Borough, **Cambria County.** Renewal of an NPDES permit affecting 83.1 acres. Receiving stream: South Branch Blacklick Creek classified for the following use: CWF. Application received: March 2, 2023.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following limits apply to all discharges from stormwater outfall 001 discharging to South Branch Blacklick Creek.

<i>Discharge Limitations</i>					<i>Monitoring Requirements</i>	
<i>Discharge Parameter</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>	<i>Measurement Frequency* (minimum)</i>	<i>Sample Type</i>
pH (S.U.)	6.0	N/A	N/A	9.0	2/Month	Grab
Total Suspended Solids (mg/L)	N/A	35.0	70.0	90.0	2/Month	Grab
Iron, Total (mg/L)	N/A	1.5	3.0	3.7	2/Month	Grab
Manganese, Total (mg/L)	N/A	1.0	2.0	2.5	2/Month	Grab
Aluminum, Total (mg/L)	N/A	0.75	1.5	1.8	2/Month	Grab
Net Alkalinity (as CaCO <sub>3</sub> , mg/L)	0.0	N/A	N/A	N/A	2/Month	Grab
Alkalinity, Total (as CaCO <sub>3</sub> , mg/L)	Report				2/Month	Grab
Acidity, Total (as CaCO <sub>3</sub> , mg/L)	Report				2/Month	Grab
Flow (gpm)	Report				2/Month	Measured



<i>Discharge Limitations</i>					<i>Monitoring Requirements</i>	
<i>Discharge Parameter</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>	<i>Measurement Frequency* (minimum)</i>	<i>Sample Type</i>
Temperature (°C)				Report	2/Month	Measured
Specific Conductance (µmhos/cm)				Report	2/Month	Grab
Sulfate, Total (mg/L)				Report	2/Month	Grab

The following limits apply to all discharges from stormwater outfall 002 discharging to South Branch Blacklick Creek.

<i>Discharge Limitations</i>					<i>Monitoring Requirements</i>	
<i>Discharge Parameter</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>	<i>Measurement Frequency* (minimum)</i>	<i>Sample Type</i>
pH (S.U.)	6.0	N/A	N/A	9.0	2/Month	Grab
Total Suspended Solids (mg/L)	N/A	35.0	70.0	90.0	2/Month	Grab
Iron, Total (mg/L)	N/A	3.0	6.0	7.0	2/Month	Grab
Manganese, Total (mg/L)	N/A	1.6	3.2	4.0	2/Month	Grab
Aluminum, Total (mg/L)	N/A	2.0	4.0	5.0	2/Month	Grab
Net Alkalinity (as CaCO <sub>3</sub> , mg/L)	0.0	N/A	N/A	N/A	2/Month	Grab
Alkalinity, Total (as CaCO <sub>3</sub> , mg/L)				Report	2/Month	Grab
Acidity, Total (as CaCO <sub>3</sub> , mg/L)				Report	2/Month	Grab
Flow (gpm)				Report	2/Month	Measured
Temperature (°C)				Report	2/Month	Measured
Specific Conductance (µmhos/cm)				Report	2/Month	Grab
Sulfate, Total (mg/L)				Report	2/Month	Grab

The following limits apply to all discharges from stormwater outfall 003 discharging to South Branch Blacklick Creek.

<i>Discharge Limitations</i>					<i>Monitoring Requirements</i>	
<i>Discharge Parameter</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>	<i>Measurement Frequency* (minimum)</i>	<i>Sample Type</i>
pH (S.U.)	6.0	N/A	N/A	9.0	2/Month	Grab
Total Suspended Solids (mg/L)	N/A	35.0	70.0	90.0	2/Month	Grab
Iron, Total (mg/L)	N/A	3.0	6.0	7.0	2/Month	Grab
Manganese, Total (mg/L)	N/A	2.0	4.0	5.0	2/Month	Grab
Aluminum, Total (mg/L)	N/A	1.1	2.2	2.8	2/Month	Grab
Net Alkalinity (as CaCO <sub>3</sub> , mg/L)	0.0	N/A	N/A	N/A	2/Month	Grab
Alkalinity, Total (as CaCO <sub>3</sub> , mg/L)				Report	2/Month	Grab
Acidity, Total (as CaCO <sub>3</sub> , mg/L)				Report	2/Month	Grab
Flow (gpm)				Report	2/Month	Measured
Temperature (°C)				Report	2/Month	Measured
Specific Conductance (µmhos/cm)				Report	2/Month	Grab
Sulfate, Total (mg/L)				Report	2/Month	Grab

*Noncoal NPDES Draft Permits*

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.*

*Contact: Melanie Ford-Wigfield, 814-472-1900, ra-epcambria@pa.gov.*

**NPDES No. PA0223239. Mining Permit No. 01930302. Specialty Granules, LLC**, 1455 Old Waynesboro Road, Blue Ridge Summit, PA 17214, Hamiltonban Township, **Adams County**. Revision of an NPDES permit affecting 241.25 acres related to a noncoal mining activity permit. Receiving stream: Unnamed Tributary to Toms Creek, classified for the following use: HQ-CWF. Application received: August 22, 2023.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following stormwater outfalls discharge to unnamed Tributary to Toms Creek:

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001	Existing	Stormwater	Precipitation Induced
002	Existing	Stormwater	Precipitation Induced
003	New	Stormwater	Precipitation Induced

The proposed effluent limits for the previously listed outfalls are as follows:

*Outfalls 001 (>10-yr/24-hr Precip. Event)*

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
pH (S.U.)	XXX	XXX	XXX	Report
Total Suspended Solids (mg/L)	XXX	XXX	XXX	Report

*Outfalls 002 and 003 (>100-yr/24-hr Precip. Event)*

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
pH (S.U.)	XXX	XXX	XXX	Report
Total Suspended Solids (mg/L)	XXX	XXX	XXX	Report

**FEDERAL WATER POLLUTION CONTROL ACT SECTION 401**

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (DEP). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), as well as relevant state requirements. Individuals objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The DEP may schedule a fact-finding hearing or an informal conference in response to comments if deemed necessary. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 a.m. and 4:00 p.m. on each working day at the office noted above the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

**WATER OBSTRUCTIONS AND ENCROACHMENTS**

**Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).**

*Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Michele Lauer, Clerical Assistant 2, 570-830-3077.*

**E4002223-023. Luzerne County Flood Protection Authority**, P.O. Box 1909, Kingston, PA 18704, Forty Fort Borough, **Luzerne County**. U.S. Army Corps of Engineers Baltimore District. Application received: December 14, 2023.

To construct and maintain a fill in the floodway of the Susquehanna River (CWF, MF) with work consisting of a 75-foot long, 3-foot wide trapezoidal stormwater drainage swale having 2:1 side slopes and a 5,500 ft<sup>2</sup> bio-retention basin having 3:1 side slopes, tree plantings, and an emergency spillway. The project is located at 1989 Wyoming Avenue, approximately 300 feet southwest of intersection of Wyoming Avenue and Camryn Way (Forty Fort, PA Quadrangle Latitude: 41° 17' 54.04"; Longitude: -75° 51' 39.65") in Forty Fort Borough, Luzerne County. Latitude: 41° 17' 54.04", Longitude: -75° 51' 39.65".

**E4802223-012. Portland Industrial Park, L.P.**, 102 Demi Road, P.O. Box 330, Portland, PA 18351, Upper Mount Bethel Township, **Northampton County**. U.S. Army Corps of Engineers Philadelphia District. Application received: December 15, 2023.

To permanently impact 0.48 acre of lacustrine wetlands for the construction of a 128,195 square foot recycling facility and a 3,600 square foot truck maintenance shop. The project is located in Upper Mt. Bethel Township, Northampton County, PA. (Portland, PA Quadrangle, Latitude: 40° 54' 46"; Longitude: -70° 05' 46").

*Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: 717-705-4802.*

**E0603223-016. Muhlenberg Township**, 210 George Street, Reading, PA 19605-3164, Muhlenberg Township, **Berks County**. U.S. Army Corps of Engineers Baltimore District. Application received: August 8, 2023.

To 1) install four pickleball courts, a multi-purpose field, a walking trail, a picnic pavilion, expanded access drive and parking, and associated landscaping impacting

0.24 acre of the floodway of Laurel Run (WWF, MF). All impacts are for the purpose of improving the parks recreation activities. The project is located at 3048 River Road, Muhlenberg Township, Berks County. There are no wetland impacts associated with this project. Latitude: 40.380238°, Longitude: -75.946920°.

*Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Elaine Henderson, Clerical Assistant 3, 484-250-5157.*

**E0901223-013. Williams Field Services Company, LLC**, 2000 Commerce Drive, Pittsburgh, PA 15275, Falls Township, **Bucks County**. U.S. Army Corps of Engineers Philadelphia District. Application received: December 14, 2023.

To construct and maintain about 14,200 LF of 6-inch steel renewable gas pipeline crossing about 200 LF of EV wetland (PUB-PFO) associated with the transportation of the safe and reliable renewable natural gas from the future Waste Management Fairless RNG site to an existing surface site in Falls Township. Total wetland impacts will be 0.002 acre, and HDD procedure will be used for the crossing. The site is located near New Ford Mill Road (Trenton West, PA USGS map) in Falls Township, Bucks County. Latitude: 40.146587°, Longitude: -74.753822°.

**E1501223-017. Kennett Square Borough**, 600 South Broad Street, Suite 110, Kennett Square, PA 19348, Kennett Square Borough, **Chester County**. U.S. Army Corps of Engineers Philadelphia District. Application received: November 14, 2023.

Kennett Square Borough is proposing to perform the following water obstruction and encroachment activities associated with the project near East South Street listed as follows: Activities associated with the reconstruction of the East South Street Pump Station which will be constructed in the floodway/floodplain of the East Branch of the Red Clay Creek: 1) To excavate within the floodway of East Branch of the Red Clay Creek for Pump Station reconstruction resulting in 933 sq ft, .02 acre of permanent floodway impacts. 2) To excavate within the floodway of East Branch of the Red Clay Creek for Pump Station reconstruction resulting in 20,110 sq ft, .46 acre of temporary floodway impacts. This project is located near East South Street, Kennett Square, PA 19348, Chester County, (USGS PA Kennett Square Quadrangle). Latitude: 39.840442°, Longitude: -75.706699°.

**E5101223-004. Crown Point Owner, LP**, 401 Franklin Street, Suite 2555, Houston, TX 77002, City of Philadelphia, **Philadelphia County**. U.S. Army Corps of Engineers Philadelphia District. Application received: December 26, 2023.

Crown Point Owner, LP is proposing to perform water obstruction and encroachment activities within the assumed 50-foot floodway of Walton Run (WWF-MF). These activities include trenching to facilitate the installation of pipe conveyance from stormwater management facilities to a new doghouse manhole over an existing 18-inch RCP

conveyance pipe and outfall resulting in 6,253 square feet (0.144 acre) of permanent floodway impact. Utility trenching is located within the overall grading of the floodway resulting in 31,412 square feet (0.721 acre) of permanent floodway impact. This project is located at 10101 Roosevelt Boulevard in Philadelphia County (USGS PA Frankford Quadrangle). Latitude: 40.095328°, Longitude: -75.012200°.

**WV4601223-006, EA4601223-005. PSI Atlantic Horsham PA, LLC**, 530 Oak Court Drive, Suite 155, Memphis, TN 38117, Horsham Township, **Montgomery County**. U.S. Army Corps of Engineers Philadelphia District. Application received: December 1, 2023.

PSI Atlantic Horsham PA, LLC is proposing to demolish existing obstructions (building and accessory parking lot) within the floodway of Tributary 02663 to Park Creek (WWF-MF) associated with construction activities outside the floodway. This activity will result in a total of 2,620 square feet of temporary floodway impact due to the removal of floodway obstructions and is considered a restoration activity under 105.12(a)(11). This project is located at 901 Horsham Road in Horsham Township, Montgomery County (USGS PA Ambler Quadrangle). Latitude: 40.199326°, Longitude: -75.165970°.

*Southwest Region: Oil and Gas Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: D. J. Stevenson, 412-442-4281; RA-EPSW-OGSUBMISSION@pa.gov.*

**E6307223-010. Columbia Gas Transmission, LLC**, 1700 MacCorkle Avenue SE, Charleston, WV 25314, Donegal Township, **Washington County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: November 22, 2023. Latitude: 40.146769°, Longitude: -80.441761°.

The project proposes to retrieve tools via bridge plug and junk basket from the existing Donegal Well 542 natural gas well in Washington County, PA and to replace the well head valve.

The project does not involve any impacts to Exceptional Value (EV) wetlands, but there are proposed impacts to three (3) Other wetlands and an intermittent stream and its Pennsylvania-regulated floodway (floodway). The impacted resources include three (3) wetlands, two (2) classified as palustrine emergent (PEM) wetlands (W1 and W2) and one (1) classified as a PEM/palustrine forested (PEM/PFO) wetland; an intermittent stream (S1); and stream S1's floodway. All resource impacts are considered temporary impacts. The temporary impacts are due to construction of the expanded well pad to complete the corrective actions that include excavation and filling of wetland W1 (including timber matting), filling of wetlands W2 and W4 and stream S1 and its floodway (along the access road using timber mats) and culverting a portion of stream S1 and its floodway. Resources will be restored to pre-construction conditions. The project has no permanent impacts. Proposed impacts are as follows:

Resource	Wetland Classification	Work Activity	Coordinates	Permanent (ft <sup>2</sup> )	Temporary (ft <sup>2</sup> )
Wetland W4	PEM/PSS	Fill	40.147303 -80.442550	0	214
Wetland W2	PEM	Fill	40.147047 -80.442586	0	349

Resource	Wetland Classification	Work Activity	Coordinates	Permanent (ft <sup>2</sup> )	Temporary (ft <sup>2</sup> )
Wetland W1	PEM	Temporary Well Pad	40.146692 -80.441808	0	2,357
Stream S1	N/A	Fill	40.146911 -80.442469	0	Watercourse (300) Floodway (825)
Stream S1	N/A	Fill	40.146739 -80.441964	0	Floodway (2,928)
Stream S1	N/A	Channel Work	40.146767 -80.442053	0	Watercourse (160)
Stream S1	N/A	Culvert Installation	40.146697 -80.441925	0	Watercourse (180)

Contact: Dana Drake, Program Manager.

**E0205123-013. PennDOT District 11-0**, 45 Thomas Run Road, Bridgeville, PA 15017, City of Pittsburgh, **Allegheny County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: June 13, 2023.

The applicant has requested to: 1. Remove the existing 858' by 75'-6", Adjacent Dual Concrete Multiple-Arch structure, and to construct and maintain a new 825'-3" by 86'-8 1/4" Flattened Delta Frame Bridge structure, having a cumulative permanent impact of 89 LF to Nine-mile Run (TSF) and 0.180 acre to the floodway of Nine-mile Run. 2. Abandon in place 140 LF of the existing 48" RCP, PWSA combined sewer line, which will be cut, capped, and filled, and to construct and maintain a replacement, 160 LF of 48" ductile iron combined sewer pipe, in a new location, having a permanent impact of 0.015 acre to the floodway of Nine-mile Run. 3. Abandon in place 350 LF of the existing 24" RCP, PWSA sanitary sewer line, which will be cut, capped, and filled, and construct and maintain a replacement, 420 LF of 24" ductile iron sanitary sewer line, in a new location, having a permanent impact of 0.020 acre to the floodway of Nine-mile Run. 4. Construct and maintain, in Phase 1, a temporary stream crossing consisting of five (5) 36" R/C pipes, and other erosion and sedimentation pollution controls. Then, construct and maintain, in Phase 2, a modification to this temporary stream crossing, by capping two (2) of the 36" R/C pipes, and extending the remaining three (3) of the 36" R/C pipes by connecting three (3) 36" ductile iron pipes. These activities will result in a cumulative temporary impact of 621 LF to Nine-mile Run (TSF) and 1.80 acres to the floodway of Nine-mile Run. 5. Construct and maintain two (2) new 18" RCP stormwater outfalls with concrete end-walls and rock aprons, having a permanent impact of approximately 0.003 acre to the floodway of Nine-mile Run (TSF). For the purpose of replacing a structure, carrying SR 376 over Commercial Street and Nine-mile Run (TSF). The project will have a cumulative and permanent impact to approximately 89 LF of watercourse and 0.180 acre of floodway, and a cumulative and temporary impact to 621 LF of watercourse and 1.80 acres of floodway. The project site is located at the SR 376 overpass that crosses Commercial Street (Pittsburgh East, PA USGS topographic quadrangle) in City of Pittsburgh, Allegheny County. Latitude: 40° 25' 31.2508", Longitude: -79° 4' 22.7885".

**E2605223-003. Masontown Municipal Authority**, 1 East Church Avenue, Masontown, PA 15461, Masontown Borough, **Fayette County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: June 27, 2023.

The applicant has requested to: 1. Remove an existing 644 lf of 3' x 4' CMP stream enclosure, which conveys an

unnamed tributary (UNT) to the Monongahela River (WWF), and to construct and maintain 644 lf of relocated open channel that is 20' from top of bank to top of bank and 5' deep with a 5' wide stream bottom. 2. Construct and maintain 18 lf of 36" x 48" CMP pipe to connect the existing upstream stormwater network to the open channel previously mentioned, along with a new, 5' long x 14' wide x 4' tall concrete endwall in the same UNT to the Monongahela River. 3. Construct and maintain a 30 lf of 12" SDR 35 sanitary pipe crossing underneath the previously mentioned stormwater pipe beneath the same UNT to the Monongahela River, 4. To remove 530 lf of existing 12" SDR 35 sanitary pipe, and to construct, operate, and maintain 530 lf of relocated 12" SDR 35 sanitary pipe and associated manholes parallel to the previously mentioned open channel of a UNT to the Monongahela River. 5. To operate and maintain 109 lf of existing 12" SDR 35 sewer line within the floodway/floodplain of the newly constructed open channel. For the purpose of reducing the frequency and extent of flooding events in the surrounding area to improve public health, safety and the environment. The project will cumulatively and permanently impact 666 lf of watercourse and 0.800 acre of floodway. The project site is located between N. Redwood St and N. Liberty Ave (Masontown, PA USGS topographic quadrangle; Sub-basin 19G) in Masontown Borough, Fayette County. Latitude: 39° 84' 90", Longitude: -79° 91' 20".

**ENVIRONMENTAL ASSESSMENTS**

*Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

Contact: 717-705-4802.

**EA3603223-004. Warwick Township**, 315 Clay Road, Lititz, PA 17543-9019, Warwick Township, **Lancaster County**. U.S. Army Corps of Engineers Baltimore District. Application received: November 1, 2023.

To grade and maintain the streambanks along 2,554 liner feet of Watercourse 1 and 20 linear feet of Watercourse 2 which are both unnamed tributaries to Cocaloke Creek (WWF, MF) including the construction of floodplain benches, (3) plunge pools, 14 log sills, the establishment of native vegetation, and a baseflow channel, all for the purpose stabilizing the actively eroding streambanks. The project also proposes to 1) install and maintain a temporary stream crossing under a General Permit 8 and 2) to install and maintain an agricultural crossing under General Permit 6 coverage. The project is located at 33 Picnic Woods Road in Warwick Township, Lancaster County. No wetlands will be impacted by the project. Latitude: 40.15774621°, Longitude: -76.24755257°.

---

**ACTIONS**


---

**THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT**
**FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS**

The Department of Environmental Protection (DEP) has taken the following actions on previously received applications for new, amended, and renewed National Pollutant Discharge Elimination System (NPDES) and Water Quality Management (WQM) permits, applications for permit waivers, and Notice of Intent (NOIs) for coverage under General Permits, as listed in the following tables. This notice of final action is published in accordance with 25 Pa. Code Chapters 91, 92a, and 102 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). The official file for each listed action can be reviewed at the DEP or delegated County Conservation District (CCD) office identified in the table for the action. DEP/CCD office contact information is listed as follows for Section I and is contained within the table for Section II. Additional information for permits issued under 25 Pa. Code Chapters 91 and 92a and Individual permits under 25 Pa. Code Chapter 102, including links to Individual Chapter 92a NPDES and WQM Permits, may be reviewed by generating the “Final Actions Report” on DEP’s website at [www.dep.pa.gov/CWPublicNotice](http://www.dep.pa.gov/CWPublicNotice).

DEP office contact information to review official files relating to the final actions in Section I is as follows:

*DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES\_SERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SERO@pa.gov for Chapter 102 permits.*

*DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES\_NERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NERO@pa.gov for Chapter 102 permits.*

*DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES\_SCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SCRO@pa.gov for Chapter 102 permits.*

*DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES\_NCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NCRO@pa.gov for Chapter 102 permits.*

*DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES\_SWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SWRO@pa.gov for Chapter 102 permits.*

*DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6078. Email: RA-EPNPDES\_NWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NWRO@pa.gov for Chapter 102 permits.*

*DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES\_Permits@pa.gov.*

*DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.*

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701-704 (relating to Administrative Agency Law).

The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law. For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board. Individuals who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. Important legal rights are at stake, however, so individuals should contact a lawyer at once.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

For actions taken on applications for pipelines that are regulated by the Federal Energy Regulatory Commission (FERC).

Any person aggrieved by this action may challenge it in an appropriate legal forum. The State and Federal courts are currently split on whether the proper forum to challenge a Department permit, authorization or approval for a facility or activity subject to the Federal Natural Gas Act, 15 U.S.C.A. §§ 717 et seq., is the United States Court of Appeals for the Third Circuit or the Pennsylvania Environmental Hearing Board. See *Delaware Riverkeeper Network v. Sec’y, Dep’t of Env’tl. Prot.*, 833 F.3d 360 (3d Cir. 2016); *Delaware Riverkeeper Network v. Sec’y, Dep’t of Env’tl. Prot.*, 903 F.3d 65 (3d Cir. 2018), cert. denied, 139 S. Ct. 1648, 203 L. Ed. 899 (2019) and *Cole v. Dep’t. of Env’tl. Prot.*, 1577 C.D. 2019 WL 2420667

(Pa. Cmwlth Ct. June 15, 2021) (Pet. for Allowance of Appeal pending); *West Rockhill Twp. v. Dep't of Env'tl. Prot.*, No. 1595 C.D. 2019 WL 2426014 (Pa. Cmwlth. June 15, 2021) (Pet. for Allowance of Appeal pending).

**I. Final Action(s) on NPDES and WQM Permit Application(s) and NOIs for Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides, CAFOs and Individual Construction Stormwater.**

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAD040113	Chapter 102 Individual NPDES Permit	Issued	Midland LP 100 Bet Tech Drive Aliquippa, PA 15001-2419	Midland Borough Beaver County	SWRO
PAD100022	Chapter 102 Individual NPDES Permit	Issued	PA DOT Engineering District 10 0 2550 Oakland Avenue Indiana, PA 15701-3388	Buffalo Township and Clinton Township Butler County	NWRO
PAD210104	Chapter 102 Individual NPDES Permit	Issued	South Middleton Township 520 Park Drive Boiling Springs, PA 17007-9506	South Middleton Township Cumberland County	SCRO
PAD390061	Chapter 102 Individual NPDES Permit	Issued	BT Stone Hill LLP 116 Union Avenue Altoona, PA 16602-3246	Lower Macungie Township Lehigh County	NERO
PAD390280	Chapter 102 Individual NPDES Permit	Issued	Trexler Fld Twin Home Project LLC 5930 Hamilton Boulevard Allentown, PA 18106-9654	Upper Milford Township Lehigh County	NERO
PAD510229	Chapter 102 Individual NPDES Permit	Issued	Philadelphia Energy Solutions R & M LLC 3144 W Passyunk Avenue Philadelphia, PA 19145-5208	Philadelphia City Philadelphia County	SERO
PAD570003	Chapter 102 Individual NPDES Permit	Issued	Loyalsock Foundation P.O. Box 194 Laporte, PA 18626-0194	Laporte Borough Sullivan County	NCRO
PA0276651	Industrial Stormwater Individual NPDES Permit	Issued	Nestle USA—Breinigsville District Center 555 Nestle Way Breinigsville, PA 18031-1518	Upper Macungie Township Lehigh County	NERO
PA0276677	Industrial Stormwater Individual NPDES Permit	Issued	Alpha PKG 1995 Highland Avenue Bethlehem, PA 18020-9082	Bethlehem City Northampton County	NERO
0121801	Joint DEP/PFBC Pesticides Permit	Issued	Lake Heritage POA 1000 Heritage Drive Gettysburg, PA 17325-8954	Mount Joy Township Adams County	SCRO
1513854	Joint DEP/PFBC Pesticides Permit	Issued	Knolls of Birmingham HOA 5 Christy Drive P.O. Box 1119 Chadds Ford, PA 19317-9682	Birmingham Township Chester County	SERO
2323801	Joint DEP/PFBC Pesticides Permit	Issued	Ott Michael 7 Tyler Lane Villanova, PA 19085-1407	Radnor Township Delaware County	SERO
4613868	Joint DEP/PFBC Pesticides Permit	Issued	College Settlement Corp 600 Witmer Road Horsham, PA 19044-1832	Horsham Township Montgomery County	SERO
4619805	Joint DEP/PFBC Pesticides Permit	Issued	Sanatoga Commons HOA 128 Main Street Schweksville, PA 19473	Lower Pottsgrove Township Montgomery County	SERO
4620807	Joint DEP/PFBC Pesticides Permit	Issued	Loughridge Patti 3205 W Skippack Pike Worcester, PA 19490	Worcester Township Montgomery County	SERO
4623813	Joint DEP/PFBC Pesticides Permit	Issued	Bet Investments 200 Dryden Road Suite 2000 Dresher, PA 19025-1044	Lower Gwynedd Township Montgomery County	SERO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
5013804	Joint DEP/PFBC Pesticides Permit	Issued	McClure Robert F 694 Creek Road Shermans Dale, PA 17090-8724	Jackson Township Perry County	SCRO
PAI130089	MS4 Individual NPDES Permit	Waived	Elk Township P.O. Box 153 Lewisville, PA 19351	Elk Township Chester County	SERO
PA0021890	Major Sewage Facility >= 1 MGD and < 5 MGD Individual NPDES Permit	Issued	New Holland Borough Water Authority 436 E Main Street New Holland, PA 17557-1404	Earl Township Lancaster County	SCRO
PA0070351	Major Sewage Facility >= 1 MGD and < 5 MGD Individual NPDES Permit	Issued	Amity Township 2004 Weavertown Road Douglassville, PA 19518-8971	Amity Township Berks County	SCRO
PA0025941	Major Sewage Facility >= 5 MGD Individual NPDES Permit	Issued	Canonsburg Houston Joint Authority 68 E Pike Street Canonsburg, PA 15317-1375	Cecil Township Washington County	SWRO
PA0026808	Major Sewage Facility >= 5 MGD Individual NPDES Permit	Issued	Springettsbury Township 1501 Mount Zion Road York, PA 17402-9084	Springettsbury Township York County	SCRO
0605411	Major Sewage Treatment Facility Individual WQM Permit	Issued	Amity Township 2004 Weavertown Road Douglassville, PA 19518-8971	Amity Township Berks County	SCRO
2599420	Major Sewage Treatment Facility Individual WQM Permit	Issued	Edinboro Borough Municipal Authority 124 Meadville Street Edinboro, PA 16412-2502	Edinboro Borough Erie County	NWRO
PA0011371	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Stanley Black & Decker 1000 Stanley Drive New Britain, CT 06053-1675	Reading City Berks County	SCRO
PA0085022	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Conoy Township 211 Falmouth Road Bainbridge, PA 17502-9428	Conoy Township Lancaster County	SCRO
PA0091260	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	P & B Estates LLC 5268 Admiral Peary Highway Ebensburg, PA 15931-4501	Pine Township Indiana County	NWRO
PA0284963	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Union Township 3904 Finleyville Elrama Road Finleyville, PA 15332-3011	Union Township Washington County	SWRO
PA0063100	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Harford Township P.O. Box 1 4514 State Route 547 Harford, PA 18823-0001	Harford Township Susquehanna County	NERO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0085006	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Conoy Township 211 Falmouth Road Bainbridge, PA 17502-9428	Conoy Township Lancaster County	SCRO
3279407	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	P & B Estates LLC 5268 Admiral Peary Highway Ebensburg, PA 15931-4501	Pine Township Indiana County	NWRO
NNOEXNC99	No Exposure Certification	Issued	Pneu Dart Inc. 15223 State Route 87 Williamsport, PA 17701-9532	Plunketts Creek Township Lycoming County	NCRO
NOEXNC116	No Exposure Certification	Issued	Bimbo Bakeries USA 3375 Lycoming Creek Road Williamsport, PA 17701-1035	Old Lycoming Township Lycoming County	NCRO
NOEXSC118	No Exposure Certification	Issued	Reckitt Benckiser Inc. 360 Independence Avenue Mechanicsburg, PA 17055-8306	Upper Allen Township Cumberland County	SCRO
NOEXSE023	No Exposure Certification	Issued	Hillock Anodizing Inc. 5101 Comly Street Philadelphia, PA 19135	Philadelphia City Philadelphia County	SERO
NOEXSE199	No Exposure Certification	Issued	Jowitt & Rodgers Co. 9400 State Road Philadelphia, PA 19114	Philadelphia City Philadelphia County	SERO
NOEXSE363	No Exposure Certification	Issued	Havis Inc. 75 Jacksonville Road Warminster, PA 18974-4803	Warminster Township Bucks County	SERO
PAG030065	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Custom Processing Services 461 State Street East Greenville, PA 18041	East Greenville Borough Montgomery County	SERO
PAG030157	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Waste Management PA Inc. 565 Trestle Place Downingtown, PA 19335-3459	Philadelphia City Philadelphia County	SERO
PAG030211	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Safety Kleen System Inc. 77 Towpath Road Fairless Hills, PA 19030-4300	Falls Township Bucks County	SERO
PAG030253	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Sealed Air Corp 450 Riverfront Drive Reading, PA 19602-2600	Modena Borough Chester County	SERO
PAG030273	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	New Enterprise Stone & Lime Co. Inc. P.O. Box 77 New Enterprise, PA 16664-0077	West Nottingham Township Chester County	SERO
PAG030304	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Republic Environmental System Transportation Group LLC 21 Church Road Hatfield, PA 19440	Hilltown Township Bucks County	SERO
PAG032410	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Westlake Royal Bldg Products LLC 9741 Commerce Circle Kutztown, PA 19530-8579	Weisenberg Township Lehigh County	NERO



## NOTICES

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG033518	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Franklin Storage LP 900 Kriner Road Chambersburg, PA 17202	Guilford Township Franklin County	SCRO
PAG033589	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Conestoga St Development LLC 2200 Adams Avenue Philadelphia, PA 19124-4704	Lancaster City Lancaster County	SCRO
PAG033636	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Conestoga Wood Specialties Corp 245 Reading Road P.O. Box 158 East Earl, PA 17519-9549	East Earl Township Lancaster County	SCRO
PAG033792	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Snyders Lance Inc. d/b/a Campbell's Snacks 1350 York Street Hanover, PA 17331-7949	Penn Township York County	SCRO
PAG033816	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	AJ Auto Salvage 983 W Ridge Road Schellsburg, PA 15559-8347	Napier Township Bedford County	SCRO
PAG033862	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Mifflin County Ind Development Corp 6395 State Route 103 N Building 58 Suite 300 Lewistown, PA 17044-7899	Granville Township Mifflin County	SCRO
PAG033973	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Republic Service Inc. 4400 Mount Pisgah Road York, PA 17406-8240	Manchester Township York County	SCRO
PAG034019	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Bedford Reinforced Plastics Inc. 264 Reynoldsdale Road Bedford, PA 15522-7401	East Saint Clair Township Bedford County	SCRO
PAG034819	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Comfort Bros Inc. 608 Miller Road Sunbury, PA 17801-6049	Rockefeller Township Northumberland County	NCRO
PAG034840	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Blackhawk Specialty Tools LLC 285 Marcellus Drive Muncy, PA 17756-6647	Muncy Borough Lycoming County	NCRO
PAG034896	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Dupont Specialty Products USA LLC 192 Patterson Boulevard Towanda, PA 18848-8208	North Towanda Township Bradford County	NCRO
PAG034956	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	AHF LLC d/b/a AHF Products P.O. Box 405 Beech Creek, PA 16822-0405	Beech Creek Township Clinton County	NCRO
PAG038397	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Earthscape Inc. 190 Canon Road Stoneboro, PA 16153-2022	East Lackawannock Township Mercer County	NWRO
PAG038410	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Ascensus Specialties Callery LLC 1424 Mars Evans City Road Evans City, PA 16033-9360	Forward Township Butler County	NWRO

## NOTICES

191

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG038451	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Ervin Ind Inc. 681 E Butler Road Butler, PA 16002-9127	Summit Township Butler County	NWRO
PAG038481	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Aim Recycling Erie LLC 1431 East Avenue Erie, PA 16503-1570	Erie City Erie County	NWRO
PAG041239	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	May Mandy 479 East Jamestown Road Greenville, PA 16125	Greene Township Mercer County	NWRO
PAG041242	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Elgin Scott 1581 Fleming Road Indiana, PA 15701-7814	Armstrong Township Indiana County	NWRO
PAG041251	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Mineweaser Randon 238 Island Lane Warren, PA 16365-8060	Glade Township Warren County	NWRO
PAG041255	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Snyder Genevieve 1622 Pinoak Road Rimersburg, PA 16248-3106	Madison Township Clarion County	NWRO
PAG041256	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Bree & Josh Wise 9031 Fry Road McKean, PA 16426-1538	McKean Township Erie County	NWRO
PAG043975	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Cheryl Mishler and Gerald Mishler 1040 Manada Bottom Road Harrisburg, PA 17112-8824	East Hanover Township Dauphin County	SCRO
PAG043978	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Whitmer Curtis E 45 Idle Road Marysville, PA 17053	Rye Township Perry County	SCRO
PAG049121	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Gazdak Angela 15500 Route 6 Warren, PA 16365-9670	Pleasant Township Warren County	NWRO
PAG049600	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Andrea and Nathaniel Holland 15303 Ridge Road Meadville, PA 16335-7835	Hayfield Township Crawford County	NWRO
PAG053521	PAG-05 NPDES General Permit for Groundwater Cleanup	Issued	Nittany Oil Co. Inc. 321 N Front Street Philipsburg, PA 16866-2121	Lewistown Borough Mifflin County	SCRO
PAG130183	PAG-13 NPDES General Permit for MS4s	Waived	Richlandtown Borough P.O. Box 455 Richlandtown, PA 18955-1050	Richlandtown Borough Bucks County	SERO
PAG153502	PAG-15 NPDES General Permit for Pesticides	Issued	Lake Heritage POA 1000 Heritage Drive Gettysburg, PA 17325-8954	Mount Joy Township Adams County	SCRO
3623405	Pump Stations Individual WQM Permit	Issued	Sadsbury Township Municipal Authority 7182 White Oak Road Christiana, PA 17509-9528	Sadsbury Township Lancaster County	SCRO

## NOTICES

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
3623406	Pump Stations Individual WQM Permit	Issued	Sadsbury Township Municipal Authority 7182 White Oak Road Christiana, PA 17509-9528	Sadsbury Township Lancaster County	SCRO
3623407	Sewer Extensions Individual WQM Permit	Issued	Quarryville Borough Authority 300 Saint Catherine Street Quarryville, PA 17566-1236	Quarryville Borough Lancaster County	SCRO
5423401	Sewer Extensions Individual WQM Permit	Issued	Blythe Recycling & Demolition Site Holdings Inc. 1786 Salcman Road Waterloo, NY 13165-9444	Blythe Township Schuylkill County	NERO
PA0233021	Single Residence STP Individual NPDES Permit	Issued	Mantz Satchel C 2440 Valley View Road Bellefonte, PA 16823-8830	Benner Township Centre County	NCRO
PA0245569	Single Residence STP Individual NPDES Permit	Issued	John D Stipa and Monica Sanfelice 1310 Kriebel Mill Road Collegetown, PA 19426-1525	Worcester Township Montgomery County	SERO
PA0266787	Single Residence STP Individual NPDES Permit	Issued	McMillen Timothy 176 Smith Road Tyrone, PA 16686-7121	Antis Township Blair County	SCRO
PA0281761	Single Residence STP Individual NPDES Permit	Issued	Darin and Melissa Linebaugh 115 Church Road Lewisberry, PA 17339-9607	Warrington Township York County	SCRO
PA0293075	Single Residence STP Individual NPDES Permit	Issued	Carnahan David S 310 Evans Road Zelienople, PA 16063-3008	Jackson Township Butler County	NWRO
1023407	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Carnahan David S 310 Evans Road Zelienople, PA 16063-3008	Jackson Township Butler County	NWRO
1419402	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Mantz Satchel C 2440 Valley View Road Bellefonte, PA 16823-8830	Benner Township Centre County	NCRO
2523429	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Bree and Josh Wise 9031 Fry Road McKean, PA 16426-1538	McKean Township Erie County	NWRO
4323417	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	May Mandy 479 East Jamestown Road Greenville, PA 16125	Greene Township Mercer County	NWRO
4623405	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	John D Stipa and Monica Sanfelice 1310 Kriebel Mill Road Collegetown, PA 19426-1525	Worcester Township Montgomery County	SERO
6721402	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Darin and Melissa Linebaugh 115 Church Road Lewisberry, PA 17339-9607	Warrington Township York County	SCRO
WQG018328	WQG-01 WQM General Permit	Issued	Gazdak Angela 15500 Route 6 Warren, PA 16365-9670	Pleasant Township Warren County	NWRO
WQG018768	WQG-01 WQM General Permit	Issued	Andrea and Nathaniel Holland 15303 Ridge Road Meadville, PA 16335-7835	Hayfield Township Crawford County	NWRO

---

**II. Final Action(s) on PAG-01 and PAG-02 General NPDES Permit NOIs.**


---

NOTICES

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC230275	PAG-02 General Permit	Issued	VMDT Partnership 1100 1st Avenue Suite 100 King of Prussia, PA 19406-1327	Chadds Ford Township Delaware County	Delaware County Conservation District Rose Tree Park Hunt Club 1521 N. Providence Road Media, PA 19063 484-250-5821 RA-EPNPDES_SERO@ pa.gov
PAC090651	PAG-02 General Permit	Issued	6 East Steel Road, LLC 615 Ford Avenue Hulmeville, PA 19047-5872	Falls Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 484-250-5821 RA-EPNPDES_SERO@ pa.gov
PAC090250	PAG-02 General Permit	Issued	Yardley Preserve, LP 370 E. Maple Avenue Suite 101 Langhorne, PA 19047	Lower Makefield Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 484-250-5821 RA-EPNPDES_SERO@ pa.gov
PAC090648	PAG-02 General Permit	Issued	Development Services, LLC 133 Shasta Road Plymouth Meeting, PA 19462	Richland Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 484-250-5821 RA-EPNPDES_SERO@ pa.gov
PAC090615	PAG-02 General Permit	Issued	Charlie Pughe 612 Prindle Road Charlotte, VT 05445-9193	Warrington Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 484-250-5821 RA-EPNPDES_SERO@ pa.gov
PAC090629	PAG-02 General Permit	Issued	Kevin Stayer 2110 Ashton Drive Jamison, PA 18929	Warwick Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 484-250-5821 RA-EPNPDES_SERO@ pa.gov
PAC400285	PAG-02 General Permit	Issued	Waste Reduction, Recycling & Transfer, Inc. Joseph Valenti 106 Exeter Avenue West Pittston, PA 18643	Hanover Township Luzerne County	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991 RA-EPWW-NERO@ pa.gov

## NOTICES

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC460760	PAG-02 General Permit	Issued	Limerick PF Ltd 1000 1st Avenue Suite 100 King of Prussia, PA 19401-1333	Limerick Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x 10 RA-EPNPDES_SERO@ pa.gov
PAC460825	PAG-02 General Permit	Issued	Jason Morgan 968 Idlewild Road Gladwyne, PA 19035-1438	Lower Merion Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19401-1333 610-489-4506 x 10 RA-EPNPDES_SERO@ pa.gov
PAC460844	PAG-02 General Permit	Issued	DDHR Inc. P.O. Box 12 Harleysville, PA 19438-0012	Skippack Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x 10 RA-EPNPDES_SERO@ pa.gov
PA190002C	PAG-02 General Permit	Issued	PPL Electric Utilities Corp 1639 Church Rd Allentown, PA 18104	Orange Township Columbia County	Columbia County Conservation District 702 Sawmill Rd Ste 204 Bloomsburg, PA 17815 570-784-1310
PAC030052	PAG-02 General Permit	Issued	Emerald City Gymnastics 1200 Orr Avenue Kittanning, PA 16001	East Franklin Township Armstrong County	Armstrong County Conservation District 120 South Grant Avenue Suite 2 Kittanning, PA 16201 724-548-3425
PAC250204	PAG-02 General Permit	Issued	Edinboro Borough 124 Meadville Street Edinboro, PA 16412	Edinboro Borough Erie County	Erie County Conservation District 1927 Wager Road Erie, PA 16509 814-825-6403
PAC250209	PAG-02 General Permit	Issued	Millcreek Township Municipal Authority 3608 West 26th Street Erie, PA 16506	Millcreek Township Erie County	Erie County Conservation District 1927 Wager Road Erie, PA 16509 814-825-6403
PAC630302	PAG-02 General Permit	Issued	PVT 1351, LLC 400 Penn Center Blvd Building 4 Suite 1000 Pittsburgh, PA 15235	East Bethlehem Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098 SWRO
PAC630269A-2	PAG-02 General Permit	Issued	Perryman Company 213 Vandale Drive Houston, PA 15341	Chartiers Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098 SWRO

## NOTICES

195

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC360344	PAG-02 General Permit	Issued	Paul Flood 1800 Herr St. Harrisburg, PA 17125	Strasburg Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361, ext. 5
PAC670638	PAG-02 General Permit	Issued	Beinhower Real Estate LLC 260 Old York Road New Cumberland, PA 17070-3167	Conewago Township York County	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717-840-7430
PAC380289	PAG-02 General Permit	Issued	Kimmer Green, LLC 1737 West Main Street Ephrata, PA 17522	North Lebanon Township Lebanon County	Lebanon County Conservation District 2120 Cornwall Road Lebanon, PA 17042-9788 717-277-5275
PAC380291	PAG-02 General Permit	Issued	1400 Chestnut, LLC 153 Buckwalter Road Lancaster, PA 17602	City of Lebanon Lebanon County	Lebanon County Conservation District 2120 Cornwall Road Lebanon, PA 17402 717-277-5275
PAC380248	PAG-02 General Permit	Issued	Lebanon School District 1000 South 8th Street Lebanon, PA 17042	City of Lebanon Lebanon County	Lebanon County Conservation District 2120 Cornwall Road Lebanon, PA 17402 717-277-5275
PAC360346	PAG-02 General Permit	Issued	Messiah Family Services d/b/a Messiah Lifeways 100 Mount Allen Drive Mechanicsburg, PA 17055	Mount Joy Borough Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717-299-5361, ext. 5
PAC670677	PAG-02 General Permit	Issued	Columbia Gas of PA., Inc. 1600 Colony Road York, PA 17408	West Manchester Township York County	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717-840-7430
PAC670684	PAG-02 General Permit	Issued	Columbia Gas of PA., Inc. 1600 Colony Road York, PA 17408	Springettsbury Township York County	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717-840-7430
PAC650369	PAG-02 General Permit	Issued	Cleaveland Price, Inc. 14000 Route 993 Trafford, PA 15085	North Huntingdon Township Westmoreland County	Westmoreland County Conservation District 218 Donahoe Road Greensburg, PA 15601 724-837-5271 SWRO

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC650367	PAG-02 General Permit	Issued	Columbia Gas of PA 4000 Energy Drive Bridgeville, PA 15017	Rostraver Township Westmoreland County	Westmoreland County Conservation District 218 Donahoe Road Greensburg, PA 15601 724-837-5271 SWRO
PAC650373	PAG-02 General Permit	Issued	Woodgrain, Inc. (BenBilt Division) 123 Benbilt Place Greensburg, PA 15601	Unity Township Westmoreland County	Westmoreland County Conservation District 218 Donahoe Road Greensburg, PA 15601 724-837-5271 SWRO
PAC220415	PAG-02 General Permit	Issued	Merrill Miller 23 Kellocks Run Road Hummelstown, PA 17036	South Hanover Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
PAC220397	PAG-02 General Permit	Issued	McNaughton Properties, LP 4400 Deer Path Road Harrisburg, PA 17110	South Hanover Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
PAC220162	PAG-02 General Permit	Issued	Hummelstown Field & Stream Sporting Association P.O. Box 71 Hummelstown, PA 17036	Derry Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
PAC220404	PAG-02 General Permit	Issued	Hershey Resorts and Entertainment Company 108 Chocolate World Way Hershey, PA 17033	Derry Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
PAC220406	PAG-02 General Permit	Issued	Lower Swatara Township 1499 Spring Garden Drive Middletown, PA 17057	Lower Swatara Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
PAC220416	PAG-02 General Permit	Issued	Hershey Trust Company as Trustee of Milton Hershey School Trust 100 Mansion Road East PA Box 445 Hershey, PA 17033	Derry Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
PAC220419	PAG-02 General Permit	Issued	Melvin Stoltzfus 4434 Shippen Dam Road Elizabethville, PA 17023	Mifflin Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
PAC220407	PAG-02 General Permit	Issued	U&Me 3, LLC 400 Post Avenue Westbury, NY 11590-2289	Halifax Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100

Permit Number	Permit Type	Action Taken	Applicant Name & Address	Municipality, County	Office
PAC220284	PAG-02 General Permit	Issued	Weis Markets, Inc. P.O. Box 471 Sunbury, PA 17801	Lower Paxton Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
PAC220418	PAG-02 General Permit	Issued	Lower Paxton Township Authority 425 Prince Street Harrisburg, PA 17109	Lower Paxton Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100

**PUBLIC WATER SUPPLY PERMITS**

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

**SAFE DRINKING WATER**

**Actions Taken Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).**

*Northcentral Region: Safe Drinking Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Nadera Bellows, Clerical Assistant II, 570-327-0551.*

**Construction Permit No. 5723503**, Major Amendment, Public Water Supply.

Applicant	<b>Red Rock Job Corps</b>
Address	Route 487 North Lopez, PA 18628
Municipality	Colley Township
County	<b>Sullivan County</b>
Consulting Engineer	John G Synoski 2584 Christine Road Hazle Township, PA 18202
Application Received	June 23, 2023
Permit Issued	December 21, 2023
Description	This permit authorizes maintenance of the existing 89,000-gallon glass-fused steel-bolted finished water storage tank.

*Northeast Region: Safe Drinking Water Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Lorrie Fritz, Clerical Assistant 2, 570-830-3048.*

**Operation Permit No. 3390817**, Public Water Supply.

Applicant	<b>Yocco’s, Inc. Yocco’s South Restaurant</b>
Address	16 East Minor Street Emmaus, PA 18049
Municipality	Upper Milford Township
County	<b>Lehigh County</b>
Consulting Engineer	Mr. Thomas G. Pullar, P.E. Senior Project Manager Earthres Group, Inc. P.O. Box 468 Pipersville, PA 18947
Application Received	December 11, 2023
Permit Issued	December 22, 2023
Description	Operations permit for the UV, cartridge filtration and VOC treatment at Yocco’s South Restaurant.

**Operation Permit No. 3540017**, Public Water Supply.

Applicant	<b>Municipal Authority of the Township of Blythe</b>
Address	375 Valley Street New Philadelphia, PA 17959



Municipality Schuylkill Township  
 County **Schuylkill County**  
 Application Received September 12, 2023  
 Permit Issued December 22, 2023  
 Description Consolidated Operations Permit and 1-Log Designation of Treatment Segments for the Moss Glen System.

**Construction/Operation Permit No. 2400076**, Public Water Supply.

Applicant **Veolia Water Pennsylvania, Inc.**  
 Address 6310 Allentown Boulevard Suite 104 Allentown, PA 17112  
 Municipality Dallas Township  
 County **Luzerne County**  
 Consulting Engineer Mr. Peng Chen, P.E. Senior Engineer Veolia Water Pennsylvania, Inc. 6310 Allentown Boulevard Suite 104 Allentown, PA 17112  
 Application Received September 22, 2023  
 Permit Issued December 21, 2023  
 Description Construction and Operations permit for the Bunn Well's submersible pump and VFD replacement project.

*Contact: Ryan Fox, Env. Engineering Specialist, (570) 826-2533.*

**Transfer Permit No. 3480063**, Public Water Supply.

Applicant **Walnutport MHP**  
 Address 901 S. Best Ave. Walnutport, PA 18088  
 Municipality Lehigh Township  
 County **Northampton County**  
 Application Received October 2, 2023  
 Permit Issued December 26, 2023  
 Description Transfer of PWS Permit No. 3480063 to new owner, Carl Becker.

**Emergency Permit No. 2450065EP**, Public Water Supply.

Applicant **Community Utilities of Pennsylvania—Penn Estates**  
 Address 570 Hallet Road East Stroudsburg, PA 18301  
 Municipality Pocono Township Stroud Township  
 County **Monroe County**  
 Consulting Engineer Ewoud Hulstein 570 Hallet Road East Stroudsburg, PA 18301  
 Application Received December 26, 2023

Permit Issued December 27, 2023  
 Description Emergency Bulk Water Hauling permit issued to Comm. Utilities of PA—Penn Estates. Permit valid 12/27/2023 through 01/27/2024.

*Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Joseph Mattucci, Program Manager, 717-705-4931.*

**Operation Permit No. 0123503 MA**, Minor Amendment, Public Water Supply.

Applicant **Arendtsville Borough**  
 Address 1 Chestnut Street Arendtsville, PA 17303  
 Municipality Arendtsville Borough  
 County **Adams County**  
 Consulting Engineer Craig Zack, P.E. 143 Carlisle Street Gettysburg, PA 17325  
 Application Received December 21, 2023  
 Permit Issued December 27, 2023  
 Description This partial operation permit approves the use of temporary facilities and the rehabilitation of the 300,000-gallon water storage tank for the Arendtsville Municipal Authority (PWSID 7010001), because the construction activities approved under Construction Permit 0123503 MA (issued on October 24, 2023) are partially completed. The Department will issue a final operation permit for use of the rehabilitated tank after the disconnection all temporary facilities.

**Transfer Permit No. 7210039**, Public Water Supply.

Applicant **Big Spring MHC LLC**  
 Address 1199 Lancaster Avenue Suite 100 Berwyn, PA 19312  
 Municipality West Pennsboro Township  
 County **Cumberland County**  
 Consulting Engineer Nathan Jameson 1199 Lancaster Avenue Suite 100 Berwyn, PA 19312  
 Application Received December 12, 2023  
 Permit Issued December 29, 2023  
 Description This comprehensive operation permit is for the transfer of ownership of Big Spring Terrace Mobile Home Park (PWSID 7210039) to Big Spring MHC, LLC.

**Operation Permit No. 2123512**, Major Amendment, Public Water Supply.

Applicant **Wesley Hospitality LLC**  
 Address 650 Gettysburg Road  
 Mechanicsburg, PA 17055  
 Municipality Upper Allen Township  
 County **Cumberland County**  
 Consulting Engineer Charles A. Kehew, II, P.E.  
 18 South George Street  
 Suite 300  
 Mechanicsburg, PA 17055  
 Application Received December 7, 2023  
 Permit Issued January 2, 2024  
 Description This comprehensive operation permit approves the use of Econo Lodge water system that includes a well, two (2) pressure tanks, cation exchange treatment, and chlorine disinfection (4-log treatment of viruses).

*Southeast Region: Safe Drinking Water Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Kimberleigh Rivers Clerical Assistant, 484-250-5887.*

**Construction Permit No. 0923509**, Major Amendment, Public Water Supply.

Applicant **Pennsylvania American Water Company**  
 Address 852 Wesley Drive  
 Mechanicsburg, PA 17055-4436  
 Municipality Lower Makefield Township  
 County **Bucks County**  
 Consulting Engineer Gannett Fleming, Inc.  
 207 Senate Avenue  
 Lower Makefield, PA 17011  
 Application Received June 5, 2023  
 Permit Issued December 12, 2023  
 Description The existing water storage tank and booster pump station will be replaced in kind. New pump station will include an additional second pump for redundancy. Booster pump station will include a new control panel and various instruments for the new pumps.

**Construction Permit No. 4623518**, Major Amendment, Public Water Supply.

Applicant **Albertson-Lucerne Dairy**  
 Address 847 Forty Foot Road  
 Hatfield, PA 19440  
 Municipality Hatfield Township  
 County **Montgomery County**  
 Consulting Engineer KMJ, Inc.  
 1036 Woods Lane  
 Ambler, PA 19002  
 Application Received October 11, 2023  
 Permit Issued December 1, 2023

Description Additional 25,000 Gallon water storage and associated piping, installed at the Pine Valley Spring site.

*Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Renee Diehl, Program Manager, ra-epsdsw@pa.gov.*

**NCWSA Construction Permit 5260848. PWSID No. 5260848. Tall Oaks Campground, Inc.,** P.O. Box 97, Chiopyle, PA 15470, Wharton Township, **Fayette County.** Application received: April 14, 2023. Permit Issued: December 20, 2023. Addition of filtration, softening, UV light, and chlorination for Wells No. 2 and No. 3 and the removal of Spring No. 1 as a source.

**Operation Permit 6522513. PWSID No. 5020039. Pennsylvania American Water Company,** 852 Wesley Drive, Mechanicsburg, PA 17055, Peters Township, **Washington County.** Application received: December 15, 2023. Permit Issued: December 22, 2023. New Snowberry Booster Pump Station.

#### SEWAGE FACILITIES ACT PLAN APPROVAL

**Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as Amended, 35 P.S. § 750.5.**

*Northwest Region: Clean Water Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Cynthia Selby, Environmental Group Manager, 814-332-6643.*

#### Plan Location:

Municipality	Address	County
Lafayette Township	7534 Route 59 Lewis Run, PA 16738	McKean County

#### Plan Description:

Droney Road Sewer Extension, M6-22-165. The plan provides for approximately 14,850 LF of new sewer line to serve 32 existing dwellings along Droney and Willoughby Road. A pump station on Droney Road will be required to pump sewage under the East Branch of Tunungwant Creek to the existing interceptor near Big Shanty Road. The extension will be gravity with a few low-pressure connections along Willoughby Road. Approximately 5 properties will require grinder pumps, to be installed on private property by the Authority. The sewer extension will address the 50% confirmed malfunction rate determined in a 2008 sanitary survey for the 24 homes surveyed. The Review of this Planning Module Component 3m has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits of WQM Permits must be obtained in the name of the municipality or authority as appropriate.

#### Plan Location:

Municipality	Address	County
Wampum Borough Wayne Township New Beaver Borough	355 Main Street Wampum, PA 16157	Lawrence County

#### Plan Description:

Wampum Borough Act 537 Special Study, M6-23-132. The Special Study provides for construction of a new

wastewater treatment plant (WWTP) to address the aging existing WWTP and proactively plan for future sewage treatment facilities serving Wampum Brough, parts of New Beaver Borough and Wayne Township. A new SBR WWTP with a capacity increase and reuse of portions of the existing WWTP was selected for implementation. The new plant will be constructed adjacent to the existing plant. The new plant will include an upgrade to pretreatment and installation of a mechanical bar screen, motors and pump speed will be upsized in the existing influent pumps, a UV disinfection system will be constructed, conversion of aeration tanks to aerobic digesters is planned, upgrade of the existing control building is proposed, and plant control and monitoring is proposed. The review of this Special Study has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

### SEWAGE FACILITIES ACT PLAN DISAPPROVAL

#### Plan Disapprovals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as Amended, 35 P.S. § 750.5.

*Northcentral Region: Clean Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Tom Randis, Clean Water Program Manager, 570-327-0530.*

#### Plan Location:

Municipality	Address	County
Beccaria Township	33 Crossroads Blvd Coalport, PA 16627	Clearfield County

#### Plan Description:

Act 537 Sewage Facilities Plan Special Study for Utahville/Route 53/West Rosebud and South Coalport Sanitary Sewer Extensions, APS # 1101357. The Plan evaluated options for extending public sewer service to include the Village of Utahville, West Rosebud, South Coalport/Route 865, and Route 53 between Coalport and Irvona in Beccaria Township. The plan was denied for being administratively incomplete.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 2

#### The Following Plans and Reports Were Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of

the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The Department has received the following plans and reports.

*Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Eric Supey, Environmental Program Manager.*

**Susan Well Pad**, Primary Facility ID # **862684**, 3508 State Route 3003, Laceyville, PA 18623, Auburn Township, **Susquehanna County**. Creston Environmental, P.O. Box 1373, Camp Hill, PA 17001, on behalf of Chesapeake Appalachia, LLC, 14 Chesapeake Lane, Sayre, PA 18847, submitted a Final Report concerning remediation of soil contaminated with production fluid (brine). The Final Report is intended to document remediation of the site to meet the Statewide health standards.

*Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Environmental Cleanup & Brownfields Program Manager, 717-705-4705.*

**Woods Drive Site**, Primary Facility ID # **859282**, 38 Woods Drive, Mechanicsburg, PA 17050, Silver Spring Township, **Cumberland County**. BL Companies, 2601 Market Place, Suite 350, Harrisburg, PA 17110, on behalf of 38 Woods Drive, LLC, 430 North Front Street, Wormleysburg, PA 17043, submitted a combined Remedial Investigation Report/Cleanup Plan/Final Report concerning remediation of soil and groundwater contaminated with Arsenic & Leaded Gasoline Constituents. The combined Remedial Investigation Report/Cleanup Plan/Final Report is intended to document remediation of the site to meet the Site-Specific, Statewide Health, & Background.

*Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Charline Bass, Administrative Assistant, 484-250-5787.*

**Newtown Racquetball**, Primary Facility ID # **871092**, 114 Pheasant Run, Newtown, PA 18940, Newtown Township, **Bucks County**, Richard D. Trimpi, Trimpi Associates, Inc., 1635 Old Plains Road, Pottsville, PA 18873,

on behalf of Brian Herman, Newtown Racquetball Associates, LLC, 120 Pheasant Run, Newtown, PA 18940, submitted a Final Report concerning remediation of soil contaminated with No. 2 fuel oil. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

**200 West State Street**, Primary Facility ID # **853178**, 200 West State Street, Doylestown, PA 18901, Doylestown Borough, **Bucks County**. Shad Manning, REPSG, Inc., 6901 Kingsessing Avenue, Philadelphia, PA 19142, on behalf of Larry Thomson, Kola, LLC, 16 North Franklin Street, Suite 111, Philadelphia, PA 18901, submitted a Final Report concerning remediation of soil contaminated with gasoline and No. 2 fuel oil. The Final Report is intended to document remediation of the site to meet the site-specific standards.

*Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Kam Miseikyte, Clerical Assistant 2, 412-442-4091.*

**Equitrans George L Reade 1 Well Pad**, Primary Facility ID # **862892**, 555 Dishong Mountain Road, Johnstown, PA 15906, Jackson Township, **Cambria County**. SE Technologies, LLC, 500 Mosites Way, Pittsburgh, PA 15205, on behalf of Equitrans LP, 2200 Energy Drive, Canonsburg, PA 15317, submitted a Final Report concerning remediation of soil contaminated with chloride, aluminum, boron, barium, iron, lithium, manganese, selenium, strontium, vanadium, zinc, acetone, xylenes, 2-butanone (MEK), and carbon disulfide. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

**Rush Run Road Incident**, Primary Facility ID # **871294**, Rush Run Road, Sycamore, PA 15364, Center Township, **Greene County**. SE Technologies, LLC, 500 Mosites Way, Pittsburgh, PA 15205, on behalf of EQT Corporation, 625 Liberty Avenue, 17th Floor, Pittsburgh, PA 15222, submitted a Final Report concerning remediation of soil contaminated with chloride. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

**EQT Hoosker Doo Well Pad**, Primary Facility ID # **871530**, 510 Bryan Ridge Road, New Freeport, PA 15352, Aleppo Township, **Greene County**. Moody and Associates, Inc., 1720 Washington Road, Suite 100, Washington, PA 15301, on behalf of EQT Corporation, 625 Liberty Avenue, 17th Floor, Pittsburgh, PA 15222, submitted a Final Report concerning remediation of soil contaminated with aluminum, barium, boron, chloride, iron, lithium, manganese, selenium, strontium, vanadium, and zinc. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

**Diversified Latrobe Brewing # 4 Well Pad**, Primary Facility ID # **871536**, 501 Derry Lane, Blairsville, PA 15717, Derry Township, **Westmoreland County**. Moody and Associates, Inc., 1720 Washington Road, Suite 100, Washington, PA 15301, on behalf of Diversified Production, LLC, 125 Industry Road, # 201, Waynesburg, PA 15370, submitted a Final Report concerning remediation of soil contaminated with aluminum, barium, boron, chloride, iron, lithium, manganese, selenium, strontium, vanadium, and zinc. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

**EQT GH58 Well Pad**, Primary Facility ID # **815156**, 530 Pettit Road, Holbrook, PA 15341, Center Township,

**Greene County**. Penn Environmental & Remediation, 111 Ryan Court, Pittsburgh, PA 15205, on behalf of CNX Gas Company, LLC, 1000 Horizon Vue Energy Drive, Canonsburg, PA 15317, submitted a Final Report concerning remediation of soil contaminated with aluminum, barium, boron, iron, lithium, manganese, selenium, strontium, vanadium, and zinc. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 3

---

**The Department Has Taken Action on the Following Plans and Reports Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).**

---

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following plans and reports.

*Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Chris, 724-598-2206.*

**Trinity Ind Plt 102 N RR Cars MFG**, Primary Facility ID # **731745**, 60 Union Street, Greenville, PA 16125, Greenville Borough, **Mercer County**. WSP USA Inc., 10 Lake Center Drive, Marlton, NJ 08053, on behalf of Trinity Industries Inc., 14221 North Dallas Parkway, Suite 1100, Dallas, TX 75254, submitted a Final Report concerning remediation of groundwater contaminated with tetrachloroethene, trichloroethene and vinyl chloride. The Final Report demonstrated attainment of the Statewide health standards. Approved: December 28, 2023.

*Contact: Lee, 814-332-6127.*

**General Electric Company**, Primary Facility ID # **836670**, 2125 East 12th Street, Erie, PA 16635, City of Erie, **Erie County**. Arcadis US Inc., 50 Fountain Plaza, Buffalo, NY 14202, on behalf of General Electric Company, 3726 North Wayne Avenue, Chicago, IL 60613, submitted a Remediation Investigation Report/Final Report concerning remediation of soil and groundwater contaminated with Statewide health standard in soil for Aroclor 1254, Aroclor 1260, acetone, tetrachloroethene, trichloroethene, 1-biphenyl, 2-methylphthalene, acenaphthene, acenaphthylene, acetophenone, anthracene, benzaldehyde, benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, benzo(g,h,i)perylene, benzo(k)fluoranthene, carbazole, chrysene, dibenzo(a,h)anthracene, dibenzofuran, fluoranthene, fluorene, indeno(1,2,3-cd)pyrene, naphthalene, phenanthrene, phenol, pyrene, arsenic, barium, cadmium, chromium, lead, mercury, selenium, and silver. site-specific standard in groundwater for 2-butanone, acetone, bromodichloromethane, carbon disulfide, trichloroethene, 1,1-biphenyl, 2-methylphthalene, 3-methylphenol, 4 methylphenol, 4-nitrophenol, acenaphthene, acenaphthylene, acetophenone, anthracene, benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, benzo(g,h,i)perylene, benzo(k)fluoranthene, bis(2-ethylhexyl)phthalate, butyl benzyl phthalate, caprolactam, carbazole, chrysene, dibenzo(a,h)anthracene, dibenzofuran, diethyl phthalate, di-n-butyl phthalate, fluoranthene, fluorene, indeno(1,2,3-cd)pyrene, isophorone, naphthalene, phenanthrene, phenol, pyrene, arsenic, barium, cadmium, chromium, lead, mercury, and selenium. The Final Report demonstrated attainment of the Statewide health and site-specific standards. Approved: December 28, 2023.

*Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Environmental Cleanup & Brownfields Program Manager, 717-705-4705.*

**Former McMinn's Asphalt Plant**, Primary Facility ID # **622545**, 1061 Manheim Pike & 1111 McKinley Avenue, Lancaster, PA 17603, City of Lancaster and Manheim Township, **Lancaster County**. Liberty Environmental, Inc., 315 West James Street, Suite 205, Lancaster, PA 17603, on behalf of McKinley Avenue Partners, 120 North Pointe Blvd., Suite 201, Lancaster, PA 17601, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of soil and groundwater contaminated with VOCs and Metals. The Report did not demonstrate attainment of the site-specific standards. Issued a technical deficiency letter: December 22, 2023.

**Kuhn Property**, Primary Facility ID # **850448**, 720-724 North Hanover Street, Carlisle, PA 17013, North Middleton Township, **Cumberland County**. Verdantas LLC, P.O. Box 260, New Brighton, PA 15066, on behalf of REC, LLC, 53 West South Street, Suite 1, Carlisle, PA 17013, submitted a Remediation Investigation Report/Final Report concerning remediation of groundwater contaminated with TCE, Dissolved Lead & Arsenic. The Report demonstrated attainment of the site-specific standards. Approved: December 28, 2023.

*Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Charline Bass, Administrative Assistant, 484-250-5787.*

**Gilbertsville Golf Club**, Primary Facility ID # **859858**, 2944 Lutheran Road, Gilbertsville, PA 19525, New Hanover Township, **Montgomery County**. Richard Lake, Geo-Technology Associates, Inc., 2405 John Fries Highway, Building 3, Quakertown, PA 18951, on behalf of Joan Hodges, Artisan Construction Group, LLC, P.O. Box 689, Devon, PA 19333, submitted a combined Remedial Investigation Report/Cleanup Plan/Final Report concerning remediation of soil and groundwater contaminated with This project attained a residential site-specific standard for arsenic and dieldrin in soil. A residential Statewide health standard was attained for beta-BHC, delta-BHC, endosulfan 1, heptachlor epoxide, p,pp'-DDD, p,pp'-DDE, and chlordane in soil. The Final Report demonstrated attainment of the Statewide health and site-specific standards. Approved: December 18, 2023.

**901 North 9th Street**, Primary Facility ID # **856326**, 901 North 9th Street, Philadelphia, PA 19123, City of Philadelphia, **Philadelphia County**. Stephen D. Brower, PG, Environmental Standards, 1140 Valley Forge Road, P.O. Box 810, Valley Forge, PA 19123, on behalf of Elise Halter, Post Quaker Property Owner, LLC, 1021 North Hancock Street, Suite 1, Philadelphia, PA 19123, submitted a Remedial Investigation Report/Risk Assessment Report/Cleanup Plan concerning remediation of soil contaminated with solvents. The Report did not demonstrate attainment of the site-specific standards. Issued a technical deficiency letter: December 14, 2023.

**723 Wheatland Street**, Primary Facility ID # **832853**, 723 Wheatland Street, Phoenixville, PA 19460, Phoenixville Borough, **Chester County**. Stephan Huxta, PG, Huxta Environmental, 461 Merlin Road, Phoenixville, PA 19460, on behalf of Jon Herzog, CSW Wheatland Associates, Inc., 1300 Virginia Drive, Suite 215, Fort Washington, PA 19034, submitted a Final Report concerning remediation of groundwater contaminated with lead. The Final Report demonstrated attainment of the site-specific standards. Approved: December 14, 2023.

**3111 Grays Ferry Avenue**, Primary Facility ID # **848277**, 3111 Grays Ferry Avenue, Philadelphia, PA 19146, City of Philadelphia, **Philadelphia County**. Craig Herr, Liberty Environmental, Inc., 315 West Street, Suite 205, Lancaster, PA 17603, on behalf of Paul Frank, 3111 Grays Ferry, LLC, 2141 Downyflake Lane, Suite 400, Allentown, PA 18103, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of groundwater contaminated with VOCs, SVOCs and metals. The Report did not demonstrate attainment of the site-specific standards. Issued a technical deficiency letter: December 18, 2023.

**Laurel Manor Apartments**, Primary Facility ID # **862777**, 333 North Avenue, 1250 Providence Road, and

625 South Avenue, Secane, PA 19018, Upper Darby Township, **Delaware County**. Stephanie Clorey, EBI Consulting, 21 B Street, Burlington, MA 01803, on behalf of Ed Hoffman, Laurel Manor Realty LLC, 1500 Avenue of the States, Suite 400, Lakewood, NJ 08701, submitted a Remedial Investigation Report concerning remediation of soil and groundwater contaminated with PCE, TCE and cis-1,2-dichloroethene. The Report did not demonstrate attainment of the site-specific standards. Issued a technical deficiency letter: December 14, 2023.

**1002-1004 Buttonwood Street Site**, Primary Facility ID # **848617**, 1002-1004 Buttonwood Street, Philadelphia, PA 19123, City of Philadelphia, **Philadelphia County**. William Schmidt, Ransom Consulting, LLC, 2127 Hamilton Avenue, Hamilton Township, NJ 08619, on behalf of Matt Wagner, SA Buttonwood LP, 600 Spring Garden Street, Suite 200, Philadelphia, PA 19123, submitted a combined Remedial Investigation Report/Cleanup Plan/Final Report concerning remediation of soil and groundwater. This project attained a nonresidential Statewide health standard for vinyl chloride, trans-1,2-dichloroethylene (trans-1,2-DCE), and cis-1,2-dichloroethylene (cis-1,2-DCE) in soil. It attained a non-residential site-specific standard for tetrachloroethene (PCE) and trichloroethene (TCE) in soil and for PCE, TCE, and cis-1,2-DCE in groundwater. The Final Report demonstrated attainment of the Statewide health and site-specific standards. Approved: December 18, 2023.

**Llanerch Shopping Center**, Primary Facility ID # **843324**, 403 West Chester Pike, Havertown, PA 19083, Haverford Township, **Delaware County**. Jason Hanna, Langan Engineering & Environmental Services, Inc., 1818 Market Street, Suite 3300, Philadelphia, PA 19103, on behalf of Jim Bladel, Llanerch Shopping Center, LP, 1301 Lancaster Avenue, Berwyn, PA 19312, submitted a Remedial Investigation Report/Risk Assessment Report/Cleanup Plan concerning remediation of soil and groundwater contaminated with PAHs, metals and VOCs. The Report demonstrated attainment of the site-specific standards. Approved: December 18, 2023.

*Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Kam Miseikyte, Clerical Assistant 2, 412-442-4091.*

**Diversified Keystone # 12 Well Pad**, Primary Facility ID # **870256**, 1150 Keystone State Park, Derry, PA 15627, Derry Township, **Westmoreland County**. Moody and Associates, Inc., 1720 Washington Road, Suite 100, Washington, PA 15301, on behalf of Diversified Production, LLC, 125 Industry Road, # 201, Waynesburg, PA 15370, submitted a Final Report concerning remediation of soil contaminated with benzene, sec-butylbenzene, tert-butylbenzene, cyclohexane, ethylbenzene, isopropyl benzene (cumene), naphthalene, toluene, trimethylbenzene 1,2,4-, Trimethylbenzene, 1,3,5-, xylenes, acenaphthene, anthracene, benzo(a)anthracene, benzo(a)pyrene, benzo(g,h,i)perylene, biphenyl, chrysene, fluoranthene, fluorene, indeno(1,2,3-cd)pyrene, 2-methylnaphthalene, phenanthrene, and pyrene. The Final Report demonstrated attainment of the Statewide health standards. Approved: December 5, 2023.

**Greylock Stelco Well Pad**, Primary Facility ID # **841678**, 199 Ice Box Road, Jefferson, PA 15344, Jefferson Township, **Greene County**. Moody and Associates, Inc., 1720 Washington Road, Suite 100, Washington, PA 15301, on behalf of Greylock Production, LLC, 500 Corpo-

rate Landing, Charleston, WV 25311, submitted a Final Report concerning remediation of soil and groundwater contaminated with aluminum, barium, boron, chloride, iron, lithium, manganese, selenium, strontium, vanadium, and zinc for soil; aluminum, barium, boron, chloride, lithium, selenium, strontium, vanadium, and zinc for groundwater. The Final Report demonstrated attainment of the Statewide health and background standards. Approved: December 7, 2023.

**Greylock Broadwater Well Pad**, Primary Facility ID # **825341**, 238 Ridge Road, Jefferson, PA 15344, Jefferson Township, **Greene County**. Moody and Associates, Inc., 1720 Washington Road, Suite 100, Washington, PA 15301, on behalf of Greylock Production, LLC, 500 Corporate Landing, Charleston, WV 25311, submitted a Remediation Investigation Report/Final Report concerning remediation of soil and groundwater contaminated with aluminum, barium, boron, chloride, iron, lithium, manganese, selenium, strontium, vanadium, and zinc for soil; aluminum, barium, boron, chloride, lithium, manganese, selenium, strontium, vanadium, and zinc for groundwater. The Final Report demonstrated attainment of the Statewide health and background standards. Approved: December 21, 2023.

**Greylock Skib B Well Pad**, Primary Facility ID # **825346**, 1273 East Roy Furman Highway, Carmichaels, PA 15320, Jefferson Township, **Westmoreland County**. Moody and Associates, Inc., 1720 Washington Road, Suite 100, Washington, PA 15301, on behalf of Greylock Production, LLC, 500 Corporate Landing, Charleston, WV 25311, submitted a Final Report concerning remediation of soil and groundwater contaminated with aluminum, barium, boron, chloride, iron, lithium, manganese, selenium, strontium, vanadium, and zinc for soil; aluminum, barium, boron, chloride, lithium, selenium, strontium, vanadium, and zinc for groundwater. The Final Report demonstrated attainment of the Statewide health and background standards. Approved: December 5, 2023.

**2901/3005 Grand Avenue**, Primary Facility ID # **843273**, 2901/3005 Grand Avenue, Pittsburgh, PA 15225, City of Pittsburgh, **Allegheny County**. KU Resources, Inc., 22 South Linden Street, Duquesne, PA 15110, on behalf of Jarco Services, LLC, 2445 East Southlake Boulevard, Southlake, TX 76092, submitted a Final Report concerning remediation of soil and groundwater contaminated with acetone, benzene, 2-butanone (MEK), carbon disulfide, 1,2-dichlorobenzene, 1,2-dichloroethene, cis-1,2-dichloroethene, carbon tetrachloride, isopropyl benzene (cumene), 4-methyl-2-pentanone (MIBK), 1,1,2,2-tetrachloroethane, toluene, 1,1,1-trichloroethane, trichloroethene, ethylbenzene, 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, xylenes, acenaphthene, acenaphthylene, anthracene, benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, benzo(g,h,i)perylene, benzo(k)fluoranthene, bis(2-ethylhexyl)phthalate, butylbenzylphthalate, chrysene, dibenz(a,h)anthracene, dibenzofuran, di-n-butyl phthalate, di-n-octyl phthalate, fluoranthene, fluorene, indeno(1,2,3-cd)pyrene, naphthalene, phenanthrene, pyrene, 2-methylnaphthalene, pcb-1254, pcb-1260, antimony, arsenic, barium, beryllium, cadmium, chromium, chromium iii, chromium vi, copper, lead, mercury, nickel, and selenium for soil; benzene, chlorobenzene, 1,2-dichlorobenzene, 1,3-dichlorobenzene, 1,4-dichlorobenzene, 1,1-dichloroethene, cis-1,2-dichloroethene, ethylbenzene, isopropyl benzene (cumene), methyltert-butyl ether, methylene chloride, toluene, 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, trichloroethene, ethylbenzene, 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, xylenes, acenaphthene, acenaphthylene, anthra-

cene, benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, benzo(g,h,i)perylene, benzo(k)fluoranthene, chrysene, dibenz(a,h)anthracene, fluoranthene, fluorene, indeno(1,2,3-cd)pyrene, naphthalene, phenanthrene, pyrene, arsenic, barium, beryllium, and cadmium for groundwater. The Final Report demonstrated attainment of the Statewide health and site-specific standards. Approved: December 21, 2023.

## AIR QUALITY

### Actions(s) Taken on General Plan Approval(s) and Operating Permit(s) Usage Authorized Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to Construct, Modify, Reactivate or Operate Air Contamination Sources and Associated Air Cleaning Devices.

*Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**AG5-59-00002C: Repsol Oil & Gas USA, LLC**, 337 Daniel Zenker Drive, Horseheads, NY 14845, Ward Township, **Tioga County**. The Department authorized the continued operation of three (3) 1,380 bhp Caterpillar model G3516B four-stroke ultra-lean-burn natural-gas-fired compressor engines each equipped with an oxidation catalyst, two (2) 2,675 bhp Caterpillar model G3608 four-stroke lean-burn natural-gas-fired compressor engines, each equipped with oxidation catalyst, and one (1) 100 MMscf/day triethylene glycol dehydrator with a 1.5 MMBtu/hr reboiler burner, one (1) 250 bbl (10,500 gal) produced fluids tank, one (1) 250 bbl (10,500 gal) glycol “slop” tank and one (1) 250 bbl (10,500 gal) lube oil tank, one (1) 330-gallon methanol storage tank, and one (1) 670 bhp Caterpillar C15 diesel engine to power a 500 kW emergency generator all pursuant to the General Plan Approval and/or General Operating Permit for Natural Gas Compression Stations, Processing Plants, and Transmission Stations (BAQ-GPA/GP-5) at the DCNR 010 Compressor Station. Application received: December 7, 2022. Renewed: December 21, 2023. New expiration date: December 20, 2028.

**GP4-19-193A: K-Fab, Inc.**, 1408 Vine Street, Berwick, PA 18603, Briar Creek Township, **Columbia County**. The Department authorized the construction and operation of 0.45 million Btu per hour, Pollution Control Products Company, Controlled Pyrolysis model PRC 390 4464 natural gas-fired burn off oven pursuant to the General Plan Approval and/or General Operating Permit BAQ-GPA/GP-4: Burn off Ovens at the Dickson Street facility. Application received: December 13, 2023. Authorized: December 27, 2023. Expiration date: December 26, 2028.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Shailesh Patel, P.E., Environmental Group Manager.*

**GP9-35-034: Keystone Sanitary Landfill, Inc.**, 249 Dunham Drive, Dunmore, PA 18512, Dunmore Borough and Throop Borough, **Lackawanna County**. Installation of IC engines. Application received: December 26, 2023. Issued: December 27, 2023.

**GP3-35-035: Keystone Sanitary Landfill, Inc.**, 249 Dunham Drive, Dunmore, PA 18512, Dunmore Borough and Throop Borough, **Lackawanna County**. Installation

of a portable crushing operation with watersprays. Application received: December 26, 2023. Issued: December 27, 2023.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: David Balog, P.E., New Source Review Section Chief, 814-332-6328.*

**GP1-37-00144D: Jameson Health Sys—UPMC Jameson North Campus**, 1211 Wilmington Ave, New Castle, PA 16105, City of New Castle, **Lawrence County**. Issued a GP-1 renewal for 2 existing North American natural gas fired boilers and one Unilux natural gas fired boiler. Application received: September 28, 2023. Issued: December 13, 2023.

**GP13-32-00311B: Lindy Paving Inc—Homer City Plant**, 1981 Route 119 South, Homer City, PA 15748, Center Township, **Indiana County**. Issued a GP-13 renewal for an existing 240 tons/hr rated Hot Mix Asphalt Plant, with rotary dryer, controlled by a baghouse rated at 52,000 acfm. Application received: July 27, 2023. Issued: November 2, 2023.

**GP3-37-00373B: Amerikohl Aggregates, Inc.—Welsh Quarry**, 1508 Jockey Moore Road, Ellwood City, PA 16117, Wayne Township, **Lawrence County**. Issued a GP-3 to allow additional sources to be installed at the existing Nonmetallic Mineral Processing Plant, including new crushers, screens, conveyors. Application received: May 10, 2023. Issued: September 28, 2023.

**GP9-37-00373A: Amerikohl Aggregates, Inc.—Welsh Quarry**, 1508 Jockey Moore Road, Ellwood City, PA 16117, Wayne Township, **Lawrence County**. Issued a GP-9 to authorize a new CAT 3512 diesel generator, with an annual operating hours restriction of 740 hours. This generator will power equipment authorized under GP3-37-00373B. Application received: August 30, 2023. Issued: September 20, 2023.

**AG5-03-00002C (GP5-03-00264D): Snyder Brothers Inc.—Ambrose Compressor Station**, 349 Adrian Road, Adrian, PA 16210, East Franklin Township, **Armstrong County**. Issued a GP-5 to authorize new equipment, and reauthorize existing equipment, at this existing compressor station. This will be a 5-year permit. Due to an increase in natural gas throughput to dehydrators 402 and 404, the company is adding a new enclosed flare to better control emissions from these sources. Application received: June 15, 2023. Issued: September 28, 2023.

**AG5-32-00012A(GP5-32-00386E): Diversified Production, LLC—Malone Compressor Station**, West Penn Trail, Saltsburg, PA 15681, Conemaugh Township, **Indiana County**. Issued a GP-5 renewal to reauthorize existing sources. However, a new control device for the Source 101 Waukesha engine will be installed due to an engine swap that was discovered since the last permit issuance. The new swapped engine did not comply with the most current BAT requirements. The control device will be a non-selective catalytic reduction system and will be installed in accordance with a Consent Order and Agreement with the Southwest Regional DEP Office that is ongoing. The new control device will cause the engine to comply with the current BAT requirements for natural gas-fired compressor engines. Expiration date will be Sept 30, 2028. Application received: May 5, 2023. Issued: October 4, 2023.

**AG5-43-00001B (GP5-43-00375D): Hilcorp Energy Co—Jefferson Montgomery Compressor Stn**, Steister Road, Jefferson Township, PA 16137, Jefferson Township,

**Mercer County.** Issued a GP-5 renewal to reauthorize existing equipment at the compressor station. The onsite dehydrator, installed in 2020, is voluntarily controlled by an open flare. Use of this flare was determined to not violate the terms of the GP-5. Expiration date is September 30, 2028. Application received: May 1, 2023. Issued: October 24, 2023.

**AG5-61-00004A(GP5-61-00195E): OWS Energy, LLC—Haslett Compressor Station,** Bethel Church Road, Cooperstown, PA 16317, Jackson Township, **Venango County.** Issued a GP-5 permit, that authorizes the correct equipment at the Haslett Compressor Station. The Department learned through field investigations that previous permits did not accurately reflect the actual onsite equipment. This GP-5 will supersede all previous permits and be the controlling permit for the site. This permit will expire November 30, 2028. Application received: September 15, 2023. Issued: December 5, 2023.

**AG5-03-00006B (GP5-03-00230D): Peoples Natural Gas Company, LLC—Belknap Compressor Station,** TR 774 (Near Belknap Village), Dayton, PA 16222, Wayne Township, **Armstrong County.** Issued a GP-5 renewal for the Belknap Compressor Station. There were no changes in equipment since the last GP-5 permit. All existing equipment is therefore reauthorized. Expiration date is November 30, 2028. Application received: November 3, 2023. Issued: December 15, 2023.

**AG5-32-00001C(GP5-32-00319F): D&B Gas Production, LLC—Clawson Compressor Station,** Hill Road, Blairsville, PA 15717-1225, Blacklick Township, **Indiana County.** Issued a new GP-5 permit for the Clawson Compressor Station, that compresses natural gas of coal bed methane wells. This GP-5 authorizes one new 145 hp natural gas fired engine with 3-way catalyst, a condensate storage tank, and various fugitive site emissions. Expiration Date is November 30, 2028. Application received: November 6, 2023. Issued: December 21, 2023.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.*

**GP5-30-00223E/AG5-30-00023C: EQM Gathering Opco, LLC,** 2200 Energy Drive, Canonsburg, PA 15317, Gilmore Township, **Greene County.** Cygrymus Compressor Station authorized for use to EQM Gathering Opco, LLC on December 28, 2023, to continue the operation of existing: one natural gas-fired G3606 Caterpillar engines each rated at 1,775 bhp controlled by oxidation catalysts, one (1) natural gas-fired, an emergency generator rated at 304 bhp equipped with oxidation catalyst, one (1) dehydrator rated at 150 MMscfd controlled by a flare rated at 12 MMBtu/hr, two (2) storage tanks 8,820-gallon each, and three (3) miscellaneous storage tanks for waste oil and glycol, truck loading, two (2) turbines rated at 11,016 hp, four (4) Microturbine rated at 268.2 hp, two (2) Dryseal Centrifugal Compressors, fugitive components, and pigging operations at their existing Cygrymus Compressor Station located in Gilmore Township, Greene County. Application received: November 7, 2023. Authorized: December 2, 2023.

---

**Actions(s) Taken on Plan Approval(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and Regulations in 25 Pa. Code Chapter 127, Subchapter B Relating to Construction, Modification and Reactivation of Air Contamination Sources and Associated Air Cleaning Devices.**

---

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: David Balog, P.E., New Source Review Section Chief, 814-332-6328.*

**25-00383B: Erie Hard Chrome, Inc.,** 1570 E 12th Street, Erie, PA 16511, City of Erie, **Erie County.** Issued a plan approval to Erie Hard Chrome, Inc. to provide authorization for the construction and initial operation of replacement plating processes and control devices. This project aims to reduce emissions and replace equipment with equipment constructed from more chemically resistant material. Chrome electroplating tanks, ducting, new chrome wet media filtration control devices, and the electroless nickel scrubber will all be replaced. This will be a natural minor facility upon completion of the project. Application received: November 14, 2022. Issued: December 19, 2023.

*Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.*

**67-05006B: York County Solid Waste & Refuse Authority,** 2700 Black Bridge Road, York, PA 17406-7901, Manchester Township, **York County.** For the installation of SNCR for NO<sub>x</sub> control on each of three (3) municipal waste combustors (MWC), and the incorporation of RACT 3 requirements for the MWCs, at the York County Resource Recovery Center. Application received: August 1, 2023. Issued: December 27, 2023.

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: James Beach, New Source Review Chief, 484-250-5920.*

**23-0004B: Covanta Delaware Valley Chester City Facility,** 10 Highland Ave, Chester, PA 19013-2231, City of Chester, **Delaware County.** This plan approval is for the installation of one (1) unit of aqueous ammonia Selective Non-Catalytic Reduction (SNCR) system on each of the municipal waste combustors [a total of six (6) units of the SNCR systems] at their waste-to-energy plant to meet the Presumptive RACT III Requirements for nitrogen oxide (NO<sub>x</sub>) emissions for Municipal Waste Incinerators in accordance with 25 Pa. Code § 129.112(f). Application received: December 20, 2022. Issued: December 27, 2023.

**23-0003AF: Monroe Energy, LLC/Trainer Refinery,** 4101 Post Rd, Trainer, PA 19061-5052, Trainer Borough, **Delaware County.** This action is for the extension of a Plan Approval to replace the reactor of the existing Fluid Catalytic Cracking Unit. Application received: December 15, 2023. Issued: December 27, 2023.

**23-0003Z: Monroe Energy, LLC/Trainer Refinery,** 4101 Post Rd, Trainer, PA 19061-5052, Trainer Borough, **Delaware County.** This action is for the extension of a Plan Approval for the construction of 3 new cooling towers at the Refinery. Application received: December 15, 2023. Issued: December 27, 2023.

---

**Plan Approval Revision(s) Issued Including Extension(s), Minor Modification(s) and Transfer(s) of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.**

---



*Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**GPA9-49-327J: Herndon Reload**, 386 Pennsylvania Avenue, Herndon, PA 17830, Herndon Borough, **Northumberland County**. The Department authorized the construction and temporary operation of a 470 bhp Cummins model QSM11-G4 diesel-fired engine pursuant to the General Plan Approval and/or General Operating Permit for Diesel or No. 2 fuel-fired Internal Combustion Engines (BAQ-GPA/GP-9) at the Herndon Reload facility. Application received: November 29, 2023. Authorized: December 21, 2023. Expiration date: December 20, 2028.

**49-00064A: Milton Regional Sewer Authority**, 5585 State Route 405, Milton, PA 17847, Milton Borough, **Northumberland County**. The Department extended to extend the plan approval expiration date to June 29, 2024, to allow continued temporary operation of sources at the wastewater treatment facility. Application received: November 22, 2023. Revised: December 21, 2023. New expiration date: June 29, 2024.

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**18-00030C: First Quality Tissue, LLC**, 904 Woods Ave, Lock Haven, PA 17745, Castanea Township, **Clinton County**. To extend the authorization to operate the sources pursuant to the plan approval from December 25, 2023 to June 22, 2024, at their Lock Haven Plant. The plan approval has been extended. Application received: December 11, 2023. Revised: December 20, 2023.

**18-00030D: First Quality Tissue, LLC**, 904 Woods Ave, Lock Haven, PA 17745, Castanea Township, **Clinton County**. To extend the authorization to operate the sources pursuant to the plan approval from December 25, 2023 to June 22, 2024, at their Lock Haven Plant. The plan approval has been extended. Application received: December 11, 2023. Revised: December 20, 2023.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.*

**67-05007E: Adhesives Research, Inc.**, 400 Seaks Run Road, Glen Rock, PA 17327, Springfield Township, **York County**. For installation of two new chemical reactors at the adhesive coating manufacturing facility. The new reactor tanks will produce a new polymer that will be either applied at two coating lines at the facility or sent to another facility for application. The plan approval was extended. Application received: December 19, 2023. Issued: December 27, 2023.

**34-05002A: Texas Eastern Transmission, LP**, 5400 Westheimer Court, Houston, TX 77056, Lack Township, **Juniata County**. For an engine project at the Perulack Compressor Station. The Plan Approval authorizes the following items: 1.) Retrofit the existing natural gas-fired Cooper Bessemer GMVA-8 engine (Source 031), as clean burn spark ignition engine (SI RICE), without increasing

its rated 1,100 hp, 2.) Install Control ID C031, Oxygen Catalyst on Source 031. The plan approval was extended. Application received: December 11, 2023. Issued: December 28, 2023.

*Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.*

**06-05081C: Delaware County Solid Waste Authority**, 583 Longview Road, Boyertown, PA 17604, Earl Township, **Berks County**. For the construction of a lateral expansion to the Rolling Hills Landfill. The plan approval was extended. Application received: December 20, 2023. Issued: December 21, 2023.

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.*

**46-0296A: Amazon**, 2455 Boulevard of the Generals, Norristown, PA 19043-3661, West Norriton Township, **Montgomery County**. A plan approval modification for the expansion of apparel printing operations at the Norristown Facility. The proposed project consists of installing eight (8) new Kornit Atlas digital apparel printers (total: 56 printers), four (4) additional M&R Sprint 3000D dryers and replacing the existing M&R 3000 dryers with new M&R Sprint 3000D dryers (total: 20 dryers). The proposed modification will result in de minimis increases in the total annual emissions from the facility for volatile organic compounds (VOCs) (+1.82 tons), nitrogen oxides (NO<sub>x</sub>) (+0.69 ton) and hazardous air pollutants (+1.38 tons). The current plan approval expires on January 3, 2024 and will be extended upon issuance of the modified plan approval. Application received: October 24, 2023. Issued: January 1, 2024.

---

**Operating Permit(s) for Non-Title V Facilities Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.**

---

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Norman Frederick, Facility Permitting Chief, 570-826-2409.*

**40-00050: Pioneer Aggregates, Inc.**, 220 S River Street, Plains, PA 18705, Dennison Township, **Luzerne County**. The Department has issued a renewal State-Only (Natural Minor) Operating Permit for their jaw and cone crushers. This permit also includes sources such as water sprays as control device. The Operating Permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, record-keeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: September 19, 2023. Accepted: September 19, 2023. Issued: December 22, 2023.

**39-00110: Silgan Containers Manufacturing Corporation**, 8201 Industrial Blvd, Breinigsville, PA 18031, Upper Macungie Township, **Lehigh County**. The Department has issued an initial State-Only (Natural Minor) Operating Permit for the Upper Macungie Township plant. Sources at this facility include food can assembly lines with ovens, draw redraw can assembly lines, and video jet printers. Filter boxes are used as control devices. The Operating Permit contains all applicable require-

ments for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: October 19, 2023. Accepted: October 19, 2023. Issued: January 2, 2024.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.*

**43-00010: Jamestown Paint Co.**, 108 Main St., Jamestown, PA 16134-8510, Jamestown Borough, **Mercer County**. The Department issued the renewal State Only Natural Minor Operating Permit for the coatings manufacturing facility. The facility's primary emission sources include two (2) natural gas-fired boilers, eighteen (18) storage tanks, fourteen (14) mills, twenty-eight (28) stationary mixing tanks, and forty (40) portable mixing tanks. The potential emissions of the primary pollutants from the facility are 21.39 TPY VOC, 18.39 TPY total HAP, and the rest of the primary pollutants less than one (1) TPY; thus, the facility is a natural minor. The facility is subject to 40 CFR 63 Subpart CCCCCC (7C), NESHAP for Paint and Allied Products Manufacturing (Area Sources of HAP). The renewal permit contains emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act. Application received: October 31, 2022. Renewal issued: December 26, 2023.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Thomas Joseph, P.E., Facilities Permitting Chief, 412-442-4336.*

**26-00597: Bullskin Stone and Lime Company, LLC**, 986 Pleasant Valley Rd., Mt. Pleasant, PA 15666, Bullskin Township, **Fayette County**. The Department issued a renewal synthetic minor State Only Operating Permit for a non-metallic mineral processing plant. The Operating Permit includes conditions relating to applicable emission restrictions, testing, monitoring, recordkeeping, reporting, and work practice standards requirements at the facility located in Bullskin Township, Fayette County. Application received: February 16, 2023. Issued: December 28, 2023.

**Operating Permit(s) Denied, Terminated, Suspended or Revoked Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.431 and 127.461.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.*

**09-00134: Harsco Minerals**, 905 Steel Rd S, Fairless Hills, PA 19030, Falls Township, **Bucks County**. Natural Minor Operating Permit No. 09-00134 was issued for a slag processing plant (Source 101). Upon request from Harsco Minerals, Natural Minor Operating Permit No. 09-00134 was revoked because the slag processing plant has been permanently shut down. This request is supported by an inspection performed by DEP on November 21, 2023. Application received: November 27, 2023. Issued: January 1, 2024.

## ACTIONS ON COAL AND NONCOAL APPLICATIONS

**Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21).** The final action on each application also constitutes action on the National Pollutant Discharge Elimination System (NPDES) permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1103). Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

### Coal Permits

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.*

*Contact: Melanie Ford-Wigfield, 814-472-1900, ra-epcambria@pa.gov.*

**Mining Permit No. 11190101. Amerikohl Mining, Inc.**, 202 Sunset Drive, Butler, PA 16001, Washington Township, **Cambria County**. Renewal for reclamation only of a bituminous surface mine affecting 161 acres. Receiving streams: unnamed tributaries to Little Cone-maugh River, unnamed tributaries to Bear Rock Run and unnamed tributaries to Bear Creek, classified for the following use: CWF. Application received: November 2, 2023. Renewal issued: December 26, 2023.

### ACTIONS ON BLASTING ACTIVITY APPLICATIONS

**Action(s) Taken on Application(s) Under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting Activity Performed as Part of a Coal or Noncoal Mining Activity will be Regulated by the Mining Permit for that Coal or Noncoal Mining Activity.**

### Blasting Permits

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

*Contact: RA-EPPottsvilleDMO@pa.gov.*

**Permit No. 40234117. Hayduk Enterprises, Inc.**, 257 Riverside Drive, Factoryville, PA 18419, Bear Creek Township, **Luzerne County**. Construction blasting for Mark Popple utilities and road cut. Application received: December 13, 2023. Permit issued: December 21, 2023. Expiration date: March 30, 2024.

## FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (DEP) has taken the following actions on previously received

permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, DEP has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Individuals aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board 717-787-3483 for more information.

#### WATER OBSTRUCTIONS AND ENCROACHMENTS

##### **Action(s) Taken on Application(s) for the Following Activities Filed Under The Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and the Clean Streams Law and Notice of Final Action for Certification Under Section 401 of the FWPCA.**

*Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.*

*Contact: RA-EPEASTERNOGPRG@pa.gov.*

**E0829223-009. Chesapeake Appalachia LLC**, 14 Chesapeake Lane, Sayre, PA 18840, Albany Township and Terry Township, **Bradford County**. U.S. Army Corps of Engineers Baltimore District.

Application received: October 24, 2023. Issued: December 28, 2023.

To construct, operate and maintain:

1. a 16-inch diameter temporary waterline and a timber mat bridge impacting 1,178 square feet of a Palustrine Emergent Wetland, 54 linear feet (1,336 square feet) of an unnamed tributary to Sugar Run (CWF,MF) and 7,811

square feet of floodway impacts (Monroeton, PA Quadrangle, Latitude: 41.646656°, Longitude: -76.602749°);

2. a 16-inch diameter temporary waterline and a timber mat bridge impacting 828 square feet of a Palustrine Emergent Wetland (Monroeton, PA Quadrangle, Latitude: 41.645457°, Longitude: -76.388896°);

3. a 16-inch diameter temporary waterline impacting 47 square feet of a Palustrine Emergent Wetland (Monroeton, PA Quadrangle, Latitude: 41.645683°, Longitude: -76.387272°);

4. a 16-inch diameter temporary waterline and a timber mat bridge impacting 10,505 square feet of a Palustrine Emergent Wetland and 380 square feet of a Palustrine Scrub-Shrub Wetland (Monroeton, PA Quadrangle, Latitude: 41.647911°, Longitude: -76.382017°);

5. a 16-inch diameter temporary waterline and a timber mat bridge impacting 627 square feet of a Palustrine Emergent Wetland and 125 square feet of a Palustrine Scrub-Shrub Wetland (Monroeton, PA Quadrangle, Latitude: 41.648246°, Longitude: -76.381084°);

6. a 16-inch diameter temporary waterline and a timber mat bridge impacting 20 linear feet (369 square feet) of an unnamed tributary to Sugar Run (CWF, MF), 290 square feet of floodway impacts, 7 square feet of Palustrine Emergent Wetland and 301 square feet of Palustrine Scrub-Shrub Wetland (Monroeton, PA Quadrangle, Latitude: 41.648409°, Longitude: -76.380652°);

7. a 16-inch diameter temporary waterline and a timber mat bridge impacting 20 linear feet (473 square feet) of an unnamed tributary to Sugar Run (CWF, MF), 4,192 square feet of floodway impacts, 366 square feet of Palustrine Emergent Wetland and 172 square feet of Palustrine Scrub-Shrub Wetland (Monroeton, PA Quadrangle, Latitude: 41.648557°, Longitude: -76.380272°);

8. a 16-inch diameter temporary waterline and a timber mat bridge impacting 20 linear feet (144 square feet) of an unnamed tributary to Sugar Run (CWF, MF), 2,740 square feet of floodway impacts, 1,661 square feet of Palustrine Emergent Wetland and 99 square feet of Palustrine Scrub-Shrub Wetland (Monroeton, PA Quadrangle, Latitude: 41.648881°, Longitude: -76.379412°);

9. a 16-inch diameter temporary waterline and a timber mat bridge impacting 20 linear feet (205 square feet) of an unnamed tributary to Sugar Run (CWF, MF), 2,221 square feet of floodway impacts, and 1,006 square feet of Palustrine Emergent Wetland (Monroeton, PA Quadrangle, Latitude: 41.646663°, Longitude: -76.375384°);

10. a 16-inch diameter temporary waterline and a timber mat bridge impacting 718 square feet of a Palustrine Emergent Wetland (Wyalusing, PA Quadrangle, Latitude: 41.637496°, Longitude: -76.373099°);

11. a 16-inch diameter temporary waterline and a timber mat bridge impacting 379 square feet of a Palustrine Emergent Wetland (Wyalusing, PA Quadrangle, Latitude: 41.637336°, Longitude: -76.372710°);

12. a 16-inch diameter temporary waterline and a timber mat bridge impacting 501 square feet of a Palustrine Emergent Wetland (Wyalusing, PA Quadrangle, Latitude: 41.633946°, Longitude: -76.366626°);

13. a 16-inch diameter temporary waterline and a timber mat bridge impacting 579 square feet of a Palustrine Emergent Wetland (Wyalusing, PA Quadrangle, Latitude: 41.628252°, Longitude: -76.359430°);

14. a 16-inch diameter temporary waterline and a timber mat bridge impacting 303 square feet of a

Palustrine Emergent Wetland (Wyalusing, PA Quadrangle, Latitude: 41.628236°, Longitude: -76.358987°);

15. a 16-inch diameter temporary waterline and a timber mat bridge impacting 2,757 square feet of a Palustrine Emergent Wetland (Wyalusing, PA Quadrangle, Latitude: 41.628227°, Longitude: -76.358287°);

16. a 16-inch diameter temporary waterline and a timber mat bridge impacting 2 linear feet (2 square feet) of an unnamed tributary to Sugar Run (CWF, MF), 330 square feet of floodway impacts, 1,369 square feet of Palustrine Emergent Wetland and 36 square feet of Palustrine Forested Wetland (Wyalusing, PA Quadrangle, Latitude: 41.628051°, Longitude: -76.357027°);

17. a 16-inch diameter temporary waterline and a timber mat bridge impacting 20 linear feet (256 square feet) of an unnamed tributary to Sugar Run (CWF, MF), 2,299 square feet of floodway impacts, and 256 square feet of Palustrine Emergent Wetland and 36 square feet of Palustrine Forested Wetland (Wyalusing, PA Quadrangle, Latitude: 41.628495°, Longitude: -76.351052°);

18. a 16-inch diameter temporary waterline and a timber mat bridge impacting 911 square feet of a Palustrine Emergent Wetland (Wyalusing, PA Quadrangle, Latitude: 41.630253°, Longitude: -76.353229°);

19. a 16-inch diameter temporary waterline and a timber mat bridge impacting 997 square feet of a Palustrine Emergent Wetland (Wyalusing, PA Quadrangle, Latitude: 41.635742°, Longitude: -76.353939°).

The project will result in 156 linear feet (2,785 square feet) of temporary stream impacts, 19,883 square feet (0.456 acre) of temporary floodway impacts, 24,995 square feet (0.574 acre) of temporary PEM wetland impacts, 1,077 square feet (0.025 acre) of temporary PSS wetland impacts and 36 square feet (0.001 acre) of temporary PFO wetland impacts, all for the purpose of establishing a temporary water supply for Marcellus well development in Albany and Terry Township, Bradford County.

*Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Michele Lauer, Clerical Assistant 2, 570-830-3077.*

**E4002222-017. Wyoming Valley Sanitary Authority**, P.O. Box 33A, Hanover, PA 18706-1333, Plains Township, **Luzerne County**. U.S. Army Corps of Engineers Baltimore District.

To construct and maintain the following water obstructions and encroachments associated with the 2,100-LF Mill Creek/Gardner Creek Stream Restoration Project: 1) A channel change within a 500-LF section of Mill Creek (CWF, MF) consisting of the regrading of the stream banks to maintain a 2.5:1 side slope, the removal of legacy sediment, the widening of the floodplain, and the installation of J-hooks and boulder revetments. 2) A channel change within a 300-LF section of Gardner Creek (CWF, MF) consisting of the regrading of the banks, removal of legacy sediment, widening of the floodplain, and the installation of J-hooks and boulder revetments. 3) A channel change within a 1,300-LF section of Mill Creek (CWF, MF) consisting of the regrading of the stream banks to maintain a 2.5:1 side slope, the re-establishment of the natural high flow channel, soil lifts, the creation of a pool/riffle system, and the installation of

J-hooks and boulder revetments. 4) A stormwater outfall within Mill Creek (CWF, MF) consisting of an 18-inch diameter corrugated plastic pipe and R-5 riprap apron. This project will result in a total net cut of 14,148 yd<sup>3</sup> within Mill Creek, Gardner Creek, and their floodways. The project begins approximately 700-feet upstream of the confluence of Mill Creek and Gardner Creek and ends approximately 1,300-feet downstream of the confluence (Pittston, PA Quadrangle Latitude: 41° 16' 32.16"; Longitude: -75° 49' 4.15") in Plains Township, Luzerne County. Latitude: 41° 16' 32.16", Longitude: -75° 49' 4.15". Application received: December 22, 2022. Issued: December 21, 2023.

*Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: RA-EPWW-NWRO@pa.gov.*

**E4306223-002. Combined Systems, Inc.**, 388 Kinsman Road, Jamestown, PA 16134, Greene Township, **Mercer County**. U.S. Army Corps of Engineers Pittsburgh District.

Operate and maintain one existing 25-foot long, 36-inch culvert that crosses an unnamed tributary to Sugar Creek, one existing 20-foot long, 48-inch culvert that crosses Sugar Creek, and one existing 10-foot long by 38-foot wide rock riprap ford that crosses an unnamed tributary to Sugar Creek at the existing Combined Systems, Inc. facility at 388 Kinsman Road, Jamestown, PA. Latitude: 41.47403°, Longitude: -80.48064°. Application received: June 20, 2023. Issued: December 22, 2023.

#### ENVIRONMENTAL ASSESSMENTS

*Central Office: Waterways & Wetlands Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-783-5784.*

*Contact: Niamh Hays, Water Program Specialist, 717-772-5959.*

**EA2815223-001. First Pennsylvania Resource, LLC**, 317 East Carson Street, Suite 242, Pittsburgh, PA 15219, Antrim Township, **Franklin County**. U.S. Army Corps of Engineers Baltimore District.

The Division of Wetlands, Encroachments, and Training has approved the restoration plan to remove approximately 6,800 cubic yards of legacy sediment and other historic fills from the floodplain along unnamed tributaries to Conococheague Creek (WWF-MF), for the purpose of restoring natural aquatic resources including approximately 1.8 acres of integrated wetland, stream, and floodplain areas; to realign approximately 1,900 linear feet of stream for the purpose of restoring watercourses; to place rock stream and valley grade control structures; to place log sills, woody debris, and other aquatic habitat structures within the restoration areas; to construct rock construction entrances, temporary stream crossings, and other erosion controls during restoration activities. Additional features of the overall restoration plan include the construction of two agricultural crossings. The restoration project is located south of West Buchanan Trail, beginning West of South Antrim Way and ending East of Grant Shook Road in Greencastle, PA. Latitude: 39.790006°, Longitude: -77.738786°. Application received: May 25, 2023. Approved: November 16, 2023.

**EA3615222-002. Warwick Township**, 315 Clay Road, P.O. Box 308, Lititz, PA 17543, Warwick Township, **Lancaster County**. U.S. Army Corps of Engineers Baltimore District.

The Division of Wetlands, Encroachments, and Training has approved the restoration plan to remove approximately 21,670 cubic yards of legacy sediment and other historic fills from the floodplain along Santo Domingo Creek (CWF-MF), for the purpose of restoring natural aquatic resources including approximately 9.2 acres of integrated stream and floodplain area; to realign approximately 2,350 linear feet of stream for the purpose of restoring watercourses. Additional restoration activities proposed include: to place rock stream and valley grade control structures; to place log sills, woody debris, and other aquatic habitat structures within the restoration areas; to construct rock construction entrances, temporary stream crossings, and other erosion controls during restoration activities. The restoration project is located along Santo Domingo Creek, beginning at the existing Studio Drive culvert, continuing through the Route 501 crossing, and ending at the Dean Saylor Park, in Lititz, PA. Latitude: 40.168612°, Longitude: -76.310358°. Application received: December 19, 2022. Approved: December 6, 2023.

#### EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

*Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.*

*Contact: RA-EPEASTERNOGPRG@pa.gov.*

ESCGP # 3 **ESG295823019-00**  
 Applicant Name **Chesapeake Appalachia, LLC**  
 Contact Person Eric Haskins  
 Address 14 Chesapeake Lane  
 City, State, Zip Sayre, PA 18840  
 Township(s) Rush Township  
 County **Susquehanna County**

Receiving Stream(s) and Classification(s) Deuel Creek (CWF, MF), Trib # 29822 to East Branch Wyalusing Creek (CWF, MF)

Application received: August 21, 2023

Issued: December 26, 2023

ESCGP # 3 **ESG295923020-00**

Applicant Name **NFG Midstream Covington, LLC**

Contact Person Matt Hovis

Address 1100 State Street

City, State, Zip Erie, PA 16501

Township(s) Chatham Township, Delmar Township, and Middlebury Township

County **Tioga County**

Receiving Stream(s) and Classification(s) Baldwin Run (HQ—WWF) (HQ—CWF), UNT to Crooked Creek (WWF)

Application received: September 21, 2023

Issued: December 28, 2023

*Northwest Region: Oil and Gas Management Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Kate Hogue Clerical Supervisor, 814-332-6868.*

ESCGP # 3 **ESG081019003-02**

Applicant Name **Pennenergy Resources, LLC**

Contact Person Richard Watson

Address 3000 Westinghouse Drive, Ste. 300

City, State, Zip Cranberry Township, PA 16066-5239

Township(s) Forward Township

County **Butler County**

Receiving Stream(s) and Classification(s) Unnamed Tributaries to Glade Run (WWF); Secondary; Glade Run (WWF)

Application received: September 5, 2023

Approved: December 27, 2023

ESCGP # 3 **ESG081023009-00/Drake, Unit 2053 ESX**

Applicant Name **Anegada Energy LLC**

Contact Person Mike Weaver

Address P.O. Box 400

City, State, Zip Canonsburg, PA 15317

Township(s) Worth Township

County **Butler County**

Receiving Stream(s) and Classification(s) UNT Black Run CWF

Application received: December 27, 2023

Issued: December 27, 2023

*Southwest Region: Oil and Gas Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: RA-EPSW-OGSUBMISSION@pa.gov.*

ESCGP # 3 **ESG076523001-01**

Applicant Name **CNX Gas Co LLC—Mamont 15 AST PAD and Waterlines**

Contact Person Andrew Kinter, Senior Project Manager—

Permitting, Andrew.kinter@cnx.com, (724) 388-0063

Address 0.2 mile South of Coal Hollow Road

City, State, Zip Bell, PA 15613

Township(s) Bell Township

County **Westmoreland County**

Receiving Stream(s) and Classification(s) 001. Lat 40.53547, Long -79.54952, UNT to Beaver Run, Ch 93 Class TSF 002. Lat 40.53469, Long -79.54648, UNT to Beaver Run, Ch 93 Class TSF 003. Lat 40.53328, Long -79.55214, Beaver Run, Ch 93 Class TSF

Application received: October 24, 2023

Issued: December 28, 2023

## STORAGE TANKS

## SITE-SPECIFIC INSTALLATION PERMITS

**The Following Storage Tank Site-Specific Installation Permit(s), Under the Authority of the Storage Tank Spill Prevention Act (35 P.S. §§ 6021.304, 6021.504, 6021.1101—6021.1102) and Under 25 Pa. Code Chapter 245, Subchapter C, Have Been Issued by the Bureau of Environmental Cleanup and Brownfields, Director, P.O. Box 8763, Harrisburg, PA 17105-8763.**

SSIP Application No. **23005**  
 Applicant Name **Graftech USA**  
 Address 800 Theresia St.  
 City, State, Zip St. Marys, PA 15857  
 County **Elk County**  
 Municipality St Marys Borough  
 Tank Type One AST storing hazardous substance  
 Tank Capacity 25,000 gallons  
 Application Received October 11, 2023  
 Permit Issued December 22, 2023

## CORRECTIVE ACTION UNDER ACT 32, 1989

### PREAMBLE 2

**The Following Plan(s) and Report(s) Were Submitted Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).**

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

*Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Eric Supey, Environmental Program Manager, 570-826-2511.*

**Schuylkill Transportation System**, Storage Tank Facility ID # **54-51479**, 252 Industrial Park Road, Saint Clair, PA 17970, East Norwegian Township, **Schuylkill County**. United Environmental Services, P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of Schuylkill Transportation System, P.O. Box 67, Saint Clair, PA 17970, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum. The report is intended to document the remedial actions for meeting Statewide health standards.

*Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Lee, 814-332-6127.*

**Fisher Sta, Storage Tank Facility ID # 20-13873**, 400 Main Street, Spartansburg, PA 16434, Spartansburg Borough, **Crawford County**. Environmental Remediation & Recovery, Inc., 4250 Route 6N, Edinboro, PA 16412, on behalf of Jeffery Jensen, 20706 South Brown Hill Road, Centerville, PA 16404, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with Unleaded Gasoline. The plan is intended to document the remedial actions for meeting residential and nonresidential Statewide health standards.

*Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Richard M. Staron, Professional Geologist Manager, 484-250-5717.*

**Speedway 6724**, Storage Tank Facility ID # **46-16883**, 2818 Easton Rd., Willow Grove, PA 19090, Upper Moreland Township, **Montgomery County**. AECOM, 625 West Ridge Pike, Suite E-100, Conshohocken, PA 19428, on behalf of Speedway LLC, P.O. Box 1500, Springfield, OH 44501, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document the remedial actions for meeting nonresidential Statewide health standards.

*Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Kam Miseikyte, Clerical Assistant 2, 412-442-4091.*

**Golden Oil Collins Texaco**, Storage Tank Facility ID # **02-03827**, 800 University Boulevard, Coraopolis, PA 15108, Moon Township, **Allegheny County**. Letterle & Associates, Inc., 2859 Oxford Boulevard, Allison Park, PA 15101, on behalf of Golden Oil Co, 1600 Oakdale Road, P.O. Box 275, Oakdale, PA 15071, submitted a Remedial Action Completion Report concerning remediation of groundwater contaminated with unleaded gasoline. The report is intended to document the remedial actions for meeting nonresidential Statewide health standards.

**GetGo # 3102**, Storage Tank Facility ID # **02-80087**, 1137 Washington Avenue, Carnegie, PA 15106, Scott Township, **Allegheny County**. Apex Companies, LLC, 975 Georges Station Road, Suite 100, Greensburg, PA 15601, on behalf of Guttman Energy, 200 Speers Street,

Belle Vernon, PA 15012, submitted a Combined Remedial Action Plan and Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded & leaded gasoline, diesel fuel, kerosene, and used motor oil. The combined plan and report is intended to document the remedial actions for meeting residential and nonresidential Statewide health and site-specific standards.

**GetGo # 3082**, Storage Tank Facility ID # **65-39129**, 1100 Mt. Lauren Plaza, Latrobe, PA 15650, Unity Township, **Westmoreland County**. PVE, LLC, 2000 Georgetown Drive, Suite 101, Sewickley, PA 15143, on behalf of Giant Eagle, Inc., 101 Kappa Drive, Pittsburgh, PA 15238, submitted a Remedial Action Completion Report concerning remediation of groundwater contaminated with unleaded gasoline. The report is intended to document the remedial actions for meeting residential Statewide health standards.

**Solomons Mini Mart I**, Storage Tank Facility ID # **65-81314**, 615 Hancock Avenue, Vandergrift, PA 15690, Vandergrift Borough, **Westmoreland County**. Letterle & Associates, Inc., 2859 Oxford Boulevard, Allison Park, PA 15101, on behalf of Jill Solomon, 157 Sherman Avenue, Vandergrift, PA 15690, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document the remedial actions for meeting nonresidential site-specific standards.

**Leland Park Community Center**, Storage Tank Facility ID # **02-23038**, 5230 Wolfe Drive, Pittsburgh, PA 15236, Baldwin Borough, **Allegheny County**. Flynn Environmental, Inc., 5640 Whipple Avenue Northwest, North Canton, OH 44720, on behalf of Baldwin Borough of Allegheny County, 3344 Churchview Avenue, Pittsburgh, PA 15227, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document the remedial actions for meeting residential Statewide health standards.

## CORRECTIVE ACTION UNDER ACT 32, 1989

### PREAMBLE 3

#### Action(s) Taken on the Following Plans and Reports Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a descrip-

tion of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

*Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Eric Supey, Environmental Program Manager.*

**Former Egan Oil Service Station**, Storage Tank Facility ID # **40-28631**, 871 Exeter Avenue, Exeter, PA 18643, Exeter Borough, **Luzerne County**. Quad 3 Group, 37 North Washington Street, Wilkes-Barre, PA 18701, on behalf of K3 Development, LLC, 133 Philadelphia Avenue, West Pittston, PA 18643, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with gasoline. The report was not acceptable to meet the Statewide health and site-specific standards and was disapproved by DEP on December 28, 2023.

**Old Dominion Freight Lines**, Storage Tank Facility ID # **45-13152**, 2382 Route 715, Tannersville, PA 18372, Pocono Township, **Monroe County**. Burns & McDonnell Engineering Company, 1431 Opus Place, Suite 400, Downers Grove, IL 60515, on behalf of Old Dominion Freight Lines, Inc., 500 Old Dominion Way, Thomasville, NC 27360, submitted a Remedial Action Plan concerning remediation of groundwater contaminated with diesel. The plan was not acceptable to meet the Statewide health standards and was disapproved by DEP on December 28, 2023.

*Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Richard M. Staron, Professional Geologist Manager, 484-250-5717.*

**Amoco Sta**, Storage Tank Facility ID # **09-02720**, 2375 Street Rd., Bensalem, PA 19020, Bensalem Township, **Bucks County**. Antea USA, Inc., 535 Route 38, Suite 203, Cherry Hill, NJ 08002, on behalf of BP Products North America, Inc., 201 Helios Way, Floor 6, Houston, TX 77079, submitted a Combined Remedial Action Plan and Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The combined plan and report demonstrated attainment of the site-specific standards and was approved by DEP on December 21, 2023.

**Dileos Auto Svc**, Storage Tank Facility ID # **46-22320**, 2233 W Main St., Norristown, PA 19403, West Norriton Township, **Montgomery County**. Keystone Environmental, Health and Safety Services, Inc., 1111 12th Avenue,

Altoona, PA 16601, on behalf of HTAS Inc., 2233 West Main Street, Norristown, PA 19403, submitted a Combined Remedial Action Plan and Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The combined plan and report demonstrated attainment of the site-specific standards and was approved by DEP on December 21, 2023.

**Blue Bell Sunoco**, Storage Tank Facility ID # 46-20382, 889 Dekalb Pike, Blue Bell, PA 19422, Whitpain Township, **Montgomery County**. Claymore Environmental, 650 Germantown Pike, Lafayette Hill, PA 19444, on behalf of Brian Halligan, 113 E Mill Road, Flourtown, PA 19031, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan nonresidential was acceptable to meet the Statewide health standards and was approved by DEP on December 21, 2023.

*Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Kam Miseikyte, Clerical Assistant 2, 412-442-4091.*

**Smithton Truck Stop**, Storage Tank Facility ID # 65-21940, 138 Motor Drome Road, Smithton, PA 15479, Smithton Borough, **Westmoreland County**. Cribbs & Associates, Inc., P.O. Box 44, Delmont, PA 15626, on behalf of EL-DO, Inc., 700 Atlantic Avenue, McKeesport, PA 15132, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan residential was acceptable to meet the Statewide health standards and was approved by DEP on December 5, 2023.

**Air Rescue East**, Storage Tank Facility ID # 65-81323, 131 Deport Street, Greensburg, PA 15601, City of Greensburg, **Westmoreland County**. Cribbs & Associates, Inc., P.O. Box 44, Delmont, PA 15626, on behalf of Air Rescue East, 561 West Otterman Street, Greensburg, PA 15601, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with jet fuel. The report residential demonstrated attainment of the Statewide health standards and was approved by DEP on December 21, 2023.

**Donatis Gulf Service**, Storage Tank Facility ID # 65-32363, 1610 Freeport Road, Arnold, PA 15068, City of Arnold, **Westmoreland County**. Flynn Environmental, Inc., 5640 Whipple Avenue Northwest, North Canton, OH 44720, on behalf of Jeffrey Johasky, 2777 Valley View Drive, Lower Burrell, PA 15068, submitted a Remedial Action Completion Report concerning remediation of soil contaminated with unleaded gasoline. The report nonresidential demonstrated attainment of the Statewide health standards and was approved by DEP on December 26, 2023.

**West Mifflin Borough Garage**, Storage Tank Facility ID # 02-15072, 1011 Lebanon Road, West Mifflin, PA 15122, West Mifflin Borough, **Allegheny County**. Hatch Associates Consultants, Inc., 1600 West Carson Street, Suite 1, Pittsburgh, PA 15219, on behalf of Port Authority of Allegheny County d/b/a Pittsburgh Regional Transit, 346 6th Avenue, 3rd Floor, Pittsburgh, PA 15222, submitted a Remedial Action Plan concerning remediation of soil contaminated with diesel fuel. The plan residential was not acceptable to meet the Statewide health standards and was disapproved by DEP on December 21, 2023.

---

## SPECIAL NOTICES

---

### WATER PROGRAMS

---

#### Public Notice of Final State Water Quality Certification for FERC Regulated Pipeline Project.

---

**State Water Quality Certification Issued by the Commonwealth of Pennsylvania, Department of Environmental Protection Pursuant to Section 401 of the Clean Water Act for the Swarts And Hunters Cave Well Replacement Project.**

*Southwest Region: Oil and Gas Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: RA-EPSW-OGSUBMISSION@pa.gov, 412-442-4281.*

**EA3007223-001, EQUITRANS**, LP (Applicant), 2200 Energy Drive, Canonsburg, PA, 15317. Swarts and Hunters Cave Well Replacement Project (Project), in Center, Franklin, Morris and Washington Townships, **Greene County**, USACE Pittsburgh District. The proposed non-linear project starts at Hunters Cave Storage Field (Latitude: 39.9064°; Longitude: -80.2824°) and ends at Swarts Gas Storage Complex (Latitude: 39.9423°; Longitude: -80.2513°), with project impacts at four discrete locations.

On June 30, 2023, Applicant filed an application with the Federal Energy Regulatory Commission (FERC) under Section 7 of the Natural Gas Act (15 U.S.C.A. § 717f) seeking a certificate of public convenience and necessity to construct and operate its Project (FERC Docket No. CP23-507-000). The FERC Environmental Assessment for the Project, which was issued on December 8, 2023, may be viewed on FERC's website at [www.ferc.gov](http://www.ferc.gov) (search eLibrary; Docket Search; CP23-507-000).

On July 5, 2023, Applicant requested a state water quality certification (SWQC) from the Pennsylvania Department of Environmental Protection (PADEP), as required by Section 401 of the Clean Water Act (33 U.S.C.A. § 1341), to ensure that the construction, operation and maintenance of the Project will protect water quality in Pennsylvania consistent with the requirements of State law and the Clean Water Act.

The Project, as proposed, includes Project for the proposed construction, operation and maintenance of two horizontal gas storage wells—one in the Hunters Cave Field and one in the Swarts Complex, approximately 0.7-mile of new 12-inch diameter natural gas pipelines, associated aboveground facilities, existing facility modifications, temporary access roads, two permanent access roads which include one permanent culvert (UNT to Bates Fork, HQ-WWF), and the use of existing contractor yards in the general Waynesburg area. The Project, as proposed, will require approximately 77.86 acres of earth disturbance, and impacts to 216 linear feet of streams (Rush Run (HQ-WWF) and UNT to Bates Fork (HQ-WWF)), 0.65 acre of floodway, <0.01 acre of temporary PEM wetland impacts, and <0.01 acre(s) of PEM wetland permanent impacts.

PADEP published notice of its proposed SWQC in the *Pennsylvania Bulletin* on August 5, 2023 (53 Pa.B. Issue 31) and received zero (0) comments from the public. PADEP has received no comments.

PADEP certifies that the construction, operation and maintenance of the Project complies with the applicable



provisions of sections 301—303, 306 and 307 of the Federal Clean Water Act (33 U.S.C.A. §§ 1311—1313, 1316 and 1317). The PADEP further certifies that the construction, operation and maintenance of the Project complies with Pennsylvania water quality standards and that the construction, operation and maintenance of the Project will maintain and protect applicable Commonwealth water quality standards provided that the construction, operation and maintenance of the project complies with the following PADEP water quality permitting programs, criteria and conditions established pursuant to Pennsylvania law:

1. *Discharge of Hydrostatic Test Water*—Applicant shall obtain and comply with a National Pollutant Discharge Elimination System (NPDES) permit(s) for the discharge of water from the hydrostatic testing of the pipeline associated with the Project pursuant to Pennsylvania's Clean Streams Law (35 P.S. §§ 691.1—691.1001), 25 Pa. Code Chapter 92a (relating to NPDES permitting, monitoring and compliance), and all other applicable regulations.

2. *Erosion and Sediment Control and Stormwater Management*—All projects proposing earth disturbance must implement best management practices (BMPs) to protect and maintain water quality pursuant to Pennsylvania's Clean Streams Law (35 P.S. §§ 691.1—691.1001) and Storm Water Management Act (32 P.S. §§ 680.1—680.17), 25 Pa. Code Chapter 102 (relating to erosion and sediment control), and all other applicable regulations. Applicant shall obtain and comply with an Erosion and Sediment Control Permit(s) for earth disturbance associated with the Project as provided in 25 Pa. Code § 102.5.

3. *Water Obstruction and Encroachment Permits*—Applicant shall obtain and comply with a Water Obstruction and Encroachment Permit(s) for the construction, operation and maintenance of all stream and wetland crossings associated with the Project pursuant to Pennsylvania's Clean Streams Law, Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), and Flood Plain Management Act (32 P.S. §§ 679.101—679.601), 25 Pa. Code Chapter 105 (relating to dam safety and waterway management), 25 Pa. Code Chapter 106 (relating to floodplain management), and all other applicable regulations.

4. *Other Water Quality Requirements*—Applicant shall obtain any other permits, authorizations or approvals required to construct, operate, and maintain the Project from any interstate or international agency as required by an interstate compact or international agreement that has established water quality standards applicable to surface waters of this Commonwealth, including wetlands.

5. *Water Quality Monitoring*—PADEP retains the right to specify additional studies or monitoring to ensure that water quality in the receiving waters associated with the Project is not adversely impacted by any operational and construction process that may be employed by Applicant.

6. *Operation*—At all times, Applicant shall properly operate and maintain all Project facilities and systems of treatment and control (and related appurtenances) installed to achieve compliance with the terms and conditions of this SWQC and all required permits, authorizations and approvals. Proper operation and maintenance includes adequate laboratory controls, appropriate quality assurance procedures, and the operation of backup or auxiliary facilities or similar systems installed by Applicant.

7. *Inspection*—The Project, including all relevant records, are subject to inspection at reasonable hours and intervals by an authorized representative of PADEP or the delegated County Conservation District to determine compliance with this SWQC, including all permits, authorizations or approvals issued to ensure the project shall maintain and protect state water quality standards as required by this SWQC. Applicant shall provide a copy of this SWQC to an authorized representative conducting an inspection of the Project.

8. *Transfer of Projects*—If Applicant intends to transfer any legal or equitable interest in the Project or any portion(s) thereof, Applicant shall provide a copy of this SWQC and copies of any permits, authorizations or approvals obtained to comply with the SWQC upon the prospective transferee of the legal and equitable interest at least thirty (30) days prior to the contemplated transfer and shall simultaneously inform the appropriate PADEP Office of such intent. Notice to PADEP shall include a transfer agreement signed by the existing and new owners containing a specific date for transfer of responsibility, coverage, and liability under the SWQC and any permits, authorizations and approvals obtained to comply with the SWQC. The new owner shall submit to PADEP a new application form for the SWQC and any permits, authorizations and approvals required to comply with the SWQC signed by the new owner.

9. *Correspondence*—All correspondence with and submittals to PADEP concerning this SWQC shall be addressed to:

Department of Environmental Protection  
Southwest Regional Office  
District Oil and Gas Operations  
Christy Owens, Aquatic Biologist 2  
400 Waterfront Drive, Pittsburgh, PA 15222  
RA-EPSW-OGSUBMISSION@pa.gov

10. *Reservation of Rights*—PADEP may modify, suspend or revoke this SWQC if (i) PADEP becomes aware of new facts about the Project that warrant such action; or (ii) PADEP determines that Applicant has not complied with the terms and conditions of this SWQC. PADEP may require additional measures to achieve compliance with any applicable law or regulation.

11. *Other Laws*—Nothing in this SWQC shall be construed to preclude the institution of any legal action or to relieve Applicant from any responsibilities, liabilities, or penalties established pursuant to any applicable law or regulation.

12. *Severability*—The provisions of this SWQC are severable and should any provision of this SWQC be declared invalid or unenforceable, the remainder of the SWQC shall not be affected thereby.

Any person aggrieved by this action may challenge it in an appropriate legal forum. The state and Federal courts are currently split on whether the proper forum to challenge a Department permit, authorization or approval for a facility or activity subject to the Federal Natural Gas Act, 15 U.S.C.A. §§ 717 et seq., is the United States Court of Appeals for the Third Circuit or the Pennsylvania Environmental Hearing Board. See *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl. Prot.*, 833 F.3d 360 (3d Cir. 2016); *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl. Prot.*, 903 F.3d 65 (3d Cir. 2018), cert. denied, 139 S. Ct. 1648, 203 L. Ed. 899 (2019) and *Cole v. Dep't. of Env'tl. Prot.*, 1577 C.D. 2019 WL 2420667 (Pa. Cmwlth Ct. June 15, 2021) (Pet. for Allowance of Appeal pending); *West Rockhill Twp. v. Dep't of Env'tl. Prot.*,

No. 1595 C.D. 2019 WL 2426014 (Pa. Cmwlth. June 15, 2021) (Pet. for Allowance of Appeal pending). You should promptly consult with a lawyer on the steps to take if you wish to challenge this action and to best protect your interests. Important legal rights are at stake. You should show this document to a lawyer at once.

[Pa.B. Doc. No. 24-46. Filed for public inspection January 12, 2024, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Special Supplemental Nutrition Program for Women, Infants and Children (WIC Program); WIC Advisory

The WIC Advisory will meet on January 23, 2024, from 1:15 p.m. to 2:15 p.m. The purpose of this meeting is to collaborate to gather suggestions of strategies for increasing participation and improving the WIC Program to better support participants. The Department of Health (Department) will send out the meeting agenda no later than January 19, 2024, at 5 p.m. by e-mail. Individuals interested in receiving a copy of the agenda may send an e-mail to ra-dhwicadvisory@pa.gov requesting to be added to the distribution list.

Individuals can join at [https://teams.microsoft.com/l/meetup-join/19%3ameeting\\_MmE1NzVkZWItNzFlZS00YmVjLWl4M2ItOTc1YzgzZmYzMDk1%40thread.v2/0?context=%7b%22Tid%22%3a%22418e2841-0128-4dd5-9b6c-47fc5a9a1bde%22%2c%22Oid%22%3a%2239f87f18-093f-4a06-b146-27169e2d2568%22%7d](https://teams.microsoft.com/l/meetup-join/19%3ameeting_MmE1NzVkZWItNzFlZS00YmVjLWl4M2ItOTc1YzgzZmYzMDk1%40thread.v2/0?context=%7b%22Tid%22%3a%22418e2841-0128-4dd5-9b6c-47fc5a9a1bde%22%2c%22Oid%22%3a%2239f87f18-093f-4a06-b146-27169e2d2568%22%7d).

*Note:* The previous link to access the meeting does not include a period. The link ends at 22%7d with no period. If copying/pasting the link, do not copy any period at the end if there is one.

Individuals can also join by calling (267) 332-8737. The conference ID is 908 306 790#. The meeting ID is 295 871 676 165. The passcode is JBaUVf.

The meeting will be recorded so if individuals choose to attend, they are consenting to being recorded. Individuals should not attend the meeting if they do not wish to be recorded.

This meeting is subject to cancellation without notice.

Questions about the WIC Advisory may be submitted by e-mail to the Department at ra-dhwicadvisory@pa.gov.

Persons with a disability who require an alternative format of this listing (for example, large print, audiotape, Braille) should contact the Department of Health, Bureau of WIC, 625 Forster Street, 7th Floor West, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-1289, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The Pennsylvania WIC Program is funded by the United States Department of Agriculture (USDA). The USDA is an equal opportunity provider.

#### USDA Nondiscrimination Statement:

In accordance with Federal civil rights law and the USDA civil rights regulations and policies, this institution is prohibited from discriminating on the basis of race, color, national origin, sex (including gender identity and sexual orientation), disability, age or reprisal or retaliation for prior civil rights activity.

Program information may be made available in languages other than English. Persons with disabilities who require alternative means of communication to obtain program information (for example, Braille, large print, audiotape, American Sign Language), should contact the responsible State or local agency that administers the program or the USDA's TARGET Center at (202) 720-2600 (voice and TTY) or contact the USDA through the Federal Relay Service at (800) 877-8339.

To file a program discrimination complaint, a complainant should complete a Form AD-3027, USDA Program Discrimination Complaint Form which can be obtained online at <https://www.usda.gov/sites/default/files/documents/USDA-OASCR%20P-Complaint-Form-0508-0002-508-11-28-17Fax2Mail.pdf>, from any USDA office, by calling (866) 632-9992 or by writing a letter addressed to the USDA. The letter must contain the complainant's name, address, telephone number and a written description of the alleged discriminatory action in sufficient detail to inform the Assistant Secretary for Civil Rights about the nature and date of an alleged civil rights violation. The completed AD-3027 form or letter must be submitted to the USDA by mail to the United States Department of Agriculture, Office of the Assistant Secretary for Civil Rights, 1400 Independence Avenue, SW, Washington, DC 20250-9410, fax (833) 256-1665, (202) 690-7442, Program.Intake@usda.gov.

This institution is an equal opportunity provider.

DR. DEBRA L. BOGEN,

*Acting Secretary*

[Pa.B. Doc. No. 24-47. Filed for public inspection January 12, 2024, 9:00 a.m.]

## DEPARTMENT OF LABOR AND INDUSTRY

### Uniform Construction Code Review and Advisory Council Meeting

The Uniform Construction Code Review and Advisory Council will hold a meeting on Thursday, February 1, 2024, at 9 a.m.

Individuals may join the meeting by using the following information:

*Dial by individual's location:*

(929) 205-6099 US (New York)  
 (301) 715-8592 US (Washington DC)  
 (312) 626-6799 US (Chicago)  
 (669) 900-6833 US (San Jose)  
 (253) 215-8782 US (Tacoma)  
 (346) 248-7799 US (Houston)

*Meeting ID:* 361 131 6502

*Passcode:* 259161

Individuals who do not have the Zoom software may download the software at <https://zoom.us/downloads>. This allows use of the web cam on an individual's computer.

The Americans with Disabilities Act contact is Kristen Gardner at (717) 346-1497.

Questions concerning this meeting may be directed to Kristen Gardner at (717) 346-1497.

NANCY WALKER,

*Secretary*

[Pa.B. Doc. No. 24-48. Filed for public inspection January 12, 2024, 9:00 a.m.]

## DEPARTMENT OF LABOR AND INDUSTRY

### Uniform Construction Code Review and Advisory Council Meeting

The Uniform Construction Code Review and Advisory Council will hold a meeting on Thursday, February 29, 2024, at 9 a.m.

Individuals may join the meeting by using the following information:

*Dial by individual's location:*  
(929) 205-6099 US (New York)  
(301) 715-8592 US (Washington DC)  
(312) 626-6799 US (Chicago)  
(669) 900-6833 US (San Jose)  
(253) 215-8782 US (Tacoma)  
(346) 248-7799 US (Houston)

*Meeting ID:* 361 131 6502

*Passcode:* 259161

Individuals who do not have the Zoom software may download the software at <https://zoom.us/downloads>. This allows use of the web cam on an individual's computer.

The Americans with Disabilities Act contact is Kristen Gardner at (717) 346-1497.

Questions concerning this meeting may be directed to Kristen Gardner at (717) 346-1497.

NANCY WALKER,  
*Secretary*

[Pa.B. Doc. No. 24-49. Filed for public inspection January 12, 2024, 9:00 a.m.]

## DEPARTMENT OF LABOR AND INDUSTRY

### Uniform Construction Code Review and Advisory Council Meeting

The Uniform Construction Code Review and Advisory Council will hold a meeting on Thursday, March 28, 2024, at 9 a.m.

Individuals may join the meeting by using the following information:

*Dial by individual's location:*  
(929) 205-6099 US (New York)  
(301) 715-8592 US (Washington DC)  
(312) 626-6799 US (Chicago)  
(669) 900-6833 US (San Jose)  
(253) 215-8782 US (Tacoma)  
(346) 248-7799 US (Houston)

*Meeting ID:* 361 131 6502

*Passcode:* 259161

Individuals who do not have the Zoom software may download the software at <https://zoom.us/downloads>. This allows use of the web cam on an individual's computer.

The Americans with Disabilities Act contact is Kristen Gardner at (717) 346-1497.

Questions concerning this meeting may be directed to Kristen Gardner at (717) 346-1497.

NANCY WALKER,  
*Secretary*

[Pa.B. Doc. No. 24-50. Filed for public inspection January 12, 2024, 9:00 a.m.]

## DEPARTMENT OF TRANSPORTATION

### Approved Speed-Timing Devices and Appointment of Maintenance and Calibration Stations

The Department of Transportation (Department), Bureau of Motor Vehicles (Bureau), under 75 Pa.C.S. § 3368 (relating to speed timing devices), has approved for use, until the next comprehensive list is published, subject to interim amendment, the following: electronic speed-timing devices (radar); electronic speed-timing devices (nonradar), which measure elapsed time between measured road surface points by using two sensors; and electronic speed-timing devices (nonradar), which calculate average speed between any two points.

Under 75 Pa.C.S. § 3368(c)(2), the Department has approved, for use only by members of the State Police, the following electronic speed-timing devices (radar) when used in the stationary mode only:

(1) BEE III, Directional. Manufactured by MPH Industries, 316 East 9th Street, Owensboro, KY 42303.

(2) Falcon Radar (identified on the radar housing as FALCON). Manufactured by Kustom Signals, Incorporated, 9325 Pflumm, Lenexa, KS 66215.

(3) Falcon HR. Manufactured by Kustom Signals, Incorporated, 9652 Loiret Boulevard, Lenexa, KS 66219.

(4) KR-10. Stationary Radar (identified on the radar housing as KR-10). Manufactured by Kustom Signals, Incorporated, 9325 Pflumm, Lenexa, KS 66215.

(5) KR-10. Stationary Radar (identified on the radar housing as KR-10). Manufactured by Kustom Electronics, Incorporated, 8320 Nieman Road, Lenexa, KS 66214.

(6) KR-10SP. Stationary Radar (identified on the radar housing as KR-10SP). Manufactured by Kustom Signals, Incorporated, 9325 Pflumm, Lenexa, KS 66215.

(7) KR-10SP. Stationary Radar (identified on the radar housing as KR-10). Manufactured by Kustom Electronics, Incorporated, 8320 Nieman Road, Lenexa, KS 66214.

(8) Pro 1000(DS). Manufactured by Kustom Signals, Incorporated, 9652 Loiret Boulevard, Lenexa, KS 66219.

(9) Genesis-I. Manufactured by Decatur Electronics, Incorporated/a Soncell NA Company, 3433 East Wood Street, Phoenix, AZ 85040.

(10) Genesis-II Select. Manufactured by Decatur Electronics, Incorporated/a Soncell NA Company, 3433 East Wood Street, Phoenix, AZ 85040.

(11) Genesis GHS. Manufactured by Decatur Electronics, Incorporated/a Soncell NA Company, 3433 East Wood Street, Phoenix, AZ 85040.

(12) Genesis GHD. Manufactured by Decatur Electronics, Incorporated/a Soncell NA Company, 3433 East Wood Street, Phoenix, AZ 85040.

(13) Genesis GVP-D. Manufactured by Decatur Electronics, Incorporated/a Soncell NA Company, 3433 East Wood Street, Phoenix, AZ 85040.

(14) Ranger EZ, Directional. Manufactured by MPH Industries, 316 East 9th Street, Owensboro, KY 42303.

(15) Raptor RP-1. Manufactured by Kustom Signals Incorporated, 9652 Loiret Boulevard, Lenexa, KS 66219.

(16) Scout Handheld. Manufactured by Decatur Electronics, Incorporated/a Soncell NA Company, 3433 East Wood Street, Phoenix, AZ 85040.

(17) Speed-Gun Pro, hand-held model. Manufactured by MPH Industries, 316 East 9th Street, Owensboro, KY 42303.

(18) Stalker Dual. Manufactured by Applied Concepts, Incorporated, 2609 Technology Drive, Plano, TX 75074.

(19) Stalker Dual SL. Manufactured by Applied Concepts, Incorporated, 2609 Technology Drive, Plano, TX 75074.

(20) Stalker Dual DSR. Manufactured by Applied Concepts, Incorporated, 2609 Technology Drive, Plano, TX 75074.

(21) Stalker Basic. Manufactured by Applied Concepts, Incorporated, 2609 Technology Drive, Plano, TX 75074.

(22) Eagle Plus. Manufactured by Kustom Signals, Incorporated, 9652 Loiret Boulevard, Lenexa, KS 66219.

The Department has approved the following automated speed enforcement system for use within active work zones:

(1) RADARCAM NK7. Manufactured by Redflex Traffic Systems, Inc., 5651 West Talavi Boulevard, Suite 200, Glendale, AZ 85306-1893.

The following speed timing devices used within the previously-referenced system are approved by the Department in accordance with 75 Pa.C.S. § 3368 and 67 Pa. Code § 105a.3(b) (relating to system and speed timing device minimum requirements):

(1) REDFLEXradar-SR. Manufactured by Redflex Traffic Systems, Inc., 5651 West Talavi Boulevard, Suite 200, Glendale, AZ 85306-1893.

(2) REDFLEXradar-TR. Manufactured by Redflex Traffic Systems, Inc., 5651 West Talavi Boulevard, Suite 200, Glendale, AZ 85306-1893.

The Department has approved the following automated speed enforcement system under 75 Pa.C.S. § 3370(h)(1) (relating to pilot program for automated speed enforcement system on designated highway) and 67 Pa. Code § 105a.3:

(1) Verra Mobility Traffistar SR 391. Manufactured by Verra Mobility, 1150 North Alma School Road, Mesa, AZ 85201.

The following speed timing devices used within the previously-referenced system are approved by the Department in accordance with 75 Pa.C.S. § 3368 and 67 Pa. Code § 105a.3(b):

(1) RRS24F-ST3 Tracking Radar Sensors. Manufactured by Verra Mobility, 1150 North Alma School Road, Mesa, AZ 85201.

Under 75 Pa.C.S. § 3368(c)(3), the Department has approved, for use by any police officer, the following electronic speed-timing devices (nonradar) which measure elapsed time between measured road surface points by using two sensors:

(1) Electrical Speed Timing System. Manufactured by Richard Hageman, 98 South Penn Dixie Road, Nazareth, PA 18064.

(2) Model TK 100, Excessive Speed Preventor. Manufactured by Systems Innovation, Incorporated, Steam Hollow Road, RD 2, Hallstead, PA 18822.

(3) Model TK 100, Excessive Speed Preventor. Manufactured by Targetron, Incorporated, 190 Angletown Road, Muncy, PA 17756.

(4) Speed Chek (identified on the housing as Speed Chek model one, Mfd. for: The Union Agency, Unionville, PA 19375). Manufactured by Sterner Lighting Systems, Incorporated, 351 Lewis Avenue, Winsted, MN 55395.

(5) Model TK 100, Excessive Speed Preventor Infrared. Manufactured by Systems Innovation, Incorporated, Steam Hollow Road, RD 2, Hallstead, PA 18822.

(6) Model TK 100, Excessive Speed Preventor Infrared. Manufactured by Targetron, Incorporated, 190 Angletown Road, Muncy, PA 17756.

(7) Enradd, Model EJU-91. Manufactured by YCG, Inc., 2603 Reach Road Rear, Williamsport, PA 17701.

(8) Enradd, Model EJU-91 with Non-Contact Road Switch System. Manufactured by YCG, Inc., 2603 Reach Road Rear, Williamsport, PA 17701.

(9) Enradd, Model EJU-91 Wireless System. Manufactured by YCG, Inc., 2603 Reach Road Rear, Williamsport, PA 17701.

Under 75 Pa.C.S. § 3368(c)(1) and (3), the Department has approved the use of electronic and mechanical stopwatches as speed-timing devices for use by any police officer. The Department has approved these speed-timing devices upon submission of a certificate of stopwatch accuracy indicating that a stopwatch has been successfully tested in accordance with the requirements of 67 Pa. Code Chapter 105 (relating to mechanical, electrical and electronic speed-timing devices). The Department issues an approved speed-timing device certificate for the device, as required under 67 Pa. Code § 105.72 (relating to equipment approval procedure). The Department does not publish a listing of these approved speed-timing devices because they are approved individually by serial number and police department. Therefore, if a citation is contested, it is necessary for the police department to show both the certificate of stopwatch accuracy, which was issued within 60 days of the citation, and an approved speed-timing device certificate issued by the Bureau.

Under 75 Pa.C.S. § 3368(c)(3), the Department has approved, for use by any police officer, the following electronic speed-timing devices (nonradar) which calculate average speed between any two points:

(1) TDx. Manufactured by YCG, Inc., 2603 Reach Road Rear, Williamsport, PA 17701.

(2) VASCAR-plus. Manufactured by Traffic Safety Systems, a division of Power Systems & Controls, Incorporated, 3206 Lanvale Avenue, Richmond, VA 23230.

(3) VASCAR-plus II. Manufactured by Traffic Safety Systems, a division of Power Systems & Controls, Incorporated, 3206 Lanvale Avenue, Richmond, VA 23230.

(4) VASCAR-plus III. Manufactured by Traffic Safety Systems, a division of Power Systems & Controls, Incorporated, 3206 Lanvale Avenue, Richmond, VA 23230.

(5) VASCAR-plus IIIc. Manufactured by Traffic Safety Systems, a division of Power Systems & Controls, Incorporated, 3206 Lanvale Avenue, Richmond, VA 23230.

(6) V-SPEC. Manufactured by YCG, Inc., 2603 Reach Road Rear, Williamsport, PA 17701.

(7) Tracker by Patco. Manufactured by Kustom Signals, Incorporated, 9325 Pflumm, Lenexa, KS 66215.

The Department, under 75 Pa.C.S. § 3368(d), may appoint stations for calibrating and testing speed-timing devices until the next comprehensive list is published, subject to interim amendment.

The Department has appointed, under 75 Pa.C.S. § 3368(d), the following official Electronic Device Testing Stations for radar devices, which may only be used by members of the State Police:

Davidheiser's Speedometer Repair, Incorporated, 181 Ridge Road, Telford, Montgomery County, PA 18969. (Appointed: 12/22/01, Station R8).

Guth Laboratories, Incorporated, 590 North 67th Street, Harrisburg, Dauphin County, PA 17111-4511. (Appointed: 01/27/97, Station R2).

S & D Calibration Services, 29 Prosperity Street, Monongahela, Washington County, PA 15063. (Appointed: 08/15/03, Station R11).

Simco Electronics, 2125 South West 28th Street, Allentown, Lehigh County, PA 18103. (Appointed: 09/19/96, Station R9).

Wisco Calibration Services, Inc., 820 Washington Boulevard, Pittsburgh, Allegheny County, PA 15206. (Appointed: 07/14/99, Station R10).

YCG, Inc., 2603 Reach Road Rear, Williamsport, Lycoming County, PA 17701. (Appointed: 8/20/04, Station R12).

The Department has appointed, under 75 Pa.C.S. § 3368(b), the following Official Speedometer Testing Stations:

Davidheiser's Speedometer Repair, Incorporated, 181 Ridge Road, Telford, Montgomery County, PA 18969—Also authorized to use mobile units. (Appointed: 11/25/63, Station S19). Devices—Mustang Dynamometer, Davidheiser Storage Generator Speedometer Calibrator Mile-O-Meter.

Mahramus Specialty Auto Service, 286 Muse Bishop Road, Canonsburg, Washington County, PA 15317. (Appointed: 01/03/84, Station S7). Devices—Speed-Master Quartz Speedometer Tester, Stewart Warner Strobetachometer.

Powl's Speedometer Service, Incorporated, 2340 Dairy Road, Lancaster, Lancaster County, PA 17601—Also authorized to use mobile units. (Appointed: 06/09/97, Station S82). Devices—YCG, Inc. Electronic Mile-O-Meter and Speedometer Testing Platform with Indicator.

Rabold's Services, 2034 Boas Street, Harrisburg, Dauphin County, PA 17103—Also authorized to use mobile units. (Appointed: 06/29/62, Station S67). Devices—Clayton Dynamometer, Mustang Dynamometer, Model MD-AWD-3K-ST.

S & D Calibration Services, 1963 Route 837, Monongahela, Washington County, PA 15063—Also authorized to use mobile units. (Appointed: 03/22/83, Station S35). Devices—Clayton Dynamometer, Mustang Dynamometer, Stewart Warner Strobetachometer, Speed-Master Quartz Speedometer Tester.

YCG, Inc., 2603 Reach Road Rear, Williamsport, Lycoming County, PA 17701—Also authorized to use mobile units. (Appointed: 8/20/04, Station S9). Devices—YCG, Inc. Electronic Mile-O-Meter and Speedometer Testing Platform with Indicator.

The Department has appointed, under 75 Pa.C.S. § 3368(d), the following official Electronic Device Testing Stations for nonradar devices, which measure elapsed time between measured road surface points by using two sensors:

Davidheiser's Speedometer Repair, Incorporated, 181 Ridge Road, Telford, Montgomery County, PA 18969—Also authorized to use mobile units. (Appointed: 04/07/93, Station EL3).

Rabolds Services, 2034 Boas Street, Harrisburg, Dauphin County, PA 17103—Also authorized to use mobile units. (Appointed: 02/27/92, Station EL22).

S & D Calibration Services, 29 Prosperity Street, Monongahela, Washington County, PA 15063—Also authorized to use mobile units. (Appointed: 03/14/02, Station EL1).

S & D Calibration Services, 115 Joyce Drive, McMurray, Washington County, PA 15317—Also authorized to use mobile units. (Appointed: 09/14/82, Station EL11).

Mahramus Specialty Auto Service, 286 Muse Bishop Road, Cannonsburg, Washington County, PA 15317. (Appointed: 07/31/97, Station EL18).

YCG, Inc., 2603 Reach Road Rear, Williamsport, Lycoming County, PA 17701—Also authorized to use mobile units. (Appointed: 02/20/80, Station EL7).

The Department has appointed, under 75 Pa.C.S. § 3368(d), the following Official Stopwatch Testing Stations:

Cal Tech Labs, 501 Mansfield Avenue, Pittsburgh, Allegheny County, PA 15205. (Appointed: 12/22/07, Station W70).

Department of General Services, Bureau of Procurement, 2221 Forster Street, Harrisburg, Dauphin County, PA 17125. (Appointed: 03/09/79, Station W18).

Davidheiser's Speedometer Repair, Incorporated, 181 Ridge Road, Telford, Montgomery County, PA 18969—Also authorized to use mobile units. (Appointed: 10/28/77, Station W29).

Rabold's Services, 2034 Boas Street, Harrisburg, Dauphin County, PA 17103—Also authorized to use mobile units. (Appointed: 09/15/86, Station W56).

S & D Calibration Services, 29 Prosperity Street, Monongahela, Washington County, PA 15063—Also authorized to use mobile units. (Appointed: 03/14/02, Station W1).

S & D Calibration Services, 115 Joyce Drive, McMurray, Washington County, PA 15317—Also authorized to use mobile units. (Appointed: 10/10/89, Station W61).

Servinsky Jewelers, 610 Second Street, Cresson, Cambria County, PA 16630. (Appointed: 05/18/78, Station W40).

YCG, Inc., 2603 Reach Road Rear, Williamsport, Lycoming County, PA 17701—Also authorized to use mobile units. (Appointed: 08/30/89, Station W60).

The Department has appointed, under 75 Pa.C.S. § 3368(d), the following official Electronic Device Testing Stations for nonradar devices which calculates average speed between any two points:

Davidheiser's Speedometer Repair, Incorporated, 181 Ridge Road, Telford, Montgomery County, PA 18969—Also authorized to use mobile units. (Appointed: 02/11/93, Station EM23).

Rabolds Services, 2034 Boas Street, Harrisburg, Dauphin County, PA 17103—Also authorized to use mobile units. (Appointed: 02/27/92, Station EM22).

S & D Calibration Services, 29 Prosperity Street, Monongahela, Washington County, PA 15063—Also authorized to use mobile units. (Appointed: 03/14/02, Station EM1).

S & D Calibration Services, 115 Joyce Drive, McMurray, Washington County, PA 15317—Also authorized to use mobile units. (Appointed: 09/14/82, Station EM6).

Mahramus Specialty Auto Service, 286 Muse Bishop Road, Canonsburg, Washington County, PA 15317. (Appointed: 08/13/97, Station EM12).

YCG, Inc., 2603 Reach Road Rear, Williamsport, Lycoming County, PA 17701—Also authorized to use mobile units. (Appointed: 12/20/80, Station EM5).

Comments, suggestions or questions may be directed to Michael Smith, Manager, Administrative and Technical Support Section, Vehicle Inspection Division, Bureau of Motor Vehicles, Riverfront Office Center, 1101 South Front Street, Harrisburg, PA 17104, (717) 783-7016.

MICHAEL CARROLL,  
*Secretary*

[Pa.B. Doc. No. 24-51. Filed for public inspection January 12, 2024, 9:00 a.m.]

## FISH AND BOAT COMMISSION

### Temporary Change to Fishing Regulations; Kahle Lake, Clarion and Venango Counties

The Executive Director of the Fish and Boat Commission (Commission), acting under the authority of 58 Pa. Code § 65.25 (relating to temporary changes to fishing regulations), has taken immediate action to modify temporary fishing regulations at Kahle Lake, Clarion and Venango Counties, in anticipation of a complete drawdown of the lake. The Executive Director is lifting all seasons, sizes and daily limits, as set forth in 58 Pa. Code § 61.1 (relating to Commonwealth inland waters) for all species, effective January 13, 2024. The Executive Director has found that this action is necessary and appropriate for the management of fish and to conserve and preserve fishing opportunities at this lake.

The Executive Director will cause these temporary modifications to fishing regulations to be posted in the vicinity of the lake, and the modified regulations will be fully effective and enforceable when so posted. These temporary modifications will remain in effect until further notice.

TIMOTHY D. SCHAEFFER,  
*Executive Director*

[Pa.B. Doc. No. 24-52. Filed for public inspection January 12, 2024, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Alleged Violation of Insurance Laws; Keith D. Angell; Doc. No. SC24-01-001

Notice is hereby given of the Order to Show Cause issued on January 3, 2024, by the Deputy Insurance Commissioner of the Commonwealth in the previously referenced matter. Violations of the following are alleged: section 611-A(1), (19) and (20) of The Insurance Department Act of 1921 (40 P.S. § 310.11(1), (19) and (20)).

The respondent shall file a written answer to the Order to Show Cause within 30 days of the date of issue. If the respondent files a timely answer, a formal administrative hearing shall be held in accordance with 2 Pa.C.S. §§ 501—508 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure), 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure) and other relevant procedural provisions of law.

Answers, motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed in writing with the Hearings Administrator, Insurance Department, Administrative Hearings Office, 901 North 7th Street, Harrisburg, PA 17102, ra-hearings@pa.gov.

Persons with a disability who wish to attend the previously referenced administrative hearing, and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Joseph Korman, Agency ADA Coordinator, jkorman@pa.gov, (717) 787-4429.

MICHAEL HUMPHREYS,  
*Insurance Commissioner*

[Pa.B. Doc. No. 24-53. Filed for public inspection January 12, 2024, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Application and Request for a Certificate of Authority to Provide a Continuing Care Retirement Community by Asbury Healthcare, LLC

Asbury Healthcare, LLC has applied for a Certificate of Authority to operate a Continuing Care Retirement Community at Asbury Health Center in Pittsburgh, PA. The initial filing was received on December 20, 2023, and was made under the Continuing-Care Provider Registration and Disclosure Act (40 P.S. §§ 3201—3225).

Persons wishing to comment on the grounds of public or private interest to the issuance of a Certificate of Authority are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient details to inform the Department of the exact basis of the statement. Written statements should be directed to Steven L. Yerger, Insur

ance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, syerger@pa.gov.

MICHAEL HUMPHREYS,  
*Insurance Commissioner*

[Pa.B. Doc. No. 24-54. Filed for public inspection January 12, 2024, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Application and Request for a Certificate of Authority to Provide a Continuing Care Retirement Community by Seneca PID, LLC

Seneca PID, LLC has applied for a Certificate of Authority to operate a Continuing Care Retirement Community at Seneca Place in Verona, PA. The initial filing was received on December 20, 2023, and was made under the Continuing-Care Provider Registration and Disclosure Act (40 P.S. §§ 3201—3225).

Persons wishing to comment on the grounds of public or private interest to the issuance of a Certificate of Authority are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient details to inform the Department of the exact basis of the statement. Written statements should be directed to Steven L. Yerger, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, syerger@pa.gov.

MICHAEL HUMPHREYS,  
*Insurance Commissioner*

[Pa.B. Doc. No. 24-55. Filed for public inspection January 12, 2024, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Application and Request for a Certificate of Authority to Provide a Continuing Care Retirement Community by Wesley Embassy IL, LLC

Wesley Embassy IL, LLC has applied for a Certificate of Authority to operate a Continuing Care Retirement Community at Wesley Hills in Pittsburgh, PA. The initial filing was received on December 20, 2023, and was made under the Continuing-Care Provider Registration and Disclosure Act (40 P.S. §§ 3201—3225).

Persons wishing to comment on the grounds of public or private interest to the issuance of a Certificate of Authority are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient details to inform the Department of the exact basis of the statement. Written statements should be directed to Steven L. Yerger, Insur-

ance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, syerger@pa.gov.

MICHAEL HUMPHREYS,  
*Insurance Commissioner*

[Pa.B. Doc. No. 24-56. Filed for public inspection January 12, 2024, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Damage Prevention Committee Nominations

The Pennsylvania Public Utility Commission (Commission) is authorized by the act of October 30, 2017 (P.L. 806, No. 50) (Act 50), to enforce provisions of the act of December 10, 1974 (P.L. 852, No. 287), also known as the Underground Utility Line Protection Law or the One Call Law. Included in Act 50 is the creation of a Damage Prevention Committee (Committee), which meets regularly to review alleged violations of Act 50 and makes determinations as to the appropriate response including, but not limited to, the issuance of warning letters or administrative penalties.

The Commission is currently accepting nominations for a Committee representative from the following industry:

1. Nonmunicipally owned or affiliated facility owner industries—natural gas or petroleum pipeline industry—nominated by facility owners or affiliated organizations (1 position).

Forms and instructions for submitting nominations are available on the Commission's webpage at <https://www.puc.pa.gov/pipeline/damage-prevention-committee/>. Completed nominations forms must be submitted directly to the Secretary of the Commission, Rosemary Chiavetta, at [rchiavetta@pa.gov](mailto:rchiavetta@pa.gov). Nominations must be received by close of business at 4:30 p.m., on February 5, 2024.

Appointment to the Committee will begin in March of 2024, and persons appointed to the Committee must have the appropriate level of expertise within the operation of Act 50.

Members are appointed for a single term of 3 years. After the term is completed, members seeking to remain on the Committee are required to reapply for Committee membership.

Questions regarding nominations for the Commission's Committee should be directed to Rosemary Chiavetta, [rchiavetta@pa.gov](mailto:rchiavetta@pa.gov), (717) 772-7777.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 24-57. Filed for public inspection January 12, 2024, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### General Rule Transaction

**A-2024-3045198 and A-2024-3045199. Consolidated Communications Holdings, Inc., Consolidated Communications of Pennsylvania Company, LLC, Consolidated Communications Enterprise Services, Inc.**

**and Condor Holdings, LLC.** Joint application of Consolidated Communications Holdings, Inc., Consolidated Communications of Pennsylvania Company, LLC, Consolidated Communications Enterprise Services, Inc. and Condor Holdings, LLC for approval of a general rule transaction.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before January 29, 2024. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business address.

*Joint Applicants:* Consolidated Communications Holdings, Inc.; Consolidated Communications of Pennsylvania Company, LLC; Consolidated Communications Enterprise Services, Inc.; Condor Holdings, LLC

*Through and By Counsel:* Norman J. Kennard, Esquire, Eckert Seamans Cherin & Mellott, LLC, 213 Market Street, 8th Floor, Harrisburg, PA 17101, (717) 237-6000, fax (717) 237-6019, [nkennard@eckertseamans.com](mailto:nkennard@eckertseamans.com)

ROSEMARY CHIAVETTA,  
Secretary

[Pa.B. Doc. No. 24-58. Filed for public inspection January 12, 2024, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Formal protests, petitions to intervene and answers must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before January 29, 2024. Filings must be made electronically through eFiling to the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by January 29, 2024. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission's eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. The documents filed in support of the application are only available for inspection through the Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) by searching under the listed docket number as follows or by searching the applicant's web site.

**Applications of the following for approval to begin operating as common carriers for transportation of persons as described under each application.**

**A-2023-3044530. The Bella Transportation Corp.** (865 Liberty Court, Hazle Township, Luzerne County, PA

18202) for the right to begin to transport, as a common carrier, by motor vehicle, persons in paratransit service, from points in the City of Hazleton, Luzerne County and Township of West Hazleton, Luzerne County, to Hazleton Area School District Schools, and vice versa.

**A-2023-3044838. Sterling-Distinctive Limousine Services, LLC** (9344 Stottlemeyer Road, Boonsboro, MD 21713) persons in group and party service, in vehicles seating between 11 and 15 passengers, including the driver, from points in the Counties of Adams, Cumberland, Dauphin, Franklin, Lancaster, Lebanon, Perry and York, to points in Pennsylvania; excluding areas under the jurisdiction of the Philadelphia Parking Authority.

**A-2023-3044904. A Caring Heart Home Health Care, LLC** (6301 Forbes Avenue, Suite 120, Pittsburgh, Allegheny County, PA 15217) for the right to begin to transport, as a common carrier, by motor vehicle, persons in nonemergency medical paratransit service, between points in Allegheny County.

**A-2023-3045049. Elite Rides Limo Service, LLC, t/a Elite Rides** (561 Quail Ridge Lane, Stroudsburg, Monroe County, PA 18360) to transport, as a common carrier, by motor vehicle, persons in limousine service, from points in the Counties of Adams, Berks, Bradford, Bucks, Centre, Chester, Clinton, Columbia, Cumberland, Dauphin, Delaware, Juniata, Lackawanna, Lancaster, Lebanon, Luzerne, Lycoming, Mifflin, Montgomery, Montour, Northumberland, Perry, Pike, Schuylkill, Snyder, Sullivan, Susquehanna, Tioga, Union, Wayne, Wyoming and York, to points in Pennsylvania, and return; excluding areas under the jurisdiction of the Philadelphia Parking Authority.

**Application of the following for the approval of the right and privilege to *discontinue/abandon* operating as common carriers by motor vehicle and for cancellation of the certificate of public convenience as described under the application.**

**A-2023-3045161. Heimax Excursions, LLC** (237 Cornfield Circle, Lewistown, Mifflin County, PA 17044) discontinuance of service and cancellation of its certificate to transport persons, in paratransit service, from points in Huntingdon, Juniata and Mifflin Counties, to points in Pennsylvania, and return.

ROSEMARY CHIAVETTA,  
Secretary

[Pa.B. Doc. No. 24-59. Filed for public inspection January 12, 2024, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Transfer and Change in Control

**A-2024-3045207. DQE Communications, LLC and GI DI Vertigo Acquisition, LLC.** Joint application of DQE Communications, LLC and GI DI Vertigo Acquisition, LLC for all necessary authority, approvals and certificates of public convenience authorizing the transfer and change in control of DQE Communications, LLC from Duquesne Light Holdings, Inc. to GI DI Vertigo Acquisition, LLC.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before January 29, 2024. Filings must be made with the Secretary of the Pennsylvania Public Utility



Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business address.

*Joint Applicants:* DQE Communications, LLC; GI DI Vertigo Acquisition, LLC; Duquesne Light Holdings, Inc.

*Through and By Counsel:* Michael W. Gang, Esquire, Post & Schell, PC, 17 North Second Street, 12th Floor, Harrisburg, PA 17101-1601, (717) 731-1970, fax (717) 731-1985, [mgang@postschell.com](mailto:mgang@postschell.com)

ROSEMARY CHIAVETTA,  
Secretary

[Pa.B. Doc. No. 24-60. Filed for public inspection January 12, 2024, 9:00 a.m.]

## PHILADELPHIA PARKING AUTHORITY

### Service of Notice of Motor Carrier Applications in the City of Philadelphia

The following permanent authority applications to render service as common carriers in the City of Philadelphia have been filed with the Philadelphia Parking Authority's (PPA) Taxicab and Limousine Division (TLD). Formal protests must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority) with the TLD's Office of the Clerk, 2415 South Swanson Street, Philadelphia, PA 19148, no later than January 29, 2024. The nonrefundable protest filing fee is \$5,000 payable to the PPA by certified check or money order. The applications are available for inspection at the TLD between 9 a.m. and 4 p.m., Monday through Friday (contact TLD Director Peter Carnival at (215) 683-9653 to make an appointment) or may be inspected at the business addresses of the respective applicants or attorneys, or both.

**Doc. No. A-23-12-05. Aisha Trans, Inc.** (4424 Sansom Street, Floor 3, Philadelphia, PA 19104): An application for a medallion taxicab certificate of public convenience (CPC) to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return.

**Doc. No. A-23-12-06. Maryam Trans, Inc.** (4421 Chestnut Street, Floor 2, Philadelphia, PA 19104): An application for a medallion taxicab CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return.

**Doc. No. A-23-12-07. Hossain Taxi Service, LLC** (217 Barrington Road, Upper Darby, PA 19082): An application for a medallion taxicab CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the

City of Philadelphia to points in Pennsylvania, and return.

RICH LAZER,  
Executive Director

[Pa.B. Doc. No. 24-61. Filed for public inspection January 12, 2024, 9:00 a.m.]

## SUSQUEHANNA RIVER BASIN COMMISSION

### Actions Taken at December Meeting

As part of its regular business meeting held on December 14, 2023, in Corning, NY, the Susquehanna River Basin Commission (Commission) approved the applications of certain water resources projects and took additional actions, as set forth in the Supplementary Information as follows.

The business meeting was held on December 14, 2023.

For further information contact Jason E. Oyler, General Counsel and Secretary, (717) 238-0423, Ext. 1312, fax (717) 238-2436, [joyler@srbc.gov](mailto:joyler@srbc.gov). Regular mail inquiries may be sent to the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788. Also see the Commission web site at [www.srbc.gov](http://www.srbc.gov).

#### Supplementary Information

In addition to the actions taken on projects identified in the previous summary and the following listings, the following actions were also taken: (1) presented the William Jeanes award to Charlie and Joyce Andrews; (2) approved one grant agreement; (3) approved an authorization to release a proposed general permit GP-03 for public comment; (4) tabled an authorization to release a proposed rulemaking for public comment until the March 2024, business meeting; (5) ratification of two settlement agreements for regulatory violations; and (6) actions on 20 regulatory program projects.

#### Project Applications Approved:

1. Project Sponsor and Facility: Appalachian Utilities, Inc., Pine Creek Township, Clinton County, PA. Applications for groundwater withdrawals (30-day averages) of up to 0.576 mgd from Well 5 and 0.381 mgd from Well 6.

2. Project Sponsor and Facility: Conyngham/Sugarloaf Joint Municipal Authority, Conyngham Borough, Luzerne County, PA. Applications for renewal of groundwater withdrawals (30-day averages) of up to 0.023 mgd from Well 1, 0.051 mgd from Well 3 and 0.216 mgd from Well 7 (Docket No. 20070301).

3. Project Sponsor and Facility: Eagles Crossing, Inc. (Conodoguinet Creek), North Middleton and Lower Frankford Townships, Cumberland County, PA. Applications for renewal of surface water withdrawal of up to 0.249 mgd (peak day) and consumptive use of up to 0.249 mgd (30-day average) (Docket No. 19981207).

4. Project Sponsor and Facility: EQT ARO, LLC (Pine Creek), Watson Township, Lycoming County, PA. Application for renewal of surface water withdrawal of up to 0.720 mgd (peak day) (Docket No. 20181202).

5. Project Sponsor and Facility: Hummel Station, LLC (Susquehanna River), Shamokin Dam Borough and Monroe Township, Snyder County, PA. Applications for re-

newal of surface water withdrawal of up to 10.000 mgd (peak day) and consumptive use of up to 6.500 mgd (peak day) (Docket No. 20081222).

6. Project Sponsor: KBK-HR Associates, LLC. Project Facility: Honey Run Golf Club, Dover Township, York County, PA. Applications for renewal of surface water withdrawals (peak day) of up to 0.382 mgd from Honey Run and 0.350 mgd from Little Conewago Creek, and consumptive use of up to 0.200 mgd (30-day average) (Docket Nos. 20081215, 20081216 and 20081217).

7. Project Sponsor and Facility: Keystone Landfill, Inc., Dunmore Borough, Lackawanna County, PA. Application for renewal of consumptive use of up to 0.360 mgd (peak day) (Docket No. 20080611).

8. Project Sponsor and Facility: Koppers, Inc., Clinton Township, Lycoming County, PA. Application for renewal of consumptive use of up to 0.040 mgd (peak day) (Docket No. 19880204).

9. Project Sponsor: Lucky Bear, LLC. Project Facility: Liberty Forge Golf Course (Yellow Breeches Creek), Lower and Upper Allen Townships, Cumberland County, PA. Applications for renewal of surface water withdrawal of up to 0.432 mgd (peak day) and consumptive use of up to 0.375 mgd (peak day) (Docket No. 19980906).

10. Project Sponsor and Facility: Newport Borough Water Authority, Howe Township, Perry County, PA. Applications for renewal of groundwater withdrawals (30-day averages) of up to 0.037 mgd from Well 10 and 0.050 mgd from Well 14 (Docket Nos. 19920506 and 19920706).

11. Project Sponsor and Facility: Nicholas Meat, LLC, Greene Township, Clinton County, PA. Applications for groundwater withdrawals (30-day averages) of up to 0.288 mgd from Well WS-1, 0.173 mgd from Well WS-3 and 0.144 mgd from Well WS-4.

12. Project Sponsor and Facility: Pennsylvania General Energy Company, LLC (Loyalsock Creek), Plunketts Creek Township, Lycoming County, PA. Modification to intake location and design for the surface water withdrawal (Docket No. 20200312).

13. Project Sponsor and Facility: Repsol Oil & Gas USA, LLC (Seeley Creek), Wells Township, Bradford County, PA. Application for renewal of surface water withdrawal of up to 0.750 mgd (peak day) (Docket No. 20181207).

14. Project Sponsor and Facility: Repsol Oil & Gas USA, LLC (Wyalusing Creek), Stevens Township, Bradford County, PA. Application for renewal of surface water withdrawal of up to 1.500 mgd (peak day) (Docket No. 20181208).

15. Project Sponsor and Facility: Seneca Resources Company, LLC (Cowanesque River), Nelson Township, Tioga County, PA. Application for renewal of surface water withdrawal of up to 0.533 mgd (peak day) (Docket No. 20181210).

16. Project Sponsor and Facility: Seneca Resources Company, LLC (Cowanesque River), Westfield Township, Tioga County, PA. Application for renewal of surface water withdrawal of up to 0.400 mgd (peak day) (Docket No. 20181211).

17. Project Sponsor and Facility: Stewartstown Borough Authority, Stewartstown Borough, York County, PA. Application for renewal of groundwater withdrawal of up to 0.044 mgd (30-day average) from Well 6 (Docket No. 19930903).

18. Project Sponsor and Facility: Village of Sidney, Town of Unadilla, Otsego County, NY. Applications for groundwater withdrawals (30-day averages) of up to 0.999 mgd from Well PW-2 and 0.999 mgd from Well PW-3.

19. Project Sponsor and Facility: Walker Township Water Association, Inc., Walker Township, Centre County, PA. Application for renewal of groundwater withdrawal of up to 0.523 mgd (30-day average) from Snydertown Well 3 (Docket No. 20070905).

*Project Tabled:*

1. Project Sponsor: Aqua Pennsylvania, Inc. Project Facility: Eagle Rock Utilities System, North Union Township, Schuylkill County, PA. Application for groundwater withdrawal of up to 0.216 mgd (30-day average) from Well ER-7.

*Authority:* Pub.L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806—808

*Dated:* December 19, 2023

ANDREW D. DEHOFF,  
*Executive Director*

[Pa.B. Doc. No. 24-62. Filed for public inspection January 12, 2024, 9:00 a.m.]

