

NOTICES

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending January 30, 2024.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, may file comments in writing with the Department, for Bank Supervision, by e-mail to ra-bnbnksbmsnspt@pa.gov or for credit unions, by e-mail to ra-bncusubmissions@pa.gov and trust companies, by e-mail to ra-bntrustsuprvsninq@pa.gov. Comments must be received no later than 30 days from the date that the notice regarding acceptance of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240, or for credit unions or trust companies (717) 783-2253.

APPLICATIONS FOR COMMENT

BANKING INSTITUTIONS

No activity.

CREDIT UNIONS

No activity.

OTHER APPLICATION ACTIVITY

BANKING INSTITUTIONS

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Status</i>
01-30-2024	Hometown Bank of Pennsylvania Bedford Bedford County	4327 Quaker Valley Road Alum Bank Bedford County	Approved

Trust Offices

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Status</i>
01-23-2024	Commercial Bank & Trust of PA Latrobe Westmoreland County	19 North Main Street Greensburg Westmoreland County	Filed

CREDIT UNIONS

No activity.

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

WENDY S. SPICHER,
Secretary

[Pa.B. Doc. No. 24-156. Filed for public inspection February 9, 2024, 9:00 a.m.]

DEPARTMENT OF EDUCATION

Availability of Funds

The Department of Education, Bureau of Postsecondary and Adult Education, Division of Adult Education announces the availability, on a competitive basis, of approximately \$1.084 million in grant funds to be awarded under the Pennsylvania Adult and Family Literacy Education Act (24 P.S. §§ 6401—6409) for tutoring programs for adults.

Further details regarding this funding opportunity will be posted to the Division of Adult Education Grant Competitions webpage at <https://bit.ly/PAGrantCompetitions> as they become available.

DR. KHALID N. MUMIN,
Secretary

[Pa.B. Doc. No. 24-157. Filed for public inspection February 9, 2024, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS UNDER THE CLEAN STREAMS LAW AND FEDERAL CLEAN WATER ACT

This notice provides information about persons who have applied to the Department of Environmental Protection (DEP) for a new, renewed, or amended NPDES or WQM permit, or a permit waiver for certain stormwater discharges, or have submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications and NOIs concern, but are not limited to, effluent discharges from sewage treatment facilities and industrial facilities to surface waters or groundwater; stormwater discharges associated with industrial activity (industrial stormwater), construction activity (construction stormwater), and municipal separate storm sewer systems (MS4s); the application of pesticides; the operation of Concentrated Animal Feeding Operations (CAFOs); and the construction of sewage, industrial waste, and manure storage, collection and treatment facilities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES and WQM permits that are available can be found on DEP's website (visit www.dep.pa.gov and select Businesses, Water, Bureau of Clean Water, Wastewater Management, and NPDES and WQM Permitting Programs).

<i>Section</i>	<i>Category</i>
I	Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received
II	Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs
III	Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity

Section I identifies the following applications and NOIs that have been received by DEP:

- Individual and General WQM Permit Applications Received—DEP provides a 15-day public comment period for Individual WQM Permit Applications for new and reissued permits. There is no public comment period for General WQM Permit NOIs.
- General Chapter 92a NPDES Permit NOIs Received—There is no public comment period for General NPDES NOIs received.
- All Transfer and Minor Amendment Applications/NOIs Received—Transfer and Minor Amendment Applications/NOIs received for Individual and General WQM Permits and Individual and General NPDES Permits, excluding PAG-01 and PAG-02, are identified but do not have public comment periods. DEP provides a 15-day public comment period for Individual WQM Permit Applications for amendments.

Additional information on these applications and NOIs may be reviewed by generating the “Applications and NOIs without Comment Periods Report” or, for Individual WQM Permit Applications, the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice.

Section II identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to sewage, industrial waste, industrial stormwater, MS4s, pesticides and CAFOs. A 30-day public comment period applies to these applications and draft permits, except when a site-specific water quality criterion is used to establish effluent limitations, in which case a 45-day public comment period applies. The period for comment may be extended at the discretion of DEP for one additional 15-day period. Additional information, including links to draft permits and fact sheets that explain the basis for DEP's tentative determinations may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice. Notification of 15-day extensions for comment will be provided in the “Applications Received with Comment Periods Report” (Comments column).

Section III identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to stormwater discharges associated with construction activities. A 30-day public comment period applies to these applications and draft permits. The period for comment may be extended at the discretion of the Department for one additional 15-day period. Additional information may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice.

Applications, NOIs and draft permits, where applicable, may be reviewed at the DEP office that received the application or NOI. Members of the public are encouraged to use DEP's website to obtain additional information as discussed previously.

Comments received within the appropriate comment periods for WQM and NPDES permit applications will be retained by DEP and considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and the relevant facts upon which it is based.

DEP office contact information to review applications and NOIs and to submit comments for those applications, when applicable, is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES_SERO@pa.gov for permits in Sections I & II; RA-EPWW-SERO@pa.gov for permits in Section III.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES_NERO@pa.gov for permits in Sections I & II; RA-EPWW-NERO@pa.gov for permits in Section III.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES_SCRO@pa.gov for permits in Sections I & II; RA-EPWW-SCRO@pa.gov for permits in Section III.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES_NCRO@pa.gov for permits in Sections I & II; RA-EPWW-NCRO@pa.gov for permits in Section III.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES_SWRO@pa.gov for permits in Sections I & II; RA-EPWW-SWRO@pa.gov for permits in Section III.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6340. Email: RA-EPNPDES_NWRO@pa.gov for permits in Sections I & II; RA-EPWW-NWRO@pa.gov for permits in Section III.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

DEP will also accept requests or petitions for public hearings on applications. The request or petition must indicate the interest of the party filing and the reasons why a hearing is warranted. A hearing will be held if DEP determines that there is a significant public interest. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. DEP will postpone its final determination until after a public hearing is held.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

I. Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received.

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0088927	CAFO Individual NPDES Permit	Transfer	Keating James 1620 Beans Cove Road Clearville, PA 15535-8037	Southampton Township Bedford County	SCRO
5817806	Joint DEP/PFBC Pesticides Permit	Amendment	Holthausen Robert 1109 Cymry Drive Berwyn, PA 19312	Herrick Township Susquehanna County	NERO
1169402	Major Sewage Treatment Facility Individual WQM Permit	Amendment	Windber Area Authority 1700 Stockholm Avenue Windber, PA 15963-2059	Richland Township Cambria County	SWRO
2811202	Manure Storage and Wastewater Impoundments Individual WQM Permit	Amendment	Stoners Hijos Hill Inc. 7678 Oellig Road Mercersburg, PA 17236-9549	Peters Township Franklin County	SCRO
3223202	Manure Storage and Wastewater Impoundments Individual WQM Permit	New	Brookside Dairy Farm 2677 Old Route 56 Highway W Homer City, PA 15748-7600	Center Township Indiana County	NWRO

NOTICES

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
5423201	Minor and Non-NPDES Industrial Waste Treatment Facility Individual WQM Permit	New	Aqua Pennsylvania, Inc. 204 E. Sunbury St. Shamokin, PA 17872	West Mahanoy Township Schuylkill County	NERO
1993401	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Amendment	PA DOT Bureau of Project Delivery 400 North Street 6th Floor Harrisburg, PA 17105	Mifflin Township Columbia County	NCRO
NOEXNE019	No Exposure Certification	Renewal	Quietflex Manufacturing 220 Research Drive Pittston, PA 18640	Jenkins Township Luzerne County	NERO
PAG032311	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Louis Cohen & Son Inc. P.O. Box 1004 Wilkes-Barre, PA 18702	Hanover Township Luzerne County	NERO
PAG032416	PAG-03 NPDES General Permit for Industrial Stormwater	New	Wegmans Food Market Inc. 820 Keystone Boulevard Pottsville, PA 17901-8997	Butler Township Schuylkill County	NERO
PAG032418	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Crafcoc Inc. P.O. Box 1639 Jackson, MS 39215-1639	Hanover Township Lehigh County	NERO
PAG035044	PAG-03 NPDES General Permit for Industrial Stormwater	New	Keveins Junkyard LLC 150 Loner Lane Port Matilda, PA 16870-8627	Taylor Township Centre County	NCRO
PAG038605	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Greenleaf Corp 18695 Greenleaf Drive Saegertown, PA 16433-4429	Hayfield Township Crawford County	NWRO
PAG046396	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Transfer	Cohen Samantha 2481 Campmeeting Road Sewickley, PA 15143-9153	Franklin Park Borough Allegheny County	SWRO
PAG046474	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	McDonough Mark & Staci 150 Nichols Drive New Kensington, PA 15068-2029	Plum Borough Allegheny County	SWRO
PAG058401	PAG-05 NPDES General Permit for Groundwater Cleanup	Renewal	Vennards Crossroads Convenience Inc. 5190 White Oak Drive Indiana, PA 15701-9479	White Township Indiana County	NWRO
PAG123561	PAG-12 NPDES General Permit for CAFOs	Renewal	Elvin L Martin 980 Little Mountain Road Myerstown, PA 17067-1852	Bethel Township Berks County	SCRO
PAG123732	PAG-12 NPDES General Permit for CAFOs	Renewal	Risser Mill Farms LLC 934 Junction Road Manheim, PA 17545-9103	Mount Joy Township Lancaster County	SCRO
PAG128304	PAG-12 NPDES General Permit for CAFOs	New	Brookside Dairy Farm 2677 Old Route 56 Highway W Homer City, PA 15748-7600	Center Township Indiana County	SCRO
0113401	Sewer Extensions Individual WQM Permit	Amendment	Gettysburg Borough Municipal Authority P.O. Box 3307 601 E Middle Street Gettysburg, PA 17325-0307	Gettysburg Borough Adams County	SCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
467S081	Sewer Extensions Individual WQM Permit	Transfer	Allegheny County Sanitary Authority ALCOSAN 3300 Preble Avenue Pittsburgh, PA 15233-1025	Pittsburgh City Allegheny County	SWRO
6573410	Sewer Extensions Individual WQM Permit	Transfer	Allegheny County Sanitary Authority ALCOSAN 12441 Route 993 N Huntingdon, PA 15642-4264	North Huntingdon Township Westmoreland County	SWRO
0287492	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Cohen Samantha 2481 Campmeeting Road Sewickley, PA 15143-9153	Franklin Park Borough Allegheny County	SWRO
0424400	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Yakelis Joseph & Lisa 1504 State Route 18 Aliquippa, PA 15001-5996	Raccoon Township Beaver County	SWRO
1618403	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Zacherl Kolin 12502 Route 208 Shippensburg, PA 16254-2022	Elk Township Clarion County	NWRO
6292401	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Newton Benjamin 2415 Jackson Avenue Warren, PA 16365-4389	Glade Township Warren County	NWRO
WQG01022301	WQG-01 WQM General Permit	New	McDonough Mark & Staci 150 Nichols Drive New Kensington, PA 15068-2029	Plum Borough Allegheny County	SWRO
WQG02022401	WQG-02 WQM General Permit	New	Burgettstown Rd Assoc LLC 100 Leetsdale Industrial Drive Leetsdale, PA 15056-1042	Findlay Township Allegheny County	SWRO
WQG02282401	WQG-02 WQM General Permit	New	Cumberland Franklin Joint Municipal Authority 725 Municipal Drive Shippensburg, PA 17257-8893	Shippensburg Township and Southampton Township Franklin County	SCRO

II. Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.

Northeast Regional Office

PA0027006, Sewage, SIC Code 4952, **Tamaqua Borough**, 320 East Broad Street, Tamaqua, PA 18252. Facility Name: Tamaqua WWTP. These existing facilities are located in Tamaqua Borough and Walker Township, **Schuylkill County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving streams, Little Schuylkill River (CWF, MF), Panther Creek (CWF, MF), and Wabash Creek (CWF, MF), are located in State Water Plan watershed 3-A and are classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 2.6 MGD.

(From Permit Effective Date to 12 Months After Permit Effective Date)

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum</i>	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	1.0	XXX	2.34

The proposed effluent limits for Outfall 001 are based on a design flow of 2.6 MGD.

(From 12 Months After Permit Effective Date to Permit Expiration Date)

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum</i>	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6

The proposed effluent limits for Outfall 001 are based on a design flow of 2.6 MGD.

(From Permit Effective Date to Permit Expiration Date)

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Dissolved Solids	Report	XXX	XXX	Report	Report	XXX
Copper, Total	Avg Qrtly Report	XXX	XXX	Avg Qrtly Report	Report	XXX
Zinc, Total	Avg Qrtly Report	XXX	XXX	Avg Qrtly Report	Report	XXX
Bis(2-Ethylhexyl)Phthalate	Avg Qrtly Report	XXX	XXX	Avg Qrtly Report	Report	XXX
Heptachlor	Avg Qrtly Report	XXX	XXX	Avg Qrtly Report	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 2.6 MGD.

(From Permit Effective Date to Permit Expiration Date)

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	542	867	XXX	25.0	40.0	50.0
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	Report	XXX	Report	Wkly Avg Report	XXX
CBOD ₅ Minimum % Removal (%)	XXX	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	650	975	XXX	Min Mo Avg 30.0	45.0	60.0
Total Suspended Solids Raw Sewage Influent	Report	Report	XXX	Report	Wkly Avg Report	XXX
Total Suspended Solids Minimum % Removal (%)	XXX	XXX	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	Min Mo Avg 2,000	XXX	10,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean	XXX	Report
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Nov 1 - Apr 30	232	XXX	XXX	10.7	XXX	21.5
May 1 - Oct 31	Report	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 2.6 MGD.

(From Permit Effective Date to Permit Expiration Date)

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Aluminum, Total	XXX	XXX	XXX	Report	XXX	XXX
Iron, Total	XXX	XXX	XXX	Annl Avg Report	XXX	XXX
Manganese, Total	XXX	XXX	XXX	Annl Avg Report	XXX	XXX

The proposed effluent limits for Outfall 014 are based on a design flow of 0 MGD.

(From Permit Effective Date to Permit Expiration Date)

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Total Flow (Total Volume) (gallons)	Report Total Mo	XXX	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 018 are based on a design flow of 0 MGD.

(From Permit Effective Date to Permit Expiration Date)

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 019 are based on a design flow of 0 MGD.

(From Permit Effective Date to Permit Expiration Date)

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Maximizing Treatment at the Existing POTW
- Combined Sewer Overflows
- Solids Management
- Whole Effluent Toxicity (WET)
- Requirements Applicable to Stormwater Outfalls
- Site-Specific Mixing Study
- POTW Pretreatment Program Development and Implementation

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is not in effect.

Northeast Regional Office

PA0036081, Sewage, SIC Code 4952, **Lehigh County Authority**, 1053 Spruce Road, Allentown, PA 18106-9408. Facility Name: Wynnewood Wastewater Treatment Plant. This existing facility is located in North Whitehall Township, **Lehigh County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Lehigh River (TSF, MF), is located in State Water Plan watershed 2-C and is classified for Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.06 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	12.5	20.0	XXX	25.0	40.0	50.0
Carbonaceous Biochemical Oxygen Demand (CBOD ₅) Raw Sewage Influent	XXX	XXX	XXX	Report	XXX	XXX
CBOD ₅ Minimum % Removal (%) Raw Sewage Influent	XXX	XXX	XXX	85 Min Mo Avg	XXX	XXX
Total Suspended Solids Raw Sewage Influent	XXX	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	7.5	XXX	XXX	30.0	45.0	60.0
Fecal Coliform (No./100 ml) Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	10.4	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen Oct 1 - Apr 30	2.1	XXX	XXX	20.0	XXX	40.0
May 1 - Sep 30	1.5	XXX	XXX	20.0	XXX	40.0
Nitrate as N	8.1	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	2.1	XXX	XXX	Report	XXX	XXX
Total Dissolved Solids	XXX	XXX	XXX	1,000 Avg Qrtly	XXX	2,000
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

In addition, the permit contains the following major special conditions:

- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

PA0276740, Storm Water, SIC Code 2099, **Sunopta Grains & Food Inc.**, 7078 Shady Oak Road, Eden Prairie, MN 55344-3505. Facility Name: Sunopta. This proposed facility is located in Upper Macungie Township, **Lehigh County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated industrial stormwater.

The receiving stream(s), Iron Run (HQ-CWF, MF), is located in State Water Plan watershed 2-C and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	XXX	XXX	Report
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	XXX	Report
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	Report
Oil and Grease	XXX	XXX	XXX	XXX	XXX	Report
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	XXX	XXX	Report
Total Phosphorus	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	XXX	XXX	Report
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	XXX	Report
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	Report
Oil and Grease	XXX	XXX	XXX	XXX	XXX	Report
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	XXX	XXX	Report
Total Phosphorus	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 003 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	9.0 Daily Max	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	XXX	XXX	Report
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	XXX	Report
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	Report
Oil and Grease	XXX	XXX	XXX	XXX	XXX	Report
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	XXX	XXX	Report
Total Phosphorus	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 004 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	XXX	XXX	Report
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	XXX	Report
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	Report
Oil and Grease	XXX	XXX	XXX	XXX	XXX	Report
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	XXX	XXX	Report
Total Phosphorus	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 005 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	XXX	XXX	Report
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	XXX	Report
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	Report
Oil and Grease	XXX	XXX	XXX	XXX	XXX	Report
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	XXX	XXX	Report
Total Phosphorus	XXX	XXX	XXX	XXX	XXX	Report

In addition, the permit contains the following major special conditions:

- Stormwater Outfalls and Authorized Non-Stormwater Discharges
- Best Management Practices (BMPs)
- Routine Inspections
- Preparedness, Prevention and Contingency (PPC) Plan
- Stormwater Monitoring Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

PA0276766, Storm Water, SIC Code 4213, **Rolling Frito Lay Sales LP**, 197 Padula Road, Easton, PA 18040-7138. Facility Name: Rolling Frito Lay Easton Omni. This proposed facility is located in Forks Township, **Northampton County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated industrial stormwater.

The receiving stream(s), Bushkill Creek (HQ-CWF, MF), is located in State Water Plan watershed 1-F and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	Report
Oil and Grease	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	XXX	XXX	Report
Total Phosphorus	XXX	XXX	XXX	XXX	XXX	Report

In addition, the permit contains the following major special conditions:

- Stormwater Outfalls and Authorized Non-Stormwater Discharges
- Best Management Practices (BMPs)
- Routine Inspections
- Preparedness, Prevention and Contingency (PPC) Plan
- Stormwater Monitoring Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

PA0276782, Storm Water, SIC Code 3443, **Gardner Cryogenics, A Division of Air Products & Chemicals Inc.**, 7331 William Avenue, Allentown, PA 18106-9312. Facility Name: Gardner Cryogenics, Fogelsville. This proposed facility is located in Upper Macungie Township, **Lehigh County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated industrial stormwater.

The receiving stream(s), Iron Run (HQ-CWF, MF), is located in State Water Plan watershed 2-C and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	Report
Oil and Grease	XXX	XXX	XXX	XXX	XXX	Report
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	XXX	XXX	Report
Total Phosphorus	XXX	XXX	XXX	XXX	XXX	Report
Aluminum, Total	XXX	XXX	XXX	XXX	XXX	Report
Iron, Total	XXX	XXX	XXX	XXX	XXX	Report
Zinc, Total	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	Report
Oil and Grease	XXX	XXX	XXX	XXX	XXX	Report
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	XXX	XXX	Report

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Total Phosphorus	XXX	XXX	XXX	XXX	XXX	Report
Aluminum, Total	XXX	XXX	XXX	XXX	XXX	Report
Iron, Total	XXX	XXX	XXX	XXX	XXX	Report
Zinc, Total	XXX	XXX	XXX	XXX	XXX	Report

In addition, the permit contains the following major special conditions:

- Stormwater Outfalls and Authorized Non-Stormwater Discharges
- Best Management Practices (BMPs)
- Routine Inspections
- Preparedness, Prevention and Contingency (PPC) Plan
- Stormwater Monitoring Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northwest Regional Office

PA0091065, Sewage, SIC Code 8800, **Emily & Ryan Rekich**, 114 Cobham Lane, Cabot, PA 16023-9726. Facility Name: Emily & Ryan Rekich SRSTP. This existing facility is located in Winfield Township, **Butler County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary of Little Buffalo Creek (HQ-TSF), is located in State Water Plan watershed 18-F and is classified for High Quality Waters—Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report Avg Mo	XXX	Report
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0100129, Sewage, SIC Code 8661, **Seneca Hills Bible Conference**, 276 Damascus Road, Polk, PA 16342-4904. Facility Name: Seneca Hills Campground. This existing facility is located in Victory Township, **Venango County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, the Sandy Creek (WWF), is located in State Water Plan watershed 16-G and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.017 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	4.0 Inst Min	XXX	XXX	XXX

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Maximum	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.2
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Nov 1 - Apr 30				Geo Mean		
May 1 - Oct 31	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	Report	XXX
				Annl Avg	Daily Max	
Total Phosphorus	XXX	XXX	XXX	Report	Report	XXX
				Annl Avg	Daily Max	

In addition, the permit contains the following major special conditions:

- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0222674, Sewage, SIC Code 4952, **McKean Township Sewer Authority**, 9231 Edinboro Road, McKean, PA 16426-1845. Facility Name: McKean Township Sewer Authority STP. This existing facility is located in McKean Township, **Erie County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, the Elk Creek (CWF, MF), is located in State Water Plan watershed 15-A and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.25 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
			Daily Min		Daily Max	
Dissolved Oxygen	XXX	XXX	4.0	XXX	XXX	XXX
			Daily Min			
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.25	XXX	0.83
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	31.0	47.0	XXX	15.0	22.5	30
Biochemical Oxygen Demand (BOD ₅)	Report	Report	XXX	Report	Report	XXX
					Daily Max	
Raw Sewage Influent						
Total Suspended Solids	Report	Report	XXX	Report	Report	XXX
					Daily Max	
Raw Sewage Influent						
Total Suspended Solids	62.5	94.0	XXX	30.0	45.0	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	18.7	XXX	XXX	9.0	XXX	18
Nov 1 - Apr 30						
May 1 - Oct 31	6.2	XXX	XXX	3.0	XXX	6
Total Phosphorus	XXX	XXX	XXX	1.0	XXX	2

In addition, the permit contains the following major special conditions:

- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0239224, Sewage, SIC Code 8211, **Gentile Enterprises LLC**, 201 Main Street, Greenville, PA 16125-2227. Facility Name: Keystone Charter School. This existing facility is located at 425 S Good Hope Road, Greenville, PA 16125-8629 located in West Salem Township, **Mercer County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Big Run (WWF), is located in State Water Plan watershed 20-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .006 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Total Nitrogen	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .006 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 001 are based on a design flow of .006 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	4.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ammonia-Nitrogen	XXX	XXX	XXX	Geo Mean		
Nov 1 - Apr 30				25.0	XXX	50.0
May 1 - Oct 31	XXX	XXX	XXX	10.5	XXX	21.0

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0265021, Sewage, SIC Code 4952, **Knox Township, Clarion County, Municipal Authority**, P.O. Box 3, Lucinda, PA 16235-0003. Facility Name: Lucinda STP. This existing facility is located in Knox Township, **Clarion County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, an Unnamed Tributary to the Step Creek (CWF), is located in State Water Plan watershed 17-B and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.022 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Daily Max XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 6.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.09	XXX	0.31
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	1.8	XXX	XXX	10.0	XXX	20
Biochemical Oxygen Demand (BOD ₅)	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	1.8	XXX	XXX	10.0	XXX	20
Total Suspended Solids	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	Geo Mean XXX	XXX	Report
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	1.3	XXX	XXX	7.5	XXX	15
Nov 1 - Apr 30						
May 1 - Oct 31	0.4	XXX	XXX	2.5	XXX	5
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX
Aluminum, Total	Report	XXX	XXX	Report	XXX	XXX
Iron, Total	Semi Avg Report	XXX	XXX	Semi Avg Report	XXX	XXX
Manganese, Total	Semi Avg Report	XXX	XXX	Semi Avg Report	XXX	XXX
	Semi Avg			Semi Avg		

In addition, the permit contains the following major special conditions:

- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0271730, Sewage, SIC Code 8800, **Douglas Reinard**, 352 Preacher Hill Road, Tidioute, PA 16351. Facility Name: Douglas Reinard SRSTP. This existing facility is located in Harmony Township, **Forest County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Burdick Run (CWF), is located in State Water Plan watershed 16-F and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	Inst Min XXX	Report	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0271748, Sewage, SIC Code 8800, **Fredrick & Kathleen Lindsey**, 371 Butcher Knife Hill Road, Pleasantville, PA 16341. Facility Name: Fredrick & Kathleen Lindsey SRSTP. This existing facility is located in Harmony Township, **Forest County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Pithole Creek (CWF), is located in State Water Plan watershed 16-E and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

In addition, the permit contains the following major special conditions:

- Monthly monitoring for Total Residual Chlorine (TRC)

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0272655, Sewage, SIC Code 8811, **Amber Rock**, 1210 Sunset Drive, Butler, PA 16001-0782. Facility Name: Amber Rock SRSTP. This existing facility is located in Center Township, **Butler County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Swamp Run (HQ-CWF), is located in State Water Plan watershed 20-C and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0295396, Sewage, SIC Code 8800, **Wheeler Properties LLC**, 1006 Millbrook Road, Jackson Center, PA 16133-2520. Facility Name: Wheeler Properties SRSTP. This proposed facility is located at 9879 Kennedy Hill Road, Meadville, PA 16335-9257 in Union Township, **Crawford County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Van Horne Creek (WWF), is located in State Water Plan watershed 16-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0295426, Sewage, SIC Code 8800, **Shawwna Lauffenburger**, 1573 Cole Hill Road, Russell, PA 16345-5331. Facility Name: Shawwna Lauffenburger SRSTP. This proposed facility is located in Pine Grove Township, **Warren County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Akeley Run (CWF), is located in State Water Plan watershed 16-B and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0070424, Sewage, SIC Code 4952, **Caernarvon Township Municipal Authority, Berks County**, 601 Hemlock Road, Morgantown, PA 19543-0291. Facility Name: Caernarvon Township STP. This existing facility is located in Caernarvon Township, **Berks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Conestoga River (WWF), is located in State Water Plan watershed 7-J and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.7 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0 Daily Max	XXX
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
TRC (* For Emergency)	XXX	XXX	XXX	0.22	XXX	0.71

Parameters	Mass Units (lbs/day)		Daily Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	117.0	175.0	XXX	20.0	30.0	40.0
BOD ₅ Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	175	263	XXX	30.0	45.0	60.0
Total Suspended Solids Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 2,000	XXX	10,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean XXX	XXX	Report
E. Coli. (No/100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ultraviolet light intensity (mW/cm ²)	XXX	XXX	Report	XXX	XXX	XXX
Ammonia-Nitrogen	26.0	XXX	XXX	4.5	XXX	9.0
May 1 - Oct 31	79.0	XXX	XXX	13.5	XXX	27.0
Nov 1 - Apr 30	12.0	XXX	XXX	2.0	XXX	4.0

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

Parameter	Effluent Limitations			Concentrations (mg/L)		
	Monthly	Mass Units (lbs) Annual	Monthly	Monthly Average	Maximum	Instant. Maximum
Ammonia—N	Report	Report	XXX	Report	XXX	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX	XXX
Net Total Nitrogen	Report	12,785	XXX	XXX	XXX	XXX
Net Total Phosphorus	Report	1,705	XXX	XXX	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

Southcentral Regional Office

PA0086142, Sewage, SIC Code 4952, **Washington Township, Berks County**, 120 Barto Road, Barto, PA 19504-8746. Facility Name: Washington Township STP. This existing facility is located in Washington Township, **Berks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), West Branch Perkiomen Creek (CWF), is located in State Water Plan watershed 3-E and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.25 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Instant. Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	52	83	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	63	94	XXX	30.0	45.0	60
Total Suspended Solids Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Ammonia-Nitrogen	41	XXX	XXX	20.0	XXX	40
Nov 1 - Apr 30						
May 1 - Oct 31	15	XXX	XXX	7.5	XXX	15
Total Phosphorus	1.04	XXX	XXX	0.5	XXX	1
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Zinc, Total	XXX	Report	XXX	XXX	Report	XXX
		Daily Max			Daily Max	

The proposed effluent limits for Outfall 001 are based on a design flow of 0.25 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Total Dissolved Solids	Report	XXX	XXX	1,000.0	XXX	XXX
	Avg Qrtly			Avg Qrtly		
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

In addition, the permit contains the following major special conditions:

- Proper handling and disposal of screenings and sludge.
- Submittal annually of sewage sludge management inventory.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0088188, Sewage, SIC Code 4952, **Gratz Borough Municipal Authority**, 125 N Center Street, Gratz, PA 17030. Facility Name: Gratz Borough STP. This existing facility is located in Gratz Borough, **Dauphin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Wiconisco Creek (WWF, MF), is located in State Water Plan watershed 6-C and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .12 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
		Daily Max				
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
			Inst Min			
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	25	40	XXX	25	40	50
Biochemical Oxygen Demand (BOD ₅)	Report	Report	XXX	Report	XXX	XXX
		Daily Max				
Raw Sewage Influent						
Total Suspended Solids	30	45	XXX	30	45	60
Total Suspended Solids	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent		Daily Max				
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Ultraviolet light transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Ammonia-Nitrogen	10.5	XXX	XXX	10.5	XXX	21
Nov 1 - Apr 30						
May 1 - Oct 31	3.5	XXX	XXX	3.5	XXX	7
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

Parameters	Mass Units (lbs/day)		Daily Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report Daily Max	XXX

In addition, the permit contains the following major special conditions:

- Stormwater Prohibition, Approval contingencies, Proper waste/solids management, Restriction on receipt of hauled in waste under certain conditions, SBR discharge condition and Chlorine minimization requirement

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0294080, Sewage, SIC Code 4952, **Collin Best**, 492 Kreutz Creek Road, York, PA 17406-8060. Facility Name: Collin Best SRSTP. This proposed facility is located in Hellam Township, **York County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary of Kreutz Creek (WWF, MF), is located in State Water Plan watershed 7-I and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Annual Average	Maximum	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

PAI133533, MS4, **Topton Borough, Berks County**, 205 S Callowhill Street, Topton, PA 19562-1750.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Topton Borough, **Berks County**. The receiving stream(s), Unnamed Tributaries of Little Lehigh Creek (HQ-CWF, MF), is located in State Water Plan watershed 2-C and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA waiver is in effect for small MS4s and is not in effect for large MS4s.

Southcentral Regional Office

Application No. PA0246859, Concentrated Animal Feeding Operation (CAFO), **Hickory Lane Farm LLC (Hickory Lane Farm CAFO)**, 230 Clarks Run Road, Blain, PA 17006-6219.

Hickory Lane Farm LLC has submitted an application for an Individual NPDES permit for a renewal of an CAFO known as Hickory Lane Farm CAFO, located in Jackson Township, **Perry County**.

The CAFO is situated near Unnamed Tributary to Bowers Run (HQ-CWF, MF) in Watershed 7-A, which is classified for High Quality—Cold Water and Migratory Fish. The CAFO is designed to maintain an animal population of approximately 1,773.65 animal equivalent units (AEUs) consisting of 9,650 Swine Wean to Finish, 740 Gestating Sow, 110 Sow and litter, and 20 Boar. Liquid swine manure is stored onsite in an existing earthen lagoon with dimensions 350' x 220' x 10'. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 100-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The Environmental Protection Agency (EPA) permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

Southcentral Regional Office

PA0260169, Concentrated Animal Feeding Operation (CAFO), **Elmer J King (Greenfield Farms CAFO)**, 3382B West Newport Road, Ronks, PA 17572.

Elmer J King has submitted an application for an Individual NPDES permit for a renewal of an CAFO known as Greenfield Farms CAFO, located in Lack Township, **Juniata County**.

The CAFO is situated near Unnamed Tributary of Dougherty Run (HQ-CWF, MF) in Watershed 12-B, which is classified for High Quality—Cold Water and Migratory Fish. The CAFO is designed to maintain an animal population of approximately 442.12 animal equivalent units (AEUs) consisting of 140,500 Layer white egg, 10 Medium Breed Ewe, 15 Medium Breed Lamb, and 1 Medium Breed Ram. Solid layer manure is stored in a roofed solid manure storage area. There are no liquid manure storages located on this operation. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 100-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The Environmental Protection Agency (EPA) permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

Southeast Regional Office

PA0021890, SIC Code 4952, **New Holland Borough Water Authority**, 436 E Main Street, New Holland, PA 17557-1404. Facility Name: New Holland WWTP. This existing facility is located in Earl Township, **Lancaster County**.

Description of Existing Activity: The application is for an NPDES permit for an existing discharge of treated sewage.

The receiving stream, Mill Creek (TSF (existing use)), is located in State Water Plan watershed 7-J and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.34 MGD.—Interim Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.1
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	223	335	XXX	20	30	40
Biochemical Oxygen Demand (BOD ₅)	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent Total Suspended Solids	335	503	XXX	30	45	60
Total Suspended Solids Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Dissolved Solids	Report	XXX	XXX	Report	Report	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ammonia-Nitrogen	60	XXX	XXX	Geo Mean	XXX	10.8
Nov 1 - Apr 30				5.4		
May 1 - Oct 31	20	XXX	XXX	1.8	XXX	3.6
Total Phosphorus	22	XXX	XXX	2.0	XXX	4.0

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Cyanide, Free	Report	Report	XXX	Report	Report	XXX
Sulfate, Total	Report	XXX	XXX	Report	Report	XXX
Chloride	Report	XXX	XXX	Report	Report	XXX
Bromide	Report	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 1.34 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.40	XXX	1.28
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	223	335	XXX	20	30	40
Biochemical Oxygen Demand (BOD ₅)	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent Total Suspended Solids	335	503	XXX	30	45	60
Total Suspended Solids Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Dissolved Solids	Report	XXX	XXX	Report	Report	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ammonia-Nitrogen	60	XXX	XXX	Geo Mean	XXX	10.8
Nov 1 - Apr 30				5.4		
May 1 - Oct 31	20	XXX	XXX	1.8	XXX	3.6
Total Phosphorus	22	XXX	XXX	2.0	XXX	4.0
Cyanide, Free	0.078	0.12	XXX	0.007	0.011	0.019
Sulfate, Total	Report	XXX	XXX	Report	Report	XXX
Chloride	Report	XXX	XXX	Report	Report	XXX
Bromide	Report	XXX	XXX	Report	Report	XXX

The proposed monitoring requirements and effluent limits for implementation of Pennsylvania's Chesapeake Bay Watershed Implementation Plan are as follows for Outfall 001.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Monthly</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>	
Ammonia-N	Report	Report	XXX	Report	XXX	XXX
Kjeldahl-N	Report	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX	XXX
Net Total Nitrogen	XXX	24,475	XXX	XXX	XXX	XXX
Net Total Phosphorus	XXX	3,263	XXX	XXX	XXX	XXX

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

Southeast Regional Office

PA0244716, Sewage, SIC Code 8811, **Anthony P & Susan Laurento**, 1117 Nobb Hill Drive, West Chester, PA 19380-1884. Facility Name: Laurento SRSTP. This existing facility is located in East Bradford Township, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Broad Run (HQ-CWF, MF), is located in State Water Plan watershed 3-H and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	3.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.25
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	40.0	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	4.5	XXX	9
Nov 1 - Apr 30						
May 1 - Oct 31	XXX	XXX	XXX	1.5	XXX	3
Total Phosphorus	XXX	XXX	XXX	10.0	XXX	XXX

In addition, the permit contains the following major special conditions:

- AMR and DMR submission
- Septage and scum measurement
- Septic tank pumping
- No stormwater in sewage
- Proper sludge disposal
- Optimize Chlorine dosages

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Southeast Regional Office

PA0245577, Storm Water, SIC Code 8731, **Janssen Biotech Inc.**, 200 Great Valley Parkway, Malvern, PA 19355-1307. Facility Name: Janssen Biotech Inc. This proposed facility is located in East Whiteland Township, **Chester County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated industrial stormwater.

The receiving stream(s), Unnamed Tributary to Valley Creek (EV, MF), is located in State Water Plan watershed 3-F and is classified for Exceptional Value Waters and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect.

Southwest Regional Office

PA0217727, Sewage, SIC Code 4952, **Rices Landing Borough, Greene County**, 137 Main Street, Rices Landing, PA 15357-1194. Facility Name: Rices Landing Borough STP. This existing facility is located in Rices Landing Borough, **Greene County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), **Monongahela River (WWF)**, is located in State Water Plan watershed 19-B and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.080 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.080 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	Daily Min 5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	16.6	XXX	XXX	25.0	XXX	50.0
Biochemical Oxygen Demand (BOD ₅)	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	20.0	XXX	XXX	30.0	XXX	60.0
Total Suspended Solids Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ammonia-Nitrogen	16.6	XXX	XXX	Geo Mean 25.0	XXX	50.0

The proposed effluent limits for Outfall 001 are based on a design flow of 0.080 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- None.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southwest Regional Office

PA0285218, Sewage, SIC Code 8800, **Jeffrey D Seivers**, 246 Blackwoods Road, Freedom, PA 15042-9645. Facility Name: Seivers Properties SRSTP. This proposed facility is located in New Sewickley Township, **Beaver County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Snake Run (WWF), is located in State Water Plan watershed 20-G and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0005 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	Inst Min XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200.0	XXX	XXX

In addition, the permit contains the following major special conditions:

- None.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southwest Regional Office

PA0031933, Industrial, SIC Code 4911, **Brunot Island Power LLC**, P.O. Box 99907, Pittsburgh, PA 15233. Facility Name: Brunot Island Generating Station. This existing facility is located in Pittsburgh City, **Allegheny County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for existing discharges of cooling tower blowdown, treated sewage, miscellaneous low volume waste sources, and storm water.

The receiving stream, the Ohio River (WWF), is located in State Water Plan watershed 20-F and is classified for Warm Water Fishes, aquatic life, water supply, and recreation. The discharges are not expected to affect public water supplies.

The proposed effluent limits for Internal Monitoring Point 201 are based on a design flow of 0.126 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Instant. Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	Report
Total Suspended Solids	XXX	XXX	XXX	30.0	100.0	XXX
Oil and Grease	XXX	XXX	XXX	15.0	20.0	XXX

The proposed effluent limits for Internal Monitoring Point 301 are based on a design flow of 0.108 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Instant. Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	30.0	100.0	XXX
Oil and Grease	XXX	XXX	XXX	15.0	20.0	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.487 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Instant. Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Free Available Chlorine	0.259	0.646	XXX	Report	Report	XXX
Temperature (°F)	XXX	XXX	XXX	XXX	110	XXX
Chromium, Total	0.259	0.259	XXX	Report	Report	XXX
Zinc, Total	1.29	1.29	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0.0009 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Instant. Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	0.0009	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	4.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50.0
Total Suspended Solids	Report	Report	XXX	30.0	XXX	60.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Nov 1 - Mar 31				Geo Mean		
Apr 1 - Oct 31	XXX	XXX	XXX	200	XXX	400
Ammonia-Nitrogen	XXX	XXX	XXX	Geo Mean	XXX	Report

The proposed effluent limits for Outfall 003 are based on a design flow of 0.026 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Instant. Minimum	Concentrations (mg/L)		IMAX
	Average	Daily		Average	Daily	
	Monthly	Maximum		Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	30.0	100.0	XXX
Oil and Grease	XXX	XXX	XXX	15.0	20.0	XXX
Chlordane (µg/L)	XXX	XXX	XXX	0.0	0.0	XXX

The proposed effluent limits for Outfall 004 are based on a design flow of 0.26 MGD.

Parameters	Mass Units (lbs/day)		Instant. Minimum	Concentrations (mg/L)		IMAX
	Average	Daily		Average	Daily	
	Monthly	Maximum		Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	30.0	100.0	XXX
Oil and Grease	XXX	XXX	XXX	15.0	20.0	XXX
Chlordane (µg/L)	XXX	XXX	XXX	0.0	0.0	XXX

Debris collected on the intake racks shall not be returned to the waterway.

Outfall 005 will discharge storm water that is not exposed to industrial activities. No effluent limits or monitoring requirements are proposed for Outfall 005.

In addition, the permit contains the following major special conditions: requirements for 1) storm water discharges associated with industrial activities; 2) chemical additive use; 3) data collection and entrainment sampling for the facility's cooling water intake structure pursuant to Section 316(b) of the Clean Water Act; 4) sampling for compliance with water quality limits below target quantitation limits; and 5) a prohibition on discharges of PCBs and Chlordane. The permittee has the option of resampling Outfall 003 for Chlordane and submitting analytical results during the comment period. If Chlordane is not detectable at the level of DEP's Target Quantitation Limit for Chlordane (1.0 µg/L), then the monitoring requirements for Chlordane will be removed from the final permit without further public notice.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southwest Regional Office

PAI136105, MS4, North Huntingdon Township, Westmoreland County, 11279 Center Highway, North Huntingdon, PA 15642-5312.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in North Huntingdon Township, **Westmoreland County**. The receiving stream(s), Youghiogheny River (WWF), Crawford Run (WWF), Tinkers Run (TSF), Coal Run (TSF), Brush Creek (TSF), Unnamed Tributary to Long Run and Long Run (HQ-TSF), are located in State Water Plan watershed 19-D and 19-A and is classified for Warm Water Fishes, Trout Stocking, High Quality Waters—Trout Stocking, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant has submitted the following plan(s) with the application to reduce pollutant loads to impaired waters:

- A Pollutant Reduction Plan (PRP)

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA waiver is in effect for small MS4s, and is not in effect for large MS4s.

III. Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity.

Southeast Regional Office

Applicant: **Providence Place of Oxford Associates**

Applicant Address: 1528 Sand Hill Road, Hummelstown, PA 17036-9704

Application Number: **PAD150320**

Application Type: New

Municipality/County: Lower Oxford Township, **Chester County**

Project Site Name: Providence Place at Lower Oxford

Total Earth Disturbance Area (acres): 13.94 acres

Surface Waters Receiving Stormwater Discharges: Leech Run (TSF, MF), UNT to Leech Run (TSF, MF), and UNT to W. Branch Big Elk Creek (HQ-TSF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of assisted-living facility and associated access/parking on 2 parcels currently occupied by farmland and single-family dwelling; parcels will be re-drawn with existing dwelling remaining on parcel not used for development. Re-establishing access to existing dwelling will also be addressed with construction of access to proposed facility.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 484-250-5910.

Northeast Regional Office

Applicant: **Century Development Associates, LLC**

Applicant Address: 4 Hummingbird Drive, Wyomissing, PA 19610-2815

Application Number: **PAD350040**

Application Type: New

Municipality/County: Archbald Borough, Mayfield Borough, **Lackawanna County**.

Project Site Name: Century Logistics Center

Total Earth Disturbance Area (acres): 127.97 acres

Surface Waters Receiving Stormwater Discharges: Aylesworth Creek (HQ-CWF, MF) & UNT to Lackawanna River (CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The project involves the construction of two logistics buildings with parking spaces/lots, loading docks, access drive, and associated stormwater management facilities. The project also includes an extension of a water line and force main, as well as a building booster station.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Northeast Regional Office

Applicant: **PNK P3, LLC**

Applicant Address: 500 W. Office Center Drive, Fort Washington, PA 19034

Application Number: **PAD350042**

Application Type: New

Municipality/County: Jessup Borough, **Lackawanna County**

Project Site Name: Valley View Business Park, Lot 19

Total Earth Disturbance Area (acres): 20.75 acres

Surface Waters Receiving Stormwater Discharges: Grassy Island Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The project involves the construction of a 255,776 square foot warehouse facility on Lot 19 in the Valley View Business Park in Jessup Borough, Lackawanna County. Site improvements will include the warehouse facility, site access drives, utility services, parking areas and associated stormwater management facilities.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Northeast Regional Office

Applicant: **Schuylkill County Municipal Authority**

Applicant Address: 221 S. Centre Street, P.O. Box 960, Pottsville, PA 17901

Application Number: **PAD540036**

Application Type: New

Municipality/County: New Castle Township, Blythe Township, Ryan Township, **Schuylkill County**

Project Site Name: SR 0061 Utility Line Relocation

Total Earth Disturbance Area (acres): 18.10 acres

Surface Waters Receiving Stormwater Discharges: Mill Run (CWF, MF), Wolf Creek (CWF, MF), Tar Run (CWF, MF), Mud Run (CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: To relocate water and communication lines between St. Clair and Frackville.

Special Conditions: N/A—No site-specific specials conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Northeast Regional Office

Applicant: **Hirshland & Company**

Applicant Address: 1055 Westlakes Drive, Suite 300, Berwyn, PA 19312

Application Number: **PAD450060**

Application Type: Renewal

Municipality/County: Mount Pocono Borough, **Monroe County**

Project Site Name: Hirshland Development Renewal

Total Earth Disturbance Area (acres): 12.5 acres

Surface Waters Receiving Stormwater Discharges: UNT to Forest Hills Run, HQ-CWF, MF, Pocono Summit Lake, HQ-CWF

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Develop 59,000 SF shopping center consisting of approximately 51,300 SF of strip retail and approximately 7,850 SF of restaurant/convenience gas station use. The development will also include the construction of parking areas, landscaping, stormwater management facilities, and installation of all utilities to support the development.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Northeast Regional Office

Applicant: **Navid Hadian**

Applicant Address: 6980 Stella Circle, Coopersburg, PA 18036-9740

Application Number: **PAD390281**

Application Type: New

Municipality/County: Lower Milford Township, **Lehigh County**

Project Site Name: The Ridings at Saucon Creek—Lot 56 and 57

Total Earth Disturbance Area (acres): 4.61 acres

Surface Waters Receiving Stormwater Discharges: Saucon Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construct two single-family dwellings on Lot 56 and 57 of the Ridings at Saucon Creek Subdivision.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Southeast Regional Office

Applicant: **Philadelphia Meeting Room, Inc.**

Applicant Address: 621 Newtown Street Road, Media, PA 19063

Application Number: **PAD230075**

Application Type: New

Municipality/County: Middletown Township, **Delaware County**

Project Site Name: Philadelphia Meeting Room, Inc.

Total Earth Disturbance Area (acres): 3.33 acres

Surface Waters Receiving Stormwater Discharges: UNT to Chrome Run (TSF, MF), UNT to Spring Run (HQ, TSF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: This redevelopment project proposes demolition of a building used for fundraising and construction of a 1-story 13,353 square foot church and parking lot.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 484-250-5910.

Southeast Regional Office

Applicant: **The Hankin Group**

Applicant Address: 707 Eagleview Blvd, Exton, PA 19341-1159

Application Number: **PAD150202 A-1**

Application Type: Major Amendment

Municipality/County: Uwchlan Township, **Chester County**

Project Site Name: Eagleview Crossing

Total Earth Disturbance Area (acres): 19.18 acres

Surface Waters Receiving Stormwater Discharges: Shamona Creek (HQ-TSF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Phases 1 and 2 the applicant proposed the construction of an 8,000-SF restaurant, a 5-story hotel and associated parking areas and stormwater management. A 2,950 +/- linear foot sanitary sewer extension to an existing sanitary sewer system was also proposed. Phase 3 the applicant proposes the construction of a 15,540-SF, 123 room, a 5-story hotel, associated parking areas and stormwater management facilities. Phase 4 proposes the import of fill for bulk grading the site and re-vegetation of Meadow areas. Sediment Basins will be installed to control sediment runoff during construction activities before being discharged into the wetlands on site. Sediment Basins will be converted to Infiltration Basins to control runoff getting to the stream.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 484-250-5910.

Southeast Regional Office

Applicant: **1354 Pottstown Pike LLC**

Applicant Address: 55 Country Club Drive, Suite 200, Downingtown, PA 19335

Application Number: **PAD150317**

Application Type: New

Municipality/County: West Whiteland Township, **Chester County**

Project Site Name: 1354 Pottstown Pike

Total Earth Disturbance Area (acres): 2.69 acres

Surface Waters Receiving Stormwater Discharges: UNT to Broad Run (HQ, CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The applicant is proposing 7 new single family residential homes. Additional improvements include associated driveways and road widening.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 484-250-5910.

Northeast Regional Office

Applicant: Club Exploria, LLC

Applicant Address: 25 Town Center Blvd., Clermont, FL 34714

Application Number: PAD450064

Application Type: Renewal

Municipality/County: Middle Smithfield Township, **Monroe County**

Project Site Name: Pocono Mountains Villas

Total Earth Disturbance Area (acres): 5.21 acres

Surface Waters Receiving Stormwater Discharges: Sand Hill Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Renewal of NPDES Permit for Fill Site, Fairway Villa Townhouse construction and Fairway Villas Parking Lot.

Special Conditions: N/A—No site-specific specials conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Southeast Regional Office

Applicant: Stormwater Authority of the City of Chester

Applicant Address: 31 E 5th Street, Chester, PA 19013

Application Number: PAD230077

Application Type: New

Municipality/County: City of Chester, **Delaware County**

Project Site Name: Veterans Memorial Park Stormwater Basin Project

Total Earth Disturbance Area (acres): 10.07 acres

Surface Waters Receiving Stormwater Discharges: UNT to Delaware River (WWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The Stormwater Authority of the City of Chester (SAC) proposes to construct an approximately 4.5-acre stormwater wetland on an existing ballfield/park known as Veterans Memorial Park. This regional stormwater system will provide water quality treatment and flood control through extended detention for a drainage area of approximately 195.9 acres. The basin will be fed by stormwater flow in a shallow existing 66-inch by 84-inch corrugated metal pipe (CMP) culvert that will be diverted into the proposed basin and will sustain a 6-foot deep permanent pool of water. The maximum expected excavation depth is 21 feet. The volume stored in the basin will be drained by a proposed 18-inch RCP pipe connecting to a vault structure located in a railroad right-of-way. Total runoff volume and peak flow leaving the proposed stormwater wetland will decrease as compared to existing conditions. Various site furnishings such as a pedestrian bridge/fishing deck, gathering area, retaining wall and trails will provide additional project benefits such as habitat creation, passive recreation and educational benefits for city residents and park visitors. There are no FEMA floodways or floodplains in the project area. The national wetland inventory database shows no wetlands within the project area. However, in April 2020, and AKRF senior wetlands scientist delineated two small wetlands within the project area. The project also includes stormwater infrastructure improvements in the public right of way on the west

side of the park (along Wilson Street and Ward Street). Please note that two separate but related sets of engineering drawings accompany this application, depending on the location of the proposed work. Work in Veterans Memorial Park, i.e. the proposed stormwater wetland, is depicted on drawings titled, "Contract Drawings for Stormwater Authority of the City of Chester, Comprehensive Infrastructure Project Phase 3, Veterans Memorial Park Stormwater Wetland." Work in public street rights-of-way, i.e. storm sewer infrastructure improvements, is depicted on drawings titled, "Contract Drawings for Stormwater Authority of the City of Chester, Comprehensive Infrastructure Project Phase 3, Right-of-Way Storm Sewer Improvements."

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 484-250-5910.

Northcentral Regional Office

Applicant: **John Stoltzfus**

Applicant Address: 165 EJ Commerce Drive, Loganton, PA 17747

Application Number: **PAD 180031**

Application Type: New

Municipality/County: Greene Township, **Clinton County**

Project Site Name: EJ Commerce Development

Total Earth Disturbance Area (acres): 3.93 acres

Surface Waters Receiving Stormwater Discharges: Mill Creek

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: A building pad consisting of a house, two barns, and a driveway.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 570-327-3693.

Northeast Regional Office

Applicant: **PNK P3, LLC**

Applicant Address: 17 State Street, Suite 3930, New York, NY 10004-1553

Application Number: **PAD350047**

Application Type: New

Municipality/County: Jessup Borough, **Lackawanna County**

Project Site Name: Valley View Business Park, Lot 11

Total Earth Disturbance Area (acres): 16.93 acres

Surface Waters Receiving Stormwater Discharges: Grassy Island Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The project involves the construction of a 162,912 square foot warehouse facility on Lot 11 in the Valley View Business Park in Jessup Borough, Lackawanna County. Site improvements will include the warehouse facility, site access drives, utility services, parking areas and associated stormwater management facilities.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Southeast Regional Office

Applicant: **Delaware Valley Friends School**

Applicant Address: 19 E. Central Ave., Paoli, PA 19301-1345

Application Number: **PAD150325**

Application Type: New

Municipality/County: Tredyffrin Township, **Chester County**

Project Site Name: Delaware Valley Friends School Expansion

Total Earth Disturbance Area (acres): 3.35 acres

Surface Waters Receiving Stormwater Discharges: Little Valley Creek (EV, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Delaware Valley Friends School (DVFS) owns a 7.8-acre property at the SE corner of E. Central Ave. and Fennerton Road where it operates a private school at the former Paoli Elementary School. DVFS plans to:

- construct a 4,065 + SF footprint Administration/Classroom Building Addition abutting and behind (south of) the 1953 building
- construct a 7,057 SF Gymnasium Addition and abutting 3,186 SF Building Addition with classrooms and lockers. These buildings will abut the east side in the existing gymnasium. In aggregate, the 2 new buildings will provide up to 14 additional classrooms for a new total of 51 classrooms.
- expand parking facilities adjacent to existing driveways to add 36 parking spaces for a new total parking of 153 parking spaces
- construct an approx. 1,600 SF amphitheater/outdoor gathering space abutting the Fennerton Road side of the 1926 building
- move the school's Fennerton Road front entrance south to a central location at the juncture between the 1953 and 1926 for increased efficiency and to enhance security and handicap accessibility
- construct a robust stormwater control system consisting of seven underground seepage beds with rate control, and a surface rain garden to mitigate water quality, volume, and rate of runoff from all development on the property (excluding the synthetic turf field).
- modernization, improvements and capacity expansion of capacity of utilities services
- other incidental site improvements such as sidewalks, landscaping and site lighting improvements

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 484-250-5910.

Southeast Regional Office

Applicant: **Twin County Business Park, LLC**

Applicant Address: 615 Laushtown Road, Denver, PA 17517

Application Number: **PAD150318**

Application Type: New

Municipality/County: Honey Brook Township, **Chester County**

Project Site Name: Twin County Business Park, LLC

Total Earth Disturbance Area (acres): 34.117 acres

Surface Waters Receiving Stormwater Discharges: West Branch Brandywine Creek (HQ, TSF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Consolidation and then subdivision of land to create 7 new parcels and extend Westbrook Drive out to Twin County Road (SR 0010). On each lot at least one new industrial building with associated parking and stormwater management will be constructed.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 484-250-5910.

Southcentral Regional Office

Applicant: **Sheetz Inc.**

Applicant Address: 5700 6th Avenue, Altoona, PA 16602

Application Number: **PAD060085**

Application Type: New

Municipality/County: Richmond Township, **Berks County**

Project Site Name: Store 247 Rebuild

Total Earth Disturbance Area (acres): 2.75 acres

Surface Waters Receiving Stormwater Discharges: Moselem Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Development will consist of rebuilding Store 247 to accommodate walk-in coolers, restaurant style seating, and a drive through. Additional stormwater drainage pipes and infiltration basins will be provided.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

Southcentral Regional Office

Applicant: **Bridging Pennsylvania Developer I, LLC**

Applicant Address: Nova Tower 1, Allegheny Square East, Suite 300, Pittsburgh, PA 15212

Application Number: **PAD060092**

Application Type: New

Municipality/County: Greenwich Township, **Berks County**

Project Site Name: SR 0078, Section LBR

Total Earth Disturbance Area (acres): 31.30 acres

Surface Waters Receiving Stormwater Discharges: Furnace Creek (TSF, MF), UNTs to Furnace Creek (TSF, MF), Maiden Creek (TSF, MF), and UNTs to Maiden Creek

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: On/Off Ramp Reconstruction and Bridge Widening.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

Southcentral Regional Office

Applicant: **Wellspan Health**

Applicant Address: 2500 South George Street, York, PA 17403

Application Number: **PAD670098**

Application Type: New

Municipality/County: Hopewell Township, **York County**

Project Site Name: Wellspan Shrewsbury

Total Earth Disturbance Area (acres): 4.55 acres

Surface Waters Receiving Stormwater Discharges: Deer Creek (CWF, MF) via EV Wetlands

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Community hospital and associated parking facilities.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

Southeast Regional Office

Applicant: **Joseph Wendle and Lindsey Wendle**

Applicant Address: 127 Concord Court, Kennett Square, PA 19348

Application Number: **PAD150323**

Application Type: New

Municipality/County: New London Township, **Chester County**

Project Site Name: 1365 State Road

Total Earth Disturbance Area (acres): 1.65 acres

Surface Waters Receiving Stormwater Discharges: Big Elk Creek (HQ-TSF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of a single-family residence.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 484-250-5910.

STATE CONSERVATION COMMISSION

PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling 717-787-8821.

Individuals wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Individuals in need of accommodations should contact the SCC through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

ACT 38

NUTRIENT MANAGEMENT PLANS CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal / New</i>
Matthew Horning 3370 Forest Hill Road Mifflinburg, PA 17844	Union County	34.6	240.0	Poultry White Laying Hens	HQ	New
Jay Smoker Turkey Operation 301 Glen Run Road Atglen, PA 19301	Chester County	145.5	414.25	Turkey	NA	New
Glenn and Travis Kline Y Run Farm LLC 3252 Leona Road Troy, PA 16947	Bradford County	221.4	9.78	Dairy Cattle	NA	Renewal
Yippe Farms! Arlin Benner 880 Pinkerton Rd Mount Joy, PA 17552	Lancaster County	702.3	1,349.25	Dairy Beef	NA	Renewal
Robert and Michael Shearer 806 Anderson Ferry Road Mount Joy, PA 17552	Lancaster County	270	702.19	Swine Beef	NA	Renewal

PUBLIC WATER SUPPLY PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for Public Water Supply (PWS) permits to construct or substantially modify public water systems.

Individuals wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30-days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determi-

nations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (DEP) the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, DEP will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

SAFE DRINKING WATER

Application(s) Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Central Office: Safe Drinking Water Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-772-4477.

Contact: Jacob Fogarty, Env Eng.

Application No. 9996633, Operation, Public Water Supply.

Applicant	Primo Waters
Address	3866 Shader Road Orlando, FL 32808
Municipality	Orlando
County	Orange County
Responsible Official	Louis Vittoio 3866 Shader Rd Orlando, FL 32808
Application Received	December 27, 2023
Description	Primo Water out of state bottled water application to sell bottled water in Pennsylvania

Application No. 9996634, Operation, Public Water Supply.

Applicant	Premium Waters
Address	159 S Stark Hwy Weare, NH 03281
Municipality	Weare
County	Hillsborough County
Responsible Official	Nicki Ovens 159 S. Stark Hwy. Weare, NH 03281
Application Received	January 24, 2024
Description	Primo Water is applying for an out of state bottled water permit to sell water in the state of PA for their bottling facility in Douglas, Georgia.

Northeast Region: Safe Drinking Water Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Lorrie Fritz, Clerical Assistant 2, 570-830-3048.

Application No. 6424501, Construction, Public Water Supply.

Applicant	Joan Buehl Lake Wallenpaupack Sandy Shore
Address	99 Lakeside Road Lakeville, PA 18438
Municipality	Paupack Township
County	Wayne County
Responsible Official	Joan Buehl Lake Wallenpaupack Sandy Shore 99 Lakeside Road Lakeville, PA 18438
Consulting Engineer	Brian Donoghue, P.E. Claymore Environmental LLC 650 Germantown Pike Lafayette Hill, PA 19444
Application Received	January 18, 2024
Description	Applicant proposes to install greensand filtration at two wells to remove manganese.

Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Joseph Mattucci, Program Manager, 717-705-4931.

Application No. 0523506, Construction, Public Water Supply.

Applicant	Bedford Township Municipal Authority
Address	1007 Shed Road Suite 102 Bedford, PA 15522
Municipality	Bedford Township
County	Bedford County
Responsible Official	Eric Zembower 1007 Shed Road Suite 102 Bedford, PA 15522
Consulting Engineer	Timothy A. Cooper, P.E. 1731 North Juniata Street Hollidaysburg, PA 16648
Application Received	January 22, 2024
Description	This application proposes the development of a new ground-water source, construction of a water line extension, and installation of treatment (general corrosion control and pH adjustment).

Application No. 3623552, Construction, Public Water Supply.

Applicant	Quarryville Borough Authority
-----------	--------------------------------------

Address	300 Saint Catherine Street Quarryville, PA 17566
Municipality	East Drumore Township
County	Lancaster County
Responsible Official	William Lamparter 300 Saint Catherine Street Quarryville, PA 17566
Consulting Engineer	Jenna Bishop, P.E. 108 West Airport Road Lititz, PA 17543
Application Received	January 4, 2024
Description	This application proposes modifications to the disinfection treatment unit(s) and to the pump station(s).

Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Renee Diehl, Program Manager; ra-epswsdu@pa.gov.

Application No. 0221542-A1, Construction, Public Water Supply.

Applicant	Pittsburgh Water and Sewer Authority
Address	Penn Liberty Plaza 1 1200 Penn Avenue Pittsburgh, PA 15222
Municipality	City of Pittsburgh
County	Allegheny County
Responsible Official	William J. Pickering Chief Executive Officer Penn Liberty Plaza 1 1200 Penn Avenue Pittsburgh, PA 15222
Consulting Engineer	Brown and Caldwell 1001 Liberty Avenue Pittsburgh, PA 15222
Application Received	October 4, 2023
Description	Resubmission of an application pertaining to the Aspinwall Pump Station Improvements project, Clearwell Emergency Bypass Response project, and the Bruecken Pump Station Improvements project.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 1

Acknowledgment of Notice(s) of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent (NOI) to Remediate. An acknowledgment of the receipt of a NOI to

Remediate is used to identify a site where an individual proposes to, or has been required to, respond to a release of a regulated substance at a site. Individuals intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a NOI to Remediate with DEP. A NOI to Remediate filed with DEP provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. An individual who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by DEP. Furthermore, an individual shall not be subject to citizen suits or other contribution actions brought by responsible individuals not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified individual, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following Notice(s) of Intent to Remediate.

Northcentral Region: Environmental Cleanup & Brownfields Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Randy Farmerie, P.G., Environmental Program Manager, 570-327-3716.

Sensinger BRA 4H on the Sensinger BRA Well Pad, Primary Facility ID # **867795**, 13278 Southside Road, Monroeton, PA 18832, Franklin Township, **Bradford County**. Creston Environmental, LLC, PO Box 1373, Camp Hill, PA 17001 on behalf of Chesapeake Appalachia LLC, 14 Chesapeake Lane, Sayre, PA 18840, submitted a Notice of Intent to Remediate. The NIR concerns site soil contaminated with production water. The applicant proposes to remediate the site to meet the Statewide health standard. The Notice of Intent to Remediate was published in *The Daily Review* on December 29, 2023. Application received: January 3, 2024.

Grippio 24HC on the Grippio BRA Well Pad, Primary Facility ID # **865160** and **865952**, 392 May Road, Wyalusing, PA 18853, Terry Township, **Bradford**

County. Creston Environmental, LLC, PO Box 1373, Camp Hill, PA 17001 on behalf of Chesapeake Appalachia LLC, 14 Chesapeake Lane, Sayre, PA 18840, submitted a Notice of Intent to Remediate. The NIR concerns site soil contaminated with production water. The applicant proposes to remediate the site to meet the Statewide health standard. The Notice of Intent to Remediate was published in *The Daily Review* on December 29, 2023. Application received: January 16, 2024.

Former Williamsport Foundry, Primary Facility ID # **872072**, 164 Maynard Street, Williamsport, PA 17701, City of Williamsport, **Lycoming County.** McKee Environmental, Inc., 86 Quartz Drive, Bellefonte, PA 168223 on behalf of HFL Corporation I PDG, LLC, 120 West Cherry Lane, State College, PA 16803, submitted a Notice of Intent to Remediate. The NIR concerns remediation of groundwater contaminated with TCE. The applicant proposes to remediate the site to meet the Background and Statewide health standards. The Notice of Intent to Remediate was published in *Williamsport Sun-Gazette* on January 8, 2024. Application received: January 18, 2024.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Former Beltrami/Hazleton Brick Property, Primary Facility ID # **872132**, Routes 424 and 309, Hazleton, PA 18201, Hazle Township, **Luzerne County.** LaBella Associates, 1000 Dunham Drive, Suite B, Dunmore, PA 18512 on behalf of SR 424, LLC, 100 Baltimore Drive, Wilkes-Barre, PA 18702, submitted a Notice of Intent to Remediate. Soil and groundwater were contaminated with volatile organic compounds from historic site operations. The Notice of Intent to Remediate was published in *The Standard Speaker* on January 18, 2024. Application received: January 19, 2024.

34 Buck Maple Lane, Primary Facility ID # **864494**, 34 Buck Maple Lane, Blakeslee, PA 18610, Buck Township, **Luzerne County.** Crawford Environmental Services, 20 Cardinal Drive, Birdsboro, PA 19508 on behalf of Furino Fuels, Inc., 116 MTCA Drive, Swiftwater, PA 18370, submitted a Notice of Intent to Remediate. Soil was contaminated by a release of heating oil. The Notice of Intent to Remediate was published in *Pocono Record* on November 1, 2023. Application received: January 19, 2024.

Lehigh Valley International Airport Cargo Ramp, Primary Facility ID # **871037**, 921 Postal Road, Allentown, PA 18109, Hanover Township, **Lehigh County.** JMT Environmental Technologies, 710 Uhler Road, Easton, PA 18040 on behalf of Worldwide Flight Services, 2202 Hangar Road, Allentown, PA 18109, submitted a Notice of Intent to Remediate. Soil was contaminated by a release of gasoline. The Notice of Intent to Remediate was published in *The Morning Call* on December 6, 2023. Application received: January 23, 2024.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Environmental Cleanup & Brownfields Program Manager, 717-705-4705.

ASC Engineered Solutions, LLC, Primary Facility ID # **622602**, 1411 Lancaster Avenue, Columbia, PA 17512, Columbia Borough, **Lancaster County.** WSP USA, Inc., One Penn Plaza, 250 West 34th Street, New York, NY 10119 on behalf of ASC Engineered Solutions,

LLC, 1411 Lancaster Avenue, Columbia, PA 17512, submitted a Notice of Intent to Remediate. Notice of Intent to Remediate groundwater contaminated with Spent Pickling Liquor. The site will be remediated to the site-specific standard. Future use of the site is nonresidential. The Notice of Intent to Remediate was published in *LNP* on December 8, 2023. Application received: December 21, 2023.

Former Graybill Property, Primary Facility ID # **623230**, 200 North Broad Street, York, PA 17401, City of York, **York County.** GeoServices, Ltd., 1525 Cedar Cliff Drive, Camp Hill, PA 17011 on behalf of Redevelopment Authority of the City of York, 101 South George Street, York, PA 17401, submitted a Notice of Intent to Remediate. Notice of Intent to Remediate soil & groundwater contaminated with VOCs & Metals. The site will be remediated to the Statewide Health & Site-Specific Standards. Future use of the site is residential. The Notice of Intent to Remediate was published in *York Daily Record* on November 27, 2023. Application received: December 27, 2023.

Former Graybill Property, Primary Facility ID # **623230**, 200 North Broad Street, York, PA 17401, City of York, **York County.** GeoServices, Ltd., 1525 Cedar Cliff Drive, Camp Hill, PA 17011 on behalf of Statewide Partners, LLC, 3405 North 6th Street, Harrisburg, PA 17110, submitted a Notice of Intent to Remediate. Notice of Intent to Remediate soil and groundwater contaminated with VOCs & Metals. The site will be remediated to the Statewide health and site-specific standards. Future use of the site is residential. The Notice of Intent to Remediate was published in *York Daily Record* on November 27, 2023. Application received: December 27, 2023.

RESIDUAL WASTE GENERAL PERMITS

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. § § 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other than Coal Ash.

Northcentral Region: Waste Management Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Lisa D. Houser, P.E., Facilities Manager, 570 327-3740.

WMGR081NC004. eLoop, LLC, 1 Wesco Lane, Export, PA 15632, College Township, **Centre County.** Renewal application for the eLoop electronics recycling facility. Application received: December 15, 2023.

Comments or questions concerning the application should be directed to Lisa D. Houser, P.E., Facilities Manager, 570-327-3740, Northcentral Region, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for Determination of Applicability for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other than Coal Ash.

Northcentral Region: Waste Management Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Lisa D. Houser, P.E., Facilities Manager, 570-327-3740.

WMGR123NC047, RES Water—Avis, LLC dba RES Water Canton, 1373 Washington Pike, Suite 100, Bridgeville, PA 15017, Canton Township, **Bradford County**. Determination of Applicability to store reuse water for the oil & gas industry. All water will be recycled into the field for beneficial reuse. Application received: December 12, 2023.

Comments or questions concerning the application should be directed to Lisa D. Houser, P.E., Facilities Manager, 570-327-3740, Northcentral Region, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Northeast Region: Waste Management Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Roger Bellas, Environmental Program Manager, 570-826-2201.

101679. Blythe Recycling and Demolition Site Holdings, Inc., P.O. Box 335, St. Clair, PA 17970, Blythe Township, **Schuylkill County**. An application for permit renewal for the continued operation of a construction and demolition waste landfill. Application received: January 25, 2024. Deemed administratively complete: January 29, 2024.

Comments or questions concerning the application should be directed to Roger Bellas, Environmental Program Manager, 570-826-2201, Northeast Region, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

HAZARDOUS WASTE TRANSPORTER LICENSE

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); and Hazardous Waste Regulations to Transport Hazardous Waste.

Renewal Applications Received

Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7561.

Contact: Jonathan Adams.

U.S. Bulk Transport, Inc., 205 Pennbriar Drive, Erie, PA 16509. **License No. PA-AH 0408.** Accepted: December 27, 2023.

Interstate Chemical Company, Inc., 2797 Freeland Road, Hermitage, PA 16148. **License No. PA-AH 0689.** Accepted: January 22, 2024.

Best Dedicated, LLC, 829 Graves Street, Kernersville, NC 27284. **License No. PA-AH 0886.** Accepted: January 23, 2024.

AGD Contracting Corp, 52 Tennent Road, Morganville, NJ 07751. **License No. PA-AH 0916.** Accepted: December 20, 2023.

REGULATED MEDICAL AND CHEMOTHERAPEUTIC WASTE TRANSPORTER LICENSE

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) and Act 93 of June 28, 1988 (P.L. 525, No. 93) and Regulations to Transport Regulated Medical and Chemotherapeutic Waste License.

Renewal Applications Received

Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7561.

Contact: Jonathan Adams.

Maverick Medical Waste Services, LLC, 12 E. Greenbrook Road, North Caldwell, NJ 07006. **License No. PA-HC 0274.** Accepted: January 23, 2024.

AIR QUALITY PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department of Environmental Protection (DEP) has developed an integrated plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for DEP, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The DEP received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, DEP's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate DEP Regional Office.

Appointments for scheduling a review must be made by calling the appropriate DEP Regional Office. The address and telephone number of the Regional Office is listed before the application notices.

Individuals wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the DEP's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

Any individual wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if DEP, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when DEP determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate DEP Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

PLAN APPROVALS

Notice of Intent to Issue Plan Approval(s) and Notice of Intent to Issue or Amend Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These Actions May Include the Administrative Amendments of an Associated Operating Permit.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

41-00010G: Andritz, Inc., 35 Sherman Street, Muncy, PA 17756, Muncy Creek Township and Borough of Muncy, **Lycoming County**. Application received: August 18, 2023. The Department intends to issue a plan approval for revisions of Synthetic Minor Operating Permit to

address several changes at the Andritz Muncy Foundry facility. Specifically, Andritz, Inc. requests material throughput increase up to 14,000 tons of product a year and the operation time to a maximum of 8,760 hours per year for an existing Plate Molding operation (ID P139) as well as for a Floor Molding operation (ID P142) and limiting the operating hours to 4,380 on the existing General Casting Operation (ID P144) to minimize the potential to emit from this source and eliminate stack testing requirements. The Department of Environmental Protection's (Department) review of the information submitted by Andritz, Inc. indicates that the previously listed changes requested will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12. Based on this finding, the Department proposes to issue a plan approval for the proposed construction. Despite the previously mentioned increase in throughput and operating hours, the potential particulate matter (PM including PM₁₀) and volatile organic compounds (VOCs) (including hazardous air pollutants) for P139 remained the same as Andritz proposed a limit on airflow of the existing control device and kept the same emission factor for VOCs at the current limit specified in their permit. The total PM and VOCs from ID P139 will remain at 21.0 tons and 38.20 tons per year, respectively. Similarly, the potential PM and VOCs (including hazardous air pollutants) for ID P142 remained the same as Andritz kept the same emission factor for PM and VOCs as permitted in the current permit. The potential PM and VOCs from ID P142 will be 8.49 tons and 25.76 tons per year, respectively. Andritz is required to conduct a stack test by December 31, 2024 to verify particulate matter emissions at the facility. The facility is a State Only facility. If the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specification of the application for Plan Approval 41-00010G, the requirements established in the plan approval will be incorporated into a State Only Operating Permit pursuant to 25 Pa. Code § 127.411. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Norman Frederick, Facility Permitting Chief, 570-826-2409.

48-00016: Lehigh University, 681 Taylor St., Bethlehem, PA 18015, City of Bethlehem, **Northampton County**. Application received: January 25, 2024. The Department intends to issue a Minor Modification for Lehigh University's Synthetic Minor Operating Permit. The Minor Modification is for the conversion of six boilers at the Bethlehem Campus from combusting natural gas/No. 6 fuel oil to natural gas/No. 2 fuel oil. The proposed permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

67-05142B: Johnson Controls, Inc., 100 JCI Way, York, PA 17406, East Manchester Township, **York County**. Application received: November 20, 2023. For the installation of a spray coating booth and fin press. The Plan Approval will authorize to install a spray coating booth controlled by a fabric filter and by using compliant coatings and application methods, the facility will also install one fin press. Actual emissions will increase by 2.97 tpy VOC and less than 1 tpy PM₁₀ and HAP. Potential emissions will not change as a result of facility wide emission limits. The facility is a State-Only facility. DEP's review of the information submitted by the applicant indicates that the air contamination sources as constructed or modified will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12. Based on these findings, the Department proposes to issue a plan approval for the proposed construction. If, after the project has been implemented, the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specification of the application for plan approval, the requirements established in the plan approval will be incorporated into an Operating Permit pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450.

67-03143E: The ESAB Group, Inc., 1500 Karen Lane, Hanover, PA 17331, Penn Township, **York County**. Application received: October 10, 2023. For the replacement of five baghouses at its welding and cutting products facility. PM emissions from various operations at the facility will be controlled by the baghouses. PTE for 8,760-hr operation of the baghouses is 4.58 tpy PM₁₀. Facility wide PTE under the current operating permit is 18.15 tpy PM₁₀, 26.24 tpy CO, 31.80 tpy NO_x, 2.40 tpy VOC, and < 1 tpy of SO_x and HAPs. DEP's review of the information submitted by the applicant indicates that the air contamination sources as constructed or modified will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12. Based on these findings, the Department proposes to issue a plan approval for the construction. If, after the project has been implemented, the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specification of the application for plan approval, the requirements established in the plan approval will be incorporated into an operating permit pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450.

01-03039B: Agricultural Commodities, Inc., 2224 Oxford Road, New Oxford, PA 17350, Tyrone Township, **Adams County**. Application received: June 29, 2022. For the construction of a new flour mill, storage bin, and grain dryer at the existing facility. The facility includes flour milling, a soybean oil mill, and ancillary operations including grain drying, truck loading/unloading, grain handling, and grain/product storage. Potential air emissions from the facility are estimated at: 3.17 tpy CO; 17.46 tpy NO_x; 43.26 tpy PM₁₀; 26.77 tpy PM_{2.5}; and less than 1 tpy of SO_x, VOC, and HAPs. The facility is a State Only facility. The Department of Environmental Protection's (DEP's) review of the information submitted by the company indicates that the air contamination sources will comply with all regulatory requirements,

including monitoring, recordkeeping, and reporting requirements, and pertaining to air contamination sources and the emission of air contaminants including 40 CFR Part 60, Subpart DD—Standards of Performance for Grain Elevators, and the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12. Based on this finding, DEP proposes to issue a plan approval for the proposed construction. If DEP determines that the sources are constructed and operated in compliance with the plan approval conditions and the specifications of the application for plan approval, the applicant will subsequently apply for an Operating Permit in accordance with 25 Pa. Code Subchapter F.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

22-03051B: Buse Funeral Home, 9066 Jonestown Road, Grantville, PA 17028, East Hanover Township, **Dauphin County**. Application received: October 25, 2023. For the installation and operation of a Matthews Environmental Solutions Model IE43-PPI (Power Pak I) human crematory at their Grantville funeral home. The emissions from the unit are expected to be 0.66 tpy PM, 0.50 tpy NO_x, 0.41 tpy CO, 0.30 tpy SO_x, and 0.04 tpy VOC (TOC/VOC-methane). The facility is a State Only facility. DEP's review of the information submitted by the applicant indicates that the air contamination source as constructed or modified will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12. Based on these findings, the Department proposes to issue a plan approval for the proposed construction. If, after the project has been implemented, the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specification of the application for plan approval, the requirements established in the plan approval will be incorporated into an Operating Permit pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.

PA-63-00631B: Columbia Gas Transmission, LLC, 1700 MacCorkle Avenue SE, Charleston, WV 25314, Donegal Township, **Washington County**. Application received: October 3, 2022.

Pursuant to 25 Pa. Code §§ 127.44—127.46, the Department intends to issue Air Quality plan approval to authorize construction and temporary operation of a natural gas triethylene glycol (TEG) dehydration unit (dehydrator) and associated equipment at the Donegal Compressor Station owned and operated by Columbia Gas Transmission, LLC in Donegal Township, Washington County (40.11167, -80.46167). The proposed TEG dehydrator has design natural gas capacity of approximately 205 million standard cubic feet per day (MMscfd) and will be equipped with a 2.28 MMBtu/hr natural gas-fired reboiler, three-phase flash separator, and a 4.0 MMBtu/hr enclosed flare. Sources to be constructed and operated ancillary to the project include a 10,000-gallon pipeline fluids storage tank and a 4,500-gallon TEG storage tank.

Best Available Technology (BAT) for the proposed sources and controls includes the installation of: a low-NO_x reboiler burner; a dehydrator three-phase flash separator with off-gas recirculated for use as stripping

gas in the dehydrator; an enclosed flare with greater than 98% manufacturer guaranteed destruction efficiency for VOC, HAPs, and methane a liquid immersed dehydrator effluent superheater to prevent liquids from entering the flare; and the use of instrument air-actuated pneumatic devices.

Total potential to emit (PTE) for the project was conservatively estimated using appropriate emissions factors, manufacturer's guarantees, and generally accepted emissions estimation methods, and will not exceed 2.0 tons per year (tpy) NO_x, 7.0 tpy CO, 14.0 tons VOC, 1.0 tpy PM₁₀, 1.0 tpy PM_{2.5}, and 1.5 tpy of total HAPs. The proposed project is subject to and has been conditioned to ensure compliance with all applicable requirements specified in 25 Pa. Code and 40 CFR Part 60 and includes emissions restrictions, operational restrictions, monitoring, recordkeeping, reporting, and work practice requirements. The project does not trigger the requirements of 40 CFR 52.21 related to Prevention of Significant Deterioration (PSD), 25 Pa. Code Chapter 127 Subchapter E related to Nonattainment New Source Review (NSR), or 25 Pa. Code Chapter 127 Subchapter G related to Title V Operating Permits. A portion of the proposed equipment will be subject to the applicable requirements of 40 CFR Part 60 Subpart A—General Provisions and 40 CFR Part 60 Subpart OOOOb—Standards of Performance for Crude Oil and Natural Gas Facilities for which Construction, Modification or Reconstruction Commenced After December 6, 2022.

The plan approval application, the Department's Air Quality review memorandum, and the proposed Air Quality plan approval for the proposed project are available for review by any interested party at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To schedule an appointment to review the Air Quality plan approval application or proposed Air Quality plan approval, or to receive an electronic copy of the Department's Air Quality review memorandum or the proposed Air Quality plan approval for the proposed project, a person may contact the Department's Southwest Regional Office File Review Coordinator at 412.442.4000. Persons may also schedule a file review through the Department's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx>.

A person may oppose the proposed Air Quality plan approval by filing a written protest with the Department or may submit written comments through Devin P. Tomko, P.E., Air Quality Engineer, via the U.S. Postal Service to the Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222; written comments may also be submitted via email to dtomko@pa.gov or via fax to 412-442-4194. Each set of written comments or protest must contain the name, address, and telephone number of the person submitting the comments or protest, identification of the proposed plan approval (PA-63-00631B) and a concise statement of the objections to the plan approval issuance and the relevant facts upon which the objections are based. All comments must be received prior to the close of business thirty (30) days after the date of this publication. A protest to the proposed action shall be filed with the Department within thirty (30) days of the date that notice of the proposed action was published under 25 Pa. Code § 127.44 (relating to public notice).

A public hearing may be held, if the Department, in its discretion, determines that such a hearing is warranted based on the information received. All persons submitting

comments or requesting a hearing will be notified of the decision to hold a hearing by publication in a newspaper of general circulation in the county in which the source is located and the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification is sufficient. Written requests for a public hearing should be directed to Sheri L. Guerrieri, P.E., New Source Review Chief, Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222, or via email to shguerrier@pa.gov.

PA-65-00891E: Holcim Solutions and Products US, LLC, Building 102, Avenue A, Youngwood, PA 15697, Youngwood Borough, **Westmoreland County**. Application received: December 30, 2023. Notice is hereby given in accordance with 25 Pa. Code §§ 127.44—127.46 that the Pennsylvania Department of Environmental Protection (Department) intends to issue Air Quality Plan Approval PA-65-00891E for the existing polyisocyanurate foam board insulation production at the Youngwood Plant owned and operated by Holcim Solutions and Products US, LLC in Youngwood Borough, Westmoreland County to incorporate Reasonably Available Control Technology (RACT) III requirements. Potential emissions from the sources covered under this plan approval for volatile organic compounds are 54.37 tons per year and therefore subject to RACT III requirements. The Plan Approval has been conditioned to ensure compliance with all applicable rules including emission restrictions, operational restrictions, testing, monitoring, recordkeeping, reporting, and work practice requirements. Once compliance with the Plan Approval is demonstrated, the applicant will be required to submit a Title V Operating Permit application in accordance with 25 Pa. Code Subchapter G. In accordance with 25 Pa. Code §§ 129.111—129.115, the Department has made a preliminary determination to approve a RACT III plan and an amendment to the State Implementation Plan (SIP) for the aforementioned facility. The proposed SIP revision does not adopt any new regulations. It incorporates the provisions and requirements contained in the amended RACT III approval for the facility, which are intended to satisfy the requirements for the 1997, 2008, and 2015 National Ambient Air Quality Standard (NAAQS) for ozone. The proposed amendments to the RACT III determination will be incorporated into PA-65-00891E for the facility. The relevant RACT III requirements will be submitted to the EPA as a revision to Pennsylvania's State Implementation Plan and will remain in effect until replaced pursuant to 40 CFR 51 and approval by the EPA. Requirements that are not part of the RACT III determination will be excluded from the SIP submittal. The following is a summary of the proposed amendments to the RACT III determination for this operation that will be submitted to the EPA as a SIP revision: Source ID Source Name VOC RACT III Citation 110 Saws (9) Presumptive (VOC PTE is <2.7 tpy); Maintain and operate the source in accordance with manufacturer's specifications and good operating practices. 25 Pa. Code § 129.112(c)(2) 111 Misc. Combustion Sources (37) Exempt from RACT III because potential VOC emissions are <1.0 tpy 25 Pa. Code § 129.111(c) 201 Panel Production Presumptive (VOC PTE is <2.7 tpy); Maintain and operate the source in accordance with manufacturer's specifications and good operating practices. 25 Pa. Code § 129.112(c)(2) 202 Warehouse VOC Fugitives Alternative; Case-by-Case RACT analysis required because the source is not subject to a presumptive VOC emissions limitation or requirement under § 129.112; potential VOC emissions are >2.7 tpy. An alternative analysis was not previously approved for the source. The analysis is detailed in the review memo dated

January 25, 2024. 25 Pa. Code § 129.114(c) and (d) 203 Storage Tank Fugitives Exempt from RACT III because potential VOC emissions are <1.0 tpy 25 Pa. Code § 129.111(c) 204 Blowing Agent Recirc Loop Components Exempt from RACT III because potential VOC emissions are <1.0 tpy 25 Pa. Code § 129.111(c) Inkjet Printers Exempt from RACT III because potential VOC emissions are <1.0 tpy, 25 Pa. Code § 129.111(c) Parts Cleaning Oven Exempt from RACT III because potential VOC emissions are <1.0 tpy 25 Pa. Code § 129.111(c) C02 Regen Thermal Oxidizer Exempt from RACT III because this source did not commence operation on or before August 3, 2018. Therefore, it does not meet the applicability criteria of 25 Pa. Code § 129.111 and no RACT III requirements apply. 25 Pa. Code § 129.111(a) Public hearing. A public hearing will be held on March 19, 2024, from 9:30—10:00 a.m. at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To register to speak at a hearing, or to inquire if a hearing will be held, please contact Thomas Joseph at 412-442-4336. The last day to pre-register to speak at the hearing will be March 12, 2024. If we do not receive any pre-registered speakers by this date, the hearing will be cancelled. Please note that any updates made to any aspect of the hearing, including whether or not a hearing will be held, will be posted online at <https://www.dep.pa.gov/About/Regional/SouthwestRegion/Community%20Information/Pages/RACT-III.aspx>. We ask that you contact Thomas Joseph at 412-442-4336 or monitor our website to determine if a hearing will be held. Persons wishing to present testimony at the hearing should contact Thomas Joseph at 412-442-4336 at least one week in advance of the hearing to reserve a time to present testimony. Oral testimony will be limited to a maximum of 10 minutes per individual and two written copies of the oral testimony are requested. Each organization is requested to designate one witness to present testimony on its behalf. Persons unable to attend the hearing, if it is held, may submit three (3) copies of a written statement and exhibits within 10 days thereafter to Mark Gorog, Environmental Program Manager, Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Persons wishing to file a written protest or provide comments or additional information may submit the information to Mark Gorog, Environmental Program Manager, Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A 30-day comment period from February 10, 2024 for the submission of comments, protests, and information. Each submission must contain the name, address, and telephone number of the person submitting the comments, identification of the RACT III Plan Approval including the permit number and a concise statement regarding the relevancy of the information or objections to the RACT III Plan. All pertinent documents are available for public review between 8 a.m. and 4 p.m. at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Appointments for scheduling a review may be made online at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx> or by contacting Thomas Joseph, Environmental Engineering Manager, at 412-442-4336 or tjoseph@pa.gov. Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodations to do so should contact Lauren Camarda at 412-442-4203 or the Pennsylvania Hamilton Relay Service at 1-800-654-5984 (TDD) to discuss how the Department may accommodate your needs.

OPERATING PERMITS

Notice of Intent to Issue Title V Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Norm Frederick, 570-826-2409.

54-00009, Omnova North America Inc., Auburn Plant FKA Reneer Films, 95 Hickory Drive, Auburn, PA 17922-9625, West Brunswick Township, **Schuylkill County**. Application received: December 22, 2022. 54-00009: Omnova North America Inc., Auburn Plant FKA Reneer Films (95 Hickory Drive, Auburn, PA 17922-9625). The Department intends to issue a renewal Title V Operating Permit for the manufacturing of Unsupported Plastics, Film and Sheet facility located in West Brunswick Township, Schuylkill County. As a major source, the facility is subject to the Title V permitting requirements of the Clean Air Act Amendments as adopted by the Commonwealth under 25 Pa. Code Chapter 127, Subchapter G. The main sources at this facility consist of boilers, hot oil furnace, printers, calender lines, embossers, presses, storage tanks, and emergency generators. The sources are controlled by a thermal incinerator. These sources have the potential to emit major quantities of regulated pollutants above Title V emission thresholds. On April 23, 2016, the Pennsylvania Department of Environmental Protection (PADEP) published 25 Pa. Code §§ 129.96—129.100, Additional RACT Requirements for Major Sources of NO_x and VOC, also known as Reasonably Available Control Technology (RACT) II. Omnova North America Inc., Auburn Plant FKA Reneer Films Facility qualifies as a major source of VOC emissions because facility-wide potential VOC emissions are above the RACT II major source threshold (i.e., 50 tons per year). As a result, the VOC-emitting operations at the facility will be subject to the provisions of the RACT II rule. The VOC emitting sources at the facility are Source ID # 112, Ink Mix Room, Source ID # 119, Emergency Generators, Source ID # 120, Water Pump # 8, and Source ID # 123, 1.5 MW Cogeneration System. The Presumptive RACT II requirements are included in the TV operating permit. The proposed Title V operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

OPERATING PERMITS

Notice of Intent to Issue Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.

25-01008, McInnes Rolled Rings, 1533 E 12th St, Erie, PA 16511-1747, City of Erie, **Erie County**. Application received: December 27, 2022. The Department intends to issue the renewal State Only Natural Minor Operating Permit for the iron and steel forging facility. The facility's primary emission sources include the 21 process furnaces used to heat metal parts for the forging or heat-treating operations, two quench tank heaters, the

1200-ton press controlled by a baghouse, a parts washer, and an emergency generator. The potential emissions of the primary pollutants from the facility are as follows: 60.12 TPY NO_x, 50.42 TPY CO, 5.42 TPY VOC, 8.32 TPY PM₁₀ and PM_{2.5}, and 0.36 TPY SO_x; thus, the facility is a natural minor. The emergency generator is subject to 40 CFR 63 Subpart ZZZZ, NESHAP for Stationary Reciprocating Internal Combustion Engines. The renewal permit will contain emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

07-03034, Alpha Assembly Solutions, 4100 6th Ave., Altoona, PA 16602, City of Altoona, **Blair County**. Application received: October 19, 2023. For the operation of a secondary lead smelting and reclamation facility. This is for renewal of the existing state-only permit. Potential emissions from the facility are estimated at 10.04 tpy PM, 9.64 tpy HF, 1.00 tpy Lead, 23.52 tpy CO, 28 tpy NO_x, 0.17 tpy SO_x, and 1.54 tpy VOCs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 25 Pa. Code § 129.63.

21-05052, Valk Manufacturing Company, 66 East Main Street, New Kingstown, PA 17072, Silver Spring Township, **Cumberland County**. Application received: April 18, 2023. To issue a State Only Operating Permit for the plow and blade manufacturing facility. The actual emissions from the facility in 2022 year are estimated at 5.80 tpy of VOCs and 0.58 tpy of HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 25 Pa. Code § 129.52 Surface Coating Processes, 25 Pa. Code § 129.52d Control of VOC emissions from miscellaneous metal parts surface coating processes and 40 CFR Part 63, Subpart XXXXXX—National Emission Standards for Hazardous Air Pollutants Area Source Standards for Nine Metal Fabrication and Finishing Source Categories.

28-03022, New Enterprise Stone & Lime Co., Inc., 3912 Brumbaugh Road, New Enterprise, PA 16664, Guilford Township, **Franklin County**. Application received: November 15, 2023. For the operation of Mt. Cydonia Sand Plant # 1. This is for renewal of the existing State-Only Permit. Potential air emissions from the facility are estimated at 7.05 tpy PM₁₀. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions for Federal 40 CFR Part 60, Subpart OOO—Standards of Performance for Nonmetallic Mineral Processing Plants.

21-05037, Union Quarries, Inc., 102 Bonnybrook Road, Carlisle, PA 17013, South Middleton Township, **Cumberland County**. Application received: February 17, 2023. For the operation of a limestone crushing facility. This is for renewal of the existing State-Only Permit.

Potential air emissions from the facility are estimated at 90.33 tpy PM₁₀ and 10.48 tpy PM_{2.5}. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

21-05069, York Materials Group, LLC, 102 Bonnybrook Rd., Carlisle, PA 17013, South Middleton Township, **Cumberland County**. Application received: February 22, 2023. For the operation of a hot mix asphalt plant. This is for an initial state-only permit. Air emissions from the facility at permitted production limits are estimated at: 3.58 tpy PM₁₀; 3.38 PM_{2.5}; 4.52 tpy NO_x; 14.99 tpy CO; 8.59 tpy VOC; 1.01 tpy HAPs; and less than 1 tpy SO₂. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

36-03101, Wenger Feeds, LLC/Hempfield Mill, 3579 Hempfield Rd., Lancaster, PA 17022, West Hempfield Township, **Lancaster County**. Application received: August 14, 2023. For operation of an animal feed mill. The facility potential emissions are 4.74 tons of CO, 5.65 tons of NO_x, 33.09 tons of PM, 0.03 ton of SO_x, 0.31 ton of VOC, and 0.10 ton of HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include 40 CFR Part 63 Subpart DDDDDDD—National Emission Standards for Hazardous Air Pollutants for Area Sources: Prepared Feeds Manufacturing.

06-05083, Williams Metal Finishing Inc., 870 Commerce Street, Reading, PA 19608, Sinking Spring Borough, **Berks County**. Application received: October 23, 2023. To issue a State-only Operating Permit Renewal for the metal polishing and vapor degreasing operations. The potential emissions from the facility are estimated at 2.6 tpy of PM₁₀ and 2.1 tpy of VOC. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.

15-00121, Delaware Valley Custom Marble, Inc., 4 Briar Dr, West Grove, PA 19390, Penn Township, **Chester County**. Application received: October 17, 2023. The Synthetic Minor Operating Permit for the operation of a cast polymer manufacturing facility is being renewed. The facility is classified as a Synthetic Minor for Hazardous Air Pollutants (HAP). The facility-wide potential to emit HAP emissions is less than 10 tons any single HAP (styrene) per year after taking a facility-wide material throughput restriction. The permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief, 412-442-4336.

CORRECTION—previously published on February 3, 2024.

65-00623, Westinghouse Air Brake Tech. Corp., 269 Donahoe Road, Greensburg, PA 15601, Hempfield Township, **Westmoreland County**. Application received: July 18, 2023. In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) gives notice that they intend to issue a State Only Operating Permit (SOOP) renewal to the Westinghouse Air Brake Tech. Corp. to authorize the production of rubber products for railroad applications. The facility is located in Hempfield Township, Westmoreland County. The operation process at this facility include a urethane spray booth controlled by particulate filters, a mixing area controlled by two dust collectors, a few natural gas-fired heating sources, and one small rubber grinder. Facility-wide potential emissions are projected to be 9.16 TPY VOC, 4.50 TPY NO_x, 3.78 TPY CO, 3.10 TPY HAP, 0.34 TPY PM₁₀, and 0.03 TPY SO_x. The proposed SOOP contains emission restriction, testing, monitoring, record-keeping, reporting and work practice standards derived from the applicable requirements of 25 Pa. Code Article III, Chapters 121—145. A person may oppose the proposed State Only Operating Permit by filing a written protest with the Department through Noor Nahar via mail to Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222. Each protest or set of written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed State Only Operating Permit (65-00623) and a concise statement of the objections to the Operating Permit issuance and the relevant facts upon which the objections are based. The application, DEP’s Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP’s Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP’s website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx> and by contacting Tom Joseph, Facilities Permitting Chief, directly. All comments must be received prior to the close of business 30 days after the date of this publication.

COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21).

Mining activity permits issued in response to such applications are also subject to applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (DEP). A copy of the application is available for inspection at the District Mining Office indicated above each application. Requests for 401 Water Quality Certifications are included in individual application only if noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or Local Government Agency or Authority to DEP at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant’s newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences). Such comments or objections should contain the name, address and phone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform DEP on the basis of comment or objection and relevant facts upon which it is based.

In addition, requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must also contain a brief summary of the issues to be raised by the requestor at the conference and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application is associated with an application for an NPDES permit. A separate notice will be provided for the draft NPDES permit.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Coal Applications

Effluent Limits—The following range of effluent limits (Table 1) will apply to NPDES permits issued in conjunction with the associated coal mining activity permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Table 1

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

California District Mining Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

Contact: Bonnie Herbert, Clerical Assistant 3.

Mining Permit No. 17031301. NPDES No. PA0235571. Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, Burnside Township, Montgomery Township and Cherry Tree Borough, **Clearfield** and **Indiana Counties.** To revise the permit and related NPDES permit to revise Exhibit 9.1 to as-built conditions, increase bond liability amount, move discharge location of outfall 001, and add an additional underground entry. Receiving stream(s): West Branch Susquehanna River, classified for the following use: WBSR-WWF. Application received: November 22, 2023. Accepted: January 18, 2024.

Mining Permit No. 63091301. NPDES No. PA0236004. Tunnel Ridge, LLC, 184 Schoolhouse Lane, Valley Grove, WV 26060, Donegal, West Finley and East Finley Townships, **Washington County.** To revise the permit and related NPDES permit for development only, affecting 1,520.30 proposed underground acres and 1,520.30 proposed subsidence control plan acres. Application received: November 30, 2023. Accepted: January 23, 2024.

Mining Permit No. 63981301. NPDES No. PA0215171. Ohio County Coal Resources, Inc., 46226 National Road, St. Clairsville, OH 43950, West Finley Township, **Washington County.** To renew the permit and related NPDES permit. Application received: November 27, 2023. Accepted: January 23, 2024.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.

Contact: Melanie Ford-Wigfield, 814-472-1900, ra-epcambria@pa.gov.

Mining Permit No. 56890101. Croner, Inc., P.O. Box 260, Friedens, PA 15541, Brothersvalley Township, **Somerset County.** Permit renewal for reclamation only of a bituminous surface mine affecting 163.0 acres. Receiving streams: unnamed tributaries to/and Buffalo Creek classified for the following use: CWF. Application received: January 23, 2024.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. 54830207. Blaschak Anthracite Corp., P.O. Box 12, Mahanoy City, PA 17948, Mahanoy Township, **Schuylkill County.** Renewal of an anthracite surface mine, coal refuse reprocessing and preparation plant operation affecting 119.0 acres. Receiving stream: Mahanoy Creek, classified for the following uses: WWF, MF. Application received: January 10, 2024.

Mining Permit No. 54100201. Kuperavage Enterprises, Inc., P.O. Box 99, Middleport, PA 17953, Blythe Township, **Schuylkill County.** Renewal of an anthracite coal refuse reprocessing, coal refuse disposal and preparation plant affecting 86.5 acres. Receiving stream: UNT to Schuylkill River, classified for the following uses: CWF, MF. Application received: January 17, 2024.

Mining Permit No. 54830107. Selkirk Enterprises, LLC, 10 Gilberton Road, Gilberton, PA 17934, Reilly and Branch Townships, **Schuylkill County.** Renew an anthracite surface mine and coal refuse reprocessing operation affecting 2,063.8 acres. Receiving streams: West Branch Schuylkill River, Schaefer Creek and Muddy Branch, classified for the following use: CWF. Application received: January 25, 2024.

Noncoal Applications

Effluent Limits—The following Table 2 effluent limits apply to NPDES permits issued in conjunction with a noncoal mining permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Table 2

<i>Parameter</i>	<i>30-day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity must always exceed acidity			
pH must always be greater than 6.0; less than 9.0.			

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.

Contact: Melanie Ford-Wigfield, 814.472.1900, ra-epcambria@pa.gov.

Mining Permit No. 6875SM3. NPDES No. PA0612383. Glenn O. Hawbaker, Inc., 1952 Waddle Road, Suite 203, State College, PA 16802, Armagh Township, **Mifflin County.** NPDES renewal for a limestone quarry affecting 114.7 acres. Receiving stream: unnamed tributary to Honey Creek, classified for the following use: HQ-CWF. Application received: January 16, 2024.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. 06820601. NPDES Permit No. PA0612791. Southern Berks Land Co., LP, 200 Bethlehem Drive, Suite 100, Morgantown, PA 19543, New Morgan Borough, **Berks County**. Renew NPDES Permit affecting 93.2 acres. Receiving stream: UNT to East Branch Conestoga River, classified for the following use: WWF. Application received: January 18, 2024.

Mining Permit No. 13930301. PA0595829. H & K Group, Inc., P.O. Box 196, Skippack, PA 19474, Penn Forest Township, **Carbon County**. Renew NPDES Permit affecting 14.9 acres. Receiving stream: Stony Creek, classified for the following use: EV. Application received: January 18, 2024.

Mining Permit No. 8275SM1. NPDES Permit No. PA0594601. Pennsy Supply, Inc., 2400 Thea Drive, Suite 3A, Harrisburg, PA 17110, West Hempfield Township, **Lancaster County**. Renew NPDES Permit affecting 115.0 acres. Receiving stream: Bachmans Run, classified for the following use: WWF. Application received: January 22, 2024.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed National Pollutant Discharge Elimination System (NPDES) permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (DEP) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code § 77.522 are pH 6 to 9 and other parameters DEP may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

Noncoal NPDES Draft Permits

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

NPDES Permit No. PA0225045. Mining Permit No. 64112501. Robert A. Coleman, P.O. Box 3, Susquehanna, PA 18630, Scott Township, **Wayne County**. Renew an NPDES Permit affecting 10.0 acres. Receiving stream: Sherman Creek, classified for the following uses: HQ-CWF, MF. The operation does not discharge to waters of the Commonwealth. Non-Discharging Best Management Practices will be in effect. Application received: July 10, 2023.

NPDES Permit No. PA0224316. Mining Permit No. 49030301. Meckley's Limestone Products, Inc., P.O. Box 503, Herndon, PA 17830, Lower Mahanoy and Jordan Townships, **Northumberland County**. Application received: October 16, 2023.

Renew NPDES Permit affecting 178.3 acres. Receiving stream: unnamed East and West tributaries to Fiddler's Run, classified for the following uses: WWF, MF.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following treated wastewater outfalls discharge to unnamed East and West tributaries to Fiddler's Run:

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001	Existing	Pit Water	3.8 MGD
00E	Existing	Stormwater	Precipitation Dependent
00M	Existing	Stormwater	Precipitation Dependent
222	Existing	Stormwater	No Discharge

The proposed effluent limits for Outfall 001 are as follows:

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
pH ⁱ (S.U.)	6.0			9.0
Total Alkalinity (as CaCO ₃) (mg/L)			Monitor And Report	
Total Acidity (as CaCO ₃) (mg/L)			Monitor And Report	
Net Alkalinity (mg/L)	0.0			
Total Suspended Solids (mg/L)		35.0	70.0	90.0
Discharge (MGD)		3.8		
Total Dissolved Solids (mg/L)			Monitor And Report	Monthly
Sulfates (mg/L)			Monitor And Report	Monthly
Oil and Grease (mg/L)			Monitor And Report	Annually

ⁱThis Parameter is applicable at all times.

The proposed effluent limits are as follows:

The following limits apply to dry weather discharges from the following stormwater outfalls: 00E and 00M

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
pH ⁱ (S.U.)	6.0			9.0
Total Alkalinity (as CaCO ₃) (mg/L)			Monitor And Report	
Total Acidity (as CaCO ₃) (mg/L)			Monitor And Report	
Net Alkalinity (mg/L)	0.0			
Total Suspended Solids (mg/L)		35.0	70.0	90.0

The following alternate discharge limitations apply to discharges from the following stormwater outfalls resulting from precipitation events less than or equal to the 10-year/24-hour precipitation event:

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
pH ⁱ (S.U.)	6.0			9.0
Total Alkalinity (as CaCO ₃) (mg/L)			Monitor And Report	
Total Acidity (as CaCO ₃) (mg/L)			Monitor And Report	
Net Alkalinity (mg/L)	0.0			
Total Settleable Solids (ml/L)				0.5

ⁱThis Parameter is applicable at all times.

The proposed effluent limits are as follows:

The following limits apply to discharges from the following outfall: 222

<i>Parameter (unit)</i>	<i>Minimum</i>		<i>Instant Maximum</i>
pH ⁱ (S.U.)	6.0		9.0
Discharge (GPM)		Annually Report Any Discharge	

NPDES Permit No. PA0595454. Mining Permit No. 58910301. F.S. Lopke Contracting, Inc., 3430 SR 434, Apalachin, NY 13732, Forest Lake Township, **Susquehanna County.** Application received: July 12, 2023.

Renew NPDES Permit affecting 204 acres. Receiving stream: UNT to Middle Branch of Wyalusing Creek, classified for the following uses: CWF, MF.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following treated wastewater outfalls discharge to UNT to Middle Branch of Wyalusing Creek:

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001	Existing	Stormwater	Precipitation Dependent

The proposed effluent limits are as follows: The following limits apply to dry weather discharges from the following stormwater outfall:

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
pH ⁱ (S.U.)	6.0			9.0
Total Alkalinity (as CaCO ₃) (mg/L)			Monitor And Report	
Total Acidity (as CaCO ₃) (mg/L)			Monitor And Report	
Net Alkalinity (mg/L)	0.0			
Total Suspended Solids (mg/L)		35.0	70.0	90.0
Oil and Grease (mg/L)			Monitor And Report	

The following alternate discharge limitations apply to discharges from the following stormwater outfalls resulting from precipitation events less than or equal to the 10-year/24-hour precipitation event:

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
pH ⁱ (S.U.)	6.0			9.0
Total Alkalinity (as CaCO ₃) (mg/L)			Monitor And Report	
Total Acidity (as CaCO ₃) (mg/L)			Monitor And Report	
Net Alkalinity (mg/L)	0.0			
Total Settleable Solids (m/L)				0.5

ⁱThis Parameter is applicable at all times.

NPDES Permit No. PA0595683. Mining Permit No. 7373SM1. H & K Group, Inc., P.O. Box 196, Skippack, PA 19474, Penn Forest Township, **Carbon County**. Application received: October 26, 2023.

Renew NPDES Permit affecting 11.0 acres. Receiving stream: Stony Creek, classified for the following use: EV-MF.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following treated wastewater outfalls discharge to Stony Creek:

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001	Existing	Stormwater	Precipitation Dependent

The proposed effluent limits for the previously listed outfall are as follows:

The following limits apply to dry weather discharges from the following stormwater outfalls:

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
pH ⁱ (S.U.)	6.0			9.0
Total Alkalinity (as CaCO ₃) (mg/L)			Monitor And Report	
Total Acidity (as CaCO ₃) (mg/L)			Monitor And Report	
Net Alkalinity (mg/L)	0.0			
Total Suspended Solids (mg/L)		35.0	70.0	90.0
Oil and Grease (mg/L)			Monitor And Report	

The following alternate discharge limitations apply to discharges from the following stormwater outfalls resulting from precipitation events less than or equal to the 10-year/24-hour precipitation event:

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
pH ⁱ (S.U.)	6.0			9.0
Total Alkalinity (as CaCO ₃) (mg/L)			Monitor And Report	
Total Acidity (as CaCO ₃) (mg/L)			Monitor And Report	
Net Alkalinity (mg/L)	0.0			
Total Settleable Solids (m/L)				0.5

ⁱThis Parameter is applicable at all times.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (DEP). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), as

well as relevant State requirements. Individuals objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions

including the relevant facts upon which they are based.

The DEP may schedule a fact-finding hearing or an informal conference in response to comments if deemed necessary. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 a.m. and 4:00 p.m. on each working day at the office noted above the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1–693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Central Office: Regional Permit Coordination Office, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101,

Contact: RA-EPREGIONALPERMIT@pa.gov.

E6583223-018. Pennsylvania Turnpike Commission, 700 S. Eisenhower Blvd, Middletown, PA 17057, Penn Township, **Westmoreland County.** U.S. Army Corps of Engineers Pittsburgh District. Application received: November 28, 2023.

To fill 0.46 acre of isolated, PEM wetlands (WL1, WL2, WL3, WL4, WL6, WL7) within the Brush Creek Watershed for the purpose of constructing a new Harrison City Maintenance Facility for the Pennsylvania Turnpike. The project is located Nike Site Road, Harrison City, PA (Irwin, PA Quadrangle) in Penn Township, Westmoreland County. Latitude: 40.365996°, Longitude: -79.682017°.

Northcentral Region: Waterways & Wetlands Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Jay Maneval, Water Pollution Biologist 2, 570-327-3765.

E4104224-001. PA Department of Conservation and Natural Resources—Bureau of Forestry—Loyalsock Forest District, 6735 Route 220, Dushore, PA 18614, McNett Township, **Lycoming County.** U.S. Army Corps of Engineers Baltimore District. Application received: January 17, 2024.

To construct a new driveway into Camp Harbo (Forest Camp Lease Number 20-C-246) located at 7475 Masten Road, Trout Run, PA 17771. The construction will permanently impact 1,362 square feet (0.03 acre) of Palustrine Emergent Wetland Latitude: 40° 30' 37.50", Longitude: -76° 49' 12.50".

Contact: Peter Geanacopoulos, Project Manager, 570-327-3701.

E5904224-001. FirstEnergy Service Company, 800 Cabin Hill Drive, Greensburg, PA 15601, Deerfield Township, **Tioga County.** U.S. Army Corps of Engineers Baltimore District. Application received: January 17, 2024.

The Deerfield Transformer Pad Project will include one FEMA mapped floodplain crossing. The crossings are considered permanent, as the transformer pad and electric distribution line will be in place permanently. The Cowanesque River has a Designated Use classification of

Warm Water Fishes (WWF) and Migratory Fishes (MF). Latitude: 41° 57' 12.3", Longitude: -77° 25' 3.3".

E1904224-001. South Centre Township, 6260 4th Street, Bloomsburg, PA 17815, South Centre Township, **Columbia County.** U.S. Army Corps of Engineers Baltimore District. Application received: January 16, 2024.

Temporary Fill site for Township sewer project located along West Branch Susquehanna River (MF). Latitude: 41° 01' 39", Longitude: -76° 19' 53".

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Michele Lauer, Clerical Assistant 2, 570-830-3077.

E4002124-001. PA Department of Transportation, Eng District 4-0, 55 Keystone Industrial Park, Dunmore, PA 18512, Jackson Township, **Luzerne County.** U.S. Army Corps of Engineers Baltimore District. Application received: January 8, 2024.

To remove an existing stream crossing and to construct and maintain a 38.55' wide pre-cast reinforced concrete box culvert with an 8.5' normal clear span and a 3.5' minimum underclearance and to construct and maintain appurtenant structure features. The proposed stream crossing will carry SR 1005 across a tributary to Browns Creek (CWF, MF). The project is located along SR 1005 Section 371 approximately 0.1-mile northwest of the SR 1005/1012 intersection (Kingston, PA Quadrangle Latitude: 41.285790°, Longitude: -75.963839°) in Jackson Township, Luzerne County

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: RA-EPWW-NWRO@pa.gov.

E1006223-005. Old Dominion Freight Lines, 500 Old Dominion Way, Thomasville, NC 27360, Lancaster Township, **Butler County.** U.S. Army Corps of Engineers Pittsburgh District. Application received: November 23, 2023.

The applicant proposes to construct a shipping distribution facility, utility lines, stormwater management facilities, and ancillary structures, which will permanently enclose 472 linear feet a sub-hundred-acre UNT to Scholars Run. The project will also permanently impact approximately 0.23 acre of Palustrine Scrub Shrub (PSS) wetland. The project is approximately located on SR 19 approximately 0.5 mile north of the intersection of SR 19 and Arden Drive. To mitigate for wetland, impact the applicant is proposing to purchase bank credits. Latitude: 40.831171°, Longitude: -80.123826°.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: 717-705-4802.

E0703123-006. PA Department of Transportation Engineering District 9-0, 1620 North Juniata Street, Holidaysburg, PA 16648, Logan Township and City of Altoona, **Blair County.** U.S. Army Corps of Engineers Baltimore District. Application received: December 22, 2023.

To remove existing structures and to 1) install and maintain a 60 linear foot 25-foot x 6 foot box with 1-foot uniform depression in Mill Run (WWF, MF) and 2) install and maintain a 60-inch and 54 inch diameter culvert with 6-inch uniform depression in UNT Mill Run (WWF, MF).

This is for the purpose of improving transportation safety in Logan Township and City of Altoona, Blair County (40.4925°, -78.4295°). The project proposes to permanently impact 340 linear feet of stream channel with 205 linear feet of temporary stream channel impacts. Latitude: 40.4925°, Longitude: -78.4295°.

E0603223-022. Birdsboro Municipal Authority, 202 East Main Street, Birdsboro, PA 19508, Robeson Township, **Berks County**. U.S. Army Corps of Engineers Philadelphia District. Application received: November 28, 2023.

To 1) construct and maintain a 6-foot wide by 80-foot long, steel beam, single-span, pedestrian bridge with concrete footings, and riprap, across and along Hay Creek (EV, MF), resulting in 75 linear feet (1,875 square feet) of permanent stream impact and 5,775 square feet of permanent floodway impact; 2) construct and maintain a riprap temporary stream crossing within and along Hay Creek (EV, MF), all for the purpose of providing a safe crossing of Hay Creek to access the Birdsboro Preserve Rustic Park features within the Birdsboro Preserve. The project is located within the Birdsboro Preserve (Latitude: 40.248882, -75.821398). No wetlands will be impacted by the proposed project. Latitude: 40.248882°, Longitude: -75.821398°.

Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Elaine Henderson, Clerical Assistant 3, 484-250-5157.

E1501224-001, WV1501224-001, EA1501224-001. Borough of Downingtown, 10 West Lancaster Avenue, Downingtown, PA 19335, Downingtown Borough, **Chester County**. U.S. Army Corps of Engineers Philadelphia District. Application received: January 8, 2024.

To demolish and remove the existing houses, accessory structure, foundations, pads, and other site improvements and maintain as an open lawn ground with native trees and vegetation along the floodplain of the Brandywine Creek and its tributary Park Run (WWF, MF) associated with the Floodplain Management Restoration Grants from FEMA. The site is located at 112, 114, 121, 123, 125, 126, 127, and 128 Brandywine Avenue (Downingtown, PA, USGS Quadrangle) in Downingtown Borough, Chester County. Latitude: 40.005044°, Longitude: -75.703180°.

DAM SAFETY

Central Office: Waterways & Wetlands Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-783-5784.

Contact: Curtis Brown, Chief, Eastern Section, 717-783-7917.

D35-017. PA American Water Co, 852 Wesley Drive, Mechanicsburg, PA 17055, Hamilton Township, **Monroe County**. The Division of Dam Safety has reviewed and approved a plan to replace the existing concrete spillway with a box inlet drop spillway and flatten the downstream slope while installing a toe drain system. Applicant also proposes to construct and maintain an outfall structure in the floodway of Ross Common Creek (HQ-CWF, MF) consisting of a 12-inch Ductile Iron pipe which will discharge into a covered discharge channel consisting of No. 57 limestone, R-4 riprap banks and metal grating covering the channel. The project is located approximately 1.2 miles north of the intersection of North Broadway (Route 115) and Borough Street (Saylorsburg, PA Quadrangle Latitude: 40.8767, Longitude: -75.2900) in Hamilton Township, Monroe County. Project was approved on

1/26/2024, Latitude: 40.8767°, Longitude: -75.2900°. Application received: July 29, 2023.

Contact: Josh Fair, Water Program Specialist, 717-772-5988.

D45-096EA. Kevin McLaughlin, Upper McMichael Creek Conservancy, 303 Brentford Road, Haverford, PA 19041, Chestnuthill Township, **Monroe County**. Applicant proposes to remove the Pohoqualine Dam to eliminate a threat to public safety and to restore approximately 1,300 feet of stream channel to a free-flowing condition. The proposed restoration project includes partial sediment removal within the limits of the impoundment to help construct the channel in the stream's historic alignment. The project includes construction and use of rock cross vanes, toe wood, root wads, and log sills for cross valley grade control. The project is located across McMichael Creek (HQ-CWF, MF) (Saylorsburg, PA Quadrangle, Latitude: 40.9309, Longitude: -75.3605). Application received: January 17, 2024.

EROSION AND SEDIMENT CONTROL

The following parties have applied for an Erosion and Sediment Control Permit (ESCP) for an earth disturbance activity associated with either a road maintenance or timber harvesting operation.

Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (DEP) proposes to issue a permit to discharge, subject to certain limitations set forth in the permit conditions. These proposed determinations are tentative. Limitations are provided as erosion and sediment control best management practices (BMPs) which restrict the rate and quantity of sediment discharged.

Individuals wishing to comment on the proposed permit are invited to submit a statement to the appropriate DEP Regional Office listed above the application within 30-days of this public notice. Comments reviewed within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address, and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and relevant facts upon which it is based. A public hearing may be held after consideration of comments received by the appropriate DEP Regional Office during the 30-day public comment period.

Following the 30-day comment period, the appropriate Regional Office Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, including the erosion and sediment control plan for the earth disturbance activity are on file and may be inspected at the office identified in this notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Applications Received Under Sections 5 and 402 of the Clean Streams Law (35 P.S. §§ 691.5 and 691.402).

Southwest Region: Oil and Gas Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: William Stevens, Clerical Supervisor 2, 412-442-4134.

ESCGP#3 ESG070423001-00 B50 Truck Terminal And Temporary Waterline

Applicant Name **PennEnergy Resources LLC**

Contact Person Cody Salmon

Address 3000 Westinghouse Dr, Suite 300

City, State, Zip Cranberry Township, PA 16066-5239

Township(s) Economy Borough

County **Beaver County**

Receiving Stream(s) and Classification(s) Big Sewickley Creek (TSF), Big Sewickley Creek (TSF), Tributary 36618 to Big Sewickley Creek (TSF), Unnamed tributary to Big Sewickley Creek (TSF)

Application received: February 22, 2023

ESCGP#3 ESG070422005-00 B50 Temporary Above-Ground Waterline

Applicant Name **PennEnergy Resources LLC**

Contact Person Richard Watson

Address 1000 Commerce Drive, Park Place One Suite 400

City, State, Zip Pittsburgh, PA 15275

Township(s) Economy Borough

County **Beaver County**

Receiving Stream(s) and Classification(s) Big Sewickley Creek (TSF), Coony Hollow (TSF), North Fork Big Sewickley Creek (TSF), UNT to Big Sewickley Creek (TSF), UNTs to Coony Hollow (TSF), UNTs to North Fork Big Sewickley Creek (TSF)

Application received: December 7, 2022

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department of Environmental Protection (DEP) has taken the following actions on previously received applications for new, amended, and renewed National Pollutant Discharge Elimination System (NPDES) and Water Quality Management (WQM) permits, applications for permit waivers, and Notice of Intent (NOIs) for coverage under General Permits, as listed in the following tables. This notice of final action is published in accordance with 25 Pa. Code Chapters 91, 92a, and 102 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). The official file for each listed action can be reviewed at the DEP or delegated County Conservation District (CCD) office identified in the table for the action. DEP/CCD office contact information is listed as follows for Section I and is contained within the table for Section II. Additional information for permits issued under 25 Pa. Code Chapters 91 and 92a and Individual permits under 25 Pa. Code Chapter 102, including links to Individual Chapter 92a NPDES and WQM Permits, may be reviewed by generating the “Final Actions Report” on DEP’s website at www.dep.pa.gov/CWPublicNotice.

DEP office contact information to review official files relating to the final actions in Section I is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES_SERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SERO@pa.gov for Chapter 102 permits.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES_NERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NERO@pa.gov for Chapter 102 permits.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES_SCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SCRO@pa.gov for Chapter 102 permits.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES_NCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NCRO@pa.gov for Chapter 102 permits.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES_SWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SWRO@pa.gov for Chapter 102 permits.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6078. Email: RA-EPNPDES_NWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NWRO@pa.gov for Chapter 102 permits.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law).

The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional

law. For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board. Individuals who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. Important legal rights are at stake, however, so individuals should contact a lawyer at once.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

For actions taken on applications for pipelines that are regulated by the Federal Energy Regulatory Commission (FERC).

Any person aggrieved by this action may challenge it in an appropriate legal forum. The State and Federal courts are currently split on whether the proper forum to challenge a Department permit, authorization or approval for a facility or activity subject to the Federal Natural Gas Act, 15 U.S.C.A. §§ 717 et seq., is the United States Court of Appeals for the Third Circuit or the Pennsylvania Environmental Hearing Board. See *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl. Prot.*, 833 F.3d 360 (3d Cir. 2016); *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl. Prot.*, 903 F.3d 65 (3d Cir. 2018), cert. denied, 139 S. Ct. 1648, 203 L. Ed. 899 (2019) and *Cole v. Dep't. of Env'tl. Prot.*, 1577 C.D. 2019 WL 2420667 (Pa. Cmwlth Ct. June 15, 2021) (Pet. for Allowance of Appeal pending); *West Rockhill Twp. v. Dep't of Env'tl. Prot.*, No. 1595 C.D. 2019 WL 2426014 (Pa. Cmwlth. June 15, 2021) (Pet. for Allowance of Appeal pending).

I. Final Action(s) on NPDES and WQM Permit Application(s) and NOIs for Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides, CAFOs and Individual Construction Stormwater.

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA640003D	Chapter 102 Individual NPDES Permit	Issued	PPL Electric Utilities Corp 827 Hausman Road Genn 4 Allentown, PA 18104-9392	Berlin Township Wayne County	NERO
PAD150278	Chapter 102 Individual NPDES Permit	Issued	Keystone CTS 740 Dowlin Forge Road Downingtown, PA 19335-1663	Honey Brook Township Chester County	SERO
PAD150294	Chapter 102 Individual NPDES Permit	Issued	Connors Kenneth 25 Sweetbriar Lane Glen Mills, PA 19342-1761	East Goshen Township Chester County	SERO
PAD150315	Chapter 102 Individual NPDES Permit	Issued	Fidelity Contr LLC 789 N Manor Road Elverson, PA 19520-9171	West Nantmeal Township Chester County	SERO
PAD250021	Chapter 102 Individual NPDES Permit	Issued	Millfair Holdings LLC 10 Peninsula Drive Erie, PA 16505	McKean Township Erie County	NWRO
PAD350038	Chapter 102 Individual NPDES Permit	Issued	AP Storage LLC 6222 62nd Road Middle Village, NY 11379-1019	Scranton City Lackawanna County	NERO
PAD360105	Chapter 102 Individual NPDES Permit	Issued	PA Merts LLC 187 Merts Drive Elizabethtown, PA 17022-8803	Mount Joy Township Lancaster County	SCRO
PAD390287	Chapter 102 Individual NPDES Permit	Issued	Cedar Crest College 100 College Drive Allentown, PA 18104-6132	Allentown City Lehigh County	NERO
PAD400065	Chapter 102 Individual NPDES Permit	Issued	Sand Springs Land LLC 4511 Falmer Bethlehem, PA 18020	Butler Township Luzerne County	NERO
PAD520014	Chapter 102 Individual NPDES Permit	Issued	Pine Hill Milford LLC 119 W 23rd Street Suite 206 New York, NY 10011-6373	Westfall Township Pike County	NERO
2313802	Joint DEP/PFBC Pesticides Permit	Issued	Aqua PA Inc. 762 W Lancaster Avenue Bryn Mawr, PA 19010-3402	Springfield Township Delaware County	SERO
PAI133519	MS4 Individual NPDES Permit	Issued	East Earl Township Lancaster County 4610 Division Highway East Earl, PA 17519	East Earl Township Lancaster County	SCRO

NOTICES

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAI133531	MS4 Individual NPDES Permit	Issued	Greene Township 1145 Garver Lane Chambersburg, PA 17202-7487	Greene Township Franklin County	SCRO
PA0020273	Major Sewage Facility >= 1 MGD and < 5 MGD Individual NPDES Permit	Issued	Milton Region Sewer Authority 5585 State Route 405 Milton, PA 17847-7519	West Chillisquaque Township Northumberland County	NCRO
PA0026506	Major Sewage Facility >= 1 MGD and < 5 MGD Individual NPDES Permit	Issued	W Mifflin Sanitary Sewer & Stormwater Authority 1302 Lower Bull Run Road West Mifflin, PA 15122-2902	West Mifflin Borough Allegheny County	SWRO
0216402	Major Sewage Treatment Facility Individual WQM Permit	Issued	W Mifflin Sanitary Sewer & Stormwater Authority 1302 Lower Bull Run Road West Mifflin, PA 15122-2902	West Mifflin Borough Allegheny County	SWRO
3223201	Manure Storage and Wastewater Impoundments Individual WQM Permit	Issued	Gruppo EF Tech USA LLC 12 E 10th Street New York, NY 10003-5927	Center Township Indiana County	NWRO
PA0218073	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Apollo Resources LLC 150 North Avenue Yatesboro, PA 16263	East Huntingdon Township Westmoreland County	SWRO
PA0031470	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Penns Manor Area School District 6003 Route 553 Highway Clymer, PA 15728-8318	Cherryhill Township Indiana County	NWRO
PA0264784	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Mercer Township P.O. Box 380 Harrisville, PA 16038-0380	Mercer Township Butler County	NWRO
3674409	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Northern Lancaster County Authority 983 Beam Road Denver, PA 17517-8946	Brecknock Township Lancaster County	SCRO
NOEXSC317	No Exposure Certification	Issued	Flight System Auto Group LLC 505 Fishing Creek Road Lewisberry, PA 17339-9517	Fairview Township York County	SCRO
NOEXSC411	No Exposure Certification	Issued	Schindler Elevator Corp 700 Canal Road Ext York, PA 17406-6090	East Manchester Township York County	SCRO
NOEXSE124	No Exposure Certification	Issued	Titanium Finishing Co. 248 Main Street East Greenville, PA 18041-1405	East Greenville Borough Montgomery County	SERO
PAG030030	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Continental Concrete Products Inc. 1 South Grosstown Road Pottstown, PA 19464	West Pottsgrove Township Montgomery County	SERO
PAG030179	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Cleveland Cliffs Railways 139 Modena Road Coatesville, PA 19320-4036	South Coatesville Borough Chester County	SERO

NOTICES

673

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG030189	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Ardex Lab Inc. 2050 Byberry Road Philadelphia, PA 19116	Philadelphia City Philadelphia County	SERO
PAG030209	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Dunmore International Corp 145 Wharton Road Bristol, PA 19007-1621	Bristol Township Bucks County	SERO
PAG030223	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Greif Ind Pkg & Service LLC 695 Louis Drive Warminster, PA 18974-2825	Warminster Township Bucks County	SERO
PAG030276	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Aircraft Service International Group 3 Hog Island Road Philadelphia, PA 19153-3809	Tinicum Township Delaware County	SERO
PAG030305	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Pepperidge Farm Inc. 421 Boot Road Downingtown, PA 19335-3043	Downingtown Borough Chester County	SERO
PAG030306	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Marine Acquisition (US), Inc. 640 North Lewis Road Limerick, PA 19468-1228	Limerick Township Montgomery County	SERO
PAG032350	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	A Allan Ind P.O. Box 999 Wilkes-Barre, PA 18703-0999	Hanover Township Luzerne County	NERO
PAG033567	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Perdue Agribusiness LLC P.O. Box 460 Lewiston-Woodville, NC 27849	Conoy Township Lancaster County	SCRO
PAG033587	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Auto Wholesalers Truck & Equipment Sales Inc. P.O. Box 445 216 Auto Wholesalers Road Hollidaysburg, PA 16648-0445	Frankstown Township Blair County	SCRO
PAG033599	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Ecore International 715 Fountain Avenue Lancaster, PA 17601-4547	Lancaster City Lancaster County	SCRO
PAG033646	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Pratt Carlisle Corrugating LLC 200 Goodman Drive Carlisle, PA 17013-7902	Carlisle Borough Cumberland County	SCRO
PAG033747	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Tevis Energy 82 John Street Westminster, MD 21157-4835	Williams Township Dauphin County	SCRO
PAG033752	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Woodstream Corp 69 N Locust Street Lititz, PA 17543-1714	Lititz Borough Lancaster County	SCRO
PAG033780	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	J B Hunt Transportation, Inc. 705B N Bloomington Street Lowell, AR 72745-9673	Swatara Township Dauphin County	SCRO
PAG033867	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Skyline Steel, LLC 1250 Saint Johns Road Camp Hill, PA 17011-8046	Lower Allen Township Cumberland County	SCRO

NOTICES

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG033937	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Ventura Foods, LLC 1501 Orchard Drive Chambersburg, PA 17201-4812	Chambersburg Borough Franklin County	SCRO
PAG033948	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Jim Nagles Rebuilt Truck Parts & Sales Inc. P.O. Box 478 Duncansville, PA 16635-0478	Allegheny Township Blair County	SCRO
PAG033974	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	John E Bollman 2082 Broadtop Mountain Road Saxton, PA 16678	Carbon Township Huntingdon County	SCRO
PAG034074	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Dutchland LLC 160 State Route 41 Gap, PA 17527	Sadsbury Township Lancaster County	SCRO
PAG034815	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Bishop Bros Const Co. Inc. 1376 Leisure Drive Towanda, PA 18848-9271	Sheshequin Township Bradford County	NCRO
PAG034891	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Integrity Ind Inc. 2710 E Corral Avenue Kingsville, TX 78363-4109	Muncy Creek Township Lycoming County	NCRO
PAG034901	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Odyssey Energy Solutions LLC 119 Grovedale Lane Wyalusing, PA 18853-8933	Wysox Township Bradford County	NCRO
PAG034942	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Pactiv Pkg Inc. 1900 W Field Court Lake Forest, IL 60045-4828	Mount Carmel Township Northumberland County	NCRO
PAG035035	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Energy Solutions US LLC 400 W Brown Street Lock Haven, PA 17745-3914	Castanea Township Clinton County	NCRO
PAG035041	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	First Quality Products Inc. 121 North Road McElhattan, PA 17748-9601	Wayne Township Clinton County	NCRO
PAG036163	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Scientific Drilling International Inc. 124 Vista Drive Charleroi, PA 15022-3486	Fallowfield Township Washington County	SWRO
PAG036239	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Washita Valley Enterprises P.O. Box 94160 Oklahoma City, OK 73143	South Union Township Fayette County	SWRO
PAG036332	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Flowers Auto Wreckers, Inc. 176 Fitz Henry Road Smithton, PA 15479-8707	South Huntingdon Township Westmoreland County	SWRO
PAG036503	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Greco Recycling Service, Inc. P.O. Box 229 Pittsburgh Road Tarentum, PA 15084-0229	Tarentum Borough Allegheny County	SWRO
PAG036512	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	SA Recycling LLC 2411 N Glassell Street Orange, CA 92865-2717	Koppel Borough Beaver County	SWRO

NOTICES

675

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG036514	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Watco Transloading LLC 2701 Midland Beaver Road Industry, PA 15052-1709	Industry Borough Beaver County	SWRO
PAG036535	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	SH Bell Co. 2217 Michigan Avenue East Liverpool, OH 43920-3637	Ohioville Borough Beaver County	SWRO
PAG036555	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Cleveland Bros Equip Co. Inc. 4565 William Penn Highway Murrysville, PA 15668-2003	Murrysville Borough Westmoreland County	SWRO
PAG036565	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Wilson Forest Products, Inc. 1216 Jefferson Road Jefferson, PA 15344-0269	Morgan Township Greene County	SWRO
PAG038402	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	BPI, Inc. 612 S Trenton Avenue Pittsburgh, PA 15221-3475	Hempfield Township Mercer County	NWRO
PAG038450	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	EE Austin & Son Inc. 1919 Reed Street Erie, PA 16503-2159	Erie City Erie County	NWRO
PAG038542	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Erie Region Airport Authority 4411 W 12th Street Erie, PA 16505-3035	Millcreek Township Erie County	NWRO
PAG041249	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Boyles Randy 567 Smalls Ferry Road New Castle, PA 16102	North Beaver Township Lawrence County	NWRO
PAG130182	PAG-13 NPDES General Permit for MS4s	Waived	West Nottingham Township P.O. Box 67 Nottingham, PA 19362	West Nottingham Township Chester County	SERO
1523403	Pump Stations WQM Individual Permit	Issued	Kennett Square Borough 600 South Broad Suite 110 Kennett Square, PA 19348	Kennett Square Borough Chester County	SERO
5124401	Pump Stations WQM Individual Permit	Issued	Philadelphia Water Department 1101 Market Street 6th Floor Philadelphia, PA 19107-2994	Philadelphia City Philadelphia County	SERO
1176403	Sewer Extensions WQM Individual Permit	Issued	Greater Johnstown Water Authority 640 Franklin Street Johnstown, PA 15901-2630	Westmont Borough Cambria County	SWRO
566S030	Sewer Extensions WQM Individual Permit	Issued	Greater Johnstown Water Authority 640 Franklin Street Johnstown, PA 15901-2630	Westmont Borough Cambria County	SWRO
PA0295299	Single Residence STP Individual NPDES Permit	Issued	Corey and Katelyn Morris 10520 Greenlee Road Waterford, PA 16441-8732	McKean Township Erie County	NWRO
PA0295361	Single Residence STP Individual NPDES Permit	Issued	Steigerwald Suzanne 1568 Garvin Road Cranberry Township, PA 16066-2210	Cranberry Township Butler County	NWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
1023414	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Steigerwald Suzanne 1568 Garvin Road Cranberry Township, PA 16066-2210	Cranberry Township Butler County	NWRO
2523424	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Corey and Katelyn Morris 10520 Greenlee Road Waterford, PA 16441-8732	McKean Township Erie County	NWRO

II. Final Action(s) on PAG-01 and PAG-02 General NPDES Permit NOIs.

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC400289	PAG-02 General Permit	Issued	Nova Tower 1 Sandeep Gopalan Suite 300 One Allegheny Square Pittsburgh, PA 15212	Black Creek Township Nescopeck Township Sugarloaf Township Luzerne County	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991 RA-EPWW-NERO@pa.gov
PAC600098	PAG-02 General Permit	Issued	NDA Lewisburg, LLC David Newman 8601 West Branch Hwy Lewisburg, PA 17837	Kelly Township Union County	Union County Conservation District 155 N 15th St Lewisburg, PA 17837 570-524-3860
PAC460776	PAG-02 General Permit	Issued	1750 Ashbourne Road Property LLC 675 Garfield Avenue Jersey City, NJ 07305-4239	Cheltenham Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x 10 RA-EPNPDES_SERO@pa.gov
PAC460802	PAG-02 General Permit	Issued	Pottstown Area Police Athletic League 146 King Street Pottstown, PA 19464	Upper Pottsgrove Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x 10 RA-EPNPDES_SERO@pa.gov
PAC460830	PAG-02 General Permit	Issued	South Lewis Investment Partners LP 519 Main Street P.O. Box 587 Royersford, PA 19468-0587	Upper Providence Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x 10 RA-EPNPDES_SERO@pa.gov
PA350002C	PAG-02 General Permit	Issued	PPL Electric Utilities Corp. 1639 Church Road Allentown, PA 18104-9342	Benton Township Dalton Borough North Abington Township La Plume Township Lackawanna County	Lackawanna County Conservation District 1027 S. Abington Rd. South Abington Township, PA 18411 570-382-3086 RA-EPWW-NERO@pa.gov
PAC220408	PAG-02 General Permit	Issued	Swatara Township 599 Eisenhower Boulevard Harrisburg, PA 17111	Swatara Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 814-623-7900

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC220394 A-1	PAG-02 General Permit	Issued	TMI-2 Solutions, LLC Three Mile Island 2 Route 441 South Middletown, PA 17057	Londonderry Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 814-623-7900
PAC110116	PAG-02 General Permit	Issued	Glendale Yearound Corp. William Barnhart P.O. Box 89 Flinton, PA 16640	Chest Township Cambria County	Cambria County Conservation District 401 Candlelight Drive Suite 221 Ebensburg, PA 15931 814-472-2120
PAC560085	PAG-02 General Permit	Issued	Camp Harmony 1414 Plank Road Hooversville, PA 15963	Quemahoning Township Somerset County	Somerset County Conservation District Somerset County AG Center 6024 Glades Pike Suite 103 Somerset, PA 15501 814-445-4652
PAC040096A-1	PAG-02 General Permit	Issued	Center Township Bill DiCioccio 224 Center Grange Road Aliquippa, PA 15001	Center Township Beaver County	Beaver County Conservation District 156 Cowpath Road Aliquippa, PA 15001 724-378-1701
PAC220417	PAG-02 General Permit	Issued	West Hanover Township 7171 Allentown Boulevard Harrisburg, PA 17112	West Hanover Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 814-623-7900
PAC220414	PAG-02 General Permit	Issued	Derry Township Municipal Authority 670 Clearwater Road Hershey, PA 17033	Derry Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 814-623-7900
PAC400060	PAG-02 General Permit	Issued	Cornell Cookson John Arling 24 Elmwood Ave. Mountain Top, PA 18707	Wright Township Luzerne County	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991 RA-EPWW-NERO@ pa.gov
PAC360821 A-1	PAG-02 General Permit	Issued	Manheim Central School District 281 White Oak Road Manheim, PA 17545	Penn Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360879	PAG-02 General Permit	Issued	Jonathon Daughtrey 26 Hillcrest Avenue Leola, PA 17540	Upper Leacock Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360358	PAG-02 General Permit	Issued	Lime Spring Properties, LP 1650 Manheim Pike Suite 201 Lancaster, PA 17601	East Hempfield Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC360878	PAG-02 General Permit	Issued	United Zion Retirement Community 722 Furnace Hills Pike Lititz, PA 17543	Warwick Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360297 A-1	PAG-02 General Permit	Issued	Mt. Zion Baptist Church 3 Denver Road Denver, PA 17517	East Cocalico Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC010250	PAG-02 General Permit	Issued	The Brethren Home Community 2990 Carlisle Pike New Oxford, PA 17350	Oxford Township Adams County	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325 717-334-0636
PAC010249	PAG-02 General Permit	Issued	MCD 4 LLC 2001 State Hill Road Suite 205 Wyomissing, PA 18610	Straban Township Adams County	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325 717-334-0636

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

SAFE DRINKING WATER

Actions Taken Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northeast Region: Safe Drinking Water Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Lorrie Fritz, CA2, 570-830-3048.

Construction Permit No. 4023514, Major Amendment, Public Water Supply.

Applicant	Pennsylvania American Water Company
Address	852 Wesley Drive Mechanicsburg, PA 17055
Municipality	Plains Township
County	Luzerne County
Consulting Engineer	Joseph S. Durkin, PE Reilly Associates 49 S. Main Street Suite 200 Pittston, PA 18640
Application	Received September 27, 2023
Permit Issued	January 19, 2024
Description	This permit is for the replacement of an aged pump station with a below ground hydropneumatic in an antiquated vault with a new at grade duplex pumping station with VFD pumps, automated controller, and emergency power.

Construction Permit No. 5823501, Major Amendment, Public Water Supply.

Applicant **Village of Four Seasons Association, Inc.**
 Address 199 Ralph Lomma Way
 Uniondale, PA 18470
 Municipality Herrick Township
 County **Susquehanna County**
 Consulting Engineer Michael P. Goodwin, PE
 Milnes Engineering
 12 Frear Hill Road
 Tunkhannock, PA 18657
 Application Received July 19, 2023
 Permit Issued January 19, 2024
 Description Replacement of the existing water booster system and level controls to operate the booster system and maintain tank level via the well pumps.

Contact: Ryan Fox, Env. Engineering Specialist, 570-826-2533.

Operation Permit No. 3390055, Public Water Supply.

Applicant **Lehigh County Authority North Whitehall Division**
 Address 4124 Schneck Rd
 Schnecksville, PA 18078
 Municipality North Whitehall Township
 County **Lehigh County**
 Consulting Engineer Jason Saylor, PE
 1230 Peachtree Street NE
 Suite 100
 Atlanta, GA 30309
 Application Received December 21, 2023
 Permit Issued January 23, 2024
 Description Operation of Schnecksville water storage tank following installation of tank mixing system.

Operation Permit No. 3390073, Public Water Supply.

Applicant **Lehigh County Authority Central Lehigh Division**
 Address 1053 Spruce Rd.
 P.O. Box 3348
 Allentown, PA 18106
 Municipality Upper Macungie Township
 County **Lehigh County**
 Consulting Engineer Jason Saylor, P.E.
 1230 Peachtree St. NE
 Suite 1100
 Atlanta, GA 30309
 Application Received December 21, 2023
 Permit Issued January 23, 2024
 Description Operation of LCA Reservoir 3 Storage Tank following installation of tank mixing system.

Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Darin Horst, Environmental Engineer, 717-705-4948.

Transfer Permit No. 7280862, Public Water Supply.

Applicant **TwoNTwo, LLC**
 Address 8188 Anthony Highway
 Waynesboro, PA 17268
 Municipality Quincy Township
 County **Franklin County**
 Application Received October 31, 2023
 Permit Issued January 18, 2024
 Description Transfer of all public water supply permits for PWS ID No. 7280862 to TwoNTwo, LLC

Operation Permit No. 3620515, Public Water Supply.

Applicant **Little Britain Mobile Home Park**
 Address P.O. Box 296
 Oxford, PA 19363
 Municipality Little Britain Township
 County **Lancaster County**
 Consulting Engineer CSC Technology, Inc.
 170 Netherwood Drive
 Coatesville, PA 19320
 Application Received January 4, 2024
 Permit Issued January 17, 2024
 Description Change of the pH adjustment chemical from soda ash to caustic soda.

Contact: Joseph M. Mattucci, Program Manager, 717-705-4708.

Construction Permit No. 0623519 MA, Minor Amendment, Public Water Supply.

Applicant **Country View MHP**
 Address 3426 Faye Drive
 Orefield, PA 18069
 Municipality Longswamp Township
 County **Berks County**
 Consulting Engineer Angelika Forndran, P.E.
 Cowan Associates, Inc.
 120 Penn-Am Drive
 P.O. Box 949
 Quakertown, PA 18951
 Application Received August 24, 2023
 Permit Issued November 30, 2023
 Description Construction Permit for the approval to install new buried chlorine contact piping and two new partially buried storage tanks to provide a minimum 24 hours of reserve capacity.

Construction Permit No. 3123508, Major Amendment, Public Water Supply.

Applicant **Crabb Apple Cove Enterprise, LLC—Crabb Apple Cove Campground**
 Address 12748 Sawmill Road
 Hesston, PA 16647

Municipality Walker Township
 County **Huntingdon County**
 Consulting Engineer Ben Postels, P.E.
 Penn Del Engineering
 206 Saylor Farm Lane
 Williamsburg, PA 16693

Application Received May 5, 2023
 Permit Issued January 10, 2024

Description Construction Permit for the installation of a new well source (Well No. 2), turbidity filters sodium hypochlorite disinfection system, and contact tanks for 4-log virus inactivation.

Construction Permit No. 0623522, Major Amendment, Public Water Supply.

Applicant **Indian Fort Inn CSP Hotel, LLC—Indian Fort Inn**
 Address 1343 Hex Highway
 Hamburg, PA 19526

Municipality Tilden Township
 County **Berks County**
 Consulting Engineer Jamie Lorah, P.E.,
 SSM 1047 North Park Road
 Reading, PA 19610

Application Received September 15, 2023
 Permit Issued December 13, 2023

Description Construction Permit for the approval to replace the well pump and the demonstration of 4-log virus inactivation.

Operation Permit No. 072352 MA, Minor Amendment, Public Water Supply.

Applicant **Borough of Tyrone**
 Address 1100 Logan Avenue
 Tyone, PA 16686

Municipality Tyrone Borough
 County **Blair County**
 Consulting Engineer Matt Coleman, P.E.
 Rettew Associates, Inc.
 330 Innovation Boulevard
 Suite 104
 State College, PA 16803

Application Received August 4, 2023
 Permit Issued December 13, 2023

Description Construction approval for the Request of Designation of Treatment Segments for Calculation of 1-log Giardia inactivation.

Operation Permit No. 3060134, Public Water Supply.

Applicant **Aqua PA Inc.—Stonecroft Village Water System**
 Address 762 West Lancaster Avenue
 Bryn Mawr, PA 19010

Municipality Marion Township
 County **Berks County**

Consulting Engineer Peter J. Lusardi, P.E.
 GHD, Inc.
 225 Grandview Avenue
 Suite 403
 Camp Hill, PA 17011

Application Received December 5, 2023
 Permit Issued December 12, 2023

Description Comprehensive Operation Permit for the approving the removal of the previous nitrate treatment.

Operation Permit No. 3718504 MA, Minor Amendment, Public Water Supply.

Applicant **Alexandria Borough Water Authority**
 Address 75661 Bridge Street
 Suite 3
 P.O. Box 336
 Alexandria, PA 16611

Municipality Porter Township
 County **Huntingdon County**
 Consulting Engineer Garrett J. Hargenrader, P.E.
 GDF, Inc.
 3121 Fairway Drive
 Altoona, PA 16602

Application Received December 8, 2023
 Permit Issued December 13, 2023

Description Operation permit approving the use of the rehabilitated 0.30 MG tank.

Operation Permit No. 3060018, Public Water Supply.

Applicant **Aqua Pennsylvania, Inc.—Flying Hills Water System**
 Address 762 West Lancaster Avenue
 Bryn Mawr, PA 19610

Municipality Cumru Township
 County **Berks County**
 Consulting Engineer Brennan Kelly, P.E.
 Aqua PA Inc.
 762 W Lancaster Avenue
 Bryn Mawr, PA 19610

Application Received December 21, 2023
 Permit Issued January 4, 2024

Description Comprehensive Operation Permit for the approval to use the new mobile bulk water hauling assemblies in the Flying Hills Water System.

Northcentral Region: Safe Drinking Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Nadera Bellows, Clerical Assistant II, 570-327-0551.

Operation Permit 6020502. PWSID No. **4600007**. **Limestone Township Municipal Authority**, 3840 Wild Wood Road, Mifflinburg, PA 17844, Limestone Township, **Union County**. Application received: January 17, 2024. Permit Issued: January 22, 2024. This permit approves operation of the existing Limestone Township Municipal

Authority water system, serving up to 33 residences in Hilltop Acres Development. The water system includes a distribution system (6-inch diameter PVC piping) and two Interconnections that provide finished water from Mifflinburg Borough Water System.

Operation Permit 1721504MA. PWSID No. **6170016.** **City of Dubois Water Department**, 16 West Scribner Avenue, Dubois, PA 15801, Sandy Creek Township, **Clearfield County**. Application received: January 22, 2024. Permit Issued: January 24, 2024. This permit authorizes operation for the in-kind replacement of flocculator No. 1 and flocculator No. 2 located at the City of Dubois Water Department WTP.

Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Daniel J. Cannistraci, Environmental Engineering Specialist.

Construction Permit 0623515. PWSID No. **3060105.** **Lazy K Campground**, 102 Township Line Road, Bechtelsville, PA 19505, Washington Township and Colebrookdale Township, **Berks County**. Application received: August 2, 2023. Permit Issued: January 23, 2024. This action authorizes the construction of new finished water storage tanks, booster pumps, pressure tanks, and distribution lines at Lazy K Campground.

Contact: Thomas Filip, Environmental Engineer, 717-705-4708.

Operation Permit 2223515 MA. PWSID No. **7220017.** **Pennsylvania American Water**, 852 Wesley Drive, Mechanicsburg, PA 17055, South Hanover Township, **Dauphin County**. Application received: December 4, 2023. Permit Issued: January 8, 2024. Relocation and replacement of the pH and temperature probes.

Contact: Wade Cope, P.E., Environmental Engineer, 717-705-4708.

Operation Permit 6723524 MA. PWSID No. **7670072.** **Dover Borough**, 46 Butter Road, Dover, PA 17315, Dover Township, **York County**. Application received: November 9, 2023. Permit Issued: January 29, 2024. Operation permit for the abandonment of Well No. 6.

Operation Permit 6723523 MA. PWSID No. **7670073.** **Dover Township**, 2480 West Canal Road, Dover, PA 17315, Dover Township, **York County**. Application received: November 10, 2023. Permit Issued: January 29, 2024. Operation permit for the abandonment of Well No. 7 and Test Well No. 7A.

Construction/Operation Permit 6723522 MA. PWSID No. **7670086.** **Red Lion Municipal Authority**, P.O. Box 190, Red Lion, PA 17356, Windsor Township, **York County**. Application received: November 6, 2023. Permit Issued: January 29, 2024. Construction/operation permit for the replacement of turbidimeters for each filter, as well as a combined filter effluent (CFE) flow weighted average calculation.

Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Renee Diehl, Program Manager, ra-epsdsw@pa.gov.

NCWSA Construction Permit 4560844. PWSID No. **4560844.** **Leskinen Enterprises, Inc., d/b/a Somerset South Rec Area**, 104 Marina Drive, Addison, PA 15411, Addison Township, **Somerset County**. Application received: January 3, 2024. Permit Issued: January 23,

2024. Installation of approximately 110 feet of 8-inch diameter C900 PVC pipe for contact time.

NCWSA Construction Permit 5040317. PWSID No. **5040317.** **Promise Camp by Family Guidance**, 227 Lance Road, Clinton, PA 15026, Hanover Township, **Beaver County**. Application received: September 7, 2023. Permit Issued: January 23, 2024. Addition of an ion exchange water softener to the Promise Camp water system.

Operation Permit 3022506. PWSID No. **5300012.** **East Dunkard Water Authority**, 2790 South Eighty-Eight Road, Dilliner, PA 15327, Dunkard Township, **Greene County**. Application received: July 25, 2023. Permit Issued: January 19, 2024. Operation of a permanent feed pump for phosphate at the water treatment plant.

Operation Permit 5623521. PWSID No. **4560042.** **Municipal Authority of the Borough of Somerset**, 347 West Union Street, P.O. Box 71, Somerset, PA 15501, Somerset Borough and Jefferson Township, Somerset Township, **Somerset County**. Application received: October 10, 2023. Permit Issued: October 20, 2023. Operation of waterlines along Cook Lane and Sunset Drive from Cook Lane to Hickory Avenue.

Emergency Permit 3023510-E. PWSID No. **5300012.** **East Dunkard Water Authority**, 2790 South Eighty-Eight Road, Dilliner, PA 15327, Dunkard Township, **Greene County**. Application received: October 24, 2023. Permit Issued: October 24, 2023. Emergency permit for temporary bulk water hauling utilizing Southwestern Pennsylvania Water Authority's bulk loading station and Stallion Oilfield Services, Ltd.'s carrier vehicles.

Operation Permit 0223527MA. PWSID No. **5020038.** **Pittsburgh Water and Sewer Authority**, Penn Liberty Plaza 1, 1200 Penn Avenue, Pittsburgh, PA 15222, City of Pittsburgh, **Allegheny County**. Application received: October 19, 2023. Permit Issued: October 31, 2023. Operation of the Saline Supply Main.

Construction/Operation Permit 3023511MA. PWSID No. **5300012.** **East Dunkard Water Authority**, 2790 South Eighty-Eight Road, Dilliner, PA 15327, Dunkard Township, **Greene County**. Application received: October 30, 2023. Permit Issued: November 3, 2023. Installation and operation of two 500-gallon double walled containment tanks for coagulant chemical storage at the water treatment plant.

Operation Permit 5623522. PWSID No. **4560042.** **Municipal Authority of the Borough of Somerset**, 347 West Union Street, P.O. Box 71, Somerset, PA 15501, Somerset Borough and Jefferson Township, Somerset Township, **Somerset County**. Application received: November 6, 2023. Permit Issued: November 15, 2023. Operation of waterlines installed along Rebecca Street.

Transfer Permit 3023503-T1. PWSID No. **5300012.** **East Dunkard Water Authority**, 2790 South Eighty-Eight Road, Dilliner, PA 15327, Dunkard Township, **Greene County**. Application received: June 1, 2023. Permit Issued: January 2, 2024. Transfer of water supply permits formerly held by East Dunkard Water Association.

Operation Permit 0221540MA. PWSID No. **5020038.** **Pittsburgh Water and Sewer Authority**, Penn Liberty Plaza 1, 1200 Penn Avenue, Pittsburgh, PA 15222, City of Pittsburgh, **Allegheny County**. Application received: December 4, 2023. Permit Issued: December 18, 2023.

Operation of about 4,500 linear feet of Highland Rising Main 4 between Bruecken Pump Station and Highland Reservoir No. 2.

Operation Permit 5623525. PWSID No. **4560042.** **Municipal Authority of the Borough of Somerset,** 347 West Union Street, P.O. Box 71, Somerset, PA 15501, Somerset Borough and Jefferson Township, Somerset Township, **Somerset County.** Application received: December 26, 2023. Permit Issued: January 3, 2024. Waterlines installed along Dott Avenue, W. Garrett Street, and Delaware Avenue.

Operation Permit 5669502-A1. PWSID No. **4560029.** **Municipal Authority of the Borough of Berlin,** 700 North Street, Berlin, PA 15530, Berlin Borough, **Somerset County.** Application received: August 21, 2023. Permit Issued: January 5, 2024. Removal of unutilized drinking water sources; Wells 2, 4, 7, and 8, and Springs 3 and 5, and to grant reserve designation status for Well No. 6.

Operation Permit 464W009-A1. PWSID No. **4560029.** **Municipal Authority of the Borough of Berlin,** 700 North Street, Berlin, PA 15530, Berlin Borough, **Somerset County.** Application received: August 21, 2023. Permit Issued: January 5, 2024. Removal of source Wells Nos. 2 and 4 from the original permit.

Operation Permit 8506-W-A1. PWSID No. **4560029.** **Municipal Authority of the Borough of Berlin,** 700 North Street, Berlin, PA 15530, Berlin Borough, **Somerset County.** Application received: August 21, 2023. Permit Issued: January 5, 2024. Removal of source Springs 3 and 5 from the original permit.

Operation Permit 0221519MA. PWSID No. **5020038.** **Pittsburgh Water and Sewer Authority,** Penn Liberty Plaza 1, 1200 Penn Avenue, Pittsburgh, PA 15222, City of Pittsburgh, **Allegheny County.** Application received: January 8, 2024. Permit Issued: January 11, 2024. Operation of the Highland Supply Main, Highland Rising Main, and the Garfield Rising Main.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The Following Plans and Reports Were Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and

cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The Department has received the following plans and reports.

Northcentral Region: Environmental Cleanup & Brownfields Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Randy Farmerie, P.G., Environmental Program Manager, 570-327-3716.

Grippe 24HC on the Grippe BRA Well Pad, Primary Facility ID # **865160** and **865952**, 392 May Road, Wyalusing, PA 18853, Terry Township, **Bradford County.** Creston Environmental, LLC, PO Box 1373, Camp Hill, PA 17001, on behalf of Chesapeake Appalachia LLC, 14 Chesapeake Lane, Sayre, PA 18840, submitted a Final Report concerning remediation of soil contaminated with production water. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Sensinger BRA 4H on the Sensinger BRA Well Pad, Primary Facility ID # **867795**, 13278 Southside Road, Monroeton, PA 18832, Franklin Township, **Bradford County.** Creston Environmental, LLC, P.O. Box 1373, Camp Hill, PA 17001, on behalf of Chesapeake Appalachia LLC, 14 Chesapeake Lane, Sayre, PA 18840, submitted a Final Report concerning remediation of soil contaminated with production water. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Standing Stone Treatment Facility, Primary Facility ID # **869845**, 34640 Route 6, Wysox, PA 18854, Standing Stone Township, **Bradford County.** Eureka Resources LLC, 315 Second Street, Williamsport, PA 17701, submitted a Final Report concerning remediation of soil contaminated with oil and gas wastewater brine. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Parys Water Impoundment, Primary Facility ID # **871893**, 521 Fargo Creek Road, Laceyville, PA 18623, Tuscarora Township, **Bradford County.** Creston Environmental, LLC, P.O. Box 1373, Camp Hill, PA 17001, on behalf of Chesapeake Appalachia LLC, 14 Chesapeake Lane, Sayre, PA 18840, submitted a Final Report concerning remediation of soil contaminated with diesel fuel. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Laurel Hill D Unconventional Well Site November 1, 2023 Release, Primary Facility ID # **870550**, 335 Billy Beck Lane, Trout Run, PA 17771, Cogan House Township, **Lycoming County.** Moody and Associates, Inc., 101 N. Main Street, Suite 3, Athens, PA 18810, on behalf of

Range Resources—Appalachia, LLC, 3000 Town Center Boulevard, Canonsburg, PA 15317, submitted a Final Report concerning remediation of soil contaminated with production fluid. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Sandy Ridge Wind Farms O&M Building, Primary Facility ID # **868744**, 140 Big Fill Run, Tyrone, PA 16686, Taylor Township, **Centre County**. Keystone Environmental Health & Safety Services Inc., 1111 12th Avenue, Altoona, PA 16601, on behalf of Sandy Ridge Wind LLC, 140 Big Fill Run, Tyrone, PA 16686, submitted a Final Report concerning remediation of soil contaminated with hydraulic oil. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

34 Buck Maple Lane, Primary Facility ID # **864494**, 34 Buck Maple Lane, Blakeslee, PA 18610, Buck Township, **Luzerne County**. Crawford Environmental Services, 20 Cardinal Drive, Birdsboro, PA 19508, on behalf of Furino Fuels, Inc., 116 MTCA Drive, Swiftwater, PA 18370, submitted a Final Report concerning remediation of soil contaminated with heating oil. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Former Beltrami/Hazleton Brick Property, Primary Facility ID # **872132**, Routes 424 and 309, Hazleton, PA 18201, Hazle Township, **Luzerne County**. LaBella Associates, 1000 Dunham Drive, Suite B, Dunmore, PA 18512, on behalf of SR 424, LLC, 100 Baltimore Drive, Wilkes-Barre, PA 18702, submitted a Final Report concerning remediation of soil and groundwater contaminated with volatile organic compounds. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Lehigh Valley International Airport Cargo Ramp, Primary Facility ID # **871037**, 921 Postal Road, Allentown, PA 18109, Hanover Township, **Lehigh County**. JMT Environmental Technologies, 710 Uhler Road, Easton, PA 18040, on behalf of Worldwide Flight Services, 2202 Hangar Road, Allentown, PA 18109, submitted a Final Report concerning remediation of soil contaminated with gasoline. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Migliore Property, Primary Facility ID # **832049**, 163 Roberts Road, Mount Bethel, PA 18343, Upper Mount Bethel Township, **Northampton County**. Trimpi Associates, 1635 Old Plains Road, Pennsburg, PA 18073, on behalf of 163 Roberts Road, LLC, 28 Riddle Drive, Bedford, NH 03110, submitted a Final Report concerning remediation of soil contaminated with heating oil. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Weiler, Primary Facility ID # **815841**, 1 Weiler Drive, Cresco, PA 18326, Barrett Township, **Monroe County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Cresco Realty, LLC, 1861 Santa Barbara Drive, Lancaster, PA 17601, submitted a Final Report concerning remediation of soil contaminated with heating oil. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995
PREAMBLE 3

The Department Has Taken Action on the Following Plans and Reports Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following plans and reports.

Northcentral Region: Environmental Cleanup & Brownfields Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Randy Farmerie, P.G., Environmental Program Manager, 570-327-3716.

Grippo 24HC on the Grippo BRA Well Pad, Primary Facility ID # **865160** and **865952**, 392 May Road, Wyalusing, PA 18853, Terry Township, **Bradford County**. Creston Environmental, LLC, P.O. Box 1373, Camp Hill,

PA 17001, on behalf of Chesapeake Appalachia LLC, 14 Chesapeake Lane, Sayre, PA 18840, submitted a Final Report concerning remediation of soil contaminated with production fluid. The Final Report demonstrated attainment of the Statewide health standards. Approved: January 23, 2024.

Clearfield Rite Aid, Primary Facility ID # **856836**, 307 E Market Street, Clearfield, PA 16830, Clearfield Borough, **Clearfield County**. ECS Mid-Atlantic LLC, 100 E Kensing Drive, Suite 300, Cranberry Township, PA 16066, on behalf of Joseph Dellantonio, 124 Rock Hill Rd, Centre Hall, PA 16828, submitted a Final Report concerning remediation of groundwater contaminated with polycyclic aromatic hydrocarbons (PAHs). The Final Report demonstrated attainment of the Statewide health standards. Approved: December 14, 2023.

Crain BRA 4HC on the Crain BRA Well Pad, Primary Facility ID # **871149**, 80 West Parks Road, Rome, PA 18847, Rome Township, **Bradford County**. Creston Environmental, LLC, P.O. Box 1373, Camp Hill, PA 17001, on behalf of Chesapeake Appalachia LLC, 14 Chesapeake Lane, Sayre, PA 18840, submitted a Final Report concerning remediation of soil contaminated with Methanol. The Final Report demonstrated attainment of the Statewide health standards. Approved: December 22, 2023.

Deremer 21HC on the Deremer BRA Well Pad, Primary Facility ID # **869220**, 149 Singer Road, Laceyville, PA 18623, Tuscarora Township, **Bradford County**. Creston Environmental, LLC, P.O. Box 1373, Camp Hill, PA 17001, on behalf of Chesapeake Appalachia LLC, 14 Chesapeake Lane, Sayre, PA 18840, submitted a Final Report concerning remediation of soil contaminated with produced water. The Final Report demonstrated attainment of the Statewide health standards. Approved: December 29, 2023.

ELV Energy Services SR 14 Diesel Fuel Release, Primary Facility ID # **869215**, 2051 State Route 14, Roaring Branch, PA 17765, Union Township, **Tioga County**. Penn Environmental & Remediation Inc., 13180 Route 6, Mansfield, PA 16933, on behalf of ELV Energy Services, Inc., 43005 Lude Road, Belmont, OH 43718, submitted a Final Report concerning remediation of soil contaminated with diesel fuel. The Final Report demonstrated attainment of the Statewide health standards. Approved: January 16, 2024.

Beechwood B09-I Well Pad, Primary Facility ID # **859301**, Johns Run Road, Emporium, PA 15834, Shippen Township, **Cameron County**. ARM Group LLC, 2548 Park Center Boulevard, State College, PA 16801, on behalf of Seneca Resources Company LLC, 2000 Westinghouse Drive, Suite 400, State College, PA 16801, submitted a Final Report concerning remediation of soil contaminated with produced water. The Final Report demonstrated attainment of the Statewide health standards. Approved: January 3, 2024.

Hopson BRA 1HC on the Hopson BRA Pad, Primary Facility ID # **871606**, 5619 Liberty Corners Road, Towanda, PA 18848, Asylum Township, **Bradford County**. Creston Environmental, LLC, P.O. Box 1373, Camp Hill, PA 17001, on behalf of Chesapeake Appalachia LLC, 14 Chesapeake Lane, Sayre, PA 18840, submitted a Final Report concerning remediation of soil contaminated with Vanadium. The Final Report demonstrated attainment of the Statewide health standards. Approved: January 11, 2024.

EQT ARO LLC August 30, 2023 Bodine Mountain Road Release, Primary Facility ID # **870964**, 6483

Bodine Mountain Road, Trout Run, PA 17771, McIntyre Township, **Lycoming County**. Penn Environmental & Remediation, Inc., 13180 Route 6, Mansfield, PA 16933, on behalf of EQT Corporation, 2462 Lycoming Creek Road, Williamsport, PA 17701, submitted a Final Report concerning remediation of soil contaminated with produced water. The Final Report demonstrated attainment of the Statewide health standards. Approved: January 18, 2023.

NFG Clark Compressor Station, Primary Facility ID # **869703**, 324 Ensminger Road, Mainesburg, PA 16917, Sullivan Township, **Tioga County**. Weaver Consultants Group, LLC, 2225 Sycamore Street, Harrisburg, PA 17110, on behalf of NFG Midstream Covington, LLC, 1100 State Street, Erie, PA 16501, submitted a Final Report concerning remediation of soil contaminated with production fluid. The Final Report demonstrated attainment of the Statewide health standards. Approved: January 3, 2024.

Laurel Hill D Unconventional Well Site, Primary Facility ID # **869766**, 335 Billy Beck Lane, Trout Run, PA 17771, Cogan House Township, **Lycoming County**. Moody and Associates, Inc., 101 N. Main Street, Suite 3, Athens, PA 18810, on behalf of Range Resources—Appalachia, LLC, 3000 Town Center Boulevard, Canonsburg, PA 15317, submitted a Final Report concerning remediation of soil contaminated with production fluid. The Final Report demonstrated attainment of the Statewide health standards. Approved: January 23, 2024.

Mowry 2 BRA Well Pad, Primary Facility ID # **865112**, 1601 Clapper Hill Road, Laceyville, PA 18623, Tuscarora Township, **Bradford County**. Creston Environmental, LLC, P.O. Box 1373, Camp Hill, PA 17001, on behalf of Chesapeake Appalachia LLC, 14 Chesapeake Lane, Sayre, PA 18840, submitted a Final Report concerning remediation of soil contaminated with production fluid. The Final Report demonstrated attainment of the Statewide health standards. Approved: January 22, 2024.

Conrad Residence Release Cleanup, Primary Facility ID # **862565**, 157 Hemlock Road, Clearfield, PA 16830, Boggs Township, **Clearfield County**. Mountain Research, LLC, 825 25th Street, Altoona, PA 16601, on behalf of Donald Conrad, 157 Hemlock Road, Clearfield, PA 16830, submitted a Final Report concerning remediation of soil contaminated with Fuel Oil No. 2. The Final Report demonstrated attainment of the Statewide health standards. Approved: January 23, 2024.

Rovendale A, Primary Facility ID # **870522**, 541 Koch Road, Turbotville, PA 17772, Turbot Township, **Northumberland County**. Bressler's Environmental Service, 2994 E Valley Road, Loganton, PA 17747, on behalf of Rovendale Ag and Barn, Inc., 1400 Susquehanna Trail, Watsonstown, PA 17777, submitted a Final Report concerning remediation of soil contaminated with waste oil. The Final Report demonstrated attainment of the Statewide health standards. Approved: January 29, 2024.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

PPL Skytop Transformer Release, Primary Facility ID # **871148**, 140 Leavitts Branch Road, Skytop, PA 18357, Barrett Township, **Monroe County**. Penn Environmental & Remediation, 400 Old Dublin Pike, Doylestown, PA 18901, on behalf of PPL Electric Utilities Corporation, 1639 Church Road, Allentown, PA 18104,

submitted a Final Report concerning remediation of soil contaminated with transformer oil. The Final Report demonstrated attainment of the Statewide health standards. Approved: January 25, 2024.

Shaw (05-272) Well Pad, Primary Facility ID # **863846**, 1750 Gage Road, Lawton, PA 18828, Rush Township, **Susquehanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801, on behalf of Repsol Oil and Gas USA, LLC, 337 Daniel Zenker Drive, Horseheads, NY 14845, submitted a Final Report concerning remediation of soil contaminated with production fluid (brine). The Final Report demonstrated attainment of the Statewide health standards. Approved: January 29, 2024.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Ben, 814-350-5132.

SGL 244 22, Primary Facility ID # **871258**, Bollinger Road, Reynoldsville, PA 15851, McCalmont Township, **Jefferson County**. Moody & Associates, Inc., 1720 Washington Road, Suite 100, Washington, PA 15301, on behalf of Diversified Production, LLC, 125 Industry Road, # 201, Waynesburg, PA 15370, submitted a Final Report concerning remediation of soil contaminated with aluminum, barium, boron, chloride, iron, lithium, manganese, selenium, strontium, vanadium, and zinc. The Final Report demonstrated attainment of the Statewide health standards. Approved: January 29, 2024.

Contact: Jordan, 814-332-6172.

Hetrick 4 Conventional Gas Well, Primary Facility ID # **871199**, Apple Orchard Road, Reynoldsville, PA 15851, Washington Township, **Jefferson County**. Moody & Associates, Inc., 1720 Washington Road, Suite 100, Washington, PA 15301, on behalf of Diversified Production, LLC, 125 Industry Road, # 201, Waynesburg, PA 15370, submitted a Final Report concerning remediation of soil contaminated with Aluminum, Barium, Boron, Chloride, Iron, Lithium, Manganese, Selenium, Strontium, Vanadium, and Zinc. The Final Report did not demonstrate attainment of the Statewide health standards. Issued a technical deficiency letter: January 23, 2024.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Environmental Cleanup & Brownfields Program Manager, 717-705-4705.

Former RH Sheppard Co., Inc., Primary Facility ID # **860533**, 400 Pine Street, Hanover, PA 17331, Hanover Borough, **York County**. Arcadis U.S., Inc., 10 Friends Lane, Suite 100, Newtown, PA 18940, on behalf of ZF Group, 21 Am Lindener Hafen, Hannover, Germany 30453, submitted a Remedial Investigation Report concerning remediation of groundwater contaminated with Inorganic Compounds. The Report demonstrated attainment of the site-specific standards. Approved: January 25, 2024.

HAZARDOUS WASTE TRANSPORTER LICENSE

Action(s) Taken on Hazardous Waste Transporter License Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101–6018.1003); and Hazardous Waste Regulations to Transport Hazardous Waste.

Transporter License Reissued

Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7561.

Contact: Jonathan Adams.

U.S. Bulk Transport, Inc., 205 Pennbriar Drive, Erie, PA 16509. **License No. PA-AH 0408**. Application received: December 27, 2023. Effective January 24, 2024.

Interstate Chemical Company, Inc., 2797 Freeland Road, Hermitage, PA 16148. **License No. PA-AH 0689**. Application received: January 22, 2024. Effective January 23, 2024.

Best Dedicated, LLC, 829 Graves Street, Kernersville, NC 27284. **License No. PA-AH 0886**. Application received: January 23, 2024. Effective January 23, 2024.

AGD Contracting Corp, 52 Tennent Road, Morganville, NJ 07751. **License No. PA-AH 0916**. Application received: December 20, 2023. Effective January 24, 2024.

REGULATED MEDICAL AND CHEMOTHERAPEUTIC WASTE TRANSPORTER LICENSE

Action(s) Taken on Regulated and Chemotherapeutic Waste Transporter License Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101–6018.1003); Act 93 of June 28, 1988 (P.L. 525, No. 93); and Regulated Medical and Chemotherapeutic Regulations to Transport Regulated Medical and Chemotherapeutic Waste.

Transporter License Reissued

Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7561.

Contact: Jonathan Adams.

Maverick Medical Waste Services, LLC, 12 E. Greenbrook Road, North Caldwell, NJ 07006. **License No. PA-HC 0274**. Received on January 23, 2024. Effective January 23, 2024.

MUNICIPAL WASTE GENERAL PERMITS

Actions(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101–6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101–4000.1904); and Municipal Waste Regulations for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.

Northwest Region: Waste Management Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Christina S. Wilhelm, Regional Solid Waste Program Manager, 814-332-6848

WMGM049. New Castle Sanitation Authority, 102 East Washington Street, New Castle, PA 16101, City of New Castle, **Lawrence County**. Permit authorizes the beneficial use of reclaimed water as non-contact cooling and/or process water at natural gas-fired combined cycle electric generating facilities. Application received: July 28, 2023. Deemed administratively complete: July 28, 2023. Issued: January 26, 2024.

Persons interested in reviewing the permit may contact Christina S. Wilhelm, Regional Solid Waste Program Manager, 814-332-6848, Northwest Region, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

WMGM049NW001. Hickory Run Energy, LLC, 7500 College Boulevard, Suite 400, Overland Park, KS 66210, North Beaver Township, **Lawrence County**. Hickory Run Enger, LLC (HRE) includes an onsite sanitary packaged treatment plant for sewage generated at the site. Reclaimed water from the sanitary packaged treatment plant is routed through a sump for further treatment and chlorine dosage in the Raw Water Treatment system prior to beneficial use as non-contact cooling water. Application received: June 28, 2023. Deemed administratively complete: June 28, 2023. Issued: January 26, 2024.

Persons interested in reviewing the permit may contact Christina S. Wilhelm, Regional Solid Waste Program Manager, 814-332-6848, Northwest Region, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

RESIDUAL WASTE GENERAL PERMITS

Actions(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other than Coal Ash.

Northcentral Region: Waste Management Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Lisa D. Houser, P.E., Facilities Manager, 570-327-3740.

WMGR163NC001. Chesapeake Appalachia, LLC, 14 Chesapeake Lane, Sayre, PR 18840, Franklin Township, **Bradford County**. Solid waste permit application for the storage of oil and gas liquid waste to be used as a water supply to develop or hydraulically fracture an oil or gas well. Application received: June 29, 2023. Permit issued: January 18, 2024.

Persons interested in reviewing the permit may contact Lisa D. Houser, P.E., Facilities Manager, 570-327-3740, Northcentral Region, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

Northeast Region: Waste Management Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Roger Bellas, Environmental Program Manager, 570-826-2201.

WMGR140-NE001. Summit Anthracite Inc., 175 Drift Road, Tinton Falls, NJ 07724, Porter Township, **Schuylkill County**. A permit renewal application for continued coverage under General Permit WMGR140 for the beneficial use of sludge and filter cake from permitted industrial wastewater treatment facilities treating wastewater from a textile dyeing and finishing plant for use as a soil additive and soil conditioner in mine reclamation at

the Feather Strip Site. Application received: October 20, 2022. Issued: January 23, 2024.

Persons interested in reviewing the permit may contact Roger Bellas, Environmental Program Manager, 570-826-2201, Northeast Region, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Actions(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for Determination of Applicability for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other than Coal Ash.

Northwest Region: Waste Management Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Christina S. Wilhelm, Regional Solid Waste Program Manager, 814-332-6848.

WMGR123NW020. PennEnergy Resources, LLC Reno Well Pad, 3000 Westinghouse Drive, Suite 300, Cranberry Township, PA 16066, Middlesex Township, **Butler County**. The application requests approval to install one aboveground storage tank and secondary containment at the Reno Well Pad site to store, process and beneficially reuse oil and gas liquid waste. Sources for these waters will include PER projects as well as other generators engaged in similar processes and activities (both conventional wells and conventional wells). Water will be transmitted to and from the tank using tanker trucks and piping. Application received: November 2, 2023. Deemed administratively complete: November 6, 2023. Permit issued: January 23, 2024.

Persons interested in reviewing the permit may contact Christina S. Wilhelm, Regional Solid Waste Program Manager, 814-332-6848, Northwest Region, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

AIR QUALITY

Actions(s) Taken on General Plan Approval(s) and Operating Permit(s) Usage Authorized Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to Construct, Modify, Reactivate or Operate Air Contamination Sources and Associated Air Cleaning Devices.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

AG5A-41-00008B: Beech Resources, 3033 East First Ave, Suite 400, Denver, CO 80206, Lycoming Township, **Lycoming County**. The Department approved authorization to construct and operate one (1) 1,380 bhp Caterpillar G1516B four stroke lean burn compressor engine with an oxidation catalyst, one (1) 50 MMscf per day dehydration unit, four (4) produced fluids storage tanks, four (4)

unconventional gas wells along with fugitive emissions from liquids loading, pneumatics, venting, blowdowns, heater, etc., pursuant to the General Plan Approval and/or General Operating Permit for Unconventional Natural Gas Well Site Operations and Remote Pigging Stations (BAQ-GPA/GP-5A) at the ISA Well Site. Application received: January 2, 2024. Authorized: January 24, 2024. Expiration date: January 23, 2029.

AG5-41-00008B: NFG Midstream Trout Run, LLC, 6363 Main Street, Williamsville, NY 14221, Lewis Township, **Lycoming County**. The Department approved authorization to continue operating nine (9) Waukesha model L5794GSI, 4-stroke, rich-burn, natural gas-fired compressor engines, one (1) 200 million cubic foot per day Frederick Logan triethylene glycol dehydration unit, four (4) Capstone model C200 NG natural gas-fired micro turbines, twelve (12) various storage tanks along with fugitive emissions from liquids loading, pneumatics, venting, blowdowns, heater, etc. pursuant to the General Plan Approval and/or General Operating Permit for Natural Gas Compression Stations, Processing Plants, and Transmission Stations (BAQ-GPA/GP-5) at the Hagerman Compressor Station. Application received: January 9, 2024. Renewal issued: January 23, 2024. New expiration date: January 22, 2029.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

GP1-21-03137A: UGI Carlisle LNG, LLC, 835 Knitting Mills Way, Wyomissing, PA 19610, Middlesex Township, **Cumberland County**. For two new natural gas-fired boilers, 30.8 MMBtu each, under GP1, at the LNG facility to be located in Middlesex Township, Cumberland County. Application received: December 8, 2023. Issued: January 22, 2024.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.

GP5-30-00211E/AG5-30-00033A: Greylock Midstream, LLC, 205 Carmichaels Plaza, Carmichaels, PA 15320, Jefferson Township, **Greene County**. GP5-30-00211F/AG5-30-00033B: Greylock Midstream, LLC (205 Carmichaels Plaza, Carmichaels, PA 15320) on January 25, 2024, to allow the continued operation of: 2-Caterpillar Engines each rated at 1,340 bhp equipped w/oxidation catalysts, 1-TEG rated at 75 MMscfd w/reboiler rated at 0.75 MMBtu/hr controlled by a thermal oxidizer at 2.0 MMBtu/hr, 3-storage tanks, truck load out operations, pneumatics, fugitives, and compressor blowdowns at their existing Kuhl Skib Compressor Station located in Jefferson Township, Greene County. Application received: January 10, 2024. Authorized: January 25, 2024.

Actions(s) Taken on Plan Approval(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and Regulations in 25 Pa. Code Chapter 127, Subchapter B Relating to Construction, Modification and Reactivation of Air Contamination Sources and Associated Air Cleaning Devices.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: David Balog, New Source Review Section Chief, 814-332-6328.

24-00083BB: Mersen USA St Marys, 215 Stackpole St, Saint Marys, PA 15857-1401, City of Saint Marys, **Elk County**. The Department issued a Plan Approval for the installation of a crusher and a dust collector to replace the current intermittent crusher with a baghouse as well as a new air classifier mill with a dust collector. The facility currently operates under Title V permit 24-00083 as a graphite manufacturer. The project only involves emissions of particulate matter (PM). The facility is not major for PM (PM₁₀) and the facility is not located in a nonattainment area for PM. The plan approval includes BAT for the sources being baghouse control with emission limits that will be demonstrated by pressure drop gauges, proper operation of the sources and control devices, and preventative maintenance inspections. Additional record-keeping, work practices, and recordkeeping requirements are included to ensure compliance with the Clean Air Act and the Air Pollution Control Act. If the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specifications of the application for plan approval, an initial Operating Permit amendment application addressing the inclusion of the plan approval may be submitted for the facility per 25 Pa. Code Chapter 127. Application received: November 15, 2022. Issued: January 25, 2024.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

67-03013A: Georgia-Pacific Corp., 25 Walnut Street, Mt. Wolf, PA 17347, Mount Wolf Borough, **York County**. To construct and operate a new corrugator line to replace the existing corrugator at the Mt. Wolf Container facility. Application received: August 24, 2023. Issued: January 23, 2024.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

36-03195A: Mount Joy Wire Corporation, 1000 East Main Street, Mount Joy, PA 17552, Mount Joy Borough, **Lancaster County**. For the reactivation of the facility's Combined Heat & Power (CHP) generation unit that had been previously idled at the wire manufacturing facility. Application received: September 21, 2023. Issued: January 18, 2024.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.

09-0242: Adelpia Pipeline/Quakertown, Rich Hill Road, Quakertown, PA 18951, West Rockhill Township, **Bucks County**. This plan approval extension is for the temporary operation of a new natural gas compressor station and metering station at their location. Application received: December 12, 2023. Issued: January 22, 2024.

15-0078J: Janssen Biotech, Inc., 200 Great Valley Pkwy, Malvern, PA 19355-1307, East Whiteland Township, **Chester County**. This plan approval application is for the installation and operation of one 450 kW natural gas fired, internal combustion engine/electric generator (EGEN) to serve the needs of Building M10. Application received: September 25, 2023. Issued: January 23, 2024.

Operating Permit(s) for Non-Title V Facilities Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

18-00026: First Quality Products, Inc., 121 North Road, McElhattan, PA 17748, Wayne Township, **Clinton County**. The Department issued a renewal State Only (Natural Minor) Operating Permit for the First Quality Products, Inc., McElhattan Plant. The State Only (Natural Minor) Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping, and reporting conditions to ensure compliance with applicable Federal and State regulations. Application received: January 6, 2023. Renewal issued: January 23, 2024. New expiration date: January 22, 2029.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.

10-00381: Mountain Gathering, LLC, 190 Thorn Hill Rd, Warrendale, PA 15086, Forward Township, **Butler County**. The Department renewed the State Only Operating Permit for Mountain Gathering LLC's Forward Compressor Station. The primary emissions sources are six 1,775 Hp compressor engines and six compressors, one Triethylene Glycol dehydrator, reboilers, line heaters, condensate and water storage tanks, a gun barrel tank, and fugitive emissions at the facility. Potential emissions from the facility are less than the Title V emission thresholds. The facility is a Natural Minor. The potential emissions from the facility are as follows: 54.09 tpy NO_x; 26.51 tpy CO; 40.49 tpy VOCs; 0.19 tpy SO_x; 3.34 tpy PM₁₀; 3.34 tpy PM_{2.5}; 5.11 tpy total all combined HAPs. Actual reported emissions for the calendar year 2022 were 43.82 tons NO_x; 8.72 tons CO; 17.70 tons VOC; 0.18 tons SO_x; 3.27 tons PM₁₀; 3.27 tons PM_{2.5}; 2.518 tons HAPs; and 37,285 tons CO₂. Sources at this facility are subject to the following Federal emission standards: 40 CFR Part 60 Subpart JJJJ, the standards of performance for stationary spark ignition internal combustion engines; and 40 CFR Part 60 Subpart OOOO, the standards of performance for crude oil and natural gas production, transmission and distribution; 40 CFR Part 63 Subpart HH, the national emission standards for hazardous air pollutants from oil and natural gas production facilities; and 40 CFR Part 63 Subpart ZZZZ, the national emission standards for hazardous air pollutants for Stationary Reciprocating Internal Combustion Engines. The conditions of the previous plan approvals are incorporated into the renewal permit. The permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act. Application received: August 26, 2022. Renewal issued: January 25, 2024.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

36-05152: Kellogg USA, Inc., 2050 State Road, Lancaster, PA 17604-1821, East Hempfield Township, **Lancaster County**. For the breakfast cereal manufacturing facility. The State-Only permit was renewed. Application received: September 5, 2023. Issued: January 17, 2024.

36-03103: Kunzler & Company, Inc., 652 Manor Street, Lancaster, PA 17603-5108, City of Lancaster, **Lancaster County**. For the meat processing facility. The State-Only permit was renewed. Application received: August 1, 2023. Issued: January 3, 2024.

06-03028: Can Corporation of America, 326 June Avenue, Blandon, PA 19510-9566, Muhlenberg Township, **Berks County**. For the metal can manufacturing facility. The State-Only permit was renewed. Application received: August 15, 2023. Issued: January 23, 2024.

06-03097: Kore Mart LTD, 7 Hill Drive, P.O. Box 175, Hamburg, PA 19526-0175, Tilden Township, **Berks County**. For the intermediate foundry product manufacturing facility. The State-Only permit was renewed. Application received: December 29, 2022. Issued: January 23, 2024.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.

09-00195: Harold Beck & Sons, Inc., 2300 Terry Dr, Newtown, PA 18940-1895, Newtown Township, **Bucks County**. This action is for the renewal of a State Only, Natural Minor Operating Permit, for operation of two paint booths and two degreasing units. Application received: December 7, 2022. Issued: January 23, 2024.

23-00123: AeroAggregates, LLC/Matrix Svc Ind Contr, Inc., 1500 Chester Pike, Eddystone, PA 19022-1338, Eddystone Borough, **Delaware County**. An Initial State-Only Operating Permit was issued for an existing foamed glass aggregate production facility that operates three existing natural gas-fired glass foaming tunnel kilns and an existing natural gas-fired fluidized bed dryer with a bagfilter. Application received: August 22, 2023. Issued: January 25, 2024.

Operating Permit Revisions Issued Including Administrative Amendments, Minor Modifications or Transfer of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

08-00036: Repsol Oil & Gas USA, LLC, 337 Daniel Zenker Drive, Horseheads, NY 14845, Armenia Township, **Bradford County**. The Department issued a revised Operating Permit for the Putnam Compressor Station. The Operating Permit revision is for a change in Responsible Official and Permit Contact and change in mailing address. Jorge Milathianakis, Director, Marcellus Business Unit is the new Responsible Official and Jameson Gifford, Senior Air Specialist, is the new Permit Contact. The State Only (Synthetic Minor) Operating Permit contains all applicable regulatory requirements including testing, monitoring, recordkeeping, and reporting conditions to ensure compliance with applicable Federal and State regulations. Application received: December 8, 2023. Effective: January 26, 2024. Revised: January 26, 2024.

08-00033: Repsol Oil & Gas USA, LLC, 337 Daniel Zenker Drive, Horseheads, NY 14845, Columbia Township, **Bradford County**. The Department issued a revised Operating Permit for the Watkins Compressor

Station. The Operating Permit revision is for a change in Responsible Official and Permit Contact and change in mailing address. Jorge Milathianakis, Director, Marcellus Business Unit is the new Responsible Official and Jameson Gifford, Senior Air Specialist, is the new Permit Contact. The State Only (Synthetic Minor) Operating Permit contains all applicable regulatory requirements including testing, monitoring, recordkeeping, and reporting conditions to ensure compliance with applicable Federal and State regulations. Application received: December 8, 2023. Effective: January 26, 2024. Revised: January 26, 2024.

08-00032: Repsol Oil & Gas USA, LLC, 337 Daniel Zenker Drive, Horseheads, NY 14845, Troy Township, **Bradford County**. The Department issued a revised Operating Permit for the Thomas Compressor Station. The Operating Permit revision is for a change in Responsible Official and Permit Contact and change in mailing address. Jorge Milathianakis, Director, Marcellus Business Unit is the new Responsible Official and Jameson Gifford, Senior Air Specialist, is the new Permit Contact. The State Only (Synthetic Minor) Operating Permit contains all applicable regulatory requirements including testing, monitoring, recordkeeping, and reporting conditions to ensure compliance with applicable Federal and State regulations. Application received: December 8, 2023. Effective: January 26, 2024. Revised: January 26, 2024.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

67-05098: Kinsley Construction, Inc., P.O. Box 2886, York, PA 17405-2886, West Manchester Township, **York County**. For the stone crushing and processing operations at the Ensminger and Williams Quarry. The State-Only permit was administratively amended in order to incorporate the requirements of Plan Approval No. 67-05098D. Application received: November 28, 2023. Issued: January 22, 2024.

21-03114: Pennsylvania Area Funeral Service, LLC, 2020 W. Trindle Road, Carlisle, PA 17013-2604, North Middleton Township, **Cumberland County**. For the human crematory at the funeral home facility. The State-Only permit was administratively amended in order to reflect an ownership change. Application received: November 28, 2023. Issued: January 22, 2024.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

06-05081: Delaware County Solid Waste Authority, 583 Longview Road, Boyertown, PA 19512-7955, Earl Township, **Berks County**. For the Rolling Hills Landfill. The Title V permit was administratively amended in order to incorporate the requirements of Plan Approval No. 06-05081C. Application received: November 15, 2023. Issued: January 19, 2024.

De Minimis Emissions Increases Authorized under 25 Pa. Code § 127.449.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

36-05008: Tyson Poultry Inc., 403 South Custer Avenue, New Holland, PA 17557, Earl Township, **Lancaster County**. Pursuant to 25 Pa. Code § 127.449(i), this *Pennsylvania Bulletin* Notice is for the authorization of a

de minimis emissions increase of 0.004 tpy of PM₁₀, 0.0004 tpy of SO_x, 0.0100 tpy of CO, 0.0510 tpy of NO_x, and 0.0030 tpy of VOC emissions for the operation of two Dayton 3E133 gas-fired space heaters at the poultry slaughtering and processing plant. This is the first de minimis emissions increase at the facility during the term of the current Operating Permit.

ACTIONS ON COAL AND NONCOAL APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the National Pollutant Discharge Elimination System (NPDES) permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1103). Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Coal Permits

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

Contact: Cassie Stanton, Clerical Assistant 2.

Mining Permit No. GFCC No. 17-23-02. NPDES No. PA0270032. Swisher Contracting, Inc., P.O. Box 1223, Clearfield, PA 16830, Lawrence Township, **Clearfield County**. Modification of an NPDES permit for a Government Financed Construction Contract affecting 27.7 acres. The modification is for an addition of coal stockpiling and treatment for runoff from the coal stockpile area. Receiving stream(s): Unnamed tributary to Lick Run; unnamed tributary to Moose Run classified for the following use(s): HQ—CWF, CWF. Application received: October 23, 2023. Accepted: October 23, 2023. Issued: January 24, 2024.

Noncoal Permits

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

Contact: Cayleigh Boniger, Clerical Supervisor 2, 814-797-0824.

Mining Permit No. 16940105. Neiswonger Construction, Inc., 17592 Route 322, Strattanville, PA 16258, Perry Township, **Clarion County**. Revision to an existing surface mine. Application received: November 3, 2023. Issued: January 29, 2024.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

Contact: Cassie Stanton, Clerical Assistant 2.

Mining Permit No. 14050302. GP-104 No. PAM216007. Russell Stone Products, Inc., 2640 Greenville Pike, Grampain, PA 16838, Howard Township, **Centre County**. Transfer of an existing large noncoal mining permit affecting 8.9 acres. Transfer of permit from Cynthia E. Russell. Receiving stream(s): Bald Eagle Creek classified for the following use(s): WWF. Application received: July 24, 2023. Accepted: July 24, 2023. Issued: January 24, 2024.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Action(s) Taken on Application(s) Under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting Activity Performed as Part of a Coal or Noncoal Mining Activity will be Regulated by the Mining Permit for that Coal or Noncoal Mining Activity.

Blasting Permits

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

Contact: Cassie Stanton, Clerical Assistant 2, 814-342-8101.

Permit No. 17244002. Austin Powder Company, 1573 Troy-Hawk Run Hwy., Philipsburg, PA 16866, Chest Township, **Clearfield County**. Blasting Activity Permit for Contracting and Reclamation of GFCC Permit No. 17-18-02 Application received: January 16, 2024. Issued: January 17, 2024. Expiration date: December 31, 2024.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Permit No. 51244101. Ed Wean Drilling & Blasting, Inc., 112 Ravine Road, Stewardsville, NJ 08886, City of Philadelphia, **Philadelphia County**. Construction blasting for CHOP New Patient Tower. Application received: January 2, 2024. Permit issued: January 23, 2024. Expiration date: December 30, 2024.

Permit No. 45244101. Holbert Explosives, Inc., 237 Mast Hope Plank Road, Suite A, Lackawaxen, PA 18435, Smithfield Township, **Monroe County**. Construction blasting for Wawa Gas Station. Application received: January 23, 2024. Permit issued: January 24, 2024. Expiration date: January 23, 2025.

Permit No. 15244101. Abel Construction Co., Inc., 3925 Columbia Avenue, Mountville, PA 17554, Wallace Township, **Chester County**. Construction blasting for Trails at Marsh Creek. Application received: January 18, 2024. Permit issued: January 24, 2024. Expiration date: January 18, 2025.

Permit No. 09244102. Schlouch, Inc., 132 Excelsior Drive, Blandon, PA 19510, New Britain Township, **Bucks County**. Construction blasting for High Point Racquet Club. Application received: January 25, 2024. Permit issued: January 26, 2024. Expiration date: January 24, 2025.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (DEP) has taken the following actions on previously received

permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, DEP has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Individuals aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board 717-787-3483 for more information.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Action(s) Taken on Application(s) for the Following Activities Filed Under The Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and the Clean Streams Law and Notice of Final Action for Certification Under Section 401 of the FWPCA.

Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.

Contact: RA-EPEASTERNOPRG@pa.gov.

E5729223-008. Chesapeake Appalachia LLC, 14 Chesapeake Lane, Sayre, PA 18840, Elkland Township, **Sullivan County**. U.S. Army Corps of Engineers Baltimore District.

To construct, operate, and maintain: 1. (Stream 1R) One 16-inch diameter temporary surface waterline impacting 2 linear feet of an unnamed tributary to Kings Creek (EV) (Overton, PA Quadrangle 41.566539°, -76.619289°); 2. (Stream 1C) One 16-inch diameter temporary surface waterline impacting 8 linear feet of Kings Creek (EV) (Overton, PA Quadrangle 41.566665°, -76.618830°); 3. (Stream 2R) One 16-inch diameter temporary surface waterline impacting 2 linear feet of an

unnamed tributary to Kings Creek (EV) (Overton, PA Quadrangle 41.566689°, -76.617725°); 4. (Stream 3R) One 16-inch diameter temporary surface waterline and a temporary road crossing using timber mats impacting 2 linear feet of an unnamed tributary to Kings Creek (EV) (Overton, PA Quadrangle 41.566574°, -76.616322°); 5. (Stream 3J, Wetland 8J) One 16-inch diameter temporary surface waterline and temporary timber mats impacting 6 linear feet of an unnamed tributary to Kings Creek and 1,162 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Overton, PA Quadrangle 41.564395°, -76.611358°); 6. (Stream 7J) One 16-inch diameter temporary surface waterline and temporary timber mats impacting 1,947 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Overton, PA Quadrangle 41.560053°, -76.613023°); 7. (Wetland 6J) One 16-inch diameter temporary surface waterline and temporary timber mats impacting 1,439 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Overton, PA Quadrangle 41.559215°, -76.613125°); 8. (Wetland 1J) One 16-inch diameter temporary surface waterline impacting 3,950 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Overton, PA Quadrangle 41.552667°, -76.608615°); 9. (Wetland 3J) One 16-inch diameter temporary surface waterline and temporary timber mats impacting 10,238 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Overton, PA Quadrangle 41.545093°, -76.611293°); 10. (Wetland 4J) One 16-inch diameter temporary surface waterline and temporary timber mats impacting 6,918 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Overton, PA Quadrangle 41.540270°, -76.009151°); 11. (Stream 1J, Wetland 5J) One 16-inch diameter temporary surface waterline and temporary timber mats impacting 8 linear feet of an unnamed tributary to Mill Creek (EV) and 306 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Overton, PA Quadrangle 41.540382°, -77.612877°); 12. (Wetland 8R) One 16-inch diameter temporary surface waterline and temporary timber mats impacting 4,197 square feet of a palustrine emergent (PEM) wetland (Overton, PA Quadrangle 41.540474°, -76.611131°); 13. (Wetland 2C) One 16-inch diameter temporary surface waterline impacting 344 square feet of a palustrine emergent (PEM) wetland (Overton, PA Quadrangle 41.540246°, -76.610153°); 14. (Wetland 1C) One 16-inch diameter temporary surface waterline and temporary timber mat impacting 1,556 square feet of a palustrine emergent (PEM) wetland (Overton, PA Quadrangle 41.540784°, -76.607334°); 15. (Wetland 2R) One 16-inch diameter temporary surface waterline impacting 5,400 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Overton, PA Quadrangle 41.541062°, -76.605808°); The project will result in 28 linear feet of temporary stream impacts and 37,457 square feet (0.859 acre) of wetland impacts all for the purpose of installing a temporary fresh waterline in Elkland Township, Sullivan County. Application received: September 19, 2023. Issued: January 29, 2024.

Northcentral Region: Waterways & Wetlands Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Peter Geanacopoulos, Project Manager, 570-327-3701.

E5904223-007. Tioga County Commissioners, 118 Main Street, Wellsboro, PA 16901, Wellsboro Borough, **Tioga County**. U.S. Army Corps of Engineers Baltimore District.

To construct and maintain the historic Howellville Truss Bridge carrying the Pine Creek Rail Trail over Charleston Creek in Wellsboro Borough Latitude: 41° 45' 6.5", Longitude: -77° 17' 41.89". Application received: November 3, 2023. Accepted: November 15, 2023. Issued: January 25, 2024.

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Michele Lauer, Clerical Assistant 2, 570-830-3077.

E4502223-011. Drew Bittenbender, 293 Mingo Road, Royersford, PA 19468, Tobyhanna Township, **Monroe County**. U.S. Army Corps of Engineers Philadelphia District.

To remove an old existing wooden dock and construct and maintain an 8-foot wide by 24-foot long section of modular aluminum dock within the basin of Arrowhead Lake (EV). Latitude: 41° 08' 57", Longitude: -75° 34' 0.6". Application received: November 15, 2023. Issued: January 23, 2024.

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: RA-EPWW-NWRO@pa.gov.

E2006221-005. CLP Marina LLC, 713 Broad Acres Road, Narberth, PA 19072, Sadsbury Township and Summit Township, **Crawford County**. U.S. Army Corps of Engineers Pittsburgh District.

Permit No. E2006221-005 is amended to authorize the construction of a dock attached to the adjoining structure permitted under E2006221-004 and extending south approximately 263 feet with a width of approximately 26 feet, including a 263-foot long walkway with 20-foot long perpendicular dock slip fingers spaced evenly along the walkway. Latitude: 41.632921°, Longitude: -80.313169°. Application received: April 17, 2023. Issued: January 26, 2024.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: 717-705-4802.

E2103223-004. Carlisle Borough, 53 West South Street, Carlisle, PA 17013, Carlisle Borough, **Cumberland County**. U.S. Army Corps of Engineers Baltimore District.

Giving its consent to install an 8" force main under Letort Spring Run (EV, MF) via an open cut trench. The project proposes to temporarily impact approximately 32 square feet of Letort Spring Run (EV, MF) and 55 square feet of its floodway. The project proposes to permanently impact approximately 1,375 square feet of Letort Spring Run (EV, MF) and 7,249 square feet of its floodway. All impacts are for the purpose of accommodating the additional flow capacity resulting from new development. All wetland impacts are below de minimis. Latitude: 40.1937°, Longitude: -77.1931°. Application received: June 21, 2023. Issued: January 27, 2024.

Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Elaine Henderson, Clerical Assistant 3, 484-250-5157.

E4601223-026. Exeter Swedeland Land, LLC, 100 Matsonford Road, Suite 250, Radnor, PA 19087, Upper

Merion Township, **Montgomery County**. U.S. Army Corps of Engineers Philadelphia District.

Exeter Swedeland Land, LLC, is proposing the removal of the existing 485 LF of 42-inch RCP stream enclosure which carries Matsunk Creek (WWF, MF) and to construct and maintain 875 LF of 60-inch RCP stream enclosure for the purpose of constructing a 150,000 SF industrial building. Stream impacts include 488 LF of temporary impact and 897 LF of permanent impacts and there are no wetland impacts. The site is located near the intersection of PA 320 and Renaissance Boulevard (Norristown, PA, USGS Map) in Upper Merion Township, Montgomery County. Latitude: 40.083363°, Longitude: -75.330586°. Application received: August 10, 2023. Permit issued: January 29, 2024.

DAM SAFETY

Central Office: Waterways & Wetlands Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-783-5784.

Contact: Josh Fair, Water Program Specialist, 717-772-5988.

D22-126EA. Anthea Stebbins, Dauphin County Commissioners, Parks and Recreation, 2 South Second Street, Harrisburg, PA 17101, Middle Paxton Township, **Dauphin County**. The Department has reviewed and approved the plan to remove the Detweiler Park Dam to eliminate a threat to public safety and to restore approximately 350 feet of stream channel to a free-flowing condition. The proposed restoration project includes installation of valley grade control and cross vanes. The project is located across a tributary to Clark Creek (HQ—CWF, MF) (Halifax, PA Quadrangle, Latitude: 40.3915, Longitude: 76.9377). Project was approved on 1/29/24. Application received: November 22, 2023. Approved: January 29, 2024.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once.

Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.

Contact: RA-EPEASTERNOGPRG@pa.gov.

ESCGP # 3 **ESG295923022-00**

Applicant Name **Rev Resources, LLC**

Contact Person Greg Henthorn

Address P.O. Box 6863

City, State, Zip Denver, CO 80206-0863

Township(s) Jackson Township

County **Tioga County**

Receiving Stream(s) and Classification(s) Tributary 30979

to Seeley Creek (CWF, MF)

Application received: December 19, 2023

Issued: January 23, 2024

Northwest Region: Oil and Gas Management Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Kate Hogue, Clerical Supervisor, 814-332-6868.

ESCGP # 3 **ESG081023010-00/Williams Unit 2062 ESX**

Applicant Name **Anegada Energy, LLC**

Contact Person Mike Weaver

Address P.O. Box 400

City, State, Zip Canonsburg, PA 15317

Township(s) Slippery Rock Township

County **Butler County**

Receiving Stream(s) and Classification(s) UNT Wolf

Creek CWF UNT Long Run CWF

Application received: January 15, 2023

Issued: January 23, 2024

Southwest District: Oil and Gas Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: RA-EPSW-OGSUBMISSION@pa.gov.

ESCGP # 3 **ESG073023021-00**

Applicant Name **EQT Prod Co—Energy Cynic to Soles Waterline**

Contact Person Todd Klaner, (724) 746-9043

TKlaner@eqt.com

Address 0.6 mile south of Antill Rd (T-330) and Pigeon Run Rd (T-345)

City, State, Zip New Freeport, PA 15352

Township(s) Springhill Township

County **Greene County**

Receiving Stream(s) and Classification(s) 100. Lat

39.72974, Long -80.50616, UNT to Knob Run, Ch 93

Class WWF 101. Lat 39.73166, Long -80.49831, Knob

Run, Ch 93 Class WWF 102. Lat 39.73559, Long

-80.48741, UNT to Knob Run, Ch 93 Class WWF 103.

Lat 39.74175, Long -80.48538, Pigeon Run, Ch 93 Class

WWF 001. Lat 39.74393, Long -80.47622, UNT To

Pigeon Run, Ch 93 Class WWF 002. Lat 39.74428, Long

-80.48194, UNT to Pigeon Run, Ch 93 Class WWF

Application received: September 11, 2023

Issued: January 19, 2024

Southwest Region: Oil and Gas Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: RA-EPSW-OGSUBMISSION@pa.gov.

ESCP # **ESP07632300100E**

Applicant Name **Range Resources—Appalachia, LLC—Schwotzer Arthur 12705 Well Site**

Contact Person Karl Matz, (724) 873-3090

kmatz@rangeresources.com

Address Rural Valley Road
City, State, Zip Claysville, PA 15323
Township(s) Blaine Township
County **Washington County**

Receiving Stream(s) and Classification(s) 001. Lat 40.16614, Long -80.37413, UNT to Buffalo Creek, Ch 93 Class HQ—WWF 002. Lat 40.16442, Long -80.37161, UNT to Wolf Run, Ch 93 Class HQ—WWF 003. Lat 40.16536, Long -80.37050, Wolf Run, Ch 93 HQ—WWF 004. Lat 40.16585, Long -80.37002, Wolf Run, Ch 93 HQ—WWF 005. Lat 40.16691, Long -80.36919, UNT to Wolf Run, Ch 93 Class HQ—WWF

Application received: September 1, 2023

Issued: January 26, 2024

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 2

The Following Plan(s) and Report(s) Were Submitted Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Prem LTD, Storage Tank Facility ID # **45-12905**, Route 423 and Route 940, Pocono Pines, PA 18350, Tobyhanna Township, **Monroe County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Prem Ltd, LLC, 799 Coon Road, Wyoming, PA 18644, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum. The plan is

intended to document the remedial actions for meeting Statewide health and site-specific standards.

507 Country Store, Storage Tank Facility ID # **52-50886**, 288 Route 507, Tafton, PA 18464, Palmyra Township, **Pike County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of 507 Country Store, LLC, 288 Route 507, Tafton, PA 18464, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with gasoline. The report is intended to document the remedial actions for meeting Statewide health standards.

Former Shell Service Station (Top Star 127), Storage Tank Facility ID # **39-21080**, 318 South Third Street, Coopersburg, PA 18036, Coopersburg Borough, **Lehigh County**. AECOM, 625 West Ridge Pike, Suite E-100, Conshohocken, PA 19428, on behalf of Shell Oil Products US, 20945 South Wilmington Avenue, Carson, CA 90810, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum. The report is intended to document the remedial actions for meeting Statewide health standards.

Carriage Stop Plaza Sunoco, Storage Tank Facility ID # **40-38017**, 2500 East End Boulevard, Wilkes-Barre, PA 18702, Plains Township, **Luzerne County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Anup Patel, 2500 East End Boulevard, Wilkes-Barre, PA 18702, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with gasoline. The report is intended to document the remedial actions for meeting Statewide health standards.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Richard M. Staron, Professional Geologist Manager, 484-250-5717.

Faulkner Pontiac GMC, Storage Tank Facility ID # **09-30478**, 4427 Street Road, Trevoise, PA 19047, Bensalem Township, **Bucks County**. Liberty Environmental, Inc., 505 Penn Street, Suite 400, Reading, PA 19601, on behalf of Faulkner Buick-GMC, 4427 Street Road, Trevoise, PA 19047, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum products. The plan is intended to document the remedial actions for meeting site-specific standards.

SUNOCO 8000 6519, Storage Tank Facility ID # **51-30611**, 5810 N Broad St., Philadelphia, PA 19141, City of Philadelphia, **Philadelphia County**. Groundwater & Environmental Services, Inc., 440 Creamery Way, Suite 500, Exton, PA 19341, on behalf of Evergreen Resources Management Operations, 2 Righter Parkway, Suite 120, Wilmington, DE 19803, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan is intended to document the remedial actions for meeting nonresidential site-specific standards.

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 3

Action(s) Taken on the Following Plans and Reports Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

Northcentral Region: Environmental Cleanup & Brownfields Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Randy Farmerie, P.G., Environmental Program Manager, 570-327-3716.

Fuel On 2, Storage Tank Facility ID # **19-00603**, 711 Market Street, Bloomsburg, PA 17815, City of Bloomsburg, **Columbia County**. United Environmental Services, Inc., P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of National Retail Property Trust, 711 Market Street, Bloomsburg, PA 17815, submitted a Remedial Action Completion Report concerning remediation of groundwater contaminated with unleaded gasoline. The report nonresidential demonstrated attainment of the site-specific standards and was approved by DEP on December 22, 2023.

Osceola Big M 0148 5697, Storage Tank Facility ID # **59-70659**, 7732 State Route 49, Osceola, PA 16942, Osceola Township, **Tioga County**. EnviroTrac, Ltd., 176 Thorn Hill Road, Warrendale, PA 15086, on behalf of Evergreen Resource Group, LLC, 2 Righter Parkway, Suite 120, Wilmington, DE 19803, submitted a Remedial Action Completion Report concerning remediation of groundwater contaminated with diesel fuel. The report residential demonstrated attainment of the Statewide health standards and was approved by DEP on December 28, 2023.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Former Egan Oil Service Station, Storage Tank Facility ID # **40-28631**, 871 Exeter Avenue, Exeter, PA 18643, Exeter Borough, **Luzerne County**. Quad 3 Group, 37 North Washington Street, Wilkes-Barre, PA 18701, on behalf of K3 Development, LLC, 133 Philadelphia Avenue, West Pittston, PA 18643, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with gasoline. The report demonstrated attainment of the Statewide health and site-specific standards and was approved by DEP on January 24, 2024.

Uni Mart Blakslee (ARV Food Mart), Storage Tank Facility ID # **45-00752**, 5663 State Route 115, Blakeslee, PA 18610, Tobyhanna Township, **Monroe County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Nagi Vanga, 107 Squirrel Run, Clarks Summit, PA 18411, submitted a Combined Remedial Action Plan and Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with gasoline. The combined plan and report was not acceptable to meet the Statewide health and site-specific standards and was disapproved by DEP on January 26, 2024.

Bones Auto Parts, Storage Tank Facility ID # **40-22861**, 1110 Wilkes-Bare Township Boulevard, Wilkes-Barre, PA 18702, Wilkes-Barre Township, **Luzerne County**. Keystone Environmental Health & Safety Services, 1111 12th Avenue, Altoona, PA 16601, on behalf of EG America, 165 Flanders Road, Westborough, MA 01581, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum. The plan was not acceptable to meet the site-specific standards and was disapproved by DEP on January 26, 2024.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Lee, 814-332-6127.

Country Fair 59, Storage Tank Facility ID # **25-90128**, 4526 Pine Street, Erie, PA 16504, City of Erie, **Erie County**. Groundwater & Environmental Services, Inc., 508 Thomson Park Drive, Cranberry Township, PA 16066, on behalf of United Refining Company, 814 Lexington Avenue, Warren, PA 16365, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with benzene, toluene, ethylbenzene, naphthalene, cumene, methyl tertiary butyl ether (MTBE), xylenes, 1,2,4-trimethylbenzene and 1,3,5-trimethylbenzene. The report residential demonstrated attainment of the Statewide health standards and was approved by DEP on January 23, 2024.

Contact: Nick, 814-332-6978.

Butler Citgo, Storage Tank Facility ID # **10-90049**, 125 Pittsburgh Road, Butler, PA 16001, Butler Township, **Butler County**. Letterle & Associates, Inc., 2859 Oxford Blvd, Allison Park, PA 15101, on behalf of Frank Schons, 545 Marks Drive, Coraopolis, PA 15108, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with benzene, toluene, ethylbenzene, naphthalene, cumene, 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, and methyl tert-butyl ether. The report nonresidential demonstrated attainment of the Statewide health standards and was approved by DEP on January 23, 2024.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Cherie Campbell, Soil Scientist, 717-705-4705.

Keneco Oil Bulk Plant, Storage Tank Facility ID # **01-37038**, 6170 Baltimore Pike, Littlestown, PA 17340, Germany Township, **Adams County**. Mountain Research, LLC, 825 25th Street, Altoona, PA 16601, on behalf of Ejays Financial Group, 9 Westminster S/C, # 371, Westminster, MD 21157, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum constituents. The plan residential was acceptable to meet the Statewide health and site-specific standards and was approved by DEP on January 25, 2024.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Richard M. Staron, Professional Geologist Manager, 484-250-5717.

Champlost Fuels 67274, Storage Tank Facility ID # **51-23932**, 100 E. Champlost Ave., Philadelphia, PA 19120, City of Philadelphia, **Philadelphia County**. Petrodi, LLC, 543 Oakshade Road, Shamong, NJ 08088, on behalf of Ramoco Marketing Group, P.O. Box 2218, Princeton, NJ 08540, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum products. The plan nonresidential was acceptable to meet the Statewide health standards and was approved by DEP on January 23, 2024.

Hertz Rent a Car, Storage Tank Facility ID # **51-38096**, 8201 Bartram Ave., Philadelphia, PA 19153, City of Philadelphia, **Philadelphia County**. EnviroTrac, Ltd., 6 Terri Lane, Suite # 350, Burlingt, NJ 08016, on behalf of The Hertz Corporation, 8501 Williams Road, Estero, FL 33928, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report nonresidential demonstrated attainment of the Statewide health standards and was approved by DEP on January 26, 2024.

Knapps Svc Sta, Storage Tank Facility ID # **46-41579**, 1196 Easton Rd., Roslyn, PA 19001, Abington Township, **Montgomery County**. Mr. Paul Knapp, 2958 Banner Road, Willow Grove, PA 18013, on behalf of Mobile Environmental Analytical, Inc., 1365 Ackermanville Road, Bangor, PA 18013, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with leaded and unleaded. The report demonstrated attainment of the site-specific standards and was approved by DEP on January 26, 2024.

Sunoco 0363 0134, Storage Tank Facility ID # **51-30597**, 4160 N. American Street, Philadelphia, PA 19140, City of Philadelphia, **Philadelphia County**. Groundwater & Environmental Services, Inc., 440 Creamery Way, Suite 500, Exton, PA 19341, on behalf of Evergreen Resources Management Operations, 2 Righter Parkway, Suite 120, Wilmington, DE 19803, submitted a

Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan nonresidential demonstrated attainment of the Statewide health standards and was approved by DEP on January 12, 2024.

Lukoil 69202, Storage Tank Facility ID # **46-42586**, 1054 E. Main St., Lansdale, PA 19446, Upper Gwynedd Township, **Montgomery County**. EnviroTrac Ltd., 602 S. Bethlehem Pike, Suite A2 and 3, Ambler, PA 19002, on behalf of Lukoil North America, LLC, 302 Harper Drive, Suite 303, Moorestown, NJ 08057, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan nonresidential was acceptable to meet the Statewide health and site-specific standards and was approved by DEP on January 18, 2024.

Lukoil 69703, Storage Tank Facility ID # **46-42593**, 101 Crawford Ave., Conshohocken, PA 19428, West Conshohocken Borough, **Montgomery County**. EnviroTrac Ltd., 602 S. Bethlehem Pike, Suite A2 and 3, Ambler, PA 19002, on behalf of Lukoil North America, LLC, 302 Harper Drive, Suite 303, Moorestown, NJ 08057, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report residential demonstrated attainment of the Statewide health standards and was approved by DEP on January 16, 2024.

Wawa Food Mkt 288, Storage Tank Facility ID # **09-38151**, 854 Eaton Rd., Pipersville, PA 18947, Plumstead Township, **Bucks County**. Aquaterra Technologies, Inc., P.O. Box 744, West Chester, PA 19381, on behalf of Wawa, Inc., 260 W. Baltimore Pike, Wawa, PA 19063, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan nonresidential was acceptable to meet the Statewide health and site-specific standards and was approved by DEP on January 19, 2024.

309 Car Wash, Storage Tank Facility ID # **46-02713**, 773 Bethlehem Pike, Montgomeryville, PA 18936, Montgomery Borough, **Montgomery County**. RMS Environmental, 1000 East Walnut Street, Perkasio, PA 18944, on behalf of 309 Car Wash, 773 Bethlehem Pike, Montgomeryville, PA 18936, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan nonresidential was not acceptable to meet the Statewide health standards and was approved by DEP on January 29, 2024.

Folcroft Sunoco, Storage Tank Facility ID # **23-40768**, 1898 Delmar Dr., Folcroft, PA 19032, Folcroft Borough, **Delaware County**. August Mack Environmental, LLC, 806 Fayette Street, Conshohocken, PA 19428, on behalf of John Vecchioli, 1898 Delmar Drive, Folcroft, PA 10932, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan nonresidential was not acceptable to meet the site-specific standards and was disapproved by DEP on January 25, 2024.

[Pa.B. Doc. No. 24-158. Filed for public inspection February 9, 2024, 9:00 a.m.]

DEPARTMENT OF HEALTH

Ambulatory Surgical Facilities; Requests for Exceptions

The following ambulatory surgical facilities (ASF) have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license ASFs under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following requests for exceptions relate to regulations governing ASF licensure in 28 Pa. Code Chapters 29, 51 and 551—571 (relating to miscellaneous health provisions; general information; and ambulatory surgical facilities).

<i>Facility Name</i>	<i>Regulation</i>
Children's Dental Surgery	28 Pa. Code § 551.22(3)(ii) (relating to criteria for performance of ambulatory surgery on pediatric patients)
Children's Dental Surgery of Malvern	28 Pa. Code § 551.22(3)(ii)
Jefferson Surgical Center	28 Pa. Code § 553.31(a) (relating to administrative responsibilities)
Slate Hill Surgery Center, LLC	28 Pa. Code § 569.35(7) (relating to general safety precautions)
UPMC Center for Reproductive Endocrinology and Infertility	28 Pa. Code § 553.1 (relating to principle)
	28 Pa. Code § 557.2(a)—(d) (relating to plan)
	28 Pa. Code § 557.3(a)—(f) (relating to Quality Assurance and Improvement Program)

The following ASF has filed a request for exception under 28 Pa. Code § 571.1 (relating to minimum standards). Requests for exceptions under this section relate to *Guidelines for Design and Construction of Hospitals and of Outpatient Facilities*, as published by the Facility Guidelines Institute (FGI *Guidelines*). The following list includes the citation to the section of the FGI *Guidelines* for which the hospital is seeking an exception and the year of publication.

<i>Facility Name</i>	<i>Guidelines section and relating to</i>	<i>Yr^{1,2}</i>
Pittsburgh North Surgical Center	A2.1-3.2.4.2(1)(c) space requirements	22-O

¹ 2018 Year FGI Regulations for Outpatient Facilities are indicated by “-O.”

² 2022 Year FGI Regulations for Outpatient Facilities are indicated by “-O.”

The previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed contact information. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,
Acting Secretary

[Pa.B. Doc. No. 24-159. Filed for public inspection February 9, 2024, 9:00 a.m.]

DEPARTMENT OF HEALTH

Decisions on Requests for Exceptions to Health Care Facility Regulations

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), effective June 6, 1998, the Department of Health (Department) has published in the *Pennsylvania Bulletin* all requests by entities licensed under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b), for exceptions to regulations contained in 28 Pa. Code Part IV Subparts B—G.

Section 51.33(d) of 28 Pa. Code provides that the Department will publish notice of all approved exceptions on a periodic basis. The Department has determined that it will publish notice of all exceptions, both approved and denied. The following list contains the decisions made on exception requests published in the *Pennsylvania Bulletin* from January 1, 2024, through January 31, 2024. Future publications of decisions on exception requests will appear on a quarterly basis.

Requests for additional information on the exception request and the Department's decision should be made to the relevant division of the Department. Inquiries regarding hospitals, abortion facilities and ambulatory surgical facilities shall be addressed to Garrison E. Gladfelter, Jr., Director, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980. Inquiries regarding long-term care facilities shall be addressed to Susan Williamson, Director, Division of Nursing Care Facilities, Room 528, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816. Inquiries regarding Home Health agencies should be directed to Linda Chamberlain, Director, Division of Home Health, Forum Place, Suite 701, 555 Walnut Street, Harrisburg, PA 17101, (717) 783-1379.

Ambulatory Surgical Facilities

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Dec. Date</i>	<i>Decision</i>
Advanced Center for Surgery, LLC	§ 571.1 (relating to minimum standards); A2.1-3.2.4.2 (1)(c) space requirements	1/21/2024	Granted
Geisinger Surgery Center—Highland Park	§ 553.1 (relating to principle)	1/13/2024	Granted w/Conditions
	§ 555.1 (relating to principle)	1/13/2024	Granted w/Conditions
	§ 555.2 (relating to medical staff membership)	1/13/2024	Granted w/Conditions
	§ 555.3(a)—(f) (relating to requirements for membership and privileges)	1/13/2024	Granted w/Conditions
	§ 555.4(a)—(c) (relating to clinical activities and duties of physician assistants and certified registered nurse practitioners)	1/13/2024	Granted w/Conditions
	§ 557.2(a)—(d) (relating to plan)	1/13/2024	Granted w/Conditions
	§ 557.3(a)—(f) (relating to Quality Assurance and Improvement Program)	1/13/2024	Granted w/Conditions
	§ 563.1 (relating to principle)	1/13/2024	Granted w/Conditions
	§ 563.2(a) and (b) (relating to organization and staffing)	1/13/2024	Granted w/Conditions
Hazleton Surgery Center, LLC	§ 571.1; A2.1-3.2.3.2 space requirements	1/21/2024	Granted
Laurel Laser and Surgery Center—Altoona	§ 553.4(h) (relating to other functions)	1/13/2024	Granted w/Conditions
Nemours Children's Hospital, Surgery Center, Malvern	§ 569.35(7) (relating to general safety precautions)	1/21/2024	Granted w/Conditions

Hospitals

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Dec. Date</i>	<i>Decision</i>
The Bucktail Medical Center	§ 103.31 (relating to the chief executive officer)	01/13/2024	Granted
Geisinger Wyoming Valley Medical Center	§ 153.1(a) (relating to minimum standards); 2.2-3.1.4.3(2)(b)(i), (v) and (d) rooms serving behavioral and mental health patients	01/21/2024	Granted
Wayne Memorial Hospital	§ 107.5(b)(1)—(5) (relating to membership appointment and reappointment)	01/13/2024	Granted W/Conditions

Nursing Care Facilities

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Dec. Date</i>	<i>Decision</i>
Carleton Healthcare and Rehabilitation Center	§ 211.12(f.1)(4) (relating to nursing services)	02/10/2024	Denied
Casselmann Healthcare and Rehabilitation Center	§ 211.12(f.1)(2) and (4)	02/10/2024	Denied
Guy And Mary Felt Manor, Inc.	§ 201.17 (relating to location)	02/10/2024	Not Nec.
	§ 205.6(a) (relating to function of building)	02/10/2024	Granted
John J. Kane Regional Center—Glen Hazel	§ 205.7 (relating to basement or cellar)	02/10/2024	Granted

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) should contact the Division of Acute and Ambulatory Care or the Division of Nursing Care Facilities at the previously referenced address or telephone number, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,
Acting Secretary

[Pa.B. Doc. No. 24-160. Filed for public inspection February 9, 2024, 9:00 a.m.]

DEPARTMENT OF HEALTH

Hospitals; Requests for Exceptions

The following hospitals have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license hospitals under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following requests for exceptions relate to regulations governing hospital licensure in 28 Pa. Code Chapters 51 and 101—158 (relating to general information; and general and special hospitals).

<i>Facility Name</i>	<i>Regulation</i>
Lower Bucks Hospital	28 Pa. Code § 103.31 (relating to the chief executive officer)
The Robert Packer Hospital	28 Pa. Code § 103.31
Suburban Community Hospital	28 Pa. Code § 103.31
Troy Community Hospital, Inc.	28 Pa. Code § 103.31
UPMC Northwest	28 Pa. Code § 103.31

The following hospitals have filed requests for exceptions under 28 Pa. Code § 153.1 (relating to minimum standards). Requests for exceptions under this section relate to minimum standards that hospitals must comply with under the *Guidelines for Design and Construction of Hospitals—2018 Edition*, *Guidelines for Design and Construction of Outpatient Facilities—2018 Edition* or the *Guidelines for Design and Construction of Hospitals—2022 Edition*, *Guidelines for Design and Construction of Outpatient Facilities—2022 Edition*. The following list includes the citation to the section under the *Guidelines* that the hospital is seeking an exception.

<i>Facility Name</i>	<i>FGI Guidelines section and relating to</i>	<i>Yr^{1,2}</i>
Allegheny General Hospital	2.2-3.4.9.4(2)(c) staff changing area and toilet facilities	22
Lehigh Valley Hospital	2.2-3.5.2.2(1)(b)(i) and (ii) space requirements	22
Penn Highlands Connellsville	2.1-8.4.3.2(2) handwashing station sinks	22-O
Titusville Area Hospital	2.1-7.2.2.2 ceiling height	22-O
UPMC Pinnacle Hospitals	2.1-2.4.3.9(1)(c) special design elements	22
	2.1-8.5.2.3(2)(a) telecommunications room (TR)	22
	2.5-2.2.8.5 multipurpose room	22

¹ 2018 Year FGI Regulations for Outpatient Facilities are indicated by “-O.”

² 2022 Year FGI Regulations for Outpatient Facilities are indicated by “-O.”

The previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed contact information. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or for speech and/or hearing impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,
Acting Secretary

[Pa.B. Doc. No. 24-161. Filed for public inspection February 9, 2024, 9:00 a.m.]

DEPARTMENT OF HEALTH

Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 201.3 (relating to definitions):

Hollidaysburg Veterans' Home
 P.O. Box 319
 Hollidaysburg, PA 16648
 FAC ID # 341402

The following long-term care nursing facilities are seeking exceptions to 28 Pa. Code § 211.12(f.1)(4) (relating to nursing services):

Mid-Valley Health Care Center
 63 Sturges Road
 Peckville, PA 18452
 FAC ID # 027502

Scranton Health Care Center
 2933 McCarthy Street
 Scranton, PA 18505
 FAC ID # 17720201

Stonebridge Health and Rehabilitation Center
 102 Chandra Drive
 Duncannon, PA 17020
 FAC ID # 197302

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 211.12(f.1)(4) and (5):

Kadima at Lititz
 125 South Broad Street
 Lititz, PA 17543
 FAC ID # 012302

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed contact information.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so, should contact the Division at the previously listed address or phone number, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,
Acting Secretary

[Pa.B. Doc. No. 24-162. Filed for public inspection February 9, 2024, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Medical Assistance Program Fee Schedule: Procedure Code Additions and Deletions for Pharmacist Services

In accordance with 55 Pa. Code § 1150.61(a) (relating to guidelines for fee schedule changes), the Department of Human Services (Department) announces the addition and end-dating of the following procedure codes to and from the Medical Assistance (MA) Program Fee Schedule for pharmacist services. These changes are effective for dates of service on and after March 1, 2024.

The Department is adding the following procedure codes for pharmacists.

<i>Procedure Code</i>	<i>National Code Description</i>	<i>MA Fee</i>
99408	Alcohol or substance (other than tobacco), or both abuse structured screening (for example, AUDIT, DAST), and brief intervention (SBI) services; 15 to 30 minutes	\$24.93
99605	Medication therapy management services provided by a pharmacist, individual, face-to-face with patient, with assessment and intervention if provided; initial 15 minutes, new patient	\$44.80
99606	Medication therapy management services provided by a pharmacist, individual, face-to-face with patient, with assessment and intervention if provided; initial 15 minutes, established patient	\$29.18
99607	Medication therapy management services provided by a pharmacist, individual, face-to-face with patient, with assessment and intervention if provided; each additional 15 minutes (List separately in addition to code for primary service)	\$27.96

The Department is end-dating the following procedure codes for pharmacists. Pharmacists should refer to the MA Program Fee Schedule for the appropriate vaccine administration procedure codes.

<i>Procedure Code</i>	<i>National Code Description</i>
90471	Immunization administration (includes percutaneous, intradermal, subcutaneous or intramuscular injections); one vaccine (single or combination vaccine/toxoid)
90472	Immunization administration (includes percutaneous, intradermal, subcutaneous or intramuscular injections); each additional vaccine (single or combination vaccine/toxoid) (List separately in addition to code for primary procedure)

The Department has issued an MA Bulletin advising providers of the new Current Procedural Terminology code additions to the MA Program Fee Schedule.

Fiscal Impact

There is minimal fiscal impact associated with the addition and deletion of these procedure codes.

Public Comment

Interested persons are invited to submit written comments regarding these procedure code additions and deletions to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, P.O. Box 2675, Harrisburg, PA 17120 or at RA-PWMAProgComments@pa.gov. Comments received within 30 days will be reviewed and considered for any subsequent revision to the MA Program Fee Schedule.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

VALERIE A. ARKOOSH,
Secretary

Fiscal Note: 14-NOT-1608. No fiscal impact; recommends adoption.

[Pa.B. Doc. No. 24-163. Filed for public inspection February 9, 2024, 9:00 a.m.]

FISH AND BOAT COMMISSION

Changes to List of Class A Wild Trout Waters

The Fish and Boat Commission (Commission) approved the changes to its list of Class A wild trout streams as set forth at 53 Pa.B. 7269 (November 18, 2023). Under 58 Pa. Code § 57.8a (relating to Class A wild trout streams), it is the Commission's policy to manage self-sustaining Class A wild trout populations as a renewable natural resource and to conserve that resource and the angling that it provides. Class A wild trout populations represent the best of this Commonwealth's naturally reproducing trout fisheries.

TIMOTHY D. SCHAEFFER,
Executive Director

[Pa.B. Doc. No. 24-164. Filed for public inspection February 9, 2024, 9:00 a.m.]

FISH AND BOAT COMMISSION

Classification of Wild Trout Streams; Additions and Revisions; January 2024

The Fish and Boat Commission (Commission) approved the addition of two stream sections and revisions to the section limits of four streams as set forth at 53 Pa.B. 7268 (November 18, 2023). Under 58 Pa. Code § 57.11 (relating to listing of wild trout streams), it is the policy of the Commission to accurately identify and classify stream sections supporting naturally reproducing populations of trout as wild trout streams. The listing of a stream section as a wild trout stream is a biological designation that does not determine how it is managed. The Commission relies upon many factors in determining the appropri-

ate management of streams. The Commission's Fisheries Management Division maintains the complete list of wild trout streams, and it is available on the Commission's web site at <https://www.fishandboat.com/Fishing/All-About-Fish/Catch-PA-Fish/Trout/Pages/TroutWaterClassifications.aspx>.

TIMOTHY D. SCHAEFFER,
Executive Director

[Pa.B. Doc. No. 24-165. Filed for public inspection February 9, 2024, 9:00 a.m.]

INSURANCE DEPARTMENT

Appeal of Shannon Loughrey-Lassiter under the Quality Health Care Accountability and Protection Article; Community Behavioral Health; Doc. No. HC23-12-015

Under Article XXI of The Insurance Company Law of 1921, referred to as the Quality Health Care Accountability and Protection Article (40 P.S. §§ 991.2101—991.2194), notice is hereby given that the appellant in this action has requested a hearing, in connection with the appellant's managed health care plan. The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and any other relevant provisions of law.

A prehearing telephone conference initiated by this office is scheduled for February 29, 2024, at 11 a.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before February 27, 2024. A date for a hearing shall be determined, if necessary, at the prehearing/settlement conference.

Protests, petitions to intervene or notices of intervention, if any, must be electronically filed on or before February 15, 2024, with the Administrative Hearings Office. The e-mail address to be used for the Administrative Hearings Office is ra-hearings@pa.gov. Answers to protests, petitions to intervene or notices of intervention, if any, shall be electronically filed on or before February 27, 2024.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 24-166. Filed for public inspection February 9, 2024, 9:00 a.m.]

INSURANCE DEPARTMENT

Metropolitan Life Insurance Company; Rate Increase Filing for Several Individual LTC Forms (META-133967598); Rate Filing

Metropolitan Life Insurance Company is requesting approval to increase the premium 89% on 2,520 policy holders of individual LTC forms: LTC-IDEAL-PA, LTC-FAC-PA, LTC-VAL-PA, LTC-PREM-PA, LTC-IDEAL-PA-ML, LTC-FAC-PA-ML, LTC-VAL-PA-ML and LTC-PREM-PA-ML.

Unless formal administrative action is taken prior to April 16, 2024, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's web site at www.insurance.pa.gov. To view these filing notices, hover the cursor over the word "Consumers," then select "Other Rate Filings," then "Approved Long-Term Care Rate Filings," and then click on "Pending Long-Term Care Rate Filings" under "Resources" on the right.

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, jlaverty@pa.gov within 20 days after publication of this notice in the *Pennsylvania Bulletin*.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 24-167. Filed for public inspection February 9, 2024, 9:00 a.m.]

INSURANCE DEPARTMENT

Review Procedure Hearing under the Unfair Insurance Practices Act

The following insured has requested a hearing as authorized under section 8 of the Unfair Insurance Practices Act (act) (40 P.S. § 1171.8) in connection with the termination of the insured's homeowners policy. The proceedings will be governed in accordance with the requirements of the act; 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law);

1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). This administrative hearing will be held virtually as follows. Failure by the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

A prehearing telephone conference initiated by this office is scheduled for February 20, 2024, at 1 p.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before February 16, 2024.

The parties and their representatives and witnesses shall join the Zoom hearing through the link supplied in the invitation. The Administrative Hearings Office may be contacted at (717) 783-2126, ra-hearings@pa.gov.

Appeal of Aleksey Maksimov; Travelers Personal Insurance Company; File No. 23-116-288001; Doc. No. P23-11-033; March 5, 2024, 1 p.m.

Following the Zoom hearing and receipt of the stenographic transcript, the Insurance Commissioner (Commissioner) will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 24-168. Filed for public inspection February 9, 2024, 9:00 a.m.]

LEGISLATIVE REFERENCE BUREAU

Pennsylvania Code and Bulletin Vendor

The Legislative Reference Bureau is seeking a vendor for the publication of the *Pennsylvania Code* (*Code*) and *Pennsylvania Bulletin* (*Bulletin*). The vendor would be responsible for all operations, services and materials and creation and maintenance of applicable web sites furnished by the vendor which are required for the electronic publication, storage and distribution of material related to the *Code* and *Bulletin*, supported by printing and distribution of minimal printed material related to the *Code* and *Bulletin*.

For further information, interested persons may contact the *Pennsylvania Code* and *Bulletin* Office at bulletin@palrb.us.

VINCENT C. DeLIBERATO,
Director
Legislative Reference Bureau

[Pa.B. Doc. No. 24-169. Filed for public inspection February 9, 2024, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Formal protests, petitions to intervene and answers must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before February 26, 2024. Filings must be made electronically through eFiling to the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by February 26, 2024. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission's eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. The documents filed in support of the application are only available for inspection through the Commission's web site at www.puc.pa.gov by searching under the listed docket number as follows or by searching the applicant's web site.

Applications of the following for approval to *begin operating as common carriers for transportation of persons* as described under each application.

A-2023-3040823. Helperly, LLC (637 Magee Avenue, Philadelphia, Philadelphia County, PA 19111) for the right to begin to transport, as a common carrier, by motor vehicle, persons in paratransit service, from points within and between the Counties of Berks, Chester and Delaware, and the City and County of Philadelphia; and from the Counties of Berks, Chester and Delaware, and the City and County of Philadelphia to points within Montgomery County and Bucks County, and return.

A-2024-3045269. Amazing Care Home Services, LLC, t/a Dependable Medical Transportation Agency (1714 Grant Avenue, Suite 3, Philadelphia, PA 19115) persons in paratransit service, from points in the City and County of Philadelphia, to points in Pennsylvania, and return. *Attorney:* Richard Harris, 1650 Market Street, Suite 3300, Philadelphia, PA 19103.

A-2024-3045358. Care Transportation, LLC (138 East 26th Street, Suite 202, Erie, Erie County, PA 16504) in paratransit service, between points in the Counties of Crawford, Erie, Forest, McKean, Mercer, Venango and Warren.

A-2024-3045562. Infinite EMS, LLC (380 Red Lion Road, Huntingdon Valley, Montgomery County, PA 19006) to transport, as a common carrier, by motor vehicle, persons in paratransit service, from points in Delaware County and the City and County of Philadelphia, to points in Pennsylvania, and return.

A-2024-3045566. Ephros Home Care and Transport Services, LLC (1060 Gora Road South, York, York County, PA 17404) for the right to begin to transport, as a

common carrier, by motor vehicle, persons in paratransit service, between points in the Counties of Lancaster and York.

A-2024-3045654. BABS Ventures, LLC, t/a BABS Transportation (48 West Court Boulevard, West Lawn, Berks County, PA 19609) for the right to begin to transport, as a common carrier, by motor vehicle, persons in group and party service, in vehicles seating 11 to 15 passengers, including the driver, from points in Berks County to points in Pennsylvania, and return.

A-2024-3045689. Keshav Smruti, LLC, t/a Golden Dove Transit (3832 Springtown Road, Furlong, Bucks County, PA 18925) in paratransit service, from points in the Counties of Bucks, Chester, Delaware and Montgomery, and the City and County of Philadelphia, to points in Pennsylvania, and return. *Attorney:* Todd S. Stewart, 100 North Tenth Street, Harrisburg, PA 17101.

Applications of the following for the approval of the right and privilege to *discontinue/abandon operating as common carriers by motor vehicle and for cancellation of the certificate of public convenience as described under each application.*

A-2024-3045717. Ronald F. Wallace (1134 Plum Creek Road, Sunbury, Northumberland County, PA 17801) for the discontinuance and cancellation of his right to transport, as a common carrier, by motor vehicle, persons in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, from points in the Townships of Lower Augusta, Rockefeller, Rush and Shamokin, Northumberland County, to points in Pennsylvania, and return, as originally docketed at A-2008-2035748.

A-2024-3045766. Wilmer D. Zimmerman (311 Reinholds Road, Denver, Lancaster County, PA 17517) discontinuance of service and cancellation of its certificate, to transport, as a common carrier, by motor vehicle, at A-2015-2478732, persons in group and party service, in vehicles seating 11 to 15 passengers, including the driver, from points in Lancaster County, to points in Pennsylvania, and return; excluding service that is under the jurisdiction of the Philadelphia Parking Authority.

A-2024-3045817. Prime Moving Center, Inc. (325 Bellwalt Drive, Canonsburg, Washington County, PA 15317) for the discontinuance and cancellation of its right to transport, as a common carrier, by motor vehicle, household goods in use, between points in Pennsylvania, as originally docketed at A-2016-2565213.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 24-170. Filed for public inspection February 9, 2024, 9:00 a.m.]

PHILADELPHIA PARKING AUTHORITY

Service of Notice of Motor Carrier Applications in the City of Philadelphia

The following permanent authority applications to render service as common carriers in the City of Philadelphia have been filed with the Philadelphia Parking Authority's

(PPA) Taxicab and Limousine Division (TLD). Formal protests must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority) with the TLD's Office of the Clerk, 2415 South Swanson Street, Philadelphia, PA 19148, no later than February 26, 2024. The nonrefundable protest filing fee is \$5,000 payable to the PPA by certified check or money order. The applications are available for inspection at the TLD between 9 a.m. and 4 p.m., Monday through Friday (contact TLD Director Peter Carnival at (215) 683-9653 to make an appointment) or may be inspected at the business addresses of the respective applicants or attorneys, or both.

Doc. No. A-24-01-01. Zumord, Inc. (1840 Tree Street, Philadelphia, PA 19145): An application for a medallion taxicab certificate of public convenience (CPC) to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return.

Doc. No. A-24-01-02. Mount Kavsak, Inc. (116 Shelburne Drive, North Wales, PA 19454): An application for a medallion taxicab CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return.

RICH LAZER,
Executive Director

[Pa.B. Doc. No. 24-171. Filed for public inspection February 9, 2024, 9:00 a.m.]

STATE BOARD OF NURSING

Bureau of Professional and Occupational Affairs v. Karen Michelle Leshko, RN; Case No. 23-51-000086

On November 17, 2023, the State Board of Nursing (Board) automatically suspended the license of Karen Michelle Leshko, LPN license No. PN293185, of Wiconisco, Dauphin County, retroactive to February 16, 2023, based on being convicted of a misdemeanor under The Controlled Substance, Drug, Device and Cosmetic Act (35 P.S. §§ 780-101—780-144).

Individuals may obtain a copy of the adjudication at www.pals.pa.gov or by writing to Todd P. Kriner, Board Counsel, State Board of Nursing, P.O. Box 69523, Harrisburg, PA 17106-9523.

This order represents the final Board decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review. The Board contact for receiving service of the appeals is the previously named Board counsel.

LINDA L. KMETZ, PhD, RN,
Chairperson

[Pa.B. Doc. No. 24-172. Filed for public inspection February 9, 2024, 9:00 a.m.]

STATE CONSERVATION COMMISSION

Access to Nutrient Management Plans, under Review and Acted upon by the State Conservation Commission, for Concentrated Animal Operations and Concentrated Animal Feeding Operations and Volunteers Complying with the Commonwealth's Nutrient Management Program

This notice is provided to direct the public to the State Conservation Commission's (Commission) webpage at https://www.agriculture.pa.gov/Plants_Land_Water/State_ConservationCommission/NutrientManagementProgram/Pages/PA-Nutrient-Management-Program-Public-Notices.aspx or alternatively to the Commission's office to obtain information relating to Nutrient Management Plans (NMP) submitted for Commission review and action under 3 Pa.C.S. §§ 501—522 (relating to nutrient management and odor management).

The Commission's Nutrient Management Program public notice webpage previously listed provides the public with the name, address, county, acres, animal equivalent units, operation type, animal type and submission type for the various NMPs under review and acted upon by the Commission. This listing of plans under review and acted upon can also be accessed by contacting the Commission's office in Harrisburg at (717) 787-8821. The Commission will not take an action on a submitted NMP until it has been noticed on this list for a minimum of 30 days.

Commission actions on submitted NMPs will be published on the Commission's previously listed web site.

Persons wishing to view or obtain a copy of submitted NMPs are directed to submit a Right-To-Know request to the Department of Agriculture (Department) to arrange access to the plans currently under review.

Persons wishing to comment on an NMP under review by the Commission are invited to submit a written statement outlining their comments on the plan to the Commission's Nutrient Management Program within 30 days from the plan notice date provided on the Commission's listing of plans under review on the Nutrient Management Program public noticing webpage. Persons with a question relating to the submission of comments on a plan under review may contact the Commission office by phone to discuss the process for the submission of comments. Comments should include the name, address and telephone number of the writer, and a concise statement to inform the Commission of the exact basis of the comments and the relevant facts upon which they are based. Comments may be submitted, in writing, to the State Conservation Commission, Department of Agriculture, ATTN: Nutrient and Odor Management Programs, 2301 North Cameron Street, Room 311, Harrisburg, PA 17110.

Persons with a disability who wish to provide comments and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users should contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

RUSSELL REDDING,
Chairperson

[Pa.B. Doc. No. 24-173. Filed for public inspection February 9, 2024, 9:00 a.m.]

STATE CONSERVATION COMMISSION

Access to Odor Management Plans for Concentrated Animal Operations and Concentrated Animal Feeding Operations and Volunteers Complying with the Commonwealth’s Facility Odor Management Program

This notice is provided to direct the public to the State Conservation Commission’s (Commission) Facility Odor Management Program webpage at https://www.agriculture.pa.gov/Plants_Land_Water/StateConservationCommission/OdorManagementProgram/Pages/default.aspx or alternatively to the Commission’s office to obtain information relating to Odor Management Plans (OMP) submitted for Commission action under 3 Pa.C.S. §§ 501–522 (relating to nutrient management and odor management).

The Commission’s Odor Management Program public notice webpage at https://www.agriculture.pa.gov/Plants_Land_Water/StateConservationCommission/OdorManagementProgram/Pages/PA-Odor-Management-Program-Public-Notices.aspx provides the public with the name, address, animal equivalent units, animal type, Odor Site Index score and submission type for the various OMPs under review by the Commission. This listing of plans under review can also be accessed by contacting the Commission’s office in Harrisburg at (717) 787-8821. The Commission will not take an action on a submitted OMP until it has been noticed on this list for a minimum of 21 days.

Commission actions on submitted OMPs will be published in the *Pennsylvania Bulletin*.

Persons wishing to view or obtain a copy of submitted OMPs are directed to submit a Right-To-Know request to the Department of Agriculture (Department) to arrange access to the plans currently under review.

Persons wishing to comment on an OMP under review by the Commission are invited to submit a written statement outlining their comments on the plan to the Commission’s Odor Management Program within 21 days from the plan notice date provided on the Commission’s listing of plans under review on the Odor Management Program public noticing webpage. Persons with a question relating to the submission of comments on a plan under review may contact the Commission office by phone to discuss the process for the submission of comments. Comments should include the name, address and telephone number of the writer, and a concise statement to inform the Commission of the exact basis of the comments and the relevant facts upon which they are based. Comments may be submitted, in writing, to the State Conservation Commission, Department of Agriculture, ATTN: Odor Management Program Coordinator, 2301 North Cameron Street, Room 311, Harrisburg, PA 17110.

Persons with a disability who wish to provide comments and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users should contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

RUSSELL REDDING,
Chairperson

[Pa.B. Doc. No. 24-174. Filed for public inspection February 9, 2024, 9:00 a.m.]

STATE CONSERVATION COMMISSION

Action on Odor Management Plans for Concentrated Animal Operations and Concentrated Animal Feeding Operations and Volunteers Complying with the Commonwealth’s Facility Odor Management Program

The State Conservation Commission has taken the following actions on previously received applications for Odor Management Plans under 3 Pa.C.S. §§ 501–522 (relating to nutrient management and odor management).

Persons aggrieved by any action may appeal under 3 Pa.C.S. § 517 (relating to appealable actions), section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501–508 and 701–704 (relating to Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Hamilton Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, so individuals interested in challenging this action should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

Odor Management Plan—Public Notice Spreadsheet—Actions

<i>Ag Operation Name, Address</i>	<i>County/Township</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>New, Amended or Existing</i>	<i>Action Taken</i>
Brendle Martin—Chambersburg Turkey Farm 8142 Nyesville Road Chambersburg, PA 17202	Franklin County/ Greene Township	106.12	Turkey	New	Approved

<i>Ag Operation Name, Address</i>	<i>County/Township</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>New, Amended or Existing</i>	<i>Action Taken</i>
Leonard Brubacher—Layer Farm 582 Lambert Road Narvon, PA 17555	Lancaster County/ Caernarvon Township	114.53	Layer	New	Approved
Glenville Farms, LLC—Dairy Farm 2100 and 2391 Glenville Road Cochranville, PA 19330	Chester County/ West Fallowfield Township	942.5	Cattle	Amended	Approved
Chris Hoover—Misty Hollow Acres 366 Blackburn Road Quarryville, PA 17566	Lancaster County/ East Drumore Township	70.76	Sheep	Amended	Approved

RUSSELL REDDING,
Chairperson

[Pa.B. Doc. No. 24-175. Filed for public inspection February 9, 2024, 9:00 a.m.]

