

NOTICES

DEPARTMENT OF BANKING

Action on Applications

The Department of Banking, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending April 13, 2004.

BANKING INSTITUTIONS

Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
3-15-04	Farmers & Merchants Trust Company of Chambersburg Chambersburg Franklin County	800 East High Street Carlisle Cumberland County	Opened
4-8-04	Citizens Bank of Pennsylvania Philadelphia Philadelphia County	Giant Eagle 700 Moraine Point Plaza Butler Butler County	Opened

Branch Relocations

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
4-5-04	Northwest Savings Bank Warren Warren County	<i>To:</i> 22 Franklin Village Mall East Franklin Township Armstrong County <i>From:</i> 12 Franklin Village Mall East Franklin Township Armstrong County and 165 Butler Road West Kittanning Armstrong County	Effective
4-7-04	Patriot Bank Pottstown Montgomery County	<i>To:</i> 3101 Shillington Road Sinking Spring Berks County <i>From:</i> 155 Shillington Road Sinking Spring Berks County	Approved

Branch Discontinuances

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
4-8-04	United Bank of Philadelphia Philadelphia Philadelphia County	2 Penn Center 15th and JFK Boulevard Philadelphia Philadelphia County	Filed

SAVINGS INSTITUTIONS

Main Office Relocation

<i>Date</i>	<i>Name of Association</i>	<i>Location</i>	<i>Action</i>
4-8-04	ESSA Bank & Trust Stroudsburg Monroe County	<i>To:</i> 200 Palmer Street Stroudsburg Monroe County <i>From:</i> 744 Main Street Stroudsburg Monroe County (Will remain a branch office.)	Approved

CREDIT UNIONS

No activity.

A. WILLIAM SCHENCK, III,
Secretary

[Pa.B. Doc. No. 04-763. Filed for public inspection April 30, 2004, 9:00 a.m.]

Election by North Penn Bank to Exercise Conditional Powers

Effective on the date of this publication in the *Pennsylvania Bulletin*, under an election by North Penn Bank, authorized by section 513(b) of the Banking Code of 1965 (code) (7 P.S. § 513(b)), North Penn Bank is hereby granted the following conditional powers as described in sections 504(b)(xiii) and 506(a)(iv)(B) and (vi) of the code (7 P.S. §§ 504(b)(xiii) and 506(a)(iv)(B) and (vi)) to be exercised only with the prior written approval of the Department of Banking.

A. WILLIAM SCHENCK, III,
Secretary

[Pa.B. Doc. No. 04-764. Filed for public inspection April 30, 2004, 9:00 a.m.]

Maximum Lawful Rate of Interest for Residential Mortgages for the Month of May 2004

The Department of Banking (Department), under the authority contained in section 301 of the act of January 30, 1974 (P.L. 13, No. 6) (41 P.S. § 301), hereby determines that the maximum lawful rate of interest for residential mortgages for the month of May 2004 is 6 3/4%.

The interest rate limitations under the State's usury statute were preempted to a great extent by Federal law, the Depository Institutions Deregulation and Monetary Control Act of 1980 (Pub. L. No. 96-221). Further preemption was instituted with the signing of Pub. L. No. 96-399, which overrode State interest rate limitations on any individual who finances the sale or exchange of residential real property which the individual owns and which the individual occupies or has occupied as a principal residence.

Each month the Department is required by State law to compute and announce the ceiling rate on residential mortgages in this Commonwealth. This maximum rate is determined by adding 2.50 percentage points to the yield rate on long-term government bonds as published by the Federal Reserve Board and/or the United States Treasury. The latest yield rate on long-term government securities is 4.28 to which was added 2.50 percentage points for a total of 6.78 that by law is rounded off to the nearest quarter at 6 3/4%.

A. WILLIAM SCHENCK, III,
Secretary

[Pa.B. Doc. No. 04-765. Filed for public inspection April 30, 2004, 9:00 a.m.]

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

Snowmobile and ATV Advisory Committee Meeting

The Snowmobile and ATV Advisory Committee of the Department of Conservation and Natural Resources (Department) will hold a meeting on Tuesday, May 11, 2004, at 9:30 a.m. in Room 105, First Floor, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

Questions concerning this meeting or agenda items should be directed to Anthony DiGirolomo, (717) 787-9306.

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact Anthony DiGirolomo at (717) 787-9306 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

MICHAEL F. DIBERARDINIS,
Secretary

[Pa.B. Doc. No. 04-766. Filed for public inspection April 30, 2004, 9:00 a.m.]

DEPARTMENT OF EDUCATION

Application of Sean Flannery for Reinstatement of Teaching Certificates; Doc. No. RE 03-03

Hearing

Under the Professional Educator Discipline Act (act) (24 P.S. §§ 2070.1—2070.18a), the Professional Standards and Practices Commission (Commission) has initiated hearing procedures to consider the application of Sean Flannery for reinstatement of his teaching certificates.

On or about September 24, 2003, Sean Flannery filed an application for reinstatement of his teaching certificates under section 16 of the act (24 P.S. § 2070.16), 1 Pa. Code §§ 35.1 and 35.2 (relating to applications) and 22 Pa. Code § 233.14 (relating to reinstatement). Under section 16 of the act, the Department of Education, on March 19, 2004, recommended to the Commission that the application be denied. In accordance with the act and 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure), the Commission will appoint a hearing examiner to serve as presiding officer to conduct the proceedings and hearings as might be necessary, and to prepare a proposed report to the Commission containing findings of fact, conclusions of law and a recommended decision on the application.

Interested parties wishing to participate in these hearing procedures must file a notice of intervention or a petition to intervene in accordance with 1 Pa. Code §§ 35.27—35.32 (relating to intervention) within 30 days after publication of this notice in the *Pennsylvania Bulletin*. Persons objecting to the approval of the application may also, within 30 days after publication of this notice in the *Pennsylvania Bulletin*, file a protest in accordance with 1 Pa. Code § 35.23 (relating to protest generally).

Notices and petitions to intervene and protest shall be filed on or before 4 p.m. on the due date prescribed by this notice with Carolyn Angelo, Executive Director, Professional Standards and Practices Commission, 333 Market Street, Harrisburg, PA 17126-0333. Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate should contact Suzanne B. Markowicz at (717) 787-6576 to discuss how the Commission may best accommodate their needs.

VICKI L. PHILLIPS, Ed.D.,
Secretary

[Pa.B. Doc. No. 04-767. Filed for public inspection April 30, 2004, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a general permit. The applications concern, but are not limited to, discharges related to industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFOs). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or amendment
Section III	WQM	Industrial, sewage or animal waste; discharge into groundwater
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 individual permits and individual stormwater construction permits in Sections IV and VI, the Department, based upon preliminary reviews, has made a tentative determination of proposed effluent limitations and other terms and conditions for the permit applications. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the EPA Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on an NPDES application are invited to submit a statement to the regional office noted before an application within 30 days from the date of this public notice. Persons wishing to comment on a WQM permit application are invited to submit a statement to the regional office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for a public hearing on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

<i>NPDES Permit No. (Type)</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N ?</i>
PA0053376	Strawberry Family Restaurant 3152 Middle Creek Road Gilbertsville, PA 19525-9465	Montgomery County Upper Hanover Township	UNT of Perkiomen Creek	Y
PA0056197	Jay R. and Mary Anne Powell 31 Timber Lane Thornton, PA 19373-1050	Chester County Thornbury Township	UNT to West Branch of Chester Creek	Y

<i>NPDES Permit No. (Type)</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N ?</i>
PA0040436	Chadds Ford Investment Company 514 McCue Road Avondale, PA 19311	Chester County New Garden Township	UNT East Branch White Clay Creek	Y
PA0056081	Victorian Wycombe Inn P. O. Box 104 Wycombe, PA 18980	Bucks County Wrightstown Township	UNT to Mill Creek	Y

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

<i>NPDES Permit No. (Type)</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N ?</i>
PA0044911 IW	Land O'Lakes, Inc. 405 Park Drive Carlisle, PA 17013	Cumberland County S. Middleton Township	Mountain Creek 7E	Y

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Applications

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

PA0050237, SEW, SIC 4952, **Walnut Hill Utility Company**, 400 Ashley Court, Glen Mills, PA 19342. This proposed facility is in Chester Heights Borough, **Delaware County**.

Description of Proposed Activity: Renewal of an NPDES permit to discharge treated sewage from Walnut Hill Utility Company STP.

The receiving stream, Chester Creek, is in the State Water Plan watershed 3G and is classified for TSF, aquatic life, water supply and recreation. The nearest downstream public water supply intake for Media Borough (auxiliary intake) is on Chester Creek, 3.0 miles below the point of discharge.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.15 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>	
	<i>Average Monthly</i>	<i>Average Monthly</i>	<i>Average Monthly</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅				
(5-1 to 10-31)	18.8		15	30
(11-1 to 4-30)	31.3		25	50
TSS	37.5		30	60
Ammonia as N				
(5-1 to 10-31)	16.3		13	26
(11-1 to 4-30)	25.0		20	40
TRC			0.5	1.2
Dissolved Oxygen				2.0 (Instantaneous Minimum)
Fecal Coliform			200 colonies/100 ml as a geometric average	
pH			within limits of 6.0 to 9.0 standard units at all times	

In addition to the effluent limits, the permit contains the following major special conditions: operator notification; abandon STP when municipal sewers are available; remedial measures if unsatisfactory effluent; no stormwater; acquire necessary property rights; change of ownership; chlorine minimization; proper sludge disposal; and laboratory certification.

PA0057363, Sewage, **ARCCA Real Estate Corporation**, 2288 Second Street Pike, Penns Park, PA 18943. This facility is in Wrightstown Township, **Bucks County**.

Description of Proposed Activity: Renewal of permit to discharge treated sewage effluent from a small flow treatment facility.

The receiving stream, an unnamed tributary to Neshaminy Creek, is in the State Water Plan watershed 2F and is classified for WWF, aquatic life, water supply and recreation. The nearest downstream public water supply intake for the Philadelphia Suburban Water Company is on Neshaminy Creek, 8.2 miles below the point of discharge.

The proposed effluent limits for Outfall 001 are based on a design flow of 2,000 gallons per day. The limits are the same as in the current permit except for an additional requirement to monitor total phosphorus.

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		<i>Instantaneous Maximum (mg/l)</i>
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	
CBOD ₅ (5-1 to 10-31)			10		20
(11-1 to 4-30)			20		40
Total Suspended Solids			10		20
NH ₃ -N (5-1 to 10-31)			3.0		6.0
(11-1 to 4-30)			9.0		18.0
Fecal Coliform			200 #/100 ml		
Dissolved Oxygen			3.0 min.		
pH (STD Units)			6.0 min.		9.0
Total Residual Chlorine			0.5		1.3
Phosphorus (4-1 to 10-31)			Monitor		

The EPA waiver is in effect.

PA0051004, Sewage, SIC 4952, **Lower Salford Township Authority**, P. O. Box 243, Harleysville, PA 19438. This proposed facility is in Lower Salford Township, **Montgomery County**.

Description of Proposed Activity: Discharge of treated sewage from Indian Hill STP.

The receiving stream, West Branch Skippack Creek, is in the State Water Plan watershed 3E Skippack Creek and is classified for TSF. The nearest downstream public water supply intake for the Philadelphia Suburban Water Company is on Perkiomen Creek, 11.52 miles below the point of discharge.

The proposed effluent limits for Outfall 001 are based on a design flow of 7,000 gallons per day.

<i>Parameters</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40		50
Total Suspended Solids	30	45		60
NH ₃ -N (5-1 to 10-31)	2.0			4.0
(11-1 to 4-30)	6.0			12.0
Phosphorous as P	1.0			2.0
Dissolved Oxygen	5.0 minimum			
Fecal Coliform	200 # col./100 ml			
pH	6.0 minimum			9.0

In addition to the effluent limits, the permit contains the following major special conditions: remedial measures; sewage sludge disposal; TMDL/WLA analysis; operations and maintenance plan; and laboratory certification.

PA0012637, Industrial Waste, SIC 2911, **ConocoPhillips Company**, 4101 Post Road, Trainer, PA 19061. This proposed facility is in Trainer Borough, **Delaware County**.

Description of Proposed Activity: Approval to discharge treated process wastewater from an oil refinery and noncontact cooling water from cooling towers and boilers. It also includes stormwater discharge associated with industrial activities.

The receiving streams, Marcus Hook Creek and Stony Creek, are in the State Water Plan watershed 3G and are classified for WWF. There is no public water supply intake downstream of the discharge within the State boundary.

The following notice reflects the charges to the notice published at 33 Pa.B. 5832 (November 29, 2003). The revised proposed limits are as follows:

The proposed effluent limits for Outfall 101 are based on a design flow of 64.8 mgd.

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		<i>Instantaneous Maximum (mg/l)</i>
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	
Total Suspended Solids (Net)	16,200	32,400	30	60	75
Total Organic Carbon (Net)					5.0
PCBs			Monitor	Monitor	
Oil and Grease	8,100		15		30
Temperature					110°F
Heat Rejection Rate			3.6 × 10 ⁹ Btu/hr		
pH			within limits of 6.0—9.0 standard units at all times		
Total Residual Chlorine			0.16		0.5
Lead, Total			Monitor	Monitor	Monitor
Iron, Total			Monitor	Monitor	Monitor
Aluminum, Total			Monitor	Monitor	Monitor
Chronic Toxicity				Monitor	

The proposed effluent limits for Outfall 201 are based on a design flow of 2.83 mgd.

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		<i>Instantaneous Maximum (mg/l)</i>
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	
CBOD ₂₀	1,800				
BOD ₅	1,236	2,472	52	105	130
BOD ₅ Percent Removal	89.25				
Suspended Solids	708	1,416	30	60	75
Dissolved Solids (Net)	23,600	47,200	1,000	2,000	2,500
Ammonia as N	826	1,376	35	58	87
Total Residual Chlorine			0.16		0.50
Oil and Grease	354	708	15	30	30
Chemical Oxygen Demand	17,608	33,130	746	1,404	1,865
Zinc, Total			Monitor	Monitor	Monitor
Sulfide	13	30	0.55	1.27	1.37
Phenolic Compounds (4 AAP)	11	31	0.47	1.31	1.31
Chromium, Hexavalent	1	2.4	0.04	0.1	0.1
Cyanide, Free			Monitor	Monitor	Monitor
Chromium, Total	13	37	0.55	1.57	1.57
Cyanide, Total			Monitor	Monitor	Monitor
PCBs			Monitor	Monitor	Monitor
Chronic, Toxicity				Monitor	
Copper, Total			Monitor	Monitor	Monitor
Lead, Total			Monitor	Monitor	Monitor
Magnesium, Total			Monitor	Monitor	Monitor
Aluminum, Total			Monitor	Monitor	Monitor
Selenium, Total			Monitor	Monitor	Monitor
pH			within limits of 6.0—9.0 standard units at all times		

The proposed effluent limits for Outfall 002 are based on a design flow of 42.2 mgd.

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		<i>Instantaneous Maximum (mg/l)</i>
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	
Suspended Solids (Net)	10,560	21,120	30	60	75
Dissolved Solids (Net)	352,000	704,000	1,000	2,000	2,500
Total Organic Carbon (Net)					5
Aluminum, Total			Monitor	Monitor	Monitor
Oil and Grease	5,280		15		30
Temperature					110°F
Heat Rejection Rate	1.8 × 10 ⁹ Btu/hr				
PCBs			Monitor	Monitor	Monitor
Total Residual Chlorine				0.16	0.50
pH			within limits of 6.0 to 9.0 standard units at all times		

The proposed effluent limits for Outfalls 003, 004 and 012 to discharge stormwater runoff associated with industrial activities are as follows:

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		<i>Instantaneous Maximum (mg/l)</i>
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	
CBOD ₅			Monitor	Monitor	
COD			Monitor	Monitor	
Oil and Grease			Monitor	Monitor	
Total Suspended Solids			Monitor	Monitor	
Total Kjeldahl Nitrogen			Monitor	Monitor	
Total Phosphorus			Monitor	Monitor	
Iron, Dissolved			Monitor	Monitor	
pH (STD)			Monitor	Monitor	

The proposed effluent limits for Outfalls 005 and 011 to discharge steam trap condensate, stormwater runoff from Dock Drive Roadway and stormwater associated with industrial activities are as follows:

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		<i>Instantaneous Maximum (mg/l)</i>
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	
CBOD ₅			Monitor	Monitor	
COD			Monitor	Monitor	
Oil and Grease			Monitor	Monitor	

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		<i>Instantaneous Maximum (mg/l)</i>
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	
Total Suspended Solids			Monitor	Monitor	
Total Kjeldahl Nitrogen			Monitor	Monitor	
Total Phosphorus			Monitor	Monitor	
Iron, Dissolved			Monitor	Monitor	
pH (STD)			Monitor	Monitor	
Zinc, Total			Monitor	Monitor	

The proposed effluent limits for Outfall 006 to discharge stormwater runoff from PECO Boulevard are as follows:

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		<i>Instantaneous Maximum (mg/l)</i>
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	
CBOD ₅			Monitor	Monitor	
COD			Monitor	Monitor	
Oil and Grease			Monitor	Monitor	
Total Suspended Solids			Monitor	Monitor	
Total Kjeldahl Nitrogen			Monitor	Monitor	
Total Phosphorus			Monitor	Monitor	
Iron, Dissolved			Monitor	Monitor	
pH (STD)			Monitor	Monitor	
Zinc, Total			Monitor	Monitor	
PCBs			Monitor	Monitor	

The proposed effluent limits for Outfall 007 to discharge stormwater runoff from South Drive Roadway are as follows:

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		<i>Instantaneous Maximum (mg/l)</i>
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	
CBOD ₅			Monitor	Monitor	
COD			Monitor	Monitor	
Oil and Grease			Monitor	Monitor	
Total Suspended Solids			Monitor	Monitor	
Total Kjeldahl Nitrogen			Monitor	Monitor	
Total Phosphorus			Monitor	Monitor	
Iron, Dissolved			Monitor	Monitor	
pH (STD)			Monitor	Monitor	
PCBs			Monitor	Monitor	
Zinc, Total			Monitor	Monitor	
Copper, Total			Monitor	Monitor	
Lead, Total			Monitor	Monitor	

The proposed effluent limits for Outfall 008 to discharge steam trap condensate and stormwater runoff from Crude Drive Roadway are as follows:

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		<i>Instantaneous Maximum (mg/l)</i>
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	
CBOD ₅			Monitor	Monitor	
COD			Monitor	Monitor	
Oil and Grease			Monitor	Monitor	
Total Suspended Solids			Monitor	Monitor	
Total Kjeldahl Nitrogen			Monitor	Monitor	
Total Phosphorus			Monitor	Monitor	
Iron, Dissolved			Monitor	Monitor	
pH (STD)			Monitor	Monitor	
PCBs			Monitor	Monitor	
Zinc, Total			Monitor	Monitor	

The EPA waiver is not in effect.

In addition to the effluent limits, the permit contains the following major special conditions: approved chemical additives; approved test methods; disposal of industrial sludge; other requirements for stormwater Outfalls 003—008, 011 and 012; modifications based on estuary study; worksheets to calculate net concentrations; stormwater credits; 316(a) variance; 316(b) demonstration; intake credits for total dissolved solids, total suspended solids and TOC; chronic toxicity tests for certain outfalls; PCB testing for certain outfalls during wet and/or dry weather conditions; and PBC waste minimization plan.

PA0012572, Industrial Waste, SIC 2631, **Jefferson Smurfit Corporation**, 5000 Flat Rock Road, Philadelphia, PA 19127. This proposed facility is in City of Philadelphia, **Philadelphia County**.

Description of Proposed Activity: Renewal of an NPDES permit to discharge noncontact cooling water, backflow from river water intake screens, cleanout from river water pump intake chamber and stormwater. This is an existing discharge to the Schuylkill River

The receiving stream, Schuylkill River, is in the State Water Plan watershed 3F and is classified for WWF, aquatic life, water supply and recreation. The nearest downstream public water supply intake for the City of Philadelphia—Queen Lane Intake is on the Schuylkill River, approximately 2.4 miles below the point of discharge.

The proposed effluent limits for Outfall 001 are based on a design flow of 4.062 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		<i>Instantaneous Maximum (mg/l)</i>
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	
Temperature					110 °F
pH	within limits of 6.0—9.0 standard units at all times				

The proposed effluent limits for Outfall 002 are based on a design flow of 0.2 MGD (reserved).

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		<i>Instantaneous Maximum (mg/l)</i>
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	
Temperature					110 °F
pH	within limits of 6.0—9.0 standard units at all times				

The proposed effluent limits for Outfall 008 are based on a design flow of 0.5 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		<i>Instantaneous Maximum (mg/l)</i>
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	
Total Suspended Solids					Monitor and Report
Oil and Grease					Monitor and Report
pH	within limits of 6.0—9.0 standard units at all times				

The proposed effluent limits for Outfalls 101—108 are based on a discharge of stormwater.

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		<i>Instantaneous Maximum (mg/l)</i>
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	
CBOD ₅					Monitor and Report
COD					Monitor and Report
Oil and Grease					Monitor and Report
pH					Monitor and Report
Total Suspended Solids					Monitor and Report
Total Kjeldahl Nitrogen					Monitor and Report
Total Phosphorus (as P)					Monitor and Report
Iron, Dissolved					Monitor and Report

In addition to the effluent limits, the permit contains the following major special conditions: No temperature change greater than 2 °F; no chemical additives without approval; change of ownership; stormwater requirements; and laboratory certification.

The EPA waiver is in effect.

PA0011282, Industrial Waste, **Aqua Pennsylvania, Inc.**, 762 West Lancaster Avenue, Bryn Mawr, PA 19010. This proposed facility is in Springfield Township, **Delaware County**.

Description of Proposed Activity: Existing discharge of treated industrial wastewater generated at the Crum Creek Water Filtration Plant.

The receiving stream, Crum Creek, is in the State Water Plan watershed 3G and is classified for WWF. There are no downstream public water supply intakes between the proposed discharge and the PA/DE border.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.8 mgd.

<i>Parameters</i>	<i>Concentration (mg/l)</i>			<i>Instantaneous Maximum</i>
	<i>Instantaneous Minimum</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	
Total Suspended Solids		30	60	75
Aluminum, Total		1.24	2.48	3.10
Iron, Total		2.0	4.0	5.0
Manganese, Total		1.0	2.0	2.5

NOTICES

<i>Parameters</i>	<i>Concentration (mg/l)</i>			
	<i>Instantaneous Minimum</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
pH (Standard Units)	6.0			9.0
Total Residual Chlorine		0.5	1.0	1.2
Chlorodibromomethane			Monitor and Report	
Chloroform			Monitor and Report	
Dichlorobromomethane			Monitor and Report	

The proposed effluent limits for Outfall 002 are based on a design flow of 1.7 mgd.

<i>Parameters</i>	<i>Concentration (mg/l)</i>			
	<i>Instantaneous Minimum</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Total Suspended Solids		30	60	75
Aluminum, Total		4.0	8.0	10.0
Iron, Total		2.0	4.0	5.0
Manganese, Total		2.0	4.0	5.0
pH (Standard Units)	6.0			9.0
Total Residual Chlorine		0.5	1.0	1.2
Chlorodibromomethane			Monitor and Report	
Chloroform			Monitor and Report	
Dichlorobromomethane			Monitor and Report	
Turbidity				Monitor and Report

The proposed effluent limits for Outfall 002 are based on a design flow of 0.018 mgd.

<i>Parameters</i>	<i>Concentration (mg/l)</i>			
	<i>Instantaneous Minimum</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Total Suspended Solids		30	60	75
Aluminum, Total		4.0	8.0	10.0
Iron, Total		2.0	4.0	5.0
Manganese, Total		2.0	4.0	5.0
pH (Standard Units)	6.0			9.0
Total Residual Chlorine		0.5	1.0	1.2
Chlorodibromomethane			Monitor and Report	
Chloroform			Monitor and Report	
Dichlorobromomethane			Monitor and Report	
Turbidity				Monitor and Report

The proposed effluent limits for Outfalls 003 and 004 for emergency discharges only are as follows.

<i>Parameters</i>	<i>Concentration (mg/l)</i>			
	<i>Instantaneous Minimum</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Total Suspended Solids			Monitor and Report	
Aluminum, Total			Monitor and Report	
Iron, Total			Monitor and Report	
Manganese, Total			Monitor and Report	
pH (Standard Units)	6.0			9.0

The proposed effluent limits for Outfall 005 are based on a design flow of 2.15 mgd.

<i>Parameters</i>	<i>Concentration (mg/l)</i>			
	<i>Instantaneous Minimum</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Total Suspended Solids		30	60	75
Aluminum, Total		4.0	8.0	10.0
Iron, Total		2.0	4.0	5.0
Manganese, Total		1.0	2.0	2.5
pH (Standard Units)	6.0			9.0
Total Residual Chlorine		0.5	1.0	1.2
Chlorodibromomethane			Monitor and Report	
Chloroform			Monitor and Report	
Dichlorobromomethane			Monitor and Report	

The proposed effluent limits for Outfall 013 are based on a design flow of 0.003 mgd.

<i>Parameters</i>	<i>Concentration (mg/l)</i>			<i>Instantaneous Maximum</i>
	<i>Instantaneous Minimum</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	
pH (Standard Units)	6.0			9.0
Total Residual Chlorine		0.5		1.0

PA0038296, IW, SIC 5171, **Sunoco Partners Marketing and Terminals, L. P.**, 1801 Market Street 3/10 PC, Philadelphia, PA 19103-1699. This facility is in Upper Moreland Township, **Montgomery County**.

Description of Proposed Activity: Stormwater runoff from petroleum marketing terminal for storage and distribution of petroleum product.

The receiving stream, unnamed tributary to Pennypack Creek, is in the State Water Plan watershed 3J and is classified for TSF and MF.

The proposed effluent limits for Outfall 001 are based on a design flow of average storm event.

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		<i>Instantaneous Maximum (mg/l)</i>
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	
Total Recoverable Petroleum Hydrocarbons					Monitor and Report

The proposed effluent limits for Outfall 001 only during hydrostatic testwater discharges, are as follows:

<i>Parameters</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (GPM)	Monitor and Report
Duration (Hours)	Monitor and Report
Dissolved Oxygen	minimum of 5.0 mg/l
Total Suspended Solids	60
Oil and Grease	30
Iron	7.0
Benzene*	0.0025
BETX*	0.25
Ethylbenzene*	Monitor and Report
Toluene*	Monitor and Report
Xylene (Total)*	Monitor and Report
Total Residual Chlorine**	0.5 mg/l
pH (STD Units)	between 6 to 9 STD units at all times

*Not applicable to new pipelines and/or tanks.

**Applicable only if chlorinated water is used as the source of testwater.

In addition to the effluent limits, the permit contains the following major special conditions: product contaminated stormwater runoff; additional monitoring report requirement; PPC plan requirement; other wastewater discharges associated with the facility; and hydrostatic test water discharge requirements.

PA0055344, SEW, SIC 4952, **Upper Makefield Township**, 1076 Eagle Road, Newtown, PA 18940. This proposed facility is in Upper Makefield Township, **Bucks County**.

Description of Proposed Activity: Renewal of an NPDES permit to discharge 400 gpd of treated sewage into unnamed tributary to Jericho Creek.

The receiving stream, unnamed tributary to Jericho Creek, is in the State Water Plan watershed 2E and is classified for WWF. The nearest downstream public water supply intake for the Keystone Water Company is on the Delaware River, 8.2 miles below the point of discharge.

The proposed effluent limits for Outfall 001 are based on a design flow of 400 gpd.

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅		
(5-1 to 10-31)	10	20
(11-1 to 4-30)	20	40
Suspended Solids	10	20
Ammonia (as N)		
(5-1 to 10-31)	3.0	6.0
(11-1 to 4-30)	9.0	18.0
Total Residual Chlorine	Monitor and Report	Monitor and Report
Fecal Coliform	200 colonies/100 ml as a geometric average	
pH	within limits of 6.0—9.0 standard units at all times	

The EPA waiver is in effect.

PA0011428, IW, SIC 5171, **Amerada Hess Corporation**, One Hess Plaza, Woodbridge, NJ 07095-0961. This proposed facility is in the City of Philadelphia, **Philadelphia County**.

Description of Proposed Activity: Bulk storage and distribution of petroleum products.

The receiving stream, Schuylkill River, is in the State Water Plan watershed 3F and is classified for WWF and MF.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.008 MGD.

<i>Parameters</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Recoverable Petroleum Hydrocarbon	Monitor and Report
Benzene	Monitor and Report
Methyl Tert Butyl Ether	Monitor and Report

The proposed effluent limit for Outfall 001 during hydrostatic test water discharges are as follows:

<i>Parameters</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	Monitor and Report
Duration	Monitor and Report
Dissolved Oxygen	Minimum of 5.0
Total Suspended Solids	60
Oil and Grease	30
Iron	7.0
Benzene*	0.0025
BETX*	0.25
Ethylbenzene	Monitor and Report
Toluene*	Monitor and Report
Xylenes (Total)*	Monitor and Report
Total Residual Chlorine	0.5
pH (STD units)	6 to 9

*These parameters are applicable for existing tanks and/or pipelines.

In addition to the effluent limits, the permit contains the following major special conditions: remedial measures if public nuisance; applicable BAT/BCT; product contaminated runoff; groundwater monitoring requirement; and hydrostatic test water discharge requirements.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

PA0247421, Sewage, **Rodney and Francine Groff**, 7729 Wertzville Road, Carlisle, PA 17013. This facility is in Middlesex Township, **Cumberland County**.

Description of activity: Issuance of an NPDES permit for a new discharge of treated sewage.

The receiving stream, of an unnamed tributary to Conodoguinet Creek, is in Watershed 7-B and classified for WWF, water supply, recreation and fish consumption. The nearest downstream public water supply intake for the Pennsylvania American Water Company is on the Conodoguinet Creek, approximately 12 miles downstream. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.0005 MGD are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	50
Total Suspended Solids	30	60
Total Residual Chlorine	Monitor and Report	XXX
pH	from 6.0 to 9.0 inclusive	
Fecal Coliform		
(5-1 to 9-30)	200/100 ml as a geometric average	
(10-1 to 4-30)	100,000/100 ml as a geometric average	

Individuals may make an appointment to review the Department files on this case by calling the File Review Coordinator at (717) 705-4732.

The EPA waiver is in effect.

PA0247391, Sewage, **North Codorus Township**, 1986 Stoverstown Road, Spring Grove, PA 17360.

Description of activity: Issuance of an NPDES permit for a proposed discharge of treated sewage from a publicly owned treatment works in North Codorus Township, **York County**.

The receiving water, UNT of Codorus Creek, is in Watershed 7-H and is classified for WWF, water supply, recreation and fish consumption. The nearest downstream public water supply intake for the Wrightsville Water Supply Co. is on the Susquehanna River, approximately 28 miles downstream. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfall 001 based on an annual average flow rate of 0.55 MGD are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	15	24	XXX	30
Total Suspended Solids	30	45	XXX	60
Total Phosphorus	2.0	XXX	XXX	4.0
NH ₃ -N				
(5-1 to 10-31)	2.0	XXX	XXX	4.0
(11-1 to 4-30)	6.0	XXX	XXX	12
Total Copper	XXX	XXX	Monitor and Report	XXX
Dissolved Oxygen			minimum of 5.0 at all times	
pH			from 6.0 to 9.0 inclusive	
Fecal Coliform				
(5-1 to 9-30)		200/100 ml as a geometric average		
(10-1 to 4-30)		3,300/100 ml as a geometric average		
Total Copper	XXX	XXX	Monitor and Report	XXX
Total Lead	XXX	XXX	Monitor and Report	XXX
Total Zinc	XXX	XXX	Monitor and Report	XXX

Individuals may make an appointment to review the Department files on this case by calling the File Review Coordinator at (717) 705-4732.

The EPA waiver is in effect.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

PA0092797, Industrial Waste, SIC, 1211, **Avonmore Rail Loading, Inc.**, P. O. Box 119, R. D. 1, Avonmore, PA 15681. This application is for renewal of an NPDES permit to discharge treated stormwater from rail loading in Conemaugh Township, **Indiana County**.

The following effluent limitations are proposed for discharge to the receiving waters, Kiskiminetas, classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply is the Buffalo Township Water Authority at Freeport, 25 miles below the discharge point.

Outfall 001: existing discharge.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (MGD)	Monitor and Report				
TSS			35		70
Iron			3.5		7.0
Manganese			2.0		4.0
pH	not less than 6.0 nor greater than 9.0				

The EPA waiver is in effect.

PA0097497, Industrial Waste, SIC, 4941, **Cowanshannock Municipal Authority**, Box 127, NuMine, PA 16244. This application is for renewal of an NPDES permit to discharge backwash water from Sagamore Water Treatment Plant in Cowanshannock Township, **Armstrong County**.

The following effluent limitations are proposed for discharge to the receiving waters, unnamed tributary to the North Branch of Plum Creek, classified as a CWF with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply is the Buffalo Township Municipal Authority, 30 miles below the discharge point.

Outfall 001: existing discharge, design flow of 0.0035 MGD.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	Monitor and Report				
Total Suspended Solids			30		60
Total Iron			2		4
Aluminum (T)			4		8
Manganese (T)			1		2
Total Residual Chlorine			0.5		1
pH	not less than 6.0 nor greater than 9.0				

The EPA waiver is in effect.

PA0252620, Industrial Waste, SIC, 4941, **West Carroll Township Water and Sewer Authority**, P. O. Box 328, Elmore, PA 15737. This application is for issuance of an NPDES permit to discharge treated process water from the water treatment plant in West Carroll Township, **Cambria County**.

The following effluent limitations are proposed for discharge to the receiving waters, unnamed tributary of Fox Run, classified as a CWF with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply the is Reliant Energy at Shawville, 51 miles below the discharge point.

Outfall 001: new discharge, design flow of 0.0021 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (MGD)	Monitor and Report				
TSS			30		60
Aluminum			4		8
Iron			2		4
Manganese			1		2
TRC			0.5		1.0
pH	not less than 6.0 nor greater than 9.0				

The EPA waiver is in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

WQM Permit No. 3604202, CAFO, **Ken Martin Farm**, 1397 Robert Fulton Highway, Quarryville, PA 17566. This proposed facility is in East Drumore Township, **Lancaster County**.

Description of Proposed Action/Activity: Replace earthen manure storage facility with concrete manure storage facility.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WQM Permit No. 6504202, Industrial Waste, **Westinghouse Electric Co., Specialty Metals Plant**, 559 Westinghouse Road, Blairsville, PA 15717. This proposed facility is in Derry Township, **Westmoreland County**.

Description of Proposed Action/Activity: Application for the construction and operation of the Westinghouse Electric Co. Specialty Metals Plant.

WQM Permit No. 0204402, Sewage, **Collier Township Municipal Authority**, 2418 Hilltop Road, Presto, PA 15142. This proposed facility is in Collier Township, **Allegheny County**.

Description of Proposed Action/Activity: Application for the construction and operation of the Cowan-Upper McMichael Sanitary Sewer Extension.

WQM Permit No. 3204401, Sewage, **William F. and Loretta J. Lange**, Box 3041 Sportsman Road, Apollo, PA 15613. This proposed facility is in Young Township, **Indiana County**.

Description of Proposed Action/Activity: Application for the construction and operation of a small flow sewage treatment plant to serve the Lange residence.

WQM Permit No. 6304402, Sewage, **Cecil Township Municipal Authority**, 3599 Millers Run Road, Cecil, PA 15321. This proposed facility is in Cecil Township, **Washington County**.

Description of Proposed Action/Activity: Application for the construction and operation of the Millers Run Sewerage Treatment Plant.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 2504411, Sewerage, **Gary L. Schell**, 2423 East Grandview Boulevard, Erie, PA 16510. This proposed facility is in Girard Township, **Erie County**.

Description of Proposed Action/Activity: A single residence sewage treatment plant.

IV. NPDES Applications for Stormwater Discharges from MS4

V. Applications for NPDES Waiver Stormwater Discharges from MS4

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

NPDES Permit No.	Applicant Name and Address	County	Municipality	Receiving Water/Use
PAI011504021	Epic Builders, Inc. Ridgebury Hunt Subdivision 977 East Schuylkill Road Pottstown, PA 19465	Chester	North Coventry Township	Unnamed tributary to Schuylkill River HQ-TSF

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI011504022	Echo Dell Builders, Inc. 403 Echo Dell Road Downingtown, PA 19335	Chester	East Brandywine Township	Unnamed tributary East Branch Brandywine Creek HQ-TSF-MF

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Northampton County Conservation District: Greystone Building, Gracedale Complex, Nazareth, PA 18064-9211, (610) 746-1971.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI024804012	County of Northampton Attn: Edward J. Boscola 669 Washington St. Easton, PA 18042-7465	Northampton	Upper Nazareth Township	Monocacy Creek HQ-CWF

Wayne County Conservation District: Ag Service Center, 470 Sunrise Ave., Honesdale, PA 18431, (570) 253-0930.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI026404002	Joseph Marcum The Woods @ Duck Harbor R. R. 1, Box 214C Equinunk, PA 18417	Wayne	Lebanon Township	Little Equinunk Creek HQ-CWF

PAI026404001	James R. and Debra A. Fruehan Fruehan Office Bldg. R. R. 1, Box 345 Moscow, PA 18444-9801	Wayne	Salem Township	West Branch Wallenpaupack Creek HQ-CWF
--------------	--	-------	----------------	--

Wilkes-Barre District: District Engineer, 2 Public Square, Floor 5, Wilkes-Barre, PA 18711-0790.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAG2111304001	Department of Environmental Protection Bureau of Abandoned Mine Reclamation 2 Public Square, 5th Floor Wilkes-Barre, PA 18711	Carbon	Lansford and Summit Hill Boroughs	Panther Creek CWF

VII. List of NOIs for NPDES and/or Other General Permit Types

PAG-12	CAFOs
PAG-13	Stormwater Discharges from MS4

**PUBLIC WATER SUPPLY (PWS)
PERMIT**

Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17), the following parties have applied for a PWS permit to construct or substantially modify a public water system.

Persons wishing to comment on a permit application are invited to submit a statement to the office listed before the application within 30 days of this public notice. Comments received within the 30-day comment period will be considered in the formulation of the final determinations regarding the application. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (Department) of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and any related documents are on file at the office listed before the application and are available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability who require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received under the Pennsylvania Safe Drinking Water Act

Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401.

Permit No. 1504502 , Public Water Supply.	
Applicant	Mt. I-A Manufacture Housing Community
Township	East Brandywine

Responsible Official Eric Byerly
1007 Appleville Road
West Chester, PA 19380

Type of Facility PWS

Consulting Engineer Evans Mills Environmental, Inc.
Uwchland, PA 19480

Application Received Date April 8, 2004

Description of Action Modification to an existing water system to include installation of an additional storage tank.

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 5004502, Public Water Supply.

Applicant **Bloomfield Borough Water Authority**

Municipality New Bloomfield Borough

County **Perry**

Responsible Official Kenneth Reed, Chairperson
P. O. Box 293
New Bloomfield, PA 17068

Type of Facility PWS

Consulting Engineer Max E. Stoner, P. E.
Glacé Associates, Inc.
3705 Trindle Rd.
Camp Hill, PA 17011

Application Received Date April 2, 2004

Description of Action Project is for the addition of a phosphate compound to address iron problem in the system and for general corrosion control.

Permit No. 3604507, Public Water Supply.

Applicant **Greentree Inn**

Municipality Bart Township

County **Lancaster**

Responsible Official Cecelia E. Ranck, President
11 Greentree Lane
Quarryville, PA 17566

Type of Facility PWS

Consulting Engineer G. Matthew Brown, P. E.
ARRO Consulting Inc.
270 Granite Run Drive
Lancaster, PA 17601

Application Received Date April 7, 2004

Description of Action Installation of nitrate treatment to address the nitrate contamination. The project will also involve the installation of softening, pH adjustment and disinfection by UV light.

Permit No. 0604503, Public Water Supply.

Applicant **Governor Mifflin School District**

Municipality Brecknock Township

County **Berks**

Responsible Official Mark R. Naylon, Administrative Assistant for Business
10 South Waverly Street
Shillington, PA 19607

Type of Facility PWS

Consulting Engineer Keith R. Showalter, P. E.
Systems Design Engineering Inc.
4 Park Plaza, Suite 105
Wyomissing, PA 19610

Application Received Date March 24, 2004

Description of Action This permit application is for the modification of the Brecknock Elementary School's current pH control system. The proposed changes consist of using 25% caustic soda solution in place of 50% caustic soda solution and the addition of an automatic pH control and monitoring system in place of manual control.

Permit No. 0604504, Public Water Supply.

Applicant **Highland Estates**

Municipality Greenwich Township

County **Berks**

Responsible Official Jeffrey V. Yorick, P. E.
1275 Foreman Drive
Morgantown, WV 26508

Type of Facility PWS

Consulting Engineer Cynthia L. Zawrotuck, P. E.
ARRO Consulting Inc.
270 Granite Run Drive
Lancaster, PA 17601

Application Received Date March 31, 2004

Description of Action Construct well no. 5 for PWS to Highland Estates Mobile Home Park.

Permit No. 0604505, Public Water Supply.

Applicant **Western Berks Water Authority**

Municipality Lower Heidelberg Township

County **Berks**

Responsible Official Robert L. Walborn, Manager
91 Water Road
Sinking Spring, PA 19608-9633

Type of Facility PWS

Consulting Engineer Robert A. Stark, P. E.
Gannett Fleming Inc.
P. O. Box 67100
Harrisburg, PA 17106-7100

Application Received Date April 2, 2004

Description of Action Addition of chlorination equipment at the interconnection with the Wernersville Municipal Authority.

Central Office: Bureau Director, Water Supply and Wastewater Management, P. O. Box 8467, Harrisburg, PA 17105-8467.

Permit No. 9996518, Public Water Supply.

Applicant **Absopure Water Company, Inc.**
 Township or Borough Plymouth, MI
 Responsible Official Glen P. Davis, Quality Control Manager
 Type of Facility Out-of-State Bottled Water System
 Application Received Date April 13, 2004
 Description of Action Applicant requesting a major permit amendment to add new distilled bottled water products to their current PWS permit. Bottled water to be sold in this Commonwealth under the brand names Absopure Natural Spring Water, Absopure Steam Distilled Drinking Water, Absopure Purified Drinking Water, Roundy's Infant Drinking Water, Roundy's Steam Distilled Water, Roundy's Natural Spring Water and Roundy's Sodium Free Drinking Water.

Responsible Official Kelly Marie Bezdecki, President Bezdecki Family, LLC
 1823 Sutton Road
 Shavertown, PA 18708
 Type of Facility Bottled Water System
 Application Received Date April 9, 2004
 Description of Action This application requests the transfer of PWS Permit 2406272 from CBD Enterprises d/b/a Sutton Springs to Bezdecki Family, LLC, 1823 Sutton Road, Shavertown, PA 18708.

**BIOSOLIDS INDIVIDUAL PERMITS
(PABIG AND PABIS)**

The following parties have applied for either an Individual Site Permit (PABIS) or an Individual Generator Permit (PABIG) for beneficial use of sewage sludge (biosolids) by land application. Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (Department) proposes to issue a permit to land apply biosolids subject to certain requirements set forth in the permit.

Persons wishing to comment on the proposed permit are invited to submit a statement to the responsible Department regional office noted before the application within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in the formulation of the final determination regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement of a comment and the relevant facts upon which it is based. A public hearing may be held if the regional office considers the public response significant.

Following the 30-day comment period, the water management regional manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board (Board).

The application and related documents, comments received and other information are on file and may be inspected and arrangements made for copying at the responsible Department regional office indicated before the application.

Persons with a disability who require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the Secretary to the Board at (717) 787-3483. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

PABIS 3502. Dennis McCollough Farm, West Pennsboro Township, **Cumberland County**. Newville Borough Water and Sewer Authority, 99 Cove Avenue, Newville, PA 17241 has applied to beneficially use their biosolids on the Dennis McCollough Farm in Pennsboro Township, Cumberland County.

MINOR AMENDMENT

Applications Received under the Pennsylvania Safe Drinking Water Act

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Application No. Minor Amendment.

Applicant **Aqua Pennsylvania, Inc.**
 Township or Borough Dallas Township, **Luzerne County**
 Responsible Official Mark J. Kropilak, Vice-President Corporate Development and Corporate Counsel
 Aqua Pennsylvania, Inc.
 762 West Lancaster Avenue
 Bryn Mawr, PA 19010
 Type of Facility PWS
 Application Received Date April 2, 2004
 Description of Action This application requests the transfer of PWS facilities permitted under 165W5-T1 from the Applewood Water Company to Aqua Pennsylvania, Inc., 762 West Lancaster Avenue, Bryn Mawr, PA 19010.

Application No. Minor Amendment.

Applicant **Bezdecki Family, LLC**
 Township or Borough Jackson Township, **Luzerne County**

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the Background Standard, Statewide Health Standard, the Site-Specific Standard or who intend to remediate a site as a special industrial area must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one, a combination of the cleanup standards or who receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a Site-Specific Standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified, proposed for remediation to a Site-Specific Standard or as a special industrial area, the municipality within which the site is located may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office before which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Former BOC Gases, East Petersburg Borough, Lancaster County. ENSR International, Suite 100, 2005 Cabot Boulevard West, Langhorne, PA 19047, on behalf of Auto-Metrics of Lancaster, 1800 West State Street, East Petersburg, PA 17520, submitted a Notice of Intent to Remediate site soils and groundwater contaminated with no. 2 fuel oil. The applicant proposes to remediate the site to meet the Statewide Health Standards. A summary of the Notice of Intent to Remediate was reported to have been published in the *Intelligencer Journal-Lancaster New Era-Sunday News* on March 3, 2004.

The Promenade at Carlisle, Carlisle Borough, Cumberland County. BL Companies, 830 Sir Thomas Court, Harrisburg, PA 17109, on behalf of Seven Gables Estates Partnership, c/o Landis & Black, 36 South Hanover Street, Carlisle, PA 17013, submitted a Notice of Intent to Remediate site soils and groundwater contaminated with semivolatile petroleum compounds. The applicant proposes to remediate the site to meet the Statewide Health Standards.

Defense Distribution Depot Susquehanna PA SWMU 2, Fairview Township, York County. Defense Logistics Agency, Defense Distribution Depot Susquehanna PA, 2001 Mission Drive, Suite 1, New Cumberland, PA 17070-5002, submitted a Notice of Intent to Remediate site soils contaminated with chlorinated solvents, PAHs, PCBs, pesticides and inorganics. The applicant proposes to remediate the site to meet the Site-Specific Standards. A summary of the Notice of Intent to Remediate was reported to have been published in the *Harrisburg Patriot News* and *York Daily Record/Dispatch* on March 12, 2004.

Defense Distribution Depot Susquehanna PA SWMU 4, Fairview Township, York County. Defense Logistics Agency, Defense Distribution Depot Susquehanna PA, 2001 Mission Drive, Suite 1, New Cumberland, PA 17070-5002, submitted a Notice of Intent to Remediate site soils contaminated with chlorinated solvents, PAHs, PCBs, pesticides and inorganics. The applicant proposes to remediate the site to meet the Site-Specific Standards. A summary of the Notice of Intent to Remediate was reported to have been published in the *Harrisburg Patriot News* and *York Daily Record/Dispatch* on March 12, 2004.

Northcentral Region: Environmental Cleanup Program, 208 West Third Street, Williamsport, PA 17701.

Jackson MHP—Lot No. 65 Cleanup, Wysox Township, Bradford County. Teeter Environmental Services, Inc. on behalf of William Them, Modular One, R. R. 6, Box 6100-A, Towanda, PA 18848, has submitted a Notice of Intent to Remediate soil and groundwater contaminated with no. 2 fuel oil. The applicant proposes to meet the requirements of the Statewide Health Standard. A summary of the Notice of Intent to Remediate was published in *The Daily Review* on March 16, 2004.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

NEW SOURCES AND MODIFICATIONS

The Department of Environmental Protection (Department) has developed an "integrated" plan approval, State operating permit and Title V operating permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all

the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department has received applications for plan approvals and/or operating permits from the following facilities.

Copies of the applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the regional office identified in this notice. Persons interested in reviewing the application files should contact the appropriate regional office to schedule an appointment.

Persons wishing to receive a copy of a proposed plan approval or operating permit must indicate their interest to the Department regional office within 30 days of the date of this notice and must file protests or comments on a proposed plan approval or operating permit within 30 days of the Department providing a copy of the proposed document to that person or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Comments or protests filed with the Department regional offices must include a concise statement of the objections to the issuance of the Plan approval or operating permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office identified before the application. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121–143, the Federal Clean Air Act (act) and regulations adopted under the act.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001–4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Ronald Davis, New Source Review Chief, (717) 705-4702.

28-05035: St. Thomas Development, Inc. (P. O. Box 1667, 1750 Walton Road, Blue Bell, PA 19422) for installation of a batch asphalt plant at their facility in St. Thomas Township, **Franklin County**.

29-03010: JLG Industries, Inc. (1 JLG Drive, McConnellsburg, PA 17233) for operation of two blast booths controlled by fabric collectors, a paint kitchen and two paint spray booths controlled by dry filters. The equipment had previously been operated as the NES Rebuild Center, Inc. in Ayr Township, **Fulton County**.

67-03126A: Yorkshire Animal Hospital, Inc. (3434 East Market Street, York, PA 17402) for construction of a new 130 lb/hr natural gas fired animal crematory in Springettsbury Township, **York County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; David Aldenderfer, Program Manager, (570) 327-3637.

59-00005E: Dominion Transmission, Inc. (625 Liberty Avenue, Pittsburgh, PA 15222) for installation of an air cleaning device (a high pressure fuel injection system) on a 2,000-horsepower natural gas-fired reciprocating internal combustion compressor engine (engine 6) at the Sabinsville Compressor Station in Clymer Township, **Tioga County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Devendra Verma, New Source Review Chief, (814) 332-6940.

37-248F: United States Can Co. (1902 Old Butler Road, New Castle, PA 16101) for the temporary bypassing of the RTO when using compliant coatings during periods of RTO maintenance and malfunctions in Shenango Township, **Lawrence County**. This is a Title V facility.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104; Edward Braun, Chief, (215) 823-7584.

AMS 04088: City of Philadelphia—Capital Programs Office (1515 Arch Street, Philadelphia, PA 19101) to install two natural gas fired chillers in Philadelphia, **Philadelphia County**.

AMS 4089: The Philadelphia Phillies (1001 Pattison Avenue, Philadelphia, PA 19148) to install three 191 hp natural gas and no. 2 fuel oil fired boilers and one 2,000 kW and one 1,250 kW emergency generators in Philadelphia, **Philadelphia County**.

AMS 04096: Sunoco Inc.—R and M (3144 Passyunk Avenue, Philadelphia, PA 19145) to remove the 868 FCCU feed rate limitation in Philadelphia, **Philadelphia County**.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401; Thomas McGinley, New Source Review Chief, (484) 250-5920.

46-0027A: Ortho-McNeil Pharmaceutical, Inc. (Welsh and McKean Roads, Springhouse, PA 19477) for installation of a selective catalytic reduction system on an existing 1.5 mW electric generator (SCR) and modification of this 1.5 mW electric generator at the Ortho-McNeil manufacturing/pharmaceutical research and development facility at Welsh and McKean Roads, Lower Gwynedd Township, **Montgomery County**. The installation of the SCR and the modification of the generator will result in the emissions of 0.63 ton per year of NO_x, 0.64 ton per year of CO, 0.08 ton per year of VOCs, 0.44 ton per year of SO_x, 0.05 ton per year of PM and 0.03 ton per year of ammonia. The Plan Approval and Operating Permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

23-0065: General Chemical Corp. (6300 Philadelphia Pike, Claymont, DE 19703-2712) for installation of a natural gas fired boiler in Marcus Hook Borough, **Delaware County**. This facility is a non-Title V (State-only) facility. This installation will not result in NO_x emission increase of 11.62 tons per year and CO emissions increase

of 17.42 tons per year. The Plan Approval and Operating Permit will contain recordkeeping requirements and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

46-0155D: Sermatech International, Inc. (155 South Limerick Road, Limerick, PA 19468) for installation of a four-chamber spray booth at their plant in Limerick Township, **Montgomery County**.

Under 25 Pa. Code §§ 127.44(a) and 127.424(b), the Department intends to issue a Plan Approval to Sermatech International, Inc. This plan approval will authorize the applicant to install a four-chamber spray booth, as described in the applicant's application of January 23, 2004. The Plan Approval will subsequently be incorporated into the company's facility Operating Permit through an administrative amendment in accordance with 25 Pa. Code § 127.450.

Based on the information provided by the applicant and the Department's own analysis, the four-chamber spray booth will emit 3.5 tons of VOCs per year and 0.6 ton of PM per year. The four-chamber spray booth will be able to operate in a variety of configurations, including operation as a single large chamber or four small chambers. A dry PM filter and a carbon adsorption system will control the emissions of VOCs and PM from each chamber.

Copies of the application, the Department's analysis and other documents used in the evaluation are available for public inspection between 8 a.m. and 4 p.m. weekdays at the following address. To make an appointment, contact Records Management, (484) 250-5910.

Persons wishing to provide the Department with additional information they believe should be considered may submit the information to the following address. Comments must be received by the Department within 30 days of publication. Written comments should include the name, address and telephone number of the person submitting comments, identification of proposed Plan Approval PA-46-0155D and a concise statement regarding the relevancy of the information or any objections to issuance of the Plan Approval.

A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted on the comments received during the public comment period. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in a local newspaper of general circulation, the *Pennsylvania Bulletin* or by telephone, where the Department determines notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to Francine Carlini, Regional Air Quality Manager, Department of Environmental Protection, Southeast Regional Office, 2 East Main Street, Norristown, PA 19401, (484) 250-5920.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Mark Wejkszner, New Source Review Chief, (570) 826-2531.

35-313-013: Gentex Corp. (P. O. Box 315, Carbondale, PA 18407) for construction of an electric kiln and associated air cleaning devices filters at their site in Archbald Borough, **Lackawanna County**. This facility is a non-Title V facility. The CO emissions from the facility will be less than 100 tpy. There will be no malodorous emissions past the property line. The company will operate the facility and maintain the system in accordance with the good engineering practices to assure proper operation of the system.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Ronald Davis, New Source Review Chief, (717) 705-4702.

ER-67-05016E: R. H. Sheppard Co., Inc. (101 Philadelphia Street, Hanover, PA 17331) for an Emission Reduction Credit approval for 14.84 tons of VOC resulting from the shutdown of three cold box core making machines at its ductile and gray iron foundry in Hanover Borough, **York County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; Richard Maxwell, New Source Review Chief, (570) 327-3637.

41-318-047A: Reynolds Iron Works, Inc. (157 Palmer Industrial Road, Williamsport, PA 17701) for modification of a steel parts surface coating operation in Woodward Township, **Lycoming County**.

The respective surface coating operation is used to coat (paint) various steel parts such as beams, pipes and columns. The proposed modification is an increase in the allowable emission rate of VOCs, from the current limit of 6.0 tons in any 12 consecutive month period to a limit of 14.85 tons in any 12 consecutive month period, as well as an increase in the allowable emission rate of combined volatile HAPs, from the current limit of 1.0 ton in any 12 consecutive month period to a limit of 9.54 tons in any 12 consecutive month period. Up to 8.53 tons of the volatile HAPs could be a single HAP, methyl isobutyl ketone. The surface coating operation will also emit up to .66 ton of acetone in any 12 consecutive month period.

The Department's review of the information submitted by Reynolds Iron Works, Inc. indicates that the modified surface coating operation will meet all air quality requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12. Based on this finding, the Department proposes to issue a plan approval for the modification of the respective surface coating operation. Additionally, if the plan approval is issued and the surface coating operation is subsequently determined by the Department to have been modified in accordance with the conditions of the plan approval as well as all applicable regulatory requirements, the conditions of the plan approval will be incorporated into Operating Permit 41-318-047 through administrative amendment in accordance with 25 Pa. Code § 127.450.

The following is a summary of the conditions the Department proposes to place in the plan approval to be issued to ensure compliance with all applicable regulatory requirements:

1. All surface coating building doors shall be closed while surface coating is occurring. Additionally, the building shall be exhausted to the outdoor atmosphere through spray booth filters whenever surface coating is occurring.
2. The VOC content of any coating applied in the surface coating operation shall not exceed 6.4 pounds per gallon of coating solids, as applied.
3. No thinner, reducer or other additive shall be mixed with any coating onsite prior to coating application.
4. All coating shall be performed with airless spray technology or an application technique having an equivalent transfer efficiency as determined by the Department.
5. Only acetone shall be used for any cleanup activities associated with the surface coating operation and the amount used shall not exceed 200 gallons in any 12 consecutive month period.

6. All VOC-containing materials, all volatile HAP-containing materials and all acetone-containing materials shall be stored in closed containers when not in actual use. Spray gun lines shall be cleaned by flushing cleaning solvent through the lines into closed containers as a solid solvent stream; cleaning solvent shall never be flushed into a container as an atomized spray nor shall it ever be sprayed directly into the atmosphere. All used cleaning rags shall be stored in closed containers when not in actual use and the rags shall never be treated in any manner which would unnecessarily promote the evaporative loss of cleaning solvent to the atmosphere.

7. The total combined VOC emissions from the surface coating operation shall not exceed 14.85 tons in any 12 consecutive month period. The total combined volatile HAP emission shall not exceed 9.54 tons in any 12 consecutive month period, of which no more than 8.53 tons may be a single HAP. No halogenated HAP may, however, be emitted from the surface coating operation, nor may any formaldehyde.

8. Records shall be maintained of the identity and amount of each individual coating, coating additive, cleaning solvent and any other VOC-containing material, volatile HAP-containing material or acetone-containing material used each month as well as records of the VOC content of each material, the content of each individual volatile HAP in each material and the acetone content of each material. All records shall be retained onsite for at least 5 years and shall be made available to the Department upon request.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Devendra Verma, New Source Review Chief, (814) 332-6940.

25-911A Humane Society of Northwest Pennsylvania (2507 Zimmerly Road, Erie, PA 16509) for construction of a small animal crematory in Millcreek Township, **Erie County**.

In accordance with 25 Pa. Code §§ 127.44(b) and 127.424(b), the Department intends to issue a plan approval to construct a small animal crematory in Millcreek Township, Erie County. Issuance of the plan approval is recommended with the appropriate conditions in the plan approval.

25-999A: Riley Power, Inc. (1420 Cascade Street, Erie, PA 16502) for post-construction plan approval of surface coating operations at their facility in the City of Erie, **Erie County**.

In accordance with 25 Pa. Code §§ 127.44(b) and 127.424(b), the Department intends to issue a plan approval for post-construction plan approval of surface coating operations at its facility in the City of Erie, Erie County. This plan approval will, in accordance with 25 Pa. Code § 127.450, be incorporated into a State-only operating permit through an administrative amendment at a later date. Issuance of the plan approval is recommended with the appropriate conditions in the plan approval:

1. The source shall comply with 25 Pa. Code §§ 123.1, 123.31 and 123.41.

2. The source shall use coatings that are compliant with 25 Pa. Code § 129.52, Table 1(10)(e) for the category miscellaneous metal parts and products, only.

3. VOC emissions from the facility shall not exceed 15.1 tons in any 12-month rolling period and 9.8 tons of HAPs in any 12-month rolling period.

4. The sources shall not operate when the control device is not operating.

5. Records of coating usage shall be maintained in accordance with 25 Pa. Code § 129.52(c). Daily records shall be maintained of the usage of all coatings, organic cleaners and diluents used. The facility shall maintain monthly totals of VOC and HAPs and maintain 12-month rolling totals. The records shall be maintained for a minimum of 5 years and shall be made available to the Department upon request.

6. The weight of VOC per volume of coating solids must be equal to or less than 6.67 pounds of VOCs per gallon of coating solids unless the owner or operator of the facility complies with the exemptions listed in 25 Pa. Code § 129.52(h).

7. No person shall cause or permit the operation of the sources unless the source and air cleaning devices are operated and maintained in accordance with specifications in the Plan Approval application and conditions 1–6 according to 25 Pa. Code § 127.25.

8. Issuance of an Operating Permit is contingent upon satisfactory compliance with previous condition numbers, upon the source being constructed and operated as stated within the application and upon satisfactory demonstration that the emissions from the source will not be in violation of applicable rules and regulations of the Department.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104; Edward Braun, Chief, (215) 823-7584.

AMS 03007: Clean Earth of Philadelphia, Inc. (3201 South 61st Street, Philadelphia, PA 19153) for use of no. 2 fuel oil in their existing TDU thermal oxidizer as back up fuel when natural gas supply is interrupted, an existing cyclone system and modifications to existing process building and its negative pressure system in the City of Philadelphia, **Philadelphia County**. The plan approval will contain operating and recordkeeping requirements to ensure operation within all applicable requirements.

AMS 03200: Wayne Industries (130 West Berkley Street, Philadelphia, PA 19144) for permitting of a 200 hp no. 4 oil fired boiler in the City of Philadelphia, **Philadelphia County**. The potential NO_x emission increase is 1.8 tons per year. The plan approval will contain requirements to ensure transfer within all applicable requirements.

AMS 04088: City of Philadelphia—Capital Programs Office (1515 Arch Street, 11th Floor, Philadelphia, PA 19101) for installation of two natural gas fired chillers. The potential NO_x emission increase is 9.6 tons per year in the City of Philadelphia, **Philadelphia County**. The plan approval will contain operating and recordkeeping requirements to ensure operation within all applicable requirements.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Mark Wejkszner, New Source Review Chief, (570) 826-2531.

35-00002: PEI Power Corp. (170 Power Boulevard, P. O. Box 157, Archbald, PA 18403) for issuance of a Title

IV Phase II Acid Rain Permit and Title V Operating Permit to their Archbald Power Station for the operation of a 300 mmBtu/hr utility boiler, 62.5 mmBtu/hr auxiliary boiler, two green house boiler and a gas turbine in Archbald Borough, **Lackawanna County**.

Intent to Issue Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19428; Thomas McGinley, New Source Review Chief, (610) 832-6242.

46-00151: PPL Interstate Energy Co. (214 Shoemaker Road, Pottstown, PA 19464) for operation of pumping station in Salford Township, **Montgomery County**. The permit is for a non-Title V (State-only) facility. The facility's primary source is a direct fired residium (fuel) heater that fires no. 2 fuel oil and has a maximum rated heat input capacity of 14.0 mBtu/hr. This combustion source is used to warm the petroleum pipeline at the Salford Pumping Station in unusually hot or cold weather. The permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Ronald Davis, New Source Review Chief, (717) 705-4702.

05-03015: American Chrome Plating, LLC (230 North Street, Bedford, PA 15522) for operation of a decorative chromium electroplating facility in Bedford Borough, **Bedford County**. The operation will be controlled by a fume suppressant.

36-03137: Martin Limestone, Inc. (404 Martindale Road, Ephrata, PA 17522) for operation of a limestone crushing facility in Earl Township, **Lancaster County**. This is a non-Title V (State-only) facility. The State-only operating permit shall contain testing, monitoring, recordkeeping and reporting requirements, emission restrictions and work practice standards designed to keep the facility operating within all applicable air quality requirements.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; David Aldenderfer, Program Manager, (570) 327-3637.

17-00042: Clearfield Leather, Inc.—Wickett and Craig of America (120 Cooper Road, Curwensville, PA 16833) for their plant in Curwensville Borough, **Clearfield County**. The facility's main sources include 4 spray booths, 1 cold cleaning solvent parts washer, fertilizer production operations, various storage tanks, 2 granulators, 1 emergency generator, a process water treatment facility and 19 combustion units. The facility has the potential to emit SO_x, NO_x, CO, PM/PM₁₀, VOCs and HAPs below the major emission thresholds. The proposed operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

14-00009: Mount Nittany Medical Center (1800, East Park Avenue, State College, PA 16803) for their general medical and surgical hospital facility in College Township, **Centre County**. The facility's main sources include three natural gas/no. 2 fuel oil fired boilers, one natural gas fired boiler, two natural gas fired emergency generators and six no. 2 fuel oil fired emergency generators. The facility has the potential to emit SO_x, NO_x, CO,

PM (PM₁₀), VOCs and HAPs below the major emission thresholds. The proposed operating permit contains all applicable requirements including Federal and State regulations. In addition, monitoring, recordkeeping and reporting conditions regarding compliance with all applicable requirements are included.

49-00055: Jeff's Autobody and Recycling Center, Inc. (R. R. 1, Box 318, Paxinos, PA 17860) for their facility in Shamokin Township, **Northumberland County**. The facility's main sources includes a propane-fired secondary aluminum smelting furnace, five propane-fired heaters, one propane-fired water heater and one no. 2 fuel oil-fired furnace. These sources have the potential to emit PM/PM₁₀, NO_x, SO_x, HAPs and CO below the major emission thresholds. The proposed operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and report conditions.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Devendra Verma, New Source Review Chief, (814) 332-6940.

25-00395: Eriez Manufacturing Co. (2200 Asbury Road, Erie, PA 16506) for a Natural Minor Permit for two spray surface coating operations at their Eriez Magnetics Plant in Erie, **Erie County**.

61-00204: Franklin Bronze and Alloy Co., Inc. (655 Grant Street, Franklin, PA 16323) for a Natural Minor Permit for the operation of a mold dewax furnace and after-burner at their investment casting foundry in Franklin, **Venango County**.

61-00034: Franklin Industries Co. (600 Atlantic Avenue, Franklin, PA 16323) for a Natural Minor operating permit for emissions from the operation of a rail rolling mill and the dip coating of steel posts in Franklin Borough, **Venango County**.

20-00201: Crawford County Humane Society (11012 Kennedy Hill Road, Meadville, PA 16335) on April 19, 2004, for a Natural Minor Operating Permit to operate a cremator/incinerator in Vernon Township, **Crawford County**.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of an application is available for inspection at the district mining office indicated before an application. Where a 401 Water Quality Certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for certification.

Written comments, objections or requests for informal conferences on applications may be submitted by any

person or any officer or head of any Federal, State or local government agency or authority to the Department at the district mining office indicated before an application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Where any of the mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. NPDES permits will contain, at a minimum, technology-based effluent limitations as identified in this notice for the respective coal and noncoal applications. In addition, more restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit, when necessary, for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies who have requested review of NPDES permit requirements for a

particular mining activity within the previously mentioned public comment period will be provided with a 30-day period to review and submit comments on the requirements.

Written comments or objections should contain the name, address and telephone number of the person submitting comments or objections; the application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor wishes to have the conference conducted in the locality of the proposed mining activities.

Coal Applications Received

Effluent Limits—The following coal mining applications that include an NPDES permit application will be subject to, at a minimum, the following technology-based effluent limitations for discharges of wastewater to streams:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	
Alkalinity greater than acidity*			

*The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: (1) surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas, active areas disturbed by coal refuse disposal activities and mined areas backfilled and revegetated; and (2) drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454, (570) 621-3118.

54870102R3 and PA0593923. Joe Kuperavage Coal Company (916 Park Avenue, Port Carbon, PA 17965), renewal of an existing anthracite surface mine operation and discharge of treated mine drainage in Blythe Township, **Schuylkill County**, affecting 106.1 acres. Receiving streams: unnamed tributary to East Branch Schuylkill River. Application received April 13, 2004.

California District Mining Office: 25 Technology Drive, California Technology Park, Coal Center, PA 15423, (724) 769-1100.

11733701. NPDES Permit No. NA, Robindale Energy Services, Inc. (1001 Broad Street, Suite 130, Johnstown, PA 15906), to revise the permit for the Cambria Slope Mine No. 33 in Cambria Township, **Cambria County**, to add acreage to utilize an existing building and install a truck scale. CRDP Refuse Disposal Acres Proposed 3.9. No additional discharges. Application received March 29, 2004.

03851301. NPDES Permit No. PA0214086, Rosebud Mining Company (301 Market Street, Kittanning, PA 16201-9642), to renew the permit the Rosebud No. 2 Mine in Perry Township, **Armstrong County** and related NPDES permit for reclamation only. No additional discharges. Application received April 6, 2004.

Knox District Mining Office: White Memorial Building, P. O. Box 669, Knox, PA 16232-0669, (814) 797-1191.

33980103 and NPDES Permit No. PA0227722. Original Fuels, Inc. (P. O. Box 343, Punxsutawney, PA 15767), renewal of an existing bituminous surface strip operation in Warsaw Township, **Jefferson County**, affecting 74.3 acres. Receiving streams: unnamed tributaries to Mill Creek (CWF) and unnamed tributary to Laurel Run (HQ-CWF). There are no potable surface water supply intakes within 10 miles downstream. Application for reclamation only. Application received April 12, 2004.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

56663094 and NPDES Permit No. PA0606031. Croner, Inc. (P. O. Box 260, Friedens, PA 15541), surface mine permit renewal in Brothersvalley Township, **Somerset County**, affecting 182 acres. Receiving streams: unnamed tributaries to Blue Lick Creek and Blue Lick Creek (CWF). There are no potable water supply intakes within 10 miles downstream. Application received April 8, 2004.

Greensburg District Mining Office: Armbrust Building, R. R. 2 Box 603-C, Greensburg, PA 15601-0982, (724) 925-5500.

03020113 and NPDES Permit No. PA0250279. Reichard Contracting, Inc. (212 Olean Trail, New Bethlehem, PA 16242), revision for additional acres to an existing bituminous surface mine in Wayne Township, **Armstrong County**, affecting 73 acres. Receiving streams: unnamed tributaries to Glade Run to Mahoning Creek (CWF). There is no potable water supply intake within 10 miles from the point of discharge. Revision application received April 12, 2004.

02-04-01 and NPDES Permit No. PA0250554. Kerry Coal Company (R. D. 2, Box 2139, Wampum, PA 16157), Government Finance Construction Contract to reclaim abandoned mine spoil and daylight abandoned deep mines in North Fayette Township, **Allegheny County**, affecting 13.7 acres. Receiving streams: unnamed tributaries to the North Branch of Robinson Run (WWF). There is no potable water supply intake within 10 miles from the point of discharge. GFCC application received April 9, 2004.

03020109 and NPDES Permit No. PA0250228. Thomas J. Smith, Inc. (R. D. 1, Box 260D, Shelocta, PA 15774), revision to include auger mining to an existing

bituminous surface mine in Plumcreek Township, **Armstrong County**, affecting 181 acres. Receiving streams: unnamed tributary to Cherry Run and Cherry Run (CWF). There is no potable water supply intake within 10 miles from the point of discharge. Revision application received April 14, 2004.

Noncoal Applications Received

Effluent Limits—The following noncoal mining applications that include an NPDES permit application will be subject to, at a minimum, the following technology-based effluent limitations for discharges of wastewater to streams:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	

*The parameter is applicable at all times.

A settleable solids instantaneous maximum of 0.5 ml/l applied to surface runoff resulting from a precipitation event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454, (570) 621-3118.

7775SM3T2 and NPDES Permit No. PA0594679. Lehigh Cement Company (7600 Imperial Way, Allentown, PA 18195), transfer of an existing quarry from Allentown Cement Company in Richmond and Manatawny Townships, **Berks County**, affecting 206.3 acres. Receiving streams: unnamed tributary to Moselem Creek. Application received April 13, 2004.

7775SM4T2 and NPDES Permit No. PA0594563. Lehigh Cement Company (7600 Imperial Way, Allentown, PA 18195), transfer of an existing quarry from Allentown Cement Company in Oley Township, **Berks County**, affecting 143.4 acres. Receiving streams: unnamed tributary to Maxatawny Creek. Application received April 13, 2004.

7775SM5T2 and NPDES Permit No. PA0594954. Lehigh Cement Company (7600 Imperial Way, Allentown, PA 18195), transfer of an existing quarry from Allentown Cement Company in Oley Township, **Berks County**, affecting 64.0 acres. Receiving streams: Limekiln Creek. Application received April 13, 2004.

7775SM10T2 and NPDES Permit No. PA0011789. Lehigh Cement Company (7600 Imperial Way, Allentown, PA 18195), transfer of an existing quarry from Allentown Cement Company in Maiden creek Township, **Berks County**, affecting 175.0 acres. Receiving streams: Lake Ontelaunee. Application received April 13, 2004.

06960301T and PA0223379. Lehigh Cement Company (7600 Imperial Way, Allentown, PA 18195), transfer of an existing quarry from Allentown Cement Company in Oley Township, **Berks County** affecting 201.0 acres, receiving stream: Manatawny Creek. Application received April 13, 2004.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water

Quality Certification have been received by the Department of Environmental Protection (Department). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the State to certify that the involved projects will not violate the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA or to the issuance of a Dam Permit, Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment must submit comments, suggestions or objections within 30 days of the date of this notice, as well as questions, to the regional office noted before the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Individuals will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on each working day at the regional office noted before the application.

Persons with a disability who wish to attend a hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401 of the FWPCA (33 U.S.C.A. § 1341(a)).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

E45-463. Pocono Mountain School District West High School, HC 89, Box 2002, Pocono Summit, PA 18346 in Tobyhanna Township, **Monroe County**, U. S. Army Corps of Engineers, Philadelphia District.

To place fill in a de minimis area of PFO wetlands equal to 0.02 acre for the purpose of constructing a 1,100-foot long by 2-foot wide floating, low-impact cedar log boardwalk and associated 3-foot by 3-foot timber crib support structures. The boardwalk is to be used for educational purposes as part of wetlands curriculum, as well as private environmental tours. The project is behind Pocono Mountain School District—West High School, approximately 0.5 mile south of SR 0940 (Pocono Pines, PA Quadrangle N: 19.5 inches; W: 7.9 inches).

E35-372. Glenburn Township, P. O. Box 694, Dalton, PA 18414 in Glenburn Township, **Lackawanna County**, U. S. Army Corps of Engineers, Baltimore District.

To remove the existing structure and construct and maintain a road crossing consisting of a 3-foot long, 8-foot by 5-foot concrete box culvert, depressed 1 foot below streambed elevation, across South Branch Tunkhannock Creek (CWF). The project is on Kittle Lane (T-568) approximately 0.1 mile southwest of Old State Road (Dalton, PA Quadrangle N: 1.1 inches; W: 12.9 inches).

E54-313. Jason and Heather Leininger, 93 North Tulpehocken Street, Pine Grove, PA 17963-1216 in Pine Grove Borough, **Schuylkill County**, U. S. Army Corps of Engineers, Baltimore District.

To remove the existing structure and construct and maintain a 24-foot by 34-foot garage and an aboveground swimming pool in the floodway of Satara Creek (CWF). The project is on the southwest side of Tulpehocken Street approximately 0.25 mile northwest of Pottsville Road (SR 0443) (Pine Grove, PA Quadrangle N: 9.9 inches; W: 2.1 inches).

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

E06-589. Richmond Township, P. O. Box 474, Fleetwood, PA 19522 in Richmond Township, **Berks County**, ACOE Philadelphia District.

To construct and maintain a 7-foot by 7-foot 11-inch precast reinforced concrete box culvert and remove an existing 6-foot by 6-foot concrete slab bridge, over an unnamed tributary to Maiden Creek (WWF), for the purpose of replacing a structurally deteriorating existing structure in Richmond Township, Berks County (Kutztown, PA Quadrangle N: 2.57 inches; W: 17.14 inches).

E31-195. R. Scott Shearer, 850 Weldon Street, Latrobe, PA 15650 in Franklin Township, **Huntingdon County**, ACOE Baltimore District.

To replace and maintain an existing timber plank bridge across Spruce Creek (HQ-CWF) (Franklinville, PA Quadrangle N: 3.7 inches; W: 12.7 inches) for the purpose of removing two residential structures to construct and maintain a 36-foot by 128-foot residential structure with associated fill material within (Franklinville, PA Quadrangle N: 3.4 inches; W: 12.7 inches), the left floodway of Spruce Creek (HQ-CWF) in Franklin Township, Huntingdon County.

E29-087. Thompson Township, 1208 Gem Bridge Road, Needmore, PA 17328 in Thompson Township, **Fulton County**, ACOE Baltimore District.

To replace and maintain existing ford crossings along: (1) Dent Road (T-343) (Needmore, PA Quadrangle N: 10.5

inches; W: 2.0 inches) across Tonoloway Creek (WWF); (2) Delancy Road (T-325) (Needmore, PA Quadrangle N: 3.0 inches; W: 4.0 inches) across Tonoloway Creek (WWF); (3) South Hess Road (T-348) (Needmore, PA Quadrangle N: 12.0 inches; W: 13.8 inches) across Licking Creek (CWF); and (4) Licking Creek Road (T-312) (Needmore, PA Quadrangle N: 4.2 inches; W: 11.6 inches) across Licking Creek (CWF) in Thompson Township, Fulton County. The project will directly impact a total of 54 lineal feet of stream channel.

E29-088. Empire Industries, Limited, 100 Tonoloway Bluffs Lane, Needmore, PA 17238 in Thompson Township, **Fulton County**, ACOE Baltimore District.

To construct and maintain a pedestrian foot suspension bridge 120 feet in length by 3 feet wide with a low cord 15 feet above the normal water surface elevation, crossing the Tonoloway Creek (WWF) at a point (Hancock, WV Quadrangle N: 20.1 inches; W: 2.8 inches) approximately 1 mile upstream of SR 2005 in Thompson Township, Fulton County.

E05-322. Pennsylvania General Energy Company, LLC, 208 Liberty Street, Warren, PA 16365 in Monroe Township, **Bedford County**, ACOE Baltimore District.

To construct and maintain: (1) a 3-foot by 24-inch utility line crossing of an unnamed tributary to West Branch Sideling Hill Creek (EV) (Mench, PA Quadrangle N: 3.55 inches; W: 14.25 inches); (2) a 7-foot by 24-inch utility line crossing of an unnamed tributary to West Branch Sideling Hill Creek (EV) (Mench, PA Quadrangle N: 1.65 inches; W: 12.85 inches); (3) a 7-foot by 24-inch crossing of an unnamed tributary to West Branch Sideling Hill Creek (EV) (Mench, PA Quadrangle N: 1.6 inches; W: 13.1 inches) for the purpose of installing 8,400 lineal feet of 6-inch natural gas transmission line in Monroe Township, Bedford County. The project proposes to directly impact 17 linear feet of stream channel.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02-1463. Links Development Company, Inc., 1060 Corporate Lane, Murry Corporate Park, Export, PA 15632. Hunt Club at Grandview Farm wetland fill in West Deer Township, **Allegheny County**, Pittsburgh ACOE District (Valencia, PA Quadrangle N: 0.9 inch; W: 6.3 inches) (Latitude: 40° 37' 48"—Longitude: 79° 55' 13"). The applicant proposes to place and maintain fill in 0.05 acre of wetlands (PEM) in the Deer Creek Watershed (CWF) as part of a development known as Hunt Club at Grandview Farms. The project is on the north side of Route 910 approximately 1 mile east of its intersection with Route 8. Permit No. E02-1316 was issued to Richland Properties, Inc. for the placement of fill in 0.45 acre of wetlands. This new permit application is part of the same development and the wetlands impacted are being considered accumulative to the original permit, thus making the developments total wetland impacts 0.50 acre. The original applicant made a payment to the Wetland Replacement Fund, which also covers the impacts of this application. The total wetland impact for the development is 0.50 acre (PEM).

E03-422. Freeport Area School District, P. O. Drawer C, Freeport, PA 16229-0303. Freeport Area School District Bridge Replacement in South Buffalo Township, **Armstrong County**, Pittsburgh ACOE District (Freeport, PA Quadrangle N: 14.1 inches; W: 5.8 inches) (Latitude: 40° 42' 10" and Longitude: 79° 40' 01"). The applicant proposes to remove the existing structure and to construct and maintain a two-lane bridge having a

clear span of 24 feet and a maximum underclearance of 78 feet across an unnamed tributary to the Allegheny River (WWF) for the purpose of providing access from SR 0128. The structure is approximately 250 feet east of SR 0128 in South Buffalo Township.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

E10-394, Butler County, P. O. Box 1208, Butler, PA 16003-1208, Harrisville Borough Bridge replacement project (County Bridge No. 7) in Mercer Township, **Butler County**, ACOE Pittsburgh District (Grove City, PA Quadrangle N: 1.7 inches; W: 0.07 inch).

To remove the existing single lane reinforced concrete bridge having a clear span of 22 feet, a maximum underclearance of 14 feet and an instream length of 19 feet 5 inches and to construct and maintain a two lane steel girder bridge with reinforced concrete deck having a clear span of 26 feet, a maximum underclearance of 14 feet and an instream length of 25 feet at a point within McMurray Run (CWF) approximately 2,600 feet southeast of the Borough of Harrisville along Frampton Road.

E42-307, Bradford Area School District, 150 Lorana Avenue, Bradford, PA 16701, floodwall extension project at the Bradford High School Athletic Field and Track in Bradford City, **McKean County**, ACOE Pittsburgh District (Bradford, PA Quadrangle N: 15.5 inches; W: 5.2 inches).

To construct and maintain approximately 510 linear feet of reinforced concrete floodwall to be connected to the existing floodwall behind the Bradford Area High School and along the eastern side of Bennett Brook (CWF), 460 linear feet of wall will be extended from the northern end and 50 linear feet of wall will be extended from the southern end and to install and maintain 290 feet of R-6 riprap protection along the west bank of Bennett Brook, opposite the existing floodwall.

E43-307, Department of Transportation, District 1-0, P. O. Box 398, 255 Elm Street, Oil City, PA 16340. SR 0019, Segment 0420, Offset 0000 across tributary Little Shenango River Streambed Paving in Perry Township, **Mercer County**, ACOE Pittsburgh District (Hadley, PA Quadrangle N: 2.2 inches; W: 12.6 inches).

To install 63 linear feet of concrete paving and 10 feet of rock riprap aprons depressed 6 inches below the existing streambed elevation and maintain the existing reinforced concrete arch having a span of 10 feet and a maximum rise of 9.75 feet in a tributary to Little Shenango River on SR 0019, Segment 0420, Offset 0000 approximately 0.75 mile south of SR 358. This work was previously authorized by DEP Permit No. E43-281, but not completed.

E43-308, Department of Transportation, District 1-0, 255 Elm Street, Oil City, PA 16301. SR 0358, Segment 0030, Offset 0134 Streambed Paving in Booth Run in West Salem Township, **Mercer County**, ACOE Pittsburgh District (Kinsman, OH-PA Quadrangle N: 3.0 inches; W: 0.1 inch).

To install 93.5 linear feet of concrete paving and 10 feet of rock riprap aprons depressed 6 inches below the existing streambed elevation and to maintain the reinforced concrete slab bridge having a span of 19 feet and an underclearance of 10 feet across Booth Run on SR 0358, Segment 0030, Offset 0134 approximately 0.9 mile west of SR 4001. This project was previously authorized by DEP Permit No. E43-282, but not completed.

E43-309, Department of Transportation, District 1-0, 255 Elm Street, Oil City, PA 16301. SR 0062, Segment 0220, Offset 1540 Streambed Paving in a tributary to Magarree Run in Jefferson Township, **Mercer County**, ACOE Pittsburgh District (Greenfield, PA Quadrangle N: 20.4 inches; W: 14.6 inches).

To install 42 linear feet of concrete paving and 10 feet of rock riprap aprons depressed 6 inches below the existing streambed elevation and to maintain the reinforced concrete slab bridge having a span of 9 feet and an underclearance of 4 feet across a tributary to Magarree Run on SR 0062, Segment 0220, Offset 1540 approximately 0.3 mile east of Charleston Road at the Village of Charleston. This project was previously authorized by DEP Permit No. E43-285, but not completed.

E62-397, Robert Brace, Robert Brace & Sons, Inc., 1131 Route 97, Waterford, PA 16441, Blue Eye Run Bridge Reconstruction Project in Pittsfield Township, **Warren County**, ACOE Pittsburgh District (Pittsfield, PA Quadrangle N: 11.85 inches; W: 6.52 inches).

To repair and maintain two of the existing reinforced concrete abutments and to construct and maintain a pre-engineered steel bridge having a clear span of 75 feet a maximum rise of 13.5 feet and an instream length of 20 feet across Blue Eye Run (CWF) at a point approximately 6,000 feet due east of Garland along Old Kane Road.

E6514-001, Department of General Services, Bureau of Engineering and Architecture, 18th and Herr Streets, Harrisburg, PA 17125, Export Borough Flood Protection Project, **Westmoreland County**, ACOE Pittsburgh District.

The purpose of the project is to protect public health, safety and property by eliminating high water events that overtop Turtle Creek and flood through Export Borough. A permit is requested to perform the following activities associated with the construction of the project in and along approximately 5,100 linear feet (approximately 4 acres) of Turtle Creek (TSF, perennial):

1. To construct approximately 2,700 feet of concrete channel, having a minimum wall height of 5 1/2 feet and a maximum width of 24 feet.

2. Remove three existing bridges and construct two box culverts having lengths of 35 linear feet and 165 linear feet. Both box culverts will have 5 1/2 feet high by 20 feet wide openings.

3. Excavate and widen approximately 1,445 feet of Turtle Creek to accommodate a 5-foot wide low flow channel and a 15-foot wide elevated flood plain. Along this reach the right bank of the creek, which constitutes the left bank of Kennedy Avenue, will be protected with grouted riprap. The left bank of Turtle Creek, which includes the elevated floodplain, will be protected with turf reinforcement mat and be lined with grass.

4. Construct a pedestrian bridge having a span of 50 feet.

5. Grout the existing riprap downstream of the eastern Kennedy Avenue Bridge.

6. Remove an abandoned concrete bridge at the downstream end of the project to increase the cross section of flow and reduce the likelihood of debris clogging the opening. The abandoned bridge has a span of approximately 30 feet and consists of a concrete beams, a concrete deck and concrete abutments

The project begins at the downstream side of the Jefferson Street bridge in the Borough of Export

(Slickville Quadrangle N: 7.2 inches; W: 1.3 inches) and terminates just downstream of the abandoned concrete bridge adjacent to Duff Street in the Municipality of Murrysville (Murrysville Quadrangle N: 7.8 inches, W: 1.0 inch).

Central Office: Bureau of Waterways Engineering, 400 Market Street, Floor 3, P. O. Box 8554, Harrisburg, PA 17105-8554.

D15-364B. BHC Venture, Inc., 909 Delaware Avenue, Wilmington, DE 19806. To construct, operate and maintain a stormwater detention dam, crossing no. 5, across Bucktoe Creek (TSF), impacting 0.04 acre of wetlands (PFO) and 90 feet of stream for the purpose of providing stormwater detention for a subdivision at the Hartefeld National Golf Course (Kennett Square, PA Quadrangle N: 1.13 inches; W: 15.8 inches), New Garden Township, **Chester County**. This is a request to reissue a Dam Permit which was issued on January 30, 1997, and expired on December 31, 1997. The current design of the dam is 2 feet higher than the originally permitted structure, requiring the submission of a new Dam Permit application. The dimensions and location of the base of the dam have not been changed from those approved in the originally permitted structure. The project also proposes to construct a nonjurisdictional dam (crossing no. 4) across a tributary to Bucktoe Creek impacting 0.27 acre of wetland (PEM) and 120 feet of stream for stormwater

detention. Applicant proposes to construct 0.31 acre of replacement wetland.

STORAGE TANKS

SITE-SPECIFIC INSTALLATION PERMITS

The following Storage Tank Site-Specific Installation Permit application has been received by the Department of Environmental Protection (Department) and is currently under review. Persons wishing to comment on the proposed permit are invited to submit a statement to the Bureau of Land Recycling and Waste Management, Division of Storage Tanks, P. O. Box 8763, Harrisburg, PA 17105-8763 within 30 days from the date of this publication. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of the comment and the relevant facts upon which it based.

The following applications have been received for Storage Tank Site-Specific Installation Permits under the authority of the Storage Tank Spill Prevention Act (35 P. S. §§ 6021.304, 6021.504 and 6021.1101—6021.1102) and under 25 Pa. Code Chapter 245, Subchapter C.

SSIP

<i>Application No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Tank Type</i>	<i>Tank Capacity</i>
04004	Bud Mauger Mauger Oil Company 300 Lawrence Drive West Chester, PA 19380	Chester	West Chester	21 ASTs storing lubricating oil	154,000 gallons

ACTIONS

**THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT
FINAL ACTIONS TAKEN FOR NATIONAL POLLUTION DISCHARGE
ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY
MANAGEMENT (WQM) PERMITS**

The Department of Environmental Protection (Department) has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and Notices of Intent (NOI) for coverage under general permits. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or amendment
Section III	WQM	Industrial, sewage or animal wastes; discharges to groundwater
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

Sections I—VI contain actions related to industrial, animal or sewage wastes discharges, discharges to groundwater and discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities and concentrated animal feeding operations (CAFOs). Section VII contains notices for parties who have submitted NOIs for coverage under general NPDES permits. The approval for coverage under general NPDES permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions set forth in each general permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective permit. Permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501-508 and 701-704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

NPDES Permit No. (Type)	Facility Name and Address	County and Municipality	Stream Name (Watershed No.)	EPA Waived Y/N?
PA0045985-A1	Mountaintop Area Joint Sanitary Authority Morio Drive Mountaintop, PA 18707	Dorrance Township Luzerne County	Big Wapwallopen Creek 5B	N

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

NPDES Permit No. (Type)	Facility Name and Address	County and Municipality	Stream Name (Watershed No.)	EPA Waived Y/N?
PA0098795 Industrial Waste	North Fayette County Muni. Auth. University Drive at Ranch Road Box 368 Dunbar, PA 15431	Fayette County Dunbar Township	Youghioghenny River	Y
PA0025755 Sewage	Freeport Borough 414 Market Street Freeport, PA 16229	Armstrong County Freeport Borough	Buffalo Creek	Y
PA0092266 Sewage	Brave Water and Sewer Authority P. O. Box 159 Brave, PA 15316	Greene County Wayne Township	Hoovers Run	Y
PA0093980 Sewage	Better Build Homes R. D. 1, Box 190 Irwin, PA 15642	Westmoreland County Sewickley Township	Unnamed tributary of Little Sewickley Creek	Y

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401, (484) 250-5970.

NPDES Permit No. PA0051802, IW, Brown Printing Company, 668 Gravel Pike, East Greenville, PA 18041-2199, Upper Hanover Township, Montgomery County.

The following notice reflects changes to the notice published at 34 Pa.B. 494 (January 24, 2004):

Based on additional effluent concentration levels for total residual chlorine and considering point of first use at Perkiomen Creek, the effluent limit for copper is revised to 0.09 mg/l and the limit for total residual chlorine is removed.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

NPDES Permit No. PA0247243, Sewage, Foremost Industries, Inc., 2375 Buchanan Trail West, Greencastle, PA 17225. This proposed facility is in Montgomery Township, Franklin County.

Description of Proposed Action/Activity: Authorization to discharge to an unnamed tributary West Branch Conococheague Creek in Watershed 13-C.

NPDES Permit No. PA0087785, Sewage, Charles C. Powell, Cove Forge Treatment Center, New Beginnings Road, Williamsburg, PA 16693. This proposed facility is in Woodbury Township, Blair County.

Description of Proposed Action/Activity: Authorization to discharge to the Frankstown Branch Juniata River in Watershed 11-A.

WQM Permit No. PA0082481, Industrial Waste, Lewistown Borough Municipal Authority, Laurel Creek Water Filtration Plant, 70 Chestnut Street, P. O. Box 68, Lewistown, PA 17044. This proposed facility is in Armagh Township, Mifflin County.

Description of Proposed Action/Activity: Authorization to discharge to the Laurel Creek in Watershed 12-A.

WQM Permit No. PA0087971, Industrial Waste, **Bedford Borough Water Authority**, 244 West Penn Street, Bedford, PA 15522. This proposed facility is in Bedford Township, **Bedford County**.

Description of Proposed Action/Activity: Authorization to discharge to an unnamed tributary to Raystown Branch Juniata River in Watershed 11-C.

Southwest Region: Water Management Program Manager; 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

NPDES Permit No. PAS236107, Industrial Waste, **Poly-Hi Solidur/Menasha Corporation**, 200 Industrial Drive, Delmont, PA 15626. This proposed facility is in Salem Township, **Westmoreland County**.

Description of Proposed Action/Activity: Discharge of untreated stormwater from Poly-Hi Solidur/Menasha Facility.

Northwest Region: Water Management Program Manager; 230 Chestnut Street, Meadville, PA 16335-3481.

NPDES Permit No. PA0239381, Sewage, **David L. Ostrander**, R. R. 2, Box 185, Cole Hill Road, Pittsfield, PA 16340. This proposed facility is in Deerfield Township, **Warren County**.

Description of Proposed Action/Activity: This is a single residence sewage treatment plant discharging to an unnamed tributary to Tidioute Creek.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Southcentral Region: Water Management Program Manager; 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

WQM Permit No. 2204401, Sewerage, **Swatara Township Authority**, 599 Eisenhower Boulevard, Harrisburg, PA 17111. This proposed facility is in Swatara Township, **Dauphin County**.

Description of Proposed Action/Activity: Approval for the replacing/paralleling certain portions of the Authority's existing Eisenhower Boulevard Interceptor prior to the proposed Paxton Street reconstruction project.

WQM Permit No. 2804401, Sewerage, **Foremost Industries, Inc.**, 2375 Buchanan Trail West, Greencastle, PA 17225. This proposed facility is in Montgomery Township, **Franklin County**.

Description of Proposed Action/Activity: Approval for the construction of sewerage facilities consisting of an extended aeration package treatment facility with a discharge to a dry swale UNT West Branch Conococheague Creek.

Southwest Region: Water Management Program Manager; 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WQM Permit No. 0402201, Industrial Waste, **Beaver Valley Slag, Inc.**, 3468 Broadhead Road, Monaca, PA 15061-2500. This proposed facility is in Center Township, **Beaver County**.

Description of Proposed Action/Activity: Mining and processing of slag at Blacks Run Mine.

WQM Permit No. 3277201-A1, Industrial Waste, **Reliant Energy Northeast Management Company**, 121 Champion Way, Suite 200, Canonsburg, PA 15317. This proposed facility is in West Wheatfield Township, **Indiana County**.

Description of Proposed Action/Activity: Modification of existing yard drainage final settling ponds 1 and 2 at the Conemaugh Power Plant.

WQM Permit No. 6583412, Sewerage, **Borough of Delmont**, 77 Greensburg Road, Delmont, PA 15626. This proposed facility is in Delmont Borough, **Westmoreland County**.

Description of Proposed Action/Activity: To construct a retention tank to eliminate sanitary sewer overflows during wet weather conditions.

Northwest Region: Water Management Program Manager; 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 2504405, Sewerage, **William J. Frick**, 5140 Florek Road, Edinboro, PA 16412. This proposed facility is in Washington Township, **Erie County**.

Description of Proposed Action/Activity: Sewage discharge for a single residence.

WQM Permit No. 6203416, Sewerage, **David L. Ostrander**, R. R. 2, Box 185, Cole Hill Road, Pittsfield, PA 16340. This proposed facility is in Deerfield Township, **Warren County**.

Description of Proposed Action/Activity: Sewage discharge for a single residence.

WQM Permit No. 2504403, Sewerage, **Vicky L. Kowalski**, P. O. Box 176, McKean, PA 16426. This proposed facility is in Franklin Township, **Erie County**.

Description of Proposed Action/Activity: Sewage discharge for a single residence.

IV. NPDES Stormwater Discharges from MS4 Permit Actions

V. NPDES Waiver Stormwater Discharges from MS4 Actions

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

NPDES Permit No.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI011503097	NVS Customs Homes, LP Highlands at Charlestown 347 East Conestoga Road Wayne, PA 19087-2547	Chester	Charlestown Township	Unnamed tributary Pickering Creek HQ-TSF
PAI011503105	R. Samuel McMichael Dev. P. O. Box 296 Oxford, PA 19363	Chester	Oxford Borough	Tributary Little Elk Creek HQ-TSF-MF
PAI011503107	East Coventry Township Northern Service Area Phase I—Sanitary Sewer 855 Ellis Woods Road Pottstown, PA 19465	Chester	East Coventry Township	Unnamed tributary Schuylkill River HQ-TSF
PAI010903014	James R. Yourtee Yourtee Subdivision a/k/a Almayer Subdivision 2277 Silver Creek Road Hellertown, PA 18055	Bucks	Springfield Township	Cooks Creek EV
PAI010904016	DMMW, Inc. Lacey's Grill and Pub 4905 Tilghman Street, Suite 250 Allentown, PA 18104	Bucks	Milford Township	Unami Creek HQ-TSF

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

NPDES Permit

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAS10Q251-1	Tiger Den Partners, LLC 171 Route 173, Suite 201 Asbury, NJ 08802	Lehigh	City of Bethlehem	Monocacy Creek HQ-CWF
PAI023903047	Republic Bethlehem, LP 610 W. Germantown Pike Suite 340 Plymouth Meeting, PA 19462-1050	Lehigh	City of Bethlehem	Monocacy Creek HQ-CWF
PAS10S111	Arrowhead Lake Community Association, Inc. HC 88, Box 305 Pocono Lake, PA 18347	Monroe	Coolbaugh and Tobyhanna Townships	Arrowhead Lake Trout Creek HQ-CWF

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

NPDES Permit

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI2034404001	Kerfam, Inc. P. O. Box 43 Milroy, PA 17099	Mifflin	Armagh Township	UNT to Laurel Creek HQ-CWF

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

NPDES Permit

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI045304001	Department of Conservation and Natural Resources P. O. Box 8451 Harrisburg, PA 17105-8451	Potter	Sweden Township	Palmatier Hollow Run HQ-CWF

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges from Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated with Construction Activities (PAR)

PAG-3	General Permit for Discharges of Stormwater from Industrial Activities
PAG-4	General Permit for Discharges from Single Residence Sewage Treatment Plants
PAG-5	General Permit for Discharges from Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Nonexceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	CAFOs
PAG-13	Stormwater Discharges from MS4

General Permit Type—PAG-2

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
Wrightstown Township Bucks County	PAG2000904004	Szarko Builders Minor Subdivision 35 Colonial Drive Newtown, PA 18940-1101	Neshaminy Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Upper Southampton Township Bucks County	PAG2000903182	Thomas and Barbara Christine 1271 East Maple Avenue Langhorne, PA 19047	Mill Creek, Delaware River—Neshaminy Creek CWF—MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Richland Township Bucks County	PAG2000903113	Station Road Associates Lifestyles at Morgan Creek P. O. Box 172 Hellertown, PA 18055	Morgan Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Hilltown Township Bucks County	PAG2000903051	Robert L. Johnson Subdivision 120 Schultz Road Sellersville, PA 18960	Pleasant Spring Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Lower Southampton Township Bucks County	PAG2000903155	Peter Penna Subdivision 400 Ellerslie Avenue Ambler, PA 19002	Neshaminy Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Newtown Township Bucks County	PAG2000904030	Newtown Bucks Co. Jt. Mun. Auth. Stoopville Road Sanitary Sewer and Eagle Road Force Main 15 South Congress Street Newtown, PA 18940	Newtown/Hough Creek TSF-MF-WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Buckingham Township Bucks County	PAG2000904016	Moyer 4059 Skyron Assoc., LLC EMC Corporate Headquarters Exp. 1150 Glenlivet Drive Suite A11 Allentown, PA 18016	North Branch Neshaminy Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
Middletown Township Bucks County	PAG2000904032	LABH, LLC of NJ Additions and Alterations to BAPS 1561 Woodbourne Road Levittown, PA 19057	Queen Anne Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Middletown Township Bucks County	PAG2000904021	Middletown Township Emergency Services Substation 3 Municipal Way Langhorne, PA 19047	Core Creek CWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Hilltown Township Bucks County	PAG2000903183	Kathryn Quirk Cooper/Quirk Earth Dist. Plan 725 Harvest Hill Road Chalfont, PA 18914	Unnamed tributary Neshaminy Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Tinicum Township Bucks County	PAG2000903181	Cornelius Sigety Property 6 Ervin Road Pipersville, PA 18947	Unnamed tributary Tohickon Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Bensalem Township Bucks County	PAG2000904014	Bob Evans Farms, Inc. Bob Evans Restaurant at Hampton Inn Business Park 3776 South Ninth Street Columbus, OH 43207	Poquessing Creek WWF Delaware Estuary WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Highland and West Sadsbury Townships Chester County	PAG2001504041	Harold, Anna Mae, Jennifer and Mervin Engel 47140 Lower Valley Road Atglen, PA 19310	Glen Run TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
West Caln Township Chester County	PAG2001503074	Farpoint Associates, Inc. Ponds View Subdivision 123 Culbertson Run Road Downingtown, PA 19335-1133	Rock Run TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Lower Oxford Township Chester County	PAG2001504016	Wyncote Farms, LP 510 Philadelphia Pike Wilmington, DE 19809	Leech Run TSF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
West Whiteland Township Chester County	PAR10G329-R	Toll Brothers, Inc. Whiteland Woods Subdivision 3103 Philmont Avenue Huntington Valley, PA 19006	Valley Creek West CWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Westtown Township Chester County	PAG2001503100	St. Simon and Jude Church 8 Cavanaugh Court West Chester, PA 19382-7998	Chester Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
West Bradford Township Chester County	PAG2001503112	John and Maggie Madden Residence 102 Turnbray Lane West Chester, PA 19382	East Branch Brandywine Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Easttown Township Chester County	PAG2001504018	Devereux Foundation—Whitlock 139 Leopard Road Berwyn, PA 19312	Unnamed tributary Darby Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900

NOTICES

2365

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
City of Philadelphia Philadelphia County	PAG2015103018	Arthur Ashe Your Tennis and Education 3901 B Main Street Suite 304 Philadelphia, PA 19127	Schuylkill River WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
City of Philadelphia Philadelphia County	PAG2015104003	Division of Aviation City of Philadelphia NE Philadelphia Airport— Taxiway E Philadelphia International Airport—Terminal E Philadelphia, PA 19153	Pennypack Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Hanover Township Northampton County	PAG2004804007	Hindu Temple Society 4200 Airport Rd. Allentown, PA 18102	Catasauqua Creek CWF	Northampton County Conservation District (610) 746-1971
Lenox Township Susquehanna County	PAG2005803007	Glenwood Stone Company, Inc. R. R. 1, Box 1130 Nicholson, PA 18846	Tunkhannock Creek CWF	Susquehanna County Conservation District (570) 278-4600
North Union Township Schuylkill County Black Creek Township Luzerne County	PAG2005404007	Twin County Joint Municipal Authority Frank Schrader, Chairperson P. O. Box 636 Nuremburg, PA 18241	Tomhicken, Raccoon and Catawissa Creeks CWF	Schuylkill County Conservation District (570) 622-3742
City of Reading Berks County	PAG2000604034	Berks Area Reading Transportation Authority 1700 N. 11th Street Reading, PA 19604	Schuylkill River WWF	Berks County Conservation District P. O. Box 520 1238 County Welfare Road Leesport, PA 19533 (610) 372-4657
Maidencreek Township Berks County	PAG2000604033	Digiorgio Mushroom Corporation P. O. Box 96 Temple, PA 19560	Willow Creek CWF	Berks County Conservation District P. O. Box 520 1238 County Welfare Road Leesport, PA 19533 (610) 372-4657
Centre County Ferguson Township	PAG001403026	Aaron Plaza Partners 129 Northland Center State College, PA 16803	UNT Big Hollow Run CWF	Centre County Conservation District 414 Holmes Ave. Suite 4 Bellefonte, PA 16823 (814) 355-6817
Union County Hartley Township	PAG2006004005	Hartley Township Supervisors P. O. Box 128 Laurelton, PA 17835	Laurel Run CWF	Union County Conservation District 88 Bull Run Crossing Suite 5 Lewisburg, PA 17837 (570) 523-8782
Allegheny County Findlay and Robinson Townships	PAR10A578-1	Turnpike Commission P. O. Box 67676 Harrisburg, PA 17106	Enlow Run WWF Montour Run TSF Potato Garden Run WWF St. Patrick Run WWF	Allegheny County Conservation District (412) 241-7645
Allegheny County Shaler Township	PAG2000203126	Richland Properties Ross Professional Bldg. 7805 McKnight Rd. Pittsburgh, PA 15237	Girty's Run WWF	Allegheny County Conservation District (412) 241-7645

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
Allegheny County Coraopolis Borough Moon Township	PAG2000204015	Department of Transportation 45 Thoms Run Road Bridgeville, PA 15017	Ohio River WWF	Allegheny County Conservation District (412) 241-7645
Allegheny County West Mifflin Borough	PAG2000204021	Storage Development Inc. 5879 Center Avenue Pittsburgh, PA 15206	Lewis Run TSF	Allegheny County Conservation District (412) 241-7645
Allegheny County Baldwin Borough	PAG2000204022	Baldwin-Whitehall School District 4900 Curry Rd. Pittsburgh, PA 15236-1817	Streets Run WWF	Allegheny County Conservation District (412) 241-7645
Allegheny County Richland Township	PAG2000204023	Space 4-U 381 Dinnerbell Road Butler, PA 16002	Glade Run WWF	Allegheny County Conservation District (412) 241-7645
Allegheny County West Deer Township	PAG2000204024	Deer Lakes School District P. O. Box 10 17 East Union Road Russellton, PA 15076	Little Deer Creek TSF Deer Creek CWF	Allegheny County Conservation District (412) 241-7645
Allegheny County Robinson, Scott, Collier and South Fayette Townships Bridgeville and Heidelberg Boroughs	PAG2000204025	Department of Transportation 45 Thoms Run Rd. Bridgeville, PA 15017	Chartiers Creek and Campbells Run WWF	Allegheny County Conservation District (412) 241-7645
Allegheny County City of Pittsburgh	PAG2000204026	Pittsburgh Public Schools 1305 Muriel St. Pittsburgh, PA 15203-1513	Allegheny River WWF	Allegheny County Conservation District (412) 241-7645
Allegheny County North Fayette Township	PAG2000204027	Single Source Roofing 1200 McKee Avenue McKees Rocks, PA 15136	Montour Run TSF	Allegheny County Conservation District (412) 241-7645
Beaver County Chippewa Townships	PAG200040400	Pennko Properties, LLC c/o Julian E. Gray 2710 20th St. Ext. Beaver Falls, PA 15010	Unnamed tributary to Brady's Run TSF	Beaver County Conservation District (724) 774-7090
Cambria County Cambria Township	PAG2001104004	Blacklick Valley Municipal Authority P. O. Box 272 Twin Rocks, PA 15960	South Branch Blacklick Creek CWF	Cambria County Conservation District (814) 472-2120
Somerset County Somerset Township	PAG2005604002	Department of Transportation 1620 N. Juniata St. Hollidaysburg, PA 16648	Kimberly Run CWF	Somerset County Conservation District (814) 445-4652
Somerset County Elk Lick Township	PAG2005604004	Salisbury Borough 171 Smith Avenue Salisbury, PA 15558	Unnamed tributary to Meadow Run CWF	Somerset County Conservation District (814) 445-4652
Westmoreland County New Kensington	PAG2006504018	Department of Transportation District 12-0 P. O. Box 459 Uniontown, PA 15401	Pucketa Creek WWF	Westmoreland County Conservation District (724) 837-5271
Butler County Adams Township	PAG2001004003	Breakneck Creek Regional Auth. P. O. Box 1180 Mars, PA 16046	Breakneck Creek WWF	Butler County Conservation District (724) 284-5270

General Permit Type—PAG-3

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
Franklin County Antrim and Montgomery Townships	PAR403501	Mountain View Reclamation 9446 Letzburg Road Greencastle, PA 17225-9317	UNT Conococheague Creek WWF	SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707

General Permit Type—PAG-4

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
Berks County Alsace Township	PAG043718	Larry Hain Property P. O. Box 191 Mohrsville, PA 19541-0191	Bernhart Creek	SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Union Township Erie County	PAG048626	Dale J. and Therese L. Mitchell 9712 Mitchell Road Union City, PA 16438-9764	Unnamed tributary to South Branch French Creek	NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Washington Township Erie County	PAG048952	William J. Frick 5140 Florek Road Edinboro, PA 16412	Torry Run	NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Franklin Township Erie County	PAG048949	Vicky L. Kowalski P. O. Box 176 McKean, PA 16426	Shenango Creek	NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

General Permit Type—PAG-5

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
North Fayette Township Allegheny County	PAG056131	James Schons Excaliber Oil Group Inc. 133 Rt. 30 Imperial, PA 15126	Montour Run	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000

General Permit Type—PAG-8

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Site Name and Location</i>	<i>Contact Office and Telephone No.</i>
North Woodbury Township Blair County	PAG083534	Martinsburg Mun. Auth. WWTP P. O. Box 307 133 E. Allegheny St. Martinsburg, PA 16662-0307		SCRO 909 Elmerton Avenue Harrisburg, PA 17110-8200 (717) 705-4707
Manor Township Lancaster County	PAG083533	Borough of Millersville WWTP 10 Colonial Ave. Millersville, PA 17551		SCRO 909 Elmerton Avenue Harrisburg, PA 17110-8200 (717) 705-4707
Little Britain Township Lancaster County	PAG080004	Philadelphia Water Dept. Biosolids Recycling Center 1101 Market St. Philadelphia, PA 19153	Charlesie Coates Farm	SCRO 909 Elmerton Avenue Harrisburg, PA 17110-8200 (717) 705-4707

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Site Name and Location</i>	<i>Contact Office and Telephone No.</i>
Fulton Township Lancaster County	PAG080004	Philadelphia Water Dept. Biosolids Recycling Center 1101 Market St. Philadelphia, PA 19153	Hannum Farm 1	SCRO 909 Elmerton Avenue Harrisburg, PA 17110-8200 (717) 705-4707
East Drumore Township Lancaster County	PAG080004	Philadelphia Water Dept. Biosolids Recycling Center 1101 Market St. Philadelphia, PA 19153	Elam Lapp Farm	SCRO 909 Elmerton Avenue Harrisburg, PA 17110-8200 (717) 705-4707
Drumore Township Lancaster County	PAG080004	Philadelphia Water Dept. Biosolids Recycling Center 1101 Market St. Philadelphia, PA 19153	Dorothy Testerman Farm	SCRO 909 Elmerton Avenue Harrisburg, PA 17110-8200 (717) 705-4707

General Permit Type—PAG-13

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>	<i>Department Protocol (Y/N)</i>
PAG138330	Summit Township 8900 Old French Road Erie, PA 16509	Erie	Summit Township	Walnut, Mill and Elk Creeks	Y

PUBLIC WATER SUPPLY (PWS) PERMITS

The Department of Environmental Protection has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act.

Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401.

Operations Permit issued to **Buckingham Township**, P. O. Box 413, Buckingham, PA 18912, PWS ID 1090159, Buckingham Township, **Bucks County** on April 12, 2004, for the operation of facilities approved under Construction Permit No. 0903505.

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Operations Permit issued to **Pennsylvania Utility Company**, 234 The Glen, Tamiment, PA 18371, PWS ID 2520070, Lehman Township, **Pike County** on April 7, 2004, for the operation of facilities approved under Construction Permit N/A.

Operations Permit issued to **Del-Aire Mobile Home Park**, 171 Winard Avenue, Sellersville, PA 18960, PWS ID 3480007, Williams Township, **Northampton County** on April 12, 2004, for the operation of facilities approved under Construction Permit No. 4888505.

Operations Permit issued to **Valley Gorge Mobile Home Park**, 316 Susquehanna Street, White Haven, PA 18661, PWS ID 2400126, White Haven Borough, **Luzerne County** on April 14, 2004, for the operation of facilities approved under Construction Permit Minor Amendment issued January 26, 2004.

Operations Permit issued to **Aqua Pennsylvania, Inc.**, 762 West Lancaster Avenue, Bryn Mawr, PA 19010, PWS ID 2400083, Dallas Township, **Luzerne County** on April 14, 2004, for the operation of facilities approved under Construction Permit N/A.

Operations Permit issued to **Bezdecki Family, LLC d/b/a Sutton Springs**, 1823 Sutton Road, Shavertown,

PA 18708, PWS ID 2406272, Jackson Township, **Luzerne County** on April 14, 2004, for the operation of facilities approved under Construction Permit N/A.

Operations Permit issued to **Pennsylvania American Water Co. (Blue Mountain District)**, 4 Wellington Blvd., Wyomissing, PA 19610, PWS ID 3480055, Palmer Township, **Northampton County** on April 15, 2004, for the operation of facilities approved under Construction Permit Emergency Permits 1 and 2.

Operations Permit issued to **Mahoning Manor Estates c/o F. Leon Morgan**, 45 White Birch Lane, Lehighton, PA 18235, PWS ID 3130031, Mahoning Township, **Carbon County** on April 16, 2004, for the operation of facilities approved under Construction Permit No. 1387503 and Minor Amendment.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit No. 0304502, Public Water Supply.

Applicant	Kittanning Suburban Joint Water Authority R. R. 1, Box 32 Adrian, PA 16210-9712
Borough or Township	East Franklin Township
County	Armstrong
Type of Facility	Cowansville Pump Station Chlorine Booster Facilities
Consulting Engineer	Bankson Engineers Inc. 267 Blue Run Road P. O. Box 200 Indianola, PA 15051
Permit to Construct Issued	March 25, 2004

Permit No. 0303502, Public Water Supply.

Applicant	Parker Area Authority P. O. Box 342 Parker City, PA 16049
Borough or Township	Parker City
County	Armstrong
Type of Facility	Water treatment plant upgrade
Consulting Engineer	Paul J. Cornetti, P. E. 225 East Christie Avenue Butler, PA 16001
Permit to Construct Issued	April 5, 2004

Operations Permit issued to **Jennerstown Municipal Authority**, P. O. Box 99, Jennerstown, PA 15547, PWS ID 4560038, Jenner Township, **Somerset County** on March 25, 2004, for the operation of facilities approved under Construction Permit No. 5692505-A1.

Operations Permit issued to **Carrolltown Borough Municipal Authority**, P. O. Box 307, 140 East Carroll Street, Carrolltown, PA 15722, PWS ID 4110004, Carrolltown Borough, **Cambria County** on April 5, 2004, for the operation of facilities approved under Construction Permit No. 1102501.

Operations Permit issued to **Southwestern Pennsylvania Water Authority**, P. O. Box 307, 187, Greene and Washington Streets, Jefferson, PA 15344, PWS ID 5300017, Franklin Township, **Greene County** on April 9, 2004, for the operation of facilities approved under Construction Permit No. 3097501-A1.

Operations Permit issued to **Department of Conservation and Natural Resources, Park Region No. 2**, P. O. Box 387, Prospect, PA 16052-0387, PWS ID 5040376, Hanover Township, **Beaver County** on April 9, 2004, for the operation of facilities approved under Construction Permit No. 0402502.

Permit No. 0486501-T1, Minor Amendment. Public Water Supply.

Applicant	D'Atri, Inc. d/b/a Knob Vue Estates 320 Sunset Drive Baden, PA 15005
Borough or Township	New Sewickley Township
County	Beaver
Type of Facility	Transfer from Knob Vue Estates Mobile Home Park to D'Atri, Inc.
Permit to Operate Issued	April 13, 2004

SEWAGE FACILITIES ACT PLAN DISAPPROVAL

Plan Disapprovals Granted under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20a)

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Walker Township	816 Nittany Valley Dr. Bellefonte, PA 16823	Centre

Plan Description: This plan proposed to construct a sewerage collection system and treatment plant to serve the Village of Hublersburg. The sewage treatment plant would discharge to Little Fishing Creek (HQ, wild trout). The plan was disapproved because it does not meet the requirements of 25 Pa. Code § 71.21 because wetland concerns have not been adequately addressed and implementation of the plan is in question as they have failed to show that their proposed sewage treatment plant will meet the stringent effluent limits required to discharge to a high quality stream. In addition, the plan does not meet the requirements of 25 Pa. Code § 93.4c because all cost effective nondischarge alternatives were not adequately evaluated and a social and economic justification was not submitted as part of the plan.

HAZARDOUS SITES CLEANUP UNDER THE ACT OF OCTOBER 18, 1988

Proposed Consent Order and Agreement

DuPont/New Castle Junk Site, City of New Castle and Union Township, Lawrence County

Under section 1113 of the Hazardous Sites Cleanup Act (HSCA) (35 P. S. § 6020.1113), the Department of Environmental Protection (Department) has entered into a Consent Order and Agreement (Agreement) with D & D Development, L. P. (D & D) concerning the redevelopment of a portion of the DuPont/New Castle Junk Site (Site).

In the past, wastes containing hazardous substances were disposed at the Site and these substances contaminated the environment at the Site. The Department and some of the responsible persons for the Site conducted a response action at the Site between 1992 and 2002. This response action included treatment of wastes and soils contaminated by hazardous substances, followed by placement of a soil cap on one portion of the treated wastes and proper closure of a residual waste landfill on another portion of the Site. Upon completion of the response action, the portion of the Site owned by the Lawrence County Economic Development Corporation (LCEDC) was available for redevelopment.

D & D intends to purchase an approximately 5-acre parcel at the Site from the LCEDC. D & D is not a "responsible party" as defined in section 103 of the HSCA (35 P.S. § 6020.103). However, in recognition of the extensive cleanup efforts at the Site, under the terms of the Agreement, D & D has agreed to redevelop this portion of the Site property in a manner consistent with the completed response action, including not disturbing the wetland area. The redevelopment plan and post-construction maintenance plan shall be submitted for prior Department approval before construction begins.

The specific terms of this settlement are set forth in the Agreement between the Department and D & D. The Department will receive and consider comments relating to the Agreement for 60 days from the date of this notice. The Department has the right to withdraw its consent to the Agreement if the comments disclose facts or considerations that indicate that the Agreement is inappropriate, improper or not in the public interest. After the public comment period, the Department's settlement with D & D shall be effective upon the date that the Department notifies D & D, in writing, that this Agreement is final and effective in its present form and that the Department has filed a response to significant written comments to the Agreement, or that no comments were received.

Copies of the Agreement are available for inspection at the Northwest Regional Office. Comments may be submitted in writing to Gary Mechtly, Project Manager, Hazardous Sites Cleanup, Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335. Further information may be obtained by contacting Gary Mechtly, (814) 332-6648. TDD users should contact the Department through the Pennsylvania Relay Services at (800) 645-5984.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated

substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, shall also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media; benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the Environmental Cleanup Program manager in the Department regional office after which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Former Samuel Miller & Son, Inc. Site. City of Lancaster, Lancaster County. Alternative Environmental Solutions, Inc., 930 Pointview Avenue, Suite B, Ephrata, PA 17522, on behalf of David Selfon, 220 Centerville Road, Lancaster, PA 17601, submitted a Remedial Investigation Report concerning remediation of site soils and groundwater contaminated with chlorinated solvents and other organics. The report is intended to document remediation of the site to the Site-Specific Standard.

Snyder Fruit Farm, Warwick Township, Lancaster County. GemChem, Inc., 53 North Cedar Street, Lititz, PA 17543, on behalf of Carl B. Snyder, 5290B Kissel Hill Road, Lititz, PA 17543, submitted a Final Report concerning remediation of site soils contaminated with diesel fuel. The report was submitted within 90 days of a release and is intended to document remediation of the site to the Statewide Health Standard.

Kutztown University Maintenance Facility, Maxatawny Township, Berks County. Spotts, Stevens and McCoy, Inc., 1047 North Park Road, Reading, PA 19610-0307, on behalf of Kutztown University, Old Main 7, Kutztown, PA 19530, submitted a combined Remediation Investigation and Final Report concerning remediation of site soils and groundwater contaminated with no. 2 fuel oil. The report is intended to document remediation of the site to the Site-Specific and Statewide Health Standards.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of 25 Pa. Code § 250.8, administration of the Land Recycling and Environmental Remediation Standards Act (act), require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by provisions of the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media, benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by provisions of the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the Environmental Cleanup Program manager in the Department regional office before which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Defense Distribution Depot Susquehanna PA, Former Aircraft Maintenance Shop, Fairview Town-

ship, **York County.** Defense Distribution Depot Susquehanna, 2001 Mission Drive, Suite 1, New Cumberland, PA 17070-5002, submitted a combined Remedial Investigation and Risk Assessment Report concerning remediation of site groundwater contaminated with solvents. The combined report was approved by the Department on April 6, 2004.

V & S Sandwich Shop, Wyomissing Borough, Berks County. Alternative Environmental Solutions, Inc., 930 Pointview Avenue, Ephrata, PA 17522, on behalf of David Mogel, 11 State Hill Road, Wyomissing, PA 19610, submitted a combination Remedial Investigation and Final Report concerning remediation of site soils and groundwater contaminated with leaded gasoline. The combined report did not demonstrate attainment of the Site-Specific Standard and was disapproved by the Department on April 12, 2004.

Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Caparo Steel Co. AOC-11, Cities of Farrell and Sharon, Mercer County. Paul Wojciak, P. E., Inv. Management Assoc. LLC, 10925 Perry Hwy., Suite 23, Wexford, PA 15090 (on behalf of Richard A. Herman, Caparo Steel Co., 15 Roemer Blvd., Farrell, PA 16121) has submitted a Final Report concerning the remediation of site soil contaminated with inorganics and lead. The report was approved. The Final Report demonstrated attainment of the Nonresidential Statewide Health Standards and was approved by the Department on April 4, 2004.

OMG Americas, Inc., Sugarcreek Borough, Venango County. Lawrence A. Drane, III, P. G., Civil & Environmental Consultants, Inc. (on behalf of OMG Americas, Inc. Two Mile Run Rd., Franklin, PA 16323) has submitted a Remedial Investigation Report concerning remediation of site soil, groundwater, surface water and sediment contaminated with lead, heavy metals, solvents, BTEX, PHCs and PAHs. The report is intended to document remediation of the site to meet the Site-Specific Standards.

Former Pittsburgh Metals Purifying Site, Clinton Township, Butler County. William G. Wier, P. G., Civil & Env. Consultants Inc., 333 Baldwin Rd., Pittsburgh, PA 15205 (on behalf of Ivy Wood Ind. Works, 161 Deer Creek Rd., Saxonsburg, PA 16056) has submitted a Clean-up Report concerning remediation of site soil contaminated with asbestos. The report is intended to document remediation of the site to meet the Site-Specific Standards.

Redevelopment Authority of the City of Meadville (Former Talon Plant 7 Site), City of Meadville, Crawford County. Mark B. Miller, P. G., Moody & Assoc., 11548 Cotton Rd., Meadville, PA 16335 (on behalf of Andy Walker, Director of Community Development, Redevelopment Authority of the City of Meadville) has submitted a Baseline Environmental Report concerning remediation of site soil contaminated with chlorinated solvents, inorganics and other organics and groundwater contaminated with chlorinated solvents, inorganics, lead and other organics. The report is intended to document remediation of the site to meet the Special Industrial Standards area requirements.

**OPERATE WASTE PROCESSING OR DISPOSAL
AREA OR SITE**

Permits Issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and regulations to operate solid waste processing or disposal area or site.

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401.

Permit No. 400593. America Ref-Fuel Company of Delaware Valley, L. P., 10 Highland Avenue, Chester, PA, City of Chester, **Delaware County**. This amended waste management permit is to bring the American Ref-Fuel Company of Delaware Valley, L. P. into compliance with the radiation protection action plan requirement. The permit was issued by the Southeast Regional Office on April 14, 2004.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Ronald Davis, New Source Review Chief, (717) 705-4702.

GP1-06-03084: County of Berks (633 Court Street, 16th Floor, Reading, PA 19601) on April 15, 2004, for small gas and no. 2 oil fired combustion units under GP1 in the City of Reading, **Berks County**.

GP1-38-03021: CHP Acquisition, LLC—College Hill Poultry (P. O. Box 10, North Pine Grove Street, Fredericksburg, PA 17026) on April 19, 2004, for small gas and no. 2 oil fired combustion units under GP1 in Bethel Township, **Lebanon County**.

GP3-28-03040: Valley Quarries, Inc. (P. O. Box J, Chambersburg, PA 17201) on April 13, 2004, for portable nonmetallic mineral processing plants under GP3 in Guilford Township, **Franklin County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; William Charlton, New Source Review Chief, (412) 442-4174.

GP3-56-00081: New Enterprise Stone and Lime Co., Inc. (P. O. Box 77, New Enterprise, PA 16664) on April 12, 2004, (BAQ-PGPA/GP-3) to operate a portable nonmetallic mineral processing plant with a crusher, screen and seven conveyors in the Town of New Enterprise, **Somerset County**.

Plan Approvals Issued under the Air Pollution Control Act and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401; Thomas McGinley, New Source Review Chief, (484) 250-5920.

15-0091: McAvoy Vitriified Brick Co. (75 McAvoy Lane, Phoenixville, PA 19460) on April 13, 2004, for operation of a brick kiln in Schuylkill Township, **Chester County**.

15-0078B: Centocor Inc. (90 Great Valley Parkway, Malvern, PA 19355) on April 14, 2004, for operation of two natural gas fired boilers in East Whiteland Township, **Chester County**.

09-0128A: East Coast Sign Ad (5058 Route 13 North, Bristol, PA 19007) on April 19, 2004, to operate a three paint spray booth in Bristol Township, **Bucks County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Mark Wejkszner, New Source Review Chief, (570) 826-2531.

66-315-044: The Procter and Gamble Paper Products Co. (P. O. Box 32, Route 87 South, Mehoopany, PA 18629) on April 15, 2004, to modify the 1M paper machine hot air distribution system and converting line and the associated air cleaning device at their facility in Washington Township, **Wyoming County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Ronald Davis, New Source Review Chief, (717) 705-4702.

06-05037E: McConway and Torley Corp. (109 48th Street, Pittsburgh, PA 15201) on April 13, 2004, to install a fabric filter control device at their Kutztown Foundry in Kutztown Borough, **Berks County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; William Charlton, New Source Review Chief, (412) 442-4174.

63-00014F: Reliant Resources, Inc.—Orion Power MidWest (121 Champion Way, Suite 200, Canonsburg, PA 15317) on April 9, 2004, authorized to use a selective noncatalytic reduction system on unit no. 4 at Elrama Power Plant in Union Township, **Washington County**.

65-00630A: Mine Safety Appliances Co. (P. O. Box 428, 3880 Meadowbrook Road, Pittsburgh, PA 15230) on April 20, 2004, to install ACH Manufacturing at their Murrysville Plant in Murrysville, **Westmoreland County**.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104; Edward Braun, Chief, (215) 823-7584.

AMS 02212: Joseph P. Ryerson and Sons, Inc. (5200 Grays Ferry Avenue, Philadelphia, PA) to install a propane plasma flame cutting machine and 16 1.88 mmBtu/hr area heaters in Philadelphia, **Philadelphia County**.

AMS 04054: Brandenburg Industrial Services Co. (1905 East Fourth Street, Bethlehem, PA 18015) to install a portable concrete crusher at 3501 South Broad Street, Philadelphia, **Philadelphia County**.

AMS 04059: JPC Group Inc. (2034 South 13th Street, Philadelphia, PA 19148) to install one portable concrete crusher temporarily at Morris and 31st Street in Philadelphia, **Philadelphia County**.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401; Thomas McGinley, New Source Review Chief, (484) 250-5920.

46-0018C: Brown Printing Co. (668 Gravel Pike, East Greenville, PA 18041) on April 13, 2004, to operate a lithographic printing press in Upper Hanover Township, **Montgomery County**.

09-0087B: Air Products and Chemicals, Inc. (351 Philadelphia Avenue, Morrisville, PA 19067) on April 15, 2004, to operate a SiF4 process scrubber in Falls Township, **Bucks County**.

46-0031B: SmithKline Beecham d/b/a Glaxo SmithKline (1250 South Collegeville Road, Collegeville, PA 19426) on April 15, 2004, to operate a 2 mW no. 2 fuel oil-fired generators in Upper Providence Township, **Montgomery County**.

15-0060B: SECCRA LDFL (P. O. Box 221, Kennett Square, PA 19348) on April 15, 2004, to operate a landfill gas open flare in London Grove Township, **Chester County**.

23-0074: GS Roofing Product Co., Inc. (800 West Front Street, Chester, PA 19013) on April 15, 2004, to operate a thermal oxidizer in City of Chester, **Delaware County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; David Aldenderfer, Program Manager, (570) 327-3637.

60-399-002: Ritz-Craft Corporation (15 Industrial Park Road, Mifflinburg, PA 17844) on April 9, 2004, to operate two mobile/modular home assembly plants and a surface coating operation on a temporary basis, to August 7, 2004, in Mifflinburg Borough, **Union County**. The plan approval has been extended.

Title V Operating Permits Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Eric Gustafson, Facilities Permitting Chief, (814) 332-6940.

16-00010: Owens-Brockway Glass Container, Inc.—Plant No. 17 (151 Grand Avenue, Clarion, PA 16214) on April 13, 2004, to reissue a Title V Permit to operate a glass containers manufacturing facility in Clarion Borough, **Clarion County**.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Ronald Davis, New Source Review Chief, (717) 705-4702.

06-05047: Bradley Specialties Corp. (P. O. Box 436, Feick Industrial Drive, Shartlesville, PA 19554) on April 13, 2004, to operate fiberglass fabricating and surface coating operations controlled by dry filters in Upper Bern Township, **Berks County**.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 Water Quality Certification and the NPDES permit application. Mining activity permits issued in response to the applications will also address the application permitting requirements of the following statutes: the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

Coal Permit Actions

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454, (570) 621-3118.

54773006C6. Reading Anthracite Company (P. O. Box 1200, Pottsville, PA 17901), correction to an existing anthracite surface mine operation to include biosolids as a soil amendment for mine reclamation in Cass, Foster and New Castle Townships, **Schuylkill County**, affecting 3,500.0 acres. Receiving streams: None. Application received January 28, 2002. Correction issued April 13, 2004.

49773204C2. Gilberton Coal Company (10 Gilberton Road, Gilberton, PA 17934), correction to an existing coal refuse reprocessing and anthracite surface mine operation to include biosolids as a soil amendment for mine reclamation in Mt. Carmel, Conyngham and Butler Townships, **Northumberland, Columbia and Schuylkill Counties**, affecting 958.0 acres. Receiving streams: None. Application received January 28, 2002. Correction issued April 13, 2004.

54030202. Michael Coal Company (P. O. Box 11, Tremont, PA 17981), commencement, operation and restoration of a coal refuse reprocessing operation in Reilly Township, **Schuylkill County**, affecting 70.6 acres. Receiving streams: None. Application received October 15, 2003. Permit issued April 14, 2004.

California District Mining Office: 25 Technology Drive, California Technology Park, Coal Center, PA 15423, (724) 769-1100.

10743701. NPDES Permit No. PA0215635, Pristine Resources, Inc. (3250 Interstate Drive, Richfield, OH 44286), to transfer the permit for the Fawn Mine No. 91 CRD in Clinton Township, **Butler County**, from Beth Energy Mines, Inc. No additional discharges. Permit issued April 14, 2004.

30841312. NPDES Permit No. PA0013790, Consolidation Coal Company (1 Bridge Street, Monogah, WV 26554), to revise the permit for the Blacksville Mine No. 2 in Wayne Township, **Greene County**, to install 34 degasification boreholes. Surface Acres Proposed 17.0. No additional discharges. Permit issued April 14, 2004.

30810703. NPDES Permit No. PA0092894, Consol Pennsylvania Coal Company (1800 Washington Road, Pittsburgh, PA 15241-1421), to renew the permit the

Bailey Central Mine Complex Refuse Disposal Areas 1 and 2 in Richhill Township, **Greene County** and related NPDES permit. No additional discharges. Permit issued April 15, 2004.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

56980103 and NPDES Permit No. PA0234699. Godin Brothers, Inc. (128 Colton Drive, Stoystown, PA 15563), permit revision to include auger mining in Jenner and Lincoln Townships, **Somerset County**, affecting 133.5 acres. Receiving streams: unnamed tributaries to Quemahoning Creek (CWF). The first downstream potable water supply intake from the point of discharge is Cambria Somerset Authority Quemahoning Surface Water Intake. Application received November 12, 2003. Permit issued April 9, 2004.

56823033 and NPDES Permit No. PA0607541. Croner, Inc. (P. O. Box 260, Friedens, PA 15541), permit renewal for continued operation of a bituminous surface, auger and limestone removal mine in Brothersvalley Township, **Somerset County**, affecting 126.6 acres. Receiving streams: unnamed tributary to Bluelick Creek and Swamp Creek, Swamp Creek, Bluelick Creek (CWF). There are no potable water supply intakes within 10 miles downstream. Application received September 18, 2003. Permit issued April 14, 2004.

Greensburg District Mining Office: Armbrust Building, R. R. 2 Box 603-C, Greensburg, PA 15601-0982, (724) 925-5500.

26990103 and NPDES Permit No. PA0202576. Amerikohl Mining, Inc. (P. O. Box 427, Acme, PA 15610), permit renewed for reclamation only of an existing bituminous surface mine in Springfield Township, **Fayette County**, affecting 58 acres. Receiving streams: unnamed tributary to Poplar Run and Poplar Run. Application received March 10, 2004. Reclamation only renewal issued April 12, 2004.

65030101 and NPDES Permit No. 0250368. Amerikohl Mining, Inc. (P. O. Box 427, Acme, PA 15610), permit issued for commencement, operation and reclamation of a bituminous surface mine in Ligonier Township, **Westmoreland County**, affecting 239.6 acres. Receiving streams: unnamed tributaries to Loyalhanna Creek. Application received March 19, 2003. Permit issued April 13, 2004.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200.

17020116 and NPDES Permit No. PA0243400. Hepburnia Coal Company (P. O. Box I, Grampian, PA 16838), commencement, operation and restoration of a bituminous surface mine-auger permit in Bell Township, Mahaffey Borough, **Clearfield County**, affecting 67 acres. Receiving streams: Chest Creek and unnamed tributaries to Chest Creek. Application received October 24, 2002. Permit issued April 8, 2004.

Noncoal Permit Actions

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454, (570) 621-3118.

58030831. Joseph J. Paolucci (R. R. 1 Box 87, New Milford, PA 18834), commencement, operation and restoration of a quarry operation in Harford Township, **Susquehanna County**, affecting 5.0 acres. Receiving streams: tributary to Leslie Creek. Application received December 1, 2003. Permit issued April 13, 2004.

ABANDONED MINE RECLAMATION

Cambria Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, (814) 472-1800.

Bond Forfeiture	BF 463-101.1
Contract Awarded	
Location	Chest Township, Clearfield County
Description	Abandoned Mine Land Reclamation Avery Coal Company, Inc.
Contractor	J & J Snyder, Inc. Mayport, PA
Amount	\$52,337.50
Date of Award	April 15, 2003
Bond Forfeiture	BF 484-102.1
Contract Awarded	
Location	Hempfield Township, Westmoreland County
Description	Abandoned Mine Land Reclamation
Contractor	Utilities Forestry Services, Inc. Clearfield, PA
Amount	\$180,745.50
Date of Award	April 19, 2004

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 (73 P.S. §§ 151–161) and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454, (570) 621-3118.

21044012. Hall Explosives, Inc. (2981 Elizabethtown Road, Hershey, PA 17033), construction blasting at Brook Meadow in Silver Spring Township, **Cumberland County**, with an expiration date of March 31, 2005. Permit issued April 6, 2004.

15044010. Explo-Craft, Inc. (P. O. Box 1332, West Chester, PA 19380), construction blasting at St. Basil Church Sanitary Sewer Line in East Pikeland Township, **Chester County**, with an expiration date of April 26, 2005. Permit issued April 6, 2004.

22044006. J. Roy's, Inc. (Box 125, Bowmansville, PA 17507), construction blasting at Apple Creek Farms in Susquehanna Township, **Dauphin County**, with an expiration date of December 31, 2005. Permit issued April 6, 2004.

21044013. J. Roy's, Inc. (Box 125, Bowmansville, PA 17507), construction blasting at Golden Triangle in Silver Springs Township, **Cumberland County**, with an expiration date of March 31, 2005. Permit issued April 6, 2004.

06044013. J. Roy's, Inc. (Box 125, Bowmansville, PA 17507), construction blasting at Rockledge in Ontelaunee Township, **Berks County**, with an expiration date of December 31, 2005. Permit issued April 7, 2004.

36044025. J. Roy's, Inc. (Box 125, Bowmansville, PA 17507), construction blasting at Running Park Business

Center in Hempfield Township, **Lancaster County**, with an expiration date of December 31, 2005. Permit issued April 7, 2004.

21044014. J. Roy's, Inc. (Box 125, Bowmansville, PA 17507), construction blasting at Woods Drive Industrial Park in Silver Spring Township, **Cumberland County**, with an expiration date of March 31, 2005. Permit issued April 7, 2004.

36044027. Keystone Blasting Service (381 Reifsnyder Road, Lititz, PA 17543), construction blasting at John Stoltzfus, 233 Peters Road in Earl Township, **Lancaster County**, with an expiration date of July 29, 2004. Permit issued April 7, 2004.

21044015. R & M Excavating (403 Hilltop Road, Newburg, PA 17240), construction blasting at Brian Franklin Basement in West Pennsboro Township, **Cumberland County**, with an expiration date of July 31, 2004. Permit issued April 7, 2004.

45044016. Austin Powder Company (P. O. Box 289, Northampton, PA 18067), construction blasting at Aventis Pasteur Parking Lot and Building Addition in Pocono Township, **Monroe County**, with an expiration date of May 1, 2005. Permit issued April 7, 2004.

45044017. Explosive Services, Inc. (7 Pine Street, Bethany, PA 18431), construction blasting at Alpine Lake in Pocono Township, **Monroe County**, with an expiration date of March 20, 2005. Permit issued April 7, 2004.

45044018. Explosive Services, Inc. (7 Pine Street, Bethany, PA 18431), construction blasting at Blue Mountain Lake—Marsh Road in Stroud Township, **Monroe County**, with an expiration date of March 22, 2005. Permit issued April 7, 2004.

21044016. Hall Explosives, Inc. (2981 Elizabethtown Road, Hershey, PA 17033), construction blasting at Rolling Green Memorial Garden in Lower Allen Township, **Cumberland County**, with an expiration date of April 30, 2006. Permit issued April 7, 2004.

52044003. Holbert Explosives, Inc. (237 Masthope Plank Road, Lackawaxen, PA 18435), construction blasting in Lackawaxen Township, **Pike County**, with an expiration date of November 7, 2004. Permit issued April 7, 2004.

67044016. Hall Explosives, Inc. (2981 Elizabethtown Road, Hershey, PA 17033), construction blasting at Ruters Store in Newberry Township, **York County**, with an expiration date of April 30, 2005. Permit issued April 7, 2004.

09044007. Eastern Blasting Company, Inc. (1292 Street Road, New Hope, PA 18938), construction blasting at Summerhill in Doylestown Township, **Bucks County**, with an expiration date of May 30, 2004. Permit issued April 8, 2004.

21044017. Hall Explosives, Inc. (2981 Elizabethtown Road, Hershey, PA 17033), construction blasting in North Middleton Township, **Cumberland County**, with an expiration date of April 30, 2005. Permit issued April 8, 2004.

45044019. Austin Powder Company (P. O. Box 289, Northampton, PA 18067), construction blasting at Sullivan Trail Junior High School in Tobyhanna Township, **Monroe County**, with an expiration date of May 6, 2005. Permit issued April 8, 2004.

35044004. Hayduk Enterprises (P. O. Box 554, Dalton, PA 18414), construction blasting at Stephen Hrobuchak Project in North Abington Township,

Lackawanna County, with an expiration date of March 25, 2005. Permit issued April 8, 2004.

67044017. Hall Explosives, Inc. (2981 Elizabethtown Road, Hershey, PA 17033), construction blasting for sanitary sewer trenches and a pump station on East Springfield Road, Springfield Township, **York County**, with an expiration date of April 30, 2005. Permit issued April 8, 2004.

15044011. Allan A. Myers, Inc. (P. O. Box 98, Worcester, PA 19490), construction blasting for Town Square Plaza commercial site in North Coventry Township, **Chester County**, with an expiration date of April 5, 2005. Permit issued April 8, 2004.

15044012. Keystone Blasting Service (381 Reifsnyder Road, Lititz, PA 17543), construction blasting for the Schiffe Publishing Warehouse in Sadsbury Township, **Chester County**, with an expiration date of April 5, 2005. Permit issued April 8, 2004.

67044019. J. Roy's, Inc. (Box 125, Bowmansville, PA 17507), construction blasting for the Summer Glenn Development in New Freedom Borough, **York County**, with an expiration date of April 30, 2005. Permit issued April 9, 2004.

67044018. Keystone Blasting Service (381 Reifsnyder Road, Lititz, PA 17543), construction blasting for Stone Gate Commons Development in Conewago Township, **York County**, with an expiration date of April 30, 2005. Permit issued April 9, 2004.

28044014. Fayetteville Contractors, Inc. (P. O. Box FCI, Fayetteville, PA 17222), construction blasting at Hawkstone Development in Washington Township, **Franklin County**, with an expiration date of April 30, 2005. Permit issued April 9, 2004.

28044015. David H. Martin, Inc. (4961 Cumberland Highway, Chambersburg, PA 17201), construction blasting at CCX Service Center in Antrim Township, **Franklin County**, with an expiration date of April 30, 2005. Permit issued April 9, 2004.

28044016. David H. Martin, Inc. (4961 Cumberland Highway, Chambersburg, PA 17201), construction blasting at Route 11 South Corridor in the Borough of Chambersburg, **Franklin County**, with an expiration date of April 30, 2005. Permit issued April 9, 2004.

45044020. Explosive Services, Inc. (7 Pine Street, Bethany, PA 18431), construction blasting at Leisure Lands Development in Middle Smithfield Township, **Monroe County**, with an expiration date of March 29, 2005. Permit issued April 9, 2004.

22044008. Follmer Excavating, Inc. (6 Summer Drive, Dillsburg, PA 17019) and **John W. Gleim, Jr., Inc.** (625 Hamilton Street, Carlisle, PA 17013), construction blasting at Bradford Estates in West Hanover Township, **Dauphin County**, with an expiration date of November 7, 2004. Permit issued April 14, 2004.

67044020. Allan A. Myers, L. P. (P. O. Box 98, Worcester, PA 19490), construction blasting at West Shore Wastewater Treatment Plant in Fairview Township, **York County**, with an expiration date of April 30, 2005. Permit issued April 14, 2004.

21044018. Brubacher Excavating, Inc. (P. O. Box 528, 825 Reading Road, Bowmansville, PA 17507), construction blasting at Carlisle Regional Medical Center in South Middleton Township, **Cumberland County**, with an expiration date of April 30, 2005. Permit issued April 14, 2004.

44044001. Wampum Hardware Company (R. D. 1, Box 112C, Shelocta, PA 15774), construction blasting at Walsh Construction—Rt. 322 the Narrows in Derry and Fermanagh Townships, **Mifflin and Juniata Counties**, with an expiration date of April 30, 2009. Permit issued April 15, 2004.

23044002. Explo-Craft, Inc. (P. O. Box 1332, West Chester, PA 19380), construction blasting at Media Real Estate Office Building in Middletown Township, **Delaware County**, with an expiration date of May 7, 2005. Permit issued April 15, 2004.

22044007. Hall Explosives, Inc. (2981 Elizabethtown Road, Hershey, PA 17033), construction blasting at Winslett Development in West Hanover Township, **Dauphin County**, with an expiration date of May 7, 2005. Permit issued April 15, 2004.

39044004. MF Ronca & Sons (179 Mikron Road, Bethlehem, PA 18020) and **Bernard J. Hasara** (1125 East Mahanoy Avenue, Mahanoy City, PA 17948), construction blasting at Northampton Water Treatment Plant in North Whitehall Township, **Lehigh County**, with an expiration date of May 5, 2005. Permit issued April 15, 2004.

09044008. Allan A. Myers, L. P. (P. O. Box 98, Worcester, PA 19490), construction blasting at Ann's Choice Housing Development in Warminster Township, **Bucks County**, with an expiration date of May 12, 2005. Permit issued April 15, 2004.

39044001. Allan A. Myers, L. P. (P. O. Box 98, Worcester, PA 19490), construction blasting at Kia Motors Automobile Warehouse in Upper Macungie Township, **Lehigh County**, with an expiration date of May 13, 2005. Permit issued April 15, 2004.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

29044001. P & W Excavating, Inc. (P. O. Box 712, McConnellsburg, PA 17233), blasting activity permit issued for housing development in Todd Township, **Fulton County**. Duration of blasting approximately 5 years. Permit issued April 12, 2004.

Greensburg District Mining Office: Armbrust Building, R. R. 2 Box 603-C, Greensburg, PA 15601-0982, (724) 925-5500.

65044001. Penn Development Services LLP (P. O. Box 110, Uniontown, PA 15401), blasting for construction at C. Harper Development in Rostraver Township, **Westmoreland County**, with an expected duration of 1 year. Blasting permit issued April 13, 2004.

26044003. Penn Development Services LLP (P. O. Box 110, Uniontown, PA 15401), blasting for construction at Gus Palmer Development in North Union Township, **Fayette County**, with an expected duration of 1 year. Blasting permit issued April 13, 2004.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board

within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and The Clean Streams Law (35 §§ 691.1—691.702) and Notice of Final Action for Certification under section 401 of the FWPCA (33 U.S.C.A. § 1341).

Permits, Environmental Assessments and 401 Water Quality Certifications Issued

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

E39-427. Tiger Den Partners, LLC, 171 Route 173, Suite 201, Asbury, NJ 08802, City of Bethlehem, **Lehigh County**, Army Corps of Engineers Philadelphia District, Subbasin 2-C.

To construct and maintain an outfall structure in the floodway of a tributary to Monacacy Creek (HQ-CWF), consisting of a 36-inch diameter RCP with a concrete endwall and apron and a 75-foot long by 36-foot wide outfall channel lined with interlocking concrete pavers. The tributary receives intermittent flow. The project is immediately northwest of the SR 8024 (8th Street) and SR 0378 interchange (Catasauqua, PA Quadrangle N: 0.7 inch; W: 3.1 inches). The project proposes to directly affect 0.06 acre of floodway.

E64-238. Luke Wenk, R. R. 2, Box 2774, Mount Pleasant, PA 18439, Mount Pleasant Township, **Wayne County**, Army Corps of Engineers Philadelphia District.

To maintain fill that was placed in 0.20 acre of PFO wetlands in the drainage basin of Equinunk Creek for the purpose of expanding an existing wood shop. The permittee is required to provide 0.40 acre of replacement wetlands. The project is along the west side of SR 0247, approximately 1,000 feet south of the Preston Township/Mount Pleasant Township boundary (Lake Como, PA-NY Quadrangle N: 8.0 inches; W: 12.8 inches) (Subbasin: 1A).

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

E07-379: Hollidaysburg American Legion Post 516, 816 Allegheny Street, Hollidaysburg, PA 16648 in Hollidaysburg Borough, **Blair County**, ACOE Baltimore District.

To build a 72-foot by 60-foot pavilion with associated fill material for a concrete floor to match the elevation of the existing hearth chimneys found within the left floodway of the Beaverdam Branch (TSF) at the site of the former American Legion "Starroom" aside of Memorial Park within Hollidaysburg Borough, Blair County (Hollidaysburg, PA Quadrangle N: 10.3 inches, W: 4.3 inches).

E28-299: Dominion Transmission, Inc., 445 W. Main Street, Clarksburg, WV 26301 in Franklin and Washington Townships, **Franklin County**, ACOE Baltimore District.

To operate and maintain approximately 42 miles of an existing 30-inch natural gas pipeline starting near Concord Narrows (Blairs Mills, PA Quadrangle N: 1.7 inches; W: 10.6 inches) in Fannett Township, Franklin County and ends near Rocky Forge (Smithburg, PA Quadrangle N: 17.4 inches; W: 16.2 inches) in Washington Township, Franklin County. The existing pipeline crosses the following resources: Narrows Branch Tuscarora Creek (CWF), 5

unnamed tributaries to the Narrows Branch Tuscarora Creek (CWF), Burns Creek (CWF), Doylestown Stream (CWF), Dry Run (CWF, MF), 8 unnamed tributaries to Dry Run (CWF, MF), West Branch Conococheague Creek (CWF, MF), 5 unnamed tributaries to West Branch Conococheague Creek (CWF, MF), Conodoguinet Creek (HQ-CWF), 3 unnamed tributaries to the Conodoguinet Creek (HQ-CWF), 12 unnamed tributaries to Dennis Creek (CWF), Marshall Hollow (CWF), Wilson Run (TSF), Back Creek (TSF), 4 unnamed tributaries to Back Creek (TSF), Conococheague Creek (WWF), 6 unnamed tributaries to Conococheague Creek (WWF), Muddy Run (HQ-CWF), 2 unnamed tributaries to Muddy Run (HQ-CWF), Marsh Run (WWF), 4 unnamed tributaries to the West Branch Antietam Creek (CWF) and 3 wetland (palustrine forested) crossings in the Doylestown Stream, Dennis Creek and Wilson Run Watersheds.

E01-243: Department of Transportation, District 8-0, 2140 Herr Street, Harrisburg, PA 17103 in Bonneauville Borough and Mount Pleasant Township, **Adams County**, ACOE Baltimore District.

To remove the existing bridge and to construct and maintain a 13.45-foot by 4.33-foot box culvert on a 48° skew at the channel of Chicken Run (WWF) on SR 0116, Section 014, Segment 0330, Offset 0975, about 2.7 miles from its intersection with U. S. 15 (Gettysburg, PA Quadrangle N: 11.7 inches; W: 3.45 inches) in Bonneauville Borough and Mount Pleasant Township, Adams County.

E67-758: Department of Transportation, District 8-0, 2140 Herr Street, Harrisburg, PA 17103 in Chanceford Township, **York County**, ACOE Baltimore District.

To remove the existing three-span bridge and then to construct and maintain: (1) a single span bridge with a clear span of 57.6 feet on a 70 degree skew with a minimum underclearance of 7.48 feet across Otter Creek (CWF); (2) regrade and provide revetment for a length of 143 feet at the channel of an unnamed tributary to Otter Creek; (3) relocate a 100-foot long channel of the same unnamed tributary; (4) a 68-inch by 43-inch reinforced concrete squash pipe at the relocated channel; and (5) stream bank protection at the left bank of Otter Creek. All works are for the improvement of the alignment of SR 2041, Section 001, Segment 0080, Offset 1896 about 1.2 miles southwest of the Village of Shenks Ferry (Safe Harbor, PA Quadrangle N: 3.31 inches; W: 4.72 inches) in Chanceford Township, York County.

E07-380: Hollidaysburg Sewer Authority, 401 Blair Street, Hollidaysburg, PA 16648 in Hollidaysburg Borough and Blair and Allegheny Townships, **Blair County**, ACOE Baltimore District.

To construct and maintain: (1) a 68-foot by 24-inch sanitary sewer crossing of Beaverdam Branch (TSF) (Hollidaysburg, PA Quadrangle N: 9.1 inches; W: 2.7 inches); (2) an 85-foot by 24-inch sanitary sewer crossing of Beaverdam Branch (Hollidaysburg, PA Quadrangle N: 9.9 inches; W: 3.5 inches); (3) a 21-foot by 18-inch sanitary sewer crossing of an unnamed tributary to Beaverdam Branch (WWF) (Hollidaysburg, PA Quadrangle N: 10.3 inches; W: 3.9 inches); (4) a 30-foot by 18-inch sanitary sewer crossing of an unnamed tributary to Beaverdam Branch (Hollidaysburg, PA Quadrangle N: 10.7 inches; W: 4.3 inches); (5) a 4-foot by 18-inch sanitary sewer crossing of an unnamed tributary to Beaverdam Branch (Hollidaysburg, PA Quadrangle N: 10.8 inches; W: 4.9 inches); (6) a 45-foot by 18-inch sanitary sewer crossing of an unnamed tributary to

Beaverdam Branch (Hollidaysburg, PA Quadrangle N: 10.7 inches; W: 5.0 inches); (7) 0.28 acre of temporary PFO wetland impacts for four separate 20-foot wide sanitary sewer wetland crossings (Hollidaysburg, PA Quadrangle N: 10.2 inches; W: 3.8 inches, N: 10.4 inches; W: 4.0 inches, N: 10.8 inches; W: 4.9 inches, N: 10.8 inches; W: 4.5 inches); (8) a 15-inch storm sewer outfall with an 8-foot by 12-foot riprap apron in Beaverdam Branch (Hollidaysburg, PA Quadrangle N: 10.1 inches; W: 3.6 inches); and (9) 0.002 acre of permanent PFO wetland impact for a 15-inch outfall with an 8-foot by 12-foot riprap apron (Hollidaysburg, PA Quadrangle N: 10.4 inches; W: 3.8 inches) all for the purpose of upgrading the Legion Park Interceptor in Hollidaysburg Borough and Blair and Allegheny Townships, Blair County. The project proposes to directly impact 265 linear feet of stream channel, temporarily impact 0.28 acre of PFO wetlands and permanently impact 0.002 acre of PFO wetlands. The amount of permanent wetland impact is considered a de minimis impact and wetland mitigation is not required.

E36-776: Robert Navitski, P. E., Office of the County Engineer, 50 North Duke Street, 7th Floor, Lancaster, PA 17608 in Ephrata Township, **Lancaster County**, ACOE Baltimore District.

To remove a deteriorated single-span reinforced concrete through girder bridge and install and maintain a dual 32-foot span concrete arch bridge carrying Royer Road (T-648) over Cocalico Creek (WWF) at a point approximately 2,250 feet northwest of Rothsville Road (Ephrata, PA Quadrangle N: 8.0 inches; W: 13.0 inches) in Ephrata Township, Lancaster County.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701, (570) 327-3636.

E19-241. Mark B. Whalen, 1512 SR 239, Apt. 2, Stillwater, PA 17878. Culvert maintenance in Benton Township, **Columbia County**, ACOE Baltimore District (Stillwater, PA Quadrangle N: 18.22 inches; W: 9.55 inches).

To construct and maintain a 6-foot diameter by 30-foot long CMP private driveway culvert depressed 1 foot in the stream bottom of the West Branch Ash Creek (CWF) on the east side of County Line Road (T-806) about 3,000 feet north of the intersection of County Line Road (T-806) with T-711 in Benton Township, Columbia County. The project will not impact wetlands while impacting approximately 40 feet of waterway and 250 square feet of disturbed earth. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E59-451. Department of Conservation and Natural Resources, Rachel Carson State Office Building, P. O. Box 8451, Harrisburg, PA 17105. Mine Hole Road over Mine Hole Run in Morris Township, **Tioga County**, ACOE Baltimore District (Cedar Run, PA Quadrangle N: 10.1 inches; W: 11.5 inches).

To remove the existing steel I-beam bridge structure in its entirety and to construct, operate and maintain a precast reinforced concrete arch with a span of 24 feet and a rise of 8 feet with a length of 86 linear feet. The structure shall have a 10° bend in the alignment 20 feet downstream from the inlet to allow for the natural stream channel meander. The structure is intended to be placed 56 feet upstream of the existing structure's inlet. The permit also authorizes a 65 linear foot retaining wall. The retaining wall will extend from the inlet of the arch

along the left floodplain at the toe of existing slope. This permit authorizes .023 acre of temporary wetland impacts and .01 acre of permanent wetland impacts. The permit also authorizes two temporary stream crossings and one stream diversion during construction. Each temporary stream crossing will be constructed of three 36-inch diameter corrugated metal culvert pipes with clean rock fill for the working surface. Public travel is not authorized for these crossings. They are authorized as work only accesses. All temporary accesses are authorized to have class 4, type A geotextile placed beneath the wearing surface. The stream diversion will be constructed of precast concrete barriers and will allow the project to be constructed in the dry.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02-1447. Department of Transportation, Engineering District 11-0, 45 Thoms Run Road, Bridgeville, PA 15017-2853. Steuben Street Connector Bridge in the City of Pittsburgh, **Allegheny County**, Pittsburgh ACOE District (Pittsburgh West, PA Quadrangle: Project begins at N: 12.5 inches; and W: 4.2 inches—Latitude: 40° 26' 38" and Longitude: 80° 1' 50"; Project ends at N: 12.0 inches; W: 4.5 inches—Latitude: 40° 26' 27" and Longitude: 80° 1' 56"). To remove the existing structures and to construct and maintain the new Steuben Street Connector Bridge, consisting of a single span beam bridge with a clear span of approximately 91 feet and a minimum underclearance of approximately 20.4 feet; to construct and maintain a replacement south Main Street Bridge, consisting of a single span beam bridge with a clear span of approximately 48 feet and a minimum underclearance of approximately 17.1 feet; to construct and maintain a retaining wall approximately 220 feet long along the right bank; to modify and maintain the existing Ramp A culvert consisting of a 70-foot long concrete arch culvert having a span of approximately 52 feet and an underclearance of 29 feet; to construct and maintain two temporary stream crossings; to construct and maintain various stormwater outfalls; and to operate and maintain the existing concrete arch culvert having a span of 35 feet and an underclearance of 22 feet for a distance of 425 feet, under West Carson Street. All of these structures are in, along or across Saw Mill Run (WWF). The work is part of the proposed West End Bridge and ends near the intersection of the West End By Pass and Shaler Street.

E04-301. Department of Transportation, Engineering District 11-0, 45 Thoms Run Road, Bridgeville, PA 15017-2853. SR 4003, Section B01 Bridge Replacement in Big Beaver Borough, **Beaver County**, Pittsburgh ACOE District (New Galilee, PA Quadrangle: N: 17.1 inches; W: 1.7 inches) (Latitude: 40° 50' 39" and Longitude: 80° 23' 14"). To replace the existing bridge with a 29-foot long, 18.0-foot by 5.0-foot precast concrete box culvert that is depressed 1 foot in Jordan Run (HQ-CWF). The project is 800 feet north of SR 351 on SR 4003 Section B01. The project will directly affect 60 feet of perennial stream.

E26-314. North Union Township, 7 South Evans Station Road, Lemont Furnace, PA 15401. Nell Street culvert in North Union Township, **Fayette County**, Pittsburgh ACOE District (Uniontown, PA Quadrangle N: 0.5 inch; W: 10.7 inches) (Latitude: 39° 52' 38" and Longitude: 79° 41' 59"). To remove the existing structure and to construct and maintain a 32-foot long aluminum box culvert having a waterway opening of 13 feet high. The culvert has a natural stream bottom. Bennington

Spring Run is classified as a WWF. The culvert is on T-993 (Nell Street) at a point approximately 400 feet east of SR 40.

SPECIAL NOTICES

Certified Emission Reduction Credits in the Commonwealth's ERC Registry

Emission reduction credits (ERCs) are surplus, permanent, quantified and Federally enforceable emission reductions used to offset emission increases of NOx, VOCs and the following criteria pollutants: CO, lead, SOx, PM, PM10 and PM10 precursors.

The Department of Environmental Protection (Department) maintains an ERC registry in accordance with the requirements of 25 Pa. Code § 127.209. The ERC registry system provides for the tracking of the creation, transfer and use of ERCs. Prior to registration of the credits, ERC registry applications are reviewed and approved by the Department to confirm that the ERCs meet the requirements of 25 Pa. Code §§ 127.206—127.208. Registration of the credits in the ERC registry system constitutes certification that the ERCs satisfy applicable requirements and that the credits are available for use. The following registered and certified ERCs in the ERC registry are currently available for use as follows:

(1) To satisfy new source review (NSR) emission offset ratio requirements.

(2) To "net-out" of NSR at ERC-generating facilities.

(3) To sell or trade the ERCs for use as emission offsets at new or modified facilities.

The following certified ERCs, expressed in tons per year (tpy), satisfy the applicable ERC requirements in 25 Pa. Code §§ 127.206—127.208. ERCs created from the curtailment or shutdown of a source or facility expires for use as offsets 10 years after the emission reduction occurs. ERCs generated by the overcontrol of emissions by an existing facility do not expire for use as offsets. However, credits in the registry that are not used in a plan approval will be discounted if new air quality requirements are adopted by the Department or the EPA.

For additional information concerning this listing of certified ERCs, contact Virendra Trivedi, Bureau of Air Quality, Division of Permits, Department of Environmental Protection, 12th Floor, Rachel Carson State Office Building, P. O. Box 8468, Harrisburg, PA 17105-8468, (717) 787-4325. This ERC registry report, ERC registry application and instructions are on the Department's website: www.dep.state.pa.us (select Subjects, Air Quality, Business, Permits).

<i>Facility information</i>	<i>Criteria Pollutant or Precursor</i>	<i>Certified ERCs Available (tpy)</i>	<i>Expiration Date</i>	<i>Intended Use of ERCs</i>
U. S. Naval Hospital County: Philadelphia Ozone Nonattainment Status: Severe Contact Person: Mark Donato, (215) 897-1809	NOx	30.50	3/31/2005	Trading
R. R. Donnelley & Sons Co. County: Lancaster Ozone Nonattainment Status: Moderate Contact Person: Frederick Shaak, Jr.	VOCs	54.00		Internal Use
R. R. Donnelley & Sons Co. County: Lancaster Ozone Nonattainment Status: Moderate Contact Person: Frederick Shaak, Jr.	VOCs	25.00	3/30/2011	Internal Use
Kurz Hastings Inc. County: Philadelphia Ozone Nonattainment Status: Severe Contact Person: George Gornick, (215) 632-2300	VOCs	137.45		Trading
Kurz Hastings Inc. County: Philadelphia Ozone Nonattainment Status: Severe Contact Person: George Gornick, (215) 632-2300	NOx VOCs	8.01 64.55	Varies from 3/28/2013 to 1/9/2014	Trading
ConAgra Grocery Products Company Source Location: Milton Borough County: Northumberland Ozone Nonattainment Status: Moderate Contact Person: Karl Henschel, (570) 742-6644	NOx VOCs	24.45 12.88	4/1/2006	Trading

<i>Facility information</i>	<i>Criteria Pollutant or Precursor</i>	<i>Certified ERCs Available (tpy)</i>	<i>Expiration Date</i>	<i>Intended Use of ERCs</i>
Metallized Paper Corporation of America Recipient/Holder: PNC Bank, National Association, assignee (by private lien foreclosure) from Metallized Paper Corp. Source Location: McKeesport County: Allegheny Ozone Nonattainment Status: Moderate Contact Person: Martin Mueller, (412) 762-5263	VOCs	41.70	6/30/2006	Trading
PPG Industries, Inc. Source Location: Springdale Complex County: Allegheny Ozone Nonattainment Status: Moderate Contact Person: Lori Burgess, (412) 274-3884	VOCs	171.82		Trading
York International Corporation Sources: Trichloroethylene Vapor Degreaser (151); Trichloroethylene Vapor Degreaser (152) Source Location: Spring Garden Township County: York Ozone Nonattainment Status: Moderate Contact Person: Garen Macdonald, (717) 771-7346	VOCs VOCs	12.20 2.70	6/1/2006 10/1/2005	Trading
REXAM DSI Source Location: Muhlenberg Township County: Berks Ozone Nonattainment Status: Moderate Contact Person: LeRoy H. Hinkle, (610) 916-4248	NOx	9.42	11/22/2005	Trading
Recipient/Holder of ERC: Coastal Aluminum Rolling Mills Inc. ERC-Generating Facility: Fasson Div. of Avery Dennison Corp. ERC-Generating Facility Location: Quakertown, Bucks County Ozone Nonattainment Status: Severe Contact Person: Jesse Hackenberg, (570) 323-4430	VOCs	3.62		Internal Use/Trading
Recipient/Holder of ERC: PG&E Energy Trading-Power, L. P. ERC-Generating Facility: Fasson Div. of Avery Dennison Corp. ERC-Generating Facility Location: Quakertown, Bucks County Ozone Nonattainment Status: Severe Contact Person: Mark Sheppard, (301) 280-6607	VOCs	39.84	8/1/2006	Trading
Baldwin Hardware Corporation Source Location: Reading County: Berks Ozone Nonattainment Status: Moderate Contact Person: D. David Hancock, Jr., (215) 777-7811	VOCs	18.00	7/28/2005	Trading
Magee Rieter Automotive Systems Source Location: Bloomsburg County: Columbia Ozone Nonattainment Status: Moderate Contact Person: Tim Bergerstock, (717) 784-4100	NOx VOCs	0.39 0.02	4/17/2006	Internal Use

NOTICES

2381

<i>Facility information</i>	<i>Criteria Pollutant or Precursor</i>	<i>Certified ERCs Available (tpy)</i>	<i>Expiration Date</i>	<i>Intended Use of ERCs</i>
Congoleum Corporation Source Location: Marcus Hook County: Delaware Ozone Nonattainment Status: Severe Contact Person: Theresa C. Garrod, (609) 584-3000	NOx	5.20		Trading
Dominion Transmission, Inc. CNG Transmission Corporation Source Location: Leidy Township County: Clinton Ozone Nonattainment Status: Moderate Contact Person: Sean R. Sleigh, (304) 623-8462	NOx VOCs	15.28 0.55	10/27/2004	Internal Use and Trading
Bethlehem Structural Products Corp. Source Location: Bethlehem County: Northampton Ozone Nonattainment Status: Moderate Contact Person: Joseph E. Schindler, (610) 694-5104	NOx VOCs	1,054.00 473.80	Varies from 3/28/2008 to 6/19/2008	Trading
Morgan Adhesives Company (MActac) Source Location: Scranton County: Lackawanna Ozone Nonattainment Status: Moderate Contact Person: Tim Owens, (330) 688-1111	VOCs	75.00	6/30/2008	Trading
National Fuel Gas Supply Corporation Sources: Generators 1 and 2, Dehydrator 1 Source Location: Ellisburg Station County: Potter Ozone Nonattainment Status: Moderate Contact Person: Gary A. Young, (814) 871-8657	NOx VOCs	16.14 1.80	2/1/2009	Internal Use
General Electric Company Source Location: Lawrence Park County: Erie Ozone Nonattainment Status: Moderate Contact Person: Scott Gowdy, (814) 875-2427	VOCs	33.60 2.60 1.80	12/01/2004 12/31/2005 12/31/2006	Internal Use/Trading
Sun Company, Inc. Source: API Separator 10 and 1-F Source Location: Marcus Hook County: Delaware Ozone Nonattainment Status: Severe Contact Person: John A. Rossi	VOCs	2.37	9/30/2004	Internal Use
TYK America, Inc. Source Location: Irvona Facility County: Clearfield Ozone Nonattainment Status: Moderate Contact Person: David B. Orr, (412) 384-4259	NOx VOCs	0.30 0.02	11/6/2008	Trading
SmithKline Beechman Pharmaceuticals Sources: Two boilers and oxidizer Source Location: Spring Garden Street Facility County: Philadelphia Ozone Nonattainment Status: Severe Contact Person: Eileen Ackler, (610) 239-5239	NOx VOCs	5.72 0.10	12/31/2008	Trading
Recipient/Holder of ERC: PG&E Energy Trading-Power, L. P. ERC-Generating Facility: Global Packaging, Inc. ERC-Generating Facility Location: Oaks Plant, Montgomery County Ozone Nonattainment Status: Severe Contact Person: Sarah M. Barpoulis, (301) 280-6607	VOCs	7.70	9/1/2006	Trading

<i>Facility information</i>	<i>Criteria Pollutant or Precursor</i>	<i>Certified ERCs Available (tpy)</i>	<i>Expiration Date</i>	<i>Intended Use of ERCs</i>
Recipient/Holder of ERC: PG&E Energy Trading-Power, L. P. ERC-Generating Facility: Global Packaging, Inc. ERC-Generating Facility Location: Oaks Plant, Montgomery County Ozone Nonattainment Status: Severe Contact Person: Sarah M. Barpoulis, (301) 280-6607	VOCs	43.50		Trading
The Procter & Gamble Paper Products Company Source Location: Mehoopany Plant County: Wyoming Ozone Nonattainment Status: Moderate Contact Person: Lars Lundin, (570) 833-3545	NOx VOCs	136.00 237.67	5/3/2009	Internal Use/Trading
Caparo Steel Company Source: EAF Furnace 2 and Ladle Preheater 2 Source Location: Farrell Plant County: Mercer County Ozone Nonattainment Status: Moderate Contact Person: Richard A. Herman, (724) 983-6464	NOx VOCs	36.73 12.07	8/18/2007	Trading
LTV Steel Company, Inc. Source Location: Pittsburgh Coke Plant County: Allegheny Ozone Nonattainment Status: Moderate Contact Person: William L. West, (216) 642-7178	NOx VOCs	1,663.00 373.00	2/28/2008	Trading
Newcomer Products Inc. Source Location: Latrobe County: Westmoreland Ozone Nonattainment Status: Moderate Contact Person: Edward M. Nemeth, (724) 694-8100	VOCs	26.00	7/14/2010	Trading
Smith-Steelite Plant: Emsworth Manufacturing Facility Ozone Nonattainment Status: Moderate Contact Person: Wm. K. Shadle, (412) 299-8167	VOCs	7.32	6/7/2004	Trading
Cyprus Cumberland Resources Corporation Source Location: Cumberland Mine, Whiteley Township County: Greene Ozone Nonattainment Status: Moderate Contact Person: Terry L. Dayton, (412) 627-2219	NOx VOCs	64.00 15.00	6/30/2005	Trading
Allegheny Ludlum Corp. Sources: Three electric arc furnaces Source Location: Washington Plant County: Washington Ozone Nonattainment Status: Moderate Contact Person: Deborah L. Calderazzo, (724) 226-5947	NOx	7.78	7/31/2004	Trading
Scranton-Altoona Terminals Corporation Source Location: Monroe Township County: Cumberland County Ozone Nonattainment Status: Moderate Contact Person: Thomas M. Carper, (717) 939-0466	VOCs	4.84	9/30/2010	Trading

NOTICES

2383

<i>Facility information</i>	<i>Criteria Pollutant or Precursor</i>	<i>Certified ERCs Available (tpy)</i>	<i>Expiration Date</i>	<i>Intended Use of ERCs</i>
Pennzoil Wax Partner Company Source Location: Rouseville County: Venango Ozone Nonattainment Status: Moderate Contact Person: David W. Dunn, (713) 546-6941	NOx VOCs	15.47 0.68	2/26/2010	Trading
Pennzoil Wax Partner Company Source Location: Rouseville County: Venango Ozone Nonattainment Status: Moderate Contact Person: David W. Dunn, (713) 546-6941	NOx VOCs	2.82 44.34	4/1/2010	Trading
INDSPEC Chemical Corp. Source: Boiler 8 Source Location: Petrolia County: Butler Ozone Nonattainment Status: Moderate Contact Person: Terry Melis, (412) 756-2376	NOx	158.68		Trading
Sun Company, Inc. Sources: Separators Source Location: Marcus Hook Borough County: Delaware Ozone Nonattainment Status: Severe Contact Person: Steve Martini, (610) 859-1000	VOCs	81.88	9/30/2004	Trading/ Internal Use
Sun Company, Inc. Source: Wastewater Conveyance System Source Location: Marcus Hook Borough County: Delaware Ozone Nonattainment Status: Severe Contact Person: Steve Martini, (610) 859-1000	VOCs	426.59		Trading/ Internal Use
Jefferson Smurfit Corporation Source Location: Upper Providence Township County: Montgomery Ozone Nonattainment Status: Severe Contact Person: Thomas Tutwiler, (610) 935-4119	VOCs	12.4	5/31/2004	Trading/ Internal Use
Columbia Gas Transmission Corporation Source Location: Kent Station County: Indiana Ozone Nonattainment Status: Moderate Contact Person: Gregory Lago, (304) 357-2079	NOx VOCs	44.36 2.66	5/31/2011	Trading
Columbia Gas Transmission Corporation Source Location: Homer Station County: Indiana Ozone Nonattainment Status: Moderate Contact Person: Gregory Lago, (304) 357-2079	NOx VOCs	45.89 3.79	5/31/2011	Trading
ISG Steelton, Inc. Source: Rail Heat Treating and Quenching Source Location: Steelton Plant County: Dauphin Ozone Nonattainment Status: Moderate Contact Person: James R. Hernjak, (717) 986-2042	NOx VOCs	7.00 43.00	11/9/2009	Trading
General Electric Transportation System Source: Boiler 2 Source Location: E. Lake Road County: Erie Ozone Nonattainment Status: Moderate Contact Person: Mark D. Restifo, (814) 875-5406	NOx VOCs	280.90 1.70	12/31/2010	Trading

<i>Facility information</i>	<i>Criteria Pollutant or Precursor</i>	<i>Certified ERCs Available (tpy)</i>	<i>Expiration Date</i>	<i>Intended Use of ERCs</i>
Hershey Foods Corporation Source Location: East Plant County: Dauphin Ozone Nonattainment Status: Moderate Contact Person: Shawn P. Greenwood, (610) 678-0552	NOx	189.00	10/4/2004	Trading
3M Minnesota Mining & Manufacturing Source Location: Bristol Plant County: Bucks Ozone Nonattainment Status: Severe Contact Person: Jeff Muffat, (651) 778-4450	VOCs VOCs	607.00 279.00	11/30/2011 12/17/2011	Trading
Kosmos Cement Company, Cemex Inc. Source Location: Neville Road, Pittsburgh County: Allegheny Ozone Nonattainment Status: Moderate Contact Person: Amarjit Gill, (713) 653-8554	NOx VOCs	910.00 26.00	4/24/2011	Trading
Edgewater Steel Ltd. Source Location: College Avenue, Oakmont County: Allegheny Ozone Nonattainment Status: Moderate Contact Person: Peter M. Guzanick, (412) 517-7217	NOx VOCs	17.05 1.87	8/6/2008	Trading
Transit America, Inc. Source Location: One Red Lion Road County: Philadelphia Ozone Nonattainment Status: Severe Contact Person: Timothy J. Bergere, Esq., (215) 772-7431	NOx	43.8	4/30/2004	Trading
JG Furniture Group, Inc. Source Location: Quakertown County: Bucks Ozone Nonattainment Status: Severe Contact Person: Donald Boisselle, (336) 410-7263	VOCs	24.4	9/1/2007	Trading
Recipient/Holder of ERC: Cypress Energy, Inc. ERC-Generating Facility: Laclede Steel Corporation Source Location: Fairless County: Bucks Ozone Nonattainment Status: Severe Contact Person: Gary Stephenson, (781) 993-3098	NOx VOCs	104.00 45.00	11/29/2011	Trading
Recipient/Holder of ERC: Natsource Emissions Brokers ERC-Generating Facility: Laclede Steel Corporation Source Location: Fairless County: Bucks Ozone Nonattainment Status: Severe Contact Person: David Oppenheimer, (212) 232-5305	NOx VOCs	0.27 1.50	11/29/2011	Trading
Trinity Industries, Inc. Source Location: Greenville County: Mercer County Ozone Nonattainment Status: Moderate Contact Person: Dennis Lencioni, (214) 589-8141	VOCs	61.65	10/31/2010	Trading
Rohm and Haas Company Source Location: Bristol Township County: Bristol Ozone Nonattainment Status: Severe Contact Person: Lloyd Davis, (215) 785-8871	VOCs VOCs	1.15 0.32	10/30/2010 1/30/2011	Trading

NOTICES

2385

<i>Facility information</i>	<i>Criteria Pollutant or Precursor</i>	<i>Certified ERCs Available (tpy)</i>	<i>Expiration Date</i>	<i>Intended Use of ERCs</i>
The Worthington Steel Company Source Location: Malvern, East Whiteland County: Chester Ozone Nonattainment Status: Severe Contact Person: Gregory Sautter, (614) 438-3197	VOCs	113.00	1/31/2012	Trading
PPL Inc. Source Location: Holtwood Station County: Lancaster Ozone Nonattainment Status: Moderate Contact Person: Linda A. Boyer, (610) 774-5410	NOx VOCs	3,769.09 9.70	4/29/2009	Trading
North American Refractories Company Source Location: Womelsdorf County: Lebanon Ozone Nonattainment Status: Moderate Contact Person: Rhonda Vete, (412) 469-6122	NOx NOx VOCs	5.11 62.57 0.25	12/15/2010 9/30/2008 9/30/2008	Trading
The Quaker Oats Company Source Location: Shiremanstown Plant County: Cumberland Ozone Nonattainment Status: Moderate Contact Person: Richard C. Pitzer, (717) 731-3334	NOx VOCs	4.00 1.68	Varies from 4/3/2010 to 7/15/2011	Trading
Naval Surface Warfare Center Source Location: Philadelphia Naval Shipyard County: Philadelphia Ozone Nonattainment Status: Severe Contact Person: Mark Donato	VOCs	45.70	9/15/2005	Internal Use
Glasgow, Inc. Source Location: Plymouth Meeting County: Montgomery Ozone Nonattainment Status: Severe Contact Person: Brian Chabak, (215) 884-8800	NOx VOCs NOx VOCs	2.72 0.21 6.54 0.52	12/31/2010 12/31/2010 6/1/2010 6/1/2010	Trading
Scranton-Altoona Terminals Corporation Source Location: East Freedom Terminal County: Cumberland County Ozone Nonattainment Status: Moderate Contact Person: Thomas M. Carper, (717) 939-0466	VOCs	9.19	4/1/2009	Trading
SLI Lighting Inc. Source Location: Ellwood City County: Lawrence Ozone Nonattainment Status: Moderate Contact Person: Tim Haubach, (724) 752-6493	VOCs	5.70	6/3/2010	Trading
National Fuel Gas Supply Corp. Source Location: Van Compressor St., Cranberry Township County: Venango Ozone Nonattainment Status: Moderate Contact Person: Gary A. Young, (814) 871-8657	NOx VOCs	80.90 0.65	7/19/2006	Trading
Harvard Industries, Inc. Plant name: Pottstown Precision Casting Inc. Source Location: West Pottsgrove Township County: Montgomery Ozone Nonattainment Status: Severe Contact Person: Allan B. Currie, Jr., (517) 787-5181	NOx VOCs	28.25 8.70	11/12/2011	Trading

<i>Facility information</i>	<i>Criteria Pollutant or Precursor</i>	<i>Certified ERCs Available (tpy)</i>	<i>Expiration Date</i>	<i>Intended Use of ERCs</i>
Recipient/Holder of ERC: Morgan Stanley Capital Group Inc. ERC-Generating Facility: Occidental Chemical Corp. ERC-Generating Source Location: Pottsgrove Township County: Montgomery County Ozone Nonattainment Status: Severe Contact Person: Trevor Woods, (212) 761-8895	NOx	71.40	2/28/2007	Trading
Recipient/Holder of ERC: Kvaerner Philadelphia Shipyard, Inc. ERC-Generating Facility: Occidental Chemical Corp. ERC-Generating Source Location: Pottsgrove Township County: Montgomery County Ozone Nonattainment Status: Severe Contact Person: Michael Masington, (215) 875-2649	NOx	50.00	2/28/2007	Trading
Horsehead Resource Co., Inc. Source Location: East Plant (Waelz) County: Carbon Ozone Nonattainment Status: Moderate Contact Person: John M. Cigan, (610) 826-8719	NOx VOCs	30.80 53.80	5/31/2006	Trading
Lafarge Corporation Source Location: Whitehall Plant County: Lehigh Ozone Nonattainment Status: Moderate Contact Person: Edward F. Werkheiser, (610) 261-3424	NOx VOCs	298.10 3.70	10/15/2004	Trading
The Peoples Natural Gas Company Source Location: Laurel Ridge Station County: Cambria Ozone Nonattainment Status: Moderate Contact Person: Sheri Franz, (412) 497-6582	NOx VOCs	13.00 4.00	11/11/2004	Trading
Alcoa, Inc. Source Location: Lebanon Township County: Lebanon County Ozone Nonattainment Status: Moderate Contact Person: Kevin S. Barnett, (412) 553-2094	NOx VOCs	48.86 882.43	Varies from 9/29/2010 to 5/1/2012	Trading
Rohm and Haas Source Location: Richmond Street County: Philadelphia Ozone Nonattainment Status: Severe Contact Person: Frank Jackson, (215) 537-4000	NOx VOCs NOx	50.10 30.30 0.19	6/13/2005 12/31/2004	Trading
American Color Graphics, Inc. Formerly Flexi-Tech Graphics, Inc. Source Location: Barnhart Drive, Hanover County: York Ozone Nonattainment Status: Moderate Contact Person: Glenn Shaffer, (717) 792-8104	VOCs	9.60	1/15/2012	Trading
Allegro Microsystems, Inc. Source Location: Upper Moreland Township County: Montgomery Ozone Nonattainment Status: Severe Contact Person: Wendy Cooper, (610) 286-7434	VOCs	42.61	3/29/2012	Trading
National Fuel Gas Supply Corp. Source Location: Heath Station County: Jefferson County Ozone Nonattainment Status: Moderate Contact Person: Gary A. Young, (814) 871-8657	NOx VOCs	122.80 2.10	7/1/2005	Trading

<i>Facility information</i>	<i>Criteria Pollutant or Precursor</i>	<i>Certified ERCs Available (tpy)</i>	<i>Expiration Date</i>	<i>Intended Use of ERCs</i>
Williams Generation Company Source Location: Hazleton Co.—Gen. Facility County: Luzerne Ozone Nonattainment Status: Moderate Contact Person: Terrie Blackburn, (918) 573-9766	NOx	794.6	1/31/2007	Trading
Calumet Lubricants Company Source Location: Rouseville Plant County: Venango Ozone Nonattainment Status: Moderate Contact Person: Daniel R. Chapman, (814) 678-4602	NOx VOCs	89.80 2.38	5/21/2012	Trading
Avery Dennison Corporation Source Location: Dungan Road County: Philadelphia Ozone Nonattainment Status: Severe Contact Person: Frank J. Brandauer, (626) 398-2773	VOCs	3.13	6/30/2012	
Henry Miller Spring & Manufacturing Company Source Location: Sharpsburg County: Allegheny Ozone Nonattainment Status: Moderate Contact Person: David J. Jablonowski, (412) 782-7300	NOx VOCs	10.96 36.47	1/22/2010	Trading
Penco Products, Inc. Source Location: Lower Providence Township County: Montgomery Ozone Nonattainment Status: Severe Contact Person: Allan J. Goss, (610) 666-0500	NOx VOCs	3.11 29.48	10/1/2011	Trading
Norfolk Southern Railway Co. Source Location: Hollidaysburg Car Shop County: Blair Ozone Nonattainment Status: Moderate Contact Person: Carl Russo, (814) 949-1479	NOx VOCs	4.35 69.80	7/19/2012	Trading
World Kitchen Inc. Source Location: Charleroi Plant County: Washington Ozone Nonattainment Status: Moderate Contact Person: James Rowlett, (724) 489-2288	NOx	251.43		Trading
PPG Industries, Inc. Source Location: Greenwood Township County: Crawford Ozone Nonattainment Status: Moderate Contact Person: David J. Neal, (412) 492-5507	NOx	1,118.50		Trading
Sentry Paint Technologies, Inc. Source Location: Mill Street, Darby County: Delaware Ozone Nonattainment Status: Severe Contact Person: Benjamin Breskman, (610) 522-1900	VOCs	3.56	4/30/2013	Trading

**Recycling Grant Awards under the Municipal Waste Planning,
Recycling and Waste Reduction Act of 1988, Act 101**

The Department of Environmental Protection announces the following grants to municipalities for recycling programs under the Pennsylvania Municipal Waste Planning, Recycling and Waste Reduction Act of 1988, Act 101, P. L. 556, section 902.

Grant funds are used to develop and implement recycling programs. Municipalities and counties are eligible for up to 90% funding of approved recycling program costs. Municipalities considered financially distressed under the Financial Distressed Communities Act are eligible to receive funding for an additional 10% of approved costs. Grant awards are predicated on the receipt of recycling fees required by sections 701 and 702 of Act 101 and the availability of moneys in the Recycling Fund.

Inquiries regarding the grant offerings should be directed to Todd Pejack, Recycling Grants Coordinator, Department of Environmental Protection, Bureau of Land Recycling and Waste Management, Division of Waste Minimization and Planning, Rachel Carson State Office Building, P. O. Box 8472, Harrisburg, PA 17105-8472.

**Act 101, Section 902 Recycling Development and Implementation Grant Recommendations Applications
Submitted by the June 26, 2003, Deadline**

<i>Applicant</i>	<i>County</i>	<i>Amount</i>
Southeast Region		
1 Lower Makefield Township	Bucks	\$153,000
2 Milford Township	Bucks	\$1,800
3 Plumstead Township	Bucks	\$41,826
4 Warwick Township	Bucks	\$158,181
5 Central Chester Co. Rec. A.	Chester	\$5,632
6 London Grove Township	Chester	\$13,310
7 Schuylkill Township	Chester	\$123,179
8 SE Chester Co. Refuse Auth.	Chester	\$190,728
9 West Brandywine Township	Chester	\$75,651
10 West Caln Township	Chester	\$39,987
11 West Whiteland Township	Chester	\$15,869
12 Bethel Township	Delaware	\$42,331
13 Chester City	Delaware	\$3,500
14 Concord Township	Delaware	\$59,224
15 Darby Township	Delaware	\$9,420
16 Delaware County	Delaware	\$27,227
17 Edgmont Township	Delaware	\$3,850
18 Folcroft Borough	Delaware	\$13,592
19 Haverford Township	Delaware	\$48,114
20 Marple Township	Delaware	\$36,000
21 Media Borough	Delaware	\$26,100
22 Middletown Township	Delaware	\$16,366
23 Nether Providence Township	Delaware	\$27,500
24 Parkside Borough	Delaware	\$23,985
25 Radnor Township	Delaware	\$94,926
26 Ridley Park Borough	Delaware	\$25,308
27 Springfield Township	Delaware	\$215,907
28 Swarthmore Borough	Delaware	\$40,978
29 Upper Darby Township	Delaware	\$40,484
30 Yeadon Borough	Delaware	\$129,284
31 Cheltenham Township	Montgomery	\$82,393
32 Douglass Township	Montgomery	\$46,440
33 Hatfield Township	Montgomery	\$3,001
34 Lower Merion Township	Montgomery	\$589,500
35 Lower Salford Township	Montgomery	\$30,204
36 Plymouth Township	Montgomery	\$43,500
37 Springfield Township	Montgomery	\$288,370
38 Springfield Township	Montgomery	\$373,876
39 Upper Dublin Township	Montgomery	\$258,475
40 Upper Merion Township	Montgomery	\$216,000
41 Upper Moreland Township	Montgomery	\$90,164
42 Philadelphia City	Philadelphia	\$1,000,000
Northeast Region		
43 Carbon County	Carbon	\$260,118
44 Lehighon Borough	Carbon	\$27,873
45 Towamensing Township	Carbon	\$8,680
46 Carbondale City	Lackawanna	\$162,740
47 Covington Township	Lackawanna	\$103,669
48 Dunmore Borough	Lackawanna	\$31,950
49 Greenfield Township	Lackawanna	\$20,045
50 Jessup Borough	Lackawanna	\$9,911
51 Lackawanna County	Lackawanna	\$925,721
52 Madison Township	Lackawanna	\$46,234
53 Moosic Borough	Lackawanna	\$153,423
54 Moscow Borough	Lackawanna	\$41,899
55 Old Forge Borough	Lackawanna	\$34,596
56 Olyphant Borough	Lackawanna	\$19,206
57 Roaring Brook Township	Lackawanna	\$17,339
58 Scranton City	Lackawanna	\$95,940

<i>Applicant</i>	<i>County</i>	<i>Amount</i>
59 Allentown City	Lehigh	\$793,768
60 Fountain Hill Borough	Lehigh	\$15,786
61 Heidelberg Township	Lehigh	\$9,382
62 Lehigh County	Lehigh	\$250,322
63 Upper Macungie Township	Lehigh	\$173,238
64 Ashley Borough	Luzerne	\$46,889
65 Butler Township	Luzerne	\$67,300
66 Dallas Borough	Luzerne	\$5,737
67 Dorrance Township	Luzerne	\$221,990
68 Forty Fort Borough	Luzerne	\$37,419
69 Hanover Township	Luzerne	\$57,960
70 Hughestown Borough	Luzerne	\$5,344
71 Luzerne County	Luzerne	\$18,945
72 Pittston City	Luzerne	\$112,365
73 Sugar Notch Borough	Luzerne	\$151,515
74 West Hazleton Borough	Luzerne	\$149,561
75 Wilkes-Barre City	Luzerne	\$153,916
76 Chestnuthill Township	Monroe	\$231,083
77 East Stroudsburg Borough	Monroe	\$107,532
78 Hamilton Township	Monroe	\$2,750
79 Monroe Co. MWM Auth.	Monroe	\$345,307
80 Polk Township	Monroe	\$36,607
81 Stroud Township	Monroe	\$221,724
82 Allen Township	Northampton	\$1,000,000
83 Bangor Borough	Northampton	\$22,500
84 Bethlehem City	Northampton	\$242,030
85 East Allen Township	Northampton	\$21,126
86 Hanover Township	Northampton	\$7,398
87 Walnutport Borough	Northampton	\$55,746
88 Williams Township	Northampton	\$8,264
89 Pike County	Pike	\$210,310
90 Girardville Borough	Schuylkill	\$6,500
91 Pottsville City	Schuylkill	\$21,922
92 Schuylkill Haven Borough	Schuylkill	\$122,321
93 Shenandoah Borough	Schuylkill	\$6,970
94 Wayne County	Wayne	\$27,263

Southcentral Region

95 Adams County	Adams	\$101,569
96 Amity Township	Berks	\$7,685
97 Exeter Township	Berks	\$259,352
98 Kutztown Borough	Berks	\$7,463
99 Maiden creek Township	Berks	\$40,317
100 Reading City	Berks	\$85,199
101 Spring Township	Berks	\$224,514
102 Wyomissing Borough	Berks	\$36,147
103 Blair County	Blair	\$466,255
104 Carlisle Borough	Cumberland	\$88,473
105 Cumberland County	Cumberland	\$73,246
106 East Pennsboro Township	Cumberland	\$94,332
107 Hampden Township	Cumberland	\$242,730
108 Mechanicsburg Borough	Cumberland	\$55,454
109 Silver Spring Township	Cumberland	\$41,636
110 Dauphin County	Dauphin	\$198,380
111 Harrisburg City	Dauphin	\$90,670
112 Hummelstown Borough	Dauphin	\$61,497
113 Middletown Borough	Dauphin	\$48,646
114 Millersburg Borough	Dauphin	\$3,598
115 Chambersburg Borough	Franklin	\$31,797
116 Fannett Township	Franklin	\$54,455
117 Greene Township	Franklin	\$333,520
118 Montgomery Township	Franklin	\$127,950
119 Washington Township	Franklin	\$291,695
120 Columbia Borough	Lancaster	\$77,788
121 Lancaster County SWMA	Lancaster	\$161,021
122 Salisbury Township	Lancaster	\$143,063
123 West Earl Township	Lancaster	\$179,970

<i>Applicant</i>	<i>County</i>	<i>Amount</i>
124 Lebanon City	Lebanon	\$13,364
125 Lebanon County	Lebanon	\$244,933
126 North Cornwall Township	Lebanon	\$113,013
127 North Lebanon Township	Lebanon	\$214,680
128 North Londonderry Township	Lebanon	\$355,697
129 South Lebanon Township	Lebanon	\$3,000
130 Union Township	Lebanon	\$68,144
131 Newport Borough	Perry	\$14,366
132 Penn Township	Perry	\$11,548
133 Perry County	Perry	\$2,691
134 Dover Township	York	\$86,762
135 East Manchester Township	York	\$55,958
136 Fairview Township	York	\$445,950
137 Hanover Borough	York	\$24,075
138 Penn Township	York	\$97,406
139 Red Lion Borough	York	\$161,092
140 York City	York	\$23,243
Northcentral Region		
141 Northern Tier SWA	Bradford	\$387,118
142 Centre County SWA	Centre	\$825,000
143 College Township	Centre	\$110,599
144 Ferguson Township	Centre	\$133,579
145 Harris Township	Centre	\$19,615
146 Patton Township	Centre	\$17,841
147 Philipsburg Borough	Centre	\$56,765
148 State College Borough	Centre	\$213,293
149 Clearfield County	Clearfield	\$15,638
150 DuBois City	Clearfield	\$74,323
151 Lawrence Township	Clearfield	\$84,361
152 Clinton County SWA	Clinton	\$88,299
153 Lock Haven City	Clinton	\$60,083
154 Bloomsburg Town	Columbia	\$102,005
155 Catawissa Borough	Columbia	\$21,042
156 Hughesville Borough	Lycoming	\$15,115
157 Lycoming County	Lycoming	\$1,000,000
158 Ralpho Township	Northumberland	\$32,097
159 Sunbury City Munic. Auth.	Northumberland	\$69,750
160 Potter County SWA	Potter	\$48,060
161 Selinsgrove Borough	Snyder	\$76,440
162 Snyder County SWMA	Snyder	\$22,127
Southwest Region		
163 Allegheny County	Allegheny	\$234,830
164 Carnegie Borough	Allegheny	\$48,799
165 Clairton City	Allegheny	\$171,000
166 Dormont Borough	Allegheny	\$3,375
167 Forest Hills Borough	Allegheny	\$108,765
168 Harrison Township	Allegheny	\$169,500
169 Monroeville Borough	Allegheny	\$116,121
170 Mount Lebanon Township	Allegheny	\$112,339
171 Munhall Borough	Allegheny	\$116,752
172 North Fayette Township	Allegheny	\$38,475
173 O'Hara Township	Allegheny	\$85,859
174 Penn Hills Township	Allegheny	\$81,423
175 Pittsburgh City	Allegheny	\$700,000
176 Scott Township	Allegheny	\$31,417
177 South Fayette Township	Allegheny	\$24,365
178 Swissvale Borough	Allegheny	\$91,800
179 Upper St. Clair Township	Allegheny	\$368,167
180 West Mifflin Borough	Allegheny	\$31,269
181 White Oak Borough	Allegheny	\$124,353
182 Whitehall Borough	Allegheny	\$20,712
183 Wilkins Township	Allegheny	\$106,186
184 Armstrong County	Armstrong	\$196,805
185 Aliquippa City	Beaver	\$30,000

<i>Applicant</i>	<i>County</i>	<i>Amount</i>
186 Baden Borough	Beaver	\$27,340
187 Beaver Borough	Beaver	\$35,239
188 Beaver County	Beaver	\$447,690
189 Hanover Township	Beaver	\$21,059
190 Hopewell Township	Beaver	\$25,090
191 Independence Township	Beaver	\$30,729
192 Raccoon Township	Beaver	\$59,914
193 Vanport Township	Beaver	\$23,000
194 Cambria County SWA	Cambria	\$54,000
195 Cambria Township	Cambria	\$31,194
196 Johnstown City	Cambria	\$32,760
197 Richland Township	Cambria	\$101,765
198 Fairchance Borough	Fayette	\$38,069
199 Fayette County	Fayette	\$407,021
200 German Township	Fayette	\$179,946
201 North Union Township	Fayette	\$15,225
202 Point Marion Borough	Fayette	\$34,516
203 South Union Township	Fayette	\$153,276
204 Uniontown City	Fayette	\$22,500
205 Washington Township	Fayette	\$83,456
206 Greene County	Greene	\$444,318
207 Blairsville Borough	Indiana	\$45,747
208 Indiana County SWA	Indiana	\$424,407
209 Donora Borough	Washington	\$25,125
210 Peters Township	Washington	\$1,970
211 Ligonier Borough	Westmoreland	\$61,504
212 Mount Pleasant Borough	Westmoreland	\$66,903
213 North Belle Vernon Borough	Westmoreland	\$45,807
214 North Huntingdon Township	Westmoreland	\$8,105
215 Unity Township	Westmoreland	\$36,303

Northwest Region

216 Butler County	Butler	\$90,768
217 Middlesex Township	Butler	\$75,229
218 Penn Township	Butler	\$14,576
219 Crawford County SWA	Crawford	\$1,000,000
220 Elk County	Elk	\$40,526
221 Ridgway Borough	Elk	\$82,749
222 Erie City	Erie	\$239,384
223 Millcreek Township	Erie	\$420,373
224 North East Borough	Erie	\$117,530
225 Jefferson County SWA	Jefferson	\$57,443
226 Punxsutawney Borough	Jefferson	\$10,794
227 Shenango Township	Lawrence	\$83,520
228 Bradford City	McKean	\$393,050
229 Mercer County SWA	Mercer	\$507,517
230 Warren City	Warren	\$174,710

Total \$29,995,269

**Request for Comment and Notice of Public Meeting for the Proposed Total Maximum Daily Loads (TMDLs)
for the Getty Run Watershed in Westmoreland County**

Greensburg District Mining Office: Ron Horansky, Watershed Manager, Armbrust Professional Center, R. D.2 Box 603-C, Greensburg, PA.

The Department of Environmental Protection (Department) is holding a public meeting on May 5, 2004, at 7 p.m. at the Stonelodge Environmental Center, Keystone State Park, New Alexandria, PA to discuss and accept comments on a proposed TMDL, established in accordance with the requirements of section 303(d) of the Clean Water Act. Two stream segments in the Getty Run Watershed have been identified as impaired on the 1996, 1998 and 2002 Pennsylvania 303(d) lists due to metals and pH. The listed segments and miles degraded are as follows:

<i>Stream Code</i>	<i>Stream Name</i>	<i>Miles Degraded</i>
43257 (Segment 990511-0840-ALF)	Getty Run	5.73
43257 (Segment 990511-1000-ALF)	Getty Run	4.0

The proposed plan provides calculations of the stream's total capacity to accept iron, aluminum, manganese and acidity and maintain levels below water quality criteria. The applicable water quality criteria are as follows:

<i>Parameter</i>	<i>Criterion Value (mg/l)</i>	<i>Total Recoverable/Dissolved</i>
Aluminum (Al)	0.75	Total Recoverable
Iron (Fe)	1.50	30-day average; Total Recoverable
Manganese (Mn)	1.00	Total Recoverable
pH	6.0—9.0	N/A

The primary pollutant source for the watershed is abandoned mine workings. This watershed was heavily mined for coal throughout the 20th century. The effects of this are still present. Mining continues in the watershed today. The report consists of both waste load allocations for permitted discharges and load allocations for nonpoint sources.

The TMDL was developed using Monte Carlo Simulation (MCS) to determine long-term average concentrations that each stream segment could accept and still meet water quality criteria 99% of the time. MCS allows for the expansion of a dataset based on its statistical makeup. Since there was no critical flow condition where criteria were exceeded, the Department used the average flow to express the loading values in the TMDL.

The TMDL sets allowable loading rates for metals and acidity at specified points in the watershed. The basis of information used in the establishment of this TMDL is field data collected in 2002 and 2003.

The data and all supporting information used to develop the proposed TMDL are available from the Department. To request a copy of the proposed TMDL and an information sheet or direction to the meeting site, contact Ron Horansky, Armbrust Professional Center, R. D. 2 Box 603-C, Greensburg, PA 15601, (724) 925-5500, rhoransky@state.pa.us.

The TMDL can be viewed and printed by accessing the Department's website: www.dep.state.pa.us (DEP Keyword: TMDL).

Written comments will be accepted at the previous address and must be postmarked by July 1, 2004. Persons who plan to make a presentation at the public meeting should notify the Department by May 4, 2004. The Department will consider all comments in developing the final TMDL, which will be submitted to the EPA for approval.

Request for Comment and Notice of Public Meeting for the Proposed Total Maximum Daily Loads (TMDLs) for the McCune Run Watershed in Westmoreland County

Greensburg District Mining Office: Ron Horansky, Watershed Manager, Armbrust Professional Center, R. D. 2 Box 603-C, Greensburg, PA.

The Department is holding a public meeting on May 5, 2004, at 7 p.m. at the Stonelodge Environmental Center, Keystone State Park, New Alexandria, PA to discuss and accept comments on a proposed TMDL, established in accordance with the requirements of section 303(d) of the Clean Water Act. One stream segment in the McCune Run Watershed has been identified as impaired on the 1996, 1998 and 2002 Pennsylvania 303(d) lists due to metals, suspended solids and pH. The listed segments and miles degraded are as follows:

<i>Stream Code</i>	<i>Stream Name</i>	<i>Miles Degraded</i>
43397 (Segment 990512-1415-ALF)	McCune Run	2.56

The proposed plan provides calculations of the stream's total capacity to accept iron, aluminum, manganese and acidity and maintain levels below water quality criteria. The applicable water quality criteria are as follows:

<i>Parameter</i>	<i>Criterion Value (mg/l)</i>	<i>Total Recoverable/Dissolved</i>
Aluminum (Al)	0.75	Total Recoverable
Iron (Fe)	1.50	30-day average; Total Recoverable
Manganese (Mn)	1.00	Total Recoverable
pH	6.0—9.0	N/A

The primary pollutant source for the watershed is abandoned mine workings. This watershed was heavily mined for coal in the late 19th century and throughout the 20th century. The effects of this are still present. All of the allocations made in the TMDL are load allocations (LA) that are made to nonpoint sources of pollution.

The TMDL was developed using MCS to determine long-term average concentrations that each stream segment could accept and still meet water quality criteria 99% of the time. MCS allows for the expansion of a dataset based on its statistical makeup. Since there was no critical flow condition where criteria were exceeded, the Department used the average flow to express the loading values in the TMDL.

The TMDL sets allowable loading rates for metals and acidity at specified points in the watershed. The basis of information used in the establishment of this TMDL is field data collected in 2002 and 2003.

The data and all supporting information used to develop the proposed TMDL are available from the Department. To request a copy of the proposed TMDL and an information sheet or direction to the meeting site, contact Ron Horansky, Armbrust Professional Center, R. D. 2 Box 603-C, Greensburg, PA 15601, (724) 925-5500, rhoransky@state.pa.us.

The TMDL can be viewed and printed by accessing the Department's website: www.dep.state.pa.us (DEP Keyword: TMDL).

Written comments will be accepted at the previous address and must be postmarked by July 1, 2004. Persons who plan to make a presentation at the public meeting should notify the Department by May 4, 2004. The Department will consider all comments in developing the final TMDL, which will be submitted to the EPA for approval.

Request for Comment and Notice of Public Meeting for the Proposed Total Maximum Daily Loads (TMDLs) for the Union Run Watershed in Westmoreland County

Greensburg District Mining Office: Ron Horansky, Watershed Manager, Armbrust Professional Center, R. D. 2 Box 603-C, Greensburg, PA.

The Department is holding a public meeting on May 5, 2004, at 7 p.m. at the Stonelodge Environmental Center, Keystone State Park, New Alexandria, PA to discuss and accept comments on a proposed TMDL, established in accordance with the requirements of section 303(d) of the Clean Water Act. One stream segment in the Union Run Watershed has been identified as impaired on the 1996, 1998 and 2002 Pennsylvania 303(d) lists due to metals, suspended solids and pH. The listed segments and miles degraded are as follows:

<i>Stream Code</i>	<i>Stream Name</i>	<i>Miles Degraded</i>
43417 (Segment 990526-0845-ALF)	Union Run	11.8

The proposed plan provides calculations of the stream's total capacity to accept iron, aluminum, manganese and acidity and maintain levels below water quality criteria. The applicable water quality criteria are as follows:

<i>Parameter</i>	<i>Criterion Value (mg/l)</i>	<i>Total Recoverable/Dissolved</i>
Aluminum (Al)	0.75	Total Recoverable
Iron (Fe)	1.50	30-day average; Total Recoverable
Manganese (Mn)	1.00	Total Recoverable
pH	6.0—9.0	N/A

The primary pollutant source for the watershed is abandoned mine workings. This watershed was mined for coal in the late 19th century and throughout the 20th century. The effects of this are still present. All of the allocations made in the TMDL are LA that are made to nonpoint sources of pollution.

The TMDL was developed using MCS to determine long-term average concentrations that each stream segment could accept and still meet water quality criteria 99% of the time. MCS allows for the expansion of a dataset based on its statistical makeup. Since there was no critical flow condition where criteria were exceeded, the Department used the average flow to express the loading values in the TMDL.

The TMDL sets allowable loading rates for metals and acidity at specified points in the watershed. The basis of information used in the establishment of this TMDL is field data collected in 2002 and 2003.

The data and all supporting information used to develop the proposed TMDL are available from the Department. To request a copy of the proposed TMDL and an information sheet or direction to the meeting site, contact Ron Horansky, Armbrust Professional Center, R. D. 2 Box 603-C, Greensburg, PA 15601, (724) 925-5500, rhoransky@state.pa.us.

The TMDL can be viewed and printed by accessing the Department's website: www.dep.state.pa.us (DEP Keyword: TMDL).

Written comments will be accepted at the previous address and must be postmarked by July 1, 2004. Persons who plan to make a presentation at the public meeting should notify the Department by May 4, 2004. The Department will consider all comments in developing the final TMDL, which will be submitted to the EPA for approval.

[Pa.B. Doc. No. 04-768. Filed for public inspection April 30, 2004, 9:00 a.m.]

Small Business Compliance Advisory Committee Meeting Change

The April 28, 2004, and July 28, 2004, meetings of the Small Business Compliance Advisory Committee have been rescheduled. These meetings are combined into one meeting that is scheduled for June 23, 2004, at 10 a.m. in the 12th Floor Conference Room, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

Questions concerning this meeting should be directed to Jon Miller, (717) 787-7019. The agenda and meeting materials will be available through the Department of

Environmental Protection's (Department) website: www.dep.state.pa.us.

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact Jon Miller at (717) 787-7019 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 04-769. Filed for public inspection April 30, 2004, 9:00 a.m.]

DEPARTMENT OF HEALTH

Application of Indiana Regional Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Indiana Regional Medical Center has requested an exception to the requirements of 28 Pa. Code § 107.62 (relating to oral orders).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care, (717) 783-8980, for speech and/or hearing impaired persons, V/TT: (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M.D., M.P.H.,
Secretary

[Pa.B. Doc. No. 04-770. Filed for public inspection April 30, 2004, 9:00 a.m.]

Application of Lancaster General Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Lancaster General Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards in the *Guidelines for Design and Construction of Hospital and Healthcare Facilities*. The facility specifically requests exception from the following standard in this publication: 7.10.F2 (relating to patient toilet room).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and

require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care, (717) 783-8980, for speech and/or hearing impaired persons, V/TT: (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M.D., M.P.H.,
Secretary

[Pa.B. Doc. No. 04-771. Filed for public inspection April 30, 2004, 9:00 a.m.]

Application of Lewistown Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Lewistown Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards in the *Guidelines for Design and Construction of Hospital and Healthcare Facilities*. The facility specifically requests exception from the following standard in this publication: 7.10.G3 (relating to holding room).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care, (717) 783-8980, for speech and/or hearing impaired persons, V/TT: (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M.D., M.P.H.,
Secretary

[Pa.B. Doc. No. 04-772. Filed for public inspection April 30, 2004, 9:00 a.m.]

Human Immunodeficiency Virus (HIV) Community Prevention Planning Committee; Public Meetings

The Statewide HIV Community Prevention Planning Committee, established by the Department of Health (Department) under sections 301(a) and 317(b) of the Public Health Service Act (42 U.S.C.A. §§ 241(a) and 247(b)), will hold public meetings on Wednesday, May 19, 2004, and Thursday, May 20, 2004, from 9 a.m. to 3 p.m. at the Best Western Inn and Suites, 815 Eisenhower Boulevard, Middletown, PA, 17057.

The Department reserves the right to cancel a meeting without prior notice.

For additional information or persons with a disability who wish to attend the meetings and require an auxiliary

aid, service or other accommodation to do so, contact Thomas M. DeMelfi, Department of Health, Bureau of Communicable Diseases, P. O. Box 90, Room 1010, Health and Welfare Building, Harrisburg, PA 17108, (717) 783-0572, for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

CALVIN B. JOHNSON, M.D., M.P.H.,
Secretary

[Pa.B. Doc. No. 04-773. Filed for public inspection April 30, 2004, 9:00 a.m.]

Requests for Exception; Long-Term Care Nursing Facilities

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 201.3 (relating to definitions):

Nottingham Village
Strawbridge Road, P. O. Box 32
Northumberland, PA 17857

The following long-term care nursing facilities are seeking an exception to 28 Pa. Code § 205.6(a) (relating to function of building):

HarmarVillage Care Center
715 Freeport Road
Cheswick, PA 15024

Mahoning Valley Nursing and Rehabilitation Center
397 Hemlock Drive
Lehigh, PA 18235-9640

Liberty Nursing and Rehabilitation Center
535 North 17th Street
Allentown, PA 18104

Old Orchard Health Care Center
4100 Freemansburg Avenue
Easton, PA 18045

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address listed previously.

Comments received by the Department within 15 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who require an alternative format of this document or who wish to comment in an alternative format (for example, large print, audiotape or Braille) should contact the Division of Nursing Care Facilities at the address or phone number listed previously, for speech and/or hearing impaired persons, V/TT

(717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M.D., M.P.H.,
Secretary

[Pa.B. Doc. No. 04-774. Filed for public inspection April 30, 2004, 9:00 a.m.]

DEPARTMENT OF PUBLIC WELFARE

Additional Class of Disproportionate Share Payments to Hospitals

The purpose of this notice is to announce the Department of Public Welfare's (Department) intent to establish an additional class of inpatient disproportionate share payments to be distributed to hospitals in this Commonwealth accredited as trauma centers by the Pennsylvania Trauma System Foundation (Foundation).

The Department will distribute annually from funds appropriated for this purpose disproportionate share payments to Commonwealth hospitals with accredited trauma centers to provide financial assistance to improve access to readily available and coordinated trauma care for the citizens of this Commonwealth.

The Department will allocate 90% of the available funds to hospitals accredited as Level I and Level II trauma centers. Fifty percent of the total amount available for Level I and Level II trauma centers will be allocated equally among Level I and Level II trauma centers. Fifty percent of the total amount available for Level I and Level II centers will be allocated on the basis of each trauma center's percentage of Medical Assistance (MA) and uninsured trauma cases and patient days compared to the Statewide total number of MA and uninsured trauma cases and patient days for Level I and Level II trauma centers. The Department will calculate payment to each qualifying hospital accredited as a Level I or Level II trauma centers using data provided by the Foundation.

The Department will allocate the remaining 10% of the available funds to hospitals accredited as Level III trauma centers. Until data is available from the Foundation for Level III trauma centers, the available funds will be distributed equally to Level III trauma centers capped at the average payment made to Level II trauma centers. The Foundation will accredit Level III trauma centers in accordance with established standards, which are based upon the current guidelines for trauma centers as defined by the American College of Surgeons for Level III trauma centers. To qualify for these disproportionate share payments as a hospital with an accredited Level III trauma center, a hospital must: (1) provide comprehensive emergency services; (2) have, on an annual basis, at least 4,000 inpatient admissions from its emergency department; (3) be located in a county without an accredited Level I or Level II trauma center; and (4) not be located within 25 miles travel distance from a Level I or Level II trauma center. A hospital must apply for accreditation as a Level III trauma center to the Foundation to qualify for these disproportionate share payments.

Effective March 1, 2005, and annually thereafter, the Department will produce a report to the Public Health and Welfare Committee of the Senate and the Health and

Human Services Committee of the House of Representatives identifying the trauma centers receiving the disproportionate share payments, the amount of the disproportionate share payments, the number of individuals served by the trauma centers and any recommendations for improvements to further promote the availability of trauma services to the citizens of this Commonwealth.

Fiscal Impact

This change will result in expenditures of \$27.630 million in total funds (\$15.130 million in Federal funds, \$12.500 million in State funds) for FY 2003-04.

Public Comment

Interested persons are invited to submit written comments to this notice within 30 days of this publication. Comments should be sent to the Department of Public Welfare, Office of Medical Assistance Programs, c/o Deputy Secretary's Office, Attention: Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. Persons with a disability may use the AT&T Relay Service, (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

ESTELLE B. RICHMAN,
Secretary

Fiscal Note: 14-NOT-388. (1) General Fund; (2) Implementing Year 2003-04 is \$12,500,000; (3) 1st Succeeding Year 2004-05 is \$12,500,000; 2nd Succeeding Year 2005-06 is \$12,500,000; 3rd Succeeding Year 2006-07 is \$12,500,000; 4th Succeeding Year 2007-08 is \$12,500,000; 5th Succeeding Year 2008-09 is \$12,500,000; (4) 2002-03 Program—\$N/A; 2001-02 Program—\$N/A; 2000-01 Program—\$N/A; (7) Trauma Centers; (8) recommends adoption. Funding for 2003-04, including \$15,130,000 in Federal funding, is included in Act 9-A of 2003. State and Federal funding for 2004-05 is recommended in the 2004-05 Executive Budget.

[Pa.B. Doc. No. 04-775. Filed for public inspection April 30, 2004, 9:00 a.m.]

**DEPARTMENT OF
REVENUE**

[Correction]

Pennsylvania Dough in a Row Instant Lottery Game

The Department of Revenue has discovered a typographical error in a document that appeared at 34 Pa.B. 2240 (April 24, 2004).

In the table which delineates the number and description of prizes and approximate odds, the approximate number of winners per 9,360,000 tickets for the Top Row should have been 624,000.

The correct version of that prize line is as follows:

Top Row	\$2	15	624,000
---------	-----	----	---------

[Pa.B. Doc. No. 04-699. Filed for public inspection April 23, 2004, 9:00 a.m.]

Pennsylvania 100 Grand Hand Instant Lottery Game

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania 100 Grand Hand.

2. *Price:* The price of a Pennsylvania 100 Grand Hand instant lottery game ticket is \$5.

3. *Play Symbols:* Each Pennsylvania 100 Grand Hand instant lottery game ticket will contain a "Dealer's Total" area and a "Your Hands" area. The "Your Hands" area will feature 10 "Hand" areas. Each "Hand" is played separately. The play symbols and their captions located in the "Dealer's Total" area are: 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN) and 20 (TWENT). The play symbols and their captions located in the "Your Hands" area are: 2 (TWO), 3 (THR), 4 (FOR), 5 (FIV), 6 (SIX), 7 (SVN), 8 (EGT), 9 (NIN), 10 (TEN), J (JCK), Q (QUN), K (KNG) and A (ACE). A = 11, J, Q and K = 10.

4. *Prize Play Symbols:* The prize play symbols and their captions located in the 10 prize areas are: \$5⁰⁰ (FIV DOL), \$7⁰⁰ (SVN DOL), \$10⁰⁰ (TEN DOL), \$14\$ (FORTN), \$21\$ (TWY ONE), \$52\$ (FTY TWO), \$100 (ONE HUN), \$400 (FOR HUN), \$2,100 (TWYONEHUN), \$50,000 (FTY THO) and \$100,000 (ONEHUNTHO).

5. *Prizes:* The prizes that can be won in this game are \$5, \$7, \$10, \$14, \$20, \$21, \$42, \$52, \$100, \$400, \$2,100, \$50,000 and \$100,000. The player can win up to 10 times on a ticket.

6. *Approximate Number of Tickets Printed for the Game:* Approximately 4,200,000 tickets will be printed for the Pennsylvania 100 Grand Hand instant lottery game.

7. *Determination of Prize Winners:*

(a) Holders of tickets where the sum of any "Hand" beats the "Dealer's Total," and a prize play symbol of \$100,000 (ONEHUNTHO) appears in the prize area under that "Hand," on a single ticket, shall be entitled to a prize of \$100,000.

(b) Holders of tickets where the sum of any "Hand" beats the "Dealer's Total," and a prize play symbol of \$50,000 (FTY THO) appears in the prize area under that "Hand," on a single ticket, shall be entitled to a prize of \$50,000.

(c) Holders of tickets where the sum of any "Hand" beats the "Dealer's Total," and a prize play symbol of \$2,100 (TWYONEHUN) appears in the prize area under that "Hand," on a single ticket, shall be entitled to a prize of \$2,100.

(d) Holders of tickets where the sum of any "Hand" beats the "Dealer's Total," and a prize play symbol of \$400 (FOR HUN) appears in the prize area under that "Hand," on a single ticket, shall be entitled to a prize of \$400.

(e) Holders of tickets where the sum of any "Hand" beats the "Dealer's Total," and a prize play symbol of \$100 (ONE HUN) appears in the prize area under that "Hand," on a single ticket, shall be entitled to a prize of \$100.

(f) Holders of tickets where the sum of any "Hand" beats the "Dealer's Total," and a prize play symbol of \$52\$ (FTY TWO) appears in the prize area under that "Hand," on a single ticket, shall be entitled to a prize of \$52.

(g) Holders of tickets where the sum of any "Hand" equals 21, and a prize play symbol of \$21\$ (TWY ONE) appears in the prize area under that "Hand," on a single ticket, shall be entitled to a prize of \$42.

(h) Holders of tickets where the sum of any "Hand" beats the "Dealer's Total," and a prize play symbol of \$21\$ (TWY ONE) appears in the prize area under that "Hand," on a single ticket, shall be entitled to a prize of \$21.

(i) Holders of tickets where the sum of any "Hand" equals 21, and a prize play symbol of \$10⁰⁰ (TEN DOL) appears in the prize area under that "Hand," on a single ticket, shall be entitled to a prize of \$20.

(j) Holders of tickets where the sum of any "Hand" beats the "Dealer's Total," and a prize play symbol of \$14\$ (FORTN) appears in the prize area under that "Hand," on a single ticket, shall be entitled to a prize of \$14.

(k) Holders of tickets where the sum of any "Hand" equals 21, and a prize play symbol of \$7⁰⁰ (SVN DOL) appears in the prize area under that "Hand," on a single ticket, shall be entitled to a prize of \$14.

(l) Holders of tickets where the sum of any "Hand" beats the "Dealer's Total," and a prize play symbol of \$10⁰⁰ (TEN DOL) appears in the prize area under that "Hand," on a single ticket, shall be entitled to a prize of \$10.

(m) Holders of tickets where the sum of any "Hand" equals 21, and a prize play symbol of \$5⁰⁰ (FIV DOL) appears in the prize area under that "Hand," on a single ticket, shall be entitled to a prize of \$10.

(n) Holders of tickets where the sum of any "Hand" beats the "Dealer's Total," and a prize play symbol of \$7⁰⁰ (SVN DOL) appears in the prize area under that "Hand," on a single ticket, shall be entitled to a prize of \$7.

(o) Holders of tickets where the sum of any "Hand" beats the "Dealer's Total," and a prize play symbol of \$5⁰⁰ (FIV DOL) appears in the prize area under that "Hand," on a single ticket, shall be entitled to a prize of \$5.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

When the Sum of Any of Your Hands Beats the Dealer's Total, Win With Prize(s) of:

	<i>Win:</i>
\$5	\$5
\$7	\$7
\$5 × 2	\$10
\$5 w/21	\$10
\$10	\$10
\$7 × 2	\$14
\$7 w/21	\$14
\$14	\$14
\$7 × 3	\$21
\$7 w/21 + \$7	\$21
\$21	\$21
\$5 × 9 + \$7	\$52
\$7 × 6 + \$5 × 2	\$52
\$14 × 3 + \$10	\$52
\$21 w/21 + \$10	\$52
\$52	\$52
\$10 × 10	\$100
\$10 w/21 + \$10 × 8	\$100
\$100	\$100
\$100 × 4	\$400
\$400	\$400
\$100 + \$400 × 5	\$2,100
\$2,100	\$2,100
\$50,000	\$50,000
\$100,000	\$100,000

<i>Approximate Odds of 1 In:</i>	<i>Approximate No. of Winners Per 4,200,000 Tickets</i>
8.57	490,000
20	210,000
600	7,000
120	35,000
150	28,000
300	14,000
150	28,000
150	28,000
150	28,000
66.67	63,000
85.71	49,000
300	14,000
300	14,000
600	7,000
300	14,000
200	21,000
1,333	3,150
1,333	3,150
1,364	3,080
60,000	70
60,000	70
120,000	35
120,000	35
840,000	5
840,000	5

21 = Double the prize shown

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania 100 Grand Hand instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentives).

10. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania 100 Grand Hand, prize money from winning Pennsylvania 100 Grand Hand instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania 100 Grand Hand instant lottery game,

the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

11. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P. S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

12. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be

disseminated through media used to advertise or promote Pennsylvania 100 Grand Hand or through normal communications methods.

GREGORY C. FAJT,
Secretary

[Pa.B. Doc. No. 04-776. Filed for public inspection April 30, 2004, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Delegation of Authority to Certify Design Approval and to Make Findings

The Secretary of Transportation (Secretary) gives notice that, under the authority in section 213 of The Administrative Code of 1929 (71 P. S. § 73), Gary L. Hoffman, P. E., Deputy Secretary of Highway Administration, has been delegated the authority to certify Design Approval on the Secretary's behalf and to make, and cause to be published in the *Pennsylvania Bulletin*, written findings required by section 2002(b) of The Administrative Code of 1929 (71 P. S. § 512(b)). This notice supercedes the notice published at 34 Pa.B. 1524 (March 13, 2004).

ALLEN D. BIEHLER, P. E.,
Secretary

[Pa.B. Doc. No. 04-777. Filed for public inspection April 30, 2004, 9:00 a.m.]

Finding

Armstrong and Clarion Counties

Under section 2002(b) of The Administrative Code of 1929 (71 P. S. § 512(b)), the Deputy Secretary for Highway Administration makes the following written finding:

The Federal Highway Administration (FHA) and the Department of Transportation are planning to replace the Foxburg Bridge, which carries SR 0058 over the Allegheny River between Hovey Township, Armstrong County, and Foxburg Borough, Clarion County. The project will also include roadway approach work necessary to tie into existing SR 0058 on both ends of the Foxburg Bridge.

The existing Foxburg Bridge is a contributing element to the Foxburg Historic District, which is eligible for listing in the National Register of Historic Places and is, therefore, a Section 2002/Section 4(f) resource. Removal of the existing Foxburg Bridge will constitute a use of the Section 2002/Section 4(f) resource through the loss of an element that contributes to the significance of the resource.

The subject project was evaluated as an Environmental Assessment (EA) for which a Finding of No Significant Impact was issued by the FHA on March 30, 2004.

Mitigation measures will be taken to minimize harm as stipulated in the EA, the Final Section 4(f) Evaluation and other supporting documentation listed in the EA. Several of the mitigation measures are as follows:

- Recordation of the existing Foxburg Bridge to Historic American Engineering Record standards.

- Consultation with the Historical and Museum Commission during final design to ensure the new structure will be compatible with the character of the Foxburg Historic District.

The environmental, economic, social and other effects of the proposed project as enumerated in section 2002 of The Administrative Code of 1929 have been considered. It has been concluded that there is no feasible and prudent alternative to the use of the Section 2002/Section 4(f) resource and the project is planned to mitigate impacts to the Section 2002/Section 4(f) resource through the previously referenced mitigation measures.

GARY L. HOFFMAN, P. E.,
Deputy Secretary for Highway Administration

[Pa.B. Doc. No. 04-778. Filed for public inspection April 30, 2004, 9:00 a.m.]

Finding

Chester County

Under section 2002(b) of The Administrative Code of 1929 (71 P. S. § 512(b)), the Deputy Secretary for Highway Administration makes the following written finding:

The Department of Transportation plans to replace the existing three-span concrete encased steel I beam bridge that carries Valley Road over Middle Branch White Clay Creek in London Grove Township, Chester County.

The environmental, economic, social and other effects of the proposed project as enumerated in section 2002 of The Administrative Code of 1929 have been considered. It has been concluded that there is no feasible and prudent alternative to the project as designed, and all reasonable steps have been taken to minimize the effects. Chester County shall ensure that the datestone tablet shall be removed from the existing Chester County Bridge No. 248 and placed on the new bridge structure once construction is complete. Chester County shall ensure that Chester County Bridge No. 248 will be recorded to State Historic Preservation Officer (SHPO)/State level documentation standards. Once complete, this recordation documentation will be submitted to the SHPO for review and retained at the Pennsylvania State Archives. Chester County shall assemble a chapter on bridges in London Grove Township not to exceed 12 hours or \$1,200 in cost and submit this information to the London Grove Township Historical Commission (Commission) for publication. This chapter shall be assembled and given to the Commission by June 30, 2006.

An Erosion and Sedimentation Control Plan will be implemented to minimize water quality impacts and sedimentation into the Middle Branch White Clay Creek and its tributary during and after construction of the project. Measures to prevent contamination of the Middle Branch White Clay Creek during reconstruction activities by debris, paint chips, and the like, will be incorporated during and after construction to maintain the existing water quality of the stream. In-stream construction will be prohibited from March 1 to June 15 to protect trout stocked fisheries such as the Middle Branch White Clay Creek. Coordination will occur with local emergency services to inform them of the pending bridge closing and develop appropriate alternate routes.

The Deputy Secretary for Highway Administration has considered the environmental, economic, social and other

effects of the proposed project as enumerated in section 2002 of The Administrative Code 1929, and has concluded that there is no feasible and prudent alternative to the project as designed and all reasonable steps have been taken to minimize the effect.

GARY L. HOFFMAN, P. E.,
Deputy Secretary for Highway Administration

[Pa.B. Doc. No. 04-779. Filed for public inspection April 30, 2004, 9:00 a.m.]

to a disability who wish to attend the meetings should contact Cherie Elias, Health Care Cost Containment Council, 225 Market Street, Harrisburg, PA 17101, (717) 232-6787 at least 24 hours in advance so that arrangements can be made.

MARC P. VOLAVKA,
Executive Director

[Pa.B. Doc. No. 04-780. Filed for public inspection April 30, 2004, 9:00 a.m.]

HEALTH CARE COST CONTAINMENT COUNCIL

Meetings Scheduled

The Health Care Cost Containment Council has scheduled the following meetings: Wednesday, May 5, 2004, Data Systems Committee meeting—10 a.m.; Education Committee meeting—1 p.m.; Thursday, May 6, 2004, Council meeting—10 a.m. The meetings will be held in the conference room at the Council Office, 225 Market Street, Suite 400, Harrisburg, PA 17101. The public is invited to attend. Persons who need accommodation due

Special Reports and Requests for Data

The Health Care Cost Containment Council (Council), according to Act 89 as amended by Act 14, is required to publish a list of all special reports and data that have been prepared during the previous calendar year. The following represents a summary of the reports and requests for data generated by the Council in calendar year 2003. Questions should be addressed to Kristen S. Weitzel, Special Requests Unit, Health Care Cost Containment Council, 225 Market Street, Suite 400, Harrisburg, PA 17101, (717) 232-6786, www.phc4.org.

MARC P. VOLAVKA,
Executive Director

<i>Applicant</i>	<i>Project Description</i>
AmeriNet Central, Inc.	Standard Statewide 2002 inpatient discharge and ambulatory procedure data sets to be used in a commercial software product.
Andrew Epstein, The Wharton School	A standard Statewide 1996—2002 inpatient discharge data set and standard 1994, 1995 and 2000 CABG data sets to be used in econometric analyses associated with the client's doctoral dissertation titled "Responses to Mortality Report Cards for Cardiac Surgery."
Barnes-Kasson County Hospital	A custom 1999—2002 inpatient discharge report to be used to identify admission patterns within primary service area.
Bayhealth Medical Center	A custom 3rd and 4th quarters 1999—2001 and 1st and 2nd quarters 2002 inpatient discharge data set of Delaware residents to be used for internal strategic planning and market share studies.
BDC Advisors, LLC	A custom 1996—1998 inpatient discharge report and a custom 1995 through 2nd quarter 1996 inpatient discharge data set to be used to trend historical monthly discharge volume for the former AHERF hospitals within the Philadelphia PMSA.
Carlisle Area School District	A custom 2001, 2002 and 1st quarter 2003 inpatient discharge report to be used for an analysis of Carlisle Hospital since changing to for-profit status.
Center for the Evaluative Clinical Sciences	Custom 1997—2001 inpatient discharge and ambulatory procedure data sets by ICD-9 codes to be used for research to determine the number of hospital admissions and surgical procedures for a condition known as Slipped Capital Femoral Epiphysis.
Central Montgomery Medical Center	A custom 2002 inpatient discharge data set to be used for market share information to assess growth related to marketing.
Chambersburg Hospital	A custom 3rd quarter 1999 through 2nd quarter 2001 inpatient discharge data set to be used for internal purposes.
Chester County Hospital	A custom 2002 inpatient discharge data set to be used to conduct an analysis to better understand the geographic areas from which their patients are coming.
Collier Shannon Scott, PLLC	A custom 1990 through 2nd quarter 2002 inpatient discharge report and a 1996 through 2nd quarter 2002 ambulatory procedure report to be used to define demographic markets.
Community Health Systems	Standard Statewide 2002 inpatient discharge and ambulatory data sets to be used to create utilization rates and market share information for strategic and facilities planning for five hospitals in this Commonwealth.

<i>Applicant</i>	<i>Project Description</i>
Cooper Hospital/UMC	A standard regional 2001 inpatient discharge data set to be used for research and analysis of hospitals in this Commonwealth, specifically for analyzing utilization trends and making benchmark comparisons.
Cooper Hospital/UMC	A custom 2002 inpatient discharge report to be used for analysis of New Jersey, New York and Delaware patient migration to hospitals in this Commonwealth.
Cooper Hospital/UMC	A standard regional 2002 inpatient discharge data set to be used for market research.
Corry Memorial Hospital	A standard regional 2001 inpatient discharge data set to be used for market share analysis and strategic planning.
Crozer Keystone Health System	A custom 1999—2001 inpatient discharge report to be used to research the relationship among race, gender and rates of invasive diagnostic and therapeutic cardiac procedures and angioplasty across this Commonwealth.
DataBay Resources	Standard Statewide 1st quarter 2003 inpatient discharge and ambulatory procedure data sets to be used in a commercial software product.
Delaware County Memorial Hospital	A custom Fiscal Year 2000 inpatient discharge data set to be used for internal purposes.
DePaul Healthcare	A custom 1st and 2nd quarters 2002 inpatient discharge report to determine the feasibility of developing a 17-bed hospital licensed rehabilitation unit.
Dickie, McCamey & Chilcote, PC	A custom 1998—2002 inpatient discharge report to be used to demonstrate the rarity of a specific diagnosis.
Evan Wolarsky, MD	A standard facility 3rd quarter 2001 through 2nd quarter 2002 inpatient discharge data set for the University of Pennsylvania and Albert Einstein Medical Center to be used to research the relationship between hospital admissions and the distance patients are traveling for care.
Gift of Life Donor Program	Custom 2000, 2001 and 1st through 3rd quarters 2002 inpatient discharge and ambulatory procedure data sets to be used as part of accreditation with the Association for Organ Procurement Organizations.
Gnaden Huetten Memorial Hospital	Custom 2002 inpatient discharge and ambulatory procedure data sets to be used for market share analysis regarding patients that live in Carbon, Monroe, Schuylkill, Lehigh and Northampton Counties.
Good Shepard Rehabilitation Hospital	A standard facility 2002 inpatient discharge data set to be used for internal research to forecast market demand for their services.
Good Shepard Rehabilitation Hospital	A standard regional and facility 2002 inpatient discharge data set to be used for internal market share planning.
Hanover Hospital	A custom 1997—2002 inpatient discharge data set to be used for an internal market share study.
Harvard University	A 1993 CABG data set to be used as part of an academic research project on the impact of report cards on markets for medical services.
Health Promotion Council	A custom 2000 inpatient discharge data set by zip code to be used to calculate baseline rates of pediatric hospitalizations for asthma in the Philadelphia area.
Healthshare Technology, Inc.	A standard 1st and 2nd quarters 2002 inpatient discharge data set and revenue code detail data set to be used in a commercial software product.
Holy Spirit Hospital	A custom 4th quarter 2001 through 3rd quarter 2002 inpatient discharge report and a custom Calendar Year 2002 inpatient discharge data set to be utilized to analyze Holy Spirit Hospital's mortality rates and compare them to expected numbers.
Hospital & Healthsystem Association of Pennsylvania	A standard 2002 financial data set and the 2001 restated financial data set to be used to supplement financial and utilization data that HAP currently collects on a voluntary basis from member hospitals. It will be used to model potential effects of policy changes and to support representation and advocacy initiatives.
Hospital Executive Council	A custom 2001 and 1st and 2nd quarters 2002 inpatient discharge data set to analyze New York residents seeking cardiac surgery and catheterization in this Commonwealth.
Independence Blue Cross	A custom 2001 financial data set by case mix index for each acute care facility in regions 8 and 9 to be used to adjust utilization statistics by hospital.
Jefferson Regional Medical Center	Standard regional 1st and 2nd quarters 2002 inpatient discharge and ambulatory procedure data sets to be used for internal market share analysis.

<i>Applicant</i>	<i>Project Description</i>
Johns Hopkins University	A standard Statewide 1995—2003 inpatient discharge data set to be used along with other national data to examine the impact of Federal policy changes and health care market forces on the organizational and management strategies, financial viability and clinical performance of rural hospitals in the United States.
Lehigh Valley Hospital	Standard Statewide 2002 inpatient discharge and ambulatory procedure data sets to be used to develop strategic initiatives for the hospital, to measure progress against competition over time and to project clinical and utilization needs.
Mamsi Health Plan	A standard regional 2001 and 2002 inpatient discharge data set to be used internally to identify payor mix, hospital efficiency and membership draw by hospital.
MediQual Systems, Inc.	A standard Statewide 2002 inpatient discharge data set to be used in a commercial software product.
MediQual Systems, Inc.	A standard Statewide 2003 inpatient discharge data set to be used in a commercial software product.
Memorial Hospital of York	A custom 2002 inpatient discharge data set to be used in making a decision on whether or not to expand their practice.
Mercy Health Partners NE Region	A custom 2001 inpatient discharge, HPR-type report to be used for internal purposes.
Mercy Health System	A custom 1999—2001 inpatient discharge report for regions 8 and 9 to be used to improve mortality and readmission results for Mercy Health System.
Milliman USA	A standard Statewide 2001 inpatient discharge data set to be used to analyze hospital utilization and costs for inpatient treatment in support of the client's consulting activities in the health care field.
Moses Taylor Hospital	A custom 2002 inpatient discharge report to be used for market share analysis of the Mid-Valley area.
Navigant Consulting	A standard facility 2000 inpatient discharge data set for Chester County Hospital to be used for hospital utilization research.
New Solutions, Inc.	A custom 2002 inpatient discharge data set to be used for research purposes and to provide market share analysis to client hospitals.
New Solutions, Inc.	A custom 2001 inpatient discharge data set by county to be used in a commercial software product.
North Philadelphia Health System	A standard regional 2001 and 2002 inpatient discharge data set to be used to perform statistical analysis about the facility and other similar facilities.
Commission on Crime and Delinquency	Custom 1995—2002 inpatient discharge and ambulatory procedure data sets to be used for a presentation to the Commission on Crime and Delinquency Commissioners that will focus on crime indicators such as offenses, arrests, sentences, prison admissions and hospital discharges for stabbings.
Department of Health	Custom 2000—2002 inpatient discharge and ambulatory procedure report to be used to assist the Arthritis Stakeholders Workgroup in assessing the treatment of arthritis-related diseases in this Commonwealth, including disparities and financial burden associated with arthritis-related hospitalizations.
Department of Health	Custom 1994—2001 inpatient discharge and ambulatory procedure report to be used to assess the burden of cardiovascular disease in this Commonwealth and to examine cardiovascular risk factors.
Department of Health	Custom 2000—2002 inpatient discharge and ambulatory procedure report to be used for planning and evaluation occurring during an RWJF grant to establish oral health access issues and need for care, especially Early Childhood caries, as it relates to Hotline and special needs patients.
Department of Health	Permission to utilize previously received standard Statewide 2000 and 2001 inpatient discharge and ambulatory procedure data sets for a Crash Outcome Data Evaluation System (CODES) project to study rapid sequence intubation by prehospital personnel.
Department of Health	Custom Statewide 2002 through 2nd quarter 2003 inpatient discharge and ambulatory procedure data sets to be used to develop baseline levels for public health surveillance and to estimate the numbers of cases and of disease outbreaks.
Department of Health	A custom sampling, by hospital, of 2002 inpatient discharge and ambulatory procedure data to be used during hospital audits conducted by the Department of Health's Licensing and Quality Assurance surveyors.
Department of Health	Standard Statewide 1st quarter 2003 inpatient discharge and ambulatory procedure data sets to be used to profile patient discharge patterns, which will be used by the Department of Health, Division of Acute and Ambulatory Care to carry out quality assurance and licensing functions.

<i>Applicant</i>	<i>Project Description</i>
Department of Health	A custom sampling, by hospital, of 2003 inpatient discharge and ambulatory procedure data sets to be used during hospital audits conducted by the Department of Health's Licensing and Quality Assurance surveyors.
Department of Health	Custom 2002 and 2003 inpatient discharge data sets to be used for the following studies: The CODES, Evaluation of Trauma Triage Protocols, Evaluation of Pediatric Treatment Protocols and Evaluation of the Trauma Systems Plan. The data will be used to assess the effectiveness of this Commonwealth's EMS and trauma systems, to identify areas for improvements to patient care and system operations and for planning.
Department of Health	Custom 2002 inpatient discharge and ambulatory procedure data sets for children less than 24 months of age with a diagnosis of birth defects to assist in a pilot project to assess the feasibility of creating a birth defects registry.
Department of Health	Custom 2003 inpatient discharge and ambulatory procedure data sets for children less than 24 months of age with a diagnosis of birth defects to assist in a pilot project to assess the feasibility of creating a birth defects registry.
Department of Health	Custom 2001 inpatient discharge and ambulatory procedure data sets for children less than 24 months of age with a diagnosis of birth defects to assist in a pilot project to assess the feasibility of creating a birth defects registry.
Department of Health	A custom 2001 inpatient discharge data set for use in the Department of Health's Injury Program to assist and improve the ability of health officials and injury prevention practitioners to use injury morbidity data for planning and evaluation of programs and policies.
Department of Health	Custom 1999 through 2nd quarter 2002 inpatient discharge and ambulatory procedure data sets by specific Asthma ICD-9-CM codes to be used to prepare a plan to address asthma in this Commonwealth, provide data to district health offices to plan intervention programs, update the Department of Health website pertaining to asthma and to develop county profiles.
Department of Health	Custom 1999 through 3rd quarter 2002 (excluding 2000) inpatient discharge and ambulatory data sets of select ICD-9-CM codes for spinal fractures, hip fractures and osteoporosis to be used to assess trends in fractures related to osteoporosis and changes in those rates and to plan intervention programs in the counties of high risk, evaluate the effectiveness of public health interventions in decreasing hip fractures and to prepare fact sheets.
Department of Public Welfare	A custom 2002 inpatient discharge report to be used to study the Mental Health and Drug and Alcohol services that individuals 60 years of age and older receive from different funding sources.
Department of Public Welfare	A custom Fiscal Year 2002 financial data set for net patient revenue by payor and uncompensated care, broken down by bad debt expense and charity care costs, to be used to compute payments to hospitals for the Tobacco Settlement Act of 2002.
Department of Public Welfare	A custom Fiscal Year 2001 financial data set for net patient revenue by payor and uncompensated care, broken down by bad debt expense and charity care costs, to be used to compute payments to hospitals for the Tobacco Settlement Act of 2001.
House of Representatives	A custom 2001 inpatient discharge report of misadventures to patients during surgical and medical care.
Office of the Attorney General	A standard Statewide 2002 inpatient discharge data set and an inpatient discharge market share report to be used in analyzing hospital mergers under the Office of Attorney General's authority to enforce the antitrust laws on behalf of the Commonwealth and its citizens.
Office of the Auditor General	A standard facility inpatient discharge data set for Fiscal Year 2001 and a custom financial data set for Fiscal Years 1999—2001 to be used to audit hospitals receiving extraordinary expense payments as part of the Tobacco Settlement.
Pennsylvania State Data Center	A custom Fiscal Year 2001 financial report to be used in the 2003 Pennsylvania Abstract published annually by the Pennsylvania State Data Center.
Pennsylvania State University	Custom 1995—2000 inpatient discharge and ambulatory procedure reports by ICD-9 codes for asthma to be used to focus on correlations between asthma incidence/prevalence and asthma mortality due to air quality levels.
Pennsylvania State University	A custom 2001 inpatient discharge data set of children 0 to 19 years of age to be used to examine variation in potentially preventable hospitalizations for asthma and other conditions among children living in rural and urban areas of this Commonwealth.
<i>Philadelphia Inquirer</i>	A standard regional 2002 inpatient discharge data set for to be used for newspaper stories.

<i>Applicant</i>	<i>Project Description</i>
<i>Philadelphia Inquirer</i>	A custom 1997 through 2nd quarter 2002 inpatient discharge report for CABG and angioplasty-stent procedures for a newspaper story.
<i>Philadelphia Inquirer</i>	A standard 1997—2002 inpatient market share report to be used for a newspaper story.
Phoenix Health Care Consulting	A custom 2002 inpatient discharge report to be used for a legal case involving Tenet Health Care and uninsured patients.
Pittsburgh Regional Health Care Initiative	A custom 2001 financial report by payor mix to be used for the PRHI Patient Safety Initiative, which studies the effect of reporting systems on medication and nosocomial errors.
<i>Pittsburgh Tribune Review</i>	A standard regional 2000 inpatient discharge data set for to be used in newspaper stories.
Pricewaterhouse Coopers, LLP	Standard facility 2002 inpatient discharge and ambulatory procedure data sets for Geisinger Danville and Geisinger Wyoming Valley.
Rutgers University	Custom 1998 through 3rd quarter 2002 inpatient discharge and ambulatory procedure data sets of New Jersey residents who were hospitalized in this Commonwealth, to be used as part of an analysis to determine the impact of a recent hospital acquisition in Salem County, NJ.
Rutgers University	Custom 4th quarter 2002 inpatient discharge and ambulatory procedure data sets to be used as part of an analysis to determine the impact of a recent hospital acquisition in Salem County, NJ.
Service Employees International Union	A standard regional 3rd quarter 1999 through 2nd quarter 2002 inpatient discharge data set to be used to compare cost and utilization differences amongst hospitals and payors and to investigate market share by DRG and by payor source.
Solucient	Standard Statewide 2003 inpatient discharge and ambulatory procedure data sets to be used in a commercial software product.
Solucient	Standard Statewide 2002 inpatient discharge and ambulatory procedure data sets to be used in a commercial software product.
Susquehanna Valley Rural Health Partnership	A custom 2001 through 2nd quarter 2002 inpatient discharge and ambulatory procedure report to be used to ascertain migration of residents to health care facilities out of the service area.
Temple University Hospital	A custom 1990 through 2nd quarter 2002 inpatient discharge data set to be used to evaluate and establish management guidelines for subsequent pregnancy.
Temple University Pulmonary & Critical Care	A custom 1991—2000 inpatient discharge report to be used to examine the impact of environmental exposure on admissions.
The MEDSTAT Group/Inforum, Inc.	Standard Statewide 1st quarter 2003 inpatient discharge and ambulatory procedure data sets to be used in a commercial software product.
The MEDSTAT Group/Inforum, Inc.	Standard Statewide 2002 inpatient discharge and ambulatory data sets to be used in a commercial software product.
The Visiting Nurse Association of Greater Philadelphia	A custom 4th quarter 2001 through 3rd quarter 2002 inpatient discharge report by payor for Chestnut Hill Hospital to be used for market research.
The Wall Street Journal	A custom 2002 inpatient discharge data set to be used for news stories on medical outcomes.
The Wharton School	A custom 1994—1999 inpatient discharge report to be used to describe the changes in hospital admissions during the mid to late 1990s that might have been caused by financial problems in hospital and managed care systems.
The Wharton School	A custom 1994—1999 inpatient discharge report to be used to describe the changes in hospital admissions of selected cardiac procedures during the mid to late 1990s.
Thomas Jefferson University Hospital	Permission to reuse 1997—1999 inpatient discharge data for a study of cases with catheter-related blood stream infections versus those without.
United Network for Organ Sharing	A custom 1996—2002 inpatient discharge data set to be used to study the role of organ transplantation in decreasing patient morbidity and burden of disease for patients with end-stage organ failure, using inpatient and ICU hospitalizations as outcome measures.
University of Pennsylvania	A custom linkage of cancer registry data of this Commonwealth to previously purchased 1998—1999 inpatient discharge data to be used to construct risk-adjusted odds of death and failure to rescue for hospitalized cancer patients in this Commonwealth.

<i>Applicant</i>	<i>Project Description</i>
University of Pennsylvania	A standard Statewide 1995—2001 inpatient discharge data set to be used to examine the role that financial stress in hospitals plays on hospital admissions and treatment decisions.
University of Pennsylvania	A custom linkage of previously received 1995—2001 inpatient discharge data to death data of this Commonwealth to be used to determine if cuts in reimbursement to hospitals alter quality of care and if this effect may be mediated in part by the surrounding market environment.
University of Pennsylvania	Permission to use previously provided 1995—2001 inpatient discharge data for a study on how financial stress in hospitals affects quality of care and for examination of racial differences.
University of Pennsylvania School of Medicine	A custom 2nd quarter 2002 through 1st quarter 2003 inpatient discharge data set to study reducing medication errors among the elderly. This project is being conducted in cooperation with the Department of Aging, Pharmaceutical Assistance Contract for the Elderly.
University of Pennsylvania School of Medicine	Custom 1998 and 1999 inpatient discharge and ambulatory procedure data sets to be used in the Trauma Resource Allocation Model for Ambulances and Helicopters, a Federally-funded health services research project.
University of Pennsylvania, Firearm Injury Center	Custom 1995—2002 inpatient discharge and ambulatory procedure data sets to be used to improve the capacity of Federal, State and local PSN task force partners to understand and prevent firearm-related violent crime through data and evidence driven strategies.
University of Pittsburgh Center for Rural Health Practice	A standard regional 1990—2001 inpatient discharge data set and a standard regional 1996—2001 ambulatory procedure data set to be used to field test the use of Council data in conducting community public health assessments.
University of Pittsburgh School of Medicine	A custom 1994—2001 inpatient discharge data set to develop a population-based measure of chronic liver disease and demand for liver transplantation services.
University of Pittsburgh School of Medicine	A custom 1997—2001 inpatient discharge report to be used to determine the scope of thrombotic disease in hospital patients in this Commonwealth and to target potential prevention efforts to reduce morbidity, mortality and health care costs. The data will also be used as preliminary information to establish a thrombosis center and to work to develop a health care prevention message.
UPMC Horizon	A custom 3rd quarter 2001 through 2nd quarter 2002 ambulatory procedure report to be used to understand how much variation exists in lithotripsy charges.
Urban Health Institute	A custom 2001 inpatient discharge data set to study NJ residents seeking care in this Commonwealth for heart-related illnesses.
Verispan	Standard Statewide 2002 inpatient discharge and ambulatory procedure data sets to be used, along with other states' data, to estimate diagnoses and procedures at the hospital and National level.
Warren Hospital	A Fiscal Year 2002 financial data set as well as 2001 through 1st quarter 2003 inpatient discharge and ambulatory procedure market share reports, revenue code detail data sets and a custom report to be used to study financial due diligence and feasibility.
West Virginia Health Care Authority	A custom 2000 and 2001 inpatient discharge report to be used to assist in the analysis of health care needs and costs of West Virginia residents.
West Virginia Hospital Association	A custom 2000 inpatient discharge data set to be used to analyze the use of out-of-State hospitals by West Virginia residents for inpatient hospital services.
West Virginia University	A standard regional 2000 inpatient discharge data set to be used to construct morbidity estimates for counties in the Appalachian region.
Wyoming Valley Health Care System	A standard regional 2001 and 2002 ambulatory procedure data set to be used to perform market analysis for an internal project.
Wyoming Valley Health Care System	Standard 2002 inpatient discharge and ambulatory procedure data sets to be used internally to track volumes and for benchmarking against the other hospitals in the client's immediate area.

[Pa.B. Doc. No. 04-781. Filed for public inspection April 30, 2004, 9:00 a.m.]

INSURANCE DEPARTMENT

Edith A. Blankenbiller; Hearing

**Appeal of Edith A. Blankenbiller under 40 P. S.
§§ 991.2101—991.2193; Doc. No. HC04-04-008**

The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and any other relevant procedure provisions of law.

A prehearing telephone conference initiated by the Administrative Hearings Office shall be conducted on May 27, 2004, at 2 p.m. Each party shall provide a telephone number to be used for the telephone conference to the Hearings Administrator on or before April 30, 2004. The hearing shall occur on June 24, 2004, at 1:30 p.m. in Room 200, Administrative Hearings Office, Capitol Associates Building, 901 North Seventh Street, Harrisburg, PA 17102.

Motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed on or before June 10, 2004, with the Hearings Administrator, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102. Answer to petitions to intervene shall be filed on or before June 17, 2004.

Persons with a disability who wish to attend the administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Jeffrey Wallace, Agency Coordinator, (717) 787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 04-782. Filed for public inspection April 30, 2004, 9:00 a.m.]

**Blue Cross of Northeastern Pennsylvania; Basic
Blue Cross Community Rated Group Rate In-
crease; Rate Filing**

On April 16, 2004, the Insurance Department received from Blue Cross of Northeastern Pennsylvania filing no. 785-BCCR-10/1/2004 for a rate increase for Basic Blue Cross Community Rated Groups.

The company requests an overall 9.67% increase amounting to \$2.65 million annually, to be effective October 1, 2004. This will impact approximately 10,300 policyholders.

Unless formal administrative action is taken prior to July 14, 2004, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Department's website: www.ins.state.pa.us. To access the filing, select "Consumer Information" on the left side. Under "General Information," click on "Notices." The PDF copy is at the "Filing.pdf" link following the name of the filing.

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Insurance Department's regional office in Harrisburg.

Interested parties are invited to submit written comments, suggestions or objections to Bharat Patel, Insur-

ance Department, Insurance Product Regulation and Market Enforcement, Room 1311, Strawberry Square, Harrisburg, PA 17120, bhpatel@state.pa.us within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 04-783. Filed for public inspection April 30, 2004, 9:00 a.m.]

Stan Duda; Hearing

**Appeal of Stan Duda under the Storage Tank and
Spill Prevention Act; Underground Storage Tank
Indemnification Fund; USTIF File No. 03-059(F);
Doc. No. UT04-04-004**

The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and any other relevant procedure provisions of law.

A prehearing telephone conference shall be held on May 26, 2004, at 2 p.m. A hearing shall occur on June 16, 2004, at 1:30 p.m. in the Administrative Hearings Office, Room 200, Capitol Associates Building, 901 North Seventh Street, Harrisburg, PA 17102. Motions preliminary to those at hearing, protests, petitions to intervene, notices of appearance or notices of intervention, if any, must be filed with the Hearings Administrator at the previous address on or before June 2, 2004. Answers to petitions to intervene, if any, shall be filed on or before June 9, 2004.

Persons with a disability who wish to attend the administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Jeffrey Wallace, Agency Coordinator, (717) 787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 04-784. Filed for public inspection April 30, 2004, 9:00 a.m.]

Dunmore Oil Company, Inc.; Prehearing

**Appeal of Dunmore Oil Company, Inc. under the
Storage Tank and Spill Prevention Act;
Underground Storage Tank Indemnification Fund;
USTIF File No. 99-215(F); Doc. No. UT04-04-028**

The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and any other relevant procedure provisions of law.

A prehearing telephone conference shall be held on June 2, 2004, at 1:30 p.m. Motions preliminary to those at hearing, protests, petitions to intervene, notices of appearance or notices of intervention, if any, must be filed with the Hearings Administrator, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102 on or before May 25, 2004. Answers to petitions to intervene, if any, shall be filed on or before June 1, 2004.

A date for a hearing shall be determined, if necessary, at the prehearing/settlement telephone conference.

Persons with a disability who wish to attend the administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Jeffrey Wallace, Agency Coordinator, (717) 787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 04-785. Filed for public inspection April 30, 2004, 9:00 a.m.]

GE Life and Annuity Assurance Company; Requesting Authority to Increase Rates for Individual Standardized Medicare Supplement Plan D; Rate Filing

GE Life and Annuity Assurance Company has filed for approval increased rates for its individual standardized Medicare supplement Plan D, form no. HMSPD96 PA. The filing requests an increase of 20% for all ages. The rate increase will impact about 4,567 policyholders in this Commonwealth, and produce additional annual Commonwealth premium income of approximately \$1.2 million. The requested effective date is as soon as administratively possible following approval.

Unless formal administrative action is taken prior to July 1, 2004, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Department's website: www.ins.state.pa.us. To access the filing, select "Consumer Information" on the left side. Under "General Information," click on "Notices." The PDF copy is at the "Filing.pdf" link following the name of the filing.

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Insurance Department's regional offices in Harrisburg, Philadelphia and Pittsburgh.

Interested parties are invited to submit written comments, suggestions or objections to Michael Gurgiolo, Insurance Department, Insurance Product Regulation and Market Enforcement, Room 1311, Strawberry Square, Harrisburg, PA 17120, mgurgiolo@state.pa.us within 15 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 04-786. Filed for public inspection April 30, 2004, 9:00 a.m.]

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insureds have requested a hearing as authorized by the act of June 17, 1998 (P. L. 464, No. 68), in connection with the termination of the insureds' automobile policies. The hearings will be held in accordance with the requirements of the act; 1 Pa. Code Part II (relating to the General Rules of Administrative Practice

and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). The administrative hearings will be held in the Insurance Department's regional offices in Philadelphia and Pittsburgh, PA. Failure by an appellant to appear at a scheduled hearing may result in dismissal with prejudice.

The following hearings will be held in the Philadelphia Regional Office, Room 1701 State Office Building, 1400 Spring Garden Street, Philadelphia, PA 19130.

Appeal of William and Donata R. Devenney, Jr.; file no. 04-280-00965; AAA Mid-Atlantic Insurance Group; doc. no. PH04-04-006; June 17, 2004, 10 a.m.

Appeal of Dorothy A. Billings; file no. 04-265-01237; Erie Insurance Exchange; doc. no. PH04-04-011; June 17, 2004, 11 a.m.

Appeal of Jim L. Roberts; file no. 04-280-01085; AAA Mid-Atlantic Insurance Company; doc. no. PH04-04-023; June 17, 2004, 3 p.m.

The following hearings will be held in the Pittsburgh Regional Office, Room 304 State Office Building, 300 Liberty Avenue, Pittsburgh, PA 15222.

Appeal of Tyrone Artemus; file no. 04-308-70515; GEICO Casualty Company; doc. no. PI04-04-007; July 15, 2004, 9 a.m.

Appeal of Michael E. and Robin E. Williams; file no. 04-303-70624; Erie Insurance Exchange; doc. no. PI04-04-009; July 15, 2004, 10 a.m.

Parties may appear with or without counsel and offer relevant testimony or evidence. Each party must bring documents, photographs, drawings, claims files, witnesses, and the like, necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

In some cases, the Insurance Commissioner (Commissioner) may order that the company reimburse an insured for the higher cost of replacement insurance coverage obtained while the appeal is pending. Reimbursement is available only when the insured is successful on appeal, and may not be ordered in all instances. If an insured wishes to seek reimbursement for the higher cost of replacement insurance, the insured must produce documentation at the hearing which will allow comparison of coverages and costs between the original policy and the replacement policy.

Following the hearing and receipt of the stenographic transcript, the Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend an administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Tracey Pontius, Agency Coordinator, (717) 787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 04-787. Filed for public inspection April 30, 2004, 9:00 a.m.]

Review Procedure Hearings under the Unfair Insurance Practices Act

The following insureds have requested a hearing as authorized by section 8 of the Unfair Insurance Practices Act (40 P. S. § 1171.8) in connection with their companies' termination of the insureds' policies. The administrative hearings will be held in the Insurance Department's regional offices in Harrisburg and Philadelphia, PA. Failure by an appellant to appear at a scheduled hearing may result in dismissal with prejudice.

The following hearing will be held in the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 N. Seventh Street, Harrisburg, PA 17102.

Appeal of Richard Whary; file no. 04-188-02177; Farmers Mutual Insurance Company; doc. no. P04-04-012; May 19, 2004, 1:30 p.m.

The following hearings will be held in the Philadelphia Regional Office, Room 1701 State Office Building, 1400 Spring Garden Street, Philadelphia, PA 19130.

Appeal of Michael and Janet Papaila; file no. 04-210-01144; Nationwide Mutual Fire Insurance Company; doc. no. PH04-04-005; June 17, 2004, 9 a.m.

Appeal of David and Amy Harris; file no. 04-267-01154; Amica Mutual Insurance Company; doc. no. PH04-04-022; June 17, 2004, 2 p.m.

Each party may appear with or without counsel and offer relevant testimony and/or other relevant evidence. Each party must bring documents, photographs, drawings, claims files, witnesses, and the like, necessary to offer support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner (Commissioner) will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend an administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Tracey Pontius, Agency Coordinator, (717) 787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 04-788. Filed for public inspection April 30, 2004, 9:00 a.m.]

LIQUOR CONTROL BOARD

Expiration of Leases

The following Liquor Control Board leases will expire:

Allegheny County, Wine & Spirits Shoppe #9203, 3 Quaker Village Shopping Center, Leetsdale, PA 15056-1194.

Lease Expiration Date: March 31, 2005

Lease retail commercial space to the Commonwealth.

Proposals are invited to provide the Liquor Control Board with approximately 3,000 to 3,500 net useable square feet of new or existing retail commercial space along Route 65 in Leetsdale.

Proposals due: May 21, 2004, at 12 p.m.

Department: Liquor Control Board
Location: Real Estate Division, State Office Building, Room 408, 300 Liberty Avenue, Pittsburgh, PA 15222
Contact: George Danis, (412) 565-5130

Butler County, Wine & Spirits Shoppe #1006, 340 Greater Butler Mart, Butler, PA 16001-3259.

Lease Expiration Date: March 31, 2005

Lease retail commercial space to the Commonwealth. Proposals are invited to provide the Liquor Control Board with approximately 3,500 net useable square feet of new or existing retail commercial space within 1/2 mile of the Route 8 and Litman Road intersection in Butler Township.

Proposals due: May 21, 2004, at 12 p.m.

Department: Liquor Control Board
Location: Real Estate Division, State Office Building, Room 408, 300 Liberty Avenue, Pittsburgh, PA 15222
Contact: Thomas Deal, (412) 565-5130

Cambria County, Wine & Spirits Shoppe #1104, 101 Park Avenue, Cresson, PA 16630-1166.

Lease Expiration Date: April 30, 2005

Lease retail commercial space to the Commonwealth. Proposals are invited to provide the Liquor Control Board with approximately 2,500 net useable square feet of new or existing retail commercial space serving the Cresson area.

Proposals due: May 21, 2004, at 12 p.m.

Department: Liquor Control Board
Location: Real Estate Division, State Office Building, Room 408, 300 Liberty Avenue, Pittsburgh, PA 15222
Contact: Thomas Deal, (412) 565-5130

Cambria County, Wine & Spirits Shoppe #1118, Geistown Shopping Ctr., 2451 Bedford Street, Johnstown, PA 15904-1438.

Lease Expiration Date: April 30, 2005

Lease retail commercial space to the Commonwealth. Proposals are invited to provide the Liquor Control Board with approximately 3,600 net useable square feet of new or existing retail commercial space serving the Geistown area.

Proposals due: May 21, 2004, at 12 p.m.

Department: Liquor Control Board
Location: Real Estate Division, State Office Building, Room 408, 300 Liberty Avenue, Pittsburgh, PA 15222
Contact: Thomas Deal, (412) 565-5130

Delaware County, Wine & Spirits Shoppe #2305, 8 East State Street, Media, PA 19063.

Lease Expiration Date: August 31, 2004

Lease retail commercial space to the Commonwealth. Proposals are invited to provide the Liquor Control Board with approximately 4,000 to 10,000 net useable square feet of new or existing retail commercial space within a

2-mile radius of Eight East State Street, Media.

Proposals due: May 21, 2004, at 12 p.m.

Department: Liquor Control Board
Location: Real Estate Division, 8305 Ridge Avenue, Philadelphia, PA 19128
Contact: James M. Bradley, (215) 482-9671

Indiana County, Wine & Spirits Shoppe #3202, 575 Philadelphia Street, Indiana, PA 15701-3901.

Lease Expiration Date: February 28, 2005

Lease retail commercial space to the Commonwealth. Proposals are invited to provide the Liquor Control Board with approximately 3,500 net useable square feet of new or existing retail commercial space located on or near Philadelphia Street within the central business district of Indiana. The space should have tractor-trailer loading facilities.

Proposals due: May 21, 2004, at 12 p.m.

Department: Liquor Control Board
Location: Real Estate Division, State Office Building, Room 408, 300 Liberty Avenue, Pittsburgh, PA 15222
Contact: Thomas Deal, (412) 565-5130

Luzerne County, Wine & Spirits Shoppe #4025, Valley Plaza, Conyngham, PA 18219.

Lease Expiration Date: May 31, 2005

Lease retail commercial space to the Commonwealth. Proposals are invited to provide the Liquor Control Board with approximately 3,500 to 4,500 net useable square feet of new or existing retail commercial space along State Route 93 in Sugarloaf Township.

Proposals due: May 21, 2004, at 12 p.m.

Department: Liquor Control Board
Location: Real Estate Division, Brandywine Plaza, 2223 Paxton Church Road, Harrisburg, PA 17110-9661
Contact: Ronald Hancher, Jr., (717) 657-4228

Philadelphia County, Wine & Spirits Shoppe #5187, 450 N. 60th Street, Philadelphia, PA 19151.

Lease Expiration Date: 90-day status since March 1, 2001

Lease retail commercial space to the Commonwealth. Proposals are invited to provide the Liquor Control Board with approximately 4,000 net useable square feet of new or existing retail commercial space within a 1-mile radius of 450 N. 60th Street, Philadelphia.

Proposals due: May 21, 2004, at 12 p.m.

Department: Liquor Control Board
Location: Real Estate Division, 8305 Ridge Avenue, Philadelphia, PA 19128
Contact: James M. Bradley, (215) 482-9671

Sullivan County, Wine & Spirits Shoppe #5701, 121 W. Main Street, Dushore, PA 18614.

Lease Expiration Date: May 31, 2005

Lease retail commercial space to the Commonwealth. Proposals are invited to provide the Liquor Control Board with approximately 1,300 to 2,400 net useable square feet of new or existing retail commercial space within Dushore Borough.

Proposals due: May 21, 2004, at 12 p.m.

Department: Liquor Control Board
Location: Real Estate Division, Brandywine Plaza, 2223 Paxton Church Road, Harrisburg, PA 17110-9661
Contact: Ronald Hancher, Jr., (717) 657-4228

The Liquor Control Board seeks the following new site:

Philadelphia County, Wine & Spirits Shoppe #5115, Philadelphia.

Lease retail commercial space to the Commonwealth. Proposals are invited to provide the Liquor Control Board with approximately 3,500 net useable square feet of new or existing retail commercial space in a 1-mile radius of the intersection of Baltimore Avenue and 58th Street, Philadelphia.

Proposals due: May 21, 2004, at 12 p.m.

Department: Liquor Control Board
Location: Real Estate Division, 8305 Ridge Avenue, Philadelphia, PA 19128
Contact: James M. Bradley, (215) 482-9671

JONATHAN H. NEWMAN,
Chairperson

[Pa.B. Doc. No. 04-789. Filed for public inspection April 30, 2004, 9:00 a.m.]

PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY

Meetings Scheduled

The Fiscal Year 2004-2005 regular meetings and application cut-off dates of the Pennsylvania Infrastructure Investment Authority (PENNVEST) have been scheduled. Meetings of the PENNVEST Board of Directors will begin at 10 a.m. at the Governor's Residence, 2035 North Front Street, Harrisburg, PA.

Application Cut-Off Dates Board Meeting Dates

May 5, 2004	July 7, 2004
September 15, 2004	November 17, 2004
January 12, 2005	March 16, 2005

Funding applications must be received by 5 p.m. on the stated cut-off dates at the PENNVEST Office, 22 South Third Street, Harrisburg, PA 17101.

Persons requiring ADA accommodations at a Board meeting should contact Elaine Keisling, (717) 783-4494, akeisling@state.pa.us.

PENNVEST and the Department of Environmental Protection have scheduled public meetings for 2 p.m. on July 7, 2004, November 17, 2004, and March 16, 2005, in the 2nd Floor Auditorium, Rachel Carson State Office Building, 400 Market Street, Harrisburg.

The meetings are scheduled for the purpose of advising the public regarding revisions to the FY 2003-2004 Clean Water State Revolving Fund (CWSRF) and Drinking Water State Revolving Fund (DWSRF) Project Priority List and Intended Use Plan and the impact of PENNVEST Board decisions on the funding of these projects for the July 7, 2004, meeting, FY 2003-04 Revised CWSRF and FY 2003-04 DWSRF for the November 17, 2004, meeting and FY 2003-2004 for the March 16, 2005, meeting.

Persons requiring ADA accommodations should contact Tony Maisano, (717) 787-6744, amaisano@state.pa.us.

PAUL K. MARCHETTI,
Executive Director

[Pa.B. Doc. No. 04-790. Filed for public inspection April 30, 2004, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Extension of the Fuel Cost Recovery Surcharge Special Permission 28207

Public Meeting held
April 15, 2004

Commissioners Present: Terrance J. Fitzpatrick, Chairperson; Robert K. Bloom, Vice Chairperson; Glen R. Thomas; Kim Pizzingrilli; Wendell F. Holland

*Extension of the Fuel Cost Recovery Surcharge Special
Permission 28207*

Order

By the Commission:

Tristate Household Goods Conference, Inc. (Tristate), a tariff publishing agency, represents approximately 275 PUC household good carriers. Tristate filed on March 15, 2004, to extend the current Fuel Cost Recovery Surcharge approved in a Public Meeting held April 17, 2003, for duration of 1 year unless changed, cancelled or extended. The current surcharge grants approval to temporarily increase the Tristate tariff to recover temporarily increased fuel costs when transporting household goods for moves more than 40 miles (weight and distance) and moves that are 40 miles or less (hourly) by the use of a Fuel Cost Recovery Surcharge.

In support of its proposed surcharge, Tristate has submitted data from the Department of Energy for the Central Atlantic Region. The March 2004 diesel prices are \$1.736 and remain 28% higher than the March 2002 diesel prices of \$1.355.

The United States Department of Transportation has responded to the escalating fuel costs for interstate transportation by approving a fuel surcharge on a similar sliding scale. The Federal Fuel Surcharge became effective May 15, 2000, and continues to be in effect.

Based on our review, it appears that the extension of the Fuel Cost Recovery Surcharge for transportation of household goods is an appropriate means to address this regulatory problem and will result in just and reasonable rates. To prevent financial hardship it is imperative that household goods carriers in this Commonwealth be afforded an opportunity to temporarily adjust rates to offset escalating fuel costs using the proposed extended Fuel Cost Recovery Surcharge and, accordingly, we shall allow the proposed extended surcharge to become effective for a period of 1 year unless changes, cancelled or further extended. *Therefore,*

It Is Ordered That:

1. Tristate members rendering service under authority of this Commission shall charge a Fuel Cost Recovery Surcharge on transportation provided for over 40 mile charges and for 40 miles or less hourly charge in

accordance with all other tariff rules of this Commission. The Fuel Recovery Surcharge is to be extended effective April 18, 2004.

2. The Extended Fuel Recovery Surcharge shall be in effect for 1 year to April 18, 2005, unless changed, cancelled or further extended by the Commission.

3. Copies of this order shall be served by the Secretary to the Office of Consumer Advocate and Office of Small Business Advocate. The Secretary shall forward this Order to the *Pennsylvania Bulletin* for publication.

4. Each carrier shall post a copy of this Extended Fuel Cost Recovery Surcharge along with the original Fuel Cost Recovery Surcharge dated April 17, 2003, in a conspicuous place. In addition, each carrier shall include the surcharge as a separate line item of the Estimate of Charges provided to prospective shippers.

5. The rates collected to the Extended Fuel Cost Recovery Surcharge are subject to refund in the event that any formal complaints are filed, within 30 days of the date of publication of this order, and are successful in challenging the surcharge.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 04-791. Filed for public inspection April 30, 2004, 9:00 a.m.]

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by May 24, 2004. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Applications of the following for approval to begin operating as common carriers for transportation of persons as described under each application.

A-00120669. Mabel and Eli Herr, Jr., (974 Sensenig Road, Ephrata, Lancaster County, PA 17522)—persons in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, between points in the County of Lancaster, and those points in Chester County, located west of Route 10, and from points in said territory, to points in Pennsylvania, and return.

A-00120667. Kevin D. Morse t/d/b/a Touch of Class Limousine (R. R. 1, Box 287, Rome, Bradford County, PA 18837)—persons in limousine service, between points in the County of Bradford, and from points in said county, to points in Pennsylvania, and vice versa.

Application of the following for approval of the additional right and privilege of operating motor

vehicles as common carriers for transportation of persons by transfer of rights as described under the application.

A-00113582, F.3. Concord Limousine, Inc. t/d/b/a Concord Coach Taxi (2752 Mt. Carmel Ave., Glenside, Montgomery County, PA 19038), additional right—persons in airport transfer service: (1) from the Lehigh Valley International Airport in the Township of Hanover, Lehigh County, to points in Pennsylvania east of U. S. Highway Route 15, and vice versa, right 1 subject to the following condition: that no person shall be transported from points in the said territory to the Lehigh Valley International Airport who are farther than 35 air miles from the said airport; and (2) persons, who are passengers from diverted flights or who are stranded passengers, from the Lehigh Valley International Airport, in the Township of Hanover, Lehigh County, to any other airport located in Pennsylvania; which is to be a transfer of the rights authorized under the certificate issued at A-00116101, F.4 to Airport Taxi Limousine and Courier Service of Lehigh Valley, Inc., subject to the same limitations and conditions. *Attorney:* Jeffrey Killind, 42 South 15th Street, Suite 811, Philadelphia, PA 19102.

Applications of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods as described under each application.

A-00120666. Twins Moving and Storage Co., Inc. (14 A 53 Road Street, Brooklyn, NY 11232), a corporation of the State of New York—household goods in use, between points in the Counties of Fulton, Blair, Huntingdon, Perry, Franklin, Adams, York and Bedford, and from points in said counties, to points in Pennsylvania, and vice versa.

A-00120654. S & S Moving & Storage, Inc. (4318 Dover Drive, Morrisville, Bucks County, PA 19067), a corporation of the Commonwealth—household goods in use, between points in the Counties of Delaware, Chester, Montgomery and Bucks, and the City and County of Philadelphia, and from points in said territory, to points in Pennsylvania, and vice versa.

Complaint

Pennsylvania Public Utility Commission, Bureau of Transportation and Safety v. Alvin R. Emerson, III, t/d/b/a Teg's Executive Car Service of Pa.; Doc. No. A-00116131C

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Transportation and Safety and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Transportation and Safety Prosecutory Staff hereby represents as follows:

1. That Alvin R. Emerson, III, t/d/b/a Teg's Executive Car Service of Pa., respondent, maintains a principal place of business at 252 East Market Street, Suite 377, West Chester, PA 19382.
2. That respondent was issued a Certificate of Public Convenience by this Commission on June 8, 2000, at Application Docket No. A-00116131.

3. That respondent has failed to maintain evidence of bodily injury and property damage liability insurance on file with this Commission.

4. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

WHEREFORE, unless respondent causes its insurer to file evidence of insurance with this Commission within twenty days of the date of service of this Complaint, the Bureau of Transportation and Safety Prosecutory Staff hereby requests that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at Docket No. A-00116131, for failure to maintain evidence of current insurance on file with the Commission, (2) orders such other remedy as the Commission may deem to be appropriate, which may include a fine and the suspension of a vehicle registration and (3) imposes an additional fine on the respondent.

Respectfully submitted,

Wendy J. Keezel, Chief of Enforcement
Motor Carrier Services & Enforcement Division
Bureau of Transportation and Safety
P. O. Box 3265
Harrisburg, PA 17105-3265

VERIFICATION

I, Wendy J. Keezel, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect to be able to prove the same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: _____
Wendy J. Keezel

NOTICE

A. You must file an answer within twenty days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial cover letter for this complaint and notice, 52 Pa. Code § 1.56(a). The answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your answer must be verified and the original and three copies sent to:

James J. McNulty, Secretary
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

B. If you fail to answer this complaint within twenty days of the date of service, the Bureau of Transportation and Safety will request that the Commission issue an Order imposing a penalty. Pursuant to 66 Pa.C.S. § 3301(a), the penalty could include a fine of up to \$1,000 for each violation, the revocation of your Certificate of Public Convenience, Contract Carrier Permit, or Brokerage license, or any other remedy as may be appropriate. Each day you continue to violate any regulation, direction, requirement, determination or order of the Commission is a separate and distinct offense, subject to additional penalties.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regula-

tions within twenty days of the date of service of this Complaint. The proof of insurance must be filed with the Secretary of the Commission at the address set forth in Paragraph A. Upon receipt of the evidence of insurance from your insurer, the complaint proceeding shall be closed. **ACORD CERTIFICATES OF INSURANCE ARE UNACCEPTABLE AS EVIDENCE OF INSURANCE.**

D. If you file an answer which either admits or fails to deny the allegations of the complaint, the Bureau of Transportation and Safety will request that the Commission enter an Order imposing a penalty (see Paragraph B). Should the Commission cancel your Certificate of Public Convenience, it may also impose an additional fine of up to \$1,000.

E. If you file an answer which contests the complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The judge is not bound by the optional penalty set forth in Paragraph B.

F. Alternative formats of this material are available, for persons with disabilities, by contacting the Insurance/Filing Unit at (717) 783-5933.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 04-792. Filed for public inspection April 30, 2004, 9:00 a.m.]

Telecommunications

A-310183F7018. Frontier Communications of Breezewood, Inc. and Sprint Communications Company, L. P. Joint petition of Frontier Communications of Breezewood, Inc. and Sprint Communications Company, L. P. for approval of an interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Frontier Communications of Breezewood, Inc. and Sprint Communications Company, L. P., by its counsel, filed on April 12, 2004, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Frontier Communications of Breezewood, Inc. and Sprint Communications Company, L. P. joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 04-793. Filed for public inspection April 30, 2004, 9:00 a.m.]

Telecommunications

A-310183F7019. Frontier Communications of Canton, Inc. and Sprint Communications Company, L. P. Joint petition of Frontier Communications of Can-

ton, Inc. and Sprint Communications Company, L. P. for approval of an interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Frontier Communications of Canton, Inc. and Sprint Communications Company, L. P., by its counsel, filed on April 12, 2004, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Frontier Communications of Canton, Inc. and Sprint Communications Company, L. P. joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 04-794. Filed for public inspection April 30, 2004, 9:00 a.m.]

Telecommunications

A-310183F7021. Frontier Communications of Lakewood, Inc. and Sprint Communications Company, L. P. Joint petition of Frontier Communications of Lakewood, Inc. and Sprint Communications Company, L. P. for approval of an interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Frontier Communications of Lakewood, Inc. and Sprint Communications Company, L. P., by its counsel, filed on April 12, 2004, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Frontier Communications of Lakewood, Inc. and Sprint Communications Company, L. P. joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 04-795. Filed for public inspection April 30, 2004, 9:00 a.m.]

Telecommunications

A-310183F7020. Frontier Communications of Oswayo River, Inc. and Sprint Communications Company, L. P. Joint petition of Frontier Communications of Oswayo River, Inc. and Sprint Communications

Company, L. P. for approval of an interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Frontier Communications of Oswayo River, Inc. and Sprint Communications Company, L. P., by its counsel, filed on April 12, 2004, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Frontier Communications of Oswayo River, Inc. and Sprint Communications Company, L. P. joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 04-796. Filed for public inspection April 30, 2004, 9:00 a.m.]

Telecommunications

A-310183F7007. Frontier Communications of Pennsylvania, Inc. and Sprint Communications Company, L. P. Joint petition of Frontier Communications of Pennsylvania, Inc. and Sprint Communications Company, L. P. for approval of an interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Frontier Communications of Pennsylvania, Inc. and Sprint Communications Company, L. P., by its counsel, filed on April 12, 2004, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Frontier Communications of Pennsylvania, Inc. and Sprint Communications Company, L. P. joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 04-797. Filed for public inspection April 30, 2004, 9:00 a.m.]

[Correction]

Water Service

An error occurred in a notice which appeared at 34 Pa.B. 2145 (April 17, 2004). The number in the heading

was incorrect. The correct version of the heading is as follows, with ellipses referring to the existing text of the notice:

A-210104F0050. Aqua Pennsylvania, Inc.

* * * * *

[Pa.B. Doc. No. 04-680. Filed for public inspection April 16, 2004, 9:00 a.m.]

PHILADELPHIA REGIONAL PORT AUTHORITY

Request for Bids

The Philadelphia Regional Port Authority (PRPA) will accept sealed bids for Project #03-251.1, Roofing Investigation and Repairs, PRPA Facilities, until 2 p.m. on Thursday, May 20, 2004. The bid documents can be obtained from the Director of Procurement, PRPA, 3460 N. Delaware Avenue, 2nd Floor, Philadelphia, PA 19134, (215) 426-2600 and will be available May 4, 2004. Additional information and project listings can be found at www.philaport.com. The cost of the bid document is \$35 (includes 7% Pennsylvania sales tax). The cost is non-refundable. PRPA is an equal opportunity employer. Contractors must comply with all applicable equal opportunity laws and regulations.

A mandatory prebid job site meeting will be held on May 13, 2004, at 10 a.m. at the Tioga Administration Building, 3460 N. Delaware Ave., 2nd Floor, Philadelphia, PA 19134.

JAMES T. MCDERMOTT, Jr.,
Executive Director

[Pa.B. Doc. No. 04-798. Filed for public inspection April 30, 2004, 9:00 a.m.]

PUBLIC SCHOOL EMPLOYEES' RETIREMENT BOARD

Hearings Scheduled

Hearings have been scheduled, as authorized by 24 Pa.C.S. Part IV (relating to Public School Employees' Retirement Code), in connection with the Public School Employees' Retirement System's (System) denial of claimants' requests concerning the indicated accounts.

The hearings will be held before a hearing examiner at the Public School Employees' Retirement System, 5 North Fifth Street, Harrisburg, PA 17101:

May 26, 2004	Sharon P. Delp (Change of Option)	1 p.m.
	Grace A. Ehlers (Denial of Waiver of Adjustment)	2:30 p.m.

Persons with a disability who wish to attend the listed hearings and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact Marilyn Fuller-Smith, Assistant to the Executive

Director, (717) 720-4921 to discuss how the System may best accommodate their needs.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearings will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Under 22 Pa. Code § 201.1 (relating to applicability of general rules), procedural matters will be in conformance with 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure) unless specific exemption is granted.

JEFFREY B. CLAY,
Executive Director

[Pa.B. Doc. No. 04-799. Filed for public inspection April 30, 2004, 9:00 a.m.]

STATE EMPLOYEES' RETIREMENT BOARD

Hearings Scheduled

Hearings have been scheduled, as authorized by 71 Pa.C.S. Part XXV (relating to State Employees' Retirement Code), in connection with the State Employees' Retirement System's denial of Claimants' requests concerning the indicated accounts. Under 1 Pa. Code § 35.30 (relating to notice and action on petitions to intervene), May 14, 2004, has been established as the last date to file a petition to intervene in these cases.

The hearings will be held before a hearing examiner at the State Employees' Retirement System, 30 North Third Street, Fifth Floor, Harrisburg, PA 17101:

June 9, 2004	Donna Stimeling (Disability Retirement Benefits)	1 p.m.
June 16, 2004	Daniel T. Worley (Purchase of Service Credit)	1 p.m.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective

positions. The hearings will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Under 4 Pa. Code § 250.1 (relating to applicability of general rules), procedural matters will be in conformance with 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure) unless specific exemption is granted.

JOHN BROSIUS,
Secretary

[Pa.B. Doc. No. 04-800. Filed for public inspection April 30, 2004, 9:00 a.m.]

STATE REAL ESTATE COMMISSION

**Bureau of Professional and Occupational Affairs v.
Zion Ben-Ami; Doc. No. 1314-56-02**

On March 11, 2004, the State Real Estate Commission (Commission) suspended for a minimum of 1 year real estate licenses RM-04733-C, RM-047333-B, RM-047333-A, AB-047333-A and RS-136817-A of Zion Ben-Ami.

A copy of the adjudication may be obtained by writing to Judith Pachter Schulder, Board Counsel, State Real Estate Commission, P. O. Box 2649, Harrisburg, PA 17105-2649.

This adjudication and order represents the final Commission decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Commission with a copy of the petition for review. The Commission contact for receiving service of appeals is the previously named Commission counsel.

JOSEPH J. MCGETTIGAN,
Chairperson

[Pa.B. Doc. No. 04-801. Filed for public inspection April 30, 2004, 9:00 a.m.]