

# NOTICES

## DEPARTMENT OF AGRICULTURE

### Application Period for the Agricultural and Rural Youth Grant Program

The Department of Agriculture (Department) announces the opening of the application period for funding from the Agricultural and Rural Youth Grant Program for 2005-2006. Grant applications will be accepted from August 30, 2005, to October 31, 2005, in Room 311, Department of Agriculture, 2301 North Cameron Street, Harrisburg, PA 17110-9408. Applications must be post-marked by October 31, 2005, to be considered for funding. Fax and e-mail submissions are not acceptable.

The objective of the grant program is to encourage projects that will increase knowledge and awareness of

agricultural issues and other issues specific to rural areas in this Commonwealth. This educational effort is directed toward the youth of this Commonwealth.

For this application year, the grant program will award direct grants of up to \$2,500 and matching grants up to \$10,000.

Applications and program guidelines are available on the Department's website: [www.agriculture.state.pa.us](http://www.agriculture.state.pa.us) or by contacting Eric Cowden, Department of Agriculture, Room 311, 2301 North Cameron Street, Harrisburg, PA 17110, (717) 787-5342, [ecowden@state.pa.us](mailto:ecowden@state.pa.us).

DENNIS C WOLFF,  
*Secretary*

[Pa.B. Doc. No. 05-1563. Filed for public inspection August 19, 2005, 9:00 a.m.]

## DEPARTMENT OF BANKING

### Action on Applications

The Department of Banking, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 9, 2002 (P. L. 1572, No. 207), known as the Credit Union Code, has taken the following action on applications received for the week ending August 9, 2005.

#### BANKING INSTITUTIONS

##### Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
8-3-05	NOVA Savings Bank Philadelphia Philadelphia County  Purchase of assets/assumption of liabilities of one branch of Susquehanna-Patriot Bank, Marlton, NJ, located at: 200 East Uwchlan Avenue Exton Chester County	Philadelphia	Filed

##### Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
8-3-05	People's State Bank of Wyalusing Wyalusing Bradford County	College Avenue Factoryville Wyoming County	Approved
8-3-05	The Legacy Bank Harrisburg Dauphin County	Atkins Mansion at Atkins Plaza 394 South Centre Street Pottsville Schuylkill County	Approved
8-4-05	Allegheny Valley Bank of Pittsburgh Pittsburgh Allegheny County	4314 Penn Avenue Pittsburgh Allegheny County	Approved
8-4-05	Allegiance Bank of North America Bala Cynwyd Montgomery County	190-192 East DeKalb Pike King of Prussia Montgomery County	Approved

**Branch Relocations/Consolidations**

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
8-4-05	Lafayette Ambassador Bank Easton Northampton County	<i>To:</i> 1945 Sullivan Trail Easton Forks Township Northampton County  <i>From:</i> 1700 Sullivan Trail Easton Forks Township Northampton County	Approved
8-4-05	Keystone Nazareth Bank & Trust Co. Bethlehem Northampton County	<i>Into:</i> 90 Highland Avenue Bethlehem Northampton County (Main Office)  <i>From:</i> 4510 Bath Pike (Route 512) Bethlehem Hanover Township Northampton County	Approved
8-4-05	S & T Bank Indiana Indiana County	<i>Into:</i> 628 Broad Street New Bethlehem Clarion County  <i>From:</i> 363 Broad Street New Bethlehem Clarion County	Approved

**SAVINGS INSTITUTIONS****Branch Applications**

<i>Date</i>	<i>Name of Association</i>	<i>Location</i>	<i>Action</i>
8-4-05	Slovenian Savings and Loan Association of Franklin-Conemaugh Conemaugh Cambria County	585 Goucher Street Upper Yoder Township Cambria County	Filed

**CREDIT UNIONS****Branch Applications**

<i>Date</i>	<i>Name of Credit Union</i>	<i>Location</i>	<i>Action</i>
8-1-05	Fairless Credit Union Morrisville Bucks County	521 Oxford Valley Road Fairless Hills Bristol Township Bucks County	Opened

**Trade, Industry or Professional Charter Notice**

<i>Date</i>	<i>Name of Credit Union</i>	<i>Location</i>	<i>Action</i>
8-5-05	Lee Hospital Credit Union Johnstown Cambria County	Johnstown	Effective

Application represents a conversion from an occupational-based credit union to a trade, industry or professional charter with a proposed field of membership consisting of health care workers in Blair, Cambria and Somerset Counties to include employees, independent contractors or self-employed persons that work at or provide the following services: assisted living facilities that provide healthcare; birthing centers; blood organ and tissue banks; emergency medical care; health clinics; health maintenance organizations (HMO) facilities; home health care; hospices; hospitals; medical and diagnostic labs; nursing homes; nursing services; offices of chiropractors, dentists, licensed therapists, optometrists, physicians, podiatrists and psychologists; pain centers; paramedic services; pharmacy services; and rehabilitation centers providing medical treatment or licensed psychological or physical therapy.

Subject conversion is completed by filing Articles of Amendment with the Department of State (see Articles of Amendment which appears later in this notice).

<i>Date</i>	<i>Name of Credit Union</i>	<i>Location</i>	<i>Action</i>
8-5-05	HVHS Credit Union Sewickley Allegheny County	Sewickley	Approved and Effective

Application represents a conversion from an occupational-based credit union to a trade, industry or professional charter which will extend the field of membership of the credit union to include, "... all employees, independent contractors, or self-employed persons and their family members who work regularly in the Health Care industry within the counties of the 2003 Pittsburgh Metropolitan Statistical Area (MSA) as defined by the U. S. Census Bureau. The Pittsburgh MSA is comprised of the following: Allegheny, Armstrong, Beaver, Butler, Fayette, Washington, and Westmoreland Counties in the Commonwealth of Pennsylvania. The Health Care industry that we will service includes all general health care employees including: employees of assisted living facilities, birthing centers, blood, organ, and tissue banks, emergency medical care, health clinics, HMO medical facilities, home health care, hospices, hospitals, medical and diagnostic labs, medical transportation services, nursing homes, nursing services, offices of chiropractors, offices of dentists, offices of licensed therapists, offices of optometrists, offices of physicians, offices of podiatrists, offices of psychologists, pain centers, paramedic services, pharmacy services, rehabilitation centers providing medical treatment, rehabilitation centers providing licensed psychological therapy, and rehabilitation centers providing physical therapy."

Subject conversion is completed by filing Articles of Amendment with the Department of State (see Articles of Amendment which appears later in this notice).

#### Articles of Amendment

<i>Date</i>	<i>Name of Credit Union</i>	<i>Purpose</i>	<i>Action</i>
8-5-05	Lee Hospital Credit Union Johnstown Cambria County	Amendment to Article 8 provides for a change in the field of membership of the credit union to include: health care workers in Blair, Cambria and Somerset Counties to include employees, independent contractors or self-employed persons that work at or provide the following services: assisted living facilities that provide healthcare; birth centers, blood, organ and tissue banks; emergency medical care; health clinics; health maintenance organizations (HMO) facilities; home health care; hospices; hospitals; medical and diagnostic labs; nursing homes; nursing services; offices of chiropractors, dentists, licensed therapists, optometrists, physicians, podiatrists and psychologists; pain centers; paramedic services; pharmacy services; and psychological or physical therapy.	Effective
8-5-05	HVHS Credit Union Sewickley Allegheny County	Amendment to Article 1 provides for a change in name to "PA HealthCare Credit Union;" amendment to Article 5 provides for an increase in the par value of one share to \$25; and the amendment to Article 8 provides for a change in the field of membership of the subject credit union to be: "The Credit Union will serve all employees, independent contractors, or self-employed persons and their family members who work regularly in the Health Care industry with the counties of the 2003 Pittsburgh Metropolitan Statistical Area (MSA) as defined by the U. S. Census Bureau. The Pittsburgh MSA is comprised of the following: Allegheny, Armstrong, Beaver, Butler, Fayette, Washington, and Westmoreland Counties in the Commonwealth of Pennsylvania. The Health Care	Approved and Effective

<i>Date</i>	<i>Name of Credit Union</i>	<i>Purpose</i>	<i>Action</i>
8-5-05	HVHS Credit Union Sewickley Allegheny County—continued	industry that we will service includes all general health care employees including: employees of assisted living facilities, birthing centers, blood, organ, and tissue banks, emergency medical care, health clinics, HMO medical facilities, home health care, hospices, hospitals, medical and diagnostic labs, medical transportation services, nursing homes, nursing services, offices of chiropractors, offices of dentists, offices of licensed therapists, offices of optometrists, offices of physicians, offices of podiatrists, offices of psychologists, pain centers, paramedic services, pharmacy services, rehabilitation centers providing medical treatment, rehabilitation centers providing licensed psychological therapy, and rehabilitation centers providing physical therapy.”	Approved and Effective

A. WILLIAM SCHENCK, III,  
*Secretary*

[Pa.B. Doc. No. 05-1564. Filed for public inspection August 19, 2005, 9:00 a.m.]

**Maximum Lawful Rate of Interest for Residential Mortgages for the Month of September 2005**

The Department of Banking (Department), under the authority contained in section 301 of the act of January 30, 1974 (P. L. 13, No. 6) (41 P. S. § 301), has determined that the maximum lawful rate of interest for residential mortgages for the month of September 2005 is 6 3/4%.

The interest rate limitations under the State’s usury statute were preempted to a great extent by Federal law, the Depository Institutions Deregulation and Monetary Control Act of 1980 (Pub. L. No. 96-221). Further preemption was instituted with the signing of Pub. L. No. 96-399, which overrode State interest rate limitations on any individual who finances the sale or exchange of residential real property which the individual owns and which

the individual occupies or has occupied as his principal residence.

Each month the Department is required by State law to compute and announce the ceiling rate on residential mortgages in this Commonwealth. This maximum rate is determined by adding 2.50 percentage points to the yield rate on long-term government bonds as published by the Federal Reserve Board and/or the United States Treasury. The latest yield rate on long-term government securities is 4.33 to which was added 2.50 percentage points for a total of 6.83 that by law is rounded off to the nearest quarter at 6 3/4%.

A. WILLIAM SCHENCK, III,  
*Secretary*

[Pa.B. Doc. No. 05-1565. Filed for public inspection August 19, 2005, 9:00 a.m.]

**DEPARTMENT OF ENVIRONMENTAL PROTECTION**

**Applications, Actions and Special Notices**

**APPLICATIONS**

**THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT  
APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION  
SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM)  
PERMITS**

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a general permit. The applications concern, but are not limited to, discharges related to industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFOs). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or amendment
Section III	WQM	Industrial, sewage or animal waste; discharge into groundwater
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 individual permits and individual stormwater construction permits in Sections IV and VI, the Department, based upon preliminary reviews, has made a tentative determination of proposed effluent limitations and other terms and conditions for the permit applications. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the EPA Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on an NPDES application are invited to submit a statement to the regional office noted before an application within 30 days from the date of this public notice. Persons wishing to comment on a WQM permit application are invited to submit a statement to the regional office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for a public hearing on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

## **I. NPDES Renewal Applications**

*Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed#)</i>	<i>EPA Waived Y/N ?</i>
PA0080080 (Sew)	Elmer R. Keach, Jr. Conewago Valley MHP 800 York Road Dover, PA 17315	York County Newberry Township	Conewago Creek/7F	Y
PA0081132 (Sew)	Solanco School District Swift Middle School 121 S. Hess Street Quarryville, PA 17566-1225	Lancaster County Fulton Township	Conowingo Creek/7K	Y
PA0081116 (Sew)	Solanco School District Solanco High School 121 S. Hess Street Quarryville, PA 17566-1225	Lancaster County East Drumore Township	UNT to Stewart Run/7K	Y
PAR10C4122 (Stormwater/ Construction)	Stephen MacLean Department of Transportation 1713 Lehigh Street Allentown, PA 18103	Berks County Hamburg Borough	Schuylkill River/WWF/MF	Y

*Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed#)</i>	<i>EPA Waived Y/N ?</i>
PA0221554	Gateway Commerce Center, LP 1605 Old Route 18 Wampum, PA 16157-9802	New Beaver Borough Lawrence County	UNT to Beaver River 20-B	Y

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed#)</i>	<i>EPA Waived Y/N ?</i>
PA0091316	Buttercup Woodlands Campground 854 Evans City Road Renfrew, PA 16053	Connoquenessing Township Butler County	UNT to Little Connoquenessing 20-C	Y
PA0030686	Cross Creek Resort, Inc. R. D. 3, Box 188 Titusville, PA 16354	Cherrytree Township Venango County	UNT to Cherrytree Run 16-E	Y
PA0101974	Gaslight Campground 6297 Emlenton/Clintonville Road Emlenton, PA 16373	Scrubgrass Township Venango County	UNT to Allegheny River 16-G	Y

## II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Applications

*Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.*

**No. PA0011266, Amendment No. 1** Industrial Waste, **Cabot Supermetals**, County Line Road, Boyertown, PA 19512. This application is for an NPDES permit amendment to discharge treated process water, cooling water and stormwater from Cabot Supermetals' facility in Douglass Township, **Montgomery County**. This is an existing discharge to West Swamp Creek.

The receiving stream is classified for the following uses: migratory, TSF, aquatic life, water supply and recreation.

The proposed effluent limits for Monitoring Point MP101, based on an average flow of 0.1403 mgd, effective from permit issuance through October 31, 2007, are as follows:

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Concentrations (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Total Suspended Solids	117.95	236.60	Monitor and Report	Monitor and Report	252
Ammonia (as N)	130.59	297.38	Monitor and Report	Monitor and Report	280
Oil and Grease	34.53	57.83	Monitor and Report	Monitor and Report	75
Fluoride	49.92	88.95	Monitor and Report	Monitor and Report	107
Nickel, Total	0.047	0.066	Monitor and Report	Monitor and Report	0.100
Zinc, Total	0.934	2.272	Monitor and Report	Monitor and Report	2.00
Copper, Total	0.074	0.155	Monitor and Report	Monitor and Report	0.158
Lead, Total	0.290	0.623	Monitor and Report	Monitor and Report	0.625
Molebdenum, Total	0.269	0.610	Monitor and Report	Monitor and Report	0.574
pH	within limits of 6 to 9 std units at all times				

The proposed effluent limits for Outfall 001, based on an average flow of 0.1763 mgd, effective from permit issuance through October 31, 2007, are as follows:

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Concentrations (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Total Suspended Solids	Monitor and Report	Monitor and Report	20	40	50
Total Dissolved Solids	Monitor and Report	Monitor and Report	15,000	20,000	25,000
Ammonia (as N)	Monitor and Report	Monitor and Report	Monitor and Report	Monitor and Report	
Oil and Grease	Monitor and Report	Monitor and Report	Monitor and Report	Monitor and Report	
Nitrite and Nitrate (as N)	Monitor and Report	Monitor and Report	144	200	225

*Effluent Limitations*

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Concentrations (mg/l)</i>			
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>	
Fluoride	Monitor and Report	Monitor and Report	55	70	100	
Sulfate as SO <sub>4</sub>	Monitor and Report	Monitor and Report	5,600	8,600	8,600	
Chloride	Monitor and Report	Monitor and Report	6,700	6,800	6,800	
Nickel, T	Monitor and Report	Monitor and Report	Monitor and Report	Monitor and Report		
Zinc, T	Monitor and Report	Monitor and Report	Monitor and Report	Monitor and Report		
Copper, Total	Monitor and Report	Monitor and Report	Monitor and Report	Monitor and Report		
Lead, Total	Monitor and Report	Monitor and Report	Monitor and Report	Monitor and Report		
Molybdenum, T	Monitor and Report	Monitor and Report	Monitor and Report	Monitor and Report		
pH		within limits of 6 to 9 std units at all times				
Dissolved Oxygen					Monitor and Report	
Total Residual Chlorine			0.5	1.0	1.2	
BOD <sub>5</sub>			Monitor and Report	Monitor and Report		
Arsenic			Monitor and Report			
Chromium, Hex			Monitor and Report			
Selenium, T			Monitor and Report			
Thallium			Monitor and Report			
Aluminum, Total			Monitor and Report			
Osmotic Pressure (MOS/kg)			Monitor and Report	Monitor and Report		

The proposed effluent limits for Outfall 001, based on an average flow of 0.1763 mgd, effective from November 1, 2007, through expiration, are as follows:

*Effluent Limitations*

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Concentrations (mg/l)</i>			
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>	
Total Suspended Solids	29.5	59.0	20	40	50	
Total Dissolved Solids	15,012	23,420	10,210	15,928	25,525	
Ammonia (as N)	8.8	17.6	6.0	12.0	15.0	
Oil and Grease	22.0	44.0	15.0	30.0	30.0	
Nitrite and Nitrate (as N)	160	224	137	193	218	
Fluoride	49.92	88.95	34.0	60.5	85.0	
Sulfate as SO <sub>4</sub>	10,586	16,515	7,200	11,232	18,000	
Chloride	11,518	17,969	7,834	12,221	19,585	
Nickel, T	0.047	0.066	0.032	0.045	0.080	
Zinc, T	0.93	2.28	0.638	0.996	1.58	
Copper, Total	0.074	0.154	0.050	0.105	0.125	
Lead, Total	0.04	0.062	0.027	0.042	0.068	
Molybdenum, Total	0.27	0.61	0.183	0.415	0.458	
pH		within limits of 6 to 9 std units at all times				
Dissolved Oxygen		minimum of 5.0 mg/l at all times				
Total Residual Chlorine			0.5	1.0	1.2	
BOD <sub>5</sub>	Monitor and Report	Monitor and Report	Monitor and Report	Monitor and Report		
Arsenic			Monitor and Report			
Chromium, Hex			Monitor and Report			

*Effluent Limitations*

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Concentrations (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Selenium, T			Monitor and Report		
Thallium			Monitor and Report		
Aluminum, Total			Monitor and Report		
Osmotic Pressure (MOS/kg)			330	515	825

The proposed effluent limits for Outfall 002, based on an average flow of 0.0404 mgd, are as follows:

*Effluent Limitations*

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Concentrations (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Total Suspended Solids	Monitor and Report	Monitor and Report	20	40	50
Total Dissolved Solids	Monitor and Report	Monitor and Report	650	1,014	1,625
Ammonia (as N)	Monitor and Report	Monitor and Report	6.0	12.0	15.0
Phosphorus (as P)	Monitor and Report	Monitor and Report	2.0	3.1	5.0
Fluoride	Monitor and Report	Monitor and Report	40	62	100
Chloride	Monitor and Report	Monitor and Report	300	468	750
Sulfate as SO <sub>4</sub>	Monitor and Report	Monitor and Report	100	156	250
Total Residual Chlorine			0.5	1.0	1.2
Temperature (°F)					110°F
Osmotic Pressure (MO <sub>s</sub> /kg)			Monitor and Report	Monitor and Report	
NO <sub>2</sub> -N and NO <sub>3</sub> -N	Monitor and Report	Monitor and Report	2.0	3.1	5.0
Phenols, Total			Monitor and Report	Monitor and Report	
Selenium, Total			Monitor and Report	Monitor and Report	
Trichloroethylene			Monitor and Report	Monitor and Report	
1-1, Dichloroethylene			Monitor and Report	Monitor and Report	
pH			within limits of 6 to 9 std units at all times		
Dissolved Oxygen			minimum of 5.0 mg/l at all times		
CBOD <sub>5</sub> *			Monitor and Report		
Oil and Grease*			Monitor and Report		
Chemical Oxygen Demand*			Monitor and Report		
Total Kjeldahl Nitrogen*			Monitor and Report		
Iron, Dissolved*			Monitor and Report		
Lead, Total*			Monitor and Report		
Chromium, Total*			Monitor and Report		
Copper, Total*			Monitor and Report		
Nickel, Total*			Monitor and Report		

\*These parameters are applicable to stormwater only.



*Effluent Limitations*

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Concentrations (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Molybdenum, Total*			Monitor and Report		
Cadmium, Total*			Monitor and Report		
Arsenic, Total*			Monitor and Report		
Zinc, Total*			Monitor and Report		
Nitrate Nitrogen*			Monitor and Report		
Manganese, Total*			Monitor and Report		

\*These parameters are applicable to stormwater only.

The proposed effluent limits for Outfall 003, based on an average flow of 0.0603 mgd, are as follows:

*Effluent Limitations*

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Concentrations (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Total Suspended Solids	15.8	30.2	30	60	75
Total Dissolved Solids	277	431	550	858	1,375
Iron, Total	1.0	2.0	2.0	4.0	5.0
Manganese, Total	0.5	1.0	1.0	2.0	2.5
Aluminum, Total	2.0	4.0	4.0	8.0	10.0
Fluoride	1.5	2.36	3.0	4.7	7.5
Sulfate as SO <sub>4</sub>	60.4	94.0	120	187	300
Chloride	25.1	39.2	50	78	125
NO <sub>2</sub> -N and NO <sub>3</sub> -N	2.0	3.1	4.0	6.2	10.0
Osmotic Pressure (MOS/kg)			Monitor and Report	Monitor and Report	
Total Residual Chlorine			0.5	1.0	1.2
pH			within limits of 6 to 9 std units at all times		

The EPA waiver is in effect.

**PA0011088, IW, SIC 5141, Kaneb Terminals/ST Services South Terminal**, 6850 Essington Avenue, Philadelphia, PA 19153. This proposed facility is located in City of Philadelphia, **Philadelphia County**.

Description of Proposed Activity: renewal of an NPDES permit to discharge stormwater runoff from a Petroleum Marketing Terminal.

The receiving stream, UNT to Mingo Creek and Schuylkill River, is in the State Water Plan watershed 3J and is classified for WWF.

The proposed effluent limits for Outfalls 001 and 002 are as follows:

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Instantaneous Maximum (mg/l)</i>
	<i>Average Monthly</i>	<i>Maximum Daily</i>	
Oil and Grease	15		30
pH	within limits of 6.0 to 9.0 at all times		

The proposed effluent limits for stormwater Outfalls 003—005 are as follows:

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Instantaneous Maximum (mg/l)</i>
	<i>Average Monthly</i>	<i>Maximum Daily</i>	
CBOD <sub>5</sub>			Monitor and Report
COD			Monitor and Report
Oil and Grease			Monitor and Report
pH			Monitor and Report
Total Suspended Solids			Monitor and Report
Total Kjeldahl Nitrogen			Monitor and Report

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Instantaneous</i>
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Maximum (mg/l)</i>
Total Phosphorus		Monitor and Report	
Iron (Dissolved)		Monitor and Report	

In addition to the effluent limits, the permit contains the following major special conditions:

1. Product Contaminated Stormwater Runoff.
2. PPC Plan Requirements.

---

*Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.*

**Application No. PA 0052833**, SIC Code 3369, Industrial Waste, **Excelsior Brass Works**, June Avenue, Blandon, PA 19510-0140. This application is for renewal of an NPDES permit for an existing discharge of treated industrial waste to Willow Creek, in Maiden Creek Township, **Berks County**.

The receiving stream is classified for CWF, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was Pottstown Borough located on the Schuylkill River. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.0061 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow		Monitor and Report	XXX
Total Suspended Solids	30	45	60
pH		6 to 9 at all times	

The proposed effluent limits for Outfall 002 for stormwater are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Aluminum		Monitor and Report	
Zinc		Monitor and Report	
CBOD		Monitor and Report	
COD		Monitor and Report	
Oil and Grease		Monitor and Report	
pH		Monitor and Report	
Total Suspended Solids		Monitor and Report	
Lead		Monitor and Report	
Chromium		Monitor and Report	
Copper		Monitor and Report	
Cadmium		Monitor and Report	
Arsenic		Monitor and Report	
Iron		Monitor and Report	

Individuals may make an appointment to review the Department of Environmental Protection's files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is in effect.

**Application No. PA 0084026**, Sewage, **Northwestern Lancaster County Authority**, 97 North Penryn Road, Manheim, PA 17545. This facility is located in Penn Township, **Lancaster County**.

Description of activity: The application is for issuance of an NPDES permit for new discharge of treated sewage. This notice replaces the incorrect notice published at 35 Pa.B. 4207 (July 30, 2005).

The receiving stream, Chickies Creek, is in Watershed 7-G, and classified for WWF, water supply, recreation and fish consumption. The nearest downstream public water supply intake for Columbia Water Company is located on the Susquehanna River, approximately 20 miles downstream. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.65 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	25	40	50
Total Suspended Solids	30	45	60
NH <sub>3</sub> -N			
(5-1 to 10-31)	4.5		9.0
(11-1 to 4-30)	13.5		27
Total Phosphorus	2		4

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Phosphorus*		1826.5 lbs/year	
Total Nitrogen		14,612 lbs/year	
TKN		Monitor	
NO <sub>3</sub> -N		Monitor	
NO <sub>2</sub> -N		Monitor	
Dissolved Oxygen		minimum of 5.0 at all times	
pH		from 6.0 to 9.0 inclusive	
Fecal Coliform (5-1 to 9-30)		200/100 ml as a geometric average	
(10-1 to 4-30)		3,200/100 ml as a geometric average	

\*The phosphorus limit includes a reallocation of 390.6 lbs/year of phosphorus from Manheim Borough to Northwestern Lancaster that was developed in the March 2, 2001, TMDL study for the Chickies Creek Watershed.

Individuals may make an appointment to review the Department of Environmental Protection's files on this case by calling the file review coordinator at (717) 705-4732.

The EPA waiver is not in effect.

*Southwest Regional Office: Regional Manager, Water Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745 (412) 442-4000.*

**PA0000825**, Industrial Waste, SIC, 3315 and 3316, **Col-Fin Specialty Steel Corporation**, Front Street, Fallston, PA 15066. This application is for renewal of an NPDES permit to discharge treated process water and stormwater from the Fallston Plant in Fallston Borough, **Beaver County**.

The following effluent limitations are proposed for discharge to the receiving waters, Beaver River, classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply is Arco Chemical Company, located at Potter Township, 6 miles below the discharge point.

*Outfall 101: Existing discharge, design flow of 0.094 mgd.*

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	Monitor and Report				
Total Suspended Solids	8.5	20	30	70	87.5
Chromium	0.11	0.29	0.4	1.0	1.3
Nickel	0.09	0.26	0.3	0.9	1.1
pH	not less than 6.0 nor greater than 9.0				

*Outfall 201: New discharge.*

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	Monitor and Report				
Suspended Solids			30		60
pH	not less than 6.0 nor greater than 9.0				

*Outfall 001: Existing discharge, design flow of 0.166 mgd.*

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	Monitor and Report				
Suspended Solids			Monitor and Report		
Iron			Monitor and Report		
Iron, Dissolved			Monitor and Report		
Lead			Monitor and Report		
Zinc			Monitor and Report		
Nickel			Monitor and Report		
pH	not less than 6.0 nor greater than 9.0				

Outfalls 002, 005—008: Stormwater discharges.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow	Monitor and Report				
Iron	Monitor and Report				
Iron, Dissolved	Monitor and Report				
Lead	Monitor and Report				
Zinc	Monitor and Report				
Nickel	Monitor and Report				
pH	Monitor and Report				

The EPA waiver is in effect.

**PA0031933**, Industrial Waste, SIC, 4911, **Orion Power MidWest, LP**, 121 Champion Way, Canonsburg, PA 15317-5817. This application is for renewal of an NPDES permit to discharge treated process water, sewage and stormwater from Brunot Island Power Station in Pittsburgh, **Allegheny County**.

The following effluent limitations are proposed for discharge to the receiving waters, the Ohio River, classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply is West View Water Authority, located at West View, 2 miles below the discharge point.

Outfall 001: Existing discharge, design flow of 0.53 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	Monitor and Report				
Free Available Chlorine			0.2		0.5
Total Residual Chlorine			0.5		1.0
Zinc			1.0	1.0	
Chromium			0.2	0.2	
Temperature (°F)					110
pH	not less than 6.0 nor greater than 9.0				

Outfall 201: Existing discharge, design flow of 0.0144 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	Monitor and Report				
Total Suspended Solids			30	100	
Oil and Grease			15	20	
pH	not less than 6.0 nor greater than 9.0				

Outfall 301: Existing discharge, design flow of 0.018 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	Monitor and Report				
Total Suspended Solids			30	100	
Oil and Grease			15	20	
pH	not less than 6.0 nor greater than 9.0				

Outfall 002: existing discharge, design flow of 0.015 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	0.015				
Total Suspended Solids			30	60	
CBOD <sub>5</sub>			25	50	
Fecal Coliform (5-1 to 10-31)			200 #/100 ml	400 #/100 ml	
(11-1 to 4-30)			2,000 #/100 ml		

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
TRC			1.4	3.3	
pH	not less than 6.0 nor greater than 9.0				

Outfall 003: existing discharge, design flow of 0.026 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	Monitor and Report				
Total Suspended Solids			30	100	
Oil and Grease			15	20	30
pH	not less than 6.0 nor greater than 9.0				

Outfall 004: Existing discharge

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Debris collected on the intake racks shall not be returned to the stream.					

The EPA waiver is in effect.

**PA0205222**, Industrial Waste, SIC, 3312, **Koppel Steel Corporation**, P. O. Box 750, Beaver Falls, PA 15010.

This application is for renewal of an NPDES permit to discharge treated process water, cooling water and stormwater from the Koppel Plant in Koppel Borough, **Beaver County**.

The following effluent limitations are proposed for discharge to the receiving waters, Beaver River and UNT to Beaver River, classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply is Beaver Falls Municipal Authority, located at P. O. Box 400, Beaver Falls, PA 15010, 7.11 miles below the discharge point.

Outfall 001: Existing discharge.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	Monitor and Report				
Fecal coliform organisms			Monitor and Report		
Iron			Monitor and Report		

The EPA waiver is in effect.

Outfall 102: Existing discharge, design flow of 0.114 mgd

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	Monitor and Report				
Suspended Solids	73	218	25	70	88
Oil and Grease	22	65	10	30	
Lead	0.09	0.26	0.3	0.9	1.13
Zinc	0.13	0.39	0.45	1.35	1.69
pH	not less than 6.0 nor greater than 9.0				

Outfall 002: Existing discharge, design flow of 0.115 mgd. (Interim limits)

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	Monitor and Report				
Oil and Grease					30
Temperature (°F)					110
Fluoride			Monitor and Report		
pH	not less than 6.0 nor greater than 9.0				

*Outfall 002: Existing discharge, design flow of 0.115 mgd. (Final limits)*

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	Monitor and Report				
Oil and Grease					30
Temperature (°F)					110
Fluoride			1.4		3.5
pH	not less than 6.0 nor greater than 9.0				

*Outfall 003: Existing discharge, design flow of 0.073 mgd.*

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	Monitor and Report				
Temperature (°F)					110
pH	not less than 6.0 nor greater than 9.0				

*Outfall 004: New stormwater discharge.*

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
This outfall is permitted to discharge uncontaminated stormwater runoff from areas in and around the facility.					

*Outfall 005 and 006: New stormwater discharge.*

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Oil and Grease					Monitor and Report
CBOD <sub>5</sub>					Monitor and Report
COD					Monitor and Report
Suspended Solids					Monitor and Report
Total Kjeldahl Nitrogen					Monitor and Report
Phosphorus					Monitor and Report
Lead					Monitor and Report
Zinc					Monitor and Report
pH					Monitor and Report

*Outfall 007: New stormwater discharge.*

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
COD					Monitor and Report
Suspended Solids					Monitor and Report
Nitrate + Nitrite Nitrogen					Monitor and Report
Iron					Monitor and Report
pH					Monitor and Report

*Outfall 009: New stormwater discharge.*

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Suspended Solids					Monitor and Report
Nitrate + Nitrite Nitrogen					Monitor and Report
Iron					Monitor and Report
pH					Monitor and Report

**PA0027481**, Industrial Waste, SIC, 4911, **Pennsylvania Power Company**, P. O. Box 128, Shippingport, PA 15077. This application is for renewal of an NPDES permit to discharge treated process water, sewage and stormwater from the Bruce Mansfield Plant in Shippingport Borough, **Beaver County**.

The following effluent limitations are proposed for discharge to the receiving waters, Ohio River and Little Blue Run, classified as a warm water and TSF with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply (PWS) is Midland Borough Water Authority, located at Midland, 6.3 miles below the discharge point.

*Outfall 001: Existing stormwater discharge.*

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
BOD <sub>5</sub>			Monitor and Report		
Nitrate + Nitrite (as N)			Monitor and Report		
Iron			Monitor and Report		
Zinc			Monitor and Report		
pH			Monitor and Report		

*Outfall 002: Existing stormwater discharge.*

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Nitrate + Nitrite (as N)			Monitor and Report		
pH			Monitor and Report		

*Outfall 003: Existing stormwater discharge.*

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Suspended solids			Monitor and Report		
COD			Monitor and Report		
Nitrate + Nitrite (as N)			Monitor and Report		
Iron			Monitor and Report		
Zinc			Monitor and Report		
pH			Monitor and Report		

*Outfall 004: Existing stormwater discharge.*

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Suspended solids			Monitor and Report		
COD			Monitor and Report		
Nitrate + Nitrite (as N)			Monitor and Report		
Iron			Monitor and Report		
Zinc			Monitor and Report		
pH			Monitor and Report		

*Outfall 005: Existing stormwater discharge.*

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Iron			Monitor and Report		
Zinc			Monitor and Report		
pH			Monitor and Report		

*Outfall 006: existing stormwater discharge.*

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Nitrate + Nitrite (as N)			Monitor and Report		
Zinc			Monitor and Report		
Sulfate			Monitor and Report		
pH			Monitor and Report		

*Outfall 007:* Existing discharge, design flow of N/A mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>

No monitoring required at this outfall. Discharge controlled/monitored at each of the sub-outfalls.

*Outfall 008:* Existing stormwater discharge.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Nitrate + Nitrite (as N)			Monitor and Report		
Zinc			Monitor and Report		
pH			Monitor and Report		

*Outfall 009:* existing discharge, design flow of 0.05 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	0.047				
CBOD <sub>5</sub>			25		50
Total Suspended Solids			30		60
Fecal Coliform (5-1 to 9-30)			200/100 ml as a geometric average		
(10-1 to 4-30)			2,000/100 ml as a geometric average		
Total Residual Chlorine*			1.4		3.3
pH	not less than 6.0 nor greater than 9.0				

*Outfall 010:* Existing stormwater discharge.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Suspended solids			Monitor and Report		
COD			Monitor and Report		
Nitrate + Nitrite (as N)			Monitor and Report		
Iron			Monitor and Report		
Zinc			Monitor and Report		
Sulfate			Monitor and Report		
pH			Monitor and Report		

*Outfalls: 011—014:* Existing stormwater discharge.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>

This discharge shall consist solely of uncontaminated stormwater runoff only.

*Outfall 021:* Existing discharge, design flow of 0.09 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	Monitor and Report				
Total Suspended Solids			30	100	
Oil and Grease			15	20	30
Sulfate			Monitor and Report		
pH	not less than 6.0 nor greater than 9.0				



*Outfall 022:* Existing discharge, design flow of 3.8 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	Monitor and Report				
Total Suspended Solids			30	100	
Oil and Grease			15	20	30
Sulfate			Monitor and Report		
pH	not less than 6.0 nor greater than 9.0				

*Outfall 023:* Existing discharge, design flow of 0.016 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	Monitor and Report				
Total Suspended Solids			30	100	
Oil and Grease			15	20	30
Sulfate			Monitor and Report		
pH	not less than 6.0 nor greater than 9.0				

*Outfall 024:* Existing discharge, design flow of 0.013 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	Monitor and Report				
Total Suspended Solids			30	100	
Oil and Grease			15	20	30
Sulfate			Monitor and Report		
pH	not less than 6.0 nor greater than 9.0				

*Outfall 025:* Existing discharge, design flow of 0.058 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	Monitor and Report				
Total Suspended Solids			30	100	
Oil and Grease			15	20	30
Sulfate			Monitor and Report		
pH	not less than 6.0 nor greater than 9.0				

*Outfall 026:* Existing discharge, design flow of 0.014 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	Monitor and Report				
Total Suspended Solids			30	100	
Oil and Grease			15	20	30
Sulfate			Monitor and Report		
pH	not less than 6.0 nor greater than 9.0				

*Outfalls 107 and 207:* Existing discharge, design flow of 0.64 mgd. and 0.28 respectively.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	Monitor and Report				
Total Suspended Solids			30	100	
Oil and Grease			15	20	
pH	not less than 6.0 nor greater than 9.0				

Outfalls 307, 407 and 507: Existing discharge, design flows of 2.5 mgd, 3.3 mgd and 2.9 mgd respectively.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	Monitor and Report				
Free Available Chlorine				0.2	0.5
Total Residual Chlorine			0.5	1.0	
Temperature				110°F	
Chromium			0.2	0.2	
Zinc			1.0	1.0	
pH	not less than 6.0 nor greater than 9.0				

Outfall 607: Existing stormwater discharge.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Zinc			Monitor and Report		
pH			Monitor and Report		

The EPA waiver is not in effect.

**PA0090301**, Industrial Waste, SIC, 4953, **Solid Waste Disposal, Inc.**, 221 Brunner Road, Zelienople, PA 16063. This application is for renewal of an NPDES permit to discharge treated leachate from Solid Waste Disposal, Inc. in Brighton Township, **Beaver County**.

The following effluent limitations are proposed for discharge to the receiving waters, UNT Sixmile Run, classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply is Midland Borough, located at Midland, 6 miles below the discharge point.

Outfall 001: Existing discharge, average flow of 0.0029 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow			Monitor		
Suspended Solids			27		60
CBOD <sub>5</sub>			25		50
Ammonia Nitrogen					
(5-1 to 10-31)			3.0		6.0
(11-1 to 4-30)			4.9		10.0
Cadmium			0.005		0.01
Iron			4.0		7.0
Nickel			0.35		0.7
Zinc			0.11		0.20
Manganese			1.0		2.0
Phenols (4AAP)			0.75		1.5
a-Terpineol			0.016		0.033
Benzoic Acid			0.071		0.12

Outfall 001: Existing discharge, design flow of 0.0029 mgd

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
p-Cresol			0.014		0.025
Phenol			0.015		0.026
Fecal Coliforms	Refer to Part C.2 for effective disinfection.				
pH	not less than 6.0 nor greater than 9.0				

Other Conditions: Effective disinfection quantified in Part C.

The EPA waiver is in effect.

---

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

**PA0239623**, Sewage. **Starr Subdivision**, 400 Isle Road, Butler, PA 16001. This proposed facility is located in Middlesex Township, **Butler County**.

Description of Proposed Activity: a new discharge of treated sewage.

For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride, phenolics, sulfate and chloride, the existing/proposed downstream potable water supply (stream and Public Water Supplier) considered during the evaluation is New Kensington Municipal Authority and the Allegheny River located at approximately 14 miles below point of discharge.

The receiving stream, UNT to Bull Creek, is in watershed 18-A and classified for TSF, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0063 mgd.

Parameter	Concentrations		
	Average Monthly (mg/l)	Average Weekly (mg/l)	Instantaneous Maximum (mg/l)
Flow	XX		
CBOD <sub>5</sub>	10		20
Total Suspended Solids	10		20
NH <sub>3</sub> -N	3		6
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)		200/100ml as a geometric average 2,000/100ml as a geometric average	
Total Residual Chlorine	1.4		3.2
Dissolved Oxygen		minimum of 3.0 mg/l at all times	
pH		6.0 to 9.0 standard units at all times	

The EPA waiver is in effect.

### III. WQM Industrial Waste and Sewerage Applications Under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

*Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.*

**WQM Permit No. WQG01290501**, Sewerage, **Linda Goetz**, 3664 Laurel Ridge Road, Big Cove Tannery, PA 17212. This proposed facility is located in Ayr Township, **Fulton County**.

Description of Proposed Action/Activity: Construction of small flow sewage treatment system to serve their existing single family residence.

**WQM Permit No. WQG01210502**, Sewerage, **Triple Crown Corporation, Lot No. 7**, 5351 Jaycee Avenue, Harrisburg, PA 17112. This proposed facility is located in North Middleton Township, **Cumberland County**.

Description of Proposed Action/Activity: Construction of a small flow sewage treatment system to serve the single family residence located at 1402 Longs Gap Road, Carlisle, PA 17013.

**WQM Permit No. WQG02360501**, Sewerage, **Mount Joy Borough Authority**, 21 East Main Street, Mount Joy, PA 17552. This proposed facility is located in Mount Joy Township, **Lancaster County**.

Description of Proposed Action/Activity: Relocation of the Rotary Park Sewer Extension.

**WQM Permit No. 0663517, Amendment 05-1**, Sewerage, **Municipal Authority of the Borough of Sinking Spring**, 3940 Penn Avenue, Sinking Spring, PA 19608-1112. This proposed facility is located in Spring Township, **Berks County**.

Description of Proposed Action/Activity: Construction/Operation of a facultative bioaugmentation digesters at the Sinking Spring wastewater treatment facility, also allow for one oxidation ditch to be operated during periods of low organic loadings.

**WQM Permit No. 3605406**, Sewerage, **Leola Sewer Authority**, 36 Hillcrest Avenue, P. O. Box 325, Leola, PA 17540. This proposed facility is located in West Earl Township, **Lancaster County**.

Description of Proposed Action/Activity: Construction/Operation of the Angelsea Pumping Station.

**WQM Permit No. 2105403**, Sewerage, **Department General Services, Bureau of Engineering and Architecture**, Headquarters Building, 18th and Herr Streets, Harrisburg, PA 17125. This proposed facility is located in Cooke Township, **Cumberland County**.

Description of Proposed Action/Activity: Construction/Operation of three satellite wastewater collection, treatment and disposal facilities to service Pine Grove Furnace State Park.

**WQM Permit No. 0601402, Amendment 05-1**, Sewerage, **Leesport Borough Authority**, 10 East Wall Street, P. O. Box 201, Leesport, PA 19533. This proposed facility is located in Ontelaunee Township, **Berks County**.

Description of Proposed Action/Activity: Modifications to Biosolids Processing; the plant will utilize bioaugmentation for the processing of biosolids in the aerobic digester and the blowers used previously for aerobic digestion will be exercised and used as a back-up.

**WQM Permit No. 3605407**, Sewerage, **Clay Manor Homeowner's Association (CMHOA)**, 11 East Manor Drive, Lititz, PA 17543. This proposed facility is located in Elizabeth Township, **Lancaster County**.

Description of Proposed Action/Activity: Construction/Replacement of existing malfunctioning onlot system with new extended aeration 10,800 gpd wastewater treatment plant.

*Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**WQM Permit No.1005402**, Sewerage, **Tracey, Inc.**, P. O. Box 55, Valencia, PA 16059. This proposed facility is located in Clinton Township, **Butler County**.

Description of Proposed Action/Activity: This project is for the construction and operation of a sewage treatment system to serve the Cromwell Estates Mobile Home Park.

#### **IV. NPDES Applications for Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)**

#### **V. Applications for NPDES Waiver Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)**

#### **VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities**

*Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI011505055	First Germantown Corporation Charlestown Woods Subdivision 138 Montrose Avenue, Suite 59 Bryn Mawr, PA 19010	Chester	Charlestown Township	UNT Pickering Creek
PAI011505056	Pohlig Builders Durham Residence 274 Lancaster Avenue Malvern, PA 19335	Chester	Easttown Township	Crum Creek (HQ)

*Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

*Lehigh County Conservation District: Lehigh Ag. Ctr., Suite. 102, 4184 Dorney Park Rd., Allentown, PA 18104, (610) 391-9583.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI023905026	Blue Sky Properties Timothy Meyers 2299 Warner School Rd. East Greenville, PA 18044	Lehigh	Lower Macungie Township	Little Lehigh Creek HQ-CWF
PAI023905027	VP Schantz LP 8420 W. Brynmawr Ave. Suite 950 Chicago, IL 60631	Lehigh	Upper Macungie Township	Little Lehigh Creek HQ-CWF
PAI023905028	Roger Hirschhorn Lower Macungie Associates 810 Seventh Ave., 28th Floor New York, NY 10019	Lehigh	Lower Macungie Township	Little Lehigh Creek HQ-CWF

*Carbon County Conservation District: 5664 Interchange Rd., Lehighton, PA 18235-5114, (610) 377-4894.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI021305009	Thomas Carney, Inc. P. O. Box 28 2490 Village Rd. Langhorne, PA 19047	Carbon	Kidder Township	Tunkhannock Creek HQ-CWF

*Monroe County Conservation District: 8050 Running Valley Rd., Stroudsburg, PA 18360, (570) 629-3060.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI024505017	Mahlon Zimmerman 490 Milway Rd. Ephrata, PA 17522	Monroe	Jackson Township	Trout Lake HQ-CWF

*Pike County Conservation District: HC 6, Box 6770, Hawley, PA 18428, (570) 226-8220.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI025205007	Black Walnut Inn 179 Fire Tower Rd. Milford, PA 18337	Pike	Milford Township	Vantine Brook HQ-CWF

*Southcentral Region: Water Management Program Manager; 909 Elmerton Avenue, Harrisburg, PA 17110.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI033104010	John and Karen Gilliland 1 War Path Warriors Mark, PA 16877	Huntingdon	Franklin Township	Spruce Creek/HQ-CWF
PAI033605007	Salisbury Township 5581 Old Philadelphia Pike Gap, PA 17527	Lancaster	Salisbury Township	Unnamed Branch of Pequea Creek/HQ-CWF

*Southwest Region: Water Management Program Manager; 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Allegheny County Conservation District: Lexington Technology Park, Building 1, Suite 102, North Lexington Street, Pittsburgh, PA 15208-2566, (412) 241-7645.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI050205007	East Allegheny School District 1150 Jacks Run Road North Versailles, PA 15136	Allegheny	North Versailles Township	Jacks Run (HQ-TSF)

*Fayette County Conservation District: 10 Nickman Plaza, Lemont Furnace, PA 15456, (724) 438-4497.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI052605004	Tom Shetterly 709 Center Avenue Charleroi, PA 15022	Fayette	Dunbar Township	Morgan Run (HQ-CWF)

**VII. List of NOIs for NPDES and/or Other General Permit Types**

PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

**PUBLIC WATER SUPPLY (PWS) PERMIT**

Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17), the following parties have applied for a PWS permit to construct or substantially modify a public water system.

Persons wishing to comment on a permit application are invited to submit a statement to the office listed before the application within 30 days of this public notice. Comments received within the 30-day comment period will be considered in the formulation of the final determinations regarding the application. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (Department) of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and any related documents are on file at the office listed before the application and are available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability who require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**SAFE DRINKING WATER**

**Applications Received under the Pennsylvania Safe Drinking Water Act**

*Southcentral Region: Water Supply Management Program Manager; 909 Elmerton Avenue, Harrisburg, PA 17110*

<b>Permit No. 0605518</b> , Public Water Supply.	
Applicant	<b>Maidencreek Township Authority</b>
Municipality	Maidencreek Township
County	<b>Berks</b>

Responsible Official Elaine M. Berish  
1 Quarry Road  
Blandon, PA 19510

Type of Facility Public Water Supply

Consulting Engineer Gregory T. Unger, P. E.  
Systems Design Engineering,  
Inc.  
1032 James Drive  
Leesport, PA 19533

Application Received Date 7/20/2005

Description of Action Addition of Well No. 5 and  
treatment building.

**Application No. 0605512 MA**, Minor Amendment,  
Public Water Supply.

Applicant **Muhlenberg Township  
Authority**

Municipality Muhlenberg Township

County **Berks**

Responsible Official Robert Walborn, Manager  
2840 Kutztown Road  
Hyde Park  
Reading, PA 19605

Type of Facility Public Water Supply

Consulting Engineer James C. Elliot, P. E.  
Gannett Fleming, Inc.  
P. O. Box 67100  
Harrisburg, PA 17106-7100

Application Received Date 6/10/2005

Description of Action Project modifies the disinfection  
at well Nos. 1, 2 and 6. Well Nos.  
1 and 2 will switch from gas  
chlorine to sodium hypochlorite  
for disinfection. Well No. 6 will  
retain the gas chlorine  
disinfection and install a leak  
detection system for operator  
safety.

*Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Williamsport, PA 17701.*

**Permit No. 1405501**, Public Water Supply.

Applicant **Grove Park Associates, Inc.**

Township or Borough Benner Township

County **Centre**

Responsible Official Tomasz Kulakowski, P. G.  
Managing Partner  
Grove Park Associates, Inc.  
P. O. Box 726  
Lemont, PA 16851

Type of Facility Public Water  
Supply—Construction

Consulting Engineer Brooks D. Harris, P. E.  
ELA Group, Inc.  
2013 Sandy Drive, Suite 103  
State College, PA 16803

Application Received Date July 25, 2005

Description of Action Well Grove No. 1 to be permitted  
as a PWS to serve a 75 lot  
single-family subdivision known  
as Grove Park.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

### PREAMBLE 1

**Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).**

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the Background Standard, Statewide Health Standard, the Site-Specific Standard or who intend to remediate a site as a special industrial area must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one, a combination of the cleanup standards or who receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a Site-Specific Standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified, proposed for remediation to a Site-Specific Standard or as a special industrial area, the municipality within which the site is located may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office before which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

*Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.*

**Crebilly Farm**, West Chester Borough, **Chester County**. Paul Hayden, Geo-Tech. Assoc., Inc., 14280 Park Ctr. Dr., Laurel, MD 20707 has submitted a Notice of Intent to Remediate. Soil and groundwater at the site were impacted by leaded gasoline. No new development is proposed for the site at the time.

**654 Street Rd. Site**, Bensalem Township, **Bucks County**. Mark Eschbacher, RT Env. Assoc., Inc., 215 W. Church Rd., King of Prussia, PA 19406 on behalf of Abraham and Esther Orlick, 1637 Oakwood Dr., S-202, Narberth, PA 19072 has submitted a Notice of Intent to Remediate. Soil and groundwater at the site were impacted by PAH. The intended future use of the property remains nonresidential.

**PECO Phoenixville MGP**, Phoenixville Borough, **Chester County**. Douglas Kier, URS Corp., 335 Commerce Dr., Suite 300, Ft. Washington, PA 19034 on behalf of Andrew Levine, Stradley, Ronan, Stevens and Young, LLP, 2600 One Commerce Sq., Philadelphia, PA 19103 has submitted a Notice of Intent to Remediate. Soil and groundwater at the site were impacted by PAHs and lead. The future use of the site is anticipated to remain unchanged from its current use.

**Oliveras Prop.**, Lower Oxford Township, **Chester County**. Robert F. Kleinschmidt, CPG, Miller Env., 514 Hartman Run Rd., Morgantown, WV 26505 on behalf of Marcos Oliveras, 105 First Ave., Lincoln Univ., PA 19352 has submitted a Notice of Intent to Remediate. Soil and groundwater at the site were impacted by No. 2 fuel oil.

**Eastern Portion of the Former Frankford Arsenal**, City of Philadelphia, **Philadelphia County**. Darryl Borrelli, Manko, Gold, Katcher & Fox, LLP, 401 City Ave., Suite 500, Bala Cynwyd, PA 19004 on behalf of Mark Hankin, Arsenal Assoc., LLP, 5301 Tacony St., Bldg. 1, Philadelphia, PA 19137 has submitted a Notice of Intent to Remediate. Soil and groundwater at the site were impacted by PCBs. A summary of the Notice of Intent to Remediate was reported to have been published in the *Philadelphia Daily News* on July 25, 2005.

**Kilgannon Res.**, East Coventry Township, **Chester County**. Joseph Diamadi, Jr., P. G., Marshall Geoscience, Inc., 170 E. First Ave., Collegeville, PA 19426 on behalf of David Kilgannon, P. O. Box 34, Parker Ford, PA 19457 has submitted a Notice of Intent to Remediate. Soil at the site was impacted by No. 2 fuel oil. The intended future use of the property is to remain a single-family residence. A summary of the Notice of Intent to Remediate was reported to have been published in the Phoenixville newspapers on July 25, 2005.

**TJ Cope**, City of Philadelphia, **Philadelphia County**. Joseph Gorzoch, Earth Tech, 4 Neshaminy Interplex, Suite 300, Trevoise, PA 19053 on behalf of David Pliner, Allied Tube and Conduit, 11350 Norcom Rd., Philadelphia, PA 19154 has submitted a Notice of Intent to Remediate. Soil at the site was impacted by diesel fuel oil. Property will continue to operate as an industrial facility.

**508 Stidman Dr. Site**, Springfield Township, **Delaware County**. Mark Eschbacher, RT Env. Assoc., Inc., 215 W. Church Rd., King of Prussia, PA 19406 on behalf of Christine Madison, Madison Prop. Mgmt., 20 Ardmore Ln, Chadds Ford, PA 19317 has submitted a Notice of

Intent to Remediate. Soil and groundwater at the site were impacted by No. 2 fuel oil. The continued use of the property will be residential A summary of the Notice of Intent to Remediate was reported to have been published in the *Delaware County Daily* on July 12, 2005.

**5129 Market St. Site**, City of Philadelphia, **Philadelphia County**. Donald A. Coleman, P. G., Penn E & R, 2755 Bergey Rd., Hatfield, PA 19440 has submitted a Notice of Intent to Remediate. Soil and groundwater at the site were impacted leaded gasoline and MTBE. The site had been redeveloped as a restaurant. A summary of the Notice of Intent to Remediate was reported to have been published in the *Philadelphia Daily News* on July 11, 2005.

#### OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

**Applications received, under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and regulations to operate Solid Waste Processing or Disposal Area or Site.**

*Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.*

**Permit ID No. 300558. FirstEnergy Generation Corp.**, 76 South Main Street, Akron, OH 44308. Little Blue Run Disposal Facility, Little Blue Run Hollow Road, Georgetown, PA 15043. Application for the re-issuance of a residual waste disposal impoundment Class II, in Greene Township, **Beaver County**, was received in the Regional Office on August 3, 2005.

*Northwest Region: Regional Solid Waste Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**Permit Application No. 101508. Pennsylvania American Water Company**, West Leisure Avenue Ext., 2736 Ellwood Road, New Castle, PA 16101, Neshannock Township, **Lawrence County**. Permit renewal application and major modification for final closure plan revisions. The application was received by Northwest Regional Office on July 25, 2005.

Comments concerning the application should be directed to Todd Carlson, Program Manager, Northwest Regional Office, 230 Chestnut Street, Meadville PA 16335. Persons interested in obtaining more information about the general permit application may contact the Northwest Regional Office, (814) 332-6848. TDD users may contact the Department of Environmental Protection through the Pennsylvania Relay service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

## AIR QUALITY

### PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

#### NEW SOURCES AND MODIFICATIONS

The Department of Environmental Protection (Department) has developed an "integrated" plan approval, State operating permit and Title V operating permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one

time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department has received applications for plan approvals and/or operating permits from the following facilities.

Copies of the applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the regional office identified in this notice. Persons interested in reviewing the application files should contact the appropriate regional office to schedule an appointment.

Persons wishing to receive a copy of a proposed plan approval or operating permit must indicate their interest to the Department regional office within 30 days of the date of this notice and must file protests or comments on a proposed plan approval or operating permit within 30 days of the Department providing a copy of the proposed document to that person or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Comments or protests filed with the Department regional offices must include a concise statement of the objections to the issuance of the Plan approval or operating permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office identified before the application. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121—143, the Federal Clean Air Act (act) and regulations adopted under the act.

## PLAN APPROVALS

**Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.**

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Mark Wejkszner, New Source Review Chief, (570) 26-2531.*

**45-310-037: Haines and Kibblehouse, Inc.—Locust Ridge Quarry** (P. O. Box 196, Skippack, PA 19474) for modification of a portable stone crushing plant and associated air cleaning device to make it a permanent installation at their facility in Tobyhanna Township, **Monroe County**.

**54-305-021: Northeastern Power Co.** (P. O. Box 7, McAdoo, PA 18237) for modification of the fuel handling system (additional screen) at their facility in Kline Township, **Schuylkill County**.

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.*

**36-05001C: Armstrong World Industries, Inc.** (1507 River Road, Marietta, PA 17547) for replacement of the PIF finish paint booth dry filter with a wet filter in their East Donegal Township, **Lancaster County** facility. The replacement will not change particulate matter emissions.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, William Charlton, New Source Review Chief, (412) 442-4174.*

**04-00724A: Duke Energy NGL Services, LP** (370 17th Street, Suite 2500, Denver, CO 80134) for installation of new propane terminal in Industry Borough, **Beaver County**.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.*

**42-211A: M and M Royalty, Ltd.** (Route 146, Smethport, PA 16749) for construction/modification of a natural gas stripping operation in the Township of Sergeant, **McKean County**.

**24-017A: Morgan Advanced Materials and Technology** (441 Hall Avenue, St. Marys, PA 15857) for construction of an electric continuous heat treat oven with afterburner/flare used to carbonize coal tar pitch bonded materials and some resin containing materials to manufacture carbon and graphite parts used in mechanical devices in St. Marys City, **Elk County**. This is a State-only V facility.

**37-304C: Heraeus Electro-Nite** (3 Fountain Avenue, Ellwood City, PA 16117) for modification of plan approval 37-304B conditions in Ellwood City Borough, **Lawrence County**. This is a State-only V facility.

**Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Thomas McGinley, New Source Review Chief, (484) 250-5920.*

**46-0069: Highway Materials, Inc.** (5000 Joshua Road, Plymouth Meeting, PA) for correction of a previous application submitted on December 30, 1997, for the installation of a crushing plant. This application corrects the particulate matter (PM) emission calculations for two crusher engines, located at Highway Materials facility located in Whitmarsh Township, **Montgomery County**. This facility is a non-Title V facility. Allowable emissions or PM from the Caterpillar engine shall increase to 0.41 lb. per hour and 0.55 ton per year. Allowable emissions of PM from the Cummins engine shall increase to 1.17 lbs per hour and 1.58 tons per year. The Plan Approval will contain recordkeeping and operating restrictions designed to keep the facility operating within the allowable emissions and all applicable air quality requirements.

**23-0003G: ConocoPhillips Co.** (4101 Post Road, Trainer, PA 19061) for replacement of 24 Low-NOx Burners with Ultra-Low NOx Burners for an existing source No. 738 (Platformer Heater) at their oil refinery in Trainer Borough, **Delaware County**. The plan approval is for a Title V facility. There will be no new air contaminants emitted and due to the installation of the burners, NOx emissions are projected to decrease by more than 32 tons per year, while CO emissions will increase by 51 tons. The plan approval will include monitoring,



recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.*

**36-05140A: Valley Proteins, Inc.** (693 Wide Hollow Road, East Earl, PA 17519) to add additional rendering operations to their existing facility in East Earl Township, **Lancaster County**. This new rendering operation will be controlled through the use of boiler incineration and scrubbers. The increase to the facility's emissions will not exceed 250 tpy of SO<sub>2</sub>, 88 tpy of NO<sub>x</sub>, 52 tpy of Particulate Matter, 8 tpy of CO and less than 2 tpy of VOC. This plan approval will include monitoring, record keeping and reporting requirements designed to keep the sources operating within all applicable air quality requirements.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, William Charlton, New Source Review Chief, (412) 442-4174.*

**65-00222: Port Augustus Glass Company, LLC d/b/a L. E. Smith Glass Company** (1900 Liberty Street, Mt. Pleasant, PA 15666) for pressed and blown glass manufacturing at L. E. Smith Glass Co. in Mt. Pleasant Township, **Westmoreland County**. This is a transfer of ownership from American Glass Inc. to Port Augustus Glass Company LLC d/b/a L. E. Smith Glass Company.

**PA-30-00099D: Allegheny Energy Supply Co.** (800 Cabin Hill Drive, Greensburg, PA 15601) for installation of a SO<sub>3</sub> Generation and Injection system on Unit Nos. 1—3 at Hatfield's Ferry Power Station (Hatfield) in Monongahela Township, **Greene County**.

Under 25 Pa. Code § 127.44(a)(4), the Department of Environmental Protection (Department) intends to issue a Plan Approval to the Allegheny Energy Supply Company (800 Cabin Hill Drive, Greensburg, PA 15601) for the installation of a SO<sub>3</sub> Injection System at the Hatfield's Ferry Power Station as described in its application to the Department received on April 25, 2005. The SO<sub>3</sub> Injection System is being installed to improve the performance of the particulate control equipment (Electrostatic Precipitators). It is expected to reduce particulate matter emissions by approximately 39 tons per year.

Copies of the application, the Department's analysis and other documents used in evaluation of the application are available for public inspection during normal business hours at the Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222

For the Department to assure compliance with all applicable standards, the Department proposes to place the following conditions on the Plan Approval:

*Special Conditions for Plan Approval PA-30-00099D*

1. This Plan Approval is for the installation of a SO<sub>3</sub> Generation and Injection system on Unit Nos. 1—3 at Hatfield's Ferry Power Station (Hatfield), located in Monongahela Township, Greene County. (25 Pa. Code § 127.12b)

2. This Plan Approval does not authorize the burning of Powder River Basin (PRB) coal at this facility. (25 Pa. Code § 127.12b)

3. During those periods when no PRB (or other low sulfur) coal is burned, the maximum molten sulfur usage rate shall be limited to 474,902 lbs/yr, based on a rolling 365-day period. Only days when no PRB (or other low

sulfur) coal is burned shall be accumulated in sulfur usage totals for each 365-day rolling period. Compliance with this limit shall be established by maintaining records of daily sulfur usage and PRB coal usage and daily calculation of rolling 365-day sulfur usage, for days when PRB (or low sulfur) coal is not used. (25 Pa. Code § 127.12b)

4. The sulfur injection limits and record keeping requirements established in condition No. 5 shall be removed/terminated in the event that Flue Gas Desulfurization equipment is permanently installed. (25 Pa. Code § 127.12b)

5. Stack testing shall be conducted to determine the mass emission rate of particulate matter, PM10 (filterable and condensable), H<sub>2</sub>SO<sub>4</sub>, and SO<sub>3</sub>. These tests shall be conducted when the facility is operating under the following scenarios: Case 1, non-PRB and SO<sub>3</sub> injection and Case 2, PRB with SO<sub>3</sub> injection. Testing shall be conducted within 120 days of completing construction on the SO<sub>3</sub> injection system. (25 Pa. Code §§ 123.45 and 139.11)

i) Stack testing shall be conducted in accordance with the provisions of 25 Pa. Code Chapter 139 and the Department's Source Testing Manual.

ii) At least 60 days prior to the test, the owner/operator shall submit to the Department two copies of the procedures for the stack test and drawings with dimensions indicating the location of sampling ports and other data to ensure the collection of representative samples.

iii) At least 15 days prior to the test, the Regional Air Quality Manager shall be informed of the date and time of the test.

iv) All relevant operating parameters (such as, boiler steam flow, air flow, gross megawatts, O<sub>2</sub>, CEMS heat input and stack flue gas volumetric flow rate) shall be recorded at appropriate intervals throughout the duration of the stack tests. Operating data recorded shall be sufficient to establish that the units and the air cleaning devices, including the SBS, are operating at maximum routine operating conditions. A discussion of the recorded operating parameters and values shall be included in the test report.

v) Within 60 days after the stack test, two copies of the complete test report, including all recorded operating parameters, shall be submitted to the Regional Air Quality Manager for approval

6. This Plan Approval authorizes temporary operation of the sources covered by this Plan Approval provided the following conditions are met 25 Pa. Code § 127.12b:

(i) The Owner/Operator shall submit written Notice of the Completion of Construction and the Operator's intent to commence operation at least 5 days prior to the completion of construction. The Notice shall state the date when construction will be completed and the date when the Operator expects to commence operation.

(ii) Operation of the sources covered by this Plan Approval is authorized only to facilitate the start-up and shakedown of sources and air cleaning devices, to permit operations pending the issuance of an Operating Permit, and to permit the evaluation of the source for compliance with all applicable regulations and requirements.

(iii) Upon receipt of the Notice of the Completion of Construction from the Owner/Operator the Department shall authorize a 180-day Period of Temporary Operation of the sources from the date of commencement of operation. The Notice submitted by the Owner/Operator, prior

to the expiration of this Plan Approval, shall modify the Plan Approval expiration date. The new Plan Approval expiration date shall be 180 days from the date of commencement of operation.

(iv) Upon determination by the Owner/Operator that the sources covered by this Plan Approval are in compliance with all conditions of the Plan Approval the Owner/Operator shall contact the Department's reviewing engineer and schedule the Initial Operating Permit Inspection.

(v) Upon completion of the Initial Operating Permit Inspection and determination by the Department that the sources covered by this Plan Approval are in compliance with all conditions of the Plan Approval, the Owner/Operator shall apply for an Administrative Amendment to the Title V Operating Permit (TVOP) at least 60 days prior to the expiration date of the Plan Approval. The Administrative Amendment shall incorporate the conditions of this Plan Approval into the TVOP.

(vi) The Owner/Operator may request an extension of the 180-day Period of Temporary Operation if compliance with all applicable regulations and Plan Approval requirements has not been established. The extension request shall be submitted in writing at least 15 days prior to the end of the Period of Temporary Operation and shall provide a description of the compliance status of the source. The extension request shall include a detailed schedule for establishing compliance and the reasons compliance has not been established. This Period of Temporary Operation may be extended for additional periods, each not to exceed 120 days, by submitting an extension request as described above.

Persons who wish to provide the Department of Environmental Protection (Department) with additional information that they believe should be considered prior to the issuance of the Plan Approval may submit the information to the Department at the address shown. A 30-day comment period, from the date of this publication, will exist for the submission of comments. Each written comment must contain the following:

- Name, address and telephone number of the person submitting the comments.
- Identification of the proposed Plan Approval (specify the Plan Approval number).
- Concise statements regarding the relevancy of the information or objections to issuance of the Plan Approval.

A public hearing may be held if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in a newspaper or the *Pennsylvania Bulletin*, or by telephone, where the Department determines notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to Regional Air Quality Program Manager, Department of Environmental Protection, Southwest Region—Field Operation, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

For additional information persons should contact Thomas J. Joseph, P. E., Air Pollution Control Engineer III, Air Quality at the previously listed address.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.*

**61-0011C: Merisol Antioxidants, LLC** (292 SR 8, Oil City, PA 16301) for modification of existing 314/340 distillation columns, construction of a new smaller distillation column, modification to the Eclipse Heater to include a low NOx burner (LNB), installation of a new flare, and other ancillary modifications to increase production of meta cresol in Cornplanter Township, **Venango County**.

In accordance with 25 Pa. Code §§ 127.44(b) and 127.424(b), the Department of Environmental Protection (Department) intends to issue a plan approval for their plant in Cornplanter Township, Venango County. The facility is a Title V Facility. This plan approval will, in accordance with 25 Pa. Code § 127.450, be incorporated into the Title V operating permit through an administrative amendment at a later date.

Plan approval No. 61-011C is for modification of the existing 314/340 distillation columns, construction of a new smaller distillation column, modification to the Eclipse Heater to include a LNB, installation of a new flare, and other ancillary modifications to increase production of meta cresol. The new flare and the existing flare will control VOC emissions. The potential facility-wide VOC emissions will increase by approximately 3 tpy from the current allowable emissions. NOx emissions will decrease from the eclipse heater while other criteria pollutants remain relatively unchanged. The Plan Approval will require a flare performance test, continuous monitoring of the flare for the presence of a flame and other "Trouble Indicators" as well as weekly observations for visible emissions from the flares. The Plan Approval contains a Compliance Assurance Monitoring plan for the new distillation column. The Plan Approval will also include emission limits for the eclipse heater and initial as well as annual testing with a portable analyzer for CO and NOx emissions. The Plan Approval and Operating Permit will include conditions that require record keeping, reporting, work practice standards, and additional requirements for the sources and control devices designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, Department's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at 230 Chestnut Street, Meadville, PA 16335.

Persons who wish to provide the Department with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. The Department will consider any written comments received within 30 days of the publication of this notice. Written comments must contain the following:

Name, address and telephone number of the person submitting the comments.

Identification of the proposed permit (No. 61-0011C).

A concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held if the Department, in its discretion, decides that a hearing is warranted based on the comments received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where the Department determines notification by telephone is sufficient. Written comments or requests for a public hearing should

be directed to Matthew Williams, New Source Review, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6940.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodations to do so should by contacting Matthew Williams or the Pennsylvania AT&T relay service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

If a plan approval has not undergone the public notice process, the change to an operating permit must be treated as a significant modification. In these situations the Department should follow the procedures described in 25 Pa. Code §§ 127.421—127.431 for state-only operating permits or 25 Pa. Code §§ 127.521—127.524 for Title V operating permits.

**24-131J: SGL Carbon LLC** (900 Theresia Street, St. Marys, PA 15857) for construction of two additional reactors as part of the chemical vapor deposition process. A new scrubber will control emissions from the new reactors, at SGL in Saint Marys City, **Elk County**. This is a Title V facility. The public notice is required for sources required to obtain a Plan Approval at Title V facilities in accordance with 25 Pa. Code § 127.44. This plan approval will, in accordance with 25 Pa. Code § 127.450, be incorporated into the Title V operating permit through an administrative amendment at a later date. The source shall comply with the following conditions, which will satisfy the requirements of 25 Pa. Code § 127.12b (pertaining to plan approval terms and conditions) and will demonstrate Best Available Technology for the source:

- The source is subject to 25 Pa. Code § 123.13.
- The HCl emissions shall not exceed 0.002 #/hr averaged over the reaction period.
- The permittee shall monitor the pressure drop across the scrubber, the scrubber liquid flow rate, and the low flow alarm and establish the normal operating range.
- The permittee shall conduct weekly operational checks of the scrubber.

#### OPERATING PERMITS

#### **Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Edward Jurdones Brown, Facilities Permitting Chief, (484) 250-5920.*

**46-00141: TSG, Inc.** (1400 Welsh Road, North Wales, PA 19454) in Montgomery Township, **Montgomery County**. The permit is for a Title V facility. The facility's sources include two boilers, spray line, can line and processes. The permittee does have the potential to emit 24.9 tons/year for VOC and NOx and is therefore characterized as a Title V, Major Facility. The permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

**09-00009: Webcraft LLC** (4371 County Line Road, Chalfont Borough, Bucks County, PA 18914) for an administrative amendment to the Title V Operating Permit at their facility in New Britain Township, **Bucks County**. The facility is a direct mail printer that operates six heatset offset lithographic printing presses and one flexographic printing press. The permit is being amended to incorporate changes approved under plan approval

number PA-09-0009D for a new web offset press (Press No. 52) and a new regenerative thermal oxidizer. The revised Title V operating permit will contain additional monitoring, recordkeeping, reporting and work practice standards to keep the facility operating within all applicable air quality requirements. The major conditions that have been addressed in the amended Title V Permit, are outlined as follows:

1) Section C, Site Level Requirements, Hazardous air pollutants emissions shall not exceed 10 tons per pollutant or 25 tons combined pollutant emissions and the VOCs emissions shall not exceed 49.7 tons per year in a 12-month rolling sum.

2) Section D, Source Level Requirements, Source IDs: 104—106 and 52 (Press Nos. 21, 44, 30 and 52). Work practice, monitoring and recordkeeping parameters have been established.

3) Section D, Source Level Requirements, Source ID: C07 (Regenerative Thermal Oxidizer), Condition No. 004. Work practice, monitoring and recordkeeping parameters have been established.

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.*

**67-05029: NYW Realty, LLC** (152 North Main Street, Mount Wolf, PA 17347) for operation of a woven wire cloth manufacturing facility in Hanover Borough, **York County**. This action reflects a change of ownership for the former Hanover Wire Cloth plant. VOC emissions from surface coating operations are responsible for the plant's Title V status. The provisions of the previous permit remain in effect to ensure the facility complies with the applicable air quality requirements.

#### **Intent to Issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19428, Edward Jurdones Brown, Facilities Permitting Chief, (484) 250-5920.*

**09-00158: Allied Cremation, Inc.** (864 Bristol Pike, Bensalem, PA 19020) for operation of an incinerator at a crematory in Bensalem Township, **Bucks County**. The permit is for a non-Title V State-only facility. The facility has the potential to emit less than 25 tons of Volatile VOC and less than 25 tons per year of NOx the facility is a Natural Minor. The permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

**23-00026: Glasgow, Inc.—Freeborn Asphalt Plant** (531 Eagle Road, Springfield, PA) for operation of their batch asphalt plant in Springfield Township, **Delaware County**. The permit is for a non-Title V State-only facility. The Freeborn Asphalt Plant is a 6,000-lb. batch plant consisting of a dryer, knock-out box, baghouse, exhaust fan and stack. The permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

**09-00133: Webcraft, LLC** (181 Rittenhouse Cir., Bristol, PA 19007) for a non-Title V Facility, State-only, Synthetic Minor Operating Permit in Bristol Township, **Bucks County**. The permit is for the operation of a four heatset web offset lithographic presses and two coldset web offset lithographic presses that have the aggregate

potential to emit major levels of VOC before taking limitations. The permit will include monitoring, recordkeeping, reporting and work practice standards designed to keep the facility operating within all applicable air quality requirements.

This State-only, Synthetic Minor Operating Permit will incorporate conditions from the previously issued Plan Approval, PA-09-0133 (four lithographic presses).

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.*

**41-00065: Fisher Mining Co.** (40 Choate Circle, Montoursville, PA 17754) for operation of a coal preparation facility in Pine Township, **Lycoming County**.

The facility incorporates a coal preparation plant consisting of various pieces of crushing, sizing, conveying, and the like equipment as well as a 250 kilowatt diesel generator, two solvent parts washers and a number of small No. 2 fuel oil, kerosene, anthracite coal and waste oil heaters. The air contaminant emissions from the facility are not expected to exceed 49.41 tons of NO<sub>x</sub>, 10.72 tons of carbon monoxide, 6.62 tons of VOCs .77 ton of SO<sub>x</sub> and 5.43 tons of particulate matter, including PM<sub>10</sub>.

The respective facility is not a major (Title V) facility for any air contaminant.

The Department of Environmental Protection (Department) proposes to incorporate into the operating permit to be issued conditions requiring compliance with all applicable regulatory requirements pertaining to air contamination sources and the emission of air contaminants as well as conditions previously existing in Operating Permit 41-305-011, issued on June 28, 2000. These previously-existing conditions include a requirement that all crushers, breakers and screens be enclosed, a requirement that all conveyors and radial stacking conveyors be covered or completely enclosed, a requirement that one specific radial stacking conveyor be equipped with a hydraulic raiser which shall be used to minimize the "free-fall" distance from the conveyor discharge, a requirement that all trucks loaded with coal entering or exiting the facility via a public roadway be tarped and a requirement that an operable water truck be kept onsite and used, as needed, to control dust from facility roadways, stockpiles, and the like.

The Department additionally proposes to incorporate into the operating permit to be issued a condition limiting the total combined VOC emissions from the two solvent parts washers to less than 2.7 tons in any 12-consecutive month period, a condition prohibiting the use of solvents containing hazardous air pollutants in the parts washers and a condition requiring the maintenance of records of the amount of solvent used per month in the parts washers.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Mark Wayner, Facilities Permitting Chief, (412) 442-4174.*

**03-00239: T.J.S. Mining, Inc.** (2340 Smith Road, Shelocta, PA 15774) for operation of coal processing at T.J.S. No. 5 Coal Preparation Plant in South Bend Township, **Armstrong County**.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Eric Gustafson, Facilities Permitting Chief, (814) 332-6940.*

**43-00326: Buckeye Leasing, Inc.—City Slag Quarry Plant** (300 Ohio Street Extension, Hermitage, PA 16148)

for a Natural Minor Permit to operate a nonmetallic mineral processing plant. The significant sources are slag processing operations and diesel generator. The facility is in Hermitage, **Mercer County**.

**42-00182: Allegheny Store Fixtures, Inc.** (57 Holly Avenue, Bradford, PA 16701) Natural Minor operating permit for the manufacturing of wooden advertising display fixtures and furniture for outlet stores. This facility is in the City of Bradford, **Mckean County**.

*Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104, Edward Braun, Chief, (215) 685-7584.*

**S04-020: Philadelphia Gas Works, Passyunk Station**, (3100 Passyunk Avenue, Philadelphia, PA 19145) for operation of a include liquefied natural gas storage and distribution facility in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include two heaters each less than 10 mmBtu/hr., two emergency generators at 1,250 Hp each, three 58.8 mBtu/hr. boilers with low NO<sub>x</sub> burners, and a firewater pump.

The operating permit will be issued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons who wish to file protest or comments on the above operating permit must submit the protest or comments within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least 30 days before the hearing.

## FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (Department). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the State to certify that the involved projects will not violate the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA or to the issuance of a Dam Permit, Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment must submit comments, suggestions or objections within 30 days of the date of this notice, as well as questions, to the regional office noted before the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Individuals will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the com-

ment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on each working day at the regional office noted before the application.

Persons with a disability who wish to attend a hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401 of the FWPCA (33 U.S.C.A. § 1341(a)).**

**WATER OBSTRUCTIONS AND ENCROACHMENTS**

*Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.*

**E58-266. Choconut Creek Watershed Association,** R. R. 1, Box 1702, Friendsville, PA 18818, in Choconut Township, **Susquehanna County**, United States Army Corps of Engineers, Baltimore District.

To construct and maintain a stream restoration project within approximately a 1.55-mile reach of Choconut Creek and a 0.3-mile reach of a tributary to Choconut Creek for the purpose of improving channel stability, reducing bank erosion and enhancing aquatic habitat.

The project will utilize natural stream channel design techniques, including channel realignment, grade control structures and bank protection structures. The project is located north of Carmalt Road (T-695), on the west side of SR 0267. (Laurel Lake, PA-NY Quadrangle N: 11.9 inches; W: 16.8 inches).

*Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**E31-205: Borough of Huntingdon,** 530 Washington Street, Huntingdon, PA 16652 in Huntingdon Borough, **Huntingdon County**, ACOE Baltimore District

To construct a 50-foot by 100-foot basketball court, a 40-foot by 60-foot ice skating rink and a 13-foot by 22-foot toilet facility in Portstown Municipal Park located (Huntingdon, PA Quadrangle Latitude: 40° 29' 08"; Longitude: 78° 01' 01") within the floodplain of the Juniata River in the Borough of Huntingdon, Huntingdon County.

*Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701, (570) 327-3636.*

**E08-424. Department of Transportation Engineering District 3-0,** P. O. Box 218, Montoursville, PA 17754-0218. Bridge Replacement, SR 06 Sec 100 in Standing Stone Township, **Bradford County**, ACOE Baltimore District (Rome, PA Quadrangle N: 1.81 inches; W: 2.13 inches).

1) To remove an enclosed 8 foot 6 inch wide by 7 foot 8 inch high arch culvert with a waterway opening of 60 square feet; and 2) to replace and maintain the following minor drainage area culvert pipes.

Drainage Feature	Location (Station Number)		Drainage Area (Acre)	Size and Type		Length (Ft)	
	Existing	Proposed		Existing	Proposed	Existing	Proposed
P4	216 + 69.38	216 + 75.00	46.7	24" φRCP	30" φRCP	43.0	80.3
P9	243 + 13.27	243 + 10.00	24.9	18" φRCP	21" φRCP	21.0	68.2
P10	244 + 63.16	244 + 63.00	9.7	15" φRCP	18" φRCP	52.6	64.2
P11	247 + 28.26	247 + 28.00	12.8	18" φRCP	18" φRCP	52.0	62.1
P12	249 + 59.16	249 + 50.00	14.7	18" φRCP	18" φRCP	54.4	56.2
P16	6 + 80.31	6 + 78.00	51.3	CMP	30" φRCP	36.8	60.3
Culvert	236 + 02.79	235 + 79.40	1,702.4	7.5' ARCH	10' × 9' BOX	95.7	154.9
Drainage Feature	Length of Proposed Impact to Waters of the U. S. (Ft)		Remarks	Latitude	Longitude		
	Permanent	Temporary					
P4	37.3	167.6	Replace Pipe: Temporary impact due to ditch relocation (from pond outlet to pipe inlet)	41° 45' 36.7" N	76° 21' 57.4" W		
P9	47.2	4.3	Replace Pipe	41° 45' 32.8" N	76° 21' 27.3" W		
P10	11.6	5.9	Replace Pipe	41° 45' 31.7" N	76° 21' 26.3" W		
P11	10.1	12.8	Replace Pipe	41° 45' 29.2" N	76° 21' 22.0" W		
P12	38.1	43.1	Replace Pipe, permanent impact includes fill in drainage swale (36.3 ft. at pipe inlet)	41° 45' 28.1" N	76° 21' 20.3" W		
P16	23.5	53.1	Replace Pipe (on Goff Road)	41° 45' 35.7" N	76° 21' 33.0" W		
Culvert	59.2	199.4	Replace Culvert (over Vought Creek)	41° 45' 35.4" N	76° 21' 56.5" W		

The project will temporarily impact about 3,000 square feet of wetlands while impacting about 227 feet of waterway and about 0.4 acre of earth disturbance. The impacted streams are WWF streams.

**E08-427. Rodney VanDuzer**, R. R. 1, Box 94, Monroeton, PA 18832. Flood Control Dike, in Monroe Township, **Bradford County**, ACOE Baltimore District (Powell, PA Quadrangle N: 14.60 inches; W: 0.72 inch).

To construct and maintain a dike 200 feet long, approximately 2 feet high constructed of 2 foot by 2 foot by 6 feet long "sea wall" blocks and to place R-5 riprap 2 feet deep along the stream face of the "sea wall" extending from 1 foot minimum below the streambed to the base of the "sea wall" with filter fabric underlayment. The project is located on SR 4165 at the Powell Bridge. The project will not impact wetlands while impacting about 200 feet of waterway and less than 1/2 acre of earth disturbance. Schrader Creek is a HQ-CWF stream.

**E18-398. John R. Dotterer**, 6795 Nittany Valley Drive, Mill Hall, PA 17751. Bechdel Farm Culvert, in Lamar Township, **Clinton County**, ACOE Baltimore District (Jersey Shore, PA Quadrangle N: 8.25 inches; W: 12.00 inches).

To construct and maintain a 10-foot diameter 36-foot long culvert and the associated R-5 riprap at the inlets and outlet in a UNT Fishing Creek to create an agricultural equipment crossing. This project propose to impact 40 linear feet of the HQ UNT to Fishing Creek and no wetland impacts.

**E19-248. Fishing Creek Township**, 3188 SR 487, Orangeville, PA 17859, Culvert, in Fishing Creek Township, **Columbia County**, ACOE Baltimore District (Stillwater, PA Quadrangle N: 2.64 inches; W: 10.11 inches).

To construct and maintain adjacent 5 foot diameter and 6 foot diameter by 30 feet long RCP culvert pipes in Yost Run on Paperdale Road (T-631) about 1 mile from the intersection of T-631 and T-878. The project will not impact wetlands while impacting about 40 feet of waterway and less than 0.5 acre of earth disturbance. Yost Run is a CWF stream.

**E59-470. William Dobron and Mary Frances**, P. O. Box 187, Point Pleasant, PA 18950. Bridge in Clymer Township, **Tioga County**, ACOE Baltimore District (ASAPH, PA Quadrangle N: 18.9 inches; W: 15.7 inches).

To construct a steel I-Beam 13 foot by 20 foot wood plank deck bridge with concrete abutments over Jemison Creek in a private driveway about 900 feet west of the intersection of SR 4012 with SR 4010. The project will not impact wetlands while impacting about 30 feet of waterway and less than .03 acre of earth disturbance. Jemison Creek is a WWF stream.

*Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**E02-1510. WPXI Television**, 11 Television Hill, Pittsburgh, PA 15214-1400. To place fill in wetlands in the City of Pittsburgh, **Allegheny County**, Pittsburgh ACOE District. (Pittsburgh West, PA Quadrangle N: 21.8 inches; W: 1.4 inches and Latitude: 40° 29' 42"—Longitude: 80° 00' 36"). The applicant proposes to place fill in approximately 0.55 acre of PEM wetlands for the purpose of constructing a new WPXI Office Complex. The project is located just west from the intersection of Evergreen Road and Ivory Avenue and will impact 0.55 acre of PEM wetlands. The applicant proposes to mitigate 0.74 acre of wetlands to compensate for the wetland impacts.

*Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**E10-407 and D10-010, Zelenople Borough**, 111 West New Castle Street, Zelenople, PA 16063. Raw Water Reservoir Rehabilitation Project, in Zelenople Borough, **Butler County**, ACOE Pittsburgh District (Zelenople, PA Quadrangle N: 40° 48' 06"; W: 080° 08' 07").

To install and maintain rock riprap and soldier pile wall stream bank protection along approximately 1,550 feet of the right bank of Scholars Run and along approximately 550 feet of the right bank of Connoquenessing Creek adjacent to the Borough of Zelenople Raw Water Supply Reservoirs located northeast of the confluence of Scholars Run and Connoquenessing Creek. This application is also a request for authorization to conduct modification and repair to the embankment of D10-010, Reservoir No. 3, a jurisdictional dam located approximately 750 feet upstream of the mouth of Scholars Run, north of Reservoir No. 2.

#### ENVIRONMENTAL ASSESSMENTS

*Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**E05-005: Broad Top Township**, 187 Municipal Road, Defiance, PA 16633 in Broad Top Township, **Bedford County**, ACOE Baltimore District.

To construct and maintain a passive AMD treatment system consisting of five limestone settling ponds and three conventional settling ponds with associated conveyances impacting 1,270 feet of UNTs to Shreves Run (WWF) and 0.04 acre of PEM wetlands for the purpose of increasing alkalinity and reducing acidity and metals in Shreves Run and Sixmile Run at a site (Latitude: 40° 09' 17"; Longitude: 78° 11' 09") approximately 600 feet northeast of the intersection of SR 1025 and Union Church Street in Broad Top Township, Bedford County. The acreage of wetland impacts is considered de minimus and wetland replacement is not required.

*Central Office: Bureau of Waterways Engineering, Rachel Carson State Office Building, Floor 3, 400 Market Street, Harrisburg, PA 17105.*

**D06-508EA. Robert Ciccone and Sons**, P. O. Box 86, Bath, PA 18014. Maxatawney Township **Berks County**, ACOE Philadelphia District.

Project proposes to breach and remove Arrowhead Business and Industrial Park Dam across a tributary to Mill Creek (TSF) and to construct an off-stream stormwater detention basin within the former reservoir. The purpose of the project is to restore the stream to a free flowing condition and to provide stormwater detention for the Arrowhead Business and Industrial Park. The project will restore approximately 325 linear feet of stream channel. The dam is located immediately east of Long Lane approximately 1,000 feet north of the intersection of Long Lane (SR 1024) and US Route 222 (Topton, PA Quadrangle N: 7.0 inches; W: 15.5 inches).

**D22-020EA. George Frey Trust**, 320 W. Chocolate Ave., Hershey, PA 17033-0437. Londonderry Township and Borough of Middletown, **Dauphin County**, ACOE Baltimore District.

Project proposes to breach and remove Iron Mine Run Dam across Swatara Creek (WWF) for the purpose of restoring the stream to a free flowing condition, providing unobstructed fish passage, and eliminating a threat to public safety. The project will restore approximately 3,300 feet of stream channel. The dam is located approximately

500 feet west of the intersection of Ironmine Road (T321) and Swatara Creek Road (T496) (Middletown, PA Quadrangle N: 14.7 inches; W: 12.5 inches).

**D36-104EA. James R. Ford, Jr.**, 410 Ash Road, Morgantown, PA 19543. Paradise and Leacock Townships, Lancaster County, ACOE Baltimore District.

Project proposes to breach and remove Ford Dam located across Pequea Creek (WWF) for the purpose of eliminating a threat to public safety and restoring the stream to a free flowing condition. The dam is located approximately 1,700 feet north of the intersection of US Route 30 and Old Leacock Road (T496) (Leola, PA Quadrangle N: 2.6 inches; W: 0.8 inches).

**ACTIONS**

**THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT  
FINAL ACTIONS TAKEN FOR NATIONAL POLLUTION DISCHARGE  
ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY  
MANAGEMENT (WQM) PERMITS**

The Department of Environmental Protection (Department) has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and Notices of Intent (NOI) for coverage under general permits. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or amendment
Section III	WQM	Industrial, sewage or animal wastes; discharges to groundwater
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

Sections I—VI contain actions related to industrial, animal or sewage wastes discharges, discharges to groundwater and discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities and concentrated animal feeding operations (CAFOs). Section VII contains notices for parties who have submitted NOIs for coverage under general NPDES permits. The approval for coverage under general NPDES permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions set forth in each general permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective permit. Permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

**I. NPDES Renewal Permit Actions**

*Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0042951 Sewage	Tremont Municipal Authority 423 West Main Street Tremont, PA 17981	Schuylkill County Tremont Township	Swatara Creek (7D)	Y

Monitoring requirements for total nitrogen and total phosphorus has been added to the permit to comply with the requirements of the Chesapeake Bay Nutrient Program.

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0047325	PPL Susquehanna, LLC Susquehanna Steam Electric Station 769 Salem Boulevard Berwick, PA 18603-0467	Luzerne County Salem Township	Susquehanna River SC	N

In accordance with the Chesapeake Bay Strategy, nutrient monitoring requirements were added to Outfall 079 of this permit as published on April 30, 2005.

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0032433 Sewage	Department of Conservation and Natural Resources Frances Slocum State Park 2808 Three Mile Run Road Perkasie, PA 18944-2065	Luzerne County Kingston Township	Abraham's Creek (5B)	Y

Total nitrogen and total phosphorus monitoring requirements were added to the final permit to comply with the Chesapeake Bay Nutrient Program.

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0063321 Sewage	Ararat Township Supervisors R. R. 1, Box 23E Thompson, PA 18465	Susquehanna Herrick Township	Fiddle Lake Creek (5A)	Y

Total nitrogen and total phosphorus monitoring requirements were added to the final permit in compliance with the Chesapeake Bay Nutrient program.

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0064033 Sewage	Pusti Margiya Vashnav Samaj of North America 15 Manor Road Schuylkill Haven, PA 17972	Wayne Township Schuylkill County	UNT to Lower Little Swatara Creek (7D)	Yes

Total nitrogen and total phosphorus monitoring requirements were added to the permit to comply with the Chesapeake Bay Nutrient program.

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0060003	Wyoming County Housing Authority P. O. Box 350 Nicholson, PA 18446	Nicholson Borough Wyoming County	Martin's Creek CWF 4F	Yes

In accordance with the Chesapeake Bay Strategy, nutrient monitoring requirements were added to Outfall 001 of this permit as published at 35 Pa.B. 3062 (May 21, 2005).

*Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0081345 (Sewage)	Douglas A. Grier Grier Foundation P. O. Box 308 Tyrone, PA 16686-0308	Huntingdon County Warriors Mark Township	Little Juniata River/11-A	Y
PA0085812 (Industrial Waste)	Altoona City Authority Mill Run Water Treatment Plant 20 Greenwood Road Altoona, PA 16602-7114	Blair County Logan Township	Mill Run/11-A	Y
PA0085812 (Industrial Waste)	Altoona City Authority Kettle Creek Water Treatment Plant 20 Greenwood Road Altoona, PA 16602	Blair County Tyrone Township	Kettle Creek/11-A	Y



<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0085821 (Industrial Waste)	Altoona City Authority Homer Gap Water Treatment Plant 20 Greenwood Road Altoona, PA 16602	Blair County Logan Township	Homer Gap Run/11-A	Y

*Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N</i>
PA0027146 Sewage	Borough of Ambridge Municipal Authority 600 Eleventh Street Ambridge, PA 15003	Beaver County Ambridge Borough	Ohio River	N
PA0029840 Sewage	Armstrong County Commissioners 450 Market Street Kittanning, PA 16201	Armstrong County Rayburn Township	Cowanshannock Creek	Y
PA0090051 Sewage	Municipal Authority of Washington Township	Westmoreland County Washington Township	UNT of Beaver Run	Y
PA0218316 Sewage	Dunbar Township Municipal Authority P. O. Box 815 Connellsville, PA 15425	Fayette County Dunbar Township	Youghiogheny River	Y

*Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0025739	Port Allegany Borough Glass Place Port Allegany, PA 16743-1318	Port Allegany Borough McKean County	Allegheny River 16-C	Y

## II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

*Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.*

**NPDES Permit No. PA0055212**, Sewage, **Concord Township Sewer Authority**, 664 Concord Road, Glen Mills, PA 19342. This proposed facility is located in Concord Township, **Delaware County**.

Description of Proposed Action/Activity: Approval for the renewal and amendment to increase flow and discharge into the West Branch of Chester Creek (001) and a UNT to West Branch of Chester Creek (002) in Watershed 3G.

*Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

**NPDES Permit No. PA-0007919**, Industrial Waste, **Cascade Tissue Group—PA, Inc.**, 901 Sathers Drive, Vogelbacher Industrial Park, Pittston Township, PA 18640. This proposed facility is located in Ransom Township, **Lackawanna County**.

Description of Proposed Action/Activity: Renewal of NPDES Permit.

**NPDES Permit No. PA-0035637**, Sewage, **Department of Transportation, Bureau of Design**, P. O. Box 3060, Harrisburg, PA 17105-3060. This proposed facility is located in Greenfield Township, **Lackawanna County**.

Description of Proposed Action/Activity: Issuance of NPDES Permit. In accordance with the Chesapeake Bay Strategy, nutrient monitoring requirements were added to Outfall 001 of this permit as published at 35 Pa.B. 1785 (March 19, 2005).

*Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.*

**NPDES Permit No. PA0086312**, Sewage, **James Dorwart**, Dorwart Apartments, 1375 Old Quaker Road, Etters, PA 17319. This proposed facility is located in Fairview Township, **York County**.

Description of Proposed Action/Activity: Authorization to discharge to a UNT of Bennett Run in Watershed 7-F.

## III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

*Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

**WQM Permit No. 4805402**, Sewerage, **Portland Borough**, P. O. Box 476, 1 Division Street, Portland, PA 18351. This proposed facility is located in Portland Borough; Upper Mount Bethel Township, **Northampton County**.

Description of Proposed Action/Activity: Issuance of Water Quality Management Permit.

*Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.*

**WQM Permit No. 0605410**, Sewerage, **Muhlenberg Township Authority**, 2840 Kutztown Road, Reading, PA 19605. This proposed facility is located in Muhlenberg Township, **Berks County**.

Description of Proposed Action/Activity: Approval for the modification to an existing pump station including new pumps and associated waters, emergency generator and controls.

**WQM Permit No. 6704406**, Sewerage, **New Salem Borough**, 80 North Water Street, P. O. Box 243, York New Salem, PA 17371. This proposed facility is located in New Salem Borough, **York County**.

Description of Proposed Action/Activity: Approval for the installation of approximately 25,100 LF of 8-inch PVC sewers and 131 manholes to serve the sewage collection needs of New Salem Borough. All sewers are tributary to the proposed North Codorus Township WWTP.

**WQM Permit No. 6791403 Amendment 05-1**, Sewerage, **East Prospect Borough Authority**, P. O. Box 334, East Prospect, PA 17317. This proposed facility is located in East Prospect Borough, **York County**.

Description of Proposed Action/Activity: Approval for the construction/operation of UV Disinfection System.

**WQM Permit No. 0605407**, Sewerage, **Bern Township Municipal Authority**, 1069 Old Bernville Road, Reading, PA 19605. This proposed facility is located in Bern Township, **Berks County**.

Description of Proposed Action/Activity: Approval for the construction/operation of sewers and appurtenances and pump stations.

**WQM Permit No. 6705405**, Sewerage, **Fypon, Ltd.**, 960 West Barre Road, Archbold, OH 43502. This proposed facility is located in North Codorus Township, **York County**.

Description of Proposed Action/Activity: Application returned.

*Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**WQM Permit No. 4204401**, Sewerage, **Borough of Eldred**, 3 Bennett Street, Eldred, PA 16731. This proposed facility is located in Eldred Borough, **McKean County**.

Description of Proposed Action/Activity: This project is for the replacement of two pump stations.

#### **IV. NPDES Stormwater Discharges from MS4 Permit Actions**

#### **V. NPDES Waiver Stormwater Discharges from MS4 Actions**

#### **VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions**

*Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI010905016	County of Bucks Bucks County Morgue 55 East Court Street Doylestown, PA 18901	Bucks	Warminster Township	Neshaminy Creek (WWF-MF)
PAI011505036	Tom Swift Swift Development, Lot 3 2238 Robert Fulton Highway Peach Bottom, PA 17563	Chester	East Nottingham Township	Little Elk Creek (HQ-TSF-MF)
PAI011505041	Archdiocese of Philadelphia All Souls Cemetery 111 South 38th Street Philadelphia, PA 19104	Chester	West Brandywine Township	Beaver Creek (TSF-MF) Brandywine Creek (HQ)
PAI011505042	Immaculata University Immaculata University Athletic Fields 1145 King Road Immaculata, PA 19345	Chester	West Whiteland Township	Ridley Creek (HQ-TSF) Valley Creek (EV)
PAI012305003	Rosetree Media School District Penncrest High School Bus Facilities 308 North Olive Street Media, PA 19063	Delaware	Middletown Township	Spring Run (HQ-TSF)

*Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI023905003	Lehigh Valley Free Presbyterian Church 6105 Oakwood Lane Slatington, PA 18080	Lehigh	Lowhill Township	Lyon Creek HQ-CWF

*Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI033604012	Rose Rohrer 2651 Oregon Pike Lititz, PA 17543	Lancaster	Sadsbury Township	Knott Run/HQ-CWF, MF
PAI033605002	Barry L. Troup Turnpike Commission P. O. Box 67676 Harrisburg, PA 17106-7676	Lancaster	Rapho Township	UNT Chickies Creek/WWF UNT Shearers Creek/HQ/CWF

*Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAS101708R-1	Tomas Stojek Clearfield Foundation 126 East Market St. Clearfield, PA 16830	Clearfield	Lawrence Township	Wolf Run and Susquehanna River CWF

*Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Armstrong County Conservation District: Armsdale Administration Building, Suite B-2, 124 Armsdale Road, Kittanning, PA 16201, (724) 548-3425.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI050305002	Department of Transportation District 10-0 P. O. Box 429 2550 Oakland Avenue Indiana, PA 15701	Armstrong	Valley and Rayburn Townships	South Fork Pine Creek (HQ-CWF)

## **VII. Approvals to Use NPDES and/or Other General Permits**

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

### **List of NPDES and/or Other General Permit Types**

PAG-1	General Permit for Discharges from Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated with Construction Activities (PAR)
PAG-3	General Permit for Discharges of Stormwater from Industrial Activities
PAG-4	General Permit for Discharges from Single Residence Sewage Treatment Plants
PAG-5	General Permit for Discharges from Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Nonexceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	CAFOs
PAG-13	Stormwater Discharges from MS4

*General Permit Type—PAG-2**Facility Location:*

<i>Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
Washington Township Lehigh County	PAG200390520	David Jaindl Jaindl Land Co. 3150 Coffeetown Rd. Orefield, PA 18069	Trout Creek CWF	Lehigh Co. Cons. Dist. (610) 391-9583
Washington Township Lehigh County	PAG2003905019	David Jaindl Jaindl Land Co. 3150 Coffeetown Rd. Orefield, PA 18069	Trout Creek CWF	Lehigh Co. Cons. Dist. (610) 391-9583
East Brunswick Township Schuylkill County	PAG2005405012	Miller Real Estate Development Co., Ltd. P. O. Box 336 Orwigsburg, PA 17961	UNT to Little Schuylkill River CWF	Schuylkill Co. Cons. Dist. (570) 622-3742
Orwigsburg Borough Schuylkill County	PAG2005405015	Ryon Contracting Co. 96 Ryon Lane Pottsville, PA 17901	Mahannon Creek CWF	Schuylkill Co. Cons. Dist. (570) 622-3742
St. Clair Borough and East Norwegian Township Schuylkill County	PAG2005405018	Schuylkill Headwaters Association P. O. Box 1385 Pottsville, PA 17901	UNT to Mill Creek CWF	Schuylkill Co. Cons. Dist. (570) 622-3742
Tunkhannock Township Wyoming County	PAG2006605001	Martin Mariano Mariano Rentals 1123 Old Berwick Rd. Bloomsburg, PA 17815	Swale Brook CWF	Wyoming Co. Cons. Dist. (570) 836-2589
Lower Allen Township Cumberland County	PAG2002105025	Thomas Somerville Co. Somerville Office Warehouse 16155 Trade Zone Ave. Upper Marlboro, MD 20774	Cedar Run CWF	Cumberland County Conservation District 43 Brookwood Ave. Carlisle PA 17013 (717) 240-7812
Mechanicsburg Borough Cumberland County	PAG2002105010	American Legion Post 109 World War I Memorial Post 109 224 W. Main Street Mechanicsburg, PA 17055	Cedar Run CWF	Cumberland County Conservation District 43 Brookwood Ave. Carlisle PA 17013 (717) 240-7812
Greene Township Franklin County	PAG002805053	Greene Township 1145 Garver Lane Scotland PA 17254	UNT Falling Spring TSF Conococheague Creek CWF	Franklin County Conservation District 100 Sunset Boulevard West Chambersburg, PA 17201 (717) 264-8074, Ext. 5
Anteim Township Franklin County	PAG002805027	Stephen Oder Pembrokeshire 8095 Hill Mark Court Frederick, MD 21704	Conococheague Creek WWF	Franklin County Conservation District 100 Sunset Boulevard West Chambersburg, PA 17201 (717) 264-8074, Ext. 5
Lower Swatara Township Dauphin County	PAG2002205024	Lakeside Land Development, LLC 282 Alpat Dr. Dillsburg, PA 17109	Susquehanna River WWF	Dauphin County Conservation District 1451 Peters Mountain Rd. Dauphin, PA 17018 (717) 921-8100

## NOTICES

4777

<i>Facility Location: Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
East Hanover Township Dauphin County	PAG2002205032	East Hanover Township 8848 Jonestown Rd. Grantville, PA 17028	Bow Creek WWF	Dauphin County Conservation District 1451 Peters Mountain Rd. Dauphin, PA 17018 (717) 921-8100
Derry Township Dauphin County	PAG2002205047	Spring Creek Golf Course 450 E. Chocolate Ave. Hershey, PA 17033	Spring Creek WWF	Dauphin County Conservation District 1451 Peters Mountain Rd. Dauphin, PA 17018 (717) 921-8100
Bern Township Berks County	PAG20006030381	John Morahan, President St. Joseph's Medical Center 12th and Walnut Streets Reading, PA 19601	Tulpehocken Creek WWF	Berks County Conservation District 1238 County Welfare Road P. O. Box 520 Leesport, PA 19533-0520 (610) 372-4657, Ext. 201
Amity Township Berks County	PAG2000605051	David Robbins Daniel Boone School District P. O. Box 490 Birdsboro, PA 19508	Monocacy Creek WWF	Berks County Conservation District 1238 County Welfare Road P. O. Box 520 Leesport, PA 19533-0520 (610) 372-4657, Ext. 201
Jackson Township Lebanon County	PAG2003805021	Leon Zimmerman Cedar Crest Equipment 339 King Street Myerstown, PA 17067	Tulpehocken Creek TSF	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042, (717) 272-3908, Ext. 4
Union Township Lebanon County	PAG20038030282	Anthony J. Fitzgibbons J. R. C. S., Ltd. 279 N. Zinns Mill Road Lebanon, PA 17042	Swatara Creek TSF	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042, (717) 272-3908, Ext. 4
Bethel Township Lebanon County	PAG2003805015	Isaac B. Martin 1131 Hunters Chase Lane Lebanon, PA 17046	Deep Run Creek WWF	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042, (717) 272-3908, Ext. 4
South Lebanon Township Lebanon County	PAG2003805014	C. R. Meyer and Sons 895 W. 20th Avenue P. O. Box 2157 Oshkosh, WI 54903	Quittapahilla Creek TSF	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 (717) 272-3908, Ext. 4
Milford and Turbett Townships Juniata County	PAG2003405008	Department of Transportation Engineering District 2-0 Attn: Dean D. Ball 1924 Daisy Street P. O. Box 342 Clearfield, PA 16830	Tuscarora Creek	Juniata County Conservation District R. R. 5, Box 35 Mifflintown, PA 17059 (717) 436-8953, Ext. 5

*Facility Location:  
Municipality &  
County*

<i>Facility Location: Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
Bradford County Litchfield Township	PAG2000805007	Columbia Natural Resources P. O. Box 6070 Charlestown, WV 25362	UNT Susquehanna River WWF	Bradford County Conservation District R. R. 5, Box 5030C Stoll Natural Resource Center Towanda, PA 18848 (570) 265-5539, Ext. 205
Snyder County Penn Township	PAG200550504	Wendts Park Palace R. R. 3, Box 245B Selinsgrove, PA 17071	Penns Creek WWF	Snyder County Conservation District 403 W. Market St. Middleburg, PA 17842 (570) 837-0007, Ext. 112
Snyder County Middle Creek Township	PAG200550505	Warren Kerstetter Zechman Etal Subdivision East Ridge Rd. Middleburg, PA 17842	Middle Creek WWF	Snyder County Conservation District 403 W. Market St. Middleburg, PA 17842 (570) 837-0007, Ext. 112
Beaver County Chippewa Township	PAG2000405013	Royce Development, LLC Donald Olayer 161 Meadow Drive Beaver Falls, PA 15010	North Branch Brady's Run (WWF)	Beaver County CD (724) 378-1701
Fayette County Luzerne Township	PAG2002605018	Frank J. Kempf Turnpike Commission P. O. Box 67676 Harrisburg, PA 17106	Monongahela River (WWF)	Fayette County CD (724) 438-4497
Fayette County North Union Township	PAG2002605019	Steve Solomon 1758 Milesground Morgantown, WV 26505	Redstone Creek (WWF)	Fayette County CD (724) 438-4497
Fayette County South Union Township	PAG2002605020	David Scott 658 Pittsburgh Road Uniontown, PA 15401	Coal Lick Run (WWF)	Fayette County CD (724) 438-4497
Fayette County German Township	PAG2002605021	Anthony Julian Wellington Development, WVDT, LLC 1620 Locust Avenue Fairmont, WV 26554	Monongahela River (WWF)	Fayette County CD (724) 438-4497
Indiana County White Township	PAG2003205014	Michael T. Clark Wolf Run Crossing, LP 832 Philadelphia St. Indiana, PA 15701	UNT to McCarthy Run (CWF)	Indiana County CD (724) 463-8547
Venango County Franklin City	PAG2006105005(1)	Steven Spotts Bacou-Dalloz Fall Protection Brian Chreighton Horizon Construction Group	UNT Allegheny River (WWF)	Venango Conservation District (814) 676-2832

*General Permit Type—PAG-3*

*Facility Location:  
Municipality &  
County*

<i>Facility Location: Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
Bethlehem City Northampton County	PAR212222	Crushcrete, Inc. 1035 Mauch Chunk Road Bethlehem, PA 18018	Saucon Creek CWF	DEP—NERO Water Mgmt. Program 2 Public Square Wilkes-Barre, PA 18711-2511 (570) 826-2511

*Facility Location:*

<i>Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
Nazareth Borough Northampton County	PAR212236	Frank Casilio & Sons, Inc. 1035 Mauch Chunk Road Bethlehem, PA 18018-6622	UNT to Shoeneck Creek WWF	DEP—NERO Water Mgmt. Program 2 Public Square Wilkes-Barre, PA 18711-2511 (570) 826-2511
York County Springettsbury Township	PAR603590	Overnite Transportation Company 1000 Semmes Avenue Richmond, VA 23224	Codorus Creek WWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Cumberland County Silver Spring Township	PAR603576	Safety-Kleen Systems, Inc. 10 Eleanor Drive P. O. Box 279 New Kingstown, PA 17072	Hogestown Run CWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Lancaster County East Earl Township	PAR213515	Terre Hill Concrete Products 485 Weaverland Valley Road P. O. Box 10 Terre Hill, PA 17581-0010	Conestoga River WWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Lancaster County East Earl Township	PAR213514	Terre Hill Concrete Products 485 Weaverland Valley Road P. O. Box 10 Terre Hill, PA 17581-0010	Conestoga River WWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Franklin County Shippensburg Borough	PAR113510	Ingersoll Rand Company 312 Ingersoll Drive Shippensburg, PA 17257	Rowe Run CWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Hempfield Township Westmoreland County	PAR606160	Toll Gate Auto Parts R. D. 1, Box 245A Greensburg, PA 15601	Jacks Run	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
Neville Township Allegheny County	PAR606198	Neville Recycling, LLC 3400 Grand Avenue P. O. Box 9307 Pittsburgh, PA 15225	Ohio River	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000

*General Permit Type—PAG-4*

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
Franklin County Hamilton Township	PAG043642	Carl Gochenauer 3363 Keefer Road Chambersburg, PA 17201	Rocky Spring Creek TSF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Fulton County Ayr Township	PAG043732	Linda Goetz 3664 Laurel Ridge Road Big Cove Tannery, PA 17212	UNT Big Cove Creek	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
Perry County Watts Township	PAG043511	Kenneth Shull R. D. 4, Box 4039 Duncannon, PA 17020	Juniata River WWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Cumberland County North Middleton Township	PAG043733	Triple Crown Corporation, Lot 7 5351 Jaycee Avenue Harrisburg, PA 17112	Meetinghouse Run WWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707

*General Permit Type—PAG-5*

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
Cumberland County Monroe Township	PAG053539	Atlantic Richfield Company A BP affiliated company (BP) 9 Research Drive Suite 3 Amherst, MA 01002	Trindle Spring Run/CWF/7B	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707

*General Permit Type—PAG-8*

<i>Facility Location: Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Site Name &amp; Location</i>	<i>Contact Office &amp; Phone No.</i>
Montrose Borough Susquehanna County	PAG082218	Montrose Municipal Authority Lower South Main St. Montrose, PA 18801	The Morgan Farm R. D. 7, Box 7470 Montrose, PA 18801	NERO 2 Public Square Wilkes-Barre, PA 18711-0790 (570) 836-2511

## PUBLIC WATER SUPPLY (PWS) PERMITS

The Department of Environmental Protection has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once.

Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

### SAFE DRINKING WATER

#### Actions taken under the Pennsylvania Safe Drinking Water Act

*Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401.*

##### Permit No. 1505507, Public Water Supply.

Applicant	<b>Aqua Pennsylvania, Inc.</b> 762 W. Lancaster Avenue Bryn Mawr, PA 19010
Township	Schuylkill
County	<b>Chester</b>
Type of Facility	PWS
Consulting Engineer	CET Engineering Services 1240 N. Mountain Road Harrisburg, PA 17112
Permit to Construct Issued	August 2, 2005

##### Permit No. 1505503, Public Water Supply.

Applicant	<b>Aqua Pennsylvania, Inc.</b> 762 W. Lancaster Avenue Bryn Mawr, PA 19010
Township	Schuylkill
County	<b>Chester</b>
Type of Facility	PWS



Consulting Engineer CET Engineering Services  
1240 N. Mountain Road  
Harrisburg, PA 17112

Permit to Construct August 2, 2005  
Issued

**Permit No. 0905504**, Public Water Supply.

Applicant **Bucks County Water and Sewer Authority**

Borough New Hope

County **Bucks**

Type of Facility PWS

Consulting Engineer Carroll Engineering Corporation  
949 Easton Road  
Warrington, PA 18976

Permit to Construct August 2, 2005  
Issued

**Permit No. 2305502**, Public Water Supply.

Applicant **Aqua Pennsylvania, Inc.**  
762 W. Lancaster Avenue  
Bryn Mawr, PA 19010

Township Springfield

County **Delaware**

Type of Facility PWS

Consulting Engineer CET Engineering Services  
1240 N. Mountain Road  
Harrisburg, PA 17112

Permit to Construct August 6, 2005  
Issued

*Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**Operations Permit** issued to: **The York Water Company**, 7670100, Spring Grove Borough, **York County** on 7/25/2005 for the operation of facilities approved under Construction Permit No. 6704514.

**Permit No. 2105503 MA, Minor Amendment**, Public Water Supply.

Applicant **Pennsylvania-American Water Company**

Municipality Hampden Township

County **Cumberland**

Type of Facility Water transition mains for the Hampden finished water storage tank.

Consulting Engineer James C Elliot, P. E.  
Gannett Fleming, Inc.  
P. O. Box 67100  
Harrisburg, PA 17106-7100

Permit to Construct 7/25/2005  
Issued:

*Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Williamsport, PA 17701.*

**Permit No. M.A.—Operation**, Public Water Supply.

Applicant **Hidden Valley Mobile Home Park**

Township or Borough Woodward Township

County **Lycoming**

Responsible Official Vernon S. Pettengill  
Hidden Valley Mobile Home  
Park  
Box 133  
Linden, PA 17744

Type of Facility Public Water Supply—Operation

Consulting Engineer N/A

Permit Issued Date 8/4/05

Description of Action Operation of Well No. 1.

*Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**Permit No. 2505502, Public Water Supply**

Applicant **Holly Acres Mobile Home Park**

Borough or Township Summit Township

County **Erie**

Type of Facility PWS

Permit to Construct 08/03/2005  
Issued

**Operations Permit** issued to: **Pennsylvania-American Water Company**, 800 West Hershey Park Drive, Hershey, PA 17033, PWSID #5100012, **Butler, Butler County**, on August 8, 2005, for the operation of the North Chestnut Street Tank, as approved under Construction Permit No. 1069502-MA2.

#### WATER ALLOCATIONS

**Actions taken on applications received under the act of June 24, 1939 (P. L. 842, No. 365) (35 P. S. §§ 631—641) relating to the acquisition of rights to divert waters of this Commonwealth**

*Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401.*

**WA-67**, Water Allocations. **Aqua Pennsylvania Inc.**, Lower Providence Township, **Montgomery County**, has been granted renewal of the right to withdraw 16.5 million gallons per day of water from the Perkiomen Creek at its Wetherill Dam and Pumping Station.

*Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**WA 06-1021**, Water Allocations. **Ontelaunee Township Municipal Authority, Berks County**. Subsidiary water allocation to allow Ontelaunee Township to purchase water from the Reading Area Water Authority. Consulting Engineer: Carl Frankdicker, Jr., P. E., Spotts Stevens McCoy Inc. Permit Issued: 8/5/2005.

#### STORMWATER MANAGEMENT

**Action on plans submitted under the Storm Water Management Act (32 P. S. §§ 680.1—680.17)**

*Bureau of Watershed Management, P. O. Box 8555, Harrisburg, PA 17105-8555.*

**Plan No. 343:22, Wicocisco Creek Stormwater Management Plan**, as submitted by **Dauphin County**, was approved on July 11, 2005.

**Plan No. 159:39, Little Lehigh Creek Stormwater Management Plan Update**, as submitted by **Berks County**, was approved on July 27, 2005

**SEWAGE FACILITIES ACT PLAN APPROVAL**

**Plan Approvals Granted under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20a)**

*Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.*

*Plan Location:*

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Liberty Borough Liberty Township	P. O. Box 65 Liberty, PA 16930 8082 Rt. 414 Liberty, PA 16930	Tioga

*Plan Description:* The approved plan amends the existing approved plan by changing the site of the Sewage Treatment Plant, realigning some of the collection system and provides new collection sewers for the Milk Plant Road area. The Department of Environmental Protection's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

*Southwest Regional Office, Regional Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.*

*Plan Location:*

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Franklin Township	897 SR 288 Frombell, PA 16123	Beaver

*Plan Description:* The approved plan provides for construction of a 400 gallon per day single residence sewage treatment plant to serve the Dean Wright single family home. The property is located along American School Road. The proposed discharge point is a UNT of Doe Run, classified as a WWF. Any required NPDES Permits or WQM Permits must be obtained in the name of the applicant as appropriate. The Department's review of the sewage facilities revision has not identified any significant impacts resulting from this proposal.

*Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Plan Location:*

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Bloomfield Township	22978 Shreve Ridge Road Union City, PA 16438	Crawford

*Plan Description:* The approved plan provides for the abandonment of Pump Station No. 1, upgrades to Grinder Pump Station No. 1A and reconfiguring and installing new sewers and force main in the Church Camp and Ghost Town service areas near the North Inlet of Canadohta Lake. The purpose of the project is to eliminate Pump No. 1 which receives significant infiltration and inflow and has a history of operational problems. Any required WQM Permit must be obtained in the name of the municipality or authority as appropriate.

**LAND RECYCLING AND ENVIRONMENTAL REMEDIATION**

**UNDER ACT 2, 1995**

**PREAMBLE 2**

**The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).**

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, shall also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media; benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the Environmental Cleanup Program manager in the Department regional office after which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.*

**TJ Cope**, City of Philadelphia, **Philadelphia County**. Joseph Gorzoch, Earth Tech, 4 Neshaminy Interplex, Suite 300, Trevose, PA 19053 on behalf of David Pliner, Allied Tube and Conduit, 11350 Norcom Rd., Philadelphia, PA 19154 has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel oil. The report was submitted within 90 days of the release and is intended to document remediation of the site to meet the Statewide Health Standard.

**508 Stidman Dr. Site**, Springfield Township, **Delaware County**. Mark Eschbacher, RT Env. Assoc., Inc., 215 W. Church Rd., King of Prussia, PA 19406 on behalf of Christine Madison, Madison Prop. Mgmt., 20 Ardmore Lane, Chadds Ford, PA 19317 has submitted a Final Report concerning remediation of site soil and groundwa-

ter contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

**5129 Market St. Site**, City of Philadelphia, **Philadelphia County**. Donald A. Coleman, P. G., Penn E & R, 2755 Bergey Rd., Hatfield, PA 19440 has submitted a Final Report concerning remediation of site soil and groundwater contaminated with leaded gasoline and MTBE. The report is intended to document remediation of the site to meet the Statewide Health Standard.

**Georgia Pacific/Philadelphia Container Fac.**, Lower Merion Township, **Montgomery County**. Jeffrey Goudsward, Penn E & R, 2755 Bergey Rd., Hatfield, PA 19440 on behalf of Richard Heany, Righters Ferry Assoc., LP, 700 S. Henderson Rd., Suite 225, King of Prussia, PA 19406 has submitted a Remedial Investigation Report, Risk Assessment Report and Cleanup Plan concerning remediation of site soil and groundwater contaminated with unleaded gasoline, other organics and inorganics. The report is intended to document remediation of the site to meet the Site-Specific Standard.

**Symphony House**, City of Philadelphia, **Philadelphia County**. Paul Martino, Pennoni, Assoc., Inc., One Drexel Plaza, 3001 Market St., Philadelphia, PA 19104 has submitted a Final Report concerning remediation of site soil and groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet the Statewide Health Standard.

**Lawrence & Pattison Ave. Site**, City of Philadelphia, **Philadelphia County**. Raymond A. Scheinfeld, P. G., Weston Solutions, Inc., One Penn Ctr., Suite 1690, 1617 John F. Kennedy Blvd., Philadelphia, PA 19103 on behalf of Ed Duffy, PIDC, Philadelphia, PA has submitted a Workplan Report concerning remediation of site soil and groundwater were contaminated. The report is intended to document remediation of the site to meet the Special Industrial Area.

**Waterfront Sq. Projects**, City of Philadelphia, **Philadelphia County**. Bruce W. Pringle, ST Hudson Eng., Inc., 840 Cooper St., P. O. Box 9106, Camden, NJ 08101 on behalf of Isle of Capri Assoc., LP, 242 S. 17th St., Philadelphia, PA has submitted a Remedial Investigation Report concerning remediation of site soil contaminated with lead, heavy metals and polycyclic aromatic hydrocarbons. The report is intended to document remediation of the site to meet the Site-Specific Standard.

**Wharf at Rivertown**, City of Chester, **Chester County**. Mark Eschbacher, P. G., RT Env. Svc., Inc., 215 W. Church Rd., King of Prussia, PA 19406 on behalf of Larry Wygant, Preferred Real Estate Investments, 1001 E. Hector St., Suite 101, Conshohocken, PA 19428 has submitted a Remedial Investigation Report concerning remediation of site soil contaminated with PCB, inorganics and other organics. The report is intended to document remediation of the site to meet the Site-Specific Standard.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 3

**The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).**

Provisions of 25 Pa. Code § 250.8, administration of the Land Recycling and Environmental Remediation Standards Act (act), require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by provisions of the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media, benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by provisions of the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the Environmental Cleanup Program manager in the Department regional office before which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.*

**Philadelphia Eagles Stadium & Parking Areas**, City of Philadelphia, **Philadelphia County**. Keith Kowalski, P. G., URS Corp., 335 Commerce Dr., Suite 300, Ft. Washington, PA 19034 on behalf of City of Philadelphia, PCID, Patrick O'Neil, City of Philadelphia Law Dept., 1515 Arch St., 16th Floor, Philadelphia, PA 19102 has submitted a Final Report concerning the remediation of site groundwater contaminated with lead, heavy metals, PAH and solvents. The Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on July 5, 2005.

**719-725 North 24th St. Site**, City of Philadelphia, **Philadelphia County**. Greg Hill, Hill Env. Group, Inc., 19 Brookside Ave., Pennington, NJ 08534 has submitted a

Final Report concerning the remediation of site soil contaminated with No. 2 fuel oil. The Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on August 2, 2005.

*Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**Kaiser Aluminum**, City of Erie, **Erie County**. Pat Pontoriero, MACTEC, Carnegie Office Park, Building 4, Suite 200, 700 North Bell Avenue, Pittsburgh PA 15106 on behalf of Monica T. Brower, Owner, Greater Erie Ind. Dev. Corp., 5240 Knowledge Parkway, Erie PA 16510-4658 has submitted a Special Industrial Area—Work Plan concerning the remediation of site contaminated with volatile organics, semi-volatile organics, metals and other compounds. The Work Plan was approved by the Department on August 5, 2005.

**American Refining Group, Crude Tank Farm, Transfer Pump Area**, City of Bradford, **McKean County**. Dayne Crowley, MACTEC Engineering & Consulting, 700 N Bell Avenue, Suite 200, Carnegie PA 15106 on behalf of Steve Sherk, American Refining Group, 77 N. Kendall Avenue, Bradford PA 16701 has submitted a Remedial Investigation Report concerning the remediation of site soil and groundwater contaminated with crude oil. The report is intended to document remediation of the site to meet the Site Specific Standards.

#### RESIDUAL WASTE GENERAL PERMITS

**Permits Issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and residual waste regulations for a general permit to operate residual waste processing facilities and/or the beneficial use of residual waste other than coal ash.**

*Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.*

**General Permit Application No. WMGR093. ConocoPhillips Company, Trainer Refinery**, 4101 Post Road, Trainer, PA 19061.

General Permit No. WMGR093 is for the beneficial use of dewatered dredge material from the Trainer Refinery docks to fill two impoundments along the Delaware River to create new land for placement of additional petroleum storage tanks at the facility. Central Office determined the application to be administratively complete on August 3, 2005.

Persons interested in reviewing the general permit may contact Ronald C. Hassinger, Chief, General Permits and Beneficial Use Section, Division of Municipal and Residual Waste, Bureau of Land Recycling and Waste Management, P. O. Box 8472, Harrisburg, PA 17105-8472, (717) 787-7381. TDD users may contact the Department through the Pennsylvania Relay Service, (800) 654-5984.

#### AIR QUALITY

**General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401; Thomas McGinley, New Source Review Chief, (484) 250-5920.*

**AQ-SE-0019: Reading Materials Inc.** (2052 Lucon Road, P. O. Box 1467, Skippack, PA 19474) on August 9, 2005, to operate a portable processing plant in Upper Merion, **Montgomery County**.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Mark Wejkszner, New Source Review Chief, (570) 826-2531.*

**54-323-002GP2: First Quality Nonwovens, Inc.** (101 Green Mountain Road, Hazleton, PA 18202) on August 4, 2005, to construction and operate a burn-off oven and associated air cleaning device at their facility in Hazle Township, **Luzerne County**, and East Union Township, **Schuylkill County**.

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Ronald Davis, New Source Review Chief, (717) 705-4702.*

**GP3-21-03066: Haines and Kibblehouse, Inc.** (2052 Lucon Road, P. O. Box 196, Skippack, PA 19474) on August 4, 2005, to operate a portable nonmetallic mineral processing plant under GP3 in South Middleton Township, **Cumberland County**.

**GP7-67-03033C: The Sheridan Press** (450 Fame Avenue, Hanover, PA 17331-9581) on August 4, 2005, for a sheetfed offset lithographic printing press under GP7 in Penn Township, **York County**.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; George Monasky, New Source Review Chief, (814) 332-6940.*

**GP-16-145: EOG Resources, Inc.—Shumaker Compressor Station** (Route 861, New Bethlehem, PA 16242) on August 2, 2005, to operate a natural gas fired compressor engine in Porter Township, **Clarion County**.

**GP-24-150: Horizon Wood Products** (624 Shelvey Summit, Ridgway, PA 15853) on March 31, 2005, to operate a boiler in Kersey, **Elk County**.

*Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104; Edward Braun, (215) 685-7584.*

**GP2-AMS 05126: Sunoco, Inc. (R and M)—Frankford Plant** (Margaret and Bermuda Streets, Philadelphia, PA 19137) on August 5, 2005, to install and operate of an 800 gallon cumene surge tank at the facility in the City of Philadelphia, **Philadelphia County**.

**Plan Approvals Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401; Thomas McGinley, New Source Review Chief, (484) 250-5920.*

**09-0157A: Barrett Asphalt, Inc.** (14 Steel Rd North, Fairless Hills, PA 19030) on August 4, 2005, to operate a No. 2 fuel oil fireburner in Falls Township, **Bucks County**.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Mark Wejkszner, New Source Review Chief, (570) 826-2531.*

**40-301-081: Harman Funeral Home and Crematory, Inc.** (P. O. Box 429, Drums, PA 18222) on July 14, 2005, to construct a crematory and associated air cleaning device at their facility in Butler Township, **Luzerne County**.

**13-301-013: Mountain Crest Crematory, Inc.** (11 North Cleveland Street, McAdoo, PA 18237) on July 14, 2005, to construct a crematory and associated air cleaning device at their facility in Banks Township, **Carbon County**.

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Ronald Davis, New Source Review Chief, (717) 705-4702.*

**05-03003A: Chestnut Ridge School District** (P. O. Box 80, Fishertown, PA 15539-0080) on August 8, 2005, to install two bituminous coal fired boilers at their Chestnut Ridge Middle School in East Saint Clair Township, **Bedford County**.

**67-05046D: BAE System Land and Armaments, LP** (P. O. Box 15512, York, PA 17405-1512) on August 8, 2005, to install two new paint booths and curing ovens at their Ground Systems Division in West Manchester Township, **York County**.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; David Aldenderfer, Program Manager, (570) 327-3637.*

**41-00018A: Springs Window Fashions LP** (8601 Route 405, Montgomery, PA 17752) on July 27, 2005, to modify two coil coating lines (Lines 7 and 8) by increasing the line speed from 60 feet per minute to 65 feet per minute in Clinton Township, **Lycoming County**.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; William Charlton, New Source Review Chief, (412) 442-4174.*

**32-00285A: CQ Hardwood Finishers, LLC.** (160 Quality Center Road, Homer City, PA 15748) on August 2, 2005, to install hardwood flooring finishing at Indiana Corporate Campus Business Park in Burrell Township, **Indiana County**.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; George Monasky, New Source Review Chief, (814) 332-6940.*

**37-027C: IA Construction** (River Road, West Pittsburgh, PA 16160) on July 21, 2005, to modify a plan approval to burn alternative fuels including Nos. 2 and 4–6 fuel oil or any combination of Nos. 2 and 4–6 fuel oil and reprocessed/recycled at the West Pittsburgh plant in Taylor Township, **Lawrence County**.

**62-174A: Warren County Humane Society** (212 Elm Street, Warren, PA 16356) on July 11, 2005, to construct a small animal crematory in the City of Warren, **Warren County**.

**10-027F: Penreco** (138 Petrolia Street, Karns City, PA 16041) on July 21, 2005, to install a replacement 13,500 gallon spent acid storage tank that is vented to an existing scrubber in Fairview Township, **Butler County**. This is a Title V facility.

**43-339A: Supreme Manufacturing, Inc.** (327 Billy Boyd Road, Stoneboro, PA 16153) on July 8, 2005, for post construction/modification of a blasting operation and post construction of a coating operation in the Municipality of Stoneboro, **Mercer County**.

**62-017K: United Refining** (15 Bradley Street Warren, PA 16365) on July 14, 2005, to modify a catalyst for

DHT2 and increased firing rate for East and West Reformer Heaters as well as increase of sulfur recovery at SRU2 for the Ultra-Low Sulfur Diesel Project at their Refinery in the City of Warren, **Warren County**. The Facility is a Title V Facility.

**62-035C: IA Construction** (240 River Road, Warren, PA 16365) on July 11, 2005, to modify of a plan approval to burn alternative fuels including Nos. 2 and 4–6 fuel oil or any combination of Nos. 2 and 4–6 fuel oil and reprocessed/recycled at their Warren plant in Conewango Township, **Warren County**.

**24-158B: Rosebud Mining Co.** (State Route 219, Helen Mills, PA 15857) on July 1, 2005, for plan approval modification for post construction of an additional screen and conveyor for a coal processing facility at their Little Toby Mine, Horton Township, **Elk County**.

**16-132D: Aconcagua Timber Corp.—Clarion MDF Facility** (143 Fiberboard Road, Shippenville, PA 16245) on July 5, 2005, to install two value added lines in Paint Township, **Clarion County**. This will allow the facility to better utilize the production capabilities of the plant. This is a Title V facility.

**16-132E: Aconcagua Timber Corp.—Clarion MDF Facility** (143 Fiberboard Road, Shippenville, PA 16245) on July 5, 2005, to install an additional finishing line that will replace part of their existing finishing operations in Paint Township, **Clarion County**. Two fabric filters will control this new finishing line. This is a Title V facility.

*Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104; Edward Braun, Chief, (215) 685-7584.*

**AMS 04264: University of Pennsylvania** (3451 Walnut Street, Philadelphia, PA 19104) on August 8, 2005, to install 25 emergency generators ranging in size from 15 kW to 1275 kW in Philadelphia, **Philadelphia County**.

**Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001–4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401; Thomas McGinley, New Source Review Chief, (484) 250-5920.*

**46-313-146: Penn Color, Inc.** (2755 Bergey Road, Hatfield, PA 19440) on August 4, 2005, to operate a base pigment dispersion facility in Hatfield Township, **Montgomery County**.

**09-0027F: Fres-Co Systems—USA, Inc.** (3005 State Road, Telford, PA 18969) On August 5, 2005, to operate three printing stations and laminator in West Rockhill Township, **Bucks County**.

**09-0117A: Heucotech Ltd.** (99 Newbold Road, Fairless Hills, PA 19030) on August 3, 2005, to operate a plant expansion in Falls Township, **Bucks County**.

**15-0078C: Centocor, Inc.** (200 Great Valley Parkway, Malvern, PA 19355) on August 4, 2005, to operate two emergency generators in East Whiteland Township, **Chester County**.

**46-0027A: Johnson and Johnson Pharmaceutical Research & Development, LLC** (Welsh and McKean Roads, Spring House, PA 19477) on August 5, 2005, to operate a selective catalytic reduction in Lower Gwynedd Township, **Montgomery County**.

**09-0110C: Riverside Construction Materials, Inc.** (355 Newbold Road, Fairless Hills, PA 19030) on August 5, 2005, to operate a pneumatic ship unloader in Bristol Township, **Bucks County**.

**09-0124E: Fairless Energy, LLC** (5000 Dominion Boulevard, Glen Allen, VA 23060) on August 8, 2005, to operate a 31.9 mmBtu/hr gas fired preheater in Falls Township, **Bucks County**.

**23-0014C: Kimberly-Clark Corp.** (Front Street and Avenue of the States, Chester, PA 19103) on August 8, 2005, to operate a wet scrubber dust controls in City of Chester, **Delaware County**.

**23-0014E: Kimberly-Clark Corp.** (Front Street and Avenue of the States, Chester, PA 19103) on August 3, 2005, to operate a paper machine No. 16 hood dryer in City of Chester, **Delaware County**.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Mark Wejkszner, New Source Review Chief, (570) 826-2531.*

**48-306-008D: Northampton Generating Co., LP** (1 Horwith Drive, Northampton, PA 8067) on August 1, 2005, to modify a fluidized bed boiler and associated air cleaning device at their facility in Northampton Borough, **Northampton County**. The Plan Approval has been extended.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; David Aldenderfer, Program Manager, (570) 327-3637.*

**55-399-006: Apex Homes, Inc.** (247 US Highway 522 North, Middleburg, PA 17842) on July 29, 2005, to operate a modular home manufacturing operation on a temporary basis until November 26, 2005, in Middlecreek Township, **Snyder County**. The plan approval has been extended.

**60-303-003: Eastern Industries, Inc.** (P. O. Box 177, Winfield, PA 17889) on July 29, 2005, to operate a drum mix asphalt plant and associated air cleaning device (a fabric collector) on a temporary basis to November 26, 2005, in Buffalo Township, **Union County**. The plan approval has been extended.

**60-310-006A: Eastern Industries, Inc.** (P. O. Box 177, Winfield, PA 17889) on July 29, 2005, to operate a stone crushing operation and associated air cleaning devices (2 water spray dust suppression systems) on a temporary basis until November 26, 2005, in Buffalo Township, **Union County**. The plan approval has been extended.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; William Charlton, New Source Review Chief, (412) 442-4174.*

**11-00506A: Ebensburg Power Company** (P. O. Box 845, 2840 New Germany Road, Ebensburg, PA 15931) on August 5, 2005, to complete construction at the Nanty Glo West Refuse Site located in Nanty Glo Borough, **Cambria County**. This plan approval was extended.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; George Monasky, New Source Review Chief, (814) 332-6940.*

**25-1000A: Advanced Mold Technologies, Inc.** (2011 East 30th Street, Erie, PA 16510) on July 13, 2005, to install a decorative Chrome, Nickel, and Copper plating operation in the City of Erie, **Erie County**.

**42-177A: Bradford Forest Inc.** (444 High Street, P. O. Box 369, Bradford, PA 16701) on August 1, 2005, to

install a wood fired boiler with multi-cyclone control at their Bradford facility in the Township of Bradford, **McKean County**.

**16-132C: Aconcagua Timber Corp.** (143 Fiberboard Road, Box 340, Shippensburg, PA 16245) on July 31, 2005, to replace an existing prefilter with a Turbo-Venturi Scrubber in Paint Township, **Clarion County**. The facility is a Title V Facility.

**42-178A: Glenn O. Hawbaker, Inc.—Turtlepoint Plant** (SR 1002, Champlin Hill Road, Turtlepoint, PA 16750) on July 31, 2005, to use alternative fuels in Annin Township, **McKean County**.

**37-013E: Cemex, Inc.** (2001 Portland Park, Wampum, PA 16157) on June 30, 2005, to change the slag feeding equipment in Wampum, **Lawrence County**.

**43-290B: Winner Steel, Inc.** (277 Sharpsville Avenue, Sharon, PA 16146) on June 30, 2005, to installation a new No. 3 Continuous Steel Strip Galvanizing Line Furnace in the City of Sharon, **Mercer County**. This is a State-only facility.

**24-083D: Carbone of America—Graphite Materials Division** (1032 Trout Run Road, St. Marys, PA 15857) on June 30, 2005, to install a scrubber in Benzinger Township, **Elk County**.

**24-083E: Carbone of America—Graphite Materials Division** (1032 Trout Run Road, St. Marys, PA 15857) on May 31, 2005, to install a scrubber in Benzinger Township, **Elk County**.

**33-055A: Glen Gery Corp.** (Route 28, Summerville, PA 15864) on June 30, 2005, to construct a tunnel kiln in Summerville Borough, **Jefferson County**.

---

**Title V Operating Permits Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.**

---

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Yasmin Neidlinger, Facilities Permitting Chief, (717) 705-4702.*

**06-05081: Delaware County Solid Waste Authority—Rolling Hills Landfill** (583 Longview Road, Boyertown, PA 19512-7955) on August 4, 2005, for their Rolling Hills Landfill facility in Earl Township, **Berks County**. This is a renewal of the Title V Operating Permit.

**36-05027: R. R. Donnelley and Sons Co.** (216 Greenfield Road, Lancaster, PA 17601-5885) on August 4, 2005, to operate printing presses controlled by regenerative thermal oxidizers and a solvent recovery system at their Lancaster East facility in the City of Lancaster, **Lancaster County**. This is a renewal of the Title V Operating Permit.

**36-05138: Quality Custom Kitchens, Inc.** (125 Peters Road, New Holland, PA 17557-9205) on August 4, 2005, to operate a wooden cabinet manufacturing facility in Earl Township, **Lancaster County**.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; Muhammad Zaman, Facilities Permitting Chief, (570) 327-3637.*

**49-00009: Mohawk Flush Doors, Inc.** (Box 112, Northumberland, PA 17857) on July 27, 2005, for the operation of a wood door manufacturing facility in Point Township, **Northumberland County**.

---

**Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.**

---

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; David Aldenderfer, Program Manager, (570) 327-3637.*

**53-00012: Patterson Lumber Co., Inc.** (92 West Street, Galeton, PA 16922) on July 19, 2005, to operate a sawmill facility in West Branch Township, **Potter County**.

**41-00066: Sunoco, Inc.—R and M** (Post Road and Blueball Avenue, Marcus Hook, PA 19061) on July 20, 2005, to operate a soil vapor extraction system and associated biofilter at their former Atlantic Terminal in Armstrong Township, **Lycoming County**.

*Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104; Edward Braun, Chief, (215) 685-7584.*

**S04-007: Albert Einstein Medical Center** (5501 Old York Road, Philadelphia, PA 19141) on August 5, 2005, to operate a hospital in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include three 300 hp boilers, a 900 hp boiler, a 10.5 mmBtu/hr co-gen unit, a 1225 kW peak shaving generator and nine emergency generators.

---

**Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.**

---

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401; Edward Jurdones Brown, Facilities Permitting Chief, (484) 250-5920.*

**46-00037: Cabot Supermetals** (P. O. Box 1608, County Line Road, Boyertown, PA 19512) on August 1, 2005, to amend to incorporate the PA-46-0037N into the facility Title V Operating Permit in Douglass Township, **Montgomery County**.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Eric Gustafson, Facilities Permitting Chief, (814) 332-6940.*

**10-00001: AK Steel Corp.** (Route 8 South, Butler, PA 16003) on August 1, 2005, Title V Operating Permit Number was administratively amended to incorporate changes brought about through Plan Approval Number 10-001I. AK Steel is in Butler Township, **Butler County**. The Environmental Protection Agency and public comment periods were addressed during the plan approval process.

---

**Operating Permits Denied, Terminated, Suspended or Revoked under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.431 and 127.461.**

---

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; David Aldenderfer, Program Manager, (570) 327-3637.*

**55-00021: Shreck's Painting** (P. O. Box 6, Mount Pleasant Mills, PA 17853) on July 20, 2005, the application for an operating permit to operate a mobile/modular home parts surface coating facility was returned for

failure to correct an administrative deficiency in a timely fashion in Perry Township, **Snyder County**.

**FEDERAL WATER POLLUTION CONTROL ACT SECTION 401**

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

---

**Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law (35 §§ 691.1—691.702) and Notice of Final Action for Certification under section 401 of the FWPCA (33 U.S.C.A. § 1341).**

---

*Permits, Environmental Assessments and 401 Water Quality Certifications Issued*

**WATER OBSTRUCTIONS AND ENCROACHMENTS**

*Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

**E45-479. Precision Homes, Inc.**, P. O. Box 191, Mt. Pocono, PA 18344. Coolbaugh Township, **Monroe County**, Army Corps of Engineers Philadelphia District.

To place fill in a de minimus area of other PFO wetlands equal to 0.04 acre for the purpose of constructing a single-family dwelling and driveway on Lot 2336 of Section H-II of Stillwater Lake Estates. The project also



includes the installation of a 2-inch diameter PVC sanitary sewer line under the driveway and a private recreational floating boat dock having a surface area of approximately 134 square feet in Sunset Lake. This project was previously authorized under Permit No. E45-399. The site is located along Nadine Boulevard on the north side of Sunset Lake, approximately 0.3 mile east of SR 0380 (Tobyhanna, PA Quadrangle N: 1.9 inches; W: 2.9 inches). (Subbasin: 2A)

**E52-196. Columbia Gas Transmission Corporation**, 1700 MacCorkle Avenue, SE, Charleston, WV 25314. Army Corps of Engineers, Philadelphia District.

To remove the existing 14-inch diameter natural gas transmission line and to construct and maintain 53 utility line wetland crossings, including the construction of temporary equipment crossings for access through wetlands, temporarily impacting approximately 13.25 acres of EV and other PEM wetlands and 29 utility line stream crossings (HQ-CWF, EV, wild and stocked trout streams), including cathodic protection measures, associated with the installation of a 20-inch diameter natural gas transmission line along a 16.3 mile segment of existing Pipeline 1,278 right-of-way as identified on the attached lists. The purpose of the project is to replace the aged and deteriorated existing 14-inch diameter transmission line with a 20-inch diameter transmission line and work will occur in the existing 50-foot right-of-way with the possibility of an additional 25-foot right-of-way for construction purposes. The project begins at the Monroe County/Pike County boundary (Bushkill, PA-NJ Quadrangle N: 15.1 inches; W: 4.3 inches) and ends at Weber Road (Edgemere, PA Quadrangle N: 6.2 inches; W: 0.5 inch) in Dingman Township, Pike County. (Subbasin: 1D, E)

**E40-640. Luzerne County Flood Protection Authority**, 200 North River Street, Wilkes-Barre, PA 18711-1001. Edwardsville Borough, Exeter Borough, Forty Fort Borough, Hanover Township, Kingston Borough, Luzerne Borough, Plymouth Borough, Pringle Borough, Wilkes-Barre City and Wyoming Borough, **Luzerne County**, Army Corps of Engineers Baltimore District.

To operate and maintain the Wyoming Valley Levee System, within the floodplain along the Susquehanna River (WWF) and its tributaries (CWF). The flood control protection system includes approximately 16 miles of levee/floodwall, 14 stormwater pump stations, and several gravity storm sewer gates. Maintenance will include channel cleaning/sediment removal to maintain design capacity along tributaries upstream and downstream of pump stations and at gravity outfall structures. The project is located along the Susquehanna River (Wilkes-Barre West, PA Quadrangle N: 22.5 inches; W: 1.3 inches). (Subbasin: 5B)

**E13-144. Jim Thorpe Area School District**, 140 West Tenth Street, Jim Thorpe, PA 18229. Jim Thorpe Borough, **Carbon County**, Army Corps of Engineers Philadelphia District.

To excavate 0.26 acre of PEM wetlands within the Robertson Run Watershed for the purpose of expanding the building and parking facilities of the L. B. Morris Elementary School and to construct and maintain a channel change consisting of reconstruction and minor realignment of 510 feet of a tributary to Robertson Run (HQ-CWF). The reconstructed channel will be grass-lined and trapezoidal in shape with 2:1 side slopes and a 10-foot bottom width. The permittee is required to provide for 0.26 acre of replacement wetlands by participating in

the Pennsylvania Wetland Replacement Project. The project is located on the north side of West Tenth Street, approximately 0.1 mile west of SR 0903 (Christmans, PA Quadrangle N: 1.3 inches; W: 14.5 inches). (Subbasin: 2B)

**E54-312. Cornerstone Real Estate Development, LLC**, 1120 Spruce Street, Ashland, PA 17921. Butler Township, **Schuylkill County**, Army Corps of Engineers Baltimore District.

To authorize the following water obstructions and encroachments associated with the Cedar Creek Residential Development. The project is located on the west side of SR 0061 approximately 2.9 miles west of SR 0054 (Ashland, PA Quadrangle N: 4.5 inches; W: 7.0 inches). (Subbasin: 6B)

1. To relocate approximately 900 feet of a tributary to Little Mahanoy Creek (CWF) with the construction and maintenance of 1,130 feet of trapezoidal channel with a riprap apron.

2. To construct and maintain a road crossing (Cedar Creek Drive) consisting of 40-foot long twin 6.5-foot diameter corrugated metal pipes with a riprap apron across a tributary to Little Mahanoy Creek.

3. To construct and maintain a road crossing (Pine Street) consisting of a 40-foot long 7-foot diameter corrugated metal pipe with a riprap apron across a tributary to Little Mahanoy Creek.

4. To construct and maintain a road crossing (Cedar Creek Drive) through 0.002 acre of wetlands within the Little Mahanoy Creek watershed.

5. To construct and maintain a road crossing (Pine Street) consisting of a 68-foot long 24-inch diameter concrete pipe with a riprap apron across a tributary to Little Mahanoy Creek.

6. To construct and maintain a driveway crossing consisting of a 20-foot long 24-inch diameter polyethylene pipe with a riprap apron through 0.007 acre of other PFO wetlands for the purpose of providing access to Lot 17.

7. To construct and maintain a driveway crossing consisting of a 15-foot long 24-inch diameter corrugated polyethylene pipe with a riprap apron across a tributary to Little Mahanoy Creek for the purpose of providing access to Lot 18.

8. To construct and maintain a driveway crossing consisting of a 15-foot long 24-inch diameter corrugated polyethylene pipe with a riprap apron across a tributary to Little Mahanoy Creek for the purpose of providing access to Lot 19.

9. To construct and maintain a driveway crossing consisting of a 15-foot long 24-inch diameter corrugated polyethylene pipe with a riprap apron across a tributary to Little Mahanoy Creek for the purpose of providing access to Lot 20.

10. To construct and maintain a driveway crossing consisting of a 60-foot long 24-inch diameter corrugated polyethylene pipe with a riprap apron across a tributary to Little Mahanoy Creek for the purpose of providing access to Lots 32 and 33.

11. To construct and maintain a driveway crossing consisting of a 15-foot long 24-inch diameter corrugated polyethylene pipe with a riprap apron across a tributary to Little Mahanoy Creek for the purpose of providing access to Lot 34.



12. To construct and maintain a driveway crossing consisting of a 15-foot long 24-inch diameter corrugated polyethylene pipe with a riprap apron across a tributary to Little Mahanoy Creek for the purpose of providing access to Lot 35.

13. To construct and maintain two sanitary line crossings, two waterline crossings and two underground electric crossings of a tributary to Little Mahanoy Creek.

**E48-359. Strausser Enterprises, Inc.**, 1104 Van Buren Road, Easton, PA 18045. Forks Township, **Northampton County**, Army Corps of Engineers Philadelphia District.

To construct and maintain a 2,100 L. F. channel change in a tributary to the Delaware River (CWF) for the purpose of stabilizing the eroded streambed and banks. Work also includes approximately 800 L. F. of streambank stabilization and a 42-inch diameter stormwater outfall structure and associated energy dissipator. The project is located on the north side of SR 2038 (Frost Hollow Road), approximately 0.5 mile west of SR 0611 (Easton, PA-NJ Quadrangle N: 18.0 inches; W: 10.0 inches). (Subbasin: 1F)

**E40-629. Mark Development Company**, 580 Third Avenue, Kingston, PA 18704. Dallas Borough, **Luzerne County**, Army Corps of Engineers Baltimore District.

To construct and maintain a stream enclosure of Toby Creek (CWF), consisting of approximately 195 linear feet of 32-foot by 8-foot open-bottomed concrete arch culvert, for the purpose of facilitating commercial development. The project includes channel realignment extending approximately 80 feet upstream of the enclosure, incorporating 52 linear feet of gabion retaining wall along the right bank and approximately 30 linear feet of riprap channel protection in the vicinity of existing stormwater outfalls. The project is located on the west side of SR 0415, at the intersection of SR 0415 and SR 0309 (Kingston, PA Quadrangle N: 14.7 inches; W: 11.0 inches). (Subbasin: 5B)

*Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**E05-329. Keith D. and Jennifer L. Magill**, 131 Ja-Ve Drive, Bedford, PA 15522 in Bedford Township, **Bedford County**, ACOE Baltimore District.

To construct and maintain a bridge with wing walls on Pleasant Valley Run (CWF) having a single span of 12 feet, a width of 12 feet, and an underclearance of approximately 5.06 feet, to place and maintain 24 linear feet of riprap protection along both the left and right abutments and wing walls, and to place fill in 0.01 acre of PEM wetlands for the purpose of constructing a single family home at a site (Latitude: 40° 04' 55"; Longitude: 78° 25' 55") approximately 3,400 feet upstream of the T-482 (Deibert Road) bridge in Bedford Township, Bedford County. The project proposes to directly affect 24 linear feet of stream channel and 0.01 acre of PEM wetlands. The acreage of wetland impact is considered de minimus and wetland replacement is not required.

**E36-779: Soco Enterprises**, 1330 Charlestown Road, Phoenixville, PA 19460

To remove an existing 54-inch steel pipe and to construct and maintain a new road crossing consisting of one 5.5' by 10' open-bottom box culvert for normal stream flow and one raised 5' by 10' concrete box culvert for flood flow, located at a point immediately west of Ranck Road (New Holland, PA Quadrangle N: 17.5 inches; W: 8.5 inches) in Earl and East Earl Townships, Lancaster County.

*Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.*

**E14-470. Department of Transportation, Engineering District 2-0**, 1924-30 Daisy Street Extension, P. O. Box 342, Clearfield, PA 16830, SR 6220, Sections B12 and A12 Temporary Stream Crossing, in Patton Township, **Centre County**, ACOE Baltimore District (Julian, PA Quadrangle N: 11.5 inches; W: 7.5 inches).

To: 1) maintain a temporary construction vehicle stream crossing with one 60-inch and six 48-inch corrugated metal pipes with an associated clean limestone fill and a 150-foot long by 4-foot wide by 3-foot deep temporarily relocated low-flow stream channel located 100 feet upstream of the SR 322 bridge over Waddle Creek to facilitate the construction of the SR 6220, Section B12 highway and the acid rock drainage remediation; and 2) construct and maintain a 60-inch diameter 55-foot long culvert with the associated clean fill above the culvert to create an elevated bikeway across an unnamed drainage channel that discharges to a UNT (known as Waddle Creek) to Buffalo Run located between the SR 322 bridge over Waddle Creek and Penn Dot's Stormwater Management Pond No. 7. This permit was issued under Section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

**E49-287. Ray S. Hendricks**, 9 East Sunbury Road, Danville, PA 17821. Hendricks Bank Stabilization, in Rush Township, **Northumberland County**, ACOE Baltimore District (Riverside, PA Quadrangle N: 6.7 inches; W: 6.7 inches).

To remove 1.3 feet of gravel deposits from the streambed of Gravel Run to a width of 8 feet and a length of 75 feet. The newly constructed low flow channel banks will be stabilized with riprap. The riprap stabilization will also continue an additional 50 feet upstream. This project authorizes operation and maintenance of the bank stabilization portion of this project. The entire project will affect 125 linear feet from the road culvert on East Sunbury Road. Gravel Run is designated as a CWF and the project does not impact any wetlands.

**E59-467. Phoenix Resources, Inc.**, 782 Antrim Road, Wellsboro, PA 16901. Sedimentation Pond 3, in Duncan Township, **Tioga County**, ACOE Baltimore District (Antrim, PA Quadrangle N: 2.5 inches; W: 2.7 inches).

To place and maintain fill in 0.55-acre wetland complex for the purpose of constructing a permitted sedimentation basin required for adjacent landfill. The wetland is located within the Wilson Creek drainage and is classified as a CWF stream. The site is located approximately 1 mile northeast of the small town of Antrim, PA and can be accessed off of SR 3009. Permanent wetland impacts have been mitigated on site with an already established and successful wetland restoration project.

*Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**E02-1499. Township of Collier**, 2418 Hilltop Road, Presto, PA 15142. To construct a pedestrian walking bridge in Collier Township, **Allegheny County**, Pittsburgh ACOE District (Oakdale, PA Quadrangle N: 3.4 inches; W: 2.4 inches and Latitude: 40° 23' 28"—Longitude: 80° 08' 33"). To construct and maintain a pedestrian walking bridge having a span of 64.0 feet with a minimum under clearance of 5.0 feet across the channel of Robinson Run (WWF) for the purpose of constructing the Panhandle Pedestrian Walking Trail. The project is located approximately 800 feet south from the intersection of Sunnyside Avenue and Home Avenue, and will

impact 20.0 linear feet of stream channel. Stream bank protection (approximately 20 linear feet on both banks) and a temporary stream crossing will also be constructed.

*Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**E24-239, Borough of Ridgway**, 108 Main Street, Ridgway, PA 15853. Gallagher Run (CWF) Utility Line Relocation Project, in Borough of Ridgway, **Elk County**, ACOE Pittsburgh District (Ridgway PA, PA Quadrangle N: 41° 25' 22"; W: 78° 43' 37").

To abandon the existing 8" diameter VCP (sewer line) and 4" diameter DIP water line and to construct and maintain approximately 150' of new/relocated 15" and 16" PVC and DIP sewer lines and 8" diameter DIP water lines with appurtenances across Gallagher Run (CWF) at a point along SR 0219.

**E27-078, Seneca Resources**, 286 Old 36 Road, Sigel, PA 15860. Warrant 5158 Bridge across Ellsworth Run, in Green Township, **Forest County**, ACOE Pittsburgh District (Marienville West, PA Quadrangle N: 14.7 inches; W: 15.2 inches).

To maintain a bridge over Ellsworth Run (CWF) installed under General Permit No. GP082704601 in August 2004 having a clear span of 40 feet an instream length of approximately 15 feet and a underclearance of 2 feet located in Warrant 5158 on a private road 0.1 mile west of SR 2007 approximately 1.3 miles south of the intersection of SR 2007 and SR 3004.

*Department of Environmental Protection, Bureau of Waterways Engineering, Water Management Program Manager, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8554, Harrisburg, PA 17105-8554.*

**E3314-058A, Borough of Brockway**, 501 Main Street, Brockway, PA 15824, Little Toby Creek, Brockway Borough and Snyder Township, **Jefferson County**, ACOE Pittsburgh District.

Project proposes to amend an existing permit to construct, operate, and maintain a stream restoration and enhancement project including constructing rock vanes, regrading stream banks, excavating and removing excess floodplain sediments and planting riparian vegetation in and along Little Toby Creek (CWF) within the existing flood protection levees. The project will temporarily impact approximately 0.09 acre of riverine habitat and approximately 0.23 acre of wetlands (PEM). The project will commence at a point immediately downstream of the Route 28 (Main Street) Bridge (Falls Creek, PA Quadrangle; latitude: 41° 14' 56", longitude: 78° 47' 48") and continue downstream approximately 6,850 feet (Carman, PA Quadrangle; latitude: 41° 15' 45", longitude: 78° 48' 27").

#### ENVIRONMENTAL ASSESSMENTS

*Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**EA-36-014: United States Fish and Wildlife Service**, 315 South Allen Street, Suite 322, State College, PA 16801-4850 in Leacock and Upper Leacock Townships, **Lancaster County**, ACOE Baltimore District.

**EA-67-010: Gregory S. King**, 1948 Noss Road, York, PA 17404 in North Codorus Township, **York County**, ACOE Baltimore District.

To replace and existing culvert and construct and maintain a 15-foot long, 3-foot diameter culvert, with a 6-inch uniform depression below the streambed and to restore 280 linear feet of a UNT to Codorus Creek (WWF)

by reshaping the channel, which is not to exceed more than 2 feet in depth below the existing stream bottom elevation. The project is located in North Codorus Township, York County (West York, PA Quadrangle N: 1.9 inches; W: 6.7 inches).

*Central Office: Bureau of Waterways Engineering, Rachel Carson State Office Building, Floor 3, 400 Market Street, Harrisburg, PA 17105.*

**D28-005EA, Wilson College**, 1015 Philadelphia Avenue, Chambersburg, PA 17201. Chambersburg Borough, **Franklin County**, ACOE Baltimore District.

Project proposes to breach and remove Wolf Lake Dam across Conococheague Creek (WWF) for the purpose of eliminating a threat to public safety and restoring 1,100 linear feet of stream channel to a free flowing condition. The dam is located approximately 3,700 feet north of the intersection of US 11 and US 30 (Chambersburg, PA Quadrangle N: 12.90 inches; W: 4.95 inches).

**D21-070EA, William S. Carey**, 1781 Main Street, Lisburn, PA 17055. Lower Allen and Fairview Townships, **Cumberland and York Counties**, ACOE Baltimore District.

Project proposes to breach and remove Hoffman Dam located across Yellow Breeches Creek (CWF) for the purpose of restoring 900 linear feet of stream channel to a free flowing condition and eliminating a threat to public safety. The dam is located approximately 1,100 feet southwest of the intersection of SR 114 and Mountain Road (SR 4031) (Lemoyne, PA Quadrangle N: 7.4 inches; W: 4.7 inches).

---

## SPECIAL NOTICES

---

### Drinking Water State Revolving Fund

---

#### Special Notice under the Federal Safe Drinking Water Act

---

*Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

#### Project Location:

<i>Applicant</i>	<i>Applicant Address</i>	<i>Municipality and County</i>
Robinwood Village Recreation and Maintenance Fund, Inc.	56 Robinwood Village Saylorburg, PA 18353	Chestnuthill Township Monroe County

*Project Description:* The Pennsylvania Infrastructure Investment Authority, which administers the Commonwealth's State Revolving Fund, is intended to be the funding source for this project. The Robinwood Village Recreation and Maintenance Fund, Inc. proposes reconfiguring the PWS system from seven wells to two; adding disinfection and pH treatment facilities; booster station construction; transmission and distribution piping installation; and the construction of finished water storage tanks. The Department of Environmental Protection's (Department) review of the project and the information received in the Environmental Report for the project has not identified any significant, adverse environmental impact resulting from this proposal. The Department hereby approves the Environmental Assessment.

[Pa.B. Doc. No. 05-1566. Filed for public inspection August 19, 2005, 9:00 a.m.]

### Availability of Technical Guidance

Technical guidance documents are on the Department of Environmental Protection's (Department) website: [www.dep.state.pa.us](http://www.dep.state.pa.us) (DEP Keyword: Participate). The "Current Inventory" heading is the Governor's list of nonregulatory guidance documents. The "Final Documents" heading is the link to a menu of the various Department bureaus and from there to each bureau's final technical guidance documents. The "Draft Technical Guidance" heading is the link to the Department's draft technical guidance documents.

The Department will continue to revise its nonregulatory documents, as necessary, throughout 2005.

#### *Ordering Paper Copies of Department Technical Guidance*

The Department encourages the use of the Internet to view guidance documents. When this option is not available, persons can order a bound paper copy of the latest inventory or an unbound paper copy of any of the final documents listed on the inventory by calling the Department at (717) 783-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

#### *Changes to Technical Guidance Documents*

Following is the current list of recent changes. Persons who have questions or comments about a particular document should call the contact person whose name and phone number is listed with each document.

#### *Draft Technical Guidance—Minor Revision*

DEP ID: 294-2309-001. Title: Radon Certification Policy. Description: This document details the methods by which Radon Division staff administers applicable statutes and regulations. This document has been renumbered and several sections have been revised to clarify existing practices. Effective Date: August 20, 2005. Contact: Questions regarding this guidance document should be directed to Randolph Easton, Bureau of Radiation Protection, (717) 783-3594, [reaston@state.pa.us](mailto:reaston@state.pa.us).

#### *Draft Technical Guidance—New Guidance*

DEP ID: 392-2130-014. Title: Guidelines for Identification of Critical Water Planning Areas. Description: The Water Resources Planning Act (Act 220 of 2002) provides for the identification of Critical Water Planning Areas. The purpose of this document is to provide guidance to Department staff, Regional Water Resources Committees and Statewide Water Resources Committees in the identification of those areas. Written Comments: Interested persons may submit written comments on this draft technical guidance document by September 19, 2005. Comments should be submitted to Stuart Gansell, Director, Bureau of Watershed Management, Department of Environmental Protection, Rachel Carson State Office Building, 10th Floor, Harrisburg, PA 17105, [sgansell@state.pa.us](mailto:sgansell@state.pa.us). Contact: Stuart Gansell, (717) 787-5267, [sgansell@state.pa.us](mailto:sgansell@state.pa.us).

KATHLEEN A. MCGINTY,  
*Secretary*

[Pa.B. Doc. No. 05-1567. Filed for public inspection August 19, 2005, 9:00 a.m.]

### Coastal Zone Grant Application Period Opens for Federal Fiscal Year 2006 Grants

The Water Planning Office of the Department of Environmental Protection (Department) will be accepting applications beginning August 29, 2005, for Federal Fiscal Year (FFY) 2006 Coastal Zone grants. Applicants must meet certain eligibility requirements (for example, be a political subdivision, an authority, a 505(c)3 nonprofit organization or an educational institution) and must be located within the defined Coastal Zone geographic areas of this Commonwealth. Proposals must also support the Coastal Zone Program's mission to protect and enhance this Commonwealth's coastal resources. Applications must be postmarked by October 24, 2005. Pending Congressional funding approval, grants will be available for projects that begin on or after October 1, 2006. These Federal grants must be matched on a 50/50 basis by applicants.

To request an application or to obtain more information concerning Coastal Zone grants, visit the Department's website at [www.dep.state.pa.us](http://www.dep.state.pa.us) (DEP Keyword: Coastal Zone) or contact the Department of Environmental Protection, Water Planning Office, 15th Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 2063, Harrisburg, PA 17105-2063, (717) 772-4785 or fax (717) 783-4690.

KATHLEEN A. MCGINTY,  
*Secretary*

[Pa.B. Doc. No. 05-1568. Filed for public inspection August 19, 2005, 9:00 a.m.]

### Concentrated Animal Feeding Operations Stakeholders Workgroup Meeting

The Concentrated Animal Feeding Operations Stakeholders (CAFO) Workgroup will hold a meeting on August 23, 2005, at 9 a.m. in the Department of Environmental Protection Southcentral Region Office, Susquehanna Room, 909 Elmerton Avenue, Harrisburg. The purpose of this meeting is to review and discuss a draft CAFO Program Strategy and the status of the CAFO program.

Questions concerning this meeting should be directed to Tom Juengst at (717) 783-7577 or [tjuengst@state.pa.us](mailto:tjuengst@state.pa.us). The agenda and meeting materials for this meeting will be available through the Public Participation Center on the Department of Environmental Protection's (Department) website at [www.dep.state.pa.us](http://www.dep.state.pa.us) (DEP Keyword: Participate).

Persons with disabilities who require accommodations to attend the meeting should contact the Department at (717) 783-7577 or through the Pennsylvania AT&T Relay Services at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

KATHLEEN A. MCGINTY,  
*Secretary*

[Pa.B. Doc. No. 05-1569. Filed for public inspection August 19, 2005, 9:00 a.m.]

### Laboratory Accreditation Advisory Committee Meeting Changes

The Laboratory Accreditation Advisory Committee meeting scheduled for Tuesday, August 23, 2005, has been cancelled. The next scheduled meeting on November 1, 2005, was originally scheduled to be held in Room 105, Rachel Carson State Office Building, but the location has changed to the Bureau of Laboratories Building, 2575 Interstate Drive, Harrisburg, PA 17110. This meeting will also be held in conjunction with the Pennsylvania Association of Accredited Environmental Laboratories and will begin at 10 a.m. and conclude at 3 p.m.

Questions concerning this meeting should be directed to Richard Sheibley at (717) 346-8215 or [rsheibley@state.pa.us](mailto:rsheibley@state.pa.us). Persons with a disability who require accommodations to attend this meeting should contact the Department of Environmental Protection (Department) at (717) 705-2431 or through the Pennsylvania AT&T Relay Services at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

KATHLEEN A. MCGINTY,  
*Secretary*

[Pa.B. Doc. No. 05-1570. Filed for public inspection August 19, 2005, 9:00 a.m.]

---

## DEPARTMENT OF HEALTH

### Application of Mercy Jeannette Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Mercy Jeannette Hospital has requested an exception to the requirements of 28 Pa. Code § 107.26(b)(2) (relating to additional committees).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, [paexcept@health.state.pa.us](mailto:paexcept@health.state.pa.us).

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number or for speech and/or hearing impaired persons, V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service, (800) 654-5984.

CALVIN B. JOHNSON, M.D., M.P.H.,  
*Secretary*

[Pa.B. Doc. No. 05-1571. Filed for public inspection August 19, 2005, 9:00 a.m.]

### Application of South Hills Endoscopy Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that South Hills Endoscopy Center has requested an exception to the requirements of 28 Pa. Code § 567.11(7) (relating to operating suite equipment).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, [paexcept@health.state.pa.us](mailto:paexcept@health.state.pa.us).

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number or for speech and/or hearing impaired persons, V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service, (800) 654-5984.

CALVIN B. JOHNSON, M.D., M.P.H.,  
*Secretary*

[Pa.B. Doc. No. 05-1572. Filed for public inspection August 19, 2005, 9:00 a.m.]

---

### Application of Surgery Center at Limerick for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Surgery Center at Limerick has requested an exception to the requirements of 28 Pa. Code § 551.21(d)(2) (relating to criteria for ambulatory surgery).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, [paexcept@health.state.pa.us](mailto:paexcept@health.state.pa.us).

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number or for speech and/or

hearing impaired persons, V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service, (800) 654-5984.

CALVIN B. JOHNSON, M.D., M.P.H.,  
*Secretary*

[Pa.B. Doc. No. 05-1573. Filed for public inspection August 19, 2005, 9:00 a.m.]

### **Integrated Human Immunodeficiency Virus (HIV) Planning Council; Public Meeting**

The Statewide Integrated HIV Planning Council, established by the Department of Health (Department) under sections 301(a) and 317(b) of the Public Health Service Act (42 U.S.C.A. §§ 241(a) and 247(b)), will hold a public meeting on Wednesday, September 6, 2005, from 10:30 a.m. to 3 p.m. at the Best Western Inn and Suites, 815 South Eisenhower Boulevard, Middletown, PA 17057.

The Department reserves the right to cancel this meeting without prior notice.

For additional information, contact Joseph Pease, Department of Health, Bureau of Communicable Diseases, P. O. Box 90, Room 1010, Health and Welfare Building, Harrisburg, PA 17108, (717) 783-0572.

Persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so should contact Joseph Pease at the previously referenced number or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Services at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M.D., M.P.H.,  
*Secretary*

[Pa.B. Doc. No. 05-1574. Filed for public inspection August 19, 2005, 9:00 a.m.]

### **Requests for Exception; Long-Term Care Nursing Facilities**

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 201.3 (relating to definitions):

Masonic Homes  
One Masonic Drive  
Elizabethtown, PA 17022-2119  
FAC ID 131502

The following long-term care nursing facilities are seeking an exception to 28 Pa. Code § 201.18(e) (relating to management):

Harmarville Transitional Rehabilitation Unit  
P. O. Box 11460, Guys Run Road  
Pittsburgh, PA 15238

UPMC Horizon Transitional Care Center Greenville  
110 North Main Street  
Greenville, PA 16125

UPMC Horizon Transitional Care Center Shenango  
2200 Memorial Drive  
Farrell, PA 16121

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.6(a) (relating to function of building):

Lock Haven Hospital Extended Care Unit  
24 Cree Drive  
Lock Haven, PA 17745

The following long-term care nursing facilities are seeking an exception to 28 Pa. Code § 205.36(h) (relating to bathing facilities):

Landis Homes  
1001 East Oregon Road  
Lititz, PA 17543-9206  
FAC ID 120602

Laurel Ridge Center  
75 Hickle Street  
Uniontown, PA 15401

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 15 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who require an alternative format of this document or who wish to comment in an alternative format (for example, large print, audiotape or Braille) should contact the Division of Nursing Care Facilities at the address or phone number listed previously or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M.D., M.P.H.,  
*Secretary*

[Pa.B. Doc. No. 05-1575. Filed for public inspection August 19, 2005, 9:00 a.m.]

## **DEPARTMENT OF PUBLIC WELFARE**

### **Fee Increases for Dental Anesthesia Services**

The Department of Public Welfare (Department) announces that it will increase the fees on the Medical Assistance (MA) Dental Fee Schedule for dental anesthesia services and behavior management and add a new dental anesthesia code to the MA Dental Fee Schedule. These changes are being made as part of the Department's continuing commitment to support the increased utilization of dental services by persons with disabilities. They are effective with dates of service on and after July 1, 2005.

Currently, providers who must use deep sedation to treat patients use procedure code D9220, Deep Sedation/General Anesthesia, to bill for the service regardless of the length of the procedure. Although procedure code D9220 is included among the fee increases specified in this notice, the Department is adding procedure code D9221, Deep Sedation/General Anesthesia, each additional 15 minutes, to the MA Dental Fee Schedule to

account for procedures that exceed 30 minutes in duration. The addition of this procedure code will enable providers to bill for an additional unit of service for longer procedures. The fee for the procedure code is \$105 per unit, limited to one unit per patient per day.

In addition to adding procedure code D9221, the Department is increasing the MA fees for the following procedure codes currently on the MA Dental Fee Schedule:

<i>Procedure Code</i>	<i>Description of Service</i>	<i>Current Fee</i>	<i>Fee Effective July 1, 2005</i>
D9220	Deep Sedation/General Anesthesia	\$210	\$244
D9230	Analgesia, Anxiolysis, Inhalation of Nitrous Oxide	\$30	\$44
D9241	Intravenous Conscious Sedation/Analgesia	\$150	\$257
D9248	Non-intravenous Conscious Sedation	\$95	\$184
D9920	Behavior Management	\$30	\$78

#### *Fiscal Impact*

The estimated cost of these Dental Fee Schedule changes is \$0.655 million (\$0.297 million in State funds) in Fiscal Year (FY) 2005-2006. The projected fiscal impact for FY 2006-2007 is estimated at \$0.786 million (\$0.358 million in State funds).

#### *Public Comment*

Interested persons are invited to submit written comments regarding this notice to the Department of Public Welfare, Office of Medical Assistance Programs, c/o Deputy's Secretary Office, Attention: Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. Comments received within 30 days will be reviewed and considered for any subsequent revisions to the fee schedule.

Persons with a disability who require an auxiliary aid or service may submit comments using the AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

ESTELLE B. RICHMAN,  
*Secretary*

**Fiscal Note:** 14-NOT-437. (1) General Fund; (2) Implementing Year 2005-06 is \$297,000; (3) 1st Succeeding Year 2006-07 is \$358,000; 2nd Succeeding Year 2007-08 is \$358,000; 3rd Succeeding Year 2008-09 is \$358,000; 4th Succeeding Year 2009-10 is \$358,000; 5th Succeeding Year 2010-11 is \$358,000; (4) 2003-04 Program—\$727,979,000; 2002-03 Program—\$666,832,000; 2001-02 Program—\$705,750,000; (7) Medical Assistance Outpatient; (8) recommends adoption. Funds are included in the Department's current budget to cover this cost.

[Pa.B. Doc. No. 05-1576. Filed for public inspection August 19, 2005, 9:00 a.m.]

## FISH AND BOAT COMMISSION

### Change to List of Class A Wild Trout Waters; Addition of Unnamed Tributary to Ontelaunee Creek, Lehigh County

The Fish and Boat Commission (Commission) is considering a change to its list of Class A Wild Trout Streams. Under 58 Pa. Code § 57.8a (relating to Class A wild trout streams), it is the Commission's policy to manage self-sustaining Class A wild trout populations as a renewable natural resource to conserve that resource and the angling it provides. Class A wild trout populations represent the best of this Commonwealth's naturally reproducing trout fisheries. The Commission manages these stream sections solely for the perpetuation of the wild trout fishery with no stocking.

At its meeting on September 26 and 27, 2005, the Commission intends to consider adding the following water to the current list of Class A Wild Trout Streams: Unnamed Tributary (UNT) to Ontelaunee Creek (first tributary west of SR 309), Lehigh County, which extends for a distance of 0.85 mile from the headwaters to the mouth, which is located at latitude of 40°42'12" and a longitude of 75°45'58". The stream is located north of Mosserville, flows in a southerly direction along SR 309, and is the first tributary to Ontelaunee Creek to cross under Lentz Road west of SR 309. This stream was

determined to be a Class A wild brook trout water by Commission staff based on trout population surveys conducted in both 2004 and 2005.

According to the Commission's statement of policy at 58 Pa. Code § 57.8a, a stream must meet the following criteria to be classified as a Class A wild brook trout water: (1) total brook trout biomass must be at least 30 kg/ha (26.7 lbs/acre); (2) total biomass of brook trout less than 15 cm (5.9 inches) in total length must be at least 0.1 kg/ha (0.089 lb/acre); and (3) brook trout biomass must comprise at least 75% of the total trout biomass.

Commission staff conducted electrofishing surveys of the trout population of this stream on August 16, 2004, and again on July 28, 2005, at a location beginning 0.15 mile upstream from the mouth. In both surveys, brook trout was the only trout species collected. A Jolly population estimate was conducted in 2004. This method provided a brook trout biomass estimate of 71.63 kg/ha at the 200 m site that was sampled. The biomass of trout less than 150 mm was 47.29 kg/ha. In 2005, a Petersen estimate was conducted. The 2005 sample began at approximately the same location as the site sampled in 2004 but extended for another 100 m upstream for a total site length of 300 m. The estimated biomass of brook trout in that sample was 63.34 kg/ha with a biomass of trout less than 150 mm of 53.15 kg/ha. Accordingly, the Commission proposes that the UNT to Ontelaunee Creek (first tributary west of SR 309), Lehigh County, be added to the list of Class A Wild Trout Streams.

Persons with comments, objections or suggestions concerning the addition are invited to submit comments in writing to Executive Director, Fish and Boat Commission, P. O. Box 67000, Harrisburg, PA 17106-7000, within 30 days after publication of this notice in the *Pennsylvania Bulletin*. Comments submitted by facsimile will not be accepted. Comments may be submitted electronically by completing the form at [www.state.pa.us/fish/regcomments](http://www.state.pa.us/fish/regcomments). If an acknowledgment of electronic comments is not received by the sender within 2 working days, the comments should be retransmitted to ensure receipt.

DOUGLAS J. AUSTEN, Ph.D.,  
*Executive Director*

[Pa.B. Doc. No. 05-1577. Filed for public inspection August 19, 2005, 9:00 a.m.]

facsimile will not be accepted. Comments also may be submitted electronically by completing the form at [www.state.pa.us/Fish/regcomments](http://www.state.pa.us/Fish/regcomments). If an acknowledgment of electronic comments is not received by the sender within 2 working days, the comments should be retransmitted to ensure receipt.

DOUGLAS J. AUSTEN, Ph.D.,  
*Executive Director*

[Pa.B. Doc. No. 05-1578. Filed for public inspection August 19, 2005, 9:00 a.m.]

**Proposed Special Regulation Redesignations**

The Fish and Boat Commission (Commission) has approved guidelines with regard to encouraging public participation on possible changes to the designation of streams, stream sections or lakes for special regulation programs. Under 58 Pa. Code Chapter 65 (relating to special fishing regulations), the Commission designates certain streams, stream sections and lakes as being subject to special fishing regulations. These designations are effective after Commission approval when they are posted at the site and a notice is published in the *Pennsylvania Bulletin*. Under the Commission's guidelines, a notice concerning the proposed designation or redesignation of a stream, stream section or lake under special regulations ordinarily will be published in the *Pennsylvania Bulletin* before the matter is reviewed by the Commissioners.

At the next Commission meeting on September 26 and 27, 2005, the Commission will consider redesignating the following stream sections as waters subject to special fishing regulations under 58 Pa. Code Chapter 65, effective January 1, 2006:

**58 Pa. Code § 65.6. Delayed harvest artificial lures only areas**

The Commission will consider removing the following stream sections from the list of delayed harvest artificial lures only areas regulated and managed under 58 Pa. Code § 65.6:

County	Water on which located	Description
Adams	Bermudian Creek	From the SR 1009 (Wierman Mill) Bridge downstream to T-619 (Greenbrier Lane), a distance of 1.0 mile
Bradford	Schrader Creek	From the State Game Lands No. 36 boundary downstream to 100 yards downstream of the confluence of Bull Run, a distance of 1.2 mile

The Commission is soliciting public input concerning the redesignations. Persons with comments, objections or suggestions concerning the redesignations are invited to submit comments in writing to Executive Director, Fish and Boat Commission, P. O. Box 67000, Harrisburg, PA 17106-7000 within 30 days after publication of this notice in the *Pennsylvania Bulletin*. Comments submitted by

**HISTORICAL AND MUSEUM COMMISSION**

**National Register Nominations to be Reviewed by the Historic Preservation Board**

The Historic Preservation Board (Board) will hold a meeting on September 13, 2005, at 9:45 a.m. in Room 515, Historical and Museum Commission, Third and North Streets, Harrisburg, PA. Persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to participate should contact Helena Johnson at (717) 783-2698 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Board can accommodate their needs. Persons with questions or comments should contact the Bureau for Historic Preservation at (717) 783-8946.

**Great Valley and Piedmont Region**

1. *Germantown Grammar School Number 2 (boundary increase)*, 45 West Haines Street, Philadelphia.
2. *Jacob Arndt House and Barn*, 910 Raubsville Road, Williams Township, Northampton County.
3. *Chickies Historic District*, roughly bounded by the Susquehanna River on the south, Chickies Creek on the east, Bank Street on the west, the extension of Front Street on the north, East Donegal Township, Marietta Borough and West Hempfield Township, Lancaster County.
4. *Allentown National Bank Building*, 13-17 North Seventh Street, Allentown, Lehigh County.
5. *South Bethlehem Historic District*, roughly bounded by Hayes, Wyandotte, Columbia and Morton Streets, Bethlehem, Lehigh County.
6. *Seville Theater*, 822-826 West Lancaster Avenue, Bryn Mawr, Lower Merion Township, Montgomery County.

**Allegheny Plateau, Anthracite Region and Poconos, Ridge and Valley, Southwestern Pennsylvania**

No nominations

BARBARA FRANCO,  
*Executive Director*

[Pa.B. Doc. No. 05-1579. Filed for public inspection August 19, 2005, 9:00 a.m.]

# INDEPENDENT REGULATORY REVIEW COMMISSION

## Notice of Filing of Final Rulemaking

The Independent Regulatory Review Commission (Commission) received the following regulation on the date indicated. To obtain the date and time of the meeting at which the Commission will consider this regulation, contact the Commission at (717) 783-5417 or visit its website at [www.irrc.state.pa.us](http://www.irrc.state.pa.us). To obtain a copy of the regulation, contact the promulgating agency.

### Final-Form

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>
8-9	Department of General Services and Department of Agriculture General Provisions; Device Type Approval and State Metrology Laboratory	8/5/05

JOHN R. MCGINLEY, Jr.,  
*Chairperson*

[Pa.B. Doc. No. 05-1580. Filed for public inspection August 19, 2005, 9:00 a.m.]

# LEGISLATIVE REFERENCE BUREAU

## Documents Filed But Not Published

The Legislative Reference Bureau (Bureau) accepted the following documents during the preceding calendar month for filing without publication under 1 Pa. Code § 3.13(b) (relating to contents of *Bulletin*). The Bureau will continue to publish on a monthly basis either a summary table identifying the documents accepted during the preceding calendar month under this subsection or a statement that no documents have been received. For questions concerning or copies of documents filed, but not published, call (717) 783-1530.

### Executive Board

Resolution #CB-05-146, Dated July 1, 2005. Authorizes a side letter to Resolution No. CB-05-042, a Collective Bargaining Agreement between the Commonwealth and the United Security Officers of America, to allow seasonal employees with the Department of Conservation and Natural Resources to carry over up to 5 days of annual leave into the new year.

### Governor's Office

Administrative Circular No. 05-09—Contingency Plans—Fiscal Year (FY) 2005-06, Dated June 30, 2005.

Administrative Circular No. 05-10—Availability—Commonwealth Telephone Directory, Dated July 8, 2005.

Administrative Circular No. 05-11—Revised Revenue Estimates, FY 2005-06, Dated July 11, 2005.

Administrative Circular No. 05-12—Revenue Estimates, FY 2006-07, Dated July 11, 2005.

MARY JANE PHELPS,  
*Director*  
*Pennsylvania Bulletin*

[Pa.B. Doc. No. 05-1581. Filed for public inspection August 19, 2005, 9:00 a.m.]

# LIQUOR CONTROL BOARD

## Expiration of Leases

The following Liquor Control Board leases will expire:

Elk County, Wine & Spirits Shoppe #2401, 305 North Broad Street, Ridgway, PA 15853.

*Lease Expiration Date:* June 30, 2010

Lease retail commercial space to the Commonwealth. Proposals are invited to provide the Liquor Control Board with approximately 1,800 to 2,000 net useable square feet of new or existing retail commercial space in Ridgway serving the Ridgway area. The site must have access for tractor-trailer deliveries and free off-street parking is preferred.

*Proposals due:* September 9, 2005, at 12 p.m.

**Department:** Liquor Control Board  
**Location:** Real Estate Division, State Office Building, Room 408, 300 Liberty Avenue, Pittsburgh, PA 15222  
**Contact:** Bruce VanDyke, (412) 565-5130

Philadelphia County, Wine & Spirits Shoppe #9108, Pennypack Circle Shopping Circle, 8200 East Roosevelt Boulevard, Philadelphia, PA 19152.

*Lease Expiration Date:* 90-day status since April 1, 2002

Lease retail commercial space to the Commonwealth. Proposals are invited to provide the Liquor Control Board with approximately 4,000 net useable square feet of new or existing retail commercial space on Roosevelt Boulevard within a 1/2-mile radius of the intersection of Solly Avenue and Roosevelt Boulevard, Philadelphia.

*Proposals due:* September 9, 2005, at 12 p.m.

**Department:** Liquor Control Board  
**Location:** Real Estate Division, 8305 Ridge Avenue, Philadelphia, PA 19128-2113  
**Contact:** Robert Jolly, (215) 482-9671

JONATHAN H. NEWMAN,  
*Chairperson*

[Pa.B. Doc. No. 05-1582. Filed for public inspection August 19, 2005, 9:00 a.m.]

# PENNSYLVANIA PUBLIC UTILITY COMMISSION

## Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility



Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265 with a copy served on the applicant by September 12, 2005. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

**Application of the following for approval to *begin* operating as *common carriers* for transportation of *persons* as described under the application.**

**A-00121978. James Michael Nugent t/d/b/a J & D Transportation** (P. O. Box 751, Bushkill, Pike County, PA 18324)—persons, in airport transfer service, from points in the Counties of Pike and Monroe, to the following airports: Lehigh Valley International Airport; Wilkes-Barre/Scranton International Airport and the Philadelphia International Airport.

**Application of the following for approval of the *beginning* of the exercise of the right and privilege of operating motor vehicles as *common carriers* for the transportation of *persons* by *transfer* of rights as described under the application.**

**A-00121977. Brian Homerosky** (217 Arlington Drive, Canonsburg, Washington County, PA 15317)—persons, in limousine service: (1) between points in Pennsylvania; and (2) between points in the County of Allegheny; which is to be a transfer of all the rights authorized under the certificate issued at A-00117167 to Brian Homerosky and Kevin Prescott, copartners, t/d/b/a Southpointe Limousine Service, subject to the same limitations and conditions.

**Application of the following for approval of the right to *begin* to operate motor vehicles as *common carriers* for the transportation of *household goods* by *transfer* as described under the application.**

**A-00121979. Central Van & Storage of Charleston, Inc. t/d/b/a Central Van & Storage Company, Inc.** (301 Jacobson Drive, Poca, WV 25159), a corporation of the State of West Virginia—household goods in use: (1) from points in the City of Washington and within 15 miles by the usually traveled highways of the limits of said city, to other points in Pennsylvania, and vice versa; (2) between points in the County of Allegheny, and from points in the said county, to points in Pennsylvania, and vice versa; with right No. 2 subject to the following condition: (a) that no right, power or privilege is granted to provide transportation from the Borough of Millersburg, Dauphin County, the City of Harrisburg, Dauphin County, and points in the Counties of Dauphin and Cumberland within 10 miles by the usually traveled highways of the limits of the City of Harrisburg; (3) between points in the Borough of Waynesburg, Greene County, and within 5 miles by the usually traveled

highways of the limits of the said borough; and (4) from points in the Borough of Waynesburg, Greene County, and within 5 miles by the usually traveled highways of the limits of said borough, to points in Pennsylvania, and vice versa; which is to be a transfer of all the rights authorized under the certificate issued at A-00109593 to Anderson Transfer, Inc., subject to the same limitations and conditions. Application for temporary authority has been filed at A-00121979, seeking the rights cited previously. *Attorney:* William A. Gray, 2310 Grant Building, Pittsburgh, PA 15219-2383.

**Application of the following for approval of the *additional right* and *privilege* of operating motor vehicles as *common carriers* for transportation of *household goods* in use as described under the application.**

**A-00114256. Folder 2. Shannon Transport, Inc. t/a Shannon Moving & Storage** (25 Roland Avenue, Mt. Laurel, NJ 08054), a New Jersey corporation—household goods in use, between points in the Counties of Philadelphia, Delaware, Chester, Montgomery, Bucks, Berks, Lehigh and Northampton. *Attorney:* Joel Kalman, 609 County Line Road, Huntingdon Valley, PA 19006.

JAMES J. MCNULTY,  
*Secretary*

[Pa.B. Doc. No. 05-1583. Filed for public inspection August 19, 2005, 9:00 a.m.]

## STATE ETHICS COMMISSION

### Public Meeting

Under 65 Pa.C.S. §§ 1101—1113 (relating to the Public Official and Employee Ethics Act) (act), the State Ethics Commission (Commission) is required to hold at least two public hearings each year to seek input from persons and organizations who represent any individual subject to the provisions of the act and from other interested parties.

The Commission will conduct a public meeting on September 12, 2005, at 9 a.m. at the Logan Inn, 10 West Ferry Street, New Hope, PA 18938 for purposes of receiving said input and for the conduct of other Commission business. Public officials, public employees, organizations and members of the general public may attend.

Persons seeking to testify or present a statement, information or other comments in relation to the act, the regulations of the Commission or Commission operations should contact Claire J. Hershberger, (717) 783-1610 or (800) 932-0936. Written copies of statements should be provided at the time of the meeting.

JOHN J. CONTINO,  
*Executive Director*

[Pa.B. Doc. No. 05-1584. Filed for public inspection August 19, 2005, 9:00 a.m.]