

NOTICES

DEPARTMENT OF BANKING

Action on Applications

The Department of Banking (Department), under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 9, 2002 (P. L. 1572, No. 207), known as the Credit Union Code, has taken the following action on applications received for the week ending August 22, 2006.

BANKING INSTITUTIONS

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
8-16-06	Republic First Bank, Philadelphia, PA, and Republic First Bank of New Jersey, Voorhees, NJ Surviving Institution— Republic First Bank, Philadelphia, PA	Philadelphia	Effective
The merger enables Republic First Bank, Philadelphia, PA, to expand operations into the state of New Jersey by establishing a branch at 342 South Burnt Mill Road, Voorhees, Camden County, NJ			

Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
8-7-06	East River Bank Philadelphia Philadelphia County	6137 Ridge Avenue Philadelphia Philadelphia County	Opened
8-14-06	Jersey Shore State Bank Jersey Shore Lycoming County	820 Broad Street Montoursville Lycoming County	Opened
8-18-06	First Star Savings Bank Bethlehem Lehigh County	6302 Route 309 New Tripoli Lehigh County	Approved
8-18-06	Meridian Bank Berwyn Chester County	16 West Market Street West Chester Chester County	Approved
8-18-06	Penn Liberty Bank Wayne Delaware	210 Font Road Downingtown Chester County	Approved

Branch Relocations

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
7-17-06	Parkvale Savings Bank Monroeville Westmoreland County	<i>To:</i> 401 Ninth Street New Kensington Westmoreland County <i>From:</i> 931 Fifth Avenue New Kensington Westmoreland County	Effective
8-18-06	Fulton Bank Lancaster Lancaster County	<i>To:</i> Route 10 Lower Oxford Township Chester County <i>From:</i> 18 South 3rd Street Oxford Chester County	Approved

SAVINGS INSTITUTIONS

No activity.

CREDIT UNIONS

No activity.

The Department's website at www.banking.state.pa.us includes public notices for more recently filed applications.

A. WILLIAM SCHENCK, III,
Secretary

[Pa.B. Doc. No. 06-1726. Filed for public inspection September 1, 2006, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a general permit. The applications concern, but are not limited to, discharges related to industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFOs). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or amendment
Section III	WQM	Industrial, sewage or animal waste; discharge into groundwater
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 individual permits and individual stormwater construction permits in Sections IV and VI, the Department, based upon preliminary reviews, has made a tentative determination of proposed effluent limitations and other terms and conditions for the permit applications. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the EPA Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on an NPDES application are invited to submit a statement to the regional office noted before an application within 30 days from the date of this public notice. Persons wishing to comment on a WQM permit application are invited to submit a statement to the regional office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for a public hearing on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0238414	Roger A. and Amy L. Sandak SFTF 124 Memory Lane New Castle, PA 16101	Scott Township Lawrence County	UNT to Big Run 20-A	Y

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Applications

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

Application No. PA 0248576, Concentrated Animal Feeding Operation (CAFO), **Kreider Farms**, 1461 Lancaster Road, Manheim, PA 17545.

Kreider Farms has submitted an application for issuance of an Individual NPDES permit for an existing CAFO known as the Kreider Farms Middletown Poultry Farm, located in Lower Swatara Township, **Dauphin County**.

The CAFO is situated near a UNT of Swatara Creek, which is classified as a WWF. The CAFO is designed to maintain an animal population of approximately 2,356 animal equivalent units consisting of 725,000 laying hens. Semisolid poultry manure is stored within each of six layer houses. Eggs are processed onsite and egg washwater is stored in an existing earthen storage impoundment, which will be synthetically lined during the permit term. A release or discharge to waters of this Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 25-year, 24-hour storm event.

The Department of Environmental Protection (Department) has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to reissue the NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

The permit application and draft permit are on file at the Southcentral Regional Office of the Department. Persons may make an appointment to review the files by calling the file review coordinator at (717) 705-4732.

Persons wishing to comment on the proposed permit are invited to submit written comments to the previous address within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in formulating the Department's final determination regarding the application. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the basis of the comment and the relevant facts upon which it is based.

Following the 30-day comment period, the Watershed Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time the determination may be appealed to the Environmental Hearing Board.

The Environmental Protection Agency permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

Application No. PA 0248584, Concentrated Animal Feeding Operation (CAFO), **Kreider Farms**, 1461 Lancaster Road, Manheim, PA 17545.

Kreider Farms has submitted an application for issuance of an Individual NPDES permit for an existing CAFO known as the Kreider Farms East Donegal Poultry Farm, located in East Donegal Township, **Lancaster County**.

The CAFO is situated near Donegal Springs and Donegal Creek, which are classified as HQ-CWF and TSF, respectively. The CAFO is designed to maintain an animal population of approximately 1,521 animal equivalent units consisting of 468,000 laying hens. Semisolid poultry manure is stored within each of six layer houses. Eggs are processed onsite and egg washwater is stored in an existing earthen storage impoundment, which will be synthetically lined during the permit term. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 25-year, 24-hour storm event.

The Department of Environmental Protection (Department) has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to reissue the NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

The permit application and draft permit are on file at the Southcentral Regional Office of the Department. Persons may make an appointment to review the files by calling the file review coordinator at (717) 705-4732.

Persons wishing to comment on the proposed permit are invited to submit written comments to the previous address within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in formulating the Department's final determination regarding the application. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the basis of the comment and the relevant facts upon which it is based.

Following the 30-day comment period, the Watershed Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time the determination may be appealed to the Environmental Hearing Board.

The Environmental Protection Agency (EPA) permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

PA0238635, Sewage. **Frank A. and Melissa A. Blaine, Jr.**, 304 Eagle Mill Road, Butler, PA 16001-8786. This proposed facility is located in Connoquenessing Township, **Butler County**.

Description of Proposed Activity: household operation.

The receiving water is the Little Connoquenessing Creek. The receiving stream is in State Water Plan 20-C and is classified for the following uses: CWF, aquatic life, water supply and recreation. The nearest downstream potable water supply, Harmony Borough Water Authority, is located on Little Connoquenessing Creek and is approximately 11.5 miles below the point of discharge.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.00004 mgd

<i>Parameter</i>	<i>Concentrations</i>		
	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	XX		
CBOD ₅	10		20
Total Suspended Solids	20		40
Fecal Coliform		200/100 ml as a geometric average	
Total Residual Chlorine	XX		
pH		6.0 to 9.0 standard units at all times	

XX—Monitor and report.

The EPA waiver is in effect.

PA0035581, Sewage. **Department of Transportation—McKean County**, Bureau of Design, P. O. Box 3060, Harrisburg, PA 17105-3060. This proposed facility is located in Lafayette Township, **McKean County**.

Description of Proposed Activity: Renewal of an existing discharge of treated sewage.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride, phenolics, sulfate and chloride, the existing/proposed downstream potable water supply, considered during the evaluation is the Emlenton Water Company and the Allegheny River located at Emlenton and is approximately 133 miles below point of discharge.

The receiving stream, a UNT to Three Mile Run, is in watershed 16-B and classified for CWF, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0018 mgd.

<i>Parameter</i>	<i>Concentrations</i>		
	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	XX		
CBOD ₅	25		50
Total Suspended Solids	30		60
Fecal Coliform		200/100 ml as a geometric average	
(5-1 to 9-30)		2,000/100 ml as a geometric average	
(10-1 to 4-30)			
Total Residual Chlorine	1.4		3.3
pH		6.0 to 9.0 standard units at all times	

XX—Monitor and report on monthly DMRs.

The EPA waiver is in effect.

PA0239879, Sewage. **Michael Wahlenmayer SFTF**, 112 Linden Street, Beaver Falls, PA 15010. This proposed facility is located at 7012 Bargain Road in McKean Township, **Erie County**.

Description of Proposed Activity: The applicant requests an NPDES permit for the discharge of treated domestic sewage from an SFTF serving a single dwelling. Treatment consists of a septic tank, dosing tank, sand filter and ultraviolet light disinfection.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride, phenolics, sulfate and chloride, there is no downstream potable water supply to consider between the discharge and Lake Erie.

The receiving stream, Thomas Run, is in the Lake Erie watershed and classified for HQ-CWF, MF, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 mgd.

<i>Parameter</i>	<i>Concentrations</i>		
	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	monitor and report		
CBOD ₅	10		20
Total Suspended Solids	10		20
Ultraviolet Light Disinfection	monitor and report		
Fecal Coliform	200/100 ml as a geometric average		
pH	6.0 to 9.0 standard units at all times		

The EPA waiver is in effect.

PA0036064, Sewage. **Washington Township Sewer Authority**, 11800 Edinboro Road, Edinboro, PA 16412. This existing facility is located on Angling Road in Washington Township, **Erie County**.

Description of Proposed Activity: The applicant requests an amendment of an existing discharge of treated sewage from the Angling Road sewage treatment plant.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride, phenolics, sulfate and chloride, the existing/proposed downstream potable water supply (stream and public water supplier) considered during the evaluation is Emlenton Water Company located in Emlenton, PA, approximately 80 miles below point of discharge.

The receiving stream for the interim effluent limit is UNT to Edinboro Lake (local name is Whipple Creek). The receiving stream for the final effluent limits is a UNT to Conneauttee Creek. Both receiving streams are in watershed 16 and classified for WWF, aquatic life, water supply and recreation.

The proposed interim effluent limits for Outfall 001 are based on a design flow of 0.2 mgd.

<i>Parameter</i>	<i>Concentrations</i>		
	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (mgd)	XX	XX	
CBOD ₅	25	40	50
Total Suspended Solids	30	45	60
NH ₃ -N			
(5-1 to 10-31)	1.5		3.0
(11-1 to 4-30)	4.5		9.0
Phosphorus as "P"	1.0		
Dissolved Oxygen		minimum of 5.0 mg/l at all times	
Total Residual Chlorine	0.17		0.58
Fecal Coliform			
(5-1 to 9-30)		200/100 ml as a geometric average	
(10-1 to 4-30)		2,000/100 ml as a geometric average	
pH		6.0 to 9.0 standard units at all times	

The proposed final effluent limits for Outfall 001 are based on a design flow of 0.6 mgd.

<i>Parameter</i>	<i>Concentrations</i>		
	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (mgd)	XX	XX	
CBOD ₅	25	40	50
Total Suspended Solids	30	45	60
NH ₃ -N			
(5-1 to 10-31)	1.5		3.0
(11-1 to 4-30)	4.5		9.0
Dissolved Oxygen		minimum of 5.0 mg/l at all times	
Total Residual Chlorine	0.16		0.51
Fecal Coliform			
(5-1 to 9-30)		200/100 ml as a geometric average	
(10-1 to 4-30)		2,000/100 ml as a geometric average	
pH		6.0 to 9.0 standard units at all times	

XX—Monitor and Report

The EPA waiver is in effect.

III. WQM Industrial Waste and Sewerage Applications Under the Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

WQM Permit No. 2106408, Sewerage, **Dillsburg Area Authority**, 98 West Church Street, P. O. Box 370, Dillsburg, PA 17019. This proposed facility is located in Monroe Township, **Cumberland County**.

Description of Proposed Action/Activity: Application for a Wastewater Collection and Conveyance System which includes the installation of approximately 19,900 linear feet of new sanitary sewer, 2,340 feet of new force main and a new wastewater pump station.

WQM Permit No. 2806405, Sewerage, **Ray and Rubie Wingert**, 2635 Grand Point Road, Chambersburg, PA 17201. This proposed facility is located in Greene Township, **Franklin County**.

Description of Proposed Action/Activity: Application for the installation and use of a Spray Irrigation Denitrification System.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WQM Permit No. 6306405, Sewerage, **Washington East Washington Joint Authority**, P. O. Box 510, 60 East Beau Street, Washington, PA 15301. This proposed facility is located in South Strabane Township, **Washington County**.

Description of Proposed Action/Activity: Application for the construction and operation of sanitary sewer main and connection for commercial development.

WQM Permit No. 6306406, Sewerage, **Vestaburg-New Hill Joint Authority**, P. O. Box 189, 301 Third Street, Vestaburg, PA 15368. This proposed facility is located in Centerville Borough and East Bethlehem Township, **Washington County**.

Description of Proposed Action/Activity: Application for replacement of sanitary sewer system.

WQM Permit No. 6506404, Sewerage, **Powdermill Nature Reserve**, 1847 Route 381, Rector, PA 15677-9605. This proposed facility is located in Cook Township, **Westmoreland County**.

Description of Proposed Action/Activity: Application for the construction and operation of expansion of existing nature center sewage treatment plant.

WQM Permit No. WQG016130, Sewerage, **Roy Taylor**, 148 Darr Road, Belle Vernon, PA 15012. This proposed facility is located in Rostraver Township, **Westmoreland County**.

Description of Proposed Action/Activity: Application for the construction and operation of a single residence sewage treatment plant.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 2506409, Sewerage, **Michael Wahlenmayer**, 112 Linden Street, Beaver Falls, PA 15010. This proposed facility is located in McKean Township, **Erie County**.

Description of Proposed Action/Activity: A Single Residence Sewage Treatment Plant.

Northwest Region: Oil and Gas Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6860.

WQM Permit No. 3306201, Industrial Waste, **Dominion Transmission, Inc.**, 1201 Pitt Street, Pittsburgh, PA 15221-2029. This proposed facility is located in Henderson Township, **Jefferson County**.

Description of Proposed Action/Activity: This application is for the modification of an existing oil and gas wastewater treatment facility to replace existing treatment impoundments with in-ground tanks and a batch treatment system.

IV. NPDES Applications for Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

V. Applications for NPDES Waiver Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Lehigh County Conservation District: Lehigh Ag. Center, Suite 102, 4184 Dorney Park Road, Allentown, PA 18104, (610) 391-9583.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI023906021	Atlantic American Land Dev., Inc. 401 Plymouth Road Suite 500 Plymouth Meeting, PA 19462	Lehigh	Upper Macungie Township	Iron Run HQ-CWF

Northampton County Conservation District: Greystone Building, Gracedale Complex, Nazareth, PA 18064-9211, (610) 746-1971.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAS10U127R	J. G. Petrucci Co., Inc. 171 Rt. 173 Suite 201 Asbury, NJ 08802	Northampton	Forks Township	Bushkill Creek HQ-CWF
PAI024806020	R. B. Associates Richard Bartolacci 3864 Courtney St., Suite 140 Bethlehem, PA 18017	Northampton	East Allen Township	Monocacy Creek HQ-CWF

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
*PAI030605002	Manley Partners, LLC 415 Ellis Woods Road Pottstown, PA 19465	Berks	Longswamp Township	Toad Creek HQ-CWF

* The Department of Environmental Protection has proposed special conditions to protect the spadefoot toad, *Scaphiopus holbrookii*. These conditions provide for protection of approximately 8.8 acres of spadefoot toad habitat, including the watersheds of the breeding ponds used by the spadefoot toad.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI030606007	Greth Development Group, Inc. P. O. Box 305 Temple, PA 19560	Berks	Robeson Township	Hay Creek EV
PAI032106006	Rite Aid Corporation 30 Hunter Lane Camp Hill, PA 17011	Cumberland	South Middleton Township	Letort Spring Run HQ-CWF
PAS10C041R	Quaker Hill Development Corporation 4339 Morgantown Road Mohnton, PA 19540	Berks	Robeson	Beaver Run Hay Creek HQ-CWF

Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Fayette County Conservation District, 10 Nickman Plaza, Lemont Furnace, PA 15456, (724) 438-4497.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI052606004	NWL Company 1001 LaFayette Drive Farmington, PA 15437	Fayette	Wharton Township	UNT to Beaver Creek HQ/CWF

Washington County Conservation District, 602 Courthouse Square, Washington, PA 15301, (724) 228-6774.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI056306005	Shiloh Industrial Contractors, Inc. 204 Commerce Boulevard Lawrence, PA 15055	Washington	North Strabane Township	Little Chartiers Creek HQ/WWF

VII. List of NOIs for NPDES and/or Other General Permit Types

PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

PUBLIC WATER SUPPLY (PWS) PERMIT

Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17), the following parties have applied for a PWS permit to construct or substantially modify a public water system.

Persons wishing to comment on a permit application are invited to submit a statement to the office listed before the application within 30 days of this public notice. Comments received within the 30-day comment period will be considered in the formulation of the final determinations regarding the application. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (Department) of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and any related documents are on file at the office listed before the application and are available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability who require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act

Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401.

Permit No. 4606506, Public Water Supply

Applicant	Superior Water Company, Inc.
Township	Worcester
County	Montgomery
Responsible Official	Robert A. Braglio
Type of Facility	PWS
Consulting Engineer	Entech Engineering, Inc.
Application Received Date	August 15, 2006
Description of Action	Installation of an arsenic removal system at Center Point Farm.

Northeast Region: Water Supply Management Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Application No. 4006504, Public Water Supply.

Applicant	Old Turnpike Village Butler Township Luzerne County
Responsible Official	Joseph L. Pierotti 81-80 RV Park 718 N. Old Turnpike Village Drums, PA
Type of Facility	PWS
Consulting Engineer	RKD Engineering Inc. David Kavitski, P. E.
Application Received Date	August 3, 2006
Description of Action	The modification of an existing water system for corrosion control, disinfection and detention time.

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 0506503, Public Water Supply.

Applicant	Bedford Township Municipal Authority
Municipality	Bedford Borough
County	Bedford
Responsible Official	Owen K. Crist, Chairperson P. O. Box 371 Bedford, PA 15522
Type of Facility	Public Water Supply
Consulting Engineer	Timothy A. Cooper, P. E. Stiffler McGraw & Associates Inc. 19 N. Juniata Street Hollidaysburg, PA 16648
Application Received:	4/24/2006
Description of Action	The proposed project includes the installation of approximately 7,400 LF of 10-inch water transmission main, the development of two wells, treatment to consists of disinfection and all related appurtenances to serve the Camp Shaffer project area.

Permit No. 2806503, Public Water Supply.

Applicant	Majestic Ridge Home Owners Association
Municipality	Hamilton Township
County	Franklin

Responsible Official Robert Miller, President
24 Buckingham Way
Freehold, PA 07728

Type of Facility Public Water Supply

Consulting Engineer Richard M. Bodner, P. E.
Martin and Martin, Inc.
37 S. Main St.
Chambersburg, PA 17201

Application Received: 5/17/2006

Description of Action Construction of a new water system to serve the Majestic Ridge Home Owners Association. The system will consist of two wells, treatment to consists of disinfection and iron and manganese control, storage and distribution.

Permit No. 2806502, Public Water Supply.

Applicant **Antrim Township Municipal Authority**

Municipality Antrim Township

County **Franklin**

Responsible Official Paul Perini, President
1710 Underpass Way
Suite 200
Hagerstown, MD 21740

Type of Facility Public Water Supply

Consulting Engineer Anne K. Anderson, P. E.
CEDG, Inc.
500 Ritter Road
Suite 200
Mechanicsburg, PA 17055

Application Received: 3/28/2006

Description of Action Construction of a new water system to serve the Rochester Place development. The system will consist of one wells, treatment to consists of disinfection, storage and distribution.

Permit No. 0506504, Public Water Supply.

Applicant **Bedford Township Municipal Authority**

Municipality Bedford Borough

County **Bedford**

Responsible Official Owen K. Crist, Chairman
P. O. Box 371
Bedford, PA 15522

Type of Facility Public Water Supply

Consulting Engineer Timothy A. Cooper, P. E.
Stiffler McGraw & Associates
Inc.
19 N. Juniata Street
Hollidaysburg, PA 16648

Application Received: 5/26/2006

Description of Action The proposed project includes the installation transmission main, the development of one well, treatment to consists of disinfection and all related appurtenances to serve the Bedford Springs project area.

Central Office: Bureau Director, Water Standards and Facility Regulation, P. O. Box 8467, Harrisburg, PA 17105-8467.

Permit No. 9996322, Public Water Supply.

Applicant **Pine Hollow Springs Bottling Co., Inc.**

Township or Borough Lowellville, Ohio

Responsible Official Frank Tombo, Jr., President

Type of Facility Out-of-State Bottled Water System

Application Received Date August 17, 2006

Description of Action Applicant requesting a major permit amendment to add a new ozone treatment unit. Bottled water to be sold in this Commonwealth under the brand names; Gordon Brothers Premium Spring Water, Gordon Brothers Purified Water and Pine Hollow Natural Spring Water.

Permit No. 9996158, Public Water Supply.

Applicant **Berkeley Club Beverages**

Township or Borough Berkeley Springs, West Virginia

Responsible Official Rodney Dehaven, Owner

Type of Facility Out-of-State Bottled Water System

Application Received Date August 16, 2006

Description of Action Applicant requesting a major permit amendment to relocate bottling facilities and sell a new distilled bottled water product in this Commonwealth. Bottled water to be sold in Pennsylvania under the brand names; Berkeley Springs Water and Berkeley Springs Distilled Water.

MINOR AMENDMENT**Applications Received Under the Pennsylvania Safe Drinking Water Act**

Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Application No. 4293501-MA2, Minor Amendment

Applicant **Pithole Water Association**

Township or Borough Keating Township
McKean County

Responsible Official Peter M. Anderson, Director

Type of Facility Public Water Supply

Application Received 08/03/2006
Date
Description of Action Addition of 3,000 gallon water settling tank for iron, manganese and sediment removal at existing facilities at water treatment plant.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the Background Standard, Statewide Health Standard, the Site-Specific Standard or who intend to remediate a site as a special industrial area must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one, a combination of the cleanup standards or who receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a Site-Specific Standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified, proposed for remediation to a Site-Specific Standard or as a special industrial area, the municipality within which the site is located may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office before which the notice appears. If information concerning this acknowledgment is required in an alter-

native form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

Parcel 42-4-261 Undeveloped Property, East Whiteland Township, **Chester County**. Jeffrey Goudsward, Langan Engineering & Env., Svc., P. O. Box 1569, Doylestown, PA 18901 on behalf of Guy Wolfington, Malvern Hill Assoc., III, LP, 700 S. Henderson Road, Suite, 225, King of Prussia, PA 19406 has submitted a Notice of Intent to Remediate. Soil at the site has been impacted by release of petroleum and PAH's. The intended future use of the property is for mixed-use redevelopment. A Summary of the Notice of Intent to Remediate was reported to have been published in the *Daily Local News* on August 8, 2006.

84 Lumber Site, East Whiteland Township, **Chester County**. Jeffrey Goudsward, Langan Engineering & Env., Svc., P. O. Box 1569, Doylestown, PA 18901 on behalf of Guy Wolfington, Malvern Hill Assoc., III, LP, 700 S. Henderson Road, Suite, 225, King of Prussia, PA 19406 has submitted a Notice of Intent to Remediate. Soil at the site has been impacted by release of inorganics and PAH's. The intended future use of the property is for mixed-use redevelopment. A Summary of the Notice of Intent to Remediate was reported to have been published in the *Daily Local News* on August 8, 2006.

Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

US Bronze Foundry & Machine Inc., Woodcock Township, **Crawford Co.**, GeoSyntec Consultants, 10015 Old Columbia Road, Suite A-200, on behalf of US Bronze Foundry & Machine Inc., 18649 Brake Shoe Road, Meadville, PA 16335 has submitted a Notice of Intent to Remediate an area named the slag reclamation basin, which was formerly used to reclaim solids from process wastewaters at the foundry. The primary contaminants are metals, particularly lead, copper, zinc and antimony, which are entrained in the sludge, debris and soils that have filled the basin to grade. The remedial approach is to use a combination of Statewide Health and Site-Specific Standards to comply with Act 2. Publication will be in the *Meadville Tribune*.

US Bronze Foundry & Machine Inc., Woodcock Township, **Crawford County**, GeoSyntec Consultants, 10015 Old Columbia Road, Suite A-200, on behalf of US Bronze Foundry & Machine Inc., 18649 Brake Shoe Road, Meadville, PA 16335 has submitted a Notice of Intent to Remediate the foundry's soils and sediments, which are impacted with lead. Future use of the site is to remain a foundry. Remediation is expected to meet the Site-Specific Standard. Publication will be in the *Meadville Tribune*.

US Bronze Foundry & Machine Inc., Woodcock Township, **Crawford County**, GeoSyntec Consultants, 10015 Old Columbia Road, Suite A-200, on behalf of US Bronze Foundry & Machine Inc., 18649 Brake Shoe Road, Meadville, PA 16335 has submitted a Notice of Intent to Remediate the foundry's groundwater. Future use of this site is to remain a foundry. Remediation is expected to meet the Statewide Health Standard. Publication will be in the *Meadville Tribune*.

US Bronze Foundry & Machine Inc., Woodcock Township, **Crawford County**, GeoSyntec Consultants,

10015 Old Columbia Road, Suite A-200, on behalf of US Bronze Foundry & Machine Inc., 18649 Brake Shoe Road, Meadville, PA 16335 has submitted a Notice of Intent to Remediate an area named the South Parking Lot where spent foundry sand was utilized as fill to bring the area to grade. The sand contains elevated levels of metals primarily lead, copper and zinc. Future use is to remain a parking lot. Remediation is expected to meet the Site-Specific Standard. Publication will be in the *Meadville Tribune*.

US Bronze Foundry & Machine Inc., Woodcock Township, **Crawford County**, GeoSyntec Consultants, 10015 Old Columbia Road, Suite A-200, on behalf of US Bronze Foundry & Machine Inc., 18649 Brake Shoe Road, Meadville, PA 16335 has submitted a Notice of Intent to Remediate for an area with four aboveground storage tanks, that are identified to have historical releases of petroleum hydrocarbons. Also testing has showed that there are detectable concentration of several organic compounds including benzene, cumene, ethyl benzene, and naphthalene present in the soil. Intended future use of this area is a foundry. Remediation is expected to meet the Statewide Health Standards. Publication will be in the *Meadville Tribune*.

RESIDUAL WASTE GENERAL PERMITS

Application Received Under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit Application Number WMGR114. PPT Research, Inc., 460 and 515 Business Park Lane, Allentown, PA 18109. The application proposes processing of spent polyethylene glycol slurry containing silicon and silicon carbide or diamond and beneficial use in fresh slurry and in production of silicon ingots and silicon carbide. The processing is limited to mechanical separation, including filtration, thin film vacuum evaporation, spray drying, classification and grinding. The application was received by Central Office on July 12, 2006.

The original application did not include slurry containing diamond abrasive instead of silicon carbide. Diamond has been added at the request of the applicant. In addition, the original notice left out beneficial use of the processed waste in the production of silicon carbide. This has been corrected in this notice.

Comments concerning the application should be directed to Ronald C. Hassinger, Chief, General Permits/Beneficial Use Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P. O. Box 8472, Harrisburg, PA 17105-8472, (717) 787-7381. TDD users may contact the Department of Environmental Protection through the Pennsylvania Relay Service, (800) 654-5984. Public comments must be submitted by September 27, 2006, and may recommend revisions to, and approval or denial of the application.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Application Received Under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401.

Permit Application No. 101687. FMRA Inc., United States Army COE Fort Mifflin Confined Disposal Facility, Philadelphia, PA 19153, City of Philadelphia. This waste permit application was received for the construction and operation of a C and D transfer facility to be located on the United States Army Corps of Engineers Fort Mifflin site located in the City of Philadelphia. The application was received by the Southeast Regional Office on August 9, 2006

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

Permit ID No. 301291. Ashland Inc., 5200 Blazer Parkway, Dublin, OH 43017. Ashland-Neville Island Plant, 2650 Neville Road, Neville Township, PA 15225. Application for the permit renewal of a residual waste incinerator in Neville Township, **Allegheny County**, was received in the Regional Office on August 21, 2006.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Application for Determination of Applicability Received Under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

General Permit Application No. WMGR038SC002. Zircorp, LLC, 550 Sunnyside Road, Bedford, PA 15522. The Southcentral Regional Office, Waste Management Program has received an application for a determination of applicability (DOA) under Residual Waste General Permit No. WMGR038 for the Zircorp Tire Processing Facility, located in Bedford Township, **Bedford County**. This general permit is for the processing and beneficial use of waste tires, tire derived material and tire derived fuel. The application for DOA was determined to be administratively complete by the Southcentral Regional Office on August 23, 2006.

Persons interested in obtaining more information about this determination of applicability may contact the Waste Management Program at (717) 705-4706. TDD users may contact the Department through the Pennsylvania Relay Service, (800) 654-5984.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

NEW SOURCES AND MODIFICATIONS

The Department of Environmental Protection (Department) has developed an "integrated" plan approval, State

operating permit and Title V operating permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department has received applications for plan approvals and/or operating permits from the following facilities.

Copies of the applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the regional office identified in this notice. Persons interested in reviewing the application files should contact the appropriate regional office to schedule an appointment.

Persons wishing to receive a copy of a proposed plan approval or operating permit must indicate their interest to the Department regional office within 30 days of the date of this notice and must file protests or comments on a proposed plan approval or operating permit within 30 days of the Department providing a copy of the proposed document to that person or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Comments or protests filed with the Department regional offices must include a concise statement of the objections to the issuance of the Plan approval or operating permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office identified before the application. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121-143, the Federal Clean Air Act (act) and regulations adopted under the act.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001-4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Mark Wejkszner, New Source Review Chief, (570) 826-2531.

39-309-067: Lafarge North America, Inc. (5160 Main Street, Whitehall, PA 18052) for installation of a dust curtain and relocation of a fuel feed chute for tire derived fuels on Kiln No. 2 in Whitehall Township, **Lehigh County**.

35-318-092: Master Halco, Inc. (1000 North South Road, Scranton, PA 18504) for construction of one galvanizing operation and relocation of a second galvanizing

operation and the associated air cleaning devices in Scranton, **Lackawanna County**.

40-303-028: Foster Materials, Inc. (P. O. Box 1467, Skippack, PA 19474) for installation of an air cleaning device and utilization of recycled asphalt pavement at an existing batch asphalt plant (Eckley Asphalt) in Foster Township, **Luzerne County**.

39-318-116: Gateco (805 Harrison Street, Allentown, PA 18103) for construction of a paint spray booth and associated air cleaning device in Allentown, **Lehigh County**.

40-317-030: The Hershey Co. (1025 Reese Avenue, Hershey, PA 17033) for installation of a biogas flare and boiler modifications at the Hazleton Plant in the Humboldt Industrial Park, Hazle Township, **Luzerne County**.

48-322-007: Chrin Brothers, Inc. (400 South Greenwood Avenue, Easton, PA 18045) for installation of an enclosed landfill gas flare at the Chrin Brothers Sanitary Landfill in Williams Township, **Northampton County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

05-05022B: Bedford Reinforced Plastics, Inc. (264 Reynoldsdale Road, Bedford, PA 15522-7401) to install two new fiberglass reinforced plastic pultrusion production lines in East Saint Clair Township, **Bedford County**.

06-05094A: Reading Alloys, Inc. (P. O. Box 53, Robesonia, PA 19551-0053) for installation of a wet scrubber to control emissions from a crushing and sizing operation in South Heidelberg Township, **Berks County**. The scrubber will be replacing a fabric collector that was destroyed.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.

43-305C: Champion Carrier Corp. (2755 Kirila Road, Hermitage, PA 16148-9019) for replacement of two existing paint spray booths with two new spray booths in the City of Hermitage, **Mercer County**. The facility has a State-only Operating Permit.

25-044B: Building Materials Manufacturing Corp. (218 West Bayfront Parkway, Erie, PA 16507) for replacement of the HEAF Unit with a new Ultra High Efficiency Filter to control VOCs and particulate from the shingle and roll roofing production lines in the City of Erie, **Erie County**. The facility has a State-only Operating Permit.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001-4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

19-00019A: Dillon Floral Corp. (933 Columbia Boulevard, Bloomsburg, PA 17815) for construction and operation of a wood-fired boiler (Source ID 033) and installation of a multiclone collector (ID C033) to control the PM emissions from the boiler at their facility in Bloomsburg, **Columbia County**.

The Department of Environmental Protection's (Department) review of the plan approval application and information submitted by Dillon Floral Corporation indicates that the proposed boiler and the multiclone collector will meet all applicable air quality requirements pertaining to air contamination sources and the emission of air contaminants, including the Best Available Technology (BAT) requirements of 25 Pa. Code §§ 127.1 and 127.12. Based on these findings, the Department intends to issue a plan approval for the construction and operation of the wood-fired boiler and the installation of a multi-clone collector to control particulate emissions from the boiler. Additionally, if the Department determines that the boiler with a multi-clone collector are operating in compliance with all plan approval conditions, the conditions established in the plan approval will be incorporated into the State-only operating permit No. 19-00019 by means an administrative amendment under 25 Pa. Code § 127.450.

The following is a summary of the conditions the Department proposes to place in the plan approval to ensure compliance with all applicable regulatory requirements:

1. Under BAT requirements of 25 Pa. Code §§ 127.1 and 127.12, the NO_x, CO, SO_x, total PM and VOC emissions from the exhaust of ID C033 associated with Source ID 033 shall not exceed 0.22 lbs/mmBtu of heat input and 5.78 tons in any 12-consecutive month period, 0.50 lb/mmBtu of heat input and 13.14 tons in any 12-consecutive month period, 0.01 lb/mmBtu of heat input and 0.26 ton in any 12-consecutive month period, 0.22 lb/mmBtu of heat input and 5.78 tons in any 12-consecutive month period, 0.013 lb/mmBtu of heat input and 0.34 ton in any 12-consecutive month period respectively.

2. Under BAT requirements of 25 Pa. Code §§ 127.1 and 127.12, the permittee shall not emit into the outdoor atmosphere of visible air contaminants in a manner that the opacity of the emission from ID C033 associated with Source ID 033 is equal to or greater than 10% at any time. During start up and shut down of Source ID 033, the permittee shall comply with the opacity limitations as specified in 25 Pa. Code § 123.41.

3. The permittee shall perform PM and NO_x stack tests from the exhaust of ID C033 associated with Source ID 033 within 120 days from the commencement of operation of Source ID 033 to demonstrate compliance with the particulate matter and nitrogen oxide emission limitations. Additionally, the permittee shall perform opacity readings at the exhaust of ID C033 during the stack tests in accordance with EPA Method 9 to demonstrate compliance with the opacity limitation. All testing is to be done while Source ID 033 is operating at its maximum rate and using reference method test procedures acceptable to the Department.

4. At least 60 days prior to the performance of the stack testing required by this plan approval, a test plan shall be submitted to the Department for evaluation. The plan shall contain a description of the proposed test methods and dimensioned drawings or sketches showing the test port locations. The Department shall be given at least 14 days advance notice of the scheduled dates for the performance of the stack testing required by this plan approval. Within 60 days of the completion of the stack tests, two copies of the test report shall be submitted to the Department. The report shall contain the results of the tests, a description of the testing and analytical procedures actually used in performance of the tests, all process and operating data collected during the tests, a

copy of all raw data, and a copy of all calculations generated during data analysis.

5. Under BAT requirements of 25 Pa. Code §§ 127.1 and 127.12, ID C033 shall be equipped with instrumentation to measure the differential pressure across the multiclone collector and shall monitor the differential pressure across the multiclone collector on a continuous basis.

6. The permittee shall keep records of the following information for Source ID 033:

a. The stack test reports.

b. The supporting calculations on a monthly basis used to verify compliance with the NO_x, CO, SO_x, VOC and PM emission limitations in any 12-consecutive month period.

c. The differential pressure across ID C033 at least once per day.

These records shall be kept for a minimum of 5 years and shall be made available to the Department upon request

7. Under BAT requirements of 25 Pa. Code §§ 127.1 and 127.12, Source ID 033 shall be fired on virgin hardwood sawdust and wood chips consisting of green and kiln-dried wood only. No coated or treated wood, laminated wood, particleboard, flakeboard or materials other than kiln-dried wood shall be burned in this boiler.

8. Under BAT requirements of 25 Pa. Code §§ 127.1 and 127.12, the multiclone collector ash discharge system shall remain sealed from the open air at all times except when changing flyash disposal dumpster. Additionally, the level of accumulated ash in the flyash disposal dumpster shall be checked daily and the dumpster shall be emptied prior to becoming full.

9. Under BAT requirements of 25 Pa. Code §§ 127.1 and 127.12, the screener and wood conveyors of Source ID 033 shall be completely enclosed, except for the top of the screener loading hopper, to minimize the amount of fugitive emissions from the screening operation.

10. Under BAT requirements of 25 Pa. Code §§ 127.1 and 127.12, the front end loader bucket-to-hopper fall height shall be kept a minimum during loading of wood into the screener hopper of Source ID 033.

11. Under BAT requirements of 25 Pa. Code §§ 127.1 and 127.12, this plan approval is issued for the construction of an Advanced Recycling Systems Model CCUE 407-S wood-fired boiler with a rated heat input of 6.0 mmBtu/hr and an integral screener and conveyor to feed fuel to the boiler (Source ID 033). The screener and wood conveyors of Source ID 033 shall be located at the enclosed end of the boiler building. The air contaminant emissions from Source ID 033 shall be controlled by a Boiler & Steam Systems, model number AFS-12-9CYT-2 multi-clone collector (ID C033). Additionally, the permittee shall not operate Source ID 033 without the simultaneous operation of ID C033.

A copy of the plan approval application and the Department's review are available for public review between 8 a.m. and 4 p.m. at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review may be made by calling the Department at (570) 327-3693. Written comments or requests for a public hearing should be directed to Muhammad Q. Zaman, Chief, Facilities Permitting Section, Department of Environmental Protection, Air Quality Program, Northcentral Re-

gional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-0512.

41-320-002: Webb Communications (1 Maynard Street, Williamsport, PA 17701) for construction of four heatset web offset lithographic printing presses and installation of an air cleaning device (a regenerative thermal oxidizer) on two existing web offset lithographic printing presses as well as on the four new presses in the City of Williamsport, **Lycoming County**.

The VOC emissions from the dryers incorporated in the six printing presses will be controlled by the proposed regenerative thermal oxidizer. There will however be volatile HAP and other VOC emissions resulting from press operation which will not be controlled by the proposed regenerative thermal oxidizer. The total combined air contaminant emissions from the six printing presses, after control, are not expected to exceed 17.58 tons of VOCs (including up to 2.53 tons of volatile HAPs), 6.02 tons of PM₁₀, 2.28 tons of NO_x, 1.91 tons of CO and .014 ton of SO_x per year.

The facility in which the printing presses are/will be located is not a major (Title V) facility for any air contaminant.

The Department of Environmental Protection's review of the information submitted by Webb Communications indicates that the proposed and existing printing presses should comply with all applicable regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the BAT requirement of 25 Pa. Code §§ 127.1 and 127.12 (which has applicability to the two existing printing presses as well as the four proposed printing presses). Based on this finding, the Department proposes to issue plan approval.

The following is a summary of the conditions the Department proposes to place in the plan approval to be issued to ensure compliance with all applicable regulatory requirements:

1. The only fuel to be used in the printing press dryers and the regenerative thermal oxidizer shall be natural gas.

2. The capture efficiency of the volatile organic compound capture system associated with the dryers incorporated in the six printing presses shall be 100%. All VOCs captured shall be ducted to the regenerative thermal oxidizer.

3. The VOC destruction efficiency of the regenerative thermal oxidizer shall be equal to, or greater than, 98% at all times.

4. The combustion chamber of the regenerative thermal oxidizer shall be maintained at a temperature of at least 1,500°F at any time any of the printing presses is operating except that the temperature may be maintained at a lower temperature during the performance of stack testing on the regenerative thermal oxidizer (but, at no time, shall it be lower than 1,400°F).

5. The regenerative thermal oxidizer shall be equipped with instrumentation to continuously monitor and record the temperature of the oxidizer's combustion chamber as well as with interlocks to prevent operation of the printing press dryers at any time the regenerative thermal oxidizer combustion chamber temperature is less than 1,500°F (except during any stack testing performed while the regenerative thermal oxidizer is being operated at a temperature less than 1,500°F).

6. Any air compressors supplying compressed air to the regenerative thermal oxidizer shall be equipped with an air dryer and an oil trap.

7. Printing press dryers shall be equipped with fail safe switches or interlocks which shall shut down the dryer if the static pressure within the dryer is not negative in comparison to the pressure in the room in which the printing presses are located.

8. No ink used in any printing press may contain any volatile HAPs or have a VOC content in excess of 46% by weight. No more than a combined total of 397,274 pounds of ink with a VOC content in excess of 20% by weight may be used in any 12-consecutive month period.

9. The fountain solution additive used in the four proposed printing presses shall contain no more than .5 pound of VOCs or volatile HAPs per gallon of additive and shall have a vapor pressure no greater than 72.4 millimeters of mercury of 20°C.

10. The fountain solution additive used in the two existing printing presses shall contain no more than 1.2 pounds of VOCs or volatile HAPs per gallon of additive and shall have a vapor pressure of no greater than 16 millimeters of mercury of 20°C.

11. The fountain solution used in all six printing presses shall not at any time contain more than 9 fluid ounces of fountain solution additive for every gallon of fountain solution additive/water mixture.

12. The total combined amount of fountain solution additive used in the four proposed printing presses shall not exceed 3,663 gallons in any 12-consecutive month period.

13. The total combined amount of fountain solution additive used in the two existing printing presses shall not exceed 1,838 gallons in any 12-consecutive month period.

14. The blanket wash used in the four proposed printing presses shall not contain any volatile HAPs and shall have a vapor pressure of no greater than one millimeter of mercury at 20°C.

15. The blanket wash used in the two existing printing presses shall contain no more than .68 pound of volatile HAPs per gallon and shall have a vapor pressure of no greater than 3 millimeters of mercury at 20°C.

16. The total combined amount of blanket wash used in the four proposed printing presses shall not exceed 2,749 gallons in any 12-consecutive month period.

17. The total combined amount of blanket wash used in the two existing printing presses shall not exceed 1,379 gallons in any 12-consecutive month period.

18. No VOC containing or volatile HAPs containing material, other than ink, fountain solution additive, blanket wash and natural gas, may be used in any of the six printing presses or the regenerative thermal oxidizer.

19. Containers of VO containing materials or volatile HAPs containing materials used in, or in association with, the six printing presses shall be kept closed except when removing material from, or placing material into, the containers. VOC containing or volatile HAP-containing cleaning cloths or rags shall be stored in closed containers except when in actual use and shall never be treated in any manner which would unnecessarily promote the evaporative loss of VOC or volatile HAPs to the atmosphere.

20. The concentration of PM/PM₁₀ in the exhaust of the regenerative thermal oxidizer shall not exceed .01 grain per dry standard cubic foot of effluent gas volume. Additionally, there shall be no visible emissions other than water vapor or steam.

21. The total combined VOC emissions resulting from the operation of all six of the printing presses shall not exceed 17.58 tons in any 12-consecutive month period, the total combined volatile HAPs emissions shall not exceed 2.53 tons in any 12-consecutive month period, the total combined PM/PM10 emissions shall not exceed 6.02 tons in any 12-consecutive month period, the total combined NOx emissions shall not exceed 2.28 tons in any 12-consecutive month period, the total combined CO emissions shall not exceed 1.91 tons in any 12-consecutive month period and the total combined SOx emissions shall not exceed .014 ton in any 12-consecutive month period.

22. None of the four proposed printing presses shall be operated at any time without the simultaneous operation of the regenerative thermal oxidizer. Following the installation of the regenerative thermal oxidizer, neither of the existing two printing presses shall be operated at any time without the simultaneous operation of the regenerative thermal oxidizer.

23. Within 90 days of completing the construction of the fourth new printing press, but no later than 180 days of completing the construction of the first new printing press, and every 2 years thereafter, the permittee shall perform simultaneous stack testing on the inlet and outlet of the regenerative thermal oxidizer to determine its volatile organic compound destruction efficiency. Testing is to be performed using test methods and procedures which are acceptable to the Department while operating as many of the six printing presses as the permittee ever wishes to operate at the same time and while operating the regenerative thermal oxidizer at the lowest combustion chamber temperature the permittee ever wishes to operate it (but not less than 1,400°F). Operation of the regenerative thermal oxidizer during the testing at a combustion chamber temperature in excess of 1,500°F will result in the establishment of the higher temperature as the future minimum required combustion chamber temperature.

24. Comprehensive accurate records shall be maintained of:

a. The identity amount VOC content, volatile HAP content and acetone content of each ink used each month.

b. The identity amount VOC content volatile HAP content, acetone content and vapor pressure of the fountain solution additive used in the four new printing presses each month.

c. The identity amount VOC content volatile HAP content acetone content and vapor pressure of the fountain solution additive used in the two existing printing presses each month.

d. The fountain solution additive/water mix ratios maintained in each printing press.

e. The identity amount VOC content volatile HAP content acetone content and vapor pressure of the blanket wash used in the four new printing presses each month.

f. The identity amount VOC content volatile HAP content acetone content and vapor pressure of the blanket wash used in the two existing printing presses each month.

g. The regenerative thermal oxidizer combustion chamber temperature including accurate date and time for all temperatures recorded.

This data shall be reported to the Department on a quarterly basis.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.

33-002C: Owens Brockway Glass Container (3831 Route 219 North, Brockport, PA 15823) for modification of the Hot End Surface Treatment (HEST) plan approval 33-309-017A in Snyder Township, **Jefferson County**.

In accordance with 25 Pa. Code §§ 127.44(b) and 127.424(b), the Department of Environmental Protection (Department) intends to issue a plan approval for their plant in Snyder Township, Jefferson County. The facility currently has a Title V Permit No. TV33-00002. This plan approval will, in accordance with 25 Pa. Code § 127.450, be incorporated into the Title V operating permit through an administrative amendment at a later date.

Plan approval No. 33-002C is for the modification of the HEST plan approval 33-309-017A. The modification will replace the coating agent of tin tetrachloride with monobutyltin trichloride (MBTT). Ammonia emissions from the process will be limited to 250 ppm, 2.8 lbs/hr, and 12.3 TPY. VOC emissions will be limited to 0.8 lb/hr and 3.2 TPY. HCL emissions will be limited to 0.025 lb/hr and 0.1 TPY. The applicant will be required to comply with the outlet particulate emission rate of 0.02 gr/dscf. In addition to the emission testing the applicant will be required to monitor the ammonia concentration on a weekly basis using a colorimetric detector or equivalent method approved by the Department. The facility will be required to record the pressure drop across the baghouse, the MBTT addition rate, and the ammonia injection rate. The applicant will be required to report ammonia concentrations exceeding 250 ppm within 24 hours. The Plan Approval and Operating Permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the applications, Department's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the Northwest Regional Department Office, 230 Chestnut St., Meadville, PA 16335.

Persons wishing to provide Department with additional information that they believe should be considered prior to the issuance of this permit may submit the information to the address shown in the preceding paragraph. The Department will consider any written comments received within 30 days of the publication of this notice. Each written comment must contain the following:

Name, address and telephone number of the person submitting the comments.

Identification of the proposed permit (Permit Nos. 33-002C).

A concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the comments received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, when the Department determines telephone notification is sufficient. Written comments or requests for a public hearing should be directed to Matthew Williams, New Source Review, Air Quality Program, 230 Chestnut Street, Meadville, PA 16335, (814)-332-6940.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodations to do so should by contacting Matthew Williams, or the Pennsylvania AT&T relay service at (800) 654-5984 (TDD) to discuss how the Department may accommodate your needs.

If a plan approval has not undergone the above public notice process the change to an operating permit must be treated as a significant modification. In these situations the Department should follow the procedures described in §§ 127.421 to 127.431 for state only operating permits or §§ 127.521—127.524 for Title V operating permits.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Edward Jurdones Brown, Facilities Permitting Chief, (484) 250-5920.

46-00012: Philadelphia Newspapers, Inc. (800 River Road, Conshohocken, PA 19428-2632) for renewal of their Title V Operating Permit in Upper Merion Township, **Montgomery County**. The initial permit was issued on 11-7-2001. The facility prints and distributes daily and weekly news publications. As a result of potential emissions of VOCs and NOx, the facility is a major stationary source as defined in Title I, Part D of the Clean Air Act Amendments, and is therefore subject to the Title V permitting requirements adopted in 25 Pa. Code Chapter 127, Subchapter G. The proposed Title V Operating Renewal does not reflect any change in air emissions from the facility. The facility is not subject to Compliance Assurance Monitoring under 40 CFR Part 64.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Mark Wayner, Facilities Permitting Chief, (412) 442-4174.

11-00318: Ebensburg Power Co., Inc. (2840 New Germany Road, P. O. Box 845, Ebensburg, PA 15931) for operation of a steam/electric cogeneration facility at their Ebensburg Cogeneration facility in Cambria Township, **Cambria County**. This is a Title V Operating Permit Renewal.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Eric Gustafson, New Source Review Chief, (814) 332-6940.

37-00003: Essroc Cement (2nd Street, Bessemer, PA 16112) for the proposed re-issuance of the Title V Operating Permit previously issued to the facility in Bessemer Borough, **Lawrence County**. The reissued permit includes all modifications made to the National Emission Standard for Hazardous Air Pollutants, Subpart LLL as well as the NOx Budget Rule requirements contained in 25 Pa. Code Chapter 145, Subchapter C.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

67-05064: York Building Products (950 Smile Way, York, PA 17404-1798) for renewal of their State-only Operating Permit for operation of their asphalt plant in Spring Garden Township, **York County**. The renewal of

the state only operating permit will include monitoring, recordkeeping, reporting requirements, emission restrictions, and work practice standards designed to keep the facility operating within all applicable air quality requirements.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

41-00028: Koppers Industries, Inc. (P. O. Box 189, Montgomery, PA 17752) for renewal of State Only Operating Permit 41-00028 for a railroad crosstie treatment facility in Clinton Township, **Lycoming County**.

The facility consists of three treatment cylinders in which wooden crossties are treated with creosote as well as associated creosote storage tanks, condensate tanks, a 33,475,000 Btu per hour No. 2 fuel oil-fired boiler, a treated crosstie storage area, several cutoff saws, a 220 horsepower diesel-fired fire pump, a wastewater treatment plant and a fuel oil storage tank. The air contaminant emissions from the three treatment cylinders, the creosote storage tanks and one of the condensate tanks (the "blow-down tank") are controlled by four condensers. The particulate matter emissions from the cutoff saws are controlled by two cyclone collectors.

The air contaminant emissions from the facility are not expected to exceed 49.04 tons of NOx, 37.73 tons of SOx, 13.93 tons of VOCs, 12.55 tons of CO, 6.33 tons of PM 3.77 tons of which could be PM10 and 6.91 tons of HAPs per year.

For the purposes of the Title V operating permit program, the facility is not a major facility for any air contaminant.

The Department of Environmental Protection (Department) proposes to renew State-only Operating Permit 41-00028. The Department intends to incorporate into this renewal all conditions currently contained in State Only Operating Permit 41-00028 with these exceptions, changes and/or additions:

1. A "synthetic minor" condition limiting the facility's sulfur oxides emissions to less than 100 tons per year has been deleted as it is no longer possible for the facility to emit 100 or more tons of sulfur oxides per year. The respective condition is consequently no longer needed.

2. Conditions requiring weekly "walk around" inspections of the facility and the maintenance of records of these inspections have been removed as the respective conditions infer that facility personnel need monitor the facility's air contamination sources only once per week. The monitoring of sources should be an integral part of normal source operation and should therefore occur on a more-or-less continuous basis.

3. A condition has been added prohibiting the creation of air pollution, as defined in the Pennsylvania Air Pollution Control Act.

4. Several conditions have been modified to reflect the existence of four condensers associated with the facility's three treatment cylinders and the creosote storage tanks rather than one condenser, as is erroneously stated in the current permit. These conditions have also been modified to reflect the existence of a blow-down tank and a decanter tank, neither of which is mentioned in the current permit.

5. A condition has been added prohibiting the use of diesel fuel in the facility's fire pump to which recycled/reprocessed oil, waste oil or other waste materials have been added.

6. Conditions requiring the maintenance of records of the calculations used to verify compliance with the applicable PM emission limit for the facility's cutoff saws have been deleted as such calculations are, at best, only crude emission estimates which cannot possibly be used to "verify compliance" with anything. The records are consequently of no value.

7. A condition requiring the maintenance of records of the vapor pressure of the materials stored in the facility's No. 2 fuel oil storage tank has been replaced with a condition requiring the maintenance of records of the identity of the materials stored in the respective tank.

8. The facility's wastewater treatment plant has been added to the permit as an air contamination source.

**COAL AND NONCOAL MINING
ACTIVITY APPLICATIONS**

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of an application is available for inspection at the district mining office indicated before an application. Where a 401 Water Quality Certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for certification.

Written comments, objections or requests for informal conferences on applications may be submitted by any person or any officer or head of any Federal, State or

local government agency or authority to the Department at the district mining office indicated before an application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Where any of the mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. NPDES permits will contain, at a minimum, technology-based effluent limitations as identified in this notice for the respective coal and noncoal applications. In addition, more restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit, when necessary, for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies who have requested review of NPDES permit requirements for a particular mining activity within the previously mentioned public comment period will be provided with a 30-day period to review and submit comments on the requirements.

Written comments or objections should contain the name, address and telephone number of the person submitting comments or objections; the application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor wishes to have the conference conducted in the locality of the proposed mining activities.

Coal Applications Received

Effluent Limits—The following coal mining applications that include an NPDES permit application will be subject to, at a minimum, the following technology-based effluent limitations for discharges of wastewater to streams:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	
Alkalinity greater than acidity*			

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: (1) surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; and mined areas backfilled and revegetated; and (2) drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900,

11960101 and NPDES No. PA0234176. M. B. Energy, Inc. (175 McKnight Road, Blairsville, PA 15717-7960).

Permit renewal for reclamation only of a bituminous surface mine in Jackson Township, **Cambria County**, affecting 311.0 acres. Receiving streams: UNTs to Laurel Run, Laurel Run classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received: August 15, 2006.

56960107. PBS Coals, Inc. (P. O. Box 260, Friedens, PA 15541). Permit renewal for the continued operation and restoration of a bituminous surface-auger mine in Jenner Township, **Somerset County**, affecting 129.9 acres. Receiving streams: UNTs to/and Quemahoning Creek classified for the following use: CWF. The first

downstream potable water supply intake from the point of discharge is Cambria Somerset Authority Quemahoning SWI. Application received: August 11, 2006.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, (724) 925-5500.

03050103 and NPDES Permit No. PA0250961. Mountain Coal Co., Inc. (11931 SR 85, Kittanning, PA 16201). Application for commencement, operation and reclamation of a bituminous surface mine, located in Madison Township, **Armstrong County**, affecting 140.8 acres. Receiving stream: UNT to Allegheny River, classified for the following use: WWF. The public water supply intake within 10 miles downstream from point of discharge: Allegheny Power. Application received: August 9, 2006.

02-04-03 and NPDES Permit No. PA0250686. Coventry Park, LLC (533 Locust Place, Sewickley, PA 15143). Name change from Mashuda Corp. to Coventry Park, LLC for a pending Government Financed Construction Contract, located in Robinson Township, **Allegheny County**, affecting 40.9 acres. Receiving stream: Moon Run, classified for the following use: WWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Revision received: July 17, 2006.

03010106 and NPDES Permit No. PA0250031. Black Rock Coal Company, Inc. (1107 University Drive, Dunbar, PA 15431). Application received for transfer of permit currently issued to Seven Sisters Mining Co., Inc., for continued operation and reclamation of a bituminous surface mining site located in South Bend Township, **Armstrong County**, affecting 34.3 acres. Receiving streams: Crooked Creek and UNT to Allegheny River, classified for the following use: WWF. There are no potable water supply intakes within ten miles of the point of discharge. Transfer application received: August 1, 2006.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

33850123 and NPDES Permit No. PA0106801. Waroquier Coal Company (P. O. Box 128, Clearfield, PA 16830). Renewal for an existing bituminous surface strip operation in Washington Township, **Jefferson County** affecting 203.2 acres. Receiving streams: UNT to Mill Creek to the Little Mill Creek; UNT to Rattlesnake Run and Rattlesnake Run, classified for the following use: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application for reclamation only. Application received: August 11, 2006.

16050113 and NPDES Permit No. PA0258075. Timothy A. Keck (93 Carrier Street, Summerville, PA 15864). Revision to an existing bituminous surface strip

operation in Monroe Township, **Clarion County** affecting 19.0 acres. Receiving streams: one UNT to Sloan Run and Sloan Run, one UNT to Reids Run and Reids Run and Piney Creek, classified for the following use: CWF. There are no potable surface water supply intakes within 10 miles downstream. Revision to add blasting. Application received: August 15, 2006.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200.

41940101 and NPDES No. PA0219843. Fisher Mining Company (40 Choate Circle, Montoursville, PA 17754). Permit renewal for the continued operation and restoration of a bituminous surface mine in Pine and McHenry Townships, **Lycoming County**, affecting 640.0 acres. Receiving streams: Buckeye Run, Otter Run to Little Pine Creek, classified for the following use: HQ-CWF. There are no potable water supply intakes within 10 miles downstream. Application received: July 6, 2006.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

40762308R4. Popple Brother Coal Company (P. O. Box 126, Duryea, PA 18642). Renewal of an existing coal refuse reprocessing, disposal and prep plant operation in Duryea and Old Forge Boroughs and Ransom Township, **Luzerne and Lackawanna Counties** affecting 130.0 acres, receiving stream: none. Application received: August 11, 2006.

40850102R3. Northeast Energy Co. (254 Johnston Street, Wilkes-Barre, PA 18702). Renewal of an existing anthracite surface mine operation in Laurel Run Borough, **Luzerne County** affecting 111.1 acres, receiving stream: none. Application received: August 14, 2006.

Coal Applications Returned

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

56060106 and NPDES No. PA0249980. PBS Coals, Inc. (P. O. Box 260, Friedens, PA 15541). Commencement, operation, and restoration of a bituminous surface-auger mine in Stonycreek Township, **Somerset County**, affecting 501.2 acres. Receiving streams: Schrock Run, UNT to Glades Creek, UNT to Buck Run, UNT No. 1 to Schrock Run (all tributaries of Stonycreek River) classified for the following uses: CWF, WWF; CWF; CWF. There are no potable water supply intakes within 10 miles downstream. Application received: April 27, 2006. Application returned: August 14, 2006.

Noncoal Applications Received

Effluent Limits

The following noncoal mining applications that include an NPDES permit application will be subject to, at a minimum, the following technology-based effluent limitations for discharges of wastewater to streams:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Average</i>	<i>Instantaneous Maximum</i>
suspended solids	35 mg/l	70 mg/l	90 mg/l
Alkalinity exceeding acidity ¹			
pH ¹		<i>greater than 6.0; less than 9.0</i>	

¹ The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipita-

tion event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction

of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, (724) 925-5500.

2969BSM24. Potato Ridge, LLC (520 West Short Street, Lexington, KY 40507). Application received for transfer of permit currently issued to Department of Conservation and Natural Resources for continued operation and reclamation of a noncoal surface mining site located in Stewart Township, **Fayette County**, affecting 169.8 acres. Receiving streams: Laurel Run, classified for the following use: WWFs. Transfer application received: July 28, 2006.

2966BSM50 and NPDES Permit No. PA0202851. Potato Ridge, LLC (520 West Short Street, Lexington, KY 40507). Application for transfer of permit currently issued to Kaiser Refractories, Inc., for continued operation and reclamation of a noncoal surface mining site located in Stewart Township, **Fayette County**, affecting 65.0 acres. Receiving streams: UNT to Laurel Run and Laurel Run, classified for the following use: WWF. Transfer application received: July 28, 2006.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

2079301. William J. and Sue A. Thompson (16925 Phelps Road, Linesville, PA 16424). Revision to an existing sand and gravel mine in Conneaut Township, **Crawford County** affecting 36.2 acres. Receiving streams: Blackjack Swamp to Blackjack Run, unclassified. There are no potable surface water supply intakes within 10 miles downstream. Revisions to mine beneath the groundwater table for 15 to 18 feet and to request a postmining land use change from cropland to unmanaged water impoundment and the fringe areas surrounding the lake to be considered unmanaged natural habitat. Application received: August 16, 2006.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

64010811. Paul R. Gustin (P. O. Box 105, Preston Park, PA 18455). Stages I and II bond release for a quarry operation in Mt. Pleasant Township, **Wayne County** affecting 1.0 acre on property owned by Bill Bochicchio. Application received: August 9, 2006.

6276SM1A1C4 and NPDES Permit No. PA0594571. Martin Limestone, Inc. (P. O. Box 550, Blue Ball, PA 17506). Renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in Salisbury Township, **Lancaster County**, receiving stream: UNT of Pequea Creek, classified for the following use: CWF. Application received: August 10, 2006.

45950801. Harold Post (77 Talcott Hill Road, Shickshinny, PA 18655). Stages I and II bond release for a quarry operation in Ross Township, **Luzerne County** affecting 5.0 acres on property owned by Harold Post. Application received: August 17, 2006.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (Department). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the State to certify that the

involved projects will not violate the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA or to the issuance of a Dam Permit, Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment must submit comments, suggestions or objections within 30 days of the date of this notice, as well as questions, to the regional office noted before the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Individuals will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on each working day at the regional office noted before the application.

Persons with a disability who wish to attend a hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401(a) of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

E52-203. Finan Family Trust, 830 Twin Lakes Road, Shohola, PA 18458, in Shohola Township, **Pike County**, United States Army Corps of Engineers, Philadelphia District. To construct and maintain a 14-foot wide steel driveway crossing of Twin Lakes Creek (HQ-CWF) having a 38-foot span and a 6-foot underclearance. The project is located on the north side of T-446 (Parkers Glen Road) approximately 1.7 miles north of SR 1007 (Woodtown Road). (Shohola, PA-NY Quadrangle N: 8.2 inches; W: 2.1 inches).

E39-467. Trexler Fields Twin Home Projects, LLC, 5930 Hamilton Blvd., Suite 10, Wescosville, PA 18106, in Upper Macungie Township, **Lehigh County**, United States Army Corps of Engineers, Philadelphia District.

To remove the existing Trexler Road Bridge across Schafer Run (HQ-CWF); to construct and maintain a bridge having a 36-foot span and a 9-foot underclearance across Schafer Run and 0.24 acre of adjacent wetlands; and to construct and maintain a 10-inch diameter concrete encased PVC sanitary line crossing of Schafer Run. The project is located adjacent to Trexler Road approximately 1.3 miles east of Mertztown Road. (Topton, PA Quadrangle N: 7.0 inches; W: 2.8 inches).

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

E67-806: Susquehanna Radio Corporation, 5989 Susquehanna Plaza Drive, York, PA 17406-8910 in Manchester township, **York County**, ACOE Baltimore District.

To construct and maintain a 12-foot wide by 3.5-foot high by 30-foot long precast concrete box culvert in a UNT to Codorus Creek (WWF) (York, PA Quadrangle N: 22.6 inches, W: 17.1 inches; Latitude 39° 59' 59", Longitude: 76° 44' 49") in Manchester Township, York County.

E50-234: Department of Transportation, Engineering District 8-0, 2140 Herr Street, Harrisburg, PA 17103-1699 in Carroll Township, **Perry County**, ACOE Baltimore District.

To: (1) remove the existing two-lane, three-span, bridge having a total span of 120 feet, a width of 25 feet and an underclearance of approximately 18 feet; and (2) construct and maintain a two span bridge having a total span of approximately 232 feet, a width of 48 feet, and a minimum underclearance of approximately 16 feet carrying SR 0034, over Sherman Creek (WWF) at a point approximately 1,300 feet south of the intersection of SR 2001 (Windy Hill Road) and SR 0034 (Shermans Dale, PA Quadrangle N: 13.3 inches; W: 6.2 inches, Latitude 40° 19' 24"; Longitude: 77° 10' 09") in Carroll Township, Perry County. This permit also authorizes the installation of a temporary causeway for the purpose of constructing the new bridge, and removing the old bridge. The applicant is required to provide 0.26-acre of replacement PEM wetland.

E05-341: Department of Transportation, Engineering District 9-0, 1020 North Juniata Street, Holidaysburg, PA 16648 in East St. Clair Township, **Bedford County**, ACOE Baltimore District.

To reconstruct and widen SR 56 Section 12 in East St. Clair Township, Bedford County (Bedford, PA Quadrangle N: 22.2 inches; W: 11.0 inches, Latitude: 40° 00' 00"; Longitude: 76° 30' 00"); for the purpose of improving traffic safety involving the following:

1. Remove an existing 42-inch RCP and construct and maintain a 54-inch RCP carrying SR 4028 over a UNT to Adams Run (WWF) at the intersection of SR 4028 and SR 0056;

2. Relocate and maintain four separate reaches of UNT to Adams Run (WWF) between Stations 572+00 and 578+50; 587+00 and 589+70; 590+60 and 591+15; 600+50 and 602+25. Relocation will result in permanent impacts to 25 lineal feet of stream and temporary impacts to 219 feet of stream.

3. Maintain fill within a total of 0.47-acre of PEM wetlands and temporarily impact another 0.20-acre of PEM wetland associated with UNTs to Adams Run at Stations 586+00; 587+00; 592+00; 589+00; 577+00; 595+00; and 599+00;

The applicant is required to provide 0.47 acre of replacement PEM wetland. The applicant met stream channel compensation requirements by funding the removal of an abandoned dam located on Blacklog Creek in Huntingdon County.

E05-340: Department of Transportation, Engineering District 9-0, 1020 North Juniata Street, Hol-

lidayburg, PA 16648 In East St. Clair Township, **Bedford County**, ACOE Baltimore District.

To reconstruct and widen SR 56 Section 10 in East St. Clair Township, Bedford County for the purpose of improving traffic safety involving the following:

1. Construct and maintain a 30-inch pipe outfall and associated riprap apron with a UNT to Stone Creek (WWF) (Alumbank, PA Quadrangle N: 11.6 inches; W: 2.6 inches, Latitude: 40° 08' 21"; Longitude: 78° 34' 59");

2. Remove an existing 36-inch RCP and construct and maintain a 48-inch RCP within a UNT to Stone Creek (WWF) (Alumbank, PA Quadrangle N: 11.5 inches; W: 1.5 inches, Latitude: 40° 07' 59"; Longitude: 78° 34' 56");

3. Remove an existing 4-foot by 6-foot concrete arch culvert and construct and maintain a 78-inch by 78-inch concrete box culvert within the channel of Stone Creek (WWF) (Alumbank, PA Quadrangle N: 11.5 inches; W: 1.3 inches, Latitude: 40° 07' 55"; Longitude: 78° 34' 57");

4. Remove an existing 48-inch RCP and construct and maintain a 48-inch by 76-inch RCP within a UNT to Stone Creek (WWF) (Alumbank, PA Quadrangle N: 11.5 inches; W: 3.3 inches, Latitude: 40° 08' 36"; Longitude: 78° 34' 58");

5. Relocate and maintain an ephemeral UNT to Stone Creek (WWF) between Stations 532+00 and 535+50 (Alumbank, PA Quadrangle N: 11.6 inches; W: 1.6 inches, Latitude: 40° 08' 01"; Longitude: 78° 34' 59"). Relocation will result in temporary impacts to 402 lineal feet of stream channel.

6. Maintain fill within a total of 0.73 acre of PEM wetlands and temporarily impact another 0.41 acre of PEM wetland associated with UNTs to Stone Creek at Stations 497+00; 530+00; 534+00; and 531+00;

The applicant is required to provide 0.73 acre of replacement PEM wetland. The applicant met stream channel compensation requirements by funding the removal of an abandoned dam located on Blacklog Creek in Huntingdon County.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701, (570) 327-3636.

E14-494. Robert and Barbara Maloit, 10 Mountain Trail, Prince Frederick, MD 20768. Maloit Bridge Crossing, in Huston Township, **Centre County**, ACOE Baltimore District (Julian, PA Quadrangle N: 22.3 inches; W: 10.9 inches).

To construct and maintain: 1) 806 cubic yards of clean fill to make the 330 linear feet of bridge approaches that are in the 100-year floodway and are part of a 16-foot wide by 2,200 foot long driveway to a proposed out-of-floodway private home; 2) a 16-foot wide by 40-foot long steel "I" beam bank-to-bank bridge over Laurel Run that has a 137 square foot hydraulic opening, a 40-foot clear span and a 5-foot underclearance; 3) two 36-inch diameter culverts in the driveway to convey minor tributaries to Laurel Run; 4) a 20-foot long 36-inch diameter HDPE culvert with two sand bag dams to temporarily convey stream water through a dry bridge construction site; 5) 30 linear feet of R-5 riprap on the right streambank immediately upstream of the bridge; 6) a total of 3,955 square feet of wetland impact (0.09 acre) associated with the driveway construction. The applicants are proposing to

replace these wetlands onsite, at a 2:1 ratio, by creating 8,000 square feet of wetlands east of the bridge location within the floodplain area. This project proposes to temporarily impact 60 linear feet and permanently impact 30 linear feet of Laurel Run, which is classified as an Exceptional Quality watershed with wild trout population.

Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E63-588. Canonsburg Borough, 68 East Pike Street, Canonsburg, PA 15317. To maintain bank stabilization and construct access road in Canonsburg Borough, **Washington County**, Pittsburgh ACOE District. (Canonsburg, PA Quadrangle N: 1.41 inches; W: 10.39 inches and Latitude: 40° 15' 28"—Longitude: 80° 11' 58"). The applicant proposes to place and maintain approximately 500' of bank stabilization and to construct approximately 660' of gravel access road for the purpose of flood control and bank stabilization. The project is located approximately 600' east of the intersection of West Pike and Strabane Avenue.

E65-747 A1. Thomas and Sandra Usher Youth Camp, a PA Nonprofit Corporation, 400 Manordale Road, Pittsburgh, PA 15241. To amend Permit E65-747 and enlarge the existing Lake Janet Ruth in Cook Township, **Westmoreland County**, Pittsburgh ACOE District. (Stahlstown, PA Quadrangle N: 11.00 inches; W: 0.2 inch and Latitude: 40° 11' 8"—Longitude: 79° 15' 5"). The applicant proposes to amend Permit E65-747 to enlarge

and maintain the existing Lake Janet run on Loyalhanna Creek (HQ-CWF) to create a water surface area of 1.5 acres for the purpose of providing additional area for the camp's activities. The project is located at the Usher Youth Camp approximately 600 feet south of SR 381.

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

E20-547, Allegheny College, 520 North Main Street, Meadville, PA 16335. Construction Fill Area, in the City of Meadville, **Crawford County**, ACOE Pittsburgh District (Meadville, PA Quadrangle N: 5.8 inches; W: 3.8 inches).

The applicant proposes to fill 0.58 acre of wetland with 35,000 cubic yards of clean fill from campus construction projects over a 10 to 15 year period. 0.61 acre of on-site mitigation is proposed. The project proposes to directly impact 0.58 acre of wetland.

E42-324, Chevron Environmental Management Company, 6001 Bollinger Canyon Road, K2094, San Ramon, CA 94583-2324. Rixford Getty/Tidewater Pumping Station Restoration Project, in Otto Township, **McKean County**, ACOE Pittsburgh District (Eldred, PA Quadrangle N: 41, 55', 51"; W: 78, 29', 06").

To excavate and remove waste materials, soil and other restoration activities that will temporarily impact a total of 0.29 acre of wetland (PSS) on property located along the north side of SR 246 just east of the Village of Rixford. Project is proposed to result in restoration and re-establishment of the impacted wetland.

ACTIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT FINAL ACTIONS TAKEN FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

The Department of Environmental Protection (Department) has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and Notices of Intent (NOI) for coverage under general permits. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or amendment
Section III	WQM	Industrial, sewage or animal wastes; discharges to groundwater
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

Sections I—VI contain actions related to industrial, animal or sewage wastes discharges, discharges to groundwater and discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities and concentrated animal feeding operations (CAFOs). Section VII contains notices for parties who have submitted NOIs for coverage under general NPDES permits. The approval for coverage under general NPDES permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions set forth in each general permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective permit. Permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the

Pennsylvania Bulletin, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0008281	PPL Brunner Island, LLC Brunner Island Steam Electric Station Two North Ninth Street GENPL-6 Allentown, PA 18101-1179	East Manchester Township York County	Susquehanna River Conewago Creek and Hartman Run 7-F and 7-H	N

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

NPDES Permit No. PA0012432, Industrial Waste, **Sunny Dell Foods, Inc.** 135 North Fifth Street, Oxford, PA 19363. This proposed facility is located in Oxford Borough, **Chester County**.

Description of Proposed Action/Activity: Approval for the renewal to discharge from the facility into a UNT to West Branch Big Elk Creek in Watershed 7K.

NPDES Permit No. PA0052256, Industrial Waste, **The Fredericks Company**, 2400 Philmont Avenue, Huntingdon Valley, PA 19006. This proposed facility is located in Lower Moreland Township, **Montgomery County**.

Description of Proposed Action/Activity: Approval for the renewal to discharge from the facility into Huntingdon Valley Creek in Pennypack Creek Watershed 3J.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

NPDES Permit No. PA0029041, Sewage, **Penn West Conference of United Church of Christ**, Camp Living Waters, 300 Camp Living Water Road, Schellsburg, PA 15559. This proposed facility is located in Napier Township, **Bedford County**.

Description of Proposed Action/Activity: Authorization to discharge to the Shawnee Branch in Watershed 11-C.

NPDES Permit No. PA0088609, Sewage, **Broad Top Township, Riddlesburg Wastewater Treatment Facility**, P. O. Box 57, Defiance, PA 16633-0057. This proposed facility is located in Broad Top Township, **Bedford County**.

Description of Proposed Action/Activity: Authorization to discharge to the Raystown Branch Juniata River in Watershed 11-D.

NPDES Permit No. PA0081361, Sewage, **Memphord Estates Sewerage Company, Inc.**, 148 South Baltimore Street, Dillsburg, PA 17109-1007. This proposed facility is located in Monaghan Township, **York County**.

Description of Proposed Action/Activity: Authorization to discharge to the Stony Run in Watershed 7-E.

NPDES Permit No. PA0082163, Sewage, **New Life for Girls**, Box D-700, Dover, PA 17315. This proposed facility is located in Conewago Township, **York County**.

Description of Proposed Action/Activity: Authorization to discharge to a UNT of Laurel Run in Watershed 7-F.

NPDES Permit No. PA0247855, Sewage, **Belfast Township Supervisors, Needmore Wastewater Treatment Facility**, 121 Homestead Lane, Needmore, PA 17238. This proposed facility is located in Belfast Township, **Fulton County**.

Description of Proposed Action/Activity: Authorization to discharge to the Tonoloway Creek in Watershed 13-B.

NPDES Permit No. PA0248240, Sewage, **Matt D. Madden**, 20 South Hanover Street, Carlisle, PA 17013. This proposed facility is located in North Middleton Township, **Cumberland County**.

Description of Proposed Action/Activity: Authorization to discharge to the Conodoguinet Creek in Watershed 7-B.

NPDES Permit No. PA0248321, Sewage, **Hurley/Morrison**, Lot. No. 2, 50 Frytown Road, Newville, PA 17241. This proposed facility is located in Upper Frankford Township, **Cumberland County**.

Description of Proposed Action/Activity: Authorization to discharge to the UNT to Conodoguinet Creek in Watershed 7-B.

NPDES Permit No. PAS143501, Stormwater, **Adhesives Research, Inc.**, 400 Seaks Run Road, Glen Rock, PA 17327. This proposed facility is located in Springfield Township, **York County**.

Description of Proposed Action/Activity: Authorization to discharge to a UNT of Seaks Run in Watershed 7-H.

NPDES Permit No. PA0008826, Industrial Waste, **A. P. Green Refractories, Inc.**, Sproul Plant, R. D. 1, Box 588D, Claysburg, PA 16625. This proposed facility is located in Greenfield Township, **Blair County**.

Description of Proposed Action/Activity: Authorization to discharge to Boiling Spring Run in Watershed 11-A.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

NPDES Permit No. PA0239801, Sewage, **Rory Hamilton**, 2147 Hare Road, Waterford, PA 16441. This proposed facility is located in Waterford Township, **Erie County**.

Description of Proposed Action/Activity: This is a single residence sewage treatment plant discharging to a UNT to Wheeler Creek in Watershed 16-A.

NPDES Permit No. PA0239666, Sewage, **Tracey, Inc.**, P. O. Box 55, Valencia, PA 16059. This proposed facility is located in Clinton Township, **Butler County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to a UNT to Bull Creek in Watershed 18-A.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

WQM Permit No. 4006402, Sewerage, **Can Do, Inc.**, One South Church Street, Hazleton, PA 18201. This proposed facility is located in Hazle Township, **Luzerne County**.

Description of Proposed Action: Issuance of Water Quality Management Permit. The project consists of modifications and additions to the existing wastewater treatment plant for nutrient removal and increasing the hydraulic capacity of the plant to 1.0 mgd.

WQM Permit No. 3906401, Sewerage, **Allied Utility Services, Inc.**, P. O. Box 1488, Skippack, PA 19474-1488. This proposed facility is located in North Whitehall Township, **Lehigh County**.

Description of Proposed Action: Issuance of Water Quality Management Permit.

For construction and operation of new headworks, modified aeration system, installation of an intrum microscreen drum filter and chemical feed system.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

WQM Permit No. 2906402, Sewerage, **Belfast Township Supervisors**, 121 Homestead Lane, Needmore, PA 17238. This proposed facility is located in Belfast Township, **Fulton County**.

Description of Proposed Action/Activity: Approval for the construction/operation of sewerage facilities consisting of an 0.030 mgd extended aeration wastewater treatment plant, three pump stations, approximately 10,000 feet of Sanitary Sewers and associate appurtenances.

WQM Permit No. 2106405, Sewerage, **Matt D. Madden**, 20 South Hanover Street, Carlisle, PA 17013. This proposed facility is located in North Middletown Township, **Cumberland County**.

Description of Proposed Action/Activity: Approval for the construction/operation of sewerage facilities consisting of a residential small flow treatment facility using a septic tank, Ecoflow peat filter, and chlorine disinfection.

WQM Permit No. WQG02210601, Sewerage, **South Middleton Township Municipal Authority**, 345 Criswell Drive, Boiling Springs, PA 17007-0008. This proposed facility is located in South Middleton Township, **Cumberland County**.

Description of Proposed Action/Activity: Approval for the construction/operation of sewerage facilities consisting of a duplex submersible pump station with rail mounted comminutor assembly and a 4-inch diameter force main connecting to MH562-24 in Buckthorn Drive.

WQM Permit No. 0706402, Sewerage, **Greenfield Township Municipal Authority**, P. O. Box 372, Claysburg, PA 16625. This proposed facility is located in Greenfield Township, **Blair County**.

Description of Proposed Action/Activity: Permit approval for the construction/operation of sewerage facilities consisting of the replacement of approximately 7,900 linear feet of 10-inch interceptor with 21-inch PVC interceptor.

WQM Permit No. WQG-02210602, Sewerage, **Cumberland Franklin Joint Municipal Authority**, 725 Municipal Drive, Shippensburg, PA 17257. This proposed facility is located in Shippensburg and Southampton Townships, **Cumberland County**.

Description of Proposed Action/Activity: Approval for the construction and operation of a Sewer Extension.

WQM Permit No. 6706407, Sewerage, **Springfield Township, York County**, Sewer Authority, 9211 Susquehanna Trail South, Seven Valleys, PA 17360. This proposed facility is located in Springfield Township, **York County**.

Description of Proposed Action/Activity: Approval for the modification of sewerage facilities consisting of replacement of the existing UV system, construction of a sludge holding tank and a decant/centrate tank, and the installation of a centrifuge.

WQM Permit No. 0700404 Amendment No. 06-1, Sewerage, **Logan Township Board of Supervisors**, 800 39th Street, Altoona, PA 16602-1799. This proposed facility is located in Logan Township, **Blair County**.

Description of Proposed Action/Activity: Amendment approval for the modification of sewerage facilities consisting of the re-rating of the maximum monthly hydraulic capacity from 1.12 million gallons per day (mgd) to 1.75 mgd.

WQM Permit No. 2106406, Sewerage, **Hurley/Morrison**, 50 Frytown Road, Newville, PA 17241. This proposed facility is located in Upper Frankford Township, **Cumberland County**.

Description of Proposed Action/Activity: Approval for the construction/operation of sewerage facilities consisting of a residential small flow treatment facility using a septic tank, Ecoflo peat filter, and chlorine disinfection.

Southwest Region: Water Management Program Manager; 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WQM Permit No. 0205403, Sewerage, **Jefferson Hills Borough**, 925 Old Clairton Road, Clairton, PA 15025. This proposed facility is located in Jefferson Hills Borough, **Allegheny County**.

Description of Proposed Action/Activity: Permit issuance for the construction and operation of one pump station, approximately 7,5000 feet of gravity sewers and 500 feet of 8-inch diameter force main.

WQM Permit No. 5690405-A2, Sewerage, **Rockwood Borough**, 358 Market Street, Rockwood, PA 15557. This proposed facility is located in Rockwood Borough, **Somerset County**.

Description of Proposed Action/Activity: Permit issuance for construction and operation of 8-inch and 10-inch diameter sanitary sewer lines, manholes and appurtenances that will replace the existing combine sewer lines, manholes and appurtenances.

WQM Permit No. 0306402, Sewerage, **Municipal Authority of the Borough of Kittanning**, 300 South McKean Street, Kittanning PA 16201. This proposed facility is located in Kittanning Borough, **Armstrong County**.

Description of Proposed Action/Activity: Permit issuance for construction and operation for the separation of combined sewers into separate sanitary and storm sewers.

WQM Permit No. 1106402, Sewerage, **Windber Country Club**, 1392 Forest Hills Drive, Salix, PA 15952. This proposed facility is located in Adams Township, **Cambria County**.

Description of Proposed Action/Activity: Permit issuance for construction and installation of a package sewage treatment plant.

Northwest Region: Water Management Program Manager; 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 2506405, Sewerage, **Rory Hamilton**, 2147 Hare Road, Waterford, PA 16441. This proposed facility is located in Waterford Township, **Erie County**.

Description of Proposed Action/Activity: A single residence sewage treatment plant.

WQM Permit No. WQG018479, Sewerage, **James G. DeGenova**, 7576 Sharon Mercer Road, Mercer, PA 16137. This proposed facility is located in Lackawannock Township, **Mercer County**.

Description of Proposed Action/Activity: A single residence sewage treatment plant.

WQM Permit No. WQG018480, Sewerage, **Justin and Melissa Reed**, 15485 Route 8, Union City, PA 16438. This proposed facility is located in Union Township, **Erie County**.

Description of Proposed Action/Activity: A single residence sewage treatment plant.

IV. NPDES Stormwater Discharges from MS4 Permit Actions

V. NPDES Waiver Stormwater Discharges from MS4 Actions

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

Southcentral Region: Water Management Program Manager; 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI030606003	East Penn Manufacturing 50 Jefferson Street Topton, PA 19562	Berks	Topton Borough	Toad Creek HQ-CWF
PAI030606006	East Penn Manufacturing P. O. Box 147 Lyon Station, PA 19536-0147	Berks	Richmond Township	Moselem Creek HW-CWF
PAI033406001	East Waterford Sewer Authority R. R. 1 Honey Grove, PA 17035	Juniata	Lack and Tuscarora Townships	Tuscarora-Horse Valley Run CWF-HQ

Northcentral Region: Water Management Program Manager; 208 West Third Street, Williamsport, PA 17701.

Centre County Conservation District: Willowbank Office Bldg., 414 Holmes Avenue, Suite 4, Bellefonte, PA 16823, (814) 355-6817.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI041406015	Deitrich Road Land Development John Hull 267 Sandy Lane Bellefonte, PA 16823	Centre	Walker Township	Little Fishing Creek HQ-CWF

Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Westmoreland County Conservation District, Center for Conservation Education, 211 Donohoe Road, Greensburg, PA 15601, (724-837-5271).

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI056506002	Thomas and Sandra Usher Camp 400 Manordale Road Pittsburgh, PA 15241	Westmoreland	Cook and Ligonier Townships	Loyalhanna Creek (HQ/CWF)

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges from Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated with Construction Activities (PAR)
PAG-3	General Permit for Discharges of Stormwater from Industrial Activities
PAG-4	General Permit for Discharges from Single Residence Sewage Treatment Plants
PAG-5	General Permit for Discharges from Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Nonexceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	CAFOs
PAG-13	Stormwater Discharges from MS4

General Permit Type—PAG-2

Facility Location:

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Throop Borough Lackawanna County	PAG2003506023	Throop Borough 436 Sanderson St. Throop, PA 18512	Eddy Creek WWF	Lackawanna Co. Cons. Dist. (570) 281-9495
North Whitehall Township Lehigh County	PAG2003906006	Matt Sorrentino Castle Holdings, Inc. 428 N. 15th St. Allentown, PA 18102	Lehigh River TSF	Lehigh Co. Cons. Dist. (610) 391-9583
North Whitehall Township Lehigh County	PAG2003906021	Barry Follweiler F & M Land Company 3372 Jordan Rd. Orefield, PA 18069	Lehigh River TSF	Lehigh Co. Cons. Dist. (610) 391-9583

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Sugarloaf Township Luzerne County	PAG2004006023	Sugarloaf Township Fire Co. P. O. Box 80 Sybertsville, PA 18251	Nescopeck Creek CWF	Luzerne Co. Cons. Dist. (570) 674-7991
Dallas Township Luzerne County	PAG2004006015	CH Waltz Sons, Inc. Theodore Waltz 6570 Star Route 973 East Cogan Station, PA 17728	Toby Creek CWF	Luzerne Co. Cons. Dist. (570) 674-7991
Hazle Township Luzerne County	PAG2004006027	Archer Daniels Midland Company Eric Lightner 4666 Faries Parkway Decatur, IL 62526	Stony Creek CWF	Luzerne Co. Cons. Dist. (570) 674-7991
Bethlehem Township Northampton County	PAG2004806014	Gerald Fry Department of Transportation Eng. District 5 1713 Lehigh St. Allentown, PA 18103-4727	UNTs to Lehigh River CWF	Northampton Co. Cons. Dist. (610) 746-1971
Hanover Township Northampton County	PAG2004806003	Darbin T. Skeans DTS Development, LLC 968 Postal Rd., Suite 110 Allentown, PA 18109	Catasauqua Creek CWF	Northampton Co. Cons. Dist. (610) 746-1971
Borough of Coopersburg Lehigh County	PAG2003906025	Don Smullen 416 South 4th St. Coopersburg, PA 18036	Saucon Creek CWF	Lehigh Co. Cons. Dist. (610) 391-9583
Whitehall Township Lehigh County	PAG2003906026	Spectrum Land Acquisition 3312 Seventh St. Whitehall, PA 18052	Coplay Creek CWF	Lehigh Co. Cons. Dist. (610) 391-9583
City of Harrisburg Dauphin County	PAG2002206022	Mary V. Knackstedt 2901 N. Front St. Harrisburg, PA 17110	Susquehanna River WWF	Dauphin County Conservation District 1451 Peters Mountain Rd. Dauphin, PA 17018
Lower Paxton Township Dauphin County	PAG20022040251	Robert L. Leo Sunny Hill Farms, Inc. 610 Carrington Ct. Hummelstown, PA 17036	Beaver Creek WWF	Dauphin County Conservation District 1451 Peters Mountain Rd. Dauphin, PA 17018
Centre County Harris Township	PAG2001406012	Richard Pruyne Pruyne Pond Enlargement 1010 Greenbriar Drive State College, PA 16801	UNT to Spring Creek CWF	Centre County Conservation District 414 Holmes Avenue Suite 4 Bellefonte, PA 16823 (814) 355-6817
Centre County Spring Township	PAG2001406013	Randy Rockey Centre County Emergency Services Training Facility 420 Holmes Ave., Room 134 Bellefonte, PA 16823	UNT to Gap Run CWF	Centre County Conservation District 414 Holmes Avenue Suite 4 Bellefonte, PA 16823 (814) 355-6817
Columbia County Town of Bloomsburg	PAG2001906010	BU Apartments, Inc. 1388 SR 487 Bloomsburg, PA 17815	Fishing Creek WWF	Columbia County Conservation District 702 Sawmill Rd. Suite 204 Bloomsburg, PA 17815 (570) 784-1310, Ext. 102

NOTICES

5641

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Beaver County Economy Borough	PAG2000406016	Kevin Abbott National Development Co. 340 Mansfield Avenue Pittsburgh, PA 15220	Ohio River (WWF/N)	Beaver County CD 724-378-1701
Somerset County Summit Township	PAG2005606009	James C. Kretchman 341 Johnny Popper Road Meyersdale, PA 15552	Blue Lick Creek (CWF)	Somerset County CD (814) 445-4652
Washington County Somerset Township	PAG2006305024	Columbia Gas Transmission Corp. 950 Manifold Road Washington, PA 15301	Tributary to Center Branch Pigeon Creek (WWF)	Washington County CD 724-228-6774
Washington County Fallowfield Township	PAG2006306030 (Renewal of old permit # PAR10W190)	Middle Monongahela Industrial Development Associates, Inc. P. O. Box 491 Donora, PA 15033	Pigeon Creek (WWF)	Washington County CD 724-228-6774
Butler County Penn Township	PAG2001006015	Baglier—Oak Trace Subdivision Dennis Baglier 7 Pine Needles Drive Butler PA 16001	Thorn Creek CWF	Butler Conservation District 724-284-5270
Butler County Cranberry Township	PAG2001006024	Wain Farms, LLC 10521 Perry Hwy. Wexford, PA 15090	UNT Brush Creek WWF	Butler Conservation District 724-284-5270
Clarion County Clarion Borough	PAG2061606006	Clarion University of PA 840 Wood St. Thorn II Bldg. Clarion, PA 16214-1232	Clarion River CWF	Department of Environmental Protection (814) 332-6984
Venango County Sandy Creek Township	PAG2006106004	Franklin Little League Association 309 Seventh Street Franklin, PA 16323	Morrison Run WWF	Venango Conservation District (814) 676-2832
Warren County Sugar Grove Borough	PAG2006206001	Kwik Fill—Red Apple United Refining Company Box 688 Warren, PA 16365	Stillwater Creek CWF	Warren Conservation District (814) 563-3117
Scrubgrass Township Venango County	PAG2106106003	BAMR P. O. Box 8476 Harrisburg, PA 17105-8476	UNTs to Allegheny River (CWF)	BAMR P. O. Box 8476 Harrisburg, PA 17105-8476 717-783-1311

General Permit Type—PAG-3

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Berks County Maidencreek Township	PAR203509	Can Corporation of America P. O. Box 170 Blandon, PA 19510	Willow Creek CWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Washington Township Clarion County	PAR228333	Allegheny Wood Products P. O. Box 30, Route 208 Marble, PA 16334	East Sandy Creek	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
City of Titusville Crawford County	PAR228340	Homerwood Hardwood Flooring 1026 Industrial Drive Titusville, PA 16354	Oil Creek	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

*General Permit Type—PAG-4**Facility Location:*

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Lackawannock Township Mercer County	PAG049271	James G. DeGenova 7576 Sharon Mercer Road Mercer, PA 16137	UNT to Little Neshannock Creek TSF, 20-A	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Shenango Township Mercer County	PAG049246	Emily and Peter Daloni SFTF 2646 Mercer-West Middlesex Road	UNT to Hogback Run 20-A	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Union Township Erie County	PAG049272	Justin and Melissa Reed 15485 Route 8 Union City, PA 16438	UNT to French Creek 16-A	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

*General Permit Type—PAG-5**Facility Location:*

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Newtown Township Chester County	PAG050027	Sunoco Service Station No. 0363-4334 3607 West Chester Pike Newtown Square, PA 19073-3703	Hunter Run WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401

*General Permit Type—PAG-8**Facility Location:*

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Site Name & Location</i>	<i>Contact Office & Phone No.</i>
Pleasant Township Warren County	PAG088312	Brokenstraw Valley Area Authority R. R. 2, Box 284 Youngsville, PA 16371	Brokenstraw Valley Area Authority STP 3 Beechwood Drive Irvine, PA 16329	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

*General Permit Type—PAG-8 (SSN)**Facility Location:*

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Site Name & Location</i>	<i>Contact Office & Phone No.</i>
Lancaster County Martic Township	PAG080007	Downingtown Regional Water Pollution Control Center 550 South Brandywine Ave. Downingtown, PA 19335	Abram Stoltzfoos Farm Martic Township	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110-8200 717-705-4707

PUBLIC WATER SUPPLY (PWS) PERMITS

The Department of Environmental Protection has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel

Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act

Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401.

Permit No. 0906507, Public Water Supply.

Applicant	Hilltown Township Water and Sewer Authority 316 Highland Park Drive Sellersville, PA 18960
Township	Hilltown
County	Bucks
Type of Facility	PWS
Consulting Engineer	Castle Valley Consultants, Inc. 10 Beulah Road New Britain, PA 18901
Permit to Construct Issued	August 14, 2006

Permit No. 2305504, Public Water Supply.

Applicant	Chester Water Authority 415 Welsh Street Chester, PA 19016
Township	London Grove
County	Chester
Type of Facility	PWS
Consulting Engineer	Russell C. Williams, P. E. Chester Water Authority 415 Welsh Street Chester PA 19016
Permit to Construct Issued	August 17, 2006

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 6706510, Public Water Supply.

Applicant	The York Water Company
Municipality	Jackson Township
County	York
Type of Facility	This permit is for the LaBott booster pump station in Jackson Township.
Consulting Engineer	Ryan M. Ural, P. E. The York Water Company 130 East Market Street P. O. Box 15089 York, PA 17405-7089
Permit to Construct Issued:	8/16/2006

Permit No. 0606510 MA, Minor Amendment, Public Water Supply.

Applicant	Bern Township Municipal Authority
Municipality	Bern Township
County	Berks
Type of Facility	Metered interconnection with Reading Area Water Authority and replacement of 8-inch main with 12-inch main to serve new hospital.
Consulting Engineer	Thomas E. Roberts, P. E. Spotts Stevens & McCoy, Inc 345 North Wyomissing Boulevard Reading, PA 19610-0307
Permit to Construct Issued:	8/15/2006

Operations Permit issued to **Pfautz Properties**, 7500030, Penn Township, **Perry County** on 8/15/2006 for the operation of facilities approved under Construction Permit No. 5005503.

Operations Permit issued to **Shinn Spring Water Company**, 3066531, Cumru Township, **Berks County** on 8/17/2006 for the operation of facilities approved under Construction Permit No. 0606505.

Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Transfer of Operations Permit issued to **Petroleum Valley Regional Water Authority**, Jeffrey R. Shumaker, Authority Chairperson, P. O. Box P, Bruin, PA 16022-0582, PWS ID 5100147, Petrolia Borough, **Butler County**. Permit No. 6062-T1, issued August 21, 2006, for the operation of the water distribution system to serve customers of the Bruin, PA area.

Rescission of Operations Permit issued to **Petrolia Borough**, 104 Main Street, Petrolia, PA 16050, PWS ID 510052, Petrolia Borough, **Butler County**, on August 21, 2006. Permit Numbers 366W015; 1093507 and 6062, covering sources, treatment facilities and systems are cancelled. Plant and wells are to be demolished, deconstructed and capped in accordance with Department Regulations and requirements.

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20a)

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Plan Location:

Borough or Township	Borough or Township Address	County
Jefferson Township	7207 Lamor Road Mercer, PA 16137	Mercer

Plan Description: The approved plan provides for the construction of a new sewer system to serve 185 EDUs along US 62 in Jefferson Township, Mercer County. Sewage will be conveyed to Hermitage for disposal by means of a new pump station to be constructed jointly by Hermitage and Jefferson Township. RUS funding is proposed.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Sugar Grove Township	R. D. 4, Box 205 Sugar Grove, PA 16350	Warren

Plan Description: The approved plan provides for the installation of small diameter sewer pipe to serve 40 EDUs on SR 27, Patchen Hollow Road and Deer Run Road in Sugar Grove Township, Warren County.

Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, shall also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media; benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the Environmental Cleanup Program manager in the Department regional office after which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

Vy Cal Plastics, Upper Merion Township, **Montgomery County**. Craig Herr, RT Env., Svc., Inc., 215 W. Church Road, King of Prussia, PA 19406 has submitted a Final Report concerning remediation of site soil contaminated with metals, VOCs and lead. The report is intended to document remediation of the site to meet the Site-Specific Standard.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

ASF—Keystone Railway Equipment, Inc., Lower Allen Township, **Cumberland County**. Roux Associates, Inc., 1222 Forest Parkway, Suite 190, West Deptford, NJ, 08066, on behalf of ASF—Keystone, Inc., 3420 Simpson Ferry Road, Camp Hill, PA 17001-0456, submitted a Remedial Investigation and Final Report concerning remediation of site soils and groundwater contaminated with hexavalent chromium. The reports are intended to document remediation of the site to the Statewide Health and Site-Specific Standard.

FCI USA, Inc.—Emigsville, Manchester Township, **York County**. HRP Associates, Inc., 4811 Jonestown Road, Suite 235, Harrisburg, PA 17109, on behalf of FCI USA, Inc., 825 Old Trail Road, Eppers, PA 17319-9392, submitted a Risk Assessment Report and Cleanup Plan concerning remediation of site soils and groundwater contaminated with VOCs and nickel. The report is intended to document remediation of the site to the Statewide Health, background and Site-Specific Standard.

Ken Johnson Property, Rushcombmanor Township, **Berks County**. GemChem, Inc., 53 N. Cedar Street, P. O. Box 384, Lititz, PA 17543-0384, on behalf of Ken Johnson, 51 Lark Lane, Fleetwood, PA 19522, submitted a Final Report concerning remediation of site soils contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to the residential Statewide Health Standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of 25 Pa. Code § 250.8, administration of the Land Recycling and Environmental Remediation Standards Act (act), require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by provisions of the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report in-

cludes conclusions from the site investigation, concentration of regulated substances in environmental media, benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by provisions of the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the Environmental Cleanup Program manager in the Department regional office before which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

PECO-Doylestown MGP, Doylestown Borough, **Bucks County**. Bruce Middletown, P. G. Jacques Whitford Company, 450 S. Graves Rd. Suite., 105, Plymouth Meeting, PA 19462 on behalf of Jack Stein, Keystone Volvo, 235 Main St., Doylestown, PA 18901 has submitted a Cleanup Plan concerning the remediation of site soil and groundwater contaminated with lead, inorganics, PAHs and other organics. The Cleanup Plan was approved by the Department on August 17, 2006.

The Marketplace at Huntingdon, Upper Moreland Township, **Montgomery County**. John T. Burkart, Landamerican Assessment Corp., 8008 Corp., Ctr., Dr., Suite. 115, Charlotte, NC 28226 on behalf of Joseph Casacio, New Century Design & Construction, 2010 Cnty., Line Rd., Huntingdon Valley, PA 19006 has submitted a Final Report concerning the remediation of site soil and groundwater contaminated with chlorinated solvents. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on July 31, 2006.

Thyssen Krupp Budd Co. Die Storage Yard Site, City of Philadelphia, **Philadelphia County**. Lawrence W. Bily, CMM, RT Env., Svc., 215 W. Church Rd., King of Prussia, PA 19406 on behalf of Joseph DePascale, Hunting Fox Assoc., LP, c/o PREI, 1001 E. Hector St., Suite., 100, Conshohocken, PA 19428 has submitted a Remedial Investigation Report and Cleanup Plan concerning the remediation of site groundwater and soil contaminated with VOCs, PCBs, PAHs and inorganics. The Remedial Investigation Report and Cleanup Plan was disapproved by the Department on August 17, 2006.

Flats Redevelopment Site, City of Coatesville, **Chester County**. Sharon Smith, Weston Solutions, Inc., 1400 Weston Way, West Chester, PA 19380 has submitted

a Final Report concerning the remediation of site soil and groundwater contaminated with inorganics and organics compounds. The Final Report demonstrated attainment of the Site-Specific Standard and was approved by the Department on August 16, 2006.

Pottstown Metals Welding, Borough of Pottstown, **Montgomery County**. Michael Raffoni, Gemchem, Inc., 53 N. Cedar St., Litz, PA 17543 on behalf of Ray Lopez, Borough of Pottstown, 100 E. Main St., Pottstown, PA 19464 has submitted a Final Report concerning the remediation of site soil and groundwater contaminated with unleaded and leaded gasoline. The Final Report demonstrated attainment of the Site-Specific Standard and Statewide Health Standard and was approved by the Department on August 14, 2006

Delcroft Shopping Ctr., Folcroft Borough, **Delaware County**. Michelle Harrison, React Env., Svc., Inc., 6901 Kingsessing Ave., Philadelphia, PA 19142 on behalf of Lee Brahin, Garnet Assoc. LLC., 1533 Chestnut St., Philadelphia, PA 19102 has submitted a Final Report concerning the remediation of site soil and groundwater contaminated with chlorinated solvents. The Final Report demonstrated attainment of the Statewide Health Standard and Site-Specific Standard and was approved by the Department on August 2, 2006.

Stericycle Corp., Montgomery Township, **Montgomery County**. Thomas M. Hippensteal, P. G., Envirosearch, P. O. Box 940, Spring House, PA 19477 on behalf of Paul Hartman, Stericycle Corp., 257 Congdon Rd., Volutown, CT 06384 has submitted a Low Risk Property Final Report concerning the remediation of site soil contaminated with unleaded gasoline. The Low Risk Property Final Report was approved by the Department on August 7, 2006.

Raser Res., North Coventry Township, **Chester County**. Richard M. Ley, P. G., RML, 1375 Steeple Chase Rd., Downingtown, PA 19335 on behalf of Cecelia Raser, 1069 Grandview Cir., Pottstown, PA 19465 has submitted a Low Risk Property Final Report concerning the remediation of site soil contaminated with No. 2 fuel oil. The Low Risk Property Final Report was approved by the Department on August 16, 2006.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Kerr Group, Inc., City of Lancaster, **Lancaster County**. Gannett Fleming, Inc., 805 Estelle Drive, Suite 102, Lancaster, PA 17601, on behalf of Kerr Group, Inc., 101 Oakley Street, Evansville, IN 47710, submitted a Final Report concerning the remediation of site soils and groundwater contaminated with gasoline, paint thinner, and waste/oil solvents. The Final Report demonstrated attainment of the Site-Specific Standard, and was approved by the Department on August 3, 2006.

Bon Secours Holy Family Regional Health System, Altoona City, **Blair County**. Mountain Research LLC, 825 25th Street, Altoona, PA 16601, on behalf of Bon Secours Holy Family Regional Health System, 2500 Seventh Avenue, Altoona, PA 16601, submitted a Final Report concerning the remediation of site soils and groundwater contaminated with diesel fuel leaked from an underground storage tank. The Final Report demonstrated attainment of the residential Statewide Health Standard and was approved by the Department on August 14, 2006.

Cotton Mill Store, Inc., Shillington Borough, **Berks County**. Liberty Environmental, Inc., 10 N. Fifth Street, Suite 800, Reading, PA 19601, on behalf of Janet Potter,

Cotton Mill Store, Inc., 8425 Navajo Street, Philadelphia, PA 19118, submitted a Final Report concerning the remediation of site soils contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the residential Statewide Health Standard and was approved by the Department on August 14, 2006.

Suburban Heating Oil Partners, West Manchester Township, **York County**. Groundwater Sciences Corporation, 55 S. Progress Avenue, Harrisburg, PA 17109, on behalf of Suburban PA Property Acquisitions, LLC, 5793 Widewaters Parkway, Suite 100, Syracuse, NY 13214-2811, submitted a Final Report concerning the remediation of site soils and groundwater contaminated with compounds found in petroleum. The Final Report demonstrated attainment of the residential Statewide Health Standard, and was approved by the Department on August 16, 2006.

Lakeview Mobile Home Park, Gene Kulp Residence, Mount Joy Township, **Lancaster County**. ARM Group, Inc., 1129 W. Governor Road, P. O. Box 797, Elizabethtown, PA 17033-0797, on behalf of Charles Bailey, 1501 Mill Road, Elizabethtown, PA 17022, submitted a Final Report within 90 days of a release concerning remediation of site soils contaminated with heating oil. The Final Report demonstrated attainment of the residential Statewide Health Standard, and was approved by the Department on August 21, 2006.

Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Bradford Electronics, Bradford, **McKean County**, Environmental Strategies Consulting, LLC, 300 Coporate Center Drive, Suite 200, Pittsburg, PA 15108, on behalf of Vishay Dale, Suite 200, Columbus, NE 68601, has submitted a Remedial Investigation Report and a Final Report concerning the remediation of soil (State Wide Health) and shallow groundwater (Site Specific) contaminated with trichloroethene and vinyl chloride arsenic. Both reports are currently under review by the Department.

HAZARDOUS WASTE TREATMENT, STORAGE AND DISPOSAL FACILITIES

Permits issued, revised or withdrawn under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate a hazardous waste treatment, storage or disposal facility.

Northeast Region: Regional Solid Waste Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

PAD987367216. AERC.com, Inc., 2591 Mitchell Avenue, Allentown, PA 18103-6609. A permit renewing the term of AERC.com, Inc's permit for the receipt, temporary storage and/or treatment of approved hazardous and residual waste at this hazardous waste storage and treatment facility located in the City of Allentown, **Lehigh County**, prior to their offsite disposal or other offsite disposition. The permit was issued in the Regional Office on August 19, 2006; and it will expire on August 19, 2016.

Southwest Regional Office, Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

Permit No. PAD004810222. Kelly Run Sanitation, 1500 Hayden Boulevard, P. O. Box 298, Elizabeth, PA 15037. Postclosure permit renewal and modification for the Western Disposal Area landfill in Forward Township,

Allegheny County, including groundwater remediation concentration limits, gas monitoring and collection requirements and closure of leachate storage tanks, issued by the Regional Office on August 14, 2006.

RESIDUAL WASTE GENERAL PERMIT

Permits Revoked under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Residual Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and residual waste regulations for a general permit to operate residual waste processing facilities and/or the beneficial use of residual waste other than coal ash.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit No. WMGR090R004. Quaker Sales Corporation, P. O. Box 880, Johnstown, PA 15907-0880.

General Permit No. WMGR090 authorizes the processing and beneficial use of reclaimed asphalt pavement (RAP) materials as a roadway construction material. The permittee requested the general permit be revoked due to the utilization of the RAP materials under the industry wide coproduct determination. Central Office revoked this general permit on August 16, 2006.

General Permit No. WMGR090R002. Wilson Paving, Inc., 480 West Old York Road, Carlisle, PA 17013-7503.

General Permit No. WMGR090 authorizes the processing and beneficial use of reclaimed asphalt pavement (RAP) materials as a roadway construction material. The permittee requested the general permit be revoked due to the utilization of the RAP materials under the industry-wide coproduct determination. Central Office revoked this general permit on August 18, 2006.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permits issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and regulations to operate solid waste processing or disposal area or site.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Kiski Valley Water Pollution Control Authority Incinerator Ash Lagoon Closure; Allegheny Township, Westmoreland County

On August 25, 2006, the Department of Environmental Protection (Department) issued a Closure Plan Modification under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to close a solid waste processing or disposal area or site.

The Closure Plan Modification relates to Permit ID No. 400136, held by the Kiski Valley Water Pollution Control Authority (Authority), 1361 School Road, Leechburg, PA 15656 and the closure of the Authority's incinerator ash lagoon located in Allegheny Township, Westmoreland County. The original Closure Plan approved by the Department on October 25, 2005, was prepared following development of a remedial investigation and feasibility study that evaluated a range of alternatives relative to

remediation of the site. Several opportunities for public comment and participation were previously provided, including a public hearing held on August 2, 2005, and a 60-day public comment period on the Closure Plan application.

The Closure Plan Modification revises the Closure Plan approved by the Department on October 25, 2005, as follows:

(a) Those parts of the previously approved Closure Plan (Section 5.4 and Section IX) relating to the placement of the ash waste in a Commonwealth municipal waste landfill are deleted.

(b) The Authority is not required to post an additional bond in the amount of \$775,097 as stated in condition 14 of the Department's October 26, 2005, letter to the Authority.

(c) The ash waste shall be transported by truck to the Alaron transload facility in Wampum, PA and thereafter by rail transportation for disposal at the US Ecology Texas disposal facility in Robstown, TX.

The Department has entered into a proposed Consent Decree with BWX Technologies, Inc., The Babcock and Wilcox Company and the Authority calling for the parties' implementation of the Closure Plan as approved on October 26, 2005, and as revised by the August 25, 2006, Closure Plan Modification.

The Department shall receive and consider comments relating to the revisions contained in the Closure Plan Modification for 30 days from the date of publication of this notice or through Monday, October 2, 2006. Persons may submit written comments to the Department's Regional Solid Waste Manager, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. In addition, on Thursday, September 21, 2006, at 6:30 p.m., the Department will hold a public meeting at the meeting room of the Allegheny Township Municipal Building, 136 Community Building Road, Leechburg PA 15656.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401; Thomas McGinley, New Source Review Chief, (484) 250-5920.

15-0126: Brandenburg Industries Service Co. (1905 East Fourth Street, Bethlehem, PA 18015) on August 15, 2006, to operate a Concrete Crusher in West Chester Borough, **Chester County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Mark Wejkszner, New Source Review Chief, (570) 826-2531.

58-310-011GP3: New Milford Materials, LLC (R. R. No. 3, Box 324A-1, Montrose, PA 18801) on August 16, 2006, to construct and operate a portable stone crushing plant and associated air cleaning device at the Lanesboro Quarry in Harmony Township, **Susquehanna County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; George Monasky, New Source Review Chief, (814) 332-6940.

GP-43-346: Farrell Area School District—Farrell Area High School (1700 Roemer Boulevard, Farrell, PA 16121) on August 21, 2006, for two natural gas fired boilers in the City of Farrell, **Mercer County**.

Plan Approvals Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Mark Wejkszner, New Source Review Chief, (570) 826-2531.

40-303-027: Pennsy Supply, Inc. (1001 Paxton Street, Harrisburg, PA 1710) on August 8, 2006, to modify a batch asphalt plant to utilize waste derived liquid fuel (WDLF) at 225 New Boston Road, Jenkins Township, **Luzerne County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; George Monasky, New Source Review Chief, (814) 332-6940.

62-032B: Ellwood National Steel (1 Front Street, Irvine, PA 16329) on August 16, 2006, to install a new ladle furnace and increase production at the facility from 46,200 tpy to 15,000 tpy in Brokenstraw Township, **Warren County**. This is a State-only Facility.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401; Thomas McGinley, New Source Review Chief, (484) 250-5920.

09-0016A: Exelon Generation Co. (3901 North Delaware Avenue, c/o Richmond Generation Station, Philadelphia, PA 19137) on August 15, 2006, to operate combustion turbines Nos. 21 and 32 in Bristol Township, **Bucks County**.

09-0075A: Dunmore Corp. (145 Wharton Road, Bristol, PA 19007) on August 15, 2006, to operate two coaters and mixing equipment in Bristol Township, **Bucks County**.

09-0124E: Fairless Energy, LLC (5000 Dominion Boulevard, Glen Allen, VA 23060) On August 15, 2006, to operate a 31.9 mmBtu/hr gas fired preheater in Falls Township, **Bucks County**.

09-0126A: Air Liquide Electronics U. S., LP (19 Steel Road West, Morrisville, PA 19067) on August 15, 2006, to operate a wet scrubber S-7 in Falls Township, **Bucks County**.

15-0114: Action Manufacturing Co. (500 Bailey Crossroads Road, Atglen, PA 19310) on August 15, 2006, to operate a thermal treatment unit in West Fallowfield Township, **Chester County**.

09-0110B: Riverside Construction Materials, Inc. (355 Newbold Road, Fairless Hills, PA 19030) on August 17, 2006, to operate a material handling system in Bristol Township, **Bucks County**.

23-0014D: Kimberly-Clark Corp. (Front Street and Avenue of the States, Chester, PA 19103) on August 17,

2006, to operate a wet scrubber dust control system in City of Chester, **Delaware County**.

23-0014E: Kimberly-Clark Corp. (Front Street and Avenue of the States, Chester, PA 19103) on August 16, 2006, to operate a paper machine No.16 hood dryer in City of Chester, **Delaware County**.

09-0124B: Fairless Energy, LLC (5000 Dominion Boulevard, Glen Allen, VA 23060) on August 21, 2006, to operate a combined cycle combustion turbines in Falls Township, **Bucks County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; David Aldenderfer, Program Manager, (570) 327-3637.

18-315-001: First Quality Tissue, LLC (904 Woods Avenue, Lock Haven, PA 17815) on August 11, 2006, to operate a paper machine (Paper Machine No. 1) and associated equipment on a temporary basis until December 9, 2006, and to construct another paper machine (Paper Machine No. 2) and associated equipment until December 9, 2006, in Castanea Township, **Clinton County**. The plan approval has been extended.

41-00010E: Andritz, Inc. (35 Sherman Street, Muncy, PA 17756) on August 11, 2006, to construct two 1,000 pound capacity iron and steel foundry electric induction furnaces until May 1, 2007, in Muncy Borough and Muncy Creek Township, **Lycoming County**. The plan approval has been extended.

41-399-026: Penn Recycling, Inc. (2525 Trenton Avenue, Williamsport, PA 17701) on August 14, 2006, to operate an automobile/metal shredding system and associated air cleaning devices (a foam injection system and cyclone collector) on a temporary basis until December 12, 2006, in the City of Williamsport, **Lycoming County**. The plan approval has been extended.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; William Charlton, New Source Review Chief, (412) 442-4174.

65-00767A: Westmoreland Waste, LLC (901 Tyrol Boulevard, Belle Vernon, PA 15012) on August 16, 2006, to allow completion of stack testing at the sanitary landfill in Rostraver Township, **Westmoreland County**. This plan approval was extended.

11-00513A: Cambria Coke Co. (1111 Northshore Drive, Landmark Tower N-600, Knoxville, Tennessee 37919)

Clarification of Class I Impacts

Plan Approval at a Title V Facility No. PA-11-00513A

Notice is hereby given concerning the degree of increment consumption for PSD Class I wilderness areas from the proposed Cambria Coke Company (CCC) facility to be located in Cambria Township, **Cambria County**. The Plan Approval was issued on April 4, 2005, and subsequently modified on May 4, 2005.

The United States Environmental Protection Agency's CALPUFF modeling program was used to model the effect of the proposed facility's emissions on three PSD Class I areas: Otter Creek and Dolly Sods Wilderness Areas, West Virginia and Shenandoah Wilderness Area, Virginia. Modeling included 3 years worth of meteorological data and included the cumulative impacts of existing facilities. Based on the modeling information provided by the applicant, at the time and place of the maximum SO₂ cumulative concentrations in each Class I area, Cambria's contribution to that concentration exceeded the significant impact levels as follows. Because one exceedance of the short-term increment is allowed per year, the impacts shown are acceptable. No values exceeding the short-term levels were found in the other modeled years (1992 and 1996) or at the other Class I areas.

<i>Class I Area</i>	<i>Date</i>	<i>24-Hour SO₂ PSD Increment (μ/m³)</i>	<i>Highest 24-Hour SO₂ Cumulative Concentration (CCC plus all others) (μ/m³)</i>	<i>24-Hour SO₂ Significant Impact Level (μ/m³)</i>	<i>24-Hour SO₂ CCC Impact Level Concentration (μ/m³)</i>
Dolly Sods	03/06/1990	5	8.42	0.2	0.69

Copies of the application and other documents used in evaluation of the application are available for public inspection during normal business hours at the Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222

Person wishing to provide additional information or comments for consideration regarding the contents of this notice may submit the information to the Department at the address that follows. A 30-day comment period, from the date of this publication, will exist for the submission of comments. Each written comment must contain the following:

- Name, address and telephone number of the person submitting the comments.
- Identification of the proposed Plan Approval (specify the Plan Approval number).
- Concise written statements relevant to the contents of this notice should be directed to Mark A. Wayner, P. E., Air Quality Program Manager, Department of Environ-

mental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

For additional information, contact Barbara R. Hatch, P. E., Air Pollution Control Engineer IV at the same address.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P. S. §§ 4001–4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Ronald Davis, New Source Review Chief, (717) 705-4702.

36-03165: Nexans, Inc. (132 White Oak Road, New Holland, PA 17557-8303) on August 14, 2006, to operate a nonferrous wire drawing and insulation manufacturing facility in Earl Township, **Lancaster County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; Mark Wayner, Facilities Permitting Chief, (412) 442-4174.

56-00302: Lincoln Contracting and Equipment Co., Inc. (2478 Lincoln Highway, Stoystown PA 15563) on August 16, 2006, for a metal fabrication and painting operation in Jenner Township, **Somerset County**.

63-00908: Ross Mould, Inc. (259 South College Street, Washington, PA 15301) on August 16, 2006, for a mould manufacturing facility at the Washington Plant in Washington City, **Washington County**.

56-00303: Lincoln Contracting and Equipment Company, Inc. (733 South Center Avenue, Somerset, PA 15501) on August 17, 2006, for a metal fabrication and painting operation at the Somerset facility in Somerset Township, **Somerset County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Eric Gustafson, Facilities Permitting Chief, (814) 332-6940.

33-00160: Reynoldsville Casket Co., Inc. (South 5th Street Extension, Reynoldsville, PA 15851) on August 14, 2006, for a Natural Minor Operating Permit for the manufacturing of burial caskets outside the Borough of Reynoldsville, **Jefferson County**.

10-00346: Scrap Salvage and Surplus, Inc. (690A Glenwood Way, Butler, PA 16001) on August 14, 2006, for a Natural Minor operating permit to operate a scrap cutting and salvage company outside the City of Butler, Center Township, **Butler County**.

62-00174: Warren County Humane Society (212 Elm Street, Warren, PA 16365-2868) on August 14, 2006, for a Natural Minor Operating Permit for the operation of an animal crematorium outside the City of Warren, **Warren County**.

61-00185: Heath Oil, Inc. (5609, SR 8, R. D. No. 1, Harrisville, PA 16038) on August 21, 2006, for a Natural Minor Permit to operate retail trade-fuel oil dealers in Barkeyville Borough, **Venango County**. The facility included sources floating and fixed roof tanks, fugitives from facility, oil heaters large and small, miscellaneous loading racks, two portable transmix refineries and tank wagon loading rack.

43-00308: Ergon Trucking, Inc. (944 New Castle Mercer Road, Mercer, PA 16137) on August 21, 2006, for a Natural Minor Permit to operate a crude oil storage and dispensing plant in East Lackawannock Township, **Mercer County**. The sources include three crude oil storage tanks and one loading rack.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401; Edward Jurdones Brown, Facilities Permitting Chief, (484) 250-5920.

09-00090: GT and S, Inc. (1 Steel Road East, Morrisville, PA 19067) on August 11, 2006, to issue a State-only Operating Permit as an Administrative Amendment for a Change of Ownership of the facility formerly owned by MG Industries, Inc. in Falls Township, **Bucks County**. GT & S, Inc. owns and operates a gas cylinder filling and recycling facility, and emissions are controlled through the use of scrubbers, a catalytic oxidizer, and a thermal oxidizer depending on the gas cylinders that are processed. The Administrative Amendment of the State-only Operating Permit was issued

under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code § 127.450. The amended State-only Operating Permit did not change and contains all of the applicable regulatory requirements including monitoring recordkeeping, reporting and emission limits. The initial permit was issued October 16, 2003.

46-00032: SPS Technologies, Inc. (301 Highland Avenue, Jenkintown, PA 19046) on August 11, 2006, to revise a Title V facility to incorporate plan approval PA-46-0032B for a batch vapor degreaser in Abington Township, **Montgomery County**. Trichloroethylene, a VOC and a HAP, is used as the solvent in this source, and this source is subject to the requirements of 40 CFR Part 63, Subpart T. All revisions to the Title V Operating Permit were made pursuant to 25 Pa. Code § 127.450.

46-00070: Finnaren and Haley, Inc. (901 Washington Street, Conshohocken, PA 19428) on August 21, 2006, to incorporate an emission limit for total and individual HAPs from the entire site in Whitemarsh Township, **Montgomery County**. This amendment is to incorporate an emission limit for total and individual HAPs from the entire site. The permit contains sufficient monitoring and recordkeeping to demonstrate compliance. Administrative Amendment and modification of Title V Operating Permit issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.450 and 127.462.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 Water Quality Certification and the NPDES permit application. Mining activity permits issued in response to the applications will also address the application permitting requirements of the following statutes: the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

Coal Permits Actions

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

11911601 and NPDES Permit No. PA0214329. E. P. Bender Coal Company, Inc. (P. O. Box 594, Carrolltown, PA 15722). To revise the permit for Dysart Syding in Dean Township, **Cambria County** to change the postmining land use for 8.0 acres from forestland to industrial/commercial. No additional discharges. Application received: March 23, 2006. Permit issued: August 17, 2006.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

32900108 and NPDES No. PA0599034. Thomas J. Smith, Inc. (2340 Smith Road, Sheloceta, PA 15774). Permit renewal for the continued operation and restoration of a bituminous surface-auger mine in South Mahoning Township, **Indiana County**, affecting 74.4 acres.

Receiving streams: Ross Run, UNT to Little Mahoning Creek classified for the following uses: HQ; HQ. There are no potable water supply intakes within 10 miles downstream. Application received: May 3, 2006. Permit issued: August 11, 2006.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, 724-925-5500.

26050110. Albert F. Stiffler (141 Locust road, Box 42-C, Normalville, PA 15469). Commencement, operation and reclamation of a bituminous surface mine, located in Saltlick Township, **Fayette County**, affecting 156.9 acres. Receiving streams: Little Champion Creek and a UNT to Little Champion Creek. Application received: August 24, 2005. Permit issued: August 18, 2006.

63000101 and NPDES Permit No. PA0202819. Muligan Mining, Inc. (5945 Puddingstone Lane, Bethel Park, PA 15102). Permit renewal issued for continued reclamation only of a bituminous surface mining site located in Smith Township, **Washington County**, affecting 178.3 acres. Receiving streams: UNTs to Raccoon Creek; UNTs to Burgetts Fork. Application received: May 22, 2006. Reclamation-only renewal issued: August 15, 2006.

26743202 and NPDES Permit No. PA0069736. Fayette Coal & Coke, LLC (2611 Memorial Boulevard, Connellsville, PA 15425). Permit renewal issued for continued operation and reclamation of a bituminous surface mining site located in Dunbar and North Union Townships, **Fayette County**, affecting 113.0 acres. Receiving streams: UNTs to and including Rankin Run. Application received: March 31, 2006. Renewal issued: August 15, 2006.

26910107 and NPDES Permit No. PA0592170. Theodore R. Genovese II Coal Co. (Box 360, Chalk Hill, PA 15421). Permit renewal issued for continued reclamation only of a bituminous surface mining site located in German Township, **Fayette County**, affecting 89.3 acres. Receiving streams: UNT to Dunlap Creek. Application received: May 10, 2006. Reclamation-only renewal issued: August 16, 2006.

30010102 and NPDES Permit No. PA0203017. Coresco, Inc. (P. O. Box 1209, Morgantown, WV 26507). Permit renewal issued for continued reclamation only of a bituminous surface mining site located in Dunkard Township, **Greene County**, affecting 169.0 acres. Receiving streams: UNTs to Dunkard Creek to Dunkard Creek to the Monongahela River. Application received: July 17, 2006. Reclamation-only renewal issued: August 16, 2006.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

16000101 and NPDES Permit No. PA0241695. Milestone Crushed, Inc. (P. O. Box 65, Emlenton, PA 16373). Renewal of an existing bituminous strip, limestone and sandstone removal operation in Richland and Licking Townships, **Clarion County** affecting 83.6 acres. Receiving streams: UNTs to the Clarion River. Application received: October 6, 2005. Permit Issued: August 14, 2006.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

22050101 and NPDES Permit No. PA0224481. Meadowbrook Coal Co., Inc. (6690 SR 209, Lykens, PA 17048). Commencement, operation and restoration of an anthracite surface mine operation in Williams and Porter Townships, **Dauphin and Schuylkill Counties** affecting

880.0 acres. Receiving stream: Wiconisco Creek. Application received: September 6, 2005. Permit issued: August 15, 2006.

40793211R4. Jeddo-Highland Coal Company (46 Public Square, Suite 600, Wilkes-Barre, PA 18701). Renewal of existing anthracite coal refuse reprocessing operation in Hazle Township, **Luzerne County** affecting 59.0 acres. Receiving stream: none. Application received: November 2, 2005. Renewal issued: August 15, 2006.

40663031R4. Jeddo-Highland Coal Company (46 Public Square, Suite 600, Wilkes-Barre, PA 18701). Renewal of existing anthracite surface mine and refuse disposal operation in Foster Township, **Luzerne County** affecting 536 acre. Receiving stream: none. Application received: December 27, 2005. Renewal issued: August 15, 2006.

40663013R4. Jeddo-Highland Coal Company (46 Public Square, Suite 600, Wilkes-Barre, PA 18701). Renewal of existing anthracite coal refuse processing, refuse disposal and coal preparation operation in Hazel Township, **Luzerne County** affecting 304 acres. Receiving stream: none. Application received: December 27, 2005. Renewal issued: August 15, 2006.

40663023R4. Pagnotti Enterprises, Inc. (46 Public Square, Suite 600, Wilkes-Barre, PA 18701). Renewal of an anthracite surface mine, coal refuse reprocess and disposal operation in Hazle Township, **Luzerne County** affecting 640 acres. Receiving stream: none. Application received: December 27, 2005. Renewal issued: August 15, 2006.

54693047R4. Pagnotti Enterprises, Inc. (46 Public Square, Suite 600, Wilkes-Barre, PA 18701). Renewal of an anthracite coal refuse reprocessing operation in Mahanoy Township, **Schuylkill County** affecting 698.0 acres. Receiving stream: none. Application received: December 22, 2005. Renewal issued: August 15, 2006.

54840201R4. Pagnotti Enterprises, Inc. (46 Public Square, Suite 600, Wilkes-Barre, PA 18701). Renewal of an anthracite coal refuse reprocessing operation in Mahanoy and West Mahanoy Townships, **Schuylkill County** affecting 322 acres. Receiving stream: none. Application received: September 8, 2005. Renewal issued: August 15, 2006.

Noncoal Permits Actions

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, (724) 925-5500.

63960301 and NPDES Permit No. PA0201766. Dick Corporation (P. O. Box 10896, Pittsburgh, PA 15236). NPDES Renewal issued for continued discharge treatment at a large noncoal surface mining site located in Hanover Township, **Washington County**, affecting 33.2 acres. Receiving streams: UNT to Kings Creek, and Kings Creek to Ohio River. Application received: June 2, 2006. NPDES Renewal issued: August 16, 2006.

02850302 and NPDES Permit No. PA0590371. Lafarge North America, Inc. (5160 Main Street, Whitehall, PA 18052-1827). NPDES Renewal issued for continued discharge treatment at a large noncoal surface mining site located in West Mifflin Borough, **Allegheny County**, affecting 70.3 acres. Receiving stream: UNT to Streets Run. Application received: July 3, 2006. NPDES Renewal issued: August 16, 2006.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200.

41060802. Hufnagle Inc. d/b/a Rummings Bluestone (804 Old Rt. 220 Hwy., Jersey Shore, PA 17740). Commencement, operation and restoration of a small industrial minerals (sandstone) surface mine permit in Antes Fort, Nippenose Township, **Lycoming County**. Receiving streams: UNT to to West Branch Susquehanna River. Application received: June 15, 2006. Permit issued: August 9, 2006.

08060803. Larry Forrest (R. R. 2, Box 248, Towanda, PA 18848). Commencement, operation and restoration of a small industrial minerals (bluestone and shale) surface mine permit in Asylum Township, **Bradford County**. Receiving streams: Durell Creek, tributary to Susquehanna River. Application received: March 15, 2006. Permit issued: August 8, 2006.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

38870301C5. Pennsy Supply, Inc. (P. O. Box 3331, Harrisburg, PA 17105). Correction to an existing quarry operation in Annville Borough, North and South Annville and North Londonderry Townships, **Lebanon County** affecting 1045.8 acres, receiving stream: Killinger and Quittaphilla Creeks. Application received: December 13, 2005. Correction issued: August 14, 2006.

64060801. GK Flagstone, Inc. (R. R. 1, Box 1132, Nicholson, PA 18446-9415). Commencement, operation and restoration of a quarry operation in Preston Township, **Wayne County** affecting 5.0 acres, receiving stream: none. Application received January 25, 2006. Permit issued August 15, 2006.

58060814. Robert J. Thomas (Box 503, Montrose Terrace Park, Montrose, PA 18801). Commencement, operation and restoration of a quarry operation in Brooklyn Township, **Susquehanna County** affecting 5.0 acres. Receiving stream: none. Application received: March 7, 2006. Permit issued: August 15, 2006.

66060806. Dale Kingston (R. R. 2, Box 313, Mehoopany, PA 18629). Commencement, operation and restoration of a quarry operation in Braintrim Township, **Wyoming County** affecting 5.0 acres. Receiving stream: none. Application received: April 4, 2006. Permit issued: August 16, 2006.

50060801. Dennis W. Metz (2149 Rock Hollow Road, Loysville, PA 17047). Commencement, operation and restoration of a quarry operation in Saville Township, **Perry County** affecting 5.0 acres, receiving stream: none. Application received: April 17, 2006. Permit issued: August 16, 2006.

58060830. David A. Shevchuk (R. R. 1, Box 1578, Hop Bottom, PA 18824). Commencement, operation and restoration of a quarry operation in Lathrop Township, **Susquehanna County** affecting 5.0 acres, receiving stream: none. Application received: April 24, 2006. Permit issued: August 16, 2006.

58060834. Linden Claude Gregory (R. R. 1, Box 1073, Nicholson, PA 18446-9408). Commencement, operation and restoration of a quarry operation in Lenox Township, **Susquehanna County** affecting 5.0 acres. Receiving stream: none. Application received: May 4, 2006. Permit issued: August 16, 2006.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 (73 P.S. §§ 151–161) and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, (724) 925-5500.

63064009. Atlas Services (1024 Route 519, Suite 500, Eighty Four, PA 15333-2812). Blasting activity permit for construction, located in Cecil Township, **Washington County**, with an expected duration of one year. Blasting activity permit issued: August 14, 2006.

30064002. Beaver Excavating Company (4650 Southway Street, SE, Canton OH 44706). Blasting activity permit for construction at the Allegheny Energy Supply Hatfield's Ferry Station, located in Cumberland Township, **Greene County**, with an expected duration for 120 days. Blasting activity permit issued: August 16, 2006.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200.

14064016. Maxwell Trucking and Excavating, Inc. (455 Struble Road, State College, PA 16801). Construction blasting for 2121 East College Ave. Development, College Township, **Centre County**. Permit issued: August 18, 2006. Permit expires on September 18, 2006.

53064002. Appalachian Geophysical (P. O. Box 426, Killbuck, OH 44637). Blasting for acquisition of seismic data for Line No. PGE-37105-151-06 located in Genesee Township, **Potter County**. Permit issued: August 18, 2006. Permit expires on October 30, 2006.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

15064127. Warren's Excavating & Drilling, Inc. (P. O. Box 189, Bowmansville, PA 17507). Construction blasting for Coventry Glenn in East Coventry Township, **Chester County** with an expiration date of August 11, 2007. Permit issued: August 14, 2006.

15064128. Warren's Excavating & Drilling, Inc. (P. O. Box 189, Bowmansville, PA 17507). Construction blasting for The Fields at Creekview in East Coventry Township, **Chester County** with an expiration date of August 11, 2007. Permit issued: August 14, 2006.

21064158. Hayduk Enterprises, Inc. (257 Riverside Drive, Factoryville, PA 18419). Construction blasting for Liberty Point in Lower Allen Township, **Cumberland County** with an expiration date of August 30, 2007. Permit issued: August 14, 2006.

21064159. Douglas Explosives, Inc. (P. O. Box 77, Philipsburg, PA 16866). Construction blasting for Liberty Point in Lower Allen Township, **Cumberland County** with an expiration date of August 10, 2007. Permit issued: August 14, 2006.

21064160. J. Roy's, Inc. (Box 125, Bowmansville, PA 17507). Construction blasting for Country Manor Phase 3 in Southampton Township, **Cumberland County** with an expiration date of August 15, 2007. Permit issued: August 14, 2006.

28064163. Warren's Excavating & Drilling, Inc. (P. O. Box 189, Bowmansville, PA 17507). Construction blasting for a single dwelling on Scotland Main Street in Greene Township, **Franklin County** with an expiration date of August 4, 2007. Permit issued: August 14, 2006.

28064164. David H. Martin Excavating, Inc. (4961 Cumberland Highway, Chambersburg, PA 17201). Construction blasting for Greene Township Park in Greene Township, **Franklin County** with an expiration date of August 10, 2007. Permit issued: August 14, 2006.

36064180. Warren's Excavating & Drilling, Inc. (P. O. Box 189, Bowmansville, PA 17507). Construction blasting for Summer Hills in Upper Leacock Township, **Lancaster County** with an expiration date of August 10, 2007. Permit issued: August 14, 2006.

21064161. Keystone Blasting Service (381 Reifsnyder Road, Lititz, PA 17543). Construction blasting for Country Manor in Southampton Township, **Cumberland County** with an expiration date of December 30, 2007. Permit issued: August 15, 2006.

21064162. Hall Explosives, Inc. (2981 Elizabethtown Road, Hershey, PA 17033). Construction blasting for Hunter's Gate in Hampden Township, **Cumberland County** with an expiration date of August 30, 2007. Permit issued: August 15, 2006.

21064163. Newville Construction Services, Inc. (408 Mohawk Road, Newville, PA 17241). Construction blasting for Nealy Farm manure pit in North Newton Township, **Cumberland County** with an expiration date of July 30, 2007. Permit issued: August 15, 2006.

36064181. Warren's Excavating & Drilling, Inc. (P. O. Box 189, Bowmansville, PA 17507). Construction blasting for a single dwelling on Druid Circle in Manheim Township, **Lancaster County** with an expiration date of August 11, 2007. Permit issued: August 15, 2006.

21064164. Douglas Explosives, Inc. (P. O. Box 77, Philipsburg, PA 16866). Construction blasting for Liberty Point in Lower Allen Township, **Cumberland County** with an expiration date of August 10, 2007. Permit issued: August 16, 2006.

36064182. M & J Explosives, Inc. (P. O. Box 608, Carlisle, PA 17013). Construction blasting for Southern Village in Lancaster Township, **Lancaster County** with an expiration date of August 31, 2007. Permit issued: August 16, 2006.

06064124. American Rock Mechanics, Inc. (7531 Chestnut Street, Zionsville, PA 18092). Construction blasting for Middle Creek Farms in Oley Township, **Berks County** with an expiration date of May 1, 2007. Permit issued: August 17, 2006.

06064125. Geological Technologies, Inc. (P. O. Box 70, Falling Waters, WV 25419). Construction blasting for Parkview Development in St. Lawrence Borough, **Berks County** with an expiration date of September 1, 2007. Permit issued: August 17, 2006.

06064126. Geological Technologies, Inc. (P. O. Box 70, Falling Waters, WV 25419). Construction blasting for Woods Edge in Amity Township, **Berks County** with an expiration date of August 1, 2007. Permit issued: August 17, 2006.

36064183. Gerlach's Drilling & Blasting (172 Bender Mill Road, Lancaster, PA 17603). Construction blasting for Lawn Equipment Parts Company in East Donegal Township, **Lancaster County** with an expiration date of August 15, 2007. Permit issued: August 17, 2006.

38064123. Keystone Blasting Service (381 Reifsnyder Road, Lititz, PA 17543). Construction blasting for a single dwelling in North Cornwall Township, **Lebanon County** with an expiration date of December 30, 2006. Permit issued: August 17, 2006.

52064126. Holbert Explosives, Inc. (237 Mast Hope Plank Road, Lackawaxen, PA 18435). Construction blasting for Columbia Gas Line in Lehman, Delaware, Milford and Smithfield Townships, **Pike and Monroe Counties** with an expiration date of August 15, 2007. Permit issued: August 17, 2006.

52064127. Explosive Services, Inc. (7 Pine Street, Bethany, PA 18431). Construction blasting for Oak Ridge Estates in Dingman Township, **Pike County** with an expiration date of August 13, 2007. Permit issued: August 17, 2006.

64064112. Holbert Explosives, Inc. (237 Mast Hope Plank Road, Lackawaxen, PA 18435). Construction blasting for Woods at Duck Harbor in Lebanon Township, **Wayne County** with an expiration date of August 11, 2007. Permit issued: August 17, 2006.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law (35 §§ 691.1—691.702) and Notice of Final Action for Certification under section 401 of the FWPCA (33 U.S.C.A. § 1341).

Permits, Environmental Assessments and 401 Water Quality Certifications Issued

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

E01-254: James Landis, Jr., 23 North Miller Street, Fairfield, PA 17320 in Fairfield Borough, **Adams County**, ACOE Baltimore District.

To construct and maintain a 30-foot by 3-foot by 30-foot open bottom concrete box culvert with wingwalls for a private access road over Spring Run (CWF), located west of Fairfield Borough off North Miller Street (Fairfield, PA Quadrangle N: 7.0 inches; W: 17.5 inches; Latitude: 39° 47' 19"; Longitude: 77° 22' 29") in Fairfield Borough and Hamiltonban Township, Adams County. Wetlands exist on the property; however, no impacts are proposed or authorized.

E06-610: City of Reading, 503 North 6th Street, Reading, PA 19601-3690 in Reading City, **Berks County**, ACOE Philadelphia District.

To restore and maintain 1,600 linear feet of Angelica Creek (CWF), realign and maintain 400 feet of Angelica Creek (CWF), construct and maintain six cross rock vanes, five root wad structures, and four log vanes in Angelica Creek (CWF), two 1.0-acre wetlands, 0.5-acre pond, extend and maintain an existing 42-inch PSPP stormwater outfall 70-feet along Angelica Creek (CWF), and construct and maintain two temporary road crossings each consisting five, 40.0-foot long, 42-inch pipes in Angelica Creek (CWF), and a pedestrian bridge having a width of 5.0 feet, a normal span of 58.0, feet and an under clearance of 8.0 feet across Angelica Creek (CWF). The project includes the restoration of the riparian buffer along both sides of Angelica Creek (CWF) through planting of various native herbaceous plants, shrubs, and trees. The project is at the former location of Angelica Lake, just west of the new Route 10 bridge, south of the Schuylkill River (Reading, PA Quadrangle, upstream limit: N: 10.8 inches; W: 7.78 inches; Latitude: 40° 18' 34", Longitude: 75° 55' 51"; downstream limit: N: 11.10 inches; W: 6.85 inches; Latitude: 40° 18' 40", Longitude: 75° 55' 27") in the City of Reading, Berks County.

E44-129: Department of Transportation, Engineering District 2-0, 1924 Daisy Street Extension, Clearfield, PA 16830 in Union Township, **Mifflin County**, ACOE Baltimore District.

To construct and maintain a second reinforced concrete box culvert having a span of 23.33 feet and a rise of 7.77 feet in Little Kishacoquillas Creek located on SR 0655, Section A01, Segment 0150, Offset 0297 (Belleville, PA Quadrangle N: 14.1 inches; W: 19.1 inches) in Union Township, Mifflin County. The reinforced concrete box culvert will be placed adjacent to the existing reinforced box culvert, permitted by DEP File No. E44-090, for the purpose of reducing the 100-year flood elevation over the roadway. The issuance of this permit also constitutes approval of a Water Quality Certification under section 401(a) of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

E67-798: Department of Transportation, District 8-0, 2140 Herr Street, Harrisburg, PA 17103-1699 in Fairview Township, **York County**, ACOE Baltimore District.

To extend and maintain an existing 33-foot long, 7-foot wide by 5.5-foot high box culvert upstream to have a total length of 72 feet within a UNT to Fishing Creek (TSF) located along SR 0262 (Fishing Creek Road) on the west side of the intersection of SR 0262 (Fishing Creek Road) and SR 1003 (Old York Road) (Steelton, PA Quadrangle, Latitude: 40° 10' 39" Longitude: 76° 49' 59" North: 9.5 inches; West: 11.6 inches) in Fairview Township, York County. The culvert extension will require the relocation and maintenance of 95 linear feet of stream channel and will impact 0.026 acre of PEM wetlands. The project proposes to directly affect a total of 0.02 acre of palustrine emergent wetland habitat and temporarily impact 0.006 acre of palustrine emergent wetland. Wetland impacts are considered de minimis and replacement is not required. The issuance of this permit also constitutes approval of a Water Quality Certification under section 401(a) of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02-1497. John Bourlogianis, 2338 South Hampton Drive, Pittsburgh, PA 15241. To construct culverts and fill wetlands in Upper Saint Clair Township, **Allegheny County**, Pittsburgh ACOE District. (Bridgeville, PA Quadrangle N: 11.0 inches; W: 11.7 inches and Latitude: 40° 18' 38"—Longitude: 80° 05' 01"). To place and maintain fill in a de minimis area (0.05 acre) of wetlands; to construct and maintain a 24-inch diameter culvert 99.0 feet in length in a UNT to Brush Run (WWF) located on Forest Estate Drive and to construct and maintain a 15-inch diameter culvert 25.0 feet in length in a UNT to Brush Creek (WWF) located approximately 250.0 feet north from the intersection of Forest Estate Drive and Forest Brook Drive for the purpose of constructing the proposed ForestBrook Estates Plan of Lots. The project is located just west from the intersection of Forest Brook Drive and Rossmor Drive. This permit also authorizes the construction and maintenance of several utility lines in, along or across UNTs of Brush Creek, the replacement of an existing 15 inch diameter outfall pipe with an 18-inch diameter outfall pipe in the same location to construct and maintain a 30- inch outfall structure in same endwall along the right bank of a UNT to Brush Run, and to maintain 271.0 feet of an existing 15-inch pipe in a UNT to Brush Run located just southwest from Forest Estates Drive.

E04-295. Wright Brothers, Inc., 134 Glendale Road, Beaver Falls, PA 15010. To construct four stream culverts and fill in wetland in North Sewickley Township, **Beaver County**, Pittsburgh ACOE District. (Beaver Falls, PA Quadrangle N: 4.8 inches; W: 4.4 inches and Latitude: 40° 46' 34.93"—Longitude: 80° 16' 54.24"). To construct and maintain four stream culvert crossings in UNTs to Bennett Run (WWF), and to place and maintain fill in three wetlands; Wetland C, 0.09 acre (PFO), Wetland D, 0.09 acre (PFO) and Wetland G, 0.08 acre (PFO/PSS) for a total impact of 0.26 acre, and to construct and maintain various stormwater outfalls to UNTs of Bennett Run. Culvert A is a 24-inch pipe about 140 feet long under Bryan Drive. Culvert B is a 3-foot by 5-foot box culvert under Sylvia Drive approximately 60 feet long. Lot 46 access is provided by Culvert C, which is an 18-inch culvert approximately 40 feet long. Culvert D is an 18-inch pipe approximately 140 feet long on Lot 47. The total proposed stream impact is 380 feet. To compensate for the wetland impacts the applicant will construct 0.8 acre of replacement wetlands. This work is part of a proposed 58 acre subdivision. The project is located on the south end of Sylvia Drive approximately 500 feet south of its intersection with Overlook Drive.

E65-891. Salem Township Board of Supervisors, 224 Congruity Road, Greensburg, PA 15601. To construct a bridge in Salem Township, **Westmoreland County**, Pittsburgh ACOE District. (Slickville, PA Quadrangle N: 5.8 inches; W: 7.89 inches and Latitude: 40° 24' 25"—Longitude: 79° 33' 24"). To remove the existing structure and to construct and maintain a bridge having a normal clear span of 50 feet and an underclearance of 8.5 feet on T-628 (Old William Penn Highway) across Beaver Run (HQ-CWF). The project impacts 0.04 acre of wetland (PEM) and approximately 109 feet of Beaver Run, from the construction of the bridge and scour protection and modification of the roadway approaches, and is located approximately 200 feet west of Rock spring Road. Permittee will restore another 0.04 acre of wetland that will be temporarily disturbed during construction.

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

E20-545, James Family Trust, 351 Morrison Drive, Pittsburgh, PA 15216. James Family Trust Dock, in Sadsbury Township, **Crawford County**, ACOE Pittsburgh District (Harmonsburg, PA Quadrangle N: 21.7 inches; W: 6.7 inches).

The applicant proposes conduct the following activities in and adjacent to Conneaut Lake approximately 1.0 mile NW of the intersection of SR 18 and SR 322 involving: 1) to remove the existing concrete end section, steel sheet pile and existing wooden platforms; 2) to install and maintain fiberglass sheet pile; 3) to lower and maintain the existing 70-foot long earthen dock; 4) to install and maintain two approximately 20-foot long floating docks at the lake ward end of the earthen dock; and 5) to maintain the existing approximately 100-foot long by 5-foot high sea wall. Conneaut Lake is body of water classified as a HQ-WWF.

E25-703, Nancy E. Dusckas, 2607 Buffalo Road, Erie, PA 16510-1421. Chautauqua Woods Subdivision, in the

City of Erie and Lawrence Park Borough, **Erie County**, ACOE Pittsburgh District (Erie North, PA Quadrangle N: 4.8 inches; W: 5.4 inches).

The applicant proposes to to construct a 16.5 acre residential development approximately 800 feet south of the intersection of SR 5 and Franklin Avenue consisting of 55 equivalent dwelling units involving: 1) to construct and maintain a 50-foot long, 24-foot wide by 10-foot high Conspan arch culvert and associated wingwalls, streambank protection and establishment of a thalweg in McDannel Run; 2) to construct and maintain three water-line (6-inch diameter, 6-inch diameter and 8-inch diameter) crossings of McDannel Run; 3) to construct and maintain an 8-inch diameter ductile iron, aerial (above the 100-year floodplain) sewer line crossing of McDannel Run; 4) to impact 0.14 acre of PEM wetland with road crossings; 5) to restore 0.17 acres of PEM wetland onsite and 6) to construct and maintain stormwater outfalls associated with the residential development McDannel Run is a perennial stream classified as a CWF and MF. The project proposes to impact approximately 240 feet of stream.

E25-707, Erie Waterworks, 340 West Bayfront Parkway, Erie, PA 16507-0729. Myrtle Street Storm Sewer Extension, in the City of Erie, **Erie County**, ACOE Pittsburgh District (Erie North, PA Quadrangle N: 1.53 inches; W: 12.97 inches).

The applicant proposes to extend the existing Myrtle Street storm sewer outlet north of the Bayfront Highway near the foot of Myrtle Street to develop a storage site involving: 1) to construct and maintain a 6-foot wide by 4-foot high box culvert storm sewer extension stream enclosure having a length of 238 feet in a UNT Presque Isle Bay and connected to the existing storm sewer outlet with a 8-foot high by 8-foot wide transition box with manhole; and 2) to construct and maintain a 18-inch HDPE plastic stormwater outfall to a UNT to Presque Isle Bay. The project proposes to impact 238 feet of watercourse. The UNT to Presque Isle Bay is classified as a WWF.

E42-321, Department of Transportation, District 2-0, 1924-30 Daisy Street, P. O. Box 342 Clearfield, PA. 16830. SR 0006, Section A02 Across Allegheny River and Section A03 across Norfolk Southern Railroad, in Liberty Township, **McKean County**, ACOE Pittsburgh District (Port Allegheny, PA Quadrangle N: 13.56 inches; W: 6.75 inches).

To remove the existing structures and to construct a temporary causeway and to construct and maintain a three span continuous prestressed I-Beam bridge having clear spans of 120, 125 and 120 feet and a minimum underclearance of 13.5 feet on a 75° skew across the Allegheny River (CWF) on SR 0006, and a single span pre-stressed concrete adjacent box beam bridge having a clear span of 100 feet across the Norfolk Southern Railroad on SR 0006, Section A03 approximately 0.4 miles east of Port Allegheny. This project includes placement of fill in 0.033 acre of Palustrine Emergent Wetland (PEM) and impacts to approximately 45 linear feet of Allegheny River.

STORAGE TANKS
SITE-SPECIFIC INSTALLATION PERMITS

The following Storage Tank Site-Specific Installation Permits, under the authority of the Storage Tank Spill Prevention Act (35 P. S. §§ 6021.304, 6021.504, 6021.1101—6021.1102) and under 25 Pa. Code Chapter 245, Subchapter C, have been issued by the Bureau of Land Recycling and Waste Management, Director, P. O. Box 8763, Harrisburg, PA 17105-8763.

<i>SSIP Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Tank Type</i>	<i>Tank Capacity</i>
0651014	121 Point Breeze Management Corp. 6300 West Passyunk Ave. Philadelphia, PA 19153 Attn: Alex Prakhin	Philadelphia	City of Philadelphia	6 ASTs storing gasoline, diesel and denatured ethanol	15,598,800 gallons total
0654003	Padfield Plumbing and Heating, Inc. 205 S. 2nd St. St. Clair, PA 17970 Attn: Dean Padfield	Schuylkill	East Norwegian Township	3 ASTs storing fuel oil	88,800 gallons total

SPECIAL NOTICES

Program Award Information

Program: Stormwater Planning and Management
Amount: \$ 12,000
Recipient: Lawrence County Planning Commission
County: Lawrence
Municipalities: Bessemer Borough, Ellport Borough, Ellwood City, Enon Valley Borough, Hickory Township, Little Beaver Township, Mahoning Township, Neshannock Township, New Beaver Borough, New Castle City, New Wilmington Borough, North Beaver Township, Perry Township, Plain Grove Township, Pulaski Township, Scott Township, Shenango Township, Slippery Rock Township, S.N.P.J. Borough, South New Castle Borough, Taylor Township, Union Township, Volant Borough, Wampum Township, Washington Township, Wayne Township and Wilmington Township.

Contacts: County: Amy McKinney, Lawrence County Planning Office, 430 Court Street, New Castle, PA 16101
Department of Environmentat Protection: Barry Newman, M. S., P. E., (717) 772-5661

Purpose: During Phase I, prepare a "Scope of Study" report required for preparation of an Act 167 Stormwater Management plan for the entire Lawrence County. The grant agreement terminates on June 30, 2007.

Program Award Information

Program: Stormwater Planning and Management
Amount: \$ 12,000
Recipient: Mifflin County Planning Commission
County: Mifflin
Municipalities: Armagh Township, Bratton Township, Brown Township, Burnham Borough, Decatur Township, Derry Township, Granville Township, Juniata Terrace, Kistler Borough, Lewistown Borough, Mcveytown Borough, Menno Township, New Hamilton Borough, Oliver Township, Union Township and Wayne Township.

Contacts: County: William Gomes, Mifflin County Planning Commission, 20 North Wayne Street, Lewistown, PA 17044.
Department of Environmentat Protection: Barry Newman, M. S., P. E., (717) 772-5661

Purpose: During Phase I, prepare a "Scope of Study" report required for preparation of an Act 167 Stormwater Management plan for Mifflin County. The grant agreement terminates on June 30, 2007.

[Pa.B. Doc. No. 06-1727. Filed for public inspection September 1, 2006, 9:00 a.m.]

Laboratory Accreditation Advisory Committee Meeting Cancellation

The Laboratory Accreditation Advisory Committee meeting scheduled for Tuesday, September 12, 2006, has been cancelled. The next meeting is scheduled for Tuesday, December 12, 2006, from 10 a.m. until 3 p.m. in Room 206, Bureau of Laboratories Building, 2575 Interstate Drive, Harrisburg, PA 17110.

Questions concerning the cancellation of the September 12, 2006, meeting or the December 12, 2006, meeting can be directed to Aaren Shaffer Alger, Bureau of Laboratories, (717) 346-7200 or aaalger@state.pa.us. The agenda and meeting materials for the December 12, 2006, meeting will be available through the Public Participation Center on the Department of Environmental Protection's (Department) website at www.depweb.state.pa.us (DEP Keywords: "Public Participation, Participate").

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact the Department at (724) 439-7289 or through the AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 06-1728. Filed for public inspection September 1, 2006, 9:00 a.m.]

DEPARTMENT OF HEALTH

Human Immunodeficiency Virus (HIV) Community Prevention Planning Committee; Public Meetings

The Statewide HIV Community Prevention Planning Committee, established by the Department of Health (Department) under sections 301(a) and 317(b) of the Public Health Service Act (42 U.S.C.A. §§ 241(a) and 247(b)), will hold a public meeting on Wednesday, September 20, 2006, from 9 a.m. to 4 p.m. at the Harrisburg Holiday Inn West, 5401 Carlisle Pike, Mechanicsburg, PA 17050.

For additional information, contact Kenneth McGarvey, Department of Health, Bureau of Communicable Diseases, Room 1010, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-0572.

Persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so should also contact Kenneth McGarvey at (717) 783-0572, V/TT (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Services at (800) 654-5984 (TT).

The Department reserves the right to cancel this meeting without prior notice.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-1729. Filed for public inspection September 1, 2006, 9:00 a.m.]

Immunization Practices for Children in Child Care Group Settings

In accordance with 28 Pa. Code § 27.77(c) (relating to immunization requirements for children in child care group settings), the Department of Health (Department), Bureau of Communicable Diseases, Division of Immunization, is updating the list of Morbidity and Mortality Weekly Report (MMWR) publications that contain the Advisory Committee on Immunization Practices (ACIP) recommendations that meet the standards of 28 Pa. Code § 27.77(c). Children in child care group settings as defined by 28 Pa. Code § 27.77(c) are required to be immunized in accordance with the recommendations included in the following publications, as well as those included in previous notices. The Department is providing a summary of the publications for the ease of reference of the public:

January 6, 2006/Vol. 54/Nos. 51 and 52

MMWR QuickGuide Recommended Childhood and Adolescent Immunization Schedule—United States, 2006

The Advisory Committee on Immunization Practices (ACIP) periodically reviews the recommended childhood and adolescent immunization schedule to ensure that the schedule is current with changes in vaccine formulations and reflects revised recommendations for the use of licensed vaccines, including those newly licensed. The recommendations and format of the childhood and adolescent immunization schedule and catch-up schedule for January—December 2006 were approved by ACIP, the American Academy of Pediatrics (AAP), and the American Academy of Family Physicians (AAFP).

February 24, 2006/Vol. 55/No. RR-2

Influenza Vaccination of Health-Care Personnel: Recommendations of the Healthcare Infection Control Practices Advisory Committee (HICPAC) and the Advisory Committee on Immunization Practices (ACIP)

This report summarizes recommendations of the Healthcare Infection Control Practices Advisory Committee (HICPAC) and the Advisory Committee on Immunization Practices (ACIP) concerning influenza vaccination of health-care personnel (HCP) in the United States. These recommendations apply to HCP in acute care hospitals, nursing homes, skilled nursing facilities, physician's offices, urgent care centers, and outpatient clinics, and to persons who provide home health care and emergency medical services. The recommendations are targeted at health-care facility administrators, infection-control professionals, and occupational health professionals responsible for influenza vaccination programs and influenza infection-control programs in their institutions. HICPAC and ACIP recommend that all HCP be vaccinated annually against influenza. Facilities that employ HCP are strongly encouraged to provide vaccine to their staff by using evidence-based approaches that maximize vaccination rates.

March 3, 2006/Vol. 55/No. 8

A New Product (VariZIG™) for Postexposure Prophylaxis of Varicella Available Under an Investigational New Drug Application Expanded Access Protocol

On October 27, 2004, the Advisory Committee on Immunization Practices (ACIP) was informed by the only U.S.-licensed manufacturer of varicella zoster immune globulin (VZIG) (Massachusetts Public Health Biologic Laboratories, Boston, Massachusetts) that the company had discontinued production of VZIG. The supply of the licensed VZIG product is now nearly depleted. In February 2006, an investigational (not licensed) VZIG product, VariZIG™ (Cangene Corporation, Winnipeg, Canada) became available under an investigational new drug application (IND) submitted to the Food and Drug Administration (FDA).* This product can be requested from the sole authorized U.S. distributor, FFF Enterprises (Temecula, California), for patients who have been exposed to varicella and who are at increased risk for severe disease and complications.

March 24, 2006/Vol. 55/No. RR-3

Preventing Tetanus, Diphtheria, and Pertussis Among Adolescents: Use of Tetanus Toxoid, Reduced Diphtheria Toxoid and Acellular Pertussis Vaccines: Recommendations of the Advisory Committee on Immunization Practices (ACIP)

During spring 2005, two tetanus toxoid, reduced diphtheria toxoid and acellular pertussis vaccine (Tdap) products formulated for use in adolescents (and, for one product, use in adults) were licensed in the United States (BOOSTRIX®, GlaxoSmithKline Biologicals, Rixensart, Belgium (licensed May 3, 2005, for use in persons aged 10–18 years), and ADACEL™, sanofi pasteur, Toronto, Ontario, Canada (licensed June 10, 2005, for use in persons aged 11–64 years)).

May 19, 2006/Vol. 55/No. RR-7

Prevention of Hepatitis A Through Active or Passive Immunization: Recommendations of the Advisory Committee on Immunization Practices (ACIP)

Routine vaccination of children is an effective way to reduce hepatitis A incidence in the United States. Since licensure of hepatitis A vaccine during 1995–1996, the hepatitis A childhood immunization strategy has been implemented incrementally, starting with the recommendation of the Advisory Committee on Immunization Practices (ACIP) in 1996 to vaccinate children living in communities with the highest disease rates and continuing in 1999 with ACIP's recommendations for vaccination of children living in states, counties, and communities with consistently elevated hepatitis A rates. This report updates ACIP's 1999 recommendations concerning the prevention of hepatitis A through immunization (CDC. Prevention of hepatitis A through active or passive immunization: recommendations of the Advisory Committee on Immunization Practices (ACIP). MMWR 1999;48 (No. RR-12):1–37) and includes 1) new data on the epidemiology of hepatitis A in the era of hepatitis A vaccination of children in selected U.S. areas, 2) results of analyses of the economics of nationwide routine vaccination of children, and 3) recommendations for the routine vaccination of children in the United States. Previous recommendations for vaccination of persons in groups at increased risk for hepatitis A or its adverse consequences and recommendations regarding the use of immune globulin for protection against hepatitis A are unchanged from the 1999 recommendations.

June 9, 2006/Vol. 55/No. 22

Notice to Readers: Updated Recommendations of the Advisory Committee on Immunization Practices (ACIP) for the Control and Elimination of Mumps

On May 17, 2006, the Advisory Committee on Immunization Practices (ACIP) updated criteria for mumps immunity and mumps vaccination recommendations. According to the 1998 ACIP recommendations for measles, mumps, and rubella (MMR) vaccine, for routine vaccination, a first dose of MMR vaccine is recommended at ages 12–15 months and a second dose at ages 4–6 years. Two doses of MMR vaccine also are recommended for students attending colleges and other post-high school institutions (1).

July 28, 2006/Vol. 55/No. RR-10

Prevention and Control of Influenza: Recommendations of the Advisory Committee on Immunization Practices (ACIP)

This report updates the 2005 recommendations by the Advisory Committee on Immunization Practices (ACIP) regarding the use of influenza vaccine and antiviral agents (CDC. Prevention and control of influenza: recommendations of the Advisory Committee on Immunization Practices (ACIP). MMWR 2005;54 (No. RR-8):1–44). The 2006 recommendations include new and updated information. Principal changes include 1) recommending vaccination of children aged 24–59 months and their household contacts and out-of-home caregivers against influenza; 2) highlighting the importance of administering two doses of influenza vaccine for children aged 6 months–< 9 years who were previously unvaccinated; 3) advising health-care providers, those planning organized campaigns, and state and local public health agencies to a) develop plans for expanding outreach and infrastructure to vaccinate more persons than the previous year and b) develop contingency plans for the timing and prioritization of administering influenza vaccine, if the supply of vaccine is delayed and/or reduced; 4) reminding providers that they should routinely offer influenza vaccine to patients throughout the influenza season; 5) recommending that neither amantadine nor rimantadine be used for the treatment or chemoprophylaxis of influenza A in the United States until evidence of susceptibility to these antiviral medications has been re-established among circulating influenza A viruses; and 6) using the 2006–07 trivalent influenza vaccine virus strains: A/New Caledonia/20/1999 (H1N1)-like, A/Wisconsin/67/2005 (H3N2)-like, and B/Malaysia/2506/2004-like antigens.

August 11, 2006/Vol. 55/No. RR-12

Prevention of Rotavirus Gastroenteritis Among Infants and Children: Recommendations of the Advisory Committee on Immunization Practices (ACIP)

In February 2006, a live, oral, human-bovine reassortant rotavirus (RotaTeq®) was licensed for use among U.S. infants. The Advisory Committee on Immunization Practices recommends routine vaccination of U.S. infants with three doses of this rotavirus vaccine administered orally at ages 2, 4, and 6 months. The first dose should be administered between ages 6–12 weeks. Subsequent doses should be administered at 4–10 week intervals, and all three doses should be administered by age 32 weeks. Rotavirus vaccine can be co-administered with other childhood vaccines. Rotavirus vaccine is contraindicated for infants with a serious allergic reaction to any vaccine component or to a previous dose of vaccine.

Additional information relating to vaccinations may be obtained from the Department's website at www.dsf.health.

state.pa.us/health and from the National Immunization Program of the Centers for Disease Control and Prevention at the following website: www.cdc.gov/nip/default.htm.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) should contact Department of Health, Alice Gray, Director, Division of Immunization, Room 1026, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-5681 or for speech and/or hearing impaired persons at V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-1730. Filed for public inspection September 1, 2006, 9:00 a.m.]

Requests for Exception; Long-Term Care Nursing Facilities

The following long-term care nursing facilities are seeking an exception to 28 Pa. Code § 205.6(a) (relating to function of building).

Hampton House
1548 Sans Souci Parkway
Wilkes-Barre, PA 18706
Facility ID 080302

Washington County Health Center
36 Old Hickory Ridge Road
Washington, PA 15301

Concordia Lutheran Health and Human Care
615 North Pike Road
Cabot, PA 16023

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 15 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who require an alternative format of this document or who want to comment in an alternative format (for example, large print, audiotope, Braille) should contact the Division of Nursing Care Facilities at the address listed previously or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-1731. Filed for public inspection September 1, 2006, 9:00 a.m.]

FISH AND BOAT COMMISSION

Designation of Exclusive Use Fishing Area

The Executive Director of the Fish and Boat Commission, acting under the authority of 58 Pa. Code § 65.21 (relating to waters limited to specific purposes—exclusive use fishing areas), designates the following water area as being for the exclusive use of children. This designation will go into effect on January 1, 2007.

<i>County</i>	<i>Water Area</i>	<i>Limits</i>	<i>Type</i>
Cameron	Wykoff Run	From the mouth of Wykoff Run at the Sinnemahoning Creek upstream to the railroad bridge adjacent to the Wykoff Run Cooperative Trout Nursery, a distance of 250 yards	Children Only

DOUGLAS J. AUSTEN, Ph.D.,
Executive Director

[Pa.B. Doc. No. 06-1732. Filed for public inspection September 1, 2006, 9:00 a.m.]

Triploid Grass Carp Permit Application

Under 58 Pa. Code § 71.7 (relating to triploid grass carp), the Fish and Boat Commission (Commission) may issue permits to stock triploid grass carp in Commonwealth waters. Triploid grass carp are sterile fish that may, in appropriate circumstances, help control aquatic vegetation. The Commission has determined consistent with 58 Pa. Code § 71.7(e)(3) to seek public input with respect to any proposed stockings of triploid grass carp in waters having a surface area of more than 5 acres.

Interested persons are invited to submit written comments, objections or suggestions about the notice to the Executive Director, Fish and Boat Commission, P. O. Box 67000, Harrisburg, PA 17106-7000, within 10 days after publication of this notice in the *Pennsylvania Bulletin*. Comments submitted by facsimile will not be accepted. Comments also may be submitted electronically by completing the form at www.state.pa.us/Fish/regcomments. If an acknowledgment of electronic comments is not received by the sender within 2 working days, the comments should be retransmitted to ensure receipt.

The following applications to stock triploid grass carp in waters having a surface area of greater than 5 acres are currently undergoing staff review:

<i>Applicant</i>	<i>Water</i>	<i>Location of Water</i>	<i>Description of water</i>	<i>Nature of Vegetation to be Controlled</i>
Bessemer Rod & Gun Club c/o Robert J. Gordon	Bessemer Rod & Gun Club Lake #5	Bessemer Township Lawrence County	The 22-acre lake that discharges to Hickory Creek. Fish barrier constructed out of a double-screened outflow pipe. The outside mesh is 0.4 inch and the inside mesh is 0.25 inch	Curly-Leaf Pondweed
Heart Lake Association c/o Philip L. Donahue	Heart Lake	New Milford/Bridgewater Townships Susquehanna County	The 43-acre lake that discharges to Hop Bottom Creek. Three fish barriers are constructed out of rebar, rebar and chain link fence and rebar and fine mesh at the lake outlet.	Eelgrass and Algae
Mormon Lake Association c/o Ted Dutches	Mormon Lake	Ridgebury Township Bradford County	The 12.5-acre lake discharges to Miller Run. The fish barrier is constructed out of 1 inch chain link fence at the lake outlet.	American Elodea

DOUGLAS J. AUSTEN, Ph.D.,
Executive Director

[Pa.B. Doc. No. 06-1733. Filed for public inspection September 1, 2006, 9:00 a.m.]

HEALTH CARE COST CONTAINMENT COUNCIL

Meetings Scheduled

The Health Care Cost Containment Council has scheduled the following meetings: Wednesday, September 6, 2006, Data Systems Committee Meeting—10 a.m., Education Committee Meeting—1 p.m.; Thursday, September 7, 2006, Council Meeting—10 a.m. The meetings will be held in the conference room at the Council Office, 225 Market Street, Suite 400, Harrisburg, PA 17101. The public is invited to attend. Persons who need accommodation due to a disability and want to attend the meetings should contact Cherie Elias, Health Care Cost Containment Council, 225 Market Street, Harrisburg, PA 17101 or call (717) 232-6787 at least 24 hours in advance so that arrangements can be made.

MARC P. VOLAVKA,
Executive Director

[Pa.B. Doc. No. 06-1734. Filed for public inspection September 1, 2006, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Comments Issued

Section 5(g) of the Regulatory Review Act (71 P. S. § 745.5(g)) provides that the Independent Regulatory Review Commission (Commission) may issue comments within 30 days of the close of the public comment period. The Commission comments are based upon the criteria contained in section 5.2 of the Regulatory Review Act (71 P. S. § 745.5b).

The Commission has issued comments on the following proposed regulation. The agency must consider these comments in preparing the final-form regulation. The final-form regulation must be submitted within two years of the close of the public comment period or it will be deemed withdrawn.

<i>Reg No.</i>	<i>Agency/Title</i>	<i>Close of the Public Comment Period</i>	<i>IRRC Comments Issued</i>
19-7	Department of Corrections County Correctional Institutions 36 Pa.B. 3094 (June 24, 2006)	7/24/06	8/23/06

**Department of Corrections Regulation #19-7
(IRRC #2544)**

County Correctional Institutions

August 23, 2006

We submit for your consideration the following comments on the proposed rulemaking published in the June 24, 2006 *Pennsylvania Bulletin*. Our comments are based on criteria in Section 5.2 of the Regulatory Review Act (71 P. S. § 745.5b). Section 5.1(a) of the Regulatory Review Act (71 P. S. § 745.5a(a)) directs the Department of Corrections (Department) to respond to all comments received from us or any other source.

1. Fiscal impact of the regulation.

The Preamble states that this proposed rulemaking “is not expected to have significant fiscal impact upon the Commonwealth, its political subdivisions or the general public.” The Regulatory Analysis Form (RAF) notes the following: “The Department cannot provide a specific estimate of the costs and/or savings to local governments” Commentators disagree with the Department’s cost analysis for local government. They believe that many aspects of the proposed rulemaking will significantly increase costs to counties and those costs will have to be passed on to county taxpayers. In the Preamble to the final-form regulation, the Department should provide a more detailed fiscal analysis that supports its contention that this rulemaking will not have a significant fiscal impact.

2. Reasonableness of the regulation.

The Department has stated in the RAF that these amendments are intended to “afford county prison administrators with sufficient flexibility to address prison management problems that are local in nature.” Similar to our comment above, commentators disagree with this statement. While these commentators generally agree that standards are needed, they believe this rulemaking is overly prescriptive. In the Preamble to the final-form regulation, the Department should explain how amendments to each section provide County Correctional Institutions (local prisons) with greater flexibility in carrying out their duties.

3. Implementation procedures.

Effective date

The Preamble notes that this regulation will become effective upon final-form publication in the *Pennsylvania Bulletin*. In order for the local prisons to have time to implement the new standards, the Department should consider an effective date that occurs six to twelve months after final-form publication.

Written local policy

Existing Chapter 95 and this proposed rulemaking provide the minimum requirements that local prisons

must meet. It is our understanding that local prisons are responsible for developing their own written policy that reflects the minimum requirements of Chapter 95. The phrase “written local policy” appears throughout the existing and proposed regulation. However, not all paragraphs under sections that establish standards begin with a phrase similar to “Written local policy must provide” We recommend that each paragraph begin with this phrase. In the alternative, the opening sentence of each section that addresses standards should be revised to state something similar to “Written local policy must address or provide for the following”

4. Section 95.220a. Definitions.—Reasonableness; Implementation procedures; Clarity.

Definitions that contain substantive provisions

Several definitions contain substantive provisions. These provisions either allow or require certain parties to take certain action or not take certain action. Since substantive provisions in a definition are not enforceable, those provisions should be deleted and placed in the body of the regulation. Listed below are the definitions that contain substantive provisions:

- Bed capacity
- Community resources
- Counseling
- Financial audit
- Health care screening
- Health care training
- Major infraction
- Minor infraction
- Noncontact visitation
- Preinspection audit
- Prison inspection
- Procedures
- Security perimeter
- Segregation
- Training
- Treatment professional
- Treatment training
- Vulnerability analysis

Alcohol and other drugs treatment—This definition states the following: “A treatment service designed to address the impact and ramifications of use or abuse of alcohol and other drugs, or both, to prevent illegal or destructive, or both, conduct and avoid addiction.” The phrase “or both” is unnecessary and should be deleted.

Bed capacity—“Recognized professional standards” are referenced in this definition. Since the standards are recognized, they should be specifically referenced in the definition.

Building code—This definition references “Federal, State or local regulations that dictate the construction of a prison.” The final-form regulation should include references to the specific regulations that must be followed.

Contraband—The phrase “within the prison or on prison grounds” is used in this definition. “Prison grounds,” by definition, is part of the prison. Therefore, the phrase “or on prison grounds” should be deleted.

Force, use of—Commentators are concerned that the use of force to effect compliance with an order is not included in this definition. They note that this omission will make it difficult to maintain order in county prisons. We understand that the use of force to effect compliance with an order is an accepted standard in the corrections community and recommend that the definition be amended accordingly.

Life safety code—The last sentence, which states, “Two chapters are devoted to correctional facilities” is not needed and should be deleted.

Major infraction and minor infraction—Commentators believe these definitions do not provide county prisons the

flexibility needed to handle misconduct. The Department should explain the need for including both types of infractions in the regulation.

Prison administrator—The phrase “regardless of local title” is not needed and should be deleted.

Restraint—This definition references an “authorized” device. The final-form regulation should either delete that term or specify how the device is authorized.

Treatment service(s)—This term is used throughout the proposed rulemaking. We recommend that it be defined.

5. Section 95.220b. Scope.—Statutory authority; Reasonableness; Implementation procedures; Clarity.

This section is being amended to delete provisions that allow for a waiver of inspections for local prisons achieving accreditation from the American Correctional Association and the National Commission on Correctional Health Care. The waiver provisions are being replaced with a multiple-step inspection process that could eventually lead to a local prison becoming “declassified.” Steps that lead to the declassification of a local prison include the following: preinspection audit, inspection, issuance of a compliance report, notice of deficiency, warning of potential citation of noncompliance, citation of noncompliance, vulnerability analysis, public hearings ordered by the Secretary of the Department, and a finding that a prison should be declassified. As written, it could take over three years for a prison to be declassified.

We have four concerns. First, the term “declassified” is undefined. We recommend that it be defined.

Second, commentators raised other objections to the inspection and declassification process. These objections pertain to the following: a lack of a consultation and appeal process for local prisons found not to be in compliance; a concern that declassification for noncompliance with standards not related to security issues could occur; and questions on who must pay for mandatory vulnerability analysis. Commentators also question what will happen to pretrial detainees and inmates if a local prison is declassified. We agree with the commentators and recommend that both a consultation and appeals process be included in the final-form regulation. We also recommend that the language be included that describes who will pay for mandatory and voluntary vulnerability analyses.

Third, the Department has indicated that it is not their intent to declassify prisons for noncompliance not related to security. The final-form regulation should specify that declassification would only occur in instances where there is noncompliance with the security standards.

Fourth, this section provides detail on what will happen during the inspection and declassification process but lacks specificity on time frames for certain actions. For example, Paragraph (3) notes that the next preinspection audit will occur “approximately” 24 months after the first preinspection audit. This is problematic for two reasons. First, the regulation does not specify when the first preinspection audit will be completed. Is it the day the inspector leaves the facility or is it the day the results of the inspection are conveyed to the local prison? Paragraph (2) should address more specifically within what time frame the preinspection audit report will be issued to the prison. Second, the term “approximately” is vague.

A more definitive term is “within.” The final-form regulation should include more detail on what signifies the end of a certain step in the inspection and declassification process and how much time either the local prison or the Department has to take the next appropriate step.

6. Section 95.224. Inmate rules and staff procedures.—Reasonableness.

Paragraph (2) states that new or revised rules shall be disseminated to staff and, when appropriate, to inmates prior to implementation. The final-form regulation should specify when it would not be appropriate to disseminate new or revised rules to inmates.

7. Section 95.229. Bedding.—Reasonableness.

Commentators have expressed concern that these regulations fail to recognize the potential need for temporary bedding when a prison facility must process a large number of inmates in a short period of time. In those instances, prisons may need to use temporary bedding that does not meet the requirement that bedding be at least 12 inches off the floor. The final-form regulation should be amended to provide an exception to the 12-inch requirement for a limited time to manage a dramatic increase in population.

8. Section 95.230. Food services.—Clarity.

Paragraph (2) requires one supervisory food service employee to become “certified in food safety and sanitation.” The final-form regulation should specify what type of certification will be acceptable.

9. Section 95.232. Medical and health services.—Clarity.

The reference to the “certifying health organization” under Paragraph (8) should be more specific.

Paragraph (9)(ii) references State and Federal law. The final-form regulation should include specific citations to the applicable laws.

10. Section 95.235. Work programs.—Clarity.

Paragraph (3) requires local prisons to provide “some form of compensation” to inmates participating in work programs. The term compensation is defined. Therefore, the phrase “some form of” should be deleted.

Paragraph (4) references applicable Federal, State or local work safety laws and regulations and Paragraph (5) references applicable law. The final-form regulation should include specific citations to the applicable laws and regulations.

11. Section 95.237. Religion.—Need; Implementation procedures.

Paragraph (1) states that inmates must have access to religious activities. Commentators believe this provision is too broad and question if they must provide activities for religious activities that are outside of what could be considered “mainstream.” To what extent are prisons required to accommodate the religious activities of an inmate that might be considered unique?

What is the need for the clinical pastoral education/specialized training and certification requirements for individuals seeking to provide religious guidance under paragraph (2)? This should be explained in the Preamble to the final-form regulation. In the alternative, this provision should be deleted.

12. Section 95.240. Inmate disciplinary procedures.—Need; Implementation procedures.

As noted in our comment on the definitions of major infraction and minor infraction, the Department should explain the need for including two levels of infractions.

13. Section 95.241. Security.—Need; Implementation procedures; Clarity.

Paragraph (1) Supervision of inmates

Subparagraph (1)(ii) requires an initial staffing analysis to be conducted. It requires the results of the annual staffing analysis to be available at all times. The final-form regulation should specify who conducts the staffing analysis and who has access to it.

Subparagraph (1)(v) requires local prisons to maintain a permanent log and shift reports that record routine information, emergency situations and unusual circumstance. We question the need for recording routine information and recommend that it be deleted. If the Department does not delete this requirement, the term "routine information" should be defined.

Paragraph (2) Use of force

Subparagraph (2)(i) restricts the use of force to certain instances. Similar to our comment on the definitions of "force, use of," we note that the use of force to effect compliance with an order is not included. We recommend that Paragraph (2) be amended to allow force to effect compliance with an order.

Subparagraph (2)(ii)(H) references both "authorized equipment" and a "recognized certification period." These terms are vague and should be defined. We note that the term "authorized tools/equipment" is used in Paragraph (f) of this section and recommend that it also be defined.

Paragraph (5) Contraband control

Subparagraph (ii) states that individuals "entering or leaving" the prison will be subject to search. Will the local prison have discretion in this area, or is it the Department's intent to have individuals inspected before "entering and leaving"?

14. Section 95.243. Treatment services.—Fiscal impact; Need; Clarity.

Commentators are concerned that this section will impose substantial costs and is inappropriate for county prisons. They note that treatment mandates imposed are more appropriate for state prisons and inmates with longer sentences. What is the need for this provision and how will counties be able to afford these types of services?

The terms "treatment services" and "treatment programs" are used in this section. Is there a difference? We recommend that one term be used and defined.

15. Section 95.244. Community involvement.—Clarity.

This section establishes standards for "community involvement," which is an undefined term. To assist the regulated community with developing a written policy that would allow them to meet this standard, we recommend that it be defined.

16. Section 95.246. Investigations—deaths and sexual assaults/threats.—Clarity.

Subparagraph (1)(i) requires the prison administrator to notify the coroner and the appropriate law enforcement agency in the case of a death. Subparagraph (1)(ii) requires local written policy to specify who is responsible for contacting the coroner and the law enforcement agency. Since Subparagraph (1)(i) requires the prison administrator to provide notification, what is the need for including this provision in Subparagraph (1)(ii)? Similar language is also found in Paragraph (2), pertaining to sexual assaults/threats.

Subparagraph (2)(ii) requires the reporting of sexual assaults and threats. We note that § 95.242, relating to statistical/informational reporting, requires the reporting of assaults, but not the threat of sexual assaults on a report filed with the Department on a monthly basis. How are local prisons to report the threat of sexual assaults?

17. Section 95.248. Sanitation, maintenance and safety.—Clarity.

Paragraph (1) requires adherence to "applicable governmental regulations" regarding sanitation, maintenance and safety. A specific citation to the regulations should be included in the final-form regulation.

Paragraphs (2), (3) and (9) require written local policy to "identify" plans or programs related to the sanitation, maintenance and fire emergency/evacuation. Can local prisons simply identify such plans or programs or must they be incorporated into the written local policy?

18. Miscellaneous clarity.

The phrase "including, but not limited to" is used in the following sections. This is nonregulatory language that should be deleted:

- § 95.220b(1)
- § 95.221(8)
- § 95.232(12)
- § 95.235(1)
- § 95.241(1)(ii)
- § 95.243(2)
- § 95.243(4)
- § 95.243(6)

The reference to "generally accepted accounting procedures" in § 95.239(3) should be changed to "generally accepted accounting principles."

Section 95.241(2)(ii)(F) appears to be an incomplete sentence.

The phrase "prison administration" should be amended to "prison administrator" under § 95.241(3)(ii).

The phrase "or designee" should be added to § 95.246(1)(i) after the word administrator.

The second sentence of § 95.248(9) contains a typographical error. The word "departments" should be changed to the singular "department."

ALVIN C. BUSH,
Chairperson

[Pa.B. Doc. No. 06-1735. Filed for public inspection September 1, 2006, 9:00 a.m.]

INSURANCE DEPARTMENT

MCARE: Provider Experience Rating Notice

Section 712(g) of the Medical Care Availability and Reduction of Error (MCARE) Act (act) (40 P. S. § 1303.712(g)) requires the MCARE program to adjust the applicable MCARE assessment of each participating health care provider in accordance with the severity and frequency of claims paid by MCARE on behalf of the provider during the past five most recent claims periods. MCARE will implement this program effective January 1, 2007, utilizing the claims year payments for the 5-year period of 2002—2006 as the determinate years or claims periods.

MCARE will send invoices to the health care providers subject to an experience rating adjustment. Refer to the MCARE website for additional information.

Questions or comments should be directed to Robert Waeger, Director, Bureau of Medical Malpractice Administration, 30 N. Third St. 8th Floor, Harrisburg, PA 17108-2030, rwaeger@state.pa.us.

PETER ADAMS,

Deputy Insurance Commissioner

[Pa.B. Doc. No. 06-1736. Filed for public inspection September 1, 2006, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Missoula Plan Workshop and Facilitated Discussion; Doc. No. M-00061972

On August 23, 2005, the Pennsylvania Public Utility Commission (Commission) entered an Order in Docket No. M-00061972 establishing a Workshop on the Federal Missoula Plan. The Missoula Plan was filed at the Federal Communications Commission in Docket No. CC 01-92. The Missoula Plan proposes to reform intercarrier compensation arrangements under state and Federal law.

The Commission scheduled a workshop and facilitated discussion on the Missoula Plan for Monday, September 11, 2006, from 8 a.m. to 4:30 p.m. in Hearing Room 1, Keystone Building, 400 North Street, Commonwealth and Forster Streets, Harrisburg, PA.

Interested participants must submit their written presentations and/or materials to the Commission no later than the close of business on Tuesday, September 5, 2006. The materials must contain the name, mailing address, telephone number and electronic email address of the contact person.

Any presentation must preferably be in Word format although Word Perfect or Adobe may be used. Each Commissioner's office must receive two hard copies of any request and presentation.

An electronic version must be provided to Administrative Law Judge Kandace Melillo at kmelillo@state.pa.us and Joseph Witmer, Esq. at joswitmer@state.pa.us in the Law Bureau. An electronic and hard copy of the presentation materials must also be filed with the Commission's Secretary.

Additional information may be found on the Commission's website at www.puc.state.pa.us. Further questions

regarding this workshop and facilitated discussion should be directed to ALJ Melilla at (717) 787-3788 or Joseph Witmer at (717) 787-3663.

JAMES J. MCNULTY,

Secretary

[Pa.B. Doc. No. 06-1737. Filed for public inspection September 1, 2006, 9:00 a.m.]

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by September 25, 2006. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Applications of the following for approval to *begin operating as common carriers for transportation of persons as described under each application.*

A-00122989. Premier Chariot Limousine Service, LLC (7933 Fox Run Lane, Philadelphia, Philadelphia County, PA 19111)—a limited liability company—persons in limousine service, from points in the Counties of Bucks, Montgomery, Chester and Delaware, to points in Pennsylvania, and return. *Attorney:* Dennis L. Friedman, Esquire, 1515 Market Street, Suite 1000, Philadelphia, PA 19102.

A-00123055. Edgar K. Malick (217 Honeysuckle Lane, Lehigh, Carbon County, PA 18235)—persons in paratransit service, from points in the Counties of Carbon, Lehigh and Northampton, to points in Pennsylvania, and return.

A-00123056. Rashed Alsoud (3673 Middletown Road, Pittsburgh, Allegheny County, PA 15204)—persons upon call and demand, in Allegheny County.

A-00123058. Valley Limousine Service, LLC (2312 Esquire Drive, Easton, Northampton County, PA 18045)—a limited liability company of this Commonwealth—persons in limousine service, from the Counties of Lehigh, Northampton, Monroe, Carbon, Bucks and Berks, to points in Pennsylvania, and return. *Attorney:* Karl H. Kline, Esquire, 2925 William Penn Highway, Suite 301, Easton, PA 18045-5283.

Application of the following for approval of the *beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods as described under the application.*

A-00122984. F.2 Guy W. Ciabattoni (540 Red Lion Road, Huntingdon Valley, Montgomery County, PA 19006)—household goods in use, from points in the

Counties of Berks, Bucks, Chester, Delaware, Lehigh, Luzerne, Montgomery, Northampton, Philadelphia and York, to points in Pennsylvania, and vice versa.

Application of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods by transfer of rights as described under the application.

A-00123057 Sullivan's Moving & Storage, Inc. (740 Commonwealth Drive, Warrendale, Butler County, PA 15086), a corporation of the Commonwealth—household goods in use: (1) between points in the City of Lock Haven, Clinton County, and within 10 miles by the usually traveled highways of the limits of said city, and vice versa; (2) from points in the City of Lock Haven, Clinton County, and within 10 miles by the usually traveled highways of the limits of said city, and from the Borough of Jersey Shore, Lycoming County, to points in Pennsylvania, and vice versa, excluding the City of Williamsport, Lycoming County, as a point of origin; (3) between points in the Township of Karthaus, Clearfield County, and within an airline distance of 25 statute miles of the limits of said township, and from points in said territory to other points in Pennsylvania, and vice versa, excluding the Borough of Clearfield, Clearfield County, and within an airline distance of 15 statute miles of the limits of said borough; which is to be a transfer of all the rights authorized under the certificate issued to Yeagle's Moving Corp., t/a Sullivan's Moving & Storage, at A-00109201, subject to the same limitations and conditions. *Attorney:* David M. O'Boyle, 1450 Two Chatham Center, Pittsburgh, PA 15219.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 06-1738. Filed for public inspection September 1, 2006, 9:00 a.m.]

Telecommunications

A-311409F7001. Verizon North Inc. and Velocity.Net Communications, Inc. Joint petition of Verizon North Inc. and Velocity.Net Communications, Inc. for approval of an interconnection agreement and amendment no. 1 under section 252(e) of the Telecommunications Act of 1996.

Verizon North Inc. and Velocity.Net Communications, Inc., by its counsel, filed on August 16, 2006, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement and amendment no. 1 under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Verizon North Inc. and Velocity.Net Communications, Inc. joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 06-1739. Filed for public inspection September 1, 2006, 9:00 a.m.]

Telecommunications

A-310518F7000. Verizon Pennsylvania Inc. f/k/a Bell Atlantic-Pennsylvania, Inc. and New Cingular Wireless Services, Inc. f/k/a AT&T Wireless Services, Inc. Joint petition of Verizon Pennsylvania Inc. f/k/a Bell Atlantic-Pennsylvania, Inc. and New Cingular Wireless Services, Inc. f/k/a AT&T Wireless Services, Inc. for approval of amendment no. 3 to an interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon Pennsylvania Inc. f/k/a Bell Atlantic-Pennsylvania, Inc. and New Cingular Wireless Services, Inc. f/k/a AT&T Wireless Services, Inc., by its counsel, filed on August 8, 2006, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of amendment no. 3 to an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Verizon Pennsylvania Inc. f/k/a Bell Atlantic-Pennsylvania, Inc. and New Cingular Wireless Services, Inc. f/k/a AT&T Wireless Services, Inc. joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 06-1740. Filed for public inspection September 1, 2006, 9:00 a.m.]

Telecommunications

A-311409F7000. Verizon Pennsylvania Inc. and Velocity.Net Communications, Inc. Joint petition of Verizon Pennsylvania Inc. and Velocity.Net Communications, Inc. for approval of an interconnection agreement and amendment no. 1 under section 252(e) of the Telecommunications Act of 1996.

Verizon Pennsylvania Inc. and Velocity.Net Communications, Inc., by its counsel, filed on August 16, 2006, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement and amendment no. 1 under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the

Verizon Pennsylvania Inc. and Velocity.Net Communications, Inc. joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 06-1741. Filed for public inspection September 1, 2006, 9:00 a.m.]

appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of the petition for review. The Board contact for receiving service of appeals is the previously named Board counsel.

JOANNE L. SORENSEN, R. N., MS,
Chairperson

[Pa.B. Doc. No. 06-1743. Filed for public inspection September 1, 2006, 9:00 a.m.]

PHILADELPHIA REGIONAL PORT AUTHORITY

Request for Bids

The Philadelphia Regional Port Authority (PRPA) will accept sealed bids for Project #06-051.1, Design & Build Paper Warehouse at Pier 74 South Annex until 2 p.m. on Thursday, October 5, 2006. The bid documents can be obtained from the Director of Procurement, PRPA, 3460 N. Delaware Ave., 2nd Floor, Philadelphia, PA 19134, (215) 426-2600, and will be available September 7, 2006. Additional information and project listings may be found at www.philaport.com. The cost of the bid document is \$35 (includes 7% PA Sales Tax). The cost is nonrefundable. PRPA is an equal opportunity employer. Contractors must comply with all applicable equal opportunity laws and regulations. Bidders must provide to the procurement department in writing, the name/s of individuals that will be attending prebid meetings. This information is needed 24 hours prior to the meeting. Fax to (215) 426-6800, ATTN: Procurement Department.

A mandatory prebid job site meeting will be held September 14, 2006, 10 a.m. at Pier 74 S. Annex (through Pier 78 S. Gate, Columbus Blvd. and Snyder Ave.), Philadelphia, PA.

JAMES T. MCDERMOTT, Jr.,

[Pa.B. Doc. No. 06-1742. Filed for public inspection September 1, 2006, 9:00 a.m.]

STATE BOARD OF NURSING

Bureau of Professional and Occupational Affairs v. Heidi Valent Frederick, R. N.; Doc. No. 0401- 51-06

On May 5, 2006, Heidi Valent Frederick, license no. RN315515L, of Vernon, Fayette County, was actively suspended for at least 3 years, retroactive to March 2, 2006, based on her failure to comply with the terms of the Voluntary Recovery program of the Professional Health Monitoring Unit of the Professional Health Monitoring Programs.

Individuals may obtain a copy of the order by writing to Carole L. Clarke, Board Counsel, State Board of Nursing, P. O. Box 2649, Harrisburg, PA 17105-2649.

This final order represents the final State Board of Nursing (Board) decision in this matter. It may be

STATE TAX EQUALIZATION BOARD

2005 Common Level Ratio

The State Tax Equalization Board (Board) has established a common level ratio for each county in this Commonwealth for the calendar year 2005. The ratios were mandated by act of December 13, 1982 (P. L. 1158, No. 267).

The law requires the Board to use statistically acceptable techniques, to make the methodology for computing ratios public and to certify, prior to July 1, the ratio to the Chief Assessor of each county each year.

The statistical technique which the Board used for the 2005 common level ratio is to determine the arithmetic mean of the individual sales ratios for every valid sale received from the county for the calendar year 2005.

The methodology used is to include every valid sale with a ratio from 1% to 100% and compute a mean. Using this mean as a base, the Board has defined high and low limits by multiplying and dividing this computed mean by 4. Using these computed limits, the Board has utilized the valid sales, rejecting those sales, which exceed the limits. The resulting arithmetic mean ratio is the ratio which the Board is certifying as the common level ratio for each county for 2005.

There is one exception to this procedure. The original mean ratio for those counties which have a predetermined assessment ratio for 2005 of 100% will utilize valid sales from 1% to 200%.

The common level ratios for 2005 are listed as follows.

JAMES A. ZURICK, Esq.,
Chairperson

2005 Common Level Ratios

<i>County</i>	<i>Ratio</i>
ADAMS	25.1
*ALLEGHENY	91.1
ARMSTRONG	37.0
BEAVER	30.2
*BEDFORD	18.3
*BERKS	75.0
BLAIR	8.2
BRADFORD	38.0
*BUCKS	9.9
BUTLER	9.8

<i>County</i>	<i>Ratio</i>	<i>County</i>	<i>Ratio</i>
*CAMBRIA	27.8	*MERCER	27.2
CAMERON	32.5	MIFFLIN	45.8
CARBON	36.5	MONROE	14.1
CENTRE	30.9	*MONTGOMERY	53.4
*CHESTER	54.9	*MONTOUR	10.1
CLARION	18.6	NORTHAMPTON	31.5
CLEARFIELD	18.3	*NORTHUMBERLAND	27.5
CLINTON	23.6	*PERRY	75.0
COLUMBIA	28.8	PHILADELPHIA	28.6
CRAWFORD	33.1	PIKE	18.3
*CUMBERLAND	87.8	*POTTER	36.8
*DAUPHIN	75.3	SCHUYLKILL	40.4
*DELAWARE	64.7	SNYDER	15.2
ELK	18.3	SOMERSET	36.9
*ERIE	84.8	*SULLIVAN	65.9
*FAYETTE	87.5	SUSQUEHANNA	35.2
FOREST	20.7	*TIOGA	79.9
*FRANKLIN	10.7	UNION	14.6
*FULTON	38.3	*VENANGO	95.7
*GREENE	82.6	WARREN	34.1
HUNTINGDON	13.4	WASHINGTON	13.7
**INDIANA	11.9	*WAYNE	81.3
*JEFFERSON	54.0	*WESTMORELAND	19.6
*JUNIATA	16.1	WYOMING	21.8
*LACKAWANNA	16.8	*YORK	72.2
*LANCASTER	82.1		
*LAWRENCE	87.7		
*LEBANON	14.7		
LEHIGH	31.7		
LUZERNE	5.8		
*LYCOMING	19.2		
*MCKEAN	91.5		

* Counties with a predetermined assessment ratio of 100%

** Revised 8/23/06

[Pa.B. Doc. No. 06-1744. Filed for public inspection September 1, 2006, 9:00 a.m.]