

NOTICES

DEPARTMENT OF AGING

State Plan on Aging; Town Meetings

The Department of Aging (Department) is seeking input on the new State Plan on Aging (Plan). The Secretary would like to hear from interested people, advocates for older people and service providers. There is no charge to attend these meetings, but reservations are recommended and can be made by calling the telephone numbers listed in this notice. The meetings are from 9 a.m. to 12 p.m.

Elizabethtown—January 31

Masonic Village at Elizabethtown
Freemasons Cultural (Visitor) Center
One Masonic Drive—Elizabethtown
Area Agency on Aging (717) 209-7979

Clarion—February 7

Clarion Holiday Inn
45 Holiday Inn Road—Clarion
Area Agency on Aging (814) 226-4640

Pittsburgh—February 8

Comm. College of Allegheny County
North Campus-Auditorium
8701 Perry Highway—Pittsburgh
Area Agency on Aging (412) 350-5460 or:
SeniorLine@dhs.county.allegheny.pa.us

Nanticoke—February 21

Luzerne County Community College
Main Campus: Educational Conference Center
Building 10, Auditorium
1333 South Prospect Street—Nanticoke
RSVP: Judy McAnnally (570) 822-1159 Ext. 2317

Bedford—March 7

Heartland Hall
5564 Business 220—Bedford
RSVP: Penny Clark (814) 623-8148 or:
(800) 892-7903

West Chester—March 14

West Chester University
Sykes Student Union Building
Theatre-Ground level
110 West Rosedale Avenue—West Chester
RSVP: Lois or Marilyn (610) 344-4546

Williamsport—March 17

Pennsylvania College of Technology
Main Campus
Klump Academic Center-Auditorium
One College Avenue—Williamsport
Office of Aging (800) 332-8555 or:
(570) 323-3096

The purpose of the Plan is to help structure the Department's priorities and to set an aging agenda for the Commonwealth. The Plan is submitted to the Federal Administration on Aging for the Commonwealth to receive Federal funds under the Older Americans Act. The Plan will cover the 4-year period—October 1, 2008, through September 30, 2012.

Persons with a disability who require an accommodation to attend this meeting or would like to attend one of the town meetings, but are in need of language or interpreter services, please indicate this when registering. Please call 2 weeks prior to the meeting so that the Department can make the necessary arrangements requested. Persons may also e-mail special accommodations to Department of Aging, 555 Walnut Street, 5th Floor, Harrisburg, PA 17101-1919; RA-StatePlanonAging, www.aging.state.pa.us.

NORA DOWD EISENHOWER,
Secretary

[Pa.B. Doc. No. 07-2406. Filed for public inspection December 28, 2007, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a general permit. The applications concern, but are not limited to, discharges related to industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFOs). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or amendment
Section III	WQM	Industrial, sewage or animal waste; discharge into groundwater

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 individual permits and individual stormwater construction permits in Sections IV and VI, the Department, based upon preliminary reviews, has made a tentative determination of proposed effluent limitations and other terms and conditions for the permit applications. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the EPA Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on an NPDES application are invited to submit a statement to the regional office noted before an application within 30 days from the date of this public notice. Persons wishing to comment on a WQM permit application are invited to submit a statement to the regional office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for a public hearing on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0060321 (Minor Sewage)	Village of Mountain Heights, Inc. 125 North Main Street Moscow, PA 18444	Overfield Township Wyoming County	UNT to the South Branch of Tunkhannock Creek 4F	Y

Chesapeake Bay nutrient monitoring requirement for Ammonia, Kjeldahl, Nitrite-Nitrate as N, Total Nitrogen and Total Phosphorus was added to this permit.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0052591 (Minor Sewage)	Richard C. Becker Walnutport Mobile Home Court 901 South Best Avenue Walnutport, PA 18088-9706	Lehigh Township Northampton County	Bertsch Creek 02C	Y
PA0063703 (Minor Sewage)	Thomas E. Little (Single Family Residence) R. R. 4 Box 89A Dalton, PA 18414	Benton Township Lackawanna County	UNT to South Branch Lackawanna County	Y
PAS902202	Lehigh County Authority 1053 Spruce Street P. O. Box 3348 Allentown, PA 18106	Lehigh County Upper Macungie Township	Little Lehigh Creek 2C	Y

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0084522 (IW)	Allentown Refrigerated Terminal, Inc. 125 Seneca Trail Boyertown, PA 19512	Berks County Colebrookdale Township	UNT of Ironstone Creek 3-D	Y

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0081817 (Sew)	Juniata County School District South 7th Street HC 63 Box 7D Mifflintown, PA 17059	Juniata County Fayette Township	Cocolamus Creek 12-B	Y
PA0080608 (Sew)	Fellowship of Bible Churches, Inc. Camp Tohiglo 10670 Fort London Road Mercersburg, PA 17236	Franklin County Montgomery Township	Licking Creek 13-C	Y

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PAS204801 IW	GKN Sinter Metals, Inc. P. O. Box 493 Emporium, PA 15834	Emporium Borough Cameron County	West Creek 8A	Y

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0210501	Earl G. Willey 3974 Longview Road West Middlesex, PA 16159-2912	Shenango Township Mercer County	Hog Run 20-A	Y
PA0103870	Greenville Mobile Home Park 347 Hadley Road Greenville, PA 16125	Hempfield Township Mercer County	UNT to the Little Shenango River 20-A	Y

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Applications

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

PA0013021, Industrial Waste, SIC 2819, PQ Corporation, 1200 West Swedesford Road, Berwyn, PA 19482. This proposed facility is located in the City of Chester, **Delaware County**.

Description of Proposed Activity: Renewal of an NPDES permit to discharge industrial wastewater and stormwater from the PQ Corporation Chester Plant.

The receiving stream, Delaware River-Zone 4, is in the State Water Plan Watershed 3G and is classified for: WWF, aquatic life, water supply and recreation. There is no public water supply intake below the point of discharge.

The proposed monitoring requirements for Outfall 001 are based on an average stormwater flow.

<i>Parameters</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	Monitor and Report
COD	Monitor and Report
Oil and Grease	Monitor and Report
pH (Standard)	Monitor and Report
TSS	Monitor and Report
TKN	Monitor and Report
Total Phosphorus	Monitor and Report
Iron, Dissolved	Monitor and Report
Temperature	110° F

The proposed effluent limits for Monitoring Point 301 are based on 0.075 mgd flow.

<i>Parameters</i>	<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum (mg/l)</i>
TSS	30	60	75
TDS	1,000	1,750	2,500
Oil and Grease	15		30
pH	6.0 to 9.0 Standard Units at all the time		

The proposed monitoring requirements for Outfalls 004, 005 and 007 are based on an average stormwater flow.

<i>Parameters</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	Monitor and Report
COD	Monitor and Report
Oil and Grease	Monitor and Report
pH (Standard)	Monitor and Report
TSS	Monitor and Report
TKN	Monitor and Report
Total Phosphorus	Monitor and Report
Iron, Dissolved	Monitor and Report
PCBs, Total	Monitor and Report

The proposed monitoring requirements for Outfall 003 are based on an average stormwater flow.

<i>Parameters</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	Monitor and Report
COD	Monitor and Report
Oil and Grease	Monitor and Report
pH (Standard)	Monitor and Report
TSS	Monitor and Report
TKN	Monitor and Report
Total Phosphorus	Monitor and Report
Iron, Dissolved	Monitor and Report

In addition to the effluent limits, the permit contains the following major special conditions:

1. Change in Ownership.
2. 2/Month Sampling.
3. Stormwater Condition.
4. PCB/PMP Condition.

PA0244368, Sewage, **Toll Brothers, Inc.**, 2799 Surrey Hill Drive, Doylestown, PA 18902. This proposed facility is located in Doylestown Township, **Bucks County**.

Description of Proposed Activity: Application for a new NPDES permit to discharge treated sewage from a small flow sewage treatment plant for a single residence located at Lot 6 Doylestown Woods.

The receiving stream, tributary to Pine Run (Stream Code 02792), is in the State Water Plan Watershed 2F and is classified for: TSF, MF, aquatic life, water supply and recreation. The nearest downstream public water supply intake for North Penn and North Wales (Forest Park), is located on Pine Run. The discharge is not expected to affect the downstream public water supply.

The proposed effluent limits for Outfall 001 are based on a design flow of 600 gpd.

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum mg/l</i>
CBOD ₅			10		20
Total Suspended Solids			10		20
pH	Within limits of 6.0 to 9.0 Standard Units at all times				
Fecal Coliform	200 Colonies/l as a Geometric Mean				

In addition to the effluent limits, the permit contains the following major special conditions:

1. Abandon STP when Public Sewer Available.
2. Remedial Measures.
3. No Stormwater.
4. Obtain Property Rights.
5. Small Stream Discharge.
6. Change of Ownership.
7. Sludge Disposal.
8. AMMR to DEP and BCHD.

PA0054186, Sewage, SIC 4952, **SCI Graterford Wastewater Treatment Plant**, Department of Corrections—Graterford, P. O. Box 246, Graterford, PA 19426. This facility is located in Skippack Township, **Montgomery County**.

Description of Proposed Activity: This is a renewal NPDES permit application is for an existing sewage treatment facility.

The receiving streams, UNTs to Perkiomen Creek, are in the State Water Plan Watershed 3E—Perkiomen and are classified for: TSF, aquatic life, water supply and recreation. The nearest downstream public water supply intake for Pennsylvania American's Water Filtration Plant is located on the Schuylkill River and is 15 miles downstream.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.5 mgd.

Parameters	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Average Weekly	Average Monthly	Average Weekly	Instantaneous Maximum (mg/l)
Flow					
CBOD ₅			25		50
Total Suspended Solids			30		60
Fecal Coliform			200/100 ml		1,000/100 ml
Dissolved Oxygen			6.0 (Minimum)		
pH (Standard Unit)			6.0 (Minimum)		9.0 (Maximum)
Ammonia as N					
(5-1 to 10-31)			1.5		3.0
(11-1 to 4-30)			3.0		6.0
Phosphorus as P			1.0		2.0
Total Residual Chlorine			0.01		0.03

In addition to the effluent limits, the permit contains the following major special conditions:

1. Discharge must not cause nuisance or health hazard.
2. Sludge disposal according to State and Federal regulations.
3. Discharge is to small stream.
4. Operations and maintenance plan required.
5. Utilize spray irrigation fields to maximum extent possible.
6. Monitor coal pile runoff (Outfall 002) and facility stormwater (Outfall 003).

The EPA waiver is in effect.

No. PA0050831, Sewage, **HPC Associates**, 167 Meadowbrook Drive, Huntingdon Valley, PA 19006. This application is for renewal of an NPDES permit to discharge treated sewage from a sewage treatment plant serving Meadowbrook Apartments and Washington Mill Subdivision in Abington Township, **Montgomery County**. This is an existing discharge to Pennypack Creek.

The receiving stream is classified for the following uses: TSF, MF.

The proposed effluent limits for Outfall 001, based on an average flow of 0.154 mgd are as follows:

Parameter	Average Monthly (mg/l)	Instantaneous Maximum (mg/l)
CBOD ₅	25	50
Suspended Solids	30	60
Ammonia (as N)	20	40
Total Residual Chlorine	0.5	1.17
Fecal Coliform	200 colonies/100 ml as a Geometric Average	
Dissolved Oxygen	minimum of 2.0 mg/l at all times	
pH	Within limits of 6.0 to 9.0 Standard Units at all times	

The EPA waiver is in effect.

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

PA0043915, Sewage, **Herb Jacobsen, President, River Road Utilities, Inc.**, 3300 River Road, Mount Bethel, PA 18343-6122. This proposed facility is located in Upper Mount Bethel Township, **Northampton County**.

Description of Proposed Activity: Issuance of an NPDES permit for expansion of discharge flow from 0.049 mgd to 0.066 mgd.

The receiving stream, Delaware River, is in the State Water Plan Watershed 01F and is classified for: aquatic life, WWF, MF, water supply and recreation.

The proposed effluent limits for Outfall 001 based on a design flow of 0.066.

Parameter	Average Monthly (mg/l)	Average Weekly (mg/l)	Instantaneous Maximum (mg/l)
CBOD ₅	10		20
Total Suspended Solids	10		20
Dissolved Oxygen	A minimum of 6.0 mg/l at all times.		
Fecal Coliform	50/100 ml as a Geometric Mean		
pH	6.0 to 9.0 Standard Units at all times.		
Total Residual Chlorine	Ultra Violet Disinfection or Nondetect		

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
NH ₃ -N (5-1 to 10-31)	1.5		3.0
(11-1 to 4-30)	4.5		9.0
Phosphorous	2.0		4.0
Total Dissolved Solids	1,000		2,000

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

Application No. PA 0260789, Concentrated Animal Feeding Operation (CAFO), **Clark Crest Dairy Farm**, 754 Solanco Road, Quarryville, PA 17566.

Ron Clark has submitted an NPDES permit application for Clark Crest Dairy Farm, an existing dairy operation in East Drumore Township, **Lancaster County**. The CAFO is situated near Stewart Run (Watershed 7-K), which is classified as a HQ-CWF. The CAFO has a target animal population of approximately 874 animal equivalent units consisting of 650 adult cows, 20 heifers, 5 calves and 4 horses.

The Department of Environmental Protection (Department) has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue the NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit. The permit application and draft permit are on file at the Southcentral Regional Office of the Department.

Persons may make an appointment to review the Department's files by calling the file review coordinator at (717) 705-4732.

The Environmental Protection Agency (permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

Application No. PA 0248541, Concentrated Animal Feeding Operation (CAFO), **Bailey Farms**, 2820 Daron Road, Spring Grove, PA 17362.

Hillandale Gettysburg, LP has submitted an NPDES permit application for Bailey Farms, an existing poultry layer operation in Codorus Township, **York County** that will be undergoing an expansion. The CAFO is situated near Codorus Creek (Watershed 7-H), which is classified as a TSF. The CAFO has a target animal population of approximately 4,050 animal equivalent units consisting of 1,100,000 standard layers, 50,000 organic layers, 4 beef cows, 4 beef calves and one bull.

The Department of Environmental Protection (Department) has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue the NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit. The permit application and draft permit are on file at the Southcentral Regional Office of the Department.

Persons may make an appointment to review the Department's files by calling the file review coordinator at (717) 705-4732.

The Environmental Protection Agency permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

Application No. PA 0248541, Concentrated Animal Feeding Operation (CAFO), **Berkshire Layers Farm**, 3304 Mountain Road, Hamburg, PA 19526.

Pat Shea and Wenger's Feed Mill, Inc. have submitted an NPDES permit application for the Berkshire Layers Farm, an existing poultry layer operation in Upper Bern Township, **Berks County**. The CAFO is situated near Mill Creek (Watershed 3-D), which is classified as a TSF. The CAFO has a target animal population of approximately 1,469 animal equivalent units consisting of 422,121 layers.

The Department of Environmental Protection (Department) has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue the NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit. The permit application and draft permit are on file at the Southcentral Regional Office of the Department.

Persons may make an appointment to review the Department's files by calling the file review coordinator at (717) 705-4732.

The Environmental Protection Agency permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

Application No. PA 0260053, Concentrated Animal Feeding Operation (CAFO), **Jason Zimmerman Farm**, 260 Golden Rule Road, New Enterprise, PA 16652.

Jason Zimmerman has submitted an NPDES permit application for the Jason Zimmerman Farm, an existing swine and dairy operation in South Woodbury Township, **Bedford County**. The CAFO is situated near Beaver Creek (Watershed

11-D), which is classified as a HQ-CWF. The CAFO has a target animal population of approximately 575 animal equivalent units consisting of 3,500 finishing swine and 40 dairy heifers.

The Department of Environmental Protection (Department) has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue the NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit. The permit application and draft permit are on file at the Southcentral Regional Office of the Department.

Person may make an appointment to review the Department's files by calling the file review coordinator at (717) 705-4732.

The Environmental Protection Agency permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

Northcentral Regional Office: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701, (570) 327-0530.

PA0229172, Industrial Wastewater (SIC code 4941), **Duncan Township Municipal Water Authority**, R. R. 1, Box 55, Wellsboro, PA 16901. This facility is located in Duncan Township, **Tioga County**.

Description of Proposed Action/Activity: The proposed activity is for the issuance of a NPDES permit authorizing the discharge of treated industrial wastewater from a greensand water filtration plant to a UNT to Wilson Creek in Duncan Township, Tioga County. This receiving stream is classified for CWF, aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for total dissolved solids, NO₂-NO₃ (Nitrate-Nitrite), fluoride, phenolics, sulfates and chlorides, the existing downstream potable water supply considered during the evaluation is near Jersey Shore, PA, located approximately 50 river miles downstream from the discharge.

The proposed effluent limits for Discharge (numbered) 001, based on a design flow of 0.0067 mgd are in (mg/l).

<i>Discharge Parameter</i>	<i>Monthly Average</i>	<i>Weekly Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Total Suspended Solids	30		60	
Iron (total)	1.50		3.00	
Aluminum (total)	0.75		1.50	
Manganese (total)	1.00		2.00	
pH			6 to 9 between all times	
Total Residual Chlorine	0.5			

The previously effluent limitations were established at the Water Quality Criteria levels described in a Total Daily Maximum Load Report conducted by the Department of Environmental Protection on the Babbs Creek Watershed. In addition to the effluent limits, the applicant will be required to monitor and sample the outfall, and submit monthly Discharge Monitoring Reports.

The EPA waiver is in effect.

PA0233536, Industrial Waste, SIC 4952 (Sewerage), **David A. Finrock**, 371 Seymour Hill Road, Mansfield, PA 16933. This proposed facility is located in Sullivan Township, **Tioga County**.

Description of Proposed Activity: The applicant has applied for an NPDES permit to authorize the discharge from the proposed small flow treatment facility serving his residence.

The receiving stream, a UNT to Corey Creek, is in the State Water Plan Watershed 4A and is classified for: CWF. The nearest downstream public water supply intake for Mansfield University is located on Corey Creek and is approximately 5 miles below the point of discharge.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅			10		20
TSS			10		20
Fecal Coliforms (5-1 to 9-30)	200 colonies/100 ml as a Geometric Mean and not greater than 2,000 colonies/100 ml in more than 10% of the samples tested				
(10-1 to 4-30)	2,000 colonies/100 ml as a geometric mean				
pH	Within the range of 6.0 to 9.0				
Flow	Monitor and Report				
UV Disinfection	Monthly Bulb cleaning				

III. WQM Industrial Waste and Sewerage Applications Under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

WQM Permit No. 5907402, Sewerage, Industrial Waste SIC 4952, **David A. Finrock**, 371 Seymour Hill Road, Mansfield, PA 16933. This proposed facility is located in Sullivan Township, **Tioga County**.

Description of Proposed Action/Activity: Applicant seeks a permit authorizing the design, construction and operation of a small flow treatment facility, consisting of a 1,000 gallon septic tank with effluent filter, a 500 gallon pump/equalization tank, an EcoFlow peat biofilter and ultraviolet disinfection. Discharge will be to a UNT to Corey Creek, a CWF.

IV. NPDES Applications for Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

V. Applications for NPDES Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Luzerne County Conservation District: Smith Pond Road, Lehman, PA 18627-0250, (570) 674-7991.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI024007006	Luzerne County Road and Bridge Department 200 North River Street Luzerne County Courthouse Wilkes-Barre, PA 18711	Luzerne	Hanover Township	Solomon Creek HQ-CWF

Monroe County Conservation District: 8050 Running Valley Road, Stroudsburg, PA 18360, (570) 629-3060.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI024507012	First National Community Bank 102 East Drinker Street Dunmore, PA 18512	Monroe	Paradise Township	Swiftwater Creek EV
PAS10S020R(1)	Keystone Hollow Corp. P. O. Box 1158 Marshalls Creek, PA 18335	Monroe	Middle Smithfield Township	Marshall Creek HQ-CWF Bushkill Creek HQ-TSF Delaware River HQ-CWF

Wayne County Conservation District: 648 Park Street, Honesdale, PA 18431, (570) 253-0930

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI026407005	Joseph Bunnell 267 Tryon Street Honesdale, PA 18431	Wayne	Berlin Township	Tributary to Rattlesnake Creek HQ-CWF

Pike County Conservation District: HC 6, Box 6770, Hawley, PA 18428, (570) 226-8220.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI025207005	Pine Hill Partners, LP HC 8 Box 8334 Hawley, PA 18428	Pike	Westfall Township	Cummins Creek HQ-CWF Crawford Branch HQ-CWF, MF

Cambria District: Environmental Program Manager, 286 Industrial Park Road, Ebensburg, PA 15931-4119.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI091407003	Department of Environmental Protection Cambria Office 286 Industrial Park Road Ebensburg, PA 15931-4119	Centre County	Rush Township	UNTs to Cold Stream to Moshannon Creek HQ-CWF

VII. List of NOIs for NPDES and/or Other General Permit Types

PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

PUBLIC WATER SUPPLY (PWS) PERMIT

Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17), the following parties have applied for a PWS permit to construct or substantially modify a public water system.

Persons wishing to comment on a permit application are invited to submit a statement to the office listed before the application within 30 days of this public notice. Comments received within the 30-day comment period will be considered in the formulation of the final determinations regarding the application. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (Department) of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and any related documents are on file at the office listed before the application and are available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability who require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

WATER ALLOCATIONS

Applications received under the act of June 24, 1939 (P. L. 842, No. 365) (35 P. S. §§ 631—641) relating to the Acquisition of Rights to Divert Waters of the Commonwealth

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WA11-236C, Water Allocations. **Patton Borough Water Department**, P. O. Box 175, Patton, PA 16668, **Cambria County**. The applicant is requesting the right to withdraw 750,000 gpd of water (peak day), from a surface water intake on Chest Creek and a service area expansion into Chest, East Carroll and Clearfield Townships.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) require the

Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the Background Standard, Statewide Health Standard, the Site-Specific Standard or who intend to remediate a site as a special industrial area must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one, a combination of the cleanup standards or who receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a Site-Specific Standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified, proposed for remediation to a Site-Specific Standard or as a special industrial area, the municipality within which the site is located may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office before which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

St. Joseph Medical Center, City of Reading, **Berks County**. Spotts, Stevens and McCoy, Inc., 1047 North Park Road, Reading, PA 19610, on behalf of St. Joseph Medical Center, P. O. Box 316, Reading, PA 19603; Reading School District, 800 Washington Street, Reading, PA 19601; and Empire Services, 1420 Clarion Street, Reading, PA 19601, submitted a Notice of Intent to Remediate site soils contaminated with No. 2 fuel oil and diesel fuel. The applicants will remediate the site to the Statewide Health Standard. The property was recently purchased by the Reading School District, and future use is unknown at this time.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

Northumberland National Bank Property, Northumberland Borough, **Northumberland County**, Pennsylvania Tectonics, 826 Main Street, Peckville, PA 18452 on behalf of Northumberland National Bank, P. O. Box 271, Northumberland, PA 17857 has submitted a Notice of Intent to Remediate soil and groundwater contaminated with No. 2 fuel oil. The applicant proposes to remediate the site to meet the Statewide Health Standard.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

NEW SOURCES AND MODIFICATIONS

The Department of Environmental Protection (Department) has developed an "integrated" plan approval, State operating permit and Title V operating permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department has received applications for plan approvals and/or operating permits from the following facilities.

Copies of the applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the regional office identified in this notice. Persons interested in reviewing the application files should contact the appropriate regional office to schedule an appointment.

Persons wishing to receive a copy of a proposed plan approval or operating permit must indicate their interest to the Department regional office within 30 days of the date of this notice and must file protests or comments on a proposed plan approval or operating permit within 30 days of the Department providing a copy of the proposed document to that person or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Comments or protests filed with the Department regional offices must include a concise statement of the objections to the issuance of the Plan approval or operating permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office identified before the application. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121—143, the Federal Clean Air Act (act) and regulations adopted under the act.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Neal Elko, New Source Review Chief, (570) 826-2531.

54-322-007: Blythe Recycling and Demolition Site—BRADS (P. O. Box 91, Cumbola, PA 17931) for construction of a new recycling and demolition landfill with flare at their facility to be in Blythe Township, **Schuylkill County**.

35-303-012: Eureka Stone Quarry, Inc. (P. O. Box 249, Chalfont, PA 18914) for installation of a new baghouse on their existing asphalt plant at their facility in Covington Township, **Lackawanna County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.

10-001M: AK Steel Corp. (P. O. Box 832, Butler, PA 16003-0832) for modification of the melt shop to increase production and the construction of a conventional electric arc furnace and a dual station ladle metallurgical facility at the melt shop facility, Butler Works, in the City of Butler, **Butler County**. This plan approval is subject to the Prevention of Significant Deterioration requirements for CO, SO₂ and NO₂. The facility currently has a Title V permit which was issued February 13, 2006.

25-1015A: Erie Renewable Energy, LLC (East 12th and Downing Avenues, Erie, PA 16501) for construction of a tire derived fuel fired power generation facility designed to generate up to 100 megawatts (MW) gross, 90 MW net electrical power using circulating fluidized bed (CFB) boiler technology in Erie City, **Erie County**. The facility will consist of two 50 MW CFB steam generators operating in parallel being controlled by TurboSorp scrubber, fabric filter and a Regenerative Selective Catalytic Reduction. In addition to the CFB steam generators, the facility will have a totally-enclosed tire shredding and preparation area and material handling operations such as TDF conveyance; limestone, sand and lime storage, and handling; anhydrous ammonia handling and ash handling. A firewater pump and cooling tower will also be located at the facility. The source is subject to PSD/NSR requirements. It may also be subject to the Acid Rain regulations and the Clean Air Interstate Rule. Compliance Assurance Monitoring will also apply. This will be a Title V facility.

33-178A: Triangle Suspension Systems, Inc. (1 Meter Street, Punxsutawney, PA 15767) for installation of two dip tanks and associated hoods, fans and at the facility site in Punxsutawney Borough, **Jefferson County**. This is not a Title V facility.

42-158M: Temple-Inland-Mt. Jewett (R. R. 1, Hutchins Road, Mt. Jewett, PA 16740) for modification of the secondary tube dryer system at the facility in Mt. Jewett, **McKean County**. This is a Title V facility.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Sachin Shankar, New Source Review Chief, (484) 250-5920.

09-0200: Burton Imaging Group (625 Winks Lane, Bensalem, PA, 19020) for installation of five digital printer with a regenerative thermal oxidizer as a control, and a digital coater in Bensalem Township, **Bucks County**. This facility is a Synthetic Minor for VOC. Emissions from these sources are 13.95 tons of VOC. The Plan approval will contain recordkeeping and operating restriction designed to keep the facility operating within the allowable emissions and all applicable air quality requirements.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

06-05033: Texas Eastern Transmission, LP (P. O. Box 1642, Houston, TX 77251-1642) for operation of a natural gas transmission compressor station at the Bernville Compressor Station in North Heidelberg Township, **Berks County**. This action is a second renewal of the Title V operating permit originally issued in 1998. The facility's major sources of emissions include natural gas fired internal combustion engine and turbine driven compressors and emergency generators. The primary emission is NOx. The Title V operating permit contains monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19428, Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.

09-00186: Kinder Morgan Bulk Terminals, Inc. (1 Sinter Lane, Fairless Hills, PA 19030) for a non-Title V Facility, State-only, Synthetic Minor Operating Permit in Falls Township, **Bucks County**. Kinder Morgan Bulk Terminals, Inc. owns and operates a Bulk Material Handling System (Source ID: 101) that is used to unload and load aggregate material, so that emissions can be controlled by water suppression. The main sources of emissions are the transfer points from transferring of material, stockpiling of material and roadway emissions. Potential emissions from this operation are 73.32 tpy of PM and 9.88 tpy of HAPs. The permit will contain monitoring, recordkeeping, reporting and work practice standards designed to keep the facility operating within all applicable air quality requirements.

15-00053: Superior Woodcraft, Inc. (160 North Hamilton Road, Doylestown, PA 18901) is a non-Title V, Synthetic Minor facility in Doylestown Borough, **Bucks**

County. This action is a renewal of the State-only Operating Permit. The initial permit was issued on August 8, 2002. Superior Woodcraft, Inc. manufactures high quality wood cabinets at this facility. There are three coating booths and a staining operation that have the potential to emit 23 tons of VOCs and 10 tons of a single HAP and 25 tons of a combination of HAPs. The facility averages 8.03 tons of VOC emissions per year, and the estimated emissions of HAPs are 5.3 tpy. The renewal contains all applicable requirements including monitoring, recordkeeping and reporting.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

06-03054: Martin Stone Quarries, Inc. (P. O. Box 297, Bechtelsville, PA 19505) for operation of a limestone processing facility in Colebrookdale Township, **Berks County**. Annual emissions of PM10 from the facility are expected to be about 5 tpy. This is a renewal of the facility's State-only operating permit issued in 2002.

06-03063: East Penn Mfg. Co., Inc. (P. O. Box 147, Lyon Station, PA 19536) for operation of a manufacturing facility for various products associated with the lead/acid battery industry and assembly operations in the Borough of Kutztown, **Berks County**. The potential emissions are all below the Title V thresholds. The permit will include monitoring, testing, work practices, recordkeeping and reporting requirements designed to keep the operations within all applicable air quality requirements.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

60-00001: Bucknell University (Lewisburg, PA 17837) for the renewal of State-only Operating Permit 60-00001 for operation of a university campus in East Buffalo Township, **Union County**.

The facility incorporates a 5.5 megawatt natural gas/No. 2 fuel oil-fired combustion turbine, a heat recovery steam generator incorporating a 92.0 mmBtu/hr natural gas-fired duct burner, an 88.8 mmBtu/hr natural gas/No. 2 fuel oil-fired boiler, an 85.2 mmBtu/hr natural gas/No. 2 fuel oil-fired boiler, 21 small No. 2 fuel oil-fired boilers and furnaces (with a total combined heat input of 5.194 mmBtu/hr), four small natural gas-fired boilers and furnaces (with a total combined heat input of 3.199 mmBtu/hr), four small propane-fired boilers and furnaces (with a total combined heat input of .61 mmBtu/hr), nine diesel fuel/No. 2 fuel oil-fired emergency generators and fire pumps (with a total combined horsepower of approximately 2,367), ten propane-fired emergency generators (with a total combined horsepower of approximately 800), three natural gas-fired emergency generators (with a total combined horsepower of approximately 188), a 60 horsepower experimental diesel fuel-fired engine, a 120 horsepower experimental gasoline-fired engine and five solvent parts washers.

The facility has the potential to emit up to 99.999 tons of NOx, 94.7 tons of CO, 96.42 tons of SO, 15.84 tons of VOCs and 13.23 tons of PM including PM10 per year.

The facility is not a major (Title V) facility for any air contaminant.

The Department of Environmental Protection (Department) proposes to renew State-only Operating Permit 60-00001. The Department intends to incorporate into this renewal all conditions currently contained in State-only Operating Permit 60-00001 with these exceptions, additions and changes:

1. Conditions concerning the monitoring of No. 2 fuel oil sulfur content and the maintenance of records of this information have been modified to eliminate a monitoring option which the Department has determined does not provide the compliance demonstration originally intended and to require the maintenance of more comprehensive records of No. 2 fuel oil sulfur content.

2. Conditions requiring a daily inspection of the facility for the presence of visible air contaminant emissions, visible fugitive air contaminant emissions and malodorous air contaminant emissions, and the maintenance of records of these inspections, have been removed from the permit as the sources existing at this facility are not the type which would readily generate these types of air contaminant emissions.

3. Conditions requiring the maintenance, and, in some cases, the periodic reporting, of records of the "supporting calculations used to verify compliance" with various air contaminant emission limitations have, in the case of short-term emission limitations, been removed from the permit, as compliance with the limitations cannot be demonstrated with "calculations," or, in the case of long-term emission limitations, have been changed to require the maintenance, and periodic reporting, of the amount of the respective air contaminants emitted each month.

4. A condition requiring malfunctions to be reported to the Department has been revised to exclude the reporting of malfunctions which do not result in, or potentially result in, air contaminant emissions in excess of an applicable air contaminant emission limitation and/or do not result in, or potentially result in, noncompliance with any operating permit condition.

5. A condition requiring the submission of emission statements has been removed from the permit as the permittee is not subject to the regulation, 25 Pa. Code § 135.21, which requires the submissions.

6. Conditions have been added to the permit requiring the performance of NO_x and CO stack testing upon the facility's 88.8 mmBtu/hr and 85.2 mmBtu/hr natural gas/No. 2 fuel oil fired boilers between December 2008 and February 2009.

7. A number of small No. 2 fuel oil and/or natural gas-fired boilers and furnaces have been removed from the permit, as they no longer exist onsite, and a number of others have been added to the permit as they have been installed onsite since the last permit issuance.

8. A condition limiting the amount of No. 2 fuel oil which can be fired in the 85.2 mmBtu/hr natural gas/No. 2 fuel oil fired boiler to 850,000 gallons in any 12 consecutive month period, which once existed in the permit but was removed, has been restored to the permit as the Department has determined that its removal was an error.

9. The conditions previously contained in the permit for the combustion turbine have been replaced with the conditions established in plan approval 60-00001A, issued by the Department on September 19, 2006, for the construction of a replacement combustion core in the respective turbine.

10. A condition has been added to the permit requiring the performance of NO_x and CO stack testing upon the combustion turbine between December 2008 and February 2009.

11. A number of No. 2 fuel oil, propane and/or natural gas-fired emergency generators and fire pumps have been removed from the permit, as they no longer exist on site, and a number of others have been added to the permit as they had been installed since the last permit issuance, including a 277 horsepower diesel fuel-fired emergency generator which is subject to Subpart IIII of the Federal Standards of Performance for new stationary sources, 40 CFR 60.4200—60.4219. Conditions specifying the applicable regulatory requirements for the 277 horsepower emergency generator have also been added to the permit.

12. Five solvent parts washers have been added to the permit along with conditions specifying the applicable 25 Pa. Code § 129.63 requirements for these parts washers.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of an application is available for inspection at the district mining office indicated before an application. Where a 401 Water Quality Certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for certification.

Written comments, objections or requests for informal conferences on applications may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the district mining office indicated before an application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Where any of the mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. NPDES permits will contain, at a minimum, technology-based effluent limitations as identified in this notice for the respective coal and noncoal applications. In addition, more restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit, when necessary, for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies who have requested review of NPDES permit requirements for a particular mining activity within the previously mentioned public comment period will be provided with a 30-day period to review and submit comments on the requirements.

Written comments or objections should contain the name, address and telephone number of the person submitting comments or objections; the application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; the application number; a brief summary of the issues to be raised by the requestor

at the conference; and a statement whether the requestor wishes to have the conference conducted in the locality of the proposed mining activities.

Coal Applications Received

Effluent Limits—The following coal mining applications that include an NPDES permit application will be subject to, at a minimum, the following technology-based effluent limitations for discharges of wastewater to streams:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	
Alkalinity greater than acidity*			

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: (1) surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; and mined areas backfilled and revegetated; and (2) drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

32070109 and NPDES No. PA262536. Britt Energies, Inc., 2450 Philadelphia Street, Indiana, PA 15701, commencement, operation and restoration of a bituminous surface mine in Black Lick Township, **Indiana County**, affecting 70.4 acres. Receiving streams: UNT to Muddy Run and Muddy Run to Blacklick Creek to Conemaugh River classified for the following uses: CWF and TSF. There are no potable water supply intakes within 10 miles downstream. Application received November 26, 2007.

56920109. Heritage Mining Company, P. O. Box 126, Cresson, PA 16630, permit renewal for reclamation only of a bituminous surface mine in Shade Township, **Somerset County**, affecting 46.1 acres. Receiving streams UNT to Stonycreek River and Oven Run classified for the following use: CWF. The first downstream potable water supply intake from the point of discharge is Hooversville Borough Municipal Water Authority. Application received December 4, 2007.

05070101 and NPDES No. PA0262544. Forcey Coal, Inc., P. O. Box 225, Madera, PA 16661 commencement,

operation and restoration of a bituminous surface encroachment mine in Broad Top Township, **Bedford County**, affecting 110.0 acres. Receiving streams: Brewster Hollow Run, East Fork Brewster Hollow Run classified for the following use: WWF. The first downstream potable water supply intake from the point of discharge is Coaldale-Six Mile Run Area Water Corporation infiltration gallery and two wells. Application received December 6, 2007.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

54683043C11. Jeddo-Highland Coal Company (46 Public Square, Suite 600, Wilkes-Barre, PA 18701), correction to an existing anthracite surface mine operation to include coal refuse reprocessing in Mahanoy Township, **Schuylkill County**, affecting 1,328.0 acres, receiving stream: none. Application received December 6, 2007.

54850201T. Joe Kuperavage Coal Company (916 Park Avenue, Port Carbon, PA 17965), transfer of an existing anthracite coal refuse reprocessing operation from Ginther Coal Company in Blythe Township, **Schuylkill County** affecting 31.1 acres, receiving stream: none. Application received December 7, 2007.

Noncoal Applications Received

Effluent Limits— The following noncoal mining applications that include an NPDES permit application will be subject to, at a minimum, the following technology-based effluent limitations for discharges of wastewater to streams:

<i>Parameter</i>	<i>30-day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
suspended solids	35 mg/l	70 mg/l	90 mg/l
Alkalinity exceeding acidity ¹		greater than 6.0; less than 9.0	
pH ¹			

¹ The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction

of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

Permit No. 6577SM3A and NPDES Permit No. PA0120588. P & W Excavating, Inc., P. O. Box 712, McConnellsburg, PA 17233-0712, renewal of NPDES Permit, Todd Township, **Fulton County**. Receiving streams: UNT Kendall Run to Big Cove Creek classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received December 12, 2007.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

33020303. Glen-Gery Corporation (P. O. Box 7001, 1166 Spring Street, Wyomissing, PA 19610) Renewal of NPDES Permit No. PA0242144 in Oliver Township, **Jefferson County**. Receiving streams: UNTs to Little Sandy Creek, classified for the following uses: Statewide Water Use: CWF. There are no potable surface water supply intakes within 10 miles downstream. NPDES Renewal Application received December 10, 2007.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

6276SM4C5 and NPDES Permit No. PA0613142. Martin Limestone, Inc. (P. O. Box 550, Blue Ball, PA 17506), correction to an existing quarry operation to update the mining plan, water handling plan and update NPDES for discharge of treated mine drainage in Caernarvon and Honey Brook Townships, **Chester and Lancaster Counties** affecting 163.0 acres, receiving stream: West Branch Brandywine Creek and Conestoga River, classified for the following uses: HQ-TSF and WWF. Application received December 6, 2007.

36070301. Martin Limestone, Inc. (P. O. Box 550, Blue Ball, PA 17506), commencement, operation and restoration of a quarry operation in Honey Brook and Caernarvon Townships, **Lancaster and Chester Counties** affecting 47.5 acres, receiving stream: Conestoga River, classified for the following use: WWF. Application received December 6, 2007.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (Department). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the State to certify that the involved projects will not violate the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA or to the issuance of a Dam Permit, Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment must submit comments, suggestions or objections within 30 days of the date of this notice, as well as questions, to the regional office noted before the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Individuals will be notified, in writing,

of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on each working day at the regional office noted before the application.

Persons with a disability who wish to attend a hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401(a) of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701, (570) 327-3636.

E14-487. Robert S. McGrail-Peasley, 2045 Runville Road, Bellefonte, PA 16823, Berm/bridge/culvert, in Boggs Township, **Centre County**, ACOE Baltimore District (Bellefonte, PA Quadrangle N: 21.07 inches; W: 13.35 inches).

To construct and maintain: 1) 340 foot long by 2 foot wide by 2 foot high earthen berm on the top of the right bank of a UNT to Wild Cat Run for the purpose of protecting an earthen road from flood waters; 2) a wooden pedestrian bridge with a 19-foot clear span and 4-foot underclearance across Wild Cat Run for private use; 3) a 24-inch diameter HDPE culvert with a rock headwall to make a new road crossing near the upstream limit of the earthen berm, located 3,100 feet upstream of the intersection of Gum Stump and Runville Roads (SR 144) (Bellefonte, PA Quadrangle N: 21.07 inches; W: 13.35 inches) in Boggs Township, Centre County. This project proposes to impact 340 linear feet of the UNT to Wild Cat Run and 5 linear feet of Wild Cat Run that are tributaries to Wallace Run, which is classified as a HQ-CWF and proposes no wetland impacts.

E18-427. Department of Conservation and Natural Resources, Bureau of Forestry, P. O. Box 8451, Harrisburg, PA 17105-8451. Water Obstruction and Encroachment Joint Permit Application, in Chapman Township, **Clinton County**, ACOE Baltimore District (Slate Run, PA Quadrangle N: 41° 27' 26"; W: 77° 36' 21").

To construct and maintain a single span concrete box beam bridge with a span of 30 feet, an underclearance of 6 feet on a skew of 90° over Young Womans Creek (Exceptional Value) as well as a precast concrete box culvert with a span of 24 feet, and underclearance of 6 feet on a skew of 78° over Lebo Run (Exceptional Value). The projects will temporarily impact 322 square feet of wetlands while impacting 95 linear feet of waterway. The projects are located along Fork Hill Road over Lebo Run and Young Womans Creek in Chapman Township, Clinton County.

E18-428. Department of Transportation, Engineering District 2-0, 1924 Daisy Street Extension, Clearfield, PA 16830. Application for SR 1001 Section A02, Far-randsville Road Bridge Replacement Project over Queen's

Run, Woodward Township, **Clinton County**, ACOE Susquehanna River Basin District, (Lock Haven, PA Quadrangle N: 9.39 inches; W: 14.56 inches).

To remove an existing single reinforced concrete T-beam bridge and construct, operate and maintain a single span prestressed concrete box beam bridge approximately 45 feet south of the existing structure. This project will realign the approach to the new structure flattening the existing horizontal curve. The vertical geometry will be raised only in the area of the proposed bridge to meet hydraulic requirements. Fill and scour protection will be placed to protect the bed and banks of Queen's Run. The new structure will have a curb-to-curb width of 30 feet, a single clear span of 40.0 feet, minimum underclearance of 9.03 feet, skew of 82° and will carry vehicle traffic across Queen's Run, SR 1001 Section A02, in Woodward Township, Clinton County.

This project proposes to have a minimal impact on Queen's run, which is designated a HQ-CWF. This project does not propose to impact any jurisdictional wetlands.

Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E63-600. Kriebel Minerals, Inc., P. O. Box 765, Clarion, PA 16214. To construct a culvert in Deemstown

Borough, **Washington County**, Pittsburgh ACOE District. (Ellsworth, PA Quadrangle N: 3.8 inches; W: 1.2 inches, Latitude: 40° 01'16"; Longitude: 80° 00' 30"). The applicant proposes to construct and maintain a culvert consisting of two 48-inch diameter corrugated steel pipes in Fishpot Run (WWF) with inverts depressed 1 foot below channel bed on a proposed access road to a gas well located approximately 1.2 miles north of the intersection of SR 88 and Ridgewood Drive.

Cambria District: Environmental Program Manager, 286 Industrial Park Road, Ebensburg, PA 15931-4119.

E0209-001. Allegheny Land Trust, 409 Broad Street, Carn Barn Shops, Suite 206A, Sewickley, PA 15143. Abandoned Mine Drainage Treatment Project, in Upper St. Clair Township, **Allegheny County**, Pittsburgh ACOE District.

The applicant proposes to construct an abandoned mine drainage treatment facility with funds received from the Bureau of Abandoned Mine Reclamation. The project will include impacts to 1.32 acres of PEM/SS wetland and 860 linear feet of manmade stream channel. Mitigation is proposed to include 0.24 acre of replacement wetland, 2 acres of wetland enhancement and water quality improvements to 2.1 miles of Chartiers Creek. (Bridgeville Quadrangle N: 16 inches; W: 16 inches).

ACTIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT FINAL ACTIONS TAKEN FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

The Department of Environmental Protection (Department) has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and Notices of Intent (NOI) for coverage under general permits. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or amendment
Section III	WQM	Industrial, sewage or animal waste; discharge into groundwater
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

Sections I—VI contain actions related to industrial, animal or sewage wastes discharges, discharges to groundwater and discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities and concentrated animal feeding operations (CAFOs). Section VII contains notices for parties who have submitted NOIs for coverage under general NPDES permits. The approval for coverage under general NPDES permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions set forth in each general permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective permit. Permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed #)	EPA Waived Y/N?
PA0009440 (IW)	Pennsylvania American Water Company 82 Wesley Drive Mechanicsburg, PA 17050	Cumberland County Silver Spring Township	Conodoguinet Creek 7B	Y

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed #)	EPA Waived Y/N?
PA0205079 Industrial Waste	Daily Juice Products 1 Daily Way Verona, PA 15147	Allegheny County Verona Borough	Plum Creek	Y

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

NPDES Permit No. PA0058505, Sewage, **Kilcar House, Inc.**, 1197 California Road, Quakertown, PA 18951-4519. This proposed facility is located in Richland Township, **Bucks County**.

Description of Proposed Action/Activity: Approval for the renewal to discharge from Casey's Tavern STP, into Tohickon Creek in Watershed 2D.

Northcentral Region: Water Management Program, 208 West Third Street, Williamsport, PA 17701.

NPDES Permit No. PA0025933, Sewerage (4952), **South Creek Township**, P. O. Box 60, Gillett, PA 16925-0060. The proposed action is for the issuance of an NPDES permit authorizing the discharge of treated sewage from the proposed South Creek Township WWTP to the South Creek in South Creek Township, **Bradford County**. This receiving stream is classified for CWF, aquatic life, water supply and recreation.

Facility Standard Industrial Classification (SIC): No. 4952 (Sewerage Systems).

For the purpose of evaluating effluent requirements for total dissolved solids, NO₂-NO₃ (Nitrate-Nitrite), fluoride, phenolics, sulfates and chlorides, the existing downstream potable water supply considered during the evaluation is the New York border approximately 6 river miles downstream from the discharge.

The effluent limits for Outfall (numbered) 001, based on a design flow of 0.075 mgd are:

Parameter	Concentration (mg/l)			
	Monthly Average	Weekly Average	Daily Maximum	Instantaneous Maximum
CBOD ₅	25	40		50
Total Suspended Solids	30	45		60
NH ₃ N	12			24
Total Chlorine Residual	0.5			1.6
Fecal Coliforms (5-1 to 9-30) (10-1 to 4-30)		200 col/100 ml 2,000 col/100 ml as Geometric Mean		
pH		Within the range of 6.0 to 9.0		
Dissolved Oxygen		Minimum of 4 mg/l		

The Chesapeake Bay Tributary Strategy Nutrient Requirements:

Parameter	Concentration (mg/l)			Mass (lbs) Annual Load
	Monthly Average	Monthly Load	Annual Load	
Ammonia-N	Report	Report	Report**	
Kjeldahl-N	Report	Report	Report	
Nitrate-Nitrate as N	Report	Report	Report	
Total Nitrogen	Report	Report	Report	Report
Net Total Nitrogen		Report	Report	6,075*

<i>Parameter</i>	<i>Concentration (mg/l) Monthly Average</i>	<i>Monthly Load</i>	<i>Mass (lbs) Annual Load</i>
Total Phosphorus	Report	Report	Report
Net Total Phosphorus		Report	230*

*This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department of Environmental Protection's (Department) Trading of Nutrients and Sediment Reduction Credits Policy and Guidelines (Document No. 392-0900-001, December 30, 2006). The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

*The compliance date for Net Total Nitrogen and Net Total Phosphorus will begin immediately. Since these reporting requirements are annual loads, the reporting on the compliance with the annual limitations will be required to be reported on the Supplemental DMR—Annual Nutrient Summary.

**Total Annual Ammonia Load required to be reported on Supplemental DMR.

In addition to the effluent limits and best management practices the permit contains the following major permit conditions:

1. Submittal of DMRs.
2. Proper disposal of sludge and wastes.

The EPA waiver is in effect.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

NPDES Permit No. PA0253537, Industrial Waste, **Rolling Rock Club**, P. O. Box 747, Ligonier, PA 15658. This proposed facility is located in Ligonier Township, **Westmoreland County**.

Description of Proposed Action/Activity: Permit issuance for the discharge of treated industrial wastewater from a fish hatchery.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

IV. NPDES Stormwater Discharges from MS4 Permit Actions

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WQM Permit No. 6507203, Industrial Waste, **Rolling Rock Club**, P. O. Box 747, Ligonier, PA 15658. This proposed facility is located in Ligonier Township, **Westmoreland County**.

Description of Proposed Action/Activity: Permit issuance for the construction and operation of a settling basin to treat industrial wastewater from a fish hatchery.

V. NPDES Waiver Stormwater Discharges from MS4 Actions

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges From Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities (PAR)
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges From Small Flow Treatment Facilities
PAG-5	General Permit for Discharges From Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges From Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Nonexceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines

PAG-11 (To Be Announced)
 PAG-12 Concentrated Animal Feeding Operations (CAFOs)
 PAG-13 Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

General Permit Type—PAG-02

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
West Hazleton Borough Luzerne County	PAG2004007033	MBC Development, LP P. O. Box 472 Schuylkill Haven, PA 17972	Black Creek CWF	Luzerne County Conservation District (570) 674-7991
Lower Mt. Bethel Township Northampton County	PAG2004807025	Lower Mt. Bethel Township Attn: Richard Schilling P. O. Box 257 Martins Creek, PA 18063	Delaware River WWF, MF	Northampton County Conservation District (610) 746-1971
Smithfield Township Monroe County	PAG2004507002	Revapuri Maharaj Motel Investments, Inc. Attn: David Patel 936 Beatrice Parkway Edison, NJ 08820	Brodhead Creek MF, TSF	Monroe County Conservation District (570) 629-3060
Centre County Patton Township	PAG2001407020	Ronald Woodhead Park Forest Pool Centre Region Parks and Recs 2643 Gateway Drive State College, PA 16801	UNT to Big Hollow CWF	Centre County Conservation District 414 Holmes Avenue Suite 4 Bellefonte, PA 16823 (814) 355-6817
Tioga County Charleston Township	PAG2005907012	Michael Schumacher 19 Pond Lane Wellsboro, PA 16901	Hills Creek WWF	Tioga County Conservation District 50 Plaza Lane Wellsboro, PA 16901 (570) 724-1801, Ext. 3
Clearfield County Beccaria Township	PAG2091707010	Bureau of Abandoned Mine Reclamation Cambria Office 286 Industrial Park Road Ebensburg, PA 15931-4119	Muddy Run to Clearfield Creek CWF	Department of Environmental Protection Cambria Office 286 Industrial Park Road Ebensburg, PA 15931-4119 (814) 472-1800

General Permit Type—PAG-3

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Cecil Township Washington County	PAR206103	All Cladmetal Crafters, LLC 424 Morganza Road Canonsburg, PA 15317	Chartiers Creek	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
City of Butler Butler County	PAR808331	Buffalo & Pittsburgh Railroad, Inc. P. O. Box 1532 Butler, PA 16003	Connoquenessing Creek	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Center Township Butler County	PAR608320	Marshall Offstein Auto Sales and Towing 655 Oneida Valley Road P. O. Box 213 Butler, PA 16003	Connoquenessing Creek	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

General Permit Type—PAG-4

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Beaver Township Crawford County	PAG048886	Leslie M. Forinash 27076 Spring Road Springboro, PA 16435	Stone Run 15	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

General Permit Type—PAG-8 (SSN)

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
North Middleton Township Cumberland County	PAG083568	Hampden Township 230 South Sporting Hill Road Mechanicsburg, PA 17050-3097	Gerald Regi Farm North Middletown Township Cumberland County	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110-8200 (717) 705-4707
Dickinson Township Cumberland County	PAG083570	Borough of Carlisle 53 West South Street Carlisle, PA 17013	John McKeehan—Moordale Road Farm Dickinson Township Cumberland County	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110-8200 (717) 705-4707

General Permit Type—PAG-9 (SSN)

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Elephant Septic Tank Service, Inc. South Huntingdon Township Westmoreland County	PAG096112	Elephant Septic Tank Service, Inc. 151 Buffalo Hill Road Irwin, PA 15642		Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000

PUBLIC WATER SUPPLY (PWS) PERMITS

The Department of Environmental Protection has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Permit No. 2450677, Operations Permit, Public Water Supply.

Applicant	Mt. Airy No. 1, LLC 299 Main Street Olyphant, PA 18447 Paradise Township
County	Monroe
Type of Facility	PWS
Consulting Engineer	James Palumbo, P. E. Quad Three Group, Inc. 37 North Washington Street Wilkes-Barre, PA 18701
Permit to Operate Issued	December 5, 2007

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Operations Permit issued to **Municipal Authority of the Township of Robinson**, P. O. Box 15539, Pittsburgh, PA 15244, (PWSID No. 5020045) Robinson Township, **Allegheny County** on December 10, 2007, for the operation of facilities approved under Construction Permit No. 0206504MA.

Permit No. 3207501MA, Minor Amendment, Public Water Supply.

Applicant	Blairsville Municipal Authority 203 East Market Street Blairsville, PA 15717
Borough or Township	Blairsville Borough
County	Indiana
Type of Facility	Walnut Hill Water Storage Tank No. 1
Consulting Engineer	Bankson Engineers, Inc. 267 Blue Run Road P. O. Box 200 Indianola, PA 15051
Permit to Construct Issued	December 10, 2007

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335.

Wellhead Protection Program Approval issued to **Mount Jewett Municipal Authority**, 1 Center Street, Box 441, Mount Jewett, PA 16740, PWSID No. 6420018, Mount Jewett Borough, **McKean County** on December 11, 2007.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, shall also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a Site-Specific Standard remediation. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in

environmental media; benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the Environmental Cleanup Program manager in the Department regional office after which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Kunkle Tract, Hampden Township, **Cumberland County**. CMX, 910 Century Drive, Mechanicsburg, PA 17055-4351, on behalf of K Rail, Inc., P. O. Box 3088, Camp Hill, PA 17011-3088, submitted a Final Report concerning remediation of site soils and groundwater contaminated with petroleum releases from three adjacent bulk fueling terminals. The report is intended to document remediation of the site to the background standard.

Former Goggle Works Apartments, City of Reading, **Berks County**. Synergy Environmental, Inc., 155 Railroad Plaza, Suite 1, Royersford, PA 19468, on behalf of City of Reading Community and Economic Development, 815 Washington Street, Reading, PA 19601, submitted a Remedial Investigation and Final Report concerning remediation of site soils and groundwater contaminated with benzene, lead and mercury from historical industrial use of the property. The report is intended to document remediation of the site to the Site-Specific Standard.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

Northumberland National Bank Property, Northumberland Borough, **Northumberland County**, Pennsylvania Tectonics, 826 Main Street, Peckville, PA 18452 on behalf of Northumberland National Bank, P. O. Box 271, Northumberland, PA 17857 has submitted a Final Report concerning remediation of site soil and groundwater contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of 25 Pa. Code § 250.8, administration of the Land Recycling and Environmental Remediation Standards Act (act), require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of final actions on plans and reports. A final report is submitted to document cleanup of a release

of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by provisions of the act for compliance with selection of remediation to a Site-Specific Standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media, benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by provisions of the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the Environmental Cleanup Program manager in the Department regional office before which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

Cloud Landfill, Lower Oxford Township, **Chester County**, Douglas Schott, Brickhouse Environmental, 515 South Franklin Street, West Chester, PA 19382, Michael Losito, HMR Associates, P. O. Box 485, Willow Street, Toughkenamon, PA 19374 on behalf of Franics Cloud, 461 South Street, Oxford, PA 19363 has submitted a Cleanup Plan/Remedial Investigation Report concerning the remediation of site groundwater contaminated with chlorinated. The Cleanup Plan/Remedial Investigation Report was approved by the Department of Environmental Protection on November 29, 2007.

Worth & Worth, LP, Doylestown Borough, **Bucks County**, Daniel Erdman, Keystone E-Sciences Group, Inc., 967 East Swedesford Road, Suite 300, Exton, PA 19341 on behalf of Steven Worth, Joyce McFalls, Worth & Worth, LP, 6263 Keller Church Road, Pipersville, PA 18947 has submitted a Final Report concerning the remediation of site soil and groundwater contaminated with No. 2 fuel oil. The Final report demonstrated

attainment of the Statewide Health Standard and was approved by the Department of Environmental Protection on November 30, 2007.

Mattie Tire Company, City of Philadelphia, **Philadelphia County**, Benjamin Shaw, RT Environmental Services, Inc., 215 West Church Road, King of Prussia, PA 19406 on behalf of Timothy Mattie, Mattie Tire Company, 2035 Washington Avenue, Philadelphia, PA 19148 has submitted a Remedial Investigation Report/Final Report concerning the remediation of site soil contaminated with lead. The Remedial Investigation/Final Report was approved by the Department of Environmental Protection on November 30, 2007.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Turbine Airfoil Design, City of Harrisburg, **Dauphin County**, Alliance Environmental Services, Inc., 1820 Linglestown Road, Harrisburg, PA 17110, on behalf of AIC Ventures, LP, 8080 North Central Expressway, Suite 1220, Dallas, TX 75206 and Turbine Airfoil Designs, Inc., 1400 North Cameron Street, Harrisburg, PA 17102-1012, submitted a Baseline Environmental Report concerning remediation of site soils and groundwater contaminated from industrial use of the property. The report was approved by the Department of Environmental Protection on December 10, 2007. The site is being remediated as a special industrial area.

Charles D. Snyder & Son, Inc., City of Harrisburg, **Dauphin County**, BL Companies, Inc., 213 Market Street, 6th Floor, Harrisburg, PA 17101, on behalf of Harrisburg Regional Chamber & CREDC, 3211 North Front Street, Suite 201, Harrisburg, PA 17110-1342 and Timothy Sharretts, Sharretts Plating County, Inc., P. O. Box 157, Emigsville, PA 17318-0157, submitted a Remedial Investigation and Final Report concerning remediation of site soils and groundwater contaminated with metals and VOCs. The reports demonstrated attainment of the Nonresidential Statewide Health and Site-Specific Standards. The remedial investigation report and final report were approved by the Department of Environmental Protection on December 11, 2007.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

Former Rhoads Mills Property, Borough of Selingsgrove, **Snyder County**, Alliance Environmental Services, Inc., 1820 Linglestown Road, Harrisburg, PA 17110 on behalf of Ed Rhoads, 10 Fairway Drive, Selingsgrove, PA 17870 has submitted a combined Remedial Investigation/Final Report concerning remediation of site soil and groundwater contaminated with organophosphorous based agricultural compounds (alachlor and metalochlor), fertilizer components (nitrate/nitrite) and chloride. The Final Report demonstrated attainment of the Statewide Health Standard and Site-Specific Standard and was approved by the Department of Environmental Protection on December 10, 2007.

INFECTIOUS AND CHEMOTHERAPEUTIC WASTE GENERAL PERMITS

Permit Renewal under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for a General Permit to Operate Infectious and Chemotherapeutic Waste Processing Facilities.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit Application Number WMGI010. GlaxoSmithKline, 1250 South Collegeville Road, Collegeville, PA 19426-0989. General Permit Number WMGI010 authorizes processing of infectious waste through chemical and thermal digestion of biological tissues using sodium or potassium hydroxide. The permit for renewal of General Permit Number WMGI010 was issued by Central Office on December 11, 2007.

Any questions concerning this permit should be directed to Ronald C. Hassinger, Chief, General Permits/Beneficial Use Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P. O. Box 8472, Harrisburg, PA 17105-8472, (717) 787-7381. TDD users may contact the Department of Environmental Protection through the Pennsylvania Relay Service, (800) 654-5984.

General Permit Application Number WMGI010R001. University of Pennsylvania School of Veterinary Medicine, 382 West Street Road, Kennett Square, PA 19348. General Permit Number WMGI010R001 authorizes infectious waste processing through digestion of biological tissues. The approved processing is limited to chemical and thermal digestion using sodium or potassium hydroxide. The permit renewal of General Permit Number WMGI010R001 was issued by Central Office on December 11, 2007.

Any questions concerning this permit may be directed to Ronald C. Hassinger, Chief, General Permits/Beneficial Use Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P. O. Box 8472, Harrisburg, PA 17105-8472, (717) 787-7381. TDD users may contact the Department of Environmental Protection through the Pennsylvania Relay Service, (800) 654-5984.

RESIDUAL WASTE GENERAL PERMITS

Permit Renewal under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit Number WMGR042. US Steel Corporation, 600 Grant Street, Pittsburgh, PA 15219-2702. General Permit Number WMGR042 authorizes beneficial use of slag fines from the production of steel using the basic oxygen process (BOP) (SIC Code 3312) as construction material. Permit renewal of General Permit Number WMGR042 was issued by Central Office on December 12, 2007.

Any questions concerning this permit should be directed to Ronald C. Hassinger, Chief, General Permits/Beneficial Use Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P. O. Box 8472, Harrisburg, PA 17105-8472, (717) 787-7381. TDD users may contact the Department of Environmental Protection through the Pennsylvania Relay Service, (800) 654-5984.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permits terminated under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit ID No. WMGM015D001. Emery Tree Service, Inc., 1 Hershey Road, Indianola, PA 15051. Operation of municipal waste processing and beneficial use in Indiana Township, **Allegheny County**. Permit terminated in the Regional Office on December 13, 2007.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Sachin Shankar, New Source Review Chief, (484) 250-5920.

46-301-272GP: Moss Rehab—Einstein at Elkin Park Hospital (60 East Township Line Road, Elkins Park, PA 19027-2220) on December 11, 2007, to operate a small gas and No. 2 oil fired combustion units in Cheltenham Township, **Montgomery County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Mark Neal Elko, New Source Review Chief, (570) 826-2531.

40-310-073GP3: Mericle Construction, Inc. (East Mountain Corporate Center, 100 Baltimore Drive, Wilkes-Barre, PA 18702) on December 13, 2007, to construct and operate a Portable Crushing Operation with watersprays at their site in Jenkins Township, **Luzerne County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

GP3-38-03054: Haines & Kibblehouse, Inc. (P. O. Box 196, Skippack, PA 19474) on December 11, 2007, for Portable Nonmetallic Mineral Processing Plants under GP3 in Jackson Township, **Lebanon County**.

GP9-38-03054: Haines & Kibblehouse, Inc. (P. O. Box 196, Skippack, PA 19474) on December 11, 2007, for Diesel or No. 2 Fuel-fired Internal Combustion Engines under GP9 in Jackson Township, **Lebanon County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.

GP-62-168A: Lion Energy Company, LLC—Trisket Compressor Station (Yanna Road, Grand Valley, PA 16354) on December 12, 2007, for a Caterpillar Engine BAQ/GPA/GP-5 in Eldred Township, **Warren County**. This is a change of ownership, previously permitted under Great Lakes Energy Partners, LLC.

Plan Approvals Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Sachin Shankar, New Source Review Chief, (484) 250-5920.

46-0267: SmithKline Beecham Research County—d/b/a GlaxoSmithKline (1250 Collegeville Road, Collegeville, PA 19426-0989) on December 13, 2007, to operate eight 2,000-kW electric generators in Upper Providence Township, **Montgomery County**.

09-0199: Mars Fishcare North America, Inc. (50 East Hamilton Street, Chalfont, PA 18914) on December 13, 2007, to operate two fabric dust collectors, Chalfont Borough, **Bucks County**.

Northwest Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Neal Elko, New Source Review Chief, (570) 826-2531.

13-307-001: Weatherly Casting (300 Commerce Street, Weatherly, PA 18255) on December 11, 2007, for the new sand handling/reclamation system with baghouse at their facility in Weatherly Borough, **Carbon County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

21-05031C: Community Refuse Service, Inc. (135 Vaughn Road, Shippensburg, PA 17257-9727) on December 11, 2007, to expand the existing landfill and the landfill gas collection system at their Cumberland County Landfill in Hopewell and North Newton Townships, **Cumberland County**.

67-03045B: ACCO Material Handling Solutions, Inc. (P. O. Box 792, York, PA 17405-0792) on December 11, 2007, to construct a spray paint booth with a dry panel filter for control of PM emissions at their hoist and crane component manufacturing facility in York Township, **York County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.

24-016E: Keystone Powdered Metal (251 State Street, St. Marys, PA 15857) on December 4, 2007, for a plan approval to install an electric induction furnace at their St. Marys Plant, in the City of St. Marys, **Elk County**.

25-029A: Erie Coke Corp. (Foot of East Avenue, Erie, PA 16512-6180) on December 7, 2007, to install a replacement absorber that is part of the coke gas desulfurization system in Erie City, **Erie County**.

42-147B: W. R. Case & Sons Cutlery County (Owens Way, Bradford, PA 16701) on December 7, 2007, to add a cartridge-type baghouse control device to existing sources in Bradford Township, **McKean County**.

43-142A: Salem Tube, Inc. (951 Fourth Street, Greenville, PA 16125) on December 12, 2007, to install a new vacuum degreasing line at their facility in Pymatuning Township, **Mercer County**. This is a Title V facility.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Sachin Shankar, New Source Review Chief, (484) 250-5920.

09-0007B: Waste Management Disposal Services of PA, Inc. (1000 New Ford Mill Road, Morrisville, PA 19067) on December 11, 2007, to operate a flare to back-up control device in Falls Township, **Bucks County**.

09-0024E: Waste Management Disposal Services of PA, Inc. (1000 New Ford Mill Road, Morrisville, PA 19067) on December 11, 2007, to operate a flare to back-up control device in Tullytown Borough, **Bucks County**.

09-0087E: Air Products & Chemicals, Inc. (351 Philadelphia Avenue, Morrisville, PA 19067) on December 13, 2007, to operate a silicon tetrofluoride in Falls Township, **Bucks County**.

09-0124E: Fairless Energy, LLC (5000 Dominion Boulevard, Glen Allen, VA 23060) on December 14, 2007, to operate a 31.9 mmBtu/hr gas fired preheater in Falls Township, **Bucks County**.

23-0009C: Boeing County—Integrated Defense System Rotocraft (P. O. Box 16858, Philadelphia, PA 19142-0858) on December 11, 2007, to operate an aerospace paint booth in Ridley Township, **Delaware County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

19-00006C: Del Monte Corp. (6670 Low Street, Bloomsburg, PA 17815) on December 14, 2007, to extend the deadline for the performance of PM, NOx and CO stack testing on two pet food dryers to March 15, 2008, and to extend the authorization to operate the respective dryers as well as associated material handling and storage equipment on a temporary basis until April 12, 2008, in South Centre Township, **Columbia County**.

Title V Operating Permits Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Yasmin Neidlinger, Facilities Permitting Chief, (717) 705-4702.

22-05051: The Hershey Company (19 East Chocolate Avenue, P. O. Box 819, Hershey, PA 17033-0819) on December 11, 2007, to operate their chocolate candy-manufacturing facility in Derry Township, **Dauphin County**. This Title V operating permit has been administratively amended to incorporate plan approval 22-05051A. This is revision No. 1.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.

46-00147: Chemalloy County, Inc. (P. O. Box 350, Bryn Mawr, PA 19010-0350) on December 13, 2007, for renewal of a State-only, Natural Minor Operating Permit in Plymouth Township, **Montgomery County**. The facility operates a metallic alloys milling and grinding facility. Monitoring, recordkeeping and reporting requirements have been added to the permit to address applicable limitations.

46-00199: Alcom Printing Group, Inc. (140 Christopher Lane, Harleysville, PA 19438) on December 13, 2007, for a renewal Non-Title V Facility, State-only, Natural Minor Permit in Lower Salford Township, **Montgomery County**. Alcom Printing Group, Inc. is a commercial lithographic printing facility. Monitoring, recordkeeping and reporting requirements have been added to the permit to address applicable limitations.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

06-03091: The Rose Corp. (P. O. Box 15208, Reading, PA 19612-5208) on December 11, 2007, to operate a steel fabricating shop in the City of Reading, **Berks County**. This is a renewal of a State-only operating permit.

06-03117: Custom Processing Services, Inc. (2 Birchmont Drive, Reading, PA 19606-3266) on December 11, 2007, to operate a custom milling facility controlled by various fabric collectors in Exeter Township, **Berks County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Matthew Williams, Facilities Permitting Chief, (814) 332-6940.

24-00079: Osram Sylvania Production, Inc. (Washington Street, St. Marys, PA 15857-3605) on December 12, 2007, re-issued the State-only Operating Permit to operate the facility's air contamination sources consisting of space heaters, cement mixer, reclaiming bagging, silica coating, SO₂ injection and miscellaneous emissions from dipping and coating for the assembling of incandescent electric light bulbs in the City of Saint Marys, **Elk County**.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.

23-00003: Conoco Phillips County (4101 Post Road, Trainer, PA 19061) on December 13, 2007, the Title V Operating Permit was amended to incorporate plan approvals 23-0003F, 23-0003G and 23-0003H. Administrative Amendment of Title V Operating Permit was issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code § 127.450 in Trainer Borough, **Delaware County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

06-05037: McConway & Torley, LLC (109 48th Street, Pittsburgh, PA 15201-2755) on December 4, 2007, to amend their steel foundry permit in Kutztown Borough, **Berks County**. This State-only operating permit has been administratively amended to incorporate plan approval 06-05037F. This is revision No. 2.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 Water Quality Certification and the NPDES permit application. Mining activity permits issued in response to the applications will also address the application permitting requirements of the following statutes: the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

Coal Permits Actions

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

54071301. Kimmel's Mining, Inc., (P. O. Box 1, Wiconisco, PA 17097), commencement, operation and restoration of an anthracite underground mine operation in Porter, Williams and Wiconisco Townships, **Schuylkill and Dauphin Counties** affecting 26.4 acres, receiving stream: none. Application received May 22, 2007. Permit issued December 10, 2007.

40840203T. Mammoth Anthracite, LLC, (P. O. Box Q, Milnesville, PA 18239), transfer of an existing anthracite coal refuse reprocessing operation in Hazle Township, **Luzerne County** affecting 101.0 acres, receiving stream: none. Application received June 6, 2007. Transfer issued December 10, 2007.

Noncoal Permits Actions

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

Permit No. 31970301 and NPDES Permit No. PA0234583. U. S. Silica Company, 12942 Oriskany Road, Mapleton Depot, PA 17052, renewal of NPDES Permit, in Brady Township, **Huntingdon County**. Receiving streams: UNTs to Millcreek and UNT to Saddler Creek classified for the following use: TSF. There are no potable water supply intakes within 10 miles downstream. Application received October 22, 2007. Permit issued December 11, 2007.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

66070804. Robert R. Faux, (24 Orchard Hill Road, Tunkhannock, PA 18657), commencement, operation and restoration of a quarry operation in Northmoreland Township, **Wyoming County** affecting 5.0 acres, receiving stream: none. Application received July 3, 2007. Permit issued December 10, 2007.

58070851. Holgate Bros., (P. O. Box 1, Hop Bottom, PA 18824), commencement, operation and restoration of a quarry operation in Lenox Township, **Susquehanna County** affecting 5.0 acres, receiving stream: none. Application received August 23, 2007. Permit issued December 13, 2007.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 (43 P. S. §§ 151–161); and 25 Pa. Code § 211.124 (relating to blasting activity permits). Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Actions

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200.

14074023. L. S. Fiore, Inc., (5506 6th Avenue, Rear, Altoona, PA 16602), construction blasting for Centre County Emergency Training Facility located in Spring Township, **Centre County**. Permit issued December 11, 2007. Permit expires January 11, 2008.

14074024. Douglas Explosives, Inc., (P. O. Box 77, Philipsburg, PA 16866), construction blasting for Elks View Townhouses, Willow Brook Estates, located in Harris Township, **Centre County**. Permit issued December 13, 2007. Permit expires March 30, 2008.

14074025. CDG Properties, (354 East College Avenue, Pleasant Gap, PA 16823), construction blasting for Skyview Meadow located in Benner Township, **Centre County**. Permit issued December 13, 2007. Permit expires April 16, 2008.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

360741128. Geological Technologies, Inc., (P. O. Box 70, Falling Waters, WV 25419), construction blasting for Home Depot in West Earl Township, **Lancaster County** with an expiration date of December 8, 2008. Permit issued December 10, 2007.

64074113. Explosive Services, Inc., (7 Pine Street, Bethany, PA 18431), construction blasting for Explosive Services, Inc. in Clinton Township, **Wayne County** with an expiration date of December 31, 2008. Permit issued December 10, 2007.

67074153. Kesco, Inc., (127 Oneida Valley Road, Butler, PA 16001), construction blasting for Bruner Island PPL Cooling Tower in Manchester Township, **York County** with an expiration date of December 7, 2008. Permit issued December 10, 2007.

67074008. Explosives Experts, Inc., (P. O. Box 879, Sparks, MD 21152), construction blasting at Northfield Development in West Manheim Township, **York County** with an expiration date of June 30, 2008. Permit issued December 12, 2007.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of sections 301–303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311–1313, 1316 and 1317)

and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501–508 and 701–704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1–693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and The Clean Streams Law (35 §§ 691.1–691.702) and Notice of Final Action for Certification under section 401 of the FWPCA (33 U.S.C.A. § 1341).

Permits, Environmental Assessments and 401 Water Quality Certifications Issued

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northeast Regional Office, Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

E13-158. Delaware and Lehigh National Heritage Corridor, 275 Hugh Moore Park Road, Easton, PA 18042. Weissport Borough, **Carbon County**, United States Army Corps of Engineers Philadelphia District.

To construct and maintain approximately 400 feet of bank stabilization along the right bank of the Lehigh Canal (CWF) alternating between stone steps and stone retaining walls, having a maximum height of 5-feet. The work is part of the Delaware and Lehigh Canal Towpath Trail Restoration Project. The project is located northwest of the intersection of Canal and Bridge Streets (Lehigh, PA Quadrangle N: 14.7 inches; W: 10.5 inches). (Subbasin: 2B)

E39-466. Whitehall Township, 3219 MacArthur Road, Whitehall, PA 18052. Whitehall Township, **Lehigh County**, United States Army Corps of Engineers Philadelphia District.

To remove the existing structure and to construct and maintain a prestressed concrete adjacent box beam bridge across Coplay Creek (HQ-CWF), having an 80-foot span and a 7.4-foot underclearance. The project also involves the placement of fill in a de minimis area of EV wetlands

equal to 0.02 acre. The project is located on Chestnut Street (T-929) immediately east of its intersection with Church Street (SR-145) (Cementon, PA Quadrangle N: 8.88 inches; W: 3.44 inches). (Subbasin: 04G)

E39-466. Whitehall Township, 3219 MacArthur Road, Whitehall, PA 18052. Whitehall Township, **Lehigh County**, United States Army Corps of Engineers Philadelphia District.

To remove the existing structure and to construct and maintain a prestressed concrete adjacent box beam bridge across Coplay Creek (HQ-CWF), having an 80-foot span and a 7.4-foot underclearance. The project also involves the placement of fill in a de minimis area of EV wetlands equal to 0.02 acre. The project is located on Chestnut Street (T-929) immediately east of its intersection with Church Street (SR-145) (Cementon, PA Quadrangle N: 8.88 inches; W: 3.44 inches).

SPECIAL NOTICES

Submission Deadline for Application for Reimbursement for Certified Host Municipality Inspectors under Act 101 (Section 1102), the Municipal Waste Planning, Recycling and Waste Reduction Act of 1988 and Act 108 (Section 304), the Hazardous Sites Cleanup Act of 1988

The Department of Environmental Protection (Department) hereby announces the submission deadline for 2007, Host Municipality Inspector Program Reimbursement Applications as March 31, 2008. Reimbursements are available to municipalities under the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) (Act 101) and the Hazardous Sites Cleanup Act (35 P. S. §§ 6020.101—6020.1305) (Act 108). Municipalities include cities, boroughs, incorporated towns, townships and home-rule municipalities.

All reimbursements are allocated from the Recycling Fund authorized under Act 101 for municipal waste facilities, or from the Hazardous Sites Cleanup Fund under Act 108 for hazardous waste facilities. Reimbursements are available to any municipality that has a municipal waste landfill, resource recovery facility, or commercial hazardous waste storage, treatment and disposal facility located within its geographic borders. Upon application from any host municipality, the Department shall award reimbursements for authorized costs incurred for the salary and expenses of up to two certified Host Municipality Inspectors. The reimbursement shall not exceed 50% of the approved costs of salaries and expenses. Reimbursement is available only for Host Municipality Inspectors trained and certified by the Department.

The application for reimbursement contains tables for specifying the itemized expenses for certified inspectors and for calculating the total reimbursement request. Complete instructions are included with the application, which is being distributed to all municipalities that have participated in the program. If your municipality does not receive, but requires, an application or if you have any questions about this program, please contact the Program Development Section, Department of Environmental Protection, Bureau of Waste Management, Rachel Carson State Office Building, P. O. Box 8471, Harrisburg, PA 17105-8471, (717) 787-9870 or visit the Department's website at www.depweb.state.pa.us (PA Keyword: "Host Municipality Inspector").

The deadline for submitting applications is 4:30 p.m. on March 31, 2008. Applications post marked after the deadline will not be considered.

BUREAU OF DEEP MINE SAFETY

APPROVAL OF REQUEST FOR VARIANCE

The Department of Environmental Protection (Department), Bureau of Deep Mine Safety (Bureau) has approved Rosebud Mining Company's request for a variance from the requirements of section 290(d) of the Pennsylvania Bituminous Coal Mine Act (53 P. S. §§ 701-101—701-706) at the Tracy Lynne Mine. This notification contains a summary of this request and the basis for the Department's approval. A complete copy of the variance request may be obtained from Cathy Dunn by calling (724) 439-7469 or from the BMS web site at www.depweb.state.pa.us/deepminesafety/site/default.asp.

Summary of the Request: Rosebud Mining Company requests a variance to reduce the number of main entries in the 2nd Northwest Mains Section at the Tracy Lynne Mine.

The basis for the Bureau's approval is summarized as follows:

1. Tracy Lynne has developed portions of this same mine with less than five entries previously without any complications.
2. Longwall mines have successfully ventilated three entry systems for distances up to 12,000 feet. Longwall gate-road development generally encounters methane liberations far in excess of those shown at the Tracy Lynne Mine.
3. According to a September 2007, air sample collected by MSHA, the Tracy Lynne Mine produces 122,271 CFM of CH₄ per 24 hours.
4. A new Spendrup fan rated at 200 Hp and capable of 320,000 cfm will replace the current fan rated at 50 Hp.
5. Reducing the number of main entries from five to three reduces the amount of exposed roof.
6. A CO monitoring system will enhance escapability through the variance area by providing early warning.

Continued authorization for operation under the approval is contingent upon compliance with the measures described in your enclosed plan and the following conditions.

1. All unused crosscuts through the variance area must have adequate ground to roof support placed on both entrances in line with the entry rib. Additional supplemental support will be installed throughout the area as required.
2. All roof falls that occur in the variance area must be completely cleaned and permanently supported before resumption of mining.
3. A CO monitoring system is recommended. The CO sensors should be placed in the primary intake escapeway and in the belt at the beginning, in the middle and at the end of the variance area.
4. The CO system shall provide visual and audible alarms. The audible alarms shall be transmitted over the mine communication system.

[Pa.B. Doc. No. 07-2407. Filed for public inspection December 28, 2007, 9:00 a.m.]

DEPARTMENT OF HEALTH

Application of Children's Hospital of Philadelphia for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Children's Hospital of Philadelphia has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospital and Healthcare Facilities*. The facility specifically requests exception from the following standard contained in this publication: 2.1.3.4.6.1(2) (relating to NICU space requirements).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 07-2408. Filed for public inspection December 28, 2007, 9:00 a.m.]

Application of Delaware Valley Nephrology and Hypertension Associates, P. C. for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Delaware Valley Nephrology and Hypertension Associates, P. C. has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospital and Healthcare Facilities*. The facility specifically requests exception from the following standards contained in this publication: Table 3.1-2 (relating to vacuum outlets for PACU bays), 3.7-2.3.3 (relating to image viewer in OR), 3.7-2.4.2.1(1) (relating to phase II recovery), 3.7-2.5.1 (relating to restricted corridor control station), 3.7-2.5.7.4 (relating to stretcher storage), 3.7-2.6.2(2) (relating to one way traffic out of locker room) and 3.7-2.6.3 (relating to staff shower).

These requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health

and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 07-2409. Filed for public inspection December 28, 2007, 9:00 a.m.]

Application of Hypertension Nephrology Associates, P. C., d/b/a Quality Vascular Access Services for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Hypertension Nephrology Associates, P. C. has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospital and Healthcare Facilities*. The facility specifically requests exception from the following standards contained in this publication: Table 3.1-2 (relating to vacuum outlets for PACU bays), 3.7-2.3.3 (relating to image viewer in OR), 3.7-2.4.2.1(1) (relating to phase II recovery), 3.7-2.5.1 (relating to restricted corridor control station), 3.7-2.5.7.4 (relating to stretcher storage), 3.7-2.6.2(2) (relating to one way traffic out of locker room) and 3.7-2.6.3 (relating to staff shower).

These requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 07-2410. Filed for public inspection December 28, 2007, 9:00 a.m.]

Applications for Exception to 28 Pa. Code § 569.35

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that the following facilities have requested an exception to the requirement of 28 Pa. Code § 569.35 (relating to general safety precautions):

Abington Surgical Center
 Hazleton Ambulatory Surgical Center, LLC

These requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

The facilities are requesting a waiver of the comment period, as set forth in 28 Pa. Code § 51.33(c).

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 07-2411. Filed for public inspection December 28, 2007, 9:00 a.m.]

Applications for Exception to 28 Pa. Code § 123.25(2)

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that the following facilities have requested an exception to the requirement of 28 Pa. Code § 123.25(2) (relating to regulations for control of anesthetic explosion hazards):

Abington Memorial Hospital
 Moses Taylor Hospital

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

These facilities are requesting a waiver of the comment period, as set forth in 28 Pa. Code § 51.33(c).

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary of Health

[Pa.B. Doc. No. 07-2412. Filed for public inspection December 28, 2007, 9:00 a.m.]

Chronic Renal Disease Advisory Committee Meeting

The Renal Disease Advisory Committee, established by section 4 of the act of June 23, 1970 (P. L. 419, No. 14) (35 P. S. § 6204), will hold a public meeting on Friday, January 25, 2008, from 10 a.m. to 3 p.m. The meeting will be held in the Recital Room, Richards Hall, Dixon University Center, 2986 North Second Street, Harrisburg, PA 17110.

For additional information contact Carolyn S. Cass, Director, Division of Child and Adult Health Services, Department of Health, Health and Welfare Building, Seventh Floor, East Wing, Seventh and Forster Streets, Harrisburg, PA 17120, (717) 772-2762. Persons who wish to attend this meeting, or a person with a disability and desire to attend the meeting and require an auxiliary aid, service or other accommodation to do so contact Carolyn S. Cass at the previously listed number, or for alternative formats, such as audiotape, Braille or TDD contact V/TT at (717) 783-6514 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

This meeting is subject to cancellation without notice.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 07-2413. Filed for public inspection December 28, 2007, 9:00 a.m.]

Special Supplemental Nutrition Program for Women, Infants and Children (WIC Program); Maximum Allowable Prices and Competitive Prices

Maximum Allowable Prices and Competitive Prices for Type 1 Stores in Regular Cost Counties

Under 28 Pa. Code §§ 1103.4(5) and 1105.3(a)(1) (relating to selection criteria for authorization and reauthorization and terms and conditions of participation) and 7 CFR 246.12 (relating to food delivery systems), the WIC Program hereby publishes notice of the Maximum Allowable Prices and Competitive Prices for Type 1 Stores in Regular Cost Counties.

Maximum Allowable Prices

Effective January 1, 2008, through March 31, 2008, the maximum allowable prices the Department of Health (Department) will pay Type 1 Stores in Regular Cost Counties for WIC Allowable Foods are as follows:

<i>Description</i>	<i>Maximum Allowable Price</i>
1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim	\$2.72
12 oz. Evaporated Milk	\$1.16
16 oz. Dry Milk	\$5.68
1 qt. Lactose Reduced Milk	\$2.16
1/2 gal. Kosher Milk	\$2.60
4 oz. Kosher Infant Juice	\$0.65
8 oz. Kosher Infant Cereal	\$1.74
1 doz. Grade A Eggs	\$2.20
1 lb. Fresh Carrots	\$1.11
14 to 16 oz. Canned Carrots	\$1.11
1 lb. Cheese	\$7.54

<i>Description</i>	<i>Maximum Allowable Price</i>
1 lb. Kosher Cheese	\$7.92
1 lb. Dry Beans or Peas	\$1.72
1 oz. Adult WIC Cereal	\$0.32
8 oz. Gerber Infant Cereal	\$1.74
15 to 18 oz. Peanut Butter	\$2.97
46 oz. Single Strength Juice or 11.5 or 12 oz. Juice Concentrate	\$2.91
6 oz. Cans Juice	\$1.53
6 to 6.5 oz. Chunk Light Tuna Packed in Water	\$0.99
4 oz. Gerber Infant Juice	\$0.65
32 oz. Alimentum Advance Ready-to-Feed Formula	\$9.16
16 oz. Alimentum Advance Powder Formula	\$26.22
12.8 oz. EnfaCare LIPIL w/Iron Powder Formula	\$14.53
13 oz. Isomil Advance Concentrate Formula	\$4.73
32 oz. Isomil Advance Ready-to-Feed Formula	\$5.83
12.9 oz. Isomil Advance Powder Formula	\$14.37
12.9 oz. Isomil 2 Advance Powder Formula	\$13.17
12.9 oz. Isomil Go & Grow Soy	\$11.47
13 oz. Isomil with Iron Concentrate Formula	\$5.42
12.9 oz. Isomil with Iron Powder Formula	\$13.39
32 oz. Isomil DF Ready-to-Feed Formula	\$6.95
13 oz. Nutramigen Lipil Concentrate Formula	\$7.31
32 oz. Nutramigen Lipil Ready-to-Feed Formula	\$8.86
16 oz. Nutramigen Lipil Powder Formula	\$25.89
8 oz. Pediasure Ready-to-Feed Formula	\$1.85
8 oz. Pediasure with Fiber Ready-to-Feed Formula	\$1.89
13 oz. Similac Advance Concentrate Formula	\$4.29
32 oz. Similac Advance Ready-to-Feed Formula	\$6.12
12.9 oz. Similac Advance Powder Formula	\$13.34
12.9 oz. Similac 2 Advance Powder Formula	\$12.08
12.9 oz. Similac Go & Grow Milk	\$11.35
13 oz. Similac with Iron Concentrate Formula	\$4.34
32 oz. Similac with Iron Ready-to-Feed Formula	\$5.52
12.9 oz. Similac with Iron Powder Formula	\$12.84
13 oz. Similac Lactose Free Advance Concentrate Formula	\$4.56
13 oz. Similac Sensitive Concentrate Formula	\$4.78
32 oz. Similac Lactose Free Advance Ready-to-Feed Formula	\$5.88
32 oz. Similac Sensitive Ready-to-Feed Formula	\$5.95
32 oz. Similac Sensitive RS Ready-to-Feed Formula	\$5.95
12.9 oz. Similac Lactose Free Advance Powder Formula	\$13.77
12.9 oz. Similac Sensitive Powder	\$14.46
12.8 oz. Similac Neosure Advance Powder Formula	\$15.32
32 oz. Similac Neosure Advance Powder Formula	\$7.22

A store must permit purchase of WIC allowable foods that exceed the maximum allowable price to WIC participants using a WIC check; however, the amounts that exceed the maximum allowable price of any WIC allow-

able foods sold to WIC participants will be billed to the store on a quarterly basis in accordance with 28 Pa. Code § 1105.2 (relating to price adjustment).

Competitive Prices

To remain WIC Authorized, each store must maintain the minimum inventory of the following WIC food items at, or below, the Competitive Prices listed for the store's peer group. Effective January 1, 2008, through March 31, 2008, the Competitive Prices for WIC Authorization for Type 1 Stores in Regular Cost Counties are as follows:

<i>Description</i>	<i>Competitive Prices</i>
1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim	\$2.41
1/2 gal. of Kosher Milk: Whole, Reduced Fat, Low Fat or Skim	\$2.41
12 oz. Evaporated Milk	\$1.04
16 oz. Dry Milk	\$5.44
1 doz. Grade A Eggs	\$2.04
1 lb. Fresh Carrots	\$1.08
14 to 16 oz. Canned Carrots	\$1.08
1 lb. Cheese	\$6.44
1 lb. Kosher Cheese	\$7.73
1 lb. Dry Beans or Peas	\$1.43
1 oz. Adult WIC Cereal	\$0.28
8 oz. Gerber Infant Cereal	\$1.74
15 to 18 oz. Peanut Butter	\$2.56
46 oz. Single Strength Juice or 11.5 or 12 oz. Juice Concentrate	\$2.68
6 to 6.5 oz. Chunk Light Tuna Packed in Water	\$0.90
4 oz. Gerber Infant Juice	\$0.65
13 oz. Isomil Advance Concentrate Formula	\$4.73
32 oz. Isomil Advance Ready-to-Feed Formula	\$5.83
12.9 oz. Isomil Advance Powder Formula	\$14.37
13 oz. Similac Advance Concentrate Formula	\$4.31
32 oz. Similac Advance Ready-to-Feed Formula	\$6.12
12.9 oz. Similac Advance Powder Formula	\$13.34

Maximum Allowable Prices and Competitive Prices for Type 2 Stores in Regular Cost Counties

Under 28 Pa. Code §§ 1103.4(5) and 1105.3(a)(1) and 7 CFR 246.12, the WIC Program hereby publishes notice of the Maximum Allowable Prices and Competitive Prices for Type 2 Stores in Regular Cost Counties.

Maximum Allowable Prices

Effective January 1, 2008, through March 31, 2008, the maximum allowable prices the Department will pay Type 2 Stores in Regular Cost Counties for WIC Allowable Foods are as follows:

<i>Description</i>	<i>Maximum Allowable Price</i>
1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim	\$2.72
12 oz. Evaporated Milk	\$1.30
16 oz. Dry Milk	\$6.51
1 qt. Lactose Reduced Milk	\$2.23
1/2 gal. Kosher Milk	\$2.60
4 oz. Kosher Infant Juice	\$0.68
8 oz. Kosher Infant Cereal	\$1.85
1 doz. Grade A Eggs	\$2.27
1 lb. Fresh Carrots	\$1.15

<i>Description</i>	<i>Maximum Allowable Price</i>
14 to 16 oz. Canned Carrots	\$1.15
1 lb. Cheese	\$7.54
1 lb. Kosher Cheese	\$8.90
1 lb. Dry Beans or Peas	\$1.93
1 oz. Adult WIC Cereal	\$0.36
8 oz. Gerber Infant Cereal	\$1.85
15 to 18 oz. Peanut Butter	\$2.97
46 oz. Single Strength Juice or 11.5 or 12 oz. Juice Concentrate	\$3.02
6 oz. Cans Juice	\$1.53
6 to 6.5 oz. Chunk Light Tuna Packed in Water	\$1.04
4 oz. Gerber Infant Juice	\$0.68
32 oz. Alimentum Advance Ready-to-Feed Formula	\$9.33
16 oz. Alimentum Advance Powder Formula	\$26.86
12.8 oz. EnfaCare LIPIL w/Iron Powder Formula	\$15.20
13 oz. Isomil Advance Concentrate Formula	\$5.04
32 oz. Isomil Advance Ready-to-Feed Formula	\$6.84
12.9 oz. Isomil Advance Powder Formula	\$15.09
12.9 oz. Isomil 2 Advance Powder Formula	\$14.46
12.9 oz. Isomil Go & Grow Soy	\$12.60
13 oz. Isomil with Iron Concentrate Formula	\$5.70
12.9 oz. Isomil with Iron Powder Formula	\$14.33
32 oz. Isomil DF Ready-to-Feed Formula	\$7.13
13 oz. Nutramigen Lipil Concentrate Formula	\$7.64
32 oz. Nutramigen Lipil Ready-to-Feed Formula	\$9.32
16 oz. Nutramigen Lipil Powder Formula	\$27.40
8 oz. Pediasure Ready-to-Feed Formula	\$2.27
8 oz. Pediasure with Fiber Ready-to-Feed Formula	\$2.11
13 oz. Similac Advance Concentrate Formula	\$4.67
32 oz. Similac Advance Ready-to-Feed Formula	\$6.85
12.9 oz. Similac Advance Powder Formula	\$14.14
12.9 oz. Similac 2 Advance Powder Formula	\$13.09
12.9 oz. Similac Go & Grow Milk	\$ 12.07
13 oz. Similac with Iron Concentrate Formula	\$4.48
32 oz. Similac with Iron Ready-to-Feed Formula	\$6.29
12.9 oz. Similac with Iron Powder Formula	\$13.54
13 oz. Similac Lactose Free Advance Concentrate Formula	\$4.90
13 oz. Similac Sensitive Concentrate Formula	\$5.12
32 oz. Similac Lactose Free Advance Ready-to-Feed Formula	\$6.34
32 oz. Similac Sensitive Ready-to-Feed Formula	\$6.62
32 oz. Similac Sensitive RS Ready-to-Feed Formula	\$6.62
12.9 oz. Similac Lactose Free Advance Powder Formula	\$14.35
12.9 oz. Similac Sensitive Powder	\$15.04
12.8 oz. Similac Neosure Advance Powder Formula	\$16.22
32 oz. Similac Neosure Advance Powder Formula	\$7.85

A store must permit purchase of WIC allowable foods that exceed the maximum allowable price to WIC partici-

pants using a WIC check; however, the amounts that exceed the maximum allowable price of any WIC allowable foods sold to WIC participants will be billed to the store on a quarterly basis in accordance with 28 Pa. Code § 1105.2.

Competitive Prices

To remain WIC Authorized, each store must maintain the minimum inventory of the following WIC food items at, or below, the Competitive Prices listed for the store's peer group. Effective January 1, 2008, through March 31, 2008, the Competitive Prices for WIC Authorization for Type 2 Stores in Regular Cost Counties are as follows:

<i>Description</i>	<i>Competitive Prices</i>
1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim	\$2.41
1/2 gal. of Kosher Milk: Whole, Reduced Fat, Low Fat or Skim	\$2.41
12 oz. Evaporated Milk	\$1.14
16 oz. Dry Milk	\$5.69
1 doz. Grade A Eggs	\$2.11
1 lb. Fresh Carrots	\$1.12
14 to 16 oz. Canned Carrots	\$1.12
1 lb. Cheese	\$6.44
1 lb. Kosher Cheese	\$8.67
1 lb. Dry Beans or Peas	\$1.60
1 oz. Adult WIC Cereal	\$0.33
8 oz. Gerber Infant Cereal	\$1.85
15 to 18 oz. Peanut Butter	\$2.56
46 oz. Single Strength Juice or 11.5 or 12 oz. Juice Concentrate	\$2.78
6 to 6.5 oz. Chunk Light Tuna Packed in Water	\$0.97
4 oz. Gerber Infant Juice	\$0.67
13 oz. Isomil Advance Concentrate Formula	\$5.04
32 oz. Isomil Advance Ready-to-Feed Formula	\$6.77
12.9 oz. Isomil Advance Powder Formula	\$15.09
13 oz. Similac Advance Concentrate Formula	\$4.67
32 oz. Similac Advance Ready-to-Feed Formula	\$6.85
12.9 oz. Similac Advance Powder Formula	\$14.14

Maximum Allowable Prices and Competitive Prices for Type 3 Stores in Regular Cost Counties

Under 28 Pa. Code §§ 1103.4(5) and 1105.3(a)(1) and 7 CFR 246.12, the WIC Program hereby publishes notice of the Maximum Allowable Prices and Competitive Prices for Type 3 Stores in Regular Cost Counties.

Maximum Allowable Prices

Effective January 1, 2008, through March 31, 2008, the maximum allowable prices the Department will pay Type 3 Stores in Regular Cost Counties for WIC Allowable Foods are as follows:

<i>Description</i>	<i>Maximum Allowable Price</i>
1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim	\$2.72
12 oz. Evaporated Milk	\$1.30
16 oz. Dry Milk	\$7.33
1 qt. Lactose Reduced Milk	\$2.30
1/2 gal. Kosher Milk	\$2.60
4 oz. Kosher Infant Juice	\$0.71
8 oz. Kosher Infant Cereal	\$1.99

<i>Description</i>	<i>Maximum Allowable Price</i>
1 doz. Grade A Eggs	\$2.29
1 lb. Fresh Carrots	\$1.16
14 to 16 oz. Canned Carrots	\$1.16
1 lb. Cheese	\$7.54
1 lb. Kosher Cheese	\$8.90
1 lb. Dry Beans or Peas	\$1.93
1 oz. Adult WIC Cereal	\$0.38
8 oz. Gerber Infant Cereal	\$1.99
15 to 18 oz. Peanut Butter	\$2.97
46 oz. Single Strength Juice or 11.5 or 12 oz. Juice Concentrate	\$3.02
6 oz. Cans Juice	\$1.53
6 to 6.5 oz. Chunk Light Tuna Packed in Water	\$1.04
4 oz. Gerber Infant Juice	\$0.71
32 oz. Alimentum Advance Ready-to-Feed Formula	\$9.49
16 oz. Alimentum Advance Powder Formula	\$27.50
12.8 oz. EnfaCare LIPIL w/Iron Powder Formula	\$15.20
13 oz. Isomil Advance Concentrate Formula	\$5.43
32 oz. Isomil Advance Ready-to-Feed Formula	\$7.85
12.9 oz. Isomil Advance Powder Formula	\$15.80
12.9 oz. Isomil 2 Advance Powder Formula	\$15.74
12.9 oz. Isomil Go & Grow Soy	\$13.71
13 oz. Isomil with Iron Concentrate Formula	\$5.97
12.9 oz. Isomil with Iron Powder Formula	\$15.27
32 oz. Isomil DF Ready-to-Feed Formula	\$7.30
13 oz. Nutramigen Lipil Concentrate Formula	\$7.96
32 oz. Nutramigen Lipil Ready-to-Feed Formula	\$9.77
16 oz. Nutramigen Lipil Powder Formula	\$28.50
8 oz. Pediasure Ready-to-Feed Formula	\$2.68
8 oz. Pediasure with Fiber Ready-to-Feed Formula	\$2.42
13 oz. Similac Advance Concentrate Formula	\$5.07
32 oz. Similac Advance Ready-to-Feed Formula	\$7.68
12.9 oz. Similac Advance Powder Formula	\$14.93
12.9 oz. Similac 2 Advance Powder Formula	\$14.10
12.9 oz. Similac Go & Grow Milk	\$13.25
13 oz. Similac with Iron Concentrate Formula	\$5.19
32 oz. Similac with Iron Ready-to-Feed Formula	\$7.27
12.9 oz. Similac with Iron Powder Formula	\$14.41
13 oz. Similac Lactose Free Advance Concentrate Formula	\$5.30
13 oz. Similac Sensitive Concentrate Formula	\$7.42
32 oz. Similac Lactose Free Advance Ready-to-Feed Formula	\$7.14
32 oz. Similac Sensitive Ready-to-Feed Formula	\$7.14
32 oz. Similac Sensitive RS Ready-to-Feed Formula	\$7.14
12.9 oz. Similac Lactose Free Advance Powder Formula	\$15.14
12.9 oz. Similac Sensitive Powder	\$15.14
12.8 oz. Similac Neosure Advance Powder Formula	\$17.68
32 oz. Similac Neosure Advance Powder Formula	\$8.47

A store must permit purchase of WIC allowable foods that exceed the maximum allowable price to WIC participants using a WIC check; however, the amounts that exceed the maximum allowable price of any WIC allowable foods sold to WIC participants will be billed to the store on a quarterly basis in accordance with 28 Pa. Code § 1105.2.

Competitive Prices

To remain WIC Authorized, each store must maintain the minimum inventory of the following WIC food items at, or below, the Competitive Prices listed for the store's peer group. Effective January 1, 2008, through March 31, 2008, the Competitive Prices for WIC Authorization for Type 3 Stores in Regular Cost Counties are as follows:

<i>Description</i>	<i>Competitive Prices</i>
1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim	\$2.41
1/2 gal. of Kosher Milk: Whole, Reduced Fat, Low Fat or Skim	\$2.41
12 oz. Evaporated Milk	\$1.14
16 oz. Dry Milk	\$5.69
1 doz. Grade A Eggs	\$2.11
1 lb. Fresh Carrots	\$1.12
14 to 16 oz. Canned Carrots	\$1.12
1 lb. Cheese	\$6.44
1 lb. Kosher Cheese	\$8.67
1 lb. Dry Beans or Peas	\$1.60
1 oz. Adult WIC Cereal	\$0.33
8 oz. Gerber Infant Cereal	\$1.99
15 to 18 oz. Peanut Butter	\$2.56
46 oz. Single Strength Juice or 11.5 or 12 oz. Juice Concentrate	\$2.78
6 to 6.5 oz. Chunk Light Tuna Packed in Water	\$0.97
4 oz. Gerber Infant Juice	\$0.71
13 oz. Isomil Advance Concentrate Formula	\$5.43
32 oz. Isomil Advance Ready-to-Feed Formula	\$7.85
12.9 oz. Isomil Advance Powder Formula	\$15.80
13 oz. Similac Advance Concentrate Formula	\$5.07
32 oz. Similac Advance Ready-to-Feed Formula	\$7.68
12.9 oz. Similac Advance Powder Formula	\$14.93

Maximum Allowable Prices and Competitive Prices for Type 1 Stores in High Cost Counties

Under 28 Pa. Code §§ 1103.4(5) and 1105.3(a)(1) and 7 CFR 246.12, the WIC Program hereby publishes notice of the Maximum Allowable Prices and Competitive Prices for Type 1 Stores in High Cost Counties.

Maximum Allowable Prices

Effective January 1, 2008, through March 31, 2008, the maximum allowable prices the Department will pay Type 1 Stores in High Cost Counties for WIC Allowable Foods are as follows:

<i>Description</i>	<i>Maximum Allowable Price</i>
1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim	\$2.72
12 oz. Evaporated Milk	\$1.24
16 oz. Dry Milk	\$5.90
1 qt. Lactose Reduced Milk	\$2.16

<i>Description</i>	<i>Maximum Allowable Price</i>
1/2 gal. Kosher Milk	\$2.60
4 oz. Kosher Infant Juice	\$0.68
8 oz. Kosher Infant Cereal	\$1.83
1 doz. Grade A Eggs	\$2.23
1 lb. Fresh Carrots	\$1.11
14 to 16 oz. Canned Carrots	\$1.11
1 lb. Cheese	\$8.02
1 lb. Kosher Cheese	\$8.02
1 lb. Dry Beans or Peas	\$1.80
1 oz. Adult WIC Cereal	\$0.33
8 oz. Gerber Infant Cereal	\$1.83
15 to 18 oz. Peanut Butter	\$3.37
46 oz. Single Strength Juice or 11.5 or 12 oz. Juice Concentrate	\$3.18
6 oz. Cans Juice	\$1.53
6 to 6.5 oz. Chunk Light Tuna Packed in Water	\$1.15
4 oz. Gerber Infant Juice	\$0.68
32 oz. Alimentum Advance Ready-to-Feed Formula	\$9.29
16 oz. Alimentum Advance Powder Formula	\$26.44
12.8 oz. EnfaCare LIPIL w/Iron Powder Formula	\$14.80
13 oz. Isomil Advance Concentrate Formula	\$4.94
32 oz. Isomil Advance Ready-to-Feed Formula	\$6.93
12.9 oz. Isomil Advance Powder Formula	\$15.18
12.9 oz. Isomil 2 Advance Powder Formula	\$13.95
12.9 oz. Isomil Go & Grow Soy	\$12.15
13 oz. Isomil with Iron Concentrate Formula	\$5.82
12.9 oz. Isomil with Iron Powder Formula	\$13.88
32 oz. Isomil DF Ready-to-Feed Formula	\$7.26
13 oz. Nutramigen Lipil Concentrate Formula	\$7.35
32 oz. Nutramigen Lipil Ready-to-Feed Formula	\$8.97
16 oz. Nutramigen Lipil Powder Formula	\$26.64
8 oz. PediaSure Ready-to-Feed Formula	\$2.05
8 oz. PediaSure with Fiber Ready-to-Feed Formula	\$2.01
13 oz. Similac Advance Concentrate Formula	\$4.60
32 oz. Similac Advance Ready-to-Feed Formula	\$6.44
12.9 oz. Similac Advance Powder Formula	\$14.41
12.9 oz. Similac 2 Advance Powder Formula	\$12.41
12.9 oz. Similac Go & Grow Milk	\$11.66
13 oz. Similac with Iron Concentrate Formula	\$4.41
32 oz. Similac with Iron Ready-to-Feed Formula	\$5.71
12.9 oz. Similac with Iron Powder Formula	\$13.88
13 oz. Similac Lactose Free Advance Concentrate Formula	\$4.69
13 oz. Similac Sensitive Concentrate Formula	\$4.91
32 oz. Similac Lactose Free Advance Ready-to-Feed Formula	\$6.30
32 oz. Similac Sensitive Ready-to-Feed Formula	\$6.58
32 oz. Similac Sensitive RS Ready-to-Feed Formula	\$6.58
12.9 oz. Similac Lactose Free Advance Powder Formula	\$14.33
12.9 oz. Similac Sensitive Powder	\$15.02

<i>Description</i>	<i>Maximum Allowable Price</i>
12.8 oz. Similac Neosure Advance Powder Formula	\$16.05
32 oz. Similac Neosure Advance Powder Formula	\$7.26

A store must permit purchase of WIC allowable foods that exceed the maximum allowable price to WIC participants using a WIC check; however, the amounts that exceed the maximum allowable price of any WIC allowable foods sold to WIC participants will be billed to the store on a quarterly basis in accordance with 28 Pa. Code § 1105.2.

Competitive Prices

To remain WIC Authorized, each store must maintain the minimum inventory of the following WIC food items at, or below, the Competitive Prices listed for the store's peer group. Effective January 1, 2008, through March 31, 2008, the Competitive Prices for WIC Authorization for Type 1 Stores in High Cost Counties are as follows:

<i>Description</i>	<i>Competitive Prices</i>
1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim	\$2.41
1/2 gal. of Kosher Milk: Whole, Reduced Fat, Low Fat or Skim	\$2.41
12 oz. Evaporated Milk	\$1.04
16 oz. Dry Milk	\$5.68
1 doz. Grade A Eggs	\$2.23
1 lb. Fresh Carrots	\$1.08
14 to 16 oz. Canned Carrots	\$1.08
1 lb. Cheese	\$6.44
1 lb. Kosher Cheese	\$7.73
1 lb. Dry Beans or Peas	\$1.53
1 oz. Adult WIC Cereal	\$0.29
8 oz. Gerber Infant Cereal	\$1.83
15 to 18 oz. Peanut Butter	\$2.89
46 oz. Single Strength Juice or 11.5 or 12 oz. Juice Concentrate	\$2.88
6 to 6.5 oz. Chunk Light Tuna Packed in Water	\$1.03
4 oz. Gerber Infant Juice	\$0.68
13 oz. Isomil Advance Concentrate Formula	\$4.94
32 oz. Isomil Advance Ready-to-Feed Formula	\$6.93
12.9 oz. Isomil Advance Powder Formula	\$15.18
13 oz. Similac Advance Concentrate Formula	\$4.60
32 oz. Similac Advance Ready-to-Feed Formula	\$6.44
12.9 oz. Similac Advance Powder Formula	\$14.41

Maximum Allowable Prices and Competitive Prices for Type 2 Stores in High Cost Counties

Under 28 Pa. Code §§ 1103.4(5) and 1105.3(a)(1) and 7 CFR 246.12, the WIC Program hereby publishes notice of the Maximum Allowable Prices and Competitive Prices for Type 2 Stores in High Cost Counties.

Maximum Allowable Prices

Effective January 1, 2008, through March 31, 2008, the maximum allowable prices the Department will pay Type 2 Stores in High Cost Counties for WIC allowable foods are as follows:

<i>Description</i>	<i>Maximum Allowable Price</i>	<i>Description</i>	<i>Maximum Allowable Price</i>
1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim	\$2.72	32 oz. Similac Sensitive RS Ready-to-Feed Formula	\$7.17
12 oz. Evaporated Milk	\$1.33	12.9 oz. Similac Lactose Free Advance Powder Formula	\$15.02
16 oz. Dry Milk	\$6.62	12.9 oz. Similac Sensitive Powder	\$15.71
1 qt. Lactose Reduced Milk	\$2.28	12.8 oz. Similac Neosure Advance Powder Formula	\$17.27
1/2 gal. Kosher Milk	\$2.87	32 oz. Similac Neosure Advance Powder Formula	\$8.50
4 oz. Kosher Infant Juice	\$0.72		
8 oz. Kosher Infant Cereal	\$1.98		
1 doz. Grade A Eggs	\$2.33		
1 lb. Fresh Carrots	\$1.15		
14 to 16 oz. Canned Carrots	\$1.15		
1 lb. Cheese	\$8.02		
1 lb. Kosher Cheese	\$8.90		
1 lb. Dry Beans or Peas	\$1.93		
1 oz. Adult WIC Cereal	\$0.37		
8 oz. Gerber Infant Cereal	\$1.98		
15 to 18 oz. Peanut Butter	\$3.37		
46 oz. Single Strength Juice or 11.5 or 12 oz. Juice Concentrate	\$3.18		
6 oz. Cans Juice	\$1.53		
6 to 6.5 oz. Chunk Light Tuna Packed in Water	\$1.15		
4 oz. Gerber Infant Juice	\$0.72		
32 oz. Alimentum Advance Ready-to-Feed Formula	\$9.79		
16 oz. Alimentum Advance Powder Formula	\$27.74		
12.8 oz. EnfaCare LIPIL w/Iron Powder Formula	\$15.89		
13 oz. Isomil Advance Concentrate Formula	\$5.90		
32 oz. Isomil Advance Ready-to-Feed Formula	\$7.57		
12.9 oz. Isomil Advance Powder Formula	\$16.11		
12.9 oz. Isomil 2 Advance Powder Formula	\$15.29		
12.9 oz. Isomil Go & Grow Soy	\$13.09		
13 oz. Isomil with Iron Concentrate Formula	\$6.01		
12.9 oz. Isomil with Iron Powder Formula	\$14.57		
32 oz. Isomil DF Ready-to-Feed Formula	\$7.59		
13 oz. Nutramigen Lipil Concentrate Formula	\$7.88		
32 oz. Nutramigen Lipil Ready-to-Feed Formula	\$9.76		
16 oz. Nutramigen Lipil Powder Formula	\$28.13		
8 oz. Pediasure Ready-to-Feed Formula	\$2.37		
8 oz. Pediasure with Fiber Ready-to-Feed Formula	\$2.23		
13 oz. Similac Advance Concentrate Formula	\$4.95		
32 oz. Similac Advance Ready-to-Feed Formula	\$7.24		
12.9 oz. Similac Advance Powder Formula	\$15.25		
12.9 oz. Similac 2 Advance Powder Formula	\$13.77		
12.9 oz. Similac Go & Grow Milk	\$12.94		
13 oz. Similac with Iron Concentrate Formula	\$4.83		
32 oz. Similac with Iron Ready-to-Feed Formula	\$6.66		
12.9 oz. Similac with Iron Powder Formula	\$14.26		
13 oz. Similac Lactose Free Advance Concentrate Formula	\$5.21		
13 oz. Similac Sensitive Concentrate Formula	\$5.34		
32 oz. Similac Lactose Free Advance Ready-to-Feed Formula	\$6.89		
32 oz. Similac Sensitive Ready-to-Feed Formula	\$7.17		

A store must permit purchase of WIC allowable foods that exceed the maximum allowable price to WIC participants using a WIC check; however, the amounts that exceed the maximum allowable price of any WIC allowable foods sold to WIC participants will be billed to the store on a quarterly basis in accordance with 28 Pa. Code § 1105.2.

Competitive Prices

To remain WIC Authorized, each store must maintain the minimum inventory of the following WIC food items at, or below, the Competitive Prices listed for the store's peer group. Effective January 1, 2008, through March 31, 2008, the Competitive Prices for WIC Authorization for Type 2 Stores in High Cost Counties are as follows:

<i>Description</i>	<i>Competitive Prices</i>
1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim	\$2.41
1/2 gal. of Kosher Milk: Whole, Reduced Fat, Low Fat or Skim	\$2.64
12 oz. Evaporated Milk	\$1.14
16 oz. Dry Milk	\$5.69
1 doz. Grade A Eggs	\$2.33
1 lb. Fresh Carrots	\$1.12
14 to 16 oz. Canned Carrots	\$1.12
1 lb. Cheese	\$6.44
1 lb. Kosher Cheese	\$8.67
1 lb. Dry Beans or Peas	\$1.60
1 oz. Adult WIC Cereal	\$0.33
8 oz. Gerber Infant Cereal	\$1.98
15 to 18 oz. Peanut Butter	\$2.89
46 oz. Single Strength Juice or 11.5 or 12 oz. Juice Concentrate	\$2.89
6 to 6.5 oz. Chunk Light Tuna Packed in Water	\$1.05
4 oz. Gerber Infant Juice	\$0.72
13 oz. Isomil Advance Concentrate Formula	\$5.90
32 oz. Isomil Advance Ready-to-Feed Formula	\$7.57
12.9 oz. Isomil Advance Powder Formula	\$16.11
13 oz. Similac Advance Concentrate Formula	\$4.95
32 oz. Similac Advance Ready-to-Feed Formula	\$7.24
12.9 oz. Similac Advance Powder Formula	\$15.25

Maximum Allowable Prices and Competitive Prices for Type 3 Stores in High Cost Counties

Under 28 Pa. Code §§ 1103.4(5) and 1105.3(a)(1) and 7 CFR 246.12, the WIC Program hereby publishes notice of the Maximum Allowable Prices and Competitive Prices for Type 3 Stores in High Cost Counties.

Maximum Allowable Prices

Effective January 1, 2008, through March 31, 2008, the maximum allowable prices the Department will pay Type 3 Stores in High Cost Counties for WIC allowable foods are as follows:

<i>Description</i>	<i>Maximum Allowable Price</i>
1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim	\$2.72
12 oz. Evaporated Milk	\$1.33
16 oz. Dry Milk	\$7.33
1 qt. Lactose Reduced Milk	\$2.40
1/2 gal. Kosher Milk	\$3.14
4 oz. Kosher Infant Juice	\$0.76
8 oz. Kosher Infant Cereal	\$2.13
1 doz. Grade A Eggs	\$2.33
1 lb. Fresh Carrots	\$1.16
14 to 16 oz. Canned Carrots	\$1.16
1 lb. Cheese	\$8.02
1 lb. Kosher Cheese	\$8.90
1 lb. Dry Beans or Peas	\$1.93
1 oz. Adult WIC Cereal	\$0.38
8 oz. Gerber Infant Cereal	\$2.13
15 to 18 oz. Peanut Butter	\$3.37
46 oz. Single Strength Juice or 11.5 or 12 oz. Juice Concentrate	\$3.18
6 oz. Cans Juice	\$1.53
6 to 6.5 oz. Chunk Light Tuna Packed in Water	\$1.15
4 oz. Gerber Infant Juice	\$0.76
32 oz. Alimentum Advance Ready-to-Feed Formula	\$10.29
16 oz. Alimentum Advance Powder Formula	\$29.03
12.8 oz. EnfaCare LIPIL w/Iron Powder Formula	\$16.99
13 oz. Isomil Advance Concentrate Formula	\$5.90
32 oz. Isomil Advance Ready-to-Feed Formula	\$8.21
12.9 oz. Isomil Advance Powder Formula	\$17.03
12.9 oz. Isomil 2 Advance Powder Formula	\$16.62
12.9 oz. Isomil Go & Grow Soy	\$14.03
13 oz. Isomil with Iron Concentrate Formula	\$6.19
12.9 oz. Isomil with Iron Powder Formula	\$15.75
32 oz. Isomil DF Ready-to-Feed Formula	\$7.92
13 oz. Nutramigen Lipil Concentrate Formula	\$8.40
32 oz. Nutramigen Lipil Ready-to-Feed Formula	\$10.54
16 oz. Nutramigen Lipil Powder Formula	\$29.61
8 oz. PediaSure Ready-to-Feed Formula	\$2.68
8 oz. PediaSure with Fiber Ready-to-Feed Formula	\$2.42
13 oz. Similac Advance Concentrate Formula	\$5.45
32 oz. Similac Advance Ready-to-Feed Formula	\$8.03
12.9 oz. Similac Advance Powder Formula	\$16.09
12.9 oz. Similac 2 Advance Powder Formula	\$15.39
12.9 oz. Similac Go & Grow Milk	\$14.48
13 oz. Similac with Iron Concentrate Formula	\$5.50
32 oz. Similac with Iron Ready-to-Feed Formula	\$7.80
12.9 oz. Similac with Iron Powder Formula	\$15.71
13 oz. Similac Lactose Free Advance Concentrate Formula	\$5.91

<i>Description</i>	<i>Maximum Allowable Price</i>
13 oz. Similac Sensitive Concentrate Formula	\$5.91
32 oz. Similac Lactose Free Advance Ready-to-Feed Formula	\$8.14
32 oz. Similac Sensitive Ready-to-Feed Formula	\$8.14
32 oz. Similac Sensitive RS Ready-to-Feed Formula	\$8.14
12.9 oz. Similac Lactose Free Advance Powder Formula	\$16.59
12.9 oz. Similac Sensitive Powder	\$16.95
12.8 oz. Similac Neosure Advance Powder Formula	\$18.80
32 oz. Similac Neosure Advance Powder Formula	\$9.73

A store must permit purchase of WIC allowable foods that exceed the maximum allowable price to WIC participants using a WIC check; however, the amounts that exceed the maximum allowable price of any WIC allowable foods sold to WIC participants will be billed to the store on a quarterly basis in accordance with 28 Pa. Code § 1105.2.

Competitive Prices

To remain WIC Authorized, each store must maintain the minimum inventory of the following WIC food items at, or below, the Competitive Prices listed for the store's peer group. Effective January 1, 2008, through March 31, 2008, the Competitive Prices for WIC Authorization for Type 3 Stores in High Cost Counties are as follows:

<i>Description</i>	<i>Competitive Prices</i>
1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim	\$2.45
1/2 gal. of Kosher Milk: Whole, Reduced Fat, Low Fat or Skim	\$2.88
12 oz. Evaporated Milk	\$1.14
16 oz. Dry Milk	\$5.69
1 doz. Grade A Eggs	\$2.33
1 lb. Fresh Carrots	\$1.12
14 to 16 oz. Canned Carrots	\$1.12
1 lb. Cheese	\$6.46
1 lb. Kosher Cheese	\$8.67
1 lb. Dry Beans or Peas	\$1.60
1 oz. Adult WIC Cereal	\$0.36
8 oz. Gerber Infant Cereal	\$2.13
15 to 18 oz. Peanut Butter	\$2.89
46 oz. Single Strength Juice or 11.5 or 12 oz. Juice Concentrate	\$2.90
6 to 6.5 oz. Chunk Light Tuna Packed in Water	\$1.07
4 oz. Gerber Infant Juice	\$0.76
13 oz. Isomil Advance Concentrate Formula	\$5.90
32 oz. Isomil Advance Ready-to-Feed Formula	\$8.21
12.9 oz. Isomil Advance Powder Formula	\$17.03
13 oz. Similac Advance Concentrate Formula	\$5.45
32 oz. Similac Advance Ready-to-Feed Formula	\$8.03
12.9 oz. Similac Advance Powder Formula	\$16.09
12.9 oz. Similac 2 Advance Powder Formula	\$15.39
12.9 oz. Similac Go & Grow Milk	\$14.48
13 oz. Similac with Iron Concentrate Formula	\$5.50
32 oz. Similac with Iron Ready-to-Feed Formula	\$7.80
12.9 oz. Similac with Iron Powder Formula	\$15.71
13 oz. Similac Lactose Free Advance Concentrate Formula	\$5.91

Persons with a disability who require an alternative format of this listing (for example, large print, audiotape, Braille), should contact Chris Harr, Department of Health, Division of WIC, 2150 Herr Street, 1st Floor,

Harrisburg, PA 17105, (717) 783-1289 or for speech and/or hearing impaired persons V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 07-2414. Filed for public inspection December 28, 2007, 9:00 a.m.]

DEPARTMENT OF PUBLIC WELFARE

Inpatient Hospital Services

Purpose of Notice

The purpose of this notice is to provide final notice of the Department of Public Welfare's (Department) intent to revise its payment method for inpatient hospital services effective on or after January 1, 2008. These revisions will affect acute care general hospitals, private psychiatric hospitals, psychiatric units of general hospitals, rehabilitation hospitals and rehabilitation units of general hospitals.

The Department and representatives of the hospital industry have met extensively to negotiate the terms of a Hospital Rate Agreement. Based on these negotiations, the Department proposes to change its payment methodology for inpatient services in the following manner.

Base Payment Rates

Effective January 1, 2008, the Department will increase each hospital's or hospital unit's base payment rate for inpatient services provided on a fee-for-service basis by 2%.

Inpatient Disproportionate Share; Outpatient Disproportionate Share; and Direct Medical Education Payments

Effective January 1, 2008, the Department intends to increase Inpatient Disproportionate Share payments by 2%, with no change in the current methodology for determining eligibility for those payments. For Fiscal Year (FY) 2007-2008, the aggregate amount of Inpatient Disproportionate Share payments is to be limited to \$78.203 million in total funds.

Effective January 1, 2008, the Department intends to increase Outpatient Disproportionate Share payments by 2%, with no change in the current methodology for determining eligibility for those payments. For FY 2007-2008, the aggregate amount of Outpatient Disproportionate Share payments is to be limited to \$64.39 million in total funds.

Effective January 1, 2008, the Department intends to increase Medical Education payments by 2%, with no change in the current methodology for determining eligibility for those payments. For FY 2007-2008, the aggregate amount of Medical Education payments is to be limited to \$83.249 million in total funds.

Fiscal Impact

The fiscal impact of the increase in the base payment rates is estimated at \$5.778 million (\$2.775 million in State funds) for FY 2007-2008 and \$18.011 million (\$8.605 million in State funds) for FY 2008-2009. The fiscal impact of the increases to the pass-through payments is estimated at \$1.429 million (\$0.656 million in

State funds) in FY 2007-2008 and \$6.861 million (\$3.127 in State funds) for FY 2008-2009.

Public Comment

Interested persons are invited to submit written comments regarding this notice at the Department of Public Welfare, Office of Medical Assistance Programs, c/o Deputy Secretary's Office, Attention: Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. Comments received within 30 days will be reviewed and considered for any subsequent revision of the notice.

Persons with a disability who require an auxiliary aid or service should submit comments using the AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

ESTELLE B. RICHMAN,
Secretary

Fiscal Note: 14-NOT-537. (1) General Fund;

<i>Estimate for:</i>	<i>MA-Inpatient</i>	<i>MA-Outpatient</i>
(2) Implementing Year 2007-08 is	\$ 3,285,000	\$146,000
(3) 1st Succeeding Year 2008-09 is	\$11,002,000	\$730,000
2nd Succeeding Year 2009-10 is	\$11,002,000	\$730,000
3rd Succeeding Year 2010-11 is	\$11,002,000	\$730,000
4th Succeeding Year 2011-12 is	\$11,002,000	\$730,000
5th Succeeding Year 2012-13 is	\$11,002,000	\$730,000
	<i>MA-Inpatient</i>	<i>MA-Outpatient</i>
(4) 2006-07 Program—	\$513,020,000	\$671,472,000
2005-06 Program—	\$474,693,000	\$945,950,000
2004-05 Program—	\$531,785,000	\$842,991,000

(7) Medical Assistance (MA)—Inpatient; and Medical Assistance (MA)—Outpatient; (8) recommends adoption. Funds have been included in the budget to cover these increases.

[Pa.B. Doc. No. 07-2415. Filed for public inspection December 28, 2007, 9:00 a.m.]

DEPARTMENT OF REVENUE

Annual Inflation Adjustment; Pennsylvania Gaming Cash Flow Management

In accordance with 61 Pa. Code § 1001.8 (relating to State Gaming Fund transfers), the Department of Revenue (Department) is required to publish notice of the annual inflation adjustment as proscribed in 4 Pa.C.S. § 1403(d) (relating to establishment of State Gaming Fund and net slot machine revenue distribution).

Section 1403(c) of 4 Pa.C.S. requires the Department to utilize the most recent consumer price index effective immediately prior to the date the adjustment is due to take effect. This adjustment will be published by the United States Department of Labor, Bureau of Labor

Statistics in January 2008. Thereafter, the Department will publish an additional notice of the annual inflation adjustment.

THOMAS W. WOLF,
Secretary

[Pa.B. Doc. No. 07-2416. Filed for public inspection December 28, 2007, 9:00 a.m.]

Interest Rate Notice

Under the provisions of sections 806 and 806.1 of the Fiscal Code (72 P. S. §§ 806 and 806.1), the Secretary of Revenue announces that, for the year commencing January 1, 2008, all underpayments of tax which became due and payable to the Commonwealth on and after January 1, 1982, shall bear interest at the rate of 7% per annum. All overpayments of the tax imposed under Article III of the Tax Reform Code of 1971 (72 P. S. §§ 7301—7361), which became due and payable to the Commonwealth on and after January 1, 1982, shall bear interest at the rate of 7% per annum. All other overpayments of tax which became due and payable to the Commonwealth on and after January 1, 1982, shall bear interest at the rate of 5% per annum. These rates will remain constant until December 31, 2008. These rates will be codified under 61 Pa. Code § 4.2(a) (relating to rate of interest).

These rates have been established based upon the rate established by the Secretary of the Treasury of the United States under the provisions of section 6621(a)(2) of the Internal Revenue Code to be effective January 1, 2008.

Although the Tax Reform Act of 1986 amended the Internal Revenue Code section 6621, by requiring that the Secretary of the Treasury of the United States establish quarterly rates of interest to become effective for Federal purposes on the first month of each calendar quarter, these amendments do not affect Commonwealth law. The Fiscal Code requires that the interest rate be established effective January 1 of each calendar year without regard to any change in the Federal interest rate during the calendar year.

THOMAS W. WOLF,
Secretary

[Pa.B. Doc. No. 07-2417. Filed for public inspection December 28, 2007, 9:00 a.m.]

Pennsylvania Cash Celebration Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Cash Celebration.

2. *Price:* The price of a Pennsylvania Cash Celebration instant lottery game ticket is \$2.

3. *Play Symbols:* Each Pennsylvania Cash Celebration instant lottery game ticket will contain a "CASH NUMBERS" area and a "YOUR NUMBERS" area. The play symbols and their captions located in the "CASH NUMBERS" areas are: 1 (ONE), 2 (TWO), 3 (THREE), 4

(FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN) and 20 (TWENT). The play symbols and their captions located in the "YOUR NUMBERS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), \$\$\$ symbol (TRPLS) and a Cash symbol (CASH).

4. *Prize Symbols:* The prize symbols and their captions located in the "prize" areas are: \$1.⁰⁰ (ONE DOL), \$2.⁰⁰ (TWO DOL), \$3.⁰⁰ (THR DOL), \$5.⁰⁰ (FIV DOL), \$9.⁰⁰ (NIN DOL), \$10.⁰⁰ (TEN DOL), \$15\$ (FIFTN), \$20\$ (TWENTY), \$30\$ (THIRTY), \$50\$ (FIFTY), \$100 (ONE HUN), \$300 (THR HUN), \$500 (FIV HUN), \$1,000 (ONE THO) and \$24,000 (TWYFORTHO).

5. *Prizes:* The prizes that can be won in this game are: \$1, \$2, \$3, \$5, \$9, \$10, \$15, \$20, \$30, \$50, \$100, \$300, \$500, \$1,000 and \$24,000. A player can win up to 10 times on a ticket.

6. *Approximate Number of Tickets Printed For the Game:* Approximately 8,640,000 tickets will be printed for the Pennsylvania Cash Celebration instant lottery game.

7. Determination of Prize Winners.

(a) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols match either of the "CASH NUMBERS" play symbols and a prize symbol of \$24,000 (TWYFORTHO) appears in the "prize" area to the right of the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$24,000.

(b) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols match either of the "CASH NUMBERS" play symbols and a prize symbol of \$1,000 (ONE THO) appears in the "prize" area to the right of the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(c) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols is a Cash symbol (CASH) and a prize symbol of \$100 (ONE HUN) appears in ten of the "prize" areas, on a single ticket, shall be entitled to a prize of \$1,000.

(d) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols match either of the "CASH NUMBERS" play symbols and a prize symbol of \$500 (FIV HUN) appears in the "prize" area to the right of the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$500.

(e) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols is a Cash symbol (CASH) and a prize symbol of \$50\$ (FIFTY) appears in ten of the "prize" areas, on a single ticket, shall be entitled to a prize of \$500.

(f) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols match either of the "CASH NUMBERS" play symbols and a prize symbol of \$300 (THR HUN) appears in the "prize" area to the right of the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$300.

(g) Holders of tickets upon which any one of the "YOUR NUMBERS" is a \$\$\$ (TRPL\$) play symbol and a prize symbol of \$100 (ONE HUN) appears in the "prize" area to the right of the \$\$\$ (TRPL\$) play symbol, on a single ticket, shall be entitled to a prize of \$300.

(h) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols is a Cash symbol (CASH) and a prize symbol of \$30\$ (THIRTY) appears in ten of the "prize" areas, on a single ticket, shall be entitled to a prize of \$300.

(i) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols match either of the "CASH NUMBERS" play symbols and a prize symbol of \$100 (ONE HUN) appears in the "prize" area to the right of the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$100.

(j) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols is a Cash symbol (CASH) and a prize symbol of \$10⁰⁰ (TEN DOL) appears in ten of the "prize" areas, on a single ticket, shall be entitled to a prize of \$100.

(k) Holders of tickets upon which any one of the "YOUR NUMBERS" is a \$\$\$ (TRPL\$) play symbol and a prize symbol of \$30\$ (THIRTY) appears in the "prize" area to the right of the \$\$\$ (TRPL\$) play symbol, on a single ticket, shall be entitled to a prize of \$90.

(l) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols match either of the "CASH NUMBERS" play symbols and a prize symbol of \$50\$ (FIFTY) appears in the "prize" area to the right of the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$50.

(m) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols is a Cash symbol (CASH) and a prize symbol of \$5⁰⁰ (FIV DOL) appears in ten of the "prize" areas, on a single ticket, shall be entitled to a prize of \$50.

(n) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols match either of the "CASH NUMBERS" play symbols and a prize symbol of \$30\$ (THIRTY) appears in the "prize" area to the right of the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$30.

(o) Holders of tickets upon which any one of the "YOUR NUMBERS" is a \$\$\$ (TRPL\$) play symbol and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the "prize" area to the right of the \$\$\$ (TRPL\$) play symbol, on a single ticket, shall be entitled to a prize of \$30.

(p) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Cash symbol (CASH) and a prize symbol of \$3⁰⁰ (THR DOL) appears in ten of the "prize" areas, on a single ticket, shall be entitled to a prize of \$30.

(q) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols match either of the "CASH NUMBERS" play symbols and a prize symbol of \$20\$ (TWENTY) appears in the "prize" area to the right of the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$20.

(r) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Cash symbol (CASH) and a prize symbol of \$2⁰⁰ (TWO DOL) appears in ten of the "prize" areas, on a single ticket, shall be entitled to a prize of \$20.

(s) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols match either of the "CASH NUMBERS" play symbols and a prize symbol of \$15\$ (FIFTN) appears in the "prize" area to the right of the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$15.

(t) Holders of tickets upon which any one of the "YOUR NUMBERS" is a \$\$\$ (TRPL\$) play symbol and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the "prize" area to the right of the \$\$\$ (TRPL\$) play symbol, on a single ticket, shall be entitled to a prize of \$15.

(u) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Cash symbol (CASH) and a prize symbol of \$1⁰⁰ (ONE DOL) appears in five of the "prize" areas and a prize symbol of \$2⁰⁰ (TWO DOL) appears in five of the "prize" areas, on a single ticket, shall be entitled to a prize of \$15.

(v) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols match either of the "CASH NUMBERS" play symbols and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the "prize" area to the right of the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$10.

(w) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Cash symbol (CASH) and a prize symbol of \$1⁰⁰ (ONE DOL) appears in ten of the "prize" areas, on a single ticket, shall be entitled to a prize of \$10.

(x) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols match either of the "CASH NUMBERS" play symbols and a prize symbol of \$9⁰⁰ (NIN DOL) appears in the "prize" area to the right of the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$9.

(y) Holders of tickets upon which any one of the "YOUR NUMBERS" is a \$\$\$ (TRPL\$) play symbol and a prize symbol of \$3⁰⁰ (THR DOL) appears in the "prize" area to the right of the \$\$\$ (TRPL\$) play symbol, on a single ticket, shall be entitled to a prize of \$9.

(z) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols match either of the "CASH NUMBERS" play symbols and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the "prize" area to the right of the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$5.

(aa) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols match either of the "CASH NUMBERS" play symbols and a prize symbol of \$3⁰⁰ (THR DOL) appears in the "prize" area to the right of the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$3.

(bb) Holders of tickets upon which any one of the "YOUR NUMBERS" is a \$\$\$ (TRPL\$) play symbol and a prize symbol of \$1⁰⁰ (ONE DOL) appears in the "prize" area to the right of the \$\$\$ (TRPL\$) play symbol, on a single ticket, shall be entitled to a prize of \$3.

(cc) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols match either of the "CASH NUMBERS" play symbols and a prize symbol of \$2⁰⁰ (TWO DOL) appears in the "prize" area to the right of the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$2.

(dd) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols match either of the

“CASH NUMBERS” play symbols and a prize symbol of \$1.⁰⁰ (ONE DOL) appears in the “prize” area to the right of the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$1.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>When Any Of Your Numbers Match Either Cash Number, Win With Prize(s) Of:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 8,640,000 Tickets</i>
\$1 × 2	\$2	20	432,000
\$2	\$2	18.75	460,800
\$1 × 3	\$3	75	115,200
\$1 w/SS\$	\$3	30	288,000
\$3	\$3	75	115,200
\$1 × 5	\$5	150	57,600
(\$1 w/SS\$) + (\$1 × 2)	\$5	65.22	132,480
\$5	\$5	150	57,600
\$1 × 9	\$9	750	11,520
\$3 × 3	\$9	750	11,520
\$3 w/SS\$	\$9	375	23,040
\$9	\$9	750	11,520
\$1 × 10	\$10	1,500	5,760
\$1 × 10 w/CASH	\$10	375	23,040
(\$3 w/SS\$) + \$1	\$10	750	11,520
\$5 × 2	\$10	1,500	5,760
\$10	\$10	750	11,520
(\$1 × 5) + (\$2 × 5) w/CASH	\$15	1,500	5,760
\$3 × 5	\$15	1,500	5,760
\$5 w/SS\$	\$15	1,500	5,760
\$5 × 3	\$15	1,500	5,760
\$15	\$15	1,500	5,760
\$2 × 10	\$20	1,500	5,760
\$2 × 10 w/CASH	\$20	1,500	5,760
(\$5 w/SS\$) + \$5	\$20	1,500	5,760
\$10 × 2	\$20	1,500	5,760
\$20	\$20	1,500	5,760
\$3 × 10	\$30	3,000	2,880
\$3 × 10 w/CASH	\$30	857.14	10,080
\$10 × 3	\$30	4,000	2,160
\$10 w/SS\$	\$30	2,000	4,320
\$15 × 2	\$30	4,000	2,160
\$30	\$30	2,000	4,320
\$5 × 10	\$50	4,000	2,160
\$5 × 10 w/CASH	\$50	1,714	5,040
\$10 × 5	\$50	4,000	2,160
(\$10 w/SS\$) + (\$10 × 2)	\$50	3,000	2,880
\$50	\$50	4,000	2,160
\$10 × 10	\$100	6,000	1,440
\$10 × 10 w/CASH	\$100	6,000	1,440
\$10 + (\$30 w/SS\$)	\$100	6,000	1,440
\$50 × 2	\$100	6,000	1,440
\$100	\$100	6,000	1,440
\$30 × 10	\$300	24,000	360
\$30 × 10 w/CASH	\$300	24,000	360
\$50 × 6	\$300	24,000	360
\$100 w/SS\$	\$300	24,000	360
\$300	\$300	24,000	360
\$50 × 10	\$500	30,000	288
\$50 × 10 w/CASH	\$500	17,143	504
(\$100 w/SS\$) + (\$100 × 2)	\$500	30,000	288
\$500	\$500	30,000	288
\$100 × 10	\$1,000	60,000	144
\$100 × 10 w/CASH	\$1,000	24,000	360
\$1,000	\$1,000	60,000	144
\$24,000	\$24,000	720,000	12

SS\$ (TRPL\$) Symbol = Win triple the prize shown to the right of it automatically.
CASH (CASH) Symbol = Win all 10 prizes shown.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Cash Celebration instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentive).

10. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Cash Celebration instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Cash Celebration instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

11. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

12. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Cash Celebration or through normal communications methods.

THOMAS W. WOLF,
Secretary

[Pa.B. Doc. No. 07-2418. Filed for public inspection December 28, 2007, 9:00 a.m.]

Pennsylvania Million Dollar Diamond Jubilee Instant Lottery Game

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Million Dollar Diamond Jubilee.

2. *Price:* The price of a Pennsylvania Million Dollar Diamond Jubilee instant lottery game ticket is \$20.

3. *Play Symbols:* Each Pennsylvania Million Dollar Diamond Jubilee instant lottery game ticket will contain one play area featuring a "DIAMOND NUMBERS" area and a "YOUR NUMBERS" area. The play symbols and their captions located in the "DIAMOND NUMBERS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWY TWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRTY), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN) and 40 (FORTY). The play symbols and their captions located in the "YOUR NUMBERS" area are: 1 (ONE), 2 (TWO), 3

(THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWY TWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRTY), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN), 40 (FORTY), 10X symbol (10TIMES) and a Double Diamond symbol (DBLS).

4. *Prize Symbols:* The prize symbols and their captions located in the "YOUR NUMBERS" area are: \$10⁰⁰ (TEN DOL), \$20\$ (TWENTY), \$25\$ (TWY FIV), \$40\$ (FORTY), \$50\$ (FIFTY), \$100 (ONE HUN), \$200 (TWO HUN), \$500 (FIV HUN), \$1,000 (ONE THO), \$10,000 (TEN THO), \$100,000 (ONEHUNTHO) and \$1MILL (ONE MIL).

5. *Prizes:* The prizes that can be won in this game are: \$10, \$20, \$25, \$40, \$50, \$100, \$200, \$500, \$1,000, \$10,000, \$100,000 and \$1,000,000. A player can win up to 20 times on a ticket.

6. *Approximate Number of Tickets Printed For the Game:* Approximately 5,400,000 tickets will be printed for the Pennsylvania Million Dollar Diamond Jubilee instant lottery game.

7. Determination of Prize Winners:

(a) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "DIAMOND NUMBERS" play symbols and a prize symbol of \$1MILL (ONE MIL) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$1,000,000. This prize shall be paid as a lump-sum cash payment.

(b) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "DIAMOND NUMBERS" play symbols and a prize symbol of \$100,000 (ONEHUNTHO) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$100,000.

(c) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "DIAMOND NUMBERS" play symbols and a prize symbol of \$10,000 (TEN THO) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$10,000.

(d) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a 10X symbol (10TIMES), and a prize symbol of \$1,000 (ONE THO) appears under the 10X symbol (10TIMES), on a single ticket, shall be entitled to a prize of \$10,000.

(e) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "DIAMOND NUMBERS" play symbols and a prize symbol of \$1,000 (ONE THO) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(f) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Double Diamond symbol (DBLS), and a prize symbol of \$500 (FIV HUN) appears under the Double Diamond symbol (DBLS), on a single ticket, shall be entitled to a prize of \$1,000.

(g) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a 10X symbol (10TIMES), and a prize symbol of \$100 (ONE HUN)

appears under the 10X symbol (10TIMES), on a single ticket, shall be entitled to a prize of \$1,000.

(h) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "DIAMOND NUMBERS" play symbols and a prize symbol of \$500 (FIV HUN) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$500.

(i) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a 10X symbol (10TIMES), and a prize symbol of \$50\$ (FIFTY) appears under the 10X symbol (10TIMES), on a single ticket, shall be entitled to a prize of \$500.

(j) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "DIAMOND NUMBERS" play symbols and a prize symbol of \$200 (TWO HUN) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$200.

(k) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Double Diamond symbol (DBLS), and a prize symbol of \$100 (ONE HUN) appears under the Double Diamond symbol (DBLS), on a single ticket, shall be entitled to a prize of \$200.

(l) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "DIAMOND NUMBERS" play symbols and a prize symbol of \$100 (ONE HUN) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$100.

(m) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Double Diamond symbol (DBLS), and a prize symbol of \$50\$ (FIFTY) appears under the Double Diamond symbol (DBLS), on a single ticket, shall be entitled to a prize of \$100.

(n) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a 10X symbol (10TIMES), and a prize symbol of \$10⁰⁰ (TEN DOL) appears under the 10X symbol (10TIMES), on a single ticket, shall be entitled to a prize of \$100.

(o) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "DIAMOND NUMBERS" play symbols and a prize symbol of \$50\$ (FIFTY) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$50.

(p) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Double Diamond symbol (DBLS), and a prize symbol of \$25\$ (TWY FIV) appears under the Double Diamond symbol (DBLS), on a single ticket, shall be entitled to a prize of \$50.

(q) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "DIAMOND NUMBERS" play symbols and a prize symbol of \$40\$ (FORTY) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$40.

(r) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Double Diamond symbol (DBLS), and a prize symbol of \$20\$ (TWENTY) appears under the Double Diamond symbol (DBLS), on a single ticket, shall be entitled to a prize of \$40.

(s) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "DIAMOND NUMBERS" play symbols and a prize symbol of \$25\$ (TWY FIV) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$25.

(t) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "DIAMOND NUMBERS" play symbols and a prize symbol of \$20\$ (TWENTY) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$20.

(u) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Double Diamond symbol (DBLS), and a prize symbol of \$10⁰⁰ (TEN DOL) appears under the Double Diamond symbol (DBLS), on a single ticket, shall be entitled to a prize of \$20.

(v) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "DIAMOND NUMBERS" play symbols and a prize symbol of \$10⁰⁰ (TEN DOL) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$10.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

When Any Of Your Numbers Match Any Of The Diamond Numbers, Win With Prize(s) Of:

<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 5,400,000 Tickets</i>
\$10 × 2	20	270,000
\$10 w/DOUBLE DIAMOND	15	360,000
\$20	15	360,000
\$10 × 4	60	90,000
\$20 × 2	60	90,000
\$20 w/DOUBLE DIAMOND	60	90,000
\$40	60	90,000
\$10 × 5	150	36,000
\$25 × 2	150	36,000
\$25 w/DOUBLE DIAMOND	100	54,000
\$50	100	54,000
\$10 × 10	150	36,000
\$10 w/10X	100	54,000
\$50 w/DOUBLE DIAMOND	150	36,000

When Any Of Your Numbers Match Any Of The Diamond Numbers, Win With Prize(s) Of:

	Win:	Approximate Odds Are 1 In:	Approximate No. Of Winners Per 5,400,000 Tickets
\$100	\$100	100	54,000
(\$20 × 10) + (\$50 × 4) + \$100	\$500	4,000	1,350
\$50 × 10	\$500	4,000	1,350
\$100 × 5	\$500	4,800	1,125
(\$100 w/DOUBLE DIAMOND) + (\$100 × 3)	\$500	4,000	1,350
\$50 w/10X	\$500	4,000	1,350
\$500	\$500	4,000	1,350
\$50 × 20	\$1,000	6,000	900
\$100 × 10	\$1,000	8,000	675
\$200 × 5	\$1,000	8,000	675
\$100 w/10X	\$1,000	6,000	900
\$500 × 2	\$1,000	8,000	675
\$500 w/DOUBLE DIAMOND	\$1,000	8,000	675
\$1,000	\$1,000	6,000	900
\$1,000 × 10	\$10,000	120,000	45
\$1,000 w/10X	\$10,000	60,000	90
\$10,000	\$10,000	60,000	90
\$100,000	\$100,000	540,000	10
\$1,000,000	\$1,000,000	1,080,000	5

DOUBLE DIAMOND (DBL\$) = Win double the prize shown under it.
10X (10TIMES) = Win 10 times the prize under it.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Million Dollar Diamond Jubilee instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentive).

10. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Million Dollar Diamond Jubilee, prize money from winning Pennsylvania Million Dollar Diamond Jubilee instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Million Dollar Diamond Jubilee instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

11. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

12. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Million Dollar Diamond Jubilee or through normal communications methods.

THOMAS W. WOLF,
Secretary

[Pa.B. Doc. No. 07-2419. Filed for public inspection December 28, 2007. 9:00 a.m.]

Pennsylvania Triple Cash Line Bingo Instant Lottery Game

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Triple Cash Line Bingo.

2. *Price:* The price of a Pennsylvania Triple Cash Line Bingo instant lottery game ticket is \$3.

3. *Play Symbols:*

(a) Each Pennsylvania Triple Cash Line Bingo instant lottery game ticket will contain six play areas designated as "Card 1," "Card 2," "Card 3," "Card 4," "Card 5" and "Card 6." The 76 play symbols located in the six play areas are: The numbers 1 through 75 and a "FREE" symbol. The "FREE" symbol is a free space.

(b) Each ticket will also contain a "Caller's Card" area. The "Caller's Card" area will consist of 30 spaces on a 3 by 10 grid. The play symbols that may be located in each space on the grid are: The letter B with a number 1 through 15; the letter I with a number 16 through 30; the letter N with a number 31 through 45; the letter G with a number 46 through 60; and the letter O with a number 61 through 75.

4. *Prizes:* The prizes that can be won in this game are: \$3, \$6, \$10, \$30, \$60, \$90, \$150, \$300, \$1,000, \$3,000, \$30,000 and \$60,000.

5. *Approximate Number of Tickets Printed For the Game:* Approximately 9,600,000 tickets will be printed for the Pennsylvania Triple Cash Line Bingo instant lottery game.

6. *Determination of Prize Winners:*

(a) Holders of tickets matching the "Caller's Card" play symbols in an "X" pattern, extending through the "FREE"

space and through to each of the four corner spaces on "Card 6," shall be entitled to a prize of \$60,000.

(b) Holders of tickets matching the "Caller's Card" play symbols in an "X" pattern, extending through the "FREE" space and through to each of the four corner spaces on "Card 5," shall be entitled to a prize of \$30,000.

(c) Holders of tickets matching the "Caller's Card" play symbols in an "X" pattern, extending through the "FREE" space and through to each of the four corner spaces on "Card 4," shall be entitled to a prize of \$3,000.

(d) Holders of tickets matching the "Caller's Card" play symbols in an "X" pattern, extending through the "FREE" space and through to each of the four corner spaces on "Card 3," shall be entitled to a prize of \$1,000.

(e) Holders of tickets matching the "Caller's Card" play symbols in a diamond pattern, matching one square in the midpoint in each of the four outside rows and columns, on "Card 6," shall be entitled to a prize of \$1,000.

(f) Holders of tickets matching the "Caller's Card" play symbols in an "X" pattern, extending through the "FREE" space and through to each of the four corner spaces on "Card 2," shall be entitled to a prize of \$300.

(g) Holders of tickets matching the "Caller's Card" play symbols in a diamond pattern, matching one square in the midpoint in each of the four outside rows and columns, on "Card 5," shall be entitled to a prize of \$300.

(h) Holders of tickets matching the "Caller's Card" play symbols in an "X" pattern, extending through the "FREE" space and through to each of the four corner spaces on "Card 1," shall be entitled to a prize of \$150.

(i) Holders of tickets matching the "Caller's Card" play symbols in a diamond pattern, matching one square in the midpoint in each of the four outside rows and columns, on "Card 3" or "Card 4," shall be entitled to a prize of \$150.

(j) Holders of tickets matching the "Caller's Card" play symbols in the four corners on "Card 5" or "Card 6," shall be entitled to a prize of \$90.

(k) Holders of tickets matching the "Caller's Card" play symbols in a diamond pattern, matching one square in the midpoint in each of the four outside rows and columns, on "Card 2," shall be entitled to a prize of \$60.

(l) Holders of tickets matching the "Caller's Card" play symbols in the four corners on "Card 3" or "Card 4," shall be entitled to a prize of \$60.

(m) Holders of tickets matching the "Caller's Card" play symbols in a diamond pattern, matching one square in the midpoint in each of the four outside rows and columns, on "Card 1," shall be entitled to a prize of \$30.

(n) Holders of tickets matching the "Caller's Card" play symbols in the four corners on "Card 2," shall be entitled to a prize of \$30.

(o) Holders of tickets matching the "Caller's Card" play symbols to the five numbers appearing either in a green five-space horizontal line, if a green horizontal line is present, or to the five numbers appearing in a green five-space vertical line, if a green vertical line is present, on "Card 5" or "Card 6," shall be entitled to a prize of \$30.

(p) Holders of tickets matching the "Caller's Card" play symbols to the five numbers appearing either in a green five-space horizontal line, if a green horizontal line is present, or to the five numbers appearing in a green five-space vertical line, if a green vertical line is present, on "Card 4," shall be entitled to a prize of \$18.

(q) Holders of tickets matching the "Caller's Card" play symbols in the four corners on "Card 1," shall be entitled to a prize of \$10.

(r) Holders of tickets matching the "Caller's Card" play symbols in a five-space horizontal, vertical or diagonal line on "Card 5" or "Card 6," shall be entitled to a prize of \$10.

(s) Holders of tickets matching the "Caller's Card" play symbols to the five numbers appearing either in a green five-space horizontal line, if a green horizontal line is present, or to the five numbers appearing in a green five-space vertical line, if a green vertical line is present, on "Card 1" or "Card 2" or "Card 3," shall be entitled to a prize of \$9.

(t) Holders of tickets matching the "Caller's Card" play symbols in a five-space horizontal, vertical or diagonal line on "Card 4," shall be entitled to a prize of \$6.

(u) Holders of tickets matching the "Caller's Card" play symbols in a five-space horizontal, vertical or diagonal line on "Card 1" or "Card 2" or "Card 3," shall be entitled to a prize of \$3.

7. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>Get:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. of Winners Per 9,600,000 Tickets</i>
LINE CARD 1	\$3	22.22	432,000
LINE CARD 2	\$3	22.22	432,000
LINE CARD 3	\$3	22.22	432,000
(LINE CARD 2) + (LINE CARD 3)	\$6	25	384,000
LINE CARD 4	\$6	25	384,000
GREEN LINE CARD 1	\$9	200	48,000
GREEN LINE CARD 2	\$9	200	48,000
GREEN LINE CARD 3	\$9	200	48,000
4 CORNERS CARD 1	\$10	250	38,400
LINE CARD 5	\$10	250	38,400
LINE CARD 6	\$10	250	38,400
GREEN LINE CARD 4	\$18	100	96,000

Get:	Win:	Approximate Odds Are 1 In:	Approximate No. of Winners Per 9,600,000 Tickets
DIAMOND CARD 1	\$30	1,000	9,600
4 CORNERS CARD 2	\$30	1,000	9,600
GREEN LINE CARD 5	\$30	1,000	9,600
GREEN LINE CARD 6	\$30	1,000	9,600
4 CORNERS CARD 3	\$60	3,636	2,640
4 CORNERS CARD 4	\$60	3,636	2,640
(DIAMOND CARD 1) + (4 CORNERS CARD 2)	\$60	3,636	2,640
(4 CORNERS CARD 2) + (GREEN LINE CARD 5)	\$60	3,429	2,800
(DIAMOND CARD 1) + (GREEN LINE CARD 6)	\$60	3,636	2,640
DIAMOND CARD 2	\$60	3,636	2,640
4 CORNERS CARD 5	\$90	3,429	2,800
4 CORNERS CARD 6	\$90	3,429	2,800
(4 CORNERS CARD 2) + (4 CORNERS CARD 4)	\$90	3,429	2,800
(DIAMOND CARD 1) + (4 CORNERS CARD 3)	\$90	3,429	2,800
(DIAMOND CARD 1) + (4 CORNERS CARD 4)	\$90	3,429	2,800
(4 CORNERS CARD 2) + (GREEN LINE CARD 5) + (GREEN LINE CARD 6)	\$90	1,846	5,200
(4 CORNERS CARD 1) + (4 CORNERS CARD 2) + (GREEN LINE CARD 5) + (GREEN LINE CARD 6)	\$100	4,286	2,240
"X" CARD 1	\$150	40,000	240
DIAMOND CARD 3	\$150	40,000	240
DIAMOND CARD 4	\$150	40,000	240
(4 CORNERS CARD 3) + (4 CORNERS CARD 5)	\$150	40,000	240
"X" CARD 2	\$300	60,000	160
("X" CARD 1) + (DIAMOND CARD 3)	\$300	60,000	160
(DIAMOND CARD 3) + (DIAMOND CARD 4)	\$300	60,000	160
DIAMOND CARD 5	\$300	60,000	160
"X" CARD 3	\$1,000	40,000	240
DIAMOND CARD 6	\$1,000	40,000	240
"X" CARD 4	\$3,000	40,000	240
"X" CARD 5	\$30,000	1,920,000	5
"X" CARD 6	\$60,000	1,920,000	5

GREEN LINE = Highlighted green line triples the prize won for that line on that card.

Prizes, including top prizes, are subject to availability at the time of purchase.

8. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Triple Cash Line Bingo instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentive).

9. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Triple Cash Line Bingo, prize money from winning Pennsylvania Triple Cash Line Bingo instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the

announced close of the Pennsylvania Triple Cash Line Bingo instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

10. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P. S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

11. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be

disseminated through media used to advertise or promote Pennsylvania Triple Cash Line Bingo or through normal communications methods.

THOMAS W. WOLF,
Secretary

[Pa.B. Doc. No. 07-2420. Filed for public inspection December 28, 2007, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Application for Lease of Right-of-Way

The Department of Transportation (Department), under the authority contained in section 2002(c) of The Administrative Code of 1929 (71 P. S. § 512(c)) and 67 Pa. Code § 495.4 (relating to application procedure), gives notice that an application to lease highway right-of-way has been submitted to the Department by Rober Sekola, VP Liberty Property Limited Partnership, of 500 Chesterfield Parkway, Malvern, PA, seeking to lease highway right-of-way located at North Side of Devon Park Drive, Ramp F, SR 202, Upper Merion Township, Montgomery, 200 yds. West of Warner Road, 33,697.90 sq. ft. + adjacent to SR 0202, Ramp F, section 403 for purposes of parking.

Interested persons are invited to submit, within 30 days from the publication of this notice in the *Pennsylvania Bulletin*, written comments, suggestions and/or objections regarding the approval of this application to Lester Toaso, District Executive, Engineering District 6-0, PENNDOT, 7000 Geerdes Boulevard, King of Prussia, PA 19406-1525, Attention: Amin Jackson, R/W.

Questions regarding this application or the proposed use may be directed to Amin Jackson, R/W, Real Estate Specialist, 7000 Geerdes Boulevard, King of Prussia, PA 19406-1525, (610) 205-6514.

ALLEN D. BIEHLER, P. E.,
Secretary

[Pa.B. Doc. No. 07-2421. Filed for public inspection December 28, 2007, 9:00 a.m.]

Approved Speed-Timing Devices and Appointment of Maintenance and Calibration Stations

The Department of Transportation (Department), Bureau of Motor Vehicles, under the authority of 75 Pa.C.S. § 3368 (relating to speed timing devices), has approved for use, until the next comprehensive list is published, subject to interim amendment, the following electronic speed-timing devices (radar); electronic speed-timing devices (nonradar), which measure elapsed time between measured road surface points by using two sensors; and electronic speed timing devices (nonradar), which calculate average speed between any two points.

Under 75 Pa.C.S. § 3368(c)(2), the Department has approved, for use only by members of the State Police, the following electronic speed-timing devices (radar) when used in the stationary mode only:

(1) Falcon Radar (identified on the radar housing as FALCON). Manufactured by Kustom Signals, Incorporated, 9325 Pflumm, Lenexa, Kansas 66215.

(2) H.A.W.K. Traffic Safety Radar System (identified on the radar housing as H.A.W.K.). Manufactured by Kustom Signals, Incorporated, 9325 Pflumm, Lenexa, Kansas 66215

(3) KR-10, Stationary Radar (identified on the radar housing as KR-10). Manufactured by Kustom Signals, Incorporated, 9325 Pflumm, Lenexa, Kansas 66215.

(4) KR-10, Stationary Radar (identified on the radar housing as KR-10). Manufactured by Kustom Electronics, Incorporated, 8320 Nieman Road, Lenexa, Kansas 66214.

(5) KR-10SP, Stationary Radar (identified on the radar housing as KR-10SP). Manufactured by Kustom Signals, Incorporated, 9325 Pflumm, Lenexa, Kansas 66215.

(6) KR-10SP, Stationary Radar (identified on the radar housing as KR-10). Manufactured by Kustom Electronics, Incorporated, 8320 Nieman Road, Lenexa, Kansas 66214.

(7) Pro 1000(DS), Manufactured by Kustom Signals, Incorporated, 1010 West Chestnut/P. O. Box 947, Chanute, Kansas, 66720.

(8) Model 100, Decatur RA-GUN (identified on the radar housing as RA-GUN). Manufactured by Decatur Electronics, Incorporated, 715 Bright Street, Decatur, Illinois 62522.

(9) Genesis-I. Manufactured by Decatur Electronics, Incorporated, 715 Bright Street, Decatur, Illinois 62522.

(10) Genesis Handheld (GHS). Manufactured by Decatur Electronics, Incorporated, 715 Bright Street, Decatur, Illinois 62522.

(11) Genesis GHD Hand-held model. Manufactured by Decatur Electronics, Incorporated, 715 Bright Street, Decatur, Illinois 62522.

(12) Genesis GVP-D battery operated model. Manufactured by Decatur Electronics, Incorporated, 715 Bright Street, Decatur, Illinois 62522.

(13) Stalker Dual, Manufactured by Applied Concepts, Incorporated, 730 F, Avenue, Suite 200, Plano, Texas 75074.

(14) Stalker Dual SL. Manufactured by Applied Concepts, Incorporated, 730 F, Avenue, Suite 200, Plano, Texas 75074.

(15) Stalker Dual DSR. Manufactured by Applied Concepts, Incorporated, 730 F, Avenue, Suite 200, Plano, Texas 75074.

(16) TS-3. Manufactured by MPH Industries, Incorporated, 316 East 9th Street, Owensboro, Kentucky 42303.

(17) Vindicator, (VH-1), (Identified on the radar housing as Vindicator). Manufactured by MPH Incorporated, 316 East 9th Street, Owensboro, Kentucky 42303.

(18) MPH Model K-15. Manufactured by MPH Industries, Incorporated, 316 East 9th Street, Owensboro, Kentucky 42303.

(19) Stalker. Manufactured by Applied Concepts, Incorporated, 730 F, Avenue, Suite 200, Plano, Texas 75074.

(20) Eagle Plus. Manufactured by Kustom Signals, Incorporated, 9325 Pflumm, Lenexa, Kansas 66215-3347.

Under 75 Pa.C.S. § 3368(c)(3), the Department has approved, for use by any police officer, the following electronic speed-timing devices (nonradar) which measure elapsed time between measured road surface points by using two sensors:

(1) Electrical Speed Timing System. Manufactured by Richard Hageman, 98 South Penn Dixie Road, Nazareth, Pennsylvania 18064.

(2) Model TK 100, Excessive Speed Preventor. Manufactured by Systems Innovation, Incorporated, Steam Hollow Road, R. D. 2, Hallstead, Pennsylvania 18822.

(3) Model TK 100, Excessive Speed Preventor. Manufactured by Targetron, Incorporated, 190 Angletown Road, Muncy, Pennsylvania 17756.

(4) Speed Chek (identified on the housing as Speed Chek model one, Mfd. for: The Union Agency, Unionville, PA 19375). Manufactured by Sterner Lighting Systems, Incorporated, 351 Lewis Avenue, Winsted, Minnesota 55395.

(5) Model TK 100, Excessive Speed Preventor Infrared. Manufactured by Systems Innovation, Incorporated, Steam Hollow Road, R. D. 2, Hallstead, Pennsylvania 18822.

(6) Model TK 100, Excessive Speed Preventor Infrared. Manufactured by Targetron, Incorporated, 190 Angletown Road, Muncy, Pennsylvania 17756.

(7) Enradd, Model EJU-91. Manufactured by Y.I.S. Incorporated, 1049 Hartley Street, Post Office Box 3044, York, Pennsylvania 17404.

(8) Enradd, Model EJU-91 with Non-Contact Road Switch System. Manufactured by Y.I.S. Incorporated, 1049 Hartley Street, Post Office Box 3044, York, Pennsylvania 17404.

(9) Enradd, Model EJU-91 Wireless System. Manufactured by Y.I.S. Incorporated, 1049 Hartley Street, Post Office Box 3044, York, PA 17404.

Under 75 Pa.C.S. § 3368(c)(1) and (3), the Department has approved the use of electronic and mechanical stopwatches as speed-timing devices for use by any police officer. The Department has approved these speed-timing devices upon submission of a certificate of stopwatch accuracy indicating that a stopwatch has been successfully tested in accordance with the requirements of 67 Pa. Code Chapter 105 (relating to mechanical, electrical and electronic speed-timing devices). The Department issues an approved speed-timing device certificate for the device, as required by 67 Pa. Code § 105.72 (relating to equipment approval procedure). The Department does not publish a listing of these approved speed-timing devices because they are approved individually by serial number and police department. Therefore, if a citation is contested, it is necessary for the police department to show both the certificate of stopwatch accuracy, which was issued within 60 days of the citation, and an approved speed-timing device certificate issued by the Department of Transportation, Bureau of Motor Vehicles.

Under 75 Pa.C.S. § 3368(c)(3), the Department has approved, for use by any police officer, the following electronic speed-timing device (nonradar) which calculates average speed between any two points:

(1) VASCAR-plus. Manufactured by Traffic Safety Systems, a division of Power Systems & Controls, Incorporated, 3206 Lanvale Avenue, Richmond, Virginia 23230.

(2) VASCAR-plus II. Manufactured by Traffic Safety Systems, a division of Power Systems & Controls, Incorporated, 3206 Lanvale Avenue, Richmond, Virginia 23230.

(3) VASCAR-plus III. Manufactured by Traffic Safety Systems a division of Power Systems & Controls, Incorporated, 3206 Lanvale Avenue, Richmond, Virginia 23230.

(4) VASCAR-plus IIIc. Manufactured by Traffic Safety Systems a division of Power Systems & Controls, Incorporated, 3206 Lanvale Avenue, Richmond, Virginia 23230.

(5) V-SPEC—Manufactured by Y.I.S. Incorporated, 1049 Hartley Street, Post Office Box 3044, York, Pennsylvania 17404.

(6) Tracker by Patco. Manufactured by Kustom Signals, Incorporated, 9325 Pflumm, Lenexa, Kansas 66215.

The Department, under 75 Pa.C.S. § 3368(d) has appointed the following stations for calibrating and testing speed-timing devices until the next comprehensive list is published, subject to interim amendment.

The Department has appointed, under 75 Pa.C.S. § 3368(d), the following Official Electronic Device Testing Stations for radar devices, which may only be used by members of the State Police:

Davidheiser's Speedometer Repair, Incorporated, 181 Ridge Road, Telford, Montgomery County, PA 18969 (Appointed: 12/22/01, Station R8).

Guth Laboratories, Incorporated, 590 North 67th Street, Harrisburg, Dauphin County, PA 17111-4511 (Appointed: 01/27/97, Station R2).

S & D Calibration Services, 29 Prosperity Street, Monongahela, Washington County, PA 15063 (Appointed: 08/15/03, Station R11).

Simco Electronics, 2125 South West 28th Street, Allentown, Lehigh County, PA 18103 (Appointed: 09/19/96, Station R9).

Thomas Associates R & E Inc., 65 s Mountain Boulevard, Mountain Top, Luzerne County, PA 18707 (Appointed: 03/28/83, Station R7).

Wisco Calibration Services, Inc., 820 Washington Boulevard, Pittsburgh, Allegheny County, PA 15206 (Appointed: 07/14/99, Station R10).

YIS Inc., 1049 North Hartley Street, York, York County, PA 17402 (Appointed: 01/14/75, Station R3).

YIS/Cowden Group, Inc., 1049 North Hartley Street, York, York County, PA 17404 (Appointed 8/20/04 Station number R12).

The Department has appointed, under 75 Pa.C.S. § 3368(b), the following Official Speedometer Testing Stations:

Auto Electric & Speedometer Service, 7019 Beaver Dam Road, Levittown, Bucks County, PA 19057 (Appointed: 03/14/74, Station S54).

Auto Technology-Vocational Technical School Laboratory, 540 North Harrison Road, Pleasant Gap, Centre County, PA 16823 (Appointed: 02/10/69, Station S22).

Bob's Speedometer Service, Incorporated, 1920 West Marshall Street, Norristown, Montgomery County, PA 19403 (Appointed: 11/15/77, Station S79).

Briggs-Hagenlocher, 1110 Chestnut Street, Erie, Erie County, PA 16501 (Appointed: 03/25/93, Station S39).

James M. Coulston, Incorporated, 2915 Swede Road, Norristown, Montgomery County, PA 19401 (Appointed: 02/11/75, Station S49).

Dave's Service Center, 3617 Nicholas Street, Easton, Northampton County, PA 18045 (Appointed: 10/29/76, Station S33).

Davidheiser's Speedometer Repair, Incorporated, 181 Ridge Road, Telford, Montgomery County, PA 18969—Also authorized to use mobile units (Appointed: 11/25/63, Station S19).

Gabe's Speedometer Service, 2635 West Passyunk Avenue, Philadelphia, Philadelphia County, PA 19145 (Appointed: 06/03/97, Station S85).

Humenicks Auto Electric, 646 East Diamond Avenue, Hazleton, Luzerne County, PA 18201 (Appointed: 11/13/67, Station S74).

Izer Garage, 4616 Buchanan Trail East, Zullinger, Franklin County, PA 17272 (Appointed: 02/23/53, Station S106).

George's Garage, 868 Providence Road, Scranton, Lackawanna County, PA 18508 (Appointed: 04/15/98, Station S8).

K & M Automotive Electric Service, 1004-24th Street, Beaver Falls, Beaver County, PA 15010 (Appointed: 11/13/67, Station S23).

Mack Enterprises of Reading, 4226 Pottsville Pike, Reading, Berks County, PA 19605 (Appointed: 05/15/79, Station S1).

Mahramus Specialty Auto Service, 286 Muse Bishop Road, Canonsburg, Washington County, PA 15317 (Appointed: 01/03/84, Station S7).

Melody Lakes Tire & Auto Care, Incorporated, 1113 North West End Boulevard, Quakertown, Bucks County, PA 18951 (Appointed: 09/15/71, Station S38).

North Boro Speedometer Service, 547 California Avenue, Pittsburgh, Allegheny County, PA 15202 (Appointed: 11/02/78, Station S69).

Powl's Speedometer Service, Incorporated, 2340 Dairy Road, Lancaster, Lancaster County, PA 17601—Also authorized to use mobile units (Appointed: 06/09/97, Station S82).

Rabold's Services, 2034 Boas Street, Harrisburg, Dauphin County, PA 17103—Also authorized to use mobile units (Appointed: 06/29/62, Station S67).

S & D Calibration Services, 1963 Route 837, Monongahela, Washington County, PA 15063—Also authorized to use mobile units (Appointed: 03/22/83, Station S35).

Stewart's Speedometer & Auto Parts, 112 South Third Street, Youngwood, Westmoreland County, PA 15601 (Appointed: 03/20/80, Station S58).

Thoman Auto Electric, Incorporated, 227 Valley Street, Lewistown, Mifflin County, PA 17044 (Appointed: 10/03/78, Station S104).

Thomas Auto Electric, 109 North 9th Street, Stroudsburg, Monroe County, PA 18360 (Appointed: 07/24/89, Station S105).

Y.I.S./Cowden Group, Inc., 1049 North Hartley Street, York, York County, PA 17404 (Appointed 8/20/04, Station S9).

The Department has appointed, under 75 Pa.C.S. § 3368(d), the following Official Electronic Device Testing Stations for nonradar devices, which measure elapsed time between measured road surface points by using two sensors:

Davidheiser's Speedometer Repair, Incorporated, 181 Ridge Road, Telford, Montgomery County, PA 18969—Also authorized to use mobile units (Appointed: 04/07/93, Station EL3).

Rabolds Services, 2034 Boas Street, Harrisburg, Dauphin County, PA 17103—Also authorized to use mobile units (Appointed: 02/27/92, Station EL22).

S & D Calibration Services, 29 Prosperity Street, Monongahela, Washington County, PA 15063—Also authorized to use mobile units (Appointed: 03/14/02, Station EL1).

S & D Calibration Services, 115 Joyce Drive, McMurray, Washington County, PA 15317—Also authorized to use mobile units (Appointed: 09/14/82, Station EL11).

Speed Enforcement, Incorporated, R. D. 1, Box 32, Randolph Road, Great Bend, Susquehanna County, PA 18821—Also authorized to use mobile units (Appointed: 03/26/85, Station EL14).

Systems Innovation, Incorporated, Steam Hollow Road, R. D. 2, Hallstead, Susquehanna County, PA 18822—Also authorized to use mobile units (Appointed: 12/01/78, Station EL2).

Targetron, Incorporated, 190 Angletown Road, Muncy, Lycoming County, PA 17756—Also authorized to use mobile units (Appointed: 05/07/91, Station EL21).

Mahramus Specialty Auto Service, 285 Muse Bishop Road, Cannonsburg, Washington County, PA 15317 (Appointed: 07/31/97, Station EL18).

YIS/Cowden Group, 1049 North Hartley Street, York, York County, PA 17404—Also authorized to use mobile units (Appointed: 02/20/80, Station EL7).

The Department has appointed, under 75 Pa.C.S. § 3368(d), the following Official Stopwatch Testing Stations:

Beerbower Incorporated, 1546 East Pleasant Valley Boulevard, Altoona, Blair County, PA 16602 (Appointed: 09/02/77, Station W14).

George L. Cogley, 1222 Liberty Avenue, Natrona Heights, Allegheny County, PA 15065 (Appointed: 09/27/77, Station W9).

Department of General Services Metrology, Room B-124, Transportation and Safety Building, Harrisburg, Dauphin County, PA 17120 (Appointed: 03/09/79, Station W18).

Davidheiser's Speedometer Repair, Incorporated, 181 Ridge Road, Telford, Montgomery County, PA 18969—Also authorized to use mobile units (Appointed: 10/28/77, Station W29).

Green Jewelers, Route 819, Armbrust, Westmoreland County, PA 15616 (Appointed: 06/23/78, Station W41).

Hostetter's Jewelers, 2 Hill Street, Shrewsbury, York County, PA 17361 (Appointed: 11/18/77, Station W30).

Leitzel's Jewelry, 422 East, Myerstown, Lebanon County, PA 17067 (Appointed: 09/01/87, Station W58).

Leitzel's Jewelry Store, 296 Center Street, Millersburg, Dauphin County, PA 19061 (Appointed: 07/28/77, Station W7).

Mountz Jewelers, 153 North Hanover Street, Carlisle, Cumberland County, PA 17013 (Appointed: 09/21/87, Station W59).

Precision Watch Repair Company, 1015 Chestnut Street, Room 1010, Philadelphia, Philadelphia County, PA 19107 (Appointed: 09/24/80, Station W54).

Rabold's Services, 2034 Boas Street, Harrisburg, Dauphin County, PA 17103—Also authorized to use mobile units (Appointed: 09/15/86, Station W56).

R & R Timing, 529 Freeport Road, New Kensington, Westmoreland County, PA 15068 (Appointed 6/16/04 Station W10).

Oscar Roth Jewelers, 659 Memorial Highway, Dallas, Luzerne County, PA 18612 (Appointed: 09/22/78, Station W47).

S & D Calibration Services, 29 Prosperity Street, Monongahela, Washington County, PA 15063—Also authorized to use mobile units (Appointed: 03/14/02, Station W1).

S & D Calibration Services, 115 Joyce Drive, McMurray, Washington County, PA 15317—Also authorized to use mobile units (Appointed: 10/10/89, Station W61).

Servinsky Jewelers, 610 Second Street, Cresson, Cambria County, PA 16630 (Appointed: 05/18/78, Station W40).

Systems Innovation, Incorporated, Steam Hollow Road, R. D. 2, Hallstead, Susquehanna County, PA 18822—Also authorized to use mobile units (Appointed: 04/22/91, Station W63).

Targetron, Incorporated, 190 Angletown Road, Muncy, Lycoming County, PA 17756—Also authorized to use mobile units (Appointed: 05/07/91, Station W64).

Wolfs Jewelry, 314 Market Street, Lewisburg, Union County, PA 17837 (Appointed: 10/06/77, Station W22).

YIS/Cowden Group, 1049 North Hartley Street, York, York County, PA 17404—Also authorized to use mobile units (Appointed: 08/30/89, Station W60).

The Department has appointed, under 75 Pa.C.S. § 3368(d), the following Official Electronic Device Testing Stations for nonradar devices which calculates average speed between any two points:

Davidheiser's Speedometer Repair, Incorporated, 181 Ridge Road, Telford, Montgomery County, PA 18969—Also authorized to use mobile units (Appointed: 02/11/93, Station EM23).

Rabolds Services, 2034 Boas Street, Harrisburg, Dauphin County, PA 17103—Also authorized to use mobile units (Appointed: 02/27/92, Station EM22).

S & D Calibration Services, 29 Prosperity Street, Monongahela, Washington County, PA 15063—Also authorized to use mobile units (Appointed: 03/14/02, Station EM1).

S & D Calibration Services, 115 Joyce Drive, McMurray, Washington County, PA 15317—Also authorized to use mobile units (Appointed: 09/14/82, Station EM6).

Speed Enforcement, Incorporated, R. D. 1, Box 32, Randolph Road, Great Bend, Susquehanna County, PA 18821—Also authorized to use mobile units (Appointed: 02/27/85, Station EM13).

Systems Innovation, Incorporated, Steam Hollow Road, R. D. 2, Hallstead, Susquehanna County, PA 18822—Also authorized to use mobile units (Appointed: 10/02/80, Station EM2).

Mahramus Specialty Auto Service, 285 Muse Bishop Road, Canonsburg, Washington County, PA 15317 (Appointed: 08/13/97, Station EM12).

Targetron, Incorporated, 190 Angletown Road, Muncy, Lycoming County, PA 17756—Also authorized to use mobile units (Appointed: 05/07/91, Station EM21).

YIS/Cowden Group, 1049 North Hartley Street, York, York County, PA 17404—Also authorized to use mobile units (Appointed: 12/20/80, Station EM5).

Comments, suggestions or questions may be directed to Peter Gertz, Manager, Administrative and Technical Support Section, Vehicle Inspection Division, Bureau of Motor Vehicles, Riverfront Office Center, 1101 South Front Street, Harrisburg, PA 17104 or (717) 783-5842.

ALLEN D. BIEHLER, P. E.,
Secretary

[Pa.B. Doc. No. 07-2422. Filed for public inspection December 28, 2007, 9:00 a.m.]

Finding Bradford County

Under section 2002(b) of The Administrative Code of 1929 (71 P. S. § 512(b)), the Secretary of Transportation makes the following written finding:

The Federal Highway Administration and the Department of Transportation are planning to remove a single span truss bridge over Sugar Creek in North Towanda Township, Bradford County.

The subject project is considered a Level 2 Categorical Exclusion in accordance with 23 CFR Part 771.117 as published in the August 28, 1987, *Federal Register*.

The subject bridge is eligible for listing on the National Register of Historic places, and is, therefore, a Section 2002/Section 4(f) resource. Impact to this resource will constitute a use of the Section 2002/Section 4(f) resource.

Based upon studies, there is no prudent and feasible alternative to the proposed action.

The environmental, economic, social and other effects of the proposed project as enumerated in section 2002 of The Administrative Code of 1929 have been considered. It has been concluded that there is no feasible and prudent alternative to the project as designed, and all reasonable steps have been taken to minimize such effects.

BRIAN G. THOMPSON, P. E.,
Acting Director, Bureau of Design

[Pa.B. Doc. No. 07-2423. Filed for public inspection December 28, 2007, 9:00 a.m.]

Finding Venango County

Under section 2002(b) of The Administrative Code of 1929 (71 P. S. § 572(b)), the Acting Director of the Bureau of Design makes the following written finding:

The Federal Highway Administration (FHWA) and the Department of Transportation (Department) are planning an enhancement project within the Oil City Historic District, Venango County. The enhancements will include decorative street lighting, traffic signalization upgrades, decorative sidewalks, handicap accessibility provisions, storm drainage improvements, benches, trash receptacles, street trees, landscape plantings and traffic calming measures.

The FHWA has determined that this enhancement project will have a "Net Benefit" to the historic district. Therefore, a "Nationwide/Programmatic section 4(f) Evaluation for Transportation Projects that have Net Beneficial Use (Net Benefit)" checklist has been prepared and approved. It also serves as the section 2002 Evaluation to evaluate the potential impacts to section 4(f)/section 2002 resources caused by the subject enhancement project.

Based upon studies, there is no feasible and prudent alternative to the proposed action. Mitigation measures will be taken to minimize harm as stipulated in the Categorical Exclusion Evaluation (CEE), and the Nationwide/Programmatic section 4(f)/section 2002 Evaluation (Net Benefit) checklist.

The environmental, economic, social and other effects of the proposed project as enumerated in section 2002 of The Administrative Code have been considered. It has been concluded that there is no feasible and prudent alternative to the project as designed, and all reasonable steps have been taken to minimize such effects.

BRIAN G. THOMPSON, P. E.,
Acting Director, Bureau of Design

[Pa.B. Doc. No. 07-2424. Filed for public inspection December 28, 2007, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Filing of Final Rulemaking

The Independent Regulatory Review Commission (Commission) received the following regulation. It is scheduled to be considered on the date noted. The Commission's public meetings are held at 333 Market Street, 14th Floor, in Harrisburg at 10:30 a.m. To obtain a copy of the regulation, interested parties should first contact the promulgating agency. If a copy cannot be obtained from the promulgating agency, the Commission will provide a copy.

This schedule is tentative. Please contact the Commission at (717) 783-5417 or check our website at www.irrc.state.pa.us for updates.

Final-Form

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>	<i>Public Meeting</i>
7-406	Environmental Quality Board Notification of Proximity to Airports	12/13/07	1/31/08

ARTHUR COCCODRILLI,
Chairperson

[Pa.B. Doc. No. 07-2425. Filed for public inspection December 28, 2007, 9:00 a.m.]

INSURANCE DEPARTMENT

Insurance Services Office, Inc.; Private Passenger Automobile Loss Cost Revision; Rate Filing

On December 14, 2007, the Insurance Department (Department) received from Insurance Services Office, Inc. a filing for a proposed loss cost level change for private passenger automobile insurance.

The advisory organization requests an overall 0.9% increase in loss cost effective September 1, 2008.

Unless formal administrative action is taken prior to February 12, 2008, the subject filing may be deemed approved by operation of law.

A copy of the filing is available for public inspection, by appointment, during normal working hours at the Department's office in Harrisburg.

Interested parties are invited to submit written comments, suggestions or objections to Xiaofeng Lu, Insurance Department, Insurance Product Regulation and Market Enforcement, Room 1311, Strawberry Square, Harrisburg, PA 17120, xlu@state.pa.us within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JOEL SCOTT ARIO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 07-2426. Filed for public inspection December 28, 2007, 9:00 a.m.]

LIQUOR CONTROL BOARD

Expiration of Leases

The Liquor Control Board seeks the following new site:
York County, Warehouse Space #6704, York

Lease retail commercial space to the Commonwealth. Proposals are invited to provide the Liquor Control Board (Board) with approximately 8,000 to 10,000 net useable square feet of new or existing warehouse space within a 2 mile radius of the junction of Route 30 and Interstate 83, York.

Note: Staubach Retail represents the Board in real estate transaction management and brokerage services. Lease transactions are subject to a 4% brokerage fee based on lease value.

Proposals due: January 18, 2008, at 12 p.m.

Department: Liquor Control Board
Location: Real Estate Division, Room 216, NWOB, Forster and Capital Streets, Harrisburg, PA 17112
Contact: Joseph Hannon, (717) 787-3016

PATRICK J. STAPLETON, III,
Chairperson

[Pa.B. Doc. No. 07-2427. Filed for public inspection December 28, 2007, 9:00 a.m.]