

NOTICES

DEPARTMENT OF COMMUNITY AND ECONOMIC DEVELOPMENT

Summary Notice for the Draft 2014-2018 Consolidated Plan and 2014 Action Plan

The Department of Community and Economic Development (Department) proposes to adopt the Commonwealth's Consolidated Plan for Federal Fiscal Years (FFY) 2014-2018 as well as the Action Plan for FFY 2014. The Consolidated Plan (Plan) is a document submitted to the United States Department of Housing and Urban Development (HUD). The document is both a plan identifying the needs of the nonentitlement areas of this Commonwealth and an annual application to HUD for Federal funds administered by the Commonwealth. The HUD funding programs covered by the Plan and administered by the Department are the Community Development Block Grant (CDBG), the HOME Investment Partnership (HOME) and the Emergency Solutions Grant (ESG) programs. The Department of Health administers the Housing Opportunities for Persons with AIDS (HOPWA) program.

This summary is designed to provide an opportunity for citizens, local governmental officials and interested organizations of this Commonwealth to comment about the Plan. Comments may be electronically submitted to the Department at RA-DCEDcdbg&homequestions@pa.gov. Written comments should be submitted to Megan L. Snyder, Center for Community Financing, Department of Community and Economic Development, 400 North Street, 4th Floor Commonwealth Keystone Building, Harrisburg, PA 17120-0225. Electronic and written comments must be received by close of business at 4 p.m. on June 30, 2014, to be included as testimony in the Plan.

Purpose

The Plan contains a Needs Assessment and Market Analysis for the Commonwealth in the areas of housing, homelessness, community and economic development. From this information a Strategic Plan including goals and objectives is developed and outlined in the Plan determining the use of the Federal funding for Fiscal Years 2014-2018. The Action Plan takes that strategy developed in the Plan and applies it to the administration of the CDBG, HOME, ESG and HOPWA programs for 2014. HUD must approve both plans for the Commonwealth to receive funding under the identified HUD programs.

The plans will have a major impact on the type, location and number of affordable housing units generated and preserved in this Commonwealth. Also, the plans aid in planning for the use of funding for the homeless and those residents with AIDS to find permanent housing and stability. The plans identify resources for improvement or creation of infrastructure, public facilities, services, and other economic and community development initiatives in communities in this Commonwealth that are essential for growth over the next 5 years.

Content

The Plan for FFY 2014-2018 will include updated needs data and analysis to determine the best targeting of funding. The significant change in this Plan is that the Commonwealth is now using HUD's electronic submission system, known as the e-Con Planning Suite, for the format of the documents. Once approved by HUD these documents will be linked to the Integrated Distribution Information System reporting system and will create the annual Consolidated Plan Annual Performance and Evaluation Report. Besides the Department's web site, the approved plan will be able to be viewed on HUD's web site at www.HUD.gov.

Public Review

The Consolidated Plan for 2014-2018 and the Action Plan for 2014 are available on the Internet or in hard copy for public comment from May 31, 2014, through June 30, 2014, at the locations listed as follows:

1. County offices, Department of Community and Economic Development Regional Offices and this Commonwealth's 27 district libraries. Call (717) 720-7404 for locations.

CD copies of the Consolidated Plan can be obtained by calling (717) 720-7404.

2. The Draft Plan 2014-2018 can be viewed on the Internet at www.newPA.com. The final plan will be made available again at these same locations following HUD approval.

Written Comments

Comments may be electronically submitted to the Department at RA-DCEDcdbg&homequestions@pa.gov. Written comments should be submitted to Megan L. Snyder, Center for Community Financing, Department of Community and Economic Development, 400 North Street, 4th Floor, Commonwealth Keystone Building, Harrisburg, PA 17120-0225. Written comments must be received by close of business at 4 p.m. on June 30, 2014, to be included as testimony in the Plan.

Public Hearings

One public hearing was held to take citizen comments on the needs and possible use of the funds. This meeting was held on May 29, 2014. Another meeting is scheduled for June 17, 2014, from 1 p.m. to 2 p.m. The public hearing will be conducted electronically by means of the Internet. The format will be more accessible in that persons who wish to make a comment or discuss policy may participate directly from their personal computer or from any computer location that has Internet access, such as their public library or by telephone.

Individuals or organizations may give testimony or comments by means of the Internet. Comments will be accepted about topics related to community development, housing, homelessness and economic development and the content of the Commonwealth's draft Consolidated Plan or Action Plan for FFY 2014, or both, and the process by which the public input is gathered. The Commonwealth encourages public participation in this process.

Persons who wish to participate must register in advance. Contact Jonathan Cherry at RA-DCEDcdbg&homequestions@pa.gov to receive registration instructions for the Internet meeting at least 24 hours prior to the meeting date. During the hearing, if support is required, call (717) 787-5327.

Individuals with a disability who wish to attend the public hearing should contact Megan L. Snyder, 4th Floor, Commonwealth Keystone Building, 400 North Street, Harrisburg, PA 17120-0225, (717) 720-7404, to discuss how the Department can accommodate their needs. This must be done at least 72 hours prior to the meeting. Text telephone calls can be placed through the Pennsylvania Relay System at (800) 654-5984. Calls will be relayed to the Department's number listed previously.

C. ALAN WALKER,
Secretary

[Pa.B. Doc. No. 14-1170. Filed for public inspection May 30, 2014, 9:00 a.m.]

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

Request for Bids

The Department of Conservation and Natural Resources is soliciting bids for the following projects. Bid documents can be obtained from the Administrative Services Section, Bureau of Facility Design and Construction at (717) 787-5055:

FDC-016-6636.1—Structure Replacement, Bridge No. 16-0023, Landrus Road over Lick Creek Forest District 16, Tioga State Forest, Bloss Township, Tioga County. Work included under this contract includes demolition of existing structure #58-7935-5116-0023, consisting of an existing steel I-beam bridge on stone masonry abutments with a 15'-2" clear span. It will be replaced with a precast reinforced concrete box culvert and precast concrete end sections with an 18' clear roadway width. The box culvert will have a 17' span, a 9' rise and a 7' under clearance. Replacement also includes driving surface aggregate, rock lining and architectural surface treatment, construction of

approximately 137.5 linear feet of guiderail, 42 linear feet of structure mounted guiderail, three Type 2 Strong Post End Treatments and one permanent tangent impact attenuator and relocation of two gravity fed water pipes.

Responsive bidders must hold a current small business certification from the Department of General Services (DGS).

FDC-010-3852.1—Superstructure Replacement, Bridge No. 10-0040, Birch Island Road over Amos Branch, Forest District 10, Sproul State Forest, West Keating Township, Clinton County. Work included under this contract consists of rehabilitation of Bridge No. 18-7935-5110-0040. The existing structure which is approximately 11' wide and 12'-6" long will be removed and replaced with a new superstructure that will be 14'-1-1/2" wide and 12'-3" long and will be a reinforced concrete slab bridge with structure mounted guiderail. The existing stone masonry abutments and wingwalls will be rehabilitated. New reinforced concrete caps will be installed on the abutments. Also included are construction of 170 feet of approach roadway work and 40 linear feet of approach guiderail and construction of rock lining along both existing substructure units and along the banks on the south side of the structure.

Responsive bidders must hold a current small business certification from DGS.

FDC-133-7561.1—Replace Main Waterline, Bald Eagle State Park, Liberty Township, Centre County. Work included under this contract consists of the complete construction of a replacement potable water distribution system to be placed parallel to the existing. This new system shall be tied into the existing remaining undisturbed distribution system at Bald Eagle State Park.

Bid documents will be available on or after June 4, 2014. The bid opening will be held on July 3, 2014.

ELLEN FERRETTI,
Secretary

[Pa.B. Doc. No. 14-1171. Filed for public inspection May 30, 2014, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

Location	Permit Authority	Application Type or Category
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0070009 (Sewage)	Aqua PA Cove Village Wastewater Treatment Facility RR 1 Box 3024 Zion Grove, PA 17985	Schuylkill County North Union Township	Catawissa Creek (5-E)	Y

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0087971— IW	Bedford Borough Water Authority 244 West Penn Street Bedford, PA 15522	Bedford County / Bedford Township	UNT Raystown Branch Juniata River / 11-C	Y
PA0081515— Sew	Lancaster County Career & Technology Center—Brownstown Campus 1730 Hans Herr Drive PO Box 527 Willow Street, PA 17584	Lancaster County / West Earl Township	Conestoga River / 7-J	Y
PA0014605— IW	United Water Pennsylvania 4211 East Park Circle Harrisburg, PA 17111	York County Fairview Township	Yellow Breeches Creek / 7-E	Y
PA0261289— Sew	Garren Wilkins 10524 Hyndman Road Manns Choice, PA 15550	Bedford County Harrison Township	UNT Buffalo Run / 11-C	Y

Northcentral Regional Office: Clean Water Program Manager, 208 W Third Street Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.0530.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0010553 (Industrial Waste)	PA Fish and Boat Commission Benner Springs State Fish Hatchery 1735 Shiloh Road State College, PA 16801-8495	Centre County Benner Township	Spring Creek (9-C)	Y
PA0209597 (Sewage)	Stony Fork Stoney Fork WWTP Wellsboro, PA 16901	Tioga County Delmar Township	East Branch Stony Fork (9-A)	Y
PA0228699 (Sewage)	Finch SFTF 81 Crooked Run Road Box 180 Emporium, PA 15834	Cameron County Portage Township	Cowley Run (8-A)	Y
PA0112810 (Sewage)	Kipps Run MHP 26 Kipps Run Rd Riverside, PA	Northumberland County Riverside Borough	Kipps Run (5-E)	Y
PA0112054 (Sewage)	Mifflin Manor Development STP Walnut Lane Jersey Shore, PA 17740	Lycoming County Mifflin Township	Larrys Creek (10-A)	Y
PA0233633 (Sewage)	Mike Dyke Subdivision 260 Baney Road Julian, PA 16844	Centre County Union Township	UNT to Dewitt Run (9-C)	Y
PA0114545 (IW)	Troy's Suds Depot Rt. 14 S Troy, PA 16947	Bradford County Troy Township	South Branch Sugar Creek (4-C)	Y
PA0208558 (Sewage)	Shamokin Township Municipal Authority Wastewater Treatment Plant T-764 East Paxinos, PA 17860	Northumberland County Shamokin Township	Lick Creek (6-B)	Y

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed#)</i>	<i>EPA Waived Y/N?</i>
PA0239437 (Sewage)	Edgewood Group Home Human Services Center 130 West North Street New Castle, PA 16101	Lawrence County Pulaski Township	Unnamed Tributary to Shenango River (20-A)	Y

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

PA0259934, Sewage, SIC Code 4952, **Frederick E Soliday**, 945 Swopes Valley Road, Pine Grove, PA 17963. Facility Name: Soliday Residence SRSTP. This proposed facility is located in Bethel Township, **Lebanon County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated sewage from a single family residence.

The receiving stream(s), Bear Hole Run, is located in State Water Plan watershed 7-D and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Minimum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Instant. Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	Report	XXX	XXX
CBOD ₅	XXX	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10	XXX	20
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0008427, Industrial Waste, SIC Code 4961, **NRG Energy Center Harrisburg Inc.**, 900 Walnut Street, Harrisburg, PA 17101-3357. Facility Name: NRG Energy Center Paxton Heat & Power Products Harrisburg. This existing facility is located in Harrisburg City, **Dauphin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Waste.

The receiving stream(s), Paxton Creek, is located in State Water Plan watershed 7-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.084 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine	XXX	XXX	XXX	0.5	XXX	1.6
Temperature (°F)	XXX	XXX	XXX	XXX	110	XXX
Total Suspended Solids	21	42	XXX	30	60	75
Oil and Grease	XXX	XXX	XXX	15	30	30
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Annl Avg	Report	XXX	Annl Avg	XXX	XXX
Total Kjeldahl Nitrogen	Annl Avg	Report	XXX	Annl Avg	XXX	XXX
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX
Total Copper	Annl Avg	Report	XXX	Annl Avg	XXX	XXX
Dissolved Iron	0.032	0.065	XXX	0.047	0.094	0.117
Bis(2-Ethylhexyl)Phthalate	Report	Report	XXX	Report	Report	XXX
	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Chemical Additives

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0008150, Industrial Waste, SIC Code 2621, **Mt Holly Springs Specialty Paper Inc.**, 1 Mountain Street, Mount Holly Springs, PA 17065-1406. Facility Name: Mount Holly Springs Spec Paper. This existing facility is located in Mount Holly Springs Borough, **Cumberland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Mountain Creek, is located in State Water Plan watershed 7-E and is classified for Trout Stocking Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.50 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	Report	XXX	XXX
Temperature (°F)						
Sep 1-15	XXX	XXX	XXX	XXX	73.8	73.8
Sep 16-30	XXX	XXX	XXX	XXX	67.8	67.8
Oct 1-15	XXX	XXX	XXX	XXX	63.4	63.4
Oct 16-31	XXX	XXX	XXX	XXX	59.4	59.4
Nov 1-15	XXX	XXX	XXX	XXX	56.8	56.8
Nov 16-30	XXX	XXX	XXX	XXX	XXX	61.7
Dec 1 - Aug 31	XXX	XXX	XXX	XXX	Report	XXX
BOD ₅	214	390	XXX	Report	XXX	42
Total Suspended Solids	171	351	XXX	Report	XXX	34

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
	Annl Avg			Annl Avg		
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
	Avg Qrtly			Avg Qrtly		
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
	Avg Qrtly			Avg Qrtly		
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
	Annl Avg			Annl Avg		
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
	Annl Avg			Annl Avg		
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
	Avg Qrtly			Avg Qrtly		
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX
	Avg Qrtly			Avg Qrtly		
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX
	Annl Avg			Annl Avg		
Total Boron	Report	Report	XXX	Report	Report	XXX
Total Copper	0.225	0.45	XXX	0.018	0.036	0.045

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0080187, Industrial Waste, SIC Code 4953, **Dauphin Meadows Inc.**, 425 Perinton Parkway, Fairport, NY 14450-9104. Facility Name: Dauphin Meadows 2 Landfill Quarry. This existing facility is located in Washington Township, **Dauphin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated municipal waste landfill leachate to Wiconisco Creek.

The receiving stream(s), Wiconisco Creek, is located in State Water Plan watershed 6-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.05 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (CFU/100 ml)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
CBOD ₅	13.34	56.3	XXX	32	135	169
Total Suspended Solids	11.25	36.69	XXX	27	88	110
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
UV Transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	2.04	4.17	XXX	4.9	10	12.5
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX
Total Cadmium	Report	Report	XXX	0.005	0.010	0.013
Total Zinc	Report	Report	XXX	0.110	0.200	0.250
Phenol	Report	Report	XXX	0.015	0.026	0.0325
a-Terpineol	Report	Report	XXX	0.016	0.033	0.0412
Benzoic Acid	Report	Report	XXX	0.071	0.120	0.150
p-Cresol	Report	Report	XXX	0.014	0.025	0.0312

In addition, the permit contains the following major special conditions:

- Requirements applicable to landfill leachate discharge

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Northcentral Regional Office: Regional Clean Water Program Manager, 208 W Third Street Suite 101, Williamsport, PA 17701-6448, Telephone: 570.327.0530.

PA0025933, Sewage, SIC Code 4952, **City of Lock Haven**, 20 East Church Street, Lock Haven, PA 17745-2527. Facility Name: City of Lock Haven WWTP. This existing facility is located in Lock Haven City, **Clinton County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Bald Eagle Creek, is located in State Water Plan watershed 9-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 3.75 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Weekly Average	Instant. Maximum
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Report	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.35	XXX	1.1
CBOD ₅	782	1,251	XXX	25	40	50
		Wkly Avg				
BOD ₅						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	938	1,407	XXX	30	45	60
		Wkly Avg				
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
				Geo Mean		
UV Transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Iron, Total	XXX	XXX	XXX	Report	Report	XXX
					Daily Max.	
Manganese, Total	XXX	XXX	XXX	Report	Report	XXX
					Daily Max.	
Total Nitrogen						
Effluent Net	XXX	68,492	XXX	XXX	XXX	XXX
		Total Annual				
Total Nitrogen	XXX	Report	XXX	XXX	XXX	XXX
		Total Annual				
Total Nitrogen						
Effluent Net	Report	XXX	XXX	XXX	XXX	XXX
	Total Mo					
Ammonia-Nitrogen						
May 1 - Oct 31	625	938	XXX	20	30	40
		Wkly Avg				
Nov 1 - Apr 30	Report	Report	XXX	Report	Report	XXX
		Wkly Avg				
Ammonia-Nitrogen	XXX	Report	XXX	XXX	XXX	XXX
		Total Annual				
Total Phosphorus	XXX	Report	XXX	XXX	XXX	XXX
		Total Annual				
Total Phosphorus						
Effluent Net	XXX	9,132	XXX	XXX	XXX	XXX
		Total Annual				
Effluent Net	Report	XXX	XXX	XXX	XXX	XXX
	Total Mo					
Total Antimony (µg/L)	Report	Report	XXX	Report	Report	XXX
Total Cadmium (µg/L)	Report	Report	XXX	Report	Report	XXX
Hexavalent Chromium (µg/L)	0.62	1.25	XXX	20	40	50
Total Copper (µg/L)	Report	Report	XXX	Report	Report	XXX
Total Selenium (µg/L)	Report	Report	XXX	Report	Report	XXX
Total Thallium (µg/L)	0.13	0.26	XXX	4.18	8.36	10.46
3,3-Dichlorobenzidine (µg/L)	0.06	0.12	XXX	1.99	3.99	4.99
Pentachlorophenol (µg/L)	0.58	1.17	XXX	18.85	37.70	47.13
2,3,7,8-TCDD (µg/L)	0.000000000	0.000000000	XXX	0.000000005	0.00000001	0.000000125
Acrolein (µg/L)	0.33	1.17	XXX	10.80	21.61	27.04
Benzo(a)Anthracene (µg/L)	0.01	0.02	XXX	0.36	0.72	0.90

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Weekly Average	
Benzo(a)Pyrene (µg/L)	0.01	0.02	XXX	0.36	0.72	0.90
Benzo(k)Fluoranthene (µg/L)	0.01	0.02	XXX	0.36	0.72	0.90
3,4-Benzofluoranthene (µg/L)	0.01	0.02	XXX	0.36	0.72	0.90
Bis(2-Chloroethyl)Ether (µg/L)	0.08	0.17	XXX	2.85	5.71	7.14
Chrysene (µg/L)	0.01	0.02	XXX	0.36	0.72	0.90
Dibenzo(a,h)Anthracene (µg/L)	0.01	0.02	XXX	0.36	0.72	0.90
Hexachlorobutadiene (µg/L)	Report	Report	XXX	Report	Report	XXX
Indeno(1,2,3-cd)Pyrene (µg/L)	0.01	0.02	XXX	0.36	0.72	0.90
N-Nitrosodimethylamine (µg/L)	0.002	0.004	XXX	0.06	0.13	0.16
N-Nitrosodi-N-Propylamine (µg/L)	0.01	0.02	XXX	0.47	0.95	1.19
Phenanthrene (µg/L)	0.31	0.62	XXX	10	20	25
Toxaphene (µg/L)	0.00009	0.0001	XXX	0.003	0.006	0.007
Vinyl Chloride (µg/L)	Report	Report	XXX	Report	Report	XXX

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

Parameters	Mass (lbs)		Minimum	Concentration (mg/l)	
	Monthly	Annual		Monthly Average	Maximum
Ammonia—N	Report	Report		Report	
Kjeldahl—N	Report			Report	
Nitrate-Nitrite as N	Report			Report	
Total Nitrogen	Report	Report		Report	
Total Phosphorus	Report	Report		Report	
Net Total Nitrogen	Report	68,492			
Net Total Phosphorus	Report	9,132			

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is not in effect.

PA0027375, Sewage, SIC Code 4952, **City of DuBois**, 16 W Scribner Avenue, DuBois, PA 15801-2210. Facility Name: City Of DuBois Wastewater Treatment Plant. This existing facility is located in City of DuBois, **Clearfield County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Sandy Lick Creek, is located in State Water Plan watershed 17-C and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 4.4 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Weekly Average	Minimum	Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.16	XXX	0.52
CBOD ₅		Daily Max				
May 1 - Oct 31	195	295	XXX	5.4	8.1	10.8
Nov 1 - Apr 30	585	880	XXX	16	24	32
BOD ₅		Daily Max				
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids		Daily Max				
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	1,100	1,650	XXX	30	45	60
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 2,000	XXX	10,000
Ammonia-Nitrogen				Geo Mean		
May 1 - Oct 31	55	85	XXX	1.6	2.4	3.2
Nov 1 - Apr 30	175	260	XXX	4.8	7.2	9.6

NOTICES

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	
Total Aluminum	Report	XXX	XXX	Report	XXX	XXX
Total Copper (µg/L)	Avg Qrtly 0.49	0.99 Daily Max	XXX	Avg Qrtly 13.50	27.00 DailyMax	33.75
Total Iron	Report	XXX	XXX	Report	XXX	XXX
Total Manganese	Avg Qrtly	XXX	XXX	Avg Qrtly	XXX	XXX
Chronic Toxicity—						
Ceriodaphnia Survival (TUc)	XXX	XXX	XXX	XXX	1.5 Daily Max	XXX
Ceriodaphnia Reproduction (TUc)	XXX	XXX	XXX	XXX	1.5 Daily Max	XXX
Pimephales Survival (TUc)	XXX	XXX	XXX	XXX	1.5 Daily Max	XXX
Pimephales Growth (TUc)	XXX	XXX	XXX	XXX	1.5 Daily Max	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is not in effect.

PA0232513, Sewage, SIC Code 4952, **Kelly Township Union County**, 551 Zeigler Road, Lewisburg, PA 17837. Facility Name: Kelly Crossroads Sanitary Sewer System. This proposed facility is located in Kelly Township, **Union County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated Sewage.

The receiving stream(s), Little Buffalo Creek, is located in State Water Plan watershed 10-C and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0135 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Instant. Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Report	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.5	XXX	1.6
CBOD ₅	2.8	XXX	XXX	25	XXX	50
BOD ₅						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	3.3	XXX	XXX	30	XXX	60
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

<i>Parameters</i>	<i>Mass (lbs)</i>		<i>Minimum</i>	<i>Concentration (mg/l)</i>	
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>
Ammonia—N	Report	Report		Report	
Kjeldahl—N	Report			Report	
Nitrate-Nitrite as N	Report			Report	
Total Nitrogen	Report	Report		Report	
Total Phosphorus	Report	Report		Report	
Net Total Nitrogen	Report	0			
Net Total Phosphorus	Report	0			

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

PA0020273, Sewage, SIC Code 4952, **Milton Region Sewer Authority Northumberland County**, 5585 State Route 405, Milton, PA 17847. Facility Name: Milton Municipal Authority Sanitary Sewer STP. This existing facility is located in West Chillisquaque Township, **Northumberland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), West Branch Susquehanna River, is located in State Water Plan watershed 10-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 4.25 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Weekly Average	Minimum	Average Monthly	Weekly Average	Instant. Maximum
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Report	XXX	XXX	XXX
Total Residual Chlorine (Interim)	XXX	XXX	XXX	0.5	XXX	3.0
CBOD ₅ (Final)	886	1417	XXX	25	40	50
BOD ₅						
Raw Sewage Influent (Interim)	Report 3,166	Report 4,734	XXX XXX	Report 111	XXX 166	XXX 222
Total Suspended Solids						
Raw Sewage Influent (Interim)	Report 2,852	Report 4,278	XXX XXX	Report 100	XXX 150	XXX 200
(Final)	1,063	1,595	XXX	30	45	60
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
UV Transmittance (%) (Final)	XXX	XXX	Report	XXX	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
1,4-Dioxane	XXX	XXX	XXX	Report	XXX	XXX

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

Parameters	Mass (lbs)		Minimum	Concentration (mg/l)	
	Monthly	Annual		Monthly Average	Maximum
Ammonia—N	Report	Report		Report	
Kjeldahl—N	Report			Report	
Nitrate-Nitrite as N	Report			Report	
Total Nitrogen	Report	Report		Report	
Total Phosphorus	Report	Report		Report	
Net Total Nitrogen	Report	62,465			
Net Total Phosphorus	Report	8,329			

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

In addition, the permit contains the following major special conditions:

- Pretreatment Program Implementation
- Whole Effluent Toxicity Testing

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is not in effect.

III. WQM Industrial Waste and Sewerage Applications Under the Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

WQM Permit No. 1614402, Sewage, **Borough of Knox**, PO Box 366, 620 Main Street, Knox, PA 16232-0366.

This proposed facility is located in Beaver Township, **Clarion County**.

Description of Proposed Action/Activity: Construction of a new municipal wastewater treatment plant to replace the existing facility.

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Monroe County Conservation District, 8050 Running Valley Rd., Stroudsburg PA 18360-0917

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI024513001(2)	Kalahari Resorts, LLC 1305 Kalahari Drive, P. O. Box 590 Wisconsin Dells, WI 53965	Monroe	Tobyhanna and Pocono Townships	Swiftwater Creek and tribs. (HQ, CWF) (existing use EV)
	Pocono Manor Investors, PT-L1 P. O. Box 38, The Inn at Pocono Manor Pocono Manor, PA 18349			Indian Run and tribs. (HQ, CWF) (existing use EV)

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Crawford, Section Chief, 717.705.4802.

<i>Permit #</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI033413003	Ames True Temper 465 Railroad Avenue Camp Hill, PA 17011	Mifflin	Decatur Township	UNT Meadow Creek (CWF, MF) Wetlands (EV)
PAI033414003	Kish View Farm Partnership 4733 East Main Street Belleville, PA 17004	Mifflin	Union Township	UNT Kishacoquillas Creek (HQ, CWF, MF)

Southwest Region: Waterways & Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. (412) 442.4315

<i>Permit No.</i>	<i>Applicant & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Stream Name</i>
PAI050314001	PennDOT District 10-0 2550 Oakland Avenue Indiana, PA 15701-3388	Armstrong	Wayne Township	South Fork of Pine Creek (HQ-CWF) South Branch of South Fork of Pine Creek (HQ-CWF)
PAI056310004-2	PennDOT District 12-0 PO Box 459 Uniontown, PA 15401	Washington	South Strabane Township	UNT to Little Chartiers Creek (HQ-WWF)
PAI056514002	Rolling Rock Farms PO Box 717 Ligonier, PA 15658	Westmoreland	Ligonier Township	Rolling Rock Creek (HQ-CWF)

VII. List of NOIs for NPDES and/or Other General Permit Types

PAG-12 CAFOs

CAFO Notices of Intent Received

Northcentral Regional Office: Regional Clean Water Program Manager, 208 W Third St Ste 101, Williamsport, PA 17701-6448. Phone: 570.327.0530.

NPDES Permit No. PAG124807, CAFO, **Hamilton Farms LLC**, 10049 Ferguson Valley Rd, Lewistown, PA 17044.

This existing facility is located in Adams Township, **Snyder County**.

Description of size and scope of existing operation/activity: 5,600 feeder to finishing hogs. Operation is located on 130 acres all of which are rented to a neighboring farmer. 1,990,000 gallons of liquid manure generated annually all of which are exported. Manure is stored in a 2.4 million gallon lined lagoon.

The receiving stream, North Br. Middle Creek, is in watershed 6-A and classified for: Trout Stocking (TSF) and Migratory Fishes (MF).

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the state narrative water quality standards.

NPDES Permit No. PAG124827, CAFO, **Shady Rill Hog Farm**, 252 Tharp Rd, Mt Pleasant Mills, PA 17853.

This existing facility is located in Washington Township, **Snyder County**.

Description of size and scope of existing operation/activity: A swine operation with 80 farrowing sows with litter, 520 gestating sows, 28 boars, 1,926 nursery pigs and 4,138 finishing pigs. 3,600,000 gallons of liquid manure is generated and applied to the 642 acres of farmland. No manure is exported. There is 2,458,000 gallons of manure storage on the farm.

The receiving stream, Unnamed Tributary of North Branch Mahantango Creek, is in watershed 6-C and classified for: Cold Water Fishes and Migratory Fishes.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the state narrative water quality standards.

NPDES Permit No. PAG124828, CAFO, **Snyder Paul D**, 2375 Line Mountain Rd, Dornsife, PA 17823.

This existing facility is located in Upper Mahanoy Township, **Northumberland County**.

Description of size and scope of existing operation/activity: 94,000 poultry birds housed in 2 barns. 1,276 tons of solid manure is generated. 492 tons are used on the farm and 784 tons are exported. There is 503 acres of farmland associated with this permit.

The receiving stream, Unnamed Tributary of Schwaben Creek, is in watershed 6-B and classified for: Trout Stocking and Migratory Fishes.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the state narrative water quality standards.

STATE CONSERVATION COMMISSION

PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should

include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**NUTRIENT MANAGEMENT PLAN
PUBLIC NOTICE SPREADSHEET—APPLICATIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/ New</i>
Dean Puderbaugh P. O. Box 43 Unityville, PA 17774	Columbia	330.5	739.72	Swine and Beef	EV	New

**PUBLIC WATER SUPPLY (PWS)
PERMITS**

Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act

Southeast Region: Safe Drinking Water Program Manager, 2 East Main Street, Norristown, PA 19401

Permit No. 1514508	Public Water Supply
Applicant	Aqua Pennsylvania, Inc.
City	Chester
Township	East Bradford

Responsible Official	Marc Lucca 762 W. Lancaster Avenue Bryn Mawr, PA 19010
Type of Facility	PWS
Consulting Engineer	Hatch Mott MacDonald Public Ledger Builder, Suite 1040 150 South Independence Mall West Philadelphia, PA 19106
Application Received Date	April 7, 2014
Description of Action	Construction of a grit chamber to settle out portion upstream of the raw water pump station.

WATER ALLOCATIONS

Applications received under the Act of June 24, 1939 (P. L. 842, No. 365) (35 P. S. §§ 631—641) relating to the Acquisition of Rights to Divert Waters of the Commonwealth

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200

WA 31-50B, Water Allocations. Borough of Huntingdon (PWS ID No. 4310012), **Huntingdon County.** The applicant is requesting the right to withdraw a maximum of 4.0 million gallons per day (mgd) from Standing Stone Creek at an existing intake. Applicant Address: William W. Wheeler, Borough Manager, Borough of Huntingdon, 530 Washington Street, PO Box 592, Huntingdon, PA 16652-0592. Consulting Engineer: Kevin J. Nester, P.E. GHD, Inc., 321 Washington Street, Huntingdon, PA 16652. Application Received: 3/17/2014.

**LAND RECYCLING AND
ENVIRONMENTAL REMEDIATION**

**UNDER ACT 2, 1995
PREAMBLE 1**

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907)

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P. S. §§ 6026.302—6026.305) require the Department to publish in the *Pennsylvania Bulletin* an acknowledgment

noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. A person intending to use the background standard, Statewide health standard, the site-specific standard or intend to remediate a site as a special industrial area shall file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of cleanup standards or receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the following site, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified as follows. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office listed before the notice. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

Sheetz @ Chestnut & 7th, Chestnut Avenue & 7th Street, Altoona, PA 16601, City of Altoona, **Blair County**. Mountain Research, LLC, 825 25th Street, Altoona, PA 16601, on behalf of Five Investments, LLC, 210 West Plank Road, Altoona, PA 16602 and BCDC IV, 3900 Industrial Park Drive, Altoona, PA 16602, submitted a Notice of Intent to Remediate site soil and groundwater contaminated with VOCs, Chlorinated Solvents, and Inorganics. The site will be remediated as a Specialized Industrial Area. Future use of the site is for commercial purposes. The Notice of Intent to Remediate was published in the *Altoona Mirror* on April 25, 2014.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Application received, under the Solid Waste Management Act (35 P. S. §§ 6 018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and regulations to operate a Solid Waste Processing or Disposal Area or Site.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Telephone 412-442-4000.

Permit ID No. 300876. GenOn Northeast Management Company, 121 Champion Way, Suite 200, Canonsburg, PA 15317. Conemaugh Generating Station Ash/Mine Refuse Disposal Site, 1442 Power Plant Road, SR 2008, New Florence, PA 15944-9154. Operation of a captive residual waste landfill located in West Wheatfield Township, **Indiana County**. Application for permit modification for the Stage III liner system was accepted in the Regional Office on May 14, 2014.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS NEW SOURCES AND MODIFICATIONS

The Department has developed an “integrated” plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities.

Copies of these applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the regional office listed before the applications. Persons interested in reviewing the application files should contact the appropriate regional office to schedule appointments.

Persons wishing to receive a copy of a proposed Plan Approval or Operating Permit shall indicate interests to the Department regional office within 30 days of the date of this notice and shall file protests or comments on a proposed Plan Approval or Operating Permit within 30 days of the Department providing a copy of the proposed documents to persons or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that hearings be held concerning a proposed Plan Approval or Operating Permit. A comment or protest filed with the Department regional office shall include a concise statement of the objections to the issuance of the Plan Approval or Operating Permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121—143, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636

25-1026A: Brugger Funeral Homes & Crematory, LLP (845 East 38th Street, Erie, PA 16504) for changes in their method of operating one existing human crematory (relating to door opening) at their facility in the City of Erie, **Erie County**.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920

09-0227: Central Bucks Crematory, LLC (944 North Main Street, Doylestown, Pa) for installation of a Matthews Human Cremation Unit, rated at 175 lb/hr, at an existing funeral home in Doylestown Borough, **Bucks County**. This facility is a non-Title V facility. The cremation unit will be equipped with an afterburner and an opacity monitor. Emissions of PM shall remain below 0.08 grain per dry standard cubic feet, corrected to 7 percent O₂. Emissions of SO_x shall remain below 500 ppmv. The Plan Approval will contain monitoring, recordkeeping, and operating conditions designed to keep the facility operating within the allowable emissions and all applicable air quality requirements.

15-0147: Crazy Aaron Enterprises, Inc. (201 Sabine Avenue, Suite 100, Narberth, PA 19072) for an increase in production at an existing silicone-based putty manufacturing facility in East Pikeland Township, **Chester County**. Sources at their facility consist of four mixing blenders. There are no new sources being installed. The primary pollutant of concern from the plant is methanol, which is a volatile organic compound (VOC) and hazardous air pollutant (HAP). The proposed increase in production will not affect the facility's natural minor status, based on its potential emissions. The plan approval will include monitoring, record keeping, and reporting requirements designed to address all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702.

36-05152B: Kellogg USA, Inc. (2050 State Road, Lancaster, PA 17604) for replacing control devices for the Coating Line with a rotoclone wet scrubber at the Kellogg USA, Inc. facility in East Hempfield Township, **Lancaster County**.

In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to the abovementioned company for the abovementioned project. This plan approval may be incorporated into the company's facility-wide permit via an administrative amendment at a later date.

Plan Approval #36-05152B is for the removal of three filter receivers and wet scrubber controls from Source 100G, Coating Line, and replacing them with an American Air Filter, Model W, Size 24, Rotoclone Wet Scrubber. The corn flakes hopper, corn flakes belt feeder, syrup tank vent, scale hopper and comil feed hopper sources will be added to the new rotoclone. The company shall be subject to and comply with 25 Pa. Code § 123.13 for particulate matter. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements. The expected actual air emissions from the proposed project are 0.24 tpy of PM₁₀.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

A person may oppose the proposed plan approval, or may provide the Department with additional information to consider in its review, by filing a written protest with the Department at the address listed above. Each written comment must contain the following; name, address and telephone number of the person submitting the comments, identification of the proposed permit by the permit number listed above and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period, from the date of publication of this notice in the *Pennsylvania Bulletin*, will exist for the submission of comments or protests.

Thomas Hanlon, Facilities Permitting Chief, may be contacted at 717-705-4862, or at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments or protests.

Plan approvals issued to sources identified in 25 Pa. Code § 127.44(b)(1)—(4) or plan approvals issued to sources with limitations on the potential to emit may become part of the SIP, and will be submitted to EPA for review and approval.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702.

36-05134: Eurofins Lancaster Laboratories, Inc. (2425 New Holland Pike, P. O. Box 12425, Lancaster, PA 17605-2425) for operation of their analytical, research and consulting services facility in Upper Leacock Township, **Lancaster County**. This is a renewal of the Title V operating permit.

In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) has received an application and intends to issue an Air Quality Operating Permit for the abovementioned facility.

The facility's actual emissions for 2013 were reported as 1.70 tpy CO, 2.02 tpy NO_x, 0.04 tpy PM₁₀, 0.01 tpy SO_x, 19.36 tpy VOC, 45.10 tpy of combined HAPs & 29.27 tpy of a single HAP. The operating permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR 63, Subpart DDDDD—National Emission Standards for Hazardous Air Pollutants for Major Sources: Industrial, Commercial, and Institutional Boilers and Process Heaters & 40 CFR 60, Subpart IIII—Standards of Performance for Stationary Compression Ignition Internal Combustion Engines.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the PA DEP Southcentral Regional Office, 909 Elmerton Avenue, Harrisburg, PA 17110.

A person may oppose the proposed operating permit, or may provide the Department with additional information to consider in its review, or may request a public hearing, by filing a written protest with the Department at the address listed above. Each written comment must contain the following; name, address and telephone number of the person submitting the comments, identification of the proposed permit by the permit number listed above and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period, from the date of publication of this notice in the *Pennsylvania Bulletin*, will exist for the submission of comments or protests.

Thomas Hanlon, Facilities Permitting Chief, may be contacted at 717-705-4862, or at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments or protests.

36-05019: Anvil International LLC (1411 Lancaster Avenue, Columbia, PA 17512) for operation of an Iron Foundry in Columbia Borough, **Lancaster County**. This is a renewal of the Title V operating permit which was issued in February of 2009.

In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) has received an application and intends to issue an Air Quality Operating Permit for the abovementioned facility.

The air emissions associated with the facility's foundry operations, primarily emit Particulate Matter (PM₁₀) and volatile organic compounds (VOCs). The operating permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the operating permit includes requirements from 40 CFR Part 63, Subpart ZZZZZ, regarding the use of Maximum Achievable Control Technology (MACT) in accordance

with the National Emission Standards for Hazardous Air Pollutants (NESHAPs) for Iron and Steel Foundries Area Sources, and also includes requirements from 40 CFR Part 64—Compliance Assurance Monitoring (CAM) for Major Stationary Sources.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the PA DEP Southcentral Regional Office, at 909 Elmerton Avenue, Harrisburg, PA 17110.

A person may oppose the proposed plan approval, or may provide the Department with additional information to consider in its review, or may request a public hearing, by filing a written protest with the Department at the address listed above. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit by the permit number listed above and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period, from the date of publication of this notice in the *Pennsylvania Bulletin*, will exist for the submission of comments or protests. A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received.

Thomas Hanlon, Facilities Permitting Chief, may be contacted at 717-705-4862, or at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments or protests.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Zaman, Environmental Program Manager—Telephone: 570-327-3648

47-00003: Department of Public Welfare—Danville State Hospital (200 State Hospital Drive, Danville, PA 17821-9198) for renewal of the Title V Operating Permits for their facility in Mahoning Township, **Montour County**. The representative of Danville State Hospital to contact regarding the proposed Title V operating permit is Mr. George A. Smith, Utility Plant Supervisor, 200 State Hospital Drive, Danville, PA 17821.

The facility's main sources include two (2), anthracite coal-fired boilers that are primarily used to sustain winter steam load. They also operate a natural gas-fired (distillate No. 2 back-up) boiler that is primarily used to sustain summer steam load. No emission or equipment changes are being proposed by this action. The emission restriction, testing, monitoring, recordkeeping, reporting and work practice conditions of the TVOP have been derived from the applicable requirements of 40 CFR Part 63 as well as 25 Pa. Code Chapters 121—145. The facility has the potential to emit of major quantities of sulfur oxide and particulate matter (TSP) emissions. The other criteria pollutants are estimated to not exceed the respective major thresholds. In 2006, the facility took a restriction of the coal usage, in order to be defined as an area source of hazardous air pollutants. The air contaminant emissions from the facility's 2013 Air Information Management System (AIMS) report are as follows; 2.7 tpy of carbon monoxide, 11.4 tpy of nitrogen oxides, 2.8 tpy of particulate matter less than 10 microns (PM-10), 2.8 tpy of PM_{2.5}, 25.3 tpy of sulfur oxides, 0.3 tpy of volatile organic compounds, 2 tpy of total hazardous air pollutants and 1.2 tpy of hydrogen chloride.

The proposed renewal TVOP for the facility has included the applicable National Emission Standards for Hazardous Air Pollutants (NESHAP) requirements, i.e. RICE MACT, for the affected stationary emergency engines at the facility. Additionally, the proposed Title V operating permit included the applicable NESHAP requirements, i.e. area source Boiler MACT, for the affected coal boilers. The proposed Title V operating permit contains all applicable regulatory requirements including monitoring, recordkeeping, and reporting conditions to ensure compliance with the applicable Federal and State air quality regulations.

All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570.327.0550. Any person(s) wishing to provide the Department with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the Department of Environmental Protection at the address shown in the preceding paragraph. A 30-day comment period from the date of this publication will exist for the submission of comments. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit (specify Permit No. 47-00003) and concise statements regarding the relevancy of the information or objections to issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department of Environmental Protection determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Muhammad Q. Zaman, Environmental Program Manager, Department of Environmental Protection, Air Quality Program, Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, 570.327.3648.

Individuals in need of an accommodation as provided for in the Americans With Disabilities Act of 1990 should contact Daniel Spadoni at 570.327.3659 or through the Pennsylvania AT&T Relay Service at 1.800.654.5984 (TDD) to discuss how DEP may accommodate your needs.

08-00003: Jeld-Wen, Inc. (PO Box 311, 825 Shiner Road, Towanda, PA 18848-0311) for issuance of the Title V operating permit for their facility in Wysox Township, **Bradford County**. The facility is currently operating under Title V Operating Permit 08-00003. The facility's sources include. The facility is a major source for nitrogen oxides (NO_x), carbon monoxide (CO), volatile organic compounds (VOCs), particulate matter (PM/PM₁₀), hazardous air pollutants (HAPs), and greenhouse gases (GHG's). No emission or equipment changes are being proposed by this action. In 2013 Jeld-Wen reported actual annual facility emissions of 145.7 tons of NO_x, 264.4 tons of CO, 311.4 tons of VOCs, 2.3 tons of sulfur oxides (SO_x), 85.9 tons of PM/PM₁₀, 84.0 tons of HAPs, and 174,807.5 tons GHG's as carbon dioxide equivalent. No emission or equipment changes are being proposed by this action.

The emission restriction, testing, monitoring, record-keeping, reporting and work practice conditions of the Title V operating permit have been derived from the

applicable requirements of 40 CFR Part 64 and 40 CFR 63 Subparts DDDD, QQQQ and DDDDD, as well as 25 Pa. Code Chapters 121—145. The proposed Title V operating permit contains applicable regulatory requirements including monitoring, recordkeeping, and reporting conditions to ensure compliance with applicable Federal and State air quality regulations.

All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570.327.0550. Any person(s) wishing to provide the Department of Environmental Protection with additional information, which they believe should be considered prior to the issuance of this operating permit, may submit the information to the Department of Environmental Protection at the address shown in the preceding paragraph. A 30-day comment period from the date of this publication will exist for the submission of comments. Each written comment must contain the following: Name, address and telephone number of the person submitting the comments; Identification of the proposed operating permit No. 08-00003; Concise statements regarding the relevancy of the information or objections to issuance of the operating permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department of Environmental Protection determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Muhammad Q. Zaman, Environmental Program Manager, Department of Environmental Protection, Air Quality Program, Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, 570.327.3648.

Individuals in need of an accommodation as provided for in the Americans With Disabilities Act of 1990 should contact Daniel Spadoni at 570.327.3659 or through the Pennsylvania AT&T Relay Service at 1.800.654.5984 (TDD) to discuss how DEP may accommodate your needs.

Intent to Issue Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA19428

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920

09-00199: Mars Fishcare, N.A., Inc. (50 East Hamilton St., Chalfont, PA 1891) for a non-Title V, State Only, Natural Minor operating permit in Chalfont Borough, **Bucks County**. The permit is for the operation of an existing bulk material handling pneumatic conveying system, a dust collector and a vacuum filter receiver system. The system will emit 1.03 tons of particulate matter per year. The facility's potential to emit criteria pollutants is less than major thresholds; therefore the facility is a Natural Minor. This action is a renewal of the State Only Operating Permit. The initial permit was issued on 9-4-2009. The renewed permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Ray Kempa, New Source Review Chief—Telephone: 570-826-2507

48-00049: FedChem, LLC (275 Keystone Drive, Bethlehem, PA 18020-9464) to issue a renewal operating permit for a chemical manufacturing plant in Lower Nazareth Township, **Northampton County**. The facility's main sources of emissions include four (4) reactors and four (4) condensers. The proposed operating permit contains all applicable requirements including Federal and State regulations. In addition, monitoring, record keeping and reporting conditions regarding compliance with all applicable requirements are also included.

45-00030: United Envelope, LLC (P. O. Box 37, Mount Pocono, PA 18344-0037) for the operation of a stationary manufacturing facility in Coolbaugh Township, **Monroe County**. The sources consist of printing and folding lines and parts washing. This is a renewal of a State-Only operating permit. The State-Only operating permit includes emission limits, work practice standards and testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within applicable air quality requirements.

40-00038: Lion Brewing Co. (700 North Pennsylvania Avenue, Wilkes-Barre, PA 18705) for operation of a malt beverage manufacturing facility in the City of Wilkes-Barre, **Luzerne County**. The sources consist of two (2) boilers, parts washer, generator and raw material unloading. This is a renewal of a State-Only operating permit. The State-Only operating permit includes emission limits, work practice standards and testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within applicable air quality requirements.

35-00053: Metkote Laminated Products, Inc. (1151 Union Street, Taylor, PA 18517-1605) for operation of a laminating line in Taylor Borough, **Lackawanna County**. The process laminates vinyl to a metal substrate. This is a renewal of a State-Only operating permit. The State-Only operating permit includes emission limits, work practice standards and testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702.

36-05032: Versatek Enterprises, LLC (508 Front Street, Lititz, PA 17543) for operation of its woodworking facility in Lititz Borough, **Lancaster County**. This is a renewal of the State-Only Operating Permit issued in 2009.

In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) has received an application and intends to issue an Air Quality Operating Permit for the abovementioned facility.

The facility's actual emissions for 2012 were reported as 0.10 tpy CO, 0.17 tpy NO_x, 0.01 tpy PM₁₀, 0.08 tpy SO_x, 2.31 tpy VOC, 0.45 tpy of combined HAPs & 0.27 tpy of a single HAP. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air qual-

ity regulations. Among other items, the conditions include provisions derived from 40 CFR 63, Subpart JJJJJJ—National Emission Standards for Hazardous Air Pollutants for Industrial, Commercial, and Institutional Boilers Area Sources & 40 CFR 63, Subpart ZZZZ—National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the PA DEP Southcentral Regional Office, at 909 Elmerton Avenue, Harrisburg, PA 17110.

A person may oppose the proposed operating permit, or may provide the Department with additional information to consider in its review, or may request a public hearing, by filing a written protest with the Department at the address listed above. Each written comment must contain the following; name, address and telephone number of the person submitting the comments, identification of the proposed permit by the permit number listed above and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period, from the date of publication of this notice in the *Pennsylvania Bulletin*, will exist for the submission of comments or protests.

Thomas Hanlon, Facilities Permitting Chief, may be contacted at 717-705-4862, or at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments or protests.

67-03080: Herculite Products, Inc. (PO Box 435, Emigsville, PA 17318) for their specialty fabric manufacturing plant in Manchester Township, **York County**.

In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) has received an application and intends to issue an Air Quality Operating Permit renewal for the abovementioned facility.

The subject facility manufactures specialty fabrics consisting of multiple layers of cloth and vinyl bonded together. The fabrics are used for mattress covers, tents and tarpaulins. The facility has the potential to emit an estimated 18 tons per year of volatile organic compounds (VOC). Actual operating hours and emissions are well below maximum levels.

The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Copies of the renewal application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the PA DEP Southcentral Regional Office, at 909 Elmerton Avenue, Harrisburg, PA 17110.

A person may oppose the proposed operating permit, or may provide the Department with additional information to consider in its review, or may request a public hearing, by filing a written protest with the Department at the address listed above. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit by the permit number listed above and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period, from the date of publication of this notice in the *Pennsylvania Bulletin*, will exist for the submission of comments or protests.

William R. Weaver, Air Quality Program Manager, may be contacted at 717-705-4702, or at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments or protests.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

41-00052: Hanson Aggregates Pennsylvania, LLC (7660 Imperial Way, Allentown, PA 18195-1040) for the Pine Creek Quarry in Limestone Township, **Lycoming County**.

In accordance with 25 Pa. Code §§ 127.424 and 127.425, the Department of Environmental Protection (DEP) has received an application and intends to issue a renewal of an Air Quality Operating Permit for the abovementioned facility. The subject facility has the following potential emissions: 0.03 TPY of carbon monoxide; 0.11 TPY of nitrogen oxides; 0.40 TPY of sulfur oxides; 40.82 TPY of particulate matter; 0.20 TPY of volatile organic compounds and 126 TPY of greenhouse gases. The Department has determined that the sources at the facility satisfy best available technology (BAT) requirements, pursuant to 25 Pa. Code §§ 127.1 and 127.12, as well as the Federal Standards of Performance for Nonmetallic Mineral Processing Plants, 40 CFR Part 60 Subpart OOO, Sections 60.670—60.676. The operating permit will include emission limits and work practice standards along with testing, monitoring, record keeping and reporting requirements to ensure the facility complies with all applicable air quality regulations.

All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550. Any person(s) wishing to provide the Department with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the Department of Environmental Protection at the address shown in the preceding paragraph. A 30-day comment period from the date of this publication will exist for the submission of comments. Each written comment must contain the following: Name, address and telephone number of the person submitting the comments; Identification of the proposed permit (specify Permit No. 41-00052); Concise statements regarding the relevancy of the information or objections to issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department of Environmental Protection determines such notification is sufficient. Written comments or requests for a public hearing should be directed to David Shimmel, P.E., Chief, New Source Review Section, Department of Environmental Protection, Air Quality Program, Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, 570-327-3568.

Individuals in need of an accommodation as provided for in the Americans With Disabilities Act of 1990 should

contact Daniel Spadoni at 570-327-3659 or through the Pennsylvania AT&T Relay Service at 1-800-654-5984 (TDD) to discuss how DEP may accommodate your needs.

49-00053: Shumaker Industries, Inc. (924 Water Street, PO Box 206, Northumberland, PA 17857) for renewal of the State Only Operating Permits for their facility in Northumberland Borough, **Northumberland County**. The facility is currently operating under the State Only operating permit 49-00053. The facility's sources include a shot blasting operation, a surface coating operation and one parts washer. The facility has potential emissions of 0.09 ton per year of nitrogen oxides, 0.02 ton per year of carbon monoxide, 0.01 ton per year of sulfur oxides, 0.01 ton per year of particulate matter, 8 tons per year of volatile organic compounds, and 2.5 tons per year of total hazardous air pollutants (HAPs). No emission or equipment changes are being proposed by this action. The emission restriction, testing, monitoring, recordkeeping, reporting, and work practice conditions of the NMOP have been derived from the applicable requirements of 40 CFR Part 60, and 25 Pa. Code Chapters 121—145.

All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570 327-0550. Any person(s) wishing to provide the Department of Environmental Protection with additional information, which they believe should be considered prior to the issuance of this operating permit, may submit the information to the Department of Environmental Protection at the address shown in the preceding paragraph. A 30-day comment period from the date of this publication will exist for the submission of comments. Each written comment must contain the following:

Name, address and telephone number of the person submitting the comments; Identification of the proposed operating permit (specify State Only Operating Permit No. 49-00053); Concise statements regarding the relevancy of the information or objections to issuance of the operating permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department of Environmental Protection determines such notification is sufficient. Written comments or requests for a public hearing should be directed to David Shimmel, P.E., Chief, New Source Review Section, Department of Environmental Protection, Air Quality Program, Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, 570-327-3568.

Individuals in need of an accommodation as provided for in the Americans With Disabilities Act of 1990 should contact Daniel Spadoni at 570-327-3659 or through the Pennsylvania AT&T Relay Service at 1-800-654-5984 (TDD) to discuss how DEP may accommodate your needs.

14-00020: Hanson Aggregates Pennsylvania, LLC (7660 Imperial Way, Allentown, PA 18195) to issue a state only operating permit for their Oak Hall facility in College Township, **Centre County**. The facility is currently operating under State Only Operating Permit

14-00020. The facility's sources include a limestone processing operation and a small degreaser. The facility has potential emissions of 0.33 ton per year of volatile organic compounds, 40.31 tons per year of particulate matter. No emission or equipment changes are being proposed by this action. The emission restriction, testing, monitoring, recordkeeping, reporting and work practice conditions of the NMOP have been derived from the applicable requirements of 40 CFR Parts 52, 60, 63, 64, 68, 72, 73, 74, 75, 76, 96, 97, 98 and 25 Pa. Code Chapters 121—145.

All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550. Any person(s) wishing to provide the Department of Environmental Protection with additional information, which they believe should be considered prior to the issuance of this operating permit, may submit the information to the Department of Environmental Protection at the address shown in the preceding paragraph. A 30-day comment period from the date of this publication will exist for the submission of comments. Each written comment must contain the following: Name, address and telephone number of the person submitting the comments; Identification of the proposed operating permit (specify State Only Operating Permit No. 14-00020); Concise statements regarding the relevancy of the information or objections to issuance of the operating permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department of Environmental Protection determines such notification is sufficient. Written comments or requests for a public hearing should be directed to David Shimmel, P.E., Chief, New Source Review Section, Department of Environmental Protection, Air Quality Program, Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, 570-327-3568.

Persons with a disability who wish to comment and require an auxiliary aid, service, or other accommodation to participate should contact the Northcentral Regional Office at 570-327-3659. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 800-654-5984.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6131

10-374A: Three Rivers Aggregates, LLC, (1807 Shenango Road, New Galilee, PA 16141) to issue a new State Only Operating Permit for the Black Run Mine located in Worth Township, **Butler County**. The primary sources at the facility are sand and gravel crushing and screening operations, sand and gravel stockpiles, and truck transporting of material. The permit includes a restriction on operating hours for the plant of 3,000 hours per year and a throughput restriction of 1,000,000 tons of material processed per year. The facility is a Natural Minor. The only criteria pollutant is particulate matter for which the potential emissions are 29.914 tpy. The plant is subject to 40 CFR Part 60 Subpart OOO, the

Standards of Performance for Nonmetallic Mineral Processing Plants. It is also subject to the conditions of the previously issued plan approval. The permit contains emission restrictions, recordkeeping, and work practice requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

33-00175: Matson Lumber Co. (132 Main Street, Brookville, PA 15825-1213) for renewal of their Natural Minor Operating Permit in Union Township, **Jefferson County**. The facility is processing lumber products. The facility's emitting sources include: 1) Natural gas stand by Boilers (2) rated at 5 mmbtu/hr, (2) 400 HP Wood-Fired Boiler, (3) Boiler Feed System through Cyclone. The facility is natural minor because the emissions are less than Title V emission threshold limits without taking any additional limits. The 400 HP Biomass Boiler is subject to 40 CFR Part 63, Subpart JJJJJJ. All applicable conditions of Subpart JJJJJJ have been included in the source level of the permit. The actual emissions from the wood fired boiler based on the stack test conducted on December 15, 2013 are: Filterable Particulate Matter: 5.78 Tons per year (TPY), Oxides of Nitrogen: 7.4 TPY, Carbon Monoxide: 4.38 TPY. The permit limits (established in the original plan approval 33-175A) for the wood fired boiler are 16.6 TPY filterable particulate, 49.8 TPY CO, 18.3 TPY NO_x, and 2.1 TPY SO_x. The emission limits for the natural gas boiler are based on 0.4 lb/mmbtu for filterable particulate and 4.0 lb/mmbtu for SO_x. The emission limit for the boiler feed cyclone exhaust is based on 0.04 gr/dscf.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104, Contact: Edward Wiener, Chief—Telephone: 215-685-9426

The City of Philadelphia, Air Management Services (AMS) intends to issue a Minor State Only Operating Permit for the following facility:

AMS N12-002: Arway Linen & Uniform Rental (1696 Foulkrod St, Philadelphia, PA 19124). to issue a Minor State Only Operating Permit for the following facility. The facility's air emission source includes a 10 MMBTU/hr Superior Boiler and, a 9.9 MMBTU/hr Hurst Boiler firing natural Gas/#4 fuel oil, 2 hot water heater each 1.75 MMBTU/hr firing natural gas, two gas dryer each 2.8 MMBTU/hr natural gas and a 0.300 MMBTU/hr Garment Tunnel that fires natural gas.

The operating permit will be issued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest or comments on the above operating permit must submit the protest or comments within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.20a). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department. A copy of the application is available for inspection at the district mining office indicated before each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application and request for Section 401 water quality certification application may be submitted by any person or any officer or head of any Federal, state or local government agency or authority to the Department at the address of the district mining office indicated before each application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Written comments or objections regarding a mining permit application should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

A request for an informal conference or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 or § 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

When an NPDES number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Returned

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200

17090104 and NPDES No. PA0257141. RES Coal LLC (224 Grange Hall Road, P. O. Box 228, Armagh, PA 15920). Revision to a bituminous surface and auger mine for an incidental permit boundary correction in Woodward Township, **Clearfield County** affecting 221.0 acres. Receiving streams: Whiteside Run and Moshannon Creek, classified for the following use: Cold Water Fishes. There are no potable water supply intakes within 10 miles downstream. Application received: April 4, 2014. Application withdrawn: May 9, 2014.

Coal Applications Received

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100

17030301 and NPDES No. PA0235571. Rosebud Mining Company, (301 Market Street, Kittanning, PA 16201). To renew the permit for the Cherry Tree Mine in Burnside Township, **Clearfield County** and Montgomery Township and Cherry Tree Borough, **Indiana County** and related NPDES permit. No additional discharges. The application was considered administratively complete on May 14, 2014. Application received November 27, 2013.

32131302 and NPDES No. PA0236217. Rayne Energy Inc., (410 Franklin Street, Clymer, PA 15728-1182). To operate the Rayne No. 1 Mine in Pine Township, **Indiana County** and related NPDES permit for a passive water treatment system for a post-mining discharge. Surface Acres Proposed 16.7. Receiving Stream: Little Yellow Creek, classified for the following use: HQ-CWF. The application was considered administratively complete on May 14, 2014. Application received December 6, 2013.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

Permit No. 56020101 and NPDES No. PA 0249122. AMFIRE Mining Co., LLC, One Energy Place, Latrobe, PA 15650, permit renewal for reclamation only of a bituminous surface mine in Jenner Township, **Somerset County**, affecting 57.3 acres. Receiving streams: unnamed tributaries to/and Roaring Run classified for the following use: cold water fisheries. The first downstream potable water supply intake from the point of discharge within 10 miles downstream is the Quemahoning Reservoir. Application received: April 28, 2014.

Permit No. 56130104 and NPDES No. PA0269417. Fieg Brothers, 3070 Stoystown Road, Stoystown, PA 15563, commencement, operation and restoration of a bituminous surface and auger mine in Stonycreek Township, **Somerset County** affecting 86.5 acres. Receiving streams: unnamed tributaries to Stonycreek River classified for the following use: cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: April 11, 2014.

This application includes a stream encroachment for a variance to conduct surface mining activities within 100 feet of unnamed tributary "B" to the Stonycreek River. The Chapter 105 stream encroachment activities consist of construction of a haul road crossing and for erosion/sedimentation control facilities. Mining activity will affect 0.19 acre of wetland which will be replaced with 0.19 acre of wetland with a similar value during or after mining has been completed and before bond release. The application also includes a request for a Section 401 Water Quality Certification.

Permit No. 56663069 and NPDES No. PA 0120944. Rosebud Mining Company, 1117 Shaw Mines Road, Meyersdale, PA 15552, revision of an existing bituminous surface and auger mine to obtain coverage for coal processing under air quality general permit, GP-12, in Summit Township, **Somerset County**, affecting 3,040.0 acres. Receiving streams: unnamed tributary to/and Caselman River and unnamed tributary to/and Elk Lick Creek classified for the following use: cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: April 25, 2014.

Permit No. 32070109 and NPDES No. PA262536. Britt Energies, Inc., 2450 Philadelphia St., Indiana, PA 15701, permit renewal for reclamation only of a bitumi-

nous surface mine in Black Lick Township, **Indiana County** affecting 70.4 acres. Receiving streams: unnamed to/and Muddy Run to Blacklick Creek to Conemaugh River classified for the following uses: cold water fisher and trout stocked fishery. There are no potable water supply intakes within 10 miles downstream. Application received: May 7, 2014.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, 724-925-5500

26890103 and NPDES Permit No. PA0591327. Durant Excavating Co. (18 North Ross Street, Masontown, PA 15461). Renewal application for reclamation only to an existing bituminous surface mine, located in Nicholson Township, **Fayette County**, affecting 32 acres. Receiving streams: unnamed tributaries to Cats Run, classified for the following use: WWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Renewal application received: May 12, 2014.

02030101 and NPDES Permit No. PA0250414. Teodori Enterprises (P. O. Box 616, Lawrence, PA 15055). Renewal application for reclamation only to an existing bituminous surface mine, located in North Fayette Township, **Allegheny County**, affecting 155.4 acres. Receiving streams: unnamed tributaries to North Branch and North Branch of Robinson Run, classified for the following use: WWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Renewal application received: May 14, 2014.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

37930305. Three Rivers Aggregates, LLC (1807 Shenango Road, New Galilee, PA 16141) Revision to an

existing large industrial minerals mine to change the post-mining land use from forestland and cropland to unmanaged water impoundment in Plain Grove Township, **Lawrence County**. Receiving streams: Unnamed tributary to Taylor Run and Taylor Run, classified for the following uses: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: May 15, 2014.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

Permit No. 49120201C. Blue Ridge Mining, LP, (123 Iris Road, Shamokin, PA 17872), correction to an existing anthracite surface mine to increase the permitted acres from 43.5 to 48.3 acres in Coal Township, **Northumberland County**, receiving stream: Carbon Run, classified for the following use: cold water fishes. Application received: April 30, 2014.

Noncoal Applications Denied

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

Permit No. 8074SM3C15. Harleysville Materials, LLC, (PO Box 587, Berlin, NJ 08009), correction to an existing quarry operation to update the post-mining land use to include mine reclamation fill in Lower Salford Township, **Montgomery County** affecting 43.4 acres, receiving stream: East Branch Perkiomen Creek. Application received: August 24, 2012. Correction Denied: May 15, 2014.

Noncoal Applications Received

Effluent Limits—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

Table 2

Parameter	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity* pH*			greater than 6.0; less than 9.0

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

37930305. Three Rivers Aggregates, LLC (1807 Shenango Road, New Galilee, PA 16141) Revision to an existing large industrial minerals mine to change the post-mining land use from forestland and cropland to unmanaged water impoundment in Plain Grove Township, **Lawrence County**. Receiving streams: Unnamed tributary to Taylor Run and Taylor Run, classified for the following uses: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: May 15, 2014.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	
Alkalinity greater than acidity*			

*The parameter is applicable at all times.

In addition, the Department imposes a technology-based aluminum limit of 2.0 mg/l (30 day average) to protect stream uses.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The BAT limits for noncoal mining activities as provided in 40 CFR Part 436 and 25 Pa. Code Chapter 77 are as follows:

<i>Parameter</i>	<i>30-day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	35 mg/l	70 mg/l	90 mg/l
Alkalinity exceeding acidity*			
pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 362-0600-001, NPDES Program Implementation—Memorandum of Understanding (MOU) Concerning Water Quality Management, NPDES Program Implementation, and Related Matters. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30 days of this public notice and contain the name, address, telephone number and the interest of the party filing the request, and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

NPDES No. PA0213012 (Mining Permit No. 56950101), Rosebud Mining Company, 1117 Shaw Mines Road Meyersdale, PA 15552, revision of an NPDES permit for treatment of a post mining discharge in Brothersvalley Township, **Somerset County**, affecting 82.2 acres. Receiving stream: unnamed tributary to Piney Run, classified for the following use: cold water fishery. This receiving stream is included in the Casselman River TMDL. Application received: April 11, 2014.

The outfall listed below discharges to an Unnamed Tributary to Piney Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
001	N

The proposed effluent limits for the above listed outfall are as follows:

<i>Outfalls: 001 Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)	0.75	1.5	1.8
Total Suspended Solids (mg/l)	35.0	70.0	90.0
pH (S.U.): Must be between 6.0 and 10.0 standard units at all times			
Alkalinity must exceed acidity at all times			

NPDES No. PA0120944 (Mining Permit No. 56663069), Rosebud Mining Company, 1117 Shaw Mines Road, Meyersdale, PA 15552-7228, renewal of an NPDES permit for surface mining, auger mining and limestone removal in Elk Lick and Summit Townships, **Somerset County**, affecting 3,040 acres. Receiving streams: unnamed tributaries to/and Elk Lick Creek (CWF) and unnamed tributaries (CWF) to/and Casselman River (WWF), classified for the following uses: cold water fisheries (CWF) and warm water fisheries (WWF) as noted. These receiving streams are included in the Casselman River TMDL. Application received: March 5, 2014.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The treated wastewater outfalls listed below discharge to Unnamed Tributaries to the Casselman River:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
005, 007, 008, 009, 023, 025, 026 & 027	N

The proposed interim effluent limits for the above listed outfall(s) are as follows:

<i>Outfalls: 005, 007, 008, 009, 023, 025, 026, and 027 Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Total Suspended Solids (mg/l)	35.0	70.0	90.0
pH (S.U.): Must be between 6.0 and 10.0 standard units at all times. Pursuant to 25 Pa. Code § 87.102(c)(1) the Department grants a variance for the upper pH limitation for outfalls 005, 007, 008, 009, 023, 025, 026, and 027.			
Alkalinity must exceed acidity at all times			

The proposed final effluent limits for outfalls 005, 007, 009, 023, 025, 026, and 027 are as follows beginning February 8, 2015.

<i>Outfalls: 005, 007, 009, 023, 025, 026, and 027 Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	1.5	3.0	3.7
Manganese (mg/l)	1.0	2.0	2.5
Aluminum (mg/l)	0.75	1.5	1.8
Osmotic Pressure (milliosmoles/kg)			50.0
Total Suspended Solids (mg/l)	35.0	70.0	90.0
pH (S.U.): Must be between 6.0 and 10.0 standard units at all times			
Alkalinity must exceed acidity at all times			

The proposed final effluent limits for outfall 008 are as follows beginning February 8, 2015.

<i>Outfalls: 008 Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)	0.75	1.5	1.8
Osmotic Pressure (milliosmoles/kg)			50.0
Total Suspended Solids (mg/l)	35.0	70.0	90.0
pH (S.U.): Must be between 6.0 and 10.0 standard units at all times			
Alkalinity must exceed acidity at all times			

The stormwater outfall(s) listed below discharge to Unnamed Tributaries to/and the Casselman River and Unnamed Tributaries to/and Elk Lick Creek:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
011, 015, 016, 017, 018, 019, 020, 021, 022, 024, 028, 029, 030, 031, 032, 033, 034, & 035	N

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Outfalls: 011, 015, 016, 017, 018, 019, 020, 021 022, 024, 028, 029, 030, 031, 032, 033, 034, & 035</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
<i>Parameter</i>			
Iron (mg/l)			7.0
Total Settleable Solids (ml/l)			0.5
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times			
Alkalinity must exceed acidity at all times			

Effluent limits defined herein as applicable to treatment facility outfalls 005, 007, 009, 023, 025, 026, & 027 would apply should a dry water discharge occur from any stormwater facility.

This proposed mine site contains or is hydrologically connected to substandard discharges for which there is no responsible party. Pursuant to 25 Pa. Code § 87.201, effluent limits for those discharges will be based upon the existing baseline pollution load, or the standards found at 25 Pa. Code § 87.102(a) Group A, whichever is least stringent.

The following additional requirement applies to this draft permit:

Compliance Schedule

(1) The Department has determined that the water quality based effluent limitations (WQBEL) identified in Part A for outfalls 005, 007, 008, 009, 023, 025, 026, and 027 are necessary to fulfill the present requirements of the Casselman River TMDL.

(2) Whereas the final WQBEL set out in Part A for outfalls 005, 007, 008, 009, 023, 025, 026, and 027 are significantly more stringent than past effluent limits for those outfalls, and whereas the final effluent limits assigned in Part A cannot be met without modifications to the existing treatment facilities, the permittee shall comply with the interim effluent limits set forth in Part A during the compliance period and shall comply with the following paragraphs. If the new Casselman River TMDL referenced in Special Condition 4 above, when completed and approved by EPA, results in final WQBEL limits that are different than the final limits set forth in Part A, the Department will modify this permit and compliance schedule accordingly. The permittee shall:

a. Within the first year following permit issuance, conduct an evaluation of the existing treatment facilities for Outfalls 005, 007, 008, 009, 023, 025, 026, and 027 and determine what modifications are required for each facility to meet the effluent limitations set out in Part A. By the end of the first year following permit reissuance, the permittee shall submit a report to the Department evaluating the treatment options and identifying the facility modifications required to meet the WQBEL set in Part A.

b. As part of the report described in paragraph (a), the permittee shall also submit a Treatment Plan to the Department for approval including specifications of the facility modifications, proposed schedule for construction, and demonstration that construction will be performed as soon as possible. In addition, the permittee shall submit complete applications for all permits or permit amendments necessary to install and operate the modifications to the Department for review. Following approval of the Treatment Plan and issuance of all necessary permits for the facility modifications, construction of the revised treatment systems shall commence no later than fifteen months after reissuance of this NPDES permit. Construction and start-up of the facility modifications shall be completed, and attainment of the WQBEL set in part A for Outfalls 005, 007, 008, 009, 023, 025, 026, and 027 shall be achieved, by no later than eighteen months after reissuance (renewal) of this NPDES permit.

(3) The permittee shall implement the treatment facility modifications necessary to achieve the WQBEL of Part A according to the following compliance schedule:

- | | |
|--|---|
| a. Submit a report describing its evaluation of treatment facility modification which will assure compliance with the effluent limitations assigned in Part A. | As soon as possible, but no later than within 1 year of permit reissuance. |
| b. Submit a treatment plan and complete applications for all permits necessary for the treatment equipment to the Department for approval. | As soon as possible, but no later than within 1 year of permit reissuance |
| c. Commence construction of system modifications required to meet the WQBELS in Part A. | As soon as possible, but no later than within 15 months of permit reissuance. |
| d. Complete treatment plant modifications /additions. Compliance with final limits. | As soon as possible, but no later than within 18 months of permit reissuance. |
| e. Submit progress reports. Reports shall include updates, attainment, or any progress made toward milestones, summary of results of any supplemental sampling and a discussion of compliance or non-compliance with interim and final requirements. | Every 6 months after permit reissuance until completion of the compliance period. |

(4) a. Pursuant to 40 CFR § 122.62, the permittee may make request to the Department for approval of a modification of the time period for completing step (d) of the compliance schedule in the table above (completion of construction and start-up of the treatment facility modifications within eighteen months of NPDES permit reissuance). The permittee's request for approval of a modification must demonstrate that the respective compliance schedule step cannot be completed within the prescribed time period. The permittee shall also provide an alternative time frame for completion of construction and start-up of the treatment technology; the alternative must be based on completing construction as soon as possible. The permittee's economic inability to comply with any of the obligations of this Compliance Schedule shall not be grounds for any extension of time.

b. The permittee shall submit a request for modification of the compliance schedule pursuant to this paragraph in writing to the Department within 10 working days of the date the permittee becomes aware or reasonably should have become aware of the event impeding performance. The written submission shall include all necessary documentation specifying the reasons for the delay, the expected duration of the delay, and the efforts which have been made and are being made by the permittee to mitigate the effects of the event and to minimize the length of the delay. The initial written submission may be supplemented within ten working days of its submission.

c. The Department will decide whether to grant all or part of the extension requested on the basis of all documentation submitted by the permittee and any other information available to the Department and will notify the permittee if writing of its decision. In any subsequent litigation, Rosebud Mining Company shall have the burden of proving that the Department's refusal to grant the requested extension was an abuse of discretion based upon the information then available.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, 724-925-5500

NPDES No. PA0252379 (Mining permit no. 26140101), T & B Excavating, Inc., P. O. Box 337, McClellandtown, PA 15458, new NPDES permit for a bituminous surface mine in German Township, **Fayette County**, affecting 59 acres. Receiving stream(s): unnamed tributaries to Dunlap Creek and unnamed tributary to North Branch of Browns Run, classified for the following use(s): WWF. This receiving stream is included in the Monongahela River TMDL. Application received: February 4, 2014.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The treated wastewater outfall(s) listed below discharge to unnamed tributaries to Dunlap Creek or North Branch of Browns Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>TYPE</i>
004	Y	Treatment Pond
005	Y	Treatment Pond

The proposed effluent limits for the above listed outfall(s) are as follows: for dry weather discharges

<i>Outfalls: Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)	0.75	1.5	1.9
Total Suspended Solids (mg/l)	35	70	90
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times			
Alkalinity must exceed acidity at all times			

The stormwater outfall(s) listed below discharge to unnamed tributaries to Dunlap Creek or North Branch of Browns Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>TYPE</i>
001	Y	Sediment Pond
002	Y	Sediment Pond
003	Y	Sediment Pond

The proposed effluent limits for the above listed outfall(s) are as follows: for dry weather discharges

<i>Outfalls: Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)	0.75	1.5	1.9
Total Suspended Solids (mg/l)	35	70	90
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times			
Alkalinity must exceed acidity at all times			

The proposed effluent limits for the above listed outfall(s) are as follows: for precipitation events less than or equal to a 10 year/24 hour storm event

<i>Outfalls: Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	NA	NA	7.0
Total Suspended Solids (mg/l)	NA	NA	0.5 ml/l
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times			
Alkalinity must exceed acidity at all times			

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before an application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on working days at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications Received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone 570-826-2511.

E40-758. Misericordia University, 301 Lake Street, Dallas, PA 18612, in Dallas Township, **Luzerne County**, U.S. Army Corps of Engineers, Baltimore District.

To construct and maintain a 6-ft wide, 42-ft span, pre-fabricated steel pedestrian bridge with concrete decking and a 1.5-ft underclearance crossing an unnamed tributary to Toby Creek (CWF, MF). The project is located directly west of the intersection of Lake Street and McAuley Drive on the southeast portion of the Misericordia campus (Kingston, PA Quadrangle, Latitude: 41° 20'31.09"; Longitude: -75°58'3.68").

Southwest Region: Waterways & Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E56-375. PennDOT District 9-0, 1620 North Juniata Street, Hollidaysburg, PA 16648; Conemaugh Township, **Somerset County**; ACOE Pittsburgh District.

The applicant is proposing to remove the existing SR 4016, single lane, 15 ft. width, single span bridge having a total span length of 44 ft., and having a minimum underclearance of 5.0 ft.; and to construct and maintain a single span, two lane, 35.4 ft. width replacement bridge having a total span length of 50 ft, and having a minimum underclearance of 5.25 ft, shifted approximately 10 ft. on center upstream over South Fork Bens Creek (HQ-CWF) with a drainage area of 17.0 square miles. In addition the project includes a de minimis 0.016 acre of EV/PEM wetland fill; onsite stream mitigation; temporary encroachments for construction and demolition; and encroachments associated with modification or replacement of stormwater facilities from the road alignment adjustment and new bridge. The PennDOT improvement and relocation project is in Conemaugh Township, north of Jerome, PA (Hooversville Quadrangle; N: 19.2 inches; W: 14.8 inches; Latitude 40° 13' 51.37"; Longitude -78° 58' 54") in Somerset County.

ENVIRONMENTAL ASSESSMENT

Central Office: Attention: David Fromell, Environmental Program Manager, P. O. Box 69205, Harrisburg, PA 17106.

EA1010-002. Pennsylvania Department of Environmental Protection, Bureau of Abandoned Mine Reclamation, P. O. Box 69205, Harrisburg, PA 17106. Abandoned Mine Land Reclamation Project, in Clay Township, **Butler County**, Pittsburgh ACOE District.

The applicant proposes to backfill an abandoned surface mine, which includes a total of 3,560 linear feet of dangerous highwalls. The project will include the backfilling of 0.46 acre of open water and less than 0.09 acre of wetlands with poor water quality that have developed within the open surface mine pits. (Mount Chestnut Quadrangle 40° 58' 5.07" N, 79° 54' 16.54" W).

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT
FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1—691.101) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Northeast Regional Office: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570.826.2511.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0063827 (Sewage)	West Penn Pines MHP New Ringgold, PA 17960	Schuylkill County West Penn Township	Lizard Creek (2-B)	Y

Northcentral Regional Office: Clean Water Program Manager, 208 W Third Street Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.0530.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0111953 (Sewage)	Highlands Care Center STP Main Street Laporte, PA 18626	Sullivan County Laporte Borough	Unnamed Tributary to Mill Creek (10-B)	Y
PA0111902 (IW)	Dairy Farmers Of American 72 Milk Plant Road Middlebury Center, PA 16935-0102	Tioga County Middlebury Township	Norris Brook (4-A)	Y

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

NPDES Permit No. PAS202211, Stormwater, SIC Code 3399, **Silberline Manufacturing Company, Inc.**, P.O. Box B, Tamaqua, PA 18252.

This existing facility (Silberline Manufacturing Company, Inc.—Hometown) is located in Rush Township, **Schuylkill County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for an existing discharge of stormwater.

NPDES Permit No. PA0065421, Industrial Waste, SIC Code 3241, **Essroc Cement Corporation**, Route 248 & Easton Road, Nazareth, PA 18064.

This existing facility is located in Nazareth Borough, **Northampton County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for an existing discharge of treated industrial waste. This permit renews and combines three existing permits PA0063991, PA0064009 and PA0064017, for contiguous areas that are part of the Essroc Nazareth Operations.

NPDES Permit No. PA0063053, SIC Code 4941, **Tamaqua Area Water Authority**, 320 East Broad Street, Tamaqua, PA 18252.

This existing facility is located in Rush Township, **Schuylkill County**.

Description of Existing Action/Activity: Issuance of an NPDES permit for an existing discharge of treated industrial wastewater.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law

Northcentral Regional Office: Regional Clean Water Program Manager, 208 W Third Street Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.0530.

WQM Permit No. 1489412 A-2, Sewage, SIC Code 4952, **University Area Joint Authority**, 1576 Spring Valley Road, State College, PA 16801-8401.

This existing facility is located in Benner Township, **Centre County**.

Description of Proposed Action/Activity: Upgrades to the existing solids handling and advanced water treatment systems.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

WQM Permit No. WQG01251405, Sewage, **Gay & Harry Diz**, 9820 Old Waterford Road, Erie, PA 16509.

This proposed facility is located in Greene Township, **Erie County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. WQG01611401, Sewage, **Eric S. Hanna**, 214 Maple Shade Road, Cranberry, PA 16319.

This proposed facility is located in Cranberry Township, **Venango County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 1602402, Sewage, Amendment No. 1, **Beaver Township Sewer Authority**, 324 Tippecanoe Road, Knox, PA 16232.

This proposed facility is located in Beaver Township, **Clarion County**.

Description of Proposed Action/Activity: Sewer extension to previously unsewered portion of Beaver Township.

WQM Permit No. WQG01251404, Sewage, **Ronald Brochey**, 9530 Old Waterford Road, Erie, PA 16509.

This proposed facility is located in Greene Township, **Erie County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

IV. NPDES Stormwater Discharges from MS4 Permit Actions

Northeast Regional Office: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone: 570.826.2511.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water / Use</i>
PAI132224	Lackawanna County, 1280 Mid-Valley Drive Jessup, PA 18434	Lackawanna	Scranton City	Keyser Creek, Lackawanna River, Powderly Creek, Unnamed Tributary to Lackawanna River, Lucky Run, Leggetts Creek, Unnamed Tributary to Stafford Lackawanna River, Price Creek, and Wildcat Creek / CWF, MF, HQ-CWF and MF

V. NPDES Waiver Stormwater Discharges from MS4 Actions

<i>Facility Location Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water</i>	<i>Contact Office & Phone No.</i>
Lowhill Township Lehigh County	PAG132288	Lowhill Township Lehigh County 7000 Herber Road New Tripoli, PA 18066	Unnamed Tributary of Lyon Creek and Unnamed Tributary to Haasen Creek—2-C	DEP Northeast Regional Office Clean Water Program 2 Public Square, Wilkes-Barre, PA 18701-1915 570.826.2511

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Nathan Crawford, Section Chief, Telephone 717.705.4802.

<i>Permit #</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI030613003 Issued	Joshua M. Zimmerman 15 Gift Road Hamburg, PA 19526	Berks	Richmond Township	Moselem Creek (HQ-CWF)
PAI033813001(1) Issued	Cornwall Manor 1 Boyd Street PO Box 125 Cornwall, PA 17016	Lebanon	Cornwall Borough	UNT Snitz Creek (TSF, MF) Wetlands (EV)

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Crawford County Conservation District, Woodcock Creek Nature Center, 21742 German Road, Meadville PA 16335

McKean County Conservation District, 17137 Route 6, Smethport PA 16749

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI062013001 Phase 2	Apple Shamrock Dairy Farm LLC 32821 Guys Mills Road Townville PA 16360	Crawford	Steuben Township	Trib to Muddy Creek HQ; CWF
PAI064214001	Mr. Doug Kepler Seneca Resources Corporation 51 Zents Blvd Brookville PA 15825-2701	McKean	Norwich Township	Elk Fork EV

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges From Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges From Small Flow Treatment Facilities
PAG-5	General Permit for Discharges From Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges From Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines

PAG-11	(To Be Announced)
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
PAG-14	(To Be Announced)
PAG-15	General Permit for Discharges From the Application of Pesticides

*General Permit Type—PAG-02**Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915**Facility Location:*

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Bethlehem Township Northampton County	PAG02004813022	HCR Manorcare c/o Richard Snody 7361 Calhoun Place Suite 300 Rockville, MD 20855	UNT to Lehigh River (CWF, MF)	Northampton County Conservation District 610-746-1971
Upper Mount Bethel Township Northampton County	PAG02004810007R	Samuel M. D'Alessandro 112 N. Courtland St. East Stroudsburg, PA 18301	UNT to Delaware River (CWF, MF)	Northampton County Conservation District 610-746-1971

*Northwest Regional Office—Waterways and Wetlands, 230 Chestnut Street, Meadville PA 16335**Facility Location:*

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Zelienople Borough Butler County	PAG02001013018(1)	Northland Ford Inc 540 South Main Street Zelienople PA 16063	Glade Run WWF	Butler County Conservation District 724-284-5270
Jackson Township Butler County	PAG02001012021R	Zelienople Borough 111 West New Castle Street Zelienople PA 16063	Scholars Run & Connoquenessing Creek WWF	Butler County Conservation District 724-284-5270
Jackson Township Butler County	PAG02001014009	Creative Read Estate Development Co. 215 Executive Drive, Suite 300 Cranberry Township PA 16066	Unt Glade Run WWF	Butler County Conservation District 724-284-5270
Fairview Township Erie County	PAG02002514002	J Thomas Tree Service PO Box 9367 Erie PA 16505	Millcreek to Presque Isle Bay WWF	Erie County Conservation District 814-825-6403
Susquehanna Township, Cambria County	PAG2091114003	Bureau of Abandoned Mine Reclamation Cambria Office 286 Industrial Park Road Ebensburg, PA 15931-4119	Walnut Run (CWF)	Attention: Patrick M. Webb PA DEP Cambria Office 286 Industrial Park Road Ebensburg, PA 15931-4119 814-472-1800

*General Permit Type—PAG-03**Facility Location:*

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
College Township Centre County (Industrial Stormwater)	PAR804876	Sheetz Inc. 5700 Sixth Avenue Altoona, PA 16602	Unnamed Tributary to Spring Creek— 9-C	DEP Northcentral Regional Office Clean Water Program 208 W Third Street Suite 101, Williamsport, PA 17701-6448 570.327.0530

NOTICES

3271

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Old Lycoming Township Lycoming County	PAG034808	Baillie Lumber Co. Inc. 212 Colvin Road Williamsport, PA 17701-1065	Beautys Run—10-A	DEP Northcentral Regional Office Clean Water Program 208 W Third Street Suite 101, Williamsport, PA 17701-6448 570.327.0530
Dubois City Clearfield County	PAR804830	UPS Inc. 521 N Center Avenue New Stanton, PA 15672	Beaver Run—17-C	DEP Northcentral Regional Office Clean Water Program 208 W Third Street Suite 101, Williamsport, PA 17701-6448 570.327.0530
Boggs Township Centre County	PAR234815	The Coca-Cola Company 217 AquaPenn Drive Howard, PA 16841	Bald Eagle Creek—9-C	DEP Northcentral Regional Office Clean Water Program 208 W Third Street Suite 101, Williamsport, PA 17701-6448 570.327.0530
Potter Township Centre County (Industrial Stormwater)	PAR604815	H.R. Bierly & Sons Garage 585 N. Pennsylvania Avenue Centre Hall, PA 16828	Unnamed Tributary to Gap Run—9-C	DEP Northcentral Regional Office Clean Water Program 208 W Third Street Suite 101, Williamsport, PA 17701-6448 570.327.0530
<i>General Permit Type—PAG-4</i>				
<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Greene Township Erie County	PAG041156	Gay & Harry Diz 9820 Old Waterford Road, Erie, PA 16509	Unnamed Tributary to LeBoeuf Creek 16-A	DEP NWRO Clean Water Program 230 Chestnut Street Meadville, PA 16335-3481 814/332-6942
Cranberry Township Venango County	PAG041152	Eric S. Hanna 214 Maple Shade Road, Cranberry, PA 16319	Unnamed Tributary to Halls Run 16	DEP NWRO Clean Water Program 230 Chestnut Street Meadville, PA 16335-3481 814/332-6942
Greene Township Erie County	PAG041155	Ronald Brochey 9530 Old Waterford Road, Erie, PA 16509	Unnamed Tributary to the Walnut Creek 15-A	DEP NWRO Clean Water Program 230 Chestnut Street Meadville, PA 16335-3481 814/332-6942

*General Permit Type—PAG-12**Facility Location:*

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Adams County Conewago Township	PAG123742	Hanover Shoe Farms Inc. Hanover Shoe Farms PO Box 339 Hanover, PA 17331-0339	South Branch Conewago Creek / WWF	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707

*General Permit Type—PAG-13**Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401**Facility Location:*

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Amity Township Berks County	PAG133511	Amity Township Berks County 2004 Weavertown Road Douglassville, PA 19518	Manatawny Creek, Monocacy Creek and Schuylkill River—3-D	Regional Clean Water Program, 2 East Main Street, Norristown, PA 19401 484.250.5971
Bern Township Berks County	PAG133531	Bern Township Berks County 1069 Old Bernville Road Reading, PA 19605	Plum Creek, Schuylkill River and Tulpehocken Creek—3-C	Regional Clean Water Program, 2 East Main Street, Norristown, PA 19401 484.250.5971
Lower Alsace Township Berks County	PAG133519	Lower Alsace Township Berks County 1200 Carsonia Avenue Reading, PA 19606-1005	Antietam Creek, Schuylkill River—3C	Regional Clean Water Program, 2 East Main Street, Norristown, PA 19401 484.250.5971
Exeter Township Berks County	PAG133516	Exeter Township Berks County 4975 Demoss Road Reading, PA 19606-9060	Antietam Creek, Heisters Creek, Schuylkill River and Trout Run—3-C	Regional Clean Water Program, 2 East Main Street, Norristown, PA 19401 484.250.5971
Union Township Berks County	PAG133526	Union Township Berks County 1445 E Main Street Douglassville, PA 19518	Schuylkill River, Unnamed Tributary to Hay Creek and Unnamed Tributary to Schuylkill River 3-D	Regional Clean Water Program 2 East Main Street, Norristown, PA 19401 484.250.5971
Muhlenberg Township Berks County	PAG133522	Muhlenberg Township Berks County 5401 Leesport Avenue Temple, PA 19560	Laurel Run, Schuylkill River, Bernhart Creek, Willow Creek 3-C	Regional Clean Water Program, 2 East Main Street, Norristown, PA 19401 484.250.5971
Leesport Borough Berks County	PAG133527	Leesport Borough Berks County PO Box 710 Leesport, PA 19533	Schuylkill River and Unnamed Tributary to Schuylkill River—3-B	Regional Clean Water Program, 2 East Main Street, Norristown, PA 19401 484.250.5971
Robeson Township Berks County	PAG133525	Robeson Township Berks County 8 Boonetown Road Birdsboro, PA 19508	Schuylkill River and Seidel Creek 3-C	Regional Clean Water Program, 2 East Main Street, Norristown, PA 19401 484.250.5971
Laureldale Borough Berks County	PAG133518	Laureldale Borough Berks County 3406 Kutztown Road Laureldale, PA 19605	Unnamed Tributary to Laurel Run, Unnamed Tributary to Bernhart Creek and Unnamed Tributary to Schuylkill River 3-C	Regional Clean Water Program, 2 East Main Street, Norristown, PA 19401 484.250.5971

**STATE CONSERVATION COMMISSION
NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES
PERMITS FOR CAFOs**

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Application or Action</i>
Keister Family Farms, LLC 105 Keister Farm Lane Middleburg, PA 17842	Snyder	126.5	450.91	Poultry- Turkeys Steers	N/A	Approval

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act

Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401

Permit No. 1514502, Public Water Supply.

Applicant	Downingtown Municipal Water Authority 900 Water Plant Way Downingtown, PA 19335
Borough	Downingtown
County	Chester
Type of Facility	PWS
Consulting Engineer	Cardno BCM 920 Germantown Pike Suite 200 Plymouth Meeting, PA 19462
Permit to Construct Issued	May 12, 2014

Permit No. 2314504, Public Water Supply.

Applicant	Aqua Pennsylvania, Inc. 762 West Lancaster Avenue Bryn Mawr, PA 19010
Various	Various
County	Delaware
Type of Facility	PWS
Consulting Engineer	Aqua Pennsylvania, Inc. 762 W. Lancaster Avenue Bryn Mawr, PA 19010

Permit to Construct May 7, 2014
Issued

Operations Permit #2314506 issued to: **Southpoint Homeowners Association**, P.O. Box 205, Lima, PA 19037 [(PWSID)] Chadds Ford Township, **Delaware County**, on May 15, 2014 for the operation of piping and storage tank and certification of 4-log treatment of viruses, facilities approved under construction permit #2312506.

Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915

Permit No. 2450092, Operations Permit Public Water Supply.

Applicant **Fox Glen Gardens, LLC**
1200 Timber Falls Lane, M2
Blakely, Pa 18447

[Borough or Township] Middle Smithfield Township

County **Monroe**

Type of Facility PWS

Consulting Engineer N/A

Permit to Operate 5/9/2014
Issued

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110

Permit No. 3614505, Public Water Supply.

Applicant **Columbia Water Company**

Municipality Columbia Borough

County **Lancaster**

Responsible Official David T. Lewis, General
Manager
220 Locust Street
Columbia, PA 17512

Type of Facility Installation of spray aeration
system in the Lockard Hollow,
Prospect and Manor/Mountville
Storage Tanks for disinfection
byproducts removal.

Consulting Engineer Daniel Cargnel, P.E.
Buchart Horn, Inc.
445 West Philadelphia Street
York, PA 17404

Permit to Construct 5/13/2014
Issued

Operation Permit No. 3612511 MA issued to: **City of Lancaster** (PWS ID No. 7360058), West Lampeter Township, **Lancaster County** on 5/5/2014 for facilities approved under Construction Permit No. 3612511 MA.

Operation Permit No. 3613513 MA issued to: **Ephrata Area Joint Authority** (PWS ID No. 7360045), Ephrata Borough, **Lancaster County** on 5/13/2014 for facilities approved under Construction Permit No. 3613513 MA.

Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Permit No. 6114501 Public Water Supply

Applicant **Andrew Narlee d/b/a Country Estates Mobile Home Park**

Township or Borough Clinton Township

County **Venango**

Type of Facility Public Water Supply

Consulting Engineer Steven R. Halmi, P.E.
Deiss & Halmi Engineering, Inc.
105 Meadville Street
Edinboro, PA 16412

Permit to Construct May 19, 2014
Issued

WATER ALLOCATIONS

Actions taken on applications received under the Act of June 24, 1939 (P. L. 842, No. 365) (35 P. S. §§ 631—641) relating to the acquisition of rights to divert waters of the Commonwealth.

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110

WA 05-814, Water Allocations. **Salemville Water Association (PWS ID No. 4050034), Bedford County.** Recission of rights to withdraw up to a maximum of 33,000 gallons per day (gpd) from four springs located southwest of the village of Salemville in South Woodbury Township, Bedford County. Permittee Contact: Timothy W. Wachter, Secretary/Treasurer, Salemville Water Association, 853 Salemville Road, New Enterprise, PA 16664. Permit Rescission Issued: 3/25/2014.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P. S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in

the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

Kenneth R. Royer Property, 165 South Reading Road, Ephrata Borough, **Lancaster County**. GemChem, Inc., 52 North Cedar Street, PO Box 384, Lititz, PA 17543, on behalf of K & J Realty, 1526 Oak Street, Lebanon, PA 17042, submitted a Remedial Investigation/Final Report concerning remediation of site soils contaminated with leaded and unleaded gasoline from unregulated underground storage tanks. The combined report is intended to document remediation of the site to meet the Site Specific Standard.

Former Lehr's Exxon, Manchester Township, **York County**. Liberty Environmental, Inc., 480 New Holland Avenue, Suite 8203, Lancaster, PA 17602, on behalf of Carole Lehr, c/o Attorney Bob Kane, 474 West Market Street, York, PA 17401, submitted a Final Report concerning site soils contaminated with unleaded and leaded gasoline from historic operations as an automotive service facility and retail sales. The report is intended to document remediation of the site to meet the Site Specific Standard.

Catherine Woynarowski Residence, 1850 Lorraine Road, City of Reading, **Berks County**. Liberty Environmental, Inc., 50 North Fifth Street, 5th Floor, Reading, PA 19601, on behalf of Catherine Woynarowski, 2000 Cambridge Avenue, Apt. # 127, Wyomissing, PA 19610, submitted a combined Remedial Investigation Report/Final Report concerning remediation of site soils contaminated with No. 2 fuel oil released from an underground storage tank. The report is intended to document remediation of the site to meet the Site Specific Standard.

Lancaster Dodge/Former Wolf Motors/Fisher Estate, Manheim Township, **Lancaster County**. Becker Engineering LLC, 115 Millersville Road, Lancaster, PA 17603, on behalf of Donato and Carmela Melchiorre, 1383 Beaconfield Lane, Lancaster, PA 17601; Lancaster Dodge, 1475 Manheim Pike, Lancaster, PA 17601; and the Estate of Romayne Fisher, c/o Spencer Law Firm, 320 Race Avenue, Lancaster, PA 17603, submitted a combined Remedial Investigation/Final Report concerning remediation of site soils and groundwater contaminated with leaded gasoline from an underground storage tank. The combined report is intended to document remediation of the site to meet the Site Specific Standard.

Former Frankford Arsenal Area 1 Soils, 4501 Tacony Street, City of Philadelphia, **Philadelphia County**. Manko, Gold, Katcher & Fox, LLP, 401 City Avenue, Suite 500, Bala Cynwyd, PA 19004 on behalf of Arsenal Associates, LLP, 5301 Tacony Street, Building 1, Philadelphia, PA 19137, submitted a Remedial Investigation Report and a Risk Assessment Report concerning remediation of site soils contaminated with VOCs, SVOCs, PAH, PCBs, Pesticides and Inorganics. The combined report was approved by the Department on May 16, 2014. The site is being remediated to a Site Specific Standard.

Southwest Region: Environmental Cleanup & Brownfield Development Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Former Packaging Specialists, LLC Facility, 1728 Route 30, Findley Township, **Allegheny County**. Civil & Environmental Consultants, Inc., 333 Baldwin Road, Pittsburgh, PA 15205 on behalf of ACF Properties, LP, 499 Nixon Road, Cheswick, PA 15204 has submitted a Final Report concerning remediation of site soil and groundwater contaminated with chlorinated compounds. The final report is intended to document remediation of the site to meet a combination of site specific and statewide health standards. Notice of the final report was published in the *Pittsburgh Tribune Review* on May 6, 2014.

Dorothy Julian Residence, 1000 Quarry Street, Gallitzin Borough, **Cambria County**. Mountain Research, LLC., 825 25th Street, Altoona, PA 16601 on behalf of Dorothy Julian, 1000 Quarry Street, Gallitzin, PA 16641 has submitted a Final Report concerning remediation of site soils contaminated with (1,2,4) & (1,3,5)—Trimethylbenzene and Naphthalene. The final report is intended to document remediation of the site to meet the residential Statewide Health standard. This notice was published in the *Altoona Mirror* on April 3, 2014.

Johnstown Associates, 350 Market Street, Johnstown, PA 15901, **Cambria County**. Johnstown Associates, 3555 Washington Road, McMurray PA 15317 has submitted a Final Report concerning the remediation of site soils contaminated with naphthalene and 1,3,5-trimethylbenzene. The final report is intended to document remediation of the site to meet the residential Statewide Health standard. This notice was published in the *Tribune-Democrat* on April 29, 2014.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of

regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

Campus Grille, 430 Harrisburg Avenue, Lancaster, PA 17603, City of Lancaster, **Lancaster County**. GCI Environmental Services, 1250 East King Street, Lancaster, PA 17602, on behalf of Oak Tree Development Group, LLC, 2450 Marietta Avenue, Lancaster, PA 17601 and William Thomas/Campus Grille, 430 Harrisburg Avenue, Lancaster, PA 17603 submitted a Final Report concerning the remediation of site soils and gasoline contaminated with leaded gasoline. The Final Report demonstrated attainment of the Nonresidential Statewide Health Standard, and was approved by the Department on May 12, 2014.

Wildwood Park / Interstate 81 Diesel Spill, 100 Wildwood Way, Harrisburg, PA 17110, City of Harrisburg and Susquehanna Township, **Dauphin County**. Environmental Products & Services of Vermont, Inc., 5100 Paxton Street, Harrisburg, PA 17111, on behalf of Dauphin County Parks & Recreation, 100 Wildwood Way, Harrisburg, PA 17110 and Tameric Enterprise, LLC, 1468 Pine Road, Carlisle, PA 17015 submitted a combined Remedial Investigation, Risk Assessment, and Final Report concerning remediation of surface water contaminated with diesel fuel released from a tanker trailer accident and fire. The Final Report demonstrated attainment of the Site Specific Standard, and was approved by the Department on May 14, 2014.

MUNICIPAL WASTE GENERAL PERMITS

Permit(s) Issued Under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for a General Permit to Operate Municipal Waste Processing Facilities and the Beneficial Use of Municipal Waste.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit Number WMGM047. Delta Thermo Energy A, LLC., 112 West Union Street, Allentown, PA 18102. General Permit Number WMGM047 authorizes the processing of municipal solid waste and sewage sludge to produce a fuel for electricity generation. The permit was issued by Central Office on May 13, 2014.

Persons interested in reviewing the general permit may contact Scott E. Walters, Chief, Permits Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170, 717-787-7381. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permit(s) issued under the Solid Waste Management Act, the Municipal Waste Planning, Recycling and Waste Reduction Act and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Regional Solid Waste Manager, 400 Waterfront Drive, Southwest Region: Pittsburgh, PA 15222-4745. Telephone 412-442-4000.

Permit ID No. 100277. Tervita, LLC, 111 Conner Road, Belle Vernon, PA 15012. Permit renewal for continued operation of the Sanitary Landfill located in Rostraver Township, **Westmoreland County** was issued in the Regional Office on May 16, 2014.

Override Justification Notice under Section 504 of the Act (35 P. S. § 6018.504):

The Department of Environmental Protection (Department) is issuing a permit action under the Pennsylvania Solid Waste Management Act to Tervita, LLC for renewal of the Sanitary Landfill overriding objections from Rostraver Township which is the host municipality.

Issue: Rostraver Township objected in writing to renewal of Solid Waste Permit No. 100277 and continued operation of the existing landfill due to incidents of malodors reported by township residents and verified by the Department.

Response: The Department acknowledges the basis for Rostraver Township's objection and initiated appropriate enforcements actions. Tervita, LLC has implemented corrective measures relative to those actions and has entered into an Consent Order and Agreement with the Department and adopted an enhanced Nuisance Minimization and Control Plan requiring: more stringent and frequent assessment of site conditions, operational procedures and construction practices to identify and prevent odor emissions, twice per day reconnaissance of areas surrounding the site for the presence of malodors, specific procedures for receiving and responding to odor complaints, and comprehensive measures mandating appropriate responses and corrective actions. Based on the corrective actions and resulting reduction in migrating gas and odor from the site, the Department deems that the facility currently is operating in compliance with the Solid Waste Management Act, the municipal waste regulations and Solid Waste Permit No. 100277.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920

GP3-09-0120: Haines & Kibblehouse, Inc. (300 Skunk Hollow Road, Chalfont, PA) on May 14, 2014, to relocate and operate a portable nonmetallic mineral crushing plant under GP3-09-0120 at the H & K Materials Quarry—Chalfont in Hilltown Township, **Bucks County**.

GP9-09-0049: Haines & Kibblehouse, Inc. (300 Skunk Hollow Road, Chalfont, PA) on May 14, 2014, to relocate and operate a diesel or #2 fuel-fired internal combustion engine under GP9-09-0099 at the H & K Materials Quarry—Chalfont in Hilltown Township, **Bucks County**.

GP1-46-0244: Montgomery Chemicals, LLC (901 Conshohocken Road, Conshohocken, PA 19428) on May 14, 2014, operate one (1) 20.9 MMBtu/hr natural gas-fired boiler in Plymouth Township, **Montgomery County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636

GP5-10-367D: MarkWest Liberty Bluestone, LLC (Off Woodlands Road, Connoquenessing, PA 16027) on May 13, 2014, to operate four (4) natural gas fired compressor engines, Waukesha 7042 GSI (BAQ-GPA/GP-5) in Connoquenessing Township, **Butler County**.

GP5-33-158B: Fairman Corp.—Big Run Compressor Station (Route 36, Big Run, PA 15715) on May 9, 2014, to operate one (1) 366 bhp compressor engine, Ajax DPC 2802 LE, and one (1) 203 bhp compressor engine, Caterpillar G3306TA, and one (1) 0.25 MMBtu/hr dehydrator, and two (2) storage tanks, 5,250 gallons (BAQ-GPA/GP-5) in Gaskill Township, **Jefferson County**.

GP19-43-036B: Hodge Foundry, Inc. (42 Leech Road, Greenville, PA 16125) on May 14, 2014, to operate a Dry Abrasive Blasting Operation (BAQ-GPA/GP-19) in Hempfield Township, **Mercer County**.

Plan Approvals Issued under the Air Pollution Control Act and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920

15-0145: The Vanguard Group, Inc. (800 Vanguard Blvd, Malvern, PA 19355) on May 14, 2014, to install one (1) diesel-fired emergency generator set rated at 1,850 brake horsepower and having an electrical production capacity 1.25 megawatts at their facility in Tredyffrin Township, **Chester County**. The plan approval is for a

non-Title V, State-only facility. The unit will be used to provide back-up electrical power to the office building (located at 800 Vanguard Boulevard) during utility power outages and during electrical infrastructure maintenance and is applying to operate this engine a maximum of 500 hours per year. Potential emissions (in tons/year) shall not exceed the following: 0.46 (NO_x), 0.28 (NMHC), 2.20 (CO), and 0.06 (PM). The unit is subject to the NSPS requirements found in 40 CFR 60, Subpart IIII. The plan approval will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

15-0144: The Vanguard Group, Inc. (1000 Vanguard Blvd, Malvern, PA 19355) on May 14, 2014, to install six (6) diesel-fired emergency generator sets at their facility in Tredyffrin Township, **Chester County**. Three (3) of the units will be rated at 2,560 brake horsepower each and have an electrical production capacity 1.75 megawatts, while the remaining three (3) units will be rated at 2,220 brake horsepower each and have an electrical production capacity 1.50 megawatts. The plan approval is for a non-Title V, State-only facility. The units will be used to provide back-up electrical power to five (5) separate office buildings in this complex during utility power outages and during electrical infrastructure maintenance. Each engine will be limited to a maximum operating time of 500 hours per year. Aggregate potential emissions for all six units (in tons/year) shall not exceed the following: 3.06 (NO_x), 0.08 (NMHC), 2.55 (CO), and 0.08 (PM). The units are subject to the NSPS requirements found in 40 CFR 60, Subpart IIII. The plan approval will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

46-0040B: National Label Co., Inc. (2025 Joshua Road, Lafayette Hill, PA 19444) on May 14, 2014, to route the air emissions from an existing Fisher-Kreke Gravure Press/Laminator Press (Source 101) to the new regenerative thermal oxidizer (Source C03) in Whitemarsh Township, **Montgomery County**. The plan approval is for a non-Title V facility and will consist of a change of duct work from an existing RTO to a new RTO. Post-controlled potential VOC emissions are calculated to be no more than 17.1 tons (including cleanup operations), while projected actual VOC emissions (including clean-up operations) will not exceed 9.2 tons/yr. Overall emissions will decrease as the new RTO has a greater reduction efficiency (98%) compared to the old RTO (90%). The plan approval will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

46-0020K: Superior Tube Co., Inc. (3900 Germantown Pike, Collegeville, PA 19426) on May 16, 2014, to install a lubrication station to lubricate the inside of tubing in Lower Providence Township, **Montgomery County**. Volatile Organic Compound (VOC) emission increase due to this source is 5.80 tons per year. There will be no change in other air pollutant emissions due to this source. This facility is a Title V facility. The Plan approval will contain record keeping and operating restriction designed to keep the facility operating within the allowable emissions and all applicable air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Ray Kempa, New Source Review Chief—Telephone: 570-826-2507

45-00010A: H.G. Smith Wilbert Vault Co., Inc. (2120 North 5th Street, Stroudsburg, PA 18360) on May 14, 2014, to construct and operate four (4) crematory units at their facility located in Stroudsburg Borough, **Monroe County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702.

36-05002E: Armstrong World Industries, Inc. (1067 Dillerville Road, Lancaster, PA 17604) on May 13, 2014, to install a new luxury vinyl tile line at their flooring plant in the City of Lancaster, **Lancaster County**. The LVT line will consist of raw material storage and handling, blanket forming, lamination, sizing, coating and curing, and edge detailing. The materials include process aids, limestone, resin scrap vinyl, plasticizers and protective coatings.

22-03084A: Hoover-Boyer Funeral Home/Millersburg (118 South Market Street, Millersburg, PA 17061) on May 13, 2014, for operation of their existing human crematory in Millersburg Borough, **Dauphin County**.

22-03085A: Hoover-Boyer Funeral Home/Elizabethville (103 West Main Street, Elizabethville, PA 17023) on May 13, 2014, for operation of their existing human crematory in Elizabethville Borough, **Dauphin County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Mark Gorog and Barb Hatch, Environmental Engineer Managers—Telephone: 412-442-4163/5226

11-00529A: Ebensburg Animal Hospital (922 Rowena Drive, Ebensburg, PA 15931) on May 16, 2014, for construction and temporary operation of one (1) Matthews International-Cremation Division IEB-16 natural gas-fired crematory incinerator at the Ebensburg Animal Hospital located in Ebensburg Borough, **Cambria County**.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19428

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920

09-00191: Bucks County Water & Sewer Authority (360 Green Street, Doylestown, PA 18901) on May 14, 2014, for renewal of State Only (Natural Minor) Operating Permit No. 09-00191 in Doylestown Borough, **Bucks County**. The facility's air emissions sources consist of a wastewater treatment plant (WWTP) and an emergency generator set. Odor (hydrogen sulfide) emissions from the WWTP are controlled by an associated packed bed wet scrubber. The emergency generator set provides backup power for the WWTP. Nitrogen oxide (NO_x) emissions from the engine of the emergency generator set are restricted to 100 lbs/hr, 1,000 lbs/day, 2.75 tons/ozone season (i.e., the period from May 1-September 30 of each year), and 6.6 tons/yr, calculated monthly as a 12-month rolling sum.

Since the State Only Operating Permit (SOOP) was renewed in 2008, no physical changes have occurred at the facility. However, since this time, the engine of the emergency generator set has become subject to the re-

quirements of 40 C.F.R. Part 63, Subpart ZZZZ. All applicable requirements of this regulation will be included in the renewal SOOP.

The renewal SOOP will continue to include monitoring, recordkeeping, reporting, and work practice requirements designed to keep the facility operating within all applicable air quality requirements.

09-00084: Grandview Hospital (700 Lawn Ave., Sellersville, PA 18960) on May 14, 2014, for renewal of the State Only Operating Permit in West Rockhill Township, **Bucks County**. The initial permit was initially issued on 1-29-04 and was subsequently renewed on 1-30-2009. The permit is for the operation of three (3) dual fuel-fired (i.e., natural gas and No. 6 fuel oil) boilers, two (2) 650-kW diesel-fired emergency generators, two (2) 750-kW diesel-fired emergency generators, and two (2) hospital ethylene oxide sterilizers. The permit will include monitoring, recordkeeping, reporting, and work practice standards designed to keep the facility operating within all applicable air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Ray Kempa, New Source Review Chief—Telephone: 570-826-2507

54-00059: Magdalene Crematory (P.O. Box 215, Ringtown, PA 17967-0215) on May 16, 2014, to operate a human crematory facility in Ringtown, PA, **Schuylkill County**. The primary sources consist of two (2) crematory incinerators. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP), and volatile organic compounds (VOC) emissions. This is a renewal State-Only Natural Minor operating permit. The State-Only operating permit includes emissions, work practice standards and testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702.

06-05097: Berks Products Corp. (PO Box 9000, Reading, PA 19610-0900) on May 13, 2014, for their stone and quarry operation in Ontelaunee Township, **Berks County**. The State-only permit was renewed.

06-03093: Reading Materials, Inc. (PO Box 79, Skip-pack, PA 19474) on May 12, 2014, for their railcar unloading station in Cumru Township, **Berks County**. The State-only permit was renewed.

44-03010: Trinity Plastics, Inc. (13 Industrial Park Road, Lewistown, PA 17044-9342) on May 13, 2014, for their plastic bag manufacturing facility in Granville Township, **Mifflin County**. The State-only permit was renewed.

36-03007: F.L. Smidth, Inc. (236 S. Cherry Street, Manheim, PA 17545-2006) on May 12, 2014, for their steel equipment reconditioning facility in Manheim Borough, **Lancaster County**. The State-only permit was renewed.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920

09-00027: Fres-Co System USA, Inc. (3005 State Road, Telford, PA 18969) on May 14, 2014, for a Title V Administrative Amendment application in West Rockhill Township, **Bucks County**. The amendment incorporates a new Rotogravure Press and Solvent Distillation System and its conditions from Plan Approval 09-0027G and a Six (6) tons per year VOC emission increase on Press 203 and it's conditions from Plan Approval 09-0027H into the Title V Operating Permit. Administrative Amendment of State Only Operating Permit issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code § 127.450.

09-00186: Kinder Morgan Bulk Terminals, Inc. (1000 South Port Road, Fairless Hills, PA 19030; Attn: Mr. Richard Gonzalez) on May 14, 2014, for a non-Title V facility in Falls Township, **Bucks County**. The State-Only (Synthetic Minor) Operating Permit, No. 09-00186, has been amended to incorporate conditions from Plan Approval No. 09-0186D. This amendment allows for the operation of the coal and coke import/export process (Source ID 104). This operating permit also incorporates Request for Determination (RFD) No. 4133, which allows Kinder Morgan to unload urea from barges/cargo ships into a hopper or a hopper and portable stacker configuration, and then directly into railcars or trucks. In combination with the facility's Source ID 101 (Bulk Material Handling System), Source ID 103 (Self Unloading Vessels), Source ID 105 (Two (2) McCloskey Stacker Conveyors), and Source ID 106 (Five (5) RBT Model 4255 Stacker Conveyors) this operation has a potential-to-emit of 261.9 tons per year (TPY) for total PM, 74.63 TPY for PM-10, 14.83 TPY for PM-2.5, 9.02 TPY for total HAP, 6.42 TPY for NO_x, 1.53 TPY for CO, 1.74 TPY for SO_x, and 2.1 TPY for VOC. The facility has site-wide potentials of 312.97 TPY for total PM, 98.79 TPY for PM-10, 18.49 TPY for PM-2.5, 9.02 TPY for total HAP, 6.42 TPY for NO_x, 1.53 TPY for CO, 1.74 TPY for SO_x, and 2.1 TPY for VOC. PM and HAP emissions are controlled primarily by water suppression, and in some cases covers on conveyors and enclosures around transfer points. All other pollutants are deemed insignificant. The operating permit contains recordkeeping and operating restrictions designed to keep the facility operating within the allowable emissions and all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702.

38-05003: Carmeuse Lime, Inc. (3 Clear Spring Road, Annville, PA 17003-0160) on May 12, 2014, for their lime manufacturing facility in North Londonderry Township, **Lebanon County**. The Title V permit underwent a minor modification to clarify that being classified as a commodity is one of the criteria for acceptability for glycerin combusted in the kilns.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law; the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.20a). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to applications will also address the application permitting requirements of the following statutes: the Air Quality Pollution Act (35 P.S. §§ 4001—4014); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1002).

Coal Permits Issued

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

Permit No. 54851305R5. S & J Coal Mine, (15 Motter Drive, Pine Grove, PA 17963), renewal of an existing anthracite underground mine operation in Cass Township, **Schuylkill County** affecting 1.08 acres, receiving stream: West Branch Schuylkill River. Application received: March 29, 2011. Renewal issued: May 13, 2014.

Permit No. 54851305GP104. S & J Coal Mine, (15 Motter Drive, Pine Grove, PA 17963), General NPDES Stormwater Permit for stormwater discharges associated with mining activities on Underground Mining Permit No. 54851305 in Cass Township, **Schuylkill County**, receiving stream: West Branch Schuylkill River. Application received: June 20, 2012. Permit issued: May 13, 2014.

Permit No. 54851305C4. S & J Coal Mine, (15 Motter Drive, Pine Grove, PA 17963), correction to an existing anthracite underground to add a vein, a stream variance and a name change from D & F Deep Mine Coal Co. in Cass Township, **Schuylkill County** affecting 1.08 acres, receiving stream: West Branch Schuylkill River. Application received: February 21, 2014. Correction issued: May 13, 2014.

Noncoal Permits Issued

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

16130802. Ron Corcetti (240 Corcetti Lane, Knox, PA 16232) Commencement, operation and restoration of a small industrial minerals mine in Beaver Township, **Clarion County**, affecting 5.0 acres. Receiving streams: Canoe Creek. Application received: May 7, 2013. Permit Issued: May 14, 2014.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Issued

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, 724-925-5500

03144002. Precision Geophysical, Inc. (2695 State Route 83 South, Millersburg, OH 44654). Blasting activity permit to conduct seismic activity for the Apex 2D located in Sugarcreek, West Franklin and East Franklin Townships, **Armstrong County** with an exploration date of December 31, 2014. Blasting permit issued: May 16, 2014.

Geokinetics. (P.O. Box 487, Washington, PA 15301). Blasting activity permit to conduct seismic activity for the Finley 3D located in Donegal, West Finley and East Finley Townships, **Washington County** with an exploration date of April 30, 2015. Blasting permit issued: May 16, 2014.

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

10144002. Allegheny Excavating, Inc. (120 McElroy Road, Cranberry Twp., PA 16066) Blasting activity permit for stormwater structures installation in Cranberry Township, **Butler County**. This blasting activity permit expires July 1, 2014. Permit Issued: May 13, 2014.

04144002. Graham and Sons, Inc. (109 Burke Street, Ellwood City, PA 16117) Blasting activity permit for construction blasting at Pittsburgh International Race Complex in the City of Beaver Falls, **Beaver County**. This blasting activity permit expires July 1, 2014. Permit Issued: May 13, 2014.

24144005. Discovery Acquisitions Services, Inc. (4141 Katy Hockley Road, Katy, TX 77493) Blasting activity permit for seismic exploration in Jones Township and the City of St. Marys, **Elk County**. This blasting activity permit expires December 31, 2014. Permit Issued: May 13, 2014.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200

08144102. John H. Brainard (3978 SR 2073, Kingsley, PA 18826-7039). Blasting for Hawbaker Pad located in Smithfield Township, **Bradford County** with an expiration date of December 31, 2014. Permit issued May 14, 2014.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

Permit No. 35144104. Explosive Services, Inc., (7 Pine Street, Bethany, PA 18431), construction blasting for PPL Substation in Covington Township, **Lackawanna County** with an expiration date of May 9, 2015. Permit issued: May 14, 2014.

Permit No. 36144118. Maine Drilling & Blasting, Inc., (P.O. Box 1140, Gardiner, ME 04345), construction blasting for Woodcrest Retirement Home in East Lampeter Township, **Lancaster County** with an expiration date of May 6, 2015. Permit issued: May 14, 2014.

Permit No. 36144119. Keystone Blasting Service, (15 Hopeland Road, Lititz, PA 17543), construction blasting for a single dwelling at 2381 Stumpton Road in East Lampeter Township, **Lancaster County** with an expiration date of August 30, 2014. Permit issued: May 14, 2014.

Permit No. 36144120. Keystone Blasting Service, (15 Hopeland Road, Lititz, PA 17543), construction blasting for Spooky Nook Sport Complex in East Hempfield Township, **Lancaster County** with an expiration date of December 31, 2014. Permit issued: May 14, 2014.

Permit No. 48144103. Schlouch, Inc., (P.O. Box 69, Blandon, PA 19510), construction blasting for Madison Farms in Bethlehem Township, **Northampton County** with an expiration date of May 8, 2015. Permit issued: May 14, 2014.

Permit No. 48144104. Brubacher Excavating, Inc., (P.O. Box 528, Bowmansville, PA 17507), construction blasting for Majestic Bethlehem Center in the City of Bethlehem and Lower Saucon Township, **Northampton County** with an expiration date of May 7, 2015. Permit issued: May 14, 2014.

Permit No. 52144103. Maine Drilling & Blasting, Inc., (P.O. Box 1140, Gardiner, ME 04345), construction blasting for I-84 improvements in Milford Township, **Pike County** with an expiration date of May 6, 2015. Permit issued: May 14, 2014.

Permit No. 67144105. John W. Gleim, Jr., Inc., (625 Hamilton Street, Carlisle, PA 17013), construction blasting for Quality Greenhouse pond in Franklin Township, **York County** with an expiration date of December 15, 2014. Permit issued: May 14, 2014.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	
Alkalinity greater than acidity*			

* The parameter is applicable at all times.

In addition, the Department imposes a technology-based aluminum limit of 2.0 mg/l (30 day average) to protect stream uses.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The BAT limits for noncoal mining activities as provided in 40 CFR Part 436 and 25 Pa. Code Chapters 77 are as follows:

<i>Parameter</i>	<i>30-day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	35 mg/l	70 mg/l	90 mg/l
Alkalinity exceeding acidity*			
pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91–96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 362-0600-001, NPDES Program Implementation-Memorandum of Understanding (MOU) Concerning Water Quality Management, NPDES Program Implementation, and Related Matters. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Depart-

ment at the address of the district mining office indicated before each draft permit within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30 days of this public notice and contain the name, address, telephone number and the interest of the party filing the request, and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the con-

struction and operation described will comply with sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Permits, Environmental Assessments and 401 Water Quality Certifications Issued:

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ed Muzic, Section Chief, 717.705.4802.

E21-437: North Middleton Township, 2051 Spring Road, Carlisle, PA 17013 in North Middleton Township, **Cumberland County**, U.S. Army Corps of Engineers Baltimore District

To 1) Remove the existing structure and install and maintain a 54.0 foot long, 24.0 foot wide bottomless concrete arch culvert over Alexander Spring Creek (CWF) (Latitude 40° 12' 31.8"; Longitude -77° 14' 47.35") located along Meadowbrook Road (T-706) for the purpose of increased roadway safety. The proposed culvert will permanently impact 0.03 acre of PEM wetland and temporarily impact an additional 0.01 acre of PEM wetland. At an offsite location, 0.03 acre of wetland mitigation will be provided; and 2) Remove the existing structures and install and maintain a 41.1 foot long, 14.0 foot wide bottomless concrete arch culvert over Alexander Spring Creek (CWF) located along Dyarman Road (Latitude: 40° 12' 33.4"; Longitude: -77° 14' 42.4") for the purpose of increased roadway safety. No wetlands will be affected by this activity. The permit was issued effective May 1, 2014.

E38-191: Northern Lebanon County Authority, PO Box 434, Jonestown, PA 17038 in Union Township, **Lebanon County**, U.S. Army Corps of Engineers, Baltimore District

To construct and maintain an expansion to an existing wastewater treatment plant, including (1) constructing a structure containing more tanks and rooms associated with wastewater treatment; (2) constructing a structure containing influent, dry and wet wells; and (3) expanding drive areas, which disturbs approximately 3.13 acres within the floodplain of the Swatara Creek (WWF/MF) in Union Township, Lebanon County (Latitude 40° 24' 41", Longitude -76° 29' 17"). The permit was issued effective May 12, 2014.

E28-378: Food Lion, LLC, PO Box 790, Greencastle, PA 17225 in Antrim Township, **Franklin County**, U.S. Army Corps of Engineers Baltimore District

To remove an existing abandoned wooden stream crossing and to construct and maintain a 44.0-foot long by 19.08-foot wide by 4.17-foot high bottomless aluminum arch culvert with a 36.0-inch HDPE overflow pipe in an unnamed tributary to Conococheague Creek (WWF), and to install and maintain a 4-inch electric utility line across an unnamed tributary to Conococheague Creek (WWF) for the purpose of providing access to an existing distribution warehouse. The project is located along Armada Drive within Antrim Commons Business Park in Antrim Township, Franklin County (Greencastle, PA Quadrangle, Latitude: 39° 45' 53"; Longitude: -77° 44' 07") in Antrim Township, Franklin County. No wetlands will be impacted. The permit was issued effective May 14, 2014.

Northwest Region: Oil and Gas Management Program Manager, 230 Chestnut Street, Meadville, PA 16335

E43-08-006, Halcon Field Service LLC, 1000 Louisiana Street, Suite 6700, Houston, TX 77002-6003, Reges to Pilgram 1H Natural Gas Pipeline in Otter Creek and Delaware Townships, **Mercer County**, ACOE Pittsburgh District (Greenville East and Fredonia, PA Quadrangle, N: 41° 23' 13.55"; W: 80° 18' 36").

The applicant proposes to construct and maintain approximately 14,600 linear feet of 16 inch diameter, steel natural gas pipeline in Otter Creek and Delaware Townships, Mercer County, PA. The proposed pipeline will connect Halcon Operating Company, Inc's proposed Reges well pads to their proposed Pilgrim 1H well pad.

The water obstructions and encroachments for the purposes of installing the pipeline are described below:

01 One (1) 16 inch diameter, steel natural gas gathering line with associated right-of-way and a temporary road to cross a UNT to Otter Creek (TSF), having 45 linear feet of temporary stream impact. 41.381175° N; -80.286441° W

02 One (1) 16 inch diameter, steel natural gas gathering line with associated right-of-way and a temporary road to cross a UNT to Otter Creek (TSF), having 40 linear feet of temporary stream impact. 41.378887° N; -80.283665° W

03 One (1) 16 inch diameter, steel natural gas gathering line with associated right-of-way and a temporary road to cross a UNT to Otter Creek (TSF), having 60 linear feet of temporary stream impact. 41.378145° N; -80.283616° W

04 One (1) 16 inch diameter, steel natural gas gathering line with associated right-of-way and a temporary

road to cross a UNT to Otter Creek (TSF), having 60 linear feet of temporary stream impact. 41.376655° N; -80.283535° W

05 One (1) 16 inch diameter, steel natural gas gathering line with associated right-of-way and a temporary road to cross a palustrine Emergent (PEM) wetland, having .05 acre of temporary impact. 41.379715° N; -80.283651° W

06 One (1) 16 inch diameter, steel natural gas gathering line to be bored under a palustrine forested/palustrine shrub, scrub (PFO/PSS) wetland, having a crossing length of 750 linear feet. 41.38307° N; -80.295581° W

07 One (1) 16 inch diameter, steel natural gas gathering line to be bored under Otter Creek (TSF), having a crossing length of 20 linear feet. 41.369665° N; -80.280203° W

08 One (1) 16 inch diameter, steel natural gas gathering line to be bored under a palustrine forested/palustrine emergent (PFO/PEM) wetland, having a crossing length of 86 linear feet. 41.369203° N; -80.279959° W

ENVIRONMENTAL ASSESSMENTS

Southcentral Region: Watershed Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Ed Muzic, Section Chief, 717.705.4802.

EA36-031: Borough of Manheim, 15 East High Street, Manheim, PA 17545 in Manheim Borough, **Lancaster County**, U.S. Army Corps of Engineers Baltimore District

To construct and maintain a stream restoration project along 1,042 feet of Rife Run (WWF, MF) including: 1.) the creation of 458.0 feet of new stream channel; 2.) the removal of 9,500 cubic yards of legacy sediment from the floodway of Rife Run (WWF, MF); 3.) the installation of five log sills; 4.) the construction of 477.0 feet of toe wood structures; 5.) the construction of a 93.0-foot long, 6.0-foot wide pedestrian boardwalk in the floodway of Rife Run (WWF, MF), having an underclearance of 3.12 feet; and 6.) the removal of 35.0 feet of a 12.0 inch CMP pipe from the floodway of Rife Run (WWF, MF) all for the purpose of improving water quality in Rife Run. The project is located near the intersection of Rettew Lane and East High Street (Manheim, PA Quadrangle, Latitude 40°09'25.1"N, Longitude: 76°24'16.2"W) in Manheim Bor-

ough, Lancaster County. No wetlands will be impacted by this project. The Environmental Assessment was approved on May 13, 2014.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Northwest Region: Oil and Gas Program Manager, 230 Chestnut St., Meadville, PA 16335

ESCGP-1 #ESX14-073-0005—Mahoning Hoffmaster Well Site

Applicant Hilcorp Energy Company

Contact Stephanie McMurray

Address 1201 Louisiana St. Suite 1400

City Houston State TX Zip Code 77002

County Lawrence Township(s) Mahoning(s)

Receiving Stream(s) and Classification(s) UNT to Mahoning River WWF

STORAGE TANKS

SITE-SPECIFIC INSTALLATION PERMITS

The following Storage Tank Site-Specific Installation Permits, under the authority of the Storage Tank Spill Prevention Act (35 P. S. §§ 6021.304, 6021.504, 6021.1101—6021.1102) and under 25 Pa Code Chapter 245, Subchapter C, have been issued by the Bureau of Environmental Cleanup and Brownfields, Director, PO Box 8763, Harrisburg, PA 17105-8763.

SSIP Permit No.	Applicant Name & Address	County	Municipality	Tank Type	Tank Capacity
14-51-021	Eco-Energy Distribution-Philadelphia, LLC 725 Cool Springs Boulevard, Suite 500 Franklin, TN 37067-2710 Attn: Chadwick Conn	Philadelphia	City of Philadelphia	2 ASTs storing ethanol	7,200,000 gallons total

[Pa.B. Doc. No. 14-1172. Filed for public inspection May 30, 2014, 9:00 a.m.]

Clean Air Interstate Rule; Final 2018 New Unit Annual and Ozone Season CAIR Nitrogen Oxides Allowance Allocations

In accordance with 25 Pa. Code §§ 145.211(d)(3) and 145.221(d)(3) (relating to timing requirements for CAIR NO_x allowance allocations; and timing requirements for CAIR NO_x Ozone Season allowance allocations), the Department of Environmental Protection (Department) is providing notice of finalization of the 2018 annual and ozone season Clean Air Interstate Rule (CAIR) allowance allocations for new units. Notice of the proposed allocations of 2018 allowances to new units was published at 44 Pa.B. 1833 (March 22, 2014). No comments were received and no changes to the final new unit allocations were made.

The Commonwealth's 2018 nitrogen oxides (NO_x) budget for the annual CAIR program contains 82,541 NO_x

allowances and the Commonwealth's total 2018 NO_x budget for the ozone season CAIR program contains 35,143 NO_x allowances. New unit CAIR NO_x allocations for the annual and ozone season programs are made in accordance with 25 Pa. Code §§ 145.212(e) and 145.222(e) (relating to CAIR NO_x allowance allocations; and CAIR NO_x Ozone Season allowance allocations). CAIR NO_x allowances and CAIR NO_x Ozone Season allowances are issued in amounts equal to each new unit's 2013 annual and ozone season emissions prior to making regular allocations to other units.

For each new unit receiving a CAIR NO_x allocation, Table 1 lists the following information: Facility name, County, ORIS Code, Unit ID, 2013 Annual NO_x Emission, 2013 Ozone Season NO_x Emission, Operation Date, 2018 Annual New Unit Allowance Allocation and 2018 New Unit Ozone Season Allowance Allocation.

Table 1: Final 2018 CAIR New Unit Allocations

Facility Name	County	ORIS Code	Unit ID	2013 Annual NO _x Emissions (tons)	2013 Ozone Season NO _x Emissions (tons)	Operation Date (EPA Data)	2018 CAIR New Unit Annual NO _x Allowance Allocation	2018 CAIR New Unit Ozone Season NO _x Allowance Allocation
Hunlock Creek Energy Center	Luzerne	3176	CT5	13.1	5.2	6/2/2011	13	5
Hunlock Creek Energy Center	Luzerne	3176	CT6	12.6	5.1	5/27/2011	12	5
York Energy Center	York	55524	1	18.7	8.6	3/2/2011	18	8
York Energy Center	York	55524	2	18.4	8.5	3/2/2011	18	8
York Energy Center	York	55524	3	18.5	8.4	3/2/2011	18	8
Total							79	34

Owners and operators of units should be aware that CAIR NO_x allowances and CAIR NO_x Ozone Season allowances do not constitute property rights and that actions at the Federal or State level, including Federal court proceedings in the legal challenges to the Cross-State Air Pollution Rule, could affect these allocations.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717)

787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Questions concerning this notice should be directed to Randy Bordner at (717) 772-3921. TDD users may contact the Pennsylvania AT&T Relay Service at (800) 654-5984 to discuss how the Department can best accommodate their needs.

E. CHRISTOPHER ABRUZZO,
Secretary

[Pa.B. Doc. No. 14-1173. Filed for public inspection May 30, 2014, 9:00 a.m.]

Draft Pennsylvania Energy Development Plan; Public Comment

The Pennsylvania Energy Development Authority (Authority) makes available for public review and comments the Proposed Pennsylvania Energy Development Plan. The Authority finances clean, alternative energy projects in this Commonwealth. The Pennsylvania Energy Development Plan sets forth the Authority's policy goals, general operating principles and investment priorities.

The Authority enabling act requires the Authority Board of Directors (Board) to prepare and publish a plan for the allocation and distribution of financial and technical assistance—the Energy Development Plan (Plan). See section 2809-C of The Administrative Code of 1929 (71 P. S. § 720.9). The original Plan was published in 1984. In general, the Plan is an articulation of the Authority's policy goals and objectives. The Plan is to be updated every 3 years in accordance with Board procedures.

The Pennsylvania Energy Development Plan will be available for public comment for 60 days from the date of this notice. Interested parties may obtain an electronic copy of the Plan through the Department of Environmental Protection's (Department) web site at www.dep.state.pa.us (DEP keyword "PEDA"). To obtain a paper copy of the Plan, contact David Althoff at (717) 783-8411 or dalthoff@pa.gov. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Written comments should be submitted to Hayley L. Book, PEDA Executive Director, Department of Environmental Protection, 2nd Floor, Rachel Carson State Office Building, P. O. Box 8772, Harrisburg, PA 17101-8772, EP-PEDA@pa.gov. Facsimiles will not be accepted. Written comments must be received by Wednesday, July 30, 2014.

E. CHRISTOPHER ABRUZZO,
Secretary

[Pa.B. Doc. No. 14-1174. Filed for public inspection May 30, 2014, 9:00 a.m.]

DEPARTMENT OF GENERAL SERVICES

Lease Retail Space to the Commonwealth Philadelphia County

Proposals are invited to provide the Department of General Services with 4,000 to 5,000 usable square feet of retail space at the intersection of Aramingo Avenue, Butler Street and Wheatsheaf Lane for the Liquor Control Board in Philadelphia, Philadelphia County. For more information on SFP No. 94605, which is due on July 11, 2014, visit www.dgs.state.pa.us or contact the Bureau of Real Estate at (717) 787-4394.

SHERI PHILLIPS,
Secretary

[Pa.B. Doc. No. 14-1175. Filed for public inspection May 30, 2014, 9:00 a.m.]

DEPARTMENT OF HEALTH

Long-Term Care Nursing Facilities; Request for Exception

The following long-term care nursing facilities are seeking exceptions to 28 Pa. Code § 211.9(g) (relating to pharmacy services):

Golden Living Center—Summit
50 North Pennsylvania Avenue
Wilkes-Barre, PA 18701
FAC ID # 971402

Lutheran Community at Telford
12 Lutheran Home Drive
Telford, PA 18969
FAC ID # 124502

Riverside Rehabilitation & Nursing Center
500 West Hospital Street
Taylor, PA 18517
FAC ID # 201302

Slate Belt Nursing and Rehabilitation Center
701 Slate Belt Boulevard
Bangor, PA 18013
FAC ID # 193102

White Cliff Health and Rehabilitation Center
110 Fredonia Road
Greenville, PA 16125
FAC ID # 070402

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the address or phone number listed previously, or for speech and/or hearing impaired persons V/TT (717) 783-6514, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 14-1176. Filed for public inspection May 30, 2014, 9:00 a.m.]

DEPARTMENT OF LABOR AND INDUSTRY

Determination of the Average Wholesale Price of Prescription Drugs by the Department

Under 34 Pa. Code § 127.131(b) (relating to payments for prescription drugs and pharmaceuticals—generally)

the Department of Labor and Industry, Bureau of Workers' Compensation, gives notice that it utilizes the *Red Book*, published by Truven Health Analytics, to determine the average wholesale price of prescription drugs.

JULIA K. HEARTHWAY,
Secretary

[Pa.B. Doc. No. 14-1177. Filed for public inspection May 30, 2014, 9:00 a.m.]

Range of Fees and Average Fee Charged by Utilization Review Organizations and Peer Review Organizations for Services Performed under the Workers' Compensation Act

Under 34 Pa. Code § 127.667(b) (relating to compensation policy) the Department of Labor and Industry (Department), Bureau of Workers' Compensation (Bureau), gives notice of the range of fees charged by Utilization Review Organizations (URO) and Peer Review Organizations (PRO) for services performed under the Workers' Compensation Act (77 P. S. §§ 1—1041.4 and 2501—2625) during 2013. The Department further provides notice of the average fee charged by each URO and PRO during 2013.

JULIA K. HEARTHWAY,
Secretary

2013 URO Minimum—Maximum Fee

<i>URO</i>	<i>Minimum Fee</i>	<i>Maximum Fee</i>
Alico Services LTD	329.22	3647.56
American Review Systems Inc.	240	6864.35
CAB Medical Consultants	350	5003.04
Caduceus Lex Medical Auditing	188.35	3493.18
CEC Inc.	139.40	4221.85
Chiro Med Review Co.	207.47	3286.23
Denovo Management	75	3462
DLB Services	161.79	3500.22
Hajduk & Assoc. URO/PRO Ser.	150.23	3944.48
Industrial Rehabilitation Assoc.	325	4576.99
KVS Consulting Services	273.58	5217.49
Laurel Reviews	46.03	3899.33
Margroff Review Services	208.47	3557.78
McBride & McBride Associates	350	3359.77
Quality Assurance Reviews Inc.	528	5704.84
Rehabilitation Planning Inc.	541.65	9133.16
T & G Reviews	450	4879.56
Uniontown MRPC	159.05	3268
Watson Review Services	226.87	4227.53
West Penn IME Inc.	384.92	4696.72
Total Averages (yr. 2013)	266.75	4497.20

34 Pa. Code § 127.667(b): The Bureau will publish in the *Pennsylvania Bulletin*, on an annual basis, the range of fees charged by each URO and PRO for services performed under the act and this chapter during the preceding year.

***The fee is calculated as amount charged per Utilization Review Request Assignment which potentially has from one to five determinations associated with the Request.

[Pa.B. Doc. No. 14-1178. Filed for public inspection May 30, 2014, 9:00 a.m.]

DEPARTMENT OF PUBLIC WELFARE

Pharmacy Prior Authorization

The Department of Public Welfare (Department) announces it will add Immune Globulins to the Medical Assistance (MA) Program's list of services and items requiring prior authorization.

Section 443.6(b)(7) of the Public Welfare Code (62 P. S. § 443.6(b)(7)) authorizes the Department to add items and services to the list of services requiring prior

authorization by publication of notice in the *Pennsylvania Bulletin*.

The prior authorization requirements apply to prescriptions for Immune Globulins dispensed on or after June 2, 2014.

The Department will issue an MA Bulletin to providers enrolled in the MA Program specifying the procedures for obtaining prior authorization of prescriptions for Immune Globulins.

Fiscal Impact

Currently there is no utilization for Immune Globulins in the Fee for Service Program; therefore, it is anticipated that the prior authorization requirement will have no fiscal impact.

Public Comment

Interested persons are invited to submit written comments regarding this notice to the Department of Public Welfare, Office of Medical Assistance Programs, c/o Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. Comments received within 30 days will be reviewed and considered for any subsequent revisions to these prior authorization requirements.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

BEVERLY D. MACKERETH,
Secretary

Fiscal Note: 14-NOT-875. No fiscal impact; (8) recommends adoption.

[Pa.B. Doc. No. 14-1179. Filed for public inspection May 30, 2014, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Public-Private Partnerships Board Meeting

The Public-Private Partnerships Board will hold a meeting on June 10, 2014, from 11 a.m. to 1 p.m. in the Public Utility Commission Hearing Room 1, Commonwealth Keystone Building, Harrisburg, PA. For more information contact Kathryn Tartaglia at (717) 214-7222 or katartagli@pa.gov.

BARRY J. SCHOCH, PE,
Secretary

[Pa.B. Doc. No. 14-1180. Filed for public inspection May 30, 2014, 9:00 a.m.]

GAME COMMISSION

Cervid Parts Importation Ban No. 6

Order

Whereas, Chronic Wasting Disease (CWD) is an infectious and progressive neurological disease that is found in, and always proves fatal to, members of the Family Cervidae (deer, elk or moose, collectively called cervids); and

Whereas, The specific cause of CWD is believed to be prions (abnormal infectious protein particles) that are known to be concentrated in the nervous system and lymphoid tissues of infected cervids; and

Whereas, There are no known treatments for CWD infection, no vaccines to protect against CWD infection, and no approved tests that can detect the presence of CWD in live cervids; and

Whereas, CWD has been designated a “dangerous transmissible disease” of animals by order of the Secretary of Agriculture under the provisions of the Domestic Animal Law (3 Pa.C.S. §§ 2301 et seq.), at 3 Pa.C.S. § 2321(d); and

Whereas, CWD is known to be transmissible from infected to uninfected cervids by contact with or ingestion of CWD-infected or contaminated cervid parts or materials; and

Whereas, CWD is of particular concern to the Commonwealth of Pennsylvania because, it has the potential to have a severe, detrimental impact on both Pennsylvania’s wild and captive cervid populations; and

Whereas, the Pennsylvania Game Commission (PGC) has determined that importation of potentially infectious parts or materials from cervids harvested in CWD-endemic States or Canadian Provinces into the Commonwealth of Pennsylvania poses an unacceptable risk of continued introduction of CWD into the state; and

Whereas, The Game and Wildlife Code (Code) (34 Pa.C.S. §§ 101 et seq.) and regulations promulgated thereunder (58 Pa. Code §§ 131.1 et seq.) collectively provide broad authority to the PGC to regulate activities relating to the protection, preservation, and management of game and wildlife, including cervids; and

Whereas, 58 Pa. Code § 137.34 provides specific emergency authority to the Executive Director of the PGC to ban the importation of certain cervid parts from other states or nations to prevent the introduction or spread of CWD into the Commonwealth of Pennsylvania.

Now Therefore, I, R. Matthew Hough, Executive Director of the Pennsylvania Game Commission, pursuant to the authority vested in me by the Code and regulations promulgated thereunder, do hereby order and direct the following:

1. The previous executive order concerning cervid parts importation restrictions issued on October 16, 2012 is hereby rescinded in its entirety and replaced by this Order.

2. The importation of any high-risk parts or materials from cervids harvested in any CWD-endemic States or Canadian Provinces into the Commonwealth of Pennsylvania is hereby strictly prohibited.

3. For the purposes of this Order, CWD-endemic States or Canadian Provinces shall be defined as any States or Canadian Provinces where CWD has been detected in wild or captive cervid populations. At present, this includes the following specific States and Canadian Provinces: Alberta, Colorado, Illinois, Iowa, Kansas, Maryland (only designated CWD Management Area), Michigan, Minnesota, Missouri, Montana, Nebraska, New Mexico, New York (only Madison and Oneida counties), North Dakota, Oklahoma, Saskatchewan, South Dakota, Texas, Utah, Virginia (only CWD Designated Containment Area), West Virginia (only CWD Designated Containment Area), Wisconsin, and Wyoming.

4. For the purposes of this Order, the term cervid shall include any member of the family Cervidae (deer), specifically including the following species: black-tailed deer, caribou, elk, fallow deer, moose, mule deer, red deer, sika deer, white-tailed deer, and any hybrids thereof.

5. For the purposes of this Order, high-risk parts or materials shall be defined as any parts or materials, derived from cervids, which are known to accumulate abnormal prions. This includes any of the following:

- a. Head (including brain, tonsils, eyes, and lymph nodes);
- b. Spinal Cord / Backbone (vertebra);
- c. Spleen;

d. Skull plate with attached antlers, if visible brain or spinal cord material is present;

e. Cape, if visible brain or spinal cord material is present;

f. Upper canine teeth, if root structure or other soft material is present;

g. Any object or article containing visible brain or spinal cord material;

h. Brain-tanned hide.

6. This Order shall not be construed to limit the importation of the following cervid parts or materials into the Commonwealth of Pennsylvania:

a. Meat, without the backbone;

b. Skull plate with attached antlers, if no visible brain or spinal cord material is present;

c. Tanned hide or rawhide with no visible brain or spinal cord material present;

d. Cape, if no visible brain or spinal cord material is present;

e. Upper canine teeth, if no root structure or other soft material is present; and

f. Taxidermy mounts, if no visible brain or spinal cord material is present.

7. This Order shall not be construed in any manner to limit the PGC's authority to establish additional importation or testing requirements on imported cervid parts or materials.

8. This Order is effective immediately and shall remain in effect until rescinded or modified by subsequent order.

Given under my hand and seal of the Pennsylvania Game Commission on this 12th day of May 2014.

R. MATTHEW HOUGH,
Executive Director

[Pa.B. Doc. No. 14-1181. Filed for public inspection May 30, 2014, 9:00 a.m.]

Chronic Wasting Disease Response No. 3

Order

Whereas, Chronic Wasting Disease (CWD) is an infectious and progressive neurological disease that is found in, and always proves fatal to, members of the family Cervidae (deer, elk or moose, and other susceptible species, collectively called cervids); and

Whereas, The specific cause of CWD is believed to be proteins (abnormal infectious protein particles) that are known to be concentrated in the nervous system and lymphoid tissues of infected cervids; and

Whereas, There are no known treatments for CWD infection, no vaccines to protect against CWD infection, and no approved tests that can detect the presence of CWD in live cervids; and

Whereas, CWD has been designated a "dangerous transmissible disease" of animals by order of the Secretary of Agriculture under the provisions of the Domestic Animal Law (3 Pa.C.S. §§ 2301 et seq.) at 3 Pa.C.S. § 2321(d); and

Whereas, CWD is known to be transmissible from infected to uninfected cervids by contact with or ingestion of CWD-infected or contaminated cervid parts or materials; and

Whereas, CWD is of particular concern to the Commonwealth of Pennsylvania because it has the potential to have a detrimental impact on both Pennsylvania's wild and captive cervid populations; and

Whereas, The Pennsylvania Department of Agriculture (PDA) and the Pennsylvania Game Commission (PGC) have detected CWD in captive deer in Adams, Jefferson and York counties; and

Whereas, PDA and PGC have also detected CWD in free-ranging deer in Bedford and Blair counties; and

Whereas, The Maryland Department of Natural Resources has detected CWD in free-ranging deer in Allegany County within 10 miles of the Pennsylvania border; and

Whereas, PDA and the PGC are signatories on the Commonwealth's CWD Response Plan; and

Whereas, The Game and Wildlife Code (Code) (34 Pa.C.S. §§ 101 et seq.) and regulations promulgated thereunder (58 Pa. Code §§ 131.1 et seq.) collectively provide broad authority to the PGC to regulate activities relating to the protection, preservation, and management of game and wildlife, including cervids; and

Whereas, 58 Pa. Code § 137.34 provides specific emergency authority to the Executive Director of the PGC to take actions to mitigate risk factors and to determine the prevalence and geographic distribution of CWD.

Now Therefore, I, R. Matthew Hough, Executive Director of the Pennsylvania Game Commission, pursuant to the authority vested in me by the Code and regulations promulgated thereunder, do hereby order and direct the following:

1. Disease Management Areas (DMAs) are designated as set forth below. These DMAs are more graphically illustrated on the maps titled "DMA 1," "DMA 2" and "DMA 3" attached hereto and incorporated by reference herein. Should any conflict exist between the below-listed written boundaries and maps of DMA 1, DMA 2 and DMA 3, the written descriptions shall prevail.

a. *DMA 1*: Adams and York Counties, Pennsylvania, bounded and described as follows: Starting at the intersection of I-76 and the west bank of the Susquehanna River heading south along the River (21.8 miles) to US Highway 30. Westbound on US Highway 30 (18.3 miles) to Highway 116. Highway 116 towards Hanover (13.7 miles). In Hanover southwest on State Highway 194 (7 miles) to Littlestown, then northwest on State Highway 97 (9.7 miles) to Gettysburg. In Gettysburg, north on State Highway 34 (14.3 miles) to the Idaville road. East on Idaville road (4.8 miles) to the intersection of State Highway 94. North State Highway 94 (2 miles) to Latimore road. East on Latimore Road (1.6 miles) to Mountain road. North on Mountain road (6.9 miles) to Dillsburg and the intersection of US Highway 15. North on US Highway 15 (3.2 miles) to the Yellow Breaches Creek (County Line). Northeast along the banks of the Yellow Breaches Creek (12.1 miles) to the intersection of I-76. East along I-76 (6.4 miles) to the intersection of Susquehanna River and the starting point.

b. *DMA 2*: Bedford, Blair, Cambria and Huntingdon Counties, Pennsylvania, bounded and described as follows: The southern boundary of the DMA is the

Pennsylvania-Maryland state line. From the Maryland state line and State Highway 96 intersection in southwestern Bedford County continue east along the Maryland border to the intersection of the State line and Interstate 70 (I-70). Then continue north on I-70 approximately 19 1/4 miles to its intersection with State Highway 915. Continue north on State Highway 915 for 12 1/2 miles, continuing through the segment where it overlaps US Highway 30, to the intersection of State Highway 915 and Wells Valley Road (State Route 4013). Continue northeast along Wells Valley Road (SR 4013) approximately 5 miles to the intersection with State Highway 913, then proceed east on State Highway 913 (New Grenada Highway) for about 1 1/2 miles to its intersection with State Highway 655. Continue northeast along State Highway 655 for 7 3/4 miles to the State Highway 829 intersection in Saltillo, then north along the entire 19 1/2 mile length of State Highway 829 to the intersection with US Highway 22. The DMA boundary follows US Highway 22 northwest for approximately 14 1/2 miles to State Highway 453, then northwest along State Highway 453 for 9 miles to Tyrone. In Tyrone, the boundary follows the western, southbound lane of Interstate 99 6 1/2 miles to State Highway 865 at Bellwood. Follow State Highway 865 west 2 3/4 miles to Grandview Road (State Route 4015). Follow Grandview Road south 6.4 miles to Juniata Gap Road in Altoona. Follow Juniata Gap Road northwest 4 miles to Skyline Drive. Follow Skyline Drive approximately 2 miles southwest to State Highway 36 (Colonel Drake Highway). Follow State Highway 36 west 1 1/2 miles to Coupon-Gallitzin Road (State Route 1015). Follow Coupon-Gallitzin Road southwest 5 1/4 miles to US Highway 22. Follow US Highway 22 southwest for approximately 4 miles to State Highway 53. Follow State Highway 53 southwest 6 1/2 miles State Highway 164 in Portage. Follow State Highway 164 (Puritan Road) 6 3/4 miles to Diamond Lane (SR 3001). Follow Diamond Lane (SR 3001) southeast 2 3/4 miles to State Route 4035. Follow State Route 4035 south 1 1/2 miles to where it becomes Blue Knob Road. Continue following Blue Knob Road south 3 3/4 miles to State Highway 869 (Burnt House Road). Follow State Highway 869 1 mile south to Burkett Hill Road (State Route 4023). Follow Burkett Hill Road 2.1 miles west to Lovely Road. Follow Lovely Road 2.3 miles south to Pleasant Hollow Road (State Route 4030). Follow Pleasant Hollow Road 3 1/2 miles northwest to Calvary Hollow Road. Follow Calvary Hollow Road 2 3/4 miles south to State Highway 56. Follow State Highway 56 east 2 miles to State Highway 96 in Pleasantville. Follow State Highway 96 south 10 miles to US Highway 30. Continue south on State Highway 96 for 3 miles to its intersection with State Highway 31, then follow State Highway 96's overlap with State Highway 31 for about 1 3/4 miles to the next intersection of State Highways 31 and 96. Continue south on State Highway 96 for approximately 22 1/2 miles to the Maryland state line.

c. *DMA 3*: Clearfield and Jefferson Counties, Pennsylvania, bounded and described as follows: Beginning in the Northwest corner of the DMA at the intersection of State Highway 36 and Interstate 80 (I-80), proceed east on I-80 for 27 miles to where Anderson Creek Road intersects I-80. Continue southwest on Anderson Creek Road 1.8 miles to Home Camp Road (State Route 4016). Follow Home Camp Road south 2 1/2 miles to the intersection with US Highway 322 Rockton Mountain Highway). Continue west on US Highway 322 for 4 miles to US Highway 219, then south on along US Highway 219 for 20 1/4 miles to the intersection with State Highway 36. Continue west on the US 219/State Highway 36 overlap

for 2 1/4 miles, then continue north on State Highway 36. Follow State Highway 36 (Colonel Drake Highway) northwest for 32 1/2 miles to its intersection with US Highway 322 (Main Street) in Brookville. Continue west on State Highway 36's overlap with US Highway 322 for approximately 3/4 miles, then continue north on State Highway 36 for 1/2 mile to the intersection with Interstate 80.

2. Except as follows, the removal or exportation of high risk cervid parts from the above described DMAs is prohibited. The PGC may designate approved locations outside of the above described DMAs for the receipt of high risk cervid parts.

3. For the purposes of this Order, high-risk parts or materials shall be defined as any parts or materials derived from cervids which are known to accumulate abnormal prions. This includes any of the following:

- a. Head (including brain, tonsils, eyes and lymph nodes);
- b. Spinal Cord/Backbone (vertebra);
- c. Spleen;
- d. Skull plate with attached antlers, if visible brain or spinal cord material is present;
- e. Cape, if visible brain or spinal cord material is present;
- f. Upper canine teeth, if root structure or other soft material is present;
- g. Any object or article containing visible brain or spinal cord material;
- h. Brain-tanned hide.

4. For the purposes of this Order, high-risk parts or materials shall not include any of the following:

- i. Meat, without the backbone;
- j. Skull plate with attached antlers, if no visible brain or spinal cord material is present;
- k. Tanned hide or rawhide with no visible brain or spinal cord material present;
- l. Cape, if no visible brain or spinal cord material is present;
- m. Upper canine teeth, if no root structure or other soft material is present; and
- n. Taxidermy mounts, if no visible brain or spinal cord material is present.

5. All cervids killed within the DMAs are subject to CWD testing. This testing may require hunters to present cervids, or cervid parts, for checking and sampling at prescribed locations pursuant to conditions set forth in a forthcoming process. The process shall be made known through public announcement, website and other means reasonably intended to reach the widest audience. The cost of such testing and reporting to the hunter to be borne by the PGC.

6. The rehabilitation of cervids within the DMAs is prohibited.

7. The use or possession of cervid urine-based attractants is prohibited in any outdoor setting within the established DMAs.

8. Direct or indirect feeding of wild, free-ranging cervids within the DMAs is prohibited. This prohibition shall not be construed to apply to normal or accepted agricultural, habitat management, oil and gas drilling, mining, forest management or other legitimate commercial

cial or industrial practices. If otherwise lawful feeding is attracting cervids, the PGC may provide written notice prohibiting such activity. Failure to discontinue such activity is a violation of this Order. For the purposes of this Order, feeding shall include the act of placing any artificial or natural substance for the use or consumption of wild, free-ranging cervids on an annual, seasonal or emergency basis.

9. No new PGC permits to possess or transport live cervids in the DMAs may be issued.

10. Except as follows, the possession and removal of vehicular killed cervids, or parts therefrom, from areas within the DMAs to locations outside the DMAs is prohibited. The PGC may designate approved locations outside of the above described DMAs for the receipt of high risk cervid parts.

11. The requirements and restrictions of this Order are to be construed as separate from and in addition to any

previous or future Executive Orders concerning the importation of high risk cervid parts from areas outside of this Commonwealth.


12. This Order shall not be construed in any manner to limit the PGC's authority to establish additional importation, exportation, possession, transportation or testing requirements on cervid parts or materials.


13. Nothing in this Order shall be construed to extend to the regulation of captive cervids held under 3 Pa.C.S. Chapter 27 (relating to the Domestic Animal Law) or the requirements of a lawful quarantine order issued by PDA.


14. This Order is effective immediately and shall remain in effect until rescinded or modified by subsequent order.

Given under my hand and seal of the Pennsylvania Game Commission on this 12th day of May, 2014.

R. MATTHEW HOUGH,
Executive Director







[Pa.B. Doc. No. 14-1182. Filed for public inspection May 30, 2014, 9:00 a.m.]

INSURANCE DEPARTMENT

Review Procedure Hearings under the Unfair Insurance Practices Act

The following insured has requested a hearing as authorized by section 8 of the Unfair Insurance Practices Act (act) (40 P.S. § 1171.8) in connection with the company's termination of the insured's homeowners policy. The hearing will be held in accordance with the requirements of the act; 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). The administrative hearing will be held in the Insurance Department's regional office in Harrisburg, PA. Failure by an appellant to appear at a scheduled hearing may result in dismissal with prejudice.

Appeal of Luttie Palmer; file no. 14-114-161568; Lititz Mutual Insurance Company; Doc. No. P14-05-007; June 25, 2014, 9:30 a.m.

Parties may appear with or without counsel and offer relevant testimony and/or other relevant evidence. Each party must bring documents, photographs, drawings, claims files, witnesses, and the like, necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner (Commissioner) will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Donna R. Fleischauer, Human Resources Director at (717) 705-4194.

MICHAEL F. CONSEDINE,
Insurance Commissioner

[Pa.B. Doc. No. 14-1183. Filed for public inspection May 30, 2014, 9:00 a.m.]

PATIENT SAFETY AUTHORITY

Public Meeting

The Patient Safety Authority (Authority), established by section 303 of the Medical Care Availability and Reduction of Error (MCARE) Act (40 P.S. § 1303.303), announces a meeting of the Authority's Board to be held at the Conference Center, Central Penn College, 600 Valley Road, Summerdale, PA 17093 at 10 a.m. on Tuesday, June 10, 2014.

Individuals having questions regarding this meeting, which is open to the public, should contact the Authority at (717) 346-0469.

MICHAEL C. DOERING,
Executive Director

[Pa.B. Doc. No. 14-1184. Filed for public inspection May 30, 2014, 9:00 a.m.]

PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY DEPARTMENT OF ENVIRONMENTAL PROTECTION

Clean Water and Drinking Water State Revolving Fund Programs; Public Meeting on Federal Fiscal Year 2014 Intended Use Plans

The Pennsylvania Infrastructure Investment Authority (PENNVEST) and the Department of Environmental Protection (Department) have prepared the Federal Fiscal Year (FY) 2014 Intended Use Plans (IUP). These IUPs include a list of drinking water, wastewater treatment, nonpoint source and pollution abatement projects to be considered for a design and engineering or construction loan or grant from funds the Commonwealth expects to receive from the Federal FY 2014 Drinking Water State Revolving Fund (DWSRF) and Clean Water State Revolving Fund (CWSRF) programs.

In accordance with United States Environmental Protection Agency (EPA) guidelines on the development of the IUPs, a public meeting has been scheduled for June 10, 2014, at 1 p.m. in the 2nd Floor Auditorium, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. This meeting is scheduled for the purpose of receiving comments from the public regarding the Federal FY 2014 IUPs. Interested persons are invited to express their views on the narrative portion of the IUPs, the DWSRF set-aside work plan or the priority rating or ranking of projects on the IUPs. Persons wishing to offer comments at the public meeting should contact the Division of Technical and Financial Assistance at the address or telephone number listed at the end of this notice or by e-mail to vbkasi@pa.gov by 4 p.m. on June 9, 2014. When written statements are prepared and will be submitted at the meeting, speakers will be asked to restrict the oral portion of the statement to a summary of the written comments.

The projects to be considered for a loan or grant from the DWSRF and CWSRF programs must meet the Federal requirements for funding in accordance with the Federal Safe Drinking Water Act and Clean Water Act. Accordingly, the projects included in the IUPs are expected to meet the requirements applicable to the use of the DWSRF and CWSRF loan or grant funds. Projects listed in the FY 2014 IUPs are on the Commonwealth's Project Priority Lists (PPL) and are expected to proceed with design and engineering or construction within the

next 2 years. A project must appear on a PENNVEST-approved IUP before it can receive a loan or grant from the State Revolving Fund programs. A project's readiness to proceed and the reasonable availability of alternative funds also have a bearing on project selection for the IUPs. Consequently, the rank ordered list of projects on the PPLs does not solely dictate the order in which projects will be chosen for inclusion in an IUP.

The DWSRF will be capitalized with approximately \$28.3 million in Federal funds and approximately \$5.7 million of State funds. Approximately \$4.3 million of these funds will be set aside for technical assistance to small systems, operator training and certification, and source water assessment and protection, as authorized under the Safe Drinking Water Act. The DWSRF IUP also includes a narrative work plan that describes how these set-aside funds will be used. PENNVEST is also allocating an additional \$1.1 million for administrative purposes. Finally, an additional \$5.6 million must be set-aside for additional subsidization to disadvantaged communities. The FY 2014 DWSRF grant does not have a requirement to set-aside funding for green infrastructure projects. However, the Commonwealth will continue to promote them. These projects can fall into one of four categories: (1) water efficiency; (2) energy efficiency; (3) environmentally innovative; or (4) green stormwater infrastructure and meet the EPA criteria for green infrastructure.

The CWSRF will be capitalized with approximately \$55.1 million of Federal funds and approximately \$11.1 million of State funds. Approximately \$2.2 million will be set aside for program administration costs. Finally, an additional \$3 million must be set-aside for additional subsidization to disadvantaged communities and \$5.5 million must be set-aside for green infrastructure projects that fall into one or more of the following categories: (1) water efficiency; (2) energy efficiency; (3) environmentally innovative; or (4) green stormwater infrastructure and meet the EPA criteria for green infrastructure.

It is not necessary to appear at the public meeting to present comments on the narrative portion of the IUPs, the set-aside work plan or the PPLs. Interested persons may also submit written comments to the Department at the address that follows. Written comments will be considered equivalent to oral statements presented at the meeting. To be considered by the Department and PENNVEST, the written comments must be received by the Division of Technical and Financial Assistance by 5 p.m. on June 30, 2014.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Veronica Kasi at (717) 772-4053 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

A copy of the IUPs, the PPLs and the DWSRF set-aside work plan may be obtained by contacting Veronica Kasi, Division of Technical and Financial Assistance at (717) 772-4053 or through the Department's web site at www.dep.state.pa.us (DEP keyword "State Revolving Fund").

Department of Environmental Protection
Bureau of Point and Non-Point Source Management
Division of Technical and Financial Assistance
P. O. Box 8774
11th Floor
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
(717) 705-4090

PENNVEST
22 South Third Street
5th Floor
Keystone Building
Harrisburg, PA 17101
(717) 787-8137

E. CHRISTOPHER ABRUZZO,
Secretary
Department of Environmental Protection
Vice Chairperson
Pennsylvania Infrastructure Investment Authority

PAUL K. MARCHETTI,
Executive Director
Pennsylvania Infrastructure Investment Authority

[Pa.B. Doc. No. 14-1185. Filed for public inspection May 30, 2014, 9:00 a.m.]

PHILADELPHIA REGIONAL PORT AUTHORITY

Request for Bids

The Philadelphia Regional Port Authority will accept sealed bids for Project No. 14-043.S, Installation of Reef Ball Structures, until 2 p.m. on Friday, June 27, 2014. Information (including mandatory prebid information) can be obtained from the web site www.philaport.com under Procurement or call (215) 426-2600.

JAMES T. McDERMOTT, Jr.,
Executive Director

[Pa.B. Doc. No. 14-1186. Filed for public inspection May 30, 2014, 9:00 a.m.]

Request for Bids

The Philadelphia Regional Port Authority (PRPA) will accept sealed bids for Project No. 14-044.3, On-Call Plumbing Investigation & Repairs for Various PRPA Facilities, until 2 p.m. on Wednesday, July 2, 2014. Information (including mandatory prebid information) can be obtained from the web site www.philaport.com under Procurement or call (215) 426-2600.

JAMES T. McDERMOTT, Jr.,
Executive Director

[Pa.B. Doc. No. 14-1187. Filed for public inspection May 30, 2014, 9:00 a.m.]

Request for Bids

The Philadelphia Regional Port Authority will accept sealed bids for Project No. 14-051.S, Trash removal at Maintenance Department, until 2 p.m. on Thursday, June 19, 2014. Information (including mandatory pre-bid information) can be obtained from the web site www.philaport.com under Procurement or call (215) 426-2600.

JAMES T. McDERMOTT, Jr.,
Executive Director

[Pa.B. Doc. No. 14-1188. Filed for public inspection May 30, 2014, 9:00 a.m.]

PUBLIC SCHOOL EMPLOYEES' RETIREMENT BOARD

Hearing Scheduled

A hearing has been scheduled, as authorized by 24 Pa.C.S. Part IV (relating to Public School Employees' Retirement Code), in connection with the Public School Employees' Retirement System's (System) denial of Claimant's request concerning the indicated account.

The hearings will be held before a hearing officer at the Public School Employees' Retirement System, 5 North Fifth Street, Harrisburg, PA 17101:

July 23, 2014 Pearl I. MacKerchar 1 p.m.
(Receive Service Credit While
Receiving Workers'
Compensation)

Persons with a disability who wish to attend the previously listed hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact Barb Book, Assistant to the Executive Director at (717) 720-4617 to discuss how the System may best accommodate their needs.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearing will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). Under 22 Pa. Code § 201.1 (relating to applicability of general rules), procedural matter will be in conformance with 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) unless specific exemption is granted.

JEFFREY B. CLAY,
Executive Director

[Pa.B. Doc. No. 14-1189. Filed for public inspection May 30, 2014, 9:00 a.m.]
