

NOTICES

BOARD OF COAL MINE SAFETY

Meeting Rescheduled

The Board of Coal Mine Safety meeting originally scheduled for Tuesday, December 3, 2019, has been rescheduled to Tuesday, December 10, 2019, at 10 a.m. in Conference Rooms 1A and 1B, Department of Environmental Protection Cambria Office, 286 Industrial Park Road, Ebensburg, PA.

Questions concerning the December 10, 2019, meeting can be directed to Peggy Scheloske, Bureau of Mine Safety, at mscheloske@pa.gov or (724) 404-3143. The agenda and meeting materials will be available through the Public Participation tab on the Department of Envi-

ronmental Protection's (Department) web site at www.dep.pa.gov (select "Public Participation," then "Advisory Committees," then "Mining Advisory Committees," then "Board of Coal Mine Safety").

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Peggy Scheloske at (724) 404-3143 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,
Chairperson

[Pa.B. Doc. No. 19-1703. Filed for public inspection November 15, 2019, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending November 5, 2019.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Bank Supervision or Credit Union and Trust Supervision (as applicable), 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240 and for credit unions and trust companies (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
11-04-2019	The Gratz Bank Gratz Dauphin County Application for approval to purchase assets and assume liabilities of one branch of Riverview Bank, Marysville, PA, located at: 450 West Shamokin Street Trevorton Northumberland County, PA	Effective

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
09-23-2019	InFirst Bank Indiana Indiana County	1007 Georges Station Road Greensburg Westmoreland County	Opened

Branch Relocations

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
11-04-2019	Sharon Bank Darby Delaware County	<i>To:</i> 153 Saxer Avenue Springfield Delaware County <i>From:</i> 5 East Springfield Road Springfield Delaware County	Effective

Articles of Amendment

<i>Date</i>	<i>Name and Location of Institution</i>	<i>Action</i>
10-30-2019	Sharon Bank Darby Delaware County Amendment to Section 2 of the institution's Articles of Incorporation provides for the principal place of business of the bank to be relocated from Nine Chester Pike, Darby, Delaware County, PA, to 900 West Sproul Road, Suite # 301, Springfield, Delaware County, PA. Articles of Amendment provide for the institution's Articles of Incorporation to be amended and restated in their entirety.	Filed

CREDIT UNIONS

No activity.

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

ROBIN L. WIESSMANN,
Secretary

[Pa.B. Doc. No. 19-1704. Filed for public inspection November 15, 2019, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Maximum Lawful Rate of Interest for Residential Mortgages for the Month of December 2019

The Department of Banking and Securities (Department), under the authority contained in section 301 of the act of January 30, 1974 (P.L. 13, No. 6) (41 P.S. § 301), determines that the maximum lawful rate of interest for residential mortgages for the month of December 2019, is 4 1/2%.

The interest rate limitations under the Commonwealth's usury statute were pre-empted to a great extent by Federal law, the Depository Institutions Deregulation and Monetary Control Act of 1980 (Pub.L. No. 96-221). Further pre-emption was instituted with the signing of Pub.L. No. 96-399, which overrode State interest rate limitations on any individual who finances the sale or exchange of residential real property which the individual owns and which the individual occupies or has occupied as his principal residence.

Each month the Department is required by State law to compute and announce the ceiling rate on residential mortgages in this Commonwealth. This maximum rate is determined by adding 2.50 percentage points to the yield rate on long-term government bonds as published by the Federal Reserve Board or the United States Treasury, or both. The latest yield rate on long-term government securities is 1.96 to which was added 2.50 percentage points for a total of 4.46 that by law is rounded off to the nearest quarter at 4 1/2%.

ROBIN L. WIESSMANN,
Secretary

[Pa.B. Doc. No. 19-1705. Filed for public inspection November 15, 2019, 9:00 a.m.]

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

Conservation and Natural Resources Advisory Council Meeting

The Conservation and Natural Resources Advisory Council to the Department of Conservation and Natural Resources (Department) will hold a meeting on Wednesday, November 20, 2019, at 10 a.m. in Room 105, Lobby Level, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

Questions concerning this meeting or agenda items can be directed to Gretchen Leslie at (717) 772-9084. Persons who wish to participate during the public comment section are encouraged to submit their comments in writing to Gretchen Leslie, Advisor, Conservation and Natural Resources Advisory Council, 400 Market Street, Harrisburg, PA 17101.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Aara Vinsh directly at (717) 787-9306 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

CINDY ADAMS DUNN,
Secretary

[Pa.B. Doc. No. 19-1706. Filed for public inspection November 15, 2019, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0051799 (Sewage)	Lehigh Carbon Community College WWTF 4525 Education Park Drive Schnecksville, PA 18078	Lehigh County North Whitehall Township	Tributary 3450 to Jordan Creek (HQ-CWF/MF) (2-C)	Yes

NOTICES

6867

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0032077 (Sewage)	Tuscarora State Park 687 Tuscarora Park Road Barnesville, PA 18214	Schuylkill County Rush Township	Locust Creek (CWF, MF) (3-A)	Yes

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0083046 (Industrial)	Easco Hand Tools Inc. Cenveo Worldwide Ltd dba Cenveo Publishing Services 100 Sterling Parkway Suite 205 Mechanicsburg, PA 17050-2903	Lancaster County West Hempfield Township	Unnamed Tributary to West Branch Little Conestoga Creek (TSF, MF) (7-J)	Yes
PA0031992 (Sewage)	DCNR Greenwood Furnace State Park 15795 Greenwood Road Huntingdon, PA 16652-5831	Huntingdon County Jackson Township	Crooked Creek Standing Stone Creek (HQ-CWF) (11-B)	Yes

Northcentral Regional Office: Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3636.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0045993 (Sewage)	Ulysses Municipal STP 522 Main Street Ulysses, PA 16948-9602	Potter County Ulysses Borough	Genesee River (CWF) (14-A)	Yes
PA0232441 (Industrial)	Cedar Springs Trout Hatchery 207 Trout Lane Mill Hall, PA 17751-8940	Clinton County Porter Township	Unnamed Tributary to Cedar Run (HQ-CWF, MF) and Cedar Run (HQ-CWF, MF) (9-C)	Yes
PA0209678 (Sewage)	Grassflat Wastewater Treatment Plant P.O. Box 446 Winburne, PA 16879-0446	Clearfield County Cooper Township	Unnamed Tributary of Moshannon Creek (CWF) (8-D)	Yes
PA0208728 (Sewage)	Mountaintop Area Municipal Authority P.O. Box 275 Snow Shoe, PA 16874-0275	Centre County Snow Shoe Township	Unnamed Tributary to North Fork Beech Creek (CWF) (9-C)	Yes

Southwest Regional Office: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0041114 (Sewage)	The Kiski School 1888 Brett Lane Saltsburg, PA 15681-8951	Westmoreland County Loyalhanna Township	Kiskiminetas River (WWF) (18-C)	Yes

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0238457 (Sewage)	Amy J Wagner SRSTP 562 Wilson Mill Road New Wilmington, PA 16142-3832	Lawrence County Wilmington Township	Unnamed Tributary of Little Neshannock Creek (TSF) (20-A)	Yes
PA0102610 (Sewage)	Villa Vista Estates 133 Terra Drive Valencia, PA 16059-2637	Butler County Middlesex Township	Unnamed Tributary to Glade Run (WWF) (20-C)	Yes

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0272761 (Storm Water)	Northwest Hardwoods Marienville Facility 10589 Campbell Road Titusville, PA 16354	Forest County Jenks Township	Unnamed Tributary to the Maple Creek (HQ-CWF) and an Unnamed Tributary to the Salmon Creek (HQ-CWF) (17-B and 16-F)	Yes
PA0103896 (Industrial Waste)	County Landfill 344 Walley Run Drive Leeper, PA 16233	Clarion County Farmington Township	Unnamed Tributary to Walley Run (16-F)	Yes
PA0240214 (Sewage)	Wen-Li Wang SRSTP 225 Oak Tree Court Erie, PA 16511	Erie County Harborcreek Township	Eightmile Creek (CWF, MF) (15-A)	Yes

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications.

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5970.

PA0052221, Industrial, SIC Code 4911, **Exelon Generation Co. LLC**, Limerick Generating Station, Pottstown, PA 19464. Facility Name: Exelon Bradshaw Reservoir. This existing facility is located in Bedminster Township, **Bucks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge.

The receiving stream(s), East Branch Perkiomen Creek (TSF, MF), is located in State Water Plan watershed 3-E and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a 46.2 MGD diverted water.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Quarterly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.) May 1 - Sep 30	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen May 1 - Jul 31	XXX	XXX	6.0 Daily Min	XXX	XXX	XXX
Aug 1 - Sep 30	XXX	XXX	5.0 Daily Min	XXX	XXX	XXX
Fecal Coliform (No./100 ml) May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Orthophosphate	XXX	XXX	XXX	Report	XXX	XXX
Phenolics, Total	XXX	XXX	XXX	Report	XXX	XXX

In addition, the permit contains the following major special conditions:

- No Chemical Additives
- Definition of Calendar Week

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Northeast Regional Office: Regional Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone: 570.826.2511.

PA0276251, Stormwater, SIC Code 5093, **Alpha Recycling HWY 80, Inc.**, 2 Katz Drive, Stroudsburg, PA 18360. Facility Name: Alpha Recycling HWY 80, Inc. This proposed facility is located in Stroudsburg Borough, **Monroe County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated industrial stormwater.

The receiving stream(s), McMichael Creek (HQ-CWF, MF), is located in State Water Plan watershed 1-E and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD (stormwater).

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	XXX	120.0
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	100.0
Oil and Grease	XXX	XXX	XXX	XXX	XXX	30.0
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Stormwater Outfalls and Authorized Non-Stormwater Discharges
- Best Management Practices (BMPs)
- Routine Inspections
- Preparedness, Prevention and Contingency (PPC) Plan
- Stormwater Monitoring Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

PA0287831, Sewage, SIC Code 8800, **John C. Godlesky**, 74 Cedar Lane, Leeper, PA 16233-2324. Facility Name: John C Godlesky SRSTP. This proposed facility is located in Farmington Township, **Clarion County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Henry Run (CWF), is located in State Water Plan watershed 17-B and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		
	Average Monthly	Average Weekly	Minimum	Annual Average	Maximum	Instant. Maximum
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

Sludge use and disposal description and location(s): Septage must be pumped and hauled off-site by a septage hauler for land application under a general permit authorized by DEP or disposal at an STP.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

PA0272108, Storm Water, SIC Code 2421, **Brownlee Lumber, Inc.**, 2652 Hazen Richardsville Road, Brookville, PA 15825-7616. Facility Name: Brownlee Lumber Manufacturing.

This proposed facility is located in Warsaw Township, **Jefferson County**.

Description of Proposed Activity: The application is for a new NPDES permit for an existing discharge of treated industrial stormwater.

The receiving stream, an Unnamed Tributary to the Pekin Run (HQ-CWF), is located in State Water Plan watershed 17-C and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.00 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Semi-Annual Average	Maximum	
Flow (MGD)	Report Semi Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	Report Inst Min	XXX	XXX	Report
Dissolved Oxygen	XXX	XXX	Report Inst Min	XXX	XXX	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	XXX
Arsenic, Total	XXX	XXX	XXX	Report	XXX	XXX
Chromium, Total	XXX	XXX	XXX	Report	XXX	XXX
Copper, Total	XXX	XXX	XXX	Report	XXX	XXX
Pentachlorophenol	XXX	XXX	XXX	Report	XXX	XXX

Under § 429.124—New source performance standards (NSPS): There shall be no discharge of process wastewater pollutants into navigable waters.

The proposed effluent limits for Outfall 002 are based on a design flow of 0.00 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Semi-Annual Average	Maximum	
Flow (MGD)	Report Semi Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	Report Inst Min	XXX	XXX	Report
Dissolved Oxygen	XXX	XXX	Report Inst Min	XXX	XXX	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	XXX
Arsenic, Total	XXX	XXX	XXX	Report	XXX	XXX
Chromium, Total	XXX	XXX	XXX	Report	XXX	XXX
Copper, Total	XXX	XXX	XXX	Report	XXX	XXX
Pentachlorophenol	XXX	XXX	XXX	Report	XXX	XXX

Under § 429.124—New source performance standards (NSPS): There shall be no discharge of process wastewater pollutants into navigable waters.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Phone: 717-705-4707.

PA0033065, Sewage, SIC Code 6515, **Vanderhomes LLC**, 2379 Brandt Road, Annville, PA 17003-8849. Facility Name: Palm City MHP. This existing facility is located in South Annville Township, **Lebanon County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Killinger Creek (TSF), is located in State Water Plan watershed 7-D and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .036 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Daily Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	9.0	XXX	18
May 1 - Oct 31	XXX	XXX	XXX	3.0	XXX	6
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Daily Max Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Daily Max Report	XXX
Total Phosphorus	154.5 Annl Avg	XXX	XXX	XXX	Daily Max XXX	XXX

Sludge use and disposal description and location(s): Digested sludge is periodically hauled off site by a license hauler.

In addition, the permit contains the following major special conditions:

- Stormwater Prohibition, Approval Contingencies, Proper Waste/Solids Management, and Chlorine minimization

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0088617, Sewage, SIC Code 4952, **Bratton Township Mifflin County**, 133 Mountain Lane, McVeytown, PA 17051-8429. Facility Name: Bratton Township STP. This existing facility is located in Bratton Township, **Mifflin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Carlisle Run (HQ-CWF), is located in State Water Plan watershed 12-A and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .09 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	19	30	XXX	25	40	50
Biochemical Oxygen Demand (BOD ₅)						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	23	34	XXX	30	45	60
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ultraviolet light intensity ($\mu\text{w}/\text{cm}^2$)	XXX	XXX	Report	XXX	XXX	XXX
Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Daily Max Report	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report Daily Max	XXX

Sludge use and disposal description and location(s): Digested sludge is hauled out periodically by a license hauler.

In addition, the permit contains the following major special conditions:

- Stormwater Prohibition, Approval Contingencies, Proper Waste/Solids Management and Restriction on receipt of hauled in waste under certain conditions.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0051781, Industrial, SIC Code 4941, **Reading Area Water Authority Berks County**, 1801 Kutztown Road, Reading, PA 19604-1515. Facility Name: Reading Area Water Authority. This existing facility is located in Ontelaunee Township, **Berks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Maiden Creek (WWF, MF), is located in State Water Plan watershed 3-B and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 3 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.134	XXX	0.439
Total Suspended Solids	750	1,500	XXX	30	60	75
Aluminum, Total	20.0	40.0	XXX	0.82	1.6	2
Iron, Total	50	100	XXX	2.0	4.0	5
Manganese, Total	25	50	XXX	1.0	2.0	2.5

The proposed effluent limits for Outfall 002 are based on a design flow of .26 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.134	XXX	0.439
Total Suspended Solids	65	130	XXX	30	60	75
Aluminum, Total	Report	Report	XXX	Report	Report	XXX
Iron, Total	Report	Report	XXX	Report	Report	XXX
Manganese, Total	Report	Report	XXX	Report	Report	XXX

Sludge use and disposal description and location(s): Solids to be landfilled.

In addition, the permit contains the following major special conditions:

- N/A

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0260762, Sewage, SIC Code 4952, **New Buffalo Borough Perry County**, P.O. Box 245, New Buffalo, PA 17069-0245. Facility Name: New Buffalo Borough STP. This existing facility is located in New Buffalo Borough, **Perry County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Buffalo Creek (WWF), is located in State Water Plan watershed 6-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .02 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Total Nitrogen	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .02 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	4	6.5	XXX	25	40	50
Biochemical Oxygen Demand (BOD ₅)						
Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids Fecal Coliform (No./100 ml)	5	7.5	XXX	30	45	60
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ammonia-Nitrogen						
Nov 1 - Apr 30	Report	XXX	XXX	Report	XXX	XXX
May 1 - Oct 31	1.0	XXX	XXX	6.50	XXX	13

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0085910, Sewage, SIC Code 6514, **Beth A Yohe**, 1050 Drager Road, Columbia, PA 17512-8706. Facility Name: Yohe Residence. This existing facility is located in Rapho Township, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Little Chiques Creek (TSF), is located in State Water Plan watershed 7-G and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report	XXX	Report
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0084646, Sewage, SIC Code 8211, **Southern Fulton School District**, 3072 Great Cove Road, Suite # 100, Warfordsburg, PA 17267-8530. Facility Name: Southern Fulton Elementary School. This existing facility is located in Bethel Township, **Fulton County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), White Oak Run (TSF), is located in State Water Plan watershed 13-B and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.01 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Total Annual</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.04	XXX	0.13
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Fecal Coliform (No./100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 2,000 Geo Mean	XXX	10,000
Ammonia-Nitrogen						
May 1 - Oct 31	XXX	XXX	XXX	3.0	XXX	6.0
Nov 1 - Apr 30	XXX	XXX	XXX	9.0	XXX	18.0
Nitrate-Nitrite as N	XXX	Report	XXX	Report	XXX	XXX
Total Nitrogen	XXX	Report	XXX	Annl Avg Report	XXX	XXX
Total Kjeldahl Nitrogen	XXX	Report	XXX	Annl Avg Report	XXX	XXX
Total Phosphorus	XXX	Report	XXX	Annl Avg Report	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0246425, Sewage, SIC Code 4952, **Dublin Township Fulton County**, P.O. Box 719, McConnellsburg, PA 17233-0719. Facility Name: Dublin Township Fort Littleton STP. This existing facility is located in Dublin Township, **Fulton County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Little Aughwick Creek (TSF), is located in State Water Plan watershed 12-C and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.045 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Ultraviolet Light Transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	9.4	15.0	XXX	25.0	40.0	50.0
Biochemical Oxygen Demand (BOD ₅)		Wkly Avg				
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX

NOTICES

6875

Parameters	Mass Units (lbs/day)		Daily Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Daily Maximum Wkly Avg		Average Monthly	Weekly Average	
Total Suspended Solids	11.0	17.0	XXX	30.0	45.0	60.0
Fecal Coliform (No./100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200.0 Geo Mean	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
Total Nitrogen	XXX	Report Total Annual	XXX	Report Annl Avg	XXX	XXX
Total Phosphorus	XXX	Report Total Annual	XXX	Report Annl Avg	XXX	XXX

In addition, the permit contains the following major special conditions:

- For solids management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0028886, Sewage, SIC Code 4952, **Quarryville Borough Authority**, 300 Saint Catherine Street, Quarryville, PA 17566. Facility Name: Quarryville STP. This existing facility is located in Quarryville Borough, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), UNT to South Fork Big Beaver Creek (TSF, MF), is located in State Water Plan watershed 7-K and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .6 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
UV Transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	125.0	200.0	XXX	25.0	40.0	50.0
Biochemical Oxygen Demand (BOD ₅)						
Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids	150.0	225.0	XXX	30.0	45.0	60.0
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ammonia-Nitrogen						
Nov 1 - Apr 30	37.0	XXX	XXX	7.5	XXX	15.0
May 1 - Oct 31	12.0	XXX	XXX	2.5	XXX	5.0
Total Phosphorus	6.5	XXX	XXX	2.0	XXX	4.0

Parameters	Mass Units (lbs)		Minimum	Concentration (mg/l)	
	Monthly	Annual		Monthly Average	Instantaneous Maximum
Ammonia—N	Report	Report	XXX	Report	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX

Parameters	Mass Units (lbs)		Minimum	Concentration (mg/l)	
	Monthly	Annual		Monthly Average	Instantaneous Maximum
Total Nitrogen	Report	Report	XXX	Report	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX
Net Total Nitrogen	XXX	7,306	XXX	XXX	XXX
Net Total Phosphorus	XXX	974	XXX	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

PA0261998, Sewage, SIC Code 8811, **Brian B Weidenhammer**, 419 Beacon Avenue, Sinking Spring, PA 19608-1916. Facility Name: Weidenhammer Property. This existing facility is located in Bern Township, **Berks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SFTF sewage.

The receiving stream(s), Plum Creek (WWF, MF), is located in State Water Plan watershed 3-C and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .002 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Instant. Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX
				Geo Mean		

Sludge use and disposal description and location(s): Off-site disposal.

In addition, the permit contains the following major special conditions:

- Disposal of sludge in accordance with State and Federal regulations and laws
- Periodic pumping of treatment units and written documentation provided

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0070351, Sewage, SIC Code 4952, **Amity Township Berks County**, 2004 Weavertown Road, Douglassville, PA 19518-8971. Facility Name: Amity Township STP. This existing facility is located in Amity Township, **Berks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Schuylkill River (WWF, MF), is located in State Water Plan watershed 3-D and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 2.2 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Instant. Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	458	734	XXX	25	40	50
Biochemical Oxygen Demand (BOD ₅)						
Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids	550	825	XXX	30	45	60
Total Dissolved Solids	18,348	XXX	XXX	1,000	XXX	2,000
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ammonia-Nitrogen						
Nov 1 - Apr 30	220	XXX	XXX	12	XXX	24
May 1 - Oct 31	73	XXX	XXX	4	XXX	8
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report Daily Max	XXX
PCBs Dry Weather Analysis (pg/L)	XXX	XXX	XXX	XXX	Report Daily Max	XXX
PCBs Wet Weather Analysis (pg/L)	XXX	XXX	XXX	XXX	Report Daily Max	XXX

Sludge use and disposal description and location(s): off-site disposal at State-approved facility including a landfill or POTW.

In addition, the permit contains the following major special conditions:

- Whole Effluent Toxicity Testing at least annually
- Requirement to prepare a Pollutant Minimization Plan to reduce concentrations of PCBs in effluent
- Sludge Production and Disposal Reporting and annual Sludge Inventory Report
- Implement Best Management Practices to prevent stormwater pollution

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

PA0037141, Industrial, SIC Code 0921, **PA Fish & Boat Commission**, 1735 Shiloh Road, State College, PA 16801-8495. Facility Name: Huntsdale Fish Hatchery. This existing facility is located in Penn Township, **Cumberland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Unnamed Tributary to Yellow Breeches Creek (HQ-CWF, MF) and Yellow Breeches Creek (HQ-CWF), is located in State Water Plan watershed 7-E and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 10.5464 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Nitrate-Nitrite as N Intake	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N Effluent Net	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen Effluent Net	XXX	XXX	XXX	XXX	20 Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen Intake	XXX	XXX	XXX	XXX	Report	XXX

NOTICES

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Kjeldahl Nitrogen Intake	XXX	XXX	XXX	XXX	Report	XXX
Effluent Net	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 10.5464 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Suspended Solids (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 10.5464 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.5 Daily Min	XXX	XXX	XXX
Biochemical Oxygen Demand (BOD ₅) Intake	Report	Report	XXX	Report	Report	XXX
Effluent Net	246	528	XXX	3.0	6.0	XXX
Biochemical Oxygen Demand (BOD ₅)	Report	Report	XXX	Report	Report	7.5
Total Suspended Solids Effluent Net	307	615	XXX	3.5	7.0	XXX
Total Suspended Solids	Report	Report	XXX	Report	Report	8.7
Total Suspended Solids Intake	Report	Report	XXX	Report	Report	XXX
Total Suspended Solids (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen	123	246	XXX	1.4	2.8	3.5
Total Phosphorus	176	351	XXX	2.0	4.0	5

The proposed effluent limits for Outfall 002 are based on a design flow of .72 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	7.0 Daily Min	XXX	XXX	XXX
Biochemical Oxygen Demand (BOD ₅) Effluent Net	18.0	36.0	XXX	3.0	6.0	XXX
Intake	Report	Report	XXX	Report	Report	XXX
Biochemical Oxygen Demand (BOD ₅)	Report	Report	XXX	Report	Report	7.5
Total Suspended Solids Intake	Report	Report	XXX	Report	Report	XXX
Effluent Net	21	42.0	XXX	3.5	7.0	XXX
Total Suspended Solids	Report	Report	XXX	Report	Report	8.7
Total Suspended Solids (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen	3.6	7.2	XXX	0.6	1.2	1.5
Total Phosphorus	12	24	XXX	2.0	4.0	5

The proposed effluent limits for Outfall 002 are based on a design flow of .72 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Total Suspended Solids (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of .72 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Nitrate-Nitrite as N Intake	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N Effluent Net	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen Effluent Net	XXX	XXX	XXX	XXX	20	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen Intake	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen Intake	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen Effluent Net	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 003 are based on a design flow of .0003 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	20.0	XXX	40
Total Suspended Solids	XXX	XXX	XXX	20	XXX	40
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200 Geo Mean	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law.

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, 484.250.5900.

WQM Permit No. 1519406, Sewage, **Katherine Wolfington**, 910 Stargazers Road, Coatesville, PA 19320.

This proposed facility is located in Newlin Township, **Chester County**.

Description of Action/Activity: Construction and operation of a single residence small flow sewage treatment plant.

WQM Permit No. 0919409, Sewage, **Warrington Township**, 852 Easton Road, Warrington, PA 18976.

This proposed facility is located in Warrington Township, **Bucks County**.

Description of Action/Activity: Additional capacity flow.

WQM Permit No. WQG02150710, Sewage, Amendment, **Valley Township**, P.O. Box 467, Coatesville, PA 19320.

This proposed facility is located in Valley Township, **Chester County**.

Description of Action/Activity: Rerate the pump station from 5,513 gpd to 11,775 gpd.

WQM Permit No. 1506407, Sewage, Amendment, **East Brandywine Township Municipal Authority**, 1214 Horseshoe Pike, Downingtown, PA 19335.

This proposed facility is located in East Brandywine Township, **Chester County**.

Description of Action/Activity: Rerate capacity.

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

WQM Permit No. 0219405, Sewage, **Municipality of Penn Hills**, 102 Duff Road, Penn Hills, PA 15235-3494.

This proposed facility is located in Penn Hills Township, **Allegheny County**.

Description of Proposed Action/Activity: The applicant proposes to upsize 1,070 L.F. of existing 12-inch diameter vitrified clay pipe sanitary sewers with 18-inch diameter PVC pipe along Lime Hollow Road.

WQM Permit No. 2673408 A-1 T-2, Sewage, **DP 116 LLC**, 333 N. Bedford Road, Suite 145, Mount Kisco, NY 10549.

This existing facility is located in Saltlick Township, **Fayette County**.

Description of Proposed Action/Activity: Replacement STP of same capacity permitted to new owner.

WQM Permit No. 5619400, Sewage, **Indian Lake Borough**, 1301 Causeway Drive, Central City, PA 15926.

This proposed facility is located in Indian Lake Borough, **Somerset County**.

Description of Proposed Action/Activity: Proposed SRSTF with discharge hauled off-site.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 4319412, Sewage, **Janeen Mihoci**, 8288 Linesville Road, Hartstown, PA 16131.

This proposed facility is located in West Salem Township, **Mercer County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities.

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Lehigh County Conservation District, 4184 Dorney Park Road, Suite 105, Allentown, PA 18401.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD390140	Gregory Schiavone 2805 Fire Ln Bethlehem, PA 18015	Lehigh	N Whitehall Twp	UNT to Mill Creek (CWF, MF) EV Wetlands
PAD390139	New Tripoli Bank 6748 Madison St New Tripoli, PA 18066	Lehigh	N Whitehall Twp	UNT to Mill Creek (CWF, MF) EV Wetlands
PAD390138	New Tripoli Bank 6748 Madison St New Tripoli, PA 18066	Lehigh	N Whitehall Twp	UNT to Mill Creek (CWF, MF) EV Wetlands

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Phillips, Section Chief, 717.705.4802.

<i>Permit #</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD210039	Lexington Land Developers Corporation 336 West King Street Lancaster, PA 17603	Cumberland	South Middleton Township	UNT Letort Spring Run (EV)

VII. List of NOIs for NPDES and/or Other General Permit Types.

PAG-12 CAFOs

Southcentral Regional Office, 909 Elmerton Avenue, Harrisburg, PA 17110.

NPDES Permit No. PA0232556, CAFO, **Country View Family Farms LLC**, 1301 Fulling Mill Road, Middletown, PA 17507.

This existing facility is located in Pine Township, **Lycoming County**.

Description of size and scope of existing operation/activity: Swine (Gestating Sows, Sows w/Litters, Gilts, Boars): 3,247.5 AEU's.

The receiving stream, Unnamed Tributary to Hughes Run (EV (existing use)), is in watershed 9-A and classified for: High Quality—Cold Water and Migratory Fish.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

PA0248312, Concentrated Animal Feeding Operation (CAFO), **Willow Behrer Farm LLC (Willow Behrer Farm)**, 3288 Behrer Lane, Spruce Creek, PA 16683-1500.

Willow Behrer Farm LLC has submitted an application for an Individual NPDES permit for a renewal of a CAFO known as Willow Behrer Farm, located in Franklin Township, **Huntingdon County**.

The CAFO is situated near Unnamed Tributary to Spruce Creek (HQ-CWF, MF) and Unnamed Tributary to Spruce Creek (HQ-CWF) in Watershed 11-A, which is classified for High Quality—Cold Water, High Quality Waters—Cold Water Fishes, and Migratory Fish. The CAFO is designed to maintain an animal population of approximately 1,531.30 animal equivalent units (AEUs) consisting of 750 mature Holstein cows, 285 Holstein heifers, 370 Holstein calves, and 2 Holstein bulls. Manure is stored in a 226' x 162' x 15' earthen/clay lined pond, two 25' x 100' x 4' sand settling cells, a 105' x 55' x 5' semi-solid storage/settling basin, a 40' x 60' x 6' heifer barn storage, and a 40' x 80' x 6' solids stacking pad. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 25-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The Environmental Protection Agency (EPA) permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

STATE CONSERVATION COMMISSION

PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**ACT 38
NUTRIENT MANAGEMENT PLANS
CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>New or Renewal</i>
Zimmerman Layer Farm	Perry	150.9	404.25	Layer	EV	New

Operators Address:
201 Bartho Drive
Landisburg, PA 17040

Operation Address:
315 Green Valley Road
Landisburg, PA 17040

Willard Hackman 1035 Dean Hill Rd Wellsboro, PA 16901	Tioga	444.5	705.43	Swine	NA	Renewal
---	-------	-------	--------	-------	----	---------

PUBLIC WATER SUPPLY (PWS) PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Application No. 4019512, Public Water Supply.

Applicant	Sitko's Farmhouse 182 PA 437 White Haven, PA 18661
Township or Borough	Foster Township
Responsible Official	Mr. Frank Sitko Sitko's Farmhouse 182 PA 437 White Haven, PA 18661
Type of Facility	PWS
Consulting Engineer	Mr. John Synoski, PE JGS Consulting, LLC 2584 Christine Road Hazle Township, PA 18202
Application Received Date	10/24/2019
Description of Action	Application proposes the replacement/upgrade of UV and softener equipment.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.302—6026.305) require the Department to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. A person intending to use the background standard, Statewide health standard, the site-specific standard or intend to remediate a site as a special industrial area shall file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of cleanup standards or receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the following site, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified as follows. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department Regional Office listed before the notice. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

Clean Enterprises, 315 West State Street, Quarryville, PA 17566, Quarryville Borough, **Lancaster County**. Reliance Environmental, 235 North Duke Street, Lancaster, PA 17602, on behalf of Gen 2 3, LLC, 315 West State Street, P.O. Box 664, Quarryville, PA 17566, and Stoner-Wade Ford Incorporated, 415 West Fourth Street, Quarryville, PA 17566, submitted a Notice of Intent to Remediate site soil and groundwater contaminated with historical dry cleaning contaminants Perchloroethylene and Tetrachloroethene. The site will be remediated to the Site-Specific Standard. Future use for the Clean Enterprises property will stay vacant and used for nonresidential purposes, and Stoner-Wade Ford will continue to be used as an automotive sales and service facility. The Notice of Intent to Remediate was published in the *LNP* on October 15, 2019.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities.

Copies of the application, the Department's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public

hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the Regional Office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

59-00017G: Waupaca Foundry, Inc. (18986 Route 287, Tioga, PA 16946) for the installation of two replacement fabric collectors at the Lawrenceville Plant in Lawrence Township, **Tioga County**. Each collector is a Sly, Inc. model STJ-3117-10 and will be installed for the control of particulate matter emissions from the facility's two molten steel parts production lines. The project also includes the construction of two 4.5 MMBtu/hr, natural gas-fired duct heaters for seasonal moisture control. The Department of Environmental Protection's (Department's) review of the information submitted by the company indicates that the air contamination sources will comply with all regulatory requirements, including monitoring, recordkeeping, and reporting requirements, and pertaining to air contamination sources and the emission of air contaminants including 25 Pa. Code Chapter 123 and the best available technology (BAT) requirement of 25 Pa. Code §§ 127.1 and 127.12. Based on this finding, the Department proposes to issue a plan approval for the proposed installations. After the installation of both collectors, the air contaminant emissions from each production line will not exceed the following limits: 0.005 grains per dry standard cubic foot of particulate matter (PM) and no visible emissions equal to or greater than 20% for a period or periods aggregating more than three minutes in any 1 hour and equal to or greater than 60% at any time. In addition to the emission limitations, the following is a brief description of the types of conditions the Department intends to place in the plan approval in order to ensure compliance with all applicable air quality regulatory requirements: each collector shall be equipped with properly functioning instrumentation which continuously monitors the pressure drop across the collector tube

sheet; the permittee shall administer a preventative inspection/maintenance program which shall at a minimum, include reading and logging the pressure drop across the collector tube sheet on a daily basis; the storage and handling of the material collected in the fabric collectors shall not at any time result in the emission of fugitive air contaminants in excess of the limitations specified in 25 Pa. Code § 123.1; the permittee shall keep on hand a sufficient quantity of spare fabric collector bags in order to be able to immediately replace any bags requiring replacement due to deterioration resulting from routine operation. The facility is a State Only facility. If the Department determines that the collectors are installed and operated in compliance with the plan approval conditions and the specifications of the application for Plan Approval 59-00017G, the requirements established in the plan approval will be incorporated into State Only (Synthetic Minor) Operating Permit 59-00017 pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

37-350B: Amerikohl Aggregates, Inc.—Gardner Mine (1401 Woodside Ave., Ellwood City, PA 16114) for the installation of a portable mineral processing plant, and associated diesel-fired generator engine at their facility in Wayne Township, **Lawrence County**.

Notice is hereby given pursuant to 25 Pa. Code §§ 127.44(b) and 127.424(b), that the Pennsylvania Department of Environmental Protection (DEP) intends to issue Plan Approval 37-350B to Amerikohl Aggregates, Inc. for the installation of a portable mineral processing plant, and associated diesel-fired generator engine at the company's Gardner Mine facility located at 1401 Woodside Avenue, Wayne Township, Lawrence County. The Plan Approval will subsequently be incorporated into a State Only Operating Permit through an administrative amendment in accordance with 25 Pa. Code § 127.450.

Plan Approval No. 37-350B is for the installation of a portable mineral processing plant, consisting of a grizzly feeder, three (3) crushers, two (2) screens and associated conveyors, with emissions of particulate matter to be controlled by water spray dust suppression systems; and a 1,250 kW diesel-fired generator engine, with emissions to be controlled via oxidation catalyst. Based on the information provided by the applicant and DEP's own analysis, emissions from the subject source(s) will not exceed 28.76 tons of nitrogen oxides (NO_x), 4.41 tons of carbon monoxide (CO), 2.42 tons of volatile organic compounds (VOC), 2.01 tons of sulfur oxides (SO_x), and 4.88 tons of particulate matter per year.

The proposed sources will be subject to the applicable provisions of 40 CFR 60 Subpart OOO [Standards of Performance for Nonmetallic Mineral Processing Plants] and 40 CFR 63 Subpart ZZZZ [National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines].

The Plan Approval will contain additional testing, monitoring, recordkeeping, and work practice requirements designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis, and other documents used in the evaluation are available for public inspection between the hours of 8 a.m. and 4 p.m. weekdays at the following address. To make an appointment, contact Records Management at 814-332-6340.

Anyone wishing to provide DEP with additional information they believe should be considered may submit the information to the following address. Comments must be received by the Department within 30 days of the last day of publication. Written comments should include the name, address, and telephone number of the person submitting comments, identification of the proposed Plan Approval; No. 37-350B and a concise statement regarding the relevancy of the information or any objections to issuance of the Plan Approval.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted on the comments received during the public comment period. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in a local newspaper of general circulation or the *Pennsylvania Bulletin* or by telephone, where the Department determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Eric Gustafson, Regional Air Quality Manager, Department of Environmental Protection, Northwest Regional Office, 230 Chestnut St., Meadville, PA 16335, 814-332-6940.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104.

Contact: Edward Wiener, Chief—Telephone: 215-685-9426.

IP19-000699: Southeastern Pennsylvania Transportation Authority (SEPTA) (4301 Wissahickon Avenue, Philadelphia, PA 19140). AMS on October 24, 2019 issued a Plan Approval to extend the installation and temporary operation of two (2) natural gas fired combined heat and power units, each rated at 6,113 hp, and each controlled by a SCR and an Oxidation Catalyst System at the SEPTA's Robert Complex located in Philadelphia, **Philadelphia County**. The extension is effective until November 29, 2020.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

33-00002: Owens-Illinois Inc., Owens-Brockway Glass Container Plant 19 (3831 Route 219, Brockway, PA 15823), the Department intends to issue the renewal of the Title V Operating Permit of a glass container manufacturing facility located in Snyder Township, **Jefferson County**. Permitted sources at the facility include two glass melting furnaces, refiners, forehearths, lehrs, forming machines, a boiler, a diesel-fueled emergency

generator, two natural gas-fired emergency generators, and other supporting operations. The facility is Title V because of its potential to emit NO_x and SO_x. The glass melting furnace has been subject to 25 Pa. Code §§ 129.301—129.310 and § 60 Subpart CC. The engines have been subject to § 63 Subpart ZZZZ. In this renewal, applicable RACT II (§§ 129.96—129.100) requirements are incorporated into the renewal permit. For the diesel engine, operating hours equivalent to applicable NO_x emission limits are added as restrictions. With both glass melting furnaces already subject to NO_x CEMS and annual emission inventory reporting requirements, quarterly reporting of NO_x and SO_x emissions that applied to one glass melting furnace only is removed. Source test submittals are updated based on Source Testing Section's latest instructions.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

23-00056: Honeywell Intl, Inc. (6100 Philadelphia Pike, Claymont, DE 19703) submitted an application for a renewal Non-Title V Facility, State-Only, Natural Minor Permit in Marcus Hook Borough, **Delaware County**. Honeywell is a manufacturing company of industrial inorganic chemicals. Honeywell has a production limit of Fluorosulfonic acid. Monitoring, record keeping and reporting requirements have been added to the permit to address applicable limitations.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

06-05095: Unicast Company (241 North Washington Street, Boyertown, PA 19512) for the operation of an Iron Foundry located in Boyertown Borough, **Berks County**. This is for the renewal of the facility's State-Only operating permit. Annual emissions from the facility are estimated to be approximately 24.0 tpy of PM₁₀, 4.1 tpy of CO, 3.6 tpy of VOCs, and 2.2 tpy of SO_x. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR Part 63, Subpart ZZZZZ—National Emission Standards for Hazardous Air Pollutants for Iron and Steel Foundries at Area Sources, and 40 CFR Part 63, Subpart ZZZZ—National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines.

22-03099: The Hershey Company (19 East Chocolate Avenue, Hershey, PA 17033) to issue a State Only Operating Permit for their industrial wastewater treatment facility in Derry Township, **Dauphin County**. The subject facility has the potential-to-emit 4.5 tpy CO, 5.7 tpy NO_x, 0.5 tpy PM₁₀/PM_{2.5}, 7.9 tpy SO_x, 2.8 tpy VOC, and 5.0 tpy of a single HAP (formaldehyde). The Operating

Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR 60, Subpart JJJJ—Standards of Performance for Stationary Spark Ignition Internal Combustion Engines.

36-03019: Flury Foundry Company (1160 Elizabeth Avenue, Lancaster, PA 17601) for the operation of its Copper Foundry located in Manheim Township, **Lancaster County**. This is for the renewal of the facility's State-Only operating permit. The facility's potential emissions are estimated to be approximately 54.5 tpy of PM₁₀ and 4.7 tpy of VOCs, and 0.3 tpy of HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR Part 63, Subpart ZZZZZZ—National Emission Standards for Hazardous Air Pollutants: Area Source Standards for Aluminum, Copper, and Other Nonferrous Foundries.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

49-00019: Sunoco Partners Marketing & Terminals L.P. (1314 Point Township Drive, Northumberland, PA 17857) for their petroleum bulk storage and distribution (Northumberland Terminal) facility located in Point Township, **Northumberland County**. The facility is currently operating under State Only Operating Permit 49-00019. The facility's main sources include seven (7) storage tanks and two loading racks. The facility has taken synthetic minor restrictions to limit its volatile organic compounds, single hazardous air pollutant and total combined hazardous air pollutants emissions below the major emission thresholds. With synthetic minor restriction, the facility has potential emissions of 46.95 tons per year of volatile organic compounds, and 2.49 tons per year of total hazardous air pollutants (HAPs). No emission or equipment changes are being proposed by this action except removal of two small storage tanks. This facility is subject to the requirements of 40 CFR Part 63, Subpart BBBBBB—National Emission Standards for Hazardous Air Pollutants for Source Category: Gasoline Distribution Bulk Terminals, Sections 63.11080—63.11100. The tanks are subject to Federal Standards of Performance for New Stationary Sources, 40 CFR Part 60, Subpart Kb. The permittee shall comply with all applicable requirements of 40 CFR 60.110b—60.117b. The emission limits, throughput limitations and work practice standards along with testing, monitoring, record keeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 25 Pa. Code Chapters 121—145 as well as 40 CFR Part 60 and 63. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

*Department of Public Health, Air Management Services:
321 University Avenue, Philadelphia, PA 19104.*

Contact: Edward Wiener, Chief—Telephone: 215-685-9426.

OP19-000022: Philadelphia Navy Public Works Department (4921 South Broad St., Building 1, Philadelphia, PA 19112), which is a modification for a Natural Minor Operating Permit (OP17-000026) issued on June 21, 2018, for the operation of air emission sources at a Public Works Department in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources are nine (9) boilers firing natural gas each rated less than 1 MMBtu/hr, three (3) air handling units firing natural gas each rated 0.5 MMBtu/hr, one (1) emergency generator firing diesel fuel rated 85 kW, one (1) parts washer, and one (1) dust collector.

The changes made as part of the modification include the following:

- Removed the sources CU10 and CU11 in Building 1081, and the associated stacks S10 and S11, from Table A-1: Facility Inventory List, the Process Flow Diagram, and Section D, as the units have been transferred to the Naval Foundry and Propeller Center (PLID 09702) as per RFD No. IP19-000692.
- In Section B, updated the General Conditions to the current AMS versions.
- In Section C, updated the Facility Wide Conditions to the current AMS versions.
- In Section D: Source Specific Requirements, updated Conditions D.2.(a)(1) and D.4.(a)(1) for the installation, operation, and maintenance of the boilers and air handling units to be done in accordance with the Navy's Operations and Maintenance Plan, updated the ozone season requirement for the emergency generator to add the requirement to record AQI forecast if the unit is tested before 7:30 AM and AQI or color code if it is tested after 5 PM, specified that compliance with the PM emission limit of 25 Pa. Code § 123.13(c)(1)(i) shall be based only on Method 5, and updated the recordkeeping requirements.
- Added Section E: Non-Applicable Requirements.

The operating permit will be issued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest, comments, or request a public hearing on the previously listed operating permit must submit the protest, comments or request for public hearing within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation

Act (52 P.S. §§ 3301—3326); The Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.20a). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department. A copy of the application is available for inspection at the district mining office indicated before each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application and request for Section 401 water quality certification application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the district mining office indicated before each application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Written comments or objections regarding a mining permit application should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

A request for an informal conference or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 or § 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

When an NPDES number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Denied

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 54840105T4. Carbon Coal Company (6370 SR 61, Shamokin, PA 17872) transfer of an existing anthracite surface mine operation from Olde Buck Coal Co., Inc. and correction to update the post-mining land use in Cass Township, **Schuylkill County** affecting 204.7 acres, receiving stream: West Branch Schuylkill River, classified for the following uses: cold water and migratory fishes. Application received: October 19, 2017. Permit denied: October 31, 2019.

Noncoal Applications Received

Effluent Limits—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

Table 2

<i>Parameter</i>	<i>30-day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 58062801. Douglas G. Kilmer (205 Elk Manor Estates, Clifford Township, PA 18470), Stage I & II bond release of a quarry operation in Rush Township, **Susquehanna County** affecting 3.0 acres on property owned by Robert & Betty Boyanowski. Application received: October 7, 2019.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	
Alkalinity greater than acidity*			

*The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30 days of this public notice and contain the name, address, telephone number and the interest of the party filing the request, and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.

NPDES No. PA0262617 (Mining Permit No. 56080103), Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, renewal of an NPDES permit for surface mining in Milford Township, **Somerset County**, affecting 59.7 acres. Receiving stream: unnamed tributaries to/and South Glades Creek, classified for the following uses: trout stocked fishes, warm water fishes. This receiving stream is included in the Casselman River TMDL. Application received: July 1, 2019.

The following outfalls discharge to unnamed tributary to South Glade Creek:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
001, 003, 005, & 006	N

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: 006 (Treatment Pond)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/l)	1.51	3.02	3.8
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)	2.0	4.0	5.0
Total Suspended Solids (mg/l)	35.0	70.0	90.0

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
Alkalinity must exceed acidity at all times.

<i>Outfalls: 001, 003, & 005 (Sediment Ponds, dry weather)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)	2.0	4.0	5.0
Total Suspended Solids (mg/l)	35.0	70.0	90.0

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
Alkalinity must exceed acidity at all times.

<i>Outfalls: 001, 003, & 005 (Sediment Ponds, ≤10/24 Precip.)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/l)			7.0
Total Settleable Solids (mg/l)			0.5 mg/l

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
Alkalinity must exceed acidity at all times.

NPDES No. PA0262382 (Mining Permit No. 56070107), Fieg Brothers, 3070 Stoystown Road, Stoystown, PA 15563, renewal of an NPDES permit for discharges to surface waters resulting from surface mining of coal in Brothersvalley and Summit Townships, **Somerset County**, affecting 267.7 acres. Receiving streams: Piney Run and Buffalo Creek, classified for the following use: cold water fishes. The receiving streams are included in the Casselman River TMDL. Application received: May 22, 2019.

The following outfalls discharge to Piney Run and Buffalo Creek:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
001 (TP-1)	N
002 (TP-2)	N
003 (TP-3)	N
004 (TP-4)	N
005 (TP-5)	N
006 (SP-1)	N
007 (SP-2)	N
008 (SP-3)	N
009 (SP-4)	N
010 (SP-5)	N

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: 001—005 (all discharges)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)	N/A	N/A	3.2
Total Suspended Solids (mg/l)	35.0	70.0	90.0

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
Alkalinity must exceed acidity at all times.

<i>Outfalls: 006—010 (dry weather discharges)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)	N/A	N/A	5.0
Total Suspended Solids (mg/l)	35.0	70.0	90.0

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
Alkalinity must exceed acidity at all times.

<i>Outfalls: 006—010 (≤10-yr/24-hr Precip. Event)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/l)	N/A	N/A	7.0
Total Settleable Solids (ml/l)	N/A	N/A	0.5

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
Alkalinity must exceed acidity at all times.

Noncoal NPDES Draft Permits

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

NPDES Permit No. PA0223573 on Surface Mining Permit No. 7775SM12. Highway Materials, Inc. (409 Stenton Avenue, Flourtown, PA 19031), revision of an NPDES Permit for a sand, gravel and sandstone quarry operation in Alsace Township, **Berks County**, affecting 223.1 acres. Receiving stream: unnamed tributary to Laurel Run and unnamed tributary to Bernhart Creek, classified for the following uses: cold water and migratory fishes and warm water and migratory fishes. Application received: October 31, 2018.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are BAT limits described previously for noncoal mining activities.

The following outfalls discharge to unnamed tributary to Laurel Run and unnamed tributary to Bernhart Creek:

<i>Outfall No.</i>	<i>New Outfall Y/N</i>	<i>Type</i>
001	No	Pit Sump/Sedimentation Pond
002	No	Pit Sump/Sedimentation Pond

The proposed effluent limits for the previously listed outfalls.

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instantaneous</i>
		<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
pH ¹ (S.U.)	6.0			
Total Suspended Solids		35.0	70.0	90.0
Discharge (MGD) 001			1.0	
Discharge (MGD) 002			1.0	

¹ The parameter is applicable at all times.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before an application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on working days at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications Received under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northwest Region: Waterways and Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

E25-287, Corry Peat Products, 515 Turnpike Road, Corry, PA 16407. Corry Peat Permit Extension, in Wayne Township and City of Corry, **Erie County**, ACOE Pittsburgh District (Corry, PA Quadrangle N: 41.940015°; W: 79.659346°).

Applicant is requesting a five-year extension of existing permit E25-287, to extract peat at the Corry Peat property along Turnpike Rd, approximately 0.3 mile NW of the intersection with SR 006/West Columbus Avenue. The original permit was issued on July 24, 1986 and was extended on January 2, 1990, January 21, 1992, January 24, 1995, July 13, 1999, October 4, 2004, January 4, 2010, and December 18, 2014. No changes to the area of extraction or permit conditions are proposed.

Central Office: Jack Rokavec, Chief, P.O. Box 69205, Harrisburg, PA 17106-9205.

EA3510-002. Pennsylvania Department of Environmental Protection, Bureau of Abandoned Mine Rec-

lamation, P.O. Box 69205, Harrisburg, PA 17106-9205. Abandoned Mine Land Reclamation Project in Olyphant Borough, **Lackawanna County**, Baltimore USACE District.

The applicant proposes to blast, excavate, quench, and backfill an underground mine fire that is burning beneath 24 acres of private property. The burning underground mine fire is currently isolated by an emergency trench that is approximately 2,800 feet long and up to 150 feet deep. Reclamation will also include re-grading and revegetating approximately 76 acres of the project area and backfilling 0.078 acre of open water that has developed onsite (Olyphant Quadrangle N: 41° 26' 56.0796", W: -75° 34' 27.4008").

District Oil & Gas Operations: Eastern Oil & Gas District, 208 West Third Street, Suite 101, Williamsport, PA 17701.

E5829-146: Auburn Township, Susquehanna County; Appalachia Midstream Services; 30351 Route 6, Wysox, PA 18854; ACOE Baltimore District.

To construct, operate, and maintain:

1) a temporary timber mat bridge crossing impacting 305 square feet (0.01 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 38' 20", Longitude: -76° 04' 46"),

2) a temporary timber mat bridge crossing impacting 2,526 square feet (0.06 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 38' 20", Longitude: -76° 04' 46"),

3) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 1,133 square feet (0.03 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 38' 20", Longitude: -76° 04' 44"),

4) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 9,583 square feet (0.22 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 38' 21", Longitude: -76° 04' 43"),

5) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 2,396 square feet (0.06 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 38' 57", Longitude: -76° 04' 41"),

6) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 2,788 square feet (0.06 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 39' 04", Longitude: -76° 04' 39"),

7) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 1,133 square feet (0.03 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 39' 05", Longitude: -76° 04' 39"),

8) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 10,846 square feet (0.25 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 39' 06", Longitude: -76° 04' 39"),

9) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 348 square feet (0.01 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 39' 25", Longitude: -76° 04' 37"),

10) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 15,202 square feet (0.35 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 39' 30", Longitude: -76° 04' 34"),

11) a temporary timber mat bridge crossing impacting 697 square feet (0.02 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 39' 36", Longitude: -76° 04' 24"),

12) a temporary timber mat bridge crossing impacting 479 square feet (0.01 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 39' 36", Longitude: -76° 04' 23"),

13) a temporary timber mat bridge crossing impacting 50 lineal feet of an unnamed tributary to Little Meshoppen Creek (CWF, MF) (Auburn Center, PA Quadrangle; Latitude: 41° 39' 38", Longitude: -76° 04' 21"),

14) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 523 square feet (0.01 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 39' 37", Longitude: -76° 04' 20"),

15) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 5,053 square feet (0.12 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 39' 42", Longitude: -76° 04' 09"),

16) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 61 lineal feet of an unnamed tributary to Little Meshoppen Creek (CWF, MF) (Auburn Center, PA Quadrangle; Latitude: 41° 39' 43", Longitude: -76° 04' 08"),

17) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 958 square feet (0.02 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 39' 43", Longitude: -76° 04' 06"),

18) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 1,263 square feet (0.03 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 39' 44", Longitude: -76° 04' 05"),

19) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 50 lineal feet of an unnamed tributary to Little Meshoppen Creek (CWF, MF) (Auburn Center, PA Quadrangle; Latitude: 41° 39' 44", Longitude: -76° 04' 05"),

20) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 62 lineal feet of an unnamed tributary to Little Meshoppen Creek (CWF, MF) (Auburn Center, PA Quadrangle; Latitude: 41° 39' 44", Longitude: -76° 04' 05"),

21) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 4,138 square feet (0.10 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 39' 44", Longitude: -76° 04' 04"),

22) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 51 lineal feet of an unnamed tributary to Little Meshoppen Creek (CWF, MF) (Auburn Center, PA Quadrangle; Latitude: 41° 40' 00", Longitude: -76° 03' 55"),

23) a temporary timber mat bridge crossing impacting 1,563 square feet (0.04 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 40' 03", Longitude: -76° 04' 00"),

24) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 1,612 square feet (0.04 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 40' 05", Longitude: -76° 04' 03"),

25) a temporary timber mat bridge crossing impacting 44 square feet (0.01 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 40' 12", Longitude: -76° 04' 14"),

26) a temporary timber mat bridge crossing impacting 17 square feet (0.01 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 40' 12", Longitude: -76° 04' 14"),

27) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 1,089 square feet (0.03 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 40' 12", Longitude: -76° 04' 15"),

28) a temporary timber mat bridge crossing impacting 44 square feet (0.01 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 40' 23", Longitude: -76° 04' 20"),

29) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 958 square feet (0.02 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 40' 24", Longitude: -76° 04' 20"),

30) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 653 square feet (0.02 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 40' 27", Longitude: -76° 04' 20"),

31) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 52 lineal feet of an unnamed tributary to Carter Creek (CWF, MF) (Auburn Center, PA Quadrangle; Latitude: 41° 40' 27", Longitude: -76° 04' 20"),

32) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 697 square feet (0.02 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 40' 29", Longitude: -76° 04' 21"),

33) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 1,699 square feet (0.04 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 40' 32", Longitude: -76° 04' 24"),

34) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 78 lineal feet of an unnamed tributary to Carter Creek (CWF, MF) (Auburn Center, PA Quadrangle; Latitude: 41° 40' 34", Longitude: -76° 04' 25"),

35) a temporary timber mat bridge crossing impacting 2,787 square feet (0.06 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 40' 34", Longitude: -76° 04' 25"),

36) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 479 square feet (0.01 acre) of Palustrine Emergent

gent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 40' 36", Longitude: -76° 04' 26"),

37) a 12-inch diameter steel natural gas gathering pipeline and temporary timber mat bridge crossing impacting 8,451 square feet (0.20 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 40' 42", Longitude: -76° 04' 29"),

38) a temporary timber mat bridge crossing impacting 3,136 square feet (0.07 acre) of Palustrine Emergent Wetland (PEM) (Auburn Center, PA Quadrangle; Latitude: 41° 40' 47", Longitude: -76° 04' 29").

The Constable Loop natural gas pipeline project consists of constructing approximately 3.6 miles of 12-inch steel natural gas pipeline located in Meshoppen Township, Wyoming County and Auburn Township, Susquehanna County. The project will result in 404 lineal feet of stream impacts and 69,053 square feet (1.59 acre) of palustrine emergent (PEM) wetlands to provide safe reliable conveyance of Marcellus Shale natural gas to market. Note: Impacts 1 through 4 are located within Wyoming County and impacts 5 through 37 are located within Susquehanna County.

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	PDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions.

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Phone: 484.250.5970.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed)</i>	<i>EPA Waived Y/N?</i>
PA0051365 (Industrial)	Ingrams Mill WTP 762 W Lancaster Avenue Bryn Mawr, PA 19010-3402	Chester County East Bradford Township	East Branch Brandywine Creek (WWF, MF) (3-H)	Yes

NOTICES

6893

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed)</i>	<i>EPA Waived Y/N?</i>
PA0058190 (Sewage)	Brenda Phelan 191 Hill Road Green Lane, PA 18054-2415	Montgomery County Salford Township	Unnamed Tributary to Unami Creek (HQ-TSF) 3-E	Yes
PA0056421 (Sewage)	Country Crossing STP P.O. Box 315 1733 Township Greene Jamison, PA 18929-0315	Bucks County Warwick Township	Little Neshaminy Creek (WWF, MF) and Unnamed Tributary to Little Neshaminy Creek (WWF, MF) 2-F	Yes
PA0021741 (Sewage)	Dublin Borough STP 119 Maple Avenue Dublin, PA 18917-2403	Bucks County Bedminster Township	Deep Run (WWF, MF) 2-D	Yes

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0012998 IW	Atlas Minerals & Chemicals Inc. P.O. Box 38 1227 Valley Road Mertztown, PA 19539-0038	Longswamp Township Berks County	Toad Creek (HQ-CWF) in Watershed(s) 2-C	Y
PA0081787 SEW	Telco Development Inc. 5 Maple Ave. Manheim, PA 17545-8911	West Cornwall Twp. Lebanon County	Chiques Creek (WWF, MF) in Watershed(s) 7-G	Y
PA0026972 SEW	Pennsylvania American Water 852 Wesley Drive Mechanicsburg, PA 17055	Exeter Township Berks County	Schuylkill River (WWF, MF) in Watershed(s) 3-C	N
PA0246590 SEW	Dennis & Janice McClure 3469 McAlevys Fort Road Petersburg, PA 16669-2802	Jackson Township Huntingdon County	UNT Laurel Run (HQ-CWF, MF) in Watershed 11-B	Y
PA0083674 SEW	Rainworth Inc. 1979 Biglerville Road Gettysburg, PA 17325-8038	Straban Township Adams County	Unnamed Tributary to White Run (WWF, MF) in Watershed(s) 13-D	Y
PA0261866 SEW	Kevin & Mariola McGee 111 Amity Park Place Amity Township, PA 19508	Amity Township Berks County	UNT Monocacy Creek (WWF, MF) in Watershed 3-D	Y
PA0087106 SEW	Freedom Valley Worship Center 3185 York Road Gettysburg, PA 17325-8259	Adams County Straban Township	Unnamed Tributary to Swift Run (7-F)	Y
PA0027596 IW	New Enterprise Stone & Lime Co. Inc. P.O. Box 77 New Enterprise, PA 16664-0077	Taylor Township Blair County	Halter Creek (CWF (existing use)) in Watershed(s) 11-A	Y
PA0261840 SEW	Terri Straka 1440 Schoffers Road Birdsboro, PA 19508-8607	Exeter Township Berks County	Owatin Creek (WWF) in Watershed(s) 3-D	Y
PA0261912 SEW	Scooters Mountainside Tavern 4587 Chambersburg Road Biglerville, PA 17307-9531	Adams County Franklin Township	Marsh Creek (CWF, MF) (13-D)	Y

Northcentral Regional Office: Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3636.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0209660 (Sewage)	Winburne Wastewater Treatment Plant P.O. Box 446 Winburne, PA 16879-0446	Clearfield County Cooper Township	Moshannon Creek (TSF) (8-D)	Yes
PA0229211 (Industrial)	PA Grain Processing, LLC Clearfield Borough Plant 250 Technology Drive Clearfield, PA 16830-2663	Clearfield County Clearfield Borough	West Branch Susquehanna River (WWF) (8-B)	No
PA0032441 (Sewage)	Black Moshannon State Park 4216 Beaver Road Philipsburg, PA 16866-9036	Centre County Rush Township	Black Moshannon Creek (HQ-CWF) (8-D)	Yes

Southwest Regional Office: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0001198 (Industrial)	PPG Industries, Inc. 125 Colfax Street Springdale, PA 15144-1506	Allegheny County Springdale Borough	Allegheny River (WWF) (18-A)	Yes
PA0032069 (Sewage)	Saint Francis University STP 492 Metz Road Loretto, PA 15940-0600	Cambria County Loretto Borough	Unnamed Tributary to Clearfield Creek (CWF, MF) (8-C)	Yes
PA0098779 (Industrial)	Portage Area Municipal Authority— Martindale WTP 606 Cambria Street Portage, PA 15946-1516	Cambria County Portage Township	Trout Run (CWF) (18-E)	Yes

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions.

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

NPDES Permit No. PA0057339, Sewage, **Brian & Cheryl Davidson**, 209 Popular Road, Honey Brook, PA 19344-1349.

This proposed facility is located in Honey Brook Township, **Chester County**.

Description of Action/Activity: Issuance of an NPDES Permit for an existing discharge of treated sewage.

Northcentral Regional Office: Regional Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3636.

NPDES Permit No. PA0114821, Sewage, SIC Code 4952, **Gregg Township Municipal Authority, Union County**, 16436 US Route 15, Allenwood, PA 17810-9137.

This existing facility is located in Gregg Township, **Union County**.

Description of Existing Action/Activity: Issuance of an NPDES Permit for an existing discharge of treated sewage.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

NPDES Permit No. PA0272493, Sewage, SIC Code 8800, **Randy Corosu**, 11516 Five Points Road, Home, PA 15747.

This proposed facility is located in Washington Township, **Indiana County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

NPDES Permit No. PA0272388, Sewage, SIC Code 8800, **Charles T Johnson**, 4297 Fox Hill Road, Russell, PA 16345-5515.

This proposed facility is located in Pine Grove Township, **Warren County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

NPDES Permit No. PA0272370, Sewage, SIC Code 8800, **John Shoup**, 310 Fineview Drive, McMurray, PA 16317.

This proposed facility is located in Sandycreek Township, **Venango County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law.

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, 484.250.5900.

WQM Permit No. 1586408, Sewage, Renewal, **Aqua Pennsylvania Wastewater Inc.**, 762 W. Lancaster Avenue, Bryn Mawr, PA 19010-3402.

This proposed facility is located in Willistown Township, **Chester County**.

Description of Action/Activity: Approval of renewing the existing Deerfield Knoll Subdivision wastewater treatment plant with treated effluent disposed of to subsurface seepage beds.

WQM Permit No. 0919409, Sewage, **Warrington Township**, 852 Easton Road, Warrington, PA 18976.

This proposed facility is located in Warrington Township, **Bucks County**.

Description of Action/Activity: To increase additional flow with new pumps.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

WQM Permit No. WQG02451901, Sewage, **Middle Smithfield Township Monroe County**, 147 Muni Drive, East Stroudsburg, PA 18302-9512.

This proposed facility is located in Middle Smithfield Township, **Monroe County**.

Description of Proposed Action/Activity: Township is proposing to install a sewage pump station and force main along Mt. Nebo Road for proposed future developments including a 96-apartment unit. Wastewater will be connected to their existing Wastewater Treatment Plant under NPDES PA0060089.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

WQM Permit No. 0619404, Sewerage, **Reading City**, 815 Washington Street, Reading, PA 19601-3690.

This proposed facility is located in Reading City, **Berks County**.

Description of Proposed Action/Activity: This Permit approves modifications to the 6th and Canal Pumping Station.

WQM Permit No. 0519403, Sewerage, **Bedford Township Municipal Authority**, P.O. Box 371, 1007 Shed Road, Bedford, PA 15522-0371.

This proposed facility is located in Bedford Township, **Bedford County**.

Description of Proposed Action/Activity: This permit approves the construction/operation of:

- 6' inner diameter precast concrete 2,026-gal wet well facility
- Two (2) 80 gpm VFD controlled submersible wastewater chopper pumps
- 9' x 4' concrete valve vault housing two (2) plug valves, two (2) check valves and a combination air release valve.
- Two (2) upstream manholes

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 6219409, Sewage, **Charles T Johnson**, 4297 Fox Hill Road, Russell, PA 16345-5515.

This proposed facility is located in Pine Grove Township, **Warren County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 3219402, Sewage, **Randy Corosu**, 11516 Five Points Road, Home, PA 15747.

This proposed facility is located in Washington Township, **Indiana County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions.

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Lackawanna County Conservation District, 1038 Montdale Road, Scott Township, PA 18447.

NPDES

Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAD350013	PharmaCann Penn Plant, LLC 190 South LaSalle Ave Chicago, IL 60603	Lackawanna	Scott Township	Leggetts Creek (CWF, MF)

Lehigh County Conservation District, 4184 Dorney Park Road, Suite 105, Allentown, PA 18401.

NPDES

Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAD390105	AMC Millwork 840 Broad St. Emmaus, PA 18049	Lehigh	Emmaus Borough	Leibert Creek (HQ-CWF, MF)

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD390009	Dorney Park & Wildwater Kingdom 3830 Dorney Park Rd. Allentown, PA 18104	Lehigh	South Whitehall Township	Cedar Creek (HQ-CWF, MF)

Monroe County Conservation District, 8050 Running Valley Road, Stroudsburg, PA 18347.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD450092	Airstrip Road DC, LLC 221 Skyline Drive Suite 208/201 East Stroudsburg, PA 18301	Monroe	Smithfield Township	EV Wetlands (EV) Sambo Creek (CWF, MF)

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Contact: Nathan Phillips, Section Chief, Telephone 717.705.4802.

<i>Permit #</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD060009 Issued	Reading-Berks Storage, LLC 1060 Morgantown Road Reading, PA 19607	Berks	Ontelaunee Township	Willow Creek (HQ-CWF, MF)
PAD380008 Issued	Steven Spohn 324 Liberty Street Ephrata, PA 17522	Lebanon	Heidelberg Township	Segloch Run (EV, MF) UNT Middle Creek (WWF, MF)

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Indiana County Conservation District, 350 North 4th Street, Indiana, PA 15701, 724-471-4751.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD320004	Indiana County Municipal Services Authority 602 Kohler Drive Indiana, PA 15701	Indiana	Marion Center Borough Rayne Township Washington Township East Mahoning Township South Mahoning Township	Crooked Creek WWF, Brush Run CWF, Pine Run CWF, South Branch Plum Creek HQ

VII. Approvals to Use NPDES and/or Other General Permits.

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types.

PAG-1	General Permit for Discharges from Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges from Small Flow Treatment Facilities
PAG-5	General Permit for Discharges from Petroleum Product Contaminated Groundwater Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines
PAG-11	General Permit for Discharges from Aquatic Animal Production Facilities
PAG-12	Concentrated Animal Feeding Operations (CAFOs)

- PAG-13 Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
- PAG-14 (To Be Announced)
- PAG-15 General Permit for Discharges from the Application of Pesticides

PAG-02

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Luzerne Conservation District, 325 Smiths Pond Road, Shavertown, PA 18708.

<i>NPDES</i>				<i>Receiving</i>
<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Water/Use</i>
PAC400151	Audi Management IV LLC 71 W Northampton St Wilkes-Barre, PA 18703	Luzerne	Jenkins Twp	Susquehanna River (WWF, MF)
PAC400149	Earth Conservancy Michael Dziak 101 S Main St Ashely, PA 18706	Luzerne	Newport Twp	S Branch Newport Creek (CWF) UNT to Nanticoke Creek (CWF)

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707.

Contact: Nathan Phillips, Section Chief, 717.705.4802.

Facility Location:

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Woodbury Township Blair County Issued	PAC070049	Cove Forge Behavioral Health Center 202 Cove Forge Road Williamsburg, PA 16693	Frankstown Branch Juniata River (TSF)	Blair County Conservation District 1407 Blair Street Hollidaysburg, PA 16648 814.696.0877, ext. 5
East Petersburg Borough Lancaster County Issued	PAC360153	Hess Homebuilders, Inc. 15 Meadow Lane Lancaster, PA 17601	UNT Little Conestoga Creek (TSF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
Manheim Township Lancaster County Issued	PAC360463	Alumax, Inc. 1480 Manheim Pike Lancaster, PA 17601	UNT Little Conestoga Creek (WWF, MF) Little Conestoga Creek (TSF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
Leacock Township Lancaster County Issued	PAC360473	Berks Construction Company 3335 Morgantown Road P.O. Box 7 Mohnton, PA 19540	Watson Run (WWF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
South Annville Township Lebanon County Issued	PAC380149	Garman Builders at Mayapple, LLC 471 North Reading Road Ephrata, PA 17522	Quittapahilla Creek (TSF)	Lebanon County Conservation District 2120 Cornwall Road Lebanon, PA 17042-9788 717.277.5275

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

*Facility Location:
Municipality &
County*

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Rayburn Township, Armstrong County	PAC030022	Good Tire Service Inc. 336 Troy Hill Road Kittanning, PA 16201	Cowanshannock Creek TSF	Armstrong County Conservation District 120 S Grant Avenue Suite 2 Kittanning, PA 16201 724-548-3425
Cranberry Township, Butler County	PAC100112A1	Rochester Road Investment Company 1190 Dillersville Road Lancaster, PA 17601	UNT to Brush Creek WWF	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001
Oil Creek Township, Crawford County	PAC200051	Titusville Free Methodist Church 4249 State Route 27 Titusville, PA 16354	Oil Creek CWF	Crawford County Conservation District 21742 German Road Meadville, PA 16335 814-763-5269
Rose Township, Jefferson County	PAC330015	Kevin and Teresa Haines 201 Deer Run Road Corsica, PA 15829	Clement Run CWF	Jefferson County Conservation District 1514 Route 28 Brookville, PA 15825 814-849-7463
Slippery Rock Township Lawrence County	PAC370036	New Castle (422) DPP LLC Jason Horowitz 9010 Overlook Boulevard Brentwood, TN 37027	UNT to Big Run WWF	Lawrence County Conservation District 430 Court Street New Castle, PA 16101 724-652-4512
New Wilmington Borough Lawrence County	PAC370035	Westminster College Jason Januszewicz 319 South Market Street New Wilmington, PA 16172	McClures Run TSF	Lawrence County Conservation District 430 Court Street New Castle, PA 16101 724-652-4512

PAG-3

*Facility Location:
Municipality &
County*

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Darby Township Delaware County	PAG030077 A-1	Eastern Concrete Materials Inc. 250 Pehle Avenue Plaza One Suite 503 Saddle Brook, NJ 07663	Hermesprot Creek (WWF, MF) and Darby Creek (WWF MF) 3-G	DEP Southeast Regional Office Clean Water Program 2 E. Main Street Norristown, PA 19401 484.250.5970
Richland Township Bucks County	PAG030096	Oldcastle Lawn & Garden Inc. 500 East Pumping Station Rd Quakertown, PA 18951	Tohickon Creek (TSF, MF) 2-D	DEP Southeast Regional Office Clean Water Program 2 E. Main Street Norristown, PA 19401 484.250.5970
Johnstown City Cambria County	PAR806226	US Army Reserve 99th Readiness Division 5231 S Scott Plaza JB MDL, NJ 08640	Unnamed Tributary to Solomon Run (WWF)—18-E	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive Pittsburgh, PA 15222-4745 412.442.4000

PAG-10

Facility Location:
Municipality &
County

Springfield Township
Erie County

Permit No.
PAG108339

Applicant Name & Address
Rh Energy Trans LLC
558 W 6th Street
Erie, PA 16507-1129

Receiving
Water/Use
Unnamed Tributary
to Raccoon Creek
(CWF, MF)—15-A

Contact Office &
Phone No.
DEP Northwest
Regional Office
Clean Water Program
230 Chestnut Street
Meadville, PA
16335-3481
814.332.6942

PAG-12

Facility Location:
Municipality &
County

Bethel Township
Berks County

Permit No.
PAG123885

Applicant Name & Address
Adam Martin Poultry
Operations CAFO
390 Midway Road
Bethel, PA 19507-9635

Receiving
Water/Use
Watershed(s)
7-D

Contact Office &
Phone No.
DEP Southcentral
Regional Office
Clean Water Program
909 Elmerton Avenue
Harrisburg, PA
17110-8200
717.705.4707

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act.

Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Permit No. 2408012, Operations Permit: Public Water Supply.

Applicant	Hazleton City Authority Derringer/Fern Glen Division 400 East Arthur Gardner Parkway Hazleton, PA 18201-7359
Borough or Township	Black Creek Township
County	Luzerne
Type of Facility	PWS
Consulting Engineer	John Synoski, PE Hazleton City Authority 400 East Arthur Gardner Parkway Hazleton, PA 18201-7359
Permit to Operate Issued	10/15/2019

Permit No. 2520031, Operations Permit: Public Water Supply.

Applicant	Laurel Woods MHC, LLC 100 Swale Brook Lane Milford, PA 18337
Borough or Township	Lackawaxen Township
County	Pike
Type of Facility	PWS
Consulting Engineer	N/A
Permit to Operate Issued	10/21/2019

Permit No. 660004, Operations Permit: Public Water Supply.

Applicant	Pennsylvania American Water Co. 852 Wesley Dr. Mechanicsburg, PA 17055
Borough or Township	Overfield Township
County	Wyoming

Type of Facility PWS
 Consulting Engineer Ms. Maureen Bower, PE
 Pennsylvania American
 Water Co.
 2699 Stafford Ave.
 Scranton, PA 18505

Permit to Operate
 Issued October 8, 2019

Permit No. 2400104, Operations Permit: Public
 Water Supply.

Applicant **Aqua Pennsylvania, Inc.**
 1 Aqua Way
 White Haven, PA 18661

Borough or Township Kingston Township
 County **Luzerne**

Type of Facility PWS
 Consulting Engineer Jonathan Morris, PE
 GHD Inc.
 326 East Second St.
 Bloomsburg, PA 17815

Permit to Operate
 Issued 9/09/2019

Permit No. 3480056, Operations Permit: Public
 Water Supply.

Applicant **Bethlehem Authority**
 (Country Squire Estates)
 10 East Church St.
 Bethlehem, PA 18018

[Borough or Township] East Allen Township
 County **Northampton**

Type of Facility PWS
 Consulting Engineer Mr. Ed Boscola, P.E.
 City of Bethlehem
 10 East Church St.
 Bethlehem, PA 18018

Permit to Operate
 Issued 10/14/2019

*Southcentral Region: Safe Drinking Water Program
 Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

Permit No. 3619507, Public Water Supply.

Applicant **Leola Sewer Authority**
 Municipality Upper Leacock Township
 County **Lancaster**

Responsible Official John F. Leen IV
 Public Works Director
 36 Hillcrest Avenue
 P.O. Box 325
 Leola, PA 17540-0325

Type of Facility Installation of a blended
 phosphate injection system for
 corrosion control and the
 removal of the existing softening
 and caustic soda system.

Consulting Engineer Dennis Hammaker, P.E.
 RETTEW Associates, Inc.
 3020 Columbia Avenue
 Lancaster, PA 17603

Permit to Construct
 Issued 11/1/2019

Transferred Comprehensive Operation Permit No. 7010007 issued to: **Paramount Senior Living at Fayetteville, LLC (PWS ID No. 7010007)**, Franklin Township, **Adams County** on 10/18/2019. Action is for a Change in Ownership for Paramount Senior Living at Chambersburg Road, Adams County for the operation of facilities previously issued to Passage Village of Laurel Run Ops, LLC.

Transferred Comprehensive Operation Permit No. 7010029 issued to: **Mountain View MHP Management, LLC (PWS ID No. 7010029)**, Reading Township, **Adams County** on 11/1/2019. Action is for a Change in Ownership for Mountain View Mobile Home Park, Adams County for the operation of facilities previously issued to Pleasant Valley Rentals, LLC.

*Northcentral Region: Safe Drinking Water Program
 Manager, 208 West Third Street, Suite 101, Williamsport,
 PA 17701-6448.*

**Permit No. 4918505MA—Operation—Public Water
 Supply.**

Applicant **Aqua Pennsylvania, Inc.**
 Township/Borough Coal Township
 County **Northumberland County**
 Responsible Official Mr. John Klinger II
 Engineer
 Aqua Pennsylvania, Inc.
 204 East Sunbury Street
 Shamokin, PA 17872

Type of Facility Public Water Supply—Operation
 Consulting Engineer Mr. Rulison Evans
 GHD, Inc.
 230 Executive Drive
 Suite 300
 Cranberry Township, PA 16066

Permit Issued November 1, 2019
 Description of Action Authorizes Aqua Pennsylvania,
 Inc. Roaring Creek to operate
 both the 718,509-gallon Ralpho
 water-storage tank in Shamokin
 Township and the 250,000-gallon
 Springfield water-storage tank in
 Coal Township.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

**The following plans and reports were submitted
 under the Land Recycling and Environmental
 Remediation Standards Act (35 P.S. §§ 6026.101—
 6026.907).**

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors,

a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

Former Lancaster YMCA, 547 North Prince Street, Lancaster, PA 17603, City of Lancaster, **Lancaster County**. Liberty Environmental, Inc., 505 Penn Street, Reading, PA 19601, on behalf of Lancaster General Hospital, 555 North Duke Street, Lancaster, PA 17604, submitted a Final Report concerning remediation of site soil contaminated with No. 4 heating oil. The report is intended to document remediation of the site to meet the Residential Statewide Health Standard.

Titus Combustion Turbine Site, Tract 5, 296 Poplar Neck Road, Birdsboro, PA 19508 Cumru Township, **Berks County**. Groundwater and Environmental Services, Inc., 440 Creamery Way, Suite 500, Exton, PA 19341, on behalf of GenOn, 315 Riegelsville Road, Milford, NJ 08848 submitted a Remedial Investigation Report, Remedial Assessment Report, Cleanup Plan, and Final Report concerning remediation of site soil and groundwater contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Site-Specific and Statewide Health Standards.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report

provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Former Baird Medical Supply Store, 5374 & 5392 Hamilton Boulevard, Lower Macungie Township, **Lehigh County**. Resource Renewal, 10 Lippincott Lane, Unit 1, Mount Holly, NJ 08060, on behalf of Summerwood Corporation, 14 Balligomingo Road, Conshohocken, PA 19428, submitted a combined remedial investigation report and cleanup plan concerning remediation of soil was contaminated with PCBs, VOCs, SVOCs, and metals from former operations at the site, including a gasoline service station and a former junkyard. The report was approved by DEP on October 31, 2019.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

Former Cumberland Valley Motors Property, 6714-6726 Carlisle Pike, Mechanicsburg, PA 17050, Silver Spring Township, **Cumberland County**. Liberty Environmental, Inc., 505 Penn Street, Suite 400, Reading, PA 19601, on behalf of JLLH Associates, LTD and The Faulkner Organization, 4437 Street Road, Trevoise, PA 19053, submitted a Final Report concerning remediation

of site soil and groundwater contaminated with VOCs and arsenic. The Final Report did not demonstrate attainment of the Residential Statewide Health Standard and was disapproved by the Department on October 28, 2019.

Martin Electric Plants, 280 Pleasant Valley Road, Ephrata, PA 17522, West Earl Township, **Lancaster County**. ARRO Consulting, Inc., 108 West Airport Road, Lititz, PA 17543, on behalf of IPR, LLC, 10 Miller Road, Akron, PA 17501, submitted a Remedial Investigation Report concerning remediation of site soil contaminated with lead and arsenic. The Report was disapproved by the Department on October 22, 2019.

Rail Trail Partners, LLC Marietta Site, 421 West Market Street, Marietta, PA 17547, Marietta Borough, **Lancaster County**. POWER Engineers, Inc., 1410 East Market Street, York, PA 17403, on behalf of Rail Trail Partners, LLC, 421 West Market Street, Marietta, PA 17547, submitted a Remedial Investigation Report, Cleanup Plan, and Final Report concerning remediation of site soil and groundwater contaminated with inorganics, PCBs and # 2 fuel oil. The Final Report demonstrated attainment of the Site Specific and Statewide Health Standard and was approved by the Department on October 24, 2019.

HAZARDOUS WASTE TRANSPORTER LICENSE

Actions on applications for Hazardous Waste Transporter License received under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) and regulations to transport hazardous waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170.

Renewal Applications Received

Laidlaw Carriers Bulk GP Inc., 1179 Ridgeway Rd, Woodstock, ON N4S 0A9. License No. PA-AH 0703. Effective Nov 04, 2019.

Tri-Line Carriers GP Inc., 1179 Ridgeway Rd, Woodstock, ON N4S 0A9. License No. PA-AH 0736. Effective Nov 04, 2019.

The Environmental Service Group (NY), Inc., 177 Wales Avenue, Tonawanda, NY 14150. License No. PA-AH S144. Effective Oct 23, 2019.

Set Environmental, Inc., 450 Sumac Rd, Wheeling, IL 60090. License No. PA-AH S226. Effective Oct 28, 2019.

Transporter Licenses Reissued

Laidlaw Carriers Bulk GP Inc., 1179 Ridgeway Rd, Woodstock, ON N4S 0A9. License No. PA-AH 0703. Effective Nov 04, 2019.

Tri-Line Carriers GP Inc., 1179 Ridgeway Rd, Woodstock, ON N4S 0A9. License No. PA-AH 0736. Effective Nov 04, 2019.

The Environmental Service Group (NY), Inc., 177 Wales Avenue, Tonawanda, NY 14150. License No. PA-AH S144. Effective Oct 23, 2019.

Set Environmental, Inc., 450 Sumac Rd, Wheeling, IL 60090. License No. PA-AH S226. Effective Oct 28, 2019.

MUNICIPAL WASTE GENERAL PERMITS

Renewal of a General Permit Issued Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

General Permit No. WMGM039SC003. Pennsy Supply, Inc., 2400 Thea Drive, Suite 3A, Harrisburg, PA 17110 for the Prescott Quarry facility located at 200 Prescott Road, Lebanon, PA 17042, South Lebanon Township, **Lebanon County**. The Department has issued a renewal of General Permit No. WMGM039SC003 to Pennsy Supply, Inc. This general permit authorizes the processing and beneficial use of post-consumer asphalt shingles (tear-offs) and pre-consumer asphalt shingles (i.e., imperfections, tabs, trimming scraps, etc., generated in the manufacturing of new asphalt shingles and damaged, unused shingles) as an ingredient in hot-mix and cold-mix asphalt paving material, a component of a sub-base material, as dust control on rural roads when applied with a binder, and as a component or ingredient in fuel used in cement or manufacturing or in the generation of electricity or steam. The processing is limited to transferring, screening, shredding, grinding, sorting and magnetic removal of ferrous metal. This renewal was issued by the Department on November 4, 2019.

General Permit No. WMGM039SC004. Pennsy Supply, Inc., 2400 Thea Drive, Suite 3A, Harrisburg, PA 17110 for the Penn Township Quarry facility located at 200 Pennsy Drive, Newville, PA 17241, Penn Township, **Cumberland County**. The Department has issued a renewal of General Permit No. WMGM039SC004 to Pennsy Supply, Inc. This general permit authorizes the processing and beneficial use of post-consumer asphalt shingles (tear-offs) and pre-consumer asphalt shingles (i.e., imperfections, tabs, trimming scraps, etc., generated in the manufacturing of new asphalt shingles and damaged, unused shingles) as an ingredient in hot-mix and cold-mix asphalt paving material, a component of a sub-base material, as dust control on rural roads when applied with a binder, and as a component or ingredient in fuel used in cement or manufacturing or in the generation of electricity or steam. The processing is limited to transferring, screening, shredding, grinding, sorting and magnetic removal of ferrous metal. This renewal was issued by the Department on November 4, 2019.

General Permit No. WMGM039SC005. Pennsy Supply, Inc., 2400 Thea Drive, Suite 3A, Harrisburg, PA 17110 for the East Petersburg Quarry facility located at 2742 Lancaster Road, Manheim, PA 17545, East Hempfield Township, **Lancaster County**. The Department has issued a renewal of General Permit No. WMGM039SC005 to Pennsy Supply, Inc. This general permit authorizes the processing and beneficial use of post-consumer asphalt shingles (tear-offs) and pre-consumer asphalt shingles (i.e., imperfections, tabs, trimming scraps, etc., generated in the manufacturing of new asphalt shingles and damaged, unused shingles) as an ingredient in hot-mix and cold-mix asphalt paving material, a component of a sub-base material, as dust control on rural roads when applied with a binder, and as a

component or ingredient in fuel used in cement or manufacturing or in the generation of electricity or steam. The processing is limited to transferring, screening, shredding, grinding, sorting and magnetic removal of ferrous metal. This renewal was issued by the Department on November 4, 2019.

DETERMINATION OF APPLICABILITY FOR MUNICIPAL WASTE GENERAL PERMITS

Determination of Applicability for General Permit Revoked Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401.

General Permit No. WMGM039SE002B. Allan Myers, L.P. (d.b.a. Allan Myers Materials), 410 Doe Run Road, Coatesville, PA 19320-4294. This general permit has been revoked in response to the permittee's request to approve facility's final closure certificate, terminate coverage, and release bond under General Permit No. WMGM039SE002B, which authorized the processing and beneficial use of pre- and post-consumer asphalt shingles as an ingredient in hot-mix and cold-mix asphalt paving material at the Coatesville Asphalt Plant, located at 410 Doe Run in East Fallowfield Township, **Chester County**. The final closure and revocation of permits were approved by the Southeast Regional Office on October 28, 2019.

Persons interested in reviewing the final closure certificate may contact the Pennsylvania Department of Environmental Protection ("DEP") Waste Management Program Manager, Southeast Regional Office, 2 East Main Street, Norristown, PA 19401-4915, or by telephone at 484.250.5960. TDD users may contact the DEP through the Pennsylvania AT&T Relay Service, (800) 654.5984.

Determination of Applicability for General Permit Renewal Issued Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401.

General Permit No. WMGM039SE001. Accurate Recycling Corp, 508 East Baltimore Avenue, Lansdowne, PA 19050-2508. This permit is for the determination of applicability (DOA) renewal under General Permit No. WMGR039SE001 for the beneficial use of pre- and post-consumer asphalt shingles at Accurate Recycling Facility located at 508 East Baltimore Pike in Upper Derby Township, **Delaware County**. The renewal general permit for determination of applicability was issued by the Southeast Regional Office on October 28, 2019.

Persons interested in reviewing the general permit may contact the Pennsylvania Department of Environmental Protection ("DEP") Waste Management Program Manager, Southeast Regional Office, 2 East Main Street, Norristown, PA 19401-4915, or by telephone at 484.250.5960.

TDD users may contact the DEP through the Pennsylvania AT&T Relay Service, (800) 654.5984.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2531.

GP5-58-024: Bluestone Pipeline Company of PA LLC (1000 Nobel Energy Drive, Canonsburg, PA 15317) on October 8, 2019 the general operating permit GP5 renewed for the operation of natural gas compressor station at the facility located in Harmony Township, **Susquehanna County**.

GP3-58-068: F.S. Lopke Contracting Incorporated (3430 State Route 434, Apalachin, NY 13732) on October 8, 2019, for the installation and operation of a portable stone crushing plant at the facility located in Bridgewater Township, **Susquehanna County**.

GP4-35-002: Albright Precision Inc. (4 Rocky Glen Road, Moosic, PA 18507) on October 16, 2019, for the operation of burn off oven controlled by after burner at the facility located in Moosic Borough, **Lackawanna County**.

GP9-58-068: F.S. Lopke Contracting Incorporated (3430 State Route 434, Apalachin, NY 13732) on October 8, 2019, for the installation and operation of I C Engines at the facility located in Bridgewater Township, **Susquehanna County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

AG5-19-00001A: Transcontinental Gas Pipe Line Company, LLC (P.O. Box 1396, Houston, TX 77251-1396) on October 28, 2019, to construct and operate a natural gas-fired Solar Titan 250 combustion turbine, a natural gas-fired emergency generator, two above ground storage tanks, and ancillary new piping components as well as associated activities such as tank truck loading and equipment venting/blowdown pursuant to the General Plan Approval and General Operating Permit for Natural Gas Compression Stations, Processing Plants, and Transmissions Stations (BAQ-GPA/GP-5) at Compressor Station 610 located in Orange Township, **Columbia County**.

Plan Approvals Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

50-03007A: Atlantic Metal Industries LLC (600 Susquehanna Trail, Liverpool, PA 17045) on October 29, 2019, for the construction of a scrap metal shredding plant at the facility located in Liverpool Township, **Perry County**. The scrap metal shredder will be a Newell 80104 and is powered using 2 Waukesha L5792U internal combustion engines previously authorized under GP9.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James A. Beach, New Source Review Chief—Telephone: 484-250-5920.

09-0196L: Abington Reldan Metals LLC (550 Old Bordentown Rd., Fairless Hills, PA 19030-4510) on October 22, 2019, for the replacement of the existing Thermal Destructor 2 Baghouse (C02B) with a new Baghouse (C14B), located in Falls Township, **Bucks County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

10-001P: AK Steel, Butler Works (P.O. Box 832, Butler, PA 16003) on October 25, 2019, effective October 31, 2019, has issued a plan approval extension for continued temporary operation and compliance evaluation of the No. 26 Carlite furnace in Butler Township, **Butler County**. This is a Title V facility. This will expire on April 30, 2020.

27-015A: Tennessee Gas Pipeline, Marienville Station 307 (1001 Louisiana St., Ste 1000, Houston, TX 77002) on October 25, 2019, effective October 31, 2019, has issued a plan approval extension for upgrades of a RACT II control device for Source 135 and the installation of the oxidation catalyst in Howe Township, **Forest County**. This is a Title V facility. This will expire on April 30, 2020.

37-331C: RWE Holding Co, West Pittsburg (535 Rundle Road, New Castle, PA 16101) on October 30, 2019, effective October 31, 2019, has issued a 4-month plan approval extension to allow the facility time to resolve and correct issues discovered during a recent plan approval inspection in Taylor Township, **Lawrence County**. This is a State Only facility. This will expire on February 29, 2020.

42-004J: American Refining Group (77 North Kendall Avenue, Bradford, PA 16701) on October 25, 2019, effective October 31, 2019, has issued a plan approval extension for continued temporary operation and compliance evaluation of new gas fired # 6 boiler in Bradford City, **McKean County**. This is a Title V facility. This will expire on April 30, 2020.

42-246A: National Fuel Gas, Keelor Compressor Station (6363 Main Street, Williamsville, NY 14221) on October 15, 2019, effective October 31, 2019, has issued a plan approval extension for continued temporary operation of subject sources in Wetmore Township, **McKean County**. This is a State Only facility. This will expire on April 30, 2020.

43-373B: Ellwood Crankshaft & Machine (1161 N. Sharpsville Ave., Sharon, PA 16146) on October 30, 2019, effective October 31, 2019, has issued a plan approval extension to extend temporary operation to facilitate the shake-down of sources and air cleaning devices in Sharon City, **Mercer County**. This is a State Only facility. This will expire on April 30, 2020.

Title V Operating Permits Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

06-05036: Novipax, LLC (4275 Reading Crest Avenue, Reading, PA 19605-1130) on October 29, 2019, for the polystyrene foam product manufacturing facility located in Muhlenberg Township, **Berks County**. The Title V permit was renewed.

36-05079: Chester County Solid Waste Authority (P.O. Box 476, Honey Brook, PA 19344-0476) on October 28, 2019, for the Lanchester Landfill located in Caernarvon Township, **Lancaster County**. The Title V permit was renewed.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507.

35-00064: Innocor Foam Technologies—ACP, Inc. (2222 Surret Drive, High Point, NC 27263). The Department issued, on 10/22/19, a State-Only Operating Permit for operation of sources at a foam manufacturing operation in Archibald Borough, **Lackawanna County**. The sources include a slab stock foam pour line and adhesive usage process. The operating permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

39-00106: Cintas Corporation (164 East Mail Street, Emmaus, PA 18049). The Department issued, on 10/22/19, a State-Only Operating Permit for operation of sources at an industrial laundering operation in Emmaus Borough, **Lehigh County**. The sources include nine washers, five dryers, a wastewater treatment process. Exempt sources include minor washers and dryers, and a natural gas-fired boiler. The operating permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

54-00067: Keystone Potato Products, LLC (P.O. Box 27, Hegers, PA 17938-0027). On November 4, 2019 the Department issued a renewal State-Only Natural Minor Permit for Keystone Potato Products, LLC located in Frailey Township, **Schuylkill County**. The facility processes raw potatoes into dehydrated potato products. The sources are considered minor emission sources of nitrogen

oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. The permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

36-03024: Astro Machine Works, Inc. (470 Wenger Drive, Ephrata, PA 17522-9269) on October 29, 2019, for the custom machine manufacturing facility located in Ephrata Borough, **Lancaster County**. The State-only permit was renewed.

38-05023: Pennsy Supply, Inc. (2400 Thea Drive, Suite 3A, Harrisburg, PA 17110-9436) on October 29, 2019, for the asphalt plant facility at the Prescott Quarry located in South Lebanon Township, **Lebanon County**. The State-only permit was renewed.

67-05028: Tolna Power, LLC (315 Riegelsville Road, Milford, NJ 08848-1888) on October 29, 2019, for the Tolna electric generating station located in Hopewell Township, **York County**. The State-only permit was renewed.

21-03128: Geisinger Holy Spirit Hospital (503 North 21st Street, Camp Hill, PA 17011-2288) on October 29, 2019, for the emergency generators at the hospital facility located in East Pennsboro Township, **Cumberland County**.

07-03066: Team Ten LLC (1600 Pennsylvania Avenue, Tyrone, PA 16686-1758) on October 31, 2019, for the papermill located in Tyrone Borough, **Blair County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Tom Joseph, P.E., Facilities Permitting Chief—Telephone: 412-442-4336.

26-00470: Mon River Energy Company (P.O. Box 466, Brier Hill, PA 15415). In accordance with 25 Pa. Code § 127.431, the Department of Environmental Protection (DEP) is providing notice that on July 1, 2019, DEP issued a renewed State Only Operating Permit to Mon River Energy Company for the continued operation of a coal preparation plant, known as the Brier Hill Site, located in Redstone Township, **Fayette County**.

The facility contains air contamination sources consisting of conveyers, stockpiles, wet, magnetite, heavy media, separation process with a centrifuge, truck unloading and loading operations. Air pollution prevention equipment at the facility includes enclosures, minimization of drop height, and watering.

No emission or equipment changes have been approved by this action. Emission sources at the facility are subject to 40 CFR Part 60, Subparts A and Y, and 25 Pa. Code Chapters 121—145. The permit includes emission limitations, and operational, monitoring, reporting and recordkeeping requirements for the facility. The emission restriction, monitoring, recordkeeping, reporting and work practice conditions of the SOOP have been derived from the applicable requirements of 40 CFR Parts 60 and 70 and 25 Pa. Code, Article III, Chapters 121—145.

32-00206: Rosebud Mining Company (301 Market Street, Kittanning, PA 16201). In accordance with 25 Pa. Code § 127.431, the Department of Environmental Protection (DEP) is providing notice that on July 29, 2019, DEP issued a renewed State Only Operating Permit to the Rosebud Mining Company for the operation of a coal preparation plant, known as the Clymer Tipple, located in Cherryhill Township, **Indiana County**.

The facility contains air contamination sources consisting of conveyers, stockpiles, screens, a crusher, rail and truck unloading and loading operations. Air pollution prevention equipment at the facility includes enclosures, minimization of drop height, and watering of roads and material.

No emission or equipment changes have been approved by this action. Emission sources at the facility are subject to 40 CFR Part 60, Subparts A and Y and 25 Pa. Code Chapters 121—145. The permit includes emission limitations, and operational, monitoring, reporting and recordkeeping requirements for the facility. The emission restriction, monitoring, recordkeeping, reporting and work practice conditions of the SOOP have been derived from the applicable requirements of 40 CFR Parts 60 and 70 and 25 Pa. Code, Article III, Chapters 121—145.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief—Telephone: 412-442-4336.

TVOP-65-00839: Texas Eastern Transmission, L.P. (5400 Westheimer Court, Houston, TX 77056). Administrative Amendment, issued on October 21, 2019, to change the name of the Permit Contact, on the permit. The name of the Permit Contact is now Phillip Wiedenfeld. The Delmont Compressor Station is located in Salem Township, **Westmoreland County**.

TVOP-30-00077: Texas Eastern Transmission, L.P. (5400 Westheimer Court, Houston, TX 77056). Administrative Amendment, issued on October 25, 2019, to change the name of the Responsible Official, on the permit. The name of the Responsible Official is now Kerry Puckett. The Holbrook Compressor Station is located in Richhill Township, **Greene County**.

De Minimis Emissions Increases Authorized under 25 Pa. Code § 127.449.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Dave Balog, New Source Review Chief or Matt Williams, Facilities Permitting Chief—Telephone: 814-332-6340.

27-00019: PA Department of Corrections—Forest SCI (286 Woodland Drive, Marienville, PA 16239) for its facility located in Jenks Township, **Forest County**. The de minimis emission increase is for the proposed construction of the Vehicle Restoration Facility consisting of the following:

- Shot Blasting Booth with a Primary Cartridge Style Filter and a High Efficiency Particulate Air (HEPA) Filter

- Metal Inert Gas (MIG) Welding
- Hand Held Grinding prior to Shot Blasting and/or Welding
- Paint Booth with Filters
- Natural Gas Heater rated at 4.62 MMBtu/hr for heating make-up air to the Paint Booth

In addition, this source is exempt from plan approval as it complies with 25 Pa. Code § 127.14(a)(8). The Department hereby approves the de minimis emission increase. The following table is a list of the de minimis emission increases as required by 25 Pa. Code § 127.449(i). This list includes the de minimis emission increases since the Operating Permit issuance on July 16, 2018.

Date	Source	PM ₁₀ (tons)	SO _x (tons)	NO _x (tons)	VOC (tons)	CO (tons)
9-12-19	Welding/ Grinding	0.056				
Total Reported Increases		0.056				
Allowable		0.6 ton/source 3 tons/facility	1.6 ton/source 8 tons/facility	1 ton/source 5 tons/facility	1 ton/source 5 tons/facility	4 tons/source 20 tons/facility

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law; the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.20a). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to applications will also address the application permitting requirements of the following statutes: the Air Quality Pollution Act (35 P.S. §§ 4001—4014); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1002).

Coal Permits Issued

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

03991301 and NPDES No. PA0235407. Rosebud Mining Company (301 Market Street, Kittanning, PA 16201). To renew the permit for the Logansport Mine in Bethel, Burrell, Gilpin, and Parks Townships, **Armstrong County**. No additional discharges. The application was considered administratively complete on September 9, 2016. Application received: February 8, 2016. Permit issued: October 31, 2019.

Noncoal Permits Issued

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

27152801. Trimont Energy, LLC (1305 Grandview Avenue, Pittsburgh, PA 15211). Final bond release for a small industrial minerals surface mine in Harmony Township, **Forest County**. Restoration of 3.0 acres completed. Receiving streams: Dawson Run. Application Received: July 22, 2019. Final bond release approved: October 25, 2019.

33100801. Means Brothers (P.O. Box 131, Punxsutawney, PA 15767). Final bond release for a small industrial minerals surface mine in Young Township, **Jeffer-**

son County. Restoration of 2.0 acres completed. Receiving streams: Unnamed tributary to Mahoning Creek. Application Received: September 30, 2019. Final bond release approved: October 30, 2019.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 58190802. Donald Twining (232 State Route 2036, Thompson, PA 18465), commencement, operation and restoration of quarry operation in Gibson Township, **Susquehanna County** affecting 5.0 acres, receiving stream: unnamed tributary to Tunkhannock Creek. Application received: February 11, 2019. Permit issued: October 30, 2019.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Issued

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 36194153. Keystone Blasting Service (15 Hopeland Road, Lititz, PA 17543), construction blasting for Lancaster County Career & Technology Center in Mt. Joy Township, **Lancaster County** with an expiration date of December 31, 2019. Permit issued: October 30, 2019.

Permit No. 48194117. American Rock Mechanics, Inc. (7531 Chestnut Street, Zionsville, PA 18092), construction blasting for Heritage Village Phase 3 & 4 in Upper Nazareth Township, **Northampton County** with an expiration date of September 17, 2020. Permit issued: October 30, 2019.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Permits, Environmental Assessments and 401 Water Quality Certifications Issued:

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Waterways and Wetlands Program, 2 East Main Street, Norristown, PA 19401, 484.250.5160.

E15-912: New Garden Township, 299 Starr Road, New Garden, PA 19350, New Garden Township, **Chester County**, ACOE Philadelphia District.

To restore and maintain approximately 1,850 linear feet of the main stem of Bucktoe Creek and its tributary (TSF, MF) for the purpose of improving aquatic habitat and water quality of the stream. The proposed work will include stream bank stabilizations, cross vanes, toe rocks, mud sills, and flood plain restoration.

The site is located near the intersection of Sharp and Bucktoe Roads (Kennett Square, PA USGS Map; Latitude: 39.817828; Longitude: -75.731326) in New Garden Township, Chester County. This project is funded by Growing Greener Grant.

E09-1025: Sellersville Borough, 140 East Church Street, Sellersville, PA 18960, Sellersville Borough, **Bucks County**, ACOE Philadelphia District.

To realign and maintain approximately 92 feet of eroded stream channel, UNT to the East Branch Perkiomen Creek (TSF-MF) associated with the damages occurred during storm events. D.A is about 36.82 acres. The site is located along the Willow Street, east of Park Avenue (Telford, PA USGS Quadrangles Latitude: 40.358934; Longitude: -75.304275) in Sellersville Borough, Bucks County.

EA09-013/WL0919301: Solebury Township, 3092 Sугan Road, P.O. Box 139, Solebury, PA 18963, Solebury Township, **Bucks County**, ACOE Philadelphia District.

To restore and maintain approximately 1,200 linear feet of stream channel and to enhance the floodplain grading and riparian corridor along Aquetong Creek (Perennial, HQ-CWF). The southern limit of the site is located at the former terminus of the Aquetong Lake impoundment (Lambertville, NJ, USGS Quadrangle, Latitude: 40.354181N"; Longitude: -74.988711W").

Northeast Regional Office, Waterways and Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone 570-826-2511.

E3502219-001. Lackawanna County, 1280 Mid Valley Drive, Jessup, PA 18434, **Wayne and Lackawanna Counties**, U.S. Army Corps of Engineers, Philadelphia District.

To remove an existing structure and to construct and maintain a stream crossing of the Lehigh River (EV, MF) consisting of a 36-foot wide, 66.5-foot span concrete spread box beam bridge having a 5.29-foot underclearance, concrete wingwalls, and R-4 riprap blended with streambed material along the eastern abutment. The crossing will impact 0.03 acre of adjacent PEM wetlands. The project is located directly east of Westend Pond, approximately 0.3 mile north of the intersection of S.R. 507 (Main Street) and T-309 (Fox Farm Road) (Tobyhanna, PA Quadrangle Latitude: 41° 14' 54" Longitude: -75° 27' 36") in Lehigh Township, Wayne County and Clifton Township, Lackawanna County.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ed Muzic, Section Chief, 717.705.4802.

E22-650: West Hanover Township Water and Sewer Authority, 7901 Jonestown Road, Harrisburg, PA 17112, in West Hanover Township, **Dauphin County**, U.S. Army Corps of Engineers Baltimore District.

To install and maintain a gravity sanitary sewer system and new force main permanently impacting 0.33 acre of a UNT to Beaver Creek and its associated floodway (WWF, MF) and 0.03 acre of PEM wetland all for the purpose of extending sanitary sewer service to the residents of Holiday Park (40.3623, -76.7506). The project is located 0.9 mile from the intersection of PA-39-E/Linglestown Road and Piketown Road, Latitude: 40° 21' 48", Longitude 75° 52' 23" in West Hanover Township, Dauphin County. The permit was issued on November 1, 2019.

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

E3206119-001, PADOT, Engineering District 10-0, 2550 Oakland Ave., Indiana, PA 15701. SR 0286-463-0540-1030, in Indiana Borough, **Indiana County**, ACOE Pittsburgh District (Indiana, PA Quadrangle N: 40°, 37', 22"; W: 79°, 08', 40").

To remove the existing structure and to construct and maintain a 94'-0" long concrete box culvert having a

16'-0" wide by 5'-6" high (4'-6" effective with baffles) waterway opening along Marsh Run (CWF) on S.R. 0286 (Philadelphia Street), Section 463, Segment 0540, Offset 1030 (Indiana, PA Quadrangle N: 40° 37' 22"; W: 79° 08' 40") and to construct and maintain 73-ft of stream relocation upstream and 57-ft of stream relocation downstream of the proposed structure to direct stream flow through the new openings, resulting in a total of 224-ft of permanent stream impacts and 250-ft of temporary impacts to Marsh Run. A total of 130-ft of new stream channel will be created to mitigate for the loss of 130-ft of existing stream channel. No wetlands will be impacted by the project.

E3206219-002, Indiana County Municipal Services Authority, 602 Kolter Drive, Indiana, PA 15701. Plumville Water Treatment Plant, in Plumville Borough, **Indiana County**, ACOE Pittsburgh District (Mars, PA Quadrangle N: 40°, 47', 41.2403"; W: 79°, 10', 34.4795").

To construct and maintain a new 840 ft² slab-on-grade water treatment plant with access driveway, utilities and associated grading affecting approximately 0.5 acre within the 100-year floodplain of North Branch Plum Creek at Water Well Road approximately 350 feet south

of S.R. 85 (Mars, PA Quadrangle N: 40°, 47', 41.2403"; W: 79°, 10', 34.4795") in Plumville Borough, Indiana County.

District Oil and Gas Operations: Eastern Oil & Gas District, 208 West Third Street, Suite 101, Williamsport, PA 17701.

E4129-125: ARD Operating LLC, 33 West Third Street, Suite 300, Williamsport, PA 17701. Duncan to Wallis Run (Temporary Above Ground Waterline) in Cascade Township, **Lycoming County**, ACOE Baltimore District.

To construct, operate and maintain a temporary above ground waterline (TAGWL). The temporary waterline will be located within existing natural gas pipeline ROW, existing access road ROW, along existing State forest land road and on private camp roads. The project will result in a total of 334 LF (1,752 SF) of temporary stream impacts, 32,694 SF (0.7506 ac.) of temporary wetland impacts and 55,073 SF (1.2643 ac.) of temporary floodway impacts all for the purpose of this project is to provide a temporary means of water conveyance between the Duncan Pad and the Wallis Run Impoundment for use during drilling activities for Marcellus well development.

Stream Impact Table:

<i>Resource Name</i>	<i>Municipality Quadrangle</i>	<i>Activity</i>	<i>Chapter 93</i>	<i>Listed Trout</i>	<i>Impact Area Temp. (SF)</i>	<i>Impact Length Temp. (LF)</i>	<i>Impact Area Perm. (SF)</i>	<i>Impact Length Perm. (LF)</i>	<i>Lat. Long.</i>
Salt Run	Cascade Bodines	TAGWL Over 36" Culvert	HQ-CWF, EV	Wild	30	10			41.469088 76.87893
UNT 1 Salt Run	Cascade Barbours	TAGWL Temp. Bridge	HQ-CWF, EV	Wild	13	10			41.470901 76.870393
UNT 6 Salt Run	Cascade Barbours	TAGWL Temp. Bridge	HQ-CWF, EV	Wild	25	10			41.471081 76.870668
UNT 22 Salt Run	Cascade Bodines	TAGWL Temp. Bridge	HQ-CWF, EV	Wild	35	12			41.466682 76.881487
UNT 25 Salt Run	Cascade Bodines	TAGWL Temp. Bridge	HQ-CWF, EV	Wild	15	10			41.463990 76.885107
UNT 26 Salt Run	Cascade Bodines	TAGWL Temp. Bridge	HQ-CWF, EV	Wild	66	20			41.463259 76.886978
UNT 28 Salt Run	Cascade Bodines	TAGWL Temp. Bridge	HQ-CWF, EV	Wild	13	10			41.463275 76.887665
UNT 29 Salt Run	Cascade Bodines	TAGWL Temp. Bridge	HQ-CWF, EV	Wild	20	10			41.463304 76.888640
UNT 30 Salt Run	Cascade Bodines	TAGWL Temp. Bridge	HQ-CWF, EV	Wild	45	16			41.463282 76.889122
UNT 32 Salt Run	Cascade Bodines	TAGWL Temp. Bridge	HQ-CWF, EV	Wild	95	3			41.462265 76.891617
UNT 33 Salt Run	Cascade Bodines	TAGWL Temp. Bridge	HQ-CWF, EV	Wild	13	11			41.462128 76.892183

NOTICES

6909

<i>Resource Name</i>	<i>Municipality Quadrangle</i>	<i>Activity</i>	<i>Chapter 93</i>	<i>Listed Trout</i>	<i>Impact Area Temp. (SF)</i>	<i>Impact Length Temp. (LF)</i>	<i>Impact Area Perm. (SF)</i>	<i>Impact Length Perm. (LF)</i>	<i>Lat. Long.</i>
UNT 34 Salt Run	Cascade Bodines	TAGWL Temp. Bridge	HQ-CWF, EV	Wild	116	27			41.460469 76.892520
UNT 34 Salt Run	Cascade Bodines	TAGWL Temp. Bridge	HQ-CWF, EV	Wild	60	17			41.461537 76.892341
UNT 35 Salt Run	Cascade Bodines	TAGWL Over 36" Culvert	HQ-CWF, EV	Wild	259	10			41.458556 76.895402
UNT 38 Salt Run	Cascade Bodines	TAGWL Temp. Bridge	HQ-CWF, EV	Wild	29	9			41.460971 76.892408
UNT 43 Salt Run	Cascade Bodines	TAGWL Temp. Bridge	HQ-CWF, EV	Wild	84	11			41.458461 76.895796
UNT 44 Salt Run	Cascade Bodines	TAGWL Temp. Bridge	HQ-CWF, EV	Wild	55	18			41.458362 76.896510
UNT44A Salt Run	Cascade Bodines	TAGWL Temp. Bridge	HQ-CWF, EV	Wild	24	12			41.458365 76.896446
UNT 44B Salt Run	Cascade Bodines	TAGWL Temp. Bridge	HQ-CWF, EV	Wild	126	2			41.458353 76.896658
UNT 45 Salt Run	Cascade Bodines	TAGWL Temp. Bridge	HQ-CWF, EV	Wild	42	14			41.457547 76.899455
East Branch Wallis Run	Cascade Barbours	TAGWL Temp. Bridge	HQ-CWF, EV	Wild	186	10			41.445070 76.857551
UNT 1 EB Wallis Run	Cascade Barbours	TAGWL Temp. Bridge	HQ-CWF, EV	Wild	50	10			41.444809 76.859884
UNT 2 EB Wallis Run	Cascade Barbours	TAGWL Temp. Bridge	HQ-CWF, EV	Wild	58	20			41.444975 76.857296
UNT2 WB Wallis Run	Cascade Barbours	TAGWL Temp. Bridge	HQ-CWF, EV	Wild	139	10			41.455704 76.865886
UNT 2A WB Wallis Run	Cascade Barbours	TAGWL Temp. Bridge	HQ-CWF, EV	Wild	21	4			41.455655 76.865866
UNT 3 WB Wallis Run	Cascade Barbours	TAGWL Temp. Bridge	HQ-CWF, EV	Wild	15	10			41.468588 76.858684
UNT 4 WB Wallis Run	Cascade Barbours	TAGWL Temp. Bridge	HQ-CWF, EV	Wild	23	12			41.466972 76.862204
UNT5 WB Wallis Run	Cascade Barbours	TAGWL Temp. Bridge	HQ-CWF, EV	Wild	95	16			41.449745 76.866504
<i>TOTAL IMPACTS</i>					1,751	334			

<i>TOTAL STREAM IMPACTS</i>					556	73			
<i>TOTAL WAIVER 2 IMPACTS</i>					1,186	261			

Wetland Impact Table:

<i>Resource Name</i>	<i>Municipality Quadrangle</i>	<i>Activity</i>	<i>Cowardin Class</i>	<i>Listed Trout</i>	<i>Total Impact Area Temp. (SF)</i>	<i>Impact Length Temp. (LF)</i>	<i>Total Impact Area Perm. (SF)</i>	<i>Impact Length Perm. (LF)</i>	<i>Lat. Long.</i>
Wetland 3	Cascade Barbours	TAGWL Timber Matting	PEM; EV	Wild	922	93			41.453870 76.764679
Wetland 6	Cascade Barbours	TAGWL Timber Matting	PEM; EV	Wild	167	17			41.455812 76.865944
Wetland 7	Cascade Barbours	TAGWL Timber Matting	PEM; EV	Wild	98	49			41.470521 76.870153
Wetland 14	Cascade Bodines	TAGWL Timber Matting	PEM; EV	Wild	1,048	210			41.469174 76.875306
Wetland 19	Cascade Bodines	TAGWL Timber Matting	PEM; EV	Wild	1,038	130			41.469123 76.879178
Wetland 25	Cascade Barbours	TAGWL Timber Matting	PEM; EV	Wild	110	15			41.468417 76.861732
Wetland 26	Cascade Barbours	TAGWL Timber Matting	PEM; EV	Wild	224	65			41.468674 76.858847
Wetland 30	Cascade Barbours	TAGWL Timber Matting	PEM; EV	Wild	8,320	1,109			41.465807 76.863149
Wetland 35	Cascade Bodines	TAGWL Timber Matting	PEM; EV	Wild	63	10			41.463200 76.886173
Wetland 36	Cascade Bodines	TAGWL Timber Matting	PEM; EV	Wild	927	46			41.463283 76.887087
Wetland 37	Cascade Bodines	TAGWL Timber Matting	PEM; EV	Wild	635	54			41.463257 76.888262
Wetland 38	Cascade Bodines	TAGWL Timber Matting	PEM; EV	Wild	2,795	280			41.461451 76.892364
Wetland 40	Cascade Bodines	TAGWL Timber Matting	PFO; EV	Wild	418	42			41.458661 76.896048
Wetland 41	Cascade Bodines	TAGWL Timber Matting	PEM; EV	Wild	927	93			41.458296 76.897048
Wetland 43	Cascade Bodines	TAGWL Timber Matting	PEM; EV	Wild	3,626	363			41.456974 76.901499
Wetland 50	Cascade Barbours	TAGWL Timber Matting	PEM; EV	Wild	802	10			41.461893 76.866061
Wetland 51	Cascade Barbours	TAGWL Timber Matting	PEM; EV	Wild	2,374	238			41.459441 76.865381
Wetland 52	Cascade Barbours	TAGWL Timber Matting	PEM; EV	Wild	86	43			41.458837 76.865239

<i>Resource Name</i>	<i>Municipality Quadrangle</i>	<i>Activity</i>	<i>Cowardin Class</i>	<i>Listed Trout</i>	<i>Total Impact Area Temp. (SF)</i>	<i>Impact Length Temp. (LF)</i>	<i>Total Impact Area Perm. (SF)</i>	<i>Impact Length Perm. (LF)</i>	<i>Lat. Long.</i>
Wetland 54	Cascade Barbours	TAGWL Timber Matting	PEM; EV	Wild	12	22			41.457593 76.866298
Wetland 55	Cascade Barbours	TAGWL Timber Matting	PEM; EV	Wild	2,390	239			41.456745 76.866446
Wetland 56	Cascade Barbours	TAGWL Timber Matting	PEM; EV	Wild	3,905	391			41.450192 76.866761
Wetland 57	Cascade Barbours	TAGWL Timber Matting	PEM; EV	Wild	222	23			41.448926 76.866037
Wetland 58	Cascade Barbours	TAGWL Timber Matting	PEM; EV	Wild	107	11			41.448343 76.865606
Wetland 59	Cascade Barbours	TAGWL Timber Matting	PEM; EV	Wild	86	9			41.444809 76.859887
Wetland 62	Cascade Barbours	TAGWL Timber Matting	PEM; EV	Wild	461	46			41.444955 76.857247
Wetland 64	Cascade Barbours	TAGWL Timber Matting	PEM; EV	Wild	540	54			41.446994 76.844767
Wetland 68	Cascade Bodines	TAGWL Timber Matting	PEM; EV	Wild	237	24			41.458667 76.895193
Wetland 69	Cascade Bodines	TAGWL Timber Matting	PEM; EV	Wild	154	15			41.458461 76.895796
TOTAL IMPACTS					32,694	3,701			

<i>PEM</i>	32,276	3,659		
<i>PSS</i>				
<i>PFO</i>	418	42		

Floodway Impact Table:

<i>Resource Name</i>	<i>Municipality Quadrangle</i>	<i>Activity</i>	<i>Impact Area Temp. (SF)</i>	<i>Impact Length Temp. (LF)</i>	<i>Impact Area Perm. (SF)</i>	<i>Impact Length Perm. (LF)</i>	<i>Lat. Long.</i>
Salt Run	Cascade Bodines	TAGWL Over 36" Culvert	843				41.469088 76.87893
UNT 1 Salt Run	Cascade Barbours	TAGWL Temp. Bridge	512				41.470901 76.870393
UNT 2 Salt Run	Cascade Barbours	TAGWL Temp. Bridge	1,270				41.470723 76.870235
UNT 6 Salt Run	Cascade Barbours	TAGWL Temp. Bridge	789				41.471081 76.870668
UNT 7 Salt Run	Cascade Barbours	TAGWL Temp. Bridge	1,065				41.471102 76.870927

<i>Resource Name</i>	<i>Municipality Quadrangle</i>	<i>Activity</i>	<i>Impact Area Temp. (SF)</i>	<i>Impact Length Temp. (LF)</i>	<i>Impact Area Perm. (SF)</i>	<i>Impact Length Perm. (LF)</i>	<i>Lat. Long.</i>
UNT 9 Salt Run	Cascade Barbours	TAGWL Temp. Bridge	792				41.471099 76.871302
UNT 18 Salt Run	Cascade Bodines	TAGWL Temp. Bridge	8,201				41.467883 76.880426
UNT 19 Salt Run	Cascade Bodines	TAGWL Temp. Bridge	1,605				41.468974 76.879629
UNT 22 Salt Run	Cascade Bodines	TAGWL Temp. Bridge	1,365				41.466682 76.881487
UNT 23 Salt Run	Cascade Bodines	TAGWL Temp. Bridge	788				41.464944 76.883315
UNT 25 Salt Run	Cascade Bodines	TAGWL Temp. Bridge	3,317				41.463990 76.885107
UNT 26 Salt Run	Cascade Bodines	TAGWL Temp. Bridge	823				41.463259 76.886978
UNT 27 Salt Run	Cascade Bodines	TAGWL Temp. Bridge	207				41.463308 76.887157
UNT 28 Salt Run	Cascade Bodines	TAGWL Temp. Bridge	1,239				41.463275 76.887665
UNT 29 Salt Run	Cascade Bodines	TAGWL Temp. Bridge	1,183				41.463304 76.888640
UNT 30 Salt Run	Cascade Bodines	TAGWL Temp. Bridge	2,590				41.463282 76.889122
UNT 31 Salt Run	Cascade Bodines	TAGWL Temp. Bridge	2,341				41.462453 76.891246
UNT 32 Salt Run	Cascade Bodines	TAGWL Temp. Bridge	986				41.462265 76.891617
UNT 33 Salt Run	Cascade Bodines	TAGWL Temp. Bridge	1,307				41.462128 76.892183
UNT 34 Salt Run	Cascade Bodines	TAGWL Temp. Bridge	1,574				41.460469 76.892520
UNT 34 Salt Run	Cascade Bodines	TAGWL Temp. Bridge	1,186				41.461537 76.892341
UNT 35 Salt Run	Cascade Bodines	TAGWL Over 36" Culvert	1,379				41.458556 76.895402
UNT 38 Salt Run	Cascade Bodines	TAGWL Temp. Bridge	235				41.460971 76.892408
UNT 43 Salt Run	Cascade Bodines	TAGWL Temp. Bridge	882				41.458461 76.895796

<i>Resource Name</i>	<i>Municipality Quadrangle</i>	<i>Activity</i>	<i>Impact Area Temp. (SF)</i>	<i>Impact Length Temp. (LF)</i>	<i>Impact Area Perm. (SF)</i>	<i>Impact Length Perm. (LF)</i>	<i>Lat. Long.</i>
UNT 44 Salt Run	Cascade Bodines	TAGWL Temp. Bridge	381				41.458362 76.896510
UNT 44A Salt Run	Cascade Bodines	TAGWL Temp. Bridge	562				41.458365 76.896446
UNT 44B Salt Run	Cascade Bodines	TAGWL Temp. Bridge	430				41.458353 76.896658
UNT 45 Salt Run	Cascade Bodines	TAGWL Temp. Bridge	1,389				41.457547 76.899455
East Branch Wallis Run	Cascade Barbours	TAGWL Temp. Bridge	786				41.445070 76.857551
UNT 1 EB Wallis Run	Cascade Barbours	TAGWL Temp. Bridge	942				41.444809 76.859884
UNT 2 EB Wallis Run	Cascade Barbours	TAGWL Temp. Bridge	464				41.444975 76.857296
UNT 1 WB Wallis Run	Cascade Barbours	TAGWL Temp. Bridge	369				41.453737 76.864571
UNT2 WB Wallis Run	Cascade Barbours	TAGWL Temp. Bridge	944				41.455704 76.865886
UNT 2A WB Wallis Run	Cascade Barbours	TAGWL Temp. Bridge	79				41.455655 76.865866
UNT 3 WB Wallis Run	Cascade Barbours	TAGWL Temp. Bridge	3,746				41.468588 76.858684
UNT 4 WB Wallis Run	Cascade Barbours	TAGWL Temp. Bridge	7,691				41.466972 76.862204
UNT5 WB Wallis Run	Cascade Barbours	TAGWL Temp. Bridge	811				41.449745 76.866504
<i>TOTAL IMPACTS</i>			55,073				

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of

practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Southwest District: Oil & Gas Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222.

ESCGP-3 # ESG30712519-003
 Applicant Name EQM Gathering OPCO, LLC
 Contact Person Brinton Goettel
 Address 2200 Energy Drive
 City, State, Zip Canonsburg, PA 15317
 County Washington
 Township(s) Marianna Borough & West Bethlehem Township
 Receiving Stream(s) and Classification(s) UNTs to Tenmile Creek, UNTs to Patterson Run & Patterson Run, UNTs to Bar Run & Bar Run. These streams have Chapter 93 designated use as Trout Stock Fishes (TSF) with Tenmile Creek also as Siltation Impaired

Northwest Region: Oil and Gas Program Manager, 230 Chestnut St., Meadville, PA 16335.

ESCGP-3 # ESG081019005-01—W45 to W60 Pipeline
 Applicant Pine Run Midstream LLC
 Contact Cody Salmon
 Address 1000 Commerce Drive Park Place One, Suite 400
 City Pittsburgh
 State PA
 Zip Code 15275
 County Butler
 Township Winfield
 Receiving Streams and Classifications UNTs to Cornplanter Run (HQ-TSF), Cornplanter Run (HQ-TSF) and UNT to Buffalo Creek (HQ-TSF)
 Secondary: Cornplanter Run (HQ-TSF) and Buffalo Creek (HQ-TSF)

ESCGP-3 # ESG081019010-00—Marburger B Freshwater Impoundment
 Applicant XTO Energy Inc
 Contact Melissa Breitenbach
 Address 190 Thorn Hill Road
 City Warrendale
 State PA
 Zip Code 15086
 County Butler
 Township Forward
 Receiving Streams and Classifications Glade Run WWF;
 Secondary: Connoquenessing Creek WWF

ESCGP-3 # 080319011-00—Clepper Well Pad
 Applicant Snyder Bros Inc
 Contact Carl Rose
 Address P.O. Box 1022, One Glade Park East
 City Kittanning
 State PA
 Zip Code 16201
 County Armstrong
 Township South Buffalo
 Receiving Stream and Classification UNT to Nicholson Run (WWF)

Eastern Region: Oil & Gas Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

ESCGP-3 # ESG294119028-00
 Applicant Name Exco Resources PA LLC
 Contact Person Brian Rushe
 Address 13448 SR 422, Ste 1
 City, State, Zip Kittanning, PA 16201-3614
 County Lycoming
 Township(s) Cogan House & Lycoming
 Receiving Stream(s) and Classification(s) UNT to Little Gap Run (HQ-CWF)
 Secondary—Little Gap Run (HQ-CWF)

ESCGP-3 # ESG294119023-00
 Applicant Name NFG Midstream Trout Run LLC
 Contact Person Duane Wassum
 Address 6363 Main St
 City, State, Zip Williamsville, NY 14221-5855
 County Lycoming
 Township(s) McIntyre
 Receiving Stream(s) and Classification(s) Frozen Run (HQ-CWF, MF); Red Run (CWF, MF); Heylman Run (HQ-CWF, MF)
 Secondary—Lycoming Ck (CWF, MF, EV)

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 2

The following plans and reports were submitted under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245 Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Auto in Motion, Storage Tank ID # 45-26268, 1142 State Route 390, Barrett Township, **Monroe County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Mountainhome Investment Group, P.O. Box 254, Cresco, PA 18326, submitted a revised Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with gasoline. The report is intended to document remediation of the site to meet combination of Site-Specific and Statewide Health Standards.

7-Eleven 21110, Storage Tank ID # 39-24558, 1146 Chestnut Street, Emmaus Borough, **Lehigh County**, AECOM, 625 West Ridge Pike, Suite E-100, Conshohocken, PA 19428, on behalf of 7-Eleven Inc., 3200 Hackberry Road, P.O. Box 711 (0148), Dallas, TX 75221-0711, submitted a combined Site Characterization Report and Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum. The report is intended to document the remedial actions for meeting a combination of Site-Specific and Statewide Health Standards.

Former Egan Oil, Storage Tank ID # 40-28631, 871 Exeter Avenue, Exeter Borough, **Luzerne County**. Quad Three Group, 37 North Washington Avenue, Wilkes-Barre, PA 18701, on behalf of K3 Development LLC, 133 Philadelphia Avenue, West Pittston, PA 18643, submitted a revised Remedial Action Plan concerning remediation of soil and groundwater contaminated with gasoline. The report is intended to document the remedial actions for meeting the Statewide Health Standards.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Nan & Pap's Market & Deli, Storage Tank Facility ID Number 28-37105, 10503 South Mountain Road, Fayetteville, PA 17222, Quincy Township, **Franklin County**, Letterle & Associates, Inc., 2022 Axemann Road, Suite 201, Bellefonte, PA 16823 on behalf of Mr. Lutaf Salim, Umar Enterprize, Inc., 400 Old Mill Road, Gettysburg, PA 17325 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum constituents. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Former 7-Eleven Store No. 36156, Storage Tank Facility ID # 63-31401, 444 State Route 519, Eighty-Four, PA 15330, Elco Borough, **Washington County**. AECOM, 625 West Ridge Pike, Suite E-100, Conshohocken, PA 19428, on behalf of 7-Eleven, Inc., 3200 Hackberry Road, P.O. Box 711 (0148), Dallas, TX 75221, submitted a Remedial Action Completion Report concerning the remediation of soil and groundwater contaminated with petroleum products. The report is intended to document remediation of the site to meet the Nonresidential Statewide Health Standard.

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 3

The DEP has taken action on the following plans and reports under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245 Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the

remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

The DEP may approve or disapprove plans and reports submitted. This notice provides the DEP's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of the plan or report appears. If information concerning a report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The DEP has received the following plans and reports:

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Motor Transportation Company, Storage Tank ID # 40-16231, Fulton Court and Holly Street, Hazleton City, **Luzerne County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Motor Transportation Company Inc., 141 North Laurel Street, Hazleton, PA 18201, submitted a combined Site Characterization Report and Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with Benzene, Toluene, Ethylbenzene, Methyl tert-butyl Ether, Isopropylbenzene (Cumene), Naphthalene, 1,3,5-Trimethylbenzene, and 1,2,4-Trimethylbenzene. The report is intended to document remediation of the site to meet Site-Specific Standards. The Remedial Action Completion Report demonstrated attainment of Statewide Health Standards and was approved by DEP on October 28, 2019.

Hickory Run Travel Plaza, Storage Tank ID # 13-07456, 2550 State Route 534, East Side Borough, **Carbon County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Raceway Holdings LLC, 2227 Scranton-Carbondale Highway, Scranton, PA 18508, submitted a combined Site Characterization Report and Remedial Action Plan concerning remediation of soil contaminated with diesel. The report was acceptable to meet Residential Statewide Health Standards and was approved by DEP on October 30, 2019.

Former Exxon 22166, Storage Tank ID # 54-06664, 825 Minersville-Llewellyn Highway, Branch Township, **Schuylkill County**. Kleinfelder, 1745 Dorsey Road, Suite J, Hanover, MD 21076, on behalf of Exxon Mobil Environmental and Property Solutions Company, submitted a combined Remedial Action Plan and Remedial Action Completion Report concerning remediation of soil and

groundwater contaminated with gasoline. The combined Remedial Action Plan and Remedial Action Completion Report demonstrated attainment of Site-Specific Standards and was approved by DEP on October 31, 2019.

Pace Mart (Phillips 66 Site # 5643), Storage Tank ID # 39-43636, 640 North 7th Street, Allentown City, **Lehigh County**. GHD, 410 Eagleview Boulevard, Suite 110, Exton, PA 19341, on behalf of Sadaat LLC, 640 North 7th Street, Allentown, PA 18102, has submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with gasoline. The report was acceptable to meet Site-Specific Standards and was approved by DEP on October 31, 2019.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Shipleigh Oil, Storage Tank Primary Facility ID # 67-17548, 550 East King Street, York, PA 17403, York City, **York County**, Buchart Horn, 445 West Philadelphia Street, P.O. Box 15050, York, PA 17405, on behalf of Shipleigh Energy, 550 East King Street, York, PA 17403 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with gasoline and diesel fuel constituents. The report is intended to document remediation of the site to meet the Statewide Health Standard. The Remedial Action Completion Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on October 28, 2019.

Penn Waste, Storage Tank Primary Facility ID # 67-38263, 85 Brick Yard Road, Manchester, PA 17345-9204, Manchester Borough, **York County**, Letterle & Associates, Inc., 2022 Axemann Road, Suite 201, Bellefonte, PA 16823 on behalf of Penn Waste, Inc., 85 Brick Yard Road, Manchester, PA 17345-9204 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum constituents. The report is intended to document remediation of the site to meet the Statewide Health Standard. The Remedial Action Plan was acceptable to meet the Statewide Health Standard and was approved by the Department on October 31, 2019.

Sunoco Service Station, Storage Tank Primary Facility ID # 36-24119, 1204 Lititz Pike, Lancaster, PA 17601-4340, Lancaster City, **Lancaster County**, EnviroTrac, Ltd., 176 Thorn Hill Road, Warrendale, PA 15086, on behalf of Evergreen Resources Group, LLC, 2 Righter Parkway, Suite 120, Wilmington, DE 19803 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with benzene, toluene, ethylbenzene, total xylenes, methyl tert butyl ether, cumene and naphthalene. The Remedial Action Completion Report did not demonstrate attainment of the Residential Statewide Health Standard in groundwater or the Site-Specific Standard in soil and was disapproved by the Department on October 31, 2019.

Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Pilot Travel Center # 348, Storage Tank Primary Facility ID # 63-09737, 205 Wilson Road, Bentleyville, PA 15314, Bentleyville Borough, **Washington County**. ATC Group Services, LLC, 270 William Pitt Way, Pittsburgh, PA 15238, on behalf of Pilot Travel Centers, LLC, 5508 Lonas Drive, Knoxville, TN 37909, submitted a Remedial Action Plan concerning the remediation of soil and groundwater contaminated with petroleum products. The

Remedial Action Plan was not acceptable to meet the Site-Specific Standard and was disapproved on October 22, 2019.

PDQ Mart, Storage Tank Primary Facility ID # 04-32111, 1203 Gringo Road, Aliquippa, PA 15001, Hopewell Township, **Beaver County**. Letterle and Associates, Inc., 2859 Oxford Boulevard, Allison Park, PA 15101, on behalf of Art Paulus, 141 Ridgewood Drive, Freedom, PA 15042, submitted a Revised Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum products. The Remedial Action Plan was acceptable to meet the Site-Specific Standard and was approved on October 22, 2019.

F&E Rentals, Storage Tank Primary Facility ID # 11-32072, 830 West High Street, Ebensburg, PA 15931-1849, Ebensburg Borough, **Cambria County**. P. Joseph Lehman, Inc., Olde Farm Office Centre, P.O. Box 419, Hollidaysburg, PA 16648, on behalf of C&J Falchini, 840 High Street, Ebensburg, PA 15931-1849, submitted a Revised Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum products. The Revised Remedial Action Plan was acceptable to meet the Site-Specific Standard and was approved on October 25, 2019.

Gas, Snacks, and More, Storage Tank Primary Facility ID # 65-23384, 2937 State Route 286, Saltsburg, PA 15681, Loyalhanna Township, **Westmoreland County**. Cribbs & Associates, Inc., P.O. Box 44, Delmont, PA 15626, on behalf of TKL Holdings, Inc., 231 9th Street, Saltsburg, PA 15681, submitted a Revised Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum products. The Revised Remedial Action Plan was not acceptable to meet the Site-Specific Standard and was disapproved on October 29, 2019.

American Natural # 14, Storage Tank Primary Facility ID # 02-37771, 2619 Wexford Bayne Road, Sewickley, PA 15143, Franklin Park Borough, **Allegheny County**. Letterle and Associates, Inc., 2859 Oxford Boulevard, Allison Park, PA 15101, on behalf of Hypatia Holdings, LP, 333 Baldwin Road, 2nd Floor, Pittsburgh, PA 15205 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum products. The Remedial Action Completion Report demonstrated attainment of the Non-Residential, Used Aquifer Statewide Health Standard and was approved on October 29, 2019.

SPECIAL NOTICES

AIR QUALITY

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

Approval of a revision to the Reasonably Available Control Technology (RACT II) plan for **Truck Accessories Group, LLC**, located in Milton Borough, **Northumberland County**.

In accordance with 25 Pa. Code §§ 129.96—129.100, the Pennsylvania Department of Environmental Protection has made a preliminary determination to approve a revised RACT II plan and an amendment to the State Implementation Plan (SIP) for the Milton Plant owned and operated by Truck Accessories Group, LLC in Milton Borough, Northumberland County.

The proposed SIP revision does not adopt any new regulations. It incorporates the provisions and requirements contained in the amended RACT II approval for the facility, which are intended to satisfy the requirements for the 1997 National Ambient Air Quality Standard (NAAQS) and the 2008 NAAQS for ozone.

The proposed amendments to the RACT II determination, if finally approved, will be incorporated into a revised operating permit (49-00020) for the facility. The relevant RACT II requirements will be submitted to the U.S. Environmental Protection Agency (EPA) as a revision to Pennsylvania's State Implementation Plan and will remain in effect until replaced pursuant to 40 CFR 51 and approval by the EPA. Requirements that are not part of the RACT II determination will be excluded from the SIP submittal this includes the provisions of the Department's presumptive Reasonably Available Control Technology (RACT II) requirements in accordance with 25 Pa. Code § 129.97, as they apply to existing sources at this facility.

The following is a summary of the proposed amendments to the RACT II determination for this operation that will be submitted to the EPA as a SIP revision:

<i>Source</i>	<i>RACT II Requirement</i>
Source P201—Painting & Cleanup Operations	VOC emission limitation of 81.10 tons per 12-consecutive month period; all coatings applied using HVLP spray systems

Public hearing. A public hearing will be held if requested by December 20, 2019, to accept oral comments on the proposed operating permit revision and the proposed SIP revision. The hearing will be held, if requested, on January 8, 2020, at 10 a.m. at the DEP Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. To request a hearing, to register to speak at a hearing, or to inquire if a hearing will be held, please contact Megan Lehman at 570-327-3659. The last day to pre-register to speak at a hearing, if one is held, will be December 20, 2019.

Updates made on the hearing, including whether a hearing will be held, will be posted online at <http://www.dep.pa.gov/About/Regional/North-central-Regional-Office/Pages/default.aspx>. Contact Megan Lehman at 570-327-3659 or monitor this web site to determine if a hearing will be held.

Persons wishing to present testimony at the hearing should contact Megan Lehman at 570-327-3659 at least

one week in advance of the hearing to reserve a time to present testimony. Oral testimony will be limited to a maximum of 10 minutes per individual and two written copies of the oral testimony are requested. Each organization is requested to designate one witness to present testimony on its behalf. Persons unable to attend the hearing, if it is held, may submit three (3) copies of a written statement and exhibits within 10 days thereafter to Muhammad Q. Zaman, Environmental Program Manager, Pennsylvania Department of Environmental Protection, Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to Muhammad Q. Zaman, Environmental Program Manager, Pennsylvania Department of Environmental Protection, Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. A 30-day comment period from September 1, 2019, will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed RACT II Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the proposed RACT II Plan.

All pertinent documents are available for public review between 8 a.m. and 4 p.m. at the DEP Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review may be made by calling the Department at 570-327-0550.

Notice of Certification to Perform Radon-Related Activities in Pennsylvania

In the month of October 2019, the Department of Environmental Protection of the Commonwealth of Pennsylvania, under the authority contained in the Radon Certification Act, act of July 9, 1987, P.L. 238, No. 43 (63 P.S. §§ 2001—2014) and regulations promulgated thereunder at 25 Pa. Code Chapter 240, has certified the persons listed as follows to perform radon-related activities in this Commonwealth. The period of certification is 2 years. (For a complete list of persons currently certified to perform radon-related activities in this Commonwealth and for information as to the specific testing devices that persons certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P.O. Box 8469, Harrisburg, PA 17105-8469, (1-800-23RADON).)

<i>Name</i>	<i>Address</i>	<i>Type of Certification</i>
Kevin Adams	208 Latimer Avenue Strabane, PA 15363	Mitigation
AIROTOX	14 East Main Street Suite 100 Lansdale, PA 19446	Mitigation
Diane Clerkin	424 Marion Avenue Lower Gwynedd, PA 19002	Testing
Bruce Eichenlaub	535 Derr Hill Road Lock Haven, PA 17745	Mitigation

<i>Name</i>	<i>Address</i>	<i>Type of Certification</i>
Adam Forne	3710 Zimmerly Road Erie, PA 16506	Testing
Timothy Gentry	P.O. Box 1956 Horsham, PA 19044	Testing
Albert Gordon	106 Lyric Way Warrington, PA 18976	Testing
David Grammer RAdata, Inc.	27 Ironia Road, Unit 2 Flanders, NJ 07836	Laboratory Analysis
Helping Solutions, LLC	2309 13th Street Altoona, PA 16601	Testing
Billy Kresge	283 Slocum Avenue Exeter, PA 18643	Testing
John McDermott, III	590 Centerville Road # 134 Lancaster, PA 17601	Testing
Patrick McManus	608 Cedardale Drive North Huntingdon, PA 15642	Testing
Joseph Miloser	16 Rustic Ridge Fombell, PA 16123	Mitigation
Terry Renner	1404 State Route 254 Millville, PA 17846	Testing
Michael Rife	1418 Baltimore Street Suite 12-132 Hanover, PA 17331	Testing
Edward Robbins	13 Charter Oak Court Doylestown, PA 18901	Testing
Dominic Romagnoli, Jr.	8020 Mine Street Fogelsville, PA 18051	Mitigation
Tryggve Ronnqvist Radonova	P.O. Box 6522 Uppsala, Sweden SE-75138	Laboratory Analysis
David Scott	417 Pikeland Avenue Spring City, PA 19475	Testing
Charles Smith	211 Sumac Circle Morgantown, WV 26508	Mitigation
Fred B. Smith, II	282 Longstreet Drive Gettysburg, PA 17325	Testing & Mitigation
Maria Stinger	P.O. Box 15811 Pittsburg, PA 15244	Testing
Kenneth Struder	P.O. Box 72722 Thorndale, PA 19372	Laboratory Analysis
William Whiting	11863 Lake Drive Conneaut Lake, PA 16316	Testing
Gary Winterrowd	1765 Cambridge Drive State College, PA 16803	Testing
Robert Vail	24 Amanda Lane Scott Township, PA 18433	Mitigation

[Pa.B. Doc. No. 19-1707. Filed for public inspection November 15, 2019, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Draft Stream Evaluation Reports; Available for Public Comment

Under 25 Pa. Code § 93.4d (relating to processing of petitions, evaluations and assessments to change a designated use), the Department of Environmental Protection (Department) gives notice that the following Draft Stream Evaluation Reports are available for public comment on the Department's web site for a 30-day comment period.

<i>Stream Name</i>	<i>County</i>	<i>Tributary to</i>
Bermudian Creek	Adams	Conewago Creek
Logan Spring Run	Huntingdon and Blair	Little Juniata River
Unnamed Tributary (UNT) 64027 to Sixpenny Creek	Berks	Sixpenny Creek

The Bermudian Creek evaluation was conducted in response to a request from the Department's Southcentral Regional Office that identified a potential conflict between the Fish and Boat Commission (Commission) Wild Trout Waters classification and the Warm Water Fishes (WWF), Migratory Fishes (MF) designation for a portion of the basin. The Bermudian Creek basin from the source to UNT 08727 is currently listed on the Commission Wild Trout Waters list. The Bermudian Creek basin is currently designated WWF, MF with the exception of the Latimore Creek subbasin, which is currently designated Cold Water Fishes (CWF), MF.

The Logan Spring Run evaluation was conducted in response to a National Pollutant Discharge Elimination System (NPDES) permit renewal for the Narehood Quarry located at the confluence of Logan Spring Run and the Little Juniata River. The Logan Spring Run basin is currently designated WWF, MF. The Narehood Quarry NPDES permit has been renewed consistent with recommendations in the draft report.

The UNT 64027 to Sixpenny Creek evaluation was conducted in response to a request from the Nature Conservancy and the results of routine Departmental aquatic life use surveys. UNT 64027 to Sixpenny Creek is currently designated High Quality—CWF, MF.

The draft reports are available for review on the Department's eComment web site at www.ahs.dep.pa.gov/eComment.

The Department has asked all relevant local jurisdictions to make a copy of this notification available to any and all interested citizens, including those who own real property in the relevant municipalities and to any other parties the municipalities believe may be interested in these evaluations and draft reports.

Interested persons may submit written comments through Monday, December 16, 2019. All comments, including comments submitted by e-mail, must include the originator's name and address. Commentators are encouraged to submit comments using the Department's online eComment tool at www.ahs.dep.pa.gov/eComment or by e-mail to ecomment@pa.gov. Written comments can also be mailed to the Department of Environmental Protection, Policy Office, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2063. All

comments received on the draft reports during the public comment period will be reviewed and considered in the Department's evaluation.

For further information, contact Mark Brickner, Division of Water Quality, mbrickner@pa.gov or (717) 787-9637. Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 can contact the Department at (717) 787-9637, or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users), to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 19-1708. Filed for public inspection November 15, 2019, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Pennsylvania Energy Development Authority's Energy Development Plan; Available for Public Comment

The Pennsylvania Energy Development Authority (PEDA) was created under section 2803-C of the Pennsylvania Energy Development Authority and Emergency Powers Act of 1982 (71 P.S. § 720.3) to provide financial and technical assistance to energy projects that will expand the market for the Commonwealth's clean and diverse energy portfolio while mitigating the impacts of climate change, improving public health and protecting the environment, and strengthening economic development.

Under section 2809-C (71 P.S. § 720.9), PEDA is charged with developing and implementing an Energy Development Plan (Plan), which serves as an articulation of PEDA's energy policy goals and plan for the allocation and distribution of financial and technical assistance to achieve PEDA's mission. The Plan is updated periodically in accordance with PEDA procedures.

The PEDA Board of Directors (PEDA Board) issued the first Plan for public comment on September 26, 1984. After reassessing its mission and objectives in 2008 and 2014, the PEDA Board issued an updated Plan. The 2019 Plan updates the mission and objectives as required by the PEDA statute and includes changes to remove outdated references and incorporate current data.

The Plan is available for review through the Department of Environmental Protection's (Department) eComment web site at www.ahs.dep.pa.gov/eComment.

The Department will consider all comments received on or before Friday, December 20, 2019. Comments submitted by facsimile will not be accepted. All comments, including comments submitted by e-mail, must include the commentator's name and address. Commentators are encouraged to submit comments using the Department's online eComment tool at www.ahs.dep.pa.gov/eComment or by e-mail to ecomment@pa.gov. Written comments can be submitted by mail to the Policy Office, Department of Environmental Protection, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2063.

Questions regarding the Plan can be directed to David Althoff at dalthoff@pa.gov or (717) 783-0542.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 19-1709. Filed for public inspection November 15, 2019, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Proposed State Implementation Plan Revision; Second Maintenance Plan for the Harrisburg- Lebanon-Carlisle Area (Harrisburg Area) 1997 8-Hour Ozone Nonattainment Area; Public Hearing

The Department of Environmental Protection (Department) is seeking public comment on a proposed revision to the State Implementation Plan (SIP) concerning a second maintenance plan demonstrating that the Harrisburg-Lebanon-Carlisle Area (Harrisburg Area) continues to maintain the 1997 8-hour ozone National Ambient Air Quality Standard (NAAQS). The Department intends to submit this proposed SIP revision to the United States Environmental Protection Agency (EPA) to satisfy sections 107(d)(3)(E)(iv) and 175A(b) of the Clean Air Act (CAA) (42 U.S.C.A. §§ 7407(d)(3)(E)(iv) and 7505a(b)).

Ground-level ozone concentrations above the Federal health-based standard pose a serious human health threat. On April 30, 2004, the EPA designated the Harrisburg Area as a nonattainment area for the 1997 8-hour ozone NAAQS. See 69 FR 23857 (April 30, 2004). On July 25, 2007, the Harrisburg Area was redesignated to attainment. See 72 FR 40749 (July 25, 2007). Air quality in the Harrisburg Area has improved since the EPA's original designations.

On March 6, 2015, the EPA published the final implementation rule for the 2008 8-hour ozone NAAQS. See 80 FR 12264 (March 6, 2015). This final rule revoked the 1997 8-hour ozone NAAQS and stated that one consequence of revocation was that areas that had been redesignated to attainment (maintenance areas) for the 1997 standard no longer needed to submit second 10-year maintenance plans under section 175A(b) of the CAA. See 80 FR 12264, 12302 and 12303. See also, 40 CFR 51.1105(d)(1) (relating to transition from the 1997 ozone NAAQS to the 2008 ozone NAAQS and anti-backsliding). The EPA's 2008 final rule was challenged in *South Coast Air Quality Management Distr. v. EPA et al.*, 882 F.3d 1138 (D.C. Cir. 2018) (*South Coast II*).

This proposed SIP revision addresses that case. Specifically, the Court in *South Coast II* vacated the EPA's final implementation rule for the 2008 ozone NAAQS to the extent that it waived the requirement under section 175A(b) of the CAA for states to submit a second 10-year maintenance plan SIP revisions for "orphan maintenance areas" under the 1997 standard (areas that had been redesignated to attainment for the 1997 ozone NAAQS and were designated attainment for the 2008 ozone NAAQS). In doing so, the Court characterized the language of section 175A(b) of the CAA as unambiguous and rejected the EPA's reasoning in the 2008 ozone NAAQS final rule that second maintenance plans were not needed

for orphan maintenance areas because the 1997 standard had been revoked. Id. at 1156-57.

States with these "orphan maintenance areas" under the 1997 8-hour ozone NAAQS, including this Commonwealth, must submit maintenance plans for the second maintenance period. The Department intends to submit this proposed second maintenance plan SIP revision for the Harrisburg Area to the EPA for approval.

This proposed SIP revision is available on the Department's web site at <http://www.ahs.dep.pa.gov/eComment>.

The Department will provide the opportunity for a public hearing to receive comments regarding the proposed SIP revision on December 20, 2019, at 10 a.m. at the Southcentral Regional Office, Susquehanna Room A, 909 Elmerton Avenue, Harrisburg, PA.

Persons wishing to present testimony should contact Amanda Rodriguez, P.O. Box 8468, Harrisburg, PA 17105, (717) 787-9702 or amarodrigu@pa.gov to reserve a time. Witnesses will be limited to 10 minutes and should provide two written copies of their comments.

If by 12 p.m. on Monday, December 16, 2019, no person has expressed an interest in testifying at the hearing, the hearing will be cancelled. The Department will provide public notice on the Bureau of Air Quality webpage at <http://www.dep.pa.gov/Business/Air/BAQ/Pages/default.aspx> if the hearing is cancelled. Persons may also contact the Department to find out if the hearing is cancelled by contacting Amanda Rodriguez at amarodrigu@pa.gov or (717) 787-9702.

Persons with a disability who wish to attend a hearing and require an auxiliary aid, service or other accommodation to participate in the proceeding should contact Amanda Rodriguez at amarodrigu@pa.gov or (717) 787-9702. TDD users may contact the Pennsylvania AT&T Relay Service at (800) 654-5984 or (800) 654-5988 (voice users) to discuss how the Department can best accommodate their needs.

The Department must receive comments no later than Monday, December 23, 2019. Commentators are encouraged to submit comments using the Department's online eComment tool at www.ahs.dep.pa.gov/eComment or by e-mail at ecomment@pa.gov. Written comments can be submitted by mail to the Policy Office, Department of Environmental Protection, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2563. Use "Harrisburg Area Ozone" as the subject line in written communication.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 19-1710. Filed for public inspection November 15, 2019, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Solid Waste Advisory Committee Meeting Cancellation

The December 5, 2019, meeting of the Solid Waste Advisory Committee (Committee) is cancelled. The next Committee meeting will be scheduled for early 2020.

Questions concerning the Committee can be directed to Laura Henry at lahenry@pa.gov or (717) 772-5713. The

agenda and meeting materials for the next meeting will be available on the Department of Environmental Protection's (Department) web site at www.dep.pa.gov (select "Public Participation," then "Advisory Committees," then "Waste Advisory Committees," then "Solid Waste Advisory Committee (SWAC)").

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Department at (717) 772-5713 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 19-1711. Filed for public inspection November 15, 2019, 9:00 a.m.]

DEPARTMENT OF HEALTH

Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.67(k) (relating to electric requirements for existing and new construction):

Luther Acres Manor
400 Saint Luke Drive
Lititz, PA 17543
FAC ID # 122402

This request is on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing-impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 19-1712. Filed for public inspection November 15, 2019, 9:00 a.m.]

DEPARTMENT OF HEALTH

Pennsylvania Cancer Control, Prevention and Research Advisory Board Quarterly Meeting

The Department of Health (Department) will hold a public meeting of the Pennsylvania Cancer Control, Prevention and Research Advisory Board (Board) on Thursday, December 5, 2019, from 9 a.m. to 12 p.m. at the

Dixon University Center, Administration Building, Board Room, 2986 North Second Street, Harrisburg, PA 17110. The purpose of the Board is to advise the Secretary of Health with respect to cancer control, prevention and research in this Commonwealth. The purpose of this meeting is to discuss the Commonwealth's cancer control initiatives. Items which may be presented are discussion and review of the Pennsylvania Cancer Plan, recommendations to the Secretary of Health for the awarding of grants and contracts to qualified associations, nonprofit organizations or governmental agencies, and the planning, establishment and conducting of programs in cancer control, prevention, education, training and clinical research. Various updates from the Department and the Federal Centers for Disease Control and Prevention may also be presented.

For additional information or for persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so contact the Bureau of Health Promotion and Risk Reduction, Room 1000, Health and Welfare Building, Harrisburg, PA, (717) 317-5425, or for speech and/or hearing impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

This meeting is subject to cancellation without notice.

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 19-1713. Filed for public inspection November 15, 2019, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

State Transportation Commission Meeting

The State Transportation Commission (Commission) will hold a meeting on Thursday, December 12, 2019, from 10 a.m. to 12 p.m. in Conference Room 8N1, Commonwealth Keystone Building, Harrisburg, PA. For more information, contact the Commission, (717) 787-2913, RA-PennDOTSTC@pa.gov.

LESLIE S. RICHARDS,
Secretary

[Pa.B. Doc. No. 19-1714. Filed for public inspection November 15, 2019, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Transportation Advisory Committee Meeting

The Transportation Advisory Committee will hold a meeting on Thursday, December 5, 2019, from 10 a.m. to 12 p.m. in Conference Room 8N1, Commonwealth Keystone Building, Harrisburg, PA. For more information contact the Office of the State Transportation Commission, (717) 787-2913, RA-PennDOTSTC@pa.gov.

LESLIE S. RICHARDS,
Secretary

[Pa.B. Doc. No. 19-1715. Filed for public inspection November 15, 2019, 9:00 a.m.]

INSURANCE DEPARTMENT

Application for Renewal of Designation as a Certified Reinsurer

Arch Reinsurance Company Ltd. has applied for renewal of its designation as a certified reinsurer in this Commonwealth. The application was received on October 30, 2019, and was made under section 319.1(a) of The Insurance Company Law of 1921 (40 P.S. § 442.1(a)) and 31 Pa. Code § 161.3a (relating to requirements for certified reinsurers).

Persons who wish to comment on the application are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Kimberly A. Rankin, Director, Bureau of Company Licensing and Financial Analysis, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, krankin@pa.gov. Comments received will be forwarded to the applicant for appropriate response.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 19-1716. Filed for public inspection November 15, 2019, 9:00 a.m.]

INSURANCE DEPARTMENT

New York Life Insurance Company; Rate Increase Filing for Several LTC Forms (NWLTL-131979666)

New York Life Insurance Company is requesting approval to increase the premium an aggregate 24.7% on 1,253 policyholders of LTC policy forms ILTC-4300 and INH-4300.

Unless formal administrative action is taken prior to January 30, 2020, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) web site at www.insurance.pa.gov (hover the cursor over the "Consumers" tab, then select "Long Term Care Rate Filings").

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department's Harrisburg office.

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, jlaverty@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 19-1717. Filed for public inspection November 15, 2019, 9:00 a.m.]

INSURANCE DEPARTMENT

New York Life Insurance Company; Rate Increase Filing for Several LTC Forms (NWLTL-131979690)

New York Life Insurance Company is requesting approval to increase the premium an aggregate 51.5% on 1,719 policyholders of LTC policy forms ILTC-5000, FLTC-5000, INH-5000 and FNH-5000.

Unless formal administrative action is taken prior to January 30, 2020, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) web site at www.insurance.pa.gov (hover the cursor over the "Consumers" tab, then select "Long Term Care Rate Filings").

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department's Harrisburg office.

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, jlaverty@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 19-1718. Filed for public inspection November 15, 2019, 9:00 a.m.]

LEGISLATIVE REFERENCE BUREAU

Documents Filed But Not Published

The Legislative Reference Bureau (Bureau) accepted the following documents during the preceding calendar month for filing without publication under 1 Pa. Code § 3.13(b) (relating to contents of *Bulletin*). The Bureau will continue to publish on a monthly basis either a summary table identifying the documents accepted during the preceding calendar month under this subsection or a statement that no documents have been received. For questions concerning or copies of documents filed, but not published, call (717) 783-1530.

Executive Board

Resolution No. CB-19-007, Dated June 27, 2019. Authorizes the Collective Bargaining Agreement between the Commonwealth of Pennsylvania and the PSSU Local 668 of SEIU. The Collective Bargaining Agreement provides for the establishment of rates of pay, hours of work, and other conditions of employment for the period July 1, 2019 through June 30, 2023.

Resolution No. CB-19-008, Dated June 28, 2019. Authorizes the Memorandum of Understanding between the Commonwealth of Pennsylvania and the PSSU Local 668 SEIU. The Memorandum of Understanding provides for the establishment of rates of pay, hours of work, and other conditions of employment for the period July 1, 2019 through June 30, 2023.

DUANE M. SEARLE,
Director
Pennsylvania Code and Bulletin

[Pa.B. Doc. No. 19-1719. Filed for public inspection November 15, 2019, 9:00 a.m.]

OFFICE OF THE BUDGET

Transfers to Department of Conservation and Natural Resources and Department of Environmental Protection

Under section 1726-K(g) of the Fiscal Code of 1929 (72 P.S. § 1726-Kg) (relating to fund transfers) the Act of April 9, 1929 (P.L. 343, No. 176), the Secretary of the Budget has directed that the following amounts shall be transferred on or after November 16, 2019, from the special funds identified as follows to augment the operations of the Department of Conservation and Natural Resources and the Department of Environmental Protection:

Transfers from Special Funds

Banking Fund	\$21,000,000
Volunteer Companies Loan Fund	5,000,000
Machinery and Equipment Loan Fund	10,000,000
Persian Gulf Veterans Compensation Bond Fund	1,898,000
Insurance Regulation and Oversight Fund	7,102,000
TOTAL	\$45,000,000

JENNIFER SWAILS,
Secretary

[Pa.B. Doc. No. 19-1720. Filed for public inspection November 15, 2019, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Lifeline Service

The Pennsylvania Public Utility Commission (Commission) invites comment on the following petition for modification of Lifeline service:

Petition of Virgin Mobile USA, LP to modify its Lifeline service offering; Doc. No. P-2010-2155915

Interested parties are invited to file comments at the relevant docket number within 20 days of publication of this notice. Reply comments of the carrier are due within 10 days thereafter. Interested parties may review the pending petition at <http://www.puc.pa.gov> by clicking on the "Search for Documents" hyperlink or can review and obtain a hard copy which is available for a fee by written request to the Secretary of the Commission, Pennsylvania Public Utility Commission, Rosemary Chiavetta, Secretary, P.O. Box 3265, Harrisburg, PA 17105-3265.

The contact for questions regarding this notice is David E. Screven, Assistant Counsel, Law Bureau, (717) 787-5000.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 19-1721. Filed for public inspection November 15, 2019, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth

have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by December 2, 2019. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Application of the following for approval to *begin operating as common carriers for transportation of persons as described under the application.*

A-2019-3013947. SS Non-Emergency Transportation, LLC (6904 Castor Avenue, Philadelphia, PA 19149) in paratransit service, limited to persons who cannot operate motor vehicles, from points in the City and County of Philadelphia, to points in Pennsylvania, and return.

Application of the following for approval of the *beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods as described under the application.*

A-2019-3013333. Elite Moving Company, LLC (229 Bonita Drive, Greensburg, Westmoreland County, PA 15601) household goods in use, between points in Pennsylvania.

Applications of the following for the approval of the *right and privilege to discontinue/abandon operating as common carriers by motor vehicle and for cancellation of the certificate of public convenience as described under each application.*

A-2019-3013550. Darleen C. Christy, t/a DC Cab (1301 Frankstown Road, Johnstown, PA 15902) discontinuance of service and cancellation of its certificate, to transport, as a common carrier, by motor vehicle, at A-00113427, persons in call or demand in that part of the Counties of Cambria and Somerset bounded as follows: Beginning at the western county line of the County of Cambria, thence east on U.S. Highway Route 22 to its intersection with State Route 53 at the Borough of Cresson, Cambria County, thence south on State Route 53 to its intersection with State Route 160 at the Borough of Wilmore, Cambria County, thence continuing south on State Route 160 to its intersection with U.S. Highway Route 30, thence west on U.S. Highway Route 30 to the Somerset County Line, thence north along the Somerset/Cambria County Lines to the point of beginning at U.S. Highway Route 22, Cambria County.

A-2019-3013746. Joseph Geiger (P.O. Box 196, Wiconisco, Dauphin County, PA 17097-0196) discontinuance of service and cancellation of its certificate, to transport, as a common carrier, by motor vehicle, at A-6416082, persons in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, from points in the County of Dauphin, to points in Pennsylvania, and return.

A-2019-3013897. Raymond Dunkle, t/a Dunkle Transportation (16703 Timmons Road, Spring Run, Franklin County, PA 17262) discontinuance of service and cancellation of its certificate, to transport, as a common carrier, by motor vehicle, at A-6410479, persons in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, from points in Franklin County, to points in Pennsylvania, and return.

Application of the following for approval to begin operating as contract carriers for transportation of persons as described under the application.

A-2019-3013854. Dependable People Transportation, LLC (1316 Pheasant Run Road, Middletown, Dauphin County, PA 17057) for the right to begin to transport, as a contract carrier for Medical Transportation Management, Inc., between points in the Counties of Dauphin and Lancaster.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 19-1722. Filed for public inspection November 15, 2019, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Formal Complaints

Formal complaints have been issued by the Pennsylvania Public Utility Commission. Answers must be filed in accordance with 52 Pa. Code (relating to public utilities). Answers are due December 2, 2019, and must be made with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy to the First Deputy Chief Prosecutor, Pennsylvania Public Utility Commission.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Barthel Trucking, LLC; Docket No. C-2019-3012527

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Barthel Trucking, LLC, (respondent) is under suspension effective August 19, 2019 for failure to maintain evidence of insurance on file with this Commission.
2. That respondent maintains a principal place of business at 655 California Road, Littlestown, PA 17340.
3. That respondent was issued a Certificate of Public Convenience by this Commission on March 14, 2019, at A-8911412.

4. That respondent has failed to maintain evidence of Liability and Cargo insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500.00 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500.00 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-8911412 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
400 North Street
Harrisburg, PA 17120

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 10/18/2019

David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
400 North Street
Harrisburg, PA 17120

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
 Pennsylvania Public Utility Commission
 Bureau of Investigation and Enforcement
 400 North Street
 Harrisburg, PA 17120

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility
 Services
 Pennsylvania Public Utility Commission
 400 North Street
 Harrisburg, PA 17120

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 400 North Street
 Harrisburg, PA 17120

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

**Pennsylvania Public Utility Commission; Bureau of
 Investigation and Enforcement v. Friendly
 Messenger Service, Inc.; Docket No. C-2019-3013490**

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities

within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Friendly Messenger Service, Inc., (respondent) is under suspension effective October 01, 2019 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at 625 East Orange Street, Lancaster, PA 17602.

3. That respondent was issued a Certificate of Public Convenience by this Commission on June 13, 1995, at A-00111930.

4. That respondent has failed to maintain evidence of Liability insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500.00 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500.00 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-00111930 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
 David W. Loucks, Chief
 Motor Carrier Enforcement
 Bureau of Investigation and Enforcement
 400 North Street
 Harrisburg, PA 17120

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 10/16/2019

David W. Loucks, Chief
 Motor Carrier Enforcement
 Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 400 North Street
 Harrisburg, PA 17120

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
 Pennsylvania Public Utility Commission
 Bureau of Investigation and Enforcement
 400 North Street
 Harrisburg, PA 17120

Or, emailed to Mr. Swindler at: RA-PCCmpltResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility
 Services
 Pennsylvania Public Utility Commission
 400 North Street
 Harrisburg, PA 17120

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 400 North Street
 Harrisburg, PA 17120

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of

Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 19-1724. Filed for public inspection November 15, 2019, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Transfer of Customers; Abandon Certificate of Public Convenience

A-2019-3014015. David and Diane Miller Water Company. Application of the David and Diane Miller Water Company for approval to: 1) transfer its water customers to the Petroleum Valley Regional Water Authority; and 2) abandon its Certificate of Public Convenience.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before December 2, 2019. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

Applicants: David and Diane Miller Water Company;
 Petroleum Valley Regional Water Authority

Through and By: Michael D. Gallagher, Esquire, Sean M. Gallagher, Esquire, Murrin, Taylor & Gallagher, 110 East Diamond Street, Butler, PA 16001-5999; Paula Caruso LaStrapes, Esquire, 166 South McKean Street, Kittanning, PA 16201

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 19-1724. Filed for public inspection November 15, 2019, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Wastewater Service

A-2019-3014022. The York Water Company. Application of The York Water Company for approval of the right to begin to offer or furnish wastewater service to the public in a portion of Straban Township, Adams County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before December 2, 2019. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

Applicant: The York Water Company

Through and By Counsel: Michael W. Hassell, Esquire, Devin T. Ryan, Esquire, Post & Schell, PC, 17 North Second Street, 12th Floor, Harrisburg, PA 17101-1601
ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 19-1725. Filed for public inspection November 15, 2019, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Water Service

A-2019-3014024. The York Water Company. Application of The York Water Company for approval of the right to begin to offer or furnish water service to the public in a portion of Straban Township, Adams County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before December 2, 2019. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

Applicant: The York Water Company

Through and By Counsel: Michael W. Hassell, Esquire, Devin T. Ryan, Esquire, Post & Schell, PC, 17 North Second Street, 12th Floor, Harrisburg, PA 17101-1601
ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 19-1726. Filed for public inspection November 15, 2019, 9:00 a.m.]

SUSQUEHANNA RIVER BASIN COMMISSION

Commission Meeting

The Susquehanna River Basin Commission (Commission) will hold its regular business meeting on December 5, 2019, at 9 a.m. at the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110. Details concerning the matters to be addressed at the business meeting are contained in the Supplementary Information section of this notice. The Commission also published a document at 84 FR 52552 (October 2, 2019), concerning its public hearing on October 31, 2019, in Harrisburg, PA.

For further information contact Jason E. Oyler, General Counsel and Secretary, (717) 238-0423, fax (717) 238-2436.

Supplementary Information

The business meeting will include actions or presentations on the following items: (1) informational presentation of interest to the lower Susquehanna River region; (2) proposed fiscal year 2020 fee schedule changes; (3) ratification/approval of contracts/grants; (4) a report on delegated settlements; (5) Regulatory Program projects; and (6) waiver requests that have been submitted to the Commission.

This agenda is complete at the time of issuance, but other items may be added, and some stricken without further notice. The listing of an item on the agenda does not necessarily mean that the Commission will take final action on it at this meeting. When the Commission does take final action, notice of these actions will be published in the *Federal Register* after the meeting. Any actions specific to projects will also be provided in writing directly to project sponsors.

Regulatory Program projects listed for Commission action were those that were the subject of public hearings conducted by the Commission on October 31, 2019, and identified in the notices for the hearings, which were published in 84 FR 52552.

The public is invited to attend the Commission's business meeting. Comments on the Regulatory Program projects are subject to a deadline of November 12, 2019. Written comments pertaining to other items on the agenda at the business meeting may be mailed to the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788, or submitted electronically through www.srb.com/about/meetings-events/business-meeting.html. The comments are due to the Commission on or before November 26, 2019. Comments will not be accepted at the business meeting noticed herein.

Authority: Pub.L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806—808

Dated: October 31, 2019

ANDREW D. DEHOFF,
Executive Director

[Pa.B. Doc. No. 19-1727. Filed for public inspection November 15, 2019, 9:00 a.m.]

