

PENNSYLVANIA BULLETIN

Volume 49

Number 47

Saturday, November 23, 2019 • Harrisburg, PA

Pages 6929—7072

Agencies in this issue

The Governor

The General Assembly

The Courts

Department of Banking and Securities

Department of Environmental Protection

Department of Health

Department of Human Services

Department of Revenue

Fish and Boat Commission

Independent Regulatory Review Commission

Insurance Department

Patient Safety Authority

Pennsylvania Gaming Control Board


Pennsylvania Public Utility Commission

Philadelphia Parking Authority

State Board of Medicine

State Employees' Retirement Board

Detailed list of contents appears inside.



**Latest Pennsylvania Code Reporter
(Master Transmittal Sheet):**

No. 540, November 2019

CUT ON DOTTED LINES AND ENCLOSE IN AN ENVELOPE

CHANGE NOTICE/NEW SUBSCRIPTION

If information on mailing label is incorrect, please email changes to info@pabulletin.com or mail to:

FRY COMMUNICATIONS, INC.
Attn: *Pennsylvania Bulletin*
800 W. Church Rd.
Mechanicsburg, PA 17055-3198

CUSTOMER NUMBER (6 digit number above name on mailing label)

NAME OF INDIVIDUAL

OFFICE NAME—TITLE

ADDRESS (Number and Street)

(City) (State) (Zip Code)

TYPE OR PRINT LEGIBLY

PENNSYLVANIA



BULLETIN

(ISSN 0162-2137)

Postmaster send address changes to:

FRY COMMUNICATIONS, Inc.
Attn: *Pennsylvania Bulletin*
800 West Church Road
Mechanicsburg, Pennsylvania 17055-3198
(717) 766-0211 ext. 2340
(800) 334-1429 ext. 2340 (toll free, out-of-State)
(800) 524-3232 ext. 2340 (toll free, in State)

The *Pennsylvania Bulletin* is published weekly by Fry Communications, Inc. for the Commonwealth of Pennsylvania, Legislative Reference Bureau, 641 Main Capitol Building, Harrisburg, Pennsylvania 17120, under the policy supervision and direction of the Joint Committee on Documents under 45 Pa.C.S. Part II (relating to publication and effectiveness of Commonwealth documents). The subscription rate is \$87.00 per year, postpaid to points in the United States. Individual copies are \$2.50. Checks for subscriptions and individual copies should be made payable to "Fry Communications, Inc." Periodicals postage paid at Harrisburg, Pennsylvania.

Orders for subscriptions and other circulation matters should be sent to:

Fry Communications, Inc.
Attn: *Pennsylvania Bulletin*
800 West Church Road
Mechanicsburg, Pennsylvania 17055-3198

Copyright © 2019 Commonwealth of Pennsylvania

Editorial preparation, composition, printing and distribution of the *Pennsylvania Bulletin* is effected on behalf of the Commonwealth of Pennsylvania by FRY COMMUNICATIONS, Inc., 800 West Church Road, Mechanicsburg, Pennsylvania 17055-3198.

CONTENTS

THE GOVERNOR

Executive Orders

Governor's Advisory Council on Veterans Services . . . 6938

THE GENERAL ASSEMBLY

COMMISSION ON SENTENCING

Meetings scheduled 6941

THE COURTS

DISCIPLINARY BOARD OF THE SUPREME COURT

List of financial institutions 6951

Notice of disbarment 6954

JUDICIAL SYSTEM GENERAL PROVISIONS

Judicial salaries 6942

LOCAL COURT RULES

Westmoreland County

Increase in clerk of courts' fees; 784 MD2019; No. 3 of 2019 6951

RULES OF EVIDENCE

Order approving the amendment of Pennsylvania Rules of Evidence 901(a), 902(4), 902(6) and 902(12); No. 810 Supreme Court rules doc. 6942

Order approving the amendment of Pennsylvania Rule of Evidence 902; No. 809 Supreme Court rules doc. 6947

SUPREME COURT

Financial institutions approved as depositories for fiduciary accounts; No. 187 disciplinary rules doc. . 6954

EXECUTIVE AND INDEPENDENT AGENCIES

DEPARTMENT OF BANKING AND SECURITIES

Notices

Actions on applications 6958

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices

Applications, actions and special notices 6959

Coal mining reclamation fee amount for 2020 7033

Oil and Gas Technical Advisory Board meeting cancellation 7033

DEPARTMENT OF HEALTH

Notices

Long-term care nursing facilities; requests for exception 7033

Recognized lifeguard certifying authorities for 2020 . 7034

DEPARTMENT OF HUMAN SERVICES

Notices

Fee schedule rates and Department-established fees for consolidated, community living and person/family directed support waivers services, targeted support management and the Community Intellectual Disability Base-Funded Program 7034

DEPARTMENT OF REVENUE

Notices

Pennsylvania \$500 Money Mayhem™ instant lottery game 1434 7035

Pennsylvania \$300,000 Xtreme Xword instant lottery game 1433 7037

Pennsylvania \$3 Million Limited instant lottery game 1432 7042

Pennsylvania Super 7s instant lottery game 1435 . . 7046

FISH AND BOAT COMMISSION

Notices

Additions to list of Class A wild trout waters 7048

Classification of wild trout streams; additions; October 2019 7050

Classification of wild trout streams; proposed additions and revisions; January 2020 7050

Proposed changes to list of Class A wild trout waters; January 2020 7052

Special regulation designations 7057

INDEPENDENT REGULATORY REVIEW COMMISSION

Notices

2020 public meeting schedule 7057

INSURANCE DEPARTMENT

Notices

1332 state innovation waiver application; public comment period; notice 2019-08 7058

Alleged violation of insurance laws; Amanda Luwana Stewart; doc. No. SC19-11-008 7058

Application for approval to redomesticate from the Commonwealth of Pennsylvania by 21st Century Preferred Insurance Company 7059

Application for renewal of designation as a certified reinsurer 7059

AXA Equitable Life Insurance Company; rate increase filing for several grandfathered AXA Equitable individual major medical forms (MMTA-131782629) 7059

Geisinger Health Plan (GSHP-132137816); small group HMO—transitional filing 7059

Geisinger Quality Options (GSHP-132137818); small group PPO—transitional filing 7060

List of approved guide source method vendors as of October 28, 2019 7060

Review procedure hearings; cancellation or refusal of insurance 7061

Review procedure hearings under the Unfair Insurance Practices Act 7061

Available Online at <http://www.pabulletin.com>

PATIENT SAFETY AUTHORITY

Notices

Public meeting 7061

PENNSYLVANIA GAMING CONTROL BOARD

Statements of Policy

Notice to rescind and amend published statements
of policy..... 6957

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Notices

Service of notice of household goods carrier com-
plaints 7061
Service of notice of motor carrier applications..... 7064
Service of notice of motor carrier formal complaints. 7065
Telecommunications..... 7071

PHILADELPHIA PARKING AUTHORITY

Notices

Service of notice of motor carrier applications in the
City of Philadelphia..... 7071

STATE BOARD OF MEDICINE

Notices

Bureau of Professional and Occupational Affairs v.
Tristram G. Horton, MD; case No. 16-49-04197 ... 7071

STATE EMPLOYEES' RETIREMENT BOARD

Notices

Hearings scheduled 7071

READER'S GUIDE TO THE PENNSYLVANIA BULLETIN AND THE PENNSYLVANIA CODE

Pennsylvania Bulletin

The *Pennsylvania Bulletin* is the official gazette of the Commonwealth of Pennsylvania. It is published weekly. A cumulative subject matter index is published quarterly.

The *Pennsylvania Bulletin* serves several purposes. It is the temporary supplement to the *Pennsylvania Code*, which is the official codification of agency rules and regulations, Statewide court rules, and other statutorily authorized documents. Changes in the codified text, whether by adoption, amendment, rescission, repeal or emergency action, must be published in the *Pennsylvania Bulletin*.

The following documents are published in the *Pennsylvania Bulletin*: Governor's Executive Orders; Summaries of Enacted Statutes; Statewide and Local Court Rules; Attorney General Opinions; Motor Carrier Applications before the Pennsylvania Public Utility Commission; Applications and Actions before the Department of Environmental Protection; Orders of the Independent Regulatory Review Commission; and other documents authorized by law.

The text of certain documents published in the *Pennsylvania Bulletin* is the only valid and enforceable text. Courts are required to take judicial notice of the *Pennsylvania Bulletin*.

Adoption, Amendment or Repeal of Regulations

Generally an agency wishing to adopt, amend or rescind regulations must first publish in the *Pennsylvania Bulletin* a Proposed Rulemaking. There are limited instances when the agency may omit the proposal step; it still must publish the adopted version.

The Proposed Rulemaking contains the full text of the change, the agency contact person, a fiscal note required by law and background for the action.

The agency then allows sufficient time for public comment before taking final action. A Final Rulemaking must be published in the *Pennsylvania Bulletin* before the changes can take effect. If the agency wishes to adopt changes to the Proposed Rulemaking to enlarge the scope, it must repropose.

Citation to the *Pennsylvania Bulletin*

Cite material in the *Pennsylvania Bulletin* by volume number, a page number and date. Example: Volume 1, *Pennsylvania Bulletin*, page 801, January 9, 1971 (short form: 1 Pa.B. 801 (January 9, 1971)).

Pennsylvania Code

The *Pennsylvania Code* is the official codification of rules and regulations issued by Commonwealth agencies, Statewide court rules and other statutorily authorized documents. The *Pennsylvania Bulletin* is the temporary supplement to the *Pennsylvania Code*, printing changes when they are adopted. These changes are then permanently codified by the *Pennsylvania Code Reporter*, a monthly, loose-leaf supplement.

The *Pennsylvania Code* is cited by title number and section number. Example: Title 10 *Pennsylvania Code* § 1.1 (short form: 10 Pa. Code § 1.1).

Under the *Pennsylvania Code* codification system, each regulation is assigned a unique number by title and section. Titles roughly parallel the organization of Commonwealth government.

How to Find Rules and Regulations

Search for your area of interest in the *Pennsylvania Code*. The *Pennsylvania Code* is available at www.pacode.com.

Source Notes give the history of regulations. To see if there have been recent changes not yet codified, check the List of *Pennsylvania Code* Chapters Affected in the most recent issue of the *Pennsylvania Bulletin*.

A chronological table of the history of *Pennsylvania Code* sections may be found at www.legis.state.pa.us/cfdocs/legis/CH/Public/pcde_index.cfm.

A quarterly List of *Pennsylvania Code* Sections Affected lists the regulations in numerical order, followed by the citation to the *Pennsylvania Bulletin* in which the change occurred.

The *Pennsylvania Bulletin* is available at www.pabulletin.com.

Subscription Information: (717) 766-0211
General Information and Finding Aids: (717) 783-1530

Printing Format

Rules, Regulations and Statements of Policy in Titles 1—107 of the Pennsylvania Code

Text proposed to be added is printed in **underscored bold face**. Text proposed to be deleted is enclosed in brackets [] and printed in **bold face**.

Proposed new chapters and sections are printed in regular type to enhance readability. Final rulemakings and statements of policy are printed in regular type.

Ellipses, a series of five asterisks, indicate text that is not amended.

In Proposed Rulemakings and proposed Statements of Policy, existing text corresponds to the official codified text in the *Pennsylvania Code*.

Court Rules in Titles 201—246 of the Pennsylvania Code

Added text in proposed and adopted court rules is printed in **underscored bold face**. Deleted text in proposed and adopted court rules is enclosed in brackets [] and printed in **bold face**.

Proposed new chapters and rules are printed in regular type to enhance readability.

Ellipses, a series of five asterisks, indicate text that is not amended.

Fiscal Notes

Section 612 of The Administrative Code of 1929 (71 P. S. § 232) requires the Governor's Budget Office to prepare a fiscal note for regulatory actions and administrative procedures of the administrative departments, boards, commissions and authorities receiving money from the State Treasury. The fiscal note states whether the action or procedure causes a loss of revenue or an increase in the cost of programs for the Commonwealth or its political subdivisions. The fiscal note is required to be published in the *Pennsylvania Bulletin* at the same time as the change is advertised.

A fiscal note provides the following information: (1) the designation of the fund out of which the appropriation providing for expenditures under the action or procedure shall be made; (2) the probable cost for the fiscal year the program is implemented; (3) projected cost estimate of the program for each of the 5 succeeding fiscal years; (4) fiscal history of the program for which expenditures are to be made; (5) probable loss of revenue for the fiscal year of its implementation; (6) projected loss of revenue from the program for each of the 5 succeeding fiscal years; (7) line item, if any, of the General Appropriation Act or other appropriation act out of which expenditures or losses of Commonwealth funds shall occur as a result of the action or procedures; and (8) recommendation, if any, of the Secretary of the Budget and the reasons therefor.

The omission of an item indicates that the agency text of the fiscal note states that there is no information available with respect thereto. In items (3) and (6) information is set forth for the first through fifth fiscal years, following the year the program is implemented, which is stated. In item (4) information is set forth for the current and two immediately preceding years. In item (8) the recommendation, if any, made by the Secretary of the Budget is published with the fiscal note. "No fiscal impact" means no additional cost or revenue loss to the Commonwealth or its local political subdivision is intended. See 4 Pa. Code Chapter 7, Subchapter R (relating to fiscal notes).

Reproduction, Dissemination or Publication of Information

Third parties may not take information from the *Pennsylvania Code* and *Pennsylvania Bulletin* and reproduce, disseminate or publish information except as provided by 1 Pa. Code § 3.44:

§ 3.44. General permission to reproduce content of Code and Bulletin.

Information published under this part, which information includes, but is not limited to, cross references, tables of cases, notes of decisions, tables of contents, indexes, source notes, authority notes, numerical lists and codification guides, other than the actual text of rules or regulations may be reproduced only with the written consent of the [Legislative Reference] Bureau. The information which appears on the same leaf with the text of a rule or regulation, however, may be incidentally reproduced in connection with the reproduction of the rule or regulation, if the reproduction is for the private use of a subscriber and not for resale. There are no other restrictions on the reproduction of information published under this part, and the Commonwealth hereby consents to a reproduction.

List of Pa. Code Chapters Affected

The following numerical guide is a list of the chapters of each title of the *Pennsylvania Code* affected by documents published in the *Pennsylvania Bulletin* during 2019.

4 Pa. Code (Administration)

Adopted Rules

1	438
5	438, 5102
6	593, 3467, 4933, 5105, 6938
7a	1993, 4937, 6376
601	1297
602	1297
603	1297
604	1297
605	1297
606	1297
607	1297

Statements of Policy

1	3749
9	381, 844, 927, 2349, 2719, 3900, 5705, 6862
58	1792

7 Pa. Code (Agriculture)

Adopted Rules

59a	3897
171	6221
173	6221
175	6221
177	6221
179	6221
181	6221
183	6221
185	6221
187	6221
189	6221
191	6221
193	6221
195	6221
197	6221
199	6221
201	6221
203	6221
205	6221
301	6221
303	6221
305	6221
307	6221
401	6221
403	6221
405	6221
407	6221

Proposed Rules

143	3606, 5455
150	4991

22 Pa. Code (Education)

Proposed Rules

235	1905
711	4817

25 Pa. Code (Environmental Protection)

Adopted Rules

77	2491
----	------

Proposed Rules

87	6524
88	6524
89	6524
90	6524
91	1518, 1665
92a	1518, 1665
93	1367
121	1146, 1777
123	3482
127	1146, 1777
806	5456

28 Pa. Code (Health and Safety)

Proposed Rules

27	2605
----	------

31 Pa. Code (Insurance)

Adopted Rules

146a	4109
------	------

34 Pa. Code (Labor and Industry)

Adopted Rules

401	3077, 3732
403	3077
405	3077

Proposed Rules

91	1657, 1791
93	1657, 1791
95	1657, 1791
111	1661

37 Pa. Code (Law)

Proposed Rules

311	4993
-----	------

40 Pa. Code (Liquor)

Proposed Rules

5	1029, 3733
---	------------

49 Pa. Code (Professional and Vocational Standards)

Adopted Rules

21	3891
27	3210
36	6667
43b	5572

Proposed Rules

21	458
23	922
33	1396

52 Pa. Code (Public Utilities)

Adopted Rules

29	455
56	2815

Proposed Rules

73	5702
----	------

Statements of Policy

69	466, 929, 3083, 4819, 5003
----	----------------------------

55 Pa. Code (Human Services)

Adopted Rules

51	5777
1153	5943
1155	6088
2380	5777
2390	5777
5200	5943
5240	6088
6100	5777
6200	5777
6400	5777
6500	5777

58 Pa. Code (Recreation)

Adopted Rules

65	3215
75	1323, 5450
79	5450
111	4950
133	1362
135	1363
139	2500
141	2506, 2507, 4950, 4951, 4953
147	1364, 4955
423a	6676
429a	6676
437a	6676
439a	6676
440a	6676
461a	6676
465a	6676
601a	6676
609a	6676
617a	4956
621a	6676
625a	4956
635a	6676
637a	4956
639a	4956
641a	4956
643a	4956
647a	4956
649a	6676
653a	4956
655a	4956
657a	4956
659a	6676
669a	6676
670a	6676
674a	6676
675a	6676
677a	4956
678a	6676
679a	4956
680a	6676
682a	2227
683a	2227
684a	4956
830	1024

Proposed Rules

65	5213, 5214
111	1152
119	5215
139	1390
141	1386, 1388, 2611, 2612, 2614
147	2616
686a	3609
687a	3609
688a	3609

Statements of Policy

439b	6957
461b	6957

61 Pa. Code (Revenue)

Proposed Rules

876	2242
-----	------

67 Pa. Code (Transportation)

Adopted Rules

171a	2001
------	------

70 Pa. Code (Weights, Measures and Standards)

Proposed Rules

110	3313
-----	------

101 Pa. Code (General Assembly)

Statements of Policy

701	1154
-----	------

201 Pa. Code (Rules of Judicial Administration)

Adopted Rules

7	2911, 3469
19	6061, 6379

Proposed Rules

1	4809
40	4002
51	1645

204 Pa. Code (Judicial System General Provisions)

Adopted Rules

29	1997, 3469, 6061, 6380, 6522
71	705, 824, 6705
81	824, 2209, 4940
83	824, 915, 1020, 1772, 2209, 6063
85	5552
87	5552
89	443, 2217, 5552
91	5552
93	443, 2215, 2216, 5552
95	5552
211	6942
213	4544, 5422
303	5110
305	5410
307	5206

Proposed Rules

71	5700
81	4941
83	4542
213	3298
303	2103
305	3718
307	2103

210 Pa. Code (Appellate Procedure)**Adopted Rules**

1	1335
5	1510
9	3597, 3867
17	832
19	3597, 3867
65	2218

Proposed Rules

1	825
3	10
9	2712
19	825
21	825
35	602

225 Pa. Code (Rules of Evidence)**Proposed Rules**

Article I	3873
Article IV	2218
Article IX	165, 1336, 3876, 6942, 6947

231 Pa. Code (Rules of Civil Procedure)**Adopted Rules**

200	169
1000	608, 3305
1900	1342
1910	170
1915	3058
1920	3059
2000	608
2250	608
Part II	6804

Proposed Rules

5	444
100	4809
200	274, 3885
1915	2714, 3469, 3880
1930	2714
I	4809

234 Pa. Code (Rules of Criminal Procedure)**Adopted Rules**

4	190, 1118
9	6064

Proposed Rules

1	3306
2	1357, 1510
4	833, 1122, 3306
5	197, 833, 1357
10	197

237 Pa. Code (Juvenile Rules)**Adopted Rules**

1	208, 610, 1142, 1512, 6066
3	916
5	208, 610, 916
11	208, 610

Proposed Rules

1	1897
2	1898
5	2474
6	2474
13	3887

246 Pa. Code (Minor Court Civil Rules)**Adopted Rules**

400	4003
-----	------

Proposed Rules

200	1900, 4809
300	1900
400	1900
500	1900
1200	1772

249 Pa. Code (Philadelphia Rules)

Unclassified	1514, 1648, 1998, 2477, 6068
--------------	------------------------------

252 Pa. Code (Allegheny County Rules)

Unclassified	2220, 2221, 4548, 6706
--------------	------------------------

255 Pa. Code (Local Court Rules)

Unclassified	12, 13, 14, 214, 215, 216, 274, 380, 445, 446, 453, 616, 619, 706, 707, 838, 917, 918, 919, 920, 1020, 1021, 1022, 1360, 1515, 1517, 1653, 1774, 2221, 2226, 2342, 2346, 2347, 2348, 2488, 2489, 2603, 2604, 2716, 2717, 2718, 2912, 3311, 3475, 3476, 3480, 3603, 3729, 3730, 4006, 4105, 4107, 4943, 4948, 5210, 5211, 5276, 5444, 5448, 6085, 6086, 6087, 6383, 6522, 6714, 6860, 6951
--------------	---

THE GOVERNOR

Title 4—ADMINISTRATION

PART I. GOVERNOR'S OFFICE

[4 PA. CODE CH. 6]

[EXECUTIVE ORDER NO. 2013-03 AS AMENDED]

Governor's Advisory Council on Veterans Services

November 4, 2019

Whereas, over eight hundred thousand Pennsylvania residents are veterans who have defended our nation's freedom by serving in the United States Armed Forces, making our Commonwealth home to the fourth (4th) largest population of veterans among the states; and

Whereas, veterans have unique needs and have earned a wide array of benefits that are fragmented across the federal, state and local levels; and

Whereas, the Commonwealth of Pennsylvania is committed to providing a structure to provide coordinated, high-quality services to help veterans recognize and access the benefits and services that they earned; and


Whereas, the Adjutant General, Deputy Adjutant General for Veterans Affairs and the State Veterans Commission are responsible for championing Veterans Affairs at the federal, state and local levels and for ensuring that state veterans' programs and services are coordinated, provided, and delivered in a timely and effective manner; and

Whereas, there is a continued need to increase collaboration between state agencies to enhance administrative efficiency and optimize services for veterans and their families; and

Whereas, the delivery of veterans' programs and services requires dedicated and strategic outreach and collaboration between many departments and partners at the federal, state, and local levels; and

Whereas, a cooperative advisory council would be best suited to bridge the gaps in coordination and communication at the state level and ultimately to enhance the quality of services provided for our veterans and their families.

Now, Therefore, I, Tom Wolf, Governor of the Commonwealth of Pennsylvania, by virtue of the authority vested in me by the Constitution of the Commonwealth of Pennsylvania and other laws, do hereby formally establish the Governor's Advisory Council on Veterans Services, and do order and direct as follows:



Governor

Fiscal Note: GOV-2013-03 (Amended). No fiscal impact; (8) recommends adoption.

Annex A

TITLE 4. ADMINISTRATION

PART I. GOVERNOR'S OFFICE

CHAPTER 6. ADDITIONAL COUNCILS AND COMMITTEES

Subchapter TT. GOVERNOR'S ADVISORY COUNCIL ON VETERANS SERVICES

§ 6.551. Purpose.

The purpose of the Governor's Advisory Council on Veterans Services is to review, evaluate and assess State veterans' programs in collaboration with

senior staff from State agencies and commissions to increase information sharing, ensure program fidelity, coordinate complementary programs and to facilitate meaningful enhancements in service accessibility to veterans' benefits and services within this Commonwealth.

§ 6.552. Responsibilities.

The responsibilities of the Governor's Advisory Council on Veterans Services are to:

(1) Review, evaluate and maintain a comprehensive inventory of all programs within the Executive Branch regarding services and benefits for veterans.

(2) Serve as a coordinating body for all agencies that are responsible for programs related to services and benefits for veterans.

(3) Increase interoperability and collaboration between administrators of veterans' programs.

(4) Coordinate efforts to establish a compendium of veterans' programs to the county and regional level to enable quick reference and enhance access to veteran assistance and support at the local level.

(5) Improve program fidelity by seeking regional input from the veterans' community through quarterly meetings in each Department of Military and Veterans Affairs designated region.

(6) Report findings through the Adjutant General to the Governor.

§ 6.553. Composition.

The Governor's Advisory Council on Veterans Services shall consist of the following members, each of whom will be appointed by and serve at the pleasure of the Governor:

(1) The Deputy Adjutant General—Veterans Affairs from the Department of Military and Veteran Affairs, to serve as Chairperson.

(2) The Chairperson of the State Veterans Commission, to serve as Co-Chairperson.

(3) The Secretary of the Governor's Policy Office or designee.

(4) The Secretary of the Department of Aging or designee.

(5) The Secretary of the Department of Agriculture or designee.

(6) The Secretary of the Department of Banking and Securities or designee.

(7) The Secretary of the Department of Community and Economic Development or designee.

(8) The Secretary of the Department of Conservation and Natural Resources or designee.

(9) The Secretary of the Department of Corrections or designee.

(10) The Secretary of the Department of Drug and Alcohol Programs or designee.

(11) The Secretary of the Department of Education or designee.

(12) The Secretary of the Department of Health or designee.

(13) The Secretary of the Department of Human Services or designee.

(14) The Secretary of the Department of Labor and Industry or designee.

(15) The Adjutant General of the Department of Military and Veterans Affairs or designee.

(16) The Secretary of the Department of Transportation or designee.

(17) The Secretary of the Office of Administration or designee.

(18) A State Civil Service Commissioner or designee.

(19) The Executive Director of the Fish and Boat Commission or designee.

(20) The Executive Director of the Pennsylvania Council on the Arts or designee.

(21) A designee of the Pennsylvania War Veterans Council.

(22) Up to three at-large members appointed by the Governor.

§ 6.554. Committees.

The Chairperson may establish named committees with specific purposes and goals. Members or their designated representatives will make up the composition of these committees. The committee Chairperson will report on a quarterly basis to the Governor's Advisory Council on Veterans Services regarding work that is being done in their respective committee.

§ 6.555. Responsibilities of Commonwealth agencies.

All agencies, boards and commissions under the Governor's jurisdiction shall cooperate fully with the Governor's Advisory Council on Veterans Services (Council) and upon request shall provide support and assistance including an inventory of veterans' services and programs as needed by the Council to carry out its responsibilities.

§ 6.556. Compensation.

Members of the Governor's Advisory Council on Veterans Services, who are not Commonwealth employees, shall receive no compensation for their services, but may receive reimbursement for their necessary and proper expenses for attendance at meetings. See Chapter 40 (relating to travel and subsistence).

§ 6.557. Effective date.

This subchapter shall take effect immediately.

§ 6.558. Termination date.

This subchapter shall remain in effect unless revised or rescinded by the Governor.

[Pa.B. Doc. No. 19-1728. Filed for public inspection November 22, 2019, 9:00 a.m.]

THE GENERAL ASSEMBLY

COMMISSION ON SENTENCING

Meetings Scheduled

The Commission on Sentencing (Commission) announces the following meetings to be held at the Harrisburg Hilton and Towers Hotel, One North Second Street, Harrisburg, PA and at the Pennsylvania Judicial Center, 601 Commonwealth Avenue, Harrisburg, PA:

Wednesday, December 11, 2019	2 p.m.	Meeting Pennsylvania Judicial Center 601 Commonwealth Avenue Harrisburg, PA
	6:30 p.m.	Dinner Meeting Harrisburg Hilton and Towers Hotel One North Second Street Harrisburg, PA
Thursday, December 12, 2019	9 a.m.	Policy Committee Meeting Pennsylvania Judicial Center 601 Commonwealth Avenue Harrisburg, PA
	11 a.m.	Quarterly Commission Meeting Pennsylvania Judicial Center 601 Commonwealth Avenue Harrisburg, PA

MARK H. BERGSTROM,
Executive Director

[Pa.B. Doc. No. 19-1729. Filed for public inspection November 22, 2019, 9:00 a.m.]

THE COURTS

Title 204—JUDICIAL SYSTEM GENERAL PROVISIONS

PART VII. ADMINISTRATIVE OFFICE OF PENNSYLVANIA COURTS

[204 PA. CODE CH. 211]

Judicial Salaries

Annex A

TITLE 204. JUDICIAL SYSTEM GENERAL PROVISIONS

PART VII. ADMINISTRATIVE OFFICE OF PENNSYLVANIA COURTS

CHAPTER 211. CONSUMER PRICE INDEX AND JUDICIAL SALARIES

§ 211.1a. Consumer Price Index—judicial salaries.

The Court Administrator of Pennsylvania reports that the percentage change in the Philadelphia-Wilmington-Atlantic City, PA-DE-NJ-MD, Consumer Price Index for All Urban Consumers (CPI-U) for the 12-month period ending October 2019, was 1.9 percent (1.9%). (See U.S. Department of Labor, Bureau of Labor Statistics, Consumer Price Index, Wednesday, November 13, 2019.)

§ 211.2. Judicial salaries effective January 1, 2020.

The annual judicial salaries for calendar year beginning January 1, 2020 will be adjusted by a cost-of-living factor.

(a) *Supreme Court.*

(1) The annual salary of a justice of the Supreme Court shall be \$215,037.

(2) The annual salary of the Chief Justice of the Supreme Court shall be \$221,295.

(b) *Superior Court.*

(1) The annual salary of a judge of the Superior Court shall be \$202,898.

(2) The annual salary of the President Judge of the Superior Court shall be \$209,153.

(c) *Commonwealth Court.*

(1) The annual salary of a judge of the Commonwealth Court shall be \$202,898.

(2) The annual salary of the President Judge of the Commonwealth Court shall be \$209,153.

(d) *Courts of common pleas.*

(1) The annual salary of a judge of the court of common pleas shall be \$186,665.

(2) The annual salaries of the president judges of the courts of common pleas shall be in accordance with the following schedule:

(i) Allegheny County, \$189,794.

(ii) Philadelphia County, \$190,420.

(iii) Judicial districts having six or more judges, \$188,292.

(iv) Judicial districts having five or fewer judges, \$187,480.

(v) Administrative judges of the divisions of the Court of Common Pleas of Philadelphia County with six or more judges, \$188,292.

(vi) Administrative judges of the divisions of the Court of Common Pleas of Philadelphia County with five or fewer judges, \$187,480.

(vii) Administrative judges of the divisions of the Court of Common Pleas of Allegheny County with six or more judges, \$188,292.

(viii) Administrative judges of the divisions of the Court of Common Pleas of Allegheny County with five or fewer judges, \$187,480.

(e) *Philadelphia Municipal Court.*

(1) The annual salary of a judge of the Philadelphia Municipal Court shall be \$182,346.

(2) The annual salary of the President Judge of the Philadelphia Municipal Court shall be \$185,163.

(g) *Magisterial district judge.* The annual salary of a magisterial district judge shall be \$93,338.

(h) *Senior judges.* The compensation of the senior judges pursuant to 42 Pa.C.S. § 4121 (relating to assignment of judges) shall be \$578 per day. In any calendar year the amount of compensation which a senior judge shall be permitted to earn as a senior judge shall not when added to retirement income paid by the Commonwealth for such senior judge exceed the compensation payable by the Commonwealth to a judge then in regular active service on the court from which said senior judge retired. A senior judge who so elects may serve without being paid all or any portion of the compensation provided by this section.

[Pa.B. Doc. No. 19-1730. Filed for public inspection November 22, 2019, 9:00 a.m.]

Title 225—RULES OF EVIDENCE

[225 PA. CODE ART. IX]

Order Approving the Amendment of Pennsylvania Rules of Evidence 901(a), 902(4), 902(6) and 902(12); No. 810 Supreme Court Rules Doc.

Order

Per Curiam

And Now, this 4th day of November, 2019, upon the recommendation of the Committee on Rules of Evidence; the proposal having been published for public comment at 49 Pa.B. 1336 (March 23, 2019):

It is Ordered pursuant to Article V, Section 10 of the Constitution of Pennsylvania that Pennsylvania Rules of Evidence 901(a), 902(4), 902(6), and 902(12) are amended in the following form.

This Order shall be processed in accordance with Pa.R.J.A. No. 103(b), and shall be effective January 1, 2020.

Annex A

TITLE 225. RULES OF EVIDENCE
ARTICLE IX. AUTHENTICATION AND IDENTIFICATION

Rule 901. Authenticating or Identifying Evidence.

(a) *In General.* [To] Unless stipulated, to satisfy the requirement of authenticating or identifying an item of evidence, the proponent must produce evidence sufficient to support a finding that the item is what the proponent claims it is.

(b) *Examples.* The following are examples only—not a complete list—of evidence that satisfies the requirement:

(1) *Testimony of a Witness with Knowledge.* Testimony that an item is what it is claimed to be.

(2) *Nonexpert Opinion about Handwriting.* A nonexpert's opinion that handwriting is genuine, based on a familiarity with it that was not acquired for the current litigation.

(3) *Comparison by an Expert Witness or the Trier of Fact.* A comparison with an authenticated specimen by an expert witness or the trier of fact.

(4) *Distinctive Characteristics and the Like.* The appearance, contents, substance, internal patterns, or other distinctive characteristics of the item, taken together with all the circumstances.

(5) *Opinion About a Voice.* An opinion identifying a person's voice—whether heard firsthand or through mechanical or electronic transmission or recording—based on hearing the voice at any time under circumstances that connect it with the alleged speaker.

(6) *Evidence About a Telephone Conversation.* For a telephone conversation, evidence that a call was made to the number assigned at the time to:

(A) a particular person, if circumstances, including self-identification, show that the person answering was the one called; or

(B) a particular business, if the call was made to a business and the call related to business reasonably transacted over the telephone.

(7) *Evidence About Public Records.* Evidence that:

(A) a document was recorded or filed in a public office as authorized by law; or

(B) a purported public record or statement is from the office where items of this kind are kept.

(8) *Evidence About Ancient Documents or Data Compilations.* For a document or data compilation, evidence that it:

(A) is in a condition that creates no suspicion about its authenticity;

(B) was in a place where, if authentic, it would likely be; and

(C) is at least 30 years old when offered.

(9) *Evidence About a Process or System.* Evidence describing a process or system and showing that it produces an accurate result.

(10) *Methods Provided by a Statute or a Rule.* Any method of authentication or identification allowed by a statute or a rule prescribed by the Supreme Court.

Comment

Pa.R.E. 901(a) is substantively identical to F.R.E. 901(a) and consistent with Pennsylvania law. The authen-

tication or identification requirement may be expressed as follows: When a party offers evidence contending either expressly or impliedly that the evidence is connected with a person, place, thing, or event, the party must provide evidence sufficient to support a finding of the contended connection. *See Commonwealth v. Hudson*, [489 Pa. 620,] 414 A.2d 1381 (Pa. 1980); *Commonwealth v. Pollock*, [414 Pa. Super. 66,] 606 A.2d 500 (Pa. Super. 1992). **The proponent may be relieved of this burden when all parties have stipulated the authenticity or identification of the evidence. See, e.g., Pa.R.C.P. No. 212.3(a)(3) (Pre-Trial Conference); Pa.R.C.P. No. 4014 (Request for Admission); Pa.R.Crim.P. 570(A)(2) and (3) (Pre-Trial Conference).**

In some cases, real evidence may not be relevant unless its condition at the time of trial is similar to its condition at the time of the incident in question. In such cases, the party offering the evidence must also introduce evidence sufficient to support a finding that the condition is similar. Pennsylvania law treats this requirement as an aspect of authentication. *See Commonwealth v. Hudson*, [489 Pa. 620,] 414 A.2d 1381 (Pa. 1980).

Demonstrative evidence such as photographs, motion pictures, diagrams and models must be authenticated by evidence sufficient to support a finding that the demonstrative evidence fairly and accurately represents that which it purports to depict. *See Nyce v. Muffley*, [384 Pa. 107,] 119 A.2d 530 (Pa. 1956).

Pa.R.E. 901(b) is identical to F.R.E. 901(b).

Pa.R.E. 901(b)(1) is identical to F.R.E. 901(b)(1). It is consistent with Pennsylvania law in that the testimony of a witness with personal knowledge may be sufficient to authenticate or identify the evidence. *See Commonwealth v. Hudson*, [489 Pa. 620,] 414 A.2d 1381 (Pa. 1980).

Pa.R.E. 901(b)(2) is identical to F.R.E. 901(b)(2). It is consistent with 42 Pa.C.S. § 6111, which also deals with the admissibility of handwriting.

Pa.R.E. 901(b)(3) is identical to F.R.E. 901(b)(3). It is consistent with Pennsylvania law. When there is a question as to the authenticity of an exhibit, the trier of fact will have to resolve the issue. This may be done by comparing the exhibit to authenticated specimens. *See Commonwealth v. Gipe*, [169 Pa. Super. 623,] 84 A.2d 366 (Pa. Super. 1951) (comparison of typewritten document with authenticated specimen). Under this rule, the court must decide whether the specimen used for comparison to the exhibit is authentic. If the court determines that there is sufficient evidence to support a finding that the specimen is authentic, the trier of fact is then permitted to compare the exhibit to the authenticated specimen. Under Pennsylvania law, lay or expert testimony is admissible to assist the jury in resolving the question. *See, e.g., 42 Pa.C.S. § 6111.*

Pa.R.E. 901(b)(4) is identical to F.R.E. 901(b)(4). Pennsylvania law has permitted evidence to be authenticated by circumstantial evidence similar to that discussed in this illustration. The evidence may take a variety of forms including: evidence establishing chain of custody, see *Commonwealth v. Melendez*, [326 Pa. Super. 531,] 474 A.2d 617 (Pa. Super. 1984); evidence that a letter is in reply to an earlier communication, see *Roe v. Dwelling House Ins. Co. of Boston*, [149 Pa. 94,] 23 A. 718 (Pa. 1892); testimony that an item of evidence was found in a place connected to a party, see *Commonwealth v. Bassi*, [284 Pa. 81,] 130 A. 311 (Pa. 1925); a phone call

authenticated by evidence of party's conduct after the call, see *Commonwealth v. Gold*, [**123 Pa. Super. 128**,] 186 A. 208 (**Pa. Super.** 1936); and the identity of a speaker established by the content and circumstances of a conversation, see *Bonavitacola v. Cluver*, [**422 Pa. Super. 556**,] 619 A.2d 1363 (**Pa. Super.** 1993).

Pa.R.E. 901(b)(5) is identical to F.R.E. 901(b)(5). Pennsylvania law has permitted the identification of a voice to be made by a person familiar with the alleged speaker's voice. See *Commonwealth v. Carpenter*, [**472 Pa. 510**,] 372 A.2d 806 (**Pa.** 1977).

Pa.R.E. 901(b)(6) is identical to F.R.E. 901(b)(6). This paragraph appears to be consistent with Pennsylvania law. See *Smithers v. Light*, [**305 Pa. 141**,] 157 A. 489 (**Pa.** 1931); *Wahl v. State Workmen's Ins. Fund*, [**139 Pa. Super. 53**,] 11 A.2d 496 (**Pa. Super.** 1940).

Pa.R.E. 901(b)(7) is identical to F.R.E. 901(b)(7). This paragraph illustrates that public records and reports may be authenticated in the same manner as other writings. In addition, public records and reports may be self-authenticating as provided in Pa.R.E. 902. Public records and reports may also be authenticated as otherwise provided by statute. See Pa.R.E. 901(b)(10) and its Comment.

Pa.R.E. 901(b)(8) differs from F.R.E. 901(b)(8), in that the Pennsylvania Rule requires thirty years, while the Federal Rule requires twenty years. This change makes the rule consistent with Pennsylvania law. See *Commonwealth ex rel. Ferguson v. Ball*, [**277 Pa. 301**,] 121 A. 191 (**Pa.** 1923).

Pa.R.E. 901(b)(9) is identical to F.R.E. 901(b)(9). There is very little authority in Pennsylvania discussing authentication of evidence as provided in this illustration. The paragraph is consistent with the authority that exists. For example, in *Commonwealth v. Visconto*, [**301 Pa. Super. 543**,] 448 A.2d 41 (**Pa. Super.** 1982), a computer print-out was held to be admissible. In *Appeal of Chartiers Valley School District*, [**67 Pa. Cmwlth. 121**,] 447 A.2d 317 (**Pa. Cmwlth.** 1982), computer studies were not admitted as business records, in part, because it was not established that the mode of preparing the evidence was reliable. The court used a similar approach in *Commonwealth v. Westwood*, [**324 Pa. 289**,] 188 A. 304 (**Pa.** 1936) (test for gun powder residue) and in other cases to admit various kinds of scientific evidence. See *Commonwealth v. Middleton*, [**379 Pa. Super. 502**,] 550 A.2d 561 (**Pa. Super.** 1988) (electrophoretic analysis of dried blood); *Commonwealth v. Rodgers*, [**413 Pa. Super. 498**,] 605 A.2d 1228 (**Pa. Super.** 1992) (results of DNA/RFLP testing).

Pa.R.E. 901(b)(10) differs from F.R.E. 901(b)(10) to eliminate the reference to Federal law and to make the paragraph conform to Pennsylvania law.

There are a number of statutes that provide for authentication or identification of various types of evidence. See, e.g., 42 Pa.C.S. § 6103 (official records within the Commonwealth); 42 Pa.C.S. § 5328 (domestic records outside the Commonwealth and foreign records); 35 P.S. § 450.810 (vital statistics); 42 Pa.C.S. § 6106 (documents filed in a public office); 42 Pa.C.S. § 6110 (certain registers of marriages, births and burials records); 75 Pa.C.S. § 1547(c) (chemical tests for alcohol and controlled substances); 75 Pa.C.S. § 3368 (speed timing devices); 75 Pa.C.S. § 1106(c) (certificates of title);

42 Pa.C.S. § 6151 (certified copies of medical records); 23 Pa.C.S. § 5104 (blood tests to determine paternity); 23 Pa.C.S. § 4343 (genetic tests to determine paternity).

Official Note: Adopted May 8, 1998, effective October 1, 1998; rescinded and replaced January 17, 2013, effective March 18, 2013; **amended November 4, 2019, effective January 1, 2020.**

Committee Explanatory Reports:

Final Report explaining the January 17, 2013 rescission and replacement published with the Court's Order at 43 Pa.B. 651 (February 2, 2013).

Final Report explaining the November 4, 2019 amendment of paragraph (1) published with the Court's Order at 49 Pa.B. 6946 (November 23, 2019).

Rule 902. Evidence That is Self-Authenticating.

The following items of evidence are self-authenticating; they require no extrinsic evidence of authenticity in order to be admitted:

(1) *Domestic Public Documents That Are Sealed and Signed.* A document that bears:

(A) a seal purporting to be that of the United States; any state, district, commonwealth, territory, or insular possession of the United States; the former Panama Canal Zone; the Trust Territory of the Pacific Islands; a political subdivision of any of these entities; or a department, agency, or officer of any entity named above; and

(B) a signature purporting to be an execution or attestation.

(2) *Domestic Public Documents That Are Not Sealed But Are Signed and Certified.* A document that bears no seal if:

(A) it bears the signature of an officer or employee of an entity named in Rule 902(1)(A); and

(B) another public officer who has a seal and official duties within that same entity certifies under seal—or its equivalent—that the signer has the official capacity and that the signature is genuine.

(3) *Foreign Public Documents.* A document that purports to be signed or attested by a person who is authorized by a foreign country's law to do so. The document must be accompanied by a final certification that certifies the genuineness of the signature and official position of the signer or attester—or of any foreign official whose certificate of genuineness relates to the signature or attestation or is in a chain of certificates of genuineness relating to the signature or attestation. The certification may be made by a secretary of a United States embassy or legation; by a consul general, vice consul, or consular agent of the United States; or by a diplomatic or consular official of the foreign country assigned or accredited to the United States. If all parties have been given a reasonable opportunity to investigate the document's authenticity and accuracy, the court may for good cause, either:

(A) order that it be treated as presumptively authentic without final certification; or

(B) allow it to be evidenced by an attested summary with or without final certification.

(4) *Certified Copies of Public Records.* A copy of an official record—or a copy of a document that was recorded or filed in a public office as authorized by law—if the copy is certified as correct by:

(A) the custodian or another person authorized to make the certification; or

(B) a certificate that complies with Rule 902(1), (2), or (3), a statute, or a rule prescribed by the Supreme Court.

A certificate required by paragraph (4)(B) may include a handwritten signature, a copy of a handwritten signature, a computer generated signature, or a signature created, transmitted, received, or stored by electronic means, by the signer or by someone with the signer's authorization. A seal may, but need not, be raised.

(5) *Official Publications.* A book, pamphlet, or other publication purporting to be issued by a public authority.

(6) *Newspapers and Periodicals.* [**Printed material**] **Material** purporting to be a newspaper or periodical.

(7) *Trade Inscriptions and the Like.* An inscription, sign, tag, or label purporting to have been affixed in the course of business and indicating origin, ownership, or control.

(8) *Acknowledged Documents.* A document accompanied by a certificate of acknowledgment that is lawfully executed by a notary public or another officer who is authorized to take acknowledgments.

(9) *Commercial Paper and Related Documents.* Commercial paper, a signature on it, and related documents, to the extent allowed by general commercial law.

(10) *Presumptions Authorized by Statute.* A signature, document, or anything else that a statute declares to be presumptively or *prima facie* genuine or authentic.

(11) *Certified Domestic Records of a Regularly Conducted Activity.* The original or a copy of a domestic record that meets the requirements of Rule 803(6)(A)—(C), as shown by a certification of the custodian or another qualified person that complies with Pa.R.C.P. No. 76. Before the trial or hearing, the proponent must give an adverse party reasonable written notice of the intent to offer the record—and must make the record and certification available for inspection—so that the party has a fair opportunity to challenge them.

(12) *Certified Foreign Records of a Regularly Conducted Activity.* [**In a civil case, the**] **The** original or a copy of a foreign record that meets the requirements of Rule 902(11), modified as follows: the certification rather than complying with a statute or Supreme Court rule, must be signed in a manner that, if falsely made, would subject the maker to a criminal penalty in the country where the certification is signed. The proponent must also meet the notice requirements of Rule 902(11).

(13) *Certificate of Non-Existence of a Public Record.* A certificate that a document was not recorded or filed in a public office as authorized by law if certified by the custodian or another person authorized to make the certificate.

Comment

This rule permits some evidence to be authenticated without extrinsic evidence of authentication or identification. In other words, the requirement that a proponent must present authentication or identification evidence as a condition precedent to admissibility, as provided by Pa.R.E. 901(a), is inapplicable to the evidence discussed in Pa.R.E. 902. The rationale for the rule is that, for the types of evidence covered by Pa.R.E. 902, the risk of forgery or deception is so small, and the likelihood of discovery of forgery or deception is so great, that the cost

of presenting extrinsic evidence and the waste of court time is not justified. Of course, this rule does not preclude the opposing party from contesting the authenticity of the evidence. In that situation, authenticity is to be resolved by the finder of fact.

Pa.R.E. 902(1), (2), (3), and (4) deal with self-authentication of various kinds of public documents and records. They are identical to F.R.E. 902(1), (2), (3), and (4), except that Pa.R.E. 901(4) eliminates the reference to Federal law **and does not require the certificate to include a pen-and-ink signature or raised seal for the self-authentication of public documents.** These paragraphs are consistent with Pennsylvania statutory law. *See, e.g.* 42 Pa.C.S. § 6103 (official records within the Commonwealth); 42 Pa.C.S. § 5328 (domestic records outside the Commonwealth and foreign records); 35 P.S. § 450.810 (vital statistics); 42 Pa.C.S. § 6106 (documents filed in a public office).

The admission of a self-authenticating record of a prior conviction also requires sufficient evidence, either direct or circumstantial, to prove that the subject of the record is the same person for whom the record is offered in a proceeding. *See, e.g., Commonwealth v. Boyd*, 344 A.2d 864 (Pa. 1975).

Pa.R.E. 902(4) differs from F.R.E. 902(4) insofar as the rule does not require the certificate to include a pen-and-ink signature or raised seal for the self-authentication of public documents.

Pa.R.E. 902(5) [, (6) and (7) are] is identical to F.R.E. 902(5) [, (6), and (7)]. There [are] is no corresponding statutory [provisions] provision in Pennsylvania; however, 45 Pa.C.S. § 506 (judicial notice of the contents of the *Pennsylvania Code* and the *Pennsylvania Bulletin*) is similar to Pa.R.E. 902(5).

Pa.R.E. 902(6) differs from F.R.E. 902(6) insofar as it does not contain “printed” in reference to newspapers or periodicals. Cf. F.R.E. 101(b)(6) (“[A] reference to any kind of written material or any other medium includes electronically stored information.”). A newspaper or periodical should be available to the public online, digitally, or in print, principally devoted to the dissemination of local or general news and other editorial content, adherent to journalistic ethics and standards, and updating its content on a regular basis. For online newspapers and periodicals, links to other web content may be included, but the core content must reside on a server or website.

Pa.R.E. 902(6) permits both printed and digital newspapers and periodicals to be self-authenticated. Evidence purported to be an article or item from a newspaper or periodical must contain sufficient indicia of its original publication, including, but not limited to, the publication's title; the date of publication; page or volume of the article or item, if the content appeared in print; and web address, if applicable, where the article or item was originally published.

Pa.R.E. 902(7) is identical to F.R.E. 902(7).

Pa.R.E. 902(8) is identical to F.R.E. 902(8). It is consistent with Pennsylvania law. *See Sheaffer v. Baeringer*, 29 A.2d 697 (Pa. 1943); *Williamson v. Barrett*, 24 A.2d 546 (Pa. Super. 1942); [**21 P.S. §§ 291.1—291.13 (Uniform Acknowledgement Act);**] 57 Pa.C.S. §§ 301—331 (Revised Uniform Law on Notarial Acts). An acknowledged

document is a type of official record and the treatment of acknowledged documents is consistent with Pa.R.E. 902(1), (2), (3), and (4).

Pa.R.E. 902(9) is identical to F.R.E. 902(9). Pennsylvania law treats various kinds of commercial paper and documents as self-authenticating. *See, e.g.*, 13 Pa.C.S. § 3505 (evidence of dishonor of negotiable instruments).

Pa.R.E. 902(10) differs from F.R.E. 902(10) to eliminate the reference to Federal law and to make the paragraph conform to Pennsylvania law. In some Pennsylvania statutes, the self-authenticating nature of a document is expressed by language creating a “presumption” of authenticity. *See, e.g.*, 13 Pa.C.S. § 3505.

Pa.R.E. 902(11) and (12) permit the authentication of domestic and foreign records of regularly conducted activity by verification or certification. Pa.R.E. 902(11) is similar to F.R.E. 902(11). The language of Pa.R.E. 902(11) differs from F.R.E. 902(11) in that it refers to Pa.R.C.P. No. 76 rather than to Federal law. Pa.R.E. 902(12) differs from F.R.E. 902(12) in that it requires compliance with a Pennsylvania statute rather than a Federal statute.

Pa.R.E. 902(13) has no counterpart in the Federal Rules. This rule provides for the self-authentication of a certificate of the non-existence of a public record, as provided in Pa.R.E. 803(10)(A).

Official Note: Adopted May 8, 1998, effective October 1, 1998; amended November 2, 2001, effective January 1, 2002; amended February 23, 2004, effective May 1, 2004; rescinded and replaced January 17, 2013, effective March 18, 2013; amended November 9, 2016, effective January 1, 2017; amended June 12, 2017, effective November 1, 2017; **amended November 4, 2019, effective January 1, 2020.**

Committee Explanatory Reports:

Final Report explaining the November 2, 2001 amendments adding paragraphs (11) and (12) published with Court’s Order at 31 Pa.B. 6384 (November 24, 2001).

Final Report explaining the February 23, 2004 amendment of paragraph (12) published with Court’s Order at 34 Pa.B. 1429 (March 13, 2004).

Final Report explaining the January 17, 2013 rescission and replacement published with the Court’s Order at 43 Pa.B. 651 (February 2, 2013).

Final Report explaining the November 9, 2016 addition of paragraph (13) published with the Court’s Order at 46 Pa.B. 7438 (November 26, 2016).

Final Report explaining the June 12, 2017 amendment of the Comment published with the Court’s Order at 47 Pa.B. 3491 (June 24, 2017).

Final Report explaining the November 4, 2019 amendment of paragraphs (4), (6), and (12) published with the Court’s Order at 49 Pa.B. 6946 (November 23, 2019).

FINAL REPORT¹

Amendment of Pa.R.E. 901(a), 902(4), 902(6), and 902(12)

On November 4, 2019, upon recommendation of the Committee on Rules of Evidence, the Court ordered the amendment of Pennsylvania Rules of Evidence 901(a), 902(4), 902(6), and 902(12) to facilitate the authentication

of evidence and to correct an error that occurred during the restyling of the Rules in 2013.

Pa.R.E. 901(a)

In the most general of descriptions, authentication is the requirement of proving what the evidence is purported to be. The purpose of this requirement is to reduce the risk of forgery or deception; yet, commentators have questioned whether this safeguard is justified by the time, expense, and inconvenience of authentication. *See* 2 McCormick on Evid. § 221 (7th ed.).

While authentication may serve a salutary purpose with evidence of questionable origin or dubious portrayal, the mechanical application of the requirements in every instance, especially when authentication is not reasonably contested, does not serve the purpose of the Rules in eliminating unjustifiable expense or delay. *See* Pa.R.E. 102. To that end, Rule 901(a) is amended to include the phrase, “unless stipulated,” to signal readers that authentication of evidence can be stipulated by the parties and, therefore, relieve the proponent of introducing authentication evidence.

Pa.R.E. 902(4)

The Committee undertook review of Rule 902(4) to consider whether copies of public records can be certified and transmitted electronically. This question tested whether a certificate pursuant to Rule 902(4)(B) must be contain a pen-and-ink (a.k.a. “wet”) signature and whether a seal, if required, must be raised.

Informed by Pa.R.Crim.P. 103 (defining “signature”), the Committee concluded that a signature on a certification need not be pen-and-ink to serve its function. Additionally, technology has progressed to where wet signatures are no longer required as evidence for commerce and transactions. *See, e.g.*, Electronic Transactions Act, Act of December 16, 1999, P.L. 971, 73 P.S. § 2260.309 (“In a proceeding, evidence of a record or signature may not be excluded solely because it is in electronic form.”).

Concerning the necessity of a raised seal, its absence is not a foreign concept. Under the Protection From Abuse Act, a “certified copy” is defined as “a paper copy of the original order of the issuing court endorsed by the appropriate clerk of that court or an electronic copy of the original order of the issuing court endorsed with a digital signature of the judge or appropriate clerk of that court.” 23 Pa.C.S. § 6102. The definition goes further to state: “A raised seal on the copy of the order of the issuing court shall not be required.” *Id.* Further, Section 322 of the Judicial Code, insofar as it pertains to court seals, states: “A facsimile or preprinted seal may be used for all purposes in lieu of the original seal.” 42 Pa.C.S. § 322.

The amendment of Rule 902(4) is intended to facilitate the use of electronic forms of certification for copies of public records; it is not intended to prohibit the use of pen-and-ink signatures and raised seals. The amendment is specifically limited to paragraph (B) and was drafted narrowly with the belief that copies of public records are being authenticated by certificate pursuant to 42 Pa.C.S. § 6103(a) rather than paragraph (A). Because the requirements of the certificate are governed by statute, the Committee believed that the certificate would fall under paragraph (B) (certificate that complies with a statute).

Pa.R.E. 902(6)

Upon reviewing Rule 902(6), the Committee proposed removing “printed” as a condition of material purporting to be a newspaper or periodical. The Committee believed

¹ The Committee’s Final Report should not be confused with the official Committee Comments to the rules. Also note that the Supreme Court does not adopt the Committee’s Comments or the contents of the Committee’s explanatory Final Reports.

that such a term had become antiquated in an era when digital media has largely replaced print media.

Effective December 1, 2011, the Federal Rules of Evidence were restyled, adding F.R.E. 101(b)(6) as a definition to state “a reference to any kind of written material or any other medium includes electronically stored information.”

Under Rule 902(6) (*Newspapers and Periodicals*), “[p]rinted material purporting to be a newspaper or periodical” is self-authenticating. This includes online newspaper and periodicals, because Fed. R. Evid. 101(b)(6) provides that any reference in the Rules to printed material also includes comparable information in electronic form. Thus all newspaper and periodical material is self-authenticating whether or not it ever appeared in hard copy.

Hon. Paul W. Grimm *et al.*, *Authenticating Digital Evidence*, 69 Baylor L. Rev. 1, 28 (2017) (footnotes omitted). See also *White v. City of Birmingham, Ala.*, 96 F. Supp. 3d 1260, 1274 (N.D. Ala. 2015), *as amended* (website “news articles are analogous to traditional newspaper articles and could be found self-authenticating at trial.”). While Pennsylvania did not adopt an analog to F.R.E. 101(b)(6) during its restyling, the proposal seeks to accomplish the same effect as F.R.E. 101(b)(6) albeit limited to Pa.R.E. 902(6).

Regardless of whether the material exists in print or digitally, the proponent still has the burden of establishing that the material purports to be a “newspaper” or “periodical”—the proposal does not intend to alter that requirement. The first paragraph of additional commentary to Rule 902(6) is intended to serve as a guide in determining whether a source is a “newspaper” or “periodical.” The second paragraph describes the characteristics of the article or item from a newspaper or periodical.

Concerning the second paragraph, the Committee received a comment indicating that page and volume numbers are not typically attributed to digital-only media. The Committee revised the paragraph to clarify that page and volume are sufficient indicia if the content appeared in print. The same indicia were not associated with digital content.

Pa.R.E. 902(12)

On November 2, 2001, the Court adopted Rule 902(12) addressing the self-authentication of certified foreign records of regularly conducted activity in civil cases. See 31 Pa.B. 6381 (November 24, 2001). On February 23, 2004, the Court amended Rule 902(12) to eliminate its civil case-specific application. See 34 Pa.B. 1429 (March 13, 2004). On January 17, 2013, the Court rescinded and replaced, *inter alia*, Rule 902(12) as part of a larger restyling of the Rules of Evidence. See 43 Pa.B. 620 (February 2, 2013).

While no substantive changes to the Rules were intended as a part of the restyling, 43 Pa.B. at 652, the replacement of Rule 902(12) erroneously removed the substance of the 2004 amendment. Accordingly, the Committee recommended correction of the text to reflect the 2004 amendment.

These amendments become effective January 1, 2020.

[Pa.B. Doc. No. 19-1731. Filed for public inspection November 22, 2019, 9:00 a.m.]

Title 225—RULES OF EVIDENCE

[225 PA. CODE ART. IX]

Order Approving the Amendment of Pennsylvania Rule of Evidence 902; No. 809 Supreme Court Rules Doc.

Order

Per Curiam

And Now, this 4th day of November, 2019, upon the recommendation of the Committee on Rules of Evidence; the proposal having been published for public comment at 49 Pa.B. 165 (January 12, 2019):

It is Ordered pursuant to Article V, Section 10 of the Constitution of Pennsylvania that Pennsylvania Rule of Evidence 902 is amended in the following form.

This Order shall be processed in accordance with Pa.R.J.A. No. 103(b), and shall be effective January 2, 2020.

Annex A

TITLE 225. RULES OF EVIDENCE

ARTICLE IX. AUTHENTICATION AND IDENTIFICATION

Rule 902. Evidence That is Self-Authenticating.

The following items of evidence are self-authenticating; they require no extrinsic evidence of authenticity in order to be admitted:

(1) *Domestic Public Documents That Are Sealed and Signed*. A document that bears:

(A) a seal purporting to be that of the United States; any state, district, commonwealth, territory, or insular possession of the United States; the former Panama Canal Zone; the Trust Territory of the Pacific Islands; a political subdivision of any of these entities; or a department, agency, or officer of any entity named above; and

(B) a signature purporting to be an execution or attestation.

(2) *Domestic Public Documents That Are Not Sealed But Are Signed and Certified*. A document that bears no seal if:

(A) it bears the signature of an officer or employee of an entity named in Rule 902(1)(A); and

(B) another public officer who has a seal and official duties within that same entity certifies under seal—or its equivalent—that the signer has the official capacity and that the signature is genuine.

(3) *Foreign Public Documents*. A document that purports to be signed or attested by a person who is authorized by a foreign country’s law to do so. The document must be accompanied by a final certification that certifies the genuineness of the signature and official position of the signer or attester—or of any foreign official whose certificate of genuineness relates to the signature or attestation or is in a chain of certificates of genuineness relating to the signature or attestation. The certification may be made by a secretary of a United States embassy or legation; by a consul general, vice consul, or consular agent of the United States; or by a diplomatic or consular official of the foreign country assigned or accredited to the United States. If all parties have been given a

reasonable opportunity to investigate the document's authenticity and accuracy, the court may for good cause, either:

(A) order that it be treated as presumptively authentic without final certification; or

(B) allow it to be evidenced by an attested summary with or without final certification.

(4) *Certified Copies of Public Records.* A copy of an official record—or a copy of a document that was recorded or filed in a public office as authorized by law—if the copy is certified as correct by:

(A) the custodian or another person authorized to make the certification; or

(B) a certificate that complies with Rule 902(1), (2), or (3), a statute, or a rule prescribed by the Supreme Court.

A certificate required by paragraph (4)(B) may include a handwritten signature, a copy of a handwritten signature, a computer generated signature, or a signature created, transmitted, received, or stored by electronic means, by the signer or by someone with the signer's authorization. A seal may, but need not, be raised.

(5) *Official Publications.* A book, pamphlet, or other publication purporting to be issued by a public authority.

(6) *Newspapers and Periodicals.* Material purporting to be a newspaper or periodical.

(7) *Trade Inscriptions and the Like.* An inscription, sign, tag, or label purporting to have been affixed in the course of business and indicating origin, ownership, or control.

(8) *Acknowledged Documents.* A document accompanied by a certificate of acknowledgment that is lawfully executed by a notary public or another officer who is authorized to take acknowledgments.

(9) *Commercial Paper and Related Documents.* Commercial paper, a signature on it, and related documents, to the extent allowed by general commercial law.

(10) *Presumptions Authorized by Statute.* A signature, document, or anything else that a statute declares to be presumptively or *prima facie* genuine or authentic.

(11) *Certified Domestic Records of a Regularly Conducted Activity.* The original or a copy of a domestic record that meets the requirements of Rule 803(6)(A)—(C), as shown by a certification of the custodian or another qualified person that complies with Pa.R.C.P. No. 76. Before the trial or hearing, the proponent must give an adverse party reasonable written notice of the intent to offer the record—and must make the record and certification available for inspection—so that the party has a fair opportunity to challenge them.

(12) *Certified Foreign Records of a Regularly Conducted Activity.* The original or a copy of a foreign record that meets the requirements of Rule 902(11), modified as follows: the certification rather than complying with a statute or Supreme Court rule, must be signed in a manner that, if falsely made, would subject the maker to a criminal penalty in the country where the certification is signed. The proponent must also meet the notice requirements of Rule 902(11).

(13) **Certified Records Generated by an Electronic Process or System.** A record generated by an electronic process or system that produces an accurate result, as shown by a certification of a qualified person that complies with the certification require-

ments of Rule 902(11) or (12). The proponent must also meet the notice requirements of Rule 902(11).

(14) Certified Data Copied from an Electronic Device, Storage Medium, or File. Data copied from an electronic device, storage medium, or file, if authenticated by a process of digital identification, as shown by a certification of a qualified person that complies with the certification requirements of Rule 902(11) or (12). The proponent also must meet the notice requirements of Rule 902(11).

(15) Certificate of Non-Existence of a Public Record. A certificate that a document was not recorded or filed in a public office as authorized by law if certified by the custodian or another person authorized to make the certificate.

Comment

This rule permits some evidence to be authenticated without extrinsic evidence of authentication or identification. In other words, the requirement that a proponent must present authentication or identification evidence as a condition precedent to admissibility, as provided by Pa.R.E. 901(a), is inapplicable to the evidence discussed in Pa.R.E. 902. The rationale for the rule is that, for the types of evidence covered by Pa.R.E. 902, the risk of forgery or deception is so small, and the likelihood of discovery of forgery or deception is so great, that the cost of presenting extrinsic evidence and the waste of court time is not justified. Of course, this rule does not preclude the opposing party from contesting the authenticity of the evidence. In that situation, authenticity is to be resolved by the finder of fact.

Pa.R.E. 902(1), (2), (3), and (4) deal with self-authentication of various kinds of public documents and records. They are identical to F.R.E. 902(1), (2), (3), and (4), except that Pa.R.E. 901(4) eliminates the reference to Federal law and does not require the certificate to include a pen-and-ink signature or raised seal for the self-authentication of public documents. These paragraphs are consistent with Pennsylvania statutory law. *See, e.g.* 42 Pa.C.S. § 6103 (official records within the Commonwealth); 42 Pa.C.S. § 5328 (domestic records outside the Commonwealth and foreign records); 35 P.S. § 450.810 (vital statistics); 42 Pa.C.S. § 6106 (documents filed in a public office).

The admission of a self-authenticating record of a prior conviction also requires sufficient evidence, either direct or circumstantial, to prove that the subject of the record is the same person for whom the record is offered in a proceeding. *See, e.g., Commonwealth v. Boyd*, 344 A.2d 864 (Pa. 1975).

Pa.R.E. 902(4) differs from F.R.E. 902(4) insofar as the rule does not require the certificate to include a pen-and-ink signature or raised seal for the self-authentication of public documents.

Pa.R.E. 902(5) is identical to F.R.E. 902(5). There is no corresponding statutory provision in Pennsylvania; however, 45 Pa.C.S. § 506 (judicial notice of the contents of the *Pennsylvania Code* and the *Pennsylvania Bulletin*) is similar to Pa.R.E. 902(5).

Pa.R.E. 902(6) differs from F.R.E. 902(6) insofar as it does not contain "printed" in reference to newspapers or periodicals. *Cf.* F.R.E. 101(b)(6) ("[A] reference to any kind of written material or any other medium includes electronically stored information."). A newspaper or periodical should be available to the public online, digitally, or in print, principally devoted to the dissemination of local or

general news and other editorial content, adherent to journalistic ethics and standards, and updating its content on a regular basis. For online newspapers and periodicals, links to other web content may be included, but the core content must reside on a server or website.

Pa.R.E. 902(6) permits both printed and digital newspapers and periodicals to be self-authenticated. Evidence purported to be an article or item from a newspaper or periodical must contain sufficient indicia of its original publication, including, but not limited to, the publication's title; the date of publication; page or volume of the article or item, if the content appeared in print; and web address, if applicable, where the article or item was originally published.

Pa.R.E. 902(7) is identical to F.R.E. 902(7).

Pa.R.E. 902(8) is identical to F.R.E. 902(8). It is consistent with Pennsylvania law. See *Sheaffer v. Baeringer*, 29 A.2d 697 (Pa. 1943); *Williamson v. Barrett*, 24 A.2d 546 (Pa. Super. 1942); 57 Pa.C.S. §§ 301—331 (Revised Uniform Law on Notarial Acts). An acknowledged document is a type of official record and the treatment of acknowledged documents is consistent with Pa.R.E. 902(1), (2), (3), and (4).

Pa.R.E. 902(9) is identical to F.R.E. 902(9). Pennsylvania law treats various kinds of commercial paper and documents as self-authenticating. See, e.g., 13 Pa.C.S. § 3505 (evidence of dishonor of negotiable instruments).

Pa.R.E. 902(10) differs from F.R.E. 902(10) to eliminate the reference to Federal law and to make the paragraph conform to Pennsylvania law. In some Pennsylvania statutes, the self-authenticating nature of a document is expressed by language creating a “presumption” of authenticity. See, e.g., 13 Pa.C.S. § 3505.

Pa.R.E. 902(11) and (12) permit the authentication of domestic and foreign records of regularly conducted activity by verification or certification. Pa.R.E. 902(11) is similar to F.R.E. 902(11). The language of Pa.R.E. 902(11) differs from F.R.E. 902(11) in that it refers to Pa.R.C.P. No. 76 rather than to Federal law. Pa.R.E. 902(12) differs from F.R.E. 902(12) in that it requires compliance with a Pennsylvania statute rather than a Federal statute.

Pa.R.E. 902(13) is identical to F.R.E. 902(13). This rule establishes a procedure by which parties can authenticate certain electronic evidence other than through the testimony of a foundation witness. The rule specifically allows the authenticity foundation that satisfies Rule 901(b)(9) to be established by a certification rather than the testimony of a live witness. A proponent establishing authenticity under this rule must present a certification containing information that would be sufficient to establish authenticity were that information provided by a witness at trial. If the certification provides information that would be insufficient to authenticate the record if the certifying person testified, then authenticity is not established under this rule.

A certification under this rule can establish only that the proffered item has satisfied the admissibility requirements for authenticity. The opponent remains free to object to admissibility of the proffered item on other grounds—including hearsay, relevance, or in criminal cases the right to confrontation. For example, a certification authenticating a computer output, such as a spreadsheet or a print-out of a webpage, does not preclude an objection

that the information produced is unreliable—the authentication establishes only that the output came from the computer.

The reference to the “certification requirements of Rule 902(11) or (12)” is only to the procedural requirements for a valid certification. There is no intent to require, or permit, a certification under this rule to prove the requirements of Rule 803(6). Rule 902(13) is solely limited to authentication of a record generated by an electronic process or system and any attempt to satisfy a hearsay exception must be made independently.

A challenge to the authenticity of electronic evidence may require technical information about the system or process at issue, including possibly retaining a forensic technical expert; such factors will affect whether the opponent has a fair opportunity to challenge the evidence given the notice provided.

Nothing in Rule 902(13) is intended to limit a party from establishing authenticity of electronic evidence on any ground provided in these Rules.

Pa.R.E. 902(14) is identical to F.R.E. 902(14). This rule establishes a procedure by which parties can authenticate data copied from an electronic device, storage medium, or an electronic file, using a certificate rather than through the testimony of a foundation witness. A proponent establishing authenticity under this rule must present a certification containing information that would be sufficient to establish authenticity were that information provided by a witness at trial. If the certification provides information that would be insufficient to authenticate the record if the certifying person testified, then authenticity is not established under this rule.

Today, data copied from electronic devices, storage media, and electronic files are ordinarily authenticated by “hash value.” A hash value is a number that is often represented as a sequence of characters and is produced by an algorithm based upon the digital contents of a drive, medium, or file. If the hash values for the original and copy are different, then the copy is not identical to the original. If the hash values for the original and copy are the same, it is highly improbable that the original and copy are not identical. Thus, identical hash values for the original and copy reliably attest to the fact that they are exact duplicates. This Rule allows self-authentication by a certification of a qualified person that she checked the hash value of the proffered item and that it was identical to the original. The Rule is flexible enough to allow certifications through processes other than comparison of hash value, including by other reliable means of identification provided by future technology.

A certification under this rule can only establish that the proffered item is authentic. The opponent remains free to object to admissibility of the proffered item on other grounds—including hearsay, relevance, or in criminal cases the right to confrontation. For example, in a criminal case in which data copied from a hard drive is proffered, the defendant can still challenge hearsay found in the hard drive, and can still challenge whether the information on the hard drive was placed there by the defendant.

The reference to the “certification requirements of Rule 902(11) or (12)” is only to the procedural requirements for a valid certification. There is no intent to require, or permit, a certification under this rule to prove the requirements of Rule 803(6). Rule 902(14) is solely limited to authentication, and any attempt to satisfy a hearsay exception must be made independently.

A challenge to the authenticity of electronic evidence may require technical information about the system or process at issue, including possibly retaining a forensic technical expert; such factors will affect whether the opponent has a fair opportunity to challenge the evidence given the notice provided.

Nothing in Rule 902(14) is intended to limit a party from establishing authenticity of electronic evidence on any ground provided in these Rules.

Pa.R.E. 902 [(13)] (15) has no counterpart in the Federal Rules. This rule provides for the self-authentication of a certificate of the non-existence of a public record, as provided in Pa.R.E. 803(10)(A).

Official Note: Adopted May 8, 1998, effective October 1, 1998; amended November 2, 2001, effective January 1, 2002; amended February 23, 2004, effective May 1, 2004; rescinded and replaced January 17, 2013, effective March 18, 2013; amended November 9, 2016, effective January 1, 2017; amended June 12, 2017, effective November 1, 2017; amended October 22, 2019, effective January 1, 2020; **amended November 4, 2019, effective January 2, 2020.**

Committee Explanatory Reports:

Final Report explaining the November 2, 2001 amendments adding paragraphs (11) and (12) published with Court’s Order at 31 Pa.B. 6384 (November 24, 2001).

Final Report explaining the February 23, 2004 amendment of paragraph (12) published with Court’s Order at 34 Pa.B. 1429 (March 13, 2004).

Final Report explaining the January 17, 2013 rescission and replacement published with the Court’s Order at 43 Pa.B. 651 (February 2, 2013).

Final Report explaining the November 9, 2016 addition of paragraph (13) published with the Court’s Order at 46 Pa.B. 7438 (November 26, 2016).

Final Report explaining the June 12, 2017 amendment of the Comment published with the Court’s Order at 47 Pa.B. 3491 (June 24, 2017).

Final Report explaining the October 22, 2019 amendment of paragraphs (4), (6), and (12) published with the Court’s Order at 49 Pa.B. 6946 (November 23, 2019).

Final Report explaining the November 4, 2019 adoption of paragraphs (13) and (14) published with the Court’s Order at 49 Pa.B. 6950 (November 23, 2019).

FINAL REPORT¹

Amendment of Pa.R.E. 902

On November 4, 2019, upon recommendation of the Committee on Rules of Evidence, the Court ordered the amendment of Pennsylvania Rules of Evidence to renumber current paragraph (13) to paragraph (15) and to add

¹ The Committee’s Final Report should not be confused with the official Committee Comments to the rules. Also note that the Supreme Court does not adopt the Committee’s Comments or the contents of the Committee’s explanatory Final Reports.

new paragraphs (13) and (14) concerning the self-authentication of certified records generated by an electronic process or system and certified data copied from an electronic device, storage medium, or file.

The Federal Advisory Committee on Evidence considered the expense and inconvenience of producing a witness to authenticate an item of electronic evidence given that the adversary often either stipulates authenticity before the witness is called or fails to challenge the authentication testimony once it is presented. As business records are able to be self-authenticated by certification, see F.R.E. 902(11) & (12), the Advisory Committee proposed rule amendments in 2015 that provided for a similar procedure when the parties can determine in advance of trial that a challenge to authenticity will be made to electronic evidence, and can then plan accordingly.

As approved by the Rules Committee of the Judicial Conference, F.R.E. 902(13) & (14) were adopted, effective December 1, 2017. Specifically, F.R.E. 902(13) states:

Certified Records Generated by an Electronic Process or System. A record generated by an electronic process or system that produces an accurate result, as shown by a certification of a qualified person that complies with the certification requirements of Rule 902(11) or (12). The proponent must also meet the notice requirements of Rule 902(11).

To establish authenticity under this rule, the proponent must present a certification containing information that would be sufficient to establish authenticity if that information was provided by a witness at trial. If the certification provides information that would be insufficient to authenticate the record when the certifying person testified, then authenticity is not established under the rule. The rule specifically allows the authenticity foundation that satisfies F.R.E. 901(b)(9) to be established by a certification rather than the testimony of a live witness.

F.R.E. 902(14) states:

Certified Data Copied from an Electronic Device, Storage Medium, or File. Data copied from an electronic device, storage medium, or file, if authenticated by a process of digital identification, as shown by a certification of a qualified person that complies with the certification requirements of Rule 902(11) or (12). The proponent also must meet the notice requirements of Rule 902(11).

This rule sets forth a procedure by which parties can authenticate data copied from an electronic device, storage medium, or an electronic file, other than through the testimony of a foundation witness. A proponent establishing authenticity under this rule must present a certification containing information that would be sufficient to establish authenticity if that information was provided by a witness at trial. If the certification provides information that would be insufficient to authenticate the record when the certifying person testified, then authenticity is not established under the rule.

A fuller discussion, together with examples, of the federal rule amendments can be found at: Hon. Paul W. Grimm *et. al.*, *Authenticating Digital Evidence*, 69 Baylor L. Rev. 1 (2017).

The Committee on Rules of Evidence believed that rules similar to the amended federal rules would be consistent with purpose of the Pennsylvania Rules of Evidence “to administer every proceeding fairly, eliminate unjustifiable expense and delay, and promote the develop-

ment of evidence law, to the end of ascertaining the truth and securing a just determination.” Pa.R.E. 102. At the risk of oversimplification, the federal rules do not alter the requirement of authentication; they merely permit an out-of-court certification to replace in-court testimony.

As reliance on electronic processes and systems increases, so does a sense of familiarity and trustworthiness that records generated by same are done so without the potential bias or error inherent as when records are generated by human involvement. An accurate record generated by computation requires only an understanding of the computation process or system to be authenticated. Pa.R.E. 902(13) permits this task to be accomplished by certification rather than live testimony, which would eliminate unnecessary expense and time.

Similarly, a comparison of a unique identifier produced by an algorithm (*i.e.*, hashtag) in the source data with the copied data can be used to authenticate the copied data as being identical to the source data. Pa.R.E. 902(14) allows the authentication to be accomplished by certification and without the need for extrinsic evidence.

Broadly stated, the use of certifications in lieu of testimony is not a foreign concept in Pennsylvania. *See, e.g.*, Pa.R.Crim.P. 574 (permitting the admission of forensic lab reports by certification in lieu expert testimony). More specifically, the use of certifications in lieu of authentication testimony has long been acceptable by the Rules of Evidence and statute. *See* Pa.R.E. 902(4), (11), & (12); 42 Pa.C.S. § 6106 (self-authentication of documents filed in public offices).

The language of new paragraphs (13) and (14) does not vary from federal counterparts. Portions of the federal rule commentary were considered beneficial in understanding the operation and application of the rules. Therefore, much, but not all, of the federal commentary appears in the revised Comment to Rule 902. To maintain parallel numbering with the F.R.E. 902, current paragraph (13) of Pa.R.E. 902 was renumbered to (15).

This amendment becomes effective January 2, 2020. The rule text being amended reflects the amendments of paragraphs (4), (6), and (12) of Pa.R.E. 902, effective January 1, 2020.

[Pa.B. Doc. No. 19-1732. Filed for public inspection November 22, 2019, 9:00 a.m.]

Title 255—LOCAL COURT RULES

WESTMORELAND COUNTY

Increase in Clerk of Courts’ Fees; 784 MD2019; No. 3 of 2019

Approval

And Now, This 31st day of October, 2019, pursuant to 42 Pa.C.S. § 1725.4(a)(2), the Westmoreland County Clerk of Courts’ request to increase fees and charges effective 30 days from the publication in the *Pennsylvania Bulletin* is approved at a level not to exceed 1.9%. The amount of this approval is the calculated percentage difference in the consumer price index for Urban Wage Earners and Clerical Workers for the U.S. city average, all items, not seasonally adjusted, for the benchmarks of 2013 through 2015, the immediate three years preceding the last increase.

By the Court

RITA DONOVAN HATHAWAY,
President Judge

Fee Increase Notice

In accordance with Act 36 of 2000 that amends Title 42, Section 1725.4 the Westmoreland County Clerk of Courts Fee Schedule will increase 1.9% effective January 1, 2020.

The 1.9% increase is based upon the U.S. Department of Labor-Bureau of Labor Statistics-Consumer Price Index for Urban Workers (not seasonally adjusted), for the time period of January 2016 through December 2018.

The following are the Clerk of Courts fees adjusted December 1, 2019.

1. A fee of \$225.50 will be collected for all proceedings in all misdemeanor and felony cases disposed of at any time during or after trial.
2. A fee of \$169.05 will be collected for all proceedings in all misdemeanor and felony cases disposed of before trial.
3. A fee of \$33.73 for all proceedings in summary matters.
4. A fee of \$11.21 for all certifications.
5. A fee of \$22.42 for all other matters filed in the office and for all reports prepared by the clerk except that no fee shall be charged for filing township and borough audit reports or transcripts received which indicate a final disposition by the district justice.
6. A fee of \$56.25 for the filing of an appeal from a summary conviction before a district justice.
7. A fee of \$67.56 for an appeal from the court of common pleas to an appellate court.
8. A fee of \$0.066 per dollar for the first \$1,000 and \$0.025 per dollar for each additional \$1,000 or fraction thereof for the handling of money paid into court.

These fees are subject to change every three years based on Act 36 of 2000.

[Pa.B. Doc. No. 19-1733. Filed for public inspection November 22, 2019, 9:00 a.m.]

DISCIPLINARY BOARD OF THE SUPREME COURT

List of Financial Institutions

Notice is hereby given that pursuant to Rule 221(b), Pa.R.D.E., the following List of Financial Institutions have been approved by the Supreme Court of Pennsylvania for the maintenance of fiduciary accounts of attorneys. Each financial institution has agreed to comply with the requirements of Rule 221, Pa.R.D.E., which provides for trust account overdraft notification.

SUZANNE E. PRICE,
Attorney Registrar

Financial Institutions Approved as Depositories of Trust Accounts of Attorneys

Bank Code A.

595	Abacus Federal Savings Bank
2	ACNB Bank
613	Allegent Community Federal Credit Union
375	Altoona First Savings Bank
376	Ambler Savings Bank

532 **AMERICAN BANK (PA)**
 615 Americhoice Federal Credit Union
 116 **AMERISERV FINANCIAL**
 648 Andover Bank (The)
 377 Apollo Trust Company

Bank Code B.

558 Bancorp Bank (The)
 485 Bank of America, NA
 662 Bank of Bird in Hand
 415 Bank of Landisburg (The)
 664 **BANK UNITED, NA**
 642 BB & T Company
 501 BELCO Community Credit Union
 652 Berkshire Bank
 663 BFCU
 5 BNY Mellon, NA
 392 **BRENTWOOD BANK**
 495 Brown Brothers Harriman Trust Co., NA
 161 Bryn Mawr Trust Company (The)

Bank Code C.

654 CACL Federal Credit Union
 618 Capital Bank, NA
 16 CBT Bank, a division of Riverview Bank
 136 Centric Bank
 394 **CFS BANK**
 623 Chemung Canal Trust Company
 599 Citibank, NA
 238 Citizens & Northern Bank
 561 Citizens Bank, NA
 206 Citizens Savings Bank
 602 City National Bank of New Jersey
 576 Clarion County Community Bank
 660 Clarion FCU
 591 Clearview Federal Credit Union
 23 CNB Bank
 354 Coatesville Savings Bank
 223 Commercial Bank & Trust of PA
 21 Community Bank (PA)
 371 Community Bank, NA (NY)
 132 Community State Bank of Orbisonia
 647 **CONGRESSIONAL BANK**
 380 County Savings Bank
 617 Covenant Bank
 536 Customers Bank

Bank Code D.

339 Dime Bank (The)
 239 DNB First, NA
 27 Dollar Bank, FSB

Bank Code E.

500 Elderton State Bank
 567 Embassy Bank for the Lehigh Valley
 541 **ENTERPRISE BANK**
 28 Ephrata National Bank
 601 Esquire Bank, NA
 340 ESSA Bank & Trust

Bank Code F.

629 1st Colonial Community Bank
 158 1st Summit Bank
 31 F & M Trust Company—Chambersburg
 658 Farmers National Bank of Canfield
 205 Farmers National Bank of Emlenton (The)
 34 Fidelity Deposit & Discount Bank (The)
 343 **FIDELITY SAVINGS & LOAN
 ASSOCIATION OF BUCKS COUNTY**
 583 Fifth Third Bank

661 First American Trust, FSB
 643 First Bank
 174 First Citizens Community Bank
 191 First Columbia Bank & Trust Company
 539 First Commonwealth Bank
 504 First Federal S & L Association of Greene
 County
 525 First Heritage Federal Credit Union
 42 First Keystone Community Bank
 51 First National Bank & Trust Company of
 Newtown (The)
 48 First National Bank of Pennsylvania
 426 First Northern Bank & Trust Company
 604 First Priority Bank, a division of Mid Penn
 Bank
 592 **FIRST RESOURCE BANK**
 657 First United Bank & Trust
 408 First United National Bank
 151 Firsttrust Savings Bank
 416 Fleetwood Bank
 175 FNCB Bank
 291 Fox Chase Bank
 241 Franklin Mint Federal Credit Union
 639 Freedom Credit Union
 58 **FULTON BANK, NA**

Bank Code G.

499 Gratz Bank (The)
 498 Greenville Savings Bank

Bank Code H.

402 Halifax Branch, of Riverview Bank
 244 Hamlin Bank & Trust Company
 362 Harleysville Savings Bank
 363 Hatboro Federal Savings
 463 Haverford Trust Company (The)
 655 Home Savings Bank
 606 Hometown Bank of Pennsylvania
 68 Honesdale National Bank (The)
 350 HSBC Bank USA, NA
 364 **HUNTINGDON VALLEY BANK**
 605 Huntington National Bank (The)
 608 Hyperion Bank

Bank Code I.

365 InFirst Bank
 557 Investment Savings Bank
 526 Iron Workers Savings Bank

Bank Code J.

70 Jersey Shore State Bank
 127 Jim Thorpe Neighborhood Bank
 488 Jonestown Bank & Trust Company
 659 JPMorgan Chase Bank, NA
 72 **JUNIATA VALLEY BANK (THE)**

Bank Code K.

651 KeyBank NA
 414 Kish Bank

Bank Code L.

554 Landmark Community Bank
 542 Linkbank
 78 Luzerne Bank

Bank Code M.

361 M & T Bank
 386 Malvern Bank, NA
 510 Marion Center Bank
 387 Marquette Savings Bank

81	Mars Bank
43	Marysville Branch, of Riverview Bank
367	Mauch Chunk Trust Company
511	MCS (Mifflin County Savings) Bank
641	Members 1st Federal Credit Union
555	Mercer County State Bank
192	Merchants Bank of Bangor
610	Meridian Bank
420	Meyersdale Branch, of Riverview Bank
294	MID PENN BANK
276	MIFFLINBURG BANK & TRUST COMPANY
457	Milton Savings Bank
596	MOREBANK, A DIVISION OF BANK OF PRINCETON (THE)
484	MUNCY BANK & TRUST COMPANY (THE)

Bank Code N.

433	National Bank of Malvern
168	NBT Bank, NA
347	Neffs National Bank (The)
434	NEW TRIPOLI BANK
15	NexTier Bank, NA
636	Noah Bank
638	Norristown Bell Credit Union
666	Northern Trust Co.
439	Northumberland National Bank (The)
93	Northwest Bank

Bank Code O.

653	OceanFirst Bank
489	OMEGA Federal Credit Union
94	Orrstown Bank

Bank Code P.

598	PARKE BANK
584	Parkview Community Federal Credit Union
40	Penn Community Bank
540	PennCrest Bank
419	Pennian Bank
447	Peoples Security Bank & Trust Company
99	PeoplesBank, a Codorus Valley Company
556	Philadelphia Federal Credit Union
448	Phoenixville Federal Bank & Trust
665	Pinnacle Bank
79	PNC Bank, NA
449	Port Richmond Savings
451	Progressive-Home Federal Savings & Loan Association
637	Provident Bank
456	Prudential Savings Bank
491	PS Bank

Bank Code Q.

107	QNB Bank
560	Quaint Oak Bank

Bank Code R.

452	Reliance Savings Bank
220	Republic First Bank d/b/a Republic Bank
628	Riverview Bank

Bank Code S.

153	S & T Bank
316	Santander Bank, NA
460	Second Federal S & L Association of Philadelphia
646	Service 1st Federal Credit Union
458	Sharon Bank
462	Slovenian Savings & Loan Association of Franklin-Conemaugh

486	SOMERSET TRUST COMPANY
633	SSB Bank
518	STANDARD BANK, PASB
440	SunTrust Bank
122	SUSQUEHANNA COMMUNITY BANK

Bank Code T.

143	TD Bank, NA
656	TIOGA FRANKLIN SAVINGS BANK
182	TOMPKINS VIST BANK
609	Tristate Capital Bank
640	TruMark Financial Credit Union
467	Turbotville National Bank (The)

Bank Code U.

483	UNB Bank
481	Union Building and Loan Savings Bank
634	United Bank, Inc.
472	United Bank of Philadelphia
475	United Savings Bank
600	Unity Bank
232	Univest Bank & Trust Co.

Bank Code V.

611	Victory Bank (The)
-----	--------------------

Bank Code W.

119	WASHINGTON FINANCIAL BANK
121	Wayne Bank
631	Wells Fargo Bank, NA
553	WesBanco Bank, Inc.
494	West View Savings Bank
473	Westmoreland Federal S & L Association
476	William Penn Bank
272	Woodlands Bank
573	WOORI AMERICA BANK
630	WSFS (Wilmington Savings Fund Society), FSB

Bank Code X.**Bank Code Y.**

577	York Traditions Bank
-----	----------------------

Bank Code Z.**PLATINUM LEADER BANKS**

The **HIGHLIGHTED ELIGIBLE INSTITUTIONS** are Platinum Leader Banks—Institutions that go above and beyond eligibility requirements to foster the IOLTA Program. These Institutions pay a net yield at the higher of 1% or 75 percent of the Federal Funds Target Rate on all PA IOLTA accounts. They are committed to ensuring the success of the IOLTA Program and increased funding for legal aid.

FINANCIAL INSTITUTIONS WHO HAVE FILED AGREEMENTS TO BE APPROVED AS A DEPOSITORY OF TRUST ACCOUNTS AND TO PROVIDE DISHONORED CHECK REPORTS IN ACCORDANCE WITH RULE 221, Pa.R.D.E.

New

664	Bank United, NA
665	Pinnacle Bank
666	Northern Trust Co.

Name Change

74	Lafayette Bank—Change to 58—Fulton Bank
614	Monument Bank—Change to 238—Citizens & Northern Bank
397	Beneficial Bank—Change to 630 WSFS (Wilmington Savings Fund Society)

Platinum Leader Change

664—Bank United, NA—Add

*Correction**Removal*

[Pa.B. Doc. No. 19-1734. Filed for public inspection November 22, 2019, 9:00 a.m.]

DISCIPLINARY BOARD OF THE SUPREME COURT

Notice of Disbarment

Notice is hereby given that by Order of the Supreme Court of Pennsylvania dated November 8, 2019, Mark T. Pilon a/k/a Mark Tanguay Raymond Pilon (# 202217) is Disbarred on Consent from the Bar of this Commonwealth effective December 8, 2019. In accordance with Rule 217(f), Pa.R.D.E., since this formerly admitted attorney resides outside the Commonwealth of Pennsylvania, this notice is published in the *Pennsylvania Bulletin*.

MARCEE D. SLOAN,
Board Prothonotary

[Pa.B. Doc. No. 19-1735. Filed for public inspection November 22, 2019, 9:00 a.m.]

SUPREME COURT

Financial Institutions Approved as Depositories for Fiduciary Accounts; No. 187 Disciplinary Rules Doc.

Order

Per Curiam

And Now, this 7th day of November, 2019, it is hereby Ordered that the financial institutions named on the following list are approved as depositories for fiduciary accounts in accordance with Pa.R.D.E. 221.

FINANCIAL INSTITUTIONS APPROVED AS DEPOSITORIES OF TRUST ACCOUNTS OF ATTORNEYS

Bank Code A.

595 Abacus Federal Savings Bank
2 ACNB Bank
613 Allegent Community Federal Credit Union
375 Altoona First Savings Bank
376 Ambler Savings Bank
532 AMERICAN BANK (PA)
615 Americhoice Federal Credit Union
116 AMERISERV FINANCIAL
648 Andover Bank (The)
377 Apollo Trust Company

Bank Code B.

558 Bancorp Bank (The)
485 Bank of America, NA
662 Bank of Bird in Hand
415 Bank of Landisburg (The)
664 BANK UNITED, NA
642 BB & T Company

501 BELCO Community Credit Union
652 Berkshire Bank
663 BHCU
5 BNY Mellon, NA
392 BRENTWOOD BANK
495 Brown Brothers Harriman Trust Co., NA
161 Bryn Mawr Trust Company (The)

Bank Code C.

654 CACL Federal Credit Union
618 Capital Bank, NA
16 CBT Bank, a division of Riverview Bank
136 Centric Bank
394 CFS BANK
623 Chemung Canal Trust Company
599 Citibank, NA
238 Citizens & Northern Bank
561 Citizens Bank, NA
206 Citizens Savings Bank
602 City National Bank of New Jersey
576 Clarion County Community Bank
660 Clarion FCU
591 Clearview Federal Credit Union
23 CNB Bank
354 Coatesville Savings Bank
223 Commercial Bank & Trust of PA
21 Community Bank (PA)
371 Community Bank, NA (NY)
132 Community State Bank of Orbisonia
647 CONGRESSIONAL BANK
380 County Savings Bank
617 Covenant Bank
536 Customers Bank

Bank Code D.

339 Dime Bank (The)
239 DNB First, NA
27 Dollar Bank, FSB

Bank Code E.

500 Elderton State Bank
567 Embassy Bank for the Lehigh Valley
541 ENTERPRISE BANK
28 Ephrata National Bank
601 Esquire Bank, NA
340 ESSA Bank & Trust

Bank Code F.

629 1st Colonial Community Bank
158 1st Summit Bank
31 F & M Trust Company—Chambersburg
658 Farmers National Bank of Canfield
205 Farmers National Bank of Emlenton (The)
34 Fidelity Deposit & Discount Bank (The)
**343 FIDELITY SAVINGS & LOAN
ASSOCIATION OF BUCKS COUNTY**
583 Fifth Third Bank
661 First American Trust, FSB
643 First Bank
174 First Citizens Community Bank
191 First Columbia Bank & Trust Company
539 First Commonwealth Bank
504 First Federal S & L Association of Greene
County
525 First Heritage Federal Credit Union
42 First Keystone Community Bank
51 First National Bank & Trust Company of
Newtown (The)
48 First National Bank of Pennsylvania

426 First Northern Bank & Trust Company
604 First Priority Bank, a division of Mid Penn Bank

592 FIRST RESOURCE BANK

657 First United Bank & Trust
408 First United National Bank
151 Firsttrust Savings Bank
416 Fleetwood Bank
175 FNCB Bank
291 Fox Chase Bank
241 Franklin Mint Federal Credit Union
639 Freedom Credit Union
58 FULTON BANK, NA

Bank Code G.

499 Gratz Bank (The)
498 Greenville Savings Bank

Bank Code H.

402 Halifax Branch, of Riverview Bank
244 Hamlin Bank & Trust Company
362 Harleysville Savings Bank
363 Hatboro Federal Savings
463 Haverford Trust Company (The)
655 Home Savings Bank
606 Hometown Bank of Pennsylvania
68 Honesdale National Bank (The)
350 HSBC Bank USA, NA
364 HUNTINGDON VALLEY BANK
605 Huntington National Bank (The)
608 Hyperion Bank

Bank Code I.

365 InFirst Bank
557 Investment Savings Bank
526 Iron Workers Savings Bank

Bank Code J.

70 Jersey Shore State Bank
127 Jim Thorpe Neighborhood Bank
488 Jonestown Bank & Trust Company
659 JPMorgan Chase Bank, NA
72 JUNIATA VALLEY BANK (THE)

Bank Code K.

651 KeyBank NA
414 Kish Bank

Bank Code L.

554 Landmark Community Bank
542 Linkbank
78 Luzerne Bank

Bank Code M.

361 M & T Bank
386 Malvern Bank, NA
510 Marion Center Bank
387 Marquette Savings Bank
81 Mars Bank
43 Marysville Branch, of Riverview Bank
367 Mauch Chunk Trust Company
511 MCS (Mifflin County Savings) Bank
641 Members 1st Federal Credit Union
555 Mercer County State Bank
192 Merchants Bank of Bangor
610 Meridian Bank
420 Meyersdale Branch, of Riverview Bank
294 MID PENN BANK
276 MIFFLINBURG BANK & TRUST COMPANY
457 Milton Savings Bank

596 MOREBANK, A DIVISION OF BANK OF PRINCETON (THE)
484 MUNCY BANK & TRUST COMPANY (THE)

Bank Code N.

433 National Bank of Malvern
168 NBT Bank, NA
347 Neffs National Bank (The)
434 NEW TRIPOLI BANK
15 NexTier Bank, NA
636 Noah Bank
638 Norristown Bell Credit Union
666 Northern Trust Co.
439 Northumberland National Bank (The)
93 Northwest Bank

Bank Code O.

653 OceanFirst Bank
489 OMEGA Federal Credit Union
94 Orrstown Bank

Bank Code P.

598 PARKE BANK
584 Parkview Community Federal Credit Union
40 Penn Community Bank
540 PennCrest Bank
419 Pennian Bank
447 Peoples Security Bank & Trust Company
99 PeoplesBank, a Codorus Valley Company
556 Philadelphia Federal Credit Union
448 Phoenixville Federal Bank & Trust
665 Pinnacle Bank
79 PNC Bank, NA
449 Port Richmond Savings
451 Progressive-Home Federal Savings & Loan Association
637 Provident Bank
456 Prudential Savings Bank
491 PS Bank

Bank Code Q.

107 QNB Bank
560 Quaint Oak Bank

Bank Code R.

452 Reliance Savings Bank
220 Republic First Bank d/b/a Republic Bank
628 Riverview Bank

Bank Code S.

153 S & T Bank
316 Santander Bank, NA
460 Second Federal S & L Association of Philadelphia
646 Service 1st Federal Credit Union
458 Sharon Bank
462 Slovenian Savings & Loan Association of Franklin-Conemaugh
486 SOMERSET TRUST COMPANY
633 SSB Bank
518 STANDARD BANK, PASB
440 SunTrust Bank
122 SUSQUEHANNA COMMUNITY BANK

Bank Code T.

143 TD Bank, NA
656 TIOGA FRANKLIN SAVINGS BANK
182 TOMPKINS VIST BANK
609 Tristate Capital Bank
640 TruMark Financial Credit Union

467 Turbotville National Bank (The)

Bank Code U.

483 UNB Bank
 481 Union Building and Loan Savings Bank
 634 United Bank, Inc.
 472 United Bank of Philadelphia
 475 United Savings Bank
 600 Unity Bank
 232 Uninvest Bank & Trust Co.

Bank Code V.

611 Victory Bank (The)

Bank Code W.

119 WASHINGTON FINANCIAL BANK
 121 Wayne Bank
 631 Wells Fargo Bank, NA
 553 WesBanco Bank, Inc.
 494 West View Savings Bank
 473 Westmoreland Federal S & L Association
 476 William Penn Bank
 272 Woodlands Bank
573 WOORI AMERICA BANK
 630 WSFS (Wilmington Savings Fund Society), FSB

Bank Code X.

Bank Code Y.

577 York Traditions Bank

Bank Code Z.

PLATINUM LEADER BANKS

The **HIGHLIGHTED ELIGIBLE INSTITUTIONS** are Platinum Leader Banks—Institutions that go above and beyond eligibility requirements to foster the IOLTA Program. These Institutions pay a net yield at the higher of 1% or 75 percent of the Federal Funds Target Rate on

all PA IOLTA accounts. They are committed to ensuring the success of the IOLTA Program and increased funding for legal aid.

IOLTA EXEMPTION

Exemptions are not automatic. If you believe you qualify, you must apply by sending a written request to the IOLTA Board's executive director: 601 Commonwealth Avenue, Suite 2400, P.O. Box 62445, Harrisburg, PA 17106-2445. If you have questions concerning IOLTA or exemptions from IOLTA, please visit their website at www.paiolta.org or call the IOLTA Board at (717) 238-2001 or (888) PAIOLTA.

FINANCIAL INSTITUTIONS WHO HAVE FILED AGREEMENTS TO BE APPROVED AS A DEPOSITORY OF TRUST ACCOUNTS AND TO PROVIDE DISHONORED CHECK REPORTS IN ACCORDANCE WITH RULE 221, Pa.R.D.E.

New

664—Bank United, NA
 665—Pinnacle Bank
 666—Northern Trust Co.

Name Change

74—Lafayette Bank—Change to 58—Fulton Bank
 614—Monument Bank—Change to 238—Citizens & Northern Bank
 397—Beneficial Bank—Change to 630 WSFS (Wilmington Savings Fund Society)

Platinum Leader Change

664—Bank United, NA—Add

Correction

Removal

[Pa.B. Doc. No. 19-1736. Filed for public inspection November 22, 2019, 9:00 a.m.]

STATEMENTS OF POLICY

Title 58—RECREATION

PENNSYLVANIA GAMING CONTROL BOARD

[58 PA. CODE CHS. 439b AND 461b]

Notice to Rescind and Amend Published Statements of Policy

With the promulgation of the final-form rulemaking published at 49 Pa.B. 6676 (November 2, 2019), the Pennsylvania Gaming Control Board (Board) rescinds the statement of policy in Chapter 439b (relating to gaming junket representatives—statement of policy) and rescinds in part and amends in part the statement of policy in Chapter 461b (relating to technical standards—statement of policy).

In § 439b.1 (relating to gaming junket representatives), the provisions in subsections (a) and (b) were incorporated into the final-form rulemaking published at 49 Pa.B. 6676. The provisions in subsections (c) through (i) were incorporated into the permanent regulations in § 439a.6b (relating to conditional licenses) when 41 Pa.B. 2439 (May 14, 2011) was promulgated in 2011. These policy provisions are therefore no longer necessary.

The Board is amending § 461b.3(a) and (d) (relating to gaming vouchers) to reflect that the Disposition of Abandoned and Unclaimed Property Act (72 P.S. §§ 1301.1—1301.29) was amended and now requires unredeemed gaming vouchers be remitted to the State Treasurer after 3 years instead of 5 years. Additionally, in subsection (c), the Executive Director may allow for a voucher in excess of \$10,000 when there is a business justification to do so. Sections 461b.4 and 461b.5 (relating to wide area progressive systems; and remote computer access) are being deleted in their entirety as the requirements have been incorporated into the final-form rulemaking published at 49 Pa.B. 6676.

Order

The Board, acting under 4 Pa.C.S. Part II (relating to gaming), orders that:

(1) The statements of policy of the Board, 58 Pa. Code Chapters 439b and 461b, are amended by deleting §§ 439b.1, 461b.4 and 461b.5 and amending § 461b.3 as set forth in Annex A.

(2) The Board shall certify this order and Annex A and deposit them with the Legislative Reference Bureau as required by law.

(3) This order shall take effect upon publication in the *Pennsylvania Bulletin*.

DAVID M. BARASCH,
Chairperson

Fiscal Note: 125-227. No fiscal impact; (8) recommends adoption.

Annex A

TITLE 58. RECREATION

PART VII. GAMING CONTROL BOARD

Subpart B. LICENSING, PERMITTING, CERTIFICATION AND REGISTRATION

CHAPTER 439b. (Reserved)

§ 439b.1. (Reserved).

Subpart E. SLOT MACHINE, TABLE GAME AND ASSOCIATED EQUIPMENT TESTING AND CONTROL; ACCOUNTING AND INTERNAL CONTROLS

CHAPTER 461b. TECHNICAL STANDARDS—STATEMENT OF POLICY

§ 461b.3. Gaming vouchers.

(a) A gaming voucher may not expire. The value of gaming vouchers that have not been redeemed within 3 years of the date of issuance or other period as specified under the Disposition of Abandoned and Unclaimed Property Act (72 P.S. §§ 1301.1—1301.29) shall be forwarded to the State Treasurer along with a report containing the information required under subsection (b)(1)—(4).

* * * * *

(c) A gaming voucher system may not be configured to issue a gaming voucher exceeding \$10,000 unless approved by the Board's Executive Director.

(d) Any system of internal controls over the issuance and redemption of gaming vouchers must provide for the following:

(1) Upon the presentation of a gaming voucher for redemption, the slot cashier or slot machine shall use the gaming voucher system to verify the validity of the serial number and value of the voucher, and if valid, the system must immediately cancel the voucher electronically and permit the redemption of the voucher for the value printed thereon. Prior to the redemption of a gaming voucher, the complete serial number of the unredeemed gaming voucher must only be available to the system.

(2) The slot machine licensee shall maintain a record of all transactions in the gaming voucher system for at least 210 days from the date of the transaction.

(3) Notwithstanding paragraph (2), the slot machine licensee shall maintain an unredeemed gaming voucher record containing the information required in subsection (b)(1)—(5), for gaming vouchers that have been issued but not redeemed. The record shall be stored in the system for a period of time approved by the Board, which must be at least 3 years from the date of issuance of the gaming voucher, provided that:

(i) Any unredeemed gaming voucher record removed from the system after 3 years in accordance with subsection (a) shall be stored and controlled in a manner approved by the Board.

(ii) Any unredeemed gaming voucher record removed from the system is subject to the standard record retention provisions of this part.

* * * * *

§ 461b.4. (Reserved).

§ 461b.5. (Reserved).

[Pa.B. Doc. No. 19-1737. Filed for public inspection November 22, 2019, 9:00 a.m.]

NOTICES

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending November 12, 2019.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Bank Supervision or Credit Union and Trust Supervision (as applicable), 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240 and for credit unions and trust companies (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Holding Company Acquisitions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
11-08-2019	ACNB Corporation Gettysburg Adams County	Approved
	Application for approval to acquire 100% of Frederick County Bancorp, Inc., Frederick, MD, and thereby indirectly acquire 100% of Frederick County Bank, Frederick, MD.	

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
11-08-2019	ACNB Bank Gettysburg Adams County	Approved
	Application for approval to merge Frederick County Bank, Frederick, MD, with and into ACNB Bank, Gettysburg.	

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
10-28-2019	Riverview Bank Marysville Perry County	1120 South Cedar Crest Boulevard Allentown Lehigh County	Opened
11-07-2019	Republic First Bank Philadelphia Philadelphia County	830 Third Avenue New York New York County, NY	Opened
11-08-2019	Orrstown Bank Shippensburg Cumberland County	3940 Linglestown Road Harrisburg Dauphin County	Filed
11-13-2019	Somerset Trust Company Somerset Somerset County	232 Pittsburgh Street Connellsville Fayette County	Approved

Branch Relocations

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
11-06-2019	Riverview Bank Marysville Perry County	<i>To:</i> 1460 Washington Boulevard Williamsport Lycoming County <i>From:</i> 1542 East 3rd Street Williamsport Lycoming County	Filed

Branch Discontinuances

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
11-04-2019	Penn Community Bank Doylestown Bucks County	Routes 232 and 413 Wrightstown Bucks County	Closed

CREDIT UNIONS

No activity.

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

ROBIN L. WIESSMANN,
Secretary

[Pa.B. Doc. No. 19-1738. Filed for public inspection November 22, 2019, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION**Applications, Actions and Special Notices****APPLICATIONS**

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT
APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION
SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM)
PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0024015 (Sewage)	Cressona Borough Sewer Treatment Plant 58 South Sillyman Street, Rear Cressona, PA 17929-1117	Schuylkill County Cressona Borough	Beaver Creek (CWF) (3-A)	Yes
PA0011185 (Industrial)	Air Products & Chemicals, Inc. 7201 Hamilton Boulevard Allentown, PA 18195-1501	Lehigh County Upper Macungie Township	Iron Run (HQ-CWF) (2-C)	Yes
PA0062154 (Sewage)	Mountain View School District WWTP 11748 State Route 106 Kingsley, PA 18826	Susquehanna County Harford Township	Millard Creek (CWF/MF) (4-F)	Yes
PA0060925 (Sewage)	Camp Archbald WWTP 100 Camp Archbald Road Kingsley, PA 18826	Susquehanna County Brooklyn Township	Unnamed Tributary to Hop Bottom Creek (CWF) (04F)	Yes

Northwest Regional Office: 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0222496	Summerville Borough STP P.O. Box 278 Summerville, PA 15864	Jefferson County Summerville Borough	Runaway Run (CWF) (17-C)	Yes

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N</i>
PA0080713 (Sewage)	Pennsy Supply Inc. Millard STP 2400 Thea Drive Harrisburg, PA 17011	North Londonderry Twp. & Annville Twp./ Lebanon County	Killinger Creek/(7-D)	Yes
PA0014605 (Industrial Waste)	SUEZ Water PA Inc. Rabold WTP 6310 Allentown Blvd Harrisburg, PA 17112	Fairview Twp./ York County	Yellow Breeches Creek/(7-E)	Yes
PA0008541 (Industrial Waste)	Johnson Controls, Inc. 631 S. Richland Ave. York, PA 17403	Spring Garden Twp./ York County	Codorus Creek/(7-I)	Yes
PA0084468 (Industrial Waste)	Dura-Bond Pipe, LLC 2716 South Front Street Steelton, PA 17113-3099	Steelton Borough/ Dauphin County	Ditch to Lauren Run/(7-C)	Yes
PA0087076 (Industrial— GWCU)	Former HE&R Laundry Facility GWCU 27 West Chocolate Avenue Hershey, PA 17033	Derry Twp. Dauphin County	Spring Creek (WWF, MF) (7-D)	Yes

Southwest Regional Office: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed No.)	EPA Waived Y/N?
PA0216895 (Industrial)	Highridge Water System 17 Maple Avenue Blairsville, PA 15717-1232	Westmoreland County Fairfield Township	Tubmill Creek (TSF) (18-D)	Yes
PA0216631 (Sewage)	Kraisinger Reception Hall STP 139 South Quarry Street Mount Pleasant, PA 15666-1747	Westmoreland County East Huntingdon Township	Unnamed Tributary to Jacobs Creek (WWF) (19-D)	Yes
PA0098787 (Industrial)	Portage Area Municipal Authority— Bens Creek WTP 606 Cambria Street Portage, PA 15946-1516	Cambria County Portage Township	Bens Creek (EV) (18-E)	Yes

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications.

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5970.

PA0244635, Storm Water, SIC Code 5169, **Morton Salt Inc.**, 444 West Lake Street, Chicago, IL 60606-0090. Facility Name: Morton Salt Fairless Hills Facility. This existing facility is located in Falls Township, **Bucks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial stormwater.

The receiving stream(s), Delaware River (WWF, MF), is located in State Water Plan watershed 2-E and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Quarterly	Daily Maximum	Minimum	Average Quarterly	Daily Maximum	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	Report	Report	XXX	Report	Report	XXX
Total Suspended Solids	Report	Report	XXX	Report	Report	XXX
Total Dissolved Solids	Report	Report	XXX	Report	Report	XXX
Osmotic Pressure (mOs/kg)	XXX	XXX	XXX	Report	Report	XXX
Oil and Grease	XXX	XXX	XXX	15	30	XXX
Nitrate-Nitrite as N	Report	Report	XXX	Report	Report	XXX
Total Kjeldahl Nitrogen	Report	Report	XXX	Report	Report	XXX
Total Phosphorus	Report	Report	XXX	2.0	4.0	XXX
Cyanide, Free	XXX	XXX	XXX	Report	Report	XXX
Chloride	Report	Report	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Quarterly	Daily Maximum	Minimum	Average Quarterly	Daily Maximum	
Total Dissolved Solids Nov 1 - Apr 30	Report Avg Mo	Report	XXX	Report Avg Mo	Report	XXX

In addition, the permit contains the following major special conditions:

- Stormwater requirements
- Applicable BMPs
- Benchmark Values

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

PA0024058, Sewage, SIC Code 4952, **Kennett Square Borough Chester County**, 120 Marshall Street, Kennett Square, PA 19348-3108. Facility Name: Kennett Square Borough WWTP. This existing facility is located in Kennett Square Borough, **Chester County**.

Description of Existing Activity: The application is for an amendment of NPDES permit for an existing discharge of treated sewage to revise the TN compliance.

The receiving stream(s), West Branch Red Clay Creek and Unnamed Tributary to West Branch Red Clay Creek, is located in State Water Plan watershed 3-I and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.1 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum</i>	
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 1.1 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Instant. Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)						
Nov 1 - Apr 30	230	365	XXX	25	40	50
May 1 - Oct 31	152	228	XXX	17	25	33
Total Suspended Solids	275	412	XXX	30	45	60
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ammonia-Nitrogen						
Nov 1 - Apr 30	55	XXX	XXX	6.0	XXX	12
May 1 - Oct 31	18	XXX	XXX	2.0	XXX	4
Total Phosphorus						
Nov 1 - Mar 31	18	XXX	XXX	2.0	XXX	4
Apr 1 - Oct 31	12	XXX	XXX	1.3	XXX	2.6
Cadmium, Total	XXX	XXX	XXX	Report	XXX	XXX
Copper, Total	XXX	XXX	XXX	Report	XXX	XXX
Phenolics, Total	0.21	0.42	XXX	0.023	0.046	0.058
Toxicity, Chronic - Pimephales Survival (TUC)	XXX	XXX	XXX	2.2 Daily Max	XXX	XXX
Toxicity, Chronic - Pimephales Growth (TUC)	XXX	XXX	XXX	2.2 Daily Max	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 1.1 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum</i>	
Total Nitrogen	91.8	XXX	XXX	10.0	XXX	20.0

The proposed effluent limits for Outfall 002 are based on stormwater.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Annual Average</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	Report	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	Report	XXX	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	XXX
Oil and Grease	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Iron, Dissolved	XXX	XXX	XXX	Report	XXX	XXX

Sludge use and disposal description and location(s): SECCRA landfill.

In addition, the permit contains the following major special conditions:

I.

- No stormwater
- Property Rights
- Sludge Removal
- Hauled-in Wastes
- Fecal Coliform

II. Requirements to use EDMR System

III. POTW Pretreatment Program Implementation

IV. Solids Management

V. WETT

VI. Stormwater Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect.

PA0057801, Sewage, SIC Code 8811, **Bennington J. Brad**, 520 Ridge Valley Road, Sellersville, PA 18960-1136. Facility Name: Bennington SRSTP. This existing facility is located in West Rockhill Township, **Bucks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Ridge Valley Creek (HQ-TSF, MF), is located in State Water Plan watershed 3-E and is classified for MF and High-Quality Waters—Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	6.0	XXX	XXX	XXX
			Inst Min			
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX
				Geo Mean		
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	4.5	XXX	9.0
				Annl Avg		
May 1 - Oct 31	XXX	XXX	XXX	1.5	XXX	3.0

Sludge use and disposal description and location(s): Pumped out and hauled off-site.

In addition, the permit contains the following major special conditions:

- None

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

PA0050521, Sewage, SIC Code 4952, **Green Lane—Marlborough Joint Authority**, P.O. Box 45, Green Lane, PA 18054-0045. Facility Name: Green Lane—Marlboro STP. This existing facility is located in Green Lane Borough, **Montgomery County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Perkiomen Creek (WWF, MF), is located in State Water Plan watershed 3-E and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .2 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.0
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)						
Raw Sewage Influent	XXX	XXX	XXX	Report	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	42	66	XXX	25	40	50
Biochemical Oxygen Demand (BOD ₅)						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	XXX	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	50	75	XXX	30	45	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ultraviolet light intensity (mW/cm ²)	XXX	XXX	Report Inst Min	XXX	XXX	XXX
Ammonia-Nitrogen	17	25	XXX	10	15	20
Total Phosphorus	3.3	XXX	XXX	2.0	XXX	4

The proposed effluent limits for Outfall 001 are based on a design flow of .2 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Total Dissolved Solids	XXX	XXX	XXX	1,000.0 Avg Qrtly	2,000.0 Daily Max	2,500
Total Nitrogen	XXX	Report Daily Max	XXX	XXX	Report Daily Max	XXX

Sludge use and disposal description and location(s): Sewage sludge generated is aerobically digested and pumped to the onsite reed beds or liquid hauled to Pottstown WWTP. No biosolids were liquid hauled in 2018.

In addition, the permit contains the following major special conditions:

I. Other Requirements

- A. No Stormwater
- B. Acquire Necessary Property Rights
- C. Sludge Disposal Requirements
- D. No Oil and Gas Drilling Wastewater
- E. Chlorine Minimization
- F. Responsible Operator
- G. 10% Fecal Coliform Rule
- H. O&M Plan

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Northeast Regional Office: Regional Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone: 570.826.2511.

PA0276260, Sewage, SIC Code 4952, **Haines Nancy**, 377 Neville Road, Moscow, PA 18444. Facility Name: Neville's Mobile Home Court. This proposed facility is located in Salem Township, **Wayne County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated sewage from an existing failing on-lot system.

The receiving stream(s), Unnamed Tributary to Wilcox Creek (HQ-CWF, MF), is located in State Water Plan watershed 1-C and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .016 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Daily Max XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 7.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	Inst Min XXX	0.02	XXX	0.02
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)						
Nov 1 - Apr 30	XXX	XXX	XXX	20.0	XXX	40
May 1 - Oct 31	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	9.0	XXX	18
May 1 - Oct 31	XXX	XXX	XXX	3.0	XXX	6
Total Phosphorous	XXX	XXX	XXX	0.5	XXX	1.0

In addition, the permit contains the following major special conditions:

- DRBC Approval

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

PA0034860, Sewage, SIC Code 6515, **P.C.S. Chadaga, M.D.**, 123 Gilpin Drive, West Chester, PA 19382-7412. Facility Name: Penn Valley MHP. This existing facility is located in Penn Township, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Chiques Creek (WWF), is located in State Water Plan watershed 7-G and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .011 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Daily Max XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	Inst Min XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
				Geo Mean		

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	33	XXX	66
May 1 - Oct 31	XXX	XXX	XXX	11	XXX	22
Kjeldahl—N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	Report	XXX	XXX	2.0	XXX	4.0
Total Phosphorus (Total Load, lbs)	XXX	67	XXX	XXX	XXX	XXX
		Total Annual				

The proposed effluent limits for Outfall 001 are based on a design flow of .011 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ultraviolet light transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	33	XXX	66
May 1 - Oct 31	XXX	XXX	XXX	11	XXX	22
Kjeldahl—N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	Report	XXX	XXX	2.0	XXX	4.0
Total Phosphorus (Total Load, lbs)	XXX	67	XXX	XXX	XXX	XXX
		Total Annual				

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0085006, Sewage, SIC Code 4952, **Conoy Township Lancaster County**, 211 Falmouth Road, Bainbridge, PA 17502-9801. Facility Name: Conoy Township Bainbridge STP. This existing facility is located in Conoy Township, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Conoy Creek (TSF, MF), is located in State Water Plan watershed 7-G and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .08 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	17	27	XXX	25	40	50

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Biochemical Oxygen Demand (BOD ₅)						
Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids	20	30	XXX	30	45	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	Report Annl Avg	XXX	XXX	Report Annl Avg	XXX	XXX
Total Nitrogen	Report Annl Avg	XXX	XXX	Report Annl Avg	XXX	XXX
Total Kjeldahl Nitrogen	Report Annl Avg	XXX	XXX	Report Annl Avg	XXX	XXX
Total Phosphorus	Report Annl Avg	XXX	XXX	Report Annl Avg	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0086461, Sewage, SIC Code 7033, **Pinch Pond Campground Inc.**, 3075 Pinch Road, Manheim, PA 17545-9551. Facility Name: Pinch Pond Campground. This existing facility is located in Rapho Township, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Chiques Creek (WWF, MF), is located in State Water Plan watershed 7-G and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .01725 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	19.5	XXX	39
May 1 - Oct 31	XXX	XXX	XXX	6.5	XXX	13
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	Report Annl Avg	XXX	XXX	Report Annl Avg	XXX	XXX
Total Kjeldahl Nitrogen	Report Annl Avg	XXX	XXX	Report Annl Avg	XXX	XXX
Total Nitrogen	Report Annl Avg	XXX	XXX	Report Annl Avg	XXX	XXX

Parameter	Mass Units (lbs)		Effluent Limitations		
	Monthly	Annual	Minimum	Concentrations (mg/L) Monthly Average	Maximum
Total Nitrogen	XXX	Report	XXX	XXX	XXX
Total Phosphorus	Report	254	XXX	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .01725 MGD.—Final Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX Daily Max	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	19.5	XXX	39
May 1 - Oct 31	XXX	XXX	XXX	6.5	XXX	13
Total Phosphorus	Report	XXX	XXX	2.0	XXX	4.0
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	Annl Avg Report	XXX	XXX	Annl Avg Report	XXX	XXX
Total Nitrogen	Annl Avg Report	XXX	XXX	Annl Avg Report	XXX	XXX

Parameter	Mass Units (lbs)		Effluent Limitations		
	Monthly	Annual	Minimum	Concentrations (mg/L) Monthly Average	Maximum
Total Nitrogen	XXX	Report	XXX	XXX	XXX
Total Phosphorus	Report	254	XXX	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0026646, Sewage, SIC Code 4952, **Antietam Valley Municipal Authority Berks County**, 502 Butter Lane, Reading, PA 19606-1604. Facility Name: Antietam Valley STP. This existing facility is located in Saint Lawrence Borough, **Berks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Antietam Creek (CWF) and Unnamed Tributary to Antietam Creek (CWF), is located in State Water Plan watershed 3-C and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.225 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Total Dissolved Solids	XXX	Report Daily Max	XXX	1,000.0 Daily Max	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 1.225 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.21	XXX	0.68
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	255	383	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD ₅)						
Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids	306	460	XXX	30.0	45.0	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	77.0	XXX	XXX	7.5	XXX	15
May 1 - Oct 31	26.0	XXX	XXX	2.5	XXX	5
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX
Copper, Total	0.36	XXX	XXX	0.036	XXX	0.072
Cyanide, Free (ug/L)	Report	XXX	XXX	Report	XXX	Report
Lead, Total (ug/L)	Report	XXX	XXX	Report	XXX	Report
Dibromochloromethane (ug/L)	Report	XXX	XXX	Report	XXX	Report

In addition, the permit contains the following major special conditions:

- N/A

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

PA0084425 A-1, SIC Code 4952, **Conewago Township Sewer Authority York County**, 600 Locust Point Road, York, PA 17406-6056. Facility Name: Conewago Township STP. This existing facility is located in Conewago Township, **York County**.

Description of Existing Activity: The application is for NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary of Little Conewago Creek (TSF), is located in State Water Plan watershed 7-F and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .84 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.2	XXX	0.66
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)						
Nov 1 - Apr 30	80	125	XXX	20.0	30.0	40
May 1 - Oct 31	41	60	XXX	10.0	15.0	20
Total Suspended Solids	125	185	XXX	30.0	45.0	60
Fecal Coliform (No./100 ml)						

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	18	XXX	XXX	4.5	XXX	9
May 1 - Oct 31	6.0	XXX	XXX	1.5	XXX	3
Ammonia-Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	8.0	XXX	XXX	2.0	XXX	4
Total Phosphorus (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .84 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)						
Nov 1 - Apr 30	140	210	XXX	20.0	30.0	40
May 1 - Oct 31	70	105	XXX	10.0	15.0	20
Total Suspended Solids	210	315	XXX	30.0	45.0	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Ultraviolet light intensity (mW/cm ²)	XXX	XXX	Report	XXX	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	31.5	XXX	XXX	4.5	XXX	9
May 1 - Oct 31	10.5	XXX	XXX	1.5	XXX	3
Ammonia-Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	14	XXX	XXX	2.0	XXX	4
Total Phosphorus (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .84 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Biochemical Oxygen Demand (BOD ₅)						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs)						
(lbs)						
Effluent Net	Report	XXX	XXX	XXX	XXX	XXX
	Total Mo					
Total Phosphorus (Total Load, lbs)						
(lbs)						
Effluent Net	Report	XXX	XXX	XXX	XXX	XXX
	Total Mo					

The proposed monitoring requirements and effluent limits for implementation of Pennsylvania’s Chesapeake Bay Watershed Implementation Plan are as follows for Outfall 001.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Monthly</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>	
Total Nitrogen (Total Load, lbs)						
(lbs)						
Effluent Net	XXX	9,132	XXX	XXX	XXX	XXX
		Total Annual				
Total Nitrogen (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
(lbs)		Total Annual				
Ammonia-Nitrogen (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
(lbs)		Total Annual				
Total Phosphorus (Total Load, lbs)						
(lbs)						
Effluent Net	XXX	1,218	XXX	XXX	XXX	XXX
		Total Annual				
Total Phosphorus (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
(lbs)		Total Annual				

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department’s Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

Sludge use and disposal description and location(s): Offsite Landfill.

In addition, the permit contains the following major special conditions:

- N/A

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

PA0080721, Sewage, SIC Code 4952, 6515, **GSP Management Co.**, P.O. Box 677, Morgantown, PA 19543-0677. Facility Name: Cedar Manor MHP. This existing facility is located in Londonderry Township, **Dauphin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Conewago Creek (TSF, MF), is located in State Water Plan watershed 7-G and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .072 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
		Daily Max				
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
			Inst Min			

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.036	XXX	0.116
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10	XXX	20
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	4.8	XXX	9.6
May 1 - Oct 31	XXX	XXX	XXX	1.6	XXX	3.2
Total Phosphorus	Report	XXX	XXX	2.0	XXX	4
Total Phosphorus (Total Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Daily Max Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Daily Max Report	XXX
Total Phosphorus (Total Load, lbs)	XXX	438	XXX	XXX	Daily Max XXX	XXX
(lbs)		Total Annual				
Total Phosphorus (Total Load, lbs)	XXX	438	XXX	XXX	XXX	XXX
(lbs)		Total Annual				

Sludge use and disposal description and location(s): Digested sludge is periodically hauled off-site by a license hauler.

In addition, the permit contains the following major special conditions:

- Stormwater Prohibition, Approval Contingencies, Proper Waste/Solids Management, and Chlorine minimization

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0033391, Sewage, SIC Code 6515, **Pine Manor LLC**, P.O. Box 677, Morgantown, PA 19543-0677. Facility Name: Pine Manor MHP. This existing facility is located in Londonderry Township, **Dauphin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Lynch Run (TSF, MF), is located in State Water Plan watershed 7-G and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .02 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.22	XXX	0.74
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
				Geo Mean		

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	9.0	XXX	18
May 1 - Oct 31	XXX	XXX	XXX	3.0	XXX	6
Total Phosphorus	XXX	XXX	XXX	2.0	XXX	4
Total Phosphorus (Total Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
(lbs)	Total Mo					
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
					Daily Max	
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
					Daily Max	
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
					Daily Max	
Total Nitrogen (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
(lbs)		Total Annual				
Total Phosphorus (Total Load, lbs)	XXX	122	XXX	XXX	XXX	XXX
(lbs)		Total Annual				

Sludge use and disposal description and location(s): Digested sludge is periodically hauled off-site by a license hauler.

In addition, the permit contains the following major special conditions:

- Stormwater Prohibition, Approval Contingencies, Proper Waste/Solids Management, and Chlorine minimization

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0020851, Sewage, SIC Code 4952, **Hyndman Borough Municipal Authority Bedford County**, P.O. Box 445, Hyndman, PA 15545-0445. Facility Name: Hyndman Borough STP. This existing facility is located in Hyndman Borough, **Bedford County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Wills Creek (CWF), is located in State Water Plan watershed 13-A and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.365 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
		Daily Max				
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	76	122	XXX	25	40	50
Biological Oxygen Demand (BOD ₅)						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
		Daily Max				
Total Suspended Solids	91	137	XXX	30	45	60
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
		Daily Max				
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
(lbs)	Total Mo					
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
(lbs)	Total Mo					

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Total Nitrogen (Total Load, lbs) (lbs) Effluent Net	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report XXX	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report XXX	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs) Effluent Net	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Ultraviolet light dosage (mWsec/cm ²)	XXX	XXX	Report	XXX	XXX	XXX

Sludge use and disposal description and location(s): Mostoller Landfill; DEP Permit # 101571.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0260797, Sewage, SIC Code 8661, **Clappertown Cma Church**, 3239 Piney Creek Road, Williamsburg, PA 16693-8800. Facility Name: Clappertown Cma Church Properties. This existing facility is located in Huston Township, **Blair County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SFTF sewage.

The receiving stream(s), Unnamed Tributary to Piney Creek (HQ-CWF), is located in State Water Plan watershed 11-A and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report 10	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	20	XXX	40
Total Suspended Solids	XXX	XXX	XXX	200	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	Geo Mean		
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	15	XXX	30
May 1 - Oct 31	XXX	XXX	XXX	5	XXX	10

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0247537, Industrial, SIC Code 4222, **Four Seasons Produce**, P.O. Box 788, Ephrata, PA 17522. Facility Name: Four Seasons Produce, Inc. This existing facility is located in East Cocalico Township, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Cocalico Creek (WWF), is located in State Water Plan watershed 7-J and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .029 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Temperature (°F)	XXX	XXX	Report Inst Min	Report	Report Daily Max	XXX
Copper, Total	XXX	XXX	XXX	Report	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0246522, Sewage, SIC Code 7033, **Wright Richard**, 1172 River Road, Saxton, PA 16678-7516. Facility Name: Heritage Cove Resort Campground. This existing facility is located in Liberty Township, **Bedford County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Raystown Branch Juniata River (TSF), is located in State Water Plan watershed 11-D and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .03 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000

The proposed effluent limits for Outfall 001 are based on a design flow of .03 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Nitrate-Nitrite as N	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report Annl Avg	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0260134, Sewage, SIC Code 7032, **Lancaster Family YMCA**, 265 Harrisburg Avenue, Lancaster, PA 17603-2936. Facility Name: Camp Shand Lancaster Family YMCA. This existing facility is located in Cornwall Borough, **Lebanon County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Shearers Creek (HQ-CWF), is located in State Water Plan watershed 7-G and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX Daily Max	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	XXX	20	XXX	40
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ultraviolet light transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	5.0	XXX	10
Total Phosphorus	XXX	XXX	XXX	2.0	XXX	4

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0070050, Industrial, SIC Code 3313, **Reading Alloys Inc.**, P.O. Box 53, Robesonia, PA 19551-0053. Facility Name: Reading Alloys. This existing facility is located in South Heidelberg Township, **Berks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Spring Creek (CWF) and Spring Creek (CWF, MF), is located in State Water Plan watershed 3-C and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .242 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Temperature (deg F) (°F)	XXX	XXX	XXX	XXX	Report Daily Max	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .242 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	Report Inst Min	XXX	XXX	Report
Temperature (deg F) (°F)						
Jan 1 - 31	XXX	XXX	XXX	XXX	XXX	38.0
Feb 1 - 28	XXX	XXX	XXX	XXX	XXX	38.0
Mar 1 - 31	XXX	XXX	XXX	XXX	XXX	42.0
Apr 1 - 15	XXX	XXX	XXX	XXX	XXX	48.0
Apr 16 - 30	XXX	XXX	XXX	XXX	XXX	53.0
May 1 - 15	XXX	XXX	XXX	XXX	XXX	56.0
May 16 - 31	XXX	XXX	XXX	XXX	XXX	60.0
Jun 1 - 15	XXX	XXX	XXX	XXX	XXX	64.0
Jun 16 - 30	XXX	XXX	XXX	XXX	XXX	68.0
Jul 1 - 31	XXX	XXX	XXX	XXX	XXX	72.0
Aug 1 - 31	XXX	XXX	XXX	XXX	XXX	71.0
Sep 1 - 15	XXX	XXX	XXX	XXX	XXX	67.0
Sep 16 - 30	XXX	XXX	XXX	XXX	XXX	61.0
Oct 1 - 15	XXX	XXX	XXX	XXX	XXX	56.0
Oct 16 - 31	XXX	XXX	XXX	XXX	XXX	52.0
Nov 1 - 15	XXX	XXX	XXX	XXX	XXX	47.0
Nov 16 - 30	XXX	XXX	XXX	XXX	XXX	42.0
Dec 1 - 31	XXX	XXX	XXX	XXX	XXX	40.0

The proposed effluent limits for Outfall 001 are based on a design flow of .242 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Dissolved Solids	XXX	XXX	XXX	Report Daily Max	XXX	XXX

The proposed effluent limits for Outfall 003 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Arsenic, Total	XXX	XXX	XXX	XXX	Report	XXX
Cadmium, Total	XXX	XXX	XXX	XXX	Report	XXX
Chromium, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 004 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Arsenic, Total	XXX	XXX	XXX	XXX	Report	XXX
Cadmium, Total	XXX	XXX	XXX	XXX	Report	XXX
Chromium, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 005 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Arsenic, Total	XXX	XXX	XXX	XXX	Report	XXX
Cadmium, Total	XXX	XXX	XXX	XXX	Report	XXX
Chromium, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 006 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Arsenic, Total	XXX	XXX	XXX	XXX	Report	XXX
Cadmium, Total	XXX	XXX	XXX	XXX	Report	XXX
Chromium, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 007 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Arsenic, Total	XXX	XXX	XXX	XXX	Report	XXX
Cadmium, Total	XXX	XXX	XXX	XXX	Report	XXX
Chromium, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 008 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Arsenic, Total	XXX	XXX	XXX	XXX	Report	XXX
Cadmium, Total	XXX	XXX	XXX	XXX	Report	XXX
Chromium, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 009 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Arsenic, Total	XXX	XXX	XXX	XXX	Report	XXX
Cadmium, Total	XXX	XXX	XXX	XXX	Report	XXX
Chromium, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 101 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Daily Max XXX	6.0 Inst Min	XXX	XXX	9.0

Sludge use and disposal description and location(s): Offsite Landfill.

In addition, the permit contains the following major special conditions:

- N/A

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0081299, Sewage, SIC Code 4952, **Model Enterprises Inc.**, 630 Delp Road, Lancaster, PA 17601-3077. Facility Name: Rolling Hills MHP. This existing facility is located in Rapho Township, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Chiques Creek (WWF, MF), is located in State Water Plan watershed 7-G and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .02 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Daily Max XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	Report	XXX	XXX	2.0	XXX	4.0
Total Nitrogen (lbs)	XXX	Report	XXX	XXX	XXX	XXX
Total Phosphorus (lbs)	XXX	Total Annual 122	XXX	XXX	XXX	XXX
		Total Annual				

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0111350, Sewage, SIC Code 4952, **Petersburg Borough Sewer Authority Huntingdon County**, P.O. Box 6, Petersburg, PA 16669-0006. Facility Name: Petersburg STP. This existing facility is located in Petersburg Borough, **Huntingdon County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Shaver Creek (HQ-CWF), is located in State Water Plan watershed 11-B and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .1 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Total Annual</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Ultraviolet light transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	21.0	33.0	XXX	25.0	40.0	50.0
Biochemical Oxygen Demand (BOD ₅)						
Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids	25.0	38.0	XXX	30.0	45.0	60.0
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Total Nitrogen	XXX	Report	XXX	Report Annl Avg	XXX	XXX
Total Phosphorus	XXX	Report Total Annual	XXX	Report Annl Avg	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0261181, Sewage, SIC Code 6514, **Michael F & Cynthia George Camellerie**, 150 Corey Place, Huntington Station, NY 11746-2021. Facility Name: Camellerie Residence. This existing facility is located in North Middleton Township, **Cumberland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Conodoguinet Creek (WWF, MF), is located in State Water Plan watershed 7-B and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0005 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200 Geo Mean	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

A0265900, Sewage, SIC Code 4952, **Jennifer L Messner & Larry G Messner**, 1954 Bowmansville Road, Adamstown, PA 19501. Facility Name: Messner Residence. This existing facility is located in Adamstown Borough, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Little Muddy Creek (TSF, MF), is located in State Water Plan watershed 7-J and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0005 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200 Geo Mean	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0036889, Sewage, SIC Code 4952, **Reading Township Municipal Authority Adams County**, 843 W. Middle Street, Hanover, PA 17331-5011. Facility Name: Reading Township Adams County STP. This existing facility is located in Reading Township, **Adams County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Conewago Creek (WWF), is located in State Water Plan watershed 7-F and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.33 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.23	XXX	0.75
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	68	110 Wkly Avg	XXX	25	40	50
Biochemical Oxygen Demand (BOD ₅)						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	82	123 Wkly Avg	XXX	30	45	60
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
Ammonia-Nitrogen						
May 1 - Oct 31	19	XXX	XXX	7.0	XXX	14
Nov 1 - Apr 30	58	XXX	XXX	21	XXX	42
Total Phosphorus	5.5	XXX	XXX	2.0	XXX	4.0

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

<i>Parameters</i>	<i>Mass (lbs)</i>		<i>Minimum</i>	<i>Concentration (mg/l)</i>	
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>
Ammonia—N	Report	Report	XXX	Report	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0248568, Sewage, SIC Code 4952, 6514, **Barbara L Angelo & James M Angelo**, 12295 Turkey Farm Road, Huntingdon, PA 16652-7737. Facility Name: James Angelo Residence. This existing facility is located in Walker Township, **Huntingdon County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary of Crooked Creek (WWF), is located in State Water Plan watershed 11-B and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200 Geo Mean	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0031631, Sewage, SIC Code 4952, **Twin Valley School District**, 4851 N. Twin Valley Road, Elverson, PA 19520-9340. Facility Name: Twin Valley Joint School. This existing facility is located in Caernarvon Township, **Berks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to East Branch Conestoga River (WWF), is located in State Water Plan watershed 7-J and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.027 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
Ammonia-Nitrogen						
May 1 - Oct 31	XXX	XXX	XXX	14	XXX	28
Total Phosphorus	Report	164.48	XXX	2.0	XXX	4.0
Total Nitrogen	Report Annl Avg	Total annual Report Total Annual	XXX	Report Annl Avg	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0020249, Sewage, SIC Code 4952, **Roaring Spring Borough Municipal Authority Blair County**, P.O. Box 33, Roaring Spring, PA 16673-0033. Facility Name: Roaring Spring Borough STP. This existing facility is located in Roaring Spring Borough, **Blair County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Frankstown Branch Juniata River (TSF, MF), is located in State Water Plan watershed 11-A and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	146	233	XXX	25	40	50
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids	175	263	XXX	30	45	60
Fecal Coliform (No./100 ml) Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ultraviolet light intensity (mW/cm ²)	XXX	XXX	Report	XXX	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Effluent Net	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen Nov 1 - Apr 30	Report	XXX	XXX	Report	XXX	XXX
May 1 - Oct 31	37	XXX	XXX	6.5	XXX	13
Ammonia-Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Effluent Net	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Bromide	XXX	XXX	XXX	Report	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Telephone: 412.442.4000.

PA0026506, Sewage, SIC Code 4952, **West Mifflin Sanitary Sewer Municipal Authority**, 1302 Lower Bull Run Road, West Mifflin, PA 15122-2902. Facility Name: Thompson Run STP. This existing facility is located in West Mifflin Borough, **Allegheny County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream Thompson Run (WWF) is in State Water Plan watershed 19-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 4.0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Concentrations (mg/L)			Instant. Maximum
	Average Monthly	Daily Maximum	Average Monthly	Average Monthly	Maximum	
Total Nitrogen	XXX	XXX	XXX	XXX	Report Avg Qrtly	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report Avg Qrtly	XXX
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	834	1,251	25.0	38 Wkly Avg	XXX	50.0
Biochemical Oxygen Demand (BOD ₅)						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	1,001	1,502	30.0	45.0 Wkly Avg	XXX	60.0
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ultraviolet light transmittance (%)	XXX	XXX	Report Daily Min	Geo Mean XXX	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	100	150	3.0	4.5	XXX	6.0
May 1 - Oct 31	67	100 Wkly Avg	2.0	3.0 Wkly Avg	XXX	4.0

Sludge use and disposal description and location(s): Municipal Landfill.

In addition, the permit contains the following major special conditions:

- Outfalls 102, 103 and 104 are Plant Storm Water Outfalls and are permitted to discharge uncontaminated storm water from the plant site.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is not in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

WQM Permit No. 0185402, Sewerage, **Mountain View MHP**, 203 Rife Rd., East Berlin, PA 17316.

This proposed facility is located in Reading Township, **Adams County**.

Description of Proposed Action/Activity: Transfer request has been submitted.

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

WQM Permit No. 8046 A-1, Sewage, **McCandless Township Sanitary Authority**, 418 Arcadia Drive, Pittsburgh, PA 15237-5557.

This existing facility is located in Ross Township, **Allegheny County**.

Description of Proposed Action/Activity: Replace chlorine with UV system at Longvue No. 2 STP.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. WQG02101904, Sewage, **Breakneck Creek Region Authority**, 1166 Mars Evans City Road, Mars, PA 16046-2216.

This proposed facility is located in Adams Township, **Butler County**.

Description of Proposed Action/Activity: Sewer extension to serve Brookhaven development.

WQM Permit No. 3719401, Sewage, **Michael Conglose**, 241 Catalina Drive, New Castle, PA 16105-4803.

This proposed facility is located in Neshannock Township, **Lawrence County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities.

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD150052	The Vanguard Group 400 Devon Park Drive Wayne, PA 19087	Chester	East Whiteland Twp	Little Valley Creek/ EV
PAD150137	PECO Energy Company (PECO) 2301 Market St., S7-2 Philadelphia, PA 19103	Chester; Montgomery	East Coventry City/Twp; North Coventry Twp; Lower Pottsgrove Twp	UNT to Pigeon Creek/ HQ-TSF, MF; UNT to Schuylkill River/HQ-TSF, MF; Schuylkill River (Chester Co)/ WWF, MF; Schuylkill River (Montgomery Co)/ WWF, MF
PAD460042	Hartford Properties, LLC 1000 S. Lenola Road Building 2 Suite 100 Maple Shade, NJ 08052	Montgomery	Upper Gwynedd Twp	Wissahickon Creek/ TSF, MF
PAD150143	PA Turnpike Commission Gary L. Graham, PE Assistant Chief Engineer 700 S. Eisenhower Blvd Middletown, PA 17057	Chester	East Nantmeal Twp	UNT To Marsh Creek/ HQ-TSF, MF
PAD150035	Brandywine Station LP 707 Eagleview Blvd Exton, PA 19341	Chester	Downingtown Borough; East Caln Twp	East Branch of the Brandywine/WWF, MF
PAD150147	Vantage Point Retirement Living, Inc. 411 Eagle View Blvd Suite 114 Exton, PA 19341	Chester	Upper Uwchlan Twp	UNT to Pickering Creek/HQ-TSF
PAD150140	Coatesville Area School District 3030 C G Zinn Road Thorndale, PA 19372-1130	Chester	West Caln Twp	West Brandywine Creek/HQ-CWF, MF; Rock Run/TSF-MF
PAD460040	PennDOT District 6-0 Charles Davies, PE ADE Design 7000 Geerdes Blvd King of Prussia, PA 19406-1525	Montgomery	Norristown Municipality; East Norriton Twp; Whitpain Twp	UNT to Sawmill Run/TSF, MF; UNT to East Branch Stony Creek/ TSF, MF; East Branch Stony Creek/TSF, MF
PAD460041	Envision/Matrix Limekiln, LLC 485 Devon Park Drive Suite 106 Wayne, PA 19087-1840	Montgomery	Horsham Twp	UNT to Little Neshaminy Creek/ WWF, MF

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD460044	PECO Energy Company 2301 Market St, S7-2 Philadelphia, PA 19103	Delaware County; Montgomery County	Radnor Twp; Haverford Twp; Marple Twp; West Conshohocken Borough; Upper Merion Twp; Lower Merion Twp	Schuylkill River/ WWF, MF; Gulph Creek/ WWF, MF; UNT to Gulph Creek/ WWF, MF; Mill Creek/TSF, MF; UNT to Mill Creek/ CWF, MF; UNT to Meadowbrook Run/ TSF, MF; Darby Creek/ CWF, MF; Langford Run/ WWF, MF; Meadowbrook Run/ CWF, MF; Finn Run/CWF, MF; Doom Run/CWF, MF; Ithan Creek/CWF, MF; UNT to Darby Creek/ CWF, MF; Cobbs Creek/ WWF, MF
PAD090041	Andrew Kratz/Kenneth K. Kratz Marital Trust 321 Beaver Dam Road Creedmor, NJ 27522-7101	Bucks	West Rockhill Twp	Ridge Valley Creek/HQ-TSF
PAD150148	32 N. Bacton Hill Partners, LLC 32 N. Bacton Hill Road Malvern, PA 19355	Chester	East Whiteland Twp	Little Valley Creek/ EV, MF
PAD150135	HP Flanagan, Inc. 139 Church Street Malvern, PA 19355	Chester	East Whitleand Twp	Valley Creek/EV
PAD090044	Elcon Recycling Services, LLC 1720 Walton Road Blue Bell, PA 19422-2305	Bucks	Falls Twp	Biles Creek/ WWF, MF

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Lehigh County Conservation District, 4184 Dorney Park Road, Suite 105, Allentown, PA 18401.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD390095	Penndot Engineering District 5-0 1002 Hamilton St. Allentown, PA 18101	Lehigh	Upper Macungie Twp, Lehigh Cnty Maxatawny Twp, Berks Cnty	Schafer Run (HQ-CWF, MF)

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Phillips, Section Chief, 717.705.4802.

<i>Permit #</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD500003	PPL Electric Utilities, Corp. Two North Ninth Street GENN 4 Allentown, PA 18101-1179	Perry	Carroll Township Centre Township Spring Townships	UNT Montour Creek (CWF, MF) UNT Perry Furnace Run (CW, MF) Little Juniata Creek (CWF, MF) Montour Creek (CWF, MF) UNT Trout Run (CWF, MF)

VII. List of NOIs for NPDES and/or Other General Permit Types.

PAG-12	CAFOs
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

MS4 PAG-13 Notices of Intent Received.

Southwest Regional Office: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

NPDES Permit No.	Applicant Name & Address	Municipality, County	Waiver Application Submitted (Y/N)	Pollutant Reduction Plan Submitted (Y/N)
PAG136111	Allenport Borough 1850 Main Street Allenport, PA 15412-0186	Allenport Borough Washington County	Y	N

PUBLIC WATER SUPPLY (PWS) PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Application No. 6619504, Public Water Supply.

Applicant	Davan's Delight Restaurant 1235 State Route 29 North Tunkhannock, PA 18657
-----------	---

Municipality	Lemon Township
County	Wyoming
Type of Facility	Public Water Supply
Consulting Engineer	Frederick E. Ebert, P.E. Ebert Engineering, Inc. P.O. Box 540 Skippack, PA 19474
Application Received Date	September 10, 2019
Description of Action	The applicant is proposing to install an arsenic and manganese filtration system on the restaurant's existing plumbing system.
<i>Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.</i>	
Permit No. 2119516, Public Water Supply.	
Applicant	Jaymee Lee's Quick Stop LLC
Municipality	Lower Mifflin Township
County	Cumberland
Responsible Official	Richard N. Walker Sr, Owner 348 Doubling Gap Road Newville, PA 17241
Type of Facility	Public Water Supply
Consulting Engineer	Craig J. Zack, P.E. KPI Technology 143 Carlisle Street Gettysburg, PA 17325
Application Received:	10/21/2019
Description of Action	The installation of a new well source of supply with iron and manganese treatment, hardness and UV disinfection.

Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Permit No. 0389504-MA2, Public Water Supply.

Applicant	Cowanshannock Township Municipal Authority
Township or Borough	Cowanshannock Township
County	Armstrong
Responsible Official	Rodney Wolfe

Type of Facility Public Water Supply
 Consulting Engineer Kevin Szakelyhidi, P.E.
 Bankson Engineers
 267 Blue Run Road
 Ste 200
 Cheswick, PA 15024

Application Received Date October 30, 2019

Description of Action Pour new concrete walls and floor in existing Sagamore water storage reservoir.

Permit No. 6119503, Public Water Supply.

Applicant **Franklin General Authority**
 Township or Borough City of Franklin
 County **Venango**
 Responsible Official Timothy Dunkle
 Type of Facility Public Water Supply
 Consulting Engineer Kyle Fritz, P.E.
 EADS Group
 15392 Route 322
 Clarion, PA 16214

Application Received Date November 4, 2019

Description of Action Modifications to Barrett Flats WTP.

Permit No. 3719503, Public Water Supply.

Applicant **PA American Water New Castle**
 Township or Borough Neshannock Township
 County **Lawrence**
 Responsible Official Jed Fiscus
 Type of Facility Public Water Supply
 Consulting Engineer Christopher Eckenrode, P.E.
 Gwin, Dobson and Foreman
 3121 Fairway Drive
 Altoona, PA 16602

Application Received Date November 4, 2019

Description of Action New Castle WTP liquid lime upgrades.

WATER ALLOCATIONS

Applications received under the Act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) relating to the Acquisition of Rights to Divert Waters of the Commonwealth.

Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

WA54-1001, Water Allocation, **Pennsylvania American Water Company**, 852 Wesley Drive, Mechanicsburg, PA 17055, **Schuylkill County**. The applicant is requesting the right to purchase up to 400,000 gallons per day from Schuylkill County Municipal Authority.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995
 PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.302—6026.305) require the Department to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. A person intending to use the background standard, Statewide health standard, the site-specific standard or intend to remediate a site as a special industrial area shall file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of cleanup standards or receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the following site, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified as follows. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department Regional Office listed before the notice. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Kovatch Properties, 363 North First Street, Lehighton Borough, **Carbon County**. Quantum Engineering, 219 West Phillips Street, Coaldale, PA 18218, on behalf of Kovatch Properties LP, 145 Grouse Ridge Road, submitted a Notice of Intent to Remediate. Soil was contaminated with petroleum at a former service station. Future use of the site will be Non-residential. The Notice of Intent to Remediate was published in *The Times News* on September 12, 2019.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

Kastenbaum Residence, 3 Seven Springs Drive, Reading, PA 19607, Cumru Township, **Berks County**. Liberty Environmental, Inc., 505 Penn Street, Reading, PA 19601, on behalf of Michael Kastenbaum Residence, 3 Seven Springs Drive, Reading, PA 19607, submitted a Notice of Intent to Remediate site soil and groundwater contaminated with No. 2 fuel oil. The site will be remediated to the Site-Specific Standard. Future use of the site will continue to be used as a residential dwelling. The Notice of Intent to Remediate was published in *The Reading Eagle* on October 25, 2019.

HR Realty Division, LP, 3101 Beale Avenue, Altoona, PA 16601-1509, City of Altoona, **Blair County**. Mountain Research, 825 25th Street, Altoona, PA 16601, on behalf of HR Realty Division, LP, 3101 Beale Avenue, P.O. Box 1754, Altoona, PA 16603-1754, submitted a Notice of Intent to Remediate site soil and groundwater contaminated with No. 2 fuel oil, diesel fuel oil, and lead. The site will be remediated to the Site-Specific Standard. Future use of the site is to be used for commercial purposes. The Notice of Intent to Remediate was published in the *Altoona Mirror* on October 26, 2019.

Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-348.

Teledyne Penn Union, 229 Waterford Street, Borough of Edinboro, **Erie County**. Fishbeck, Thompson, Carr, & Huber, 39500 MacKenzie Drive # 100, Novi, MI 48377, on behalf of TDY Industries, LLC, 229 Waterford Street, Edinboro, PA 16412-2381, submitted a Notice of Intent to Remediate. Electrical connectors are manufactured at this site where site soil and groundwater have been found to be contaminated with tetrachloroethene and trichloroethene. A combination of the Site-Specific and Statewide Health Standards have been selected for remediation. Future use of the property will be industrial. The Notice of Intent to Remediate was published in *The Erie-Times News* on September 25, 2019.

Andrew Ohm Property, 12102 Lois Lane, North Shenango Township, **Crawford County**. Environmental Remediation & Recovery, Inc., 4250 Route 6N, Edinboro, PA 16412, on behalf of State Farm Insurance, P.O. Box 106110, Atlanta, GA 30348, submitted a Notice of Intent to Remediate. An aboveground storage tank at a mobile home released kerosene onto the ground impacting site soil. The Statewide Health Standard has been selected for remediation. Intended future use of the property is residential. The Notice of Intent to Remediate was published in *The Meadville Tribune* on October 17, 2019.

DETERMINATION FOR APPLICABILITY FOR MUNICIPAL WASTE GENERAL PERMITS

Application(s) for Determination of Applicability for General Permit Received Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.

Northeast Region: Regional Solid Waste Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

General Permit Application No. WMGM055-NE004. Aria Energy East, LLC, 46280 Dylan Drive, Suite 200, Novi, MI 48377. A General Permit Determination of Applicability for the processing and beneficial use of landfill gas as an alternative fuel source at Bethlehem Landfill located in Lower Saucon Township, **Northampton County**. The application for determination of applicability was received on October 31, 2019 and deemed administratively complete by the Regional Office on November 5, 2019.

Persons interested in reviewing the application may contact Roger Bellas, Environmental Program Manager, Waste Management Program, Northeast Regional Office, 2 Public Square, Wilkes-Barre, PA 18701-1915 at 570-826-2511. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Applications deemed administratively complete under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200.

Permit No. 101544, Greater Lebanon Refuse Authority Landfill, 1610 Russell Road, Lebanon, PA 17046.

An application for a permit renewal was submitted by the Greater Lebanon Refuse Authority for continued operation of their municipal waste landfill located in North Annville, North Lebanon, and Swatara Townships, **Lebanon County**. The current permit expires October 7, 2020. This application was deemed administratively complete by the Southcentral Regional Office on October 29, 2019. The Department will accept comments from the general public recommending revisions to, and approval or denial of, the application during the entire time the Department is reviewing the permit application.

Comments concerning the application should be directed to Mr. John Oren, Permits Chief, Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200. Persons interested in obtaining more information about this permit application may contact the Southcentral Regional Office at (717) 705-4706. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Application(s) Received Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Northwest Region: Regional Solid Waste Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Permit Application No. 101724. Raccoon Refuse Transfer Station, 44939 Old Route 77, Spartansburg, PA 16434; Sparta Townships, **Crawford County**. A new permit application for a municipal waste transfer station was received on September 16, 2019. The application seeks to operate with a maximum daily volume of the facility of 300 tons per day. The application was considered complete by the Northwest Regional Office on November 4, 2019.

Comments concerning the application should be directed to Christina Wilhelm, Program Manager, Northwest Regional Office, 230 Chestnut Street, Meadville, PA 16335. Persons interested in obtaining more information about the permit application may contact the Northwest Regional Office, at (814) 332-6848. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an “integrated” plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities.

Copies of the application, the Department’s analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department’s Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed

Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the Regional Office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507.

54-00009B: Omnova Solutions Inc. (95 Hickory Drive, Auburn, PA 17922) for the reclassification of facility located in West Brunswick Twp., **Schuylkill County** to an area source for HAPs.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

32-445A: Indiana County Humane Society (191 Airport Road, Indiana, PA 15701), plan approval application received for the installation and initial operation of an animal crematory at their facility in White Township, **Indiana County**. This will be a new natural minor facility.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Ed Orris, P.E., New Source Review Chief—Telephone: 412-442-4168.

04-00751A: Valmont Coatings, Inc. (9 South 12th Street, Midland, PA 15059-1603). Notice is hereby given in accordance with 25 Pa. Code §§ 127.44 and 127.45 that the Department of Environmental Protection (“Department”) intends to issue Air Quality Plan Approval: PA-04-00751A to Valmont Coatings, Inc. for installation and operation of a hot dip galvanizing process and pretreatment cleaning operations in an enclosed building to be located at No. 9 South 12th Street, Midland in Midland Borough, **Beaver County**.

The emissions from all sources are less than 3.0 tpy particulate matter (PM₁₀), 2.0 tpy SO_x, 12.0 tpy NO_x, 20.0 tpy CO, 8.0 tpy VOC, 1.0 tpy of single HAP, and 2.5 tpy of combined (HAPs). The kettle particulate emissions will be controlled by a dust collector exhausting indoor with 95—99% efficiency.

This authorization is subject to State regulations including 25 Pa. Code Chapters 123, 127 and 129.

Plan approval conditions include monitoring requirements, work practice standards, associated recordkeeping, and reporting requirements. Once compliance with the Plan Approval is demonstrated, the applicant will be required to revise or submit a State Only Operating Permit (“SOOP”) application in accordance with 25 Pa. Code Subchapter F.

The application, DEP’s Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP’s Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP’s website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx>.

A person may oppose the proposed Air Quality plan approval by filing a written protest with the Department or may submit written comments through Jesse S. Parihar via the U.S. Postal Service to the Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222; written comments may also be submitted via email to jparihar@pa.gov or via fax to 412.442.4194. Each set of written comments or protest must contain the name, address, and telephone number of the person submitting the comments or protest, identification of the proposed plan approval (04-00751A) and a concise statement of the objections to the plan approval issuance and the relevant facts upon which the objections are based.

All comments must be received prior to the close of business 30 days after the date of this publication. A protest to the proposed action shall be filed with the Department within 30 days of the date that notice of the proposed action was published under 25 Pa. Code § 127.44 (relating to public notice).

A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons who have properly filed a protest under 25 Pa. Code § 127.46 may appear and give testimony. The applicant, the protestant and other participants will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

37-350B: Amerikohl Aggregates, Inc.—Gardner Mine (1401 Woodside Ave., Ellwood City, PA 16114) for the installation of a portable mineral processing plant, and associated diesel-fired generator engine at their facility in Wayne Township, **Lawrence County**.

Notice is hereby given pursuant to 25 Pa. Code §§ 127.44(b) and 127.424(b), that the Pennsylvania Department of Environmental Protection (DEP) intends to issue Plan Approval 37-350B to Amerikohl Aggregates, Inc. for the installation of a portable mineral processing plant, and associated diesel-fired generator engine at the company’s Gardner Mine facility located at 1401 Woodside Avenue, Wayne Township, Lawrence County. The Plan Approval will subsequently be incorporated into a State Only Operating Permit through an administrative amendment in accordance with 25 Pa. Code § 127.450.

Plan Approval No. 37-350B is for the installation of a portable mineral processing plant, consisting of a grizzly feeder, three (3) crushers, two (2) screens and associated conveyors, with emissions of particulate matter to be controlled by water spray dust suppression systems; and a 1,250 kW diesel-fired generator engine, with emissions to be controlled via oxidation catalyst. Based on the information provided by the applicant and DEP’s own analysis, emissions from the subject source(s) will not exceed 28.76 tons of nitrogen oxides (NO_x), 4.41 tons of carbon monoxide (CO), 2.42 tons of volatile organic compounds (VOC), 2.01 tons of sulfur oxides (SO_x), and 4.88 tons of particulate matter per year.

The proposed sources will be subject to the applicable provisions of 40 CFR 60 Subpart OOO (Standards of Performance for Nonmetallic Mineral Processing Plants) and 40 CFR 63 Subpart ZZZZ (National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines). The Plan Approval will contain additional testing, monitoring, recordkeeping, and work practice requirements designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP’s analysis and other documents used in the evaluation are available for public inspection between the hours of 8 a.m. and 4 p.m. weekdays at the following address. To make an appointment, contact Records Management at 814-332-6340.

Anyone wishing to provide DEP with additional information they believe should be considered may submit the information to the following address. Comments must be received by the Department within 30 days of the last day of publication. Written comments should include the name, address, and telephone number of the person submitting comments, identification of the proposed Plan Approval; No. 37-350B and a concise statement regarding the relevancy of the information or any objections to issuance of the Plan Approval.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted on the comments received during the public comment period. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in a local newspaper of general circulation or the *Pennsylvania Bulletin* or by telephone, where the Department determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Eric Gustafson, Regional Air Quality Manager, Department of Environmental Protection, Northwest Regional Office, 230 Chestnut St., Meadville, PA 16335, 814-332-6940.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104.

Contact: Edward Wiener, Chief—Telephone: 215-685-9426.

AMS Plan Approval No. IP19-000412: Holy Family University (9801 Holy Family University, Philadelphia, PA 19114) for the installation of two (2) dual-fired boilers rated 3.75 MMBtu/hr burning natural gas and 26 gph burning No. 2 oil, one (1) dual-fired boiler rated 2.7 MMBtu/hr burning natural gas and 18.8 gph burning No. 2 oil, one (1) 0.99 MMBtu/hr natural gas-fired boiler, three (3) 0.8 MMBtu/hr natural gas-fired boilers, two (2) 0.75 MMBtu/hr natural gas-fired boilers, one (1) 0.399 MMBtu/hr natural gas-fired boiler, three (3) 0.5 MMBtu/hr natural gas-fired hot water heaters, one (1) 0.399 MMBtu/hr natural gas-fired hot water heater, one (1) 0.493 MMBtu/hr natural gas-fired air handling unit, three (3) 0.4 MMBtu/hr natural gas-fired air handling units, one (1) 350 kW diesel-fired emergency generator, one (1) 205 kW diesel-fired emergency generator, and one (1) 127 kW diesel-fired emergency generator at their facility in the City of Philadelphia, **Philadelphia County**. The installed units have a potential to emit 11.52 tons per year of nitrogen oxides (NO_x) and 8.77 tons per year of carbon monoxide (CO). The plan approval will contain operating, monitoring, and recordkeeping requirements to ensure operation within all applicable requirements.

Copies of all documents and information concerning this permit are available for review in the offices of Air Management Services, 321 University Ave., Philadelphia, PA 19104-4543 during normal business hours. Persons wishing to review these documents should contact Debra Williams (215-685-7572) at the previously listed address.

Persons wishing to file protest, comments or to request a public hearing on the previously listed permit must submit the protest, comments, or request for a public hearing to within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

36-05140G: Valley Proteins Inc. (693 Wide Hollow Road, East Earl, PA 17519) for the authorization to replace an older scrubber (C06) with a new single stage packed bed scrubber (C06A) to be used for odor removal at the rendering facility located in East Earl Township, **Lancaster County**. The facility is subject to the operating permit requirements of Title V of the Federal Clean Air Act, and 25 Pa. Code Chapter 127, Subchapters F and G. Potential emissions (PTE) are not expected to change as a result of replacing an existing scrubber (C06) with the proposed equivalent unit (C06A) since the scrubber is used primarily for odor control for Sources 102A and 102B. The facility PTE is 20.9 tpy for PM₁₀. DEP's review of the information submitted by the applicant indicates that the air contamination sources as constructed or modified will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12. Based on these findings, the Department proposes to issue a plan approval for the proposed modification. If, after the project has been implemented, the Department determines that the source has been modified in compliance with the plan approval conditions and the specifications in the application for plan approval, the requirements established in the plan approval will be incorporated into an Operating Permit pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

33-00002: Owens-Illinois Inc., Owens-Brockway Glass Container Plant 19 (3831 Route 219, Brockway, PA 15823), the Department intends to issue the renewal of the Title V Operating Permit of a glass container manufacturing facility located in Snyder Township, **Jefferson County**. Permitted sources at the facility include two glass melting furnaces, refiners, forehearths, lehrs, forming machines, a boiler, a diesel-fueled emergency generator, two natural gas-fired emergency generators, and other supporting operations. The facility is Title V because of its potential to emit NO_x and SO_x. The glass melting furnace has been subject to 25 Pa. Code §§ 129.301—129.310 and 60 Subpart CC. The engines have been subject to 63 Subpart ZZZZ. In this renewal, applicable RACT II (§§ 129.96—129.100) requirements are incorporated into the renewal permit. For the diesel engine, operating hours equivalent to applicable NO_x emission limits are added as restrictions. With both glass melting furnaces already subject to NO_x CEMS and annual emission inventory reporting requirements, quarterly reporting of NO_x and SO_x emissions that applied to one glass melting furnace only is removed. Source test submittals are updated based on Source Testing Section's latest instructions.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507.

48-00038: Specialty Minerals, Inc. (640 N. 13th Street, Easton, PA 18042-1431). The Department intends to issue a renewal State-Only (Natural Minor) Permit for the commercial physical research services facility in Easton, **Northampton County**. The primary sources are boilers and machine shops. The control devices are baghouses. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. The operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

48-00012: American Nickeloid Company (131 Cherry Street, Walnutport, PA 18088-1608). The Department intends to issue a renewal State-Only (Synthetic Minor) Permit for the plating and polishing manufacturing facility in Walnutport Borough, **Northampton County**. The primary sources consist of two (2) 16.8 and 29.3 MMBtu/hr. boilers, copper plating, nickel plating, and chrome plating tanks. The control devices are evaporators and mist eliminators. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. The operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

28-03026: Gish Logging, Inc. (4980 Path Valley Road, Fort Loudon, PA 17224) for the operation of a wood waste boiler at the facility in Metal Township, **Franklin County**. This is for renewal of the existing State-Only permit. Potential air emissions from the facility are estimated at 11.8 tpy PM, 21.5 tpy NO_x, 26.3 tpy CO, 0.74 tpy VOC, and 13.8 tpy SO₂. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

67-03170: Countryside Cremation Services, LLC (205 Main Street, Spring Grove, PA 17362) to issue a State Only Operating Permit for the crematory located in Spring Grove Borough, **York County**. The potential emissions are estimated at 1.94 tpy of NO_x, 1.62 tpy of CO, 1.59 tpy of PM₁₀, 0.71 tpy of SO_x, and 0.14 tpy of VOC. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

67-05136: Wellspan York Hospital (1001 South George Street, York, PA 17405-7198), to issue a State Only Operating Permit for the boilers and generators at the hospital facility located in York City, **York County**. The facility's potential emissions with a 500 hr/yr limitation on each engine are NO_x 88.58 tons, CO 45.35 tons, SO_x 27.04 tons, VOC 2.92 tons, PM₁₀ 9.26 tons, and HAPs 1.04 ton. The operating permit will include emission limits and work practice standards along with monitoring, recordkeeping, and reporting requirements to ensure the facility complies with the applicable air qual-

ity regulations, and includes emissions limitations to ensure synthetic minor status. Among other items, the conditions include provisions for the sources derived from 25 Pa. Code §§ 123 and 127 for restrictions, monitoring, recordkeeping, and reporting. The sources are subject to Federal 40 CFR Part 60 regulations. Source 032 Boiler 1 is subject to Subpart Dc. Source 201 Non-Emergency Generator Engines are subject to Subpart IIII for CI RICE.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.20a). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department. A copy of the application is available for inspection at the district mining office indicated before each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application and request for Section 401 water quality certification application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the district mining office indicated before each application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Written comments or objections regarding a mining permit application should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

A request for an informal conference or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 or § 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

When an NPDES number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Received

Effluent Limits—The following range of effluent limits will apply to NPDES permits issued in conjunction with the associated coal mining activity permit and, in some cases, noncoal mining permits:

Table 1

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l
pH ¹		greater than 6.0; less than 9.0	

Alkalinity greater than acidity¹

¹ The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; and mined areas backfilled and revegetated; and drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.

Permit No. 56763114 and NPDES No. PA0608238, Svonavec, Inc., 2555 New Centerville Road, Rockwood, PA 15557, permit renewal for the continued operation and restoration of a bituminous surface mine in Milford Township, **Somerset County**, affecting 96.8 acres. Receiving stream: unnamed tributaries to/and South Glade Creek, classified for the following use: warm water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: November 1, 2019.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 40110201T. Stell Enterprises, Inc. (16 East Ann Street, Plains, PA 18705), transfer of an existing anthracite surface mine, coal refuse reprocess, coal refuse disposal and preparation plant operation in Avoca and Dupont Boroughs, **Luzerne County** affecting 25.3 acres, receiving stream: Mill Creek, classified for the following uses: cold water and migratory fishes. Application received: October 25, 2019.

Permit No. GP12-40110201. Stell Enterprises, Inc. (16 East Ann Street, Plains, PA 18705), application to operate a coal preparation plant whose pollution control equipment is required to meet all applicable limitations, terms and conditions of General Permit, BAQ-GPA/GP-12 on Surface Mining Permit No. 40110201 in Avoca and Dupont Boroughs, **Luzerne County**. Application received: October 25, 2019.

Permit No. 54190203. Rausch Creek Fuel, LLC (978 Gap Street, Valley View, PA 17983), commencement, operation and restoration of an anthracite coal refuse reprocessing operation in Tremont Township, **Schuylkill County** affecting 15.8 acres, receiving stream: Swatara Creek, classified for the following uses: cold water and migratory fishes. Application received: October 28, 2019.

Noncoal Applications Received

Effluent Limits—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

Table 2

Parameter	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

PAM219018. Wendy West (719 Mercur Hill Road, Wysox, PA 18854), coverage under General NPDES Permit For Stormwater Discharges Associated With Mining Activities (BMP GP-104) on Noncoal Permit No 08192801 located in Standing Stone Township, **Bradford County**. Receiving stream(s): King Creek and Vought Creek classified for the following use(s): WWF, MF. There are no potable water supply intakes within 10 miles downstream. Notice of Intent for Coverage received: October 28, 2019

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	

Alkalinity greater than acidity*

*The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30 days of this public notice and contain the name, address, telephone number and the interest of the party filing the request, and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

NPDES No. PA0215694 (Mining Permit No. 17851501), RES Coal, LLC (224 Grange Hall Road, P.O. Box 228, Armagh, PA 15920). A renewal to the NPDES and mining activity permit for the Clearfield Siding in Boggs Township,

Clearfield County. Surface Acres Affected 50.4. Receiving stream: Clearfield Creek, classified for the following use: WWF. Clearfield Creek TMDL. Receiving stream: Long Run, classified for the following use: CWF. Clearfield Creek TMDL. The application was considered administratively complete on December 16, 2015. Application received: July 22, 2015.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

Outfall 001 discharges to: Clearfield Creek

The proposed effluent limits for *Outfall 001* (Lat: 40° 59' 48" Long: -78° 24' 07") are:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Suspended Solids	(mg/l)	-	35	70	90
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	0.75
Sulfate	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
pH	(S.U.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	-	-	Report

Outfall 004 discharges to: Long Run

The proposed effluent limits for *Outfall 004* (Lat: 40° 59' 36" Long: -78° 24' 20") are:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	3.0	6.0	7.0
Suspended Solids	(mg/l)	-	35	70	90
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	0.75
Sulfate	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
pH	(S.U.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	-	-	Report

Outfall 005 discharges to: Clearfield Creek

The proposed effluent limits for *Outfall 005* (Lat: 40° 59' 37" Long: -78° 24' 04") are:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Suspended Solids	(mg/l)	-	35	70	90
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	0.75
Sulfate	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
pH	(S.U.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	-	-	Report

Outfall 006 discharges to: Long Run

The proposed effluent limits for *Outfall 006* (Lat: 40° 59' 39" Long: -78° 24' 18") are:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	3.0	6.0	7.0
Suspended Solids	(mg/l)	-	35	70	90
Manganese	(mg/l)	-	1.0	2.0	2.5

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Aluminum	(mg/l)	-	0.75	0.75	0.75
Sulfate	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
pH	(S.U.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	-	-	Report

EPA waiver is not in effect.

NPDES No. PA0214779 (Mining Permit No. 26961601), Matt Canestrone Contracting, Inc. (P.O. Box 234, Belle Vernon, PA 15012). A renewal to the NPDES and mining activity permit for the LaBelle Site in Luzerne Township, **Fayette County** and East Bethlehem Township, **Washington County**. Receiving stream: Monongahela River, classified for the following use: WWF. The application was considered administratively complete on April 19, 2017. Application received: December 27, 2016.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

Discharges to: Monongahela River

The proposed effluent limits for Stormwater Runoff at the facility located at (Lat: 40° 00' 38" Long: -79° 59' 12") are:

The permittee is authorized to discharge from sediment traps specifically designed using best management practices to capture and contain sediment from normal stormwater runoff. The permittee is not authorized to discharge from any other point sources.

The following conditions apply at all times:

1. pH not less than 6.0 or greater than 9.0 standard units at all times.
2. Settleable solids less than 0.5 ml/L
3. Alkalinity must exceed acidity at all times.
4. The permittee shall not discharge oil and grease in such quantities "as may be harmful" pursuant to section 311(b)(4) of the CWA and further defined in 40 CFR 110.3(a)(b) to not violate applicable water quality standards; or cause a film or sheen upon or discoloration of the surface of the water or adjoining shoreline or cause a sludge or emulsion to be deposited beneath the surface of the water or adjoining shorelines.
5. The permittee shall not discharge runoff or other water that has come in contact with coal or other pollution forming materials.

The EPA waiver is not in effect.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.

NPDES No. PA0279307 (Mining Permit No. 05130101), Robindale Energy Services, Inc., 224 Grange Hall Road, Armagh, PA 15920, renewal of an NPDES permit for a bituminous surface mine in Broad Top Township, **Bedford County**, affecting 302.5 acres. Receiving stream(s): unnamed tributary to Six Mile Run, Shreves Run and unnamed tributary to Longs Run, classified for the following use(s): warm water fishery. These receiving streams are included in the Six Mile Run Watershed and Longs and Sandy Run Watershed TMDLs. Application received: September 27, 2019.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following treated wastewater outfalls discharge to unnamed tributary to Longs Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
002	N
003	N
004	N

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: 001, 002, 003, 004 Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	1.5	3.0	3.7
Manganese (mg/l)	1.0	2.0	2.5
Aluminum (mg/l)	0.75	0.75	0.75
Total Suspended Solids (mg/l)	35.0	70.0	90.0

Outfalls: 001, 002, 003, 004
Parameter

30-Day
Average

Daily
Maximum

Instant.
Maximum

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
Alkalinity must exceed acidity at all times.

The following stormwater outfalls discharge to unnamed tributary to Six Mile Run, Shreves Run and unnamed tributary to Longs Run:

Outfall Nos.	New Outfall (Y/N)
005	N
006	N
007	N
008	N
009	N
010	N
011	N
012	N
013	N
014	N
015	N

The proposed effluent limits for the previously listed outfalls are as follows:

Outfalls: 006 and 011 Parameter	30-Day Average	Daily Maximum	Instant. Maximum
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)	3.5	3.5	3.5
Total Suspended Solids (mg/l)	35.0	70.0	90.0

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
Alkalinity must exceed acidity at all times.

The proposed effluent limits for the previously listed outfalls are as follows:

Outfalls: 005, 007, 008, 009, 010, 013, 014, 015 Parameter	30-Day Average	Daily Maximum	Instant. Maximum
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	1.7	3.4	4.2
Aluminum (mg/l)	1.3	2.7	3.4
Total Suspended Solids (mg/l)	35.0	70.0	90.0

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
Alkalinity must exceed acidity at all times.

This proposed mine site also contains or is hydrologically connected to substandard discharges for which there is no responsible party. Pursuant to 25 Pa. Code § 87.201, effluent limits for those discharges will be based upon the existing baseline pollution load, or the standards found at 25 Pa. Code § 87.102(a) Group A, whichever is least stringent.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

NPDES No. PA0256293 (Mining Permit No. 17050109), Forcey Coal, Inc., P.O. Box 225, Madera, PA 16661, revision of an NPDES permit for water treatment associated with a bituminous coal surface mining permit in Bloom Township, **Clearfield County**, affecting 119.9 acres. Receiving stream(s): Unnamed Tributary to Little Anderson Creek, classified for the following use(s): CWF. This receiving stream is included in the Anderson Creek Watershed TMDL. Application received: October 19, 2018.

The following outfalls require a non-discharge alternative:

Outfall Nos.	New Outfall (Y/N)
001 (D7T) D7 Treatment System Sample Port	Y
002 (D14T) D14 Treatment System Sample Port	Y

There is no proposed surface discharge from the previously listed facilities to the receiving stream due to the implementation of Best Management Practices in the form of infiltration galleries. Instantaneous maximum BAT limits will be applied to the outfall effluent entering the infiltration galleries for the protection of the groundwater. Waters entering the infiltration system must meet the following instantaneous limitations:

Outfalls: D7T and D14T (All Weather Conditions) Parameter	30-Day Average	Daily Maximum	Instant. Maximum
Iron (mg/l)			7.0
Manganese (mg/l)			5.0
Aluminum (mg/l)			5.0
Total Suspended Solids (mg/l)			90.0
Sulfate (mg/L)		Monitor & Report	
Temperature (°C)		Monitor & Report	

Outfalls: D7T and D14T (All Weather Conditions)
Parameter

30-Day
Average

Daily
Maximum

Instant.
Maximum

Specific Conductivity (µmhos/cm)
 pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
 Alkalinity must exceed acidity at all times.

Monitor & Report

NPDES No. PA0609692 (Mining Permit No. 17813182), Penn Coal Land, Inc., P.O. Box 68, Boswell, PA 15531, renewal of an NPDES permit for reclamation only with post-mining water treatment in Decatur Township, **Clearfield County**, affecting 125.8 acres. Receiving stream(s): Big Run classified for the following use(s): CWF and MF. This receiving stream is included in the Moshannon Creek TMDL. Application received: October 4, 2019.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following outfalls discharge to Big Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
001 (D2-12 post-mining discharge treatment)	N
002 (D2-14 post-mining discharge treatment)	N

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: 001, 002 (All Weather Conditions)</i> <i>Parameter</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant.</i> <i>Maximum</i>
Iron (mg/l)	2.3	4.6	5.7
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)	0.75	1.5	1.8
Total Suspended Solids (mg/l)	35.0	70.0	90.0
Osmotic Pressure (mOsm/kg)	50.0	50.0	50.0
Sulfate (mg/L)	Monitor & Report		
Flow (gpm)	Monitor & Report		
Temperature (°C)	Monitor & Report		
Specific Conductivity (µmhos/cm)	Monitor & Report		
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

Noncoal NPDES Draft Permits

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

NPDES No. PA0238287 (Mining Permit No. 41990301), Glenn O. Hawbaker, Inc., 711 East College Avenue, Bellefonte, PA 16823, renewal of an NPDES permit for noncoal surface mine in Armstrong Township, **Lycoming County** affecting 41.3 acres. Receiving stream(s): Hagersman's Run, classified for the following use(s): CWF-MF. Application received: April 29, 2019.

The following outfalls discharge to Hagersman's Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
001 (ES-1 Sediment)	N
002 (ES-2 Sediment)	N
003 (TB-1 Treatment)	N

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: 001, 002, and 003</i> <i>Parameter</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant.</i> <i>Maximum</i>
Total Suspended Solids (mg/l)	35.0	70.0	90.0
Flow (gpm or MGD)	Report		
pH (S.U.): Must be between 6.0 and 9.0 standard units.			

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water

Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before an application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or

conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on working days at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications Received under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Waterways and Wetlands Program, 2 East Main Street, Norristown, PA 19401, Telephone 484.250.5160.

E09-1036: Pennsylvania Department of Transportation Engineering District 6-0, 7000 Geerdes Blvd., King of Prussia, PA 19406, Bensalem and Middletown Townships, **Bucks County**, ACOE Philadelphia District.

The Pennsylvania Department of Transportation District 6-0 (PennDOT 6-0) is proposing to perform the following water obstruction and encroachment activities within an unnamed tributary to Neshaminy Creek (WWF-MF) as well as the main branch of Neshaminy Creek (WWF-MF) associated with the S.R. 0001 Section RC2 Improvement Project:

1. To construct and maintain a 90-foot-long, 42-inch diameter RCP stream enclosure extension carrying a perennial unnamed tributary to Neshaminy Creek (WUS-19, WWF-MF). This activity is associated with the reconstruction of the Rockhill Drive Interchange, including the placement of rock riprap apron and rock barriers resulting 142 linear feet (1,412 square feet, 0.032 acre) of permanent watercourse impact and 7,284 square feet (0.167 acre) of permanent floodway impact.

2. To place fill within a perennial unnamed tributary to Neshaminy Creek (WUS-20, WWF-MF) in association with the reconstruction of the Rockhill Drive Interchange resulting in 84 linear feet (463 square feet, 0.011 acre) of permanent watercourse impact and 9,273 square feet (0.212 acre) of permanent floodway impact. This activity also includes the placement of rock barriers.

3. To construct and maintain a 95-foot-long, 42-inch diameter stream enclosure extension carrying a perennial unnamed tributary to Neshaminy Creek (WUS-18, WWF-MF) associated with the reconstruction of the Rockhill Drive Interchange including the placement of rock riprap apron resulting in 132 linear feet (1,336 square feet, 0.031 acre) of permanent watercourse impact and 17,854 square feet (0.410 acre) of permanent floodway impact.

4. The construction of the 95-foot-long, 42-inch diameter RCP stream enclosure extension (WUS-18, WWF-MF) includes the loss of hydrology to a wetland (WET-16, PEM) and will result in 1,601 square feet (0.037 acre) of permanent wetland impact.

5. To construct and maintain a 51-foot-long, double 42-inch diameter RCP stream enclosure extension carrying a perennial unnamed tributary to Neshaminy Creek (WUS-15, WWF-MF), reconstruct and maintain an existing headwall, perform grading for drainage improve-

ments, including the placement of rock riprap aprons and rock barriers associated with the reconstruction of the Rockhill Drive Interchange resulting in 149 linear feet (2,923 square feet, 0.067 acre) of permanent watercourse impact, 13,229 square feet (0.304 acre) of permanent floodway impact, 256 linear feet (2,576 square feet, 0.059 acre) of temporary watercourse impact and 12,758 square feet (0.293 acre) of temporary floodway impact.

6. To construct and maintain a 24-inch outfall carrying an intermittent unnamed tributary to Neshaminy Creek (WUS-16, WWF-MF) originating at the pipe outfall from the existing roadway slope associated with the reconstruction of the Rockhill Drive Interchange resulting in 68 linear feet (532 square feet, 0.12 acre) of permanent watercourse impact, 3,288 square feet (0.075 acre) of permanent floodway impact, 10 linear feet (78 square feet, 0.002 acre) of temporary watercourse impact and 4,845 square feet (0.111 acre) of temporary floodway impact. This activity also includes the placement of rock riprap apron and rock barrier.

7. To place fill within a wetland (WET-17, PEM) associated with the reconstruction and road widening of the Rockhill Drive Interchange resulting in 1,504 square feet (0.035 acre) of permanent wetland impact.

8. To construct and maintain a 138-foot-long, 30-inch diameter RCP stream enclosure extension carrying a perennial unnamed tributary discharging directly to Neshaminy Creek (WUS-14, WWF-MF) associated with roadway widening of S.R. 0001, existing outfall improvements, a new 12-inch diameter outfall and the placement of riprap rock aprons located adjacent to the northbound approach of the bridge over Neshaminy Creek. This activity will result in 221 linear feet (2,639 square feet, 0.061 acre) of permanent watercourse impact, 249 linear feet (2,522 square feet, 0.058 acre) of temporary watercourse impact with 25,647 square feet (0.589 acre) of permanent floodway impact to Neshaminy Creek (WUS-1) 100-year floodplain and 11,153 square feet (0.256 acre) of temporary floodway impact to Neshaminy Creek (WUS-1) 100-year floodplain.

9. To remove an existing 322.5-foot-long, three 3-span, reinforced concrete arch bridge over the Neshaminy Creek (WUS-1, WWF-MF) and in its place, construct and maintain two (2) 3-span continuous composite prestressed concrete bulb-tee beam bridges as follows:

- 401-foot-long, 3-span S.R. 0001 Section RC2 South-bound Bridge located adjacent to existing bridge location.
- 403-foot-long, 3-span S.R. 0001 Section RC2 North-bound Bridge located at existing bridge location.

This activity will result in 200 linear feet (27,172 square feet, 0.624 acre) of permanent watercourse impact, 117,535 square feet (2.698 acre) of permanent floodway impact and 230 linear feet (43,341 square feet, 0.995 acre) of temporary watercourse impact. In addition, the placement of fill, construction of new bridges and a stormwater facility will result in 10,625 square feet (1.788 acre) of permanent FEMA designated floodway and 100-year floodplain impact. Temporary impact to floodway and watercourse includes the construction and maintenance of three (3) temporary access roads and temporary bridges within the watercourse and floodway/floodplain of the Neshaminy Creek (WUS-1, WWF-MF) for pier removal and construction.

10. To place fill within a perennial unnamed tributary to Neshaminy Creek (WUS-12, WWF-MF) associated with the reconstruction of the Pennel Interchange (both sides of existing S.R. 0001) and the construction of a

stormwater facility resulting in 35 linear feet (323 square feet, 0.007 acre) of permanent watercourse impact and 53 linear feet (714 square feet, 0.016 acre) of temporary watercourse impact with 32,716 square feet (0.751 acre) of permanent floodway impact and 3,817 square feet (0.088 acre) of temporary floodway impact to Neshaminy Creek (WUS-1) 100-year floodplain with includes a portion of the floodway of the unnamed tributary.

11. To place fill for grading activities and construct a stormwater facility within two (2) intermittent unnamed tributaries of Neshaminy Creek (WUS-11, WUS-13, WWF-MF) and two (2) wetlands (WET-11A, WET-11B, PFO) associated with the reconstruction of the Pennel Interchange resulting in a total of 134 linear feet (664 square feet, 0.016 acre) of permanent watercourse impact, 25,643 square feet (0.588 acre) of permanent floodway impact and 7,656 square feet (0.176 acre) of permanent wetland impact.

12. To construct and maintain a 36-foot-long, 36-inch diameter culvert extension carrying a perennial unnamed tributary to the Neshaminy Creek (WUS-10, WWF-MF) due to the reconstruction of the Business Route 1 ramp resulting in 59 linear feet (652 square feet, 0.015 acre) of permanent watercourse impact, 5,395 square feet (0.124 acre) of permanent floodway impact, 18 linear feet (183 square feet, 0.004 acre) of temporary watercourse impact and 1,980 square feet (0.045 acre) of temporary floodway impact. This activity also includes the placement of rock riprap apron.

13. To place fill and construct a stormwater facility within two (2) wetlands (WET-18, WET-19, PEM) located at the Business Route 1 ramp resulting in 2,255 square feet (0.052 acre) of permanent wetland impact.

Overall, this project will result in a total of 1,224 linear feet (38,116 square feet, 0.875 acre) of permanent watercourse impact and 13,016 square feet (0.299 acre) of permanent wetland impact with off-site mitigation associated for both S.R. 0001 Section RC1 (DEP Permit No. E09-1012) and Section RC2 located at Bensalem High School. Mitigation efforts include the removal of a partially breached dam, the relocation/restoration of 1,482 linear feet of an unnamed tributary to Neshaminy Creek (WUS-M1, WWF-MF) and a minimum creation/restoration of 1.37 acre of floodplain wetlands. In addition, efforts include mitigation for 0.307 acre of existing wetlands impacted by proposed mitigation construction activities. This project is located between the Rockhill Drive Interchange and Pennel Interchange in Bensalem and Middletown Townships, Bucks County (USGS PA Langhorne Quadrangle—Latitude 40.136456 N, Longitude 74.962950 W).

E46-1012: Limerick Partners I, LP, Meetinghouse Business Center, Suite 120, Plymouth Meeting, PA 19462, Limerick Township, **Montgomery County**, ACOE Philadelphia District.

To reissue Permit No. E46-1012 which authorized the relocation, construction, and maintenance of 956 LF along the unnamed tributary to Mingo Creek (WWF) and the placement of 0.22 acre of fill in the abandon channel to facilitate construction of the retail center (Home Depot). The project is located on the west side of PA Route 100 approximately 1,900 feet southwest of Ridge Pike, west of Township Line (Phoenixville, PA, Quadrangle Lat: 40.214694; Long: -75.50583) in Limerick Township, Montgomery County.

E15-917: PECO Energy Company, 2301 Market Street N3-3, Philadelphia, PA 19103, Tredyffrin Township, **Chester County**, ACOE Philadelphia District.

To construct and maintain 120 LF of a 6-inch plastic gas main in and along the assumed 100-year floodway of Crow Creek (WWF, MF) utilizing an open trench method.

The site is located near the intersection of Croton and Knox Roads in a local historic district listed on National Register Historic Places (Tredyffrin, PA USGS map, Lat: 40.064096; -75.397523) in Tredyffrin Township, Chester County.

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone 570-826-2511.

E3502219-005. BHR Development Group, LLC, 1210 Wheeler Avenue, Dunmore, PA 18510, in Jessup Borough, **Lackawanna County**, U.S. Army Corps of Engineers, Baltimore District.

To construct and maintain the following water obstructions and encroachments associated with the proposed BHR Distribution Center:

1) To fill eight (8) wetland areas permanently impacting a total of 0.78 acre of isolated, PEM/PSS wetlands for the purpose of constructing a 750,000 sqft warehouse facility, access road, parking lot and associated grading.

2) To fill four (4) isolated, lacustrine, open water fills impacting a total of 0.07 acre for the purpose of constructing a 750,000 sqft warehouse facility, access road, parking lot and associated grading.

The project is located approximately 0.4 mile south on Moosic Lake Road (SR 247) from the intersection with Exit 3 of U.S. Route 6 East (Olyphant, PA Quadrangle Latitude: 41° 27' 19" Longitude: -75° 33' 44") in Jessup Borough, Lackawanna County.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ed Muzic, Section Chief, 717.705.4802.

E0603219-006: Schuylkill Rover Greenways Association, 140 College Drive, Pottstown, PA 19464 in Perry Township, **Berks County**, U.S. Army Corps of Engineers Philadelphia District.

To 1.) install and maintain 6 new parking spaces in the floodway of the Schuylkill River (WWF, MF); 2.) pave and maintain an existing walking trail in the floodway of the Schuylkill River (WWF, MF); and 3.) remove an existing access drive in the floodway of the Schuylkill River (WWF, MF), impacting a total of 0.51 acre of the floodway of the Schuylkill River (WWF, MF), all for the purpose of achieving Americans with Disabilities Act compliance. The project is located at the intersection of Water Street and 5 Locks Road (Latitude: 40° 31' 15.43" N; Longitude: 75° 59' 52.32"W) in Perry Township, Berks County. No wetlands will be impacted by this project.

E0603219-008: RAR2-Bethel Industrial, LLC, 171 State Route 173, Suite 201, Asbury, NJ 08802 in Bethel Township, **Berks County**, U.S. Army Corps of Engineers Philadelphia District.

To (1) place fill for a warehouse impacting 0.17 acre of PEM wetland and .02 acre of PSS wetland (40.480538, -76.261104); (2) Place fill for a warehouse impacting 0.002 acre of PSS wetland and 20 linear feet of a UNT to Little Swatara Creek (CWF) (40.479595, -76.260314); (3) place fill for a warehouse, parking area and road impacting 0.01 acre of PSS wetland, 0.011 acre of PEM wetland and 109 linear feet a UNT to Little Swatara Creek (CWF) and 0.79 acre of the floodway of a UNT to Swatara Creek (CWF) (40.479258, -76.260264); (4) 2 General Permit 7 for the construction of a dual 39.3-foot long 24-inch culverts

and concrete headwall and endwall (40.478732, -76.259986); (5) 1 General Permit 8 for the temporary crossing of UNT to Mill Creek (CWF) (40.481402, -76.264705), all for the purpose of constructing a warehouse and associated infrastructure in Bethel Township, Berks County. The applicant proposes to impact a total of 0.215 acre of PEM and PSS wetlands and 137 linear feet of stream and proposes to purchase credits for compensatory mitigation from the First Pennsylvania Resource, LLC Codorus Creek Mitigation Bank.

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636.

E5304219003. National Fuel Gas Supply Corporation, 1100 State Street, Erie, PA 16501. Castle Hollow Road. Gas Transmission Pipeline Recoating. West Branch Whitney Creek, Hebron Township, **Potter County**. USACOE Pittsburgh District (Oswayo, PA Quadrangle Latitude: 41° 52' 53.25"; Longitude: 78° 04' 00.20").

The applicant is seeking Department consent to excavate and recoat approximately 50 feet of a 24-inch gas pipeline crossing West Branch Whitney Creek and place timber matting to temporarily cross a wetland for access. Department water quality designation for West Branch Whitney Creek is Exceptional Value (EV), Natural Trout Reproduction. There will be one (1) wetland crossing and two (2) stream crossings utilizing timber matting to access the project site. All disturbance will be within the existing pipeline right-of-way and will be restored to its original contours. The total disturbed area for this project is 0.47 acre. The total impact area of the wetland is 936 square feet. Proposed crossing methods will be temporary, maintain existing hydrology to downstream/downslope aquatic resources and will not result in a significant loss

of functional value within these resources. Post construction restoration efforts will restore and functions that are lost during the construction of the pipeline.

E1704219-004: Rusty's Oil & Propane, Woodward Township, **Clearfield County**, U.S. Army Corps of Engineers Baltimore District (Houtzdale Quadrangle; Latitude 40° 49' 51" N; 78° 20' 3" W).

The applicant is proposing to expand the Houtzdale oil and propane business along SR 53 in Woodward Township. If approved, the project will result in 0.15 acre of permanent wetland impact. The palustrine emergent wetland is not considered exceptional value and no known threatened or endangered species inhabit the resource. Mitigation for the impact will be completed onsite by converting 0.15 acre of upland to wetland. The mitigation area plus the adjacent natural wetland will be protected by a deed restriction.

District Oil & Gas Operations: Eastern Oil & Gas District, 208 West Third Street, Suite 101, Williamsport, PA 17701.

E0829-126: Chesapeake Appalachia, LLC, 14 Chesapeake Lane, Sayre, PA 18840, Franklin Township, **Bradford County**, ACOE Baltimore District.

To construct, operate and maintain:

1. 221 linear feet of R-6 riprap for stream and bank stabilization of an unnamed tributary to Towanda Creek (CWF, MF) (Powell, PA Quadrangle, Latitude: 41° 41' 43", Longitude: -76° 35' 54").

The project will result in 221 linear feet or 6,788 square feet of stream impacts all for the purpose of installing R-6 riprap for stream and bank stabilization in Franklin Township, Bradford County.

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel

Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0220906 (Industrial)	Pithole Water Association P.O. Box 25 Cyclone, PA 16726-0025	McKean County Keating Township	Panther Run (EV) (16-C)	Yes
PA0103101 (Sewage)	Wesley Woods Christian Ed Center 1001 Fiddlersgreen Road Grand Valley, PA 16420-4429	Warren County Eldred Township	Unnamed Tributary to Caldwell Creek (HQ-CWF) (16-E)	Yes

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0051896 (Stormwater)	Georgia-Pacific— Dixie Lehigh Valley 605 Kuebler Road Easton, PA 18040-9281	Northampton County Forks Township	Bushkill Creek (HQ-CWF, MF) (1-F)	Yes
PA0062332 (Sewage)	Eaton Hills Development Grandview Drive Tunkhannock, PA 18657	Wyoming County Eaton Township	Susquehanna River (WWF, MF) (4-G)	Yes
PAS602208 (Stormwater)	H. Blinderman & Son, Inc. P.O. Box 908 Allentown, PA 18105	Northampton County Hellertown Borough	Saucon Creek (HQ-CWF, MF) (02C)	Yes

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0085677 (GWCU)	Harley-Davidson Motor Company Operations, Inc. 1425 Eden Road York, PA 17402-1907	York County/ Springettsbury Township	Codorus Creek/7-H	Y
PA0246387 (Sewage)	Rustic Meadows Campground 1980 Turnpike Road Elizabethtown, PA 17022-9542	Lancaster County West Donegal Township	Unnamed Tributary to Snitz Creek (WWF) (7-G)	Y
PAS603505 (Storm Water)	J & K Salvage Yard 1099 Kings Mill Road York, PA 17403-3485	York County/ Spring Garden Township	Codorus Creek (WWF, MF), Unnamed Tributary to Codorus Creek (WWF, MF), and Codorus Creek (WWF) (7-H)	Y
PA0009741 (Industrial)	Exelon Generation Co. LLC Muddy Run Pumped Storage Facility 300 Exelon Way Suite 310 Kennett Square, PA 19348	Lancaster County Drumore Township	Susquehanna River (WWF) and Susquehanna River (WWF, MF) (7-K)	Y

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0043028 (Sewage)	Hemlock Acres Ct MHP 1546 Newport Road Manheim, PA 17545-8521	Lancaster County Rapho Township	Chiques Creek (WWF) (7-G)	N
<i>Northcentral Regional Office: Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3636.</i>				
<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0114693 (Sewage)	Clymer Township Municipal Authority P.O. Box 62 Sabinsville, PA 16943-0062	Tioga County Clymer Township	Mill Creek (TSF) (4-A)	Yes
PA0060062 (Sewage)	Red Rock Job Corps Center P.O. Box 218 Lopez, PA 18628-0218	Sullivan County Colley Township	Mehoopany Creek (HQ-CWF) (4-G)	Yes
<i>Southwest Regional Office: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.</i>				
<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0098817 (Sewage)	Hickory Acres STP 669 Nelson Road R Farmington, PA 15437-1225	Fayette County Wharton Township	Unnamed Tributary to Meadow Run (HQ-CWF) (19-E)	Yes

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions.

Northcentral Regional Office: Regional Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3636.

NPDES Permit No. PA0229172 A-1, Industrial, SIC Code 4941, **Duncan Township Municipal Water Authority**, 42 Duncan Township Road, Wellsboro, PA 16901-8544.

This existing facility is located in Duncan Township, **Tioga County**.

Description of Existing Action/Activity: Issuance of an NPDES Permit Amendment for an existing discharge of treated industrial wastewater.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

NPDES Permit No. PA0272442, Sewage, SIC Code 4952, 8800, **Anna D Clifton Estate**, 116 Allegheny Center Mall, Pittsburgh, PA 15212-5333.

This proposed facility is located in Conewango Township, **Warren County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

NPDES Permit No. PA0272353, Sewage, SIC Code 4952, 8800, **Don P Hegburg**, 729 Railroad Street, Clarion, PA 16214.

This proposed facility is located in Clarion Township, **Clarion County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

NPDES Permit No. PA0272434, Sewage, SIC Code 8800, **Bonita Skrzypczyk**, 8494 Buffalo Road, Harborcreek, PA 16421.

This proposed facility is located in Waterford Township, **Erie County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law.

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, 484.250.5900.

WQM Permit No. WQG02461914, Sewage, **Horsham Water & Sewer Authority**, 617 Horsham Road, Horsham, PA 19044.

This proposed facility is located in Horsham Township, **Montgomery County**.

Description of Action/Activity: Construction and operation of a sewer extension.

WQM Permit No. WQG02461913, Sewage, **Lower Gwynedd Township**, 1130 N. Bethlehem Pike, P.O. Box 625, Spring House, PA 19477.

This proposed facility is located in Lower Gwynedd Township, **Montgomery County**.

Description of Action/Activity: Construction and operation of a new low pressure force main system/extension 17 new townhouses.

WQM Permit No. WQG010060, Sewage, Transfer, **Mr. Patrick Philbin**, 922 Hunt Drive, West Chester, PA 19382.

This proposed facility is located in Westtown Township, **Chester County**.

Description of Action/Activity: Transfer ownership.

WQM Permit No. 0902403, Sewage, Transfer, **Michael & Elizabeth Snyder**, 1550 Murphy Road, Kintnersville, PA 18930.

This proposed facility is located in Springfield Township, **Bucks County**.

Description of Action/Activity: Transfer ownership.

WQM Permit No. WQG02461915, Sewage, **Lower Perkiomen Valley Sewer Authority**, P.O. Box 297, 101 Station Avenue, Oaks, PA 19456-0297.

This proposed facility is located in Upper Providence Township, **Montgomery County**.

Description of Action/Activity: 16 single family dwellings.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

WQM Permit No. 6470403A-1, Sewage, **Lake Bryn Mawr Camp**, 593 Bryn Mawr Road, Honesdale, PA 18431.

This existing facility is located in Oregon Township, **Wayne County**.

Description of Proposed Action/Activity: The project is for the construction/installation of an effluent flow meter and an ultraviolet disinfection system at the wastewater treatment plant. The applicant also requested for four existing unpermitted 2 HP Kasco Pond Aerators to be included in this permit. Provisions are also included for backup tablet dechlorination in the event chlorine is used for backup disinfection.

WQM Permit No. 3919408, Sewage, **City of Allentown**, 435 Hamilton Street, Allentown, PA 18101.

This existing facility is located in Allentown City, **Lehigh County**.

Description of Proposed Action/Activity: The project is for the installation of a sodium hypochlorite disinfection and odor control system at the WWTP. Existing gas chlorine disinfection and odor control systems will be replaced by the new sodium hypochlorite systems. Three sodium hypochlorite storage tanks installed in the Chlorine Building will provide a working volume of 7,650 gallons and a fourth tank is included as an online spare. Two similar sodium hypochlorite tanks will be utilized for gravity thickener odor control at the intermediate settling tank sludge pump station.

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

WQM Permit No. 6519401, Sewage, **Westmoreland County Municipal Authority**, P.O. Box 730, Greensburg, PA 15601.

This proposed facility is located in Youngwood Borough, **Westmoreland County**.

Description of Proposed Action/Activity: Replace sanitary sewers along SR 119.

WQM Permit No. 6319405, Sewage, SIC Code 4952, **Authority of the Borough of Charleroi**, 3 McKean Avenue, P.O. Box 211, Charleroi, PA 15022-0211.

This proposed facility is located in Charleroi Borough, **Washington County**.

Description of Proposed Action/Activity: The applicant proposes to construct their CSO Control Project, Phase 2. The project will make modifications to the existing Maple Creek Pump Station, construct a new Western Flour Pump Station, construct a new diversion chamber on the Maple Creek Interceptor, replace 1,500 L.F. of existing 10" diameter sewer line with 18" diameter sewer line, construct a new 20" diameter force main, construct a new wet weather pump station at the WWTP and modify the existing North Charleroi Pump Station.

WQM Permit No. 6319402, Sewage, SIC Code 4952, **North Strabane Township Municipal Authority Washington County**, 68 E Pike Street, Canonsburg, PA 15317-1375.

This proposed facility is located in Cecil Township, **Washington County**.

Description of Proposed Action/Activity: Construction of a submersible pump station and approximately 1,700 feet of six-inch diameter force main to serve the proposed Greenwood Village development.

WQM Permit No. 0274469 A-8, Sewage, SIC Code 4952, **Sharpsburg Borough Allegheny County**, 3300 Preble Avenue, Pittsburgh, PA 15233-1025.

This proposed facility is located in Pittsburgh City, **Allegheny County**.

Description of Proposed Action/Activity: Installation of new sanitary sewers, conversion of two combined sewers into storm sewers and construction of a 48-inch diameter storm sewer.

WQM Permit No. 6583401 A-7, Sewage, SIC Code 4952, **Municipal Authority of Westmoreland County**, P.O. Box 730, Greensburg, PA 15601.

This existing facility is located in Hempfield Township, **Westmoreland County**.

Description of Proposed Action/Activity: The Authority proposes to replace and relocate their existing UV Disinfection System at the New Stanton STP.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 6119402, Sewage, **John Shoup**, 310 Fineview Drive, McMurray, PA 16317.

This proposed facility is located in Sandycreek Township, **Venango County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 6219410, Sewage, **Anna D Clifton Estate**, 116 Allegheny Center Mall, Pittsburgh, PA 15212-5333.

This proposed facility is located in Conewango Township, **Warren County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 1619404, Sewage, **Don P Hegburg**, 729 Railroad Street, Clarion, PA 16214.

This proposed facility is located in Clarion Township, **Clarion County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 2519416, Sewage, **Bonita Skrzypczyk**, 8494 Buffalo Road, Harborcreek, PA 16421.

This proposed facility is located in Waterford Township, **Erie County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

IV. NPDES Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4) Individual Permits Issued.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707.

<i>NPDES Permit No.</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>Receiving Water(s)/Use(s)</i>	<i>TMDL Plan Submitted (Y/N)</i>	<i>Pollutant Reduction Plan Submitted (Y/N)</i>
PAI133518	Washington Township Berks County 120 Barto Road Barto, PA 19504-8746	Washington Township Berks County	West Branch Perkiomen Creek (CWF, MF), Swamp Creek, and Middle Creek (TSF, MF)/ TSF, CWF, and MF	N	Y

V. NPDES Waiver Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4) Actions.

The following waiver applications have been approved for a 5-year period. The Department is issuing waivers for the following MS4s instead of NPDES permit coverage.

Southcentral Regional Office: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200. Phone: 717.705.4707.

<i>NPDES Waiver No.</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Receiving Water(s)/Use(s)</i>
PAG133641	Royalton Borough Dauphin County 101 Northumberland Street Middletown, PA 17057-1612	Royalton Borough Dauphin	Swatara Creek (WWF, MF) and Unnamed Stream (WWF, MF)/WWF and MF
PAG133695	Jonestown Borough Lebanon County 295 South Mill Street Jonestown, PA 17038-0446	Jonestown Borough Lebanon	Swatara Creek (WWF, MF) and Little Swatara Creek (WWF, MF)/WWF and MF
PAG133696	Penn Township Perry County 100 Municipal Building Road Duncannon, PA 17020-1130	Penn Township Perry	Susquehanna River (WWF, MF)/WWF and MF

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Nathan Phillips, Section Chief, Telephone 717.705.4802.

<i>Permit #</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD210041 Issued	South Middleton Township Municipal Authority 345 Lear Lane Boiling Springs, PA 17007-9695	Cumberland	South Middleton Township	Yellow Breeches Creek (HQ-CWF, MF) UNT Yellow Breaches Creek (HQ-CWF, MF)

VII. Approvals to Use NPDES and/or Other General Permits.

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types.

PAG-1	General Permit for Discharges from Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges from Small Flow Treatment Facilities
PAG-5	General Permit for Discharges from Petroleum Product Contaminated Groundwater Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines
PAG-11	General Permit for Discharges from Aquatic Animal Production Facilities
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
PAG-14	(To Be Announced)
PAG-15	General Permit for Discharges from the Application of Pesticides

General Permit Type—PAG-02

Southcentral Region: Water Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707.

Contact: Nathan Phillips, Section Chief, 717.705.4802.

Facility Location:

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Allegheny Township Blair County Issued	PAC070061	FBG Development Co. 5506 6th Avenue, Rear Altoona, PA 16602	Brush Run (WWF-MF)	Blair County Conservation District 1407 Blair Street Holidaysburg, PA 16648 814.696.0877, ext. 5
Silver Spring Township Cumberland County Issued	PAC210164	JJLH Associates, LTD 4437 Street Road Trevose, PA 19053-4437	Hogestown Run (CWF)	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013-9101 717.240.7812

*Facility Location:
Municipality &
County*

North Lebanon
Township
Lebanon County
Issued

Permit No.
PAC380142

Applicant Name & Address
Iron Valley Ceilings
1754 State Route 72
Lebanon PA 17046

*Receiving
Water/Use*
UNT Swatara Creek
(WWF)

*Contact Office &
Phone No.*
Lebanon County
Conservation District
2120 Cornwall Road
Lebanon, PA
17042-9788
717.277.5275

York Township
York County
Issued

PAC670311

JLM Real Estates Investments,
LLC
P.O. Box 472
950 East Main Street
Schuylkill Haven, PA 17972-0472

UNT Lake Redman
(CWF, MF)

York County
Conservation District
118 Pleasant Acres
Road
York, PA 17402
717.840.7430

West Manheim
Township
York County
Issued

PAC670347

Stone Ridge Development Corp
330 Dubs Church Road
Hanover, PA 17331

West Branch
Codorus Creek
(WWF)

York County
Conservation District
118 Pleasant Acres
Road
York, PA 17402
717.840.7430

Penn Township
York County
Issued

PAC670344

CFR Partners, LP
1623 Pot Spring Road
Lutherville, MD 21093

UNT Furnace Creek
(WWF)

York County
Conservation District
118 Pleasant Acres
Road
York, PA 17402
717.840.7430

York Township
York County
Issued

PAC670232

Wellspring Properties, Inc.
45 Monument Road
York, PA 17403

UNT Codorus Creek
(WWF)

York County
Conservation District
118 Pleasant Acres
Road
York, PA 17402
717.840.7430

Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

*Facility Location &
Municipality*

Athens & Sayre Boro,
Bradford Cnty

Permit No.
PAC080043

Applicant Name & Address
PennDOT Engineering
District 3-0
715 Jordan Avenue
Montoursville, PA 17754

*Receiving
Water/Use*
Susquehanna River
WWF

*Contact Office &
Phone No.*
Bradford County
Conservation District
Stoll Natural
Resource Ctr
200 Lake Rd
Ste E
Towanda, PA 18848
(570) 265-5539, X 6

Morris Twp,
Clearfield Cnty

PAC170028

Morrisdale DPP, LLC
c/o Jason Horowitz
9010 Overlook Blvd
Brentwood, TN 37027

UNT to Hawk Run
CWF

Clearfield County
Conservation District
511 Spruce St
Ste 6
Clearfield, PA 16830
(814) 765-2629

Sandy Twp,
Clearfield Cnty

PAC170029

DuBois Area School District
c/o Larry Salone
500 Liberty Blvd
DuBois, PA 15801

Pentz Run
CWF

Clearfield County
Conservation District
511 Spruce St
Ste 6
Clearfield, PA 16830
(814) 765-2629

City of DuBois,
Clearfield Cnty

PAC170030

DuBois Regional Medical Center
100 Hospital Ave
DuBois, PA 15801

Reisinger Run
CWF
Sandy Lick Creek
TSF

Clearfield County
Conservation District
511 Spruce St
Ste 6
Clearfield, PA 16830
(814) 765-2629

NOTICES

7009

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Brady Twp, Lycoming Cnty	PAC410046	Count of Lycoming P.O. Box 187 Montgomery, PA 17752	UNT to Black Run WWF	Lycoming County Conservation District 542 County Farm Rd Ste 202 Montoursville, PA 17754 (570) 433-3003
Liberty Twp, Montour Cnty	PAC470019	Joy Weaver 24 Danny's Road Milton, PA 17847	Chillisquaque Creek WWF, MF	Montour County Conservation District 14 E Mahoning St Danville, PA 17821 (570) 271-1140
Point Twp, Northumberland Cnty	PAC490048	Northumberland Christian School Attn: Pastor John Rees 351 Fifth Street Northumberland, PA 17857	UNT West Branch Susquehanna River WWF, MF	Northumberland County Conservation District 441 Plum Creek Rd Sunbury, PA 17801 (570) 286-7114 ext. 4
East Buffalo Twp Union Cnty	PAC600049	Matthew Miller 123 Highfields Lane Lewisburg, PA 17837	Limestone Run WWF, MF	Union County Conservation District Union County Government Center 155 N 15th St Lewisburg, PA 17837 (570) 524-3860

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Adams Township Butler County	PAC100138	B3V Partners LP Mr. Bob Brennan 800 South Washington Street Evans City, PA 16033	UNT to S Branch Glade Run WWF, UNT to Breakneck Creek	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270
Middlesex Township Butler County	PAC100174	Browns Hill Road Associates LLC Mr. Frank Pelly 10431 Perry Highway Suite 100 Wexford, PA 15090	UNT to Glade Run WWF	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270
Greenwood Township Crawford County	PAC200040	Hafer Real Estate LLC 6899 Hafer Lane Conneaut Lake, PA 16316	Geneva Marsh WWF	Crawford County Conservation District 21742 German Road Meadville, PA 16335 814-763-5269

General Permit Type—PAG-3

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Adams County/ Cumberland Township	PAG033612	Susquehanna Area Regional Airport (Gettysburg Regional Airport) 1 Terminal Drive Suite 300 Middletown, PA 17057	UNT Marsh Creek (CWF, MF)	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
York County/ Manchester Township	PAR123525, A1	Ardent Mills, LLC 2800 Blackbridge Road York, PA 17406	Codorus Creek (WWF, MF)	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Berks County/ Reading City	PAR233508, A1	Mitsubishi Chemicals Advanced Materials, Inc. 2120 Fairmont Ave. Reading, PA 19605	Schuylkill River (WWF, MF)	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Adams County/ Butler Township	PAG033611	48Forty Solutions, LLC 3177 Biglerville Road Biglerville, PA 17307	UNT Conewago Creek (WWF, MF)	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Derry Township Montour County	PAR214838 A-1	US Gypsum Co. 86 PPL Road Danville, PA 17821-7963	Mud Creek (WWF, MF)	DEP Northcentral Regional Office Clean Water Program 208 W Third Street Suite 101 Williamsport, PA 17701-6448 570.327.3636
Derry Township Westmoreland County	PAG036266	ATI Flat Rolled Products Holdings LLC 100 River Road Brackenridge, PA 15014-1537	Saxman Run (WWF)—18-C	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive Pittsburgh, PA 15222-4745 412.442.4000
Cherryhill Township Indiana County	PAG036184	JJ Kennedy, Inc. P.O. Box 69 Zelienople, PA 16063	Unnamed Tributary to Yellow Creek (CWF)—18-D	DEP Northwest Regional Office Clean Water Program 230 Chestnut Street Meadville, PA 16335-3481 814.332.6942
Hanover Township Washington County	PAG036129	Hydro Recovery LP— Washington 1975 Waddle Road State College, PA 16803	Unnamed Tributary to Raccoon Creek (WWF)—20-D	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive Pittsburgh, PA 15222-4745 412.442.4000

General Permit Type—PAG-4

<i>Facility Location & Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Springfield Township Bucks County	PAG040121 A-1	Michael & Elizabeth Snyder 1550 Murphy Road Kintnersville, PA 18930	Haycock Creek (TSF, MF) 2-D	DEP Southeast Regional Office Clean Water Program 2 E Main Street Norristown, PA 19401 484.250.5970
Westtown Township Chester County	PAG040213 A-1	Mr. Patrick Philbin 922 Hunt Drive West Chester, PA 19382	Unnamed Tributary of Chester Creek (TSF, MF) 3-G	DEP Southeast Regional Office Clean Water Program 2 E Main Street Norristown, PA 19401 484.250.5970

*General Permit Type—PAG-12**Facility Location:*

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Harris Township Centre County	PAG124869	Steve Wolfe 272 Middle Road Centre Hall, PA 16828	Watershed(s) 6-A	DEP Southcentral Regional Office Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110-8200 717.705.4707
Fannett Township Franklin County	PAG123896	Ag Ventures LLC 6 S Broad Street Lititz, PA 17543	Watershed(s) 13-C	DEP Southcentral Regional Office Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110-8200 717.705.4707
Harrison and Juniata Townships Bedford County	PAG123893	Fair Family Farms LLC 3949 Allegheny Road Manns Choice, PA 15550	Watershed(s) 11-C	DEP Southcentral Regional Office Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110-8200 717.705.4707

*General Permit Type—PAG-13**Facility Location:*

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Ruscombmanor Township Berks County	PAG133668	Ruscombmanor Township Berks County 204 Oak Lane Fleetwood, PA 19522-8942	Willow Creek (CWF, MF) and Unnamed Tributary to Little Manatawny Creek (CWF, MF)— 3-B and 3-D	DEP Southcentral Regional Office Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110-8200 717.705.4707
Richland Township Cambria County	PAG136249	Richland Township 322 Schoolhouse Road Johnstown, PA 15904-2924	Unnamed Tributary to Stonycreek River (CWF), Sams Run (WWF), Unnamed Tributary to Little Paint Creek (CWF), and Unnamed Tributary to Paint Creek (CWF)—18-E	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive Pittsburgh, PA 15222-4745 412.442.4000

STATE CONSERVATION COMMISSION**NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs**

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

**NUTRIENT MANAGEMENT PLAN
PUBLIC NOTICE SPREADSHEET—ACTIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Evergreen Farms 3102 Evergreen Lane Spruce Creek, PA 16683	Huntingdon	5,500	7,533.28	Dairy	HQ	Approved
Wingert Farms 5497 Shade Lane Alexandria, PA 16611	Huntingdon	1,643	2,049.86	Dairy	HQ	Approved

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 2119506, Public Water Supply.
Applicant **Uriah United Methodist Church**

Municipality South Middleton Township
County **Cumberland**
Responsible Official Andrew L. Ervin, Pastor
925 Goodyear Road
Gardners, PA 17324-8920
Type of Facility Installation of iron/manganese removal treatment.
Consulting Engineer Michael Gennone, P.E.
Glace Associates Inc
3705 Trindle Road
Camp Hill, PA 17011
Permit to Construct Issued 11/1/2019

Permit No. 3619514, Public Water Supply.
Applicant **Creekside Café**
Municipality Rapho Township
County **Lancaster**
Responsible Official Ryan O'Leary, Owner
1519 Habecker Road
Columbia, PA 17512

Type of Facility Installation of softening and nitrate removal.
Consulting Engineer Brian C. Bonner, P.E.
ARM Group Inc
2548 Park Center Blvd
State College, PA 16801
Permit to Construct Issued 11/1/2019

Transferred Comprehensive Operation Permit No. 3060137 issued to: **Aqua Pennsylvania, Inc. (PWS ID No. 3060137)**, Washington Township, **Berks County** on 11/1/2019. Action is for a Change in Ownership for Aqua Pennsylvania Superior Meadowbrook, Berks County for the operation of facilities previously issued to Superior Water Company.

Operation Permit No. 2119513 MA issued to: **State Correctional Institution at Camp Hill (PWS ID No. 7210046)**, Lower Allen Township, **Cumberland County** on 11/4/2019 for facilities approved under Construction Permit No. 2119513 MA.

Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

Permit No. 5519502MA—Construction—Public Water Supply.
Applicant

Township/Borough
County
Responsible Official

Spring Township Municipal Authority

Spring Township
Snyder County
Mr. Kim L. Feed
Spring Township Municipal Authority
P.O. Box 133
Beaver Springs, PA 17812

Type of Facility

Public Water Supply—
Construction

Consulting Engineer

Mr. John R. Williams, P.E.
3909 Brandywine St.
Hight Point, NC 27265

Permit Issued

November 4, 2019

Description of Action

Authorizes construction of a standard water-storage standpipe that measures 26 feet in diameter by 36 feet high with a 135,000-gallon capacity for finished water. Also, minor permit amendment No. 5518501MA for construction will be cancelled, since this work was not constructed.

Permit No. 1419505—Construction—Public Water Supply.
Applicant

Township/Borough
County
Responsible Official

Pennsylvania State University

College Township
Centre County
Mr. Andrew D. Gutherlet, P.E.
Pennsylvania State University
139J Physical Plant Building
University Park, PA 16802-1118

Type of Facility

Public Water Supply—
Construction

Consulting Engineer

Mr. James Baird, P.E.
Pennsylvania State University
209 Water Treatment Plant
University Park, PA 16802

Permit Issued

November 4, 2019

Description of Action

Authorizes : SCADA upgrades to allow the use of Houserville GAC Unit No. 3 effluent to add hardness for blending, as needed; addition of raw water tanks' overflow piping; modifications to the nanofiltration permeate piping to increase the flow to the permeate tank; installation of piping to allow the use of microfiltration effluent for clean-in-place rinse water; addition of a static mixer and pH adjustment chemical-feed point to the Houserville granular activated carbon effluent line; modifications to the heat exchange piping.

Permit No. 5583501-T1—Operation—Public Water Supply.

Applicant
Township/Borough
County
Responsible Official

Aqua Pennsylvania, Inc.

Penn Township
Snyder County
Mr. Joseph Thurwanger
Aqua Pennsylvania, Inc.
762 West Lancaster Avenue
Byrn Mawr, PA 19010

Type of Facility

Public Water Supply—
Operation

Consulting Engineer

Mr. Steven R. Read, P.G.
Read & Associates, LLC
10 Field Stone Drive
Mechanicsburg, PA 17050

Permit Issued

November 6, 2019

Description of Action

Authorizes the partial cancellation of Permit No. 5583501-T1 by partially cancelling it to remove permission to operate Well No. 1 and transmission line for Aqua Pennsylvania, Pennsvview.

Permit No. 4119503-MA—Operation (Partial)—Public Water Supply.

Applicant
Township/Borough
County
Responsible Official

Williamsport Municipal Water Authority

City of Williamsport
Lycoming County
Mr. Michael D. Miller
Executive Director
Williamsport Municipal Water Authority
253 West Fourth Street
Williamsport, PA 17701

Type of Facility

Public Water Supply—
Operation

Consulting Engineer

Ms. Erin N. Threet, P.E.
Herbert, Rowland & Grubic, Inc.
776 Bull Run Crossing
Suite 200
Lewisburg, PA 17837

Permit Issued

November 5, 2019

Description of Action

Authorizes Williamsport Municipal Water Authority (WMWA) to operate two of four new 1,250-gal, cross-linked, polyethylene (XLPE) aluminum, sulfate-storage tanks and associated piping that have been installed in a containment area in the lower level of WMWA Filtration Plant, 1600 Mosquito Valley Rd. to allow WMWA to decommission the existing, wood-staved, 5,000-gal, bulk, aluminum-sulfate, storage tank 001A, continue feeding alum as required, and install the remaining two XLPE, aluminum-sulfate storage tanks and associated piping.

Permit No. 1419501—Partial Operation—Public Water Supply.

Applicant **Penns Cave, Inc.**
 Township/Borough Gregg Township
 County **Centre County**
 Responsible Official Mr. Russell Schleiden
 Penns Cave, Inc.
 222 Penns Cave Road
 Centre Hall, PA 16828

Type of Facility Public Water Supply—
 Operation

Consulting Engineer Mr. David M. Cunningham Jr.,
 P.E.
 Keller Engineers, Inc.
 420 Allegheny St.
 Hollidaysburg, PA 16648

Permit Issued November 7, 2019

Description of Action Authorizes the partial Permit
 No. 1419501 to operate
 seasonally only. Approval of the
 final filter testing data is still
 under review by the Department.

Permit No. 1419503MA—Operation—Public Water Supply.

Applicant **Upper Half Moon Water
 Company**
 Township/Borough Halfmoon Township
 County **Centre County**
 Responsible Official Mr. Ben Pisoni
 Vice President
 Upper Half Moon Water
 Company
 1952 Halfmoon Valley Road
 Port Matilda, PA 16870

Type of Facility Public Water Supply—
 Operation

Consulting Engineer Mr. Eric Lundy
 Nittany Engineering and
 Associates
 2836 Earlstown Road
 Suite 1
 Centre Hall, PA 16828

Permit Issued November 6, 2019

Description of Action Authorizes Upper Halfmoon
 Water Company to operate the
 53,000-gallon, AquaStore,
 glass-lined, bolted-steel,
 water-storage tank that has been
 rehabilitated by Mid-Atlantic
 Storage Systems, Inc.

Permit No. 6019502MA—Construction—Public Water Supply.

Applicant **Pennsylvania American
 Water Company**
 Township/Borough White Deer Township
 County **Union County**
 Responsible Official Mr. Bruce Aiton
 Pennsylvania American Water
 Company
 852 Wesley Drive
 Mechanicsburg, PA 17055

Type of Facility Public Water
 Supply—Construction

Consulting Engineer Mr. Jeremy Resseguie
 PA American Water Co.
 740 S Front St.
 Milton, PA 17847-7818

Permit Issued November 8, 2019

Description of Action Authorizes relocation of the post
 chemical feed injection points at
 the White Deer Filter Plant,
 including sodium hypochlorite,
 corrosion inhibitor, and caustic
 soda, to AFTER the Combined
 Filter Effluent Sample Tap.

*Southwest Region: Water Supply Management Program
 Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-
 4745.*

Permit No. 0208508-A1, Public Water Supply.

Applicant **West View Water Authority**
 210 Perry Highway
 Pittsburgh, PA 15229

Borough or Township Neville Township
 County **Allegheny**

Type of Facility Polymer feed system at the
 Joseph A. Berkley WTP.

Consulting Engineer Bankson Engineers, Inc.
 Suite 200
 267 Blue Run Road
 Cheswick, PA 15024

Permit to Construct Issued November 4, 2019

Permit No. 6519512, Public Water Supply.

Applicant **Youngstown Borough
 Municipal Authority**
 4351 Latrobe Street
 P.O. Box 82
 Youngstown, PA 15696

Borough or Township Youngstown Borough
 County **Westmoreland**

Type of Facility Ridge Road pump station.

Consulting Engineer Bankson Engineers, Inc.
 Suite 200
 267 Blue Run Road
 Cheswick, PA 15024

Permit to Construct Issued October 10, 2019

**Operations Permit issued to: Municipal Authority
 of Westmoreland County, 124 Park & Pool Road, New
 Stanton, PA 15672 (PWSID # 5650032), Washington
 Township, Westmoreland County on October 15, 2019
 for the operation of facilities approved under Construction
 Permit # 6518510MA.**

**Operations Permit issued to: Municipal Authority
 of Westmoreland County, 124 Park & Pool Road, New
 Stanton, PA 15672 (PWSID # 5650032), Kiskiminetas
 Township, Armstrong County on November 8, 2019 for
 the operation of facilities approved under Construction
 Permit # 6518508.**

**Operations Permit issued to: Ambridge Water Au-
 thority, P.O. Box 257, 600 Eleventh Street, Ambridge, PA
 15003 (PWSID # 5040008), Ambridge Borough, Beaver
 County on October 28, 2019 for the operation of facilities
 approved under Construction Permit # 0419514.**

Operations Permit issued to: **Ambridge Water Authority**, P.O. Box 257, 600 Eleventh Street, Ambridge, PA 15003 (PWSID # 5040008), Ambridge Borough, **Beaver County** on November 8, 2019 for the operation of facilities approved under Construction Permit # 0419515.

Operations Permit issued to: **John Nagle**, Owner, N.E. Trailer Court, 114 Nagle Court, Ebensburg, PA 15931 (PWSID # 4110010), Cambria Township, **Cambria County** on October 16, 2019 for the operation of facilities approved under Construction Permit # 1188512-A3.

Operations Permit issued to: **Reade Township Municipal Authority**, 1032 Skyline Drive, Blandburg, PA 16619, (PWSID # 4110297), Reade Township, **Cambria County** on November 8, 2019 for the operation of facilities approved under Construction Permit # 1119504MA.

Operations Permit issued to: **Pennsylvania American Water Company**, 852 Wesley Drive, Mechanicsburg, PA 17055, (PWSID # 5200039), Canton and North Franklin Townships, **Washington County** on November 8, 2019 for the operation of facilities approved under Construction Permit # 0219535.

Operations Permit issued to: **West Penn Allegheny Health System, Inc.**, 4800 Friendship Avenue, Pittsburgh, PA 15224, (PWSID # 5020957), City of Pittsburgh, **Allegheny County** on November 8, 2019 for the operation of facilities approved under Construction Permit # 0219532.

Operations Permit issued to: **Pleasant Valley Water Authority**, 2320 Moyer Road, Connellsville, PA 15425, (PWSID # 5260006), Bullsken Township, **Fayette County** on November 8, 2019 for the operation of facilities approved under Construction Permit # 2619504WMP.

Permit No. 1114516GWR-A2, Minor Amendment. Public Water Supply.

Applicant	John Nagle, Owner N.E. Trailer Court 114 Nagle Court Ebensburg, PA 15931
Borough or Township	Cambria Township
County	Cambria
Type of Facility	Groundwater Rule Demonstration.
Consulting Engineer	The EADS Group, Inc. 450 Aberdeen Drive Somerset, PA 15501
Permit to Operate Issued	November 4, 2019

Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Operation Permit issued to **PA American Water Punxsutawney**, PWSID No. 6330010, Young Township, **Jefferson County**. Permit Number 3316502-MA1 issued November 7, 2019 for the operation of the finished water storage tank known as the Adrian Hospital Tank. This permit is issued in response to an operation inspection conducted by the Department of Environmental Protection personnel on October 21, 2019.

Operation Permit issued to **Sugarcreek Borough**, PWSID No. 6610044, Sugarcreek Borough, **Venango County**. Permit Number 6105501-MA2 issued November 7, 2019 for the operation of the 191,000-gallon rehabilitated storage tank. This permit is issued in

response to an operation inspection conducted by the Department of Environmental Protection personnel on October 21, 2019.

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as amended, 35 P.S. § 750.5.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Hereford Township	3131 Seisholtzville Road P.O. Box 225 Hereford PA 18056	Berks

Plan Description: Approval is granted for a revision to the Official Plan for Hereford Township, Berks County. The plan revision is called the WaWa Hereford Development and is for construction of a convenience store with sewage flows of 2,500 gpd to be served by a Department permitted sewage treatment system with on lot sewage disposal. Permits must be obtained in the name of the facility owner. The Department's review of the revision has not identified any significant impacts resulting from this proposal. The DEP Code Numbers for this plan are A3-06935-112-2 and Application No. 991733.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Springettsbury Township	1501 Mount Zion Road York, PA 17402	York

Plan Description: Approval of a revision to the official plan of Springettsbury Township, York County. The project is known as Chris and Carol Emswiler. The plan provides for a Small Flow Treatment Facility (SFTF) proposal to replace a malfunctioning on-lot sewage disposal system serving an existing dwelling on 1.47 acre. Total estimated sewage flows are 400 gpd, and there is a proposed dry stream discharge that will be tributary to an unnamed tributary of Kruetz Creek. The proposed development is located at 1992 Alpine Drive in Springettsbury Township, York County. The Department's review of the plan revision has not identified any significant impacts resulting from this proposal. The DEP Code Number for this planning module is A3-67957-446-3s and the APS Id is 1002353. Permits for on lot sewage disposal systems must be obtained in the name of the property owner.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

**UNDER ACT 2, 1995
PREAMBLE 2**

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submis-

sion of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Penn Foster, Inc. (former ICS Intext), 925 Oak Street, Scranton City, **Lackawanna County**. Terraphase Engineering, 1100 East Hector Street, Suite 416, Conshohocken, PA 19428, on behalf of Penn Foster, Inc., 925 Oak Street, Scranton, PA 18515, submitted a Final Report concerning remediation of soil and groundwater contaminated were caused by a release of number 4 fuel oil from an underground storage tank. The report is intended to document remediation of the site to meet a combination of Site-Specific and Statewide Health Standards.

Humboldt East Site 106, 101 Commerce Drive, Hazle Township, **Luzerne County**. Cozen O'Connor, One Liberty, 1650 Market Street, Suite 2800, Philadelphia, PA 19103, on behalf of Bluewater Hazleton LLC, One Tower Bridge, 100 Front Street, Suite 570, Conshohocken, PA 19428, submitted a Baseline Environmental Report. The Site was formerly part of the PPL-Harwood Steam Electric Station and soil was contaminated by volatile organic compounds, base neutral compounds, PCBs, and metals. The report is intended to document use of the site as a Special Industrial Area.

Former Tyler Pipe, 101 North Church Street, Macungie Borough and Lower Macungie Township, **Lehigh County**. Haley & Aldrich, 6500 Rockside Road, Suite 200, Cleveland, OH 44131, on behalf of McWane, Inc., 2900 Highway 280 South, Suite 250, Birmingham,

AL 35223, submitted a cleanup plan report and final report concerning remediation of site soils and groundwater contaminated at this former foundry operation. The report is intended to document remediation of the site to meet Site-Specific Standards.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

547 North Prince Street, Lancaster, PA 17603, City of Lancaster, **Lancaster County**. Liberty Environmental, Inc., 505 Penn Street, Reading, PA 19601, on behalf of Lancaster General Hospital, 555 North Duke Street, Lancaster, PA 17604, submitted a Final Report concerning remediation of site soil contaminated with No. 4 heating oil. The report is intended to document remediation of the site to meet the Residential Statewide Health Standard.

Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Torpedo Specialty Wire, Inc., 7065 State Route 27, Pittsfield Township, **Warren County**. Environmental Remediation & Recovery, Inc., 4250 Route 6N, Edinboro, PA 16412, on behalf of Torpedo Specialty Wire, Inc., 7065 State Route 27, Pittsfield, PA 16340, submitted a Final Report concerning the remediation of site soil contaminated with Acetone, Benzene, 2-Butanone, Ethylbenzene, Toluene, Xylenes (total), Carbon Tetrachloride, Chloroform, 1,1-Dichloroethane (DCA), 1,1-Dichloroethene (DCE), 1,2-DCE, Methylene Chloride, Tetrachloroethene, (PCE), 1,1,1-Trichloroethane (TCA), 1,1,2-TCA, Trichloroethene (TCE), Benzo[b]fluoranthene, Benzo[g,h,i]perylene, Chrysene, Di-n-butyl phthalate, Fluoranthene, Phenanthrene, Pyrene, Benzaldehyde, Barium, Cadmium, Chromium (total), Copper, Lead, Mercury, Nickel, Tin, Zinc and site groundwater contaminated with Acetone, Benzene, Chloroethane, Chloroform, 1,1-DCA, 1,2-DCE, 1,1-DCE, cis-1,2-DCE, trans-1,2-DCE, Methylene chloride, 1,1,1-TCA, 1,1,2-TCA, TCE, vinyl chloride, Di-n-butyl phthalate, bis(2-ethylhexyl)phthalate, pyrene, caprolactam, barium, chromium, copper, nickel, and zinc. The report is intended to document remediation of the site to meet the Site-Specific Standard.

Gail Caldwell Residence, 248 Vickerman Road, East Lackawannock Township, **Mercer County**. Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073, on behalf of Gail Caldwell, 248 Vickerman Road, Mercer, PA 16137, submitted a Final Report concerning the remediation of site soil contaminated with Benzene, Toluene, Ethylbenzene, Isopropylbenzene, MTBE, Naphthalene, 1,2,4-Trimethylbenzene, and 1,3,5-Trimethylbenzene. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Andrew Ohm Property, 12102 Lois Lane, North Shenango Township, **Crawford County**. Environmental Remediation & Recovery, Inc., 4250 Route 6N, Edinboro, PA 16412, on behalf of State Farm Insurance, P.O. Box 106110, Atlanta, GA 30348, submitted a Final Report concerning the remediation of site soil contaminated with Benzene, Ethylbenzene, Cumene, MTBE, Naphthalene, Toluene, 1,2,4-Trimethylbenzene, and 1,3,5-Trimethylbenzene. The report is intended to document remediation of the site to meet the Statewide Health Standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Dominguez Residence, 2946 Owego Turnpike, Paupack Township, **Wayne County**. Crawford Environmental Services, 20 Cardinal Drive, Birdsboro, PA 19508,

on behalf of Firmstone Oil Company, 411 High Street, Honesdale, PA 18431, submitted a Final Report concerning remediation of soil contamination caused by a release of heating oil from an aboveground storage tank. The report documented remediation of the site to meet Residential Statewide Health Standards and was approved by DEP on November 6, 2019.

Joy Knecht Property, 184-186 Chestnut Ridge Drive, Eldred Township, **Monroe County**. Moonstone Environmental, LLC, 1150 Glenlivet Drive, Suite A-23, Allentown, PA 18106, on behalf of Joy Knecht, 186 Chestnut Ridge Drive, Kunkletown, PA 18058, submitted a Final Report concerning remediation of soil contaminated with heating oil from an aboveground storage tank. The report documented remediation of the site to meet Residential Statewide Health Standards and was approved by DEP on November 7, 2019.

Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

EQT Hazel Stake 1, Round Top Road (Lat. 40° 34' 23.38"N Long. -79° 04' 49.66"W), Brush Valley Township, **Indiana County**. SE Technologies, LLC, 98 Vanadium Road, Building D, 2nd Floor, Bridgeville, PA 15017, on behalf of EQT Corporation, 625 Liberty Avenue, Homer City, PA 15222-3111, submitted a combined Remedial Investigation/Final Report concerning the remediation of site soil contaminated with Chloride, Aluminum, Barium, Boron, Lithium, Manganese, Selenium, Strontium, and Zinc. The Report was disapproved by the Department on October 28, 2019.

HAZARDOUS WASTE TRANSPORTER LICENSE

Actions on applications for Hazardous Waste Transporter License received under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) and regulations to transport hazardous waste.

Central Office: Bureau of Waste Management, Division of Hazardous Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170.

New Applications Received

KAG Specialty Products Group, LLC, 4366 Mt. Pleasant St. NW, North Canton, OH 44720. License No. PA-AH 0895. Effective Sep 03, 2019.

New Transporter Licenses Issued

KAG Specialty Products Group, LLC, 4366 Mt. Pleasant St. NW, North Canton, OH 44720. License No. PA-AH 0895. Effective Nov 07, 2019.

Transporter Licenses Voluntarily Terminated

Environmental Management Specialist, Inc., 2055 Grief Road, Zanesville, OH 43701. License No. PA-AH 0806. Effective Nov 05, 2019.

RESIDUAL WASTE GENERAL PERMITS

Permit(s) Issued Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.

Northeast Region: Regional Solid Waste Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

General Permit Application No. WMGR040-NE001. Safety-Kleen Systems, Inc., 600 Stewart Road, Wilkes-Barre, PA 18706. A permit renewal application for continued coverage under General Permit WMGR040 for the continued operation of a waste oil and spent antifreeze truck to rail car transfer facility at the Safety-Kleen Wilkes-Barre Service Center located in Hanover Township, **Luzerne County**. The renewal was approved by the Regional Office on November 4, 2019.

General Permit Application No. WMGR029-NE001. Safety-Kleen Systems, Inc., 600 Stewart Road, Wilkes-Barre, PA 18706. A permit renewal application for continued coverage under General Permit WMGR029 for the continued operation of a waste oil processing facility at the Safety-Kleen Wilkes-Barre Service Center located in Hanover Township, **Luzerne County**. The renewal was approved by the Regional Office on November 4, 2019.

Persons interested in reviewing the permit may contact Roger Bellas, Environmental Program Manager, Northeast Regional Office, 2 Public Square, Wilkes-Barre, PA 18701-1915 at 570-826-2511. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Determination of Applicability for General Permit issued under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities (25 Pa. Code § 287.611 (relating to authorization for general permit)).

Southcentral Regional Office: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200.

General Permit No. WMGR131. Pixelle Specialty Solutions, LLC, 228 South Main Street, Spring Grove, PA 17362 located in Spring Grove Borough, **York County**. The Department of Environmental Protection has reissued a Determination of Applicability under General Permit WMGR131 to Pixelle Specialty Solutions, LLC. This general permit was originally issued to P.H. Glatfelter Company on September 19, 2011 for the beneficial use of carbonaceous wastes: (i) petroleum coke, (ii) uncontaminated and untreated wood chips generated during the pulp and/or paper making process, and (iii) other paper and wood industry wastes comprised of primarily wood fibers, and tire-derived fuel as (1) alternative fuels to be combined with waste coal/coal for circulating fluidized bed (CFB) boilers; (2) structural fill; (3) soil substitute or soil additive; (4) at coal mining activity sites; (5) at abandoned surface mining sites; and (6) other beneficial uses. This Determination of Applicability was reissued by the Department on November 6, 2019.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permit(s) issued Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Northcentral Region: Regional Solid Waste Manager, 208 West Third Street, Williamsport, PA 17701.

Permit No. 101243. Northern Tier Solid Waste Authority, P.O. Box 10, Burlington, PA 18814, West Burlington Township, **Bradford County**. Renewal of Solid Waste Permit No. 101243 for the construction and operation of the 131.4 acres Bradford County Municipal Waste Landfill No. 2 employing artificial liners and collection and treatment of leachate. The permit renewal was approved by Northcentral Regional Office on November 8, 2019.

Persons interested in reviewing the permit may contact Lisa D. Houser, P.E., Facilities Manager, Williamsport Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3740. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2531.

GP4-48-003: Poly One Corporation (2513 Highland Avenue, Bethlehem, PA 18020-8942) on November 05, 2019, for the operation of burn off oven controlled by after burner at the facility located in City of Bethlehem, **Northampton County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

GP14-21-03094: Dugan Funeral Home & Crematory, Inc. (51 Aspen Drive, Shippensburg, PA 17257) on November 7, 2019, for an existing human crematory unit at the facility located in Shippensburg Township, **Cumberland County**. The general permit was renewed.

Plan Approvals Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507.

48-00057A: Steel Management Systems LLC (3045 Bath Pike, Nazareth, PA 18064) on November 7, 2019 for the replacement of an existing shot blast machine with a new unit at their facility located in Upper Nazareth Twp., **Northampton County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Ed Orris, P.E., New Source Review Chief—Telephone: 412-442-4168.

PA-26-00610A: Slag Processing Facility, Iron Mountain US, LLC (1 Pilarsky Way, Aliquippa, PA 15001-5421). Plan Approval issuance date effective November 4, 2019, to allow the constructing and operation of new material handling and processing equipment for mining of non-coal industrial materials (industrial slag) for metals recovery at 600 Leisenring Vanderbilt Road, Dunbar Township and Vanderbilt Borough, **Fayette County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

10-333E: Penn United Technologies Inc (799 North Pike Road, Cabot, PA 16023) on October 31, 2019 issued a Plan Approval for the proposed construction of a dipping operation with hot air chamber controlled by a thermal oxidizer in Jefferson Township, **Butler County**. This is a State Only facility.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

06-05069V: East Penn Manufacturing Co., Inc. (P.O. Box 147, Lyon Station, PA 19536) on November 6, 2019, for modifying the Industrial Facility production lines at the lead-acid battery assembly plant located in Richmond Township, **Berks County**. Plan Approval 06-05069V is for installation and startup of pieces of equipment controlled by fabric filters and mist eliminators. The plan approval was extended.

31-05022B: AC Products, Inc.—Mt. Union Plant (11823 Lenape Drive, Mount Union, PA 17066) on November 7, 2019, for the wood cabinet manufacturing facility in Shirley Township, **Huntingdon County**. The plan approval was extended.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

08-00001B: Tennessee Gas Pipeline Company LLC (1001 Louisiana Street, Houston, TX 77002) was issued an extension to this plan approval authorization for an additional 180 days from October 28, 2019 to April 25, 2020, to permit continued operation of their Solar Titan 130 Turbine (Source ID P201) pending completion of the compliance evaluation on the source. The source is located in Wyalusing Township, **Bradford County**. The plan approval has been extended.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Ed Orris, P.E., New Source Review Chief—Telephone: 412-442-4168.

PA-04-00061B: Ondo Nalco Energy SVC (125 Nalco Way, Ellwood City, PA 16117-4129). Plan Approval Extension issuance date effective November 08, 2019, for shake down of sources and obtaining operating permit from the Department for its Ellwood City Plant/North & South Plants located in Franklin Township, **Beaver County**.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507.

35-00053: Metkote Laminated Products, Inc. (1151 Union Street, Taylor, PA 18517-1614). On November 6, 2019 the Department issued a renewal State-Only Natural Minor Permit for their facility located in Taylor Borough, **Lackawanna County**. Metkote laminates clear and colored vinyl to thin metal sheets for roof edge drip and other metal products. The sources are considered a minor emission source of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. The permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

45-00019: Haines & Kibblehouse, Inc., Locust Ridge Quarry (P.O. Box 196, 2052 Lucon Road, Skip-pack, PA 19474-0196). On November 6, 2019, the Department issued a renewal State-Only (Natural Minor) Permit for the quarry operations in Tobyhanna Township, **Monroe County**. The primary sources consist of crushers, screens, and conveyors. The control devices consist of a baghouse and water sprays. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. The operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

36-05032: Versatek Enterprises, LLC (508 Front Street, Lititz, PA 17543-1708) on November 5, 2019, for the custom display and store fixtures manufacturing facility located in Lititz Borough, **Lancaster County**. The State-only permit was renewed.

36-05069: Fenner, Inc. (311 West Stiegel Street, Manheim, PA 17545-1747) on November 7, 2019, for the polymeric drive belt manufacturing facility located in Manheim Township, **Lancaster County**. The State-only permit was renewed.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Tom Joseph, P.E., Facilities Permitting Chief—Telephone: 412-442-4336.

11-00412: Fuel Recovery, Inc. (254 Interpower Drive, Colver, PA 15927). In accordance with 25 Pa. Code § 127.431, the Department of Environmental Protection (DEP) is providing notice that on July 1, 2019, DEP issued a renewed State Only Operating Permit to Fuel Recovery, Inc. for the operation of a coal preparation plant, known as the Sonman Refuse Site, located in Portage Township, **Cambria County**.

The facility contains air contamination sources consisting of screens, conveyers, stockpiles, truck unloading and loading operations, and a 92-bhp diesel engine. Air pollution prevention equipment at the facility includes enclosures, minimization of drop height, and a water truck for the plant roads.

No emission or equipment changes have been approved by this action. Emission sources at the facility are subject to 40 CFR Part 60, Subparts A and Y, 40 CFR Part 63, Subparts A and ZZZZ, and 25 Pa. Code Chapters 121—145. The permit includes emission limitations, and operational, monitoring, reporting and recordkeeping requirements for the facility. The emission restriction, monitoring, recordkeeping, reporting and work practice conditions of the SOOP have been derived from the applicable requirements of 40 CFR Parts 60 and 70 and 25 Pa. Code, Article III, Chapters 121—145.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matt Williams, Facilities Permitting Chief at Telephone: 814-332-6940.

10-00325: Butler VA Health Care System (325 New Castle Rd, Butler, PA 16001), on November 7, 2019, the Department issued the renewal of the State-Only Operating Permit of a healthcare institution located in Butler Township, **Butler County**. Permitted air contamination sources are three gas-fired/oil-fired boilers, seven emergency diesel generators, miscellaneous natural gas-fired boilers and process heaters, a solvent part water, and a gasoline storage tank. The facility is a Natural Minor and an area source for permitting and MACT purposes. The gas-fired/oil-fired boilers are subject to 40 CFR 60 Subpart Dc but exempt from 40 CFR 63 Subpart JJJJJJ. The seven diesel generators are subject to 40 CFR 60 Subpart IIII. Two of the gas-fired/oil-fired boilers and all diesel generators are subject to 15-ppm sulfur content limit for diesel fuel, pursuant to PA 10-325A and 60 Subpart IIII, respectively. In this renewal, applicable changes in 25 Pa. Code § 123.22 as amended in 2013 are incorporated into the operating permit. Operating hour restrictions are added for the gas-fired/oil-fired boilers to assure exemption from 40 CFR 63 Subpart JJJJJJ. With the exception of 60.48c(g), 60 Subpart Dc is streamlined out by § 123.22 and PA 10-325. Source test submittals are revised based on Source Testing Section's latest instructions.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

34-03003: Poultry Holding LLC (247 Empire Drive, Mifflintown, PA 17059-7746) on November 7, 2019, for the poultry processing facility located in Walker Township, **Juniata County**. The State-only permit was administratively amended in order to reflect a change of ownership.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief—Telephone: 412-442-4336.

SOOP-63-00110: Corelle Brands, LLC (100 8th Street, Charleroi, PA 15022). Administrative Amendment, issued on November 6, 2019, to change the name of the Company on the Operating Permit. The name of the Company was World Kitchen, LLC, which has changed its name to Corelle Brands, LLC. The permitted facility is a glass manufacturing plant, known as the Charleroi Plant, located in Charleroi Borough, **Washington County**.

TVOP-65-00837: Dominion Energy Transmission, Inc. (5000 Dominion Boulevard # 2NW, Glen Allen, VA 23060-3308). Administrative Amendment, issued on November 4, 2019, to change the names of the Responsible Official and the Permit Contact on the Operating Permit. The name of the Responsible Official is now John M. Lamb, Vice President of Eastern Pipeline Operations. The name of the Permit Contact is now Glenn S. Boutillier, Environmental Specialist III. The Oakford Compressor Station is located in Salem Township, **Westmoreland County**.

TVOP-65-00983: Dominion Energy Transmission, Inc. (5000 Dominion Boulevard # 2NW, Glen Allen, VA 23060-3308). Administrative Amendment, issued on November 5, 2019, to change the names of the Responsible Official and the Permit Contact on the Operating Permit. The name of the Responsible Official is now John M. Lamb, Vice President of Eastern Pipeline Operations. The name of the Permit Contact is now Glenn S. Boutillier, Environmental Specialist III. The Rock Springs Compressor Station is located in Salem Township, **Westmoreland County**.

TVOP-65-00840: Dominion Energy Transmission, Inc. (5000 Dominion Boulevard # 2NW, Glen Allen, VA 23060-3308). Administrative Amendment, issued on November 5, 2019, to change the names of the Responsible Official and the Permit Contact on the Operating Permit. The name of the Responsible Official is now John M. Lamb, Vice President of Eastern Pipeline Operations. The name of the Permit Contact is now Glenn S. Boutillier, Environmental Specialist III. The South Oakford Compressor Station is located in Hempfield Township, **Westmoreland County**.

De Minimis Emissions Increases Authorized under 25 Pa. Code § 127.449.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Ed Orris, P.E., New Source Review Chief—Telephone: 412-442-4168.

SOOP-63-00147: International Paper Company (10 Wilson Road, Eighty-Four, PA 15330-2846). Per 25 Pa. Code § 127.449(i), this notice is for the following de minimis emission increase at International Paper Company located in North Strabane Township, **Washington County**: This project is for the continued operation of one Maren paper shredder and one paper hogger in SOOP-63-00147 controlled by an existing cyclone and baghouse system. The emission increase resulting from this project will not exceed 0.60 TPY PM₁₀ on a 12-month rolling basis for both units. This project will not trigger the requirements of 25 Pa. Code Subchapter G at the facility. The list of de minimis increases for this facility includes only this project.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Dave Balog, New Source Review Chief or Matt Williams, Facilities Permitting Chief—Telephone: 814-332-6340.

03-00027: Keystone—Conemaugh Projects, LLC—Keystone Generating Station (313 Keystone Drive, Shelocta, PA 15774) for its facility located in Plumcreek Township, **Armstrong County**. The De minimis emission increase is for the proposed modification of throughput limits for Source 106. In addition, this source is exempt from plan approval as it complies with 25 Pa. Code § 127.14(a)(8). The Department hereby approves the De minimis emission increase. The following table is a list of the De minimis emission increases as required by 25 Pa. Code § 127.449(i). This list includes the De minimis emission increases since the Operating Permit issuance on April 29, 2015.

<i>Date</i>	<i>Source</i>	<i>PM₁₀ (tons)</i>	<i>SO_x (tons)</i>	<i>NO_x (tons)</i>	<i>VOC (tons)</i>	<i>CO (tons)</i>
7-26-16	Gypsum Stockpiling Project	0.48				
5-9-18	Truck Receiving Facility # 9 Conveyor	0.21				
11-7-19	Coal Handling Throughputs	0.39				
Total Reported Increases		1.08				
Allowable		0.6 ton/source 3 tons/facility	1.6 ton/source 8 tons/facility	1 ton/source 5 tons/facility	1 ton/source 5 tons/facility	4 tons/source 20 tons/facility

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law; the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.20a). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to applications will also address the application permitting requirements of the following statutes: the Air Quality Pollution Act (35 P.S. §§ 4001—4014); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1002).

Coal Permits Issued

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.

Permit No. 32663056. Beilchick Brothers, P.O. Box 7, Heilwood, PA 15745, permit renewal for reclamation

only of a bituminous surface mine in Pine Township, **Indiana County**, affecting 748 acres. Receiving streams: unnamed tributaries to Little Yellow Creek, classified for the following use: high quality—cold water fishes. The first downstream potable water supply intake from the point of discharge is Indiana County Water Authority Yellow Creek Surface Water Withdrawal. Application received: April 10, 2019. Permit Issued: November 6, 2019.

Permit No. 32130108 and NPDES No. PA0269433, Amerikohl Mining, Inc., 202 Sunset Drive, Butler, PA 16001, commencement, operation and restoration of a bituminous surface & auger mine to change the land use from Forestland to Unmanaged Natural Habitat in Blacklick, Center & Young Townships, **Indiana County**, affecting 163.2 acres. Receiving streams: unnamed tributaries to/and Aultmans Run to Conemaugh River, unnamed tributaries to/and Reeds Run to Aultmans Run to Conemaugh River classified for the following uses: trout stocked fishes and warm water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: June 5, 2019. Permit Issued: November 6, 2019.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

No. 17080117. Frantz Brothers Resources, LLC (P.O. Box 135, Hillsdale, PA 15746). Permit renewal for reclamation only of a bituminous surface coal mine

located in Burnside Township, **Clearfield County** affecting 148.0 acres. Receiving stream(s): Rock Run and West Branch Susquehanna River classified for the following use(s): CWF and WWF, respectively. There are no potable water supply intakes within 10 miles downstream. Application received: July 22, 2019. Permit issued: October 30, 2019.

No. 14080102. Rosebud Mining Company (301 Market Street, Kittanning, PA 16201). Permit renewal for reclamation only of a bituminous surface coal and auger mine located in Rush Township, **Centre County** affecting 173.4 acres. Receiving stream(s): Unnamed Tributaries to Moshannon Creek classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: September 5, 2019. Permit issued: November 5, 2019.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 40990201R4. Jeddo-Highland Coal Company (46 Public Square, Suite 701, Wilkes-Barre, PA 18701), renewal of an existing anthracite coal refuse reprocessing operation in Wilkes-Barre and Hanover Townships and Laurel Run Borough, **Luzerne County** affecting 194.4 acres, receiving stream: unnamed tributary to Spring Run. Application received: January 14, 2019. Renewal issued: November 6, 2019.

Permit No. 40990201C6. Jeddo-Highland Coal Company (46 Public Square, Suite 701, Wilkes-Barre, PA 18701), correction to update the post-mining land use of an existing anthracite coal refuse reprocessing operation in Wilkes-Barre and Hanover Townships and Laurel Run Borough, **Luzerne County** affecting 194.4 acres, receiving stream: unnamed tributary to Spring Run. Application received: January 14, 2019. Renewal issued: November 6, 2019.

Permit No. PAM114007R. Jeddo-Highland Coal Company (46 Public Square, Suite 701, Wilkes-Barre, PA 18701), renew coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104) on Surface Mining Permit No. 40990201 in Wilkes-Barre and Hanover Townships and Laurel Run Borough, **Luzerne County**, receiving stream: unnamed tributary to Spring Run. Application received: January 14, 2019. Renewal issued: November 6, 2019.

Permit No. 54830207R7. Blaschak Coal Corp. (P.O. Box 12, Mahanoy City, PA 17948), renewal of an existing anthracite coal refuse reprocessing, coal refuse disposal and preparation plant operation in Mahanoy Township, **Schuylkill County** affecting 119.0 acres, receiving stream: Mahanoy Creek. Application received: January 16, 2019. Renewal issued: November 6, 2019.

Permit No. PAM111054R2. Blaschak Coal Corp. (P.O. Box 12, Mahanoy City, PA 17948), renew coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104) on Surface Mining Permit No. 54830207 in Mahanoy Township, **Schuylkill County**, receiving stream: Mahanoy Creek. Application received: January 16, 2019. Renewal issued: November 6, 2019.

Permit No. GP12-54830207R3. Blaschak Coal Corp. (P.O. Box 12, Mahanoy City, PA 17948), renewal to operate a coal preparation plant whose pollution control equipment is required to meet all applicable limitations, terms and conditions of General Permit, BAQ-GPA/GP-12 on Surface Mining Permit No. 54830207 in Mahanoy Township, **Schuylkill County**. Application received: January 16, 2019.

Noncoal Permits Issued

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

No. 53180801 and NPDES PA0269859. Scott R. Fesenden (2060 State Route 49 West, Ulysses, PA 16948) commencement, operation, and restoration of a small noncoal industrial minerals surface mine permit (sandstone) in Allegany Township, **Potter County** affecting 5.0 acres. Receiving stream(s): Peet Brook classified for the following use(s): CWF. Application received: August 22, 2018. Permit issued: November 5, 2019.

No. 14180801. Amos M Yoder (4691 Penns Valley Road, Spring Mills, PA 167875), commencement, operation and restoration of a small noncoal industrial minerals surface mine permit (Shale) in Gregg Township, **Centre County** affecting 1.0 acre. Receiving stream(s): Unnamed Tributary to Penns Creek classified for the following use(s): CWF, MF. Application received: March 15, 2018. Permit Issued: November 5, 2019.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 58192501 and NPDES Permit No. PA0225991. P. Scott Baldwin (12160 SR 106, Kingsley, PA 18826), commencement, operation and restoration of a quarry operation and NPDES Permit for discharge of treated mine drainage in New Milford Township, **Susquehanna County** affecting 10.0 acres, receiving stream: no discharge to Wellsman's Creek Watershed and Nine Partners Creek Watershed. Application received: March 5, 2019. Permit issued: November 5, 2019.

Permit No. 7975SM5C8 and NPDES Permit No. PA0225649. KPK Development Corp. (149 Newbold Road, Fairless Hills, PA 19030), correction to an existing quarry operation and NPDES Permit for discharge of treated mine drainage to add mine reclamation fill to the permit and reduce the permitted acres from 454.3 acres to 229.91 acres in Falls Township, **Bucks County**, receiving stream: unnamed tributary to Delaware River. Application received: August 20, 2018. Correction issued: November 6, 2019.

Permit No. 58192503. KH Stone, LLC (701 State Route 855, Lawton, PA 18828), commencement, operation and restoration of a quarry operation in Rush Township, **Susquehanna County** affecting 9.1 acres, receiving stream: no discharge to unnamed tributary of North Branch Wyalusing Creek Watershed. Application received: May 10, 2019. Permit issued: November 6, 2019.

Permit No. PAM119013. KH Stone, LLC (701 State Route 855, Lawton, PA 18828), General NPDES Stormwater Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 58192503 in Rush Township, **Susquehanna County**, receiving stream: no discharge to unnamed tributary of North Branch Wyalusing Creek Watershed. Application received: May 10, 2019. Permit issued: November 6, 2019.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Issued Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 48194116. Maine Drilling & Blasting, Inc. (P.O. Box 1140, Gardiner, ME 04345), construction blasting for Steeplechase Phase 7 in Forks Township, **Northampton County** with an expiration date of October 25, 2020. Permit issued: October 31, 2019.

Permit No. 40194116. Maurer & Scott Sales, Inc. (122 Thomas Street, Coopersburg, PA 18036), construction blasting for Center Point IIB East in Jenkins and Pittston Townships, **Luzerne County** with an expiration date of October 31, 2020. Permit issued: November 1, 2019.

Permit No. 40194117. Maine Drilling & Blasting, Inc. (P.O. Box 1140, Gardiner, ME 04345), construction blasting for Freeland Baseball Field Trench in Foster Township, **Luzerne County** with an expiration date of October 30, 2020. Permit issued: November 4, 2019.

Permit No. 36194155. Keystone Blasting Service (15 Hopeland Road, Lititz, PA 17543), construction blasting for the Marlee Property in West Earl Township, **Lancaster County** with an expiration date of February 28, 2020. Permit issued: November 7, 2019.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free

pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Permits, Environmental Assessments and 401 Water Quality Certifications Issued:

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Waterways and Wetlands Program, 2 East Main Street, Norristown, PA 19401, 484.250.5160.

E46-1189: Pennsylvania Department of Transportation Engineering District 6-0, 7000 Geerdes Blvd., King of Prussia, PA 19406, New Hanover Township, **Montgomery County**, ACOE Philadelphia District.

The Pennsylvania Department of Transportation (PennDOT) is proposing to remove an existing 40.8-foot long, 6-foot by 3-foot concrete box culvert and in its place, construct and maintain a 113-foot long, 16-foot by 4-foot single cell precast concrete box stream enclosure carrying Minster Creek (TSF-MF). This activity will result in 161 linear feet (6,202 square feet, 0.14 acre) of permanent stream impact, 38 linear feet (608 square feet, 0.03 acre) of temporary stream impact, 235 linear feet (23,500 square feet, 0.54 acre) of permanent floodway impact which includes grading and bank repair downstream of proposed stream enclosure and 52 linear feet (5,200 square feet, 0.120 acre) of temporary floodway impact due to access and erosion and sediment control measures. Wetland impacts include 135 square feet (0.017 acre) of permanent and 448 square feet (0.010 acre) of temporary wetland impacts to two (2) PEM wetlands. There are two additional activities within project boundary which include the construction and maintenance of a new 48-inch diameter outfall with placement of riprap rock apron located downstream of the proposed PennDOT stream enclosure and also the removal of an abandoned driveway pipe culvert upstream of the proposed PennDOT stream enclosure. Impacts to resources are accounted for within the permanent floodway and stream impacts stated above.

The overall project will result in 16,123 square feet (0.370 acre) of floodplain impact and is located approximately 280 feet north of the N. Charlotte Street and Swamp Pike intersection in New Hanover Township, Montgomery County (USGS PA Sassamansville Quadrangle—Latitude 40.300076 N, Longitude 75.584671 W).

Northeast Regional Office, Waterways and Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone 570-826-2511.

No. E3902219-002. City of Allentown, 435 Hamilton Street, Allentown, PA 18101, City of Allentown, **Lehigh County**, U.S. Army Corps of Engineers, Philadelphia District.

To construct and maintain the following water obstructions and encroachments associated with the Gordon Street Bridge replacement:

1) To remove an existing structure and to construct and maintain a 56.7-foot long, 108-foot span composite prestressed concrete PA Bulb-Tee bridge crossing of Jordan Creek (TSF, MF) having a 9.3-foot underclearance, stone masonry wingwalls, R-8/R-4 riprap placed adjacent to each abutment and blended with natural streambed material. Within the footprint of the bridge, a 47-foot long, 57-foot wide, 2.5-foot deep portion of the streambed will be armored with R-6 riprap and blended within natural streambed material.

2) To remove and relocate an existing stormwater outfall along the western bank of Jordan Creek (TSF, MF) consisting of two (2) 60-inch diameter reinforced concrete pipes, concrete endwall, and a 25-foot long, 50-foot wide R-8 riprap apron.

3) To remove and relocate an existing sanitary sewer line within the floodway of Jordan Creek (TSF, MF) consisting of a 61-LF, 24-inch diameter pipe and two (2) concrete manholes.

4) To remove and relocate an existing stormwater outfall along the eastern bank to Jordan Creek (TSF, MF) consisting of a 54-inch diameter reinforced concrete pipe, concrete endwall, and a 24-foot long, 20-foot wide R-8 riprap apron.

5) To remove and relocate an existing water line crossing of Jordan Creek (TSF, MF) consisting of approximately 106-LF of 8-inch diameter ductile iron pipe fastened to the bridge decking.

The project is located along West Gordon Street, approximately 0.3 mile south of the intersection of Tilghman

Street and American Parkway (Allentown East, PA Quadrangle Latitude: 40° 36' 37.2" Longitude: -75° 27' 55.2") in City of Allentown, Lehigh County.

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636.

E1704219-001: Lori A. Snyder, Sandy Township, **Clearfield County**, U.S. Army Corps of Engineers Pittsburgh District (Sandy Quadrangle; Latitude 41° 10' 25" N; 78° 43' 57" W).

The applicant will construct a new house along Treasure Lake in Sandy Township. The project will result in 0.06 acre of permanent emergent wetland impact. The wetland is not considered exceptional value and no known threatened or endangered species inhabit the resource. Mitigation for the impact will be accomplished through a monetary contribution to the Pennsylvania Wetlands Replacement Project Fund. A stormwater outfall to the lake will also be installed.

F19042-003. Hemlock Township, 26 Firehall Road, Bloomsburg, PA 17815. Floodplain encroachment demolition in Hemlock Township, **Columbia County**, ACOE Baltimore District.

Hemlock Township is seeking authorization to demolish nine existing floodplain encroachments (flood-damaged structure) and to re-grade the floodplain. The properties are located in the following table. All work will be conducted within the right floodplain of Fishing Creek.

<i>Individual Property Number</i>	<i>Property Name & Physical Address</i>	<i>Size of Property ac.</i>	<i>Earth Disturbance ac.</i>	<i>Name of USGS Quadrangle Ma</i>	<i>Floodplain Map No.</i>	<i>Latitude</i>	<i>Longitude</i>
1	128 Drinker Street Bloomsburg, PA 17815	0.19	0.19	Bloomsburg	42037C0240E	N41.003087	W76.463951
2	198 Drinker Street Bloomsburg, PA 17815	0.33	0.33	Bloomsburg	42037C0240E	N41.002655	W76.464602
3	228 Drinker Street Bloomsburg, PA 17815	0.28	0.28	Bloomsburg	42037C0240E	N1.002366	W76.46495B
4	229 Drinker Street Bloomsburg, PA 17815	0.23	0.23	Bloomsburg	42037C0240E	N41.002610	W76.465254
5	299 Drinker Street Bloomsburg, PA 17815	0.25	0.25	Bloomsburg	42037C0240E	N41.002049	W76.466011
6	309 Drinker Street Bloomsburg, PA 17815	0.26	0.26	Bloomsburg	42037C0240E	N41.001876	W76.466256
7	319 Drinker Street Bloomsburg, PA 17815	0.12	0.12	Bloomsburg	42037C0240E	N41.001774	W76.466381
8	539 Drinker Street Bloomsburg, PA 17815	0.37	0.37	Bloomsburg	42037C0330E	N40.999115	W76.470428
9	544-548 Drinker Street Bloomsburg, PA 17815	0.84	0.84	Bloomsburg	42037C0330E	N40.998508	W76.470644

District Oil and Gas Operations: Eastern Oil & Gas District, 208 West Third Street, Suite 101, Williamsport, PA 17701.

E5829-148: Springville Township, Susquehanna County; Williams Field Services Company, LLC; 30351 Route 6, Wysox, PA 18854; ACOE Baltimore District.

To construct, operate, and maintain:

1) a stream restoration project impacting 406 lineal feet of White Creek (CWF, MF, AT) (Springville, PA Quadrangle; Latitude: 41° 42' 06", Longitude: -75° 56' 58").

The White Creek Stream Restoration project consists of restoring White Creek to its preconstruction condition in Springville Township, Susquehanna County. The project

will result in 406 lineal feet of stream impacts to restore stream ecology and vegetative conditions.

ENVIRONMENTAL ASSESSMENTS

Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 2, 400 Market Street, P.O. Box 8460, Harrisburg, PA 17105-8460.

D15-125EA. Rick Smith, Township Manager, East Goshen Township, 1580 Paoli Pike, West Chester, PA 19380, East Goshen Township, **Chester County**, USACOE Philadelphia District.

Project proposes to remove the Hershey's Mill Dam to eliminate a threat to public safety and to restore approximately 900 feet of stream channel to a free-flowing condition. The proposed restoration project includes construction of grade control and habitat enhancement structures in the stream channel through the former reservoir. The project is located across a tributary to Ridley Creek (HQ-TSF) (Malvern, PA Quadrangle, Latitude: 40.0136; Longitude: -75.5574).

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Southwest District: Oil & Gas Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222.

ESCGP-3 # ESG072619002-00
Applicant Name Laurel Mountain Midstream OPR LLC
Contact Person Kristy Grigas
Address 1605 Coraopolis Heights Rd, Westpointe CTR 3
City, State, Zip Moon Township, PA 15108-4310
County Fayette
Township(s) Luzerne Township
Receiving Stream(s) and Classification(s) UNTs to Monongahela River (WWF), Monongahela River (WWF)

ESCGP-3 # ESG076518003-00
Applicant Name Olympus Energy, LLC
Contact Person Brian Dillemath
Address 501 Technology Drive
City, State, Zip Canonsburg, PA 15317
County Westmoreland
Township(s) Upper Burrell Township
Receiving Stream(s) and Classification(s) Tributary 42918 of Pine Run (WWF), Pine Run (WWF), Tributary 42416 of Pucketa Creek (TSF), Tributary 42420 of Pucketa Creek (TSF), Tributary 42427 of Pucketa Creek (TSF), Pucketa Creek (TSF)

ESCGP-3 # ESG076518004-00
Applicant Name Olympus Energy, LLC
Contact Person Brian Dillemath
Address 501 Technology Drive
City, State, Zip Canonsburg, PA 15317
County Westmoreland
Township(s) Upper Burrell Township
Receiving Stream(s) and Classification(s) Tributary 42917 to Pine Run (WWF), Tributary 42916 to Pine Run (WWF), Pine Run (WWF)

ESCGP-3 # ESG070218004-00
Applicant Name Olympus Energy, LLC
Contact Person Olympus Energy, LLC
Address 501 Technology Drive
City, State, Zip Canonsburg, PA 15317
County Allegheny
Township(s) West Deer Township
Receiving Stream(s) and Classification(s) UNT to Dawson Run (CWF), Dawson Run (CWF), Deer Creek (CWF), Allegheny River (WWF)

ESCGP-3 # ESG070218003-00
Applicant Name Olympus Energy, LLC
Contact Person Kyle A Shirey
Address 501 Technology Drive
City, State, Zip Canonsburg, PA 15317
County Allegheny
Township(s) Plum Borough
Receiving Stream(s) and Classification(s) UNT S-01 to Allegheny River (WWF), UNT S-03 to Allegheny River (WWF), UNT S-04 to Allegheny River (WWF), UNT S-06 to Allegheny River (WWF), Allegheny River (WWF), UNT 92532 to Bodies Run (WWF), Bodies Run (WWF)

Eastern Region: Oil & Gas Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

ESCGP-3# ESG294119029-00
Applicant Name EXCO Resources PA LLC
Contact Person Brian Rushe
Address 13448 SR 422, Suite 1
City, State, Zip Kittanning, PA 16201
County Lycoming
Township(s) Penn
Receiving Stream(s) and Classification(s) UNT to Sugar Run (CWF) and UNT to Big Run (CWF)
Secondary—Sugar Run (CWF) and Big Run (CWF)

ESCGP-3 # ESG296619006-00
Applicant Name Chesapeake Appalachia LLC
Contact Person Eric Haskins
Address 14 Chesapeake Lane
City, State, Zip Sayre, PA 18840
County Wyoming
Township(s) Windham
Receiving Stream(s) and Classification(s) UNT to Susquehanna River (WWF-MF)
Secondary—Susquehanna River (WWF-MF)

ESCGP-3 # ESG294119027-00
 Applicant Name EXCO Resources PA LLC
 Contact Person Brian Rushe
 Address 13448 SR 422, Suite 1
 City, State, Zip Kittanning, PA 16201
 County Lycoming
 Township(s) Gamble
 Receiving Stream(s) and Classification(s) Lycoming Ck
 (WWF)
 Secondary—UNT to Mill Ck (WWF)

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 2

The following plans and reports were submitted under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245 Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup & Brownfields Program Manager, 2 East Main Street, Norristown, PA 19401.

Chadds Ford Sunoco, 23-07303, 1700 Wilmington Pike, Chadds Ford Township, **Delaware County**. Mulry Cresswell Environmental, Inc., 1679 Horseshoe Pike, Glenmoore, PA 19343, on behalf of Mr. Brandt Wolf and Ms. Kim Schwartz, 1721A Fitzwater Street, Philadelphia, PA 19146, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet residential Statewide health standards.

Gatz Auto, 51-30277, 2899 Holme Ave., **City of Philadelphia**. Mulry Cresswell Environmental, Inc., 1679

Horseshoe Pike, Glenmoore, PA 19343, on behalf of Evergreen Resources Management Operations, 2 Righter Parkway, Suite 120, Wilmington, DE 19803, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet site-specific standards.

Friends Hosp, 51-23029, 4641 Roosevelt Blvd., **City of Philadelphia**. Converse Consultants, 2738 West College Avenue, State College, PA 16801, on behalf of Friends Hospital, 4000 Vine Street, Middletown, PA 17057, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with # 6 fuel oil. The report is intended to document remediation of the site to meet residential Statewide health standards.

Sinkler, 09-09477, 650 Knowles Ave., Upper Southampton Township, **Bucks County**. Patriot Environmental Management, LLC, 2404 Brown Street, Pottstown, PA 19464, on behalf of ORTEP of PA, 650 Knowles Avenue, Southampton, PA 18966, submitted a Site Characterization Report 310(b) concerning remediation of soil contaminated with # 2 fuel oil. The report is intended to document remediation of the site to meet nonresidential Statewide health standards.

Southeast Region: Environmental Cleanup & Brownfields Program Manager, 2 East Main Street, Norristown, PA 19401.

7 Eleven 24160, 09-30769, 1401 City Line Ave., Lower Merion Township, **Montgomery County**. AECOM, 625 West Ridge Pike, Suite E-100, Conshohocken, PA 19428, on behalf of 7-Eleven, Inc., P.O. Box 711, Dallas, TX 75221-0711, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet nonresidential Statewide health and site-specific standards.

Sunoco 0363 3930, 09-30769, 20 2nd Street Pike, Warminster Township, **Bucks County**. Aquaterra Technologies, Inc., P.O. Box 744, West Chester, PA 19381, on behalf of Evergreen Resources Management Operations, 2 Righter Parkway, Suite 120, Wilmington, DE 19803, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet residential Statewide health and site-specific standards.

Sunoco 0363 3799, 51-30606, 100 W Queen Ln., **City of Philadelphia**. Groundwater & Environmental Services, Inc., 440 Creamery Way, Suite 500, Exton, PA 19341, on behalf of Evergreen Resources Management Operations, 2 Righter Parkway, Suite 120, Wilmington, DE 19803, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet nonresidential Statewide health and site-specific standards.

Strick Corp, 09-40128, 225 Lincoln Highway, Falls Township, **Bucks County**. BrightFields Inc., 801 Industrial Street, Wilmington, DE 19801, on behalf of underground 225 Lincoln Properties, LP, 225 Lincoln Highway, Fairless Hills, PA 19030, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with leaded and unleaded gasoline. The report is intended to document remediation of the site to meet nonresidential Statewide health standards.

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Varsity Pit Stop, Storage Tank ID # 35-08950, 438 West Drinker Street, Dunmore Borough, **Lackawanna County**. LaBella, 1000 Dunham Drive, Suite B, Dunmore, PA 18512, on behalf of Ronald Sompel, 800 Johns Drive, Moosic, PA 18507, submitted a Remedial Action Plan concerning remediation of groundwater contaminated with gasoline. The report is intended to document the remedial actions for meeting the Statewide Health Standards.

Former Michael's Auto Service, Storage Tank ID # 48-24040, 3780 Airport Road, Hanover Township, **Northampton County**. Rettew Associates, 3020 Columbia Avenue, Lancaster, PA 17603, on behalf of Lehigh-Northampton Airport Authority, 3311 Airport Road, Allentown, PA 18109, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with gasoline. The report is intended to document the remedial actions for meeting Site-Specific Standards.

Ralph's Service Center, 54-41154, 574 South Main Street, Nazareth Borough, **Northampton County**, MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Ralph Murante, 403 Bushkill Center Road, Nazareth, PA 18064, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with gasoline. The report is intended to document remediation of the site to meet combination of Site-Specific and Statewide Health Standards.

Hornbeck Chevrolet, Storage Tank ID # 58-23256, 400 Main Street, Forest City Borough, **Susquehanna County**. Aquaterra, P.O. Box 744, West Chester, PA 19381 on behalf of Hornbeck Chevrolet, 400 Main Street, Forest City, PA 18421, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with gasoline. The report is intended to document remediation of the site to meet Site-Specific Standards.

Leighton Fuel & Fill, Storage Tank ID # 13-50392, 7435 Interchange Road, Towamensing Township, **Carbon County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Leighton Fuel & Fill LLC, 7435 Interchange Road, Leighton, PA 18235, submitted a Remedial Action Plan concerning remediation of groundwater contaminated with gasoline. The report is intended to document the remedial actions for meeting Statewide Health Standards.

Sheetz # 319, Storage Tank ID # 40-37719, 163 South Memorial Highway, Kingston Township, **Luzerne County**, EnviroTrac, on behalf of Sheetz, 351 Sheetz Way, Claysburg, PA 16625, submitted a combined Site Characterization Report and Remedial Action Plan concerning remediation of groundwater contaminated with gasoline. The report is intended to document the remedial actions for meeting Statewide Health Standards.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Sunoco 0003 7234, Storage Tank Facility ID Number 28-20304, 12898 Molly Pitcher Highway, Greencastle, PA 17225, Antrim Township, **Franklin County**, Aquaterra Technologies, Inc., 901 South Bolmar Street, West Chester, PA 19382 on behalf of Sunoco, LLC, c/o Evergreen Resources Group, LLC, 2 Righter Parkway, Suite 120, Wilmington, DE 19803 submitted a Remedial Action Plan concerning remediation of groundwater contaminated

with petroleum constituents. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

JBS Gas and Snacks IV, Storage Tank Facility ID # 56-80112, 4077 Glades Pike Road, Somerset, PA 15501, Somerset Township, **Somerset County**. Letterle and Associates, Inc., 2022 Axemann Road, Suite 201, Bellefonte, PA 16823, on behalf of Mr. James Barron, 848 Husband Road, Somerset, PA 15501, submitted a Remedial Action Plan concerning the remediation of soil and groundwater contaminated with petroleum products. The plan is intended to document remediation of the site to meet the residential Site-Specific Standard.

Catanese Brothers Service Station, Storage Tank Facility ID # 02-25149, 663 Little Deer Creek Road, Russellton, PA 15076, West Deer Township, **Allegheny County**. Letterle and Associates, Inc., 191 Howard Street, Suite 108, Franklin, PA 16323, on behalf of Mr. Harry Klodowski, Jr., 6400 Brooktree Court, Suite 250, Wexford, PA 15090 submitted a Remedial Action Plan concerning the remediation of soil and groundwater contaminated with petroleum products. The plan is intended to document remediation of the site to meet the non-residential Statewide Health Standard.

Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Kwik Fill M0209, Storage Tank Facility ID # 61-23779, 5574 State Route 8, Barkeyville Borough, **Venango County**. Mountain Research LLC, 825 25th Street, Altoona, PA 16601, on behalf of United Refining Company of PA, 15 Bradley Street, Warren, PA 16365 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with benzene, ethylbenzene, toluene, xylenes, isopropyl benzene, naphthalene, MTBE, 1,2,4 trimethylbenzene, 1,3,5 trimethylbenzene. The plan is intended to document the remedial actions for meeting the Statewide Health Standard.

Kwik Fill M 176, Storage Tank Facility ID # 25-14853, 231 West Main Street, Girard, **Erie County**. ATC Group Services LLC, 270 William Pitt Way, Pittsburgh, PA 15238, on behalf of United Refining Company of PA, P.O. Box 688, Warren, PA 16365, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with benzene, toluene, ethylbenzene, cumene, naphthalene, methyl tert-butyl ether, 1,2,4-trimethylbenzene, and 1,3,5-trimethylbenzene. The plan is intended to document the remedial actions for meeting the Statewide Health Standard.

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 3

The DEP has taken action on the following plans and reports under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245 Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the

remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

The DEP may approve or disapprove plans and reports submitted. This notice provides the DEP's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of the plan or report appears. If information concerning a report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The DEP has received the following plans and reports:

Southeast Region: Environmental Cleanup & Brownfields Program Manager, 2 East Main Street, Norristown, PA 19401.

Springfield Fuels 67367, 23-23937, 5300 N. Springfield Rd., Upper Darby Township, **Delaware County**. Keith Valley Environmental, Inc., P.O. Box 5376, Deptford, NJ 08096, on behalf of Ramoco Marketing Group, LLC, P.O. Box 2218, Princeton, NJ 08543-2218, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet nonresidential site specific standards. The RACR demonstrated attainment of nonresidential Statewide health and site-specific standards for soil and groundwater and was approved by the DEP on November 7, 2019.

Sunoco 0004 7274, 51-40310, 5026 Wynnefield Ave., **City of Philadelphia**. Groundwater & Environmental Services, Inc., 440 Creamery Way, Suite 500, Exton, PA 19341, on behalf of Evergreen Resources Management Operations, 2 Righter Parkway, Suite 120, Wilmington, DE 19803 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum products. The RACR demonstrated attainment of residential Statewide health and site-specific standards for soil and groundwater and was approved by the DEP on October 17, 2019.

Fleet Site 4 258, 51-20204, 26th & Master, **City of Philadelphia**. Oxford Engineering Company, 336 Point Street, Camden, NJ 08102, on behalf of the City of Philadelphia, Office of Fleet Management, 100 S. Broad Street, 3rd Floor, Philadelphia, PA 19125 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum compounds. The Remedial Action Completion Report demonstrated attainment of residential Statewide health and site-specific standards and was approved by the DEP on October 29, 2019.

PQ Chester Plt, 23-16475, 1201 W. Front St., Chester City, **Delaware County**. GZA GeoEnvironmental, Inc., 55 Lane Rd., Suite 407, Fairfield, NJ 07004, on behalf of PQ Corporation, 300 Linderwood Drive, Malvern, PA 19355 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with No. 2 and No. 6 heating oil. The Remedial Action Plan was acceptable to meet residential Statewide health and site-specific standards and was approved by the DEP on September 18, 2019.

Citgo Svc Sta, 15-43319, 614 E Barnard St, West Chester Borough, **Chester County**. Groundwater & Environmental Services, Inc., 440 Creamery Way, Suite 500, Exton, PA 19341, on behalf of Pennsylvania Department of Environmental Protection, Southeast Regional Office, 2 E. Main Street, Norristown, PA 19401, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum products. The Remedial Action Plan was acceptable to meet residential Statewide health and site-specific standards and was approved by the DEP on October 31, 2019.

Daylesford Abbey, 15-04053, 220 S Valley Rd., Wil-listown Township, **Chester County**. Marshall Geoscience, Inc., 170 East First Avenue, Collegeville, PA 19426, on behalf of Daylesford Abbey, 220 S. Valley Road, Paoli, PA 19301 submitted a Site Characterization Report 310(b) concerning remediation of soil contaminated with unleaded gasoline. The report was acceptable to meet residential Statewide health standards and was approved by the DEP on October 30, 2019.

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Kingston DPW Building, Storage Tank ID # 40-50330, 455 Church Street, Kingston Borough, **Luzerne County**. Borton Lawson, 613 Baltimore Drive, Suite 300, Wilkes-Barre, PA 18701, on behalf of Kingston Borough, 500 Wyoming Avenue, Kingston, PA 18704, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum. The report was acceptable to meet Site-Specific Standards and was approved by DEP on November 1, 2019.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Lancaster Travel Plaza, Storage Tank Primary Facility ID Number 36-09430, 2622 Lincoln Highway East, Ronks, PA 17572-9772, East Lampeter Township, **Lancaster County**, Mulry and Cresswell Environmental, Inc., 1961 Horseshoe Pike, Manor Professional Building, Suite 3, Glenmoore, PA 19343, on behalf of Jyotsna Jivani, 103 Nevermore Circle, North Wales, PA 19454-4423 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with diesel fuel short list constituents. The Remedial Action Plan was acceptable to meet the Residential Statewide Health Standards and was approved by the Department on November 5, 2019.

Nan & Pap's Market & Deli, Storage Tank Facility ID Number 28-37105, 10503 South Mountain Road, Fayetteville, PA 17222, Quincy Township, **Franklin County**, Letterle & Associates, Inc., 2022 Axemann Road, Suite 201, Bellefonte, PA 16823, on behalf of Mr. Lutaf Salim, Umar Enterprize, Inc., 400 Old Mill Road, Gettysburg, PA 17325 submitted a Remedial Action Completion Report concerning remediation of soil and groundwa-

ter contaminated with petroleum constituents. The Remedial Action Completion Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on November 7, 2019.

SPECIAL NOTICES

AIR QUALITY

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2531.

Notice of Proposed Revision to the State Implementation Plan for Volatile Organic Compounds, Notice of Public Hearing, and Notice of Intent to Issue Revised Air Quality Operating Permit.

Operating Permit 39-00004: Approval of a Reasonably Available Control Technology (RACT II) plan for **Mack Trucks, Inc.** located in Lower Macungie Township, **Lehigh County**.

In accordance with 25 Pa. Code §§ 129.96—129.100, the Pennsylvania Department of Environmental Protection has made a preliminary determination to approve a RACT II plan and an amendment to the State Implementation Plan (SIP) for the mobile equipment manufacturing surface coating operations owned and operated by Mack Trucks, Inc. located in Lower Macungie Township, Lehigh County.

The proposed SIP revision does not adopt any new regulations. It incorporates the provisions and requirements contained in the amended RACT II approval for the facility, which are intended to satisfy the requirements for the 1997, 2008, and 2015 National Ambient Air Quality Standard (NAAQS) for ozone.

The proposed amendments to the RACT II determination, if finally approved, will be incorporated into a revised operating permit (39-00004) for the facility. The relevant RACT II requirements will be submitted to the U.S. Environmental Protection Agency (EPA) as a revision to Pennsylvania’s State Implementation Plan and will remain in effect until replaced pursuant to 40 CFR 51 and approval by the EPA. Requirements that are not part of the RACT II determination will be excluded from the SIP submittal.

The following is a summary of the proposed amendments to the RACT II determination for this operation that will be submitted to the EPA as a SIP revision:

<i>Source</i>	<i>RACT II Requirement</i>
Source ID 001— CATERPILLAR EMERGENCY GENERATOR	Volatile Organic Compounds. The permittee will operate in accordance with the manufacturer’s specifications and good operating practices, maintain appropriate records.
Source ID 002— DETROIT DIESEL GENERATOR	Volatile Organic Compounds. The permittee will operate in accordance with the manufacturer’s specifications and good operating practices, maintain appropriate records.

<i>Source</i>	<i>RACT II Requirement</i>
Source ID 035— (122) IR HEATERS	Volatile Organic Compounds. The permittee will operate in accordance with the manufacturer’s specifications and good operating practices, maintain appropriate records.
Source ID 018— ADHESIVE APPLICATION	Volatile Organic Compounds. The permittee will limit VOC emissions to < 2.7 tons/year, operate in accordance with the manufacturer’s specifications and good operating practices, maintain appropriate records.
Source ID 120— GUN CLEANER and Source ID 121— MISC SOLVENT OPERATIONS	Volatile Organic Compounds. The permittee will limit VOC emissions to < 20.0 tons/year combined for both source ID’s, operate in accordance with the manufacturer’s specifications and good operating practices, maintain appropriate records.
Source ID 201— SOLVENT STORAGE TANK	Volatile Organic Compounds. The permittee will limit VOC emissions to < 2.7 tons/year, operate in accordance with the manufacturer’s specifications and good operating practices, maintain appropriate records.

Persons wishing to file a written protest or provide comments or request a public hearing, which they believe should be considered prior to the issuance of a permit, may submit the information to Mr. Mark Wejkszner, Air Quality Program Manager, Northeast Regional Office, 2 Public Square, Wilkes-Barre, PA 18701-1915. A 30-day comment period from this date of publication in the *Pennsylvania Bulletin* will exist for the submission of comments, protests and hearing request. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed RACT II Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the proposed RACT II Plan. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Raymond Kempa, Chief, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

All pertinent application documents are available for public review between 8 a.m. and 4 p.m. at the Pennsylvania DEP Northeast Regional Office, 2 Public Square, Wilkes-Barre, PA 18701-1915. Appointments for scheduling a review may be made by calling 570-826-2419.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodations to do so should contact Colleen Connolly at 570-826-2035 or the Pennsylvania AT&T Relay Service at 1-800-654-5984 (TDD) to discuss how the Department may accommodate your needs.

Operating Permit 54-00041: Approval of a Reasonably Available Control Technology (RACT II) plan for **Silberline Manufacturing Company Inc.** located in Rush Township, **Schuylkill County**.

In accordance with 25 Pa. Code Sections §§ 129.96—129.100, the Pennsylvania Department of Environmental Protection has made a preliminary determination to approve a RACT II plan and an amendment to the State Implementation Plan (SIP) for the milling, screening, and filter pressing operations owned and operated by Silberline Manufacturing Company Inc. in Rush Township, Schuylkill County.

The proposed SIP revision does not adopt any new regulations. It incorporates the provisions and requirements contained in the amended RACT approval for the facility, which are intended to satisfy the requirements for the 1997, 2008 and 2015 National Ambient Air Quality Standard (NAAQS) for ozone.

The proposed amendments to the RACT II determination, if finally approved, will be incorporated into a revised operating permit (54-00041) for the facility. The relevant RACT II requirements will be submitted to the U.S. Environmental Protection Agency (EPA) as a revision to Pennsylvania’s State Implementation Plan and will remain in effect until replaced pursuant to 40 CFR 51 and approval by the EPA. Requirements that are not part of the RACT II determination will be excluded from the SIP submittal.

The following is a summary of the proposed amendments to the RACT II determination for this operation that will be submitted to the EPA as a SIP revision:

Source	RACT II Requirement
101—Milling/Screening and 102—Filter Presses	Volatile Organic Compounds. The permittee will limit VOC emissions to < 83.3 tons/year combined for both source ID’s. The permittee will maintain records as required by TVOP 54-00041 for Source ID 101 and ID 102—Group 2.

Persons wishing to file a written protest or provide comments or request a public hearing, which they believe should be considered prior to the issuance of a permit, may submit the information to Mr. Mark Wejkszner, Air Quality Program Manager, Northeast Regional Office, 2 Public Square, Wilkes-Barre, PA 18701-1915. A 30-day comment period from this date of publication in the *Pennsylvania Bulletin* will exist for the submission of comments, protests and hearing request. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed RACT II Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the proposed RACT II Plan. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP deter-

mines such notification is sufficient. Written comments or requests for a public hearing should be directed to Raymond Kempa, Chief, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

All pertinent application documents are available for public review between 8 a.m. and 4 p.m. at the Pennsylvania DEP Northeast Regional Office, 2 Public Square, Wilkes-Barre, PA 18701-1915. Appointments for scheduling a review may be made by calling 570-826-2419.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodations to do so should contact Colleen Connolly at 570-826-2035 or the Pennsylvania AT&T Relay Service at 1-800-654-5984 (TDD) to discuss how the Department may accommodate your needs.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Waterways and Wetlands Program, 2 East Main Street, Norristown, PA 19401, Telephone 484.250.5160.

E09-1036: Pennsylvania Department of Transportation Engineering District 6-0, 7000 Geerdes Blvd., King of Prussia, PA 19406, Bensalem and Middletown Townships, **Bucks County**, ACOE Philadelphia District.

The Pennsylvania Department of Transportation District 6-0 (PennDOT 6-0) is proposing to perform the following water obstruction and encroachment activities within an unnamed tributary to Neshaminy Creek (WWF-MF) as well as the main branch of Neshaminy Creek (WWF-MF) associated with the S.R. 0001 Section RC2 Improvement Project:

1. To construct and maintain a 90-foot-long, 42-inch diameter RCP stream enclosure extension carrying a perennial unnamed tributary to Neshaminy Creek (WUS-19, WWF-MF). This activity is associated with the reconstruction of the Rockhill Drive Interchange, including the placement of rock riprap apron and rock barriers resulting 142 linear feet (1,412 square feet, 0.032 acre) of permanent watercourse impact and 7,284 square feet (0.167 acre) of permanent floodway impact.
2. To place fill within a perennial unnamed tributary to Neshaminy Creek (WUS-20, WWF-MF) in association with the reconstruction of the Rockhill Drive Interchange resulting in 84 linear feet (463 square feet, 0.011 acre) of permanent watercourse impact and 9,273 square feet (0.212 acre) of permanent floodway impact. This activity also includes the placement of rock barriers.
3. To construct and maintain a 95-foot-long, 42-inch diameter stream enclosure extension carrying a perennial unnamed tributary to Neshaminy Creek (WUS-18, WWF-MF) associated with the reconstruction of the Rockhill Drive Interchange including the placement of rock riprap apron resulting in 132 linear feet (1,336 square feet, 0.031 acre) of permanent watercourse impact and 17,854 square feet (0.410 acre) of permanent floodway impact.
4. The construction of the 95-foot-long, 42-inch diameter RCP stream enclosure extension (WUS-18, WWF-MF) includes the loss of hydrology to a wetland (WET-16, PEM) and will result in 1,601 square feet (0.037 acre) of permanent wetland impact.
5. To construct and maintain a 51-foot-long, double 42-inch diameter RCP stream enclosure extension carrying a perennial unnamed tributary to Neshaminy Creek (WUS-15, WWF-MF), reconstruct and maintain an existing headwall, perform grading for drainage improve-

ments, including the placement of rock riprap aprons and rock barriers associated with the reconstruction of the Rockhill Drive Interchange resulting in 149 linear feet (2,923 square feet, 0.067 acre) of permanent watercourse impact, 13,229 square feet (0.304 acre) of permanent floodway impact, 256 linear feet (2,576 square feet, 0.059 acre) of temporary watercourse impact and 12,758 square feet (0.293 acre) of temporary floodway impact.

6. To construct and maintain a 24-inch outfall carrying an intermittent unnamed tributary to Neshaminy Creek (WUS-16, WWF-MF) originating at the pipe outfall from the existing roadway slope associated with the reconstruction of the Rockhill Drive Interchange resulting in 68 linear feet (532 square feet, 0.12 acre) of permanent watercourse impact, 3,288 square feet (0.075 acre) of permanent floodway impact, 10 linear feet (78 square feet, 0.002 acre) of temporary watercourse impact and 4,845 square feet (0.111 acre) of temporary floodway impact. This activity also includes the placement of rock riprap apron and rock barrier.

7. To place fill within a wetland (WET-17, PEM) associated with the reconstruction and road widening of the Rockhill Drive Interchange resulting in 1,504 square feet (0.035 acre) of permanent wetland impact.

8. To construct and maintain a 138-foot-long, 30-inch diameter RCP stream enclosure extension carrying a perennial unnamed tributary discharging directly to Neshaminy Creek (WUS-14, WWF-MF) associated with roadway widening of S.R. 0001, existing outfall improvements, a new 12-inch diameter outfall and the placement of riprap rock aprons located adjacent to the northbound approach of the bridge over Neshaminy Creek. This activity will result in 221 linear feet (2,639 square feet, 0.061 acre) of permanent watercourse impact, 249 linear feet (2,522 square feet, 0.058 acre) of temporary watercourse impact with 25,647 square feet (0.589 acre) of permanent floodway impact to Neshaminy Creek (WUS-1) 100-year floodplain and 11,153 square feet (0.256 acre) of temporary floodway impact to Neshaminy Creek (WUS-1) 100-year floodplain.

9. To remove an existing 322.5-foot-long, three 3-span, reinforced concrete arch bridge over the Neshaminy Creek (WUS-1, WWF-MF) and in its place, construct and maintain two (2) 3-span continuous composite prestressed concrete bulb-tee beam bridges as follows:

- 401-foot-long, 3-span S.R. 0001 Section RC2 Southbound Bridge located adjacent to existing bridge location.
- 403-foot-long, 3-span S.R. 0001 Section RC2 Northbound Bridge located at existing bridge location.

This activity will result in 200 linear feet (27,172 square feet, 0.624 acre) of permanent watercourse impact, 117,535 square feet (2.698 acre) of permanent floodway impact and 230 linear feet (43,341 square feet, 0.995 acre) of temporary watercourse impact. In addition, the placement of fill, construction of new bridges and a stormwater facility will result in 10,625 square feet (1.788 acres) of permanent FEMA designated floodway and 100-year floodplain impact. Temporary impact to floodway and watercourse includes the construction and maintenance of three (3) temporary access roads and temporary bridges within the watercourse and floodway/floodplain of the Neshaminy Creek (WUS-1, WWF-MF) for pier removal and construction.

10. To place fill within a perennial unnamed tributary to Neshaminy Creek (WUS-12, WWF-MF) associated with the reconstruction of the Pennel Interchange (both sides of existing S.R. 0001) and the construction of a stormwater facility resulting in 35 linear feet (323 square feet, 0.007 acre) of permanent watercourse impact and 53 linear feet (714 square feet, 0.016 acre) of temporary watercourse impact with 32,716 square feet (0.751 acre) of permanent floodway impact and 3,817 square feet (0.088 acre) of temporary floodway impact to Neshaminy Creek (WUS-1) 100-year floodplain with includes a portion of the floodway of the unnamed tributary.

11. To place fill for grading activities and construct a stormwater facility within two (2) intermittent unnamed tributaries of Neshaminy Creek (WUS-11, WUS-13, WWF-MF) and two (2) wetlands (WET-11A, WET-11B, PFO) associated with the reconstruction of the Pennel Interchange resulting in a total of 134 linear feet (664 square feet, 0.016 acre) of permanent watercourse impact, 25,643 square feet (0.588 acre) of permanent floodway impact and 7,656 square feet (0.176 acre) of permanent wetland impact.

12. To construct and maintain a 36-foot-long, 36-inch diameter culvert extension carrying a perennial unnamed tributary to the Neshaminy Creek (WUS-10, WWF-MF) due to the reconstruction of the Business Route 1 ramp resulting in 59 linear feet (652 square feet, 0.015 acre) of permanent watercourse impact, 5,395 square feet (0.124 acre) of permanent floodway impact, 18 linear feet (183 square feet, 0.004 acre) of temporary watercourse impact and 1,980 square feet (0.045 acre) of temporary floodway impact. This activity also includes the placement of rock riprap apron.

13. To place fill and construct a stormwater facility within two (2) wetlands (WET-18, WET-19, PEM) located at the Business Route 1 ramp resulting in 2,255 square feet (0.052 acre) of permanent wetland impact.

Overall, this project will result in a total of 1,224 linear feet (38,116 square feet, 0.875 acre) of permanent watercourse impact and 13,016 square feet (0.299 acre) of permanent wetland impact with off-site mitigation associated for both S.R. 0001 Section RC1 (DEP Permit No. E09-1012) and Section RC2 located at Bensalem High School. Mitigation efforts include the removal of a partially breached dam, the relocation/restoration of 1,482 linear feet of an unnamed tributary to Neshaminy Creek (WUS-M1, WWF-MF) and a minimum creation/restoration of 1.37 acre of floodplain wetlands. In addition, efforts include mitigation for 0.307 acre of existing wetlands impacted by proposed mitigation construction activities. This project is located between the Rockhill Drive Interchange and Pennel Interchange in Bensalem and Middletown Townships, Bucks County (USGS PA Langhorne Quadrangle—Latitude 40.136456 N, Longitude 74.962950 W).

E46-1012: Limerick Partners I, LP, Meetinghouse Business Center, Suite 120, Plymouth Meeting, PA 19462, Limerick Township, **Montgomery County**, ACOE Philadelphia District.

To reissue Permit No. E46-1012 which authorized the relocation, construction, and maintenance of 956 LF along the unnamed tributary to Mingo Creek (WWF) and the placement of 0.22 acre of fill in the abandon channel to facilitate construction of the retail center (Home Depot). The project is located on the west side of PA Route 100

approximately 1,900 feet southwest of Ridge Pike, west of Township Line (Phoenixville, PA, Quadrangle Lat: 40.214694; Long: -75.50583) in Limerick Township, Montgomery County.

E15-917: PECO Energy Company, 2301 Market Street N3-3, Philadelphia, PA 19103, Tredyffrin Township, Chester County, ACOE Philadelphia District.

To construct and maintain 120 LF of a 6-inch plastic gas main in and along the assumed 100-year floodway of Crow Creek (WWF, MF) utilizing an open trench method.

The site is located near the intersection of Croton and Knox Roads in a local historic district listed on National Register Historic Places (Tredyffrin, PA USGS map, Lat: 40.064096; -75.397523) in Tredyffrin Township, Chester County.

Erosion and Sediment Control Permit Modification

Water Obstruction and Encroachment Permit Modification

The Department of Environmental Protection (Department) provides notice of a complete application for a permit modification for the following listed Chapter 102, Erosion and Sediment Control Permit and Chapter 105 Water Obstruction and Encroachment Permit, issued for the Pennsylvania Pipeline Project (PPP)/Mariner East II.

<i>Ch 102 Permit No.</i>	<i>Applicant Name & Address</i>	<i>Counties</i>	<i>DEP Regional Office</i>
ESG0500015001	Sunoco Pipeline, LP (SPLP) 535 Fritztown Road Sinking Spring, PA 19608	Delaware and Chester	Southeast Region

<i>Ch 105 Permit No.</i>	<i>Applicant Name & Address</i>	<i>Counties</i>	<i>DEP Regional Office</i>
E15-862	Sunoco Pipeline, LP (SPLP) 535 Fritztown Road Sinking Spring, PA 19608	Chester	Southeast Region

Modification 1

This request, received May 1, 2019, is entitled Modification Request—Installation Method Change at PA Turnpike/0280 HDD, Upper Uwchlan Township, Chester County. This modification consists of a change in the route and installation method for the 16 and 20-inch diameter pipeline previously permitted as Horizontal Directional Drill (HDD) 280.

The permit modification request is to convert the installation method of both the 16 and 20-inch diameter pipelines from a HDD to an open cut installation and one conventional bore. The change in methodology is to minimize impacts to Waters of the Commonwealth and avoid potential future growth requirements of the PA Turnpike I-76.

The modification includes an additional 4.86 acres of LOD.

Modification 2

This request, received May 14, 2019, is entitled Modification Request for Installation Method Change at HDD S3-0400 Lisa Drive, West Whiteland Township, Chester County. This modification consists of a change in installation method for the 20-inch diameter pipeline previously permitted as Horizontal Directional Drill (HDD) 400.

The permit modification request consists of a change in installation method for 20-inch diameter pipeline from a Horizontal Directional Drill (HDD) to a Direct Pipe Bore and open trench installation. The direct pipe bore will go under the Exton Bypass (State Route 30), AMTRAK (American Track National Railroad Passenger Corporation), Norfolk Southern Railroad, and wetland WL-K21. The remaining 1,269 feet will be installed via open trench installation. The change in installation method will not result in any increase to the permanent impacts to wetland WL-K21 or other waters of the Commonwealth as set forth in the original Chapter 105 authorization.

The modification includes an additional 3.99 acres of LOD.

For more detailed information regarding the Southeast Regional Office Chapter 102 permit (ESG0500015001) and Chapter 105 permit (E15-863) related to this project, which is available in the Department's regional office and available online at dep.pa.gov/pipelines, contact the Southeast Regional Office, (484) 250-5160 to request a file review.

Department of Environmental Protection, Southeast Regional Office, Waterways and Wetlands Program, 2 East Main Street, Norristown, PA 19401, ra-epww-sero@pa.gov.

Erosion and Sediment Control Permit Modification

Water Obstruction and Encroachment Permit Modification

The Department of Environmental Protection (Department) provides notice of a complete application for a permit modification for the following listed Chapter 102, Erosion and Sediment Control Permit and Chapter 105 Water Obstruction and Encroachment Permit, issued for the Pennsylvania Pipeline Project (PPP)/Mariner East II.

<i>Ch 102 Permit No.</i>	<i>Applicant Name & Address</i>	<i>Counties</i>	<i>DEP Regional Office</i>
ESG0500015001	Sunoco Pipeline, LP (SPLP) 535 Fritztown Road Sinking Spring, PA 19608	Delaware and Chester	Southeast Region

<i>Ch 105 Permit No.</i>	<i>Applicant Name & Address</i>	<i>Counties</i>	<i>DEP Regional Office</i>
E23-524	Sunoco Pipeline, LP (SPLP) 535 Fritztown Road Sinking Spring, PA 19608	Delaware	Southeast Region

This request, received March 26, 2019, is entitled Modification Request Installation Method Change at 0620 HDD, Middletown Township, Delaware County. This modification consists of a change in the route and installation method for the 16 and 20-inch diameter pipeline previously permitted as Horizontal Directional Drill (HDD) 620.

This modification is being requested for a change from the HDD installation method for the 20-inch, and portions of the 16-inch, diameter pipelines to a conventional open trench construction through Wetland WL-11 and Stream S-12, conventional auger bore under Glen Riddle Road, and a direct pipe bore under Riddlewood Drive and the Southeast Pennsylvania Transportation Authority's (SEPTA) Railroad.

The modification includes an additional 5.32 acres of LOD.

For more detailed information regarding the Southeast Regional Office Chapter 102 permit (ESG0500015001) and Chapter 105 permit (E23-524) related to this project, which is available in the Department's regional office and available online at dep.pa.gov/pipelines, contact the Southeast Regional Office, (484) 250-5160 to request a file review.

Department of Environmental Protection, Southeast Regional Office, Waterways and Wetlands Program, 2 East Main Street, Norristown, PA 19401, ra-epww-sero@pa.gov.

[Pa.B. Doc. No. 19-1739. Filed for public inspection November 22, 2019, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Coal Mining Reclamation Fee Amount for 2020

The Department of Environmental Protection (Department) announces the amount of the per acre Reclamation Fee for 2020. Effective January 1, 2020, the per acre Reclamation Fee will be \$100. The fee amount is recalculated each year in accordance with 25 Pa. Code § 86.17(e)(4) (relating to permit and reclamation fees). Refer to 25 Pa. Code § 86.17 for more detailed information.

Annual adjustments to the per acre Reclamation Fee are based on a fiscal year report that contains a financial analysis of the revenue and expenditures from the Reclamation Fee O & M Trust Account for Fiscal Year (FY) 2018-2019. The report also provides projections for FY 2019-2020. The report was reviewed with the Department's Mining and Reclamation Advisory Board on October 24, 2019.

The final fiscal year report is available at <http://www.dep.pa.gov/Business/Land/Mining/BureauofMiningPrograms/Reports/Pages/default.aspx>.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 19-1740. Filed for public inspection November 22, 2019, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Oil and Gas Technical Advisory Board Meeting Cancellation

The December 18, 2019, meeting of the Oil and Gas Technical Advisory Board (Board) is cancelled. The next Board meeting is scheduled for Wednesday, January 15, 2020, at 10 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

Questions concerning the January meeting should be directed to Todd M. Wallace, Office of Oil and Gas Management, at twallace@pa.gov or (717) 783-9438. The agenda and meeting materials will be available through the Public Participation tab on the Department of Envi-

ronmental Protection's (Department) web site at www.dep.pa.gov (select "Public Participation," then "Advisory Committees," then "Oil and Gas Advisory Committees," then "Oil and Gas Technical Advisory Board"). Individuals who wish to attend the January meeting by means of Skype may do so by registering through the web site.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Todd M. Wallace at (717) 783-9438, or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 19-1741. Filed for public inspection November 22, 2019, 9:00 a.m.]

DEPARTMENT OF HEALTH

Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facilities are seeking an exception to 28 Pa. Code § 201.22(j) (relating to prevention, control and surveillance of tuberculosis (TB)):

Dubois Nursing Home
P.O. Box 307
Dubois, PA 15801
FAC ID # 560402

Transitions Healthcare North Huntingdon
8850 Barnes Lake Road
North Huntingdon, PA 15642
FAC ID # 020102

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address.

Comments received by the Department within 10 days after the date of publication of this notice will be

reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing-impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 19-1742. Filed for public inspection November 22, 2019, 9:00 a.m.]

DEPARTMENT OF HEALTH

Recognized Lifeguard Certifying Authorities for 2020

The Department of Health (Department) has determined that the following lifeguard certifying authorities meet the requirements in 28 Pa. Code § 18.42 (relating to certified lifeguards) and are recognized by the Department as lifeguard certifying authorities for 2020: The American Red Cross; Jeff Ellis and Associates; Lifeguard-Pro; YMCA; The Boy Scouts of America; StarGuard ELITE; National Aquatic Safety Company; and American Lifeguard and Safety Training.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) should contact Keri Seitz, Limited English Proficiency Coordinator, Department of Health, Bureau of Community Health Systems, 30 Kline Plaza, Harrisburg, PA 17104, (717) 787-4366, or for speech and/or hearing-impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 19-1743. Filed for public inspection November 22, 2019, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Fee Schedule Rates and Department-Established Fees for Consolidated, Community Living and Person/Family Directed Support Waivers Services, Targeted Support Management and the Community Intellectual Disability Base-Funded Program

The Department of Human Services (Department) is providing final notice of the Fee Schedule Rates for Targeted Support Management and select services funded through the Consolidated, Community Living and Person/Family Directed Support (P/FDS) waivers and Department-established fees for residential ineligible services.

The Fee Schedule Rates also serve as the Department-established fees under 55 Pa. Code § 4300.115(a) (relat-

ing to Department established fees) for base-funded services managed through county programs for individuals with an intellectual disability under the Mental Health and Intellectual Disability Act of 1966 (50 P.S. §§ 4101—4704); 55 Pa. Code Chapter 4300 (relating to county mental health and intellectual disability fiscal manual); and 55 Pa. Code Chapter 6100 (relating to services for individuals with an intellectual disability or autism).

Fee Schedule Rates and Department-Established Fees

On October 5, 2019, the Department promulgated 55 Pa. Code Chapter 6100, which replaced 55 Pa. Code Chapter 51. Section 6100.571 (relating to fee schedule rates), which addresses the development of Fee Schedule Rates, is effective upon promulgation. As did § 51.52 (relating to fee schedule rate), § 6100.571 requires the Department to use a market-based approach to develop the Fee Schedule Rates.

The Fee Schedule Rates and Department-established fees were published as final in the *Pennsylvania Bulletin*, 48 Pa.B. 7716 (December 15, 2018). The Department subsequently revised the Fee Schedule Rates for Community Participation Support services. The rates for Community Participation Support services were published in the *Pennsylvania Bulletin*, 49 Pa.B. 2685 (May 25, 2019). No other changes have been made to the Fee Schedule Rates for Targeted Support Management and select services funded through the Consolidated, Community Living and P/FDS waivers and Department-established fees for residential ineligible services since they were published in the *Pennsylvania Bulletin*, 48 Pa.B. 7716.

The final Fee Schedule Rates and Department-established fees represent the maximum rates that the Department will pay and can be accessed on the Department's web site at http://dhs.pa.gov/provider/developmental_programs/feeschedulerrates/currentrates/index.htm.

Section 6100.571(c) requires the Department to update the data used to establish the Fee Schedule Rates at least every 3 years. When the data is updated the Department will publish a notice in the *Pennsylvania Bulletin* of the Fee Schedule Rates. The Department will in the future only publish a notice in the *Pennsylvania Bulletin* of the Fee Schedule Rates for Targeted Support Management and select services funded through the Consolidated, Community Living and P/FDS waivers and the Department-established fees for residential ineligible services when the rates are changed.

Copies of this notice may be obtained at the local Mental Health/Intellectual Disability (MH/ID) County Program, Administrative Entity (AE) or regional Office of Developmental Programs (ODP) in the corresponding regions:

- *Western region*: Piatt Place, Room 4900, 301 5th Avenue, Pittsburgh, PA 15222, (412) 565-5144
- *Northeast region*: Room 315, Scranton State Office Building, 100 Lackawanna Avenue, Scranton, PA 18503, (570) 963-4749
- *Southeast region*: 801 Market Street, Suite 5071, Philadelphia, PA 19107, (215) 560-2242 or (215) 560-2245
- *Central region*: P.O. Box 2675, DGS Annex Complex, Harrisburg, PA 17105, (717) 772-6507

Contact information for the local MH/ID County Program or AE may be found at <https://www.hcsis.state.pa.us/hcsis-ssd/ServicesSupportDirectory/Countries> or contact the previously referenced ODP regional office.

Interested persons are invited to submit written comments within 30 days regarding the final Fee Schedule Rates and Department-established fees to the Department of Human Services, Office of Developmental Programs, Division of Provider Assistance and Rate Setting, 4th Floor, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120. Comments can also be sent to ra-ratesetting@pa.gov. Use subject header "PN Fee Schedule."

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service by dialing 711 or by using one of the toll-free numbers: (800) 654-5984 (TDD users), (800) 654-5988 (voice users), (844) 308-9292 (Speech-to-Speech) or (844) 308-9291 (Spanish).

Fiscal Impact

There is no fiscal impact anticipated.

TERESA D. MILLER,
Secretary

Fiscal Note: 14-NOT-1367. No fiscal impact; (8) recommends adoption.

[Pa.B. Doc. No. 19-1744. Filed for public inspection November 22, 2019, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania \$500 Money Mayhem™ Instant Lottery Game 1434

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania \$500 Money Mayhem™ (hereinafter "\$500 Money Mayhem™"). The game number is PA-1434.

2. *Price:* The price of a \$500 Money Mayhem™ instant lottery game ticket is \$5.

3. *Play symbols:* Each \$500 Money Mayhem™ instant lottery game ticket will contain one play area featuring a "WINNING NUMBERS" area and a "YOUR NUMBERS" area. The play symbols and their captions located in the "WINNING NUMBERS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), and 30 (THIRT). The play symbols and their captions located in the "YOUR NUMBERS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRT), MAYHEM (MAYHEM) symbol and a \$500 (WIN500) symbol.

4. *Prize symbols:* The prize symbols and their captions located in the "YOUR NUMBERS" area are: \$5⁰⁰ (FIV DOL), \$10⁰⁰ (TEN DOL), \$15⁰⁰ (FIFTEEN), \$20⁰⁰

(TWENTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$500 (FIV HUN), \$5,000 (FIV THO), and \$100,000 (ONEHUNTHO).

5. *Prizes:* The prizes that can be won in this game are: \$5, \$10, \$15, \$20, \$50, \$100, \$500, \$5,000, and \$100,000. A player can win up to 12 times on a ticket.

6. *Approximate number of tickets printed for the game:* Approximately 16,800,000 tickets will be printed for the \$500 Money Mayhem™ instant lottery game.

7. *Determination of prize winners:*

(a) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$100,000 (ONEHUNTHO) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$100,000.

(b) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$5,000 (FIV THO) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$5,000.

(c) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$500 (FIV HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$500.

(d) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a \$500 (WIN500) symbol and a prize symbol of \$500 (FIV HUN) appears in the "prize" area under that \$500 (WIN500) symbol, on a single ticket, shall be entitled to a prize of \$500.

(e) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$100 (ONE HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$100.

(f) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a MAYHEM (MAYHEM) symbol and a prize symbol of \$100 (ONE HUN) appears in the "prize" area under that MAYHEM (MAYHEM) symbol, on a single ticket, shall be entitled to a prize of \$100.

(g) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$50⁰⁰ (FIFTY) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$50.

(h) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a MAYHEM (MAYHEM) symbol and a prize symbol of \$50⁰⁰ (FIFTY) appears in the "prize" area under that MAYHEM (MAYHEM) symbol, on a single ticket, shall be entitled to a prize of \$50.

(i) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$20⁰⁰ (TWENTY) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$20.

(j) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a MAYHEM (MAYHEM) symbol and a prize symbol of \$20⁰⁰ (TWENTY) appears

in the “prize” area under that MAYHEM (MAYHEM) symbol, on a single ticket, shall be entitled to a prize of \$20.

(k) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$15.⁰⁰ (FIFTEEN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$15.

(l) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a MAYHEM (MAYHEM) symbol and a prize symbol of \$15.⁰⁰ (FIFTEEN) appears in the “prize” area under that MAYHEM (MAYHEM) symbol, on a single ticket, shall be entitled to a prize of \$15.

(m) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$10.⁰⁰ (TEN DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$10.

(n) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a MAYHEM (MAYHEM) symbol and a prize symbol of \$10.⁰⁰ (TEN DOL) appears in the “prize” area under that MAYHEM (MAYHEM) symbol, on a single ticket, shall be entitled to a prize of \$10.

(o) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$5.⁰⁰ (FIV DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$5.

(p) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a MAYHEM (MAYHEM) symbol and a prize symbol of \$5.⁰⁰ (FIV DOL) appears in the “prize” area under that MAYHEM (MAYHEM) symbol, on a single ticket, shall be entitled to a prize of \$5.

8. *Number and description of prizes and approximate odds.* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

<i>When Any Of Your Numbers Match Any Winning Number, Win Prize Shown Under The Matching Number. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 16,800,000 Tickets:</i>
\$5	\$5	15	1,120,000
\$5 w/ MAYHEM	\$5	16.22	1,036,000
\$5 × 2	\$10	300	56,000
(\$5 w/ MAYHEM) + \$5	\$10	150	112,000
(\$5 w/ MAYHEM) × 2	\$10	120	140,000
\$10 w/ MAYHEM	\$10	46.15	364,000
\$10	\$10	120	140,000
\$5 × 3	\$15	600	28,000
(\$10 w/ MAYHEM) + \$5	\$15	600	28,000
(\$5 w/ MAYHEM) × 3	\$15	300	56,000
\$15 w/ MAYHEM	\$15	300	56,000
\$15	\$15	600	28,000
\$5 × 4	\$20	600	28,000
(\$5 w/ MAYHEM) × 4	\$20	600	28,000
(\$10 w/ MAYHEM) × 2	\$20	600	28,000
\$20 w/ MAYHEM	\$20	300	56,000
\$20	\$20	600	28,000
\$10 × 5	\$50	600	28,000
(\$15 × 2) + (\$5 × 4)	\$50	600	28,000
(((\$10 w/ MAYHEM) × 3) + (\$5 × 4)	\$50	600	28,000
(\$10 w/ MAYHEM) × 5	\$50	600	28,000
\$50 w/ MAYHEM	\$50	300	56,000
\$50	\$50	600	28,000
\$20 × 5	\$100	24,000	700
\$50 × 2	\$100	24,000	700
(\$20 × 2) + (\$10 × 2) + (\$5 × 8)	\$100	24,000	700
(((\$10 w/ MAYHEM) × 5) + (\$10 × 5)	\$100	12,000	1,400
(((\$10 w/ MAYHEM) × 8) + (\$5 × 4)	\$100	12,000	1,400

<i>When Any Of Your Numbers Match Any Winning Number, Win Prize Shown Under The Matching Number. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 16,800,000 Tickets:</i>
(\$15 w/ MAYHEM) + (\$20 × 2) + (\$5 × 9)	\$100	24,000	700
(\$20 w/ MAYHEM) × 5	\$100	24,000	700
(\$50 w/ MAYHEM) × 2	\$100	24,000	700
\$100 w/ MAYHEM	\$100	24,000	700
\$100	\$100	24,000	700
\$50 × 10	\$500	12,000	1,400
\$100 × 5	\$500	12,000	1,400
(\$100 × 2) + (\$50 × 4) + (\$20 × 4) + (\$10 × 2)	\$500	12,000	1,400
(((\$10 w/ MAYHEM) × 4) + (\$100 × 3) + (\$50 × 2) + (\$20 × 3))	\$500	4,000	4,200
(\$50 w/ MAYHEM) × 10	\$500	12,000	1,400
\$500 w/ \$500 SYMBOL	\$500	480	35,000
\$500	\$500	12,000	1,400
(\$500 w/ \$500 SYMBOL) × 10	\$5,000	1,680,000	10
\$5,000	\$5,000	1,680,000	10
\$100,000	\$100,000	1,680,000	10

Reveal a "MAYHEM" (MAYHEM) symbol, win prize shown under that symbol automatically.

Reveal a "\$500" (WIN500) symbol, win \$500 instantly!

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell \$500 Money Mayhem™ instant lottery game tickets.

10. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which he qualifies on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed prize money:* For a period of 1 year from the announced close of \$500 Money Mayhem™, prize money from winning \$500 Money Mayhem™ instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is

made within 1 year of the announced close of the \$500 Money Mayhem™ instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote \$500 Money Mayhem™ or through normal communications methods.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 19-1745. Filed for public inspection November 22, 2019, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania \$300,000 Xtreme Xword Instant Lottery Game 1433

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania \$300,000 Xtreme Xword (hereinafter “\$300,000 Xtreme Xword”). The game number is PA-1433.

2. *Price:* The price of a \$300,000 Xtreme Xword instant lottery game ticket is \$10.

3. *Play symbols:* Each \$300,000 Xtreme Xword instant lottery game ticket will feature a “YOUR LETTERS” area, three crossword puzzle play grids known as “GRID 1,” “GRID 2” and “GRID 3” respectively; and a “MULTIPLIER BOX” area. The “MULTIPLIER BOX” area is played in conjunction with “GRID 1,” “GRID 2,” and “GRID 3.” The play symbols located in the “YOUR LETTERS” area are: the letters A through and including Z. The play symbols located in “GRID 1” and “GRID 2” are: the letters A through and including Z, and a 10X symbol. The play symbols and their captions located in “GRID 3” are: the letters A through and including Z. The play symbols and their captions located in the “MULTIPLIER BOX” area are: 1X (PRIZE) symbol, 2X (2TIMES) symbol, 3X (3TIMES) symbol, and a 5X (5TIMES) symbol.

4. *Prizes:* The prizes that can be won in “GRID 1” are: \$10, \$20, \$40, \$100, \$200, \$400, \$1,000, \$10,000, and \$30,000. The prizes that can be won in “GRID 2” are: \$10, \$20, \$50, \$100, \$500, \$1,000, \$10,000, \$30,000, and \$300,000. The prizes that can be won in “GRID 3” are: \$10, \$20, \$50, and \$100. A player can win up to three times on a ticket.

5. *Approximate number of tickets printed for the game:* Approximately 12,000,000 tickets will be printed for the \$300,000 Xtreme Xword instant lottery game.

6. *Determination of prize winners:*

(a) Holders of tickets where the player completely matches ten entire words in “GRID 1,” in which the winning combination contains a 10X symbol, using only the letters found in the “YOUR LETTERS” area, on a single ticket, shall be entitled to a prize of \$300,000.

(b) Holders of tickets where the player completely matches ten entire words in “GRID 2,” using only the letters found in the “YOUR LETTERS” area, on a single ticket, shall be entitled to a prize of \$300,000.

(c) Holders of tickets where the player completely matches ten entire words in “GRID 1,” using only the letters found in the “YOUR LETTERS” area, on a single ticket, shall be entitled to a prize of \$30,000.

(d) Holders of tickets where the player completely matches nine entire words in “GRID 2,” using only the letters found in the “YOUR LETTERS” area, on a single ticket, shall be entitled to a prize of \$30,000.

(e) Holders of tickets where the player completely matches nine entire words in “GRID 1,” using only the letters found in the “YOUR LETTERS” area, on a single ticket, shall be entitled to a prize of \$10,000.

(f) Holders of tickets where the player completely matches eight entire words in “GRID 1,” in which the winning combination contains a 10X symbol, using only the letters found in the “YOUR LETTERS” area, on a single ticket, shall be entitled to a prize of \$10,000.

(g) Holders of tickets where the player completely matches eight entire words in “GRID 2,” using only the letters found in the “YOUR LETTERS” area, on a single ticket, shall be entitled to a prize of \$10,000.

(h) Holders of tickets where the player completely matches seven entire words in “GRID 2,” in which the winning combination contains a 10X symbol, using only

the letters found in the “YOUR LETTERS” area, on a single ticket, shall be entitled to a prize of \$10,000.

(i) Holders of tickets where the player completely matches eight entire words in “GRID 1,” using only the letters found in the “YOUR LETTERS” area, on a single ticket, shall be entitled to a prize of \$1,000.

(j) Holders of tickets where the player completely matches seven entire words in “GRID 2,” using only the letters found in the “YOUR LETTERS” area, on a single ticket, shall be entitled to a prize of \$1,000.

(k) Holders of tickets where a 2X (2TIMES) symbol appears in the “MULTIPLIER BOX” area, and where the player completely matches six entire words in “GRID 2,” using only the letters found in the “YOUR LETTERS” area, on a single ticket, shall be entitled to a prize of \$1,000.

(l) Holders of tickets where the player completely matches five entire words in “GRID 1” or “GRID 2,” in which the winning combination contains a 10X symbol, using only the letters found in the “YOUR LETTERS” area, on a single ticket, shall be entitled to a prize of \$1,000.

(m) Holders of tickets where a 2X (2TIMES) symbol appears in the “MULTIPLIER BOX” area, and where the player completely matches seven entire words in “GRID 1,” using only the letters found in the “YOUR LETTERS” area, on a single ticket, shall be entitled to a prize of \$800.

(n) Holders of tickets where the player completely matches six entire words in “GRID 2,” using only the letters found in the “YOUR LETTERS” area, on a single ticket, shall be entitled to a prize of \$500.

(o) Holders of tickets where a 5X (5TIMES) symbol appears in the “MULTIPLIER BOX” area, and where the player completely matches five entire words in “GRID 1” or “GRID 2,” using only the letters found in the “YOUR LETTERS” area, on a single ticket, shall be entitled to a prize of \$500.

(p) Holders of tickets where the player completely matches four entire words in “GRID 2,” in which the winning combination contains a 10X symbol, using only the letters found in the “YOUR LETTERS” area, on a single ticket, shall be entitled to a prize of \$500.

(q) Holders of tickets where the player completely matches seven entire words in “GRID 1,” using only the letters found in the “YOUR LETTERS” area, on a single ticket, shall be entitled to a prize of \$400.

(r) Holders of tickets where the player completely matches four entire words in “GRID 1,” in which the winning combination contains a 10X symbol, using only the letters found in the “YOUR LETTERS” area, on a single ticket, shall be entitled to a prize of \$400.

(s) Holders of tickets where the player completely matches six entire words in “GRID 1,” using only the letters found in the “YOUR LETTERS” area, on a single ticket, shall be entitled to a prize of \$200.

(t) Holders of tickets where a 5X (5TIMES) symbol appears in the “MULTIPLIER BOX” area, and where the player completely matches four entire words in “GRID 1,” using only the letters found in the “YOUR LETTERS” area, on a single ticket, shall be entitled to a prize of \$200.

(u) Holders of tickets where a 2X (2TIMES) symbol appears in the “MULTIPLIER BOX” area, and where the player completely matches five entire words in “GRID 2”

or "GRID 3," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$200.

(v) Holders of tickets where the player completely matches three entire words in "GRID 1" or "GRID 2," in which the winning combination contains a 10X symbol, using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$200.

(w) Holders of tickets where the player completely matches five entire words in "GRID 1," "GRID 2" or "GRID 3," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$100.

(x) Holders of tickets where a 2X (2TIMES) symbol appears in the "MULTIPLIER BOX" area, and where the player completely matches four entire words in "GRID 2" or "GRID 3," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$100.

(y) Holders of tickets where a 5X (5TIMES) symbol appears in the "MULTIPLIER BOX" area, on a single ticket, and where the player completely matches three entire words in "GRID 3," using only the letters found in the "YOUR LETTERS" area, shall be entitled to a prize of \$100.

(z) Holders of tickets where the player completely matches two entire words in "GRID 1" or "GRID 2," in which the winning combination contains a 10X symbol, using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$100.

(aa) Holders of tickets where a 3X (3TIMES) symbol appears in the "MULTIPLIER BOX" area, and where the player completely matches three entire words in "GRID 1," "GRID 2" or "GRID 3," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$60.

(bb) Holders of tickets where the player completely matches four entire words in "GRID 2" or "GRID 3," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$50.

(cc) Holders of tickets where a 5X (5TIMES) symbol appears in the "MULTIPLIER BOX" area, and where the player completely matches two entire words in "GRID 1," "GRID 2" or "GRID 3," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$50.

(dd) Holders of tickets where the player completely matches four entire words in "GRID 1," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$40.

(ee) Holders of tickets where a 2X (2TIMES) symbol appears in the "MULTIPLIER BOX" area, and where the player completely matches three entire words in "GRID 2" or "GRID 3," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$40.

(ff) Holders of tickets where a 3X (3TIMES) symbol appears in the "MULTIPLIER BOX" area, and where the player completely matches two entire words in "GRID 1,"

"GRID 2" or "GRID 3," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$30.

(gg) Holders of tickets where a 2X (2TIMES) symbol appears in the "MULTIPLIER BOX" area, and where the player completely matches two entire words in "GRID 1" or "GRID 2," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$20.

(hh) Holders of tickets where the player completely matches two entire words in "GRID 1," "GRID 2" or "GRID 3," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$10.

7. *Game play instructions for the \$300,000 Xtreme Xword game are:*

(a) The player shall scratch the "YOUR LETTERS" area to reveal 18 letters. For each of the 18 letters revealed in the "YOUR LETTERS" area, the player shall rub the same letter each time it is found in "GRID 1," "GRID 2," and "GRID 3." Each letter's square, when rubbed gently, will turn white.

(b) When a player matches the letters to reveal two or more entire words in "GRID 1," "GRID 2," or "GRID 3," the player is entitled to win a prize as described in Section 6.

(c) Each Crossword "GRID" is played separately.

(d) The player shall scratch each 10X symbol that appears in "GRID 1" and "GRID 2." Each 10X symbol is a free space. When a 10X symbol appears in any winning combination of words, win 10 TIMES the corresponding prize shown in the PRIZE KEY for that Crossword GRID.

(e) The player shall also scratch the "MULTIPLIER BOX" area. The player shall multiply any prize won in any Crossword "GRID" by the multiplier revealed in the "MULTIPLIER BOX" area.

(f) Only the highest prize won in each Crossword "GRID" will be paid if the ticket meets the criteria established in 61 Pa. Code § 819.213 (relating to ticket validation and requirements).

(g) For purposes of this game, a word in each Crossword "GRID" must contain at least three letters and cannot be formed by linking letters diagonally or by reading the letters from the bottom to the top.

(h) Every single letter square of a word must be matched and letters combined to form a word. The word must appear in an unbroken horizontal or vertical string of letters in "GRID 1," "GRID 2," or "GRID 3." There will only be one word in an unbroken horizontal or vertical string of letters.

(i) Every single letter in the unbroken string must be revealed in the "YOUR LETTERS" area and must be included to form a word.

(j) The possible complete words for each ticket in the game are shown on the "GRID 1," "GRID 2," and "GRID 3" play areas. The player must match all of the letters in a possible complete word in order to complete the word.

8. *Number and description of prizes and approximate odds.* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

<i>GRID 1 Win With:</i>	<i>GRID 2 Win With:</i>	<i>GRID 3 Win With:</i>	<i>MULTIPLIER BOX:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 12,000,000 Tickets:</i>
		2 WORDS		\$10	20	600,000
	2 WORDS			\$10	20	600,000
2 WORDS				\$10	27.27	440,000
	2 WORDS		2X MULTIPLIER	\$20	60	200,000
2 WORDS			2X MULTIPLIER	\$20	60	200,000
	2 WORDS	2 WORDS		\$20	60	200,000
2 WORDS	2 WORDS			\$20	60	200,000
		3 WORDS		\$20	120	100,000
	3 WORDS			\$20	120	100,000
3 WORDS				\$20	120	100,000
		2 WORDS	3X MULTIPLIER	\$30	120	100,000
	2 WORDS		3X MULTIPLIER	\$30	120	100,000
2 WORDS			3X MULTIPLIER	\$30	300	40,000
	2 WORDS	2 WORDS	2X MULTIPLIER	\$40	300	40,000
2 WORDS	2 WORDS		2X MULTIPLIER	\$40	300	40,000
		3 WORDS	2X MULTIPLIER	\$40	300	40,000
	3 WORDS		2X MULTIPLIER	\$40	600	20,000
4 WORDS				\$40	600	20,000
		2 WORDS	5X MULTIPLIER	\$50	300	40,000
	2 WORDS		5X MULTIPLIER	\$50	300	40,000
2 WORDS			5X MULTIPLIER	\$50	300	40,000
4 WORDS		2 WORDS		\$50	600	20,000
4 WORDS	2 WORDS			\$50	600	20,000
		4 WORDS		\$50	600	20,000
	4 WORDS			\$50	600	20,000
		3 WORDS	3X MULTIPLIER	\$60	1,500	8,000
	2 WORDS	4 WORDS		\$60	2,000	6,000
	3 WORDS		3X MULTIPLIER	\$60	1,500	8,000
2 WORDS		4 WORDS		\$60	2,000	6,000
3 WORDS			3X MULTIPLIER	\$60	1,500	8,000
4 WORDS	3 WORDS			\$60	3,000	4,000
	2 WORDS w/ 10X			\$100	600	20,000
2 WORDS w/ 10X				\$100	545.45	22,000

NOTICES

7041

<i>GRID 1 Win With:</i>	<i>GRID 2 Win With:</i>	<i>GRID 3 Win With:</i>	<i>MULTIPLIER BOX:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 12,000,000 Tickets:</i>
		3 WORDS	5X MULTIPLIER	\$100	600	20,000
		4 WORDS	2X MULTIPLIER	\$100	1,000	12,000
	4 WORDS		2X MULTIPLIER	\$100	1,200	10,000
4 WORDS	2 WORDS	4 WORDS		\$100	6,000	2,000
		5 WORDS		\$100	6,000	2,000
	5 WORDS			\$100	6,000	2,000
5 WORDS				\$100	6,000	2,000
	3 WORDS w/ 10X			\$200	2,400	5,000
3 WORDS w/ 10X				\$200	2,400	5,000
		5 WORDS	2X MULTIPLIER	\$200	12,000	1,000
	5 WORDS		2X MULTIPLIER	\$200	12,000	1,000
4 WORDS			5X MULTIPLIER	\$200	4,800	2,500
6 WORDS				\$200	24,000	500
4 WORDS w/ 10X				\$400	8,000	1,500
5 WORDS	5 WORDS		2X MULTIPLIER	\$400	8,000	1,500
6 WORDS	5 WORDS	5 WORDS		\$400	8,000	1,500
7 WORDS				\$400	8,000	1,500
	4 WORDS w/ 10X			\$500	6,000	2,000
	5 WORDS		5X MULTIPLIER	\$500	12,000	1,000
5 WORDS			5X MULTIPLIER	\$500	12,000	1,000
	6 WORDS			\$500	24,000	500
7 WORDS	5 WORDS			\$500	24,000	500
	5 WORDS w/ 10X			\$1,000	24,000	500
5 WORDS w/ 10X				\$1,000	24,000	500
	6 WORDS		2X MULTIPLIER	\$1,000	40,000	300
7 WORDS	5 WORDS		2X MULTIPLIER	\$1,000	40,000	300
7 WORDS	6 WORDS	5 WORDS		\$1,000	40,000	300
	7 WORDS			\$1,000	120,000	100
8 WORDS				\$1,000	120,000	100
	7 WORDS w/ 10X			\$10,000	1,200,000	10
	8 WORDS			10,000	1,200,000	10
8 WORDS w/ 10X				\$10,000	1,200,000	10

<i>GRID 1</i> Win With:	<i>GRID 2</i> Win With:	<i>GRID 3</i> Win With:	<i>MULTIPLIER</i> <i>BOX:</i>	Win:	<i>Approximate</i> <i>Odds Are</i> <i>1 In:</i>	<i>Approximate</i> <i>No. Of Winners</i> <i>Per 12,000,000</i> <i>Tickets:</i>
9 WORDS				\$10,000	1,200,000	10
	9 WORDS			\$30,000	1,200,000	10
10 WORDS				\$30,000	1,200,000	10
	10 WORDS			\$300,000	2,400,000	5
10 WORDS w/ 10X				\$300,000	2,400,000	5

Scratch “YOUR LETTERS” to reveal 18 letters. Rub each matching letter every time it is found on any Crossword GRID. Each letter’s square, when rubbed gently, will turn white. When you have matched the letters of two or more entire words in any Crossword GRID, win the corresponding prize shown in the prize key for that Crossword GRID. Only the highest prize won in each Crossword GRID will be paid.

Each Crossword GRID is played separately.

Scratch each “10X” symbol that appears in Crossword GRID 1 and Crossword GRID 2. Each “10X” symbol is a Free Spot. When a “10X” symbol appears in any winning combination of words, win 10 TIMES the corresponding prize found in the PRIZE KEY for that Crossword GRID.

MULTIPLIER BOX: Reveal a “2X” (2TIMES), “3X” (3TIMES), or “5X” (5TIMES) symbol, multiply the prize won in any Crossword GRID by the multiplier shown!

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell \$300,000 Xtreme Xword instant lottery game tickets.

10. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which he qualifies on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed prize money:* For a period of 1 year from the announced close of \$300,000 Xtreme Xword, prize money from winning \$300,000 Xtreme Xword instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the \$300,000 Xtreme Xword instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote \$300,000 Xtreme Xword or through normal communications methods.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 19-1746. Filed for public inspection November 22, 2019, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania \$3 Million Limited Instant Lottery Game 1432

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania \$3 Million Limited (hereinafter “\$3 Million Limited”). The game number is PA-1432.

2. *Price:* The price of a \$3 Million Limited instant lottery game ticket is \$30.

3. *Play symbols:* Each \$3 Million Limited instant lottery game ticket will contain one play area featuring a “WINNING NUMBERS” area, a “YOUR NUMBERS” area and a “BONUS” area. The “BONUS” area is played separately. The play symbols and their captions, located in the “WINNING NUMBERS” area, are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 11 (ELEVEN), 12 (TWELVE).

13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWTYNIN), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN), and 40 (FRTY). The play symbols and their captions, located in the "YOUR NUMBERS" area, are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWTYNIN), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN), 40 (FRTY), Keystone (KYSTN) symbol, 10K Burst (WIN\$10K) symbol, and a LIMITED (WINALL) symbol. The play symbols and their captions, located in the "BONUS" area, are: \$30.⁰⁰ (THIRTY), \$40.⁰⁰ (FORTY), \$50.⁰⁰ (FIFTY), \$100 (ONE HUN), \$150 (ONEHUNFTY), \$200 (TWO HUN), \$300 (THR HUN), \$500 (FIV HUN), \$1,000 (ONE THO), \$10,000 (TEN THO), and a 30X (30TIMES) symbol.

4. *Prize symbols:* The prize symbols and their captions, located in the "YOUR NUMBERS" area, are: \$30.⁰⁰ (THIRTY), \$40.⁰⁰ (FORTY), \$50.⁰⁰ (FIFTY), \$100 (ONE HUN), \$150 (ONEHUNFTY), \$300 (THR HUN), \$500 (FIV HUN), \$1,000 (ONE THO), \$10,000 (TEN THO), \$300,000 (THRHUNTHO) and \$3MILL (THR MIL).

5. *Prizes:* The prizes that can be won in this game are: \$30, \$40, \$50, \$100, \$150, \$300, \$500, \$1,000, \$10,000, \$300,000, and \$3,000,000. The prizes that can be won in the "BONUS" area are: \$30, \$40, \$50, \$100, \$150, \$200, \$300, \$500, \$1,000, and \$10,000. A player can win up to 26 times on a ticket.

6. *Approximate number of tickets printed for the game:* Approximately 6,000,000 tickets will be printed for the \$3 Million Limited instant lottery game.

7. *Determination of prize winners:*

(a) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$3MILL (THR MIL) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$3,000,000.

(b) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$300,000 (THRHUNTHO) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$300,000.

(c) Holders of tickets where two matching play symbols of \$10,000 (TEN THO) and a 30X (30TIMES) play symbol appear in the "BONUS" area, on a single ticket, shall be entitled to a prize of \$300,000.

(d) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$10,000 (TEN THO) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$10,000.

(e) Holders of tickets upon which a 10K Burst (WIN\$10K) symbol appears in the "YOUR NUMBERS"

area and a prize symbol of \$10,000 (TEN THO) appears in the "Prize" area under that 10K Burst (WIN\$10K) symbol, on a single ticket, shall be entitled to a prize of \$10,000.

(f) Holders of tickets where two matching play symbols of \$300 (THR HUN) and a 30X (30TIMES) play symbol appear in the "BONUS" area, on a single ticket, shall be entitled to a prize of \$9,000.

(g) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$1,000 (ONE THO) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(h) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Keystone (KYSTN) symbol and a prize symbol of \$1,000 (ONE THO) appears in the "Prize" area under that Keystone (KYSTN) play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(i) Holders of tickets where three matching play symbols of \$1,000 (ONE THO) appear in the "BONUS" area, on a single ticket, shall be entitled to a prize of \$1,000.

(j) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a LIMITED (WINALL) symbol and a prize symbol of \$40.⁰⁰ (FORTY) appears in all twenty-five of the "Prize" areas, on a single ticket, shall be entitled to a prize of \$1,000.

(k) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a LIMITED (WINALL) symbol and a prize symbol of \$40.⁰⁰ (FORTY) appears in twenty of the "Prize" areas and a prize symbol of \$30.⁰⁰ (THIRTY) appears in five of the "Prize" areas, on a single ticket, shall be entitled to a prize of \$950.

(l) Holders of tickets where two matching play symbols of \$30.⁰⁰ (THIRTY) and a 30X (30TIMES) play symbol appear in the "BONUS" area, on a single ticket, shall be entitled to a prize of \$900.

(m) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a LIMITED (WINALL) symbol and a prize symbol of \$30.⁰⁰ (THIRTY) appears in twenty of the "Prize" areas and a prize symbol of \$50.⁰⁰ (FIFTY) appears in five of the "Prize" areas, on a single ticket, shall be entitled to a prize of \$850.

(n) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$500 (FIV HUN) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$500.

(o) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Keystone (KYSTN) symbol and a prize symbol of \$500 (FIV HUN) appears in the "Prize" area under that Keystone (KYSTN) play symbol, on a single ticket, shall be entitled to a prize of \$500.

(p) Holders of tickets where three matching play symbols of \$500 (FIV HUN) appear in the "BONUS" area, on a single ticket, shall be entitled to a prize of \$500.

(q) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$300 (THR HUN) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$300.

(r) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a Keystone (KYSTN) symbol and a prize symbol of \$300 (THR HUN) appears in the “Prize” area under that Keystone (KYSTN) play symbol, on a single ticket, shall be entitled to a prize of \$300.

(s) Holders of tickets where three matching play symbols of \$300 (THR HUN) appear in the “BONUS” area, on a single ticket, shall be entitled to a prize of \$300.

(t) Holders of tickets where three matching prize play symbols of \$200 (TWO HUN) appear in the “BONUS” area, on a single ticket, shall be entitled to a prize of \$200.

(u) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$150 (ONEHUNFTY) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$150.

(v) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a Keystone (KYSTN) symbol and a prize symbol of \$150 (ONEHUNFTY) appears in the “Prize” area under that Keystone (KYSTN) play symbol, on a single ticket, shall be entitled to a prize of \$150.

(w) Holders of tickets where three matching play symbols of \$150 (ONEHUNFTY) appear in the “BONUS” area, on a single ticket, shall be entitled to a prize of \$150.

(x) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$100 (ONE HUN) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$100.

(y) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a Keystone (KYSTN) symbol and a prize symbol of \$100 (ONE HUN) appears in the “Prize” area under that Keystone (KYSTN) play symbol, on a single ticket, shall be entitled to a prize of \$100.

(z) Holders of tickets where three matching play symbols of \$100 (ONE HUN) appear in the “BONUS” area, on a single ticket, shall be entitled to a prize of \$100.

(aa) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol

of \$50⁰⁰ (FIFTY) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$50.

(bb) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a Keystone (KYSTN) symbol and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “Prize” area under that Keystone (KYSTN) play symbol, on a single ticket, shall be entitled to a prize of \$50.

(cc) Holders of tickets where three matching play symbols of \$50⁰⁰ (FIFTY) appear in the “BONUS” area, on a single ticket, shall be entitled to a prize of \$50.

(dd) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$40⁰⁰ (FORTY) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$40.

(ee) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a Keystone (KYSTN) symbol and a prize symbol of \$40⁰⁰ (FORTY) appears in the “Prize” area under that Keystone (KYSTN) play symbol, on a single ticket, shall be entitled to a prize of \$40.

(ff) Holders of tickets where three matching play symbols of \$40⁰⁰ (FORTY) appear in the “BONUS” area, on a single ticket, shall be entitled to a prize of \$40.

(gg) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$30⁰⁰ (THIRTY) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$30.

(hh) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a Keystone (KYSTN) symbol and a prize symbol of \$30⁰⁰ (THIRTY) appears in the “Prize” area under that Keystone (KYSTN) play symbol, on a single ticket, shall be entitled to a prize of \$30.

(ii) Holders of tickets where three matching prize play symbols of \$30⁰⁰ (THIRTY) appear in the “BONUS” area, on a single ticket, shall be entitled to a prize of \$30.

8. *Number and description of prizes and approximate odds.* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

<i>When Any Of Your Numbers Match Any Winning Number, Win Prize Shown Under The Matching Number. Win With:</i>	<i>BONUS:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 6,000,000 Tickets:</i>
	3—\$30s	\$30	20	300,000
\$30 w/ KEYSTONE		\$30	25	240,000
\$30		\$30	30	200,000
	3—\$40s	\$40	18.75	320,000
\$40 w/ KEYSTONE		\$40	60	100,000
\$40		\$40	60	100,000
	3—\$50s	\$50	50	120,000
\$50 w/ KEYSTONE		\$50	50	120,000
\$50		\$50	100	60,000

<i>When Any Of Your Numbers Match Any Winning Number, Win Prize Shown Under The Matching Number. Win With:</i>	<i>BONUS:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 6,000,000 Tickets:</i>
\$50 × 2		\$100	300	20,000
\$30 × 2	3—\$40s	\$100	300	20,000
\$40 + \$30	3—\$30s	\$100	300	20,000
\$50 w/ KEYSTONE	3—\$50s	\$100	300	20,000
	3—\$100s	\$100	300	20,000
\$100 w/ KEYSTONE		\$100	300	20,000
\$100		\$100	300	20,000
\$30 × 5		\$150	300	20,000
\$50 × 3		\$150	300	20,000
(((\$30 w/ KEYSTONE) × 2) + \$50	3—\$40s	\$150	300	20,000
(((\$30 w/ KEYSTONE) × 2) + (\$30 × 2)	3—\$30s	\$150	300	20,000
\$100 w/ KEYSTONE	3—\$50s	\$150	300	20,000
	3—\$150s	\$150	300	20,000
\$150 w/ KEYSTONE		\$150	300	20,000
\$150		\$150	300	20,000
\$30 × 10		\$300	1,200	5,000
\$100 × 3		\$300	1,200	5,000
\$100 × 2	3—\$100s	\$300	1,200	5,000
(((\$30 w/ KEYSTONE) × 5) + \$50	3—\$100s	\$300	1,200	5,000
(((\$50 w/ KEYSTONE) × 2) + (\$30 × 5)	3—\$50s	\$300	1,000	6,000
(\$100 w/ KEYSTONE) × 2	3—\$100s	\$300	1,000	6,000
	3—\$300s	\$300	1,000	6,000
\$300 w/ KEYSTONE		\$300	1,200	5,000
\$300		\$300	1,200	5,000
\$50 × 10		\$500	12,000	500
\$100 × 5		\$500	12,000	500
(\$50 × 5) + (\$30 × 5)	3—\$100s	\$500	6,000	1,000
(\$100 × 2) + (\$40 × 5)	3—\$100s	\$500	6,000	1,000
(\$50 × 5) + \$150	3—\$100s	\$500	6,000	1,000
(((\$50 w/ KEYSTONE) × 4) + (\$30 × 5)	3—\$150s	\$500	6,000	1,000
(\$100 w/ KEYSTONE) + (\$30 × 10)	3—\$100s	\$500	12,000	500
(\$100 w/ KEYSTONE) + (\$50 w/ KEYSTONE) + \$50	3—\$300s	\$500	6,000	1,000
(((\$150 w/ KEYSTONE) × 2) + (\$30 × 2) + \$40	3—\$100s	\$500	12,000	500
\$300 w/ KEYSTONE	3—\$200s	\$500	12,000	500
	3—\$500s	\$500	4,000	1,500
\$500 w/ KEYSTONE		\$500	6,000	1,000
\$500		\$500	12,000	500
LIMITED w/ (\$40 × 25)		\$1,000	6,000	1,000
LIMITED w/ ((\$40 × 20) + (\$30 × 5))	3—\$50s	\$1,000	6,000	1,000
LIMITED w/ ((\$30 × 20) + (\$50 × 5))	3—\$150s	\$1,000	6,000	1,000
(\$50 × 11) + (\$40 × 5) + \$100	3—\$150s	\$1,000	120,000	50
(\$150 × 2) + (\$100 × 2)	3—\$500s	\$1,000	120,000	50
\$100	2—\$30s w/ 30X SYMBOL	\$1,000	12,000	500
(\$50 w/ KEYSTONE) × 10	3—\$500s	\$1,000	60,000	100

<i>When Any Of Your Numbers Match Any Winning Number, Win Prize Shown Under The Matching Number. Win With:</i>	<i>BONUS:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 6,000,000 Tickets:</i>
(((\$100 w/ KEYSTONE) × 5) + \$300 + \$50	3—\$150s	\$1,000	120,000	50
\$100 w/ KEYSTONE	2—\$30s w/ 30X SYMBOL	\$1,000	8,000	750
\$500 w/ KEYSTONE	3—\$500s	\$1,000	120,000	50
	3—\$1,000s	\$1,000	60,000	100
\$1,000 w/ KEYSTONE		\$1,000	120,000	50
\$1,000		\$1,000	60,000	100
\$1,000	2—\$300s w/ 30X SYMBOL	\$10,000	1,200,000	5
\$10,000 w/ 10K BURST		\$10,000	300,000	20
\$10,000		\$10,000	1,200,000	5
	2—\$10,000s w/ 30X SYMBOL	\$300,000	1,200,000	5
\$300,000		\$300,000	1,200,000	5
\$3,000,000		\$3,000,000	1,200,000	5

Reveal a “KEYSTONE” (KYSTN) symbol, win prize shown under that symbol automatically.

Reveal a “10K BURST” (WIN\$10K) symbol, win \$10,000 instantly.

Reveal a “LIMITED” (WINALL) symbol, win all 25 prizes shown!

BONUS: Reveal 3 like amounts, win that amount. Reveal 2 like amounts and a “30X” (30TIMES) symbol, win 30 times the prize shown!

BONUS is played separately.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell \$3 Million Limited instant lottery game tickets.

10. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which he qualifies on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed prize money:* For a period of 1 year from the announced close of \$3 Million Limited, prize money from winning \$3 Million Limited instant lottery game

tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the \$3 Million Limited instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote \$3 Million Limited or through normal communications methods.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 19-1747. Filed for public inspection November 22, 2019, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Super 7s Instant Lottery Game 1435

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of

instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Super 7s (hereinafter "Super 7s"). The game number is PA-1435.

2. *Price:* The price of a Super 7s instant lottery game ticket is \$1.

3. *Play symbols:* Each Super 7s instant lottery game ticket will contain one play area featuring four play symbols and their captions. The play symbols and their captions located in the play area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 8 (EIGHT), 9 (NINE), 7 (SEVEN) symbol, and a SUPER (WIN7) symbol.

4. *Prize symbols:* The prize symbols and their captions, located in the play area, are: FREE (TICKET), \$1⁰⁰ (ONE DOL), \$2⁰⁰ (TWO DOL), \$4⁰⁰ (FOR DOL), \$7⁰⁰ (SVN DOL), \$14⁰⁰ (FOURTEEN), \$28⁰⁰ (TWY EGT), \$56⁰⁰ (FTY SIX), \$70⁰⁰ (SVNTY), \$700 (SVN HUN), and \$7,000 (SVN THO).

5. *Prizes:* The prizes that can be won in this game are: Free \$1 Ticket, \$1, \$2, \$4, \$7, \$14, \$28, \$56, \$70, \$700, and \$7,000. A player can win up to 4 times on a ticket.

6. *Approximate number of tickets printed for the game:* Approximately 8,400,000 tickets will be printed for the Super 7s instant lottery game.

7. *Determination of prize winners:*

(a) Holders of tickets where a 7 (SEVEN) symbol appears in the play area and a prize symbol of \$7,000 (SVN THO) appears in the "prize" area under that 7 (SEVEN) symbol, on a single ticket, shall be entitled to a prize of \$7,000.

(b) Holders of tickets where a 7 (SEVEN) symbol appears in the play area and a prize symbol of \$700 (SVN HUN) appears in the "prize" area under that 7 (SEVEN) symbol, on a single ticket, shall be entitled to a prize of \$700.

(c) Holders of tickets where a 7 (SEVEN) symbol appears in the play area and a prize symbol of \$70⁰⁰ (SVNTY) appears in the "prize" area under that 7 (SEVEN) symbol, on a single ticket, shall be entitled to a prize of \$70.

(d) Holders of tickets where a 7 (SEVEN) symbol appears in the play area and a prize symbol of \$56⁰⁰ (FTY SIX) appears in the "prize" area under that 7 (SEVEN) symbol, on a single ticket, shall be entitled to a prize of \$56.

(e) Holders of tickets where a 7 (SEVEN) symbol appears in the play area and a prize symbol of \$28⁰⁰ (TWY EGT) appears in the "prize" area under that 7 (SEVEN) symbol, on a single ticket, shall be entitled to a prize of \$28.

(f) Holders of tickets where a 7 (SEVEN) symbol appears in the play area and a prize symbol of \$14⁰⁰ (FOURTEEN) appears in the "prize" area under that 7 (SEVEN) symbol, on a single ticket, shall be entitled to a prize of \$14.

(g) Holders of tickets where a 7 (SEVEN) symbol appears in the play area and a prize symbol of \$7⁰⁰ (SVN DOL) appears in the "prize" area under that 7 (SEVEN) symbol, on a single ticket, shall be entitled to a prize of \$7.

(h) Holders of tickets where a SUPER (WIN7) symbol appears in the play area and a prize symbol of \$7⁰⁰ (SVN DOL) appears in the "prize" area under that SUPER (WIN7) symbol, on a single ticket, shall be entitled to a prize of \$7.

(i) Holders of tickets where a 7 (SEVEN) symbol appears in the play area and a prize symbol of \$4⁰⁰ (FOR DOL) appears in the "prize" area under that 7 (SEVEN) symbol, on a single ticket, shall be entitled to a prize of \$4.

(j) Holders of tickets where a 7 (SEVEN) symbol appears in the play area and a prize symbol of \$2⁰⁰ (TWO DOL) appears in the "prize" area under that 7 (SEVEN) symbol, on a single ticket, shall be entitled to a prize of \$2.

(k) Holders of tickets where a 7 (SEVEN) symbol appears in the play area and a prize symbol of \$1⁰⁰ (ONE DOL) appears in the "prize" area under that 7 (SEVEN) symbol, on a single ticket, shall be entitled to a prize of \$1.

(l) Holders of tickets where a 7 (SEVEN) symbol appears in the play area and a prize symbol of FREE (TICKET) appears in the "prize" area under that 7 (SEVEN) symbol, on a single ticket, shall be entitled to a prize of one Super 7s instant game ticket or one Pennsylvania Lottery instant game ticket of equivalent sale price which is currently on sale.

8. *Number and description of prizes and approximate odds.* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

<i>Reveal A 7 (SEVEN) Symbol, Win Prize Shown Under That Symbol. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 8,400,000 Tickets:</i>
FREE	FREE \$1 TICKET	10	840,000
\$1 × 2	\$2	33.33	252,000
\$2	\$2	33.33	252,000
\$1 × 4	\$4	200	42,000
(\$1 × 2) + \$2	\$4	200	42,000
\$2 × 2	\$4	100	84,000
\$4	\$4	200	42,000
(\$2 × 3) + \$1	\$7	500	16,800
\$7 w/ SUPER	\$7	66.67	126,000
\$7	\$7	333.33	25,200

<i>Reveal A 7 (SEVEN) Symbol, Win Prize Shown Under That Symbol. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 8,400,000 Tickets:</i>
\$7 × 2	\$14	1,000	8,400
(\$7 w/ SUPER) + \$4 + \$2 + \$1	\$14	1,000	8,400
(\$7 w/ SUPER) × 2	\$14	500	16,800
\$14	\$14	1,000	8,400
\$7 × 4	\$28	4,800	1,750
(((\$7 w/ SUPER) × 2) + (\$7 × 2))	\$28	1,714	4,900
(\$7 w/ SUPER) × 4	\$28	1,000	8,400
\$28	\$28	4,000	2,100
\$14 × 4	\$56	24,000	350
\$28 × 2	\$56	24,000	350
(((\$7 w/ SUPER) × 2) + \$28 + \$14)	\$56	12,000	700
\$56	\$56	24,000	350
\$70	\$70	1,714	4,900
\$700	\$700	420,000	20
\$7,000	\$7,000	840,000	10

Reveal a “SUPER” (WIN7) symbol, win \$7 instantly!

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer Incentive Programs:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Super 7s instant lottery game tickets.

10. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which he qualifies on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed prize money:* For a period of 1 year from the announced close of Super 7s, prize money from winning Super 7s instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Super 7s instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Super 7s or through normal communications methods.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 19-1748. Filed for public inspection November 22, 2019, 9:00 a.m.]

FISH AND BOAT COMMISSION

Additions to List of Class A Wild Trout Waters

The Fish and Boat Commission (Commission) approved the addition of 3 stream sections to its list of Class A Wild Trout Streams. The proposed changes were set forth at 49 Pa.B. 4628 (August 17, 2019). The Commission received a total of 135 public comments regarding the proposed designations: 96 support the proposed designations, 17 oppose the proposed designations and 22 comments were placed in the “other” category. In response to these public comments, the Commission revised the list as noted in the following table.

Under 58 Pa. Code § 57.8a (relating to Class A wild trout streams), it is the Commission’s policy to manage self-sustaining Class A wild trout populations as a renewable natural resource and to conserve that resource and the angling that it provides. Class A wild trout populations represent the best of this Commonwealth’s naturally reproducing trout fisheries.

TIMOTHY D. SCHAEFFER,
Executive Director

<i>County</i>	<i>Stream</i>	<i>Section</i>	<i>Limits</i>	<i>Tributary to</i>	<i>Mouth Lat / Lon</i>	<i>Brook Trout (kg / ha)</i>	<i>Brown Trout (kg / ha)</i>	<i>Rainbow Trout (kg / ha)</i>	<i>Length (miles)</i>	<i>Survey Year</i>
Cameron	Brooks Run	2	State Forest Road Bridge 2.9 km upstream of the Mouth to Mouth	First Fork Sinnemahoning Creek	41.423889 78.028610	56.69	2.99	—	1.80	2018
Potter	East Fork Sinnemahoning Creek	2	Dolliver Trail to Wild Boy Run	First Fork Sinnemahoning Creek	41.529444 78.021667	10.32	72.17	—	3.30	2018
Potter	East Fork Sinnemahoning Creek	4	Camp Run downstream to Mud Lick Run	First Fork Sinnemahoning Creek	41.529444 78.021667	2.37	46.86	—	1.80	2018

[Pa.B. Doc. No. 19-1749. Filed for public inspection November 22, 2019, 9:00 a.m.]

FISH AND BOAT COMMISSION

Classification of Wild Trout Streams; Additions; October 2019

The Fish and Boat Commission (Commission) approved the addition of 36 new waters to its list of wild trout streams as set forth at 49 Pa.B. 4626 (August 17, 2019). Under 58 Pa. Code § 57.11 (relating to listing of wild trout streams), it is the policy of the Commission to accurately identify and classify stream sections supporting naturally reproducing populations of trout as wild trout streams. The listing of a stream section as a wild

trout stream is a biological designation that does not determine how it is managed. The Commission relies upon many factors in determining the appropriate management of streams. The Commission's Fisheries Management Division maintains the complete list of wild trout streams, and it is available on the Commission's web site at <http://www.fishandboat.com/Fish/PennsylvaniaFishes/Trout/Pages/TroutWaterClassifications.aspx>.

TIMOTHY D. SCHAEFFER,
Executive Director

[Pa.B. Doc. No. 19-1750. Filed for public inspection November 22, 2019, 9:00 a.m.]

FISH AND BOAT COMMISSION

Classification of Wild Trout Streams; Proposed Additions and Revisions; January 2020

Under 58 Pa. Code § 57.11 (relating to listing of wild trout streams), it is the policy of the Fish and Boat Commission (Commission) to accurately identify and classify stream sections supporting naturally reproducing populations of trout as wild trout streams. The Commission's Fisheries Management Division maintains the list of wild trout streams. The Executive Director, with the approval of the Commission, will from time-to-time publish the list of wild trout streams in the *Pennsylvania Bulletin*. The listing of a stream section as a wild trout stream is a biological designation that does not determine how it is managed. The Commission relies upon many factors in determining the appropriate management of streams.

At the next Commission meeting on January 27 and 28, 2020, the Commission will consider changes to its list of wild trout streams. Specifically, the Commission will consider the addition of the following streams or portions of streams to the list:

<i>County of Mouth</i>	<i>Stream Name</i>	<i>Section Limits</i>	<i>Tributary to</i>	<i>Mouth Lat/Lon</i>
Armstrong	Nolf Run	Headwaters to Mouth	Little Sandy Creek	41.039347 79.218597
Berks	UNT to Maiden Creek (RM 14.36)	Headwaters to Confluence of two tributaries at RM 2.58	Maiden Creek	40.570607 75.881239
Blair	Oldtown Run	Headwaters to Mouth	Frankstown Branch Juniata River	40.430549 78.358652
Centre	UNT (RM 0.71) to UNT to Laurel Run (RM 2.14)	Headwaters to Mouth	UNT to Laurel Run (RM 2.14)	40.794432 77.580991
Centre	UNT (RM 0.89) to UNT to Sixmile Run (RM 5.72)	Headwaters to Mouth	UNT to Sixmile Run (RM 5.72)	40.873080 78.101328
Centre	UNT (RM 1.56) to UNT to Laurel Run (RM 2.14)	Headwaters to Mouth	UNT to Laurel Run (RM 2.14)	40.787280 77.592793
Centre	UNT to Buffalo Run (RM 10.57)	Headwaters to Mouth	Buffalo Run	40.833568 77.927153
Centre	UNT to Galbraith Gap Run (RM 1.63)	Headwaters to Mouth	Galbraith Gap Run	40.762531 77.755068
Centre	UNT to Galbraith Gap Run (RM 1.79)	Headwaters to Mouth	Galbraith Gap Run	40.762702 77.752049
Centre	UNT to Laurel Run (RM 2.42)	Headwaters to Mouth	Laurel Run	40.799927 77.569395
Centre	UNT to Potter Run (RM 5.72)	Headwaters to Mouth	Potter Run	40.762508 77.641539
Centre	UNT to Sixmile Run (RM 5.19)	Headwaters to Mouth	Sixmile Run	40.884608 78.116341
Centre	UNT to Sixmile Run (RM 6.01)	Headwaters to Mouth	Sixmile Run	40.874674 78.117144
Centre	UNT to Sixmile Run (RM 6.47)	Headwaters to Mouth	Sixmile Run	40.868840 78.118290
Centre	UNT to Spring Creek (RM 19.60)	Headwaters to Mouth	Spring Creek	40.783197 77.798060
Clarion	Black Fox Run	Headwaters to Mouth	Allegheny River	41.037529 79.626549

NOTICES

7051

<i>County of Mouth</i>	<i>Stream Name</i>	<i>Section Limits</i>	<i>Tributary to</i>	<i>Mouth Lat/Lon</i>
Clearfield	Arnold Run	Headwaters to Mouth	Dutch Hollow	41.138079 78.131540
Clearfield	Heichel Run	Headwaters to Mouth	Dutch Hollow	41.143563 78.131496
Clearfield	UNT to Dutch Hollow (RM 0.58)	Headwaters to Mouth	Dutch Hollow	41.137000 78.130280
Clearfield	UNT to Medix Run (RM 7.37)	Headwaters to Mouth	Medix Run	41.214544 78.374711
Clearfield	UNT to Upper Three Runs (RM 2.09)	Headwaters to Mouth	Upper Three Runs	41.165111 78.062296
Clearfield	UNT to Upper Three Runs (RM 2.18)	Headwaters to Mouth	Upper Three Runs	41.164911 78.063971
Clinton	Goodman Hollow Run	Headwaters to Mouth	West Branch Susquehanna River	41.300110 77.624750
Clinton	UNT (RM 1.10) to UNT to Birch Island Run (RM 2.09)	Headwaters to Mouth	UNT to Birch Island Run (RM 2.09)	41.225118 78.011182
Clinton	UNT to Birch Island Run (RM 5.37)	Headwaters to Mouth	Birch Island Run	41.230856 78.049763
Clinton	UNT to Birch Island Run (RM 6.12)	Headwaters to Mouth	Birch Island Run	41.238317 78.060204
Clinton	UNT to Lower Three Runs (RM 3.79)	Headwaters to Mouth	Lower Three Runs	41.193830 78.070760
Elk	Sawdust Run	Headwaters to Mouth	Trout Run	41.389999 78.448891
Elk	UNT (RM 0.81) to UNT to Trout Run (RM 8.74)	Headwaters to Mouth	UNT to Trout Run (RM 8.74)	41.412977 78.445874
Elk	UNT to Trout Run (RM 8.74)	Headwaters to Mouth	Trout Run	41.403838 78.453089
Forest	Carpenter Run	Headwaters to Mouth	Tionesta Creek	41.534002 79.280769
Huntingdon	Scrub Run	Headwaters to Mouth	Juniata River	40.393998 77.939301
Jefferson	Baghdad Run	Headwaters to Mouth	Little Toby Creek	41.257394 78.800356
Jefferson	Campbell Run	Headwaters to Mouth	Coder Run	41.153830 79.128340
Jefferson	Laurel Run	Headwaters to Mouth	Little Mill Creek	41.183730 79.003400
Jefferson	Little Vineyard Run	Headwaters to Mouth	Little Toby Creek	41.301553 78.826890
Jefferson	Thompson Run	Headwaters to Mouth	Redbank Creek	41.133003 79.150535
Lycoming	UNT to Laurel Run (RM 3.04)	Headwaters to Mouth	Laurel Run	41.170844 76.617282
Lycoming	UNT to Laurel Run (RM 5.05)	Headwaters to Mouth	Laurel Run	41.174005 76.586333
Lycoming	UNT to Salt Spring Run (RM 2.86)	Headwaters to Mouth	Salt Spring Run	41.580616 77.019654
McKean	Latchaw Creek	Headwaters to Mouth	Tunungwant Creek	41.993007 78.624809
Potter	Horton Run	Headwaters to Mouth	East Fork Sinnemahoning Creek	41.616558 77.875053
Potter	UNT to Phoenix Run (RM 2.69)	Headwaters to Mouth	Phoenix Run	41.776090 77.610400

<i>County of Mouth</i>	<i>Stream Name</i>	<i>Section Limits</i>	<i>Tributary to</i>	<i>Mouth Lat/Lon</i>
Potter	UNT to South Branch Oswayo Creek (RM 5.63)	Headwaters to Mouth	South Branch Oswayo Creek	41.874090 77.991170
Schuylkill	Codorus Creek	Headwaters to Mouth	Locust Creek	40.790349 76.061069
Venango	Fox Run	Headwaters to Mouth	Allegheny River	41.469204 79.542130
Warren	UNT to Akeley Run (RM 2.24)	Headwaters to Mouth	Akeley Run	41.930499 79.097027
Warren	UNT to Caldwell Creek (RM 3.82)	Headwaters to Mouth	Caldwell Creek	41.670966 79.595524
Warren	UNT to Whitney Run (RM 3.24)	Headwaters to Mouth	Whitney Run	41.859631 79.609795

The Commission also will consider the following revisions to the section limits of streams on the list:

<i>County of Mouth</i>	<i>Stream Name</i>	<i>Current Limits</i>	<i>Revised Limits</i>	<i>Tributary to</i>	<i>Mouth Lat/Lon</i>
McKean	South Branch Knapp Creek	Headwaters to Baker Run	Headwaters to UNT to South Branch Knapp Creek (RM 1.76)	Knapp Creek	41.938186 78.464975

Persons with comments, objections or suggestions concerning the classification of the streams listed may submit them in writing to the Executive Director, Fish and Boat Commission, P.O. Box 67000, Harrisburg, PA 17106-7000, within 30 days after publication of this notice in the *Pennsylvania Bulletin*. Comments submitted by facsimile will not be accepted.

Comments also may be submitted electronically by completing the form at www.fishandboat.com/regcomments. If an acknowledgment of electronic comments is not received by the sender within 2 working days, the comments should be retransmitted to ensure receipt. Electronic comments submitted in any other manner will not be accepted.

TIMOTHY D. SCHAEFFER,
Executive Director

[Pa.B. Doc. No. 19-1751. Filed for public inspection November 22, 2019, 9:00 a.m.]

FISH AND BOAT COMMISSION

Proposed Changes to List of Class A Wild Trout Waters; January 2020

The Fish and Boat Commission (Commission) is considering changes to its list of Class A Wild Trout Streams. Under 58 Pa. Code § 57.8a (relating to Class A wild trout streams), it is the Commission's policy to manage self-sustaining Class A wild trout populations as a renewable natural resource to conserve that resource and the angling it provides. Class A wild trout populations represent the best of this Commonwealth's naturally reproducing trout fisheries. With rare exceptions, the Commission manages these stream sections solely for the perpetuation of the wild trout fishery with no stocking.

Criteria developed for Class A Wild Trout fisheries are species specific. Wild Trout Biomass Class Criteria include provisions for:

(i) *Wild Brook Trout Fisheries*

(A) Total brook trout biomass of at least 30 kg/ha (26.7 lbs/acre).

(B) Total biomass of brook trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(C) Brook trout biomass must comprise at least 75% of the total trout biomass.

(ii) *Wild Brown Trout Fisheries*

(A) Total brown trout biomass of at least 40 kg/ha (35.6 lbs/acre).

(B) Total biomass of brown trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(C) Brown trout biomass must comprise at least 75% of the total trout biomass.

(iii) *Mixed Wild Brook and Brown Trout Fisheries*

(A) Combined brook and brown trout biomass of at least 40 kg/ha (35.6 lbs/acre).

(B) Total biomass of brook trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(C) Total biomass of brown trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(D) Brook trout biomass must comprise less than 75% of the total trout biomass.

(E) Brown trout biomass must comprise less than 75% of the total trout biomass.

(iv) *Wild Rainbow Trout Fisheries*

Total biomass of rainbow trout less than 15 cm (5.9 inches) in total length of at least 2.0 kg/ha (1.78 lbs/acre).

(v) *Mixed Wild Brook and Rainbow Trout Fisheries*

(A) Combined brook and rainbow trout biomass of at least 40 kg/ha (35.6 lbs/acre).

(B) Total biomass of brook trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(C) Total biomass of rainbow trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(D) Brook trout biomass shall comprise less than 75% of the total trout biomass.

(E) Rainbow trout biomass shall comprise less than 75% of the total trout biomass.

(vi) *Mixed Wild Brown and Rainbow Trout Fisheries*

(A) Combined brown and rainbow trout biomass of at least 40 kg/ha (35.6 lbs/acre).

(B) Total biomass of brown trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(C) Total biomass of rainbow trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(D) Brown trout biomass shall comprise less than 75% of the total trout biomass.

(E) Rainbow trout biomass shall comprise less than 75% of the total trout biomass.

At the next Commission meeting on January 27 and 28, 2020, the Commission will consider changes to its list of Class A Wild Trout Streams list. During recent surveys, Commission staff documented the following stream sections to have Class A wild trout populations. Specifically, the Commission will consider adding these waters to its Class A Wild Trout Streams list.

County	Stream	Section	Limits	Tributary to	Mouth Lat / Lon	Brook Trout (kg / ha)	Brown Trout (kg / ha)	Rainbow Trout (kg / ha)	Length (miles)	Survey Year
Cameron/ Clinton	Left Branch Montour Run	1	Headwaters to Mouth	Montour Run	41.309084 78.018089	57.23	—	—	1.37	2019
Cameron/ Clinton	Right Fork Beaverdam Run	1	Headwaters to Mouth	Beaverdam Run	41.404385 77.951365	39.29	—	—	3.49	2019
Centre	Dicks Run	1	Headwaters to Mouth	Bald Eagle Creek	40.894167 77.889167	—	94.28	—	5.88	2019
Centre	Laurel Run	1	Headwaters to Whetstone Run	Bald Eagle Creek	40.863333 77.936111	11.49	30.12	—	2.51	2019
Centre	Nittany Creek	2	Curtain Gap quarry discharge to I-80 east bound	Bald Eagle Creek	40.974722 77.742500	—	44.83	—	0.65	2019
Centre	UNT to Galbraith Gap Run (RM 2.60)	1	Headwaters to Mouth	Galbraith Gap Run	40.764187 77.737623	52.37	3.35	—	1.19	2019
Centre	UNT to Logan Branch (RM 3.88)	1	Headwaters to Mouth	Logan Branch	40.870662 77.759553	—	130.97	—	0.16	2018
Centre	UNT to Spring Creek (RM 19.60)	1	Headwaters to Mouth	Spring Creek	40.783197 77.798060	—	40.41	—	0.95	2019
Centre	Whetstone Run	1	Headwaters to Mouth	Laurel Run	40.885864 77.975917	19.39	27.32	—	1.98	2019
Clearfield	McCloskey Run	1	Headwaters to Mouth	Upper Three Runs	41.165684 78.075257	58.06	—	—	1.35	2019
Clearfield	Shaggers Inn Run	1	Headwaters to Mouth	Medix Run	41.219166 78.389999	39.31	—	—	1.96	2019
Clearfield	UNT to Gifford Run (RM 4.40)	1	Headwaters to Mouth	Gifford Run	41.179383 78.285313	53.18	—	—	1.11	2019
Clearfield	UNT to Medix Run (RM 7.37)	1	Headwaters to Mouth	Medix Run	41.214544 78.374711	33.64	—	—	2.10	2019
Clinton	Cherry Run	1	Headwaters to Mouth	Fishing Creek	40.988224 77.495476	17.98	32.63	—	8.63	2019
Clinton	Left Fork Beaverdam Run	1	Headwaters to Mouth	Beaverdam Run	41.404446 77.951668	38.50	—	—	1.67	2019
Elk	Little Wolf Lick Run	1	Headwaters to Mouth	Wolf Lick Run	41.337558 78.459229	16.89	55.78	—	3.29	2019
Franklin	Yankees Gap Run	2	Spring source at RM 1.29 to Mouth	Dennis Creek	39.980163 77.758518	78.80	—	—	1.29	2019
Lebanon	UNT to Swatara Creek (RM 48.00)	1	Headwaters to Mouth	Swatara Creek	40.499303 76.527074	48.84	—	—	1.28	2019
Lebanon	UNT to Swatara Creek (RM 49.30)	1	Headwaters to Mouth	Swatara Creek	40.503293 76.508769	42.50	—	—	2.00	2019
Lycoming	Kaiser Hollow Run	1	Headwaters to Mouth	Loyalsock Creek	41.316715 76.910606	—	46.09	—	3.34	2019

County	Stream	Section	Limits	Tributary to	Mouth Lat / Lon	Brook Trout (kg/ha)	Brown Trout (kg/ha)	Rainbow Trout (kg/ha)	Length (miles)	Survey Year
Lycoming/ Tioga	Morris Run	1	Headwaters to Mouth	Slate Run	41.523333 77.527778	31.24	26.49	—	2.80	2019
Monroe	Dotters Creek	3	Mertz Road (T-442) Bridge to Mouth	Middle Creek	40.907540 75.497263	—	61.75	—	2.56	2019
Potter	Cross Fork	1	Confluence of Wingerter and Bolich Runs to Short Run	Kettle Creek	41.483055 77.820274	18.80	25.96	—	0.94	2019
Potter	Cross Fork	2	Short Run to Rhulo Hollow	Kettle Creek	41.483055 77.820274	19.14	31.71	—	3.04	2019
Potter	Little Indian Run	1	Headwaters to Mouth	Little Kettle Creek	41.594167 77.707500	40.52	5.82	—	2.79	2019
Potter	Little Portage Creek	1	Headwaters to Mouth	Freeman Run	41.603946 78.065550	54.92	33.81	—	3.39	2019
Potter	Nelson Hollow Run	1	Headwaters to Mouth	West Branch Genesee River	41.950156 77.884449	61.68	125.85	—	1.37	2019
Potter	UNT to Phoenix Run (RM 2.69)	1	Headwaters to Mouth	Phoenix Run	41.776090 77.610400	35.87	—	—	1.21	2019
Potter	UNT to South Branch Oswayo Creek (RM 5.63)	1	Headwaters to Mouth	South Branch Oswayo Creek	41.874090 77.991170	4.10	40.81	—	2.19	2019
Schuylkill	UNT to Lower Little Swatara Creek (RM 0.46)	1	Headwaters to Mouth	Lower Little Swatara Creek	40.536110 76.381943	50.51	—	—	1.36	2019
Schuylkill	UNT to Lower Little Swatara Creek (RM 3.97)	1	Headwaters to Mouth	Lower Little Swatara Creek	40.543056 76.331390	62.07	—	—	2.16	2019
Snyder	Swift Run	2	UNT to Swift Run (RM 6.78) to T-469 Bridge	North Branch Middle Creek	40.773611 77.198611	13.69	46.88	—	3.80	2018
Somerset	Shafer Run	1	Headwaters to 400 m downstream Shafer Run Trout Hatchery	Laurel Hill Creek	40.048927 79.199402	41.23	—	—	2.31	2018
Tioga	Kettle Creek	1	Headwaters to Billings Branch	West Branch Susquehanna River	41.300556 77.838889	39.11	—	—	2.80	2019
Union	Sand Spring Run	1	Headwaters to Mouth	White Deer Creek	41.059167 77.075000	18.26	32.03	—	5.69	2019
Union	UNT to Spruce Run (RM 8.25)	1	Headwaters to Mouth	Spruce Run	41.024792 77.056580	48.10	—	—	1.46	2019

The Commission also will consider the following amendments to the list:

Current Sectioning Strategy				Proposed Sectioning Strategy							
County	Stream	Section	Limits	Length (miles)	Mouth Lat/Lon	County	Stream	Section	Limits	Length (miles)	Mouth Lat/Lon
Monroe	Dotters Creek	2	Monroe and Carbon County border to UNT below Jonas	1.71	40.907540 75.497263	Monroe	Jonas Creek	1	Headwaters to Mouth	2.60	40.951100 75.522230
Monroe	Dotters Creek	3	UNT below Jonas to Mertz Road Bridge (T-442)	2.53	40.907540 75.497263	Monroe	Dotters Creek	1	Headwaters to Mertz Road Bridge (T-442)	1.64	40.907540 75.497263

* As currently listed, Dotters Creek, Section 02 and a portion of Section 03, were misidentified as Dotters Creek when the stream sections were added to the Class A Wild Trout Streams list in 1983 and 1992, respectively. Dotters Creek, Section 02, and the upstream portion of Section 03, were subsequently determined to be Jonas Creek, Section 01. The downstream portion of Dotters Creek, Section 03, is now identified as Dotters Creek, Section 01. These changes do not result in additions to the Class A Wild Trout Streams list and only serve to amend stream names once new information became available.

Persons with comments, objections or suggestions concerning the additions are invited to submit comments in writing to the Executive Director, Fish and Boat Commission, P.O. Box 67000, Harrisburg, PA 17106-7000, within 30 days after publication of this notice in the *Pennsylvania Bulletin*. Comments also may be submitted electronically by completing the form at www.fishandboat.com/regcomments. If an acknowledgment of electronic comments is not received by the sender within 2 working

days, the comments should be retransmitted to ensure receipt. Electronic comments submitted in any other manner will not be accepted.

TIMOTHY D. SCHAEFFER,
Executive Director

[Pa.B. Doc. No. 19-1752. Filed for public inspection November 22, 2019, 9:00 a.m.]

FISH AND BOAT COMMISSION

Special Regulation Designations

The Fish and Boat Commission (Commission) took the following action with respect to waters subject to 58 Pa. Code Chapter 65 (relating to special fishing regulations), effective January 1, 2020. A notice of proposed designations was published at 49 Pa.B. 5261 (September 7, 2019) and the Commission received a total of nine public comments: six supported the proposed designations, two supported the proposed designations of a specific water and one comment opposed the proposed designations. In response to public comments, the Commission revised the end limits of one stream section, Chest Creek, Cambria County, noted in the following table.

58 Pa. Code § 65.6. Delayed harvest artificial lures only areas

The Commission extended the limits of nine stream sections managed under the delayed harvest artificial lures only areas regulation:

County	Water
Cambria	Chest Creek, Section 03, Ridge Avenue downstream to the SR 4002 Bridge at Thomas Mills
Potter	First Fork Sinnemahoning Creek, Section 04, Route 872 Bridge at Schoolhouse Run downstream to Berge Run
McKean	Kinzua Creek, Section 04, Guffey Road Bridge (Rocky Road) downstream to Westline Road Bridge
Lycoming	Little Pine Creek, Section 04, Little Pine Creek Road Bridge located 1.0-mile upstream from Otter Run downstream to the inflow of Little Pine Lake
Lycoming and Sullivan	Loyalsock Creek, Section 05, 1.0-mile upstream from the Sullivan County line downstream to Unnamed Tributary located 0.9-mile upstream from Plunketts Creek
Lycoming	Lycoming Creek, Section 04, 0.5-mile upstream from Daugherty Run downstream to 0.1-mile downstream from the SR 0015 Bridge (Old Route 15) near Haleeka
Monroe	McMichael Creek, Section 05, 0.08-mile downstream from the Turkey Hill Road (T-416) ridge downstream to Glenbrook Road (SR 2004) Bridge
Snyder	Middle Creek, Section 04, 0.3-mile upstream from Pine Swamp Road downstream to Covered Bridge Road
Tioga	Pine Creek, Section 06, Marsh Creek downstream to Bear Run

TIMOTHY D. SCHAEFFER,
Executive Director

[Pa.B. Doc. No. 19-1753. Filed for public inspection November 22, 2019, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

2020 Public Meeting Schedule

The Independent Regulatory Review Commission (Commission) will hold public meetings in 2020 as follows:

January 16, 2020	10 a.m.	14th Floor Conference Room 333 Market Street
February 20, 2020	10 a.m.	14th Floor Conference Room 333 Market Street
March 19, 2020	10 a.m.	14th Floor Conference Room 333 Market Street
April 16, 2020	10 a.m.	14th Floor Conference Room 333 Market Street
May 21, 2020	10 a.m.	14th Floor Conference Room 333 Market Street

June 18, 2020	10 a.m.	14th Floor Conference Room 333 Market Street
July 16, 2020	10 a.m.	14th Floor Conference Room 333 Market Street
August 20, 2020	10 a.m.	14th Floor Conference Room 333 Market Street
September 17, 2020	10 a.m.	14th Floor Conference Room 333 Market Street
October 15, 2020	10 a.m.	14th Floor Conference Room 333 Market Street
November 19, 2020	10 a.m.	14th Floor Conference Room 333 Market Street
December 3, 2020	10 a.m.	14th Floor Conference Room 333 Market Street

Individuals who are planning on attending or speaking at a public meeting should notify the Commission no later than 72 hours prior to the date of the meeting. For any changes to the meeting schedule, refer to the Commission web site at www.irrc.state.pa.us. If an executive session is deemed necessary, it shall be held immediately following the close of the public meeting in the 14th Floor Conference Room, 333 Market Street, Harrisburg, PA. Persons in need of special accommodations, as provided for in the Americans with Disabilities Act of 1990, should contact Cheryl Yohn at (717) 772-3455.

GEORGE D. BEDWICK,
Chairperson

[Pa.B. Doc. No. 19-1754. Filed for public inspection November 22, 2019, 9:00 a.m.]

INSURANCE DEPARTMENT

1332 State Innovation Waiver Application; Public Comment Period; Notice 2019-08

The Commonwealth is accepting public comment on its 1332 State Innovation Waiver application beginning on Friday, November 15, 2019, and ending on Saturday, December 14, 2019. Comments may be directed to the Insurance Department by e-mail to RA-IN-PA1332Waiver@pa.gov or by mail to:

Insurance Department 1332 Innovation Waiver
Attn: David Buono
1326 Strawberry Square
Harrisburg, PA 17120

Information is available for review at www.insurance.pa.gov/PA1332Waiver, including frequently asked questions and a summary document titled Comprehensive Description: State Waiver Application.

Two public hearings will provide additional opportunities to learn about and comment on the 1332 State Innovation Waiver application. They will be held as follows:

December 3, 2019
11 a.m.—2 p.m.
The Nittany Lion Inn
200 West Park Avenue
State College, PA 16803

December 5, 2019
11 a.m.—2 p.m.
Keystone Building—Hearing Room 3
400 North Street
Harrisburg, PA 17120

Questions regarding this notice may be directed to the previously-noted e-mail and mail addresses.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 19-1755. Filed for public inspection November 22, 2019, 9:00 a.m.]

INSURANCE DEPARTMENT

Alleged Violation of Insurance Laws; Amanda Luwana Stewart; Doc. No. SC19-11-008

Notice is hereby given of the Order to Show Cause issued on November 13, 2019, by the Deputy Insurance Commissioner in the previously-referenced matter. Violation of the following is alleged: sections 611-A(1), (14) and (20) and 678-A(b)(3) of The Insurance Department Act of 1921 (40 P.S. §§ 310.11(1), (14) and (20) and 310.78(b)(3)).

The respondent shall file a written answer to the Order to Show Cause within 30 days of the date of issue. If respondent files a timely answer, a formal administrative hearing shall be held in accordance with 2 Pa.C.S. §§ 501—588 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure), 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure) and other relevant procedural provisions of law.

Answers, motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed in writing with the Hearings Administrator, Insurance Department, Administrative Hearings Office, 901 North 7th Street, Harrisburg, PA 17102.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require

an auxiliary aid, service or other accommodation to participate in the hearing, contact Domenica Dean, Agency ADA Coordinator, at (717) 705-4194.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 19-1756. Filed for public inspection November 22, 2019, 9:00 a.m.]

INSURANCE DEPARTMENT

Application for Approval to Redomesticate from the Commonwealth of Pennsylvania by 21st Century Preferred Insurance Company

21st Century Preferred Insurance Company, a domestic stock casualty insurance company, has filed for approval of a plan of redomestication whereby the state of domicile would change from the Commonwealth of Pennsylvania to Oklahoma. The filing was made under section 357 of The Insurance Company Law of 1921 (40 P.S. § 477e).

Persons wishing to comment on the redomestication are invited to submit a written statement to the Insurance Department (Department) within 14 days of publication of this notice in the *Pennsylvania Bulletin*. Each written statement must include the name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Lori Bercher, Insurance Company Licensing Specialist, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, lbercher@pa.gov.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 19-1757. Filed for public inspection November 22, 2019, 9:00 a.m.]

INSURANCE DEPARTMENT

Application for Renewal of Designation as a Certified Reinsurer

TransRe London Limited has applied for renewal of its designation as a certified reinsurer in this Commonwealth. The application was received on November 8, 2019, and was made under section 319.1(a) of The Insurance Company Law of 1921 (40 P.S. § 442.1(a)) and 31 Pa. Code § 161.3a (relating to requirements for certified reinsurers).

Persons who wish to comment on the application are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Kimberly A. Rankin, Director, Bureau of Company Licensing and Financial Analysis, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717)

787-8557, krankin@pa.gov. Comments received will be forwarded to the applicant for appropriate response.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 19-1758. Filed for public inspection November 22, 2019, 9:00 a.m.]

INSURANCE DEPARTMENT

AXA Equitable Life Insurance Company; Rate Increase Filing for Several Grandfathered AXA Equitable Individual Major Medical Forms (MMTA-131782629)

AXA Equitable Life Insurance Company is requesting approval to increase the premium 6.5% on 22 policyholders of grandfathered major medical forms CMM 124/133 and ACM 129/133.

Unless formal administrative action is taken prior to February 6, 2020, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) web site at www.insurance.pa.gov (hover the cursor over the "Consumers" tab, then select "Long Term Care Rate Filings").

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department's Harrisburg office.

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, jlaverty@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 19-1759. Filed for public inspection November 22, 2019, 9:00 a.m.]

INSURANCE DEPARTMENT

Geisinger Health Plan (GSHP-132137816); Small Group HMO—Transitional Filing

Geisinger Health Plan submitted a rate filing to increase the premium rates for its Small Group HMO/POS Non-Grandfathered Plans. The filing proposes a rate increase of 14.0% and will affect approximately 2,515 members. The proposed rate increase will generate an annualized revenue of approximately \$2.6 million and will be effective June 1, 2020.

Unless formal administrative action is taken prior to February 6, 2020, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) web site at www.insurance.pa.gov (click on the "Consumers" tab, then under "Resources" click on "Product Notices").

A copy of the filing is also available for public inspection, by appointment, during normal working hours at the Department's regional office in Harrisburg.

Interested parties are invited to submit written or e-mail comments, suggestions or objections to Rashmi Mathur, Insurance Department, Insurance Product Regulation, 1311 Strawberry Square, Harrisburg, PA 17120, rmathur@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 19-1760. Filed for public inspection November 22, 2019, 9:00 a.m.]

INSURANCE DEPARTMENT

Geisinger Quality Options (GSHP-132137818); Small Group PPO—Transitional Filing

Geisinger Quality Options submitted a rate filing to increase the premium rates for its Small Group PPO Non-Grandfathered Plans. The filing proposes a rate increase of 4.9% and will affect approximately 9,840 members. The proposed rate increase will generate an annualized revenue of approximately \$3 million and will be effective June 1, 2020.

Unless formal administrative action is taken prior to February 6, 2020, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) web site at www.insurance.pa.gov (click on the "Consumers" tab, then under "Resources" click on "Product Notices").

A copy of the filing is also available for public inspection, by appointment, during normal working hours at the Department's regional office in Harrisburg.

Interested parties are invited to submit written or e-mail comments, suggestions or objections to Rashmi Mathur, Insurance Department, Insurance Product Regulation, 1311 Strawberry Square, Harrisburg, PA 17120, rmathur@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 19-1761. Filed for public inspection November 22, 2019, 9:00 a.m.]

INSURANCE DEPARTMENT

List of Approved Guide Source Method Vendors as of October 28, 2019

Under the authority of the Motor Vehicle Physical Damage Appraiser Act (63 P.S. §§ 851—863), the Insurance Commissioner lists guide source providers approved to calculate the replacement value of total loss or unrecovered vehicles under 31 Pa. Code § 62.3(e)(1)(i) (relating to applicable standards for appraisal).

A listing of approved guide source method providers will be published annually in the *Pennsylvania Bulletin*. In the interim, an updated listing will be available on the Insurance Department's web site at www.insurance.pa.gov. Requests for this information may also be submitted

to the Insurance Department, Bureau of Consumer Services, (877) 881-6388, fax (717) 787-8585, ra-insresponse@pa.gov.

Approved Guide Source Vendors

Accurate ACV, LLC
221 East 11th Street
Kansas City, MO 64106
(816) 291-4818
www.accuacv.com

Audatex (formerly ADP Claims Solution Group, Inc.)
15030 Avenue of Science, Suite 100
San Diego, CA 92128
(800) 237-4968
www.audatex.com

Autobid, Inc.
10965 Lowell, Suite 1007
Overland Park, KS 66210
(913) 825-4800
www.autobid.com

Automobile Red Book (including the Older Used Car Publication)
Price Digests
9800 Metcalf Avenue
Overland Park, KS 66212
(800) 654-6776
www.pricedigests.com

CARFAX Banking & Insurance Group
5860 Trinity Parkway, Suite 600
Centreville, VA 20120
(800) 789-6232, Ext. 4297
www.CarfaxBIG.com

CCC Information Services, Inc.
222 Merchandise Mart Plaza, Suite 900
Chicago, IL 60654-1105
(800) 621-8070
www.cccis.com

DCI Solution
P.O. Box 9186
Rapid City, SD 57709
(855) 324-5465
www.dcisolution.com

Mitchell International, Inc.
6220 Greenwich Drive
San Diego, CA 92122
(900) 238-9111
www.mitchell.com

NADA Official Used Car Guide (including the Older Used Car Publication)
8400 Westpark Drive
McLean, VA 22102
(800) 544-6232
www.nada.com/b2b

Vehicle Valuation Services
1 South 450 Summit Avenue
Suite 185
Oakbrook Terrace, IL 60181
(888) 475-9975
www.vvsi.com

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 19-1762. Filed for public inspection November 22, 2019, 9:00 a.m.]

INSURANCE DEPARTMENT

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insureds have requested a hearing as authorized by the act of June 17, 1998 (P.L. 464, No. 68) (Act 68) in connection with the termination of the insureds' automobile insurance policies. The hearings will be held in accordance with the requirements of Act 68; 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law); 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). The administrative hearings will be held as follows. Failure by the appellants to appear at the scheduled hearings may result in dismissal with prejudice.

The hearings will be held in the Administrative Hearings Office, Room 200, Capitol Associates Building, 901 North Seventh Street, Harrisburg, PA 17102.

Appeal of Jeffrey John and Jami M. Eader; Erie Insurance Exchange; File No. 19-118-241232; Doc. No. P19-11-001; December 10, 2019, 9:30 a.m.

Appeal of Heather Grant; Progressive Advanced Insurance Company; File No. 19-116-240910; Doc. No. P19-11-007; January 7, 2020, 1 p.m.

Following the hearings and receipt of the stenographic transcript, the Insurance Commissioner (Commissioner) will issue a written order resolving the factual issues presented at the hearings and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearings or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously-referenced administrative hearings and require an auxiliary aid, service or other accommodation to participate in the hearings should contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 19-1763. Filed for public inspection November 22, 2019, 9:00 a.m.]

INSURANCE DEPARTMENT

Review Procedure Hearings under the Unfair Insurance Practices Act

The following insurer has requested a hearing as authorized by section 8 of the Unfair Insurance Practices Act (act) (40 P.S. § 1171.8) in connection with the company's termination of the insured's homeowners policy. The hearing will be held in accordance with the requirements of the act; 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law); 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). This administrative hearing will be held as follows. Failure by the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

The hearing will be held in the Administrative Hearings Office, Room 200, Capitol Associates Building, 901 North Seventh Street, Harrisburg, PA 17102.

Appeal of Erie Insurance Exchange; Travis T. Soller; File No. 19-114-241536; Doc. No. P19-11-002; December 11, 2019, 10 a.m.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner (Commissioner) will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 19-1764. Filed for public inspection November 22, 2019, 9:00 a.m.]

PATIENT SAFETY AUTHORITY

Public Meeting

The Patient Safety Authority (Authority), established by section 303 of the Medical Care Availability and Reduction of Error (MCARE) Act (40 P.S. § 1303.303), announces a meeting of the Authority's Board to be held at the Conference Center, Central Penn College, 600 Valley Road, Summerdale, PA 17093 at 10 a.m. on Monday, December 9, 2019.

Individuals with questions regarding this meeting, which is open to the public, should contact the Authority at (717) 346-0469.

REGINA M. HOFFMAN, MBA, BSN, RN, CPPS,
Executive Director

[Pa.B. Doc. No. 19-1765. Filed for public inspection November 22, 2019, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Household Goods Carrier Complaints

Formal complaints have been issued by the Pennsylvania Public Utility Commission. Answers must be filed in accordance with 52 Pa. Code (relating to public utilities). Answers are due December 9, 2019, and must be made with the Secretary, Pennsylvania Public Utility Commis-

sion, 400 North Street, Harrisburg, PA 17120, with a copy to the First Deputy Chief Prosecutor, Pennsylvania Public Utility Commission.

**Pennsylvania Public Utility Commission; Bureau of
Investigation and Enforcement v. Mickey Jadallah,
d/b/a ABC Moving Service, LLC;
Docket No. C-2019-3013129**

COMPLAINT

Now Comes the Bureau of Investigation and Enforcement (“I&E”) of the Pennsylvania Public Utility Commission, by its prosecuting attorneys, pursuant to Section 701 of the Public Utility Code, 66 Pa.C.S. § 701, and files this Formal Complaint (“Complaint”) against Mickey Jadallah, d/b/a ABC Moving Service, LLC (“ABC Moving,” “Company” or “Respondent”) alleging violations of the Public Utility Code and attending Regulations. In support of its Complaint, I&E respectfully avers as follows:

Parties and Jurisdiction

1. The Pennsylvania Public Utility Commission (“PUC” or “Commission”), with a mailing address of 400 North Street, Harrisburg, PA, 17120, is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth pursuant to the Public Utility Code, 66 Pa.C.S. §§ 101, et seq.

2. Complainant is the Commission’s Bureau of Investigation and Enforcement and is the entity established to prosecute complaints against public utilities pursuant to 66 Pa.C.S. § 308.2(a)(11). Complainant’s counsel is as follows:

Christopher M. Andreoli
Prosecutor
chandreoli@pa.gov
717.772.8582

Michael L. Swindler
Deputy Chief Prosecutor
mswindler@pa.gov
717.783.6369

3. Respondent is Mickey Jadallah, d/b/a ABC Moving Service, LLC with its most recent principal place of business located at 2438 South 5th Street Rear, Allentown, PA 18103.

4. Respondent holds itself out to be a household goods carrier, but it lacks Commission authority to provide or furnish transportation of household property for compensation within the Commonwealth as a common carrier by motor vehicle or a contract carrier by motor vehicle, pursuant to Sections 102 and 2501(b)(1) of the Public Utility Code. 66 Pa.C.S. §§ 102 and 2501(b)(1).

5. Section 501(a) of the Public Utility Code, 66 Pa.C.S. § 501(a), authorizes and obligates the Commission to execute and enforce the provisions of the Public Utility Code.

6. Section 701 of the Public Utility Code, 66 Pa.C.S. § 701, authorizes the Commission, inter alia, to hear and determine complaints against public utilities or companies holding themselves out to be a public utility for violations of any law or regulation that the Commission has jurisdiction to administer or enforce.

7. Section 3310 of the Public Utility Code, 66 Pa.C.S. § 3310, authorizes the Commission to impose civil penalties on any person or corporation operating as a common carrier by motor vehicle or as a contract carrier by motor

vehicle without a certificate of public convenience, permit, or license authorizing the service performed. Section 3310(c) specifically provides that a civil penalty of Five Thousand Dollars (\$5,000) be imposed for a first violation of this section while a civil penalty of Ten Thousand Dollars (\$10,000) shall be imposed for a second or subsequent violation.¹

8. Respondent, by providing or furnishing the transportation of household property between points within the Commonwealth by motor vehicle for compensation is subject to the power and authority of this Commission pursuant to Section 501(c) of the Public Utility Code, 66 Pa.C.S. § 501(c), which requires a public utility to comply with Commission regulations and orders.

Background

9. PUC Motor Carrier Enforcement Division was contacted by a certificated household goods carrier and advised that Respondent was continuing to operate and transport household goods in violation of the Public Utility Code.

10. As part of this investigation, PUC Motor Carrier Enforcement Officer, Reynaldo Pierluisse, arranged a move of household goods with Respondent through a series of emails and telephone discussions. Respondent ultimately agreed to move household goods from a storage unit in Quakertown, PA to a storage unit in Whitehall, PA. The agreed upon price for this intrastate move was \$490.00 for four hours and \$120.00 for each additional hour thereafter.

11. Respondent arrived at the agreed upon meeting location in Quakertown, PA in a vehicle, which consisted of a combination truck and semi-trailer. The driver of the truck identified himself as Mickey Jadallah. The truck was a 2001 International with Pennsylvania Registration Number ZGW5153 and Vehicle Identification Number 1HTSLAAM31H404004. The truck was registered to Justin Juda Jadallah, who is the son of Mickey Jadallah. The semi-trailer was a Carmate with Pennsylvania Registration Number XGC2000 and Vehicle Identification Number 5A3C828D21L004485. The semi-trailer was registered to Harleysville National Bank & Trust Company with the lessee listed as ABC Hauling.

12. After discussing the agreed upon price for the move with Mickey Jadallah, Officer Pierluisse identified himself to Respondent as an Enforcement Officer with the Pennsylvania Public Utility Commission’s Motor Carrier Division, and supporting Officers arrived to assist with the traffic stop and vehicle inspection.

13. Respondent was never issued a certificate of public convenience, permit, or license by the Commission autho-

¹ Section 3310 of the Public Utility Code, 66 Pa.C.S. § 3310, which was amended and made effective on February 20, 2018, authorizes the Commission to impose the following penalties on any person or corporation who operates as a common carrier or contract carrier by motor vehicle without a certificate of public convenience, permit, or license: (1) A \$5,000 civil penalty shall be imposed for a first violation and \$10,000 for a second or subsequent violation; (2) Suspension of the registration of any vehicle whereby a determination has been made that it operated as a common carrier or contract carrier by motor vehicle without the approval of the Commission in accordance with 75 Pa.C.S. § 1375; and (3) Confiscation and impoundment of vehicles which have been used to provide common carrier or contract carrier by motor vehicle without Commission approval, subject to the process for the disposition of impounded vehicles as set forth under 75 Pa.C.S. § 6310. Prior to this amendment, violations of the previous version of Section 3310 resulted in the person or company who operated as a motor carrier or a common carrier with the Commission’s authority being found guilty of a summary offense for an initial violation, a misdemeanor of the third degree for subsequent offenses, and assessed a civil penalty under Section 3301 of the Public Utility Code, 66 Pa.C.S. § 3301, which was set at \$1,000 per violation. In addition, any person or company who held itself out to transport household goods and/or property without having operating authority from the Commission violated, and would continue to violate, under the amended Section 3310, Section 1101 of the Public Utility Code, 66 Pa.C.S. § 1101.

ricing such transportation of household property between points within the Commonwealth.²

Violation

14. All allegations in paragraphs 1—13 are incorporated as if fully set forth herein.

15. Section 3310(b) of the Public Utility Code states that any person or corporation that operates as a common carrier or contract carrier by motor vehicle (as defined in 66 Pa.C.S. §§ 102 and 2501(b)) without a certificate of public convenience, permit, or license issued by the Commission authorizing such service performed, in violation of Section 3310(a),³ “shall be ordered to pay [a civil] penalty as prescribed in subsection (c).” 66 Pa.C.S. § 3310(b) (emphasis added).

16. Respondent violated Section 3310(a) and (b) of the Public Utility Code, 66 Pa.C.S. §§ 3310(a) and (b), by operating as a common carrier and/or contract carrier by motor vehicle without a certificate of public convenience, permit, or license issued by the Commission when it agreed to transport the Resident’s household property between points within the Commonwealth for compensation.

17. Section 3310(c) of the Public Utility Code requires that “[t]he amount of the [civil] penalty under subsection (b) shall be \$5,000 for a first violation and \$10,000 for a second or subsequent violation.” 66 Pa.C.S. § 3310(c) (emphasis added).⁴ I&E has concluded that Respondent has been found to have operated as a common carrier and/or contract carrier by motor vehicle without a certificate of public convenience, permit, or license on multiple prior occasions. As such, I&E’s requested civil penalty is \$10,000 for this violation.

18. In addition to the requested civil penalty above, a person or corporation under subsection (b) may also be subject to the following:

(i) Suspension of registration under 75 Pa.C.S. § 1375 (relating to suspension of registration of unapproved carriers).

(ii) Confiscation and impoundment of vehicle. A sheriff, upon an order issued by the court and having jurisdiction over the property, is empowered to confiscate and impound vehicles which have been used to provide common carrier by motor vehicle service or contract carrier by motor vehicle service in violation of subsection (b) or commission regulations. The process for the disposition of impounded vehicles shall be as set forth under 75 Pa.C.S. § 6310 (relating to disposition of impounded vehicles, combinations and loads).

Wherefore, for all the foregoing reasons, the Bureau of Investigation and Enforcement of the Pennsylvania Public

² Respondent previously held valid interstate authority from the USDOT under USDOT # 1164677 and MC # 473320. However, Respondent has never held authority from the Commission. It is noted that the Respondent previously tried and was unable to obtain a certificate of public convenience, permit, or license from the Commission due to protests by Commission certificated household goods carriers. As such, Respondent was aware that it was required to be certificated by the Commission, that it failed to become certificated, and that it was, therefore, operating in violation of the Public Utility Code.

³ 66 Pa.C.S. § 3310(a).

⁴ I&E researched the Respondent’s history and record with the Commission and concluded that this is not Respondent’s first violation in Pennsylvania. Respondent has a long history with the Commission and continues to operate as a common carrier and/or contract carrier by motor vehicle without a certificate of public convenience, permit, or license issued by the Commission. More recently, under Docket No. C-2015-2437081, a Complaint was filed by I&E against Respondent for violations of the Public Utility Code pursuant to Section 3310 of the Public Utility Code, 66 Pa.C.S. § 3310; this Complaint was eventually withdrawn by I&E, as the incident giving rise to the Complaint was criminally prosecuted before District Justice William Ford (Lehigh County) at Docket No. CP-39-CR-0005135-2014, wherein Respondent received and completed the ARD program. See Exhibit I&E-1. As such, Respondent was aware that it was required to be certificated by the Commission, that it failed to become certificated, and that it was, therefore, operating in violation of the Public Utility Code.

Utility Commission respectfully requests that, after consideration of the record, the Office of Administrative Law Judge and the Commission find the Respondent in violation of the count as set forth herein, and that the Respondent be assessed the statutorily mandated civil penalty of Ten Thousand Dollars (\$10,000), as this is not Respondent’s first violation in Pennsylvania. In addition, the Bureau of Investigation and Enforcement of the Pennsylvania Public Utility Commission respectfully requests suspension of the registrations for the truck and semi-trailer by the proper authorities pursuant to 75 Pa.C.S. § 1375, as well as the confiscation and impoundment of the truck and semi-trailer pursuant to 75 Pa.C.S. § 6310. Should the Respondent fail to pay the statutorily mandated civil penalty of Ten Thousand Dollars (\$10,000), the Bureau of Investigation and Enforcement requests that this matter be referred to the Pennsylvania Office of Attorney General for appropriate action.

Respectfully submitted,
Christopher M. Andreoli
Prosecutor
PA Attorney I.D. No. 85676

Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
Commonwealth Keystone Building
400 North Street
Harrisburg, PA 17120

Date: September 24, 2019

VERIFICATION

I, David W. Loucks, Chief of Enforcement, Bureau of Investigation and Enforcement, Motor Carrier Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information, and belief and that I expect the Bureau of Investigation and Enforcement will be able to prove the same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: September 24, 2019

David W. Loucks
Chief of Motor Carrier Enforcement
Pennsylvania Public Utility Commission
Commonwealth Keystone Building
400 North Street
Harrisburg, PA 17120

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
Commonwealth Keystone Building
400 North Street
Harrisburg, PA 17120

Or, you may eFile your Answer using the Commission’s website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to

file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau. Additionally, a copy should either be mailed to:

Christopher M. Andreoli, Prosecutor
 Pennsylvania Public Utility Commission
 Bureau of Investigation and Enforcement
 Commonwealth Keystone Building
 400 North Street
 Harrisburg, PA 17120

Or, emailed to Mr. Andreoli at: chandreoli@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the requested relief.

C. You may elect not to contest this Complaint by paying the past due assessment and civil penalty within 20 days. Send only a certified check or money order made payable to the "Commonwealth of Pennsylvania," with the docket number indicated, and mailed to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 Commonwealth Keystone Building
 400 North Street
 Harrisburg, PA 17120

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the requested relief set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

G. Alternative formats of this material are available for persons with disabilities by contacting the Commissioner's ADA Coordinator at (717) 787-8714.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 19-1766. Filed for public inspection November 22, 2019, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by December 9, 2019. Documents filed in support of the applications are avail-

able for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Applications of the following for approval to *begin operating as common carriers* for transportation of persons as described under each application.

A-2019-3013337. JK Logistics, LLC (7646 Water Road, Cheltenham, Montgomery County, PA 19012) in paratransit service, for sporting and leisure events, from points in the City and County of Philadelphia, to points in the Counties of Bucks, Delaware and Montgomery, and return.

A-2019-3014048. Auxilium QRS, LLC (P.O. Box 3, East Petersburg, Lancaster County, PA 17520) in paratransit service, limited to persons requiring transport to medical appointments, between points in Pennsylvania.

Application of the following for approval to *begin operating as contract carriers* for transportation of persons as described under the application.

A-2019-3013854. Dependable People Transportation, LLC (1316 Pheasant Run Road, Middletown, Dauphin County, PA 17057) for the right to begin to transport, as a contract carrier for Medical Transportation Management, Inc., between points in the Counties of Dauphin and Lancaster.

Applications of the following for the approval of the right and privilege to *discontinue/abandon operating as common carriers by motor vehicle* and for cancellation of the certificate of public convenience as described under each application.

A-2019-3013911. Richard Santiago (1762 Christopher Road, Hazleton, Luzerne County, PA 18201) for the discontinuance of service and cancellation of its certificate, at A-00123622, as a common carrier, by motor vehicle, authorizing the transportation of persons in paratransit service, from Hazleton, Luzerne County to TJ Maxx in Pittston Township, Luzerne County, Pennsylvania, and return.

A-2019-3014011. Gemstar Limousine, LLC (25 Claus Avenue, Pittsburgh, PA 15227) discontinuance of service and cancellation of its certificate, to transport, as a common carrier, by motor vehicle, at A-00122687, persons in limousine service between points in Pennsylvania.

A-2019-3014019. Gemstar Limousine, LLC (25 Claus Avenue, Pittsburgh, PA 15227) discontinuance of service and cancellation of its certificate, to transport, as a common carrier, by motor vehicle, at A-00122687, persons in group and party service, in vehicles seating 11 to 15 passengers, including the driver, from points in the Counties of Allegheny, Armstrong, Indiana and Westmoreland, to points in Pennsylvania, and return.

A-2019-3014126. Kimberly Weller, t/a Weller's Specialties (P.O. Box 178, Boxbury, PA 17251) for the discontinuance and cancellation for her certificate, to transport, as a common carrier, by motor vehicle, persons in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, from points in Franklin County, to points in Pennsylvania, and return, as described at Docket No. A-2012-2300370.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 19-1767. Filed for public inspection November 22, 2019, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Formal Complaints

Formal complaints have been issued by the Pennsylvania Public Utility Commission. Answers must be filed in accordance with 52 Pa. Code (relating to public utilities). Answers are due December 9, 2019, and must be made with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy to the First Deputy Chief Prosecutor, Pennsylvania Public Utility Commission.

—————

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Christopher P. Walker, t/a C.W. Trucking; Docket No. C-2019-3013004

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Christopher P. Walker, t/a C.W. Trucking, (respondent) is under suspension effective September 09, 2019 for failure to maintain evidence of insurance on file with this Commission.
2. That respondent maintains a principal place of business at 110 Marilyn Way, Friedens, PA 15541.
3. That respondent was issued a Certificate of Public Convenience by this Commission on January 12, 1999, at A-00115443.
4. That respondent has failed to maintain evidence of Liability insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500.00 and cancellation of the Certificate of Public Convenience.
5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500.00 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-00115443 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
400 North Street
Harrisburg, PA 17120

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 10/7/2019

David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
400 North Street
Harrisburg, PA 17120

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
400 North Street
Harrisburg, PA 17120

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility
Services
Pennsylvania Public Utility Commission
400 North Street
Harrisburg, PA 17120

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
400 North Street
Harrisburg, PA 17120

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. RTM Commercial Management, LLC, t/a Pioneer Landscaping & Excavating; Docket No. C-2019-3013302

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to RTM Commercial Management, LLC, t/a Pioneer Landscaping & Excavating, (respondent) is under suspension effective September 18, 2019 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at 41 Shadduck Road, Muncy, PA 17756.

3. That respondent was issued a Certificate of Public Convenience by this Commission on December 19, 2018, at A-8921561.

4. That respondent has failed to maintain evidence of Cargo insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500.00 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500.00 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-8921561 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
400 North Street
Harrisburg, PA 17120

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 10/7/2019

David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
400 North Street
Harrisburg, PA 17120

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
400 North Street
Harrisburg, PA 17120

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility
Services
Pennsylvania Public Utility Commission
400 North Street
Harrisburg, PA 17120

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
400 North Street
Harrisburg, PA 17120

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

**Pennsylvania Public Utility Commission; Bureau of
Investigation and Enforcement v. A-Plus Towing,
LLC; Docket No. C-2019-3013334**

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities

within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to A-Plus Towing, LLC, (respondent) is under suspension effective September 19, 2019 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at 1015 East Walnut Street, Lancaster, PA 17602.

3. That respondent was issued a Certificate of Public Convenience by this Commission on January 28, 2015, at A-8917072.

4. That respondent has failed to maintain evidence of Liability insurance and Cargo insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500.00 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500.00 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-8917072 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
400 North Street
Harrisburg, PA 17120

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 10/7/2019

David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 400 North Street
 Harrisburg, PA 17120

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
 Pennsylvania Public Utility Commission
 Bureau of Investigation and Enforcement
 400 North Street
 Harrisburg, PA 17120

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services
 Pennsylvania Public Utility Commission
 400 North Street
 Harrisburg, PA 17120

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 400 North Street
 Harrisburg, PA 17120

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound

by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Superior Medical Transportation Services, LLC; Docket No. C-2019-3013368

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Superior Medical Transportation Services, LLC, (respondent) is under suspension effective September 23, 2019 for failure to maintain evidence of insurance on file with this Commission.
2. That respondent maintains a principal place of business at 4420 Susan Drive, Bethlehem, PA 18017.
3. That respondent was issued a Certificate of Public Convenience by this Commission on February 06, 2019, at A-6421547.
4. That respondent has failed to maintain evidence of Liability insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500.00 and cancellation of the Certificate of Public Convenience.
5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500.00 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-6421547 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
400 North Street
Harrisburg, PA 17120

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 10/7/2019

David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
400 North Street
Harrisburg, PA 17120

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
400 North Street
Harrisburg, PA 17120

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services
Pennsylvania Public Utility Commission
400 North Street
Harrisburg, PA 17120

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
400 North Street
Harrisburg, PA 17120

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Donald Wood; Docket No. C-2019-3013385

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Donald Wood, (respondent) is under suspension effective September 28, 2019 for failure to maintain evidence of insurance on file with this Commission.
2. That respondent maintains a principal place of business at 204 New Street, Connellsville, PA 15425.
3. That respondent was issued a Certificate of Public Convenience by this Commission on January 09, 2014, at A-8914229.

4. That respondent has failed to maintain evidence of Liability and Cargo insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500.00 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500.00 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-8914229 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
400 North Street
Harrisburg, PA 17120

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 10/8/2019

David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
400 North Street
Harrisburg, PA 17120

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you

must file a paper copy with the Secretary's Bureau. Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
400 North Street
Harrisburg, PA 17120

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services
Pennsylvania Public Utility Commission
400 North Street
Harrisburg, PA 17120

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
400 North Street
Harrisburg, PA 17120

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 19-1768. Filed for public inspection November 22, 2019, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Telecommunications

A-2019-3014237. Verizon North, LLC and Delta Telecom of Pa, Inc. Joint petition of Verizon North, LLC and Delta Telecom of Pa, Inc. for approval of an interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon North, LLC and Delta Telecom of Pa, Inc., by its counsel, filed on November 12, 2019, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. Comments are due on or before 10 days after the date of publication of this notice. The documents filed in support of Verizon North, LLC and Delta Telecom of Pa, Inc. joint petition are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, at the Commission's web site at www.puc.pa.gov and at the applicant's business address.

The contact person is Kathryn Sophy, Director, Office of Special Assistants, (717) 787-8108.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 19-1769. Filed for public inspection November 22, 2019, 9:00 a.m.]

PHILADELPHIA PARKING AUTHORITY

Service of Notice of Motor Carrier Applications in the City of Philadelphia

The following permanent authority applications to render service as common carriers in the City of Philadelphia have been filed with the Philadelphia Parking Authority's (PPA) Taxicab and Limousine Division (TLD). Formal protests must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority) with the TLD's Office of the Clerk, 2415 South Swanson Street, Philadelphia, PA 19148, no later than December 9, 2019. The nonrefundable protest filing fee is \$5,000 payable to the PPA by certified check or money order. The applications are available for inspection at the TLD between 9 a.m. and 4 p.m., Monday through Friday (contact TLD Director Christine Kirlin, Esq. at (215) 683-9653 to make an appointment) or may be inspected at the business addresses of the respective applicants or attorneys, or both.

Doc. No. A-19-11-01. Katto Cab Co. (401 Madison Road, Springfield, PA 19064): An application for a medallion taxicab certificate of public convenience (CPC) to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return.

Doc. No. A-19-11-02. MJ Transportation Co. (5920 Walnut Street, Philadelphia, PA 19139): An application for a medallion taxicab CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return.

Doc. No. A-19-11-03. Aya Trans, LLC (3502 Tudor Street, Philadelphia, PA 19136): An application for a medallion taxicab CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* Charles Milstein, Esq., 7102 Frankford Avenue, Philadelphia, PA 19135.

SCOTT PETRI,
Executive Director

[Pa.B. Doc. No. 19-1770. Filed for public inspection November 22, 2019, 9:00 a.m.]

STATE BOARD OF MEDICINE

Bureau of Professional and Occupational Affairs v. Tristram G. Horton, MD; Case No. 16-49-04197

On January 15, 2019, Tristram G. Horton, MD, Pennsylvania license No. MD438573, last known of Scottsdale, AZ, had his medical physician and surgeon license revoked, based on receiving disciplinary action by the proper licensing authority of another state.

Individuals may obtain a copy of the final adjudication by writing to Shana M. Walter, Board Counsel, State Board of Medicine, P.O. Box 69523, Harrisburg, PA 17106-9523.

This order represents the final State Board of Medicine (Board) decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review. The Board contact for receiving service of appeals is the previously-named Board counsel.

KEITH E. LOISELLE,
Chairperson

[Pa.B. Doc. No. 19-1771. Filed for public inspection November 22, 2019, 9:00 a.m.]

STATE EMPLOYEES' RETIREMENT BOARD

Hearings Scheduled

The following hearings have been scheduled, as authorized by 71 Pa.C.S. Part XXV (relating to State Employees' Retirement Code), in connection with the State Employees' Retirement System's denial of claimants' request concerning the indicated accounts.

The hearings will be held before a hearing examiner at the State Employees' Retirement System, 30 North Third Street, Fifth Floor, Harrisburg, PA 17101:

December 16, 2019	Paul J. Thiel Pension Forfeiture	9:30 a.m.
February 5, 2020	Carol L. Hollern Pension Forfeiture	1 p.m.

Parties in each respective case may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearings will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). Under 4 Pa. Code § 250.1 (relating to applicability of general rules), procedural matters will be in conformance with 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) unless specific exemption is granted.

TERRILL J. SANCHEZ,
Secretary

[Pa.B. Doc. No. 19-1772. Filed for public inspection November 22, 2019, 9:00 a.m.]