

# PENNSYLVANIA BULLETIN

Volume 50

Number 17

Saturday, April 25, 2020 • Harrisburg, PA

Pages 2167—2244

**Agencies in this issue**

The Courts

Department of Banking and Securities

Department of Community and Economic  
Development

Department of Environmental Protection

Department of Health

Department of Transportation

Fish and Boat Commission

Insurance Department

Pennsylvania Public Utility Commission

**Detailed list of contents appears inside.**



**Latest Pennsylvania Code Reporter  
(Master Transmittal Sheet):**

**No. 545, April 2020**

CUT ON DOTTED LINES AND ENCLOSE IN AN ENVELOPE

**CHANGE NOTICE/NEW SUBSCRIPTION**

If information on mailing label is incorrect, please email changes to [info@pabulletin.com](mailto:info@pabulletin.com) or mail to:

**FRY COMMUNICATIONS, INC.**  
Attn: *Pennsylvania Bulletin*  
800 W. Church Rd.  
Mechanicsburg, PA 17055-3198

CUSTOMER NUMBER (6 digit number above name on mailing label)

NAME OF INDIVIDUAL

OFFICE NAME—TITLE

ADDRESS (Number and Street)

(City) (State) (Zip Code)

TYPE OR PRINT LEGIBLY

**PENNSYLVANIA**



**BULLETIN**

(ISSN 0162-2137)

The *Pennsylvania Bulletin* is published weekly by Fry Communications, Inc. for the Commonwealth of Pennsylvania, Legislative Reference Bureau, 641 Main Capitol Building, Harrisburg, Pennsylvania 17120, under the policy supervision and direction of the Joint Committee on Documents under 45 Pa.C.S. Part II (relating to publication and effectiveness of Commonwealth documents). The subscription rate is \$87.00 per year, postpaid to points in the United States. Individual copies are \$2.50. Checks for subscriptions and individual copies should be made payable to "Fry Communications, Inc." Periodicals postage paid at Harrisburg, Pennsylvania.

Postmaster send address changes to:

FRY COMMUNICATIONS, Inc.  
Attn: *Pennsylvania Bulletin*  
800 West Church Road  
Mechanicsburg, Pennsylvania 17055-3198  
(717) 766-0211 ext. 2340  
(800) 334-1429 ext. 2340 (toll free, out-of-State)  
(800) 524-3232 ext. 2340 (toll free, in State)

Orders for subscriptions and other circulation matters should be sent to:

Fry Communications, Inc.  
Attn: *Pennsylvania Bulletin*  
800 West Church Road  
Mechanicsburg, Pennsylvania 17055-3198

Copyright © 2020 Commonwealth of Pennsylvania

Editorial preparation, composition, printing and distribution of the *Pennsylvania Bulletin* is effected on behalf of the Commonwealth of Pennsylvania by FRY COMMUNICATIONS, Inc., 800 West Church Road, Mechanicsburg, Pennsylvania 17055-3198.

# CONTENTS

## THE COURTS

### DISCIPLINARY BOARD OF THE SUPREME COURT

- Collection fee and late payment penalty; 2020-2021 registration year . . . . . 2174  
 Notice of disbarment . . . . . 2174

### JUDICIAL SYSTEM GENERAL PROVISIONS

- Order temporarily modifying Pennsylvania Rule of Continuing Legal Education 108(e); No. 836 Supreme Court rules doc. . . . . 2174

### RULES OF JUDICIAL ADMINISTRATION

- Temporarily modifying Rules 602(a), 603(a) and 604(a) of the Pennsylvania Rules of Judicial Administration; No. 441 magisterial rules doc. . . . . 2174

### SUPREME COURT

- General Statewide judicial emergency—Supreme Court operations; No. 533 judicial administration doc. . . . . 2175

## EXECUTIVE AND INDEPENDENT AGENCIES

### DEPARTMENT OF BANKING AND SECURITIES

#### Notices

- Actions on applications . . . . . 2176

### DEPARTMENT OF COMMUNITY AND ECONOMIC DEVELOPMENT

#### Notices

- Pennsylvania Housing Advisory Committee virtual meeting . . . . . 2177  
 Substantial amendment to the 2019—2023 Consolidated Plan and 2019 Action Plan; changes to the Citizen Participation Plan; public hearing . . . . . 2178

### DEPARTMENT OF ENVIRONMENTAL PROTECTION

#### Notices

- Aggregate Advisory Board virtual meeting . . . . . 2234  
 Applications, actions and special notices . . . . . 2179  
 Citizens Advisory Council virtual meeting . . . . . 2235  
 Oil and Gas Technical Advisory Board virtual meeting . . . . . 2235

## DEPARTMENT OF HEALTH

### Notices

- Long-term care nursing facilities; requests for exception . . . . . 2235  
 Preventive Health and Health Services Block Grant application for Federal fiscal year 2020; public hearing . . . . . 2237  
 Public Health Council meeting regarding the Preventive Health and Health Services Block Grant . . . . . 2237

## DEPARTMENT OF TRANSPORTATION

### Notices

- State Transportation Commission meeting . . . . . 2237

## FISH AND BOAT COMMISSION

### Notices

- Temporary change to fishing regulations; fishing in stocked trout waters, opening day of trout season and creel limits . . . . . 2237

## INSURANCE DEPARTMENT

### Notices

- Appeal of Freedom Life Insurance Company of America; doc. No. MS20-03-020 . . . . . 2238  
 Applicability of notice regarding Coronavirus (COVID-19) insurance coverage (Notice 2020-03) to issuers and producers of limited benefit policies; notice 2020-09 . . . . . 2238  
 COVID-19 guidance regarding all insurers writing automobile insurance, personal and commercial, within the Commonwealth; notice 2020-07 . . . . . 2239  
 COVID-19 guidance regarding all volunteer physicians, podiatrists and certified nurse midwives practicing under a reactivated license; notice 2020-8 . . . . . 2240  
 COVID-19 guidance regarding premium finance agreements; notice 2020-11 . . . . . 2240  
 COVID-19 related financial filings guidance; notice 2020-10 . . . . . 2241  
 Notice to insurance companies regarding policyholders affected by the COVID-19 virus; notice 2020-04 . . . . . 2242  
 Notice to licensees regarding education courses and license renewals; notice 2020-06 . . . . . 2242

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Notices

- General rule transaction . . . . . 2243

---

Available Online at <http://www.pabulletin.com>

---

# READER'S GUIDE TO THE PENNSYLVANIA BULLETIN AND THE PENNSYLVANIA CODE

## *Pennsylvania Bulletin*

The *Pennsylvania Bulletin* is the official gazette of the Commonwealth of Pennsylvania. It is published weekly. A cumulative subject matter index is published quarterly.

The *Pennsylvania Bulletin* serves several purposes. It is the temporary supplement to the *Pennsylvania Code*, which is the official codification of agency rules and regulations, Statewide court rules, and other statutorily authorized documents. Changes in the codified text, whether by adoption, amendment, rescission, repeal or emergency action, must be published in the *Pennsylvania Bulletin*.

The following documents are published in the *Pennsylvania Bulletin*: Governor's Executive Orders; Summaries of Enacted Statutes; Statewide and Local Court Rules; Attorney General Opinions; Motor Carrier Applications before the Pennsylvania Public Utility Commission; Applications and Actions before the Department of Environmental Protection; Orders of the Independent Regulatory Review Commission; and other documents authorized by law.

The text of certain documents published in the *Pennsylvania Bulletin* is the only valid and enforceable text. Courts are required to take judicial notice of the *Pennsylvania Bulletin*.

### **Adoption, Amendment or Repeal of Regulations**

Generally an agency wishing to adopt, amend or rescind regulations must first publish in the *Pennsylvania Bulletin* a Proposed Rulemaking. There are limited instances when the agency may omit the proposal step; it still must publish the adopted version.

The Proposed Rulemaking contains the full text of the change, the agency contact person, a fiscal note required by law and background for the action.

The agency then allows sufficient time for public comment before taking final action. A Final Rulemaking must be published in the *Pennsylvania Bulletin* before the changes can take effect. If the agency wishes to adopt changes to the Proposed Rulemaking to enlarge the scope, it must repropose.

## *Citation to the Pennsylvania Bulletin*

Cite material in the *Pennsylvania Bulletin* by volume number, a page number and date. Example: Volume 1, *Pennsylvania Bulletin*, page 801, January 9, 1971 (short form: 1 Pa.B. 801 (January 9, 1971)).

## *Pennsylvania Code*

The *Pennsylvania Code* is the official codification of rules and regulations issued by Commonwealth agencies, Statewide court rules and other statutorily authorized documents. The *Pennsylvania Bulletin* is the temporary supplement to the *Pennsylvania Code*, printing changes when they are adopted. These changes are then permanently codified by the *Pennsylvania Code Reporter*, a monthly, loose-leaf supplement.

The *Pennsylvania Code* is cited by title number and section number. Example: Title 10 *Pennsylvania Code* § 1.1 (short form: 10 Pa. Code § 1.1).

Under the *Pennsylvania Code* codification system, each regulation is assigned a unique number by title and section. Titles roughly parallel the organization of Commonwealth government.

### **How to Find Rules and Regulations**

Search for your area of interest in the *Pennsylvania Code*. The *Pennsylvania Code* is available at [www.pacodeandbulletin.gov](http://www.pacodeandbulletin.gov).

Source Notes give the history of regulations. To see if there have been recent changes not yet codified, check the List of *Pennsylvania Code* Chapters Affected in the most recent issue of the *Pennsylvania Bulletin*.

A chronological table of the history of *Pennsylvania Code* sections may be found at [www.legis.state.pa.us/cfdocs/legis/CH/Public/pcde\\_index.cfm](http://www.legis.state.pa.us/cfdocs/legis/CH/Public/pcde_index.cfm).

A quarterly List of *Pennsylvania Code* Sections Affected lists the regulations in numerical order, followed by the citation to the *Pennsylvania Bulletin* in which the change occurred.

The *Pennsylvania Bulletin* is available at [www.pacodeandbulletin.gov](http://www.pacodeandbulletin.gov).

**Subscription Information: (717) 766-0211**  
**General Information and Finding Aids: (717) 783-1530**

### Printing Format

*Rules, Regulations and Statements of Policy in Titles 1—107 of the Pennsylvania Code*

Text proposed to be added is printed in **underscored bold face**. Text proposed to be deleted is enclosed in brackets [ ] and printed in **bold face**.

Proposed new chapters and sections are printed in regular type to enhance readability. Final rulemakings and statements of policy are printed in regular type.

Ellipses, a series of five asterisks, indicate text that is not amended.

In Proposed Rulemakings and proposed Statements of Policy, existing text corresponds to the official codified text in the *Pennsylvania Code*.

*Court Rules in Titles 201—246 of the Pennsylvania Code*

Added text in proposed and adopted court rules is printed in **underscored bold face**. Deleted text in proposed and adopted court rules is enclosed in brackets [ ] and printed in **bold face**.

Proposed new chapters and rules are printed in regular type to enhance readability.

Ellipses, a series of five asterisks, indicate text that is not amended.

### Fiscal Notes

Section 612 of The Administrative Code of 1929 (71 P. S. § 232) requires the Governor's Budget Office to prepare a fiscal note for regulatory actions and administrative procedures of the administrative departments, boards, commissions and authorities receiving money from the State Treasury. The fiscal note states whether the action or procedure causes a loss of revenue or an increase in the cost of programs for the Commonwealth or its political subdivisions. The fiscal note is required to be published in the *Pennsylvania Bulletin* at the same time as the change is advertised.

A fiscal note provides the following information: (1) the designation of the fund out of which the appropriation providing for expenditures under the action or procedure shall be made; (2) the probable cost for the fiscal year the program is implemented; (3) projected cost estimate of the program for each of the 5 succeeding fiscal years; (4) fiscal history of the program for which expenditures are to be made; (5) probable loss of revenue for the fiscal year of its implementation; (6) projected loss of revenue from the program for each of the 5 succeeding fiscal years; (7) line item, if any, of the General Appropriation Act or other appropriation act out of which expenditures or losses of Commonwealth funds shall occur as a result of the action or procedures; and (8) recommendation, if any, of the Secretary of the Budget and the reasons therefor.

The omission of an item indicates that the agency text of the fiscal note states that there is no information available with respect thereto. In items (3) and (6) information is set forth for the first through fifth fiscal years, following the year the program is implemented, which is stated. In item (4) information is set forth for the current and two immediately preceding years. In item (8) the recommendation, if any, made by the Secretary of the Budget is published with the fiscal note. "No fiscal impact" means no additional cost or revenue loss to the Commonwealth or its local political subdivision is intended. See 4 Pa. Code Chapter 7, Subchapter R (relating to fiscal notes).

### Reproduction, Dissemination or Publication of Information

Third parties may not take information from the *Pennsylvania Code* and *Pennsylvania Bulletin* and reproduce, disseminate or publish information except as provided by 1 Pa. Code § 3.44:

#### § 3.44. General permission to reproduce content of Code and Bulletin.

Information published under this part, which information includes, but is not limited to, cross references, tables of cases, notes of decisions, tables of contents, indexes, source notes, authority notes, numerical lists and codification guides, other than the actual text of rules or regulations may be reproduced only with the written consent of the [Legislative Reference] Bureau. The information which appears on the same leaf with the text of a rule or regulation, however, may be incidentally reproduced in connection with the reproduction of the rule or regulation, if the reproduction is for the private use of a subscriber and not for resale. There are no other restrictions on the reproduction of information published under this part, and the Commonwealth hereby consents to a reproduction.

## List of Pa. Code Chapters Affected

The following numerical guide is a list of the chapters of each title of the *Pennsylvania Code* affected by documents published in the *Pennsylvania Bulletin* during 2020.

### 4 Pa. Code (Administration)

#### Adopted Rules

1 ..... 902

#### Statements of Policy

9 ..... 328, 546, 915, 1118, 1551

### 7 Pa. Code (Agriculture)

#### Adopted Rules

150 ..... 1836

### 25 Pa. Code (Environmental Protection)

#### Adopted Rules

86 ..... 1508

87 ..... 1508

88 ..... 1508

89 ..... 1508

90 ..... 1508

806 ..... 1931

#### Proposed Rules

250 ..... 1011

### 28 Pa. Code (Health and Safety)

#### Adopted Rules

26 ..... 1352

### 31 Pa. Code (Insurance)

#### Proposed Rules

168 ..... 798

### 34 Pa. Code (Labor and Industry)

#### Adopted Rules

91 ..... 792

93 ..... 792

95 ..... 792

### 40 Pa. Code (Liquor)

#### Proposed Rules

5 ..... 1650

### 49 Pa. Code (Professional and Vocational Standards)

#### Adopted Rules

35 ..... 1838

43b ..... 1354

#### Proposed Rules

25 ..... 1364

39 ..... 668

### 52 Pa. Code (Public Utilities)

#### Adopted Rules

77 ..... 469

#### Statements of Policy

41 ..... 1695

69 ..... 1652

### 55 Pa. Code (Human Services)

#### Statements of Policy

41 ..... 1695

### 58 Pa. Code (Recreation)

#### Adopted Rules

63 ..... 1526

69 ..... 1527

119 ..... 1246

### Proposed Rules

63 ..... 1247

131 ..... 1549

135 ..... 1372, 1549

139 ..... 1373

141 ..... 1379, 1380, 1384, 1385

147 ..... 1387, 1390

### 61 Pa. Code (Revenue)

#### Adopted Rules

876 ..... 1528

### 67 Pa. Code (Transportation)

#### Adopted Rules

601 ..... 545

### 201 Pa. Code (Rules of Judicial Administration)

#### Adopted Rules

6 ..... 2174

7 ..... 2012

### 204 Pa. Code (Judicial System General Provisions)

#### Adopted Rules

27 ..... 1344

33 ..... 1108

71 ..... 641, 1239, 2012

82 ..... 2077, 2174

83 ..... 197, 2013

85 ..... 647

91 ..... 647

93 ..... 647, 648, 651

#### Proposed Rules

83 ..... 642

85 ..... 642

89 ..... 642

91 ..... 642

93 ..... 642

### 207 Pa. Code (Judicial Conduct)

#### Adopted Rules

33 ..... 7, 197, 1239

### 210 Pa. Code (Appellate Procedure)

#### Adopted Rules

1 ..... 505, 535

3 ..... 505

5 ..... 505

7 ..... 505

9 ..... 505, 535

11 ..... 535

13 ..... 505, 535

15 ..... 505

16 ..... 505

17 ..... 505, 535

19 ..... 505

23 ..... 535

27 ..... 505

33 ..... 505, 535

37 ..... 651

63 ..... 2013

69 ..... 657

#### Proposed Rules

3 ..... 303

19 ..... 304



**231 Pa. Code (Rules of Civil Procedure)**

**Adopted Rules**

200 .....198, 306  
 400 ..... 199  
 1000 ..... 199  
 Part II ..... 306

**249 Pa. Code (Philadelphia Rules)**

Unclassified .....788, 1503

**252 Pa. Code (Allegheny County Rules)**

Unclassified ..... 307

**255 Pa. Code (Local Court Rules)**

Unclassified .199, 200, 667, 790, 904, 912, 913, 914, 1114,  
 1115, 1116, 1350, 1503, 1504, 1505, 1506, 1647, 1648,  
 1827, 1829, 2014, 2018, 2019

# THE COURTS

## Title 201—RULES OF JUDICIAL ADMINISTRATION

[ 201 PA. CODE CH. 6 ]

### Temporarily Modifying Rules 602(a), 603(a) and 604(a) of the Pennsylvania Rules of Judicial Administration; No. 441 Magisterial Rules Doc.

#### Order

*Per Curiam*

*And Now*, this 15th day of April, 2020, upon the recommendation of the Minor Judiciary Education Board (“the Board”),

*It Is Ordered* pursuant to Article V, Section 10 of the Constitution of Pennsylvania, and Rule 1952(A) of the Rules of Judicial Administration, that Rules 602(a), 603(a) and 604(a) of the Pennsylvania Rules of Judicial Administration are clarified as follows:

In-person continuing education for members of the Minor Judiciary is suspended for the remainder of the 2019-2020 scholastic year. The Board is authorized to provide, via remote video instruction approved by the Board, the required number of hours of continuing education set forth in Rules 602(a), 603(a) and 604(a) to any member of the Minor Judiciary who has not yet completed the required annual course of continuing education for 2019-2020. A member of the Minor Judiciary who completes remote video instruction shall return to the Board a signed and dated verification, in a form to be provided by the Board, verifying that the course of instruction has been completed.

This *Order* shall be processed in accordance with Pa.R.J.A. 103(b) and shall be effective immediately.

[Pa.B. Doc. No. 20-564. Filed for public inspection April 24, 2020, 9:00 a.m.]

## Title 204—JUDICIAL SYSTEM GENERAL PROVISIONS

### PART V. PROFESSIONAL ETHICS AND CONDUCT

[ 204 PA. CODE CH. 82 ]

### Order Temporarily Modifying Pennsylvania Rule of Continuing Legal Education 108(e); No. 836 Supreme Court Rules Doc.

#### Order

*Per Curiam*

*And Now*, this 15th day of April, 2020, upon the recommendation of the Pennsylvania Continuing Legal Education Board (the “Board”),

*It Is Ordered* pursuant to Article V, Section 10 of the Constitution of Pennsylvania, and Rule 1952(A) of the Rules of Judicial Administration, that Rule 108 of the Pennsylvania Rules of Continuing Legal Education is temporarily modified as follows:

Pennsylvania Rule of Continuing Legal Education 108(e), which states that no more than six (6) credits earned by distance learning education may be applied to the annual compliance requirement, is hereby modified with respect to CLE compliance deadlines for the year 2020 only. All CLE credits to satisfy 2020 compliance deadlines may be obtained through completion of distance learning programs consistent with the Rules and Regulations for Continuing Legal Education in Pennsylvania.

This *Order* shall be processed in accordance with Pa.R.J.A. No. 103(b), and shall be effective immediately.

[Pa.B. Doc. No. 20-565. Filed for public inspection April 24, 2020, 9:00 a.m.]

## DISCIPLINARY BOARD OF THE SUPREME COURT

### Collection Fee and Late Payment Penalty; 2020-2021 Registration Year

Notice is hereby given that in accordance with Pennsylvania Rules of Disciplinary Enforcement 219(d)(2) and 219(f), The Disciplinary Board of the Supreme Court of Pennsylvania has established the collection fee for checks returned as unpaid and the late payment penalty for the 2020-2021 Registration Year as follows:

Where a check in payment of the annual registration fee for attorneys has been returned to the Board unpaid, the collection fee will be \$100.00 per returned item.

Any attorney who fails to complete registration by July 16 shall be automatically assessed a non-waivable late payment penalty of \$200.00. A second non-waivable late payment penalty of \$200.00 shall be automatically added to the delinquent account of any attorney who has failed to complete registration by August 1.

SUZANNE E. PRICE,  
*Attorney Registrar*

[Pa.B. Doc. No. 20-566. Filed for public inspection April 24, 2020, 9:00 a.m.]

## DISCIPLINARY BOARD OF THE SUPREME COURT

### Notice of Disbarment

Notice is hereby given that Stephen R. Murphy (# 81332), having been disbarred in New Jersey, the Supreme Court of Pennsylvania issued an Order on April 14, 2020, disbaring Stephen R. Murphy from the Bar of this Commonwealth, effective May 14, 2020. In accordance with Rule 217(f), Pa.R.D.E., since this formerly admitted attorney resides outside of the Commonwealth of Pennsylvania, this notice is published in the *Pennsylvania Bulletin*.

MARCEE D. SLOAN,  
*Board Prothonotary*

[Pa.B. Doc. No. 20-567. Filed for public inspection April 24, 2020, 9:00 a.m.]



**SUPREME COURT****WESTERN DISTRICT****General Statewide Judicial Emergency—Supreme Court Operations; No. 533 Judicial Administration Doc.****Order***Per Curiam*

*And Now*, this 13th day of April 2020, on account of the ongoing COVID-19 pandemic, and to safeguard the health and safety of court personnel, court users, and members of the public, the Court *Directs* that the due dates for any filings due in the Supreme Court from March 16, 2020, and through April 30, 2020, are *Extended*, and those filings will be considered timely if filed on or before May 1, 2020.

This extension on filing deadlines does not apply to:

A. Matters governed by Rule of Appellate Procedure 903(c)(1)(ii) (relating to appeals in matters arising under the Pennsylvania Election Code);

B. Matters governed by Rule of Appellate Procedure 3331 (relating to the review of special prosecutions or investigations);

C. Matters classified as Children's Fast Track, *see* Pa.R.A.P. 102 (relating to definitions); and

D. Any matters where the Supreme Court Prothonotary directs otherwise.

Filings encompassed by exceptions A, B, or C above must be made within the time established by general rule using the PACFile electronic filing system. *See* Pa.R.A.P. 125 (relating to electronic filing).

[Pa.B. Doc. No. 20-568. Filed for public inspection April 24, 2020, 9:00 a.m.]

# NOTICES

## DEPARTMENT OF BANKING AND SECURITIES

### Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending April 14, 2020.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Bank Supervision or Credit Union and Trust Supervision (as applicable), 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240 and for credit unions and trust companies (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

### BANKING INSTITUTIONS

#### Incorporations

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
04-13-2020	Castle Creek Capital Partners VI, LP Castle Creek Capital VI, LLC Rancho Santa Fe, CA  Application for approval to acquire up to, but not including, 25% of the common stock of Riverview Financial Corporation, Harrisburg, PA.	Approved

#### Holding Company Acquisitions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
04-10-2020	Fidelity D & D Bancorp, Inc. Dunmore Lackawanna County  Application for approval to acquire 100% of MNB Corporation, Bangor, and thereby indirectly acquire 100% of Merchants Bank of Bangor, Bangor.	Approved
04-10-2020	Citizens & Northern Corporation Wellsboro Tioga County  Application for approval to acquire 100% of Covenant Financial, Inc., Doylestown, and thereby indirectly acquire 100% of Covenant Bank, Doylestown.	Filed

#### Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
04-10-2020	The Fidelity Deposit and Discount Bank Dunmore Lackawanna County  Application for approval to merge Merchants Bank of Bangor, Bangor, with and into The Fidelity Deposit and Discount Bank.	Approved
04-10-2020	Citizens & Northern Bank Wellsboro Tioga County  Application for approval to merge Covenant Bank, Doylestown, with and into Citizens & Northern Bank.	Filed

#### Branch Applications

##### De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
04-06-2020	Compass Savings Bank Wilmerding Allegheny County	87 Rocky Road Irwin Westmoreland County (Limited Service Facility—Drive-Thru)	Opened

**Branch Discontinuances**

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
03-27-2020	ACNB Bank Gettysburg Adams County	915 Wayne Avenue Chambersburg Franklin County	Closed

**Articles of Amendment**

<i>Date</i>	<i>Name and Location of Institution</i>	<i>Action</i>
04-10-2020	Huntingdon Valley Bank Huntingdon Valley Montgomery County  Amendment to Article II of the institution's Articles of Incorporation provides for the principal place of business of the bank to be relocated from 2617 Huntingdon Pike, Huntingdon Valley, Montgomery County, PA, to 2005 South Easton Road, Suite 304, Doylestown, Bucks County, PA.  Articles of Amendment provide for the institution's Articles of Incorporation to be amended and restated in their entirety.	Approved
04-14-2020	The Pennsylvania Trust Company Radnor Delaware County  Amendment to Article 1 of the institution's Articles of Incorporation provides for a change in corporate title from "The Pennsylvania Trust Company" to "Fiduciary Trust Company International of Pennsylvania."  Articles of Amendment provide for the institution's Articles of Incorporation to be amended and restated in their entirety.	Filed

**CREDIT UNIONS****Consolidations, Mergers and Absorptions**

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
04-08-2020	Riverset Credit Union Pittsburgh Allegheny County  Application for approval to merge Riverset Credit Union, Pittsburgh, with and into Allegent Community Federal Credit Union, Pittsburgh.	Filed

The Department's web site at [www.dobs.pa.gov](http://www.dobs.pa.gov) includes public notices for more recently filed applications.

RICHARD VAGUE,  
*Acting Secretary*

[Pa.B. Doc. No. 20-569. Filed for public inspection April 24, 2020, 9:00 a.m.]

## DEPARTMENT OF COMMUNITY AND ECONOMIC DEVELOPMENT

### Pennsylvania Housing Advisory Committee Virtual Meeting

The Pennsylvania Housing Advisory Committee (Committee) is responsible for reviewing Statewide housing, community development and support services, needs and priorities, as well as advising the Department of Community and Economic Development (Department) in the preparation of the Commonwealth Consolidated Plan, annual action plans and the coordination of Federal, State and local resources to manage the implementation of these plans.

As part of the planning process for the 2020 Action Plan, the Committee will be meeting in a virtual forum to discuss the Action Plan and how this year's allocation of Community Block Grant (CDBG), the HOME Investment Partnerships, the Emergency Solutions Grant (ESG), CDBG Disaster Recovery, Neighborhood Stabilization Program, Housing Opportunities for Persons with AIDS

(HOPWA) and National Trust Fund funding will be distributed once received from the United States Department of Housing and Urban Development. There will also be discussion on the Commonwealth's allocation of the Coronavirus Aid, Relief, and Economic Security Act (Pub.L. No. 116-136) funding for CDBG, ESG and HOPWA.

Individuals who wish to attend the Committee meeting may attend only by telephone or connecting by means of the Internet. To attend the meeting electronically, follow the directions as follows.

Pennsylvania Housing Advisory Committee virtual meeting

*Date:* Wednesday, May 6, 2020

*Time:* 1:30 p.m.

Individuals can join the meeting by connecting to Skype for business. The conference ID is 9887353#.

Individuals can join the meeting by phone at +1 (267) 332-8737. The dial-in number is 9887353#.

For assistance individuals can contact the Department's Center for Community and Housing Development, [jmichael@pa.gov](mailto:jmichael@pa.gov), (717) 787-5327.

Individuals with a disability or limited English proficiency who wish to attend the Committee meeting and require an auxiliary aid, service or other accommodation to participate should contact Megan Snyder, Department of Community and Economic Development, Center for Community and Housing Development, (717) 720-7404, megsnyder@pa.gov or TDD (717) 346-0308 at a minimum of 72 hours before the meeting to discuss how the Department may best accommodate their needs.

DENNIS M. DAVIN,  
*Secretary*

[Pa.B. Doc. No. 20-570. Filed for public inspection April 24, 2020, 9:00 a.m.]

## DEPARTMENT OF COMMUNITY AND ECONOMIC DEVELOPMENT

### Substantial Amendment to the 2019—2023 Consolidated Plan and 2019 Action Plan; Changes to the Citizen Participation Plan; Public Hearing

#### CARES Act Method of Distribution for CDBG, ESG, and HOPWA

On March 27, 2020, the Coronavirus Aid, Relief, and Economic Security Act (CARES Act) (Pub.L. No. 116-136) was signed into law to respond to the growing effects of the novel coronavirus (COVID-19) public health crisis. The CARES Act provides special allocations to the Commonwealth under the Community Development Block Grant (CDBG), Emergency Solutions Grant (ESG) and Housing Opportunities for People with Aids Grant (HOPWA) programs to be used to prevent, prepare for and respond to COVID-19.

Annually the Department of Community and Economic Development (Department) prepares the Action Plan which outlines the methods of distribution for Federal funding received by the Commonwealth through the United States Department of Housing and Urban Development (HUD). Notice is hereby given that the 2019—2023 Consolidated Plan will now include the CARES Act funding for the previously-mentioned programs and will be known as CDBG-CV, ESG-CV and HOPWA-CV. In addition, the 2019 Action Plan will be amended to add the new programs' Methods of Distribution to the Commonwealth's resources, which according to the Pennsylvania Citizen Participation Plan for the Consolidated Plan, constitute a significant change in the distribution of funds under the plan and thus necessitate a substantial amendment to the original Consolidated Plan and Action Plan. In accordance with a waiver of regulatory authority, approved by HUD on April 7, 2020, to the normal citizen comment period, the Commonwealth will hold a 5-day citizen comment period starting on Monday, April 27, 2020, until Friday May 1, 2020.

The proposed amendments for the 2019 Annual Action Plan are as follows:

#### CDBG-CV—\$24,691,407

- Under Community Development Block Grant Program for Nonurban and Certain Other Municipalities in this Commonwealth, the CDBG-CV allocation is distributed to eligible counties, cities, boroughs and townships: Administration/Technical Assistance: \$840,742  
Discretionary/Competitive: \$2,863,010  
Entitlement: \$20,987,655

- Entitlement communities must submit applications for activities that prevent, prepare for and respond to the impacts of COVID-19 in their community.

- If any community opts not to accept the allocation, per P.L. 906 No. 179, 1984 (Act 179), those funds will be added to the competitive distribution.

- The Department will accept competitive (discretionary) proposals from eligible units of general local government to address activities that prevent, prepare for and respond to the impacts of COVID-19 in communities.

*For both the entitlement and competitive proposals:*

- HUD has lifted the public service cap on the use of these funds and therefore the Department will allow applicants to request funding for public service activities that will prevent, prepare for and respond to COVID-19.

- The Department is also working to establish minimum requirements for economic development grant and loan programs administered locally to assist to retain or create jobs.

#### ESG-CV—\$19,920,655

- The Department proposes accepting simplified requests for proposals from municipalities Statewide and continue to allow nonprofit organizations to apply directly only if the proposed project addresses a regional need.

- While ESG funds can support HUD entitlement and nonentitlement communities, the Department will propose priority in the distribution of funds to nonentitled communities over entitled communities.

- All applicants must demonstrate their participation in and that their proposal is consistent with the strategies to address homelessness as outlined by their local Continuum of Care.

- While the Department will accept proposals in all priority areas, with the strain on homeless shelters and the impact of loss of wages on the ability to make timely rent payments, the Department anticipates the greatest need for funding in emergency shelter and homelessness prevention activities.

Non-entitlement communities will be able to request funds in any eligible component: emergency shelter—including operations, essential services and street outreach, homelessness prevention, rapid rehousing, HMIS/data collection and administration.

Entitlement communities will be limited to homelessness prevention, rapid rehousing and administration.

- For all applicants, no match is required, and administration will be limited to 6% of the total request and subsequent award. Four percent is proposed to remain with the Department to cover administrative expenses of grant oversight.

- No program expenditure caps (such as, no maximum emergency shelter request or minimum rapid rehousing threshold) will be added and the Department will request the use of all ESG waivers identified by HUD.

#### HOPWA-CV—\$448,022 (Includes Harrisburg and Allentown EMSA)

- The Department of Health, Bureau of Communicable Diseases, Division of HIV Disease will allocate the HOPWA-CV funding on a formula basis to the six regional HIV Grantees. Additionally, the cities of Allentown and Harrisburg receive separate allocations directly from HUD; however, for the HOPWA-CV, they have requested the Commonwealth to serve as the grantee and administer the funds for housing support and related services for the needs of the HIV clients caused by COVID-19.

- There will be no Tenant Based Rental Assistance, only Short-Term Rent, Mortgage and Utility Assistance; Permanent Housing Placement; and Supportive Services.

*Modification to the citizen participation process for the consolidated plan and action plan*

*Other special project grants or emergency declaration:*

In the event that other Federal special programs are awarded to the Commonwealth or if an emergency declaration is made that affects the administration of the existing Federal programs, that are authorized under the Housing and Community Development Act of 1974, as amended (42 U.S.C.A. §§ 5301—5322), Cranston-Gonzales National Affordable Housing Act of 1990, as amended (42 U.S.C.A. §§ 12701—12713) or McKinney-Vento Homeless Assistance Act of 1987, as amended (42 U.S.C.A §§ 11301—11435), or both, and administered by the Department, the citizen participation requirements will be followed in accordance with either the statute or regulations set forth in the program. If HUD may allow for or provides opportunities to request waivers to specific elements of the citizen participation process the Department will determine whether a waiver is necessary and seek use of the waiver authority in accordance with information provided by HUD. Once the waiver is granted by HUD to the Commonwealth, the special conditions will be passed to its grantees, if necessary, to streamline the citizen participation process in accordance with the regulations in place.

To take advantage of the granted waiver authority, the grantee must amend their Citizen Participation Plan to meet the minimum standards included in the waiver if the required action is not already covered in their Citizen Participation Plan.

*Amendment—4-2020—CARES Act Authorization:*

*Emergency declaration citizen participation and expedited modification process:*

The CARES Act allows for a grantee to adopt and use expedited procedures to prepare, propose, modify or amend its statement of activities to the Fiscal year (FY) 2019 and FY 2020 grant and new CARES Act funding related to the use of funding to address emerging COVID-19 response.

As long as National or local health authorities recommend social distancing and limiting public gatherings for public health reasons, grantees do not need to hold in-person public hearings but “shall provide citizens with notice and a reasonable opportunity to comment of no less than 5 calendar days. A grantee may create virtual public hearings to fulfill applicable hearing requirements for all grants from funds made available under this law.” Any virtual hearing “shall provide reasonable notification and access for citizens in accordance with the grantee’s certifi-

cations, timely responses from local officials to all citizen questions and issues, and public access to all questions and responses.”

*Public Review and Citizen Comment*

The substantial amendment to the 2019—2023 Consolidated Plan and 2019 Annual Action Plan is available on the Department’s web site at <http://dced.pa.gov> (select the Consolidated Plan, Annual Plans, & Reports tab at the bottom of the home page). The substantial amendment is available for public comment from April 25, 2020, through May 1, 2020.

Public Hearing for the Substantial Amendment to the 2019—2023 Consolidated Plan and 2019 Annual Action Plan

*Date:* Wednesday, April 29, 2020

*Time:* 1:30 p.m. to 2:30 p.m.

*By means of:* Skype for business or conference call only

Individuals can join the meeting by connecting to Skype for business. The conference ID is 637192554#.

Individuals can join the meeting by phone at +1 (267) 332-8737. The dial-in number is 637192554#.

The hearing will be shortened if there is no one to testify or there is minimal response.

Individuals with a disability or limited English proficiency who wish to participate in the public hearing should contact Megan L. Snyder, Department of Community and Economic Development, at (717) 787-5327 or TDD at (717) 346-0308 to discuss how the Department can accommodate their needs.

*Public Comment*

Comments on the substantial amendments to the 2019—2023 Consolidated Plan and 2019 Annual Action Plans and Citizen Participation Plan for the Consolidated Plan may be electronically submitted to the Department by means of the following mailbox [RA-DCEDcdbghomequestions@pa.gov](mailto:RA-DCEDcdbghomequestions@pa.gov). Comments will also be accepted by telephone by calling (717) 787-5327. Written comments may be submitted to Megan L. Snyder, Center for Community and Housing Development, Department of Community and Economic Development, 400 North Street, 4th Floor, Commonwealth Keystone Building, Harrisburg, PA 17120-0225. All comments must be received by 4 p.m. on May 1, 2020, to be included as testimony in the Plan that will be submitted to HUD no later than May 4, 2020.

DENNIS M. DAVIN,  
*Secretary*

[Pa.B. Doc. No. 20-571. Filed for public inspection April 24, 2020, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Applications, Actions and Special Notices

---

#### APPLICATIONS

---

### THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a



General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30-days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

### **I. NPDES Renewal Applications.**

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES\_SCRO@pa.gov.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0046221 (Sewage)	Newville Borough Water & Sewer Authority 99 Cove Alley Newville, PA 17241	Cumberland County/ Newville Borough	Big Spring Creek/7-B	Yes
PA0021644	Dover Borough Wastewater Treatment Plant City Hall Drive Dover, PA 17315	York County Dover Borough	Fox Run/7F	Yes

*Northcentral Regional Office: Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448, Phone: 570.327.3636, Email: RA-EPNPDES\_NCRO@pa.gov.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0233871 (Sewage)	Scott Davies SRSTP 112 Whites Church Road Bloomsburg, PA 17815-7155	Columbia County Mount Pleasant Township	Unnamed Tributary to Fishing Creek (CWF) (5-C)	Yes



<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0233692 (Sewage)	South Creek Township WWTP P.O. Box 60 Gillett, PA 16925-0060	Bradford County South Creek Township	South Creek (CWF) (4-B)	Yes
PA0112950 (Sewage)	7 Eleven 2014 Milta Hill Road Romansville, PA 19320-4789	Northumberland County Lower Mahanoy Township	Fidlers Run (WWF) (6-B)	Yes

*Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Email: RA-EPNPDES\_SWRO@pa.gov.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0218782 (Sewage)	Rock Works STP North Mill Street Uniontown, PA 15401	Fayette County Menallen Township	Saltlick Run (WWF) (19-C)	Yes
PA0205257 (Sewage)	Greensboro Monongahela Township Joint Sewer Authority STP Stony Hill Road Greensboro, PA 15338	Greene County Monongahela Twp.	Monongahela River (WWF) (19-G)	Yes
PA0094960 (Sewage)	Barnes Apartments STP Route 519 Eighty-Four, PA 15330	Washington County Somerset Township	Little Chartiers Creek (HQ-WWF) (20-F)	Yes

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0239763 (Sewage)	Collins Reffner SFTF 406 Keck Road Butler, PA 16002-1052	Butler County Summit Township	Unnamed Tributary to Bonnie Brook (WWF) (20-C)	Yes
PA0222810 (Sewage)	Brian G Pitell SFTF 707 Little Creek Road Evans City, PA 16033-3803	Butler County Connoquenessing Township	Unnamed Tributary of Little Connoquenessing Creek (CWF) (20-C)	Yes

## II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications.

*Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5970.*

**PA0244007**, Sewage, SIC Code 6514, **Edward & Jane Bacon**, 1900 Fairview Road, Glenmoore, PA 19343-2639. Facility Name: Bacon SRSTP. This existing facility is located in East Nantmeal Township, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Beaver Run (EV, MF), is located in State Water Plan watershed 3-D and is classified for Exceptional Value Waters and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Total Suspended Solids	XXX	XXX	XXX	20.0	XXX	40
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

Sludge use and disposal description and location(s): other WWTP for disposal.

In addition, the permit contains the following major special conditions:

- AMR Requirements
- Proper Sludge Disposal
- Operation & Maintenance

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

**PA0053015**, Sewage, SIC Code 5812, **Werner Joseph**, 1007 Route 313, Perkasie, PA 18944-3775. Facility Name: Country Place Restaurant STP. This existing facility is located in East Rockhill Township, **Bucks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Threemile Run (TSF, MF), is located in State Water Plan watershed 2-D and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.00432 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	4.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.17	XXX	0.32
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )						
Nov 1 - Apr 30	XXX	XXX	XXX	20	XXX	40
May 1 - Oct 31	XXX	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000
Total Nitrogen	XXX	XXX	XXX	Geo Mean	XXX	XXX
Ammonia-Nitrogen				Report		
Nov 1 - Apr 30	XXX	XXX	XXX	9.0	XXX	18
May 1 - Oct 31	XXX	XXX	XXX	3.0	XXX	6
Total Phosphorus	XXX	XXX	XXX	0.5	XXX	1

Sludge use and disposal description and location(s): Sludge sent off-site for treatment and disposal.

In addition, the permit contains the following major special conditions:

- No stormwater into sewage
- TRC minimization requirement
- Designation of responsible operator
- Proper sludge disposal

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

**PA0044474**, Sewage, SIC Code 4952, 8051, **Brinton Manor Rehab and Nursing Center LLC**, 549 Baltimore Pike, Glen Mills, PA 19342-1020. Facility Name: Brinton Manor STP. This existing facility is located in Concord Township, **Delaware County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, West Branch Chester Creek (TSF, MF), is located in State Water Plan watershed 3-G and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .013 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 4.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.2
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	2.71	XXX	XXX	25	XXX	50
Total Suspended Solids	3.25	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	200	XXX	1,000*
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Total Nitrogen	XXX	XXX	XXX	Geo Mean Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	2.1	XXX	XXX	20	XXX	40
May 1 - Oct 31	1.0	XXX	XXX	10	XXX	20
Total Phosphorus						
Nov 1 - Apr 30	0.21	XXX	XXX	2.0	XXX	4
May 1 - Oct 31	0.10	XXX	XXX	1.0	XXX	2

\*Shall not exceed in more than 10% of samples.

Sludge use and disposal description and locations: Sludge is hauled to other Wastewater Treatment Plant for disposal.

In addition, the permit contains the following major special conditions:

- A. No Stormwater
- B. Acquire Necessary Property Rights
- C. Proper Sludge Disposal
- D. Abandon STP when Municipal Sewers Available
- E. Chlorine Optimization
- F. Operator Notification
- G. Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

**PA0245151**, Industrial, SIC Code 8211, **The Devereux Foundation**, 160 Devereux Road, Villanova, PA 19343. Facility Name: Devereux Brandywine Campus GWCU. This proposed facility is located in Wallace Township, **Chester County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated groundwater.

The receiving stream, Unnamed Tributary to East Branch Brandywine Creek (HQ-TSF, MF), is located in State Water Plan watershed 3-H and is classified for Migratory Fishes and High-Quality Waters—Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 002 are based on a design flow of .0025 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 6.0	XXX	XXX	XXX
Total Suspended Solids	XXX	XXX	Inst Min XXX	5.0	10.0	12.5

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Oil and Grease	XXX	XXX	XXX	5.0	10.0	12.5
Ethylbenzene	XXX	XXX	XXX	<0.0005	0.0005	0.0005
Benzene	XXX	XXX	XXX	<0.0005	0.0005	0.0005
BTEX, Total	XXX	XXX	XXX	Report	Report	XXX
Naphthalene	XXX	XXX	XXX	<0.0005	0.0005	0.0005
Toluene	XXX	XXX	XXX	<0.0005	0.0005	0.0005
Xylenes, Total	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of .0025 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
1,2,4-Trimethylbenzene	XXX	XXX	XXX	Report Avg Qrtly	Report	XXX
1,3,5-Trimethylbenzene	XXX	XXX	XXX	Report Avg Qrtly	Report	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of .0025 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	Report Annl Avg	Report	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	Report Annl Avg	Report	XXX
Total Nitrogen	XXX	XXX	XXX	Report Annl Avg	Report	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report Annl Avg	Report	XXX
Total Phosphorus	XXX	XXX	XXX	Report Annl Avg	Report	XXX

In addition, the permit contains the following major special conditions:

- A. Acquire Necessary Property Rights
- B. Proper Sludge Disposal
- C. BAT/ELG Reopener
- D. TMDL/WLA Analysis
- E. Start-up Condition
- F. Continuous Operation
- G. Groundwater Cleanup

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect.

---

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES\_SCRO@pa.gov.*

**PA0267058**, Concentrated Animal Feeding Operation (CAFO), **Clark Oberholtzer (Clark Oberholtzer Farm)**, 433 Black Barren Road, Peach Bottom, PA 17563-9771.

Clark Oberholtzer has submitted an application for an individual NPDES permit for a new CAFO known as Clark Oberholtzer Farm, located in Fulton Township, **Lancaster County**.

The CAFO is situated near Unnamed Tributary to Conowingo Creek in Watershed 7-K, which is classified for High-Quality Cold-Water Fisheries (CWF). The CAFO is designed to maintain an animal population of approximately 405.49 animal equivalent units (AEUs) consisting of 3,000 wean-finish pigs. Manure is stored in a single underbarn concrete manure storage. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 100-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The Environmental Protection Agency (EPA) permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

**PA0084514**, Sewage, SIC Code 4952, **Shade Gap Area Joint Municipal Authority Huntingdon County**, P.O. Box 185, Shade Gap, PA 17255-0185. Facility Name: Shade Gap STP. This existing facility is located in Shade Gap Borough, **Huntingdon County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Shade Creek (TSF), is located in State Water Plan watershed 12-C and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.065 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	14.0	22.0	XXX	25.0	40.0	50.0
Total Suspended Solids	16.0	24.0	XXX	30.0	45.0	60.0
Biochemical Oxygen Demand (BOD <sub>5</sub> )						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
Nitrate-Nitrite as N	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

**PA0055352**, Sewage, SIC Code 6515, **Berks Properties Inc.**, 3613 Seisholtzville Road, Hereford, PA 18056-1542. Facility Name: Woodland MHP. This existing facility is located in Hereford Township, **Berks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), West Branch Perkiomen Creek (EV), is located in State Water Plan watershed 3-E and is classified for Exceptional Value Waters, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.014 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.64
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	25.0	XXX	50.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Ammonia-Nitrogen	XXX	XXX	XXX	20.0	XXX	40.0
Total Phosphorus	0.059	XXX	XXX	0.5	XXX	1.0

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

**PA0040860**, Industrial, SIC Code 4953, **Delaware County Solids Waste Authority**, 1521 N Providence Road, Media, PA 19063-1039. Facility Name: Rolling Hills Landfill. This existing facility is located in Earl and Oley Townships, **Berks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Furnace Run (CWF), Unnamed Tributary to Oysterville Creek (CWF), Manatawny Creek (CWF), and Unnamed Tributary to Furnace Run (CWF), is located in State Water Plan watershed 3-D and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .12 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Color (Pt-Co Units)	XXX	XXX	XXX	XXX	100	100
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	25	50	XXX	25.0	50.0	50
Total Suspended Solids	30	60	XXX	30.0	60.0	75
Total Dissolved Solids	Report	XXX	XXX	Report	3,000.0	75,000
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	XXX
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	XXX
Ammonia-Nitrogen	4.9	10	XXX	4.9	10.0	10
Zinc, Total	0.11	0.20	XXX	0.11	0.20	0.2
Phenol	0.015	0.026	XXX	0.015	0.026	0.026
a-Terpineol	0.016	0.033	XXX	0.016	0.033	0.033
Benzoic Acid	0.071	0.12	XXX	0.071	0.12	0.12
p-Cresol	0.014	0.025	XXX	0.014	0.025	0.025

The proposed monitoring requirements for Stormwater Outfalls 002, 003, 004, 005, 008, 009 and 010 are shown as follows.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Total Dissolved Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Cadmium, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX



<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX
Phenol	XXX	XXX	XXX	XXX	Report	XXX
a-Terpineol	XXX	XXX	XXX	XXX	Report	XXX
Benzoic Acid	XXX	XXX	XXX	XXX	Report	XXX
p-Cresol	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 006 are based on a design flow of .087 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	18	36	Inst Min XXX	25.0	50.0	63
Total Suspended Solids	22	44	XXX	30.0	45.0	60
Total Dissolved Solids	XXX	XXX	XXX	2,000.0	XXX	5,000
Ammonia-Nitrogen						
Nov 1 - Apr 30	12	24	XXX	18.0	36.0	40
May 1 - Oct 31	4.0	8.0	XXX	6.0	12.0	15
Manganese, Total	Report	Report	XXX	Report	Report	XXX

The proposed monitoring requirements for instream monitoring point 011 are shown as follows.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
Total Dissolved Solids	XXX	Daily Max XXX	XXX	Report	XXX	Report

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

**PA0084026**, Sewage, SIC Code 4952, **Northwestern Lancaster County Authority**, 97 N Penryn Road, Manheim, PA 17545-9326. Facility Name: Northwestern Lancaster County STP. This existing facility is located in Penn Township, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Chiques Creek (WWF, MF), is located in State Water Plan watershed 7-G and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .65 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
UV Intensity (mW/cm <sup>2</sup> )	XXX	XXX	Report	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	103	151	XXX	19	28	38
Biochemical Oxygen Demand (BOD <sub>5</sub> )		Wkly Avg			Wkly Avg	
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	163	244	XXX	30	45	60
		Wkly Avg			Wkly Avg	

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ammonia-Nitrogen						
Nov 1 - Apr 30	73	XXX	XXX	13.5	XXX	27
May 1 - Oct 31	24	XXX	XXX	4.5	XXX	9.0
Total Phosphorus	10.8	XXX	XXX	2.0	XXX	4.0
Total Dissolved Solids	Report	Report	XXX	Report	Report	XXX
Sulfate, Total	Report	Report	XXX	Report	Report	XXX
Chloride	Report	Report	XXX	Report	Report	XXX
Bromide	Report	Report	XXX	Report	Report	XXX

Parameters	Mass Units (lbs)		Minimum	Concentration (mg/l)	
	Monthly	Annual		Monthly Average	Instantaneous Maximum
Ammonia—N	Report	Report	XXX	Report	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX
Net Total Nitrogen	XXX	14,612	XXX	XXX	XXX
Net Total Phosphorus	XXX	1,826.5	XXX	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

**PA0281743**, Sewage, SIC Code 6514, **Seibert Jeffrey**, 315 Forest Drive, New Oxford, PA 17350. Facility Name: Nell Road Home Owner's Association SFTF. This proposed facility is located in Reading Township, **Adams County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SFTF sewage.

The receiving stream(s), Mud Run (WWF, MF), is located in State Water Plan watershed 7-F and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.002 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200 Geo Mean	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

**PA0267066**, Sewage, SIC Code 1521, **Deverter Douglas**, 265 Buchanan Valley Road, Orrtana, PA 17353. Facility Name: Deverter Res. This proposed facility is located in Dillsburg Borough, **York County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to North Branch Bermudian Creek (WWF, MF), is located in State Water Plan watershed 7-F and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Annl Avg XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

Sludge use and disposal description and location(s): Outfall 001.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Northcentral Regional Office: Regional Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448, Phone: 570.327.3636, Email: RA-EPNPDES\_NCRO@pa.gov.

**PA0027375**, Sewage, SIC Code 4952, **City of DuBois**, 16 W Scribner Avenue, DuBois, PA 15801-2210. Facility Name: City of DuBois Wastewater Treatment Plant. This existing facility is located in the City of DuBois, **Clearfield County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Sandy Lick Creek (TSF), is located in State Water Plan watershed 17-C and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 4.4 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.5 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.16	XXX	0.52
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )						
Nov 1 - Apr 30	770	1,155 Wkly Avg	XXX	21.0	31.5 Wkly Avg	42
May 1 - Oct 31	255	385 Wkly Avg	XXX	7.0	10.5 Wkly Avg	14
Biochemical Oxygen Demand (BOD <sub>5</sub> )						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	1,100	1,650 Wkly Avg	XXX	30.0	45.0 Wkly Avg	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Total Nitrogen	XXX	Report	XXX	XXX	Report	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	230	340 Wkly Avg	XXX	6.3	9.3 Wkly Avg	12.6
May 1 - Oct 31	75	110 Wkly Avg	XXX	2.1	3.1 Wkly Avg	4.2
Total Phosphorus	XXX	Report	XXX	XXX	Report	XXX
Aluminum, Total	80	135	XXX	2.23	3.73	5.57
Copper, Total (ug/L)	0.48	0.76	XXX	13.27	20.71	33.17
Cyanide, Free (ug/L)	0.32	0.50	XXX	8.75	13.65	21.87
Lead, Total (ug/L)	0.22	0.28	XXX	6.03	7.80	15.07

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Mercury, Total (ug/L)	0.003	0.004	XXX	0.084	0.131	0.21
Zinc, Total	4.03	8.07	XXX	0.11	0.22	0.27
Dichlorobromomethane (ug/L)	0.10	0.16	XXX	2.85	4.44	7.12
Bis (2-Ethylhexyl) Phthalate (ug/L)	0.22	0.35	XXX	6.21	9.70	15.52
Chloroform (ug/L)	XXX	Report	XXX	XXX	Report	XXX
Isophorone (ug/L)	2.16	4.32	XXX	58.90	117.8	147.25

Sludge use and disposal description and location(s): Landfill.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is not in effect.

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**PA0288250**, Sewage, SIC Code 8800, **Daniel & Deborah Gruver**, 5007 North Main Street, McKean, PA 16426. Facility Name: Daniel & Deborah Gruver SRSTP. This proposed facility is located at 8081 Grubb Road, McKean, PA 16426, located in McKean Township, **Erie County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Elk Creek (WWF-MF), is located in State Water Plan watershed 15-X and is classified for Warm Water Fishes, Migrating Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

Sludge use and disposal description and location(s): Septage must be pumped and hauled off-site by a septage hauler for land application under a general permit authorized by DEP or disposal at an STP.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

**PA0288055**, Sewage, SIC Code 8800, **John Englert**, 244 Colt Road, Transfer, PA 16154. Facility Name: John Englert SRSTP. This proposed facility is located in Pymatuning Township, **Mercer County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Chestnut Run (WWF), is located in State Water Plan watershed 20-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

Sludge use and disposal description and location(s): Septage must be pumped and hauled off-site by a septage hauler for land application under a general permit authorized by DEP or disposal at a STP.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

**PA0288225**, Sewage, SIC Code 8800, **John Gaghan**, 363 Medway Road, Highland Heights, OH 44143. Facility Name: John Gaghan SRSTP. This proposed facility is located in Pleasant Township, **Warren County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Allegheny River (WWF), is located in State Water Plan watershed 16-F and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Annl Avg	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

Sludge use and disposal description and location(s): Septage will be pumped and hauled off-site by a septage hauler for land application under a general permit authorized by DEP or disposal at an STP.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

**PA0288241**, Sewage, SIC Code 8800, **Verne James**, P.O. Box 612, East Hickory, PA 16321. Facility Name: Verne James SRSTP. This proposed facility is located in Hickory Township, **Forest County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), East Hickory Creek (HQ-CWF), is located in State Water Plan watershed 16-F and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XX	9.0
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

Sludge use and disposal description and location(s): Septage will be pumped and hauled off-site by a septage hauler for land application under a general permit authorized by DEP or disposal at an STP.

In addition, the permit contains the following major special conditions: None.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

**PA0288152**, Sewage, SIC Code 8800, **Blue Key Property Group, LLC**, 207 Center Oak Drive, Cranberry Twp, PA 16066. Facility Name: Blue Key Properties Group SRSTP. This proposed facility is located in Muddycreek Township, **Butler County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.



The receiving stream, an Unnamed Tributary to the Muddy Creek (WWF), is located in State Water Plan watershed 20-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

Sludge use and disposal description and location(s): Septage must be pumped and hauled off-site by a septage hauler for land application under a general permit authorized by DEP or disposal at an STP.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

---

### III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law (35 P.S. §§ 691.1—691.1001).

---

*Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, 484.250.5900.*

**WQM Permit 0920401**, Sewage, **Leon A. Grochowski Jr.**, 2408 Hill Road, Perkasie, PA 18944.

This proposed facility is located in East Rockhill Township, **Bucks County**.

Description of Action/Activity: Single residence sewage treatment facility.

**WQM Permit No. 2320401**, Sewage, **Delcora**, P.O. Box 999, Chester, PA 19016-0999.

This proposed facility is located in the City of Chester, **Delaware County**.

Description of Action/Activity: Modifications of onsite sewer pipelines and manholes.

**WQM Permit No. 1596403**, Sewage, Renewal, **Aqua Pennsylvania Wastewater Inc.**, 762 W. Lancaster Avenue, Bryn Mawr, PA 19010.

This proposed facility is located in Thornbury Township, **Chester County**.

Description of Action/Activity: Renewal application for Greens at Penn Oaks WWTP.

**WQM Permit No. WQG02152003**, Sewage, **Caln Township Municipal Authority**, 253 Municipal Drive, Thorndale, PA 19372-1015.

This proposed facility is located in Caln Township, **Chester County**.

Description of Action/Activity: Construction and operation of a gravity sewer collection system and sewage pump station.

**WQM Permit No. 4620201**, Industrial Waste, **Knoll Inc.**, 1235 Water Street, East Greenville, PA 18041.

This proposed facility is located in Upper Hanover Township, **Montgomery County**.

Description of Action/Activity: Rerate for average flow capacity for wastewater treatment plant.

**WQM Permit No. 4616405**, Sewage, Amendment, **Upper Moreland-Hatboro Joint Authority**, 2875 Terwood Road, Willow Grove, PA 19090.

This proposed facility is located in Upper Moreland Township, **Montgomery County**.

Description of Action/Activity: Rerate of wastewater treatment plant's current hydraulic capacity.

*Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**WQM Permit No. 6576417 A-5**, Sewage, **Unity Township Municipal Authority**, 370 Pleasant Unity Mutual Road, Greensburg, PA 15601.

This existing facility is located in Unity Township, **Westmoreland County**.

Description of Proposed Action/Activity: To replace the existing influent bypass grinders and slide gate with new manual screens as well as remove channel gates on the divided wet well.

**WQM Permit No. 0320200**, Industrial, **PPG Industries, Inc.**, 440 College Park Drive, Monroeville, PA 15146-1536.

This proposed facility is located in Cadogan and North Buffalo Townships, **Armstrong County**.

Description of Proposed Action/Activity: Construction and operation of a leachate collection and treatment system at the Former PPG Ford City Facility Slurry Lagoon Area.



*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**WQM Permit No. 2520408**, Sewage, **Susan Strohmeyer**, 5906 Footemill Road, Erie, PA 16509-3806.

This proposed facility is located in Greene Township, **Erie County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

**WQM Permit No. 2520409**, Sewage, **Susan Strohmeyer**, 5906 Footemill Road, Erie, PA 16509-3806.

This proposed facility is located in Greene Township, **Erie County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

**WQM Permit No. 4320404**, Sewage, **Adventure Bound SV LLC**, 905 16th Place, Vero Beach, FL 32960.

This proposed facility is located in Delaware Township, **Mercer County**.

Description of Proposed Action/Activity: Wastewater treatment plant for campground.

**WQM Permit No. 3281403 A-2**, Sewage, **Keystone Conemaugh Project LLC**, 121 Champion Way, Suite 200, Canonsburg, PA 15317-5817.

This existing facility is located in West Wheatfield Township, **Indiana County**.

Description of Proposed Action/Activity: Modify existing sanitary sewage treatment plant to comply with revised total residual chlorine limits.

#### **IV. NPDES Individual Permit Applications for Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4s).**

*Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5970.*

**PAI130056**, MS4, **Parkesburg Borough**, 315 W 1st Avenue, Parkesburg, PA 19365-1241. The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Parkesburg Borough, **Chester County**. The receiving streams, Unnamed Tributary of Buck Run (TSF, MF) and Unnamed Tributary to Valley Creek (TSF, MF), are located in State Water Plan watershed 3-H and 7-K and are classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant has submitted the following plans with the application to reduce pollutant loads to impaired waters:

- A Pollutant Reduction Plan (PRP)
- A Total Maximum Daily Load (TMDL) Plan

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA waiver is in effect for small MS4s, and is not in effect for large MS4s.

**PAI130508**, MS4, **East Whiteland Township**, 209 Conestoga Road, Frazer, PA 19355-1633. The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in East Whiteland Township, **Chester County**. The receiving streams, Unnamed Tributary to Valley Creek, Little Valley Creek, Unnamed Tributary of Ridley Creek, and Valley Creek, are located in State Water Plan watershed 3-H, 3-F, and 3-G and are classified for Cold Water Fishes, Migratory Fishes, Exceptional Value Waters, Migratory Fish, and High Quality Waters—Trout Stocking, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant has submitted the following plan with the application to reduce pollutant loads to impaired waters:

- A Pollutant Reduction Plan (PRP)

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA waiver is in effect for small MS4s, and is not in effect for large MS4s.

---

**VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities.**


---

*Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

*Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.*

*Luzerne Conservation District, 325 Smiths Pond Road, Shavertown, PA 18708, 570-674-7991.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD400032	Liberty Truck Center, Inc. 2227 Scranton Carbondale Highway Scranton, PA 18509	Luzerne	Dorrance Township	UNT to Balliet Run (HQ-CWF, MF)

*Monroe County Conservation District, 8050 Running Valley Road, Stroudsburg, PA 18347, 570-629-3060.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD450105	Posh Properties 2216 Willow Park Road Bethlehem, PA 17020	Monroe	Mount Pocono Borough	Forest Hills Run (HQ-CWF, MF) UNT to Upper Tunkhannock Creek (HQ-CWF, MF)
PAD450108	Tobyhanna Site LLC 619 Iron Street Lehighton, PA 18235	Monroe	Tobyhanna Township	Indian Run, EV

*Southwest Region: Dana Drake, Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD110008	Mid-Atlantic Interstate Transmission, LLC, a FirstEnergy Company 800 Cabin Hill Drive Greensburg, PA 15601	Cambria County	Allegheny Township; Cresson Township; and Gallitzin Township	UNT to Bradley Run (CWF); Bradley Run (CWF); UNT's to Clearfield Creek (CWF)
PAD260013	Nemacolin Woodlands, Inc. 1001 Lafayette Drive Farmington, PA 15437	Fayette County	Wharton Township	Deadman Run; (HQ-CWF); Beaver Creek (HQ-CWF)

## STATE CONSERVATION COMMISSION

### PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**ACT 38  
NUTRIENT MANAGEMENT PLANS  
CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/ New</i>
Troy Miller 170 Werners Road Fredericksburg, PA 17026	Lebanon	106.4	217.13	Broiler	NA	Renewal
Pine Hurst Acres LP— Richard Crone 3304 Sunbury Rd. Danville, PA 17821	Northumberland	2,496.83	497.56	Swine/ Beef	NA	Renewal
Jay Paul Nolt 611 Blattadahl Road Mohrsville, PA 19541	Berks	72.6	159.36	Dairy Ducks	NA	New
BP Shirey Turkey Farm 6359 Boyertown Pike Douglassville, PA 19518	Berks	0	323.66	Turkeys	NA	New
Joe Jurgielewicz & Son, Ltd (Mountain Breeze Farm, Ltd) 1301 Airport Road Bethel, PA 19507	Berks	0	87.84	Ducks— Finishing	NA	Renewal
S&J Farms, LLC 9454 Newburg Road Newburg, PA 17240	Franklin	514.3	670.81	Poultry and Beef	NA	Renewal
Gretna View Farms Dave Rosenberry 3709 North Colebrook Rd Manheim, PA 17547	Lancaster	147	504.01	Layers	NA	Renewal
David Brenize 7201 Sunset Rd Newburg, PA 17240	Franklin	0	426.64	Turkey	NA	Renewal

**PUBLIC WATER SUPPLY PERMITS**

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available

for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**SAFE DRINKING WATER**

**Applications Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).**

*Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**Permit No. 3620503**, Public Water Supply.

Applicant	<b>Upper Leacock Township Municipal Authority</b>
Municipality	Upper Leacock Township
County	<b>Lancaster</b>
Responsible Official	John F. Leen IV Public Works Director 36 Hillcrest Avenue P.O. Box 325 Leola, PA 17540-0325

Type of Facility	Public Water Supply	Application Received:	February 21, 2020
Consulting Engineer	Dennis Hammaker, P.E. RETTEW Associates, Inc. 3020 Columbia Avenue Lancaster, PA 17603	Description of Action	New well (Well No. 2) will provide second source of water for Perry Township Municipal Authority.
Application Received:	February 10, 2020	<b>Permit No. 5020501</b> ,	Public Water Supply.
Description of Action	Removal of existing nitrate treatment equipment at the Newport Road treatment plant.	Applicant	<b>Messiah Evangelical Lutheran Church</b>
<b>Permit No. 3120501</b> ,	Public Water Supply.	Municipality	Spring Township
Applicant	<b>Camp Kanesatake</b>	County	<b>Perry</b>
Municipality	Spruce Creek Township	Responsible Official	Dennis Meisel, Council President 70 Limestone Ridge Road P.O. Box 34 Elliottsburg, PA 17024
County	<b>Huntingdon</b>	Type of Facility	Public Water Supply
Responsible Official	Seth Hoffman, Camp Director 4976 Camp Kanesatake Lane Spruce Creek, PA 16683	Consulting Engineer	Randolph S. Bailey, P.E. Wm. F. Hill & Assoc., Inc. 207 Baltimore Street Gettysburg, PA 17325
Type of Facility	Public Water Supply	Application Received:	March 5, 2020
Consulting Engineer	Ben Posties, P.E. Penn Del Engineering 206 Saylor Farm Lane Williamsburg, PA 16693	Description of Action	The installation of a new water system including a new source (Well No. 2), softening, reverse osmosis, sodium hypochlorite disinfection, chlorine contact tank, finished water storage tanks, and booster pumping facilities.
Application Received:	February 5, 2020	<i>Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Williamsport, PA 17701.</i>	
Description of Action	Installation of sodium hypochlorite feed equipment for 4-log treatment of viruses.	<b>Permit No. 4720501</b> ,	Public Water Supply.
<b>Permit No. 6720502</b> ,	Public Water Supply.	Applicant	<b>Danville Municipal Authority</b>
Applicant	<b>Dillsburg Area Authority</b>	Township or Borough	Danville Borough
Municipality	Dillsburg Borough	County	<b>Montour</b>
County	<b>York</b>	Responsible Official	Pete Rickert 42 West Market Street Danville, PA 17821
Responsible Official	Sheldon K. Williams General Manager P.O. Box 370 98 W Church St Dillsburg, PA 17019	Type of Facility	Public Water Supply Permit
Type of Facility	Public Water Supply	Consulting Engineer	Bruce A. Brubaker, P.E. Gannett Fleming, Inc. 207 Square Avenue Camp Hill, PA 17011
Consulting Engineer	Peter Lusardi, P.E. GHD, Inc. 1240 N Mountain Rd Harrisburg, PA 17112	Application Received Date	March 31, 2020
Application Received:	February 20, 2020	Description of Action	Danville Water Treatment Plant Filtration improvements: replace the filter media, rehabilitate or repair the underdrain, install air-scour system, demolish existing surface wash system, replace backwash water pump & motors, install VFD drives to control the backwash pumps, replace miscellaneous process valves and analytical instruments.
Description of Action	Construction of a new booster pump station (station) to replace the existing station located on site of the Reservoir Treatment Plant.		
<b>Permit No. 0620505</b> ,	Public Water Supply.		
Applicant	<b>Perry Township Municipal Authority</b>		
Municipality	Perry Township		
County	<b>Berks</b>		
Responsible Official	Donald Mast, Chairman P.O. Box 308 Shoemakersville, PA 19555		
Type of Facility	Public Water Supply		
Consulting Engineer	Daniel S. Hershey, P.E. Hershey Engineering, Inc. 703 Woodcrest Avenue Lititz, PA 17543		



*Southwest Region: Safe Drinking Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**Permit No. 5620502**, Public Water Supply.

Applicant	<b>Indian Lake Borough Waterworks</b> 1301 Causeway Drive Central City, PA 15926
Township or Borough	Indian Lake Borough
County	<b>Somerset</b>
Responsible Official	Michael D. Miscoe, Mayor
Type of Facility	Water system
Consulting Engineer	Gibson-Thomas Engineering Company, Inc. 1004 Ligonier Street P.O. Box 853 Latrobe, PA 15650
Application Received Date	April 10, 2020
Description of Action	Construction of a pressure filter treatment plant and a new water storage tank.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 1

#### Acknowledgment of Notices of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent (NOI) to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a (NOI) to Remediate with the Department. A NOI to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. A person who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site.

For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified person, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning the content of a NOI to Remediate, please contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department of Environmental Protection has received the following Notice(s) of Intent to Remediate:

*Southeast Region: Environmental Cleanup & Brownfields Program Manager, 2 East Main Street, Norristown, PA 19401.*

**Merion Arms Condominium**, 61 Llanfair Road, Lower Merion Township, **Montgomery County**. Douglas Schott, Brickhouse Environmental, 515 S. Franklin Street, West Chester, PA 19382 on behalf of William Wolverton, Wolverton & Company Property Management, LLC, 301 Haverford Avenue, Narberth, PA 19072 submitted a Notice of Intent to Remediate. The release impacted site soils and the underlying shallow groundwater table. Site use is expected to remain residential for the foreseeable future. The proposed cleanup standard for the site is Statewide Health Standard. The Notice of Intent to Remediate was published in the *Main Line Media News/Main Line Media Digital* on March 15, 2020.

**80 East Oregon Avenue**, 80 East Oregon Avenue, City of Philadelphia, **Philadelphia County**. Jennifer Poole, Pennoni Associates, 1900 Market Street, Suite # 300, Philadelphia, PA 19103 on behalf of Sukesh Reddy Anam, Anam Properties, LLC, 2500 West Cheltenham Avenue, Philadelphia, PA 19148 submitted a Notice of Intent to Remediate. VOCs and metals were detected in the groundwater and soil. The site has historically been used as a junk yard, for automotive sales, for repair, and as a gasoline station and will continue to be used for commercial/industrial purposes. The proposed cleanup standard for the site is Site-Specific Standard/Statewide Health Standard. The Notice of Intent to Remediate was published in the *Metro* on February 28, 2020.

**Booth and West 4th Street**, 2900 West 4th Street, City of Chester, **Delaware County**. Paul White, P.G., Brickhouse Environmental, 515 South Franklin Street, West Chester, PA 19382 on behalf of Michael Frankel, FMM QOZB, LLC, P.O. Box 67, Essington, PA 19029 submitted a Notice of Intent to Remediate. Site soil and groundwater have been found to be impacted by low levels of VOCs, SVOCs and metals. The site is leased to multiple commercial tenants for various uses, including auto and truck repair, auto detailing, storage, and carpentry. The proposed cleanup standard for the site is Site-Specific Standard. The Notice of Intent to Remediate was published in the *Delaware County Times* on February 14, 2020.

**3100 West Thompson Street**, 3100 West Thompson Street, City of Philadelphia, **Philadelphia County**. Angelo Waters, Urban Engineers, Inc., 530 Walnut Street, Philadelphia, PA 19106 on behalf of John Mershon, Brewerytown GP, LLC, 1300 Virginia Drive, Fort Washington, PA 19034 submitted a Notice of Intent to Remediate. Soil and groundwater have been contaminated with VOCs, SVOCs, and metals. The site has been completely capped and developed into a residential apartment complex (no basements). The proposed cleanup standard for the site is Site-Specific Standard/Statewide Health Standard. The Notice of Intent to Remediate was published in the *Philadelphia Weekly Newspaper* on March 26, 2020.

**Brooks Residence**, 3016 Antler Drive, Buckingham Township, **Bucks County**. Jason Charles, Environmental Maintenance, 1420 East Mermaid Lane, Glenside, PA 19038 on behalf of Theodore Brooks, 3016 Antler Drive, Doylestown, PA 18902 submitted a Notice of Intent to Remediate. Soil at the site has been contaminated with the release of No. 2 fuel oil. The proposed future use of the property will be residential. The proposed cleanup standard for the site is Statewide Health Standard. The Notice of Intent to Remediate was published in the *Bucks County Courier Times* on March 3, 2020.

**Pottstown Plating Works Site**, 215 South Washington Street, Pottstown Borough, **Montgomery County**. Joseph Kraycik, Environmental Standards Inc., 1140 Valley Forge Road, P.O. Box 810, Valley Forge, PA 19482 on behalf of James Jones, 215 South Washington Street, 800 Industrial Highway, Pottstown, PA 19464 submitted a Notice of Intent to Remediate. Soil and groundwater were contaminated with TCE, PCE, arsenic, cadmium and nickel. The future use of the property will remain non-residential. The proposed cleanup standard for the site is Site-Specific Standard. The Notice of Intent to Remediate was published in the *Mercury* on March 26, 2020.

**Marrazzo's Manor Lane**, 1301 Yardley Morrisville Road, Lower Makefield Township, **Bucks County**. Peter Lamont, PG, Penn Environmental and Remediation, Inc., 2755 Bergy Road, Hatfield, PA 19440 on behalf of Joseph G. DeLuca, Jr., DeLuca Homes, 370 East Maple Avenue, Suite 101, Langhorne, PA 19047 submitted a Notice of Intent to Remediate. Localized impacts to site soil by arsenic have been identified in two areas of the site. The proposed future use of the property will be residential. The proposed cleanup standard for the site is Statewide Health Standard. The Notice of Intent to Remediate was published in the *The Bucks County Courier Times* on March 16, 2020.

*Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**Myers Residence (Former Parsons' Residence)**, 14369 Dickey's Road, Mercersburg, PA 17236, Peters Township, **Franklin County**. Triad Engineering, 1075 D Sherman Avenue, Hagerstown, MD 21740, on behalf of Griffith Energy Services, Inc., 2510 Schuster Drive, Cheverly, MD 20781, and Jade Myers, 14369 Dickey's Road, Mercersburg, PA 17236, submitted a Notice of Intent to Remediate site soil and groundwater contaminated with No. 2 fuel oil. The site will be remediated to the Residential Statewide Health Standard. Future use of the site is to remain a residential house. The Notice of Intent to Remediate was published in *The Public Opinion* on March 5, 2020.

*Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701, Telephone number: 570-327-3636.*

*Contact: Lisa Hensel, Clerk Typist II, 570-327-3653.*

**Gwaan Trucking Cleanup**, US Route 15 S, South of Cogan House Exit, Lewis Township, **Lycoming County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857 on behalf of Gwaan Trucking LLC, 28 Oakland Street, Irvington, NJ 07111, has submitted a Notice of Intent to Remediate concerning site soil contaminated with diesel fuel, motor oil and antifreeze. The applicant proposes to remediate the site to meet the Non-Residential Statewide Health Standard. A summary of the Notice of Intent to Remediate was published in *The Daily Item* on March 20, 2020.

**DDA Logistics Cleanup**, Interstate 80 at MM 202.5 W, New Columbia, White Deer Township, **Union County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857 on behalf of DDA Logistics, Inc., 11 Navigator Road, Londonderry, NH 03053, has submitted a Notice of Intent to Remediate concerning site soil contaminated with motor oil and antifreeze. The applicant proposes to remediate the site to meet the Non-residential Statewide Health Standard. A summary of the Notice of Intent to Remediate was published in *The Daily Item* on March 4, 2020.

*Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**Seneca Mineral Brine Release**, 10135 Ridge Road, Girard Township, **Erie County**. Environmental Remediation & Recovery, Inc., 4250 Route 6N, Edinboro, PA 16412, on behalf of Seneca Mineral Company, Inc., 8431 Edinboro Road, Erie, PA 16509, submitted a Notice of Intent to Remediate. On December 6, 2018, a release of brine resulted in site soil being contaminated. The Statewide Health Standard has been selected for remediation. The intended future use of the property will be residential. The Notice of Intent to Remediate was published in *The Erie Times-News* on November 6, 2019.

## AIR QUALITY

### PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, the Department's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit,



may submit the information to the Department's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.**

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.*

*Contact: Muhammad Q. Zaman, Program Manager, (570) 327-3648.*

**59-00039A: Sylvester Quality Meats, LLC** (1793 California Road, Westfield, PA 16950) for the construction of a 1,100 pound per hour, propane-fired "batch type" slaughterhouse waste incinerator, the air contaminant emissions from which shall be controlled by an integrated secondary chamber, at their facility located in Brookfield Township, **Tioga County**. The Department of Environmental Protection's (Department) review of the information submitted by Sylvester Quality Meats indicates that the air contamination source to be constructed will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12. Based on this

finding, the Department proposes to issue a plan approval for the proposed construction. The emissions from the proposed source included in this project will not exceed the following limits: 9.55 tons of nitrogen oxides per year, 7.31 tons of carbon monoxide per year, 2.19 tons of volatile organic compounds per year, 8.80 tons of sulfur oxides per year and 1.45 ton of particulate matter (including PM<sub>10</sub>). In addition to the emission limitation, the following is a brief description of the types of conditions the Department intends to place in the plan approval in order to ensure compliance with all applicable air quality regulatory requirements: 1.) The air contaminant emissions from the incinerator shall not exceed 2.18 pounds of nitrogen oxides per hour, 1.67 pound of carbon monoxide per hour and 0.50 pound of volatile organic compounds per hour. 2.) The incinerator shall only be fired on propane. 3.) The secondary chamber incorporated in the incinerator shall be operated at a temperature of 1,600° F or above any time waste is being incinerated. 4.) The incinerator shall only be used to dispose of waste generated on site. 5.) The incinerator shall be operated in such a manner as to prevent fugitive emissions. 6.) The incinerator shall be interlocked to shut down on primary burner fault, loading door operation failure and/or low secondary chamber temperature. The facility is a State Only facility. If the Department determines that the source is constructed and operated in compliance with the plan approval conditions and the specification of the application for Plan Approval 59-00039A, the requirements established in the plan approval will be incorporated into a State Only Operating Permit pursuant to 25 Pa. Code § 127.421. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

**Intent to Issue Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.**

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**47-00002: Great Dane Limited Partnership** (891 Strick Road, Danville, PA 17821) to issue a renewal State Only (Synthetic Minor) Operating Permit for the Danville Plant located in Limestone Township, **Montour County**. The facility is currently operating under State Only (Synthetic Minor) Operating Permit 47-00002. The facility's main sources include four spray coating lines, associated cleanup operations, shot blast booth, bake oven, emergency generator, welding operations, truck roof assembly area and plasma cutting operations. The facility has potential emissions of 8.65 TPY of CO; 14.90 TPY of NO<sub>x</sub>; 0.12 TPY of SO<sub>x</sub>; 8.85 TPY of PM; <50 TPY of VOCs; 19.97 TPY HAPs; 14,615 TPY CO<sub>2e</sub>. The emergency generator is subject to 40 CFR Part 63, Subpart ZZZZ—National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines. The spray coating and associated cleanup operations are subject to 25 Pa. Code § 129.52d. The truck roof assembly area is subject to 25 Pa. Code § 129.77. The emission limits and work practice standards along with testing, monitoring, recordkeeping and reporting requirements have been included in the operating permit to ensure the facility complies with all appli-

cable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 25 Pa. Code Chapters 121—145 as well as 40 CFR Part 63. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

**41-00089: James C. Maneval Funeral Home, Ltd.** (1002 Allegheny Street, Jersey Shore, PA 17740) to issue a renewal State Only Operating Permit for their Jersey Shore facility located in Jersey Shore Borough, **Lycoming County**. The facility's main source is a Matthew International model IE-43-PPI 150 pounds per hour human cremation unit. The facility has potential annual emissions of 0.58 ton per year of nitrogen oxides, 0.48 ton per year of carbon monoxide, 0.35 ton per year of sulfur oxides, 0.76 ton per year of particulate matter, 0.05 ton per year of volatile organic compounds including total hazardous air pollutants (HAPs). The emission limits and work practice standards along with testing, monitoring, recordkeeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 25 Pa. Code Chapters 121—145, as well as 40 CFR Parts 60, 63 and 98. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.*

**23-00220: Eddystone Marine & Rail Terminal Company** (5 Industrial Highway, Eddystone, PA 19022-1524) located in Eddystone Borough, **Delaware County**. The renewal permit is for a non-Title V (State only) facility. The facility is a synthetic minor for VOC and NO<sub>x</sub> emissions and an area source for HAP emissions. The requirements of 40 CFR Part 60 Subpart Kb apply to the storage tank; and the requirements of 40 CFR Part 63 Subpart Y apply to the marine loading vessel and associated control device. The renewal permit will include monitoring, recordkeeping, and reporting requirements designed to keep the facility within all applicable air quality requirements.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.*

**36-05074: New Holland Custom Woodwork, Ltd.** (313 Prospect Street, New Holland, PA 17557-0217) to issue a State Only Operating Permit for their wood products manufacturing operation located in New Holland Borough, **Lancaster County**. The potential emissions from the facility are estimated at 49.9 tpy of VOCs and 0.99 tpy of HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to

ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 25 Pa. Code §§ 129.101—129.107 as well as 25 Pa. Code § 129.52 for surface coaters.

*Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Thomas Joseph, Facilities Permitting Chief, 412.442.4336.*

**04-00086: FirstEnergy Nuclear Operating Company** (76 S. Main Street, Akron, OH 44308-1812). In accordance with 25 Pa. Code §§ 127.441 and 127.425, the Department is providing notice that they intend to issue a renewed, facility-wide, synthetic minor, State Only Operating Permit for the continued operation of a nuclear power station, known as the Beaver Valley Station, located in Shippingport Borough, **Beaver County**.

The facility has two, 2,900 MW heat input, nominal 921 and 905 MW electrical output, nuclear, pressure water reactors. Air emissions at the station result from support equipment and activities. The station contains two, 47.2 MMBtu/Hr, distillate oil-fired auxiliary boilers and five emergency diesel engines rated at 3,950-bhp or larger. The station also contains several other emergency diesel engines of 690-bhp, or smaller, a shot blast unit controlled by a baghouse, and a paint shop.

Annual potential emissions are 98.9 tons of NO<sub>x</sub>, 25.5 tons of CO, 8.5 tons of PM<sub>10</sub>, 7.2 tons of VOC, 3.2 tons of PM<sub>2.5</sub>, and 0.3 ton of SO<sub>2</sub>. Potential annual emissions of the sum of all HAPs combined are 5.6 tons, including 4.4 tons of formaldehyde. Potential annual emissions of greenhouse gases are 25,106 tons of CO<sub>2</sub>e. Sources at the Beaver Valley Power Station are subject to 40 CFR Part 63, Subpart A—General Provisions, 40 CFR Part 63, Subpart ZZZZ—National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines, and 40 CFR Part 63, Subpart JJJJJJ—National Emission Standards for Hazardous Air Pollutants for Industrial, Commercial, and Institutional Boilers Area Sources. Sources are also subject to 25 Pa. Code Chapters 121—145. The permit includes emission limitations and operational, monitoring, reporting, and recordkeeping requirements for the plant.

The application, the DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx>.

Those who wish to provide the Department with additional written information that they believe should be considered prior to the issuance of this Title V Operating Permit may submit the information to Martin L. Hochhauser, P.E., Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Operating Permit (specify Operating Permit SOOP-04-00086), and concise statements regarding the relevancy of the information or objections to issuance of the Operating Permit.

All comments must be received prior to the close of business 30 days after the date of this publication. In accordance with 25 Pa. Code § 127.428, prior to issuing an operating permit, the Department may hold a fact-finding conference or hearing at which the petitioner, and a person who has properly filed a protest under § 127.426

(relating to filing protests) may appear and give testimony. The Department is not required to hold a conference or hearing. The applicant, the protestant and other participants will be notified of the time, place and purpose of a conference or hearing, in writing or by publication in a newspaper or the *Pennsylvania Bulletin*, unless the Department determines that notification by telephone will be sufficient.

### COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection. A copy of the application is available for inspection at the District Mining Office indicated above each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or

local government agency or authority to the Department at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Written comments or objections related to a mining permit application should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

Requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

#### Coal Applications Received

*Effluent Limits*—The following range of effluent limits will apply to NPDES permits issued in conjunction with the associated coal mining activity permit and, in some cases, noncoal mining permits:

Table 1

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l
pH <sup>1</sup>		greater than 6.0; less than 9.0	

Alkalinity greater than acidity<sup>1</sup>

<sup>1</sup> The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; and mined areas backfilled and revegetated; and drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

#### Coal Applications Received

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814.472.1900, (Contact: Holly Calvetti).*

**Permit 32890109 and NPDES No. PA0598640. Consol Mining Co., LLC**, 1000 Consol Energy Drive, Suite 100, Canonsburg, PA 15317, permit renewal for reclamation only of a bituminous surface mine in Blacklick Township, **Indiana County** affecting 18.4 acres. Receiving stream: Aultmans Run classified for the following use: trout stocked fishes. There are no potable water supply intakes within 10 miles downstream. Application received: April 3, 2020.

*Moshannon District Mining Office, 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200, (Contact: Janet Turner).*

**17030112 and NPDES PA0243566. Clearfield Properties Inc.**, 2151 Lisbon Road, Kennerdell, PA 16374, permit renewal for continued operation and restoration of a bituminous surface coal and coal refuse removal mine located in Chest Township, **Clearfield County** affecting 148.9 acres. Receiving stream(s): Unnamed Tributaries to North Camp Run classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: April 2, 2020.



**17050101. Glenn O. Hawbaker, Inc.** (1952 Waddle Road, State College, PA 16803). Permit renewal for reclamation only of a bituminous surface and auger mine located in Penn and Pike Townships, **Clearfield County** affecting 267.9 acres. Receiving stream(s): Kratzer Run, Bilger Run and Anderson Creek classified for the following use(s): CWF and MF. There are no potable water supply intakes within 10 miles downstream. Application received: April 6, 2020.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118, (Contact: Theresa Reilly-Flannery).*

**Permit No. 54643034R7. Reading Anthracite Company** (P.O. Box 1200, Pottsville, PA 17901), renewal of an existing anthracite surface mine operation in Cass Township, **Schuylkill County** affecting 42.6 acres. Receiving stream: West Branch Schuylkill River, classified for the following use: cold water fishes. Application received: March 16, 2020.

**Permit No. 54991302R4. S & S Coal Co., LLC** (66 Snyder Lane, Hegins, PA 17938), renewal for reclamation activities only of an existing anthracite underground mine operation in Barry, Foster and Hegins Townships, **Schuylkill County** affecting 8.0 acres. Receiving stream: Hans Yost Creek, classified for the following use: cold water fishes. Application received: March 23, 2020.

#### NOTICE OF PROJECTS UNDER THE ENVIRONMENTAL GOOD SAMARITAN ACT

The Environmental Good Samaritan Act (27 Pa.C.S.A. §§ 8001—8114) provides certain protections and immunities from civil liability for landowners and persons who voluntarily undertake reclamation and abatement projects to address land and water adversely affected by mining or oil or gas extraction or exploration for natural resources and left in an unreclaimed condition or left discharging water pollution. In order for landowners and persons to qualify for immunity, the projects must be approved by the Department.

The following project proposals have been received by the Department of Environmental Protection. A copy of the proposals is available for inspection at the DEP Northwest (Meadville) Regional Office at 230 Chestnut Street, Meadville, PA 16335 between the hours of 9:00 a.m. and 4:00 p.m.

Written comments or objections may be submitted by any person or any office or head of any Federal, State, or local government agency or authority to the Department at the same address within 30 days of this publication.

Written comments or objections should contain the name, address and telephone number of the person submitting comments or objections; the proposal identification number; and a statement of sufficient detail to inform the Department of the basis of the comment or objection and the relevant facts upon which it is based.

##### *Project Proposals Received*

*Northwest District Oil and Gas Operations: Brian Babb, 230 Chestnut Street, Meadville, PA 16335-3481.*

**EGSOG66-0001, Gallagher 1 Abandoned Well Plugging. Chesapeake Appalachia, LLC**, 14 Chesapeake Lane, Sayre, PA 18840. Chesapeake Appalachia, LLC is planning to plug an abandoned oil and gas well (API No. 131-20546) located in Windham Township, **Wyoming County**. The well currently has casing protruding above ground with leaves and debris inside and had a Gas Explorer reading of 0 ppm as of February 8, 2013. The well plugging project will affect an area of less than 5 acres. Complete project proposal received March 16, 2020.

**EGSOG61-0001, Haupt 4 Abandoned Well Plugging. John R Cubbon**, 1221 McPherson Road, Oil City, PA 16301. John R Cubbon is planning to plug an abandoned oil and gas well (API No. 121-46205) located in Corn Planter Township, **Venango County**. The well's rods and tubing have been damaged in timbering and the job casing is in bad shape. The well plugging project will affect an area of less than 1 acre. Complete project proposal received February 10, 2020.

##### *Coal NPDES Draft Permits*

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900, (Contact: Holly Calvetti).*

**NPDES No. PA0598640 (Mining Permit No. 32890109), Consol Mining Company, LLC**, 1000 Consol Energy Drive, Suite 100, Canonsburg, PA 15317, renewal of an NPDES permit for reclamation only/water treatment in Blacklick Township, **Indiana County**, affecting 18.4 acres. Receiving stream(s): Aultmans Run, classified for the following use(s): Trout Stocked Fishery. This receiving stream is included in the Kiski-Conemaugh TMDL. Application received: April 3, 2020.

The following outfall discharges to Aultmans Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
001 (TP-2)	N

The proposed effluent limits for the previously listed outfall are as follows:

<i>Outfalls: (All Weather Conditions) Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	1.5	3.0	3.7
Manganese (mg/l)	1.0	2.0	2.5
Aluminum (mg/l)	0.75	0.75	0.75
Total Suspended Solids (mg/l)	35.0	70.0	90.0
Osmotic Pressure (milliosmoles/kg)			Monitor & Report
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

*Noncoal NPDES Draft Permits*

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2522, 570.621.3118, (Contact: Theresa Reilly-Flannery).*

**NPDES Permit No. PA0123480 on SMP No. 8724SM5. Allan Myers Materials PA, Inc. d/b/a Allan Myers Materials** (638 Lancaster Avenue, Malvern, PA 19355), renewal of an NPDES Permit for a serpentinite & schist quarry operation in Fulton Township, **Lancaster County**, affecting 321.82 acres. Receiving stream: Octorara Creek classified for the following uses: warm water and migratory fishes. Application received: December 12, 2019.

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
001	No	Pit Water/Stormwater
002	No	Stormwater
003	No	Stormwater
004	No	Spring

The proposed effluent limits for the previously listed area as follows:

<i>Outfalls: 001, 002, 003, 004</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
<i>Parameter</i>				
pH <sup>1</sup> (S.U.)	6.0			10.0
Discharge MGD (001)		12.78		
Discharge MGD (004)		0.65		
Total Suspended Solids (mg/L)		35.0	70.0	90.0
Turbidity (NTU)		40.0		
Oil & Grease (mg/L)		Monitor And Report		

<sup>1</sup> The parameter is applicable at all times.

**NPDES Permit No. PA0226092 on GP105 Permit No. 58202501. Wesley Newbury** (2432 US Route 11, Kirkwood, NY 13795), NPDES Permit for a bluestone quarry operation in Great Bend Township, **Susquehanna County**, affecting 14.0 acres. Receiving stream: unnamed tributary to Salt Lick Creek/Salt Lick Creek Watershed, classified for the following uses: HQ—cold water and migratory fishes. Application received: February 24, 2020. Non-discharge BMP's shall be in effect.

## FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), as well as relevant State requirements. Persons objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 AM and 4:00 PM on each working day at the office noted above the application.

If you are a person with a disability and wish to attend the hearing and you require an auxiliary aid, service or

other accommodation to participate in the proceedings, please contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

### WATER OBSTRUCTIONS AND ENCROACHMENTS

**Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).**

*Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401.*

**Permit No. E0901220-023, PECO Energy Company**, 2301 Market Street N3-3, Philadelphia, PA 19103, New Hope Borough, **Bucks County**, ACOE Philadelphia District.

To construct and maintain 320 LF of a new 2-inch plastic gas main service line in and along the Delaware Canal, crossing the Delaware Canal at the existing Southern Bridge at The River House at Odette's (E09-990). The site is located at 274 South River Road (Latitude 40.355505; Longitude -74.948712) in New Hope Borough, Bucks County.

**Permit No. E4601220-025, PECO Energy Company**, 2301 Market Street S7-2, Philadelphia, PA 19103, East Norriton Township, **Montgomery County**, ACOE Philadelphia District.

To construct and maintain 970 LF of a 6-inch gas main in and along the 100-year floodway of unnamed tributary of Stony Creek utilizing Horizontal Directional Drilling (HDD). The site is located near the intersection of



Germantown Pike and Whitehall Road (Latitude 40.151508, Longitude -75.34593) in East Norriton Township, Montgomery County.

**Permit No. E0901220-001, Milford Township**, 2100 Krammes Road, Quakertown, PA 18951, Milford Township, **Bucks County**, ACOE Philadelphia District.

To remove a 14-foot-long, single span open bottom concrete culvert over Molasses Creek (HQ-TSF) and in its place, construct and maintain a 38-foot-long, precast concrete arch bridge resulting in 157 linear feet (5,432 square feet) of permanent watercourse impact and 9,000 square feet (0.207 acre) of permanent floodway impact. All work will be executed from the existing roadway with no impact anticipated for the 100-year floodplain. This project is located on Rosenberger Road south of Umbreit Road in Milford Township, Bucks County (USGS PA Milford Square Quadrangle—Latitude 40.423093 N, Longitude 75.412541 W).

**Permit No. E4601220-022, Whitemarsh Valley Country Club**, 815 Thomas Road, Lafayette Hill, PA 19444, Whitemarsh Township, **Montgomery County**, ACOE Philadelphia District.

To perform the following listed water obstruction and encroachment activities associated with the Cartpath Bridge Replacement. The proposed project consists of the replacement of 2 cartpath/footbridges crossing Wis-sahickon Creek (TSF, MF) and permanent stream and floodway impact. There are no impacts in wetlands. The site is approximately at 815 Thomas Road (Germantown, PA Latitude 40° 5' 35"; Longitude -77° 13' 58") in Whitemarsh Township, Montgomery County.

*Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**E3603219-008. Sun Communities**, 27777 Franklin Road, Suite 220, Southfield, MI 48034 in Brecknock Township, **Lancaster County**, U.S. Army Corps of Engineers Baltimore District.

To install and maintain:

1.) a 35.0-foot long, 4.0-foot high by 10.0-foot wide concrete box culvert with endwalls and rip rap apron, 6.0-inch uniformly depressed in the streambed of an unnamed tributary to Black Creek (HQ-WWF, MF);

2.) a 37.0-foot long, 3.5-foot high by 7.0-foot wide concrete box culvert with endwalls and rip rap apron, 6.0-inch uniformly depressed in the streambed of an unnamed tributary to Black Creek (HQ-WWF, MF);

3.) a 51.0-foot long, 3.5-foot high by 7.0-foot wide concrete box culvert with endwalls and rip rap apron, 6.0-inch uniformly depressed in the streambed of an unnamed tributary to Black Creek (HQ-WWF, MF) impacting 0.002 acre of palustrine emergent wetlands;

4.) a 47.0-foot long, 3.5-foot high by 7.0-foot wide concrete box culvert with endwalls and rip rap apron, 6.0-inch uniformly depressed in the streambed of an unnamed tributary to Black Creek (HQ-WWF, MF);

5.) a 78.0-foot long, 15.0-inch diameter concrete pipe with rip rap apron, uniformly depressed 6.0-inches into the streambed of an unnamed tributary to Black Creek (HQ-WWF, MF);

6.) a 51.0-foot long, 30.0-inch diameter concrete pipe with rip rap apron, uniformly depressed 6.0-inches into the streambed of an unnamed tributary to Black Creek (HQ-WWF, MF);

7.) a 6.0-inch PVC sanitary sewer line across an unnamed tributary to Black Creek (HQ-WWF, MF), impacting 10 feet of the stream;

8.) a 6.0-inch PVC sanitary sewer line across an unnamed tributary to Black Creek (HQ-WWF, MF), impacting 10 feet of the stream;

9.) a 6.0-inch PVC sanitary sewer line across an unnamed tributary to Black Creek (HQ-WWF, MF), impacting 10 feet of the stream;

10.) a 2.0-inch HDPE water line across an unnamed tributary to Black Creek (HQ-WWF, MF), impacting 6 feet of the stream;

11.) a 6.0-inch PVC sanitary sewer line across an unnamed tributary to Black Creek (HQ-WWF, MF), impacting 10 feet of the stream;

12.) a 2.0-inch HDPE water line across an unnamed tributary to Black Creek (HQ-WWF, MF), impacting 10 feet of the stream;

13.) to place and maintain fill in a palustrine emergent wetland, permanently impacting 0.03 acre of wetland;

14.) to place and maintain fill in a palustrine emergent wetland, permanently impacting 0.01 acre of wetland;

15.) to place and maintain fill in a palustrine emergent wetland, permanently impacting 0.001 acre of wetland; and

16.) to place and maintain fill in a palustrine emergent wetland, permanently impacting 0.001 acre of wetland, all for the purpose of expanding an existing RV campground.

The project is located approximately 0.50 mile west of the intersection of Yellow Hill Road and Poplar Drive (Latitude: 40.1926°, Longitude: 75.9748°W) in Brecknock Township, Lancaster County. Wetland impacts are de minimus and replacement is not required.

**E2203219-012. Wilsbach Distributors, Inc.**, 905 Katie Court, Harrisburg, PA 17109, in Lower Swatara Township, **Dauphin County**, U.S. Army Corps of Engineers Baltimore District.

To 1.) place and maintain fill in 0.15 acre of palustrine forested wetlands; 2.) excavate palustrine forested wetlands, impacting 0.07 acre of wetland; and 3.) excavate the floodway of an unnamed tributary to Laurel Run (WWF, MF) impacting 0.31 acre of floodway, all for the purpose of constructing a distribution facility. The project is located at the intersection of Oberlin Road and Longview Drive (Latitude: 40° 14' 10.04" N; Longitude: 76° 47' 8.23" W) in Lower Swatara Township, Dauphin County. To compensate for the wetland impacts, the applicant proposes to create 0.31 acre of wetlands onsite.

*Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636.*

**E4104220-022. Meadow Alley Reconstruction**, in Jersey Shore Borough/Porter Township, **Lycoming County**, ACOE District (, PA Quadrangle N: 41° 12' 8.8"; W: 77° 16' 55.5").

This project proposes to establish an adequate stormwater drainage facility in Jersey Shore Borough. 1) temporarily impact 93 linear feet of trenching and 0 acre of wetland, 2) permanently impact 10 linear feet of concrete headwall and 0 acre of wetland.

*Southwest Region: Dana Drake, Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**E0252-1826, Allegheny County Department of Public Works**, County Office Building, 542 Forbes Ave, Room 501, Pittsburgh, PA 15219, McCandless Township and Pine Township, **Allegheny County**; Pittsburgh ACOE District.

The applicant proposes to:

1. Place and maintain fill within seven (7) wetlands, resulting in: 0.08 acre of temporary impacts and 0.01 acre of permanent impacts to PEM wetlands, 0.01 acre of temporary impacts to PSS wetlands, 0.06 acre of temporary impacts and 0.01 acre of permanent impacts to PEM/PFO wetlands—all permanent impacts of wetlands are deminimus;

2. Place and maintain fill within eight (8) UNTs to N. Fork Pine Creek (CWF), temporarily impacting 630 square feet and permanently impacting 491 square feet;

3. Place and maintain fill, temporarily impacting 20,069 square feet and permanently impacting 11,564 square feet of assumed floodways to 12 UNTs to N. Fork Pine Creek (CWF);

4. Place and maintain fill, temporarily impacting 8,179 square feet and permanently impacting 165 square feet of the FEMA defined floodplain of N. Fork Pine Creek;

5. Place and maintain fill, temporarily impacting 12,845 square feet and permanently impacting 5,788 square feet of the floodplain of Marshall Lake;

6. Place and maintain fill, temporarily impacting 3,700 square feet and permanently impacting 13 square feet of the floodplain of North Park Lake.

For the purpose of widening and repaving 2.25 miles of Pearce Mill Road, between Brown Road and Babcock Boulevard, to accommodate the installation of a separated bicycle lane and pedestrian path.

Mitigation for these impacts will be in the form of onsite restoration of all temporarily disturbed areas within wetlands, streams, floodways, and floodplains; no mitigation is required for the deminimus permanent impacts associated with this project.

The project site location begins at the intersection of Babcock Boulevard and Pearce Mill Rd, continues 2.25 miles northwest, and ends at the intersection of Brown Road and Pearce Mill Road (Mars, PA USGS topographic quadrangle; starting at: N: 40°, 34', 46.6"; W: 79°, 59', 49.56" and ending at: N: 40°, 37', 11.64"; W: 80°, 1', 29.28"; Sub-basin 20F; USACE Pittsburgh District), in McCandless Township & Pine Township, Allegheny County.

**E6505120-023, PennDOT District 12-0**, 825 N. Galatin Avenue Extension, Uniontown, PA 15401, Mount Pleasant Township, **Westmoreland County**; Pittsburgh ACOE District.

The applicant proposes to:

Remove the existing 31.6' slab bridge, 32.2' box culvert, two outfalls and 182' long gabion basket and stone masonry wall, and construct and maintain a realigned, replacement, 242.5' box culvert, four outfalls, and rock aprons, having a permanent impact of 646 LF and temporary impact of 541 LF to (ST-2) Shupe Run (WWF).

Remove the existing 36 LF of 24' Corrugated Plastic Pipe (CPP) and 28 LF of stream channel and construct and maintain a stream relocation, outfall and rock apron

having a permanent impact of 64 LF and temporary impact of 64 LF to an unnamed tributary ST-3 (UNT) to Shupe Run (WWF).

Remove the existing 33' stone box culvert and construct and maintain a realigned, replacement, 85' long, 60" culvert, outfall and rock aprons having a permanent impact of 118 LF and temporary impact of 162 LF to a UNT (SR-4) to Wilson Run (WWF).

Construct and maintain an inlet and manhole to an existing 30" Reinforced Concrete Pipe (RCP), and rock apron, conveying a UNT (ST-7) to Wilson Run (WWF), having a permanent impact of 51 LF and temporary impact of 166 LF to a UNT (ST-7) to Wilson Run (WWF).

Place and maintain fill in 93 LF of channel and construct and maintain a relocated channel, having 93 LF of permanent impact and 74 LF of temporary impact to a UNT (ST-5) to Wilson Run (WWF).

Plug and abandon in place the existing 24" Corrugated Metal Pipe (CMP), and construct and maintain a realigned, 117' long 36" CMP, having a permanent impact of 139 LF and temporary impact of 172 LF to a UNT (ST-6) to Wilson Run (WWF).

Remove the existing connected 42" CMP, 60" RCP, 60" CMP and two outfalls, and construct and maintain a replacement, connected 48" RCP, 60" RCP, three 18" outfalls, and rock aprons having a permanent impact of 519 LF and temporary impact of 595 LF to a UNT (ST-8) to Boyer Run (WWF).

Plug and abandon in place the existing 40' long 18" pipe, and construct and maintain a 97' long stream relocation, outfall and rock apron, having a permanent impact of 100 LF and temporary impact of 153 LF to a UNT (ST-11) to Boyer Run (WWF).

Remove the existing 35.3' box culvert, and construct and maintain a replacement, 64' pipe, and rock aprons, having a permanent impact of 89 LF and temporary impact of 127 LF to ST-10 UNT to Boyer Run (WWF).

Remove existing 147' long, 48" RCP, and construct and maintain 555' long stream relocation, a replacement, 56' long, 84" RCP, 88' long, 84" RCP, 18' outfall, 36" outfall, and rock aprons, having a permanent impact of 741 LF and temporary impact of 846 LF to UNT (ST-8) to Boyer Run (WWF).

Construct and maintain a stream relocation having a permanent impact of 113 LF and temporary impact of 135 LF to UNT (ST-9) Boyer Run (WWF).

Remove existing 45' long, 15" pipe and construct and maintain a replacement, 45' long, 18" pipe and rock apron having a permanent impact of 53 LF and temporary impact of 57 LF to UNT (ST-12) to Boyer Run (WWF).

Remove the existing 160' x 14', 3 span bridge and appurtenances, and construct and maintain a new bridge in a different location, 18" outfall and rock apron, and shoulder improvements having a permanent impact of 140 LF and temporary impact of 140 LF to Boyer Run (ST-13) (WWF).

Remove the existing dual 48" pipes, and construct and maintain a replacement, 480' long, 54" RCP stream enclosure/relocation having a permanent impact of 625 LF and temporary impact of 630 LF on UNT (ST-15) to Boyer Run (WWF).

Construct and maintain a 150' long stream relocation having a permanent impact of 150 LF to UNT (ST-18) to Boyer Run (WWF).

Place and maintain fill, having a permanent impact of 326 LF to UNT (ST-29) to Boyer Run (WWF).

Construct and maintain a drainage ditch having a permanent impact of 30 LF and temporary impact of 30 LF to UNT (ST-21) Boyer Run (WWF).

Construct and maintain a 264' long stream enclosure, having a permanent impact of 264 LF and temporary impact of 305 LF to UNT (ST-19) to Boyer Run (WWF).

Place and maintain fill, having a permanent impact of 18 LF to UNT (ST-28) to Boyer Run (WWF).

Place and maintain fill, construct and maintain a relocated drainage ditch having a permanent impact of 38 LF to UNT (ST-20) to Boyer Run (WWF).

Construct and maintain a 450' long, 48" RCP stream enclosure, having a permanent impact of 450 LF and temporary impact of 552 LF to UNT (ST-21) to Boyer Run (WWF).

Plug and abandon in place the existing 48" CMP, and construct and maintain a replacement, 77' long, 24" RCP having a permanent impact of 87 LF and temporary impact of 87 LF to UNT (ST-22) to Boyer Run (WWF).

Remove the existing 56' long, 12" steel pipe, and construct and maintain a replacement 63' 18" RCP, 142' long, 24" RCP, a manhole and associated rock aprons, having a permanent impact of 393 LF and temporary impact of 410 LF to UNT (ST-21) to Boyer Run (WWF).

Place and maintain fill, having a permanent impact of 55 LF to UNT (ST-14) to Boyer Run (WWF).

Remove the existing 40' long 24" steel pipe, and construct and maintain a replacement 66' long, 9" x 30" elliptical RCP, having a permanent impact of 90 LF and temporary impact of 72 LF on UNT (ST-25) to Hurst Run (WWF).

Remove the existing 29.76' long box culvert, and construct and maintain a replacement 44' long, 12' by 6'6" precast box culvert and rock aprons, having a permanent impact of 109 LF and temporary impact of 133 LF to Hurst Run (ST-24) (WWF).

Construct and maintain two 24" outfalls, one 18" outfall, and associated rock aprons, having a permanent impact of 29 LF and temporary impact of 88 LF to UNT (ST-23) to Welty Run (HQ-CWF).

Remove existing 49' long, 18" steel pipe, 34' long 18" CPP, plug and abandon in place 46' long 18" CPP, and construct and maintain approximately 215' long, 42" RCP, and place and maintain fill in 135' of ST-1 having a permanent impact of 215 LF and temporary impact of 264 LF to UNT (ST-1) to Welty Run (HQ-CWF).

Place and maintain fill, having a permanent impact of 0.197 acre and temporary impact of 0.017 on wetland W-02 (PEM).

Place and maintain fill having a permanent impact of 0.027 acre and temporary impact of 0.017 on wetland W-03 (PEM).

Place and maintain fill having a permanent impact of 0.176 acre and temporary impact of 0.043 on wetland W-06 (PEM/PFO).

Place and maintain fill having a permanent impact of 0.001 acre on wetland W-07 (PEM).

Place and maintain fill having a permanent impact of 0.062 acre and temporary impact of 0.147 on wetland W-08 (PEM/PSS).

Place and maintain fill having a permanent impact of 0.018 acre and temporary impact W-09 (PEM).

Place and maintain fill having a permanent impact of 0.160 acre and temporary impact of 0.034 on wetland W-13 (PEM).

Place and maintain fill having a permanent impact of 0.0396 acre and temporary impact of 0.142 on wetland W-14 (PEM).

Place and maintain fill having a permanent impact of 0.026 acre on wetland W-15 (PEM).

Place and maintain fill having a permanent impact of 0.015 acre to wetland W-21 (PEM).

Construct and maintain stream mitigation along Boyer Run (ST-13) and UNT (ST-8) to Boyer Run, having a permanent impact of 1,650 LF.

Construct and maintain approximately 1.49 acre of PEM wetland as mitigation along ST-13 Boyer Run.

For the purpose of constructing the Laurel Valley Transportation Improvement Project, which includes on and off-alignment improvements, intersection reconfigurations, and roadway widening. The project will permanently impact approximately 7,506 LF and temporarily impact approximately 5,921 LF of stream. The project will also permanently impact approximately 1.063 acre and temporarily impact approximately 0.401 acre of wetland.

The project site is located along SR 0981 between the intersections of SR 819 and 2023 in the Norvelt area (Mammoth, Mount Pleasant, PA USGS topographic quadrangle; N: 40°, 11', 13.1418"; W: 79°, 30', 48.8184"; Sub-basin 19D; USACE Pittsburgh District), in Mount Pleasant Township, Westmoreland County.

*Northwest Region: Waterways and Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

**E1006220-004, Forsythe Fields**, 514 Ridge Court, Wexford, PA 15090-1304. Fieldstone Ridge Development, in Middlesex Township, **Butler County**, ACOE Pittsburgh District (Valencia, PA Quadrangle N: 40°, 43', 17.2173"; W: 79°, 56', 40.6832").

As part of a residential housing development, the Applicant proposes to construct, operate, and maintain, various utility line crossings, stormwater outfalls, and roadway crossings resulting in obstructions/encroachments to unnamed tributaries to Glade Run and an adjacent wetland area all at a point approximately 1,000 feet north of the Forsythe Road and Windermere Drive intersection in Middlesex Township, Butler County.

*Eastern Region: Oil and Gas Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.*

**E6629-031: Appalachia Midstream Services, LLC**, 30351 Route 6, Wysox, PA 18854, Meshoppen Township, **Wyoming County**, ACOE Baltimore District.

To construct, operate and maintain the Hunter Well Line Project, which consists of one 12-inch diameter natural gas pipeline, with the following impacts:

1. 6,279 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via open cut trenching and a temporary road crossing (Meshoppen, PA Quadrangle, Latitude: N 41° 37' 10.31", Longitude: W 76° 05' 41.01");

2. 267 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via a temporary road crossing, and 9.394 square feet of temporary floodway impacts to a



UNT to Black Walnut Creek (CWF) (Meshoppen, PA Quadrangle, Latitude: N 41° 37' 23.51", Longitude: W 76° 05' 47.67");

3. 3,812 square feet of permanent impacts to Palustrine Forested (PFO) Wetlands, 338 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands, and 4,880 square feet of temporary floodway impacts to UNTs to Black Walnut Creek (CWF), via open cut trenching and a temporary road crossing (Meshoppen, PA Quadrangle, Latitude: N 41° 37' 26.82", Longitude: W 76° 05' 51.58");

4. 53.0 linear feet of Black Walnut Creek (CWF) and 7,016 square feet of temporary floodway impacts via open cut trenching and a temporary road crossing (Auburn Center, PA Quadrangle, Latitude: N 41° 37' 34.22", Longitude: W 76° 05' 52.44");

5. 7,105 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via open cut trenching and a temporary road crossing (Auburn Center, PA Quadrangle, Latitude: N 41° 37' 36.75", Longitude: W 76° 05' 52.63");

6. 416 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via open cut trenching and a temporary road crossing (Auburn Center, PA Quadrangle, Latitude: N 41° 37' 37.75", Longitude: W 76° 05' 52.41");

7. 220 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via a temporary road crossing (Auburn Center, PA Quadrangle, Latitude: N 41° 37' 42.10", Longitude: W 76° 05' 51.14");

8. 4,435 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via open cut trenching and a temporary road crossing (Auburn Center, PA Quadrangle, Latitude: N 41° 37' 45.99", Longitude: W 76° 05' 49.78");

9. 11,899 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via open cut trenching and a temporary road crossing (Auburn Center, PA Quadrangle, Latitude: N 41° 37' 48.16", Longitude: W 76° 05' 49.07");

10. 50.0 linear feet of a UNT to Black Walnut Creek (CWF), 3,502 square feet of temporary floodway impacts, and 871 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via open cut trenching and a temporary road crossing (Auburn Center, PA Quadrangle, Latitude: N 41° 37' 54.96", Longitude: W 76° 05' 48.72");

11. 8,265 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via open cut trenching and a temporary road crossing (Auburn Center, PA Quadrangle, Latitude: N 41° 37' 59.98", Longitude: W 76° 05' 48.00");

12. 59.0 linear feet of a UNT to Black Walnut Creek (CWF), 7,459 square feet of temporary floodway impacts, and 34 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via open cut trenching and a temporary road crossing (Auburn Center, PA Quadrangle, Latitude: N 41° 38' 15.60", Longitude: W 76° 05' 44.56");

13. 54.0 linear feet of Black Walnut Creek (CWF) and 9,183 square feet of temporary floodway impacts via open cut trenching and a temporary road crossing (Auburn Center, PA Quadrangle, Latitude: N 41° 38' 15.13", Longitude: W 76° 05' 22.92");

14. 3,378 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via temporary road crossings (Auburn Center, PA Quadrangle, Latitude: N 41° 38' 16.70", Longitude: W 76° 05' 12.69");

15. 779 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via open cut trenching and a

temporary road crossing (Auburn Center, PA Quadrangle, Latitude: N 41° 38' 16.10", Longitude: W 76° 05' 11.64");

16. 5,169 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via open cut trenching and a temporary road crossing (Auburn Center, PA Quadrangle, Latitude: N 41° 38' 16.05", Longitude: W 76° 05' 10.42");

17. 21,339 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via open cut trenching and a temporary road crossing (Auburn Center, PA Quadrangle, Latitude: N 41° 38' 16.61", Longitude: W 76° 04' 54.09");

18. 214 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via open cut trenching and a temporary road crossing (Auburn Center, PA Quadrangle, Latitude: N 41° 38' 18.86", Longitude: W 76° 04' 47.12"); and

19. 5,504 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via open cut trenching and a temporary road crossing (Auburn Center, PA Quadrangle, Latitude: N 41° 38' 19.62", Longitude: W 76° 04' 45.65").

The project will result in 216.0 linear feet of stream impacts, 41,479 square feet (0.95 acre) of temporary floodway impacts, 76,512 (1.76 acre) of temporary PEM wetland impacts, and 3,812 square feet (0.09 acre) of permanent PFO wetland impacts, all for the purpose of installing a natural gas well line and associated access roadways for Marcellus shale development.

**E6629220-021: Appalachia Midstream Services, LLC**, 30351 Route 6, Wysox, PA 18854, Windham Township, Wyoming County, ACOE Baltimore District.

To construct, operate and maintain the Trowbridge Well Line Project, which consists of one 10-inch natural gas pipeline, with the following impacts:

1. 855 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands and 11,639 square feet of temporary floodway impacts to UNT to Susquehanna River (WWF, MF) via open cut trenching and a temporary road crossing (Laceyville, PA Quadrangle, Latitude: N 41° 37' 52.05", Longitude: W 76° 09' 11.64");

2. 2,449 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands and 2,533 square feet of temporary floodway impacts to UNT to Susquehanna River (WWF, MF) via open cut trenching and a temporary road crossing (Laceyville, PA Quadrangle, Latitude: N 41° 37' 46.81", Longitude: W 76° 09' 16.94");

3. 2,061 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via open cut trenching and a temporary road crossing (Laceyville, PA Quadrangle, Latitude: N 41° 37' 46.81", Longitude: W 76° 09' 22.04");

4. 5,517 square feet of permanent impacts to Palustrine Forested (PFO) Wetlands via open cut trenching and a temporary road crossing (Laceyville, PA Quadrangle, Latitude: N 41° 37' 40.48", Longitude: W 76° 09' 25.49");

5. 5,576 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via open cut trenching and a temporary road crossing (Jenningsville, PA Quadrangle, Latitude: N 41° 37' 28.84", Longitude: W 76° 09' 43.44");

6. 1,734 square feet of permanent impacts to Palustrine Forested (PFO) Wetlands and 3,438 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via open cut trenching and a temporary road

crossing (Laceyville, PA Quadrangle, Latitude: N 41° 37' 30.77", Longitude: W 76° 09' 48.47");

7. 1,346 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via open cut trenching and a temporary road crossing (Jenningsville, PA Quadrangle, Latitude: N 41° 37' 24.28", Longitude: W 76° 09' 55.14");

8. 50.0 linear feet of a UNT to Roaring Run (CWF, MF) and 11,429 square feet of temporary floodway impacts via open cut trenching and a temporary road crossing (Jenningsville, PA Quadrangle, Latitude: N 41° 37' 23.74", Longitude: W 76° 09' 55.88");

9. 2,863 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via open cut trenching and a temporary road crossing (Jenningsville, PA Quadrangle, Latitude: N 41° 37' 23.15", Longitude: W 76° 09' 56.64");

10. 50.0 linear feet of a UNT to Roaring Run (CWF, MF), 6,532 square feet of temporary floodway impacts, 8,985 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands, and 5,364 square feet of permanent impacts to Palustrine Forested (PFO) Wet-

lands via open cut trenching and a temporary road crossing (Laceyville, PA Quadrangle, Latitude: N 41° 37' 31.89", Longitude: W 76° 10' 38.48");

11. 5,935 square feet of permanent impacts to Palustrine Forested (PFO) Wetlands via open cut trenching and a temporary road crossing (Jenningsville, PA Quadrangle, Latitude: N 41° 37' 28.44", Longitude: W 76° 11' 17.52"); and

12. 1,125 square feet of temporary impacts to Palustrine Emergent (PEM) Wetlands via open cut trenching and a temporary road crossing (Jenningsville, PA Quadrangle, Latitude: N 41° 37' 18.33", Longitude: W 76° 11' 35.62").

The project will result in 100.0 linear feet of stream impacts, 32,133 square feet (0.74 acre) of temporary floodway impacts, 28,698 square feet (0.66 acre) of temporary PEM wetland impacts, and 18,550 square feet (0.43 acre) of permanent PFO wetland impacts all for the purpose of installing one 10-inch natural pipeline and associated access roadways for Marcellus shale development.

---

## ACTIONS

---

### THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

#### FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.



**I. NPDES Renewal Permit Actions.**

*Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Phone: 484.250.5970.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed)</i>	<i>EPA Waived Y/N?</i>
PA0031097 (Sewage)	Radley Run CC 1100 Country Club Road West Chester, PA 19382	Chester County Birmingham Township	Radley Run (WWF, MF) 3-H	No
PA0244457 (Storm Water)	Southampton Bulk Petroleum Storage Plant 9 West Broad Street Stamford, CT 06902	Bucks County Upper Southampton Township	Unnamed Tributary to Southampton Creek (TSF, MF) (3-J)	Yes

The following notice reflects changes to the notice published in the February 2, 2020 edition of the *Pennsylvania Bulletin*:

Outfall 003 is removed from the NPDES permit because stormwater from loading rack area is directed to Outfall 001.

*Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Email: RA-EPNPDES\_NERO@pa.gov.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N</i>
PA0276286 (Storm Water)	B Braun Medical Inc. Breinigsville Distr Center 200 Boulder Drive Breinigsville, PA 18031	Lehigh County Upper Macungie Township	Iron Run (HQ-CWF, MF) and Unnamed Tributary to Iron Run (HQ-CWF, MF) (2-C)	Yes
PA0275697 (Storm Water)	Dent Design Hardware 298 Keystone Drive Bethlehem, PA 18020-9464	Northampton County Lower Nazareth Township	Monocacy Creek (HQ-CWF) (2-C)	Yes
PAS802204 (Storm Water)	Lehigh & Northampton Transportation Authority 1060 Lehigh Street Allentown, PA 18103-3130	Lehigh County Allentown City	Little Lehigh Creek (HQ-CWF, MF) (2-C)	Yes
PA0275701 (Storm Water)	Coca Cola Bottling 2150 Industrial Drive Bethlehem, PA 18017	Lehigh County Bethlehem City	Monocacy Creek (HQ-CWF, MF) (2-C)	Yes
PA0060879 (Sewage)	Springdale Gardens P.O. Box 849 Olyphant, PA 18447	Carbon County Mahoning Township	Unnamed Tributary to Mahoning Creek (EV (existing use)) (2-B)	Yes
PA0062936 (Industrial)	Lehighon Authority Water System P.O. Box 29 Lehighon, PA 18235	Carbon County Franklin Township	Long Run (CWF, MF) (2-B)	Yes

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES\_SCRO@pa.gov.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N</i>
PA0232777 Issue	Roaring Creek Egg Farms 190 Tyson School Rd. Catawissa, PA 17820-8212	Columbia County Cleveland Twp.	UNT to Mugger Run (HQ-CWF, MF) Watershed(s) 5-E	No

*Northcentral Regional Office: Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448, Phone: 570.327.3636, Email: RA-EPNPDES\_NCRO@pa.gov.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0035688 (Sewage)	Potter Township CC Estates 124 Short Road Spring Mills, PA 16875-9326	Centre County Potter Township	Cedar Run (HQ-CWF) (9-C)	Yes
PA0233722 (Sewage)	Richard Zerby SFTF 211 Wills Hollow Road Port Matilda, PA 16870-8436	Centre County Worth Township	Wills Hollow (CWF) (9-C)	Yes
PA0228133 (Industrial)	PA DOT Cameron County Maintenance Bldg 70 Penndot Drive Clearfield, PA 16830-6051	Cameron County Lumber Township	Driftwood Branch Sinnemahoning Creek (TSF) (8-A)	Yes

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0114049 (Sewage)	Lewis Township Municipal Authority P.O. Box 51 Millmont, PA 17845-0051	Union County Lewis Township	Cold Run (CWF) (6-A)	Yes

---

## II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions.

---

*Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.*

**NPDES Permit No. PA0057819**, Sewage, **New Hanover Township Authority**, 2900 Fagleysville Road, Gilbertsville, PA 19525-9747.

This existing facility is located in New Hanover Township, **Montgomery County**.

Description of Action/Activity: Issuance of NPDES Permit for an existing discharge of treated sewage.

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**NPDES Permit No. PA0288080**, Sewage, SIC Code 8800, **Allison Seppala**, 10300 Route 98, Edinboro, PA 16412-3620.

This proposed facility is located in McKean Township, **Erie County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

**NPDES Permit No. PA0287938**, Sewage, SIC Code 8800, **Jack R Bish**, 142 E Main Street, Columbus, PA 16405-1508.

This proposed facility is located in Howe Township, **Forest County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

**NPDES Permit No. PA0287873**, Sewage, SIC Code 8800, **Faron Reckhart**, 21602 Boyle Road, Cochranon, PA 16313.

This proposed facility is located in Fairfield Township, **Crawford County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

---

## III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law.

---

*Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, 484.250.5900.*

**WQM Permit 0920401**, Sewage, **Leon A. Grochowski Jr.**, 2408 Hill Road, Perkasio, PA 18944.

This proposed facility is located in East Rockhill Township, **Bucks County**.

Description of Action/Activity: Single residence sewage treatment facility.

**WQM Permit No. 2320401**, Sewage, **Delcora**, P.O. Box 999, Chester, PA 19016-0999.

This proposed facility is located in the City of Chester, **Delaware County**.

Description of Action/Activity: Modifications of onsite sewer pipelines and manholes.

**WQM Permit No. 1596403**, Sewage, Renewal, **Aqua Pennsylvania Wastewater Inc.**, 762 W. Lancaster Avenue, Bryn Mawr, PA 19010.

This proposed facility is located in Thornbury Township, **Chester County**.

Description of Action/Activity: Renewal application for Greens at Penn Oaks WWTP.

**WQM Permit No. WQG02152003**, Sewage, **Caln Township Municipal Authority**, 253 Municipal Drive, Thorndale, PA 19372-1015.

This proposed facility is located in Caln Township, **Chester County**.

Description of Action/Activity: Construction and operation of a gravity sewer collection system and sewage pump station.

**WQM Permit No. 4620201**, Industrial Waste, **Knoll Inc.**, 1235 Water Street, East Greenville, PA 18041.

This proposed facility is located in Upper Hanover Township, **Montgomery County**.

Description of Action/Activity: Rerate for average flow capacity for wastewater treatment plant.

**WQM Permit No. 4616405**, Sewage, Amendment, **Upper Moreland-Hatboro Joint Authority**, 2875 Terwood Road, Willow Grove, PA 19090.

This proposed facility is located in Upper Moreland Township, **Montgomery County**.

Description of Action/Activity: Rerate of wastewater treatment plant's current hydraulic capacity.

*Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Email: RA-EPNPDES\_NERO@pa.gov.*

**WQM Permit No. WQG02542001**, Sewage, SIC Code 4952, **Tamaqua Borough Authority**, 320 E Broad Street # 2, Tamaqua, PA 18252.

This proposed facility is located in Tamaqua Borough, **Schuylkill County**.

Description of Proposed Action/Activity: Installation of a Sewer Extension Line to serve the Tamarack Square Phase 2 development. The new extension line will discharge to the existing Tamaqua Wastewater Treatment Plant under NPDES Permit No. PA0027006.

**WQM Permit No. 6420401**, Sewage, SIC Code 7032, **Chestnut Lake Camp**, 1714 Wantagh Avenue, Wantagh, NY 11793-3904.

This proposed facility is located in Berlin Township, **Wayne County**.

Description of Proposed Action/Activity: Installation of three aerators, a phosphorous removal system with utility shed, and a chemical feed pump for dechlorination in the existing lagoon system.

*Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Email: RA-EPNPDES\_SWRO@pa.gov.*

**WQM Permit No. 8928-S A-1**, Sewage, **Ductmate Industries Inc.**, 1502 Industrial Drive, Monongahela, PA 15063-9753.

This existing facility is located in Forward Township, **Allegheny County**.

Description of Proposed Action/Activity: construction of a chlorinator/de-chlorinator disinfection system.

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**WQM Permit No. 2520401**, Sewage, **Edinboro Borough Municipal Authority**, 124 Meadville Street, Edinboro, PA 16412-2502.

This proposed facility is located in Edinboro Borough, **Erie County**.

Description of Proposed Action/Activity: Replacement of existing sanitary sewer conveyance.

**WQM Permit No. 2520402**, Sewage, **Allison Seppala**, 10300 Route 98, Edinboro, PA 16412-3620.

This proposed facility is located in McKean Township, **Erie County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

**WQM Permit No. 2719403**, Sewage, **Jack R Bish**, 142 E Main Street, Columbus, PA 16405-1508.

This proposed facility is located in Howe Township, **Forest County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

---

## VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions.

---

*Southcentral Region: Waterways and Wetlands Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, 717-705-4802.*

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAD440007 Issued	Mike & Jill Ammon 131 Three Locks Road Lewistown, PA 17044	Mifflin	Oliver Township	Juniata River (HQ-CWF, MF)
PAD220005 Issued	Chestnut Hill, LLC 1701 Peters Mountain Road Dauphin, PA 17018	Dauphin	Middle Paxton Township	Clarks Creek (HQ-CWF, MF) EV Wetlands

*Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Erie County Conservation District, 1927 Wager Road, Erie, PA 16509, 814-825-6403.*

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAD250007 Major Modification	Birkmire Trucking Inc. 7400 Birkmire Drive Fairview, PA 16415	Erie	McKean Township	Bear Run CWF, MF

---

## VII. Approvals to Use NPDES and/or Other General Permits.

---

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

**List of NPDES and/or Other General Permit Types.**

PAG-01	General Permit for Discharges for Stormwater Discharges Associated with Small Construction Activities.
PAG-02	General Permit for Discharges of Stormwater Associated with Construction Activities
PAG-03	General Permit for Discharges of Stormwater from Industrial Activities
PAG-04	General Permit for Discharges from Small Flow Treatment Facilities
PAG-05	General Permit for Discharges from Petroleum Product Contaminated Groundwater Remediation Systems
PAG-06	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems (CSO)
PAG-07	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-08	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-08 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-08 General Permit Coverage
PAG-09	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-09 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-09 General Permit Coverage
PAG-10	General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines
PAG-11	General Permit for Discharges from Aquatic Animal Production Facilities
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
PAG-14	(To Be Announced)
PAG-15	General Permit for Discharges from the Application of Pesticides

*General Permit Type—PAG-02*

*Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone Number</i>
PAC350078 Authorization/ Issuance	1230 Keyser, LLC 1 Sterling Avenue Dallas, PA 18612-1517	Lackawanna	City of Scranton	Keyser Creek (CWF, MF)	Lackawanna County Conservation District 1038 Montdale Road Scott Township, PA 18447 570-382-3086

*Southcentral Region: Waterways and Wetlands Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, 717-705-4802.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone Number</i>
PAC360175 A-1 Issued	James Gibble 178 Fairview Road Manheim, PA 17545	Lancaster	West Donegal Township	Conoy Creek (TSF, MF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
PAC360121 A-1 Issued	322 Properties, LLC 1286 East Earl Road P.O. Box 314 East Earl, PA 17519	Lancaster	East Earl Township	Cedar Creek (WWF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
PAC360469 Issued	Aaron Repucci One Tower Bridge 100 Front Street Suite 560 West Conshohocken, PA 19428	Lancaster	East Hempfield Township	UNT Chickies Creek (WWF, MF) UNT Swarr Run (CWF, MF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5

## NOTICES

2213

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone Number</i>
PAC380163 Issued	Pumphouse Run, LLC 1737 West Main Street Ephrata, PA 17522	Lebanon	North Londonderry Township	Killinger Creek (TSF)	Lebanon County Conservation District 2120 Cornwall Road Lebanon, PA 17042-9788 717.277.5275
PAC380148 Issued	Lebanon School District 1000 South 8th Street Lebanon, PA 17042	Lebanon	Lebanon City	Brandywine Creek (TSF) Quittapahilla Creek (TSF)	Lebanon County Conservation District 2120 Cornwall Road Lebanon, PA 17042-9788 717.277.5275
PAC380162 Issued	The Hershey Company 1025 Reese Avenue Hershey, PA 17033	Lebanon	South Annville Township & North Londonderry Township	Killinger Creek (TSF, MF)	Lebanon County Conservation District 2120 Cornwall Road Lebanon, PA 17042-9788 717.277.5275
PAC380166 Issued	UGI Utilities, Inc. 1 UGI Drive Denver, PA 17517	Lebanon	Jackson Township	Tulpehocken Creek (TSF)	Lebanon County Conservation District 2120 Cornwall Road Lebanon, PA 17042-9788 717.277.5275
PAC670366 Issued	Kinsley Equities II, LP 6259 Reynolds Mill Road Seven Valleys, PA 17360 and Kinsley Equities II, LP 2700 Water Street York, PA 17403	York	Springettsbury Township	UNT Kreutz Creek (WWF)	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717.840.7430

*Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701.*

<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Facility Location: Municipality &amp; County</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
PAC140052 A-2 Renewal/Major Amendment	Columbia Gas of Pennsylvania, Inc. 1600 Colony Rd York, PA 17408	Spring Twp/ Bellefonte Boro Centre County	UNT Spring Creek CWF	Centre County Conservation District 414 Holmes Ave Ste 4 Bellefonte, PA 16823 (814) 355-6817
PAC180017 Renewal Original Permit # PAG020018-15-001	Avis South Realty 70 Maryland Avenue Jersey Shore, PA 17740	Pine Creek Twp Clinton County	UNT West Branch Susquehanna River CWF, MF	Clinton County Conservation District 45 Cooperation Ln Mill Hall, PA 17751 (570) 726-3798
PAC190044	Mariano Rentals 72 Edwards Dr Bloomsburg, PA 17815	Scott Twp Columbia County	Fishing Creek	Columbia County Conservation District 702 Sawmill Rd Ste 204 Bloomsburg, PA 17815 (570) 784-1310 X 102
PAC190045	Emmanuel and Sandra Giorgini 1351 Poplar St Kulpmont, PA 17834	Conyngham Twp Columbia County	Shamokin Creek	Columbia County Conservation District 702 Sawmill Rd Ste 204 Bloomsburg, PA 17815 (570) 784-1310 X 102



*Southwest Region: Dana Drake, Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222, 412-442-4000.*

<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Facility Location: Municipality &amp; County</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Phone Number</i>
PAC040072	McDonalds USA, LLC 110 North Carpenter Street Chicago, IL 60607-201	Baden Borough Beaver County	Ohio River (WWF)	Beaver County Conservation District 156 Cowpath Road Aliquippa, PA 15001 (724) 378-1701
PAC110062	Central Cambria School District 208 Schoolhouse Road Ebensburg, PA 15931	Cambria Township Cambria County	UNT to South Branch Blacklick Creek (CWF)	Cambria County Conservation District Suite 229 401 Candlelight Drive Ebensburg, PA 15931 (814) 472-2120
PAC650189	PTV 1067, LLC Building 4 Suite 100 400 Penn Center Boulevard Pittsburgh, PA 15235	Penn Township Westmoreland County	UNT to Bushy Run (TSF)	Westmoreland County Conservation District 218 Donohoe Road Greensburg, PA 15601 (724) 837-5271
PAC650208	Penn Township Commissioners 2001 Municipal Court Harrison City, PA 15636	Penn Township Westmoreland County	UNT to Bush Run (TSF)	Westmoreland County Conservation District 218 Donohoe Road Greensburg, PA 15601 (724) 837-5271
PAC650210	CMN of Irwin, LLC 4161 Turner Valley Road North Huntingdon, PA 15642	North Huntingdon Township Westmoreland County	Crawford Run (WWF)	Westmoreland County Conservation District 218 Donohoe Road Greensburg, PA 15601 (724) 837-5271

*Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Facility Location: Municipality &amp; County</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
PAC250095	Mid-Atlantic Interstate Transmission LLC 76 South Main Street Akron, OH 44308	Washington Township Erie County	UNT Conneautee Creek WWF	Erie County Conservation District 1927 Wager Road Erie, PA 16509 814-825-6403
PAC250053	Calypso Enterprises LLC 1540 East Lake Road Erie, PA 16511	Erie City Erie County	UNT Lake Erie WWF-MF	Erie County Conservation District 1927 Wager Road Erie, PA 16509 814-825-6403
PAC200063	Adams Place Associates LP 2450 Shenango Valley Freeway Hermitage, PA 16148	Cochranon Borough Crawford County	UNT to French Creek WWF	Crawford County Conservation District 21742 German Road Meadville, PA 16335 814-763-5269

*General Permit Type—PAG-03**Southeast Region: 2 East Main Street, Norristown, PA 19401, Phone: 484.250.5970.*

<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Facility Location: Municipality &amp; County</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
PAG030102	Warner Co. 1000 New Ford Mill Road Morrisville, PA 19067	Morrisville Borough Bucks County	Unnamed Tributary to Delaware River WWF, MF 2-E	DEP Southeast Regional Office Clean Water Program 2 E. Main Street Norristown, PA 19401 484.250.5970

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Email: RA-EPNPDES\_SCRO@pa.gov.*

<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Facility Location: Municipality &amp; County</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
PAR213524 A-1 Transfer	Esterly Concrete Co. Inc. 401 Elm Street West Reading, PA 19611	Sinking Spring Borough Berks County	Cacoosing Creek (CWF, MF) in Watershed(s) 3-C	Clean Water Program 717-705-4812
PAG033622 Issue	Bulk Chemicals Inc. (BCI)—Blandon 1074 Stinson Drive Reading, PA 19605-9440	Maiden Creek Twp. Berks County	Unnamed Stream (CWF, MF) in Watershed(s) 3-B	Clean Water Program 717-705-4812
PAG033623 Issue	Bulk Chemicals Inc.— Shartleville 1074 Stinson Drive Reading, PA 19605-9440	Upper Bern Twp. Berks County	Wolf Creek (CWF, MF) in Watershed(s) 3-C	Clean Water Program 717-705-4812
PAG033624 Issue	Bulk Chemicals Inc.— Mohrsville 1074 Stinson Drive Reading, PA 19605-9440	Perry Twp. Berks County	Schuylkill River (WWF, MF) in Watershed(s) 3-B	Clean Water Program 717-705-4812

*General Permit Type—PAG-08 (SSN)*

<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Facility Location: Municipality &amp; County</i>	<i>Contact Office &amp; Phone No.</i>
PAG083509T, WMGR099	Kline's Septic Services LLC 5 Holland Street Salunga, PA 17538	David Grinder Farm 224A Breneman Road Manheim, PA 17545	DEP—SCRO 909 Elmerton Ave. Harrisburg, PA 17110 717-705-4707
PAG083509T, WMGR099	Kline's Septic Services LLC 5 Holland Street Salunga, PA 17538	Rapho Township/ Lancaster County  Brenneman-Hoffman Farm 224 Breneman Road Manheim, PA 12545	DEP—SCRO 909 Elmerton Ave. Harrisburg, PA 17110 717-705-4707
		Rapho Township/ Lancaster County	

**STATE CONSERVATION COMMISSION****NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs**

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be

filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

**NUTRIENT MANAGEMENT PLAN  
CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
CVFF Beaverton Sow 429 Beaverton Lane Beavertown, PA 17813	Snyder	60.88 for manure application	932.07	Swine	NA	Approval
James McCloskey 1220 Parthemer Road McClure, PA 17814	Snyder	0 for manure application	1,253.1	Swine	NA	Approval

### PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

#### SAFE DRINKING WATER

#### **Actions taken under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).**

*Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Williamsport, PA 17701.*

**Permit No. 4120504MA, Minor Amendment.** Public Water Supply.

Applicant	<b>Muncy State Correctional Institute</b> P.O. Box 180, Route 405 Muncy, PA 17756
Borough or Township	Clinton Township
County	<b>Lycoming County</b>
Type of Facility	Public Water Supply— Construction
Consulting Engineer	Carol A. Piontkoski, P.E. PA Department of Corrections Bureau of Operations 1920 Technology Parkway Mechanicsburg, PA 17050
Permit Issued	April 7, 2020

**Permit No. 5520502MA, Minor Amendment.** Public Water Supply.

Applicant	<b>Shamokin Dam Borough Water &amp; Sewer Authority</b> 42 West 8th Avenue P.O. Box 273 Shamokin Dam, PA 17876
Borough or Township	Shamokin Dam Borough
County	<b>Snyder County</b>
Type of Facility	Public Water Supply— Construction/Operation
Consulting Engineer	Erin N. Threet, P.E. Herbert, Rowland & Gubric, Inc. 776 Bull Run Crossing Suite 200 Lewisburg, PA 17837
Permit Issued	April 7, 2020

**Adams Township Municipal Authority (Public Water Supply), Snyder County:** On April 13, 2020, the Safe Drinking Water Program approved the Source Water Protection (SWP) plan for the **Adams Township Mu-**

**municipal Authority** community water system. The personnel involved with the development of this SWP are to be commended for taking these proactive steps to protect these water sources for their community. Development of the SWP plan was funded by the Department of Environmental Protection (Mark R. Stephens, P.G., (570) 327-3422).

**Freeburg Municipal Authority (Public Water Supply), Snyder County:** On April 14, 2020, the Safe Drinking Water Program approved the Source Water Protection (SWP) plan for the **Freeburg Municipal Authority** community water system. The personnel involved with the development of this SWP are to be commended for taking these proactive steps to protect these water sources for their community. Development of the SWP plan was funded by the Department of Environmental Protection (Mark R. Stephens, P.G., (570) 327-3422).

#### SEWAGE FACILITIES ACT PLAN DISAPPROVAL

#### Plan Disapprovals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as amended, 35 P.S. § 750.5.

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

##### Plan Location:

Borough or Township	Borough or Township Address	County
East Lampeter Township	2250 Old Philadelphia Pike Lancaster, PA 17602	Lancaster County

*Plan Description:* The request for planning exemption for the Zook Esh Yoder Phase 2 Subdivision (DEP Code No. A3-36929-429-3E; APS ID No. 1013621) has been disapproved. The proposed development—to be located at 40° 03' 27.48" N, 76° 14' 27.19" W—consists of the construction of a teaching facility for Thaddeus Stevens College of Technology in addition to residential units and a warehouse facility. This request for planning exemption has been disapproved because it does not qualify as an exemption from sewage facilities planning for new land development, as the subdivision proposes the connection to or an extension of public sewers where the existing collection, conveyance or treatment facilities are not in compliance with the Pennsylvania Clean Streams Law (CSL) and the rules and regulations thereunder as per Chapter 71, Section 71.51(b)(2)(i).

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 2

**The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).**

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in

environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Southeast Region: Environmental Cleanup & Brownfields Program Manager, 2 East Main Street, Norristown, PA 19401.*

**1919 Cottman Avenue**, 1919 Cottman Avenue, City of Philadelphia, **Philadelphia County**. Natalie Griffith, REPSG, Inc., 6901 Kingsessing Avenue, Philadelphia, PA 19152 on behalf of Jeff Brown, PATH, Inc., 8220 Castor Avenue, Philadelphia, PA 19152 submitted a Final Report concerning remediation of site soil contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

**2400 West Darby Road**, 2400 West Darby Road, Haverford Township, **Delaware County**. Gilbert J. Marshall, Marshall Geoscience, Inc., 170 1st Avenue, Collegeville, PA 19426 on behalf of Robert E. Brotzman II, Trustee Blackwater Falls Trust, 1540 Collingswood Avenue, Marco Island, FL 34145-5835 submitted a Final Report concerning remediation of site soil and groundwater contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

**White Clay Creek Preserve**, 350 Glen Road, London Britain Township, **Chester County**. Michael Sarcinello, Aquaterra Technologies, Inc., 122 S. Church Street, West Chester, PA 19382 on behalf of Phillip Schmidt, White Clay Creek Preserve, 1023 Sycamore Mills Road, Media, PA 19063 submitted a Final Report concerning remediation of site soil and groundwater contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

**Brooks Residence**, 3016 Antler Drive, Buckingham Township, **Bucks County**. Jason Charles, Environmental Maintenance Company, 1420 East Mermaid Lane, Glenside, PA 19038 on behalf of Thomas Brooks, 3016 Antler Drive, Doylestown, PA 18902 submitted a Final Report concerning remediation of site soil contaminated



with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

**Hatfield Auto Auction**, 2280 Bethlehem Pike, Hatfield Township, **Montgomery County**. Scott Bisbort, Ransom Environmental, 2127 Hamilton Avenue, Hamilton, NJ 08619 on behalf of Louis Stern, Hatfield Auto Auction Realty, LP, 608 Route 3033, Blauvelt, NY 10913 submitted a Final Report concerning remediation of site soil contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

**Logan Pointe Redevelopment Area**, SE Corner of North 11th Street and West Loudon Street, City of Philadelphia, **Philadelphia County**. Jeffrey A. Smith, P.G., Langan Engineering and Environmental Services, Inc., 1818 Market Street, Suite 3300, Philadelphia, PA 19103 on behalf of Liz Gabor, Logan West Associates, L.P., c/o The Goldenberg Group, 630 Sentry Parkway, Suite 300, Blue Bell, PA 19422 submitted a Baseline Remedial Investigation Work Plan concerning remediation of site soil contaminated with lead and arsenic. The report is intended to document remediation of the site pursuant to the Special Industrial Area provision of Act 2.

**Pennhurst State School**, 1205 Commonwealth Drive, East Vincent Township, **Chester County**. Jennifer Poole, Pennoni, 1900 Market Street, Suite 300, Philadelphia, PA 19103 on behalf of Derek Strine, 1207 Delaware Avenue, Wilmington, DE 19806 submitted a Final Report concerning remediation of site soil and groundwater contaminated with chlorinated solvents. The report is intended to document remediation of the site to meet the Statewide Health Standard.

**Constitution Square, LLC**, 108 East Walnut Street, Perkasio Borough, **Bucks County**. Sean M. Damon, PG, Langan Engineering & Environmental Services, P.O. Box 1569, Doylestown, PA 18901 on behalf of James W. Moulton, Constitution Square, LLC, 402 Swedesford Road, North Wales, PA 19454 submitted a Final Report concerning remediation of site soil and groundwater contaminated with inorganics. The report is intended to document remediation of the site to meet the Site-Specific Standard.

**Fireworks Leasing, LLC**, 1901-17 and 1919 Chichester Avenue, Upper Chichester Township, **Delaware County**. Stephen D. Brower, Environmental Standards, Inc., 1140 Valley Forge Road, P.O. Box 810, Valley Forge, PA 19482 on behalf of Jason Marietta, Fireworks Leasing, LLC, 1500 East 27th Terrace, Pittsburg, KS, 66792 submitted a Remedial Investigation Report/Cleanup Plan/Final Report concerning remediation of soil and groundwater contaminated with gasoline, diesel and heating oil. The report is intended to document remediation of the site to meet the Site-Specific Standard.

*Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

**Pen Fern Oil Bulk Plant**, 1297 Lower Demunds Road, Dallas Township, **Luzerne County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Pen Fern Oil Company, 1 Sterling Avenue, Dallas, PA 18612, submitted a Final Report concerning remediation of groundwater contaminated by a release of heating oil. The report is intended to document remediation of the site to meet Non-residential Statewide Health Standards.

*Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**Former Knarr Residence**, 2472 Wilson Street, Reading, PA 19605, Bern Township, **Berks County**. Crawford Environmental Services, 20 Cardinal Drive, Birdsboro, PA 19508, on behalf of June Lerch, 940 Franklin Street, Wyomissing, PA 19610, and Nolan and Samantha Katkowski, 2472 Wilson Street, Reading, PA 19605 submitted a Final Report concerning remediation of site soil contaminated with No. 2 fuel oil. The Final Report is intended to document remediation of the site to meet the Residential Statewide Health Standard.

**Zimmerman Diesel Spill Parcel # 4-8-88 (Area 1), and Parcel # 4-8-12 (Area 2)**, 190 East Industrial Drive, Mifflintown, PA 17059, Fermanagh Township, **Juniata County**. Taylor GeoServices, Inc., 38 Bishop Hollow Road, Newtown Square, PA 19073, on behalf of Zimmerman Truck Lines, LLC, 190 East Industrial Drive, Mifflintown, PA 17059, Juniata Business and Industry, 287 East Industrial Drive, Mifflintown, PA 17059, Leidy Partners, LP, P.O. Box 186, Mifflintown, PA 17059, and Lewis Environmental, 144 Reno Street, New Cumberland, PA 17070 submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The Final Report is intended to document remediation of the site to meet the Residential Statewide Health Standard.

*Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701, Telephone number: 570-327-3636.*

*Contact: Lisa Hensel, Clerk Typist II, 570-327-3653.*

**809 Decatur Street**, Philipsburg No 2 Fuel Oil Release, Decatur Township, **Clearfield County**. Crawford Environmental Services, LLC, 20 Cardinal Drive, Birdsboro, PA 19508 on behalf of Mr. Floyd Martin, Jr., and Ms. Karen Martin, 809 Decatur Street, Philipsburg, PA 16866, has submitted a Final Report concerning site soil contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Residential Statewide Health Standard.

**Gwaan Trucking Cleanup**, US Route 15 S, South of Cogan House Exit, Lewis Township, **Lycoming County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857 on behalf of Gwaan Trucking LLC, 28 Oakland Street, Irvington, NJ 07111, has submitted a Final Report concerning site soil contaminated with diesel fuel, motor oil and antifreeze. The report is intended to document remediation of the site to meet the Non-residential Statewide Health Standard.

**DDA Logistics Cleanup**, Interstate 80 at MM 202.5 W, New Columbia, White Deer Township, **Union County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857 on behalf of DDA Logistics, Inc., 11 Navigator Road, Londonderry, NH 03053, has submitted a Final Report concerning site soil contaminated with motor oil and antifreeze. The report is intended to document remediation of the site to meet the Non-residential Statewide Health Standard.

**NV Transport Inc. Cleanup**, Interstate 80 at MM 202.5 W, New Columbia, White Deer Township, **Union County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857 on behalf of NV Transport, Inc., 2021 NW Sundial Road, Troutdale, OR 97060, has submitted a Final Report concerning site soil contaminated with diesel fuel, motor oil and antifreeze. The report is intended to document remediation of the site to meet the Non-residential Statewide Health Standard.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995  
PREAMBLE 3

---

**The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).**

---

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department Regional Office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.*

**Nabisco**, 12000 Roosevelt Boulevard, City of Philadelphia, **Philadelphia County**. Richard Lake, Geo-Technology Associates, Inc., 14 World's Fair Drive, Somerset, NJ 08873 on behalf of Michael Cooley, Provco Good MCB Byberry, LP, 795 East Lancaster Avenue, Suite 200, Villanova, PA 19085 submitted a Final Report concerning

the remediation of site soil and groundwater contaminated with arsenic and PAHs. The Final Report demonstrated attainment of the non-residential site-specific standard and was approved by the Department on March 4, 2020.

**1797 South Sproul Road**, 1797 South Sproul Road, Marple Township, **Delaware County**. Richard S. Werner, PG, Environmental Consulting, Inc., 2002 Renaissance Boulevard, Suite 110, King of Prussia, PA 19406 on behalf of Peter Miller, Sproul Road Developers, LLC, 100 Front Street, Suite 560, West Conshohocken, PA 19428 submitted a Remedial Investigation Report/Cleanup Plan concerning the remediation of site soil and groundwater contaminated with metals. The Report was approved by the Department on March 5, 2020.

**PennDOT Doylestown Maintenance Facility**, 229 North Broad Street, Doylestown Borough, **Bucks County**. Toby Kessler, Gilmore & Associates, Inc., 65 East Butler Avenue, Suite 100, New Britain, PA 18901 on behalf of Phil Ehlinger, Doylestown Borough, 2052 Lucon Road, Skippack, PA 19474 submitted a Remedial Investigation Report/Cleanup Plan concerning the remediation of site soil contaminated with cadmium, chromium, arsenic, beryllium and benzo(a)pyrene. The Report was approved by the Department on March 3, 2020.

**Edgar Residence**, 16 Winding Lane, Lower Southampton Township, **Bucks County**. Richard D. Trimpi, Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18703 on behalf of Andrea Gluch, State Farm Insurance, P.O. Box 106160, Atlanta, GA 30348-6169 submitted a Final Report concerning the remediation of site soil and groundwater contaminated with petroleum. The Final Report demonstrated attainment of the residential Statewide health standard and was approved by the Department on March 4, 2020.

**311 South Broad Street**, 311 South Broad Street, City of Philadelphia, **Philadelphia County**. Jennifer Poole, PG, Pennoni, 1900 Market Street, Suite 300, Philadelphia, PA 19103 on behalf of Mark Forman, Broad and Spruce Associates, 311-313 South Broad Street, Philadelphia, PA 19103 submitted a Final Report concerning the remediation of site soil contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the residential Statewide health standard and was approved by the Department on March 6, 2020.

**1322 Brandywine Creek Road**, 1322 Brandywine Creek Road, Newlin Township, **Chester County**. Stephen Huxta, PG, Brickhouse Environmental, 51 South Franklin Street, West Chester, PA 19382 on behalf of Joan McIvaine, 3403 Midvale Avenue, Philadelphia, PA 19129 submitted a Final Report concerning the remediation of site soil contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the Statewide health standard and was approved by the Department on March 5, 2020.

*Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

**NPS-Cliff Park Superintendent's House**, 155 Cliff Park Road, Milford, PA 18337, Dingman Township, **Pike County**. Comstock Environmental Services, 806 Fayette Street, Conshohocken, PA 19428, on behalf of the National Park Service, 1978 River Road, Bushkill, PA 18324, submitted a Final Report concerning remediation of soil contaminated by a release of heating oil from an underground storage tank. The report documented remediation of the site to meet Statewide Health Standards and was approved by DEP on April 8, 2020.



**Scheuermann Property**, 125 Washington Drive, Hawley, PA 18428, Porter Township, **Pike County**. Mobile Environmental Analytical, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of John Scheuermann, 125 Washington Drive, Hawley, PA 18428, submitted a Final Report concerning remediation of soil contaminated by a release of heating oil from an underground storage tank. The report documented remediation of the site to meet Statewide Health Standards and was approved by DEP on April 13, 2020.

**5018 Old Timber Road**, 5018 Old Timber Road, Stroudsburg, PA 18360, Hamilton Township, **Monroe County**. Mobile Environmental Analytical, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Cresson Point Properties LLC, P.O. Box 53, Ashfield, PA 18212, submitted a Final Report concerning remediation of soil contaminated by a release of kerosene from an aboveground storage tank. The report documented remediation of the site to meet Statewide Health Standards and was approved by DEP on April 13, 2020.

**DTE Susquehanna Gathering WC 41 to WC 57/43**, Gaylord Road, Susquehanna, PA 18847, Jackson Township, **Susquehanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801, on behalf of SWN Production Company LLC, 1000 Energy Drive, Spring, TX 77389, submitted a Final Report concerning remediation of soil contaminated by a release of brine from a leaking valve along part of a buried pipeline. The report documented remediation of the site to meet Statewide Health Standards and was approved by DEP on April 14, 2020.

**Sandvik Materials Technology/Sandvik Steel**, 982 Griffin Pond Road, Clarks Summit, PA 18411, Scott Township, **Lackawanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801, on behalf of Holcombe Energy Resource LLC, 1 Kim Avenue, Suite 5, Tunkhannock, PA 18657, submitted a Final Report concerning remediation of soil contaminated by a release of diesel from an aboveground storage tank. The report documented remediation of the site to meet Statewide Health Standards and was approved by DEP on April 14, 2020.

*Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**David Golberg Residence**, 404 Blacklatch Lane, Camp Hill, PA 17011, Lower Allen Township, **Cumberland County**. Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073, on behalf of David Golberg, 404 Blacklatch Lane, Camp Hill, PA 17011, and Erie Insurance, 100 Erie Insurance Place, Erie, PA 16530, submitted a Final Report concerning remediation of site soil contaminated with # 2 fuel oil. The Final Report demonstrated attainment of the Residential Statewide Health Standard and was approved by the Department on April 6, 2020.

**Former Exxon Mobil Oil Company-Mt. Union Terminal # 37-058**, 15534 Croghan Pike (SR 522), Mt. Union, PA 17260, Shirley Township, **Huntingdon County**. Kleinfelder, 1745 Dorsey Road, Ste J, Hanover, MD 21076, on behalf of ExxonMobil Environmental & Property Solutions Company, 38 Varick Street, Brooklyn, NY 11222, submitted a Final Report concerning remediation of site soil and groundwater contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on March 16, 2020.

*Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701, Telephone number: 570-327-3636.*

*Contact: Lisa Hensel, Clerk Typist II, 570-327-3653.*

**Ryder Truck Rental Cleanup**, Interstate 80 at MM 202.5 W, New Columbia, White Deer Township, **Union County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of Ryder Truck Rental, 11690 NW 105 St 1E, Miami, FL 33178, has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel, motor oil & antifreeze. The report demonstrated attainment of Non-Residential Statewide Health Standard for soil and was approved by the Department on April 2, 2020.

**Dilullo Transport, Inc. Cleanup**, Interstate 80 at MM 202.5 W, New Columbia, White Deer Township, **Union County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of Dilullo Transport, Inc., 349 Dubois Street, Dubois, PA 15801, has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel, motor oil and antifreeze. The report demonstrated attainment of the Non-Residential Statewide Health Standard and was approved by the Department on April 8, 2020.

#### OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

**Permit(s) Renewed Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.**

*Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**Permit No. 300635 The permit for Carpenter Technology Corporation Captive Slag and Refractory Residual Waste Landfill**, 101 West Bern Street, Reading, PA 19605, which expires on April 9, 2020, was renewed on April 7, 2020 and is extended until April 7, 2023 for Solid Waste Permit No. 300635, for the operation of the Carpenter Technology Corporation Captive Slag and Refractory Residual Waste Landfill in accordance with Article V of the Solid Waste Management Act, 35 P.S. §§ 6018.101, et seq.

#### AIR QUALITY

**General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.*

*Contact: Muhammad Q. Zaman, Program Manager, (570) 327-3648.*

**GP9-53-011B: UPMC Susquehanna** (1001 E. 2nd St., Coudersport, PA 16915) on April 9, 2020 for the continued operation of a 2,328 bhp Kohler 1500REOZDD diesel-fired emergency generator engine pursuant to the General Plan Approval and/or General Operating Permit for Diesel or No. 2 Fuel-fired Internal Combustion Engines (BAQ-GPA/GP-9) at the UPMC Cole Hospital in Eulalia Township, **Potter County**.

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.*

**GP1-09-0112: St. Mary Medical Center** (1201 Langhorne Newtown Road, Langhorne, PA 19047) on April 13th for installation and operation of a Burnham Boiler—29.9 MMBtu/hr in Middletown Township, **Bucks County**.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**GP14-28-03071: Agett-Lakjer Funeral Home & Crematory, Inc.** (16715 Path Valley Road, Spring Run, PA 17262) on April 9, 2020, for a new human crematory unit at the facility located in Fannett Township, **Franklin County**.

---

**Plan Approvals Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.**

---

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

*Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2531.*

**48-00031D: Georgia-Pacific Consumer Operations LLC** (605 Kuebler Road, Easton, PA 18040-9281) issued on April 13, 2020 for the installation of new cup forming machines at the facility located in Forks Township, **Northampton County**.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**36-05146D: EPP Renewable Energy, LLC** (3049 River Road, Conestoga, PA 17516) on April 8, 2020, for the recommissioning of the Source ID # 201 landfill gas-fired engine at the EPP Renewable Energy LLC landfill gas-to-energy plant at the Frey Farm Creswell Landfill located in Manor Township, **Lancaster County**.

*Philadelphia: Air Management Services, 321 University Avenue, Philadelphia, PA 19104-4543, Contact: Edward Wiener, Chief of Source Registration at 215-685-9426.*

The City of Philadelphia, Air Management Services (AMS) issued on March 19, 2020 a Plan Approval for installation of air pollution sources at the following facility:

**IP19-000722: Syrena Auto Body** (6201 Oxford Avenue, Philadelphia, PA 19111) for the installation of air emission sources at an auto body shop, in the City of Philadelphia, **Philadelphia County**. The air emission sources that are part of the Plan Approval are three (3) spray booths used for painting new and repaired auto parts, and each with a natural gas-fired burner rated 940,000 BTU/hr. The potential emission from the installation is 3.93 tons per year (tpy) of Volatile Organic Compound (VOC). The plan approval contains operating,

monitoring, and recordkeeping requirements to ensure operation within all applicable requirements.

**AMS Plan Approval No. IP19-000482: D'Angelo Bros., Inc.** (3700 South 26th Street, Philadelphia, PA 19145) issued on 4/13/2020 for the installation of one 325 horsepower diesel-fired emergency generator powering a 100 ton-per-hour portable concrete crushing plant with water spray dust control system at their facility in the City of Philadelphia, **Philadelphia County**. Nitrogen Oxides (NO<sub>x</sub>) have potential emissions of 2.7 tons per year. Carbon Monoxide (CO) has potential emissions of 2.3 tons per year. Particulate Matter (PM) has a potential emissions of 0.375 ton per year, and Particulate Matter 10 micrometers or less in diameter (PM<sub>10</sub>) has a potential emissions of 0.15 ton per year. The plan approval will contain operating, monitoring, and recordkeeping requirements to ensure operation within all applicable requirements.

---

**Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.**

---

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.*

*Contact: Muhammad Q. Zaman, Program Manager, (570) 327-3648.*

**18-00011L: Croda, Inc.** (8 Croda Way, Mill Hall, PA 17751) on March 24, 2020, to extend the authorization to operate the sources pursuant to the plan approval an additional 180 days from March 25, 2020 to September 21, 2020, at their Mill Hall Facility located in Bald Eagle Township, **Clinton County**. The plan approval has been extended.

**60-00024A: GAF Keystone, LLC** (2093 Old Route 15, New Columbia, PA 17856) on April 9, 2020, to extend the plan approval expiration date to October 14, 2020 to allow continued operation of several plastic roofing materials manufacturing lines at its facility in White Deer Township, **Union County**.

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.*

**23-0123: AeroAggregates LLC** (1500 Chester Pike, Eddystone, PA 19022-1338) on April 9, 2020 for the operation of an existing natural gas-fired glass foaming tunnel kiln, an existing natural gas-fired, fluidized bed dryer and the installation of two (2) new natural gas-fired glass foaming tunnel kilns in Eddystone Borough, **Delaware County**.

**23-0066D: Pyropure Inc. dba Pyromet/Aston** (5 Commerce Drive, Aston, PA 19014) on April 9, 2010 for the installation of a Silver Recovery Furnace with a baghouse as a control device, and a Nitric Acid Digestion System with a scrubber as a control device in Chester Township, **Delaware County**.

**09-0197A: Hiossen Inc.** (85 Ben Fairless Drive, Fairless Hills, PA 19030-5012) on April 9, 2020 for the installation of an acid etching machine using hydrochloric, sulfuric, and hydrofluoric acids, with two (2) Balestri Technologies SRL counter-current packed towers (in parallel) and having a co-current spray column to control and neutralize the acid fumes in Falls Township, **Bucks County**.



**46-0027E: Janssen Research & Development LLC** (1400 McKean Road, Spring House, PA 19477) on April 13, 2020 the installation and temporary operation of two natural gas (primary fuel) and No. 2 fuel oil (auxiliary fuel) fired boilers, each rated at 21 MMBtu/hr heat input in Lower Gwynedd Township, **Montgomery County**.

**23-0003AD: Monroe Energy LLC** (4101 Post Road, Trainer, PA 19061-5052) on April 13, 2020 for the installation a new, 2-bay, LPG Truck Loading Rack and associated piping components for Trainer Borough, **Delaware County**.

---

**Title V Operating Permits Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.**

---

*Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Thomas Joseph, Facilities Permitting Chief, 412.442.4336.*

**04-00033: NOVA Chemicals Inc.** (400 Frankfort Road, Monaca, PA 15061-2298). In accordance with 25 Pa. Code §§ 127.424, 127.425 and 127.521, the Department of Environmental Protection (DEP) is providing notice that it has issued a renewal Title V Operating Permit (TV-04-00033) to NOVA Chemicals Inc. to authorize continued operation of the thermoplastic resins, expandable polystyrene (EPS) resins, and ARCEL(R) advance foam resin manufacturing facility known as the Beaver Valley Plant located in Potter Township, **Beaver County**.

Air emission sources at this facility include raw material storage tanks, production areas that include raw material mixing and charging, reactors equipped with condensers, wash kettles, centrifuges, dryers, extrusion lines, railcar unloading, storage, packaging, twelve (12) natural gas-fired boilers, five space heating furnaces, wastewater treatment, fugitive emissions, and an emergency generator engine. Control devices at this facility include scrubbers, filters, dust collectors and baghouses, condensers, and thermal oxidizers.

The emission restrictions and testing, monitoring, recordkeeping, reporting and work practice conditions of the TVOP have been derived from the applicable requirements of 40 CFR Parts 60, 61, 63, and 70, and 25 Pa. Code Article III, Chapters 121—145. The Title V Operating Permit was issued final on April 2, 2020.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6940.*

**16-00128: County Landfill, Inc.** (344 Walley Run Dr, Leeper, PA 16233-4128). On March 16, 2020, the Department issued the renewal Title V Operating Permit for the municipal solid waste (MSW) landfill located in Farmington Township, **Clarion County**. The facility ceased accepting waste in May of 2008. The facility's primary emission sources include the landfill and a 237-hp diesel-fueled emergency power generator. The landfill gas generated is controlled and destroyed by an enclosed flare. With a design capacity exceeding 2.5 million megagrams or 2.5 million cubic meters, the facility is Title V due to rulemaking. The potential emissions of the primary pollutants from the facility are less than major thresholds, however. The facility is subject to 40 CFR 63 Subpart AAAA, NESHAP for MSW Landfills and 40 CFR 60 Subpart WWW, Standards of Performance for MSW Landfills. Expected to be promul-

gated within the permitting cycle, 40 CFR 60 Subpart Cf, which pertains to Emission Guidelines and Compliance Times for MSW Landfills applicable to MSW landfills constructed, reconstructed, or modified on or before July 17, 2014, is incorporated into the renewal permit. The emergency generator is subject to 40 CFR 60 Subpart IIII, Standards of Performance for Stationary Compression Ignition Internal Combustion Engines. The renewal permit will contain emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

---

**Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.**

---

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**67-05144: DLA Installation Management at Susquehanna** (S. Avenue and 3rd Street, Bldg. 750, New Cumberland, PA 17070) on April 10, 2020, for the military support facility located in Fairview Township, **York County**.

**36-03137: New Enterprise Stone & Lime Co., Inc.** (3580 Division Highway, East Earl, PA 17519-9217) on April 8, 2020, for the stone crushing operations at the Burkholder Quarry located in Earl Township, **Lancaster County**. The State-only permit was renewed.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6940.*

**32-00424: Rosebud Mining Company Brush Valley Plant** (301 Market Street, Kittanning, PA 16201). On April 10, 2020, the Department issued a renewal of the State Only Operating Permit for operating of a coal preparation plant located in Center Township, **Indiana County**. The subject facility consists of a raw coal mine belt, a raw coal radial stacker, a double deck screen, a fine coal radial stacker, middling and oversize coal belts, numerous storage piles, propane heater and three emergency generators. Emissions from the facility are based on the coal throughput limit of 1,000,000 tpy, 500 hours for each emergency generator, and AP-42 emission factors. The facility has the potential to emit 66.94 TPY PM, 9.44 TPY NO<sub>x</sub>, 3.28 TPY NO<sub>x</sub> + HC, 3.27 TPY CO, 3.27 TPY SO<sub>x</sub>, and 1.22 TPY VOC. The facility is a natural minor and is subject to State and Federal Regulations (40 CFR Part 60 Subpart Y and IIII). The renewal permit includes operation requirements, monitoring requirements, and recordkeeping requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

**32-00433: Sunoco Pipeline L.P. Blairsville Station** (1912 Route 22 Highway West, Blairsville, PA 15717). On April 6, 2020, the Department issued the State Only Operating Permit renewal for operating to transport liquid butane, propane, and ethane are part of the Mariner East Pipeline located in Burrell Township, **Indiana County**. The subject facility consists of an electric pump and enclosed flare. Emissions from the facility are

based on the operation of the flare, fugitive emissions from leaks, and maintenance operations. The facility has the potential to emit 0.74 tpy VOC, 0.24 tpy CO, 0.06 tpy NO<sub>x</sub>, 107.60 tpy CO<sub>2</sub> and less than 0.01 tpy for all other criteria pollutants. The facility is a natural minor and is subject to State Regulations. The renewal permit includes operation requirements, monitoring requirements, and recordkeeping requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

**32-00434: Sunoco Pipeline L.P. Cramer Station** (2207 Grange Hall Road, Seward, PA 15954). On April 6, 2020 the Department issued the State Only Operating Permit renewal for operating to transport liquid butane, propane, and ethane are part of the Mariner East Pipeline located in East Wheatfield Township, **Indiana County**. The subject facility consists of an electric pump and enclosed flare. Emissions from the facility are based on the operation of the flare, fugitive emissions from leaks, and maintenance operations. The facility has the potential to emit 0.74 tpy VOC, 0.24 tpy CO, 0.06 tpy NO<sub>x</sub>, 107.60 tpy CO<sub>2</sub>e and less than 0.01 tpy for all other criteria pollutants. The facility is a natural minor and is subject to State Regulations. The renewal permit includes operation requirements, monitoring requirements, and recordkeeping requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

**Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001–4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.**

*Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Thomas Joseph, Facilities Permitting Chief, 412.442.4336.*

**04-00443: Evoqua Water Technologies, LLC** (118 Park Road, Darlington, PA 16115). Administrative Amendment, on April 10, 2020, the Department amended the Evoqua Water Technologies, LLC's Darlington plant's State-Only Operating Permit for a change in the responsible official. The facility recycles hazardous and non-hazardous spent sorbents for reuse, predominantly activated carbon. The facility is located in Darlington Township, **Beaver County**.

**56-00298: Garrett Limestone Co., Inc.** (17592 Rte. 322, Strattonville, PA 16258). Administrative Amendment, on April 10, 2020, the Department amended the facility's State-Only Operating Permit for a change in permit contact, responsible official, and updated the corporate mailing address. The company operates a non-metallic mineral processing plant located in Summit Township, **Somerset County**.

**04-00061: Nalco Production, LLC** (125 Nalco Way, Ellwood City, PA 16117). Administrative Amendment, issued on April 13, 2020, for a change of ownership from ONDEO Nalco Energy SVC to Nalco Production, LLC due to corporate restructuring. The Nalco Production, LLC's Ellwood City plants are located in Franklin Township, **Beaver County**.

*Philadelphia: Air Management Services, 321 University Avenue, Philadelphia, PA 19104-4543, Contact: Edward Wiener, Chief of Source Registration at 215-685-9426.*

The City of Philadelphia, Air Management Services (AMS) issued on April 6, 2020 a modification for a Minor State Only Operating Permit for the following facility:

**OP19-000019: Catalent Pharma Solutions** (10381 Decatur Road, Philadelphia, PA 19154) for the operation of a clinical supply services facility in the City of Philadelphia, **Philadelphia County**. The facility's air emissions sources include six (6) 0.3 MMBtu/hr natural gas warm air furnaces, two (2) 0.35 MMBtu/hr natural gas warm air furnaces, one (1) 0.8 MMBTU/hr natural gas warm air furnace, one (1) 285 kW diesel-fired Emergency Generator, one (1) 568 kW diesel-fired Emergency Generator, and one (1) 1,165 kW diesel-fired Emergency Generator.

**OP19-000028: Lannett Company, Inc.** (9000 State Rd/9001 Torresdale Ave, Philadelphia, PA 19136) for the operation of a pharmaceutical manufacturing facility in the City of Philadelphia, **Philadelphia County**. The facility's air emissions sources include two (2) 4.2 MMBtu/hr natural gas boilers, one 0.285 MMBtu/hr hot water heater, six (6) 0.27 MMBtu/hr natural gas air handling units, three (3) 0.39 MMBtu/hr natural gas air handling units, one (1) 0.78 MMBtu/hr natural gas air handling unit, one (1) 0.54 MMBtu/hr natural gas air handling unit, one (1) 391 kW Emergency Generator, one (1) 97 kW Emergency Generator, eight (8) Dust Collectors, IPA process to clean equipment, and two (2) Lab Hoods.

## ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1–1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301–3326); the Clean Streams Law (35 P.S. §§ 691.1–691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51–30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1–1406.21). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001–4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1–693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101–6018.1003).

### Coal Permit Issued

*New Stanton District Office: P.O. Box 133, New Stanton, PA 15672, 724-925-5500, (Contact: Tracy Norbert).*

**Contract No. 26-16-03 and NPDES Permit No. PA0278416. Fayette Coal and Coke, Inc.**, 195 Enterprise Lane, Connellsville, PA 15425. Government Financed Construction Contract issued for reclamation of approximately 22.50 acres of abandoned mine lands located in Franklin Township, **Fayette County**. Receiving Streams: Bolden Run. Application received: September 30, 2019. Contract issued: April 9, 2020.

**65120103 and NPDES Permit No. PA0252336. Coal Loaders, Inc.**, 210 East Main Street, P.O. Box 556, Ligonier, PA 15658. Renewal application for reclamation only of an existing bituminous surface mine located in Fairfield and Ligonier Townships, **Westmoreland County**, affecting 107.7 acres. Receiving stream(s): Unnamed tributaries to Hannah's Run and unnamed tributaries to Hypocrite Creek. Application received: October 18, 2019. Permit issued: April 9, 2020.



**30080201 and NPDES Permit No. PA0251470. Shannopin Materials, LLC**, 103 Corporate Drive, Suite 102, Morgantown, WV 26501. Renewal application for continued mining to an existing bituminous surface mine located in Monongahela Township, **Greene County**, affecting 19.6 acres. Receiving stream(s): Monongahela River. Application received: March 18, 2019. Permit issued: April 9, 2020.

*Noncoal Permits Issued*

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118, (Contact: Theresa Reilly-Flannery).*

**Permit No. PAM119021, Matthew E. Noldy** (6796 SR 267, Meshoppen, PA 18630), coverage under the General NPDES Stormwater Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 58190806 in Rush Township, **Susquehanna County**, receiving stream: Elk Lake. Application received: September 27, 2019. Permit issued: April 10, 2020.

**ACTIONS ON BLASTING ACTIVITY APPLICATIONS**

**Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.**

*Blasting Permits Issued*

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118, (Contact: Theresa Reilly-Flannery).*

**Permit No. 46204103. Maine Drilling & Blasting, Inc.** (P.O. Box 1140, Gardiner, ME 04345), construction blasting for Lower Merion Villanova in Lower Merion Township, **Montgomery County** with an expiration date of March 19, 2021. Permit issued: March 31, 2020.

**Permit No. 09204102. Rock Work, Inc.** (1257 DeKalb Pike, Blue Bell, PA 19422), construction blasting for Arbour Square in Doylestown Township, **Bucks County** with an expiration date of April 1, 2021. Permit issued: April 9, 2020.

**FEDERAL WATER POLLUTION CONTROL ACT SECTION 401**

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Any person aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. Section 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg,

PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board (717) 787-3483 for more information.

**WATER OBSTRUCTIONS AND ENCROACHMENTS**

**Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.**

*Southeast Region: Waterways and Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401.*

**Permit No. E15-914, Columbia Gas Transmission, LLC**, 1700 MacCorkle Avenue SE, Charleston, WV 25325, Wallace and Nantmeal Townships, **Chester County**, ACOE Philadelphia District.

To install 1,700 feet and 3,400 feet of linear anodes along the existing natural gas pipeline using the method of open trench and is associated with the Line 1804 Turnpike Linear Anode Project. There is a total of three (3) wetland and two (2) stream crossings which include the following:

1. To install and maintain 547 feet of anode within wetland 1 (PEM) resulting in 547 square feet (0.013 acre) of permanent impact and 22,601 square feet (0.519 acre) of temporary wetland impacts. (USGS PA Downingtown; Wagontown Quadrangle—Latitude 40.099137, Longitude 75.756514 W).

2. To install and maintain 5 feet of anode within wetland 2 (PEM) resulting in 5 square feet (0.0001) of permanent wetland impact and 231 square feet (0.005 acre) of temporary wetland impact due to the placement of timber matting for construction. (USGS PA Downingtown; Wagontown Quadrangle—Latitude 40.099510, Longitude 75.751624 W).

3. To install and maintain linear anode adjacent to wetland 3 (PEM) resulting in 1,173 square feet (0.027 acre) of temporary wetland impact due to the placement of timber matting for construction. (USGS PA Downingtown; Wagontown Quadrangle—Latitude 40.40.100740, Longitude 75.750084 W).

4. To construct and maintain a temporary bridge structure over Water 1 (Unnamed tributary to Marsh Creek, HQ-TSF, MF) to facilitate the installation and maintenance of 7 linear feet of anode resulting in 7 linear feet

(7 square feet) of permanent watercourse impact, 217 square feet of permanent floodway impact, 136 linear feet (688 square feet) of temporary watercourse impact and 10,149 square feet of temporary floodway impact. This activity also includes the installation of impervious trench plugs. (USGS PA Downingtown; Wagontown Quadrangle—Latitude 40.099510, Longitude 75.751624 W).

5. To construct and maintain a temporary bridge structure over Water 2 (Unnamed tributary to Marsh Creek, HQ-TSF, MF) to facilitate the installation and maintenance of 7 linear feet of anode resulting in 7 linear feet (7 square feet) of permanent watercourse impact, 136 square feet of permanent floodway impact, 49 linear feet (91 square feet) of temporary watercourse impact and 5,905 square feet of temporary floodway impact. This activity also includes the installation of impervious trench plugs. (USGS PA Downingtown; Wagontown Quadrangle—Latitude 40.099069, Longitude 75.55493 W).

Project work areas are located within existing pipeline right-of-way at both the east side and west side of I-76 in Wallace and Nantmeal Townships, Chester County. Permit issued April 9, 2020.

**Permit No. E5101220-002, Philadelphia Water Department**, 1101 Market Street, Philadelphia, PA 19107, City of Philadelphia, **Philadelphia County**, ACOE Philadelphia District.

To replace an 8-foot by 7-foot box sewer and outfall. In its place, the Philadelphia Water Department will construct and maintain an 8-foot by 12-foot box sewer within the 100-year floodplain and outfall constructed on piles on the bank of the Delaware River (WWF-MF) resulting in 30 linear feet (45 square feet) of permanent watercourse impact, 40 linear feet (600 square feet) of temporary watercourse impact, 2,100 square feet of permanent floodway impact, and 600 square feet of temporary floodway impact. This project is located at Columbus Crossing Shopping Center in Philadelphia (USGS PA Philadelphia Quadrangle—Latitude 39.924388 N, Longitude 75.141221 W). Permit issued April 9, 2020.

**Permit No. E09-1036, Pennsylvania Department of Transportation**, Engineering District 6-0, 7000 Geerdes Boulevard, King of Prussia, PA 19406, Bensalem and Middletown Townships, **Bucks County**, ACOE Philadelphia District.

To perform the following water obstruction and encroachment activities within an unnamed tributary to Neshaminy Creek (WWF-MF) as well as the main branch of Neshaminy Creek (WWF-MF) associated with the S.R. 0001 Section RC2 Improvement Project:

1. To construct and maintain a 95-foot-long, 42-inch diameter RCP stream enclosure extension carrying a perennial unnamed tributary to Neshaminy Creek (WUS-19, WWF-MF). This activity is associated with the reconstruction of the Rockhill Drive Interchange including the placement of rock riprap apron and rock barriers resulting in 142 linear feet (1,412 square feet, 0.032 acre) of permanent watercourse impact and 7,284 square feet (0.167 acre) of permanent floodway impact. (USGS PA Langhorne Quadrangle—Latitude 40.137788 N, Longitude 74.959769 W).

2. To place fill within a perennial unnamed tributary to Neshaminy Creek (WUS-20, WWF-MF) in association with the reconstruction of the Rockhill Drive Interchange resulting in 84 linear feet (463 square feet, 0.011 acre) of permanent watercourse impact and 9,273 square feet (0.212 acre) of permanent floodway impact. This activity also includes the placement of rock barriers. Also included

is the overall operations and maintenance of an existing 423 linear feet 42-inch stream enclosure, 94 linear feet 48-inch culvert, and 645 linear feet 54-inch stream enclosure carrying unnamed tributaries (WUS-19 and WUS-20) to this location. (USGS PA Langhorne Quadrangle—Latitude 40.137755 N, Longitude 74.959582 W).

3. To construct and maintain a 95-foot-long, 42-inch diameter stream enclosure extension carrying a perennial unnamed tributary to Neshaminy Creek (WUS-18, WWF-MF) associated with the reconstruction of the Rockhill Drive Interchange including the placement of rock riprap apron resulting in 132 linear feet (1,336 square feet, 0.031 acre) of permanent watercourse impact and 17,854 square feet (0.410 acre) of permanent floodway impact. (USGS PA Langhorne Quadrangle—Latitude 40.138444 N, Longitude 74.959501 W).

4. The construction of the 95-foot-long, 42-inch diameter RCP stream enclosure extension (WUS-18, WWF-MF) includes the loss of hydrology to a wetland (WET-16, PEM) and will result in 1,601 square feet (0.037 acre) of permanent wetland impact. (USGS PA Langhorne Quadrangle—Latitude 40.138768 N, Longitude 74.959859 W).

5. To construct and maintain a 61-foot-long, double 42-inch diameter RCP stream enclosure extension on an existing 187 linear foot, RCP stream enclosure carrying a perennial unnamed tributary to Neshaminy Creek (WUS-15, WWF-MF), reconstruct and maintain an existing headwall, perform grading for drainage improvements including the placement of rock riprap aprons and rock barriers associated with the reconstruction of the Rockhill Drive Interchange resulting in 149 linear feet (2,923 square feet, 0.067 acre) of permanent watercourse impact, 13,229 square feet (0.304 acre) of permanent floodway impact, 256 linear feet (2,576 square feet, 0.059 acre) of temporary watercourse impact, and 12,758 square feet (0.293 acre) of temporary floodway impact. (USGS PA Langhorne Quadrangle—Latitude 40.139809 N, Longitude 74.960239 W).

6. To construct and maintain a 24-inch, 30 linear foot culvert on an existing 37 linear foot culvert carrying an intermittent unnamed tributary to Neshaminy Creek (WUS-16, WWF-MF) originating at the pipe outfall from the existing roadway slope associated with the reconstruction of the Rockhill Drive Interchange resulting in 68 linear feet (532 square feet, 0.12 acre) of permanent watercourse impact, 3,288 square feet (0.075 acre) of permanent floodway impact, 10 linear feet (78 square feet, 0.002 acre) of temporary watercourse impact, and 4,845 square feet (0.111 acre) of temporary floodway impact. This activity also includes the placement of rock riprap apron and rock barrier. (USGS PA Langhorne Quadrangle—Latitude 40.140186 N, Longitude 74.960915 W).

7. To place fill within a wetland (WET-17, PEM) associated with the reconstruction and road widening of the Rockhill Drive Interchange resulting in 1,504 square feet (0.035 acre) of permanent wetland impact. (USGS PA Langhorne Quadrangle—Latitude 40.139162 N, Longitude 74.959977 W).

8. To construct and maintain a 137-foot-long, 30-inch diameter RCP stream enclosure extension carrying a perennial unnamed tributary discharging directly to Neshaminy Creek (WUS-14, WWF-MF) associated with roadway widening of S.R. 0001, existing outfall improvements, a new 12-inch diameter outfall, and the placement of riprap rock aprons located adjacent to the northbound approach of the bridge over Neshaminy Creek. This



activity will result in 221 linear feet (2,639 square feet, 0.061 acre) of permanent watercourse impact, 184 linear feet (1,913 square feet, 0.044 acre) of temporary watercourse impact with 25,647 square feet (0.589 acre) of permanent floodway impact to a tributary of Neshaminy Creek (WUS-14) which includes the construction and maintenance of a 362 foot long retaining wall. Impacts also include 8,806 square feet (0.202 acre) of temporary impact to the floodway of WUS-14 and a portion of Neshaminy Creek (WUS-1) 100-year floodplain. (USGS PA Langhorne Quadrangle—Latitude 40.144788 N, Longitude 74.954429 W).

9. To remove an existing 322.5-foot-long, three 3-span, reinforced concrete arch bridge over the Neshaminy Creek (WUS-1, WWF-MF) and in its place, construct and maintain two (2) 3-span continuous composite prestressed concrete bulb-tee beam bridges as follows:

a) 401.5-foot-long, 3-span S.R. 0001 Section RC2 Southbound Bridge located adjacent to existing bridge location.

b) 403-foot-long, 3-span S.R. 0001 Section RC2 Northbound Bridge located at existing bridge location.

This activity will result in 200 linear feet (27,172 square feet, 0.624 acre) of permanent watercourse impact, 121,320 square feet (2.785 acres) of permanent floodway impact which includes the construction and maintenance of a 163-foot-long retaining wall and is considered an appurtenant structure of the bridge. There is 230 linear feet (53,468 square feet, 1.227 acre) of temporary watercourse impact. In addition, the placement of fill, construction of new bridges, and a stormwater facility will result in 107,750 square feet (2.474 acres) of permanent FEMA designated floodway and 100-year floodplain impact. Temporary impact to floodway and watercourse includes the construction and maintenance of three (3) temporary access roads and temporary bridges within the watercourse and floodway/floodplain of the Neshaminy Creek (WUS-1, WWF-MF) for pier removal and construction. (USGS PA Langhorne Quadrangle—Latitude 40.145645 N, Longitude 74.953942 W).

10. To place fill within a perennial unnamed tributary to Neshaminy Creek (WUS-12, WWF-MF) associated with the reconstruction of the Penndel Interchange (both sides of existing S.R. 0001) and the construction of a stormwater facility and extension of 11 linear feet, 30-inch culvert on an existing 265 linear foot, 36-inch RCP stream enclosure and additional 36 linear foot extension resulting in 83 linear feet (614 square feet, 0.014 acre) of permanent watercourse impact and 30 linear feet (358 square feet, 0.008 acre) of temporary watercourse impact with 6,412 square feet (0.147 acre) of permanent floodway impact and 1,378 square feet (0.032 acre) of temporary floodway impact. (USGS PA Langhorne Quadrangle—Latitude 40.147906 N, Longitude 74.951951 W).

11. To place fill for grading activities and construct a stormwater facility within two (2) intermittent unnamed tributaries of Neshaminy Creek (WUS-11, WUS-13, WWF-MF) and two (2) wetlands (WET-11A, WET-11B, PFO) associated with the reconstruction of the Penndel Interchange resulting in a total of 134 linear feet (664 square feet, 0.016 acre) of permanent watercourse impact, 25,643 square feet (0.588 acre) of permanent floodway impact, and 7,656 square feet (0.176 acre) of permanent wetland impact. (USGS PA Langhorne Quadrangle—Latitude 40.149784 N, Longitude 74.950388 W).

12. To construct and maintain a 36-foot-long, 48-inch diameter culvert extension carrying a perennial unnamed tributary to the Neshaminy Creek (WUS-10, WWF-MF)

due to the reconstruction of the Business Route 1 ramp resulting in 59 linear feet (652 square feet, 0.015 acre) of permanent watercourse impact, 5,395 square feet (0.124 acre) of permanent floodway impact, 18 linear feet (183 square feet, 0.004 acre) of temporary watercourse impact, and 1,980 square feet (0.045 acre) of temporary floodway impact. This activity also includes the placement of rock riprap apron. (USGS PA Langhorne Quadrangle—Latitude 40.149429 N, Longitude 74.949357 W).

13. To place fill and construct a stormwater facility within two (2) wetlands (WET-18, WET-19, PEM) located at the Business Route 1 ramp resulting in 2,255 square feet (0.052 acre) of permanent wetland impact. (USGS PA Langhorne Quadrangle—Latitude 40.150754 N, Longitude 74.947826 W).

14. To place fill associated with the placement of a construction within a wetland (WET-20, PEM) located at the Business Route 1 ramp resulting in 3,745 square feet (0.086 acre) of permanent wetland impact. (USGS PA Langhorne Quadrangle—Latitude 40.151670 N, Longitude 74.946670 W).

Overall, this project will result in a total of 1,224 linear feet (38,407 square feet, 0.882 acre) of permanent watercourse impact and 16,671 square feet (0.385 acre) of permanent wetland impact with off-site mitigation associated for both S.R. 0001 Section RC1 (DEP Permit No. E09-1012) and Section RC2 located at Bensalem High School. Mitigation efforts include the removal of a partially breached dam, the relocation/restoration of 1,482 linear feet of an unnamed tributary to Neshaminy Creek (WUS-M1, WWF-MF) and a minimum creation/restoration of 1.37 acre of floodplain wetlands. In addition, efforts include mitigation for 0.307 acre of existing wetlands impacted by proposed mitigation construction activities. This project is located between the Rockhill Drive Interchange and Penndel Interchange in Bensalem and Middletown Townships, Bucks County. (USGS PA Langhorne Quadrangle—Latitude 40.136456 N, Longitude 74.962950 W). Permit issued April 14, 2020.

**Permit E51-293, Pennsylvania Department of Transportation**, Engineering District 6-0, 7000 Geerdes Boulevard, King of Prussia, PA 19406, City of Philadelphia, **Philadelphia County**, ACOE Philadelphia District.

To remove two (2) existing 111-foot long, two span bridge structures over the former Conrail corridor and in its place, to construct and maintain roadway on fill with 64-foot cartway width and sidewalks resulting in the impact of a wetland area (PEM) with a total of 9,586 square feet (0.220 acre) of permanent direct impact and 7,747 square feet (0.178 acre) of temporary direct impact. Along with this activity, the construction and maintenance of three (3) 36-inch reinforced concrete pipes will provide hydrologic connection through the roadway fill. This project is located on Erie Avenue between North Lawrence and North 3rd Streets in Philadelphia. (USGS PA Germantown Quadrangle—Latitude 40.007173, Longitude 75.134961 W). Permit issued April 14, 2020.

*Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

*Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.*

**E4002119-010 Pa Department of Transportation**, Eng District 4-0, 55 Keystone Industrial Park, Dunmore, PA 18512, Union Township, **Luzerne County**, Army Corps of Engineers, Baltimore District.

To remove the existing structure and to construct and maintain a roadway carrying SR 4016 over Reyburn

Creek (CWF, MF) consisting of a 70.5-foot long, closed bottom, precast concrete box culvert depressed 12-inches below the existing streambed elevation having a 8-foot span and a 5-foot underclearance, fish baffles, precast concrete headwalls and rip rap aprons. Fill will be placed within the floodway of an existing tributary to Reyburn Creek (CWF, MF) due to an increase in the width of the roadway. The tributary will be realigned for approximately 147 linear feet in order to connect the watercourse to the upstream side of the new culvert. In addition, R-4 rip rap bank stabilization will be placed along the tributary to Reyburn Creek and immediately upstream and downstream of the Reyburn Creek culvert replacement.

Approximately 0.02 acre of PEM/PSS wetland will be permanently impacted due to the project. The project is located along S.R. 4016 Sect D01 Seg 0140, Off 1484 (Shickshinny Quadrangle, Latitude: 41° 13' 48.17" N; Longitude: 76° 09' 23.75" W) in Union Township, Luzerne County.

*Southcentral Region: Waterways and Wetlands Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**E2803219-006. Antrim Township Municipal Authority**, 10655 Antrim Church Road, P.O. Box 130, Greencastle, PA 17225, Antrim Township, **Franklin County**, ACOE Baltimore District.

To construct and maintain two (2) waste water aeration reactor tanks, a new headworks building, and to upgrade the two (2) existing waste water aeration reactor tanks. The proposed aeration reactor tanks are in the FEMA floodplain of the Conococheague Creek (WWF, MF) and Unnamed Tributary to Conococheague Creek (WWF, MF) for the purpose of improving the pretreatment of the incoming wastewater and to improve operational efficiency of the waste water treatment plant. The project is located in Antrim Township, Franklin County (Latitude: 39° 44' 48.2"; Longitude: -77° 47' 3.9"). No wetland impacts are proposed from construction. Permit issued March 31, 2020.

*Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636.*

**E47-099. Montour, LLC**, 18 McMichael Road, Washingtonville, PA 17885. Montour Gas Co-firing Project (Montour County), in Anthony and Derry Townships, **Montour County**, ACOE Baltimore District (Northern Terminus Lycoming County; Latitude: 41.263380; Longitude: -76.587752) (Southern Terminus Montour County; Latitude: 41.064431; Longitude: 76.669113).

Montour, LLC (Montour) is authorized to construct, operate and maintain a total of 16 miles of 20 inch pipeline for the purpose of transporting natural gas from its origin in Lycoming County to its terminal point at Montour, LLC Power Plant in Montour County. This permit authorizes crossing 11, West Branch of Chillisquaue Creek, Warm Water Fishery, Latitude: 41-8-48.6, Longitude: 76-39-24.5; crossing 12, Unnamed Tributary to the West Branch of Chillisquaue Creek, Warm Water Fishery, Latitude: 41-8-38.2, Longitude: 76-39-24.3; crossing 13, Unnamed Tributary to the Middle Branch of Chillisquaue Creek, Warm Water Fishery, Latitude: 41-7-57.2, Longitude: 76-39-48.7; crossing 14, Unnamed Tributary to the Middle Branch of Chillisquaue Creek, Warm Water Fishery, Latitude: 41-7-45, Longitude: 76-39-51.9; crossing 15, Unnamed Tributary to Beaver Creek, Warm Water Fishery, Latitude: 41-7-30.3, Longitude: 76-39-54.8; crossing 15a, Un-

named Tributary to the Middle Branch of Chillisquaue Creek, Warm Water Fishery, Latitude: 41-7-30.3, Longitude: 76-39-49.3; crossing 16, Unnamed Tributary to the Middle Branch of Chillisquaue Creek, Warm Water Fishery, Latitude: 41-6-58.3, 76-39-51.9; crossing 17, Unnamed Tributary to the Middle Branch of Chillisquaue Creek, Warm Water Fishery, Latitude: 41-6-31.7, Longitude: 76-40-10.4; crossing 18, Unnamed Tributary to the Middle Branch of Chillisquaue Creek, Warm Water Fishery, Latitude: 41-5-57.2, Longitude: 76-39-57.1; crossing 19, Unnamed Tributary to the Middle Branch of Chillisquaue Creek, Warm Water Fishery, Latitude: 41-5-43, Longitude: 76-39-48.6; crossing 20, Unnamed Tributary to the Middle Branch of Chillisquaue Creek, Warm Water Fishery, Latitude: 41-4-58.4, Longitude: 76-39-52.7; crossing 21, Chillisquaue Creek, Warm Water Fishery, Latitude: 41-4-56.2, Longitude: 76-39-52.3, crossing 22, Chillisquaue Creek, Warm Water Fishery, Latitude: 71-4-11.6, Longitude: 76-40-28; crossing N, EV Wetland Crossing, Latitude: 41-8-49, Longitude: 76-39-23.4; crossing Na, EV Wetland Crossing, Latitude: 41-8-48.3, Longitude: 76-39-24.9; crossing O, EV Wetland Crossing, Latitude: 41-6-59.8, Longitude: 76-39-52, crossing P, Wetland Crossing, Latitude: 41-6-31.8, Longitude: 76-40-10.5; crossing R, EV Wetland crossing, Latitude: 41-5-56.8, Longitude: 76-39-56.9, crossing S, Wetland Crossing, Latitude: 41-6-32.9, Longitude: 76-39-37.7; crossing U, Wetland crossing, Latitude: 41-4-55.1, Longitude: 76-39-52.8; crossing V, Wetland crossing, Latitude: 41-4-56.2, Longitude: 76-39-52.3; crossing DD, Wetland Crossing, Latitude: 41-3-54, Longitude: 76-39-52.4; crossing EE, Wetland crossing, Latitude: 41-3-56.1, Longitude: 76-39-49; crossing FF, Wetland Crossing, Latitude: 41-3-59.9, Longitude: 76-39-44.8. Waterbody channel crossings shall be completed in the dry by auger bore, flumed method of crossing or dam and pump method of crossing. Wetland crossings shall be completed by open trench methods as described in the permit documents. This permit also authorizes the construction, removal, and restoration of disturbed areas for temporary stream crossings for construction vehicle access and construction of pipeline. All streambank disturbances shall be kept to a minimum and stabilized with indigenous vegetation within 72 hours of final earthmoving to prevent erosion and sedimentation. The backfilling of the trench in which the pipeline will be laid shall be done so as to eliminate the formation of a permanent ridge in the stream bed. This project begins 0.5 mile north on Fox Hollow Road from the intersection of Fox Hollow Road and Sneaky Hollow Road in Anthony Township Montour County at the Lycoming County/Montour County Line (Latitude: 41-09-18.73, Longitude: 76-38-59.76) and terminates at the Montour LLC Power Plant in Washingtonville, PA (Latitude: 41-4-6.15, Longitude: 76-39-58.2).

**E41-697. Montour, LLC**, 18 McMichael Road, Washingtonville, PA 17885. Montour Gas Co-firing Project (Lycoming County), in Franklin and Moreland Townships, **Lycoming County**, ACOE Baltimore District (Northern Terminus Lycoming County; Latitude: 41.263380; Longitude: -76.587752) (Southern Terminus Montour County; Latitude: 41.064431; Longitude: 76.669113).

To construct, operate and maintain a total of 16 miles of 20 inch pipeline for the purpose of transporting natural gas from its origin in Lycoming County to its terminal point at Montour, LLC Power Plant in Montour County. This permit authorizes crossing 1, Unnamed Tributary to Beaver Run, Cold Water Fishery, Latitude: 41-15-55.88, Longitude: 76-34-50.96; crossing 2, Unnamed Tributary to Beaver Run, Cold Water Fishery, Latitude: 41-15-1.88,

Longitude: 76-35-43.26; crossing 3, Little Muncy Creek, Cold Water Fishery, Latitude: 41-14-27.97, Longitude: 76-35-56.96; crossing 4, Unnamed Tributary to German Run, Cold Water Fishery, Latitude: 41-12-32.6, Longitude: 76-36-54.5; crossing 5, German Run, Cold Water Fishery, Latitude: 41-11-54.42, Longitude: 76-37-41.6; crossing 6, Unnamed tributary to Little Muncy Creek, Cold Water Fishery, Latitude: 41-11-37.2, 76-34-51.0; crossing 7, Unnamed Tributary to Little Muncy Creek, Cold Water Fishery, Latitude: 41-11-30.2, Longitude: 76-37-54.5; crossing 8, Laurel Run, Cold Water Fishery, Latitude: 41-10-53.3, Longitude: 76-38-16.1; crossing 10, Unnamed Tributary to Laurel Run, Cold Water Fishery, Latitude: 41-10-5.1, Longitude: 76-38-53.1; crossing B, EV Wetland Crossing, Latitude: 41-14-48.5, Longitude: 76-35-42.8; crossing E, EV Wetland Crossing, Latitude: 41-13-59.4, Longitude: 76-36-16.7, crossing F, EV Wetland Crossing, Latitude: 71-13-50.4, Longitude: 76-36-21.9; crossing H, Wetland Crossing, Latitude: 41-12-23.7, Longitude: 76-37-25.3; crossing I, Wetland Crossing, Latitude: 41-11-32.7, Longitude: 76-37-52.9; crossing J, Wetland Crossing, Latitude: 41-11-31, Longitude: 76-37-56.4, crossing K, Wetland Crossing, Latitude: 41-10-51.2, Longitude: 76-37-56; crossing L, Wetland crossing, Latitude: 41-11-25.5, Longitude: 76-37-56.8, crossing X, EV Wetland Crossing, Latitude: 41-13-42.24, Longitude: 76-36-24.8; crossing Y, EV

Wetland crossing, Latitude: 41-13-40.4, Longitude: 76-36-28.4; crossing AA, EV Wetland crossing, Latitude: 41-13-10.1, Longitude: 76-36-30.3; crossing BB, EV Wetland Crossing, Latitude: 41-13-31, Longitude: 76-36-37.7 Waterbody channel crossings shall be completed in the dry by auger bore, flumed method of crossing or dam and pump method of crossing. Wetland crossings shall be completed by open trench methods as described in the permit documents. This permit also authorizes the construction, removal, and restoration of disturbed areas for temporary stream crossings for construction vehicle access and construction of pipeline. All streambank disturbances shall be kept to a minimum and stabilized with indigenous vegetation within 72 hours of final earthmoving to prevent erosion and sedimentation. The backfilling of the trench in which the pipeline will be laid shall be done so as to eliminate the formation of a permanent ridge in the stream bed. This project begins 0.3 mile north on Harriman Road from the intersection of Harriman Road and Fairview Road in Franklin Township, Lycoming County (Latitude: 41-15-43.71; Longitude: 76-34-34.62) and terminates 0.75 mile west on Glen Wagner Road from the intersection of Glen Wagner Road and Bill Sones Road in Moreland Township Lycoming County at the Lycoming County/Montour County Line (Latitude: 41-09-18.73, Longitude: 76-38-59.76).

<i>Stream Number</i>	<i>Resource and Designated Use</i>	<i>Existing Use/ Other classification</i>	<i>Temporary Impacts (ft<sup>2</sup>)</i>	<i>Permanent Impacts (ft<sup>2</sup>)</i>	<i>Station Location</i>	<i>Method of Crossing</i>
1	UNT to Beaver Run CWF, MF	Wild Trout	2,300	0	7+00	Existing 24-Inch Culverts
2	UNT to Beaver Run CWF, MF	Wild Trout	8,428	4,459	61+40	Auger Bore
3	Little Muncy Creek EV, MF	Wild Trout	5,075	7,913	101+70	Auger Bore
4	UNT to German Run CWF, MF	None	2,300	0	238+00	Existing Culvert
5	German Run CWF, MF	None	6,027	7,357	286+50	Auger Bore
6	UNT to Little Muncy Creek CWF, MF	None	Waived	Waived	305+00	Auger Bore
7	UNT to Little Muncy Creek CWF, MF	None	Waived	Waived	312+60	Auger Bore
8	Laurel Run CWF, MF	None	2,824	7,102	356+00	Auger Bore
9	UNT to Laurel Run CWF, MF	None	Avoided	Avoided		
10	UNT to Laurel Run CWF, MF	None	5,736	6,071	406+90	Open Trench
Total			32,690	32,901		

<i>Resource</i>	<i>Resource Type</i>	<i>Temporary Impacts (ft<sup>2</sup>)</i>	<i>Permanent Impacts (ft<sup>2</sup>)</i>	<i>Station Location</i>	<i>Method of Crossing</i>
Wetland A	PFO/PSS/PEM	Avoided	Avoided		
Wetland B	PEM	740	1,311	75+00	Open Trench
Wetland D	PEM	Avoided	Avoided	Outside LOD	



<i>Resource</i>	<i>Resource Type</i>	<i>Temporary Impacts (ft<sup>2</sup>)</i>	<i>Permanent Impacts (ft<sup>2</sup>)</i>	<i>Station Location</i>	<i>Method of Crossing</i>
Wetland E	PEM	1,117	1,790	135+90	Open Trench
Wetland F	PEM	2,887	4,012	145+00	Open Trench
Wetland H	PEM	17,225	20,573	256+00	Open Trench
Wetland I	PEM	1,319	3,746	310+00	Open Trench
Wetland J	PEM	43	525	313+00	Open Trench
Wetland K	PEM	203	203		Open Trench
Wetland L	PEM	3,051	1,927	316+00	Open Trench
Wetland M	PEM	Avoided	Avoided		
Wetland X	PEM	3,217	3,910	161+25—163+40	Open Trench
Wetland Y	PEM	785	785	156+20	Temp. Road Crossing
Wetland Z	PEM	Avoided	Avoided	156+00	
Wetland AA	PEM	77	685		
Wetland BB	PEM	18,592	27,628	176+00	Open Trench
Wetland CC	PEM	Avoided	Avoided	Outside LOD	
Total		72,220	96,426		

*Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

**E2006219-004, Adams Place Associates, LP**, 245 Shenango Valley Freeway, Hermitage, PA 16148. Adams Square Senior Housing, in Cochranton Borough, **Crawford County**, ACOE Pittsburgh District (Cochranton, PA Quadrangle N: 41°, 31', 38.2"; W: 80°, 03', 12.5").

To remove 258 feet of the existing 30-inch stream enclosure and to construct and maintain a total of 366.8 linear feet of 36 inch diameter stream enclosure connecting to 26.2 linear feet of 42-inch pipe extending upstream from Franklin Street enclosing a tributary to French Creek for the construction of the Adams Square Senior Housing Development a three story, 39 unit apartment complex on a 1.757 acre lot (Cochranton, PA Quadrangle N: 41.527390°, W: 80.053794°) in Cochranton Borough, Crawford County.

*Eastern Region: Oil and Gas Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.*

**E4129-132: Highland Field Services, LLC**, 51 Zents Blvd., Brookville, PA 15825. Gamble Pad O Temporary Above Ground Waterline (TAGWL) in Hepburn & Eldred Township, **Lycoming County**, ACOE Baltimore District.

To construct, operate and maintain approximately 3.7-miles (19,536 LF) of 16-inch diameter temporary above ground waterline (TAGWL) in Hepburn and Eldred Township—Lycoming County. The TAGWL will be placed on existing ground surface except where it crosses roadways and driveways where either a boring or an open trench crossing will be used. The waterline will be within existing natural gas pipeline ROW, existing access road ROW, along agricultural fields, and along Brucklacher Road (T-677).

The project will result in a total of 44 LF (331 SF) of temporary stream impacts, 387 SF (0.0089 ac.) of temporary wetland impacts and 2,993 SF (0.0687 ac.) of temporary floodway impacts all for the purpose of providing a temporary means of water conveyance between the existing freshwater impoundment at the eastern terminus to the Gamble Pad O Well Pad for use during drilling activities.

*Stream Impact Table:*

<i>Resource Name</i>	<i>Municipality Quadrangle</i>	<i>Activity</i>	<i>Chap. 93</i>	<i>Listed Trout</i>	<i>Total Impact Area Temp. (SF)</i>	<i>Impact Length Temp. (LF)</i>	<i>Total Impact Area Perm. (SF)</i>	<i>Impact Length Perm. (LF)</i>	<i>Lat. Long.</i>
UNT Mill Creek STR-190723-0900	Hepburn Twp. Cogan Station	Crossing 1 Temp. Bridge 16-inch TAGWL	WWF	None	299	23			41.336132 77.012052
UNT Mill Creek STR-190723-1135	Hepburn Twp. Cogan Station	Crossing 2 16-inch TAGWL Over 18" CMP	WWF	None	3	2			41.332745 77.001728



<i>Resource Name</i>	<i>Municipality Quadrangle</i>	<i>Activity</i>	<i>Chap. 93</i>	<i>Listed Trout</i>	<i>Total Impact Area Temp. (SF)</i>	<i>Impact Length Temp. (LF)</i>	<i>Total Impact Area Perm. (SF)</i>	<i>Impact Length Perm. (LF)</i>	<i>Lat. Long.</i>
UNT Mill Creek STR-190723-1150	Hepburn Twp. Cogan Station	Crossing 3 16-inch TAGWL Over 36" CMP	WWF	None	6	3			41.333354 77.001326
UNT Mill Creek STR-190723-1200	Hepburn Twp. Montoursville N.	Crossing 4 16-inch TAGWL Over 15" CMP	WWF	None	3	3			41.334548 76.998400
UNT Mill Creek STR-190723-1240	Eldred Twp. Montoursville N.	Crossing 5 16-inch TAGWL Over 12" CPP	WWF	None	3	3			41.336578 76.993829
UNT Mill Creek STR-190723-1230	Eldred Twp. Montoursville N.	Crossing 6 16-inch TAGWL Over 16" CPP	WWF	None	2	2			41.336630 76.993788
UNT Mill Creek STR-190723-1250	Eldred Twp. Montoursville N.	Crossing 7 16-inch TAGWL Over 84" Culvert	WWF	None	15	8			41.336833 76.993041
TOTAL IMPACTS					331	44			
TOTAL STREAM IMPACTS					331	44			
TOTAL WAIVER 2 IMPACTS									

*Wetland Impact Table:*

<i>Resource Name</i>	<i>Municipality Quadrangle</i>	<i>Activity</i>	<i>Cow. Class</i>	<i>Listed Trout</i>	<i>Total Impact Area Temp. (SF)</i>	<i>Impact Length Temp. (LF)</i>	<i>Total Impact Area Perm. (SF)</i>	<i>Impact Length Perm. (LF)</i>	<i>Lat. Long.</i>
Wetland 1 STR-190723-0915	Hepburn Twp. Cogan Station	Crossing 1 Temp. Bridge 16-inch TAGWL	PEM; EV	None	387	21			41.336132 77.012052
TOTAL IMPACTS					387	21			
PEM					387	21			
PSS									
PFO									

*Floodway Impact Table:*

<i>Resource Name</i>	<i>Municipality Quadrangle</i>	<i>Activity</i>	<i>Impact Area Temp. (SF)</i>	<i>Impact Length Temp. (LF)</i>	<i>Impact Area Perm. (SF)</i>	<i>Impact Length Perm. (LF)</i>	<i>Lat. Long.</i>
UNT Mill Creek STR-190723-0900	Hepburn Twp. Cogan Station	Crossing 1 Temp. Bridge 16-inch TAGWL	1,852	96			41.336132 77.012052

<i>Resource Name</i>	<i>Municipality Quadrangle</i>	<i>Activity</i>	<i>Impact Area Temp. (SF)</i>	<i>Impact Length Temp. (LF)</i>	<i>Impact Area Perm. (SF)</i>	<i>Impact Length Perm. (LF)</i>	<i>Lat. Long.</i>
UNT Mill Creek STR-190723-1135	Hepburn Twp. Cogan Station	Crossing 2 16-inch TAGWL Over 18" CMP	210	105			41.332745 77.001728
UNT Mill Creek STR-190723-1150	Hepburn Twp. Cogan Station	Crossing 3 16-inch TAGWL Over 36" CMP	244	122			41.333354 77.001326
UNT Mill Creek STR-190723-1200	Hepburn Twp. Montoursville N.	Crossing 4 16-inch TAGWL Over 15" CMP	216	108			41.334548 76.998400
UNT Mill Creek STR-190723-1240	Eldred Twp. Montoursville N.	Crossing 5 16-inch TAGWL Over 12" CPP	126	66			41.336578 76.993829
UNT Mill Creek STR-190723-1230	Eldred Twp. Montoursville N.	Crossing 6 16-inch TAGWL Over 16" CPP	137	66			41.336630 76.993788
UNT Mill Creek STR-190723-1250	Eldred Twp. Montoursville N.	Crossing 7 16-inch TAGWL Over 84" Culvert	208	104			41.336833 76.993041
TOTAL IMPACTS			2,993	667			

### ENVIRONMENTAL ASSESSMENTS

Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 2, 400 Market Street, Harrisburg, PA 17101, telephone number: 717-787-3411.

**D26-133EA, D26-134EA. Jack Hill**, DCNR, P.O. Box 8551, Harrisburg, PA 17105, Henry Clay Township, **Fayette County**, USACOE Pittsburgh District.

Project proposes to remove the Log and Rock Dams to restore approximately 80 feet of stream channel to a free-flowing condition. Accumulated sediment will also be removed from behind the dams. A downstream culvert will also be removed as will two non-jurisdictional dams. The stream will be restored to its historic channel and the impoundments will be converted to wetlands. The project is located across Long Run (HQ-CWF) (Ohiopyle, PA Quadrangle, Latitude: 39.8086; Longitude: -79.4828).

**D44-017EA. PA DCNR, Bureau of Forestry**, Ed Raptosh, 8th Floor RCSOB, 400 Market Street, Harrisburg, PA 17101, Brown Township, **Mifflin County**, USACOE Baltimore District.

Project proposes to remove the Tea Creek Dam to eliminate a threat to public safety and to restore approximately 150 feet of stream channel to a free-flowing condition. The project is located across Tea Creek (HQ-CWF, MF) (Barrville, PA Quadrangle, Latitude: 40.6951; Longitude: -77.6270).

### CORRECTIVE ACTION UNDER ACT 32, 1989

#### PREAMBLE 2

The following plans and reports were submitted under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245 Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and

summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

**Lamont's Service Station**, Storage Tank ID # 40-50622, 798 West 15th Street, Hazleton City, **Luzerne County**. LaBella Associates, 1000 Dunham Drive, Suite B, Dunmore, PA 18512, on behalf of Robert Lamanna, 104 Skyline Drive North, Clarks Summit, PA 18411, has submitted a revised Remedial Action Plan concerning remediation of soil and groundwater contaminated with gasoline. The plan is intended to document the remedial actions for meeting Statewide Health Standards.

*Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**Kwik Fill S-16**, Storage Tank Facility ID # 43-22459, 1650 West Main Street Extension, Pine Township, **Mercer County**. Groundwater & Environmental Services, 3011 Commerce Park Drive, Cranberry Township, PA 16066, on behalf of United Refining Company of PA, 15 Bradley Street, Warren, PA 16365 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with benzene, ethylbenzene, toluene, xylenes, isopropyl benzene, naphthalene, methyl tertiary butyl ether (MTBE), 1,2,4 trimethylbenzene, and 1,3,5 trimethylbenzene. The plan is intended to document the remedial actions for meeting the Statewide Health Standard.

**Sheetz 202**, Storage Tank Facility ID # 43-91428, 2381 South Hermitage Road, City of Hermitage, **Mercer County**. EnviroTrac, Ltd., 176 Thorn Hill Road, Warrendale, PA 15086, on behalf of Sheetz, Inc., 5700 6th Avenue, Altoona, PA 16602 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with benzene, ethylbenzene, toluene, xylenes, isopropyl benzene, naphthalene, methyl tertiary butyl ether (MTBE), 1,2,4 trimethylbenzene, and 1,3,5 trimethylbenzene. The plan is intended to document the remedial actions for meeting the Statewide Health Standard.

## CORRECTIVE ACTION UNDER ACT 32, 1989

### PREAMBLE 3

**The DEP has taken action on the following plans and reports under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).**

Provisions of 25 Pa. Code Chapter 245 Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

The DEP may approve or disapprove plans and reports submitted. This notice provides the DEP's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of the plan or report appears. If information concerning a report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The DEP has received the following plans and reports:

*Southeast Regional Office: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5960.*

*Contact: Richard Staron, Professional Geologist Manager.*

**Farrelly Bros**, 23-28716, 2717 Haverford Rd., Haverford Township, **Delaware County**. Comstock Environmental Services LLC, P.O. Box 509, Lafayette Hill, PA 19444, on behalf of Farrelly Brothers Construction, 2717 Haverford Road, Ardmore, PA 19003 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The Remedial Action Plan was acceptable to meet nonresidential Statewide health Standards and was approved by the DEP on April 8, 2020.

**Amoco Car Wash**, 23-27098, 3100 Edgmont Ave., Parkside Borough, **Delaware County**. Reliance Environmental, Inc., 235 N. Duke St., Lancaster, PA 17602 on behalf of Jagger Investments, LLC, 275 Hess Boulevard submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with leaded and unleaded gasoline. The Remedial Action Plan was acceptable to meet nonresidential Statewide health and site-specific standards and was approved by the DEP on April 9, 2020.

**7 Eleven 23854, 51-24572**, 3301 Tyson Ave., **City of Philadelphia**. AECOM, 625 West Ridge Pike, Suite E-100, Conshohocken, PA 19428, on behalf of 7-Eleven, Inc., P.O. Box 711, Dallas, TX 75221-0711 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The Remedial Action Plan was acceptable to meet nonresidential Statewide health standards and was approved by the DEP on April 10, 2020.



*Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

**C&C Service Center**, Storage Tank ID # 45-00376, 2942 Route 940 East, Coolbaugh Township, **Monroe County**, MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Bozena Gawrych, P.O. Box 523, Mount Pocono, PA 18344, submitted a combined Site Characterization Report and Remedial Action Plan concerning remediation of soil and groundwater contaminated with gasoline. The Site Characterization Report was approved, but the Remedial Action Plan was not acceptable to meet a combination of Site-Specific and Statewide Health Standards and was disapproved by DEP on April 8, 2020.

**25th Street Sunoco**, Storage Tank ID # 48-06963, 201 South Wood Avenue, Easton, PA 18042, Palmer Township, **Northampton County**, MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of VAADAS Inc., 201 South Wood Avenue, Easton, PA 18042, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with diesel. The report was acceptable for meeting Statewide Health Standards and was approved by DEP on April 8, 2020.

**Howe Convenient Market**, Storage Tank ID # 64-09036, Route 191, Lake Ariel, PA 18436, Lake Township, **Wayne County**, Cook Geologic, 203 Scranton-Pocono Highway, Covington Township, PA 18444, on behalf of John T. Howe, Inc., P.O. Box 125, Lake Ariel, PA 18436, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum. The Remedial Action Completion Report did not demonstrate attainment of the Statewide Health Standards and was disapproved by DEP on March 30, 2020.

**Misericordia University-former Frontiers Communications Building**, Storage Tank ID # 40-50097, 100 Lake Street, Dallas Borough, **Luzerne County**, August Mack Environmental, 941 Wheatland Avenue, Suite 401, Lancaster, PA 17603, on behalf of Misericordia University, 301 Lake Street, Dallas, PA 18612, submitted a combined Site Characterization Report and Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum. The report was not acceptable to meet Statewide Health Standards and was disapproved by DEP on March 25, 2020.

*Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**Shaffer Oil—Windber**, Primary Facility ID # 56-25672, 405 Hillside Dr., Windber, PA 15963, Paint Township, **Somerset County**. Keystone Environmental Health and Safety Services Inc., 1111 12th Ave., Altoona, PA 16601, on behalf of Shaffer Oil Company, 409 19th St., Windber, PA 15963, submitted a Remedial Action Completion Report concerning the remediation of soil and groundwater contaminated with petroleum products. The report was acceptable to meet the Statewide Health and site specific standards and was approved on April 7, 2020.

*Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**Unimart No. 04105**, Storage Tank Facility ID # 10-32117, 103 Jamison Street, Borough of Petrolia, **Butler County**. Letterle & Associates, Inc., 191 Howard Street, Suite 108, Franklin, PA 16323, on behalf of D-Mark Holdings, LLC, 15260 Ventura Boulevard, Suite 1040, Sherman Oaks, CA 91403 submitted a Remedial Action Completion Report concerning remediation of soil

and groundwater contaminated with contaminated with petroleum constituents benzene, ethylbenzene, toluene, xylenes, naphthalene, methyl tertiary butyl ether (MTBE), isopropylbenzene (cumene), 1,2,4- and 1,3,5-trimethylbenzenes. The Remedial Action Completion Report demonstrated attainment of the Statewide Health Standard and was approved by DEP on April 8, 2020.

---

## SPECIAL NOTICES

---

### WASTE MANAGEMENT

---

#### Plan Revision Approval under the Municipal Waste Planning, Recycling and Waste Reduction Act of 1988, Act 101.

---

*Southwest Region: Waste Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222.*

The Department of Environmental Protection (Department) approved the **Westmoreland County Municipal Waste Management** Plan Revision on April 8, 2020.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

The plan revision is a public document and may be viewed at the Department Regional Office previously noted.

Questions concerning this approval should be directed to Lawrence Holley, Environmental Program Manager, Department of Environmental Protection, Bureau of Waste Management, Division of Waste Minimization and Planning, P.O. Box 8472, Harrisburg, PA 17105-8472 or to Sharon Svitek, Program Manager, Bureau of Waste Management at the previous Regional Office.

---

### WATER MANAGEMENT

---

#### Proposed Total Maximum Daily Load (TMDL) for the Pleasant Valley Run Watershed in Bedford County.

---

*Central Office: Bureau Director, Water Supply and Wastewater Management, P.O. Box 8467, Harrisburg, PA 17105-8467.*



The Department of Environmental Protection will accept comments on the proposed TMDLs developed for the **Pleasant Valley Run Watershed** in **Bedford County**. The TMDLs were established in accordance with the requirements of Section 303(d) of the Clean Water Act. The Pennsylvania Integrated Water Quality Monitoring and Assessment Report included impaired stream segments in the watershed. The listings of these segments were due to aquatic life use impairments caused by excessive siltation and nutrients from agriculture and/or crop-related agriculture.

There currently are no State or Federal in-stream numerical water quality criteria for sediment or nutrients. Therefore, the Department utilized a reference watershed approach to implement the applicable narra-

tive criteria. The proposed TMDL document sets allowable loading of sediment and nutrients in the Pleasant Valley Run Watershed. The TMDLs included allocations for nonpoint sources, reserves for future point sources, as well as margin of safety factors. Nonpoint source load allocations were made for cropland, hay/pasture land, streambank and farm animal source sectors present in the watershed. Data used in establishing the TMDL were generated using a water quality analysis model (Model My Watershed) made available through the Stroud Water Research Center.

The following table shows the estimated current sediment loading within the watershed, the prescribed "TMDL" value, and % reductions needed under annual average conditions.

<i>Summary of "TMDL"—Based Load Reductions (expressed as annual averages) in the Pleasant Valley Run Watershed</i>				
<i>Watershed</i>	<i>Pollutant</i>	<i>Existing Load (lbs/yr)</i>	<i>"TMDL" (lbs/yr)</i>	<i>% Reduction</i>
Pleasant Valley Run	Sediment	912,269	604,266	34
Pleasant Valley Run	Phosphorus	2,401	1,895	21

The following table shows the estimated current sediment loading within the watershed, the prescribed "TMDL" value, and % reductions needed under 99th percentile daily loading conditions.

<i>Summary of "TMDL"—Based Load Reductions (expressed as 99th percentile daily loading) in the Pleasant Valley Run Watershed</i>				
<i>Watershed</i>	<i>Pollutant</i>	<i>Existing Load (lbs/d)</i>	<i>TMDL (lbs/d)</i>	<i>% Reduction</i>
Pleasant Valley Run	Sediment	27,969	14,245	49
Pleasant Valley Run	Phosphorus	93	87	6

The proposed TMDL document can be viewed at <http://www.dep.state.pa.us/dep/deputate/watermgt/wqp/wqstandards/tmdl/PleasantValleyRunTMDL.pdf>.

Otherwise, copies of the proposed TMDL document or supporting information may be requested by contacting Michael Morris, Water Program Specialist, Bureau of Clean Water, Pennsylvania Department of Environmental Protection, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17105, 717-772-5670, [michamorri@pa.gov](mailto:michamorri@pa.gov).

Written comments will be accepted at the previously listed address. Comment submissions must be postmarked within 30-days after publication of this notice in the April 25, 2020 issue of the *Pennsylvania Bulletin*. The Department will consider all written comments submitted within the deadline prior to submitting the final TMDL to EPA for approval.

[Pa.B. Doc. No. 20-572. Filed for public inspection April 24, 2020, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Aggregate Advisory Board Virtual Meeting

In accordance with Governor Tom Wolf's emergency disaster declaration and based on advice from the Department of Health regarding the mitigation of the spread of the novel coronavirus (COVID-19), the Aggregate Advisory Board (Board) meeting scheduled for Wednesday, May 6, 2020, at 10 a.m. will be held as a virtual meeting. Individuals who wish to join the meeting may do so remotely. Information will be provided on the Board's webpage.

Questions concerning the May 6, 2020, meeting can be directed to Daniel E. Snowden at [dsnowden@pa.gov](mailto:dsnowden@pa.gov) or (717) 783-8846. The agenda and meeting materials, as

well as information on how to join the meeting, will be available through the Public Participation tab on the Department of Environmental Protection's (Department) web site at [www.dep.pa.gov](http://www.dep.pa.gov) (select "Public Participation," then "Advisory Committees," then "Mining Advisory Committees," then "Aggregate Advisory Board").

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Daniel E. Snowden at (717) 783-8846 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,  
*Secretary*

[Pa.B. Doc. No. 20-573. Filed for public inspection April 24, 2020, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Citizens Advisory Council Virtual Meeting

In accordance with Governor Tom Wolf's emergency disaster declaration and based on advice from the Department of Health regarding the mitigation of the spread of the novel coronavirus (COVID-19), the Citizens Advisory Council (Council) meeting scheduled for Tuesday, May 19, 2020, at 10 a.m. will be held as a virtual meeting. Individuals who wish to join the meeting may do so remotely. Information will be provided on the Council's webpage. Individuals interested in providing public comments during the meeting must sign up prior to the start of the meeting by contacting Keith Salador at [ksalador@pa.gov](mailto:ksalador@pa.gov) or (717) 787-8171.

The agenda and meeting materials, as well as information on how to join the meeting, will be available on the Council's webpage, found through the Public Participation tab on the Department of Environmental Protection's (Department) web site at [www.dep.pa.gov](http://www.dep.pa.gov) (select "Public Participation," then "Citizens Advisory Council"). Prior to each meeting, individuals are encouraged to visit the Council's webpage to confirm the meeting date, time and location. Questions concerning the May 19, 2020, meeting can be directed to Keith Salador at [ksalador@pa.gov](mailto:ksalador@pa.gov) or (717) 787-8171.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Keith Salador at (717) 787-8171 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,  
*Secretary*

[Pa.B. Doc. No. 20-574. Filed for public inspection April 24, 2020, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Oil and Gas Technical Advisory Board Virtual Meeting

In accordance with Governor Tom Wolf's emergency disaster declaration and based on advice from the Department of Health regarding the mitigation of the spread of the novel coronavirus (COVID-19), the Oil and Gas Technical Advisory Board (Board) meeting scheduled for Wednesday, May 20, 2020, at 10 a.m. will be held as a virtual meeting. Individuals who wish to join the meeting may do so remotely. Information will be provided on the Board's webpage. Individuals interested in providing public comments during the meeting must sign up prior to the start of the meeting by contacting Todd M. Wallace at [twallace@pa.gov](mailto:twallace@pa.gov) or (717) 783-9438.

The agenda and meeting materials, as well as information on how to join the meeting, will be available on the Board's webpage, found through the Public Participation tab on the Department of Environmental Protection's (Department) web site at [www.dep.pa.gov](http://www.dep.pa.gov) (select "Public Participation," then "Advisory Committees," then "Oil and Gas Advisory Committees," then "Oil and Gas Technical

Advisory Board"). Prior to each meeting, individuals are encouraged to visit the Board's webpage to confirm meeting date, time and location. Questions concerning the May 20, 2020, meeting can be directed to Todd M. Wallace at [twallace@pa.gov](mailto:twallace@pa.gov) or (717) 783-9438.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Todd M. Wallace at (717) 783-9438 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,  
*Secretary*

[Pa.B. Doc. No. 20-575. Filed for public inspection April 24, 2020, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facilities are seeking exceptions to 28 Pa. Code § 201.22(d), (e) and (j) (relating to prevention, control and surveillance of tuberculosis (TB)):

Abington Manor  
100 Edella Road  
Clarks Summit, PA 18411  
FAC ID # 053202

Carbondale Nursing & Rehabilitation Center  
10 Hart Place  
Carbondale, PA 18407  
FAC ID # 030702

Loyalhanna Care Center  
535 McFarland Road  
Latrobe, PA 15650  
FAC ID # 016702

Riverstreet Manor  
440 North River Street  
Wilkes-Barre, PA 18702  
FAC ID # 185302

The following long-term care nursing facilities are seeking exceptions to 28 Pa. Code § 201.22(e):

Locust Grove Retirement Village  
69 Cottage Road  
Mifflin, PA 17058  
FAC ID # 123402

ManorCare Health Service—Sunbury  
901 Court Street  
Sunbury, PA 17801  
FAC ID # 123302

Meadow View Nursing Center  
1404 Hay Street  
Berlin, PA 15530  
FAC ID # 191702

Mountain View, A Nursing and Rehabilitation Center  
2050 Trevorton Road  
Coal Township, PA 17866  
FAC ID # 390302

The following long-term care nursing facilities are seeking exceptions to 28 Pa. Code § 201.22(e) and (j):

Donahoe Manor  
136 Donahoe Manor Road  
Bedford, PA 15522  
FAC ID # 040402

Watsonstown Rehabilitation and Nursing Center  
245 East Eighth Street  
Watsonstown, PA 17777  
FAC ID # 110702

The following long-term care nursing facilities are seeking exceptions to 28 Pa. Code § 201.22(j):

Ambler Extended Care Center  
32 South Bethlehem Pike  
Ambler, PA 19002  
FAC ID # 010802

Cambria Care Center  
429 Manor Drive  
Ebensburg, PA 15931  
FAC ID # 030202

Cheswick Rehabilitation and Wellness Center, LLC  
3876 Saxonburg Boulevard  
Cheswick, PA 15024  
FAC ID # 740302

The Glen at Willow Valley  
675 Willow Valley Square  
Lancaster, PA 17602  
FAC ID # 077902

Greensburg Care Center  
119 Industrial Park Road  
Greensburg, PA 15601  
FAC ID # 073502

The Grove at Harmony  
191 Evergreen Mill Road  
Harmony, PA 16037  
FAC ID # 051302

The Grove at Washington  
1198 West Wylie Avenue  
Washington, PA 15301  
FAC ID # 110102

ManorCare Health Services—Bethel Park  
60 Highland Road  
Bethel Park, PA 15102  
FAC ID # 138802

ManorCare Health Services—Dallastown  
100 West Queen Street  
Dallastown, PA 17313  
FAC ID # 900802

ManorCare Health Services—Greentree  
1848 Greentree Road  
Pittsburgh, PA 15220  
FAC ID # 381502

ManorCare Health Services—Monroeville  
885 Macbeth Drive  
Monroeville, PA 15146  
FAC ID # 076502

ManorCare Health Services—York North  
1770 Barley Road  
York, PA 17404  
FAC ID # 024602

Monroeville Rehabilitation and Wellness Center  
4142 Monroeville Boulevard  
Monroeville, PA 15146  
FAC ID # 026102

Moravian Hall Square Health and Wellness Center  
175 West North Street  
Nazareth, PA 18064  
FAC ID # 392702

Murrysville Rehabilitation and Wellness Center  
3300 Logans Ferry Road  
Murrysville, PA 15668  
FAC ID # 134702

Siemon's Lakeview Manor Nursing and Rehabilitation Center  
228 Siemon Drive  
Somerset, PA 15501  
FAC ID # 970202

South Hills Rehabilitation and Wellness Center  
201 Village Drive  
Canonsburg, PA 15317  
FAC ID # 193302

Tremont Health & Rehabilitation Center  
44 Donaldson Road  
Tremont, PA 17981  
FAC ID # 271102

The following long-term care nursing facilities are seeking exceptions to 28 Pa. Code § 201.3 (relating to definitions):

Homeland Center  
1901 North Fifth Street  
Harrisburg, PA 17102  
FAC ID # 600502

Premier Armstrong Rehabilitation and Nursing Facility  
265 South McKean Street  
Kittanning, PA 16201  
FAC ID # 530602

Spang Crest Manor  
945 Duke Street  
Lebanon, PA 17042  
FAC ID # 193603

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing-impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,  
*Secretary*

[Pa.B. Doc. No. 20-576. Filed for public inspection April 24, 2020, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Preventative Health and Health Services Block Grant Application for Federal Fiscal Year 2020; Public Hearing

The Department of Health (Department) is making available copies of the proposed Preventive Health and Health Services Block Grant Application for Federal Fiscal Year 2020 under section 1905 of the Public Health Service Act (act) (42 U.S.C.A. § 300w-4). This block grant application shall serve as the Commonwealth's request to the United States Department of Health and Human Services for block grant funding to address the Healthy People 2020 Health Status Objectives.

The block grant application, describing proposed services, program goals, and objectives and activities, is available for public comment. Copies (electronic or hard copy) of the proposed block grant application will be available on or after July 26, 2020, and can be obtained by calling the Bureau of Health Promotion and Risk Reduction (Bureau) at (717) 787-6214. For additional information, or for persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so, contact the Bureau of Health Promotion and Risk Reduction, Room 1000, Health and Welfare Building, Harrisburg, PA 17120 at (717) 787-6214, or for speech and/or hearing impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

A public hearing will be conducted by the Department for the purpose of receiving testimony on the previously-mentioned block grant application in accordance with section 1905 of the act. Comments and suggestions from the public should relate to the priorities and program plans included in the block grant application.

The hearing will be held on May 5, 2020, from 11 a.m. until 12 p.m., by means of a teleconference call. The call-in number is 1 (267) 332-8737 and the conference ID is 71149926. Persons wishing to testify are requested to pre-register by contacting the Bureau at (717) 787-6214. Registration will be accepted on the day of the hearing. Persons will be allotted a maximum of 5 minutes to testify. Testifiers must submit two written copies of their testimony to the Department at the time of the hearing.

Written comments will be accepted and should be sent to the Bureau of Health Promotion and Risk Reduction, 625 Forster Street, Room 1000, Health and Welfare Building, Harrisburg, PA 17120 and should be received no later than 4 p.m. on May 4, 2020.

Persons with a disability who wish to comment or who require an alternative format of this application (for example, large print, Braille) or who wish to attend the public hearing and require special accommodations to do so should contact Teresa Sanders, Bureau of Health Promotion and Risk Reduction, at (717) 787-6214, or for speech and/or hearing impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,  
*Secretary*

[Pa.B. Doc. No. 20-577. Filed for public inspection April 24, 2020, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Public Health Council Meeting Regarding the Preventive Health and Health Services Block Grant

The Public Health Council will be holding a meeting (teleconference) on May 12, 2020, at 10 a.m. The purpose of the meeting is to discuss the Preventive Health and Health Services Block Grant Federal Fiscal Year 2020 Application and Work Plan. The meeting (teleconference) call-in number is 1 (267) 332-8737 and the conference ID is 71149926.

For additional information contact Teresa Sanders, Administrative Officer, Bureau of Health Promotion and Risk Reduction, Room 1000, Health and Welfare Building, Harrisburg, PA 17120 at (717) 787-6214.

Persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other special accommodations to do so should contact Teresa Sanders, Administrative Officer, at (717) 787-6214, or for speech and/or hearing impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

This meeting is subject to cancellation without notice.

RACHEL L. LEVINE, MD,  
*Secretary*

[Pa.B. Doc. No. 20-578. Filed for public inspection April 24, 2020, 9:00 a.m.]

## DEPARTMENT OF TRANSPORTATION

### State Transportation Commission Meeting

The State Transportation Commission (Commission) will hold a meeting on Wednesday, May 6, 2020, from 10 a.m. to 12 p.m. Due to the circumstances surrounding the novel coronavirus (COVID-19), this meeting will be held online by means of a conference call. For more information, including call-in information, contact the Commission, (717) 787-2913, RA-PennDOTSTC@pa.gov.

YASSMIN GRAMIAN,  
*Acting Secretary*

[Pa.B. Doc. No. 20-579. Filed for public inspection April 24, 2020, 9:00 a.m.]

## FISH AND BOAT COMMISSION

### Temporary Change to Fishing Regulations; Fishing in Stocked Trout Waters, Opening Day of Trout Season and Creel Limits

The Executive Director of the Fish and Boat Commission (Commission), acting under the authority of 58 Pa. Code § 65.25 (relating to temporary changes to fishing regulations), has taken immediate action to amend 58 Pa. Code §§ 61.1, 63.3 and 69.12(d)—(f) (relating to Commonwealth inland waters; fishing in stocked trout waters; and seasons, sizes and creel limits—Lake Erie, Lake Erie tributaries and Presque Isle Bay including peninsula waters). Specifically, the Executive Director has amended these sections to make it lawful to fish in stocked trout waters regulated under 58 Pa. Code §§ 61.1 and 69.12 in any part of this Commonwealth beginning,



at 8 a.m. on Tuesday, April 7, 2020. This is a temporary change affecting only the 2020 trout season. In addition, creel limits for all species of trout regulated under 58 Pa. Code §§ 61.1 and 69.12 shall be effective at 8 a.m. on Tuesday, April 7, 2020. This is also a temporary change affecting only the 2020 trout season.

The Executive Director has found that this action is a necessary and appropriate response to the outbreak of the novel coronavirus (COVID-19) and calls from the Center for Disease Control and Office of the Governor for citizens to take precautions and to provide for the health and safety of persons who fish Commonwealth waters. The temporary modifications will go into effect immediately and will remain in effect until the Commission, by appropriate action, amends 58 Pa. Code §§ 61.1, 63.3 and 69.12. In the absence of the action, the temporary modification will automatically expire on December 31, 2020.

TIMOTHY D. SCHAEFFER,  
*Executive Director*

[Pa.B. Doc. No. 20-580. Filed for public inspection April 24, 2020, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Appeal of Freedom Life Insurance Company of America; Doc. No. MS20-03-020

Under The Insurance Department Law of 1921 (40 P.S. §§ 341 et seq.) and 1 Pa. Code § 35.20 (relating to appeals from actions of the staff), Freedom Life Insurance Company of America, a Texas domiciliary, has filed a Petition of Appeal from the Insurance Department's (Department) March 11, 2020, SERFF disapproval notice for health insurance products offered by the petitioner. The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and 31 Pa. Code Chapter 56 (relating to Special Rules of Administrative Practice and Procedure), except that until further order, filing and service of documents shall be by electronic mail only. Filings shall be made electronically to the Department's Administrative Hearings Office at ra-hearings@pa.gov. The e-mail address used for the petitioner through counsel is mdcoble@mette.com. The e-mail addresses for the Department through its counsel are rihendrick@pa.gov, kspeaks@pa.gov and Sykema@pa.gov.

Petitions to intervene or notices of intervention, if any, must be filed electronically with the Administrative Hearings Office on or before April 29, 2020.

JESSICA K. ALTMAN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 20-581. Filed for public inspection April 24, 2020, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Applicability of Notice Regarding Coronavirus (COVID-19) Insurance Coverage (Notice 2020-03) to Issuers and Producers of Limited Benefit Policies; Notice 2020-09

The Insurance Department (Department), in collaboration with the Department of Health, issued a notice

(Notice 2020-03), published at 50 Pa.B. 1788 (March 21, 2020), to assist individuals and entities regulated by the Department addressing health insurance related services that may arise in the context of the ongoing novel coronavirus (COVID-19) pandemic. Notice 2020-03 was directed to “[a]ll health insurers, other insurance industry representatives and other interested parties.”

The question has been raised as to what insurers are considered “health insurers” for purposes of Notice 2020-03. Notice 2020-03 was intended to include all insurers with accident and health authority that may issue policies in the Commonwealth providing coverage of health care services. This includes insurers that may offer comprehensive major medical policies, but also includes insurers that may offer limited or excepted benefit policies, including but not limited to short-term limited duration or specified disease policies.

Thus, if an insurer issues or may issue any policy in this Commonwealth under which a health care service may be covered, that insurer is expected to be responsive to the content of Notice 2020-03, and is asked, as stated in paragraph # 9 of Notice 2020-03, to provide information on the steps it is taking in response to that notice.

Additionally, in the context of the public's heightened stress and potential vulnerability during the ongoing public health crisis, the Department reminds insurers and producers that may sell, solicit, or negotiate limited or excepted benefit policies, including but not limited to short-term limited duration or specified disease policies, of their obligations to adhere to the requirements of the Unfair Insurance Practices Act (UIPA) (40 P.S. § 1171.1—1171.15). Specifically, the Department expects that insurers and producers will clearly and explicitly present the coverages—and the limitations of the coverages—of the policies they are selling, soliciting or negotiating, to avoid misrepresentations or misleading statements to consumers. These obligations will be manifest most obviously in communications to consumers prior to and at the point of sale by insurers, producers or affiliates, where those communications may address, for example:

a. That the policy is not being made available under a Special Enrollment Period or other special enrollment opportunity.

b. The scope of coverage of the policy, such as:

i. That it is not comprehensive major medical coverage under the Affordable Care Act (Pub.L. No. 111-148), and is not eligible for premium tax credits or cost-sharing reductions.

ii. What coverage it provides, if any, for COVID-19 testing and treatment and what exclusions or limitations may be imposed on that coverage.

iii. If applicable, what cost-sharing or medical management criteria for COVID-19 testing and treatment may be required of the consumer.

c. That the policy is not Medical Assistance or Children's Health Insurance Program coverage.

d. The impact of COVID-19 testing or treatment on the renewability of the coverage.

Insurers should also consider what guidance they provide to producers marketing and offering the policy form in this Commonwealth to assure that the UIPA standards are satisfied when their products are sold, solicited or negotiated.

In sum, to protect the public health and to assure full and complete information is available regarding whatever

commercial health care coverage an individual may have, the Department asks for the cooperation of all insurers and producers that may sell, solicit, or negotiate limited or excepted benefit policies, including but not limited to short-term limited duration or specified disease policies, to identify and remove barriers to testing and treatment for COVID-19, and to assure that consumers with these policies are accurately informed of the limits of their policies both prior to and after purchase. The Department extends its appreciation to health insurers and producers who have already been working with the Commonwealth to address this public health challenge. Since the COVID-19 situation continues to evolve, health insurers should continually assess their readiness and be prepared to make any necessary adjustments.

Any questions regarding this bulletin may be addressed to the Office of the Commissioner, Insurance Department, 1326 Strawberry Square, Harrisburg, PA 17120, ra-in-commissioner@pa.gov.

JESSICA K. ALTMAN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 20-582. Filed for public inspection April 24, 2020, 9:00 a.m.]

## INSURANCE DEPARTMENT

### COVID-19 Guidance Regarding all Insurers Writing Automobile Insurance, Personal and Commercial, within the Commonwealth; Notice 2020-07

In response to the novel coronavirus (COVID-19) pandemic, the Department of Transportation (PennDOT) has issued several pieces of guidance in relation to driver's license expirations. The Insurance Department (Department) is issuing this notice to all insurers writing automobile insurance in this Commonwealth to alert insurers to this guidance as well as to take the opportunity to communicate the Department's expectations of automobile insurers during the COVID-19 pandemic. This notice applies to all insurers writing automobile insurance in this Commonwealth, whether personal or commercial.

In response to concerns from individuals whose driver license may expire during PennDOT license and photo centers closure, PennDOT has issued general guidance in regard to license expirations during this time. As noted by PennDOT:

Driver licenses, photo ID cards and learner's permits scheduled to expire from March 16, 2020, through March 31, 2020, the expiration date is now extended until May 31, 2020.

PennDOT has noted that this extension applies to driver licenses and commercial driver licenses. PennDOT's guidance, which includes general guidance on many other matters, can be found at <https://www.penndot.gov/Pages/Coronavirus.aspx>.

The Department is aware that insurers may have products in the market which include exclusions, rates or underwriting rules which apply when a policyholder's license expires. The Department expects that insurers will apply these product features in a manner consistent with PennDOT's guidance as to the expiration of driver licenses. Specifically, the Department notes that policyholder licenses which are set to expire from March 16, 2020, to March 31, 2020, are now extended to May 31, 2020. The Department expects that insurers will apply

exclusions, rates or underwriting rules as if the policyholder's license expires May 31, 2020. The extension provided by PennDOT may be subject to revisions and the Department encourages insurers to monitor PennDOT's web site for any guidance on this and other issues.

Beyond PennDOT's guidance, the Department is taking the opportunity to communicate its expectations of insurers during the COVID-19 disruption. As noted in the Department's Notice 2020-04, published at 50 Pa.B. 2242 (April 25, 2020), the Department recognizes that the COVID-19 disruption has posed unique challenges for the insureds and insurers of this Commonwealth. Responses to these challenges require flexibility on the part of the insurance industry. The Department has, and continues to, strongly encourage insurers to work with their policyholders to find unique solutions to problems which may arise during this time. In response to inquiries from insurers and insureds alike, the Department is providing the following guidance to insurers writing automobile insurance in this Commonwealth.

- Beyond the application of exclusions, rates and rules in regard to the license expirations from March 16, 2020, to March 31, 2020, the Department encourages that insurers review all eligibility criteria for discounts such as good driver discounts. Additionally, with the closures of schools and universities in this Commonwealth for an extended period, events which are outside the control of policyholders, insurers should consider these circumstances when applying other discounts such as good student discounts

- On March 26, 2020, the United States Department of Labor released its seasonally adjusted initial jobless claims indicating jobless claims rose to 3,283,000. The Department understands that worker displacement during the COVID-19 disruption may negatively impact insureds' credit scores. Insurers should review the application of credit score in the rates charged to consumers and provide flexibility, where appropriate, to policyholders who may experience a negative credit event during this time. A declining credit score may not be used to increase a premium at renewal.

- The COVID-19 disruption has created practical changes in many consumers lives including a decrease in driving. The Department encourages insurers to review the impact that these changes may have with regard to claims, renewals and other items. The Department anticipates that claims frequency may be impacted by the reduction in insureds' driving. The Department encourages all insurers to review the impact this may have on the rates which are currently charged to insureds, and apply low-mileage discounts, where appropriate.

- Under Governor Tom Wolf's order closing all nonlife sustaining businesses, as of 8 p.m. March 19, 2020, some businesses which would customarily be available during the claims process are currently closed. Businesses such as car dealerships or repair facilities may be closed and the Department encourages flexibility by insurers with limits on rental car coverage and other items which are impacted by the closure of businesses during this time.

The Department understands that many insurers and insureds in this Commonwealth are experiencing disruptions to daily life in many and varying ways and degrees. Insurers should work with policyholders where possible and provide the necessary flexibility needed at this unique time. Insurers are also encouraged to contact the Department to explain the implications of the disruptions caused by the COVID-19 pandemic and to discuss their

unique and innovative approaches to these disruptions and discuss what impediments stand in the way.

Individuals with questions about this notice should contact John Lacek, [jlacek@pa.gov](mailto:jlacek@pa.gov).

JESSICA K. ALTMAN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 20-583. Filed for public inspection April 24, 2020, 9:00 a.m.]

## INSURANCE DEPARTMENT

### COVID-19 Guidance Regarding all Volunteer Physicians, Podiatrists and Certified Nurse Midwives Practicing under a Reactivated License; Notice 2020-8

In light of recent events and questions that have been presented to the Insurance Department (Department), the Department is issuing this notice to all volunteer physicians, podiatrists and certified nurse midwives and to the hospitals and long-term care facilities where they may be practicing. The Department takes this opportunity to communicate the Medical Care Availability and Reduction of Error (MCARE) Fund's (Fund) guidance on its expectations on the limits of professional medical malpractice insurance during the novel coronavirus (COVID-19) pandemic.

To increase the number of health care practitioners available to respond to the COVID-19 emergency and to ensure continuity of patient care and services, Governor Tom Wolf has granted the Department of State's request to suspend some licensing and regulatory requirements. The suspension of these requirements allows individuals in the health care field with Pennsylvania licenses that are inactive or expired to apply for reactivation and immediately resume work within their scope of practice upon issuance of the reactivated license. More information regarding reactivation of licenses can be found on the Department of State's web site at <https://www.dos.pa.gov/Pages/COVID-19-Waivers.aspx>.

In response to the COVID-19 pandemic, the Federal Coronavirus Aid, Relief, and Economic Security (CARES) Act (Pub.L. No. 116-136) was signed into law on March 27, 2020. Section 3215, entitled "Limitation on Liability for Volunteers Provision," provides for additional liability protection for licensed health care professionals who are providing health care services in response to this public health emergency as a volunteer. These protections are in addition to those already afforded by the Volunteer Protection Act of 1997 (42 U.S.C.A. §§ 14501—14505) and the Pennsylvania Volunteer Health Services Act of 1996 (35 P.S. §§ 449.41—449.43).

Under normal circumstances, unless a health care practitioner is practicing under a volunteer license issued by the Department of State at an approved clinic, the MCARE Act (40 P.S. §§ 1303.101—1303.910) requires that physicians, podiatrists and certified nurse midwives conducting 50% or more of their practice in this Commonwealth maintain medical malpractice insurance with separate limits and contribute to the MCARE Fund.

However, in consideration of section 3215 of the CARES Act, physicians, podiatrists and certified nurse midwives that are providing health care services in hospital and long-term care facilities under reactivated licenses volun-

tarily and without compensation are not required to have individual limits or to individually participate in the MCARE Fund through the payment of an assessment. They may be covered by the medical malpractice insurance coverage of the hospital or long-term care facility for which they are volunteering and share those limits and payment of assessment. The name, medical license number and beginning and ending dates of practice for practitioners volunteering in a hospital or long-term care facility must be reported to the MCARE Fund, however, no additional MCARE assessment is due on their behalf.

Those physicians, podiatrists and certified nurse midwives that provide health care services under reactivated licenses either outside a hospital or long-term care facility or for compensation are still required to have separate limits as prescribed MCARE Act and pay into the MCARE Fund.

Individuals with questions about this notice should contact Theodore Otto, Executive Director, Medical Care Availability and Reduction of Error Fund, at [theoitto@pa.gov](mailto:theoitto@pa.gov).

JESSICA K. ALTMAN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 20-584. Filed for public inspection April 24, 2020, 9:00 a.m.]

## INSURANCE DEPARTMENT

### COVID-19 Guidance Regarding Premium Finance Agreements; Notice 2020-11

The Insurance Department (Department) is issuing this notice to all premium finance companies licensed by the Department under the Insurance Premium Finance Company Act (act) (40 P.S. §§ 3301—3314), as well as all insurance carriers engaging with such companies within the Commonwealth. The purpose of this notice is to communicate the Department's expectations of premium finance companies during the novel coronavirus (COVID-19) pandemic. As noted in the Department's Notice 2020-04, the Department recognizes that the COVID-19 disruption has posed unique challenges for the insureds and insurers of this Commonwealth. Responses to these challenges require flexibility in all aspects of the insurance industry, including premium finance companies.

The Department recognizes that premium finance companies provide an important lending function to individuals and businesses with respect to financing the payment of insurance premiums under premium finance agreements. Further, the Department understands that disruptions to normal operations resulting from the efforts to mitigate the spread of COVID-19 may result in insureds being unable to timely meet payment obligations under these agreements. Considering these unprecedented challenges to individuals and businesses, the Department is encouraging premium finance companies, to the greatest extent possible, to accommodate insureds by extending or providing grace periods for loan payments or to be otherwise flexible with respect to determinations of default under premium finance agreements, especially with regard to cancellations for default governed by section 10 of the act (40 P.S. § 3310). In addition, the Department is encouraging premium finance companies to waive or temporarily eliminate any delinquency or other charges that would ordinarily be permitted under section 9 of the act (40 P.S. § 3309).



To facilitate this accommodation, the Department is encouraging insurance carriers to work with premium finance companies to facilitate any grace period modifications. Furthermore, insurance carriers should recall that their ultimate responsibility is to the policyholder. As such, when a policy is being cancelled because of a premium finance default, the Department advises that insurance carriers should work directly with the policyholder to provide any reasonable flexibility and accommodations to the policyholder to allow the policy to remain in effect.

The severe and ongoing economic impact resulting from the COVID-19 pandemic calls on everyone to work together to support individuals and members of the business community who, through no fault of their own, are incurring economic hardship, and the Department is requesting the insurance industry's cooperation in providing this support. Individuals with questions pertaining to this notice should contact Christopher Monahan, Deputy Insurance Commissioner, at cmonahan@pa.gov.

JESSICA K. ALTMAN,  
Insurance Commissioner

[Pa.B. Doc. No. 20-585. Filed for public inspection April 24, 2020, 9:00 a.m.]

## INSURANCE DEPARTMENT

### COVID-19 Related Financial Filings Guidance; Notice 2020-10

The purpose of this notice is to advise all domestic insurance companies in this Commonwealth regarding continued compliance with regulatory requirements during the novel coronavirus (COVID-19) public health emergency.

#### *Extensions for Regulatory Filing Deadlines*

At this time, companies are still required to make all required electronic filings (for example, quarterly financial statements, audited financial statements) with the National Association of Insurance Commissioners (NAIC). Filings should also continue to be filed electronically with the company's assigned analyst. If the company believes that it will not be able to meet a deadline required by law or regulation, contact the assigned analyst by e-mail to request an extension in writing. The Insurance Department (Department) will consider providing insurers an additional 30 or 60 days, as provided as follows, to complete certain filings. The Department reserves the right to reject an extension request based upon the financial condition of the company or any other unique circumstances applicable to the company.

#### *Filings subject to a potential 30-day extension:*

- May 1, 2020, Combined Annual Statement Filing (Property)
- May 1, 2020, Combined Insurance Expense Exhibit (Property)
- June 1, 2020, Accountant's Letter of Qualifications (Property, Life/Fraternal, Health, Title)
- August 15, 2020, PBR Exemption filing due to State July 1, 2020, and to NAIC August 15, 2020, (Life/Fraternal)

#### *Filings subject to a potential 60-day extension:*

- June 1, 2020, Audited Financial Report (Property, Life/Fraternal, Health, Title)

- August 1, 2020, Communication of Internal Control Related Matters Noted in Audit (Property, Life/Fraternal, Health, Title)

- June 1, 2020, Corporate Governance Annual Disclosure

#### *Regulatory Filing Deadlines*

#### *Components of Annual Filings*

The filing deadlines for the components of the 2019 annual filings, which should be submitted only to an insurer's state of domicile, are as follows.

- April 30, 2020, Actuarial Memorandum Required by Actuarial Guideline XXXVIII 8D (Life/Fraternal)

- August 1, 2020, Management's Report of Internal Control Over Financial Reporting (Property, Life/Fraternal, Health, Title)

#### *Filings subject to a potential 30-day extension:*

#### *Quarterly Electronic Filings*

The NAIC filing deadlines and requirements for the 2020 quarterly electronic filings, as set forth as follows, are due May 15, 2020:

- Quarterly Statement Filing as of March 31, 2020, (Property, Life/Fraternal, Health, Title)

- Trusteed Surplus Statement—Quarter Ending March 31, 2020, (Property, Life/Fraternal)

- Supplement A to Schedule T (Medical Professional Liability Supplement)—Quarter Ending March 31, 2020, (Property)

- Medicare Part D Coverage Supplement—Quarter Ending March 31, 2020, (Property, Life/Fraternal, Health)

- Merger/History Quarterly Form, if Applicable (Property, Life/Fraternal, Health, Title) (electronic txt file only)

- Reasonableness of Assumptions Certification Required by Actuarial Guideline XXXV—Quarter Ending March 31, 2020, (Life/Fraternal)

- Reasonableness and Consistency of Assumptions Certification Required by Actuarial Guideline XXXV—Quarter Ending March 31, 2020, (Life/Fraternal)

- Reasonableness of Assumptions Certification for Implied Guaranteed Rate Method Required by Actuarial Guideline XXXVI—Quarter Ending March 31, 2020, (Life/Fraternal)

- Reasonableness and Consistency of Assumptions Certification Required by Actuarial Guideline XXXVI (Updated Average Market Value)—Quarter Ending March 31, 2020, (Life/Fraternal)

- Reasonableness and Consistency of Assumptions Certification Required by Actuarial Guideline XXXVI (Updated Market Value)—Quarter Ending March 31, 2020, (Life/Fraternal)

- Director and Officer Insurance Coverage Supplement—Quarter Ending March 31, 2020, (Property)

#### *Electronic Filings and Electronic Signatures*

Prior to the COVID-19 crisis, the Department generally instructed companies to file documents in hard copy form with original (wet) signature, with notary requirements. Until further notice, the hard copy, original signature, notarization and other in-person related filing requirements are currently waived. Companies shall submit all documents electronically to their assigned analyst. However, companies are expected to keep a list of all filings that were submitted electronically. Hard copies should be



filed within 60 days after the Commonwealth lifts its social distancing restrictions and employees are permitted to return to work.

#### *Onsite Examinations*

Some insurers have inquired regarding whether the Department will continue to conduct onsite examinations during the COVID-19 pandemic. The Department will fully comply with any government directives or orders regarding public gatherings and essential operations. At this time, the Department will not conduct any onsite examination work that is contrary to the spirit of any public health directive. However, the Department will continue to engage in all examination functions that do not require employees onsite. Companies should be aware that the Department may need to request additional information in electronic form. The Department expects independent auditors will also take a similar position. The Department acknowledges that company response times may be slower as more employees work from home. However, the Department will continue to engage in all examination functions that do not require employees onsite.

JESSICA K. ALTMAN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 20-586. Filed for public inspection April 24, 2020, 9:00 a.m.]

## INSURANCE DEPARTMENT

### **Notice to Insurance Companies Regarding Policyholders Affected by the COVID-19 Virus; Notice 2020-04**

Given the spread of the novel coronavirus (COVID-19), schools, businesses and the general public have been encouraged to take mitigating efforts to limit further spread of COVID-19. Some of these measures have unfortunately led to the displacement of workers which may have adverse effects, including the failure to be paid their regular salary and receive reimbursement when normally due. This, in turn, may adversely affect the ability of these individuals or entities to make timely payment for monetary obligations, including payments for insurance premiums.

The Insurance Department (Department) specifically encourages the entities and individuals it regulates to assist those affected by the current situation. Insurers should consider the following actions: consistent with prudent insurance practices; relaxing due dates for premiums payments; extending grace periods; waiving late fees and penalties; and allowing payment plans for premiums payments to otherwise avoid a lapse in coverage. Insurers should consider cancellation or nonrenewal of policies only after exhausting other efforts to work with policyholders to continue coverage.

This bulletin shall apply to commercial and personal, property, casualty, accident and health and life policies.

Affected policyholders should notify their insurance carriers and agents and explain their individual situation and difficulties complying with payment schedules.

The Department believes that the considerations outlined in this notice are crucial at this time to help ease the hardships that are being felt by the citizens of this Commonwealth. The Department will continue to monitor developments and will evaluate the situation as necessary.

JESSICA K. ALTMAN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 20-587. Filed for public inspection April 24, 2020, 9:00 a.m.]

## INSURANCE DEPARTMENT

### **Notice to Licensees Regarding Education Courses and License Renewals; Notice 2020-06**

In light of the novel coronavirus (COVID-19) spread in this Commonwealth, the Insurance Department (Department) issues this notice to all licensees of this Department. Beginning Monday, March 16, 2020, all in-person classroom education approved by the Department is temporarily suspended due to the circumstances related to COVID-19. Instead, classroom courses may be offered by means of Internet based webinar format. Providers previously approved for classroom training do not need to contact the Department to offer courses by means of webinar. To the extent that education providers have currently approved online Continuing Education (CE) courses, the Department encourages individuals to utilize these programs to continue to provide producers with CE. Providers and licensees are encouraged to monitor [www.insurance.pa.gov](http://www.insurance.pa.gov) for periodic licensure updates.

While the Department strongly encourages licensees to take advantage of online CE courses, the Department understands that at this time, the circumstances related to COVID-19 may prevent some licensees from being able to complete CE requirements in time for their licensing renewal. Therefore, until further notice, the Commissioner of the Commonwealth, under section 608-A(e) of The Insurance Department Act of 1921 (act) (40 P.S. § 310.8(e)), will temporarily waive CE requirements for licensees who cannot meet requirements due to extenuating circumstances related to COVID-19.

The Department understands that this will necessarily impact licensees who are either renewing their licenses or preparing to renew their licenses. In anticipation of these concerns, beginning Monday, March 16, 2020, the Department, under section 608-A of the act, will temporarily extend the licensing renewal deadline for licensees impacted by extenuating circumstances related to COVID-19.

Additionally, until further notice, the Commissioner of the Commonwealth, under section 608-A of the act, will temporarily waive CE requirements for licensees who cannot meet requirements due to extenuating circumstances related to COVID-19.

While the Department strongly encourages licensees to renew their licenses by the due date by electronic means such as Siron and NIPR, as well as take advantage of online CE courses, the Department understands that at this time, the circumstances related to COVID-19 may prevent some licensees from being able to renew their licenses or complete CE requirements in time. Licensees are encouraged to monitor [www.insurance.pa.gov](http://www.insurance.pa.gov) for periodic licensure updates. Any and all renewal requirements,

including CE, are still applicable and the Department will work with licensees once COVID-19 has been contained to meet these requirements.

JESSICA K. ALTMAN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 20-588. Filed for public inspection April 24, 2020, 9:00 a.m.]

---

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### General Rule Transaction

**A-2020-3019450. Pennsylvania Telephone Company and New Lisbon Telephone Company.** Joint application of Pennsylvania Telephone Company, their shareholders and New Lisbon Telephone Company for approval of a general rule transaction involving the transfer of control of a telecommunications public utility.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before Monday, May 11, 2020. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business address.

*Applicants:* Pennsylvania Telephone Company; New Lisbon Telephone Company

*Through and By Counsel:* Charles E. Thomas, Jr., Esquire, Thomas, Niesen & Thomas, LLC, 212 Locust Street, Suite 302, Harrisburg, PA 17101

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 20-589. Filed for public inspection April 24, 2020, 9:00 a.m.]

---







