

NOTICES

DELAWARE RIVER BASIN COMMISSION

Commission Meeting and Public Hearing

The Delaware River Basin Commission will hold a public hearing on Wednesday, March 26, 1997. The hearing will be part of the Commission's regular business meeting which is open to the public and scheduled to begin at 1:30 p.m. in the Goddard Conference Room of the Commission's offices at 25 State Police Drive, West Trenton, NJ.

An informal conference among the Commissioners and staff will be held at 1 p.m. at the same location and will feature a presentation on the Delaware River Sojourn. This conference is also open to the public.

In addition to the subjects listed below which are scheduled for public hearing at the business meeting, the Commission will also address the following matters: Minutes of the February 26, 1997 business meeting; announcements; General Counsel's Report; report on Basin hydrologic conditions and public dialogue.

The subjects of the hearing will be as follows:

Applications for Approval of the Following Projects Under Article 10.3, Article 11 and/or Section 3.8 of the Compact:

1. *Delaware Department of Natural Resources and Environmental Control (DNREC) D-84-10 CP (Supplement No. 3).* An application to supplement Docket No. D-84-10 CP Water Supply Facility Plan for Northern New Castle County, DE to increase the interstate transfer of water from the Chester Water Authority (CWA) in New Garden Township, Chester County, PA to Artesian Water Company (AWC) in New Castle County, DE. Currently, the interstate transfer is 120 million gallons (mg)/30 days (approved via Docket No. D-84-10-CP (Supplement No. 2)). DNREC has requested DRBC to approve an increase to 180 mg/30 days and an extension of the interstate agreement to December 31, 2021. The Department of Environmental Protection has approved the project transfer by CWA.

2. *Village of Deposit D-86-29 CP Renewal 2.* An application for the renewal of a ground water withdrawal project to supply up to 30 mg/30 days of water to the applicant's distribution system from well nos. 1 through 4. Commission approval on December 11, 1991 was limited to 5 years. The applicant requests that the total withdrawal from all wells remain limited to 30 mg/30 days. The project is located in the Village of Deposit, Broome and Delaware Counties, NY.

3. *Moyer Packing Company D-96-21.* A project to expand the applicant's industrial wastewater treatment plant (IWTP) average monthly capacity from 0.50 million gallons/day (mgd) to 0.705 mgd. The IWTP will continue to serve only the applicant's rendering and meat packing facilities in Franconia Township, Montgomery County, PA.

The IWTP will continue to provide tertiary filtration after secondary biological treatment via the extended aeration activated sludge process. The IWTP will continue to discharge to Skippack Creek, approximately 1,000 feet west of the plant, which is situated just west of Allentown Road near Souder Road in Franconia Township.

4. *Thornbury Township D-96-47 CP.* A project to construct a 103,000 gallons/day (gpd) sewage treatment plant (STP) to provide advanced secondary biological treatment (via the sequencing batch reactor/activated sludge process) and tertiary filtration. Depending upon weather conditions, discharge will be to Radley Run, a tributary of Brandywine Creek, and/or to a 10-acre spray irrigation disposal field. The project will be constructed in two phases: In Phase I, the project spray irrigation disposal field will provide capacity for 77,250 gpd; Phase II will provide an additional 3.3 acres for the 103,000 gpd total capacity. The spray irrigation field will be located west of Radley Run and the STP will be located just east of Radley Run, on the proposed Bridlewood Farm residential development in Thornbury Township, Chester County, PA. All facilities are just south of Street Road and west of Route 202 in Thornbury Township.

5. *Citizens Utilities Water Company of Pennsylvania, Amity District D-96-53 CP.* An application for approval of a groundwater withdrawal project to supply up to 8.4 mg/30 days of water to the applicant's distribution system from new well no. DG-11, and to increase the existing withdrawal limit of 12.1 mg/30 days from all wells to 21 mg/30 days. The project is located in Amity Township, Berks County, PA.

6. *New Garden Township Sewer Authority D-96-64 CP.* A project to construct a 0.3 mgd lagoon treatment/spray irrigation system to be known as the East End Wastewater Treatment Plant in New Garden Township, Chester County, PA. Currently, sewage generated in the East End of New Garden Township is pumped to the Borough of Kennett Square treatment plant. The proposed project is being built to meet the present and future wastewater needs of the East End since conveyance to Kennett Square's plant is proposed to end in the near future. The facilities are designed for construction in two phases: an initial 200,000 gpd phase and two additional 50,000 gpd phases as needed. There will be no discharge to surface water.

7. *North Coventry Municipal Authority D-97-1 CP.* A project to modify and expand the applicant's existing trickling filter STP from an average monthly flow of 0.7 mgd to 1.5 mgd. The expanded STP will provide secondary biological treatment via an oxidation ditch activated sludge process. The STP will continue to serve existing and proposed development in North Coventry Township, Chester County, PA. The STP is located in the northeastern corner of North Coventry Township and is situated on the south bank of the Schuylkill River to which it will continue to discharge, just downstream from the U. S. Route 442 bridge.

Documents relating to these items may be examined at the Commission's offices. Preliminary dockets are available in single copies upon request. Please contact Thomas L. Brand concerning docket-related questions. Persons wishing to testify at this hearing are requested to register with the Secretary prior to the hearing.

SUSAN M. WEISMAN,
Secretary

[Pa.B. Doc. No. 97-447. Filed for public inspection March 21, 1997, 9:00 a.m.]

Proposed Amendments to Ground Water Protected Area Regulations for Southeastern Pennsylvania; Public Briefings

The Delaware River Basin Commission (Commission) will hold public briefings on proposed amendments to its Ground Water Protected Area Regulations for Southeastern Pennsylvania with respect to the establishment of numerical ground water withdrawal limits for subbasins in the protected area. The proposed limits, based upon hydrologic budget analyses, would initially be specified for the 14 subbasins in the Neshaminy Creek Basin. Limits for the remaining 52 subbasins within the protected area would be developed upon completion of additional hydrologic budget analyses, scheduled to be completed late in 1997.

The Commission's Ground Water Protected Area Regulations for Southeastern Pennsylvania were adopted in 1980 to prevent depletion of ground water, protect the just and equitable interests and rights of lawful users of the same water source, and balance and reconcile alternative and conflicting uses of limited water resources in the area. Lowered water tables resulting from withdrawals in excess of recharge rates have led to reduction of flows in some perennial streams in the region and have dried up some stream reaches which previously flowed all year. Such reductions in base flow interfere with instream and downstream water uses, adversely affect fisheries and aquatic life, and threaten to reduce the capacity of streams in the region to assimilate natural and man-made point and nonpoint discharges of potential pollutants.

Since then, the ground water protected area regulations have been implemented and all interference issues have been addressed, and many sources have been limited to more reliable quantities. In addition, other alternative supplies have been made available in much of the protected area. While it is clear that ground water withdrawals have impacted the low flow of perennial streams, it has been difficult to address the impact on streamflow on a project by project basis. With this in mind, the Commission and its Ground Water Advisory Committee evaluated a variety of approaches and determined that additional information was needed. In 1996, the U. S. Geological Survey completed work on a computer program to more accurately compare water withdrawals and ground water base flow in the Neshaminy Creek Basin. Over the past years, the Commission's Ground Water Advisory Committee met on several occasions to review the study products and discuss possible management strategies to address the problems identified by the study. Commission staff has presented the study results and options to the following groups: Water Supply Technical Advisory Committee of the Bucks County Planning Commission; Montgomery County Planning Commission staff; Bucks County Planning Commission; Central Bucks Water Supply Committee; Upper Bucks County Ground Water Committee; Conshohocken Office of the Pennsylvania Department of Environmental Protection; the Bucks County Health Department; the US Environmental Protection Agency's Neshaminy Creek Watershed Conference; the Water Resources Association of the Delaware River Basin; and the Association of Ground Water Scientists and Engineers.

The proposed amendments to the Ground Water Protected Area Regulations would establish a two-tiered system of withdrawal limits. The first tier would serve as a warning that a subbasin is "potentially stressed." In potentially stressed subbasins, applicants for new or

expanded ground water withdrawals would be required to implement one or more programs to mitigate adverse impacts of additional ground water withdrawals. Acceptable programs would include: conjunctive use of ground water and surface water; expanded water conservation; programs to control ground water infiltration; and artificial recharge and spray irrigation. The second tier would serve as the maximum withdrawal limit. The Commission would seek to prevent ground water withdrawals from exceeding the maximum withdrawal limit.

The proposed regulations would also provide incentives for holders of existing DRBC docket and protected area permits to implement one or more of the above programs to mitigate the adverse impacts of their ground water withdrawals. If docket or permit holders successfully implement one or more programs, the Commission would extend the docket or permit duration for up to 10 years.

The proposed regulations would also specify administrative criteria for issuing and review of dockets and permits as well as protocol for updating and revising withdrawal limits to correspond with any integrated resources plans adopted by municipalities for subbasins.

The briefings will be held as follows:

April 8, 1997, beginning at 7 p.m. and continuing until 9 p.m. as long as there are people present wishing to speak. The briefing will be held in the Central Bucks West High School Auditorium, 375 West Court Street, Doylestown, PA.

April 10, 1997, beginning at 7 p.m. and continuing until 9 p.m. as long as there are people present wishing to speak. The briefing will be held in Room 171 of the Chester County Government Services Center, 601 Westtown Road, West Chester, PA.

The ground water study which provided the basis for the proposed withdrawal limits for the 14 subbasins in the Neshaminy Creek Basin was prepared by the U. S. Geological Survey in cooperation with the Commission and is entitled "Water-Use Analysis Program for the Neshaminy Creek Basin, Bucks and Montgomery Counties, Pennsylvania." Limited quantities of this report and its accompanying map series entitled "Maps of Difference Between Ground-Water Contributions to Base Flow for the Various Recurrence Intervals and Ground Water Withdrawals in the Neshaminy Creek Basin, Pennsylvania" were printed and may be reviewed at the Commission's offices at 25 State Police Drive, West Trenton, NJ. Please contact Judith L. Strong, Commission Librarian at (609) 883-9500 ext. 263 to make an appointment. Review copies are also available at the offices of the Bucks County Planning Commission (215) 345-3400; Bucks County Library Center (215) 348-9082; Montgomery County Planning Commission (Drew Shaw) (610) 278-3733; the Chester County Library (Sue Wilson) (610) 363-0884; and Lehigh Valley Planning Commission (610) 264-4544.

It is the Commission's intent to analyze all comments received at the public briefings before proposing the adoption of revisions to the Ground Water Protected Area Regulations for Southeastern Pennsylvania. A public hearing on proposed revisions to the regulations is tentatively planned for late spring of 1997.

SUSAN M. WEISMAN,
Secretary

[Pa.B. Doc. No. 97-448. Filed for public inspection March 21, 1997, 9:00 a.m.]

DEPARTMENT OF BANKING

Action on Applications

The Department of Banking of the Commonwealth of Pennsylvania, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending March 11, 1997.

BANKING INSTITUTIONS

Holding Company Acquisitions

<i>Date</i>	<i>Name of Corporation</i>	<i>Location</i>	<i>Action</i>
3-5-97	F.N.B. Corporation, Hermitage, to acquire up to 15.0% of the voting shares of Sun Bancorp, Inc., Selinsgrove	Hermitage	Filed

Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
3-3-97	Harris Savings Bank Harrisburg Dauphin County	635 N. 12th St. Lemoyne Cumberland County	Opened
3-6-97	Abington Savings Bank Jenkintown Montgomery County	1432 Easton Road Warrington Bucks County	Approved
3-10-97	The Drovers & Mechanics Bank York York County	Intersection of I-83 and Rte. 851 Shrewsbury Twp. York County	Filed

SAVINGS ASSOCIATIONS

No activity.

CREDIT UNIONS

Conversions

<i>Date</i>	<i>Name of Credit Union</i>	<i>Location</i>	<i>Action</i>
3-6-97	Harrisburg Belco Federal Credit Union Harrisburg Dauphin County	403 N. Second St. Harrisburg Dauphin County	Approved

To:

Belco Credit Union
Harrisburg
Dauphin County

Represents conversion from a Federally-chartered credit union to a State-chartered credit union.

Branch Applications

<i>Date</i>	<i>Name of Credit Union</i>	<i>Location</i>	<i>Action</i>
3-1-97	ITE Credit Union Southampton Bucks County	9212 Frankford Ave. Philadelphia Philadelphia County	Opened

RICHARD C. RISHEL,
Secretary

[Pa.B. Doc. No. 97-449. Filed for public inspection March 21, 1997, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

APPLICATIONS RECEIVED UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

[National Pollution Discharge Elimination System Program (NPDES)]

DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

(Part I Permits)

The following parties have applied for an NPDES permit to discharge controlled wastewaters into the surface waters of this Commonwealth. Unless otherwise indicated on the basis of preliminary review and application of lawful standards and regulations the Department of Environmental Protection proposes to issue a permit to discharge, subject to certain effluent limitations and special conditions. These proposed determinations are tentative.

Where indicated, the EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.6E.

Persons wishing to comment on the proposed permit are invited to submit a statement to the Field Office indicated as the office responsible, within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Field Office of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the Field Office considers the public response significant.

Following the 30-day comment period, the Water Management Program Managers will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, proposed effluent limitations and special conditions, comments received and other information are on file and may be inspected and arrangements made for copying at the Field Office indicated above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceeding should contact the Secretary to the Board at (717) 787-3483. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

Applications for National Pollutant Discharge Elimination System (NPDES) permit to discharge to State waters.

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

PA 0096512. Sewage, **Mt. Morris Water and Sewage Authority**, P. O. Box 340, Mt. Morris, PA 15349.

This application is for renewal of an NPDES permit to discharge treated sewage from the Mt. Morris Wastewater Treatment Plant in Perry Township, **Greene County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Dunkard Creek, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Dunkard Valley Joint Municipal Authority.

Outfall 001: existing discharge, design flow of 0.1 mgd.

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD ₅	25	38		50
Suspended Solids	30	45		60
Ammonia Nitrogen				
(5-1 to 10-31)	7.0	10.5		14.0
(11-1 to 4-30)	21.0	31.5		42.0
Fecal Coliforms				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(11-1 to 4-30)	15,000/100 ml as a geometric mean			
Total Residual Chlorine				
1st month—36th month	monitor and report			
37th month—expiration		1.4		3.3
pH	6.0—9.0			

The EPA waiver is in effect.

PA 0097390. Sewage, **Marion Township**, 485 Hartzell School Road, Fombell, PA 16123.

This application is for renewal of an NPDES permit to discharge treated sewage from Vekaplast Sewage Treatment Plant in Marion Township, **Beaver County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Connoquenessing Creek, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Beaver Falls Municipal Authority.

Outfall 001: existing discharge, design flow of .012 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25	38	50
Suspended Solids	30	45	60
Phosphorus (4-1 to 10-31)	2.0	3.0	4.0
Fecal Coliforms (5-1 to 9-30)	200/100 ml as a geometric mean		
(10-1 to 4-30)	100,000/100 ml as a geometric mean		
Total Residual Chlorine 1st month—36th month	monitor and report		
37th month—expiration	1.4		3.3
pH	6.0—9.0		

The EPA waiver is in effect.

PA 0217549. Sewage, **Grey's Colonial Acres**, R. D. 1, Box 137, Kittanning, PA 16201.

This application is for issuance of an NPDES permit to discharge treated sewage from Grey's Colonial Acres Sewage Treatment Plant in Plumcreek Township, **Armstrong County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as an unnamed tributary of Cherry Run, which are classified as a cold water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Buffalo Township Municipal Authority on the Allegheny River.

Outfall 001: new discharge, design flow of 0.0032 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	10			20
Suspended Solids	10			20
Ammonia Nitrogen (5-1 to 10-31)	3			6
(11-1 to 4-30)	9			18
Fecal Coliforms (5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	1.4			3.3
Dissolved Oxygen	not less than 3.0 mg/l			
pH	6.0—9.0			

The EPA waiver is in effect.

Northcentral Region: Environmental Program Manager; Water Management Program, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448, telephone (717) 327-3670.

PA 0115312. Sewerage, SIC: 4952, **Loyalsock Township Board of Supervisors**, 2501 East Third Street, Williamsport, PA 17701.

This proposed action is for renewal of an NPDES permit for an existing discharge of treated sewage wastewater to an unnamed tributary of Grafius Run in Loyalsock Township, **Lycoming County**.

The receiving stream is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purposes of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is PA American Water Company located at Milton.

The proposed effluent limits for Outfall 001, based on a design flow of 0.0008 mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25		50
TSS	30		60
Free Cl ₂ Residual	report		
Fecal Coliforms (5-1 to 9-30)	200 col/100 ml as a geometric mean		
(10-1 to 4-30)	200 col/100 ml as a geometric mean		
pH	6.0—9.0 at all times		

The EPA waiver is in effect.

Northwest Regional Office: Regional Manager, Water Management, 230 Chestnut Street, Meadville, PA 16335, telephone (814) 332-6942.

PA 0035513. Department of Transportation, Bureau of Design, 7th Floor Forum Place, 555 Walnut Street, Harrisburg, PA 17101-1900.

This application is for renewal of an NPDES permit to discharge sewage to an unnamed tributary to the Shenango River in Shenango Township, **Mercer County**. This is an existing discharge.

The receiving water is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the PA American Water Company on the Shenango River located at New Castle, approximately 21 miles below point of discharge.

The proposed discharge limits for Outfall No. 001, based on a design flow of 0.005 mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25		50
TSS	30		60
Ammonia-Nitrogen	monitor and report		
Fecal Coliforms (5-1 to 9-30)	200/100 ml as a geometric average		
(10-1 to 4-30)	2,000/100 ml as a geometric average		
Total Residual Chlorine	1.5		3.5
Dissolved Oxygen	minimum of 3.0 mg/l at all times		
pH	6.0—9.0 at all times		

The EPA waiver is in effect.

PA 0091189. Slippery Rock Campground Association, Inc., 1150 West Park Road, Slippery Rock, PA 16057-4118.

This application is for renewal of a Part I NPDES Permit, to discharge treated sewage to Slippery Rock Creek in Worth Township, **Butler County**. This is a minor discharge.

The receiving water is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Salvation Army's Camp Allegheny on Slippery Rock Creek located at Worth Township, Butler County, approximately 15.1 miles below point of discharge.

The proposed discharge limits for Outfall No. 001, based on a design flow of 0.100 mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25		50
TSS	30		60
Fecal Coliforms (5-1 to 9-30)	200/100 ml as a geometric average		
(10-1 to 4-30)	100,000/100 ml as a geometric average		
Total Residual Chlorine	1.5		3.5
pH	6.0—9.0 at all times		

The EPA waiver is in effect.

PA 0221872. Industrial waste, SIC: 3312. **Universal Stainless and Alloy Products**, 600 Mayer Street, Bridgeville, PA 15017.

This application is for renewal of an NPDES permit, to discharge noncontact cooling water and Group 1 Stormwater to Oil Creek and Church Run in Titusville, **Crawford County**. This is an existing discharge.

The receiving water is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed

downstream potable water supply considered during the evaluation is the Emlenton Water Company on Allegheny River located at Emlenton, approximately 48 miles below point of discharge.

The proposed discharge limits for Outfall No. 001, based on a design flow of 0.245 mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (mgd)	monitor and report		
Oil and Grease	15		30
Copper	0.071		0.18
pH	within limits of 6.0—9.0 standard units at all times		

The EPA waiver is in effect.

Southcentral Regional Office: Regional Water Management Program Manager, One Ararat Boulevard, Harrisburg, PA 17110, telephone (717) 657-4590.

PA 0084956. Industrial waste, SIC: Code 4952, **Larry H. Mylin**, Pequea Sewer Services Septage Treatment Plant, 106 Fairview Road, New Providence, PA 17560.

This application is for issuance of an NPDES permit for a new discharge of treated industrial waste to Pequea Creek, in Providence Township, **Lancaster County**.

The receiving stream is classified for warm water fishery, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was the Holtwood Power Plant located in Martic Township, Lancaster County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.03 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25.0	50.0	62.5
Total Suspended Solids	30.0	60.0	75.0
Total Nitrogen	35.0	70.0	87.5
NH ₃ -N	monitor and report		
Nitrite/Nitrates	monitor and report		
Oil and Grease	15.0		30.0
Dissolved Oxygen	5.0 mg/l at all times		
Chlorine Residual	0.5		1.6
Phosphorus	monitor and report		
pH (s.u.)	from 6.0—9.0 inclusive		
Fecal Coliforms			
(5-1 to 9-30)	200/100 ml geometric average		
(10-1 to 4-30)	12,000/100 ml geometric average		

The EPA waiver is in effect.

PA 0008869. Industrial waste, SIC: 2621, **P. H. Glatfelter Company**, 228 South Main Street, Spring Grove, PA 17362-0500.

This application is for renewal of an NPDES permit for an existing discharge of treated industrial waste to Codorus Creek in Spring Grove Borough, **York County**.

The receiving stream is classified for warm water fishes, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was Wrightsville Water Company located just north of Wrightsville Borough, York County. The discharge is not expected to impact any potable water supply.

The proposed Interim effluent limits for Outfall 001 (paper mill and secondary treated wastewater), for a flow of 13.7 mgd, are:

<i>Parameter</i>	<i>Mass Units (lb/day)</i>		<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
	<i>Average Monthly</i>	<i>Maximum Daily</i>			
Flow (mgd)	report				
pH (s.u.)	report				
Dissolved Oxygen (Minimum)			monitor and report within limits of 6—9 at all times 5 mg/l at all times		
CBOD ₅					
(5-1 to 10-31)	1,168	2,335	11	22	25
(11-1 to 4-30)	1,600	2,856	14	28	35
Color, Background (Pt-Co Units)			monitor and report		
Color, Effluent (Pt-Co Units)			monitor and report		
Color, Instream (Pt-Co Units)			225	375	200 (annual avg.)

<i>Parameter</i>	<i>Mass Units (lb/day)</i>		<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
	<i>Average Monthly</i>	<i>Maximum Daily</i>			
Temperature, Background (°F)					monitor and report
Temperature, Effluent (°F)					monitor and report
Temperature, Instream (°F)					(1)
Total Residual Chlorine			0.05	0.1	0.15
Total Suspended Solids	5,531	11,266	48	96	118
Phosphorus	228	457	2	4	5
NH ₃ -N					
(5-1 to 10-31)	171	343	1.5	3	3.8
(11-1 to 4-30)	report	report			monitor and report
Cyanide, Free	report	report			monitor and report
Phenolics (Total Phenols)	2.8	5.7	0.025	0.05	0.625
Pentachlorophenal		2.7		0.024	
2,4,6-Trichlorophenol		17		0.15	
Aldrin					monitor and report
4,4' DDE					monitor and report
Chloroform					monitor and report
AOX					monitor and report
COD					monitor and report

The proposed Final effluent limits for Outfall 001 (paper mill and secondary treated wastewater), for a flow of 13.7 mgd, are:

<i>Parameters</i>	<i>Mass Units (lb/day)</i>		<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
	<i>Average Monthly</i>	<i>Maximum Daily</i>			
Flow (mgd)	report	report			
pH					within limits of 6—9 at all times
Dissolved Oxygen (Minimum)					5 mg/l at all times
CBOD ₅					
(5-1 to 10-31)	1,168	2,335	11	22	25
(11-1 to 4-30)	1,600	2,856	14	28	35
Color, Effluent (Pt-Co Units) (3)			70	140	175
Temperature, Effluent (°F)				(2)	
Total Residual Chlorine			0.05	0.1	0.15
Total Suspended Solids	5,531	11,266	48	96	118
Phosphorus	228	457	2	4	5
NH ₃ -N					
(5-1 to 10-31)	114	228	1	2	2.5
(11-1 to 4-30)	160	320	1.4	2.8	3.5
Cyanide, Free	0.8	1.6	0.007	0.014	0.021
Phenolics (Total Phenols)	2.8	5.7	0.025	0.05	0.0625
Pentachlorophenal		2.7		0.024	
2,4,6-Trichlorophenol		17		0.15	
Aldrin					monitor and report
4,4' DDE					monitor and report
Chloroform					monitor and report
AOX					monitor and report
COD					monitor and report

The proposed effluent limits for Outfall 002 (Noncontact Cooling Water), for a flow of 16.2 mgd are:

<i>Parameters</i>	<i>Mass Units (lb/day)</i>		<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
	<i>Average Monthly</i>	<i>Maximum Daily</i>			
Flow	report	report			
Temperature, Effluent (°F) (2)					monitor and report
Temperature, Instream (°F)					(4)
pH (s.u.)					within limits of 6—9 at all times
CBOD ₅					monitor and report
Total Suspended Solids					monitor and report
Total Residual Chlorine					monitor and report

The proposed effluent limits for Outfall 101 (Internal Monitoring Point of Bleach Plant Effluent) are:

<i>Parameter</i>	<i>Mass Units (lbs/day)</i>			<i>Instantaneous Maximum (mg/l)</i>
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly (mg/l)</i>	
2,3,7,8—TCDD				monitor and report
2,3,7,8—TCDF				monitor and report
Chloroform				monitor and report
Acetone				monitor and report
Methyl Ethyl Ketone				monitor and report
Methylene Chloride				monitor and report
Trichlorosyringol				monitor and report
3,4,5-Trichlorocatechol				monitor and report
3,4,6-Trichlorocatechol				monitor and report
3,4,5-Trichloroguaiacol				monitor and report
3,4,6-Trichloroguaiacol				monitor and report
4,5,6-Trichloroguaiacol				monitor and report
2,4,5-Trichlorophenol				monitor and report
2,4,6-Trichlorophenol				monitor and report
Tetrachlorocatechol				monitor and report
Tetrachloroguaiacol				monitor and report
2,3,4,6-Tetrachlorophenol				monitor and report
Pentachlorophenol				monitor and report

The proposed effluent limits for Outfalls SW1—SW4 and SW6—SW46 (Stormwater) are:

<i>Parameters</i>	<i>Composite Sample (mg/l)</i>	<i>Grab Sample (mg/l)</i>
BOD ₅	monitor and report	monitor and report
COD	monitor and report	monitor and report
Oil and Grease	monitor and report	monitor and report
pH	monitor and report	monitor and report
Total Suspended Solids	monitor and report	monitor and report
Total Phosphorus	monitor and report	monitor and report
Total Kjeldahl Nitrogen	monitor and report	monitor and report
Total Iron	monitor and report	monitor and report

This permit also requires a new 316(a) Study, a toxics reduction evaluation (TRE), Chronic Whole Effluent Toxicity Testing (WETT), a sediment bioassay, and fish tissue monitoring.

The EPA waiver is not in effect.

Footnotes:

(1) Maximum Weekly Average Temperature Limitations at 300 meters downstream based on the current 316(a) Study

<i>Month</i>	<i>Temperature (°F)</i>	<i>Month</i>	<i>Temperature (°F)</i>
January	45	July	87
February	61	August	87
March	65	September	84
April	79	October	72
May	83	November	63
June	86	December	59

(2) Final Temperature Limitations will be dependent upon the results of a new 316(a) Study

(3) The permittee has granted an extension of time to achieve compliance with final color effluent limitations under 25 Pa. Code § 95.4. Compliance with final effluent limitations will be in accordance with the May 16, 1989 Amended Consent Adjudication between the permittee and the Department.

(4) Maximum Weekly Average Temperature Limitations at the Route 116 Bridge based on the current 316(a) Study

<i>Month</i>	<i>Temperature (°F)</i>	<i>Month</i>	<i>Temperature (°F)</i>
January	39	July	77
February	52	August	75
March	60	September	68
April	73	October	63
May	77	November	59
June	79	December	58

PA 0087459. Sewage, SIC: 6515, **Triple Crown Corporation**, Meadow View Village Mobile Home Park, 53521 Jaycee Avenue, Harrisburg, PA 17112.

This application is for issuance of an NPDES permit for a new discharge of treated sewage to an unnamed tributary of Trout Run, in Centre Township, **Perry County**.

The receiving stream is classified for cold water fishery, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was Dauphin Consolidated located on the Susquehanna River. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.03175 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	50
Total Suspended Solids	30	60
NH ₃ -N	13	26
Total Residual Chlorine	0.5	1.5
Dissolved Oxygen	minimum of 5.0 at all times	
pH	from 6.0—9.0 inclusive	
Fecal Coliforms		
(5-1 to 9-30)	200/100 ml as a geometric average	
(10-1 to 4-30)	7,400/100 ml as a geometric average	

The EPA waiver is in effect.

<i>NPDES No.</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Tributary Stream</i>	<i>New Permit Requirements</i>
PA 0084484	Salisbury Twp. 5581 Old Phila. Pike Gap, PA 17527	Lancaster	Pequea Creek	TRC
PA 0081795	Williams Grove MHP 1550 Williams Grove Road Mechanicsburg, PA 17055	Cumberland Monroe Twp.	Yellow Breeches Creek	TRC
PA 0084794	Asbury Pointe LP 135 N. George St. York, PA 17401	York E. Manchester Twp.	Codorus Creek	TRC
PA 0080349	Chesapeake Estates of Thomasville 585 Martin Road Gettysburg, PA 17325	York Jackson Twp.	Little Conewago Creek	TRC

Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2511.

PA 0061603. Sewerage. **Eagle Lake Community Association, Inc.**, c/o James H. Ott, P. O. Box 305, Gouldsboro, PA 18424-0305.

This proposed action is for renewal of an NPDES permit to discharge treated sewage into unnamed tributary of Tamarack Creek in Covington Township, **Lackawanna County**.

The receiving stream is classified for the following uses: high quality cold water fishery, aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is the Hazleton Municipal Water Authority's intake on the Lehigh River.

The proposed effluent limits for Outfall 001 based on a design flow of 0.500 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	10.0	20.0
Total Suspended Solids	10.0	20.0
NH ₃ -N		
(5-1 to 10-31)	2.5	5.0
(11-1 to 4-30)	7.5	15.0
Phosphorous as "P"	1.0	2.0
NO ₂ +NO ₃ as "N"	10.0	20.0
Dissolved Oxygen	a minimum of 7.0 mg/l at all times	
Fecal Coliforms	200/100 ml as a geometric mean	
pH	6.0—9.0 standard units at all times	

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Residual Chlorine		
1st Month through 36th Month	monitor and report	
37th Month through Expiration	0.02	0.04

The EPA waiver is in effect.

PA 0061646. Industrial waste, SIC: 4941, **Pennsylvania-American Water Company** (Scranton Water Treatment Plant), 20 East Union Street, Wilkes-Barre, PA 18701.

This proposed action is for renewal of an NPDES permit to discharge treated water treatment plant wastewaters into Stafford Meadow Brook in Roaring Brook Township, **Lackawanna County**.

The receiving stream is classified for the following uses: high quality, cold water fishery, aquatic life, water supply, recreation and special protection.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is the Danville Water Authority located on the north branch of the Susquehanna River.

The proposed effluent limits for Outfall 001 based on a design flow of .80 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Daily Maximum (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Suspended Solids	30.0	60.0	
Total Iron	1.40	2.80	3.50
Total Aluminum	.70	1.40	1.75
Total Manganese	1.0	2.0	
Total Copper	monitor and report		
Total Lead	monitor and report		
pH	6.0—9.0 standard units at all times		

The EPA waiver is in effect.

PA 0044270. Sewerage, **Keystone Mobile Home Park**, Box H, Laury's Station, PA 18059.

This proposed action is for renewal of an NPDES permit to discharge treated process sewage into Lehigh River in North Whitehall Township, **Lehigh County**.

The receiving stream is classified for the following uses: trout stocking fishery, aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is Northampton Water Supply on the Lehigh River.

The proposed effluent limits for Outfall 001 based on a design flow of .0375 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	50
Total Suspended Solids	30	60
NH ₃ -N (5-1 to 10-31)	20	40
Dissolved Oxygen	a minimum of 5 mg/l at all times	
Fecal Coliforms	200/100 ml as a geometric mean	
pH	6.0—9.0 standard units at all times	
Total Residual Chlorine	1.2	2.8

The EPA waiver is in effect.

PA 0053872. Sewerage, **Red Hill Water Authority**, Box 26, Red Hill, PA 18076.

This proposed action is for renewal issuance amendment of an NPDES permit to discharge untreated, treated, process wastewater, cooling water, sewage into drainage swale to Perkiomen Creek in Upper Milford Township, **Lehigh County**.

The receiving stream is classified for the following uses: trout stocking fishery, aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply (PWS) considered during the evaluation is the Philadelphia Suburban Water Supply on the Schuylkill River.

The proposed effluent limits for Outfall 001 based on a design flow of 0.004 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	50
Total Suspended Solids	30	60
Dissolved Oxygen	a minimum of 5 mg/l at all times	
Fecal Coliforms (5-1 to 9-30)	200/100 ml as a geometric mean	
(10-1 to 4-30)	2,000/100 ml as a geometric mean	
pH	6.0—9.0 standard units at all times	
Total Residual Chlorine	1.2	2.8

The EPA waiver is in effect.

PA 0032018. Sewerage, **Lagana Enterprises, Inc.**, Box 203K, Airport Beltway, Hazleton, PA 18201.

This proposed action is for the revocation and reissuance of an NPDES permit to discharge treated sewage into Lake Irene wet weather channel in Hazle Township, **Luzerne County**.

The receiving stream is classified for the following uses: high quality, cold water, aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply (PWS) considered during the evaluation is Danville Water Supply on the north branch of the Susquehanna River.

The proposed effluent limits for Outfall 001 based on a design flow of .013 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	10	20
Total Suspended Solids	15	30
NH ₃ -N (5-1 to 10-31)	4	8
(11-1 to 4-30)	12	24
Dissolved Oxygen	a minimum of 6 mg/l at all times	
Fecal Coliforms (5-1 to 9-30)	200/100 ml as a geometric mean	
(10-1 to 4-30)	2,000/100 ml as a geometric mean	
pH	6.0—9.0 standard units at all times	
Total Residual Chlorine	1.2	2.8

The EPA waiver is in effect.

PA 0043915. Sewerage, **River Road Utilities, Inc.**, R. R. 1, River Road, Mount Bethel, PA 18343.

This proposed action is for renewal of an NPDES permit to discharge treated sewage into Delaware River in Upper Mount Bethel Township, **Northampton County**.

The receiving stream is classified for the following uses: warm water, aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is the City of Easton on the Delaware River.

The proposed effluent limits for Outfall 001, based on a design flow of .1392 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	50
Total Suspended Solids	30	60
Dissolved Oxygen	a minimum of 5 mg/l at all times	
Fecal Coliforms	200/100 ml as a geometric mean	
pH	6.0—9.0 standard units at all times	
Total Residual Chlorine	1.2	2.8

The EPA waiver is in effect.

PA 0031364. Sewerage, **Wallenpaupack Area School District**, Box 17, Star Route 2, Hawley, PA 18428.

This proposed action is for renewal of an NPDES permit to discharge treated sewage into Lake Wallenpaupack in Palmyra Township, **Pike County**.

The receiving stream is classified for the following uses: high quality, cold water, aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the proposed downstream potable water supply (PWS) considered during the evaluation is Delaware River Intake for Stroudsburg/East Stroudsburg Authority.

The proposed effluent limits for Outfall 001 based on a design flow of .04 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	10	20
Total Suspended Solids	30	60
NH ₃ -N		
(5-1 to 10-31)	3	6
(11-1 to 4-30)	9	18
Phosphorous as "P"	2	4
Dissolved Oxygen	a minimum of 7 mg/l at all times	
Fecal Coliforms	200/100 ml as a geometric mean	
(5-1 to 9-30)	2,000/100 ml as a geometric mean	
(10-1 to 4-30)	6.0—9.0 standard units at all times	
pH		
Total Residual Chlorine	1.2	2.8

The EPA waiver is in effect.

DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

Applications under the Pennsylvania Clean Streams Law

(Part II Permits)

The following permit applications and requests for plan approval have been received by the Department of Environmental Protection.

Persons objecting on the grounds of public or private interest to the approval of an application or submitted plan may file a written protest with the Department of Environmental Protection at the address indicated above each permit application or plan. Each written protest should contain the following: name, address and telephone number, identification of the plan or application to which the protest is addressed and a concise statement in sufficient detail to inform the Department of the exact basis of the protest and the relevant facts upon which it is based. The Department may conduct a fact-finding hearing or an informal conference in response to any given protest or protests. Each commentator will be notified in writing of the time and place if a hearing or conference concerning the plan or action or application to which the protest relates is held. To insure consideration by the Department prior to final action on permit applications and proposed plans, initial protests and additions or amendments to protests already filed should be filed within 15 calendar days from the date of this issue of the *Pennsylvania Bulletin*. A copy of each permit application and proposed plan is on file in the office indicated and is open to public inspection.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceeding should contact the Secretary to the Board at (717) 787-3483. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

Industrial waste and sewerage applications under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

A. 0488201. Amendment No. 1. Industrial waste, **BASF Corporation**, 270 Frankfort Road, Monaca, PA 15061. Application for the upgrading of the Monaca Site Secondary Wastewater Treatment Plant located in the Township of Potter, **Beaver County** to serve the BASF Corporation—Monaca Plant.

A. 0297401. Sewerage. **North Versailles Township Sanitary Authority**, 1401 Greensburg Avenue, North Versailles, PA 15137. Application for the construction and operation of the Westbury Road Pump Station located in the Township of North Versailles, **Allegheny County**.

A. 0497403. Sewerage. **Blacks Mobile Home Park**, R. D. 2, Big Knob Road, Lot #38, Rochester, PA 15074. Application for the construction and operation of a sewage treatment plant located in the Township of New Sewickley, **Beaver County** to serve the Blacks Mobile Home Park.

A. 5697401. Sewerage, **Charles Thomas, Jr.**, R. D. 1, Box 31, Garrett, PA 15542. Application for the construction of a single residence sewage treatment plant located in the Township of Brothersvalley, **Somerset County** to serve the Thomas residence.

A. 6396403. Amendment No. 1. Sewerage, **South Strabane Township Sanitary Authority**, 550 Washington Road, Washington, PA 15301. Application for the construction and operation of sewers and appurtenances located in the Township of South Strabane, **Washington County** to serve the Manifold Force Main Sewer Replacement.

Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, telephone (610) 832-6130.

0997401. Sewerage. **Yardley Borough Sewer Authority**, (56 South Main Street, Yardley, PA 19067). Modifications to the Delaware Avenue Pump Station to serve Yardley Borough Sewer Authority located in Yardley Borough, **Bucks County**.

4697402. Sewerage. **Worcester Township**, (1721 Valley Forge Road, P. O. Box 767, Worcester, PA 19490). Construction of a pumping station and sanitary sewer extension to serve Chadwick Place located in Worcester Township, **Montgomery County**.

2397403. Sewerage. **Jonathan Kimmel**, (46 Tanguy Road, Glen Mills, PA 19342). Construction of a sewage

treatment plant to serve the Kimmel residence located in Thornbury Borough, **Delaware County**.

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6942.

WQM Permit No. 2097402. Sewage. **Meadville Area Sewer Authority**, 984 Water Street, Meadville, PA 16335. This project is for the construction of a wastewater pump station in West Mead Township, **Crawford County**.

WQM Permit No. 2597405. Sewage. **Edinboro Conference Camp Grounds**, 5471 Old State Road, Edinboro, PA 16412. This project is for the expansion of the existing camp ground facility, including the construction of a wastewater treatment plant in Washington Township, **Erie County**.

WQM Permit No. 1097401. Sewage. **Buffalo Associates**, 1046 Pittsburgh Street, Springdale, PA 15144. This project is for the construction of a sewage pumping station in Buffalo Township, **Butler County**.

WQM Permit No. 2597406. Sewage. **Fairview Township Sewer Authority**, P. O. Box U, Fairview, PA 16415. This project (Kruse Farm/Route 5 Sewer Extension) is for a gravity sewer interceptor to service part of Fairview Borough, **Erie County**.

Southcentral Regional Office: Water Management Program Manager, One Ararat Boulevard, Harrisburg, PA 17110, telephone (717) 657-4590.

A. 6797403. Sewage, **New Freedom Borough Authority**, 150 East Main Street, New Freedom, PA 17349 in New Freedom Borough, **York County** to upgrade and expand existing pump station was received in the Southcentral Region on February 27, 1997.

A. 0697403. Sewage. **Morgantown Properties, Ltd.**, 200 Bethlehem Drive, Morgantown, PA 19543 in New Morgan Borough, **Berks County** to construct a wastewater treatment plant and spray irrigation system to serve Carr Recreation Park was received in the Southcentral Region on February 27, 1997.

A. 3697402. Sewage, **Mount Joy Borough Authority**, 21 East Main Street, Mount Joy, PA 17552 in Mount Joy Borough, **Lancaster County** to replace 5,600' of existing interceptor sewer was received by the Southcentral Region on February 18, 1997.

INDIVIDUAL PERMITS

(PAS)

The following parties have applied for an NPDES permit to discharge stormwater from a proposed construction activity into the surface waters of the Commonwealth. Unless otherwise indicated on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection proposes to issue a permit to discharge, subject to certain limitations set forth in the permit and special conditions. These proposed determinations are tentative. Limitations are provided in the permit as erosion and sedimentation control measures and facilities which restrict the rate and quantity of sediment discharged.

Where indicated, the EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement to the Regional Office or County Conservation District Office indicated as the responsible office, within 30 days from the date of this public notice. A copy of the written comments should be sent to the County Conservation District Office. Comments reviewed within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Regional Office of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the Regional Office considers the public response significant.

Following the 30-day comment period, the Water Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealable to the Environmental Hearing Board.

The application and related documents, including the erosion and sedimentation control plan for the construction activity, are on file and may be inspected at the County Conservation District Office or the Department Regional Office indicated above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

Southeast Regional Office, Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, telephone (610) 832-6130.

Northeast Regional Office, Regional Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 825-2511.

Southwest Regional Office, Regional Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

Northcentral Regional Office, Regional Water Management Program Manager, 208 W. 3rd Street, Williamsport, PA 17701, telephone (717) 327-3669.

Northwest Regional Office, Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6942.

Allegheny County Conservation District, District Manager, 875 Greentree Road, Pittsburgh, PA 15220, telephone (412) 921-1999.

NPDES Permit PAS10A052-2. Stormwater. **Metro Property**, 300 Park Manor Drive, Pittsburgh, PA 15202 has applied to discharge stormwater from a construction activity located in North Fayette Township, **Allegheny County**, to Montour Run.

NPDES Permit PAS10A097. Stormwater. **Spectra Development Company**, 2593 Wexford Bayne Road, Sewickley, PA 15143 has applied to discharge stormwater from a construction activity located in Franklin Park Borough, **Allegheny County**, to Pine Creek.

NPDES Permit PAS10A098. Stormwater. **Dept. of Transportation**, 45 Thoms Run Road, Bridgeville, PA 15017 has applied to discharge stormwater from a construction activity located in South Fayette and Collier Townships, and Bridgeville Borough, Allegheny County,

and Cecil Township, **Washington County**, to McPherson Creek.

NPDES Permit PAS10A099. Stormwater. **Urban Re-development Authority**, 200 Ross Street, Pittsburgh, PA 15219 has applied to discharge stormwater from a construction activity located in the City of Pittsburgh, **Allegheny County**, to Nine Mile Run.

Centre County Conservation District, District Manager, 414 Holmes Avenue, Bellefonte, PA 16823, telephone (814) 355-6817.

NPDES Permit PAS10F050-1. Stormwater. **Pennsylvania State University**, University Park Airport, 416 Old Main, University Park, PA 16802 has applied to discharge stormwater from a construction activity located in Benner, College and Patton Townships, **Centre County**, to Spring Creek.

Chester County Conservation District, District Manager, Gov. Serv. Ctr., Ste. 395, 601 Westtown Rd., West Chester, PA 19382, telephone (610) 696-5126.

NPDES Permit PAS10G251. Stormwater. **Wilmer Hostetter**, 481 Limestone Road, Oxford, PA 19363 has applied to discharge stormwater from a construction activity located in East Nottingham Township, **Chester County**, to McDonald Run.

NPDES Permit PAS10G252. Stormwater. **Devereux Foundation**, 19 S. Waterloo Road, Devon, PA 19333 has applied to discharge stormwater from a construction activity located in Willistown Township, **Chester County**, to UNT to Crum Creek.

NPDES Permit PAS10G253. Stormwater. **Trommell Crow Company**, 575 E. Swedesford Road, Wayne, PA 19087 has applied to discharge stormwater from a construction activity located in East Whiteland Township, **Chester County**, to Valley Creek.

NPDES Permit PAS10G254. Stormwater. **K Hovnanian**, 1369 Troon Lane, West Chester, PA 19380 has applied to discharge stormwater from a construction activity located in East Goshen Township, **Chester County**, to the west branch of Ridley Creek.

Erie County Conservation District, District Manager, 12723 Rte. 19, Waterford, PA 16441, telephone (814) 796-4203.

NPDES Permit PAS10K019. Stormwater. **Metro Health Center**, 252 W. 11th Street, Erie, PA 16502 has applied to discharge stormwater from a construction activity located in Millcreek Township, **Erie County**, to Walnut Creek.

Greene County Conservation District, District Manager, 22 W. High Street, STE 203, Waynesburg, PA 15370, telephone (814) 852-5278.

NPDES Permit PAS102908. Stormwater. **Texas Eastern**, 5444 Westheimer Street, Houston, TX 77056 has applied to discharge stormwater from a construction activity located in Franklin Township, **Greene County**, to Browns and Ten Mile Creeks.

Lehigh County Conservation District, District Manager, Lehigh Ag. Ctr., Ste. 102, 4184 Dorney Park Rd., Allentown, PA 18104, telephone (610) 820-3398.

NPDES Permit PAS10Q134. Stormwater. **Lehigh Valley Hospital**, P. O. Box 689, Allentown, PA 18105 has applied to discharge stormwater from a construction activity located in Salisbury Township, **Lehigh County**, to Little Lehigh Creek.

NPDES Permit PAS10Q135. Stormwater. **Dept. of Transportation**, 1713 Lehigh Street, Allentown, PA 16103 has applied to discharge stormwater from a construction activity located in Whitehall and Hanover Townships and the City of Bethlehem, Lehigh County, and Hanover and Bethlehem Townships and the City of Bethlehem, **Northampton County**, to the Lehigh River and Monocacy Creek.

SAFE DRINKING WATER

Applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17)

Northeast Regional Office: Sanitarian Regional Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2511.

6496505. Public water supply. **Hollister Heights Mobile Home Park**, Edward Fieramosca, R. R. 5, Box 5417, Moscow, PA 18444. This proposal involves the modification and permitting of an existing system serving Hollister Heights Mobile Home Park, Salem Township, **Wayne County**.

6696502. Public water supply. **Copper Kettle Trailer Park**, R. R. 5, Box 370, Tunkhannock, PA 18657. This proposal involves the modification and permitting of an existing public water system serving Copper Kettle Trailer Park, in Monroe Township, **Wyoming County**.

Engineer: Gregg Bates, 19 Culver Street, Forty Fort, PA 18704.

Southcentral Regional Office: Sanitarian Regional Manager, One Ararat Boulevard, Harrisburg, PA 17110, telephone (717) 657-4692.

A. 3697502. Public water supply. **Borough of Adamstown**, Adamstown Borough, **Lancaster County**, (Edward Stoudt, Borough Council President, 98 Lancaster Avenue, P. O. Box 546, Adamstown, PA 19501), construct a new 300,000 gallon concrete storage tank and install approximately 350 feet of 12-inch water line, (Michael S. Moulds, P. E., RETTEW Associates, Inc., 3020 Columbia Avenue, Lancaster, PA 17603).

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

Preamble 1

Acknowledgment of Notices of Intent to Remediate submitted to the Department of Environmental Protection under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Sections 302 and 303 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate identifies a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background or Statewide health standard to remediate a site must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of the cleanup standards identified under the act will be

relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department and shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

For further information concerning the content of a Notice of Intent to Remediate, please contact the Department of Environmental Protection Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office listed. TDD users may telephone the Department through the AT&T Relay Service at 1 (800) 654-5984.

The Department of Environmental Protection has received the following Notices of Intent to Remediate:

Southwest Field Office: John J. Matviya, Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-5217.

Mt. State Bit Services, Inc. (Former), Redstone Township, **Fayette County**, Mt. State Bit Services, Inc. (Former), R. D. 1, P. O. Box 406, New Salem, PA 15468 has submitted a Notice of Intent to Remediate soil contaminated with PHCs. The applicant proposes to remediate the site to meet the Statewide health standard.

Southcentral Regional Office: Environmental Cleanup Program Manager, One Ararat Boulevard, Harrisburg, PA 17110, (717) 657-4592.

Pennsylvania Power & Light Company Distribution Pole 15280S31266, Carlisle Borough, **Cumberland County**. Pennsylvania Power & Light Company, Two North Ninth Street, Allentown, PA 18101 has submitted a Notice of Intent to Remediate site soil contaminated with PCBs. The applicant proposes to remediate the site to meet the Statewide health standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Carlisle Sentinel* on February 28, 1997.

Harrisburg Steam Works, Ltd., Harrisburg, **Dauphin County**. Harrisburg Steam Works, 1090 North Tenth Street, P. O. Box 3357, Harrisburg, PA has submitted a Notice of Intent to Remediate site soil contaminated with lead, heavy metals, PHCs and PAHs. The applicant proposes to remediate the site to meet the background standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Sunday Patriot News* on February 2, 1997.

Harrisburg Steam Works, Ltd., Harrisburg, **Dauphin County**. Harrisburg Steam Works, 1090 North Tenth Street, P. O. Box 3357, Harrisburg, PA has submitted a Notice of Intent to Remediate site soil contaminated with chromium. The applicant proposes to remediate the site to meet the Statewide health standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Sunday Patriot News* on February 2, 1997.

Highland Industrial Park, Springettsbury Township, **York County**. Michael Carew, 110 East King Street, York, PA 17403 has submitted a Notice of Intent to Remediate site soil and groundwater contaminated with BTEX and PHCs. The applicant proposes to remediate the site to meet the Statewide health standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *York Dispatch* and the *York Daily Record* on February 21, 1997.

SOLID AND HAZARDOUS WASTE LICENSE TO TRANSPORT HAZARDOUS WASTE

Renewal applications received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Infectious and Chemotherapeutic Waste Law (35 P. S. §§ 6019.1—6019.6) and regulations for license to transport infectious and chemotherapeutic waste.

Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

S-J Transportation Co., 1176 US Route 40, Woodstown, NJ 08098; S. H. Jones, Jr., Owner; License No. **PA-HC 0031**; application received February 21, 1997.

Applications received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Infectious and Chemotherapeutic Waste Law (35 P. S. §§ 6019.1—6019.6) and regulations for license to transport infectious and chemotherapeutic waste.

Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

Stericycle, Inc., 1419 Lake Cook Road, Suite 410, Deerfield, IL 60015; Linda D. Lee, Vice President; application received February 19, 1997.

RESIDUAL WASTE PROCESSING FACILITIES

Applications received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate a solid waste processing or disposal area or site.

Southwest Regional Office: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

A. 301307. Allegheny Liquid Systems, R. J. Casey Industrial Park, Columbus and Adams Avenues, Pittsburgh, PA 15233. Allegheny Liquid Systems, Inc., R. J. Casey Industrial Park, Columbus and Adams Avenues, Pittsburgh, PA 15233. Application for a residual waste processing facility in the City of Pittsburgh, **Allegheny County**, was received in the Regional Office on March 6, 1997.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Applications submitted under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and regulations to operate solid waste processing or disposal area or site.

Regional Office: Regional Solid Waste Manager, Suite 6010, 555 North Lane, Lee Park, Conshohocken, PA 19428.

A. 600343(16). Wheelabrator Clean Water Systems, Inc., 180 Admiral Cochrane Drive, Suite 305, Annapolis, MD 21401. Received an application for the agricultural utilization of sewage sludges on the Stanhardt Farm located in Douglass Township, **Montgomery County**. Application received in the Southeast Regional Office on February 12, 1997.

Applications submitted under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1904) and regulations to operate solid waste processing or disposal area or site.

Regional Office: Regional Solid Waste Manager, One Ararat Boulevard, Harrisburg, PA 17110.

A. 603002. Young's Sanitary Septic Service, Inc., (31 East Main Street, P. O. Box 1921, New Kingston, PA 17072). Application for permit reissuance of an agricultural utilization of sewage sludge in Washington Township, **York County**. Application determined to be administratively complete in the Regional Office February 25, 1997.

A. 101509. Conestoga Landfill, New Morgan Landfill Co., Inc. (P. O. Box 128, Morgantown, PA 19543). Application for major modification for the use of Propat as an alternative daily cover at a site in New Morgan Borough, **Berks County**. Application determined to be administratively complete in the Regional Office February 26, 1997.

**AIR POLLUTION
OPERATING PERMITS**

Construct, modify or activate air contaminant sources

25 Pa. Code § 129.1

Applications received for Operating Permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify or reactivate air contaminant sources.

Southeast Regional Office: Bureau of Air Quality, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

The Department intends to issue an air quality operating permit for the air contaminant sources and associated air cleaning devices described below for the specified companies.

Permit: **15-318-010D**
Source: Production Scrubber System I Modification
Company: **Johnson Matthey, Inc.**
Location: Tredyffrin
County: **Chester**

Southcentral Regional Office: Air Quality Program, One Ararat Boulevard, Harrisburg, PA 17110.

06-1031. The Department intends to issue a VOC RACT Air Quality Operating Permit to **Reading Tube Corporation** (P. O. Box 14026, Reading, PA 19612-4062) for a secondary copper smelter and copper tubing manufacturing facility controlled by a thermal oxidizer in Ontelaunee Township, **Berks County**.

22-2013A. The Department intends to issue an Air Quality Operating Permit to **Metal Industries, Inc.** (R. D. 1, Box 148A, Millersburg, PA 17061) for a paint cleaning oven in Upper Paxton Township, **Dauphin County**.

67-317-033. The Department intends to issue an Air Quality Operating Permit to **Starbucks Coffee Company** (P. O. Box 3406, Seattle, WA 98124) for a coffee roasting operation controlled by two catalytic oxidizers, a fabric collector and three cyclones at their 3000 Espresso Way facility in East Manchester Township, **York County**.

Northeast Regional Office: Bureau of Air Quality, 2 Public Square, Wilkes-Barre, PA 18711-0790.

The Department intends to issue an Air Quality Operating Permit for the air contamination sources and associated air cleaning devices described below for the specified companies.

Permit: **35-308-012B**
Source: Lead Melting Furnaces
Company: **G N B Batteries Incorporated**
Location: Dunmore Borough
County: **Lackawanna**

Permit: **48-310-028A**
Source: Stone Crushing Plant/Water Sprays
Company: **Chrin Brothers Sanitary Landfill**
Location: Williams Township
County: **Northampton**

Applications under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify or reactivate air contamination sources.

Southcentral Regional Office: Air Quality Program, One Ararat Boulevard, Harrisburg, PA 17110.

01-303-008. Construction of a new bituminous concrete plant by **Valley Quarries, Inc., Gettysburg Quarry** (P. O. Box J, Chambersburg, PA 17201) in Cumberland Township, **Adams County**. The source is subject to 40 CFR 60, Subpart I, Standards of Performance for New Stationary Sources.

01-310-040C. Modification of the existing lime kilns by **Carneuse Pennsylvania, Inc.** (P. O. Box 160, Annville, PA 17003) in Oxford Township, **Adams County**.

07-309-013A. Modification of the existing fireclay processing operation by **Adience, Inc., d/b/a BMI-France** (P. O. Box 276, Snow Shoe, PA 16874) in Logan Township, **Blair County**. The source is subject to 40 CFR 60, Subpart OOO, Standards of Performance for New Stationary Sources.

22-323-015A. Installation of three burn-off ovens controlled by integral thermal afterburners by **RAM Industries, Inc.** (3501 N. 6th Street, Harrisburg, PA 17110) in Susquehanna Township, **Dauphin County**.

29-302-028. Installation of a wood-fired boiler by **Mel-lott Wood Preserving Company** (P. O. Box 209, Needmore, PA 17238) in Belfast Township, **Fulton County**.

36-304-059A. Installation of an inductance furnace along with a fabric filter by **Donsco, Inc.** (Mt. Joy Plant, P. O. Box 2001, North Front Street, Wrightsville, PA 17368-4000) in Mt. Joy Borough, **Lancaster County**.

67-304-042. Construction of two holding furnaces controlled by a fabric filter by **Donsco, Inc.** (Wrightsville Plant, P. O. Box 2001, North Front Street, Wrightsville, PA 17368-4000) in Wrightsville Borough, **York County**.

67-2001A. Installation of several new ovens with control devices at the existing refractory production facility by the **J. E. Baker Company** (P. O. Box 1189, York, PA 17405) in West Manchester Township, **York County**.

67-304-035A. Modification of the existing additrol blending facility by adding a coal milling system by **American Colloid Company** (600 Lincoln Street, York, PA 17404) in the City of York, **York County**.

Northcentral Regional Office: Bureau of Air Quality, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

OP-14-0001A. Construction of a bulk dust silo loadout spout and associated air cleaning device (a fabric collector) by **Con-Lime, Inc.** (P. O. Box 118, Bellefonte, PA 16823) in Benner Township, **Centre County**.

Philadelphia Air Management Services Notice of Intent to Approve Construction and Operation of Riverside Materials Incorporate Asphalt Plant

Applicant: Riverside Materials Incorporated

Plant Location: 2870 East Allegheny Avenue, Philadelphia, PA 19134

Source Description:

A. Existing equipment:

Drum mix asphalt Plant 350 TPH. burns natural gas and Number 2 oil.

B. New replacement equipment:

Drum mix asphalt Plant 450 TPH. burns natural gas and Number 2 oil.

Riverside Materials Inc. (Riverside) has requested an Air Management Services (AMS) Permit to construct Drum Mix Asphalt Plant 450 TPH. burns natural gas and number 2 oil to replace the existing 350 TPH. unit.

AMS is making a preliminary determination of approval, with conditions, for the construction and operation of the Drum Mix Asphalt Plant. Annual air emissions are estimated at 78 tons carbon monoxide, 23 tons nitrogen oxides, 14 tons sulfur oxides, 9 tons volatile organic compounds, and 6 tons of particulate matters.

Persons wishing to file protests or comments on the proposed plan approval have 30 days to submit the protests or comments to AMS at the address listed below. Interested persons may also request that a hearing be held concerning the plan approval with AMS stating the reason for the request.

Copies of all documents and information concerning this permit are available for review in the office of AMS, room 218, 321 University Av., Philadelphia, PA 19104-4543 during normal business hours by contacting Brenda Bonner at (215) 685-7572. Persons wishing to submit written comments should send the comments to Brenda Bonner at the above address. Comments received by facsimile will not be accepted.

Philadelphia Air Management Services Notice of Intent to Approval Construction and Operation of Braceland Brothers', Inc. Four Unit Heatset Web Lithographic Printing Press

Applicant: Braceland Brothers Incorporated

Plant Location: 7625 Suffolk Avenue, Philadelphia, PA 19153

Source Description: Printing of commercial and government books on non heat-set and heat-set web lithographic printing presses.

Braceland Brothers Inc. (Braceland) has requested an Air Management Services (AMS) Permit to install a four unit heatset web lithographic printing press with potential annual emissions of: 16.2 tons VOC, 0.21 ton carbon monoxide, 1.05 tons nitrogen oxides, 0.03 ton particulate matter and 0.01 ton sulfur oxides.

AMS is making a preliminary determination of approval, with conditions, for the construction and operation of the four unit heatset web lithographic printing press.

Annual air emissions are estimated at 0.03 ton carbon monoxide, 0.15 ton nitrogen oxides, and 2.8 tons volatile organic compounds.

Persons wishing to file protests or comments on the proposed plan approval have 30 days to submit the protests or comments to AMS at the address listed below. Interested persons may also request that a hearing be held concerning the plan approval with AMS stating the reason for the request.

Copies of all documents and information concerning this permit are available for review in the office of AMS, Room 218, 321 University Ave., Philadelphia, PA 19104-4543 during normal business hours by contacting Brenda Bonner at (215) 685-7572. Persons wishing to submit written comments should send the comments to Brenda Bonner at the above address. Comments received by facsimile will not be accepted.

Philadelphia Air Management Services Notice of Intent to Approve Construction and Operation of ECO Technologies, Inc. Sludge Drying Process

Applicant: ECO Technologies Incorporated

Plant Location: 7800 Penrose Ferry Road, Philadelphia, PA 19134

Source Description:

(A) sludge drying process rated at a maximum throughput of 400 gallons of sludge per minute.

(B) A propane fired burner for process heat with a rated heat capacity of 7.5 million BTU/hr.

ECO Technologies Inc. (ECO) has requested an Air Management Services (AMS) Permit to construct, test and operate a sludge drying process rated at 400 gallons of sludge per minute and a 7.5 MMBTU/hr propane fired process heater.

AMS is making a preliminary determination of approval, with conditions, for a testing demonstration of the sludge drying process to be performed at 7800 Penrose Ferry Road, Philadelphia, PA. The 5 1/2 hour testing demonstration per day for 30 days will be conducted at 90 gallons of sludge per minute with air emissions estimated at 8 pounds per hour and 44 pounds per day of volatile organic compounds, and 10.56 pounds per hour of particulate matter.

Persons wishing to file protests or comments on the proposed plan approval have 30 days to submit the protests or comments to AMS at the address listed below. Interested persons may also request that a hearing be held concerning the plan approval with AMS stating the reason for the request.

Copies of all documents and information concerning this permit are available for review in the office of AMS, Room 218, 321 University Ave., Philadelphia, PA 19104-4543 during normal business hours by contacting Brenda Bonner at (215) 685-7572. Persons wishing to submit written comments should send the comments to Brenda Bonner at the above address. Comments received by facsimile will not be accepted.

PLAN APPROVALS

Plan Approval applications received under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify or reactivate air contamination sources and associated air cleaning devices.

Northeast Regional Office: Bureau of Air Quality, 2 Public Square, Wilkes-Barre, PA 18711-0790.

An application for Plan Approval has been received by this office for the construction, modification or reactivation of the air contamination sources and associated air cleaning devices described below for the specified companies.

Permit: **13-302-020**

Source: 1500HP Johnston Boiler (#60IL)

Received: February 19, 1997

Company: **Consolidated Cigar Corporation**

Location: Banks Township

County: **Carbon**

Permit: **13-318-002**

Source: 2 Paint Booths w/Panel Filters

Received: February 16, 1997

Company: **Lippert Components Incorporated**

Location: Banks Township

County: **Carbon**

Permit: **35-323-018**

Source: Pyrolysis Furnace w/Afterburner

Received: February 24, 1997

Company: **Powder Tech Incorporated**

Location: City of Scranton

County: **Lackawanna**

Permit: **39-313-029D**

Source: Polystyrene Mfg/Carbon Adsorption

Received: February 18, 1997

Company: **Carpenter Insulation Company**

Location: Upper Macungie Township

County: **Lehigh**

Permit: **40-303-009A**

Source: Asphalt plants 1 & 2 w/Baghouses

Received: February 18, 1997

Company: **Kaminski Brothers Incorporated**

Location: Jenkins Township

County: **Luzerne**

Permit: **40-310-012A**

Source: Stone crushing 1 & 2/Watersprays

Received: February 18, 1997

Company: **Kaminski Brothers Incorporated**

Location: Jenkins Township

County: **Luzerne**

Air Quality Plan Approval Application No. 46-322-007 and on (Eastern Expansion) Waste Permit Application No. 100549; Public Hearing to Solicit Comments

Under 25 Pa. Code §§ 127.44, 127.48 and 271.143 the Department of Environmental Protection (DEP) will hold a public hearing on the Draft Air Plan Approval and the Waste Permit application No. 100549 for Waste Management Disposal Services of Pennsylvania, Inc. (WMDS), 1425 Sell Road, Pottstown, PA 19464, to construct an expansion, designated "Eastern Expansion," at their Pottstown Landfill, 1425 Sell Road, West Pottsgrove Township, Montgomery County. The proposed landfill expansion is described in the air plan approval application submitted by WMDS to DEP on September 21, 1995, and in the eastern expansion waste permit application submitted by WMDS to DEP on October 13, 1992, and subsequent submissions. Waste Permit No. 100549 for the Eastern Expansion was issued to WMDS by the DEP on October 2, 1995 but the matter of appeal was remanded by the Environmental Hearing Board on November 6, 1996, to the DEP for further action.

The public hearing will be held at 7 p.m. on Wednesday, April 23, 1997, at the Pottsgrove High School Auditorium at 1345 Kauffman Road, Lower Pottsgrove Township, Montgomery County to receive comments on the draft Air Plan Approval under DEP's Air Resource regulations and the Waste Permit application under the DEP's Solid Waste Management regulations.

Proposed Air Plan Approval Information

The emissions from the Eastern Expansion will be collected by a gas management system and directed to a fully dedicated enclosed flare. Based on the information provided by the applicant and Department of Environmental Protection own analysis, this expansion and the flare will have the following emissions:

Pollutant

Nitrogen Oxides (NOx)	24.17 tons/yr.
Volatile Organic Compounds (VOC)	10.90 tons/yr.
Carbon Monoxide (CO)	52.05 tons/yr.
Sulfur Oxides (SOx)	6.28 tons/yr.
Particulate Matter (PM)	0.68 ton/yr.

The Eastern Expansion is subject to Subpart WWW of the Standards of Performance for New Stationary Sources and shall comply with all the applicable requirements of this Subpart under 40 CFR Part 60. In order to assure compliance with the applicable standards, DEP has placed the following conditions in the proposed Plan Approval.

Plan Approval Conditions:

1. The Eastern Expansion is to be constructed and installed in accordance with the plans submitted with the application (as approved herein).

2. This Plan Approval is issued to Waste Management Disposal Services of Pennsylvania, Inc. for its Pottstown Landfill for the construction of "Eastern Expansion." The owner and operator of the sources shall comply with the following conditions. This Plan Approval is issued subsequent to the company's withdrawal of Plan Approval No. 46-322-008 for two internal combustion engines.

3. A. The Eastern Expansion shall be treated by the Department as a controlled landfill and therefore, collection and control systems are required for the landfill.

B. The average amount of solid waste placed in the Eastern Expansion shall be limited to 5,333 tons per day during the standard calendar year quarter. The design capacity of the Eastern Expansion shall not exceed 3,386,000 tons.

C. Gas Management System

(1) The owner/operator shall annually calculate the Non-Methane Organic Compound (NMOC) emission rate and Volatile Organic Compound (VOC) emission rate using the procedures specified in 40 CFR 60.754.

(2) The final collection and control system design plan shall be prepared by a professional engineer and shall be submitted to the Department. The collection system shall meet the requirements of 40 CFR 60.759.

(3) The owner/operator shall install a collection and control system, within 18 months of the issuance of the Plan Approval, that effectively captures the gas generated within the landfill.

(4) The collection system shall collect gas from each area, cell or group of cells in the landfill in which the initial waste has been placed for a period of at least 18 months; gas shall be collected for at least 2 years or more after landfill has been closed or at final grade.

(5) The collection system shall be such that it can handle the maximum expected gas flow rate from the entire area of the landfill.

(6) The collection system shall be designed to minimize offsite migration of the subsurface gas.

(7) The collection efficiency of the gas management system shall be not less than a minimum of 90%.

(8) The collection system shall be operated with negative pressure at each well head except under the following conditions.

(a) When a fire or increased well temperature is detected, the owner or operator shall record instances when positive pressure occurs in efforts to avoid fire;

(b) When the gas pressure exceeds the pressure limits established for the synthetic cover. The owner or operator shall develop acceptable pressure limits in the design plan;

(c) When a well is decommissioned.

(9) The gas temperature in the interior well head shall be less than 55°C and with either a nitrogen level less than 20% or an oxygen level less than 5%. When approved by the Department, the owner or operator may establish a higher operating temperature, nitrogen or oxygen value at a particular well. A higher operating value demonstration shall show supporting data that the elevated parameter does not cause fires or significantly inhibit anaerobic decomposition by killing methanogens.

(a) the nitrogen level shall be determined by using Method 3C;

(b) the oxygen level shall be determined by an oxygen meter using Method 3A.

(10) The collection system shall be operated with a methane leakage concentration less than 500 ppm at any exposed piping and at all points around the perimeter of the collection area and along serpentine pattern spaced 30 meters apart across the collection area. The design plan shall include a topographical map with the proposed monitoring route.

D. (1) The landfill owner or operator shall install at least two sample probes per hectare of landfill surface that has retained waste for at least 2 years. The maximum number of probes installed shall be 50. The owner or operator shall collect and analyze one sample of landfill gas from each probe to determine the NMOC concentration using method 25C or Method 18 of Appendix A of Subpart 60 of 40 CFR.

(2) Sample collection using probes shall be eliminated when all the collection wells are in place and functional.

(3) The owner or operator shall demonstrate annually that the methane generation rate constant, k , used in condition 3D(1) is equal to 0.028/yr or less. If the owner or operator fails to demonstrate that the value of k is 0.028/yr or less then the applicant shall use the value of k published in the most recent Compilation of Air Pollutant Emission Factors (AP-42) to calculate NMOC concentration.

(4) The methane generation potential, L_0 , used in condition 3D(1) shall be 6,004 ft³/Mg (Megagram) of solid waste. This value shall be the same as that published in the most recent Compilation of Air Pollution Emission Factors (AP-42).

(5) The owner or operator shall demonstrate annually that the site specific NMOC concentration is less than or

equal to 830 ppmv. VOC concentration in ppmv shall also be calculated and submitted to the Department annually.

4. All of the landfill gas generated in the Eastern Expansion shall be directed to an enclosed flare. The enclosed flare shall have a minimum destruction and removal efficiency (DRE) of 98%.

5. The enclosed flare shall have a design flow rate of 1,800 scfm. The operating temperature of the flare shall be 1,600°F and the retention time at the operating temperature shall be 0.91 sec.

6. Stack Emissions

A. Emissions of criteria pollutants due to burning of the landfill gas (at the existing enclosed flare) generated from the "Eastern Expansion" shall be limited to:

NOx	5.52 lb/hr	24.17 tons/yr
SOx	1.43 lb/hr	6.28 tons/yr
CO	11.88 lb./hr	52.05 tons/yr
VOC	0.39 lb/hr	1.70 tons/yr
PM	0.15 lb/hr	0.68 ton/yr

B. The total amount of VOC emitted from the Eastern Expansion and the enclosed flare shall not exceed 10.9 tons/yr.

C. The total emissions of NOx and VOC from the Pottstown Landfill due to the construction of the Eastern Expansion, installation of an enclosed flare and any modification at the existing landfill shall be limited to 25 tons/year. The requirements of Subchapter E of 25 Pa. Code Chapter 127 shall apply to any construction/modification if the increase in potential to emit of NOx or VOC, when aggregated with the other net emission increases in potential to emit occurring over a consecutive 5 calendar year period exceeds 25 tons/year or 1,000 lbs/day or 100 lbs/hr whichever is more restrictive.

7. Removal of Collection and Control System

A. The owner or operator shall calculate the NMOC emission rate for the purpose of determining when the collection and control system can be removed by using the equation given in 40 CFR 60.754(b).

B. The collection and control system may be capped or removed provided that all the following conditions are met:

(1) The landfill shall no longer accept solid waste and be permanently closed under the requirements of section 258.60. A closure report shall be submitted to the Department as provided in 40 CFR 60.757(d).

(2) The collection and control system shall have been in operation a minimum of 15 years.

(3) Following the procedure required under 6(A) the calculated VOC gas produced by the landfill shall be less than 25 tons per year on three successive test dates. The test dates shall be no less than 90 days apart, and no more than 180 days apart.

8. Roads and Their Maintenance

A. The fugitive particulate emissions measured as PM10 from the Eastern Expansion shall be limited to 80.18 tons per year.

B. Roads in the Eastern Expansion shall be wetted, weather permitting, during operating hours daily using water or foam to prevent fugitive emissions of dust.

C. A log book shall be kept to demonstrate compliance with the above.

9. Monitoring Requirements

A. The owner or operator shall measure gauge pressure in the gas collection header at each individual well monthly. If a positive pressure exists, action shall be initiated to correct the exceedance within 5 calendar days except as provided for in conditions 3C(8)(a), (b) and (c).

B. To check for air infiltration into the landfill, the owner or operator shall monitor each well monthly for temperature and nitrogen or oxygen as required in conditions 3C(9)(a) and (b).

C. The owner or operator shall monitor off-site migration of landfill gas by methods approved by the Department and take corrective actions to prevent it.

D. Quarterly, the owner or operator shall monitor safe methane concentration using the procedures given in 40 CFR 60.755(c).

E. All monitoring and measuring devices shall be calibrated, maintained and operated according to the manufacturer's specifications. The owner or operator shall also comply with the provisions of 40 CFR 60.756(b).

10. *Recordkeeping and Reporting Requirements*

A. The owner or operator shall keep on-site records of the maximum design capacity, the current amount of solid waste in-place, and the year-by-year waste acceptance rate.

B. The owner or operator shall keep daily records of gas flow to each of the gas turbines or the enclosed flare.

C. The owner or operator shall keep record of wells in operation and wells out of operation (if any) on a daily basis.

D. All monitoring equipment parameters as specified in conditions 3, 5, and 8 shall be recorded to show compliance with the specified parameters.

E. The owner or operator shall keep records of the installation date and location of all newly installed or replaced collection wells, pipe headers and other collection pipe assemblies.

F. The owner or operator shall keep documentation of the nature, date of deposition, amount and location of asbestos-containing or nondegradable waste excluded from collection as well as any non-landfill-gas producing areas excluded from landfill gas collection system.

G. The owner or operator shall keep records of operation time and dates of the gas turbines and the enclosed flare.

H. The owner or operator shall keep records of performance tests of the VOC and NOx control system.

I. The owner or operator shall keep record of any exceedances in the collection or control systems.

J. The owner or operator shall comply with the reporting procedures of 40 CFR 60.757.

11. *General Requirements*

A. If at any time the Department has cause to believe that air contaminant emissions from the aforementioned sources may be in excess of the limitations specified in, or established under, any applicable rule or regulation contained in Article III of the Rules and Regulations of the Department of Environmental Protection, the company shall be required to conduct whatever tests are deemed necessary by the Department to determine the actual emission rates. Such testing shall be conducted in accordance with the provisions of Chapter 139 of the Rules and Regulations of the Department of Environmental Protection, where applicable, and in accordance with any re-

strictions or limitations established by the Department at such time as it notifies the company that testing is required.

B. If any of the air contaminants listed in Condition 5A are determined to be in the exhaust gas in concentrations exceeding the levels stated in the Plan Approval, then the owner shall file an application for a modification of the operating permit. The application shall be filed within 60 days of the above determination.

C. The company shall not impose conditions upon or otherwise restrict the Department's access to the aforementioned sources and/or any associated air cleaning devices and shall allow the Department to have access at any time to said sources and associated air cleaning devices with such measuring and recording equipment, including equipment recording visual observations, as the Department deems necessary and proper for performing its duties and for the effective enforcement of the Air Pollution Control Act.

D. The company shall immediately notify the Department of any malfunction of, or damage to, these gas fueled turbines or associated air cleaning devices which results in, or may possibly be resulting in, the emission of volatile organic compounds or nitrogen oxides in excess of the limitations specified in this Plan Approval or any applicable Department Rule or Regulation.

E. This source is subject to Subpart WWW of the Standards of Performance for New Stationary Sources and shall comply with all applicable requirements of this Subpart. 40 CFR 60.4 requires submission of copies of all requests, reports, applications, submittals and other communications to both EPA and the Department. The EPA copies shall be forwarded to: Director, Air, Toxics and Radiation Division, US EPA, Region III, 841 Chestnut Street, Philadelphia, PA 19107.

F. This Plan Approval authorizes temporary operation of the sources covered by this Plan Approval provided the following conditions are met.

(1) The Department must receive written notice from the owner/operator of the completion of construction and the operator's intent to commence operation at least 5 working days prior to the completion of construction. The notice should state when construction will be completed and when operator expects to commence operation.

(2) Operation is authorized only to facilitate the start-up and shake-down of sources and air cleaning devices, to permit operations pending the issuance of an Operating Permit or to permit the evaluation of the sources for compliance with all applicable regulations and requirements.

(3) This condition authorizes temporary operation of the sources for a period of 180 days from the date of commencement of operation, provided the Department receives notice from the owner/operator under subpart (1), above.

(4) The owner/operator may request an extension if compliance with all applicable regulations and Plan Approval requirements has not been established. The extension request shall be submitted in writing at least 15 days prior to the end of this period of temporary operation and shall provide a description of the compliance status of the source, a detailed schedule for establishing compliance, and the reasons compliance has not been established.

(5) The notice submitted by the owner/operator under subpart (1), above, prior to the expiration of this Plan

Approval, shall modify the plan approval expiration date. The new plan approval expiration date shall be 180 days from the date of the written notice.

12. *Specific Requirements.*

For the purpose of this plan approval, "existing landfill" refers to the entire landfill without the "Eastern Expansion" as it exists before this plan approval is issued. No waste shall be placed in the "Eastern Expansion" of the Pottstown landfill until all of the following conditions have been met:

A. The Department has approved the installation of two landfill gas flares to replace the existing enclosed flare currently operating under operating permit No. 46-322-005A.

B. The existing enclosed flare (46-322-005A) is taken out of service as a primary control device for the landfill gas generated from the existing landfill.

C. The landfill gas flares referred in 12.A above are installed, and start operation.

D. The temporary gas flare installed at the existing landfill under the Department's consent order and agreement (CO&A) dated October 8, 1996, is dismantled and removed.

E. The owner or operator receives written notification from the Department that all elements of Condition No. 12 have been fulfilled.

13. The owner or operator shall submit a written notification to the Department giving dates of each of the activities above and also submit calculations to show that there was not net increase in emission of NO_x due to the installation of two new flares and shutdown of the existing as well as the temporary flare.

Procedures for Hearing and Submitting Written Comments

The hearing will not be a question and answer session. Those wishing to testify should contact DEP Community Relations Coordinator Tina Suarez-Murias at (610) 832-6011 to register prior to the hearing, but may also register at the hearing. Oral comments should be kept brief and may be limited to 5 minutes per person, depending on the number of speakers. Where groups are represented, a single spokesperson is requested to present the group's concerns and additional time will be allowed.

Anyone wishing to present written comments directly to DEP regarding the draft Air Plan Approval and/or the Waste Permit application may do so until May 23, 1997. Written comments should include (1) the name, address and telephone number of the person filing comments; (2) reference to proposed Air Quality Plan Approval No. 46-322-007 and/or Waste Permit application No. 100549 for the proposed landfill eastern expansion, and (3) a concise statement of relevant information or any objections to the issuance of the proposed Air Plan Approval and/or any information relevant to the Waste Permit application for the eastern expansion. Written remarks should be sent to: John J. Kennedy, P. E., Assistant Regional Director, Department of Environmental Protection, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

Comments from the public will be addressed by the DEP during the review process before a final action is taken on the proposals.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should

contact Tina Suarez-Murias at (610) 832-6011 or through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

Copies of the pertinent documents are available for public review at DEP's Southeast Regional Office in Conshohocken between the hours of 8 a.m. and 4 p.m. weekdays. To make an appointment, contact the Records Management Section at (610) 832-6003. Copies of the Eastern Expansion Waste Permit application and the draft Air Plan Approval are also available for public review at the Boyertown Community Library.

REASONABLY AVAILABLE CONTROL TECHNOLOGY

(RACT)

Applications received for Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations for an Operating Permit to comply with 25 Pa. Code § 129.91 for Reasonable Available Control Technology.

Regional Office: Northeast Regional Office, Bureau of Air Quality, 2 Public Square, Wilkes-Barre, PA 18711-0790.

48-0004. The Department intends to issue a RACT (Reasonably Available Control Technology) Air Quality Operating Permit to **ESSROC Materials Inc.** (Rt. 248 and Easton Road, Nazareth, PA 18064) for the operation of a cement kiln at Nazareth Plant No. 1 located in Lower Nazareth Township, **Northampton County**.

48-0034. The Department intends to issue a RACT (Reasonably Available Control Technology) Air Quality Operating Permit to **Lafayette College** (Easton, PA 18042-1768) for sources of NO_x emissions located in the City of Easton, **Northampton County**.

MINING

CONDUCT COAL AND NON-COAL ACTIVITIES

MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act, (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection. A copy of the application is available for inspection at the District mining office indicated above each application. Where a 401 water quality certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for such certification.

Written comments or objections, or requests for informal conferences on applications, may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the same address within 30 days of this publication, or

within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121-23 and §§ 86.31-34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conference).

Where any of the mining activities listed below will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. Such NPDES permits will contain, at a minimum, technology-based effluent limitations (as described in the Department's regulations—25 Pa. Code §§ 77.522, 87.102, 88.92, 88.187, 88.242, 89.52 and 90.102) for iron, manganese, suspended solids, settleable solids, alkalinity and pH. In addition to the above, more restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit when necessary for compliance with water quality standards (in accordance with 25 Pa Code Chs. 93 and 95). Persons or agencies which have requested review of the NPDES permit requirements for a particular mining activity within the above-mentioned public comment period will be provided with a 30-day period to review and submit comments on those requirements.

Written comments or objections should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

District Mining Operations, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.

Coal Applications Received

56880109. Transfer from Croner, Inc. to PBS Coals, Inc. (P. O. Box 260, Friedens, PA 15541), commencement, operation and restoration of bituminous strip mine in Brothersvalley Township, **Somerset County**, affecting 154.2 acres, receiving stream unnamed tributaries of Blue Lick Creek and Blue Lick Creek, application received March 4, 1997.

Hawk Run District Office, P. O. Box 209, Hawk Run, PA 16840.

Coal Applications Received

17910131. Ecklund Coal Co., Inc. (R. D. 1, Box 109, Irvona, PA 16656), revision to an existing bituminous surface mine permit for a change in surface mine permit acreage from 137.6 acres to 165.9 acres, Bigler Township, **Clearfield County**, receiving streams: Porter Run and unnamed tributary to Clearfield Creek, application received February 11, 1997.

17880123. E. P. Bender Coal Co., Inc. (P. O. Box 565-566, S. Main St., Carrolltown, PA 15722), revision to an existing bituminous surface mine permit for a haulroad stream crossing of Muddy Run, Bigler and Beccaria Townships, **Clearfield County**, application received February 14, 1997.

17950115. Larson Enterprises, Inc. (P. O. Box 96, Kylertown, PA 16847), revision to an existing bituminous surface mine permit for a change in permit acreage from

46.6 to 50.1 acres, Morris and Graham Townships, **Clearfield County**, receiving streams: Flat Run, application received February 18, 1997.

District Mining Operations, P. O. Box 669, Knox, Pennsylvania 16232.

16940104. Cookport Coal Company, Inc. (425 Market Street, Kittanning, PA 16201) revision to an existing bituminous surface strip operation in Toby Township, **Clarion County** affecting 28.4 acres. Receiving streams: an unnamed tributary to Cherry Run. Revision to include a post-mining landuse change from "forestland" to "pastureland, land occasionally cut for hay" on the lands of T & E Coal Company. Application received February 24, 1997.

10970103. Amerikohl Mining, Inc. (202 Sunset Drive, Butler, PA 16001). Commencement, operation and restoration of a bituminous surface strip and coal preparation plant operation in Oakland Township, **Butler County** affecting 77.0 acres. Receiving streams: two unnamed tributaries to Pine Run and one unnamed tributary to Connoquenessing Creek. Application to include two stream encroachment application for purpose of construct erosion and sedimentation control facilities within 100 feet of an unnamed tributary to Connoquenessing Creek and b.) to construct erosion and sedimentation control facilities within 25 feet of unnamed tributaries to PINE Run. Application received February 28, 1997.

Mining and Reclamation, 3913 Washington Road, McMurray, PA 15317.

30841313. Consolidation Coal Company, (P. O. Box 100, Osage, WV 26543), to revise the permit for the Dilworth bituminous deep mine in Cumberland Township, **Greene County** to add subsidence control plan acres, no additional discharge. Application received February 7, 1997.

03831305. Keystone Coal Mining Corporation (P. O. Box 729, Indiana, PA 15701), to revise the permit for the Jane bituminous deep mine in Plumcreek Township, **Armstrong County** for post-mining land use change at the No. 9 shaft, no additional discharge. Application received February 27, 1997.

03851301. Rosebud Mining Company (R. D. 1, Box 379-A, Kittanning, PA 16201), to renew the permit for the Rosebud No. 2 bituminous deep mine in Perry Township, **Armstrong County** no additional discharge. Application received February 5, 1997.

14841601. Northern Counties Coal Company, Inc. (P. O. Box 668, Philipsburg, PA 16866), to revise the permit for the One Mile Run preparation plant in Rush Township, **Centre County** for sludge utilization, no additional discharge. Application received February 20, 1997.

ABANDONED MINE RECLAMATION

Bureau of Abandoned Mine Reclamation, P. O. Box 8476, Harrisburg, PA 17105-8476.

Under Act 181 of 1984, the Department of Environmental Protection gives notice of an unsolicited proposal received from Original Fuels, Inc., Punxsutawney, Pennsylvania, to reclaim an abandoned surface mine in Oliver Township, Jefferson County. The Department intends to enter into negotiations with Original Fuels, Inc. to contract for site reclamation.

The project, BF-418.101.1, involves reclamation of the area mined by Champion Coal Company where bonds were forfeited by the Department under Permit Number MDP 3875SM59.

Original Fuels, Inc., proposes to backfill, regrade and revegetate 16.7 acres. All areas will be regraded to promote surface drainage and provide integration with surrounding unmined areas.

All interested parties should send comments to Richard L. Joyce, Bureau of Abandoned Mine Reclamation, P. O. Box 8476, Harrisburg, PA no later than 4 p.m., April 21, 1997.

APPLICATIONS RECEIVED UNDER SECTION 401: FEDERAL WATER POLLUTION CONTROL ACT

ENCROACHMENTS

The following Dam Safety and Encroachment permit applications, requests for Environments Assessment approval, and requests for water quality certification have been received by the Department of Environmental Protection. Section 401(a) of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)) requires the State to certify that the involved projects will not violate the applicable provisions of 33 U.S.C.A. 1311—1313, 1316 and 1317, as well as relevant State requirements. Initial requests for 401 certification will be published concurrently with the permit application. Persons objecting to approval of a request for certification under section 401 or to the issuance of a Dam Safety or Encroachment Permit or the approval of Environmental Assessments must submit any comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certifications under section 401 of the Federal Water Pollution Control Act.

Northwest Regional Office: Soils and Waterways Section, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6942.

E24-197. Encroachment. **Borough of Ridgway**, P. O. Box 149, 108 Main Street, Ridgway, PA 15853. To maintain and remove accumulated stream channel and sand/gravel bar deposits from the stream channel and to repair and maintain several gabion basket retaining walls within a 2,100 linear foot section of Gallagher Run (CWF). This project is located within the Borough of Ridgway on Gallagher Run from the confluence of Gallagher Run and Elk Creek to a point 2,100 feet upstream (Ridgway, PA Quadrangle N: 8.8 inches; W: 14.5 inches) located in Borough of Ridgway, **Elk County**.

E10-258. Encroachment. **Butler County Commissioners**, P. O. Box 1208, Butler, PA 16003-1208. To remove the existing bridge and to construct and maintain a new Farrington Bridge (County Bridge No. 3) with an increased clear span to 21 feet and a maximum underclearance of 6 feet across Fowler Run (CWF). This project is located on Church Road (T-542) approximately 300 feet south of the intersection of Church Road (T-542) and S. R. 0058 (Emlenton, PA Quadrangle N: 1.7 inches; W: 10.2 inches) located in Allegheny Township, **Butler County**.

E25-546. Encroachment. **Lawrence Park Golf Club**, P. O. Box 7241, Erie, PA 16510. To remove the existing 75-foot long three span golf cart bridge decking, to place and maintain new prefabricated bridge decking, to rehabilitate and enhance the existing bridge piers and abutments, and to install and maintain 200 linear feet of concrete retaining wall on both sides of Four Mile Creek (WWF, MF). This project is located across Four Mile Creek within the Lawrence Park Golf Club property approximately 1,800 feet north of the intersection of East Lake Road (S. R. 0005) and Iroquois Ave. (S. R. 0955) (Erie, North, PA Quadrangle N: 6.1 inches; W: 3.5 inches) located in Lawrence Park Township, **Erie County**.

E62-330. Encroachment. **Dana R. and Kathy R. Wellington**, R. R. 1, Box 10B, Tidioute, PA 16351. To install and maintain a new bridge having a clear span of 39 feet and a minimum underclearance of 6 feet across North Branch Ackely Run (CWF). The bridge drive will be located off Cable Hollow Road (SR 1016) located approximately 900 feet west of the intersection of Cable Hollow Road and Mill Road (T-588) (Scandia, PA Quadrangle N: 19.50; W: 14.00 inches) located in Pine Grove Township, **Warren County**.

Northeast Regional Office: Regional Soils and Waterways Section, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-5485.

E45-321. Encroachment. **Lake Naomi Club**, Route 423, P. O. Box T, Naomi Pines, PA 18350-0620. To place fill in 0.5 acre of PFO wetlands for the purpose of constructing a gravel parking lot to serve the Lake Naomi Club Swimming Pool Complex. The project is located in Lake Naomi Estates residential subdivision at the northwest quadrant of the intersection of Miller Drive in Tanglewood Drive (Pocono Pines, PA Quadrangle N: 20.8 inches; W: 9.4 inches) in Tobyhanna Township, **Monroe County** (Philadelphia District Army Corps of Engineers).

Southeast Regional Office: Program Manager, Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E09-743. Encroachment. **Boro of Doylestown**, 57 West Court Street, Doylestown, PA 18901. To improve the North Street stormwater management facilities in and along a tributary to Cooks Run (WWF, MF). This work will include the following:

1. To remove the existing stream enclosure from Swamp Road (SR 313) to Fonthill Drive.
2. To install and maintain stream enclosures consisting of:
 - a. 851 linear feet of twin 30 inch diameter HERCP stream enclosure and associated swaling;
 - b. 57 linear feet of twin 38-inch by 24-inch HERCP culvert under Chapman Avenue;
 - c. 27 linear feet of twin 30-inc CPP culvert under Mercer Avenue
3. To install and maintain 50 linear feet of 6.5-foot by 2.5-foot concrete box culvert under Fonthill Drive.
4. To modify the stream channel approximately 190 linear feet, upstream from the proposed Fonthill Drive culvert.

This project is located approximately 1,400 feet southeast from the intersection of Route 313 and Route 611 (Doylestown, PA Quadrangle N: 13.5 inches; W: 0.3 inches) Doylestown Borough, **Bucks County**.

DAM SAFETY

Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401 of the Federal Water Pollution Control Act.

DEP Central Office: Bureau of Waterways Engineering, 400 Market Street, 6th Floor, P. O. Box 8554, Harrisburg, PA 17105-8554, telephone (717) 787-8568.

D63-089B. Dam. **Eighty-Four Mining Company** (P. O. Box 729, Indiana, PA 15701-0729). To enlarge the existing Pond No. 6 coal refuse (slurry) disposal facility located across a tributary to Center Branch Pigeon Creek at the Eighty-Four Complex. The Pond No. 6 Dam will be raised 30 feet in two stages by placing new embankment fill on the top and downstream side of the dam in Somerset Township, **Washington County**.

ENVIRONMENTAL ASSESSMENT

Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401 of the Federal Water Pollution Control Act

DEP Central Office: Bureau of Waterways Engineering, 400 Market Street, 6th Floor, P. O. Box 8554, Harrisburg, PA 17105-8554, telephone (717) 787-8568.

Requests for Environmental Assessment approval under 25 Pa. Code § 105.15 and requests for certification under section 401 of the Federal Water Pollution Control Act.

EA09-001C0. Environmental assessment. **The Cutler Group, Inc.** (5 Sentry Parkway West, Suite 100, 325 Walton Road, Blue Bell, PA 19422). To construct and maintain two nonjurisdictional dams across a tributary to Neshaminy Creek (TSF, MF) impacting approximately 1.0 acre of wetlands (PFO) for the purpose of stormwater management at the proposed Warrington Crest subdivision located immediately east of the intersection of Upper State Road and Pickertown Road (Doylestown, PA Quadrangle N: 4.75 inches; W: 8.70 inches) in Warrington Township, **Bucks County**.

ACTIONS

FINAL ACTIONS TAKEN UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

[National Pollution Discharge Elimination System Program (NPDES)]

DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

(Part I Permits)

The Department of Environmental Protection has taken the following actions on previously received permit applications and requests for plan approval and has issued the following significant orders.

Any person aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O.

Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Permits Issued

Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, telephone (610) 832-6130.

NPDES Permit No. PA0043966. Sewerage. **Valley Forge Terrace Mobil Home Park**, 1311 Catfish Lane, Norristown, PA 19403 is authorized to discharge from a facility located in Lower Providence Township, **Montgomery County** into Catfish Dam Creek, a tributary of the Schuylkill River.

NPDES Permit No. PA0053783. Amendment No. 1. Sewerage. **Avon Grove School District**, 375 Kelton and Jennersville Roads, West Grove, PA 19390 is authorized to discharge from a facility located in New London Township, **Chester County** to an unnamed tributary to the west branch of White Clay Creek.

NPDES Permit No. PA0053554. Industrial waste. **Earthgro, Inc.**, Route 267, P. O. Box 143, Lebanon, CT 06249 is authorized to discharge from a facility located in New Garden Township, **Chester County** to the west branch of Red Clay Creek.

NPDES Permit No. PA0057096. Sewerage. **Oxford Area Sewer Authority**, 401 East Market Street, P. O. Box 380, Oxford, PA 19363 is authorized to discharge from a facility located in East Nottingham Township, **Chester County**, to Tweed Creek.

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

NPDES Permit No. PA0098779. Industrial waste. **The Municipal Authority of the Borough of Portage**, 606 Cambria Street, Portage, PA 15046 is authorized to discharge from a facility located at Martindale Water Treatment Plant, Portage Township, **Cambria County** to Trout Run.

NPDES Permit No. PA0098787. Industrial waste. **The Municipal Authority of the Borough of Portage**, 606 Cambria Street, Portage, PA 15946 is authorized to discharge from a facility located at Ben's Creek Water Treatment Plant, Portage Township, **Cambria County** to Ben's Creek.

NPDES Permit No. PA0205443. Industrial waste. **Davison Sand and Gravel Company**, P. O. Box 5P, 400 Industrial Boulevard, New Kensington, PA 15068 is authorized to discharge from a facility located at Lower Burrell Township, **Westmoreland County** to Allegheny River.

NPDES Permit No. PAS406101. Industrial waste. **Envirotrol, Inc.** 432 Green Street, P. O. Box 61,

Sewickley, PA 15143 is authorized to discharge from a facility located at Darlington Township, **Beaver County** to North Fork Little Beaver Creek.

NPDES Permit No. PA0097594. Sewerage. **Ron Davidson Chevrolet**, 3885 Admiral Perry Highway, Ebensburg, PA 15931 is authorized to discharge from a facility located at Ron Davidson Chevrolet Sewage Treatment, Cambria Township, **Cambria County** to unnamed tributary to Stewart Run.

NPDES Permit No. PA0205737. Sewerage. **CNG Transmission Corporation**, 445 West Main Street, Clarksburg, WV 26302-2450 is authorized to discharge from a facility located at South Oakford Station Sewage Treatment Plant, Hempfield Township, **Westmoreland County** to unnamed tributary to Brush Creek.

Southcentral Regional Office: Water Management Program Manager, One Ararat Boulevard, Harrisburg, PA 17110, telephone (717) 657-4590.

NPDES Permit NO. PA0043052. Sewerage, Amendment 3, **Spring Township Municipal Authority**, 2800 Shillington Road, Cornwall Terrace, Reading, PA 19607 is authorized to discharge to a facility located in Spring Township, **Berks County** to the receiving waters named Cacoosing Creek.

NPDES Permit No. PA0030643. Sewerage, Amendment 1. **Borough of Shippensburg**, 60 West Burd Street, P. O. Box 129, Shippensburg, PA 17257 is authorized to discharge from a facility located in Southampton Township, **Franklin County** to the receiving waters named Middle Spring Creek.

NPDES Permit No. PA0087025. Sewerage. **David M. Ott**, 2989 Tract Road, Fairfield, PA 17320 is authorized to discharge from a facility located in Liberty Township, **Adams County** to the receiving waters named Flat Run.

NPDES Permit No. PA0084751. Sewerage. **Doubling Gap Center, Inc.**, 1550 Doubling Gap Road, Newville, PA 17241-9757 is authorized to discharge from a facility located in Lower Mifflin Township, **Cumberland County** to the receiving waters named Doubling Gap Creek.

NPDES Permit No. PA0031861. Sewerage. **Zerbe Sisters Nursing Facility, Inc.**, 2499 Zerbe Road, Narvon, PA 17555 is authorized to discharge from a facility located in Caernarvon Township, **Lancaster County** to the receiving waters of an unnamed tributary of the Conestoga River.

NPDES Permit No. PA0080438. Sewerage. **Northern Lancaster County Authority**, 983 Beam Road, Denver, PA 17517 is authorized to discharge from a facility located in Brecknock Township, **Lancaster County** to the receiving waters named Muddy Creek.

NPDES Permit No. PA0026620. Sewerage. **Borough of Millersville**, 10 Colonial Avenue, Millersville, PA 17551 is authorized to discharge from a facility located in Millersville Borough, **Lancaster County** to the receiving waters named Conestoga River.

NPDES Permit No. PAG053504. Industrial waste. **Gas-N-Goodies Convenience Store**, 230 Lincoln Way East, New Oxford, PA 17350 is authorized to discharge from a facility located in Mount Joy Township, **Lancaster County**.

NPDES Permit No. PAG043557. Sewerage. **Ira Clark**, HCR 4, Box 136, Everett, PA 15537 is authorized to discharge from a facility located in Monroe Township, **Bedford County**.

NPDES Permit No. PA0034304. Sewerage. **Reading Acquisition Corporation**, P. O. Box 14026, Reading, PA 19612-4026 is authorized to discharge from a facility located in Ontelaunee Township, **Berks County** to the receiving waters named Schuylkill River.

NPDES Permit No. PA0009440. Industrial waste. **Pennsylvania-American Water Company**, P. O. Box 888, Hershey, PA 17033-0888 is authorized to discharge from a facility located in Silver Spring Township, **Cumberland County** to the receiving waters named Conodoguinet Creek.

NPDES Permit No. PA0082953. Industrial waste. **Boyd E. Diller, Inc.**, 6820 Wertzville Road, Enola, PA 17025 is authorized to discharge from a facility located in Hampden Township, **Cumberland County** to the receiving waters named Sears Run.

NPDES Permit No. PA0086690. Industrial waste. **Kalas Manufacturing, Inc.**, 25 Main Street, Denver, PA 17517 is authorized to discharge from a facility located in East Cocalico Township, **Lancaster County** to the receiving waters named Stony Run.

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335, telephone (814) 332-6942.

NPDES Permit No. PA0102636. Sewage. **J.W.B., Inc./Riverside Golf Course**, R. D. 2, Box 281, Cambridge Springs, PA 16403 is authorized to discharge from a facility located in Cambridge Township, **Crawford County** to an unnamed tributary to French Creek.

NPDES Permit No. PA0031437. Sewage. **Edinboro Mobile Home Village**, 14520 Mystic Road, Cambridge Springs, PA 16403 is authorized to discharge from a facility located in Washington Township, **Erie County** to an unnamed tributary to Conneauttee Creek.

Industrial waste and sewerage actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Permits Issued

Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, telephone (610) 832-6130.

Permit No. 1596416. Sewerage. **Township of West Brandywine** (1199 Lafayette Road, Coatesville, PA 19320). Construction of a sewer extension and pump station located in West Brandywine Township, **Chester County** to serve Friendship Village Area Development.

Permit No. 1596411. Sewerage. **North Coventry Municipal Authority** (1485 East Schuylkill Road, P. O. Box 833, Pottstown, PA 19464-0833). Expansion and upgrade of a sewage treatment plant located in North Coventry Township, **Chester County** to serve North Coventry Municipal Authority.

Permit No. 2396406. Sewerage. **Fox Valley Community Services, Inc.** (P. O. Box 124, Concordville, PA 19331). For rerating and modification of a sewage treatment plant located in Concord Township, **Delaware County** to serve Fox Valley Community Services, Inc.

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

Permit No. 6396202. Industrial waste, **Authority of the Borough of Charleroi**, 325-327 McKean Avenue, Charleroi, PA 15022. Construction of a water treatment

plant located in the Borough of Charleroi, **Washington County** to serve the Charleroi Borough.

Permit No. 0494403. Amendment No. 1. Sewerage, **Turnpike Commission**, Route 283, Eisenhower Boulevard, Highspire, PA 17034. Construction of dosing chamber and sand filter additions to supplement oil/water separator located in the Borough of Big Beaver, **Beaver County** to serve the Homewood Maintenance Facility.

Permit No. 6596433. Amendment No. 1. Sewerage, **High Meadows Mobile Home Park**, 4751 Kendor Drive, Lower Burrell, PA 15068. Installation of a 1,000 gallon sludge holding tank located in the Township of **Allegheny County**, Westmoreland County to serve the High Meadows Sewage Treatment Plant.

Northcentral Regional Office: 208 West Third Street, Suite 101, Grit Building, Williamsport, PA 17701.

WQM No. 5997401T-1. Transfer Sewerage. **Stasia Andrascik**, R. D. 7, Box 189, Wellsboro, PA 16901. Approval to construct a single residence treatment facility. Location is Charleston Township, **Tioga County**.

WQM No. 1994401T-1. Transfer Sewerage. **Gary Evans and Sherri Steimling**, R. R. 3, Box 464, Catawissa, PA 17820. Applicant was granted approval to construct, and operate single family residence treatment system, from original design. Location is Catawissa Township, **Columbia County**.

WQM No. 0897401. Sewerage. **Athens Borough**, 2 South River Street, Athens, PA 18810. Applicant was granted approval to construct pump station and new sanitary sewer, which connects into the wastewater treatment plant. Location in Athens Borough, **Bradford County**.

Part II Permit No. 0696201. Sewerage. **Delaware County Solid Waste Authority**, 583 Longview Road, Boyertown, PA 19512. Construction of groundwater treatment system in Earl and Oley Townships, **Berks County**.

Part II Permit No. 0195405. Sewerage. **David M. Ott**, 2989 Tract Road, Fairfield, PA 17320. Construction of sewage treatment facilities in Liberty Township, **Adams County**.

Part II Permit No. 0596404. Sewerage. **Ira Clark**, HCR 4, Box 136, Everett, PA 15537. Construction of sewage treatment facilities in Monroe Township, **Bedford County**.

Part II Permit No. 0696513. Sewerage. **Reading Acquisition Corporation**, P. O. Box 14026, Reading, PA 19612-4026. Construction of sewage treatment facilities and pump station in Ontelaunee Township, **Berks County**.

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, telephone (814) 332-6942.

WQM Permit No. 2596413. Sewerage. **Borough of North East**, 58 East Main Street, North East, PA 16428. This project is for construction of improvements to the existing wastewater treatment plant in North East Borough, **Erie County**.

WQM Permit No. 2597401. Sewerage. **Erie Sewer Authority**, c/o Knox, McLaughlin, Gornall & Sennett, P. C., 120 West 10th Street, Erie, PA 16501. This project is for the relocation of a section of the existing Westside Interceptor Sewer Line in the City of Erie, **Erie County**.

INDIVIDUAL PERMITS

(PAS)

The following approvals for coverage under NPDES Individual Permit for Discharge of Stormwater from Construction Activities have been issued.

These actions of the Department of Environmental Protection (Department) may be appealed to the Environmental Hearing Board (Board), Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, telephone (717) 787-3483, by any aggrieved person under The Environmental Hearing Board Act (35 P. S. § 7514); 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Appeals must be filed with the Board within 30 days from the date of this issue of the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Department's regulations governing practice and procedure before the Board may be obtained from the Board.

Southcentral Regional Office: Water Management Program, Soils and Waterways Section, One Ararat Boulevard, Room 126, Harrisburg, PA 17110, telephone (717) 657-4590.

PAS-10-0616. Individual NPDES. **Williamsburg Municipal Authority**, 305 East Second Street, Williamsburg, PA 16693. To implement an Erosion and Sedimentation Control Plan for the construction of a water storage tank and pump station along with the installation of 43,000 linear feet of 8 inch diameter water main on 10.7 acres in Williamsburg Borough and Woodbury and Catherine Townships, **Blair County**. The project is located in the Borough of Williamsburg and surrounding area (Williamsburg, PA Quadrangle N: 15.5 inches; W: 10.7 inches.) Drainage will be to the Frankstown Branch of the Juniata River.

PAS-10-1027. Individual NPDES. **Union Deposit Corporation**, 651 East Park Drive, P. O. Box 4153, Harrisburg, PA 17111-4153. To implement an Erosion and Sedimentation Control Plan for the construction of a roadway and stormwater system for future land development on 107.19 acres in Susquehanna Township, **Dauphin County**. The project is located along the south side of Valley Road at its intersection with North Progress Avenue (Harrisburg East, PA Quadrangle N: 9.9 inches; W: 12.5 inches). Drainage will be to Paxton Creek.

The following NPDES Individual Permits for Discharges of Stormwater from Construction Activities have been issued.

Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, telephone (610) 832-6130.

NPDES Permit No.	Applicant Name and Address	County Municipality	Receiving Stream
PAS10-G205	Hillcrest Associates, Inc. P. O. Box 7958 Newark, DE 19714	East Marlborough Township Chester County	Tributary to Pocopson Creek

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County Municipality</i>	<i>Receiving Stream</i>
PAS10-G229	Kinney Associates 921 Briarwood Circle West Chester, PA 19380	West Goshen Township Chester County	Tributary to Valley Creek and East Branch Brandywine Creek
PAS10-G234	Lewis R. Fframe P. O. Box 490 Honeybrook, PA 19344	Honeybrook Borough Chester County	Unnamed Tributary to West Branch Brandywine Creek
PAS10-G239	NorthCoventry Municipal Authority 1485 East Schuylkill Road P. O. Box 833 Pottstown, PA 19464-0833	North Coventry Township Chester County	Unnamed Tributaries to Schuylkill River
PAS10-T077	L. F. Driscoll Company 9 Presidential Boulevard P. O. Box 468 Bala Cwynd, PA 19004-0408	Horsham Township Montgomery County	David Grove Tributary

Northeast Regional Office: Regional Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2511.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAS10S009-1	Resorts USA, Inc. P. O. Box 447 Bushkill, PA 18324	Monroe County Middle Smithfield Township	Sand Hill Creek
PAS105711	Leisure Equities Corporation R. R. 1, Box 3025 Zion Grove, PA 17985	Schuylkill County East Union Township	Little Tomhicken Creek

INDIVIDUAL PERMITS

(PAR)

Approvals to Use NPDES General Permits

The following parties have submitted Notices of Intent (NOI) for Coverage under General NPDES Permits to discharge wastewater into the surface waters of the Commonwealth of Pennsylvania. The Department of Environmental Protection approves the following coverages under the specified General Permit. This approval is subject to applicable effluent limitations, monitoring and reporting requirements and other conditions set forth in the respective General Permit.

The EPA Region III Regional Administrator has waived the right to review or object to this permit action under the waiver provisions: 40 CFR 123.24.

The application and related documents, effluent limitations and special conditions, and other information are on file and may be inspected and arrangements made for copying at the contact office noted.

List of NPDES General Permits issued by Department of Environmental Protection:

NPDES General Permit Type

- PAG-1 General Permit For Discharges From Stripper Oil Well Facilities
- PAG-2 General Permit For Discharges of Stormwater From Construction Activities
- PAG-3 General Permit For Discharges of Stormwater From Industrial Activities
- PAG-4 General Permit For Discharges From Single Residence Sewage Treatment Plant
- PAG-5 General Permit For Discharges From Gasoline Contaminated Ground Water Remediation Systems
- PAG-6 General Permit For Wet Weather Overflow Discharges From Combined Sewer Systems

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
Columbia Co., Catawissa Twp.	PAG044927	Gary Evans and Sherri Steimling R. R. 3, Box 464 Catawissa, PA 17820	unnamed Tributary to Roaring Creek	717-327-3664 Northcentral

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office and Telephone No.</i>
Tioga Co., Charleston Twp.	PAG044925	Stasia Andrascik R. R. 7, Box 189 Wellsboro, PA 16901	Fishing Creek	
Centre Co., Union Twp.	PAG044924	Ted Brobeck 802 Egypt Hollow Road Julian, PA 16844	unnamed tributary to Brower Hollow Run	
Bradford County, Wysox Twp.	PA0209457	Masonite Corporation P. O. Box 311 Towanda, PA 18848	stormwater channel to Lanning Creek	717-327-3664 Northcentral
Columbia County, Greenwood Twp.	PA0115053	Dennis C. Wolff, Nicholas Wolff Fdn R. R. 2, Box 180 Millville, PA 17846	Mud Run	
Clinton County, Porter Twp.	PA0009857	Michael A. Hendrix U. S. Fish and Wildlife Service Northeast Fishery Center P. O. Box 75 Lamar, PA 16848	Fishing Creek	
Fayette County, N. Union Twp.	PAR10L029	Edgar Fields 10 Ruby View Dr. Lemont Furnace, PA 15456	Cove Run	SWRO 412-442-4315
Lebanon County, Lebanon City	PAR123544	Hershey Paste Group— Lebanon 749 Guilford Road Lebanon, PA 17046	UNT to Brandywine Creek via storm sewer	SCRO— 717-657-4590
Clearfield Co., Huston Twp.	PAR304802	E & L Brokerage Inc. R. R. 1, Box 455 Morrisdale, PA 16858	unnamed Tributary to Roaring Creek	717-327-3664 Northcentral
Snyder Co., Perry Twp.	PAR224816	R. J. Hoffman and Sons Lumber R. R. 2, Box 350 Mt. Pleasant Mills, PA 17853	unnamed tributary to Mahantango Creek	
Clinton County, Castanea Twp.	PAR144806	International Paper Company P. O. Box 268 Lock Haven, PA 17745	Bald Eagle Creek via PA Canal and Tail Race	717-327-3664 Northcentral
Lycoming Co., Upper Fairfield	PAR224825	Richard P. Lauchle— Lauchle Lumber R. R. 1, Box 110 Montoursville, PA 17754	East Mill Creek	
Berks County, Richmond Township	PAG043567	Richard Youse Box 85 Virginville, PA 19564	UNT to Maiden Creek	SCRO— 717-657-4590
York County; Franklin Township	PAG043566	Eric B. Engle 124 Capitol Hill Road Dillsburg, PA 17019-9742	UNT to North Branch— Bermudian Creek	SCRO— 717-657-4590
West Middlesex, Mercer County	PAG058302	Guttman Oil Company 200 Speers Street Belle Vernon, PA 15012	Unnamed tributary to Hogback Run	DEP Water Management 230 Chestnut Street Meadville, PA 16335 814-332-6942
Lancaster County, East Cocalico Township	PAG053506	The SICO Company 15 Mount Joy Street Mount Joy, PA 17552	Stony Run	SCRO— 717-657-4590

**SEWAGE FACILITIES ACT
PLAN APPROVAL**

The Department of Environmental Protection has taken the following actions on previously received permit applications and requests for plan approval and has issued the following significant orders.

Any person aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701-704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, 400 Market Street Floor 2, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audio tape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact Richard Shudak at (717) 826-2511. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 1 (800) 654-5984.

Plan approval granted under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20).

Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2553.

Location: The Meadows at Sugarloaf, Phases II-V. Sugarloaf Township, Luzerne County.

Project Description: This residential project will involve the subdivision of a 151.595 acre parcel of land into 135 building lots. Total sewage flows will be 35,500 gpd with treatment to be provided by the Conyngham Borough Authority Wastewater Treatment Facility. Wastewater will be conveyed by an 8-inch collection system that will tie into the existing Manhole No. 7 at T-420 at Phase I of the development.

The Conyngham Borough Authority Wastewater Treatment Facility is currently under prohibitions regarding new sewage connections. Currently, the Rhed Development Corporation is allocated three Equivalent Dwelling Units (EDUs). No additional building permits beyond the three EDU limit may be issued until Rhed Development obtains additional wastewater connection allocations from Sugarloaf Township.

This project is located on the southside of T-420, 0.5 mile west of the intersection with S. R. 0093 in Sugarloaf Township, Luzerne County, Pennsylvania.

Smithfield Township, Monroe County.

Project Description:

The Department has reviewed the following documents which have been submitted to us as a revision to Smithfield Township's Act 537 Sewage Facilities Plan:

—Special Study for the Marshalls Creek Sewer Extension, A Revision to the Smithfield Township Act 537 Plan,

dated November 1996, Revised December 1996 and January 1997 (received January 22, 1997), as prepared by F. X. Browne, Incorporated.

—February 7, 1997, letter from F. X. Browne, Incorporated, to the Department, including enclosures (received February 11, 1997).

The Plan Revision was adopted by Township Resolution No. 148, dated January 14, 1997.

The Department has found that the Plan Revision is acceptable and hereby grants planning approval. This review has also not identified any significant environmental impacts resulting from this proposal.

The proposed project consists of a sanitary sewer system extension from existing Manhole No. 242, on Business Route 209, to the Marshalls Creek area; including gravity sewers, low pressure sewers with grinder pumps, three pumping stations, force mains and appurtenances.

The proposed sewer extension will provide sewer service to (1) 46 existing residential trailers in Yetter's Park, (2) 44 existing commercial EDUs in Jay Park, (3) 15 existing commercial EDUs and 15 projected commercial EDUs in Village Center and (4) 12 existing commercial EDUs and 3 residential EDUs along Business Route 209.

The proposed method for financing this project consists of a loan from the Pennsylvania Infrastructure Investment Authority (PENNVEST) and a \$4,500 connection fee to reduce the amount that needs to be borrowed.

Based upon various cost and financial information provided with the Plan Revision and with the pending PENNVEST Application, it appears that the total annual cost to operate, maintain and pay the debt service for the existing sewerage system during 1997 will be approximately \$970,700, or about \$2,090 per year for each of the 464 equivalent dwelling units (EDUs) currently on the system. It is our understanding that the total actual annual user fee which the Smithfield Sewer Authority presently charges is \$550 per EDU. Upon completion of the Marshalls Creek sewer extension and the previously approved Franklin Hills sewer extension, there will be approximately 620 EDUs on the system and the annual cost per EDU will decrease to approximately \$1,790. At that time, the Authority intends to increase the assessed annual user fee to \$600 per EDU. The Authority and Township are currently exploring various options to cover the funding deficit.

In accordance with the provisions of the Pennsylvania Sewage Facilities Act (35 P. S. § 750.1—750.20(a)) (Act 537), and Chapter 71 of the Department's Rules and Regulations (25 Pa. Code Chapter 71), the Department will hold Smithfield Township responsible for the complete and timely implementation of the Update's chosen alternative.

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-4000.

Location: Sanitary Sewage Collection System in Big Beaver Borough and Homewood Borough in Beaver County with a conveyance along State Route 18 South to the City of Beaver Falls STP.

Project Description: Approval of revision to the Official Sewage Facilities Plans of Big Beaver Borough, Homewood Borough and City of Beaver Falls. Project involves construction of a sewage collection system in Homewood and Big Beaver Boroughs with a conveyance

system which includes three pump stations and an interceptor south along State Route 18 to the City of Beaver Falls. This plan update includes the expansion of the Beaver Falls STP and upgrade of the north interceptor. This project will eliminate the Holiday Inn STP and Big Beaver Plaza STP, both in Big Beaver Borough.

The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal.

Location: Sanitary sewer collection system in Elizabeth Township, Allegheny County in the Fallen Timber Run Watershed and a conveyance line along State Route 51 South in Elizabeth and Forward Townships.

Project Description: Approval of a Revision to the Official Sewage Facilities Plan of Elizabeth Township, Allegheny County. Project involves construction of a collection system in Elizabeth Township and an interceptor along State Route 51 South to the Elizabeth Borough Sewage Treatment Plant.

The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17)

Northeast Regional Office: Sanitarian Regional Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2511.

Permit No. 4596510. Public water supply. Major Amendment. **Stroudsburg Municipal Authority**, Kenneth Brown, Stroudsburg Municipal Authority, 410 Stokes Ave., P. O. Box 237, East Stroudsburg, PA 18301. This proposal involves changing the coagulant aid polymer, switching the prime coagulant from Alum to a polyaluminum hydroxychlorosulphate; installing a soda ash feed system for pH adjustment; replacing well pumps; and constructing a baffle wall in sedimentation Basin 1A. It is located in Stroud Township, **Monroe County**.

Permit to Operate: February 25, 1997.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

Preamble 3

The following final reports were submitted to the Department of Environmental Protection under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection to publish in the *Pennsylvania Bulletin* a notice of submission of any final reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed, and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning the final report, please contact the Environmental Cleanup Program in the Department of Environmental Protection Regional Office under which the notice of receipt of a final report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at 1 (800) 654-5984.

The Department has received the following final reports.

Northeast Regional Field Office: Joseph Brogna, Regional Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, telephone (717) 826-2511.

Pennsylvania Power & Light Company (PP&L)—former (decommissioned) Beekman Street Substation, City of Wilkes-Barre, **Luzerne County**. PP&L, 2 North Ninth Street, Allentown, PA has submitted a Final Report concerning the remediation of site soils found to have been contaminated with PCBs (polychlorinated biphenyls). The report was submitted in order to document remediation of the site to meet the Statewide health standard.

Southwest Field Office: John J. Matviya, Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone (412) 442-5217.

Mt. State Bit Services, Inc. (Former), Redstone Township, **Fayette County**. Mt. State Bit Services, Inc. (Former), R. D. 1, P. O. Box 406, New Salem, PA 15468 has submitted a Final Report addressing soil contaminated with PHCs. The report is intended to document remediation of the site to meet the Statewide health standard.

SOLID AND HAZARDOUS WASTE

LICENSE TO TRANSPORT HAZARDOUS WASTE

License issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations for license to transport hazardous waste.

Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

Tri-Mac Transportation Services, Inc., 155 176th Street, Suite 203, Surrey BC V4P 1M9; License No. **PA-AH 0555**; license issued February 26, 1997.

Renewal licenses issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations for license to transport hazardous waste.

Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

Franklin Environmental Services, Inc., 185 Industrial Road, Wrentham, MA 02093; License No. **PA-AH 0224**; renewal license issued March 10, 1997.

Kephart Trucking Co., P. O. Box 386, Bigler, PA 16825; License No. **PA-AH 0352**; renewal license issued March 10, 1997.

Novick Chemical Co., Inc., 705 Davis Street, Scranton, PA 18505; License No. **PA-AH 0138**; renewal license issued March 7, 1997.

Hazardous waste transporter license voluntarily terminated under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Infectious and Chemotherapeutic Waste Law (35 P. S. §§ 6019.1—6019.6) and regulations for license to transport hazardous waste.

Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

Patterson Resources, 161 South 6th Avenue, La Puente, CA 91746; License No. **PA-AH S230**; license terminated February 28, 1997.

BENEFICIAL USE DETERMINATIONS

Approval of determination of applicability under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, and Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and residual waste regulations for a general permit to operate residual waste processing facilities and the beneficial use of residual waste other than coal ash.

Central Office: Division of Municipal and Residual Waste, 14th Floor, Rachel Carson State Office Building, 400 Market St., Harrisburg, PA 17101-2301.

General Permit Determination of Applicability No. WMGR017D002. Reading Area Water Authority, 815 Washington Street, Reading, PA 19601. Determination of applicability under permit WMGR017 issued to City of Lebanon Authority for the use of drinking water treatment plant sludge as a soil additive on agricultural lands. The Department approved the determination of applicability on February 12, 1997.

RESIDUAL WASTE PROCESSING FACILITIES

Permits revoked under Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate solid waste processing or disposal area or site.

Regional Office: Regional Solid Waste Manager, Suite 6010, Lee Park, 555 North Lane, Conshohocken, PA 19428.

Permit No. 300501. Merck & Company, Inc., P. O. Box 4, West Point, PA 19486-0004. This permit has been revoked because the facility has indicated that they are no longer operating their Rotary Kiln Incinerator at Merck & Company Inc., West Point. Facility located in Upper Gwynedd Township, **Montgomery County**. Permit revoked in the Southeast Regional Office on March 6, 1997.

AIR POLLUTION

OPERATING PERMITS

Construct, modify or activate air contaminant sources

25 Pa. Code § 129.1

Operating Permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Northeast Regional Office: Bureau of Air Quality, 2 Public Square, Wilkes-Barre, PA 18711-0790.

The Department has issued the following Air Quality Operating Permits for the operation of the air contamination sources and associated air cleaning devices described below for the specified companies.

Permit: **35-323-017**

Source: Burn off oven with afterburner

Company: **Scranton Army Ammunition Plant**

Location: City of Scranton

County: **Lackawanna**

Permit: **39-313-038**

Source: TME reactor w/packtower scrubber

Company: **Mallinckrodt Chemical Inc.**

Location: South Whitehall Township

County: **Lehigh**

Permit: **40-315-002**

Source: Book/paper shred w/2 baghouses

Company: **Offset Paperback**

Location: Dallas Borough

County: **Luzerne**

Permit: **54-322-001A**

Source: 2 landfill gas ground flares

Company: **Pine Grove Landfill Incorporated**

Location: Pine Grove Township

County: **Schuylkill**

PLAN APPROVALS

Plan Approvals issued under the Air Pollution Control Act (35 P. S. §§ 4001—4005) and regulations to construct, modify or reactivate air contamination sources or air cleaning devices.

Southcentral Regional Office: Air Quality Program, One Ararat Boulevard, Harrisburg, PA 17110.

06-302-141C. On February 25, 1997, the Department issued a Plan Approval to **Sunsweet Growers, Inc.** (P. O. Box 608, Fleetwood, PA 19522) for the modification of a boiler at their Fleetwood Plant in Fleetwood, **Berks County**. The source is subject to 40 CFR 60, Subpart Dc, Standards of Performance for New Stationary Sources.

67-323-016A. On February 25, 1997, the Department issued a Plan Approval to **Hard Chrome Specialists, Inc.** (41 Leigh Street, York, PA 17402) for the installation of electroplating operations at Interstate Industrial Plaza in Manchester Township, **York County**. The source is subject to 40 CFR 63, Subpart N, National Emission Standards for Hazardous Air Pollutants and National Emission Standards for Chromium Emissions From Hard and Decorative Chromium Electroplating and Chromium Anodizing Tanks.

Northeast Regional Office: Bureau of Air Quality, 2 Public Square, Wilkes-Barre, PA 18711-0790.

A Plan Approval has been issued by this office for the construction, modification, reactivation or operation of the air contamination sources and associated air cleaning devices described below for the specified companies.

Permit: **45-310-015**

Source: Stone crushing plant w/waterspray

Issued: February 26, 1997

Company: **Milestone Materials Incorporated**

Location: Hamilton Township

County: **Monroe**

Permit: **54-310-014**
 Source: Stone crushing plant w/waterspray
 Issued: February 25, 1997
 Company: **Pennsy Supply Incorporated**
 Location: Wayne Township
 County: **Schuylkill**

MINING

CONDUCT COAL AND NON-COAL ACTIVITIES

MINING ACTIVITY ACTIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 water quality certification. Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (P.S. §§ 6018.101—6018.1003).

District Mining Operations, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.

Coal Applications Issued

56773140. Permit Renewal, **Reitz Coal Company** (509 Fifteenth Street, Windber, PA 15963), commencement, operation and restoration of a bituminous strip-coal refuse disposal mine, valid for reclamation, only in Shade Township, **Somerset County**, affecting 166.4 acres, receiving stream to unnamed tributary to Fallen Timber Run and to Fallen Timber Run, application received February 26, 1997, permit issued February 27, 1997.

32950104. Transfer from **General Mining, Inc. to Big Mack Leasing Company, Inc.** (R. D. 6, Box 231, Kittanning, PA 16201), commencement, operation and restoration of a bituminous strip mine in Young Township, **Indiana County**, affecting 62.6 acres, receiving stream unnamed tributary to Whisky Run to Whisky Run to Blacklegs Creek, application received January 2, 1997, permit issued February 28, 1997.

56910101. Permit Renewal, **Paul F. Becker Coal Company** (1593 Old Route 22, Duncansville, PA 16635), commencement, operation and restoration of a bituminous strip-auger mine in Somerset and Stonycreek Townships, **Somerset County**, affecting 120.0 acres, receiving stream unnamed tributaries to Kimberly Run, application received January 17, 1997, permit issued March 6, 1997.

Hawk Run District Office, P. O. Box 209, Hawk Run, PA 16840.

17940112. **A. A. Smith Coal Company** (R. D. 2, Box 526, Brockway, PA 15824), commencement, operation and restoration of a bituminous surface mine-auger permit in Brady Township, **Clearfield County** affecting 86.7 acres, receiving streams: Stump Creek to Mahoning Creek, Mahoning Creek to Allegheny River, Allegheny River to Ohio River, Ohio River to Mississippi River, application received June 16, 1994, permit issued February 12, 1997.

17960120. **Larson Enterprises, Inc.** (P. O. Box 96, Kylertown, PA 16847), commencement, operation and restoration of a bituminous surface mine permit in Cooper Township, **Clearfield County** affecting 10.2 acres,

receiving streams: Rolling Stone Run and unnamed tributary A and B to Browns Run, application received October 30, 1996, permit issued February 12, 1997.

17960119. **E. P. Bender Coal Company, Inc.** (P. O. Box 594, Carrolltown, PA 15722), commencement, operation and restoration of a bituminous surface mine permit in Jordan Township, **Clearfield County** affecting 154.0 acres, receiving streams: tributary to Comfort Run and Comfort Run to North Witmer Run to Clearfield Creek to the west branch of the Susquehanna River, application received October 18, 1996, permit issued February 25, 1997.

17860136. **E. M. Brown, Inc.** (P. O. Box 767, Clearfield, PA 16830), renewal of an existing bituminous surface mine permit in Cooper Township, **Clearfield County** affecting 88.2 acres, receiving streams: Browns Run and unnamed tributary of Moshannon Creek and Grassflat Run, all tributaries to the west branch of the Susquehanna River, application received January 10, 1997, permit issued March 4, 1997.

17714022. **A. W. Long Coal Company** (1203 Presqueisle Street, Philipsburg, PA 16866), major permit modification to an existing bituminous surface mine permit to authorize reclamation use of biosolids, Morris Township, **Clearfield County**, application received December 12, 1996, permit issued March 3, 1997.

District Mining Operations, P. O. Box 669, Knox, PA 16232.

37910108. **Amerikohl Mining, Inc.** (202 Sunset Drive, Butler, PA 16001) Renewal of an existing bituminous strip operation in Perry Township, **Lawrence County** affecting 43.5 acres. Receiving streams: two unnamed tributaries to Camp Run, Camp Run to Connoquenessing Creek. This renewal is issued for reclamation only. Application received: December 13, 1996. Permit issued: February 21, 1997.

10950106. **Ben Hal Mining Company** (389 Irishtown Road, Grove City, PA 16127) Transfer of an existing bituminous strip and auger operation from Dutch Run Coal, Inc. in Muddy Creek Township, **Butler County** affecting 72.9 acres. Receiving streams: unnamed tributary of Little Yellow Creek. Application received: November 26, 1996. Permit issued: February 24, 1997.

Mining and Reclamation, 3913 Washington Road, McMurray, PA 15317.

30841316. **Consol Pennsylvania Coal Company** (P. O. Box 174, Graysville, PA 15337), to revise the permit for the Bailey Mine Complex in Richhill Township, **Greene County** to construct additional facilities and enclose 360' of Talley Run, receiving stream Talley Run. Permit issued March 5, 1997.

56950701. **Reitz Coal Company**, 509-15th Street, Windber, PA 15963), to operate the Shade No. 4 Refuse Disposal Site in Shade Township, **Somerset County**, receiving stream Fallen Timber Run. Permit issued March 4, 1997.

District Mining Operations, P. O. Box 669, Knox, Pennsylvania 16232.

Noncoal Permits Issued

16810330. **Glen-Gery Corporation** (P. O. Box 7001, Wyomissing, PA 19610) Revision to an existing sand and gavel operation to extract coal incidental to the extraction of noncoal minerals in Limestone Township, **Clarion**

County affecting 76.0 acres. Receiving streams: Piney Creek. Application received: January 13, 1997. Permit issued: February 21, 1997.

16860310. Glen-Gery Corporation (P. O. Box 7001, Wyomissing, PA 19610) Revision to an existing clay operation to extract coal incidental to the extraction of noncoal minerals in Limestone and Monroe Townships, **Clarion County** affecting 256.0 acres. Receiving streams: Piney Creek and Little Piney Creek. Application received: January 13, 1997. Permit issued: February 21, 1997.

Hawk Run District Office, P. O. Box 209, Hawk Run, PA 16840.

Coal Applications Returned

17840141. Larry W. Evans (R. D. 2, Box 48, Curwensville, PA 16833), transfer of an existing bituminous surface mine permit from Forcey Coal, Inc., Decatur Township, **Clearfield County** affecting 109.3 acres, receiving streams: Moshannon Creek, application received July 24, 1996, permit returned March 4, 1997.

17950114. Sky Haven Coal, Inc. (R. D. 1, Box 180, Penfield, PA 15849), commencement, operation and restoration of a bituminous surface mine-auger permit in Beccaria Township, Irvona Borough, **Clearfield County** affecting 502.3 acres, receiving streams: unnamed tributaries of Pine Run to Pine Run and unnamed tributaries of Clearfield Creek and Clearfield Creek, application received November 3, 1995, permit returned March 3, 1997.

ACTIONS TAKEN UNDER SECTION 401: FEDERAL WATER POLLUTION CONTROL ACT

ENCROACHMENTS

The Department of Environmental Protection has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Any person aggrieved by this action may appeal under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501-508 and 701-704 (relating to the Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rule of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Actions on applications filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1-693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and sections 5 and 402 of the act of June 22, 1937 (P. L. 1987, No. 394) (35 P. S. §§ 691.5 and 691.402) and notice of final action for certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A.

1341(a)) (Note: Permits issued for Small Projects do not include 401 Certification, unless specifically stated in the description).

Permits Issued and Actions on 401 Certifications

Southeast Regional Office: Program Manager, Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428

E15-516. Encroachment. K. Hovnanian Companies Northeast, Inc., 1500 Green Hill Road, West Chester, PA 19380. To perform the following activities associated with the Bridlewood Farm Subdivision:

1. To construct and maintain a side by side 15-foot by 8-foot and 15-foot by 6-foot concrete box culvert in and along Radley Run and impacting 0.15 acre of associated wetlands for the proposed Leadline Lane stream crossing, including the installation of an 8-inch water main and 8-inch sanitary sewer within the road bed.

2. To construct and maintain a footbridge crossing of Radley Run and impacting 0.04 acre of associated wetlands for the proposed hiking path.

3. To excavate within wetlands and relocate an intermittent watercourse to construct Basin No. 8.

4. To install and maintain a 2.5-inch sanitary utility line crossing of Radley Run and associated wetlands near the terminus of Militia Hill Drive.

5. To install and maintain a 6-inch utility line crossing and an outfall structure across/along Radley Run and associated wetlands for the proposed water treatment plant.

6. To install and maintain a stormwater line through wetlands and an associated outfall structure along Radley Run, near the intersection of Leadline and Spur Lanes.

7. To install and maintain a 6-inch force main crossing of Radley Run and associated wetlands.

8. To install and maintain a water line crossing of Radley Run and associated wetlands adjacent to Route 926.

9. To relocate an intermittent watercourse through a 8-foot by 3-foot concrete box culvert underneath the proposed Bridlewood Boulevard, near its intersection with the proposed Forelock Court.

Issuance of this permit constitutes approval of the Environmental Assessment for nonjurisdictional basin Nos. 3, 4, 5, 8 and 10.

The site is located approximately 2,500 feet southwest from the intersection of Route 202 and Route 926 (West Chester, PA Quadrangle N: 7 inches, W: 11.4 inches) in Thornbury Township, **Chester County**. Applicant will construct 0.47 acre of replacement wetlands on this site.

E46-723. Encroachment. Department of Transportation, 200 Radnor-Chester Road, St. Davids, PA 19087-5178. To remove the existing single span concrete arch bridge and to construct and maintain a 110-foot long × 20-foot wide × 9-foot high box culvert stream enclosure across Sprogels Run on Maugers Mill Road (S. R. 4033), located approximately 1,700 feet southeast of the intersection of Maugers Mill Road and Hanover Road (Boyertown, PA Quadrangle N: 4.75 inches; W: 0.08 inch) in Upper Pottsgrove Township, **Montgomery County**.

E23-344. Encroachment. Department of Transportation, 200 Radnor-Chester Road, St. Davids, PA 19087-5178. To construct and maintain a 75-foot long single span bridge, having a 40-foot width and 17-foot

underclearance, across Little Crum Creek (WWF) on West Ridley Avenue (SR 2004, Section 64S). This bridge will also span the spillway for West Ridley Avenue Lake Dam (AKA Ridley Park Dam) (Lansdowne, PA Quadrangle N: 0.2 inch; W: 11.1 inches), in Ridley Park Borough, **Delaware County**. The bridge will replace the previously partially demolished original bridge.

E15-518. Encroachment. **Department of Transportation**, 200 Radnor-Chester Road, St. Davids, PA 19087. To remove the existing Red Lion Road bridge having a span of 13 feet, with an average underclearance of 4.2 feet, and demolish the associated masonry abutments. Also, to construct and maintain a 33-foot long, 18-foot wide by 5-foot high reinforced concrete box culvert and associated roadway fill at this location, in and along the Pocopson Creek (TSF-MF), at a point approximately 400 feet south of the intersection of Marlboro Road (T-463) and Red Lion Road (SR 3027) (Unionville USGS Quadrangle N: 4.2 inches; W: 8.5 inches), in Pocopson Township, **Chester County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

Southcentral Regional Office: Water Management Program, Soils and Waterways Section, One Ararat Boulevard, Room 126, Harrisburg, PA 17110, telephone (717) 657-4590.

E01-170. Encroachment. **Mount Joy Township Board of Supervisors**, Harold Beebe, 902 Hoffmanhome Road, Gettysburg, PA 17325. To remove an existing structure and to construct and maintain a 6 feet by 12 feet by 25 feet long reinforced concrete box culvert over Lousy Run on Spangler School Road (Taneytown, PA Quadrangle: N: 20.75 inches; W: 10.50 inches) in Mount Joy Township, **Adams County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E06-484. Encroachment. **Metropolitan Edison Company**, George Repko, 2800 Pottsville Pike, P. O. Box 16001, Reading, PA 19640. To construct and maintain an overhead wire crossing of the Schuylkill River at a point approximately 700 feet upstream of Route 82 (Birdsboro, PA Quadrangle: N: 3.25 inches; W: 8.6 inches) in the Borough of Birdsboro and Exeter Township, **Berks County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E07-265. Encroachment. **Linda Aveni**, Calvary Cemetery Association, 2417 Pleasant Valley Blvd, Altoona, PA 16602. To place fill in 0.20 acre of wetlands that is associated with the +/-450 foot extension of an existing 24-inch diameter stormwater outfall pipe in an unnamed tributary to Brush Run for the purpose of creating additional burial sites located along Pleasant Valley Boulevard about 0.9 mile northeast of its intersection with Frankstown Road (Hollidaysburg, PA Quadrangle N: 9.0 inches; W: 2.4 inches) in Logan Township, **Blair County**. The permittee is required to provide 0.20 acre of replacement wetlands.

E21-257. Encroachment. **South Newton Township**, Gary Johnson, Box 22, Highmountain Road, Walnut Bottom, PA 17266. To remove the existing damaged structure and to construct and maintain a 15 feet by 5 feet concrete box culvert across Hairy Spring Hollow on T-317 (Gutshall Road) located just upstream of Big Pond (Walnut Bottom, PA Quadrangle N: 10.75 inches; W: 4.75 inches) in South Newton Township, **Cumberland**

County. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E28-244. Encroachment. **Dept. of Transportation**, Engineering District 8-0, John Rautzahn, 2140 Herr Street, Franklin County, Harrisburg, PA 17103. To remove the existing structure and to construct and maintain a new R. C. slab bridge having a centerline span of 19 feet on a 52 degrees skew with a minimum underclearance of 9 feet, 9 inches across an unnamed tributary to Conococheague Creek on SR 0416, Section 002, Segment 0170, Offset 0000 located about 1.2 miles east of the Montgomery School along PA 75 (Mercersburg, PA Quadrangle N: 9.2 inches; W: 0.33 inch) in Montgomery Township, **Franklin County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E29-072. Encroachment. **Dept. of Transportation**, Engineering District 9-0, J. Dain Davis, 1620 Juniata Street, Hollidaysburg, PA 16648. To construct and maintain a new prestressed concrete box beam bridge (Waterfall Bridge) having a clear span of 75 feet on a 70 degree skew, with a minimum underclearance of 10.5 feet across Sideling Hill Creek on SR 4011, Section 001. The bridge will be located about 875 feet downstream of an existing bridge. Nine hundred feet of roadway will also be constructed. (Salttillo, PA Quadrangle N: 0.08 inch; W: 6.58 inches) in Taylor Township, **Fulton County**. This permit also includes 401 Water Quality Certification.

E34-085. Encroachment. **Dept. of Transportation**, Engineering District 2-0, George Khoury, 1924-30 Daisy Street, Clearfield, PA 16830. To replace an existing structure with a 25 foot x 7 foot-6 inch precast box culvert in the channel of Lick Run at a point at SR 3020 (Blairs Mills, PA Quadrangle N: 18.85 inches; W: 3.35 inches) in Lack Township, **Juniata County**. This permit also includes 401 Water Quality Certification.

E44-081. Encroachment. **Paul Brown**, Box 557, HCR 61, Mill Creek, PA 17060. To construct and maintain a concrete box culvert having a span of 10.0 feet and a rise of 3.0 feet in an unnamed tributary to Kishacoquillas Creek to provide access to private property located along Spring Run Road about 300 feet south of its intersection with SR 0655 at Alexander Springs (Barrville, PA Quadrangle N: 0.4 inch; W: 6.7 inches) in Union Township, **Mifflin County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E35-268. Encroachment. **Department of Transportation**, Engineering District 4-0, P. O. Box 111, Scranton, PA 18501. To remove the existing structure and to construct and maintain a 16-foot x 5-foot, 6-inch reinforced concrete box culvert in Sterry Creek. The project, S. R. 1016, Section 270, is associated with Sterry Creek Stream Channel Restoration Project OSM 35 (2080) 102.1 and is located at the intersection of S. R. 1016 (Constitution Avenue) and Sterry Creek (Olyphant, PA Quadrangle N: 18.2 inches; W: 10.3 inches) in Jessup Borough, **Lackawanna County**.

E35-270. Encroachment. **Department of Environmental Protection**, Bureau of Abandoned Mine Reclamation, 2 Public Square, Wilkes-Barre, PA 18711. To construct and maintain approximately 1,150 linear feet of concrete u-channel and to excavate, place and maintain fill for the construction of a trapezoidal channel, riprap bank stabilization and channel lining in and along 2,500 linear feet of Sterry Creek. The project, known as the

Sterry Creek Stream Channel Restoration Project, OSM 35 (2080) 102.1 and is located at a beginning point at the intersection of S. R. 1016 (Constitution Avenue) and Sterry Creek (Olyphant, PA Quadrangle N: 18.2 inches; W: 10.4 inches) and extending approximately 0.75 mile downstream to the confluence of Sterry Creek and the Lackawanna River (Olyphant, PA Quadrangle N: 18.2 inches; W: 11.2 inches) in Jessup Borough, **Lackawanna County**.

E35-275. Encroachment. **Joseph W. Scotchlas**, 110 Tuttle Street, Simpson, PA 18407. To remove the existing deteriorated structure and to construct and maintain a concrete tie retaining wall having a length of approximately 70 feet with a height of 12 feet to 18 feet. The project is located along the left bank of the Lackawanna River approximately 300 feet downstream of the intersection of S. R. 0171 and the Lackawanna River (Waymart, PA Quadrangle N: 16.9 inches; W: 15.0 inches) in Simpson Borough, **Lackawanna County**.

E39-320. Encroachment. **County of Lehigh**, P. O. Box 1548, Allentown, PA 18105. To repair and maintain an existing stone masonry arch bridge across Cedar Creek, with work including the following: placement of pressure-grouted riprap or groutfilled bags in the channel to address undermining and scour at the pier and abutments, repointing of stone masonry, and construction of R-5 riprap bank protection within a 320-foot channel reach. The bridge, which has two waterway openings of approximately 15 feet x 7 feet is located on Reading Road/Walnut Street (Allentown East, PA Quadrangle N: 17.0 inches; Wilkes-Barre: 17.2 inches) in the City of Allentown, **Lehigh County**.

DAM SAFETY

Actions on applications filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and sections 5 and 402 of the act of June 22, 1937 (P. L. 1987, No. 394) (35 P. S. §§ 691.5 and 691.402) and notice of final action for certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)). (Note: Permits issued for Small Projects do not include 401 Certification, unless specifically stated in the description).

Permits Issued and Actions on 401 Certification

DEP Central Office: Bureau of Waterways Engineering, 400 Market Street, 6th Floor, P. O. Box 8554, Harrisburg, PA 17105-8554, telephone (717) 787-8568.

D23-053A. Dam. **Borough of Ridley Park** (Ward and Cresswell Streets, Ridley Park, PA 19078). To modify, operate and maintain Ridley Park Dam located across Little Crum Creek in Ridley Park Borough, **Delaware County**.

ENVIRONMENTAL ASSESSMENT

Actions on applications filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and sections 5 and 402 of the act of June 22, 1937 (P. L. 1987, No. 394) (35 P. S. §§ 691.5 and 691.402) and notice of final action for certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)) Note: Permits issued for Small Projects do

not include 401 Certification, unless specifically stated in the description).

DEP Central Office: Bureau of Waterways Engineering, 400 Market Street, 6th Floor, P. O. Box 8554, Harrisburg, PA 17105-8554, telephone (717) 787-8568.

Environmental Assessment Approvals and Actions on 401 Certification

EA20-006CO. Environmental assessment. **Universal Development** (1607 Motor Inn Drive, Girard, PA 44420). To construct and maintain a nonjurisdictional dam across a tributary to Van Horne Creek (WWF) for the purpose of stormwater management at the proposed Woodland Chase subdivision located approximately 4,000 feet east of the intersection of S. R. 19 and S. R. 6/322 (Geneva, PA Quadrangle N: 22.3 inches; W: 8.7 inches) in Vernon Township, **Crawford County**.

EA45-001NE. Environmental assessment. **Resorts USA, Inc.**, Corporate Offices, P. O. Box 447, Bushkill, PA 18324. To remove a deteriorated wooden deck situated along the southern streambank and in the floodway of Sand Hill Creek. The project is located at Tree Tops residential community sales area, approximately 1,000 feet southeast of the intersection of S. R. 0209 and River Road (Bushkill, PA Quadrangle N: 13.9 inches; W: 3.6 inches) in Middle Smithfield Township, **Monroe County**.

SPECIAL NOTICES

Applications for Small Water Systems Regionalization Grant Program

The Department of Environmental Protection's Technical Assistance Center for Small Water Systems is accepting applications under the Small Water Systems Regionalization Grant Program. This grant program provides grants to eligible applicants to assess the feasibility of the formation of a regionalized water system. The proposed regionalized water system must involve at least one small water system (a system serving 3,300 people or fewer).

Eligible applicants include any community water supplier, county, township, borough or authority to which a small water system has issued a letter of intent to develop a water system regionalization study.

Grant awards are limited to 75% of all approved project costs related to the water system regionalization study or \$75,000, whichever is less. The grantee must provide local share in the form of matching funds or in-kind services at a minimum of 25% of the total project costs.

The application period runs from May 1 to July 31, 1997. Based on the availability of funding, applicants that submit a final work plan and budget which are approved by DEP will be given preference to receive a grant based on a first-come, first-served basis.

For more information or to obtain a grant application, contact the Department of Environmental Protection, Bureau of Water Supply Management, Division of Drinking Water Management, Technical Assistance Center for Small Water System, P. O. Box 8467, Harrisburg, PA 17105-8467, or call Donna L. Green at (717) 787-0125.

Notice of Certification to Perform Radon-Related Activities in Pennsylvania

In the month of February 1997 the Department of Environmental Protection of the Commonwealth of Penn-

sylvania, under the authority contained in the Radon Certification Act (63 P. S. §§ 2001—2014) and regulations promulgated thereunder at 25 Pa. Code Chapter 240, has certified the persons listed below to perform radon-related activities in Pennsylvania. The period of certification is 2 years. For a complete list of persons currently certified to

perform radon-related activities in Pennsylvania and for information as to the specific testing devices that persons certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P. O. Box 8469, Harrisburg, PA 17105-8469, (1-800-23RADON).

<i>Name</i>	<i>Address</i>	<i>Type of Certification</i>
Brian C. Bacchus	10475 Perry Highway Suite 305 Wexford, PA 15090	Mitigation
Michael A. Bednar	950 Sussex Boulevard Broomall, PA 19008	Testing
Donald E. Bobincheck	116 Kenney Drive Sewickley, PA 15143	Testing
Robert Bowie Bux-Mont Inspections, Inc.	22 Saverman Road Doylestown, PA 18901	Testing
Francis A. Butler, Jr.	20 Thornridge Road Springfield, PA 19064	Mitigation
Gregory Dmuchowski Radon Environmental Services, Inc.	P. O. Box 2180 Flemington, NJ 08822	Testing
Marc E. Fleischman	123 Hepler Road Sarver, PA 16055	Testing
Thomas H. Gallagher Environmental Safeguard Services	120 Washington Avenue Bethlehem, PA 18018	Testing
William R. Lovic	196 Glenview Drive New Kensington, PA 15068	Testing
Daniel L. Mills	10475 Perry Highway, Suite 305 Wexford, PA 15090	Mitigation

[Pa.B. Doc. No. 97-450. Filed for public inspection March 21, 1997, 9:00 a.m.]

Availability of Technical Guidance

Governor's Office List

Once a year on the first Saturday in August, the Governor's Office publishes a list of the non-regulatory guidance documents of all State agencies in the *Pennsylvania Bulletin*. The first publication of this list was in the August 3, 1996, edition of the *Pennsylvania Bulletin*. The next publication of this list will be in the August 2, 1997, *Pennsylvania Bulletin*.

DEP's Technical Guidance Document Inventory

DEP publishes a list of its technical guidance documents in its Technical Guidance Document Inventory twice a year. The most recent edition of the Inventory is the December 1996 edition. This edition is now available on DEP's World Wide Web site. DEP's Web address is <http://www.dep.state.pa.us>. To go to the location of the Inventory once on the DEP home page, persons should choose the Public Participation Center/Technical Guidance Document/Basic Inventory.

Bound paper copies of the Inventory are available now for those who do not have access to the Web site. DEP automatically mails a paper copy of the December 1996 Inventory to persons who received a bound paper copy of the June 1996 Inventory. Persons who wish to add their address to the mailing list should call Nina Huizinga at (717) 783-8727.

DEP's Technical Guidance Documents on the World Wide Web

DEP's Web address is <http://www.dep.state.pa.us>. To go to the location of DEP's Technical Guidance Documents once on the DEP home page, persons should choose the Public Participation Center. The Center contains several links to DEP's Technical Guidance Documents. Persons should look under the heading "Proposals Open to Comment" for the link to "Draft Technical Guidance." Persons should look under the heading "Proposals Recently Finalized" for the link to "Technical Guidance." Persons should look under the heading "Technical Guidance" for one link to the "Basic Inventory" and a second link to "Final Guidance." The final documents menu will list DEP's bureaus. Persons should click on the name of the bureau to get to the list of the documents from that bureau that are currently on the Web. Then, to get to see a document, persons should click on the ID number of the document. DEP will be adding its revised documents to the Web throughout 1997.

Help Protect the Environment: Use the Web and Save Trees

DEP encourages members of the public who read these announcements in the *Pennsylvania Bulletin* and DEP's *UPDATE* and who have access to the World Wide Web to avoid the needless duplication of paper copies of DEP's technical guidance documents. Persons can download those DEP documents which are posted on DEP's Web

site onto their computers and read them electronically. This method saves both paper and money.

Ordering Paper Copies of DEP Technical Guidance

Although DEP promotes the use of electronic copies of its technical guidance rather than paper copies, there are still reasons for DEP to continue to provide members of the public with paper copies: 1) It may be more convenient to use some documents in a paper form, 2) Not everyone has access to the World Wide Web and 3) Not all DEP documents are on DEP's Web site yet. Persons can order an unbound paper copy of the latest Inventory or an unbound paper copy of any of the final documents listed on the Inventory by calling Elwyn, Inc. (the printer) at 1 (800) 804-4020 if calling in Pennsylvania or (610) 497-5826 if calling from outside Pennsylvania. Elwyn's fax number is (610) 497-5932.

In addition, bound copies of some of DEP's documents are available as DEP publications. Persons should check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to Technical Guidance Documents

Between publication of its Inventory, DEP announces changes to its technical guidance documents in its weekly newsletter, the *UPDATE* and the *Pennsylvania Bulletin*. Here is the current list of recently finalized documents, draft documents and notices of intended changes to technical guidance.

Persons who have any questions or comments about a particular document should call the contact person whose name and phone number is listed with each document. Persons who have questions or comments about the Inventory, the documents on the World Wide Web, the availability of paper copies from the printer or the technical guidance document process in general should call Nina Huizinga at (717) 783-8727.

Final Technical Guidance Documents—Minor Revision to Existing Guidance

DEP ID: 012-0830-001. Title: Data Standards for Names and Addresses. Description: This document contains procedures for the collection and input of name and address data elements into DEP's database systems. Effective Date: February 6, 1997. Page Length: 43 pages. Location: Volume 1, Tab 10. Contact Kim Nelson at (717) 787-3534.

Notice of Intent to Develop Technical Guidance—New Guidance

Draft Title: Prompt Closure of Abandoned Underground Mine Openings. Background: Despite the significant safety and environmental issues associated with unsealed, accessible mine openings, there remain situations where operators abandon mines without sealing or securing openings. The proposed guidance document will spell out procedures for notifying mine operators of their responsibility to secure and seal mine openings and for taking prompt enforcement action against those mine operators who abandon sites and refuse to perform the required mine closure work. The policy document will also address instances where the Department is forced to perform the closure work and subsequently moves to recover expended funds. Anticipated Effective Date: May 20, 1997. Anticipated Draft Development Date: March 12, 1997. Proposed Development and Review Process: This policy already exists in draft form as a result of the efforts of a 16-member work group consisting of staff from

the Bureau of Deep Mine Safety, Bureau of Mining and Reclamation, Bureau of Abandoned Mine Reclamation, District Mining Operations and the Office of Chief Counsel. Therefore, the draft preparation stage of the policy development process will be substantially shortened, consisting of minor editing and formatting. Copies of the draft will be distributed to the Pennsylvania Coal Association and the Pennsylvania Anthracite Council for review and comment. The draft will be announced in DEP's *UPDATE* and the *Pennsylvania Bulletin* for comment by members of the public. Contact: Thomas Callaghan at (717) 783-8845.

Notice of Intent to Revise Technical Guidance and Availability of Draft Technical Guidance

DEP ID: 563-2112-654. Title: Technical Review, Mine Stability. Background: This document provides technical information regarding the measures which underground mine operators are expected to take to ensure the stability of mine workings upon completion of mining. It revises current policy by expanding the means by which mine operators can demonstrate compliance with the mine stability requirements in section 5(e) of The Bituminous Mine Subsidence and Land Conservation Act and 25 Pa. Code § 89.143(a). It also eliminates the exemption previously granted for mines which were permitted or covered by permit applications on January 1, 1986. Proposed Development and Review Process: The guidance was drafted internally with assistance from district mining staff and program counsel. The first draft was circulated among district office staff, program counsel, Policy Office and the Pennsylvania Coal Association. Availability of the draft is now being announced with request for comment by members of the public. Deadline for Submittal of Comments: April 16, 1997. Contact: Harold Miller at (717) 783-8845.

Notice of Intent to Revise Existing Technical Guidance

DEP ID: 361-0300-002. Title: Special Protection Waters Implementation Handbook. Background: DEP proposed changes to its anti-degradation regulations, subsequent to extensive review by a stakeholder's group. In January, the Environmental Quality Board (EQB) approved DEP's proposed regulations; the final regulations will be published in the *Pennsylvania Bulletin* on March 22. Now, the Implementation Handbook can be revised. Anticipated Effective Date: February 1998. Contact: Ed Brezina at (717) 787-9637.

DEP ID: 362-0400-001. Title: National Pollutant Discharge Elimination System (NPDES) Technical Guidance Manual. Background: Sections of the manual need to be updated or revised to improve clarity. Some sections are based on regulations identified for possible revision. Anticipated Effective Date: December 1998. Contact: Lou Bercheni at (717) 787-4317.

DEP ID: 550-0300-001. Title: Operators Manual. Background: The Operators Manual is being updated to reflect changes in areas of program responsibility. The Bureau of Oil and Gas Management will draft a shorter, more concise policy document, without the internal, purely administrative procedures. Anticipated Effective Date: January 1998. Contact: Frank Bialas at (717) 772-2199.

Notice of Intent to Rescind Technical Guidance

DEP ID: 563-2000-601. BMR PGM: Section II, Part 6, Subpart 1. Title: Repermitting in High Quality Watersheds. Background: This guidance is no longer needed because it applied only to the repermitting of coal mining

operations which existed on July 31, 1982. The rescission date was October 31, 1996. The notice is being published in the *Pennsylvania Bulletin* now for the sake of clarity. Contact: Nina Huizinga at (717) 783-8727.

DEP ID: 563-2000-201. BMR PGM: Section VIII, Part 2, Subpart 1. Title: Permit Review, PHMC. Background: This guidance concerns PHMC involvement during review of mining permit applications. Guidance in this regard will be addressed in conjunction with revising Document No. 560-0700-301 titled, Coordination with PHMC. The rescission date was October 31, 1996. The notice is being published in the *Pennsylvania Bulletin* now for the sake of clarity. Contact: Nina Huizinga at (717) 783-8727.

JAMES M. SEIF,
Secretary

[Pa.B. Doc. No. 97-451. Filed for public inspection March 21, 1997, 9:00 a.m.]

DEPARTMENT OF PUBLIC WELFARE

Office of Children, Youth and Families; Public Hearing for the Federal Child Care and Develop- ment Block Grant Plan

The Department of Public Welfare, Office of Children, Youth and Families, Bureau of Child Day Care Services will be holding a Public Hearing on the proposed Plan for providing child care for welfare and non-welfare low-income families. This proposed Plan is intended to meet the requirements of Federal Child Care and Development Block Grant (CCDBG) Plan for the period October 1, 1997 through September 30, 1999. The hearing will be held on April 29, 1997 from 10 a.m. to 4 p.m. in the auditorium of the State Museum of Pennsylvania, 3rd and North Streets, Harrisburg, Pennsylvania. The purpose of the Public Hearing is to gather comments on the proposed Federal CCDBG Plan from the general public. Based upon comments received, the Commonwealth will consider the necessary revisions to the proposed Plan and develop a final Plan to send to the Federal Government.

This Plan will be available to the general public March 26, 1997. To obtain a copy of the Plan contact Karen Habel, Bureau of Child Day Care Services, 1401 North 7th Street, Harrisburg, Pennsylvania 17105 or call (717) 787-1551. Persons interested in providing testimony at the April 29, 1997 Public Hearing may register by calling (717) 787-1551. Copies will also be available after March 26, 1997 at County Assistance Offices and Local Management Agencies.

Persons with a disability may use the AT&T Relay Service by calling 1 (800) 654-5984 (TDD Users) or 1 (800) 654-5988 (Voice Users). Persons who require another alternative format should contact Thomas Vracarich at (717) 783-2209.

FEATHER O. HOUSTOUN,
Secretary

[Pa.B. Doc. No. 97-452. Filed for public inspection March 21, 1997, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Lucky Dog '97 Instant Lottery Game

Under the provisions of the State Lottery Law (72 P. S. §§ 3761-1—3761-15) and the provisions of 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name*: The name of the game is Pennsylvania Lucky Dog '97.

2. *Price*: The price of a Pennsylvania Lucky Dog '97 instant lottery game ticket is \$1.00.

3. *Play Symbols*: Each Pennsylvania Lucky Dog '97 instant lottery game ticket will contain one "Play Area." The play symbols and their captions located in the "Play Area" are: FREE (TICKET), \$1⁰⁰ (ONE), \$2⁰⁰ (TWO), \$5⁰⁰ (FIVE), \$25\$ (TWEN-FIV), \$50\$ (FIFTY), \$1000 (ONE THO), \$5000 (FIV THO) and a Bone Symbol (BONE).

4. *Prizes*: The prizes that can be won in this game are one free ticket, \$1, \$2, \$4, \$5, \$10, \$25, \$50, \$100, \$1,000 and \$5,000.

5. *Approximate Number of Tickets Printed For the Game*: Approximately 7,464,000 tickets will be printed for the Pennsylvania Lucky Dog '97 instant lottery game.

6. *Determination of Prize Winners*:

(a) Holders of tickets with three matching play symbols of \$5000 (FIV THO) in the "Play Area" on a single ticket, shall be entitled to a prize of \$5,000.

(b) Holders of tickets with three matching play symbols of \$1000 (ONE THO) in the "Play Area" on a single ticket, shall be entitled to a prize of \$1,000.

(c) Holders of tickets with two matching play symbols of \$50\$ (FIFTY), and a Bone play symbol (BONE) in the "Play Area" on a single ticket, shall be entitled to a prize of \$100.

(d) Holders of tickets with three matching play symbols of \$50\$ (FIFTY) in the "Play Area" on a single ticket, shall be entitled to a prize of \$50.

(e) Holders of tickets with two matching play symbols of \$25\$ (TWEN-FIV), and a Bone play symbol (BONE) in the "Play Area" on a single ticket, shall be entitled to a prize of \$50.

(f) Holders of tickets with three matching play symbols of \$25\$ (TWEN-FIV) in the "Play Area" on a single ticket, shall be entitled to a prize of \$25.

(g) Holders of tickets with two matching play symbols of \$5⁰⁰ (FIVE), and a Bone play symbol (BONE) in the "Play Area" on a single ticket, shall be entitled to a prize of \$10.

(h) Holders of tickets with three matching play symbols of \$5⁰⁰ (FIVE) in the "Play Area" on a single ticket, shall be entitled to a prize of \$5.

(i) Holders of tickets with two matching play symbols of \$2⁰⁰ (TWO), and a Bone play symbol (BONE) in the "Play Area" on a single ticket, shall be entitled to a prize of \$4.

(j) Holders of tickets with three matching play symbols of \$2⁰⁰ (TWO) in the "Play Area" on a single ticket, shall be entitled to a prize of \$2.

(k) Holders of tickets with two matching play symbols of \$1⁰⁰ (ONE) and a Bone play symbol (BONE) in the "Play Area" on a single ticket, shall be entitled to a prize of \$2.

(l) Holders of tickets with three matching play symbols of \$1⁰⁰ (ONE) in the "Play Area" on a single ticket, shall be entitled to a prize of \$1.

(m) Holders of tickets with three matching play symbols of FREE (TICKET) in the "Play Area" on a single ticket, shall be entitled to a prize of one Pennsylvania instant lottery game ticket of equivalent sale price which is currently on sale, plus an entry into a Semifinal Grand Prize Drawing to qualify for a Grand Prize Drawing with prizes of \$5,000, \$50,000, \$75,000, \$100,000, or an annuity worth \$1 million (\$50,000 a year for 20 years).

(n) A prize will be paid only for the highest Pennsylvania Lucky Dog '97 instant lottery game prize won on the ticket if the ticket meets the criteria established in 61 Pa. Code § 819.213 (relating to ticket validation and requirements).

7. *Grand Prize Drawing Procedure:*

(a) *Frequency.*

(1) Grand Prize Drawings will be held on dates to be determined by the Secretary. The dates and locations will be announced by the Director.

(2) From the commencement of Pennsylvania Lucky Dog '97 until the deadline announced by the Director, there will be ten Grand Prize finalists selected for each Grand Prize Drawing. Grand Prize finalists will be selected in Semifinal Grand Prize Drawings on dates to be determined by the Secretary and announced by the Director.

(b) *Eligibility for Semifinal Grand Prize Drawings.* To be eligible for a Semifinal Grand Prize Drawing, a winner having a free winning ticket shall timely claim it at a participating Lottery sales retailer and properly complete the back of the ticket. The ticket claimed shall meet the ticket criteria under 61 Pa. Code § 819.213 (relating to ticket validation and requirements) to be eligible for a Semifinal Grand Prize Drawing.

(1) The Lottery will make a reasonable effort to ensure that a redeemed free winning ticket is entered into one of the Semifinal Grand Prize Drawings. The Lottery assumes no responsibility for a lost or misplaced redeemed ticket not entered into a Semifinal Grand Prize Drawing.

(2) A redeemed free winning ticket is eligible for only one Semifinal Grand Prize Drawing. A ticket that is not in one eligible group of redeemed free winning tickets may, at the discretion of the Director, remain eligible for a subsequent Semifinal Grand Prize Drawing.

(3) If a ticket is rejected during or following a Semifinal Grand Prize Drawing, the sole remedy is to select another ticket to replace the rejected ticket in accordance with Lottery procedure.

(4) Determination of winners will be made by the Secretary, whose judgment will be final and binding.

(c) *Manner of conducting Semifinal Grand Prize Drawings.*

(1) Periodically, as determined by the Secretary and announced by the Director, a Semifinal Grand Prize Drawing will be held using eligible redeemed free winning tickets. Ten finalists will be selected from an eligible group of tickets entered in the drawing. For the purpose of the drawing, each of the eligible groups of redeemed

free winning tickets will be further divided into subgroups and placed in containers, with each container assigned a code depending on the number of containers used.

(2) With the aid of mechanical or automatic drawing equipment, ten container codes will be selected. The codes will determine the containers from which the ten finalists' tickets will be ultimately selected. One winning finalist ticket will be drawn from the first container selected. One winning ticket will then be selected from the second selected container and this procedure will be repeated until ten finalists have been selected for each Grand Prize Drawing.

(d) *Manner of conducting Grand Prize Drawings.*

(1) Following the selection of the ten finalists as described in subsection (c), there will be Grand Prize Drawings held at the discretion of the Director.

(2) The Lottery will award the following prizes to the eligible finalists in each of the Grand Prize Drawings:

<i>Grand Drawing Prizes</i>	<i>No. of Winners</i>	<i>Amount</i>
Grand Prize	1	\$1 million-annuity, or \$100,000, or \$75,000, or \$50,000
Consolation Prize	9	\$5,000

(e) *Procedure for conducting Grand Prize Drawings.*

(1) At a Grand Prize Drawing, a mechanical device in the shape of two concentric wheels will be used, a smaller wheel directly in front of a larger wheel. The larger wheel will have ten spaces each marked with a letter, "a" through "j," inclusive, inscribed clockwise in alphabetical order. The names of the selected ten finalists will be placed on the larger wheel in the order that they were selected beginning with the space marked letter "a" and continuing alphabetically through the letter "j," inclusive.

(2) The smaller wheel will contain designated amounts of \$1 million—annuity, \$100,000, \$75,000 and \$50,000.

(3) The wheels will be spun and when the wheels stop, the name of the finalist on the larger wheel will be identified as the Grand Prize Drawing winner and will be entitled to the prize indicated on the smaller wheel.

(4) The nine finalists whose names remain will receive a consolation prize of \$5,000 each.

(5) The Grand Prize Drawing winner shall receive the amount indicated, and if that amount is the top grand prize of an annuity worth \$1 million, that prize will be payable in 20 equal annual installments of \$50,000. The payment of a top grand prize to a person who dies before receiving a prize or to a person 17 years of age or younger shall be paid according to 61 Pa. Code §§ 811.16 and 811.27 (relating to prizes payable after death of a prize winner; and payment of prizes to persons under 18 years of age).

(6) Prizes chosen in the Grand Prize Drawing shall be claimed within 1 year of the date of the Grand Prize Drawing.

(7) The determination of a winner will be made by the Secretary, whose judgment will be final, conclusive and binding on the finalists.

(8) Prizes are subject to Federal withholding tax provisions.

(9) Number and Description of Prizes and Approximate Odds: The following table sets forth the approximate

number of winners, amounts of prizes, and approximate odds of winning:

Get	Win	Approximate Odds	Approximate No. of Winners Per 7,464,000 Tickets
3-Free	One Free Ticket Plus Entry	1:10	746,400
3-\$1	\$1	1:20	373,200
2-\$1 + Bone	\$2	1:30	248,800
3-\$2	\$2	1:150	49,760
2-\$2 + Bone	\$4	1:150	49,760
3-\$5	\$5	1:180	41,467
2-\$5 + Bone	\$10	1:140	53,314
3-\$25	\$25	1:300	24,880
2-\$25 + Bone	\$50	1:1,000	7,464
3-\$50	\$50	1:3,000	2,488
2-\$50 + Bone	\$100	1:4,000	1,866
3-\$1,000	\$1,000	1:95,692	78
3-\$5,000	\$5,000	1:497,600	15

8. *Retailer Incentive Awards:*

(a) *Grand Prize Bonus.* The Lottery will pay a bonus to a retailer selling a redeemed and validated winning Pennsylvania Lucky Dog '97 instant lottery game ticket selected for a Grand Prize Drawing as follows:

- (1) A winner of an annuity worth \$1 million (\$50,000 a year for 20 years) top grand prize entitles the selling retailer to a bonus of \$10,000.
- (2) A winner of a \$100,000 grand prize entitles the selling retailer to a bonus of \$1,000.
- (3) A winner of a \$75,000 grand prize entitles the selling retailer to a bonus of \$750.
- (4) A winner of a \$50,000 grand prize entitles the selling retailer to a bonus of \$500.
- (5) A winner of a \$5,000 consolation prize entitles the selling retailer to a bonus of \$50.

(b) *Retailer incentive.* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Lucky Dog '97 instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentives).

9. *Unclaimed Prize Money.* For a period of 1 year from the announced close of Pennsylvania Lucky Dog '97, prize money on winning Pennsylvania Lucky Dog '97 instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of Pennsylvania Lucky Dog '97, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

10. *Governing Law.* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P. S. §§ 3761-1—3761-15), the regulations contained in Part V of Title 61 of the Pennsylvania Code (relating to State Lotteries) and the provisions contained in this notice.

11. *Termination of the Game.* The Secretary may announce a termination date, after which no further tickets from this game may be sold. Such announcement will be disseminated through media used to advertise or promote

Pennsylvania Lucky Dog '97 or through normal communications methods.

ROBERT A. JUDGE, Sr.,
Secretary

[Pa.B. Doc. No. 97-453. Filed for public inspection March 21, 1997, 9:00 a.m.]

Pennsylvania Money Tree '97 Instant Lottery Game

Under the provisions of the State Lottery Law (72 P. S. §§ 3761-1—3761-15) and the provisions of 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Money Tree '97.

2. *Price:* The price of a Pennsylvania Money Tree '97 instant lottery game ticket is \$1.00.

3. *Play Symbols:* Each Pennsylvania Money Tree '97 instant lottery game ticket will contain one "Play Area." The play symbols and their captions located in the "Play Area" are: \$1⁰⁰ (ONE), \$2⁰⁰ (TWO), \$5⁰⁰ (FIVE), \$25⁰⁰ (TWEN-FIV) and \$100⁰⁰ (ONE HUN).

4. *Prizes:* The prizes that can be won in this game are \$1, \$2, \$5, \$25 and \$100.

5. *Approximate Number of Tickets Printed For the Game:* Approximately 7,464,000 tickets will be printed for the Pennsylvania Money Tree '97 instant lottery game.

6. *Determination of Prize Winners:*

(a) Holders of tickets with three matching play symbols of \$100⁰⁰ (ONE HUN) in the "Play Area" on a single ticket, shall be entitled to a prize of \$100.

(b) Holders of tickets with three matching play symbols of \$25⁰⁰ (TWEN-FIV) in the "Play Area" on a single ticket, shall be entitled to a prize of \$25.

(c) Holders of tickets with three matching play symbols of \$5⁰⁰ (FIVE) in the "Play Area" on a single ticket, shall be entitled to a prize of \$5.

(d) Holders of tickets with three matching play symbols of \$2⁰⁰ (TWO) in the "Play Area" on a single ticket, shall be entitled to a prize of \$2.

(e) Holders of tickets with three matching play symbols of \$1⁰⁰ (ONE) in the "Play Area" on a single ticket, shall be entitled to a prize of \$1.

(f) A prize will be paid only for the highest Pennsylvania Money Tree '97 instant lottery game prize won on the ticket if the ticket meets the criteria established in 61 Pa. Code § 819.213 (relating to ticket validation and requirements).

7. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

Win	Approximate Odds	Approximate No. of Winners Per 7,464,000 Tickets
\$1	1:8	933,000
\$2	1:25	298,560
\$5	1:50	149,280

Win	Approximate Odds	Approximate No. of Winners Per 7,464,000 Tickets
\$25	1:150	49,760
\$100	1:1,000	7,464

8. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Money Tree '97 instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentives).

9. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Money Tree '97, prize money on winning Pennsylvania Money Tree '97 instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Money Tree '97 instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

10. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-1—3761-15), the regulations contained in Part V of Title 61 of the Pennsylvania Code (relating to State Lotteries) and the provisions contained in this notice.

11. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. Such announcement will be disseminated through media used to advertise or promote Pennsylvania Money Tree '97 or through normal communications methods.

ROBERT A. JUDGE, Sr.,
Secretary

[Pa.B. Doc. No. 97-454. Filed for public inspection March 21, 1997, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Retention of Engineering Firms

Northampton County

Project Reference No. 08430AG2060

The Department of Transportation will retain an engineering firm to perform final design, consultation during construction and shop drawing reviews for the bridge replacement and safety improvements of S. R. 0191, Section 01B in the Village of Ackermanville, Washington Township, Northampton County, Engineering District 5-0.

This bridge project is the replacement of an existing 30 foot long, single span steel I-beam structure with a new 48 foot long, 40 foot wide curb-to-curb prestressed boxed beam bridge as well as a 40 foot, 3 1/2 by 10 foot box culvert, on a new alignment approximately 500 feet upstream of the existing bridge location over Waltz Creek. Also involved is the realignment of the horizontal geometry of S. R. 0191, Section 01B to reduce the severity of

the curvilinear approach northeast of the proposed bridge location. Approximately 1,000 feet of roadway improvements on each side of the new structure will be constructed. The estimated construction cost is \$1.4 million.

The firm selected will be required to perform the following: prepare final right-of-way plans; prepare final design/construction plans, specifications, and cost estimates; review shop drawings; and provide consultation during construction.

The firm selected will be required to submit final right-of-way plans within three months from the Notice to Proceed and submit a final PS&E package to the District within 12 months from the Notice to Proceed. The District may opt to complete the structure design in-house with BRADD.

When shortlisting the firms submitting a letter of interest, the District will evaluate the firms' past performance, District bridge experience, location and project team qualification/integration. While not a primary criteria for selection, evidence of site review by the consultant may be beneficial.

The District will announce the firms that have been shortlisted at an open public meeting scheduled on April 22, 1997, at 10 a.m. in Conference Room A at Engineering District 5-0.

The goal for Disadvantaged Business Enterprise (DBE) participation in this agreement shall be 15% of the total contract price. Additional information concerning DBE participation in this agreement is contained in the General Requirements and Information section after the advertised projects.

Technical questions concerning the requirements for this project should be directed to Donald E. Lerch, P.E., District 5-0, at (610) 791-6019.

Questions concerning the submittal of the letter of interest can be directed to the Consultant Agreement Division at (717) 783-9309.

Lackawanna County Project Reference No. 08430AG2061

The Department of Transportation will retain an engineering firm to provide supplementary construction inspection staff of approximately six inspectors, under the Department's Inspector-in-Charge, for construction inspection and documentation services on the following projects:

1. S. R. 0006, Section 207, Lackawanna County. Local Name: Scranton—Carbondale Highway. This project involves 0.44 mile of widening to five lanes, resurfacing shoulders, drainage, signals, curbing, and two new precast RCC box culverts near the intersection of S. R. 0006 and S. R. 0347.

2. S. R. 0006, Section 219, Lackawanna County. Local Name: Scranton—Carbondale Highway. This project involves 1.64 miles of widening to five lanes, resurfacing shoulders, drainage, curbing in Archbald and Blakely Boroughs.

The Department will establish an order of ranking of a minimum of three firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Number of NICET certified inspectors in each payroll classification.
- b. Number of available inspectors in each payroll classification.
- c. Review of inspectors' resumes with emphasis on construction inspection capabilities and specialized experience in the Maintenance and Protection of Traffic, soils, structures, concrete, asphalt paving and drainage.
- d. Understanding of Department's requirements, policies and specifications.
- e. Past performance.
- f. Workload.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Insp. Super. (TCIS) (NICET Highway Construction Level 3 or equivalent)	1 (1)
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	4 (4)
Technical Assistant (TA) (NICET Highway Construction Level 1 or equivalent)	1 (0)

The numbers in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the level required for the Inspection Classification.
2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
4. Hold a Bachelor of Science degree in Civil Engineering or a Bachelor of Science degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.
5. Hold an Associate degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement per hour of inspection for each Department Payroll Classification for calendar year of 1997:

<i>Payroll Classification</i>	<i>Maximum Straight Time Reimbursement Per Hour of Inspection</i>
(TCIS)	\$38.21
(TCI)	\$33.44
(TA)	\$22.98

The maximum reimbursement per hour of inspection includes all costs for providing construction inspection services at the project site during the normal work week.

Maximum reimbursement per hour of inspection for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a preconstruction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item; and perform other duties as may be required.

The goal for Disadvantaged Business Enterprise (DBE) participation in this agreement shall be 15% of the total contract price. Additional information concerning DBE participation in this agreement is contained in the General Requirements and Information section after the advertised projects.

Letters of interest for this project must include a letter, signed by the individuals proposed for all TCIS positions, giving their approval to use their names in the letter of interest for this specific project.

The maximum number of resumes to be included in the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes *****</i>
TCIS	2
TCI	5

*****The consultant will only be allowed to include one additional resume for each group of five inspectors in a particular classification.

No resumes are required for the TA Classification.

The second copy of the letter of interest and required forms (see general requirements and information section) shall be sent to Charles Mattei, P.E., District Engineer, District 4-0, O'Neil Highway, Keystone Industrial Park, Dunmore, PA 18512.

Technical questions concerning the requirements for this project should be directed to Robert Horutz, P.E., District 4-0, at (717) 963-4064.

Questions concerning the submittal of the letter of interest can be directed to the Consultant Agreement Division at (717) 783-9309.

General Requirements and Information

Firms interested in providing the above work and services are invited to submit two copies of a letter of interest and required information for each Project Reference Number for which the applicant wishes to be considered.

The first copy of the letter of interest and required information must be submitted to Charles W. Allwein,

P.E., Chief, Consultant Agreement Division, 7th Floor, Forum Place, 555 Walnut Street, Harrisburg, PA 17101-1900.

The letter of interest and required information must be received within 13 calendar days of this notice. The deadline for receipt of a letter of interest at the above address is 4:30 p.m. prevailing time of the thirteenth day.

The second copy of the letter of interest and required information must be submitted to the appropriate District Engineer/Administrator or the Bureau Director as indicated in the individual advertisement. This copy must be postmarked or delivered on or before the deadline indicated above.

If an individual, firm or corporation not authorized to engage in the practice of engineering desires to submit a letter of interest, said individual, firm or corporation may do so as part of a Joint Venture with an individual, firm or corporation which is permitted under the State law to engage in the practice of engineering.

If a Joint Venture responds to a project advertisement, the Department of Transportation will not accept separate letters of interest from the Joint Venture constituents. A firm will not be permitted to submit on more than one Joint Venture for the same Project Reference Number. Also a firm that responds to a project as a prime may not be included as a designated subcontractor to another firm that responds as a prime to the project. Multiple responses under any of the foregoing situations will cause the rejection of all responses of the firm or firms involved. The above does not preclude a firm from being set forth as a designated subcontractor to more than one prime responding to the project advertisement.

If a goal for Disadvantaged Business Enterprise (DBE) participation is established for an advertised project, firms expressing interest in the project must agree to ensure that Disadvantaged Business Enterprise (DBE) firms as defined in the Intermodal Surface Transportation Efficiency Act of 1991 and currently certified by the Department of Transportation, shall have the maximum opportunity to participate in any subcontracting or furnishing supplies or services approved under Form 442, Section 1.10(a). The act requires that firms owned and controlled by women (WBEs) be included, as a presumptive group, within the definition of Disadvantaged Business Enterprise (DBE). The goal for DBE participation shall be as stated in the individual project advertisement. Responding firms shall make good faith efforts to meet the DBE goal using DBEs (as they were defined prior to the act), WBEs or combinations thereof.

Proposing DBE firms must be certified at the time of submission of the letter of interest. If the selected firm fails to meet the established DBE participation goal, it shall be required to demonstrate its good faith efforts to attain the goal.

Responses are encouraged by small firms, Disadvantaged Business Enterprise (DBE) firms, and other firms who have not previously performed work for the Department of Transportation.

Each letter of interest must include the following information, and the information must be packaged and presented in the following order:

1. Transmittal Letter (maximum of two typed pages, one side)

The subject heading of the transmittal letter must include the project reference number for which the applicant wishes to be considered, the firm's legal name,

fictional name (if applicable) and the firm's Federal identification number. If the project advertisement indicated the Department will retain an engineering firm for the project, the applicant must indicate in the body of their transmittal letter the names and Professional Engineer License Number of individuals who are directing heads or employees of the firm who have responsible charge of the firm's engineering activities, and whose names and seals shall be stamped on all plans, specifications, plats and reports issued by the firm.

2. Project Organization Chart (one page, one side)

This chart should show key staff from the prime and each subconsultant and their area of responsibility.

3. Standard Form 255, "Architect-Engineer and Related Services Questionnaire for Specific Project" (one Form 255 for the project team)

The Standard Form 255 must be signed, dated and filled out in its entirety, including Item No. 6 listing the proposed subconsultants and the type of work or service they will perform on the project. Under Item 4 of this form, Column A should include the number of subconsultant personnel and Column B should include the number of prime consultant personnel to be assigned to work on this project reference number.

If a Disadvantaged Business Enterprise (DBE) goal is specified for the project, the DBE must be currently certified by the Department of Transportation, and the name of the DBE and the work to be performed must be indicated in Item No. 6. If a Woman Business Enterprise (WBE) firm is substituted for the DBE, the WBE firm must also be presently certified by the Department of Transportation and indicated in Item 6.

4. Standard Form 254, "Architect-Engineer for Related Services Questionnaire"

A Standard Form 254, not more than 1 year old as of the date of this advertisement, must accompany each letter of interest for the firm, each party to a Joint Venture, and for each subconsultant the firm or Joint Venture is proposing to use for the performance of professional services regardless of whether the subconsultant is an individual, a college professor or a company, unless an acceptable Standard Form 254 for the prime and each subconsultant/subcontractor is on file in both the Bureau of Design and the Engineering District Office or Central Office Bureau identified in the individual project advertisement.

If the Standard Form 254 is not submitted with the letter of interest, the transmittal letter shall indicate the dates that the Standard Forms 254 were submitted to the Bureau of Design and appropriate Engineering District/Central Office Bureau.

These forms shall be assembled with the prime's first, followed by the subconsultant's in the same order as they appear in Item 6 of Form 255.

5. Workload Projection Graph (not required for Construction Inspection Services)

A Workload Projection Graph for the prime and each subconsultant should indicate the firm's current and anticipated workload compared to the anticipated capacity available for the next 2-year time frame. The Workload Projection Graph should be submitted for the offices where the work would be performed and should only include the personnel classifications required for providing the advertised services and work.

6. Authorization Letters (if required)

If the advertisement requires a letter signed by individuals giving their approval to use their names in the letter of interest, the letters from proposed prime employees should be first, followed by subconsultant employees, in the same order as shown in Item 6 of Form 255.

7. Registration To Do Business

Firms with out-of-State headquarters or corporations not incorporated in Pennsylvania must include, with each letter of interest, a copy of their registration to do business in the Commonwealth as provided by the Department of State. Firms who are not registered to do business in Pennsylvania at the time of this advertisement must document that they have applied for registration to the Department of State, Corporation Bureau. The telephone number for the Corporation Bureau is (717) 787-1057 or (717) 787-2004.

8. Overhead Rates (one page)

This page must show the latest audited overhead rate developed in accordance with Federal Acquisition Regulations (FAR) for the prime consultant and each subconsultant. If a FAR rate is not available, the latest rate available from a Certified Public Account must be indicated. New firms should indicate how long the firm has been in existence and when an audited overhead rate would be available.

9. Additional Information

Additional information, not to exceed ten one sided pages or five double sided pages may be included at the discretion of the submitting firm.

The assignment of the agreement/contract for the above advertisements will be made to one of the firms who submitted an acceptable letter of interest in response to the project advertisement. The assignment will be made based on the Department's evaluation of the firm's qualification and capabilities. The Department reserves the right to reject all letters submitted, to cancel the solicitations requested under this notice and/or to readvertise solicitation for the work and services.

BRADLEY L. MALLORY,
Secretary

[Pa.B. Doc. No. 97-455. Filed for public inspection March 21, 1997, 9:00 a.m.]

ENVIRONMENTAL HEARING BOARD

Ragan Car Wash v. DEP; EHB Doc. No. 97-056-C

Ragan Car Wash has appealed the issuance by the Department of Environmental Protection of an NPDES permit for a facility in Smith Township, Washington County.

A date for the hearing on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, and may be reviewed by any interested party on request during normal business

hours. If information concerning this notice is required in an alternative form, contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the AT&T Pennsylvania Relay Center at 1 (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.62. Copies of the Board's rules of practice and procedure are available upon request from the Board.

GEORGE J. MILLER,
Chairperson

[Pa.B. Doc. No. 97-456. Filed for public inspection March 21, 1997, 9:00 a.m.]

Myron A. Yourshaw and Charles J. Yourshaw v. DEP and Reading Anthracite Co., Permittee; EHB Doc. No. 97-039-MG

Myron M. Yourshaw and Charles J. Yourshaw have appealed the issuance by the Department of Environmental Protection of an NPDES permit to Reading Anthracite Co. for a facility in New Castle Township, Schuylkill County, PA.

A date for the hearing on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, and may be reviewed by any interested party on request during normal business hours. If information concerning this notice is required in an alternative form, contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the AT&T Pennsylvania Relay Center at 1 (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.62. Copies of the Board's rules of practice and procedure are available upon request from the Board.

GEORGE J. MILLER,
Chairperson

[Pa.B. Doc. No. 97-457. Filed for public inspection March 21, 1997, 9:00 a.m.]

Zinc Corporation of America v. DEP; EHB Doc. No. 97-054-MG

Zinc Corporation of America has appealed to the issuance by the Department of Environmental Protection of an NPDES permit to Zinc Corporation of America for a facility in Palmerton Borough, Carbon County.

A date for the hearing on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, and may be reviewed by any interested party on request during normal business hours. If information concerning this notice is required in

an alternative form, contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the AT&T Pennsylvania Relay Center at 1 (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.62. Copies of the Board's rules of practice and procedure are available upon request from the Board.

GEORGE J. MILLER,
Chairperson

[Pa.B. Doc. No. 97-458. Filed for public inspection March 21, 1997, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Actions Taken by the Commission

The Independent Regulatory Review Commission met publicly at 11 a.m., Thursday, March 6, 1997, and took the following actions:

Regulations Approved:

Environmental Quality Board # 7-298: Marking of Infectious Waste Containers (amends 25 Pa. Code §§ 285.146 and 285.147)

Commissioners Present: John R. McGinley, Jr., Chairperson; Robert J. Harbison, III, Vice Chairperson; Alvin C. Bush; Arthur Coccodrilli; John F. Mizner

Public meeting held
March 6, 1997

Environmental Quality Board—Marking of Infectious Waste Containers; Doc. No. 7-298

Order

On June 4, 1996, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Environmental Quality Board (EQB). This rulemaking would amend 25 Pa. Code §§ 285.146 and 285.147. The authority for this regulation is found in Sections 105 and 201 of the Solid Waste Management Act (35 P. S. §§ 6018.105 and 6018.201), Sections 1 and 4 of the Infectious and Chemotherapeutic Waste Disposal Act (35 P. S. §§ 6019.1 and 6019.4) and Section 1920-A of The Administrative Code of 1929 (71 P. S. § 510-20). The proposed regulation was published in the June 15, 1996 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on February 4, 1997.

This regulation is the result of a petition to the Environmental Quality Board (EQB) from DeRoyal Industries, Inc. (DeRoyal). The existing regulation requires the outermost container of infectious waste to be red and the outermost container of chemotherapeutic waste to be yellow. This rule applies to most rigid containers of wastes as well as bags. This regulation revises the rule to exempt rigid containers from the red or yellow color requirement. The new rule will match the Federal re-

quirement for a specific type of label. The label requirement includes the universal biohazard symbol that conforms to the design shown in regulations of the U. S. Occupational Safety and Health Administration.

During the proposed stage, we received copies of letters from:

Watson, Hollow and Reeves, P.L.C., representing DeRoyal, Knoxville, TN

Association for Professionals in Infection Control and Epidemiology, Inc., PA

Magee-Womens Hospital, Pittsburgh, PA

Broad Top Township, Defiance, PA

Francis J. Roth, Chalfont, PA

We also received a letter from Jon G. Roach, an attorney for Watson, Hollow and Reeves, P.L.C., representing DeRoyal, expressing support for the final-form regulation and requesting that the Commission act favorably upon the regulation.

This regulation will bring the Commonwealth's rule for labeling containers of infectious and chemotherapeutic waste (ICW) into greater conformity with Federal standards. Hence, it meets the requirements of Executive Order 1996-1. With the adoption of these amendments, companies that manufacture and Nationally market rigid containers for the storage and transportation of ICW will be able to market the same container in Pennsylvania. This should reduce the cost of such containers to the Pennsylvania companies, institutions and individuals who generate, handle and transport ICW.

We have reviewed this regulation and find it to be in the public interest. It eliminates the requirement that rigid containers be color coded. This will allow generators and transporters of ICW to use the same containers used in other states and to avoid the costs of containers specially made for Pennsylvania. It maintains the rule that plastic bags be color coded and properly labeled to avoid confusion and the potential for improper and unsafe waste disposal.

Therefore, It Is Ordered That:

1. Regulation No. 7-298 from the Environmental Quality Board, as submitted to the Commission on February 4, 1997, is approved; and

2. The Commission will transmit a copy of this Order to the Legislative Reference Bureau.

JOHN R. MCGINLEY, Jr.,
Chairperson

[Pa.B. Doc. No. 97-459. Filed for public inspection March 21, 1997, 9:00 a.m.]

Notice of Filing of Final-Form Rulemakings

The Independent Regulatory Review Commission received, on the dates indicated, the following final-form regulations for review. The regulations will be considered within 30 days of their receipt at a public meeting of the Commission. To obtain the date and time of the meeting, interested parties may contact the office of the Commission at (717) 783-5417. To obtain a copy of the regulation, interested parties should contact the agency promulgating the regulation.

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>
56-1	Board of Pardons General Provisions	3/6/97
JOHN R. MCGINLEY, Jr., <i>Chairperson</i>		

[Pa.B. Doc. No. 97-460. Filed for public inspection March 21, 1997, 9:00 a.m.]

LIQUEUR CONTROL BOARD

Expiration of Leases

The following Liquor Control Board leases will expire:

Bradford County, Wine and Spirits Shoppe # 0801, 150 Desmond Street, Sayre, PA 18840-2002.

Lease Expiration Date: May 31, 1998

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 2,700 to 3,200 net useable square feet of new or existing retail commercial space within the following communities: Sayre Borough, South Waverly Borough, Athens Borough and Athens Township.

Proposals due: April 18, 1997, at 12 noon

Department: Pennsylvania Liquor Control Board
Location: Bureau of Real Estate, Brandywine Plaza, 2223 Paxton Church Road, Harrisburg, PA 17110-9661
Contact: Charles D. Mooney, (717) 657-4228

Lancaster County, Wine and Spirits Shoppe # 3611, 16 E. High Street, Elizabethtown, PA 17022-1914.

Lease Expiration Date: May 31, 1998

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 2,700 to 3,200 net useable square feet of new or existing retail commercial space within either Elizabethtown Borough, Mount Joy Township or West Donegal Township.

Proposals due: April 18, 1997, at 12 noon

Department: Pennsylvania Liquor Control Board
Location: Bureau of Real Estate, Brandywine Plaza, 2223 Paxton Church Road, Harrisburg, PA 17110-9661
Contact: Charles D. Mooney, (717) 657-4228

Chester County, Wine and Spirits Shoppe # 1515, Marchwood Shopping Center, 23 Marchwood Road, Exton, PA 19341.

Lease Expiration Date: October 31, 1997

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 4,600 net useable square feet of new or existing retail commercial space on Route 100, south of Route 113 and north of Route 30.

Proposals due: April 18, 1997, at 12 noon

Department: Pennsylvania Liquor Control Board
Location: Bureau of Real Estate, 4501 Kelly Drive, Philadelphia, PA 19129-1794
Contact: Robert Jolly, (215) 560-5310

Philadelphia County, Wine and Spirits Shoppe # 5109, 1100 S. Delaware Avenue, Unit 20, Philadelphia, PA 19147.

Lease Expiration Date: May 31, 1997

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 5,300 net useable square feet of new or existing retail commercial space on Christopher Columbus Boulevard, south of Christian Street and north of Dickenson Street, City of Philadelphia.

Proposals due: April 18, 1997, at 12 noon

Department: Pennsylvania Liquor Control Board
Location: Bureau of Real Estate, 4501 Kelly Drive, Philadelphia, PA 19129-1794
Contact: Robert Jolly, (215) 560-5310

Schuylkill County, Wine and Spirits Shoppe # 5401, 201 E. Arch Street, Pottsville, PA 17901-2908.

Lease Expiration Date: July 31, 1998

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 3,600 net useable square feet of new or existing retail commercial space within 2 miles north of the intersection of Claude Lord Blvd. (Route 61) and Arch Street, Pottsville.

Proposals due: April 18, 1997, at 12 noon

Department: Pennsylvania Liquor Control Board
Location: Bureau of Real Estate, Brandywine Plaza, 2223 Paxton Church Road, Harrisburg, PA 17110-9661
Contact: Willard J. Rhodes, (717) 657-4228

JOHN E. JONES, III,
Chairperson

[Pa.B. Doc. No. 97-461. Filed for public inspection March 21, 1997, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Publication of this notice shall be considered as sufficient notice to all carriers holding authority from this Commission. Applications will be considered without hearing in the absence of protests to the application. Protests to the applications published herein are due on or before April 14, 1997, as set forth at 52 Pa. Code § 3.381 (relating to applications for transportation of property and persons). The protest shall also indicate whether it applies to the temporary authority application or the permanent application or both.

Applications of the following for approval of the beginning of the exercise of the right and privilege of operating as common carriers for transportation of persons as described under each application.

A-00113765. Tracey Welton-Rossman and Steven Rossman, Copartner, t/d/b/a Kangakab (239 Barker Road, Wyncote, Montgomery County, PA 19095)—persons in paratransit service between points in the counties of Bucks and Montgomery, subject to the following condition: that all service shall be limited to passengers under the age of 18 years.

A-00113769. Marvin R. Myers, t/d/b/a Arrow Transportation Service (4850 North Carlisle Street, Philadelphia, Philadelphia County, PA 19141)—persons in paratransit service, between points in the city and county of Philadelphia.

Applications of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of persons by transfer of rights as described under each application.

A-00113748, Folder 3. Tri-Star Enterprises, Inc., t/d/b/a Supershuttle (333 Jenkintown Commons, Old York Road and Wyncote Road, Jenkintown, Montgomery County, PA 19046), a corporation of the Commonwealth of Pennsylvania—persons in airport transfer service (1) between the Embassy Hotel in the township of East Whiteland, Chester County, and the Philadelphia International Airport, in the city and county of Philadelphia, and the township of Tinicum, Delaware County; subject to the following condition: that no right, power or privilege is granted to transport unaccompanied baggage or luggage; (2) from points in the city and county of Philadelphia, and those portions of the counties of Montgomery and Delaware bounded by a line beginning on the north of the Delaware River at the Philadelphia County Line; thence northwardly, westwardly and southwestwardly along the Philadelphia County Line to Philmont Avenue; thence southwestwardly along Philmont Avenue, Welsh Road, Valley Road, Washington Lane, Township Line to Glenside Avenue (excluding any portion of the borough of Jenkintown), Easton Road, Church Road, and Paper Mill Road to the Philadelphia County Line (Stenton Avenue); thence westwardly along the Philadelphia County Line and Blue Bell Road to Joshua Road; thence southwestwardly along Joshua Road to Cedar Grove Road; thence southeastwardly along Cedar Grove Road and the Schuylkill River, joining the Philadelphia County Line, and continuing to Port Royal Avenue; thence across the Schuylkill River to Mill Creek Road, Montgomery County; thence southwestwardly along Mill Creek Road, Lancaster Avenue, Ardmore Avenue into Delaware County and continuing along Ardmore Avenue, Ellis Road, Lawrence Road, and Darby Creek Road to Darby Creek; thence southwardly along Darby Creek to State Road; thence southwardly along State Road, Springfield Avenue, Saxer Avenue, Baltimore Avenue, Woodland Avenue, and Kedron Avenue to MacDade Boulevard; thence northeastwardly along MacDade Boulevard to Winona Avenue; thence southwardly along Winona Avenue, continuing in a straight line to the Delaware River, and thence northwardly along the Delaware River to the place of the beginning; to the Philadelphia International Airport, in the city and county of Philadelphia and the township of Tinicum, Delaware County, and the North Philadelphia Airport in the city and county of Philadelphia; subject to the following condition: that the vehicles used to render the above-described service will be separate and distinct from the vehicles used to render service under the authority at A-00113748, Folders 1 and 2; (3) from points in the counties of Bucks and Montgomery within an airline distance of 28 statute miles of the limits of the borough of Riegelsville, Bucks County excluding points

west of Pennsylvania Traffic Route 73, to the Philadelphia International Airport, and vice versa; subject to the following conditions: (a) that all service shall be provided in vehicles not exceeding 7 passengers in capacity; (b) that no right, power or privilege is granted to render service from or to points in the townships of Montgomery, Hatfield, Upper Gwynedd and Towmencin and the boroughs of Lansdale and Hatfield, Montgomery County, from 6 a.m. to 6 p.m. 6 days per week, Monday through Saturday, except places of accommodation along Pennsylvania Traffic Route 309; which is to be a transfer of the rights authorized under the certificates issued at A-00094986, Folder 2, Am-D and Am-F and A-00094986, Folder 3, to Liberty Cab & Limousine Co., Inc., subject to the same limitations and conditions. Application for temporary authority has been filed at A-00113748, F. 3, seeking the same rights stated above. *Attorney:* Kevin W. Walsh, 1900 Two Penn Center Plaza, Suite 1900, Philadelphia, PA 19102-1799.

A-00113766. John Four Transportation Services, Inc. (126 McClellan Drive, Pittsburgh, Allegheny County, PA 15236), a corporation of the Commonwealth of Pennsylvania—persons in limousine service, in luxury-type equipment, between points in the counties of Allegheny, Washington, Butler, Armstrong, Beaver and Fayette, and in the cities of New Kensington, Lower Burrell and Arnold in Westmoreland County, and from said counties and cities to points in Pennsylvania, and vice versa, limited to vehicles having a seating capacity not to exceed 9 persons including the driver; subject to the following condition: (a) that no right, power or privilege is granted to the applicant to render any service, as a common carrier, to or from the Greater Pittsburgh International Airport, Moon Township, Allegheny County, and/or the Allegheny County Airport in the borough of West Mifflin, Allegheny County; (b) that within the area subscribed by a circle, the radius of which shall be 10 miles and the center of which shall be the Courthouse of the county of Allegheny, and within the limits of North Park of the county of Allegheny, the applicant's rights and privileges to engage, as a common carrier, in the transportation of persons in luxury-type equipment shall be limited to transporting persons to and/or from those sites and/or activities as shall be directly and approximately incidental to such ceremonial occasions as funerals, weddings, bar mitzvahs, christenings, proms and the like, including the provisions of flower cars therefor, which is to be a transfer of the rights authorized under the certificate issued at A-00101240 to Benjamin S. Betts, t/d/b/a B & B Limousine Service, subject to the same limitations and conditions. *Attorney:* William A. Gray, 2310 Grant Building, Pittsburgh, PA 15219-2383.

A-00113748, Folder 2. Tri-Star Enterprises, Inc., t/d/b/a Supershuttle (333 Jenkintown Commons, Old York Road and Wyncote Road, Jenkintown, Montgomery County, PA 19046), a corporation of the Commonwealth of Pennsylvania—persons on schedule from the Philadelphia International Airport in the city and county of Philadelphia to the George Washington Motor Lodge located on Highway Route 202 in the village of King of Prussia, Upper Merion Township, Montgomery County, and vice versa; Right (1) subject to the following conditions: (a) that no right, power or privilege is granted to pick up or discharge passengers at any point except the George Washington Motor Lodge and the Philadelphia International Airport, (b) that in the rendition of the service herein authorized, applicant is hereby limited and restricted to the operation of motor vehicles not to exceed a capacity of 10 passengers each; (2) persons on schedule

from the Philadelphia International Airport in the city and county of Philadelphia to points on the following routes, and vice versa; beginning at the George Washington Motor Lodge located on Highway Route 202 in the village of King of Prussia, Upper Merion Township, Montgomery County, thence on Highway Route 202, Highway Route 23, Highway Route 363 and Highway Route 422 to the borough of Pottstown. Beginning at the George Washington Motor Lodge located on Highway Route 202 in the village of King of Prussia, Upper Merion Township, Montgomery County, thence on Highway Route 202 and Interstate Highway Route 76 (Schuylkill Expressway) to Valley Forge Interchange of the Pennsylvania Turnpike, thence on the Pennsylvania Turnpike to Fort Washington Interchange, thence on Highway Route 309 to Sheridan Penn-Pike Motor Inn and Fort Washington Industrial Park, thence returning on Highway Route 309 to Fort Washington Interchange, thence on Pennsylvania Turnpike to Willow Grove Interchange, thence on Highway Route 611 to the village of Willow Grove; Right (2) subject to the following conditions: (a) that in rendition of the service herein authorized, all passengers must be either picked up or discharged at the Philadelphia International Airport; (b) that in the rendition of the service herein authorized, applicant is hereby limited and restricted to the operation of motor vehicles not to exceed a capacity of 10 passengers each; (3) persons and their baggage, mail, express and newspapers, such as can be transported in vehicles without the removal of seats or inconvenience to passengers, from Philadelphia International Airport to points in the township of Upper Merion, Montgomery County, and the Valley Forge General Hospital in the township of Charlestown, Chester County, with no intermediate stops between King of Prussia and the Valley Forge General Hospital, and to the village of Trevoze, Bucks County, located at the intersection of the Pennsylvania Turnpike and Highway Route 1, and vice versa; Right (3) subject to the following conditions: (a) that all transportation between the Philadelphia International Airport and the village of Trevoze shall be restricted to Interstate Highway Route 76 (Schuylkill Expressway) and the Pennsylvania Turnpike, with no intermediate stops between the Philadelphia International Airport and King of Prussia, Montgomery County; (b) that in the rendition of the service herein authorized, all passengers must either be picked up or discharged at the Philadelphia International Airport; (c) that in the rendition of the service herein authorized, applicant is hereby limited and restricted to the operation of motor vehicles not to exceed a capacity of 10 passengers each. (4) persons on schedule in vehicles having a seating capacity of not more than 11 passengers, from points on the following route and spur routes to the Philadelphia International Airport in the city and county of Philadelphia, and vice versa: beginning at the western boundary of the borough of Norristown, on West Main Street, thence eastwardly on West Main Street to Arch Street, thence northwardly on Arch Street to Airy Street, thence east on Airy Street to Sandy Hill Road, and along same to Germantown Pike, thence on Germantown Pike to its intersection with Chemical Road, thence via Chemical Road to North Lane, thence via North Lane to Butler Pike, thence via Butler Pike and Fayette Street through the borough of Conshohocken, thence via bridge over the Schuylkill River to the borough of West Conshohocken, thence through the borough of West Conshohocken to the Schuylkill Expressway, thence via the Schuylkill Expressway and Highway Route 291 to Philadelphia International Airport, and returning via the same route, substituting however, Airy Street for Main Street between Arch

Street and the west end of the borough of Norristown. Spur Route: beginning at the intersection of Walton Road and Germantown Pike, thence via Walton Road to its intersection with the Township Line Road, thence via Township Line Road to its intersection with Jolly Road, thence via Jolly Road to its intersection with DeKalb Pike (Route 202), thence via DeKalb Pike (Route 202) to its intersection with Township Line Road. Spur Route: beginning at the intersection of Germantown Pike and Plymouth Road, thence southwestwardly on Plymouth Road for a distance of 1/4 of a mile; Right (4) subject to the following conditions: (a) that no right, power or privilege is granted to pick up or discharge passengers between the southern boundary of the borough of West Conshohocken and said airport, except at the airport; (b) that in rendition of the service herein authorized, all passengers must either be picked up or discharged at the Philadelphia International Airport; (c) that there shall be only one point of pickup and discharge in the borough of West Conshohocken (the Tankard Inn); one point of pickup or discharge in the borough of Conshohocken (U. S. Post Office); and three points of pickup and discharge in the borough of Norristown west of Riverview Hospital (two of which shall be the Valley Forge Hotel and the Colonial House Motel). (5) persons and baggage in motor vehicles having a seating capacity of not more than 11 passengers, on schedule, from the Philadelphia International Airport in the city and county of Philadelphia, to points in the townships of Montgomery, Lower Gwynedd, Upper Gwynedd and Towamensing, Montgomery County, and vice versa. (6) persons and baggage in motor vehicles having a seating capacity of not more than 11 passengers, on schedule, from points on the following alternate route to the Philadelphia International Airport in the city and county of Philadelphia, and vice versa; beginning at the intersection of Main Street and Mill Street in the borough of Norristown, thence via Mill Street to Lafayette Street, thence via Lafayette Street to DeKalb Pike (Route 202), thence via DeKalb Pike to Goddard Boulevard in Upper Merion Township in Montgomery County, thence via Goddard Boulevard to the Schuylkill Expressway, thence via the Schuylkill Expressway to a point on the applicant's presently certificated route west of the borough of West Conshohocken, thence continuing via the Schuylkill Expressway and Highway Route 291 to the Philadelphia International Airport, and vice versa; Right (6) subject to the following conditions: (a) that no right, power or privilege is granted to pick up or discharge passengers between the southern boundary of the borough of West Conshohocken and said airport, except at the airport; (b) that in rendition of the service herein authorized, all passengers must either be picked up or discharged at the Philadelphia International Airport. (7) persons and their baggage, on schedule, in vehicles having a seating capacity of not more than 11 persons, from points on Roosevelt Boulevard (Highway Route 1) between its intersection with Highway Route 63 and its intersection with Highway Route 611 (including the North Philadelphia Airport), all in the city and county of Philadelphia, to the Philadelphia International Airport, and vice versa. (8) persons and their baggage, on schedule, in vehicles having a seating capacity of not more than 11 persons, from points on a route beginning at the intersection of Washington Lane and Cheltenham Avenue, thence via Washington Lane to Township Line Road, thence via Township Line Road to Highway Route 611, thence via Highway Route 611 to its intersection with Cheltenham Avenue, thence with closed doors on Highway Route 611 to its intersection with Roosevelt Boulevard (Highway Route 1), to the Philadelphia International

Airport, and vice versa, all transportation to originate or terminate at the Philadelphia International Airport or its points on the above route in Montgomery County. (9) on schedule, persons and their baggage, mail, express and newspapers, in passenger-type vehicles having a seating capacity of not more than 11 passengers, from points and places in the townships of West Norriton, Whitpain, East Norriton, Worcester and Lower Providence in Montgomery County, the townships of Schuylkill and Tredyffrin in Chester County, to the Philadelphia International Airport, in the city and county of Philadelphia, and vice versa; Right (9) subject to the following condition: that no right, power or privilege is granted to transport persons and their baggage to or from that portion of Tredyffrin Township, Chester County, on and south of Conestoga Road, Upper Gulph Road and Groton Road. (10) persons and their baggage, mail, express and newspapers, in motor vehicles having a seating capacity of not more than 11 passengers, on schedule, from points and places in the townships of Bensalem, Bristol, Lower Makefield, Middletown, Newtown and Upper Makefield in Bucks County to the North Philadelphia Airport and to the Philadelphia International Airport in the city and county of Philadelphia, and vice versa. (11) persons and their baggage, on schedule, in motor vehicles having a seating capacity of not more than 11 passengers over the following spur routes: Spur Route: beginning at the Oak Summit Apartments on Easton Road in Glenside, thence over Easton Road to Limekiln Pike, thence via Limekiln Pike to Greenwood Avenue, thence via Greenwood Avenue to West Avenue, thence via West Avenue to the Beaver Hills Apartments, thence over West Avenue to Township Line Road, thence via Township Line Road to its intersection with Washington Lane, a point on applicant's presently certificated route and vice versa; Spur Route: beginning at the Oak Summit Apartments on Easton Road in Glenside, thence over Easton Road to Church Road, thence via Church Road to its intersection with Washington Lane, a point on applicant's presently certificated route and vice versa. (12) in airport transfer service, persons and their baggage, mail, express and newspapers, in passenger-type vehicles with a seating capacity of not more than 11 passengers, on schedule, from points and places in the township of Upper Merion, Montgomery County, to the Philadelphia International Airport in the city and county of Philadelphia and the township of Tinicum, Delaware County, and vice versa; which is to be a transfer of part of the rights authorized under the certificate issued at A-00094986, F. 2, F. 2, Am-A and F. 2, Am-C to Liberty Cab & Limousine Co., Inc., a corporation of the Commonwealth of Pennsylvania, subject to the same limitations and conditions. Application for temporary authority has been filed at A-00113748, folder 2, seeking the rights cited above. *Attorney:* Alan I. Moldoff, Suite 1900, Two Penn Center Plaza, Philadelphia, PA 19102-1799.

A-00112577, Folder 5. Airport Limousine Service, Inc., t/d/b/a Airport Limousine Service and Embassy Coach (5931 Ellsworth Avenue, Pittsburgh, Allegheny County, PA 15206), a corporation of the State of Delaware—persons in limousine service, from points in the county of Allegheny, to other points in Pennsylvania, and return; which is to be a transfer of the right authorized under the certificate issued at A-00106562 to Riemer's Limousine, Inc., subject to the same limitations and conditions. Application for temporary authority has been filed at A-00112577, folder 5, seeking the right cited above. *Attorney:* John A. Pillar, 1106 Frick Building, Pittsburgh, PA 15219.

Applications of the following for approval of the additional right and privilege of operating motor vehicles as common carriers for transportation of persons as described under each application.

A-00102322, Folder 5. R & J Transportation, Inc. (R. D. 5, Box 5389-A, Pottsville, Schuylkill County, PA 17929) a corporation of the Commonwealth of Pennsylvania—persons in limousine service between points in Schuylkill County, and from points in said county to points in Pennsylvania and return. *Attorney:* Kenneth Zielonis, P. O. Box 12090, Harrisburg, PA 17108-2090.

Application of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods by transfer as described under each application.

A-00113767. Town & Country Van Line, Inc. (1983 Bridgetown Pike, Feasterville, Bucks County, PA 19053), a corporation of the Commonwealth of Pennsylvania—(1) property, excluding household goods in use, between points in Pennsylvania; (2) household goods in use, between points in the counties of Philadelphia, Delaware, Chester, Montgomery and Bucks, included within a line which connects the municipal boundaries of Chester, West Chester, Paoli, Norristown, Doylestown and Morrisville, but not including said places; (3) household goods in use, from points in the counties of Philadelphia, Delaware, Chester, Montgomery and Bucks, included within a line which connects the municipal boundaries of Chester, West Chester, Paoli, Norristown, Doylestown and Morrisville, but not including said places, to other points in Pennsylvania, and vice versa; (4) for the United States Department of Defense, household goods in use, between points in the counties of Lehigh, Bucks, Chester, Montgomery, Delaware and Northampton, and within an airline distance of 25 statute miles of the limits thereof, and from points in said territory, to points in Pennsylvania, and vice versa; which is to be a transfer of the rights authorized under the certificate issued at A-00108411 to Longstreet Group, Ltd., t/d/b/a Town & Country Van Line, subject to the same limitations and conditions. *Attorney:* Richard A. Franklin, 1700 Sansom Street, 12th Floor, Philadelphia, PA 19103.

Property, Excluding Household Goods in Use

The following applications for the authority to transport property, excluding household goods in use, between points in Pennsylvania, have been filed with the Pennsylvania Public Utility Commission. Public comment to these applications may be filed, in writing with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265 on or before April 7, 1997.

- | | |
|------------------|--|
| A-00113358, F. 2 | Plant Service Corp.
P. O. Box 306, Pitman, NJ 08071 |
| A-00113788 | Barbara Deleo
198 Panama Street, Pittston, PA 18640 |
| A-00113791 | H. David Pitzer Trucking, Inc.
P. O. Box 276, Biglerville, PA 17307 |
| A-00113152, F. 2 | Frey Brothers, Inc.
372 Puseyville Road, Quarryville, PA 17566 |
| A-00113768 | Curtis R. Hoover
2430 South Fifth Avenue, Lebanon, PA 17042 |

- A-00113358, F. 2 Plant Service Corp.
P. O. Box 306, Pitman, NJ 08071
- A-00113790 DiStefano Transportation, Inc.
1219 Morstein Road, West Chester,
PA 19380
- A-00113792 Louis J. Rose, t/d/b/a
Rose Trucking
R. D. 1, Brockport, PA 15823
- A-00113172, F. 2 Michael Sean Caldwell
1119 Route 588, Fombell, PA 16123
- A-00113793 Gregg S. Tirpak, t/d/b/a
Fredericks Coal and Fuel Oil
R. R. 1, Box 333, Owl Creek Road,
Tamaqua, PA 18252
- A-00113794 Reid Paving Contractors, Inc.
1850 Swamp Pike, Gilbertsville, PA
19525
- A-00113795 William F. Bradford, Sr.
280 Summit Avenue, Conshohocken,
PA 19428

**Pennsylvania Public Utility Commission, Bureau of
Transportation and Safety v. Turbo Transport,
Inc.; Doc. No. A-00109191C9601**

Complaint

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania, empowered to regulate motor carriers and brokers within this Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Transportation and Safety and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and section 701 of the Public Utility Code, the Bureau of Transportation and Safety Prosecutory Staff hereby represents as follows:

1. That Turbo Transport, Inc., respondent, maintains a principal place of business at 1108 First State Boulevard, Newport, DE 19804.
2. That all times relevant to this Complaint, respondent held a certificate of public convenience issued by this Commission at Application Docket No. A-00109191.
3. That pursuant to section 512 of the Public Utility Code, 66 Pa.C.S. 512, and 52 Pa. Code Chapter 32; respondent is required to maintain evidence of current insurance on file with this Commission.
4. That respondent has failed to maintain evidence of bodily injury and property damage liability insurance, in violation of the Public Utility Code and regulations cited in Paragraph 3 of this complaint.
5. That as a result of failure to maintain evidence of current insurance on file with this Commission, the Bureau of Transportation and Safety Prosecutory Staff requests that the Commission revoke respondent's certificate of public convenience or order such other remedy as the Commission may deem to be appropriate.

Wherefore, the Bureau of Transportation and Safety Prosecutory Staff hereby requests that the Commission

revoke the certificate of public convenience held by Turbo Transport, Inc. at Docket No. A-00109191, for failure to maintain current evidence of insurance on file with the Commission or order such other remedy as the Commission may deem to be appropriate.

Respectfully submitted,

Kenneth E. Nicely,
Director, Bureau of Transportation
and Safety
P. O. Box 3265
Harrisburg, PA 17105-3265

Verification

I, Kenneth E. Nicely, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect to be able to prove the same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Notice to Plead

A. You must file an answer within 20 days of the date of service. The date of service is the mailing date as indicated at the top of the Secretarial cover letter for this complaint and notice to plead. 52 Pa. Code § 1.56(a). The answer must raise all factual and legal arguments that you wish to claim in your defense and must include the docket number of this complaint. Your answer must be verified and the original and two copies sent to John G. Alford, Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265.

B. If you fail to answer this complaint within 20 days of the date of service as identified in Paragraph A. above, the Bureau of Transportation and Safety will request that the Commission enter an order revoking your certificate of public convenience; contract carrier permit; or brokerage license or imposing such other remedy as may be appropriate.

C. In lieu of an answer, you may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations. The proof of insurance must be filed with the Secretary of the Commission at the address set forth in Paragraph A. Upon receipt of the proof of insurance from your insurer, the complaint proceeding shall be closed.

D. If you file an answer which either admits or fails to deny the allegations of the complaint, the Bureau of Transportation and Safety will request that the Commission enter an order revoking your certificate of public convenience; contract carrier permit; or brokerage license.

E. If you file an answer which contests the complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision.

JOHN G. ALFORD,
Secretary

[Pa.B. Doc. No. 97-462. Filed for public inspection March 21, 1997, 9:00 a.m.]

PUBLIC SCHOOL EMPLOYEES' RETIREMENT BOARD

Hearings Scheduled

Hearings have been scheduled, as authorized by 24 Pa.C.S. Part IV (relating to Public School Employes' Retirement Code), in connection with the Public School Employes' Retirement System's denial of claimants' requests concerning the indicated accounts.

The hearings will be held before a hearing examiner at the Public School Employes' Retirement System, 5 North Fifth Street, Harrisburg, PA 17101:

April 2, 1997	Larry E. Brown (Membership Eligibility)	2:30 p.m.
April 16, 1997	Theresa Capocci (Disability Eligibility)	2:30 p.m.

Persons with a disability who wish to attend the above-listed hearings and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact Arthur J. Granito, Assistant Executive Director, at (717) 783-5613 to discuss how the Public School Employes' Retirement System may best accommodate their needs.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearings will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Under 22 Pa. Code § 201.1, (relating to applicability of general rules), procedural matters will be in conformance with the General Rules of Administrative Practice and Procedure, 1 Pa. Code Part II unless specific exemption is granted.

JAMES A. PERRY,
Secretary

[Pa.B. Doc. No. 97-463. Filed for public inspection March 21, 1997, 9:00 a.m.]

STATE TRANSPORTATION COMMISSION

Meeting Scheduled

The State Transportation Commission will hold a regular scheduled business meeting on Thursday, April 10, 1997. This meeting is open to the public and will begin at 1 p.m. at the following location: Best Western Country Cupboard Inn, Route 15 North/P. O. Box 46, Lewisburg, PA 17837, (717) 524-5500.

The meeting location is accessible to persons having disabilities. Any persons having special needs or requiring special aides are requested to contact the State Transportation Commission Office at (717) 787-2913 in order that special disability needs may be accommodated.

BRADLEY L. MALLORY,
Chairperson

[Pa.B. Doc. No. 97-464. Filed for public inspection March 21, 1997, 9:00 a.m.]

TURNPIKE COMMISSION

Request for Bids

The Turnpike Commission is requesting a sealed bid for: Upgrade Nortel Meridian Phone System. Open Date: April 8, 1997 at 11 a.m.

Bids will be received by the Purchasing Manager not later than the time indicated above. Bid proposal Forms and Conditions may be obtained, free of charge, by communicating with the Bid Clerk, Purchasing Department, (717) 939-9551, Ext. 2830.

JOHN R. MCGINLEY, Jr.,
Chairperson

[Pa.B. Doc. No. 97-465. Filed for public inspection March 21, 1997, 9:00 a.m.]

Request for Proposals

Sealed proposals will be received by Jeffrey L. Hess, Purchasing Manager, at the Administration Building, Harrisburg-East Interchange near Highspire, PA (Mailing Address: P. O. Box 67676, Harrisburg, PA 17106-7676) and publicly opened and read at the date and time indicated below for the following contract:

Contract No. 94-002-FS57-C. Mon/Fayette Expressway S. R. 0043 Section 52B2, Construction in Washington County, PA.

Bid Opening Date: April 23, 1997, 11 a.m.

Bid Surety: 5%.

Plans, cross-sections, specifications and contract documents will be available and open to the public inspection at the Administration Building. Copies may be purchased upon payment by check or P. O. Money Order (no cash) to the Turnpike Commission, Attention: Secretary-Treasurer's Office, P. O. Box 67676, Harrisburg, PA 17106-7676. Selection of the desired materials should be by the following designations with proper respective remittance. (do not add State tax). Construction Plans including roadway, structures, and subsurface profiles—\$90. Cross-Sections—\$75. Specifications and Contract Bid Documents—\$25. Total package—\$190.

A mandatory prebid meeting for the project will be held on April 2, 1997, beginning at 10 a.m., at the Holiday Inn—Washington Meadowlands, 340 Race Track Road, Exit 8A of I-79, telephone (412) 222-6200.

A Prequalification Certification and Maximum Capacity Rating assigned by the Prequalification Committee of the Department of Transportation is a necessary prerequisite for bidding on this project.

Contact the Purchasing Manager for listing of other locations where plans and specs can be inspected.

JAMES F. MALONE, III,
Chairperson

[Pa.B. Doc. No. 97-466. Filed for public inspection March 21, 1997, 9:00 a.m.]