### DEPARTMENT OF BANKING

### **Action on Applications**

The Department of Banking of the Commonwealth of Pennsylvania, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending November 3, 1998.

#### **BANKING INSTITUTIONS**

### **New Charter Applications**

DateName of BankLocationAction10-28-98Brown Brothers Harriman TrustPhiladelphiaFiled

Company of Pennsylvania

Philadelphia

Philadelphia County *Correspondent*:

James A. Hunter, Jr., Esq. 2000 One Logan Square Philadelphia, PA 19103

Conversions

DateName of InstitutionLocationAction10-28-98Iron Workers' Savings andAstonFiled

Loan Association

Aston

**Delaware County** 

To:

Iron Workers' Savings Bank

Aston

**Delaware County** 

Application represents conversion from a State-chartered mutual savings and loan association to a

State-chartered mutual savings bank.

11-1-98 Huntingdon Savings and Huntingdon Effective

Loan Association

Huntingdon

Huntingdon County

To:

**Huntingdon Savings Bank** 

Huntingdon

**Huntingdon County** 

Represents conversion from a State-chartered mutual savings association to a State-chartered mutual

savings bank.

**Branch Applications** 

DateName of BankLocationAction10-26-98Somerset Trust Company<br/>Somerset4185 Glades Pike<br/>Somerset TownshipOpened<br/>Somerset Township

Somerset County Somerset County

10-28-98 Irwin Bank and Trust Company Shop N Save Approved

Irwin Norwin Hills Shopping
Westmoreland County Center
8775 Norwin Avenue

8775 Norwin Avenue North Huntingdon Westmoreland County

#### **Branch Discontinuances**

| Date     | Name of Bank   | Location  | Action    |
|----------|--|---|-----------|
| 10-14-98 | Laurel Bank<br>Johnstown<br>Cambria County           | Route 31<br>Somerset<br>Somerset County                 | Effective |
| 10-23-98 | First Commonwealth Bank<br>Indiana<br>Indiana County | 116 East College Ave.<br>State College<br>Centre County | Effective |
| 10-23-98 | First Commonwealth Bank<br>Indiana<br>Indiana County | 1276 N. Atherton St.<br>State College<br>Centre County  | Effective |

### SAVINGS ASSOCIATIONS

No activity.

### **CREDIT UNIONS**

No activity.

RICHARD C. RISHEL, Secretary

[Pa.B. Doc. No. 98-1877. Filed for public inspection November 13, 1998, 9:00 a.m.]

### DEPARTMENT OF ENVIRONMENTAL PROTECTION

**Applications, Actions and Special Notices** 

### **APPLICATIONS**

# APPLICATIONS RECEIVED UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

[National Pollution Discharge Elimination System Program (NPDES)]
DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER
(Part I Permits)

The following parties have applied for an NPDES permit to discharge controlled wastewaters into the surface waters of this Commonwealth. Unless otherwise indicated on the basis of preliminary review and application of lawful standards and regulations the Department of Environmental Protection (Department) proposes to issue a permit to discharge, subject to certain effluent limitations and special conditions. These proposed determinations are tentative.

Where indicated, the EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.6E.

Persons wishing to comment on the proposed permit are invited to submit a statement to the Field Office indicated as the office responsible, within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Field Office of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the Field Office considers the public response significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, proposed effluent limitations and special conditions, comments received and other information are on file and may be inspected and arrangements made for copying at the Field Office indicated above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceeding should contact the Secretary to the Board at (717) 787-3483. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications for National Pollutant Discharge Elimination System (NPDES) permit to discharge to State waters.

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

PA 0000469-A2. Industrial waste, SIC: 7391, Aluminum Company of America, 100 Alcoa Technical Drive, Alcoa Center, PA 15069-0001.

This application is for an amendment of an NPDES permit to discharge treated process water, sewage cooling water, and untreated cooling water stormwater from Alcoa Technical Center in Upper Burrell Township, **Westmoreland County**.

The following effluent limitations are proposed for discharge to the receiving waters of an unnamed tributary to Pine Run, classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply (PWS) is West Leechburg Water Authority, located at Kiskiminetas River, 12.48 miles below the discharge point.

Outfall 001: existing discharge, design flow of 0.0273 mgd.

|   | Mass (             | Mass (lb/day)      |                    | Concentration (mg/l)       |                          |  |
|---|--------------------|--------------------|--------------------|----------------------------|--------------------------|--|
| Parameter   | Average<br>Monthly | Maximum<br>Daily   | Average<br>Monthly | Maximum<br>Daily           | Instantaneous<br>Maximum |  |
| Flow (mgd) Temperature (°F) January 1—31 February 1—29 March 1—31 | monitor a          | and report         |                    | 48<br>46<br>52             |                          |  |
| April 1—15<br>April 16—30<br>May 1—15<br>May 16—31<br>June 1—15   |                    |                    |                    | 59<br>65<br>69<br>80<br>86 |                          |  |
| June 16—30 July 1—31 August 1—31 September 1—15                   |                    |                    |                    | 90<br>90<br>90<br>86       |                          |  |
| September 16—30<br>October 1—15<br>October 16—31<br>November 1—15 |                    |                    |                    | 80<br>74<br>68<br>60       |                          |  |
| November 16—30<br>December 1—31<br>pH                             | not less than 6.0  | ) nor greater than | 9.0                | 52<br>49                   |                          |  |

Outfall 002: existing discharge to an unnamed tributary to Pine Run.

|  | Mass               | Mass (lb/day)      |                    | Concentration (mg/l)   |                          |  |
|--|--------------------|--------------------|--------------------|--|--------------------------|--|
| Parameter  | Average<br>Monthly | Maximum<br>Daily   | Average<br>Monthly | Daily<br>Average   | Instantaneous<br>Maximum |  |
| Flow (mgd) Temperature (°F) January 1—31 February 1—29 March 1—31 April 1—15 April 16—30 May 1—15 May 16—31 June 1—15 June 16—30 July 1—31 August 1—31 September 1—15 September 16—30 October 1—15 October 16—31 November 1—15 | J                  | Daily and report   | Montniy            | 46<br>43<br>54<br>61<br>67<br>70<br>82<br>87<br>91<br>90<br>87<br>81<br>75<br>69<br>61 | Maximum                  |  |
| November 16—30<br>December 1—31  |                    |                    |                    | 54<br>50   |                          |  |
| pН   | not less than 6.   | 0 nor greater than | 9.0                |  |                          |  |

Outfall 003: existing discharge to an unnamed tributary to Pine Run.

|                                 | Mass (lb/day)      |                    | C                  | Concentration (mg/l) |                          |  |
|---------------------------------|--------------------|--------------------|--------------------|----------------------|--------------------------|--|
| Parameter                       | Average<br>Monthly | Maximum<br>Daily   | Average<br>Monthly | Daily<br>Average     | Instantaneous<br>Maximum |  |
| Flow (mgd)<br>Temperature (°F)  | monitor a          | and report         |                    |                      |                          |  |
| January 1—31<br>February 1—29   |                    |                    |                    | 52<br>46             |                          |  |
| March 1—31<br>April 1—15        |                    |                    |                    | 49<br>56             |                          |  |
| April 16—30<br>May 1—15         |                    |                    |                    | 62<br>66             |                          |  |
| May 16—31<br>June 1—15          |                    |                    |                    | 76<br>83             |                          |  |
| June 16—30<br>July 1—31         |                    |                    |                    | 87<br>89             |                          |  |
| August 1—31<br>September 1—15   |                    |                    |                    | 88<br>85             |                          |  |
| September 16—30<br>October 1—15 |                    |                    |                    | 79<br>73             |                          |  |
| October 16—31<br>November 1—15  |                    |                    |                    | 67<br>59             |                          |  |
| November 16—30<br>December 1—31 |                    |                    |                    | 55<br>54             |                          |  |
| pH                              |                    | ) nor greater than |                    | 01                   |                          |  |

Outfall 006: existing discharge to an unnamed tributary to Pine Run.

|   | Mas                | Mass (lb/day)        |                    | Concentration (mg/l)   |                          |
|---|--------------------|----------------------|--------------------|--|--------------------------|
| Parameter   | Average<br>Monthly | Maximum<br>Daily     | Average<br>Monthly | Daily<br>Average   | Instantaneous<br>Maximum |
| Flow (mgd) Temperature (°F) January 1—31 February 1—29 March 1—31 April 1—15 April 16—30 May 1—15 May 16—31 June 1—15 June 16—30 July 1—31 August 1—31 September 1—15 September 16—30 | <b>V</b>           | Daily r and report   | Monthly            | 59<br>45<br>53<br>59<br>65<br>69<br>80<br>86<br>90<br>90<br>90<br>86<br>80 | Maximum                  |
| October 1—15<br>October 16—31<br>November 1—15  |                    |                      |                    | 74<br>68<br>61   |                          |
| November 16—30<br>December 1—31   |                    |                      | 0.0                | 52<br>51   |                          |
| pН  | not less than      | 6.0 nor greater than | 9.0                |  |                          |

 $\mbox{\it Outfall 008}\!:$  existing discharge to an unnamed tributary to Pine Run.

|  | U | U |                    | J                |                    |  |                          |
|--|---|---|--------------------|------------------|--------------------|--|--------------------------|
|  |   |   | Mass (             | (lb/day)         | C                  | oncentration (m                                    | g/l)                     |
| Parameter  |   |   | Average<br>Monthly | Maximum<br>Daily | Average<br>Monthly | Daily<br>Average                                   | Instantaneous<br>Maximum |
| Flow (mgd) Temperature (°F) January 1—31 February 1—29 March 1—31 April 1—15 April 16—30 May 1—15 May 16—31 June 1—15 June 16—30 July 1—31 |   |   | 3                  | and report       |                    | 50<br>46<br>53<br>60<br>66<br>69<br>81<br>87<br>91 |                          |
| July I JI  |   |   |                    |                  |                    | 31   |                          |

|  | Mass (lb/day)      |                    | Concentration (mg/l) |  |                          |
|--|--------------------|--------------------|----------------------|--|--------------------------|
| Parameter  | Average<br>Monthly | Maximum<br>Daily   | Average<br>Monthly   | Daily<br>Average                       | Instantaneous<br>Maximum |
| August 1—31 September 1—15 September 16—30 October 1—15 October 16—31 November 1—15 November 16—30 December 1—31 |                    |                    |                      | 90<br>87<br>81<br>75<br>69<br>61<br>54 |                          |
| рН   | not less than 6.0  | ) nor greater than | 9.0                  | 30                                     |                          |

Outfall 009: existing discharge to an unnamed tributary to Pine Run.

|                  | Mass (             | Mass (lb/day)      |                    | Concentration (mg/l) |                          |  |
|------------------|--------------------|--------------------|--------------------|----------------------|--------------------------|--|
| Parameter        | Average<br>Monthly | Maximum<br>Daily   | Average<br>Monthly | Daily<br>Average     | Instantaneous<br>Maximum |  |
| Flow (mgd)       | monitor a          | and report         |                    |                      |                          |  |
| Temperature (°F) |                    | -                  |                    |                      |                          |  |
| January 1—31     |                    |                    |                    | 59                   |                          |  |
| February 1—29    |                    |                    |                    | 57                   |                          |  |
| March 1—31       |                    |                    |                    | 59                   |                          |  |
| April 1—15       |                    |                    |                    | 56                   |                          |  |
| April 16—30      |                    |                    |                    | 66                   |                          |  |
| May 1—15         |                    |                    |                    | 67                   |                          |  |
| May 16—31        |                    |                    |                    | 77                   |                          |  |
| June 1—15        |                    |                    |                    | 84                   |                          |  |
| June 16—30       |                    |                    |                    | 88                   |                          |  |
| July 1—31        |                    |                    |                    | 89                   |                          |  |
| August 1—31      |                    |                    |                    | 89                   |                          |  |
| September 1—15   |                    |                    |                    | 85                   |                          |  |
| September 16—30  |                    |                    |                    | 79                   |                          |  |
| October 1—15     |                    |                    |                    | 74                   |                          |  |
| October 16—31    |                    |                    |                    | 67                   |                          |  |
| November 1—15    |                    |                    |                    | 60                   |                          |  |
| November 16—30   |                    |                    |                    | 61                   |                          |  |
| December 1—31    |                    |                    |                    | 63                   |                          |  |
| pН               | not less than 6.0  | ) nor greater than | 9.0                |                      |                          |  |

Other Conditions:

The EPA waiver is in effect.

PA 0030929. Sewage, Pennsylvania Department of Public Welfare, Torrance State Hospital, Torrance, PA 15779.

This application is for renewal of an NPDES permit to discharge treated sewage from Torrance State Hospital Sewage Treatment Plant in Derry Township, **Westmoreland County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Tannery Hollow, which are classified as a cold water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Saltsburg Municipal W. W. located on the Conemaugh River.

Outfall 001: existing discharge, design flow of 0.8 mgd.

|   | Concentration (mg/l)                              |                   |                  |                          |  |
|---|---|-------------------|------------------|--------------------------|--|
| Parameter   | Average<br>Monthly                                | Average<br>Weekly | Maximum<br>Daily | Instantaneous<br>Maximum |  |
| CBOD <sub>5</sub><br>Suspended Solids                                 | 25<br>30  |                   |                  | 50<br>60                 |  |
| Ammonia Nitrogen<br>(5-1 to 10-31)                                    | 2.0   |                   |                  | 4.0                      |  |
| (11-1 to 4-30)<br>Fecal Coliform                                      | 3.5   |                   |                  | 7.0                      |  |
| (5-1 to 9-30)<br>(10-1 to 4-30)                                       | 200/100 ml as a geo<br>2,000/100 ml as a g        |                   |                  |                          |  |
| Total Residual Chlorine   | 9   | eometric mean     |                  |                          |  |
| (1st month—36th month)<br>(37th month—expiration)<br>Dissolved Oxygen | monitor and report<br>0.03<br>not less than 6.0 m | g/l               |                  | 0.09                     |  |

Concentration (mg/l)

C----(1)

Average Average Maximum Instantaneous
Parameter Monthly Weekly Daily Maximum

pH not less than 6.0 nor greater than 9.0

The EPA waiver is in effect.

### PA 0037958. Sewage, Center Township Sewer Authority, 225 Center Grange Road, Aliquippa, PA 15001.

This application is for renewal of an NPDES permit to discharge treated sewage from the Moon Tun Sewage Treatment Plant in Center Township, **Beaver County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Ohio River, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Midland Borough Water Authority.

Outfall 001: existing discharge, design flow of 0.5 mgd.

|  | Concentration (mg/l)  |                   |                  |                          |  |
|--|---|-------------------|------------------|--------------------------|--|
| Parameter  | Average<br>Monthly  | Average<br>Weekly | Maximum<br>Daily | Instantaneous<br>Maximum |  |
| ${ m CBOD}_5$<br>Suspended Solids<br>Fecal Coliform              | 25<br>30  | 38<br>45          |                  | 50<br>60                 |  |
| (5-1 to 9-30)<br>(10-1 to 4-30)<br>Total Residual Chlorine<br>pH | 200/100 ml as a geometric mean<br>2,000/100 ml as a geometric mean<br>0.5<br>not less than 6.0 nor greater than 9.0 |                   | 1.6              |                          |  |

The EPA waiver is in effect.

### PA 0092355. Sewage, The Municipal Authority of the Borough of Belle Vernon, P. O. Box 181, 10 Main Street, Belle Vernon, PA 15012.

This application is for renewal of an NPDES permit to discharge treated sewage from the Belle Vernon Water Pollution Control Plant in Belle Vernon, **Fayette County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as a warm water, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Charleroi Borough Water Authority.

Outfall 001: existing discharge, design flow of 0.5 mgd.

|                         | Concentration (mg/1)              |                    |                  |                          |
|-------------------------|-----------------------------------|--------------------|------------------|--------------------------|
| Parameter               | Average<br>Monthly                | Average<br>Weekly  | Maximum<br>Daily | Instantaneous<br>Maximum |
| $CBOD_5$                | 25                                | 38                 |                  | 50                       |
| Suspended Solids        | 30                                | 45                 |                  | 60                       |
| Fecal Coliform          |                                   |                    |                  |                          |
| (5-1 to 9-30)           | 200/100 ml as a geometric mean    |                    |                  |                          |
| (10-1 to 4-30)          | 10,000/100 ml as a geometric mean |                    |                  |                          |
| Total Residual Chlorine | 0.5                               |                    |                  | 1.0                      |
| pН                      | not less than 6.0 no              | r greater than 9.0 |                  |                          |

Other Conditions: Outfalls 002 through 017 will serve as combined sewer overflows and will be subject to the nine minimum controls.

The EPA waiver is in effect.

### PA 0215996. Sewage, 3R Development, Route 201 and I-70, Belle Vernon, PA 15012.

This application is for renewal of an NPDES permit to discharge treated sewage from the 3R Development Sewage Treatment Plant in Rostraver Township, **Westmoreland County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as an unnamed tributary to Speers Run, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Charleroi Municipal Authority on the Monongahela River.

Outfall 001: existing discharge, design flow of 0.0182 mgd.

| Concentration | (mg/1)   |
|---------------|----------|
| Сопсепигаціон | (1112/11 |

| Parameter               | Average<br>Monthly   | Average<br>Weekly  | Maximum<br>Daily | Instantaneous<br>Maximum |
|-------------------------|----------------------|--------------------|------------------|--------------------------|
| CBOD <sub>5</sub>       | 25                   |                    |                  | 50                       |
| Suspended Solids        | 30                   |                    |                  | 60                       |
| Ammonia Nitrogen        |                      |                    |                  |                          |
| (5-1 to 10-31)          | 5.5                  |                    |                  | 11                       |
| (11-1 to 4-30)          | 16.5                 |                    |                  | 33                       |
| Fecal Coliform          |                      |                    |                  |                          |
| (5-1 to 9-30)           | 200/100 ml as a geo  |                    |                  |                          |
| (10-1 to 4-30)          | 6,000/100 ml as a ge | eometric mean      |                  |                          |
| Total Residual Chlorine |                      |                    |                  |                          |
| (1st month—36th month)  | monitor and report   |                    |                  |                          |
| (37th month—expiration) | 1.2                  |                    |                  | 2.9                      |
| pН                      | not less than 6.0 no | r greater than 9.0 |                  |                          |

The EPA waiver is in effect.

Northcentral Region: Environmental Program Manager, Water Management, 208 W. Third Street, Suite 101, Williamsport, PA 17701-6510, (717) 327-3666.

PA 0228052. SIC: 4952, Allen's True Value, Inc., R. D. 2, Box 223A, Watsontown, PA 17777.

This proposed action is for issuance of an NPDES permit for a new discharge of treated sewage to an unnamed tributary of Muddy Run in Delaware Township, **Northumberland County**.

The receiving stream is classified for the following uses: warm water fishery and aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS,  $NO_2$ - $NO_3$ , fluoride and phenolics, the proposed downstream potable water supply (PWS) considered during the evaluation is Shamokin Dam Municipal Authority, 12 miles below the discharge, on the Susquehanna River.

The proposed effluent limits for Outfall 001, based on a design flow of 0.003 mgd, are:

| Parameter               | Average<br>Monthly (mg/l)     | Instantaneous<br>Maximum (mg/l) |
|-------------------------|-------------------------------|---------------------------------|
| CBOD <sub>5</sub>       | 10                            | 20                              |
| TSS                     | 20                            | 40                              |
| Total Chlorine Residual | 2                             | 4.6                             |
| Fecal Coliform          |                               |                                 |
| (5-1 to 9-30)           | 200/100 ml as a geometric ave | erage                           |
| (10-1 to 4-30)          | 2,000/100 ml as a geometric a | verage                          |
| pН                      | 6.0—9.0 at all times          | -                               |

Other Conditions:

The EPA waiver is in effect.

### PA 0114367. Sewerage, SIC: 4952, Danny R. Deivert, R. R. 2, Box 491, Mifflinburg, PA 17844.

This proposed action is for renewal of an NPDES permit for an existing discharge of treated sewage wastewater to an unnamed tributary to Rapid Run in Buffalo Township, **Union County**.

The receiving stream is classified for the following uses: high quality cold water fishery, aquatic life, water supply and recreation. For the purposes of evaluating effluent requirements for TDS,  $NO_2$ - $NO_3$ , fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is Sunbury Municipal Authority located approximately 20 river miles downstream.

The proposed effluent limits for Outfall 001, based on a design flow of 0.0004 mgd, are:

|                               | Average        | Average                | Instantaneous  |
|-------------------------------|----------------|------------------------|----------------|
| Parameter                     | Monthly (mg/l) | Weekly (mg/l)          | Maximum (mg/l) |
| $CBOD_5$                      | 10             |                        | 20             |
| TSS                           | 10             |                        | 20             |
| Free Cl <sub>2</sub> Residual | report         |                        |                |
| Fecal Coliforms               | 200 co         | l/100 ml as a geometri | c mean         |
| pН                            |                | 6.0—9.0 at all times   |                |

The EPA waiver is in effect.

Northwest Regional Office: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.

PA 0222704. Sewage, Mowery Development No. 1 Treatment Facility Association, 4493 Steger Road, Erie, PA 16504.

This application is for a new NPDES permit to discharge treated sewage to an unnamed tributary to Four Mile Creek in Greene Township, **Erie County**. This is a new discharge.

The receiving water is classified for warm water and migratory fishery, aquatic life, water supply and recreation. There are no potable water supplies affected by this discharge.

The proposed effluent limits for Outfall 001, based on average design flow of 0.0008 mgd, are:

Effluent Concentration (mg/l)

|                         | Average                          | Instantaneous      |
|-------------------------|----------------------------------|--------------------|
| Parameter               | Monthly                          | Maximum            |
| CBOD <sub>5</sub>       | 10                               | 20                 |
| Total Suspended Solids  | 20                               | 40                 |
| NH <sub>3</sub> -N      |                                  |                    |
| (5-1 to 10-31)          | 6                                | 12                 |
| (11-1 to 4-30)          | 18                               | 36                 |
| Dissolved Oxygen        | minimum of 3.0 mg/l at all times |                    |
| Phosphorus as P         | 1.0                              | _                  |
| Total Residual Chlorine | 1.4                              | 3.3                |
| Fecal Coliform          | 200/100 ml as a                  | geometric average  |
| pH                      |                                  | units at all times |

The EPA waiver is in effect.

### PA 0034002. Sewage. Countryside Estates, 17130 St. Hwy. 98, Meadville, PA 16335.

This application is for renewal of an NPDES permit to discharge treated sewage to the Unnamed Tributary of Conneaut Creek in Summerhill Township, **Crawford County**. This is an existing discharge.

The receiving water is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS,  $NO_2$ - $NO_3$ , fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Ohio border on Conneaut Creek located at River Mile 23.91 in Ohio, approximately 32.3 miles below point of discharge.

The proposed effluent limits for Outfall No. 001 (after the chlorine contact tank), based on a design flow of 0.012500 mgd, are:

| _                       | Average           | Instantaneous     |
|-------------------------|-------------------|-------------------|
| Parameter               | Monthly (mg/l)    | Maximum (mg/l)    |
| CBOD <sub>5</sub>       | 25                | 50                |
| TSS                     | 30                | 60                |
| Ammonia-Nitrogen        |                   |                   |
| (5-1 to 10-31)          | 8.5               | 17                |
| Total Phosphorus        | 1.0               |                   |
| Fecal Coliform          |                   |                   |
| (5-1 to 9-30)           |                   | geometric average |
| (10-1 to 4-30)          | 2,000/100 ml as a | geometric average |
| Total Residual Chlorine | 1.4               | 3.3               |
| pH                      | 6.0—9.0 a         | t all times       |

The EPA waiver is in effect.

#### PA 0222666. Sewage, John Afton, 7616 Knoyle Road, Waterford, PA 16441.

This application is for a new NPDES permit to discharge treated sewage from a small flow treatment facility to an unnamed tributary of Six Mile Creek in Venango Township, **Erie County**. This is a new discharge.

The receiving water is classified for cold water and migratory fishery, aquatic life, water supply and recreation. There are no potable water supplies affected by this discharge.

The proposed effluent limits for Outfall 001, based on average design flow of 0.002000 mgd, are:

Effluent Concentration (mg/l)

| Parameter              | Average<br>Monthly | Instantaneous<br>Maximum |
|------------------------|--------------------|--------------------------|
| CBOD <sub>5</sub>      | 10                 | 20                       |
| Total Suspended Solids | 20                 | 40                       |

|                         | Effluent Concentration (mg/l)    |                          |
|-------------------------|----------------------------------|--------------------------|
| Parameter               | Average<br>Monthly               | Instantaneous<br>Maximum |
| NH <sub>3</sub> -N      |                                  |                          |
| (5-1 to 10-31)          | 6                                | 12                       |
| (11-1 to 4-30)          | 18                               | 36                       |
| Dissolved Oxygen        | minimum of 3.0 mg/l at all times |                          |
| Total Residual Chlorine | 1.4                              | 3.3                      |
| Fecal Coliform          |                                  |                          |
| (5-1 to 9-30)           | 200/100 ml as a                  | geometric average        |
| (10-1 to 4-30)          |                                  | geometric average        |
| pH                      |                                  | d units at all times     |

The EPA waiver is in effect.

### PA 0034215. Whitehaven Campground, 493 Westford Road, Westford, PA 16134.

This application is for renewal of an NPDES permit, to discharge treated sewage to Unnamed Tributary to Pymatuning Reservoir in South Shenango Township, **Crawford County**. This is an existing discharge.

The receiving water is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS,  $NO_2$ - $NO_3$ , fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Reynolds Water Company intake on the Shenango River located in Pymatuning Township, Mercer County, approximately 14 miles below point of discharge.

The proposed discharge limits for Outfall No. 001 (after the chlorine contact tank), based on a design flow of 0.02 mgd, are:

|                         | Average                             | Instantaneous  |
|-------------------------|-------------------------------------|----------------|
| Parameter               | Monthly (mg/l)                      | Maximum (mg/l) |
| $CBOD_5$                | 25                                  | 50             |
| TSS                     | 30                                  | 60             |
| Fecal Coliform          |                                     |                |
| (5-1 to 9-30)           | 200/100 ml as a geometric average   |                |
| (10-1 to 4-30)          | 2,000/100 ml as a geometric average | ge             |
| Total Phosphorus        | 1                                   | 2              |
| Total Residual Chlorine | 1.0                                 | 2.3            |
| Dissolved Oxygen        | minimum of 3 mg/l at all times.     |                |
| рН                      | 6.0—9.0 at all times                |                |

The EPA waiver is in effect.

### PA 0024805. Sewage. Linesville Municipal Authority, 103 Erie Street, Box 145, Linesville, PA 16424.

This application is for renewal of an NPDES permit to discharge treated sewage to the Linesville Creek in Linesville, **Crawford County**. This is an existing discharge.

The receiving water is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Pymatuning Reservoir on Pymatuning Lake located at Tuttle Point, Pymatuning State Park.

The proposed effluent limits for Outfall No. 001, based on a design flow of 0.205 mgd, are:

| 1 1                     |                           | 0 .                |                                 |
|-------------------------|---------------------------|--------------------|---------------------------------|
| Parameter               | Average<br>Monthly (mg/l) | Weekly<br>Average  | Instantaneous<br>Maximum (mg/l) |
| $CBOD_5$                | 25                        | 40                 | 50                              |
| TSS                     | 30                        | 45                 | 60                              |
| Ammonia-Nitrogen        |                           |                    |                                 |
| (5-1 to 10-31)          | 2.5                       |                    | 5                               |
| (11-1 to 4-30)          | 7.5                       |                    | 15                              |
| Total Phosphorus        | 1                         |                    | 2                               |
| Fecal Coliform          |                           |                    |                                 |
| (5-1 to 9-30)           | 200/100 ml as a geometric | c average          |                                 |
| (10-1 to 4-30)          | 5,200/100 ml as a geomet  |                    |                                 |
| Total Residual Chlorine | · ·                       | <u> </u>           |                                 |
| (Interim Limits)        |                           | monitor and report |                                 |
| (Final Limits)          | 0.4                       | •                  | 1.2                             |
| Dissolved Oxygen        | minimum of 3 mg/l at all  | times              |                                 |
| рН                      | 6.0—9.0 at all times      |                    |                                 |
|                         |                           |                    |                                 |

The EPA waiver is in effect.

Southcentral Regional Office: Regional Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4707.

PA 0040860. Industrial waste, SIC: 4953, Delaware County Solid Waste Authority (Rolling Hills Landfill), 583 Longview Road, Boyertown, PA 19512.

This application is for amendment of an NPDES permit for a new discharge of stormwater to an unnamed tributary of Oysterville Creek and Furnace Run, in Earl Township, **Berks County**.

The receiving stream is classified for cold water fishes, recreation, water supply and aquatic life.

The proposed effluent limits for Outfalls 009 and 010 for stormwater are:

| Ammonia monitor and report Chemical Oxygen Demand monitor and report Oil and Grease monitor and report pH monitor and report Total Dissolved Solids monitor and report |
|--|
| Oil and Grease monitor and report monitor and report   |
| Oil and Grease monitor and report monitor and report   |
|  |
| Total Dissolved Solids monitor and report  |
|  |
| Total Organic Carbon monitor and report  |
| Total Barium monitor and report  |
| Total Cadmium monitor and report   |
| Total Chromium monitor and report  |
| Total Lead monitor and report  |
| Nitrate + Nitrite monitor and report   |
| Dissolved Iron monitor and report  |
| Total Mercury monitor and report   |
| Total Magnesium monitor and report   |
| Dissolved Magnesium monitor and report   |
| Total Selenium monitor and report  |
| Total Silver monitor and report  |
| Total Arsenic monitor and report   |
| Total Cyanide monitor and report   |

Individuals may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is in effect.

PA 0028649. Sewage, SIC: 4952, Municipal Authority of the Borough of Sinking Spring, 502 Penn Avenue, Sinking Spring, PA 19608-9661.

This application is for renewal of an NPDES permit for an existing discharge of treated sewage to Cacoosing Creek, in Lower Heidelberg Township, **Berks County**.

The receiving stream is classified for trout stocking fisheries, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS,  $NO_2$ - $NO_3$ , fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was Pottstown Municipal Authority located in Pottstown. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 1.0 mgd are:

| Parameter               | Average<br>Monthly (mg/l) | Average<br>Weekly (mg/l) | Instantaneous<br>Maximum (mg/l) |
|-------------------------|---------------------------|--------------------------|---------------------------------|
| CBOD <sub>5</sub>       | 25.0                      | 40.0                     | 50.0                            |
| Total Suspended Solids  | 30.0                      | 45.0                     | 60.0                            |
| NH <sub>3</sub> -N      |                           |                          |                                 |
| (5-1 to 10-31)          | 3.0                       | XXX                      | 6.0                             |
| (11-1 to 4-30)          | 9.0                       | XXX                      | 18.0                            |
| Total Residual Chlorine |                           |                          |                                 |
| (Interim)               | 0.5                       | XXX                      | 1.0                             |
| (Final)                 | 0.32                      | XXX                      | 1.0                             |
| Dissolved Oxygen        | m                         | inimum of 5.0 at all tin | nes                             |
| pH                      |                           | from 6.0—9.0 inclusive   | 2                               |
| Fecal Coliforms         |                           |                          |                                 |
| (5-1 to 9-30)           | 200/1                     | 00 ml as a geometric a   | verage                          |
| (10-1 to 4-30)          |                           | 100 ml as a geometric a  |                                 |

Part C requirement:

Whole Effluent Toxicity Testing to begin 6 months after permit issuance.

The EPA waiver is not in effect.

PA 0087939. Industrial waste, SIC: 5171, Berks Fuel Storage, Inc., 1248 Wayne Avenue, Reading, PA 19601.

This application is for issuance of an NPDES permit for an existing discharge of treated industrial waste to the tank dike area, in Muhlenberg Township, **Berks County**.

The proposed effluent limits for Outfall 001 are:

Average Maximum Instantaneous
Parameter Monthly (mg/l) Daily (mg/l) Maximum (mg/l)

Total Recoverable

Petroelum Hydrocarbons XXX monitor and report XXX

Individuals may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is in effect.

### **Proposed NPDES Permit Renewal Actions for Minor Sewage Discharges**

The following parties have applied to renew their current NPDES permits to allow the continued discharge of controlled wastewaters into the surface waters of this Commonwealth. The Department of Environmental Protection (Department) has made a tentative determination to renew these permits and proposes to issue them, subject to their current permit effluent limitations, and monitoring and reporting requirements, with appropriate and necessary updated requirements to reflect new or changed regulations and other requirements. The updates may include, but will not be limited to, applicable permit conditions and/or requirements addressing combined sewer overflows (CSOs), municipal sewage sludge management and total residual chlorine control (TRC). Any major changes to or deviations from the terms of the existing permit will be documented and published with the final Department actions.

The EPA, Region III, Regional Administrator has waived the right to review or object to these proposed permit actions under the waiver provision 40 CFR 123.6E.

Persons wishing to comment on the proposed permits are invited to submit a statement to the Field Office indicated as the office responsible, within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding these applications and proposed permit actions. Comments should include the name, address and telephone number of the writer and a brief statement to inform the Field Office of the basis of the comment and the relevant facts upon which it is based. A public hearing may be held if the Field Office considers the public response significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit action. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit renewal application and related documents, proposed effluent limitations and special conditions, comments received and other information are on the Department's file. The documents may be inspected at, or a copy requested from, the Field Office that has been indicated above the application notice.

Northeast Regional Office: Regional Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2511.

NPDES Facility County And Tributary New Permit No. Name and Address Municipality Stream Requirements

PA-0061255 Wallace R. McDonald Lackawanna Unnamed None

1647 Forest Acre Drive Newton Township Tributary to Clarks Summit, PA 18411 Gardner Creek

### DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

### Applications under the Pennsylvania Clean Streams Law

### (Part II Permits)

The following permit applications and requests for plan approval have been received by the Department of Environmental Protection (Department).

Persons objecting on the grounds of public or private interest to the approval of an application or submitted plan may file a written protest with the Department at the address indicated above each permit application or plan. Each written protest should contain the name, address and telephone number of the protester, identification of the plan or application to which the protest is addressed and a concise statement or protest in sufficient detail to inform the Department of the exact basis of the

protest and the relevant facts upon which it is based. The Department may conduct a fact-finding hearing or an informal conference in response to any given protest or protests. Each protester will be notified in writing of the time and place of any scheduled hearing or conference concerning the plan, action or application to which the protest relates. To insure consideration by the Department prior to final action or permit application and proposed plans, initial protests and additions or amends to protests already filed should be filed within 15 calendar days from the date of this issue of the *Pennsylvania Bulletin*. A copy of each permit application and proposed plan is on file in the office indicated and is open to public inspection.

Industrial waste and sewerage applications under The Clean Streams Law (35 P.S. §§ 691.1—691.1001).

Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2511.

**A. 4098404.** Sewerage. **Dallas Area Municipal Authority**, 530 South Memorial Highway, Shavertown, PA 18708. Application for extension of existing sewage collection system, to serve Brown Manor, located in Dallas Township, **Luzerne County**. Application received in the Regional Office—October 19, 1998.

**A. 4598201.** Industrial waste. **Herfurth Brothers, Inc.**, P. O. Box 128, Gilbert, PA 18331. Application for replacement of existing deteriorated settling tanks and septic tanks with new enlarged tanks, located in Polk Township, **Monroe County**. Application received in the Regional Office—October 21, 1998.

**A. 4598406.** Sewerage. **LTS Development, Inc.**, P. O. Box 160, Shawnee-on-Delaware, PA 18356. Application to construct low pressure sewer collection system, to serve Godfrey's Ridge, located in Stroudsburg Borough and Stroud Township, **Monroe County**. Application received in the Regional Office—October 14, 1998.

Southcentral Regional Office: Water Management Program Manager, 909 Elmerton Avenue, 2nd Floor, Harrisburg, PA 17110-8200, (717) 705-4707. Persons who wish to review any of these applications should contact Mary DiSanto at (717) 705-4732.

**A. 0698406.** Sewage, submitted by **City of Reading**, 815 Washington Street, Reading, PA 19601-3690 in Reading City, **Berks County** to install sewer replacement lines and replace a sewage pumping station was received in the Southcentral Region on October 29, 1998.

### **INDIVIDUAL PERMITS**

(PAS)

### **NPDES Individual**

The following parties have applied for an NPDES permit to discharge stormwater from a proposed construction activity into the surface waters of this Commonwealth. Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (Department) proposes to issue a permit to discharge, subject to certain limitations set forth in the permit and special conditions. These proposed determinations are tentative. Limitations are provided in the permit as erosion and sedimentation control measures and facilities which restrict the rate and quantity of sediment discharged.

Where indicated, the EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement to the office noted above the application within 30 days from the date of this public notice. Comments reviewed within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, including the erosion and sedimentation control plan for the construction activity, are on file and may be inspected at the office noted above the application.

Southwest Regional Office: Regional Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

NPDES Permit PAS10A060-6. Stormwater. Port Authority of Allegheny County, 2235 Beaver Avenue, Pittsburgh, PA 15233-1080 has applied to discharge from a construction activity located in the City of Pittsburgh, Allegheny County to Saw Mill Run.

Northcentral Regional Office: Regional Water Management Program Manager, 208 W. 3rd St., Suite 101, Williamsport, PA 17701, (717) 327-3574.

Centre County Conservation District, 414 Holmes Ave., Suite 4, Bellefonte, PA 16823, (814) 355-6817.

NPDES Permit PAS10F072. Stormwater. Price View Estates, Keystone Land Development, Inc., R. R. 1, Box 378, Port Matilda, PA 16870 has applied to discharge stormwater from a construction activity located in Patton Township, Centre County to Buffalo Run.

Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, (610) 832-6130.

NPDES Permit PAS10-G345. Stormwater. Megill Development Company, 2 Huntrise Lane, West Chester, PA 19382, has applied to discharge stormwater from a construction activity located in Lower Oxford Township, Chester County, to McDonald Run.

NPDES Permit PAS10-G346. Stormwater. N. Vaughan & Sons, Inc., 347 E. Conestoga Rd., Wayne, PA 19087, has applied to discharge stormwater from a construction activity located in Willistown Township, Chester County, to Crum Creek.

**NPDES Permit PAS10-G347.** Stormwater. **The Hankin Group**, 717 Constitution Drive, Exton, PA 19341, has applied to discharge stormwater from a construction activity located in Uwchlan Township, **Chester County**, to Shamona Creek.

NPDES Permit PAS10-G348. Stormwater. G. W. & J. R. Freese, 503 Elkridge Road, Oxford, PA 19363, has applied to discharge stormwater from a construction activity located in East Nottingham Township, Chester County, to Big Elk Creek.

Northeast Regional Office: 2 Public Square, Wilkes-Barre, PA 18711-0790.

Lehigh County Conservation District, District Manager, Lehigh Ag. Ctr., Ste. 102, 4184 Dorney Park Road, Allentown, PA 18104, (610) 391-9583.

NPDES Permit PAS10Q165. Stormwater. Fieldstone Associates, L.P., Arthur Corsini, Jr., 906 A Cross Keys Drive, Doylestown, PA 18901, has applied to discharge stormwater from a construction activity located in Upper Macungie Township, Lehigh County, to Little Lehigh Creek.

### SAFE DRINKING WATER

Applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Northwest Regional Office: Regional Manager, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6899.

**A. 2498502.** Public water supply. **St. Mary's Area Water Authority**, 429 Ridgway Road, P. O. Box 33, St. Mary's, PA 15857. This proposal involves the construction/additions to the Fox Township Tank and North High Tank and the Liberty Street Pump Station in Elk and Benzinger Townships, **Elk County**.

Southcentral Regional Office: Sanitarian Regional Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4708.

**A. 0698509.** Public water supply. **Philadelphia Suburban Water Company**, Cumru Township, **Berks County**. *Responsible Official*: Thomas L. Yohe, Vice-President—Water Quality, Philadelphia Suburban Water Company, 762 W. Lancaster Avenue, Bryn Mawr, PA 19010. *Type of Facility*: Deerfield booster pumping station and rechlorination. *Consulting Engineer*: William A. LaDieu, P.E., CET Engineering Services, 1240 N. Mountain Road, Harrisburg, PA 17112.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

**Under Act 2, 1995** 

### Preamble 1

Acknowledgment of Notices of Intent to Remediate submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Sections 302 and 303 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the Pennsylvania Bulletin an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate identifies a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background or Statewide health standard to remediate a site must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department must provide a brief description of the location of the site, a list of known contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of the cleanup standards identified under the act will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department and shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

For further information concerning the content of a Notice of Intent to Remediate, contact the Department's Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Northcentral Regional Office: Michael C. Welch, Environmental Cleanup Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448, (717) 321-6525.

**Weldon Ziegenfus Property**, West Branch Township, **Potter County**. Jon S. Fox, P.G. on behalf of his client Weldon Ziegenfus, R. D. 7, P. O. Box 7431, Saylorsburg, PA 18353 has submitted a Notice of Intent to Remediate soil contaminated with PHCs. The applicant proposes to remediate the site to meet the Statewide health standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Potter-Leader Enterprise* on October 21, 1998.

Southwest Field Office: John J. Matviya, Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-5217.

Johnstown Corporation, City of Johnstown, Cambria County. Johnstown Corporation, Johnstown, PA and Brian I. Fitzpatrick, QST Environmental, 5205 Militia Hill Road, Plymouth Meeting, PA 19642 has submitted a Notice of Intent to Remediate soil and groundwater contaminated with PHCs. The applicant proposes to remediate the site to meet the Statewide health standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Tribune Democrat* on October 9, 1998.

Southeast Regional Office: Environmental Cleanup Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-5950.

The Former Gilbert's Flower Shop Property, Ridley Township, Delaware County. Paul Boni, Esq., 226 W. Rittenhouse Square, Penthouse Suite, Philadelphia, PA 19103, has submitted a Notice of Intent to Remediate site soil and groundwater contaminated with petroleum hydrocarbons. The applicant proposes to remediate the site to meet the Statewide health standard. A Final Report was simultaneously submitted.

### **SOLID AND HAZARDOUS WASTE**

### **BENEFICIAL USE DETERMINATIONS**

Application for Determination of Applicability for General Permit received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations for municipal and residual waste.

Northcentral Regional Office: Regional Solid Waste Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701, (717) 327-3653.

General Permit No. WMGR038. Northern Tier Solid Waste Authority (P. O. Box 10, Burlington, PA 18814). Application for Determination of Applicability for General Permit to operate a waste tire processing facility located in West Burlington Township, Bradford County. Application received in the regional office on October 23, 1998.

Interested parties or municipalities may submit comments to the Department within 60 days. Comments should be addressed to Richard L. Bittle, Waste Management, 208 W. Third St., Suite 101, Williamsport, PA 17701.

### **AIR QUALITY**

# Plan Approval and Operating Permit Applications Nonmajor Sources and Modifications

The Department of Environmental Protection (Department) has developed an "integrated" plan approval, State operating permit and Title V operating permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department has received applications for plan approvals and/or operating permits from the following facilities. Although the sources covered by these applications may be located at a major facility, the sources being installed or modified do not trigger major new source review or prevention of significant deterioration requirements

Copies of these applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the Regional Offices identified in this notice. Persons interested in reviewing the application files should contact the appropriate regional office to schedule an appointment.

Persons wishing to file protests or comments on the proposed plan approval and/or operating permits must submit the protest or comment within 30 days from the date of this notice. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Any comments or protests filed with the Department's Regional Offices must include a concise statement of the objections to the issuance of the plan approval or operating permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior to the date of the hearing.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121—143, the Federal Clean Air Act and regulations adopted under the act.

#### **OPERATING PERMITS**

Applications received and intent to issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015).

Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.

**06-310-018A:** Martin Stone Quarries, Inc. (P. O. Box 297, Bechtelsville, PA 19505) for a nonmetallic mineral crushing and processing facility controlled by wet suppression in Colebrookdale Township, **Berks County**. Parts of the facility are subject to 40 CFR 60, Subpart OOO, Standards of Performance for New Stationary Sources.

**67-317-016A: UTZ Quality Foods, Inc.** (900 High Street, Hanover, PA 17331) for operation of a potato chip fryer and a masa fryer controlled by individual mist eliminator systems in Hanover, **York County**.

Northcentral Regional Office: Air Quality Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, (717) 327-3637.

**08-399-029B: OSRAM SYLVANIA Products, Inc.** (Hawes Street, Towanda, PA 18848) for operation of a chemical reactor (pilot plant reactor C-1) controlled by a packed bed scrubber in Building 15, Department 212, in North Towanda Township, **Bradford County**.

Southwest Regional Office: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4174.

**63-00649: Spartech Polycom** (90 West Chestnut Street, Washington, PA 15301) for operation of compounding of raw resin at Donora Plant No. 1 in Donegal Township, **Washington County**.

**32-000-055: GPU Generation Corp.** (1001 Broad Street, Johnstown, PA 15907) for operation of boilers at Homer City Station in Center Township, **Indiana County**.

### **PLAN APPROVALS**

Applications received and intent to issue Plan Approvals under the Air Pollution Control Act (35 P. S. §§ 4001—4015).

Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.

**01-03002A: Tarmac America, Inc.** (P. O. Box 2016, Norfolk, VA 23501) for modification of an existing limestone crushing plant in Oxford Township, **Adams County**. An impact crusher and associated conveyors are subject to 40 CFR 60, Subpart OOO, Standards of Performance for Nonmetallic Mineral Processing Plants.

**01-03011: Dal-Tile Corp.** (411 North 4th Street, Gettysburg, PA 17325) for installation of a fabric collector on five existing tile presses in Bendersville Borough, **Adams County**.

**06-1035D: The Glidden Co. d/b/a ICI Paints** (301 Bern Street, Reading, PA 19601) for installation of No. 10 fill line in Reading, **Berks County**.

**06-5018A: Hershey Chocolate North America** (25 West Chocolate Avenue, Hershey, PA 17033) for installation of candy manufacturing equipment controlled by four fabric collectors in Reading, **Berks County**.

**36-309-083B: Buck Company, Inc.** (897 Lancaster Pike, Quarryville, PA 17566) for installation of a bond storage tank located in Providence Township, **Lancaster County**.

**67-05067: Persing Enterprises, Inc.** (214 North Franklin Street, Red Lion, PA 17356) for installation of two spray booths with conveyor line and one adhesive spray booth located in Red Lion Borough, **York County**.

Southwest Regional Office: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4174.

**65-909A: International Mill Service, Inc.** (1155 Business Center Drive) for installation of stockpiling activities at Allvac-Latrobe Facility in Derry Township, **Westmoreland County**.

**63-324A: Ginger Hill Synfuel, L.L.C.** (13 Elm Street, Cohasset, MA 02025) for installation of coal pellet coolers (dryers) at Mine Refuse Disposal Area No. 2 in Carroll Township, **Washington County**.

Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.

**PA 42-187A: Resting Acres Pet Cemetery** (P. O. Box 736, Bradford, PA 16701) for construction of an animal crematory unit (100 lbs/hr) in Bradford, **McKean County**.

**PA 33-145A: Huntington Foam Corp.** (P. O. Box 248, Brockway, PA 15824) for modification to the expandable resin molding plant in Brockway, **Jefferson County**. A lower pentane content resin will be used.

### REASONABLY AVAILABLE CONTROL TECHNOLOGY

(RACT)

Applications received and intent to issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations for an Operating Permit to comply with 25 Pa. Code § 129.91 for Reasonable Available Control Technology.

Northeast Regional Office: Air Quality Program, Two Public Square, Wilkes-Barre, PA 17811-0790, (717) 826-2531.

**39-0006: Stroh's Brewery Co.** (P. O. Box 25013, Allentown, PA 18001) in Upper Macungie Township, **Lehigh County**. This modification to the RACT Operating Permit will establish unit-specific short-term emission limit standards. This RACT Operating Permit will be submitted to the United States Environmental Protection Agency as a revision to Pennsylvania's State Implementation Plan (SIP).

Source Control

Fluidized Bed Combustor (B & W)

controls not economically feasible

A public hearing will be held for the purpose of receiving comments on the above proposed Operating Permit and the proposed SIP revisions. The public hearing is scheduled at the Meadville Regional Office, Air Quality conference room, 230 Chestnut Street, Meadville,

PA 16335, on December 2, 1998, 1 p.m. to 3 p.m.

Persons wishing to present testimony at the hearing should contact Matthew Williams, Air Pollution Control Engineer, DEP, 230 Chestnut Street, Meadville, PA 16335-3494, (814) 332-6940 at least 1 week in advance of the hearing to reserve a time to present testimony. Oral testimony will be limited to a maximum of 10 minutes and two written copies of the oral testimony are required. Each organization is requested to designate one witness to present testimony in its own behalf.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodations to do so should contact Matthew Williams at (814) 332-6940, or the Pennsylvania AT&T relay service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

Those unable to attend the hearing but wish to comment should provide written comments to Matthew Will-

# Piney Creek Ltd. Partnership Public Hearing

The Department of Environmental Protection (Department) will conduct a public hearing on December 2, 1998, beginning at 1 p.m. in the Air Quality conference room at the Meadville Regional Office located at 230 Chestnut Street.

The hearing is for the Department to accept testimony concerning its decision to approve, with conditions, the revised Reasonably Available Control Technology (RACT) plans by Piney Creek Ltd. Partnership, R. R. 2, Box 56 Highway 3016, Clarion, PA 16214 located in Clarion, Clarion County to meet the requirements under 25 Pa. Code §§ 129.91—129.95 (RACT), concerning the emissions of oxides of nitrogen (NOx) and volatile organic compounds (VOC) from various air contamination sources. The final RACT proposals will be submitted to the United States Environmental Protection Agency (EPA) as a revision to Pennsylvania's State Implementation Plan.

The proposed SIP revisions do not adopt new regulations. They incorporate the provisions and requirements contained in RACT approvals for these facilities to comply with current regulations.

The preliminary RACT determinations, if finally approved, will be incorporated into Plan Approvals and/or Operating Permits for the facilities and will be submitted to the EPA as a revision to Pennsylvania's State Implementation Plan.

The following is a revised summary of the preliminary NOx/VOC RACT determination for Piney Creek Ltd. Partnership:

NOx Emission Limit

0.192 #/MMBTU (based on a 30 day rolling average)

75.3 #/hr (based on a 30 day rolling average)

330 TPY (based on a 12-month rolling basis)

iams, Air Pollution Control Engineer, Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335-3494. Comments should be submitted within 30 days of the date of this publication notice.

All the pertinent documents (applications, review memos and draft approvals) are also available for review from 8 a.m. to 4 p.m. at the Meadville Regional DEP office (Air Quality). Appointments for scheduling a review must be made by calling the DEP contact person noted previously.

### MINING

### APPLICATIONS TO CONDUCT COAL AND NONCOAL ACTIVITIES

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to the applications will also address the appli-

cable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of the application is available for inspection at the District mining office indicated above each application. Where a 401 water quality certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for the certification.

Written comments or objections, or requests for informal conferences on applications, may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the same address within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Where any of the mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. The NPDES permits will contain, at a minimum, technologybased effluent limitations (as described in the Department's regulations—25 Pa. Code §§ 77.522, 87.102, 88.92, 88.187, 88.242, 89.52 and 90.102) for iron, manganese, suspended solids, settleable solids, alkalinity and pH. In addition to the above, more restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit when necessary for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies which have requested review of the NPDES permit requirements for a particular mining activity within the above-mentioned public comment period will be provided with a 30-day period to review and submit comments on those requirements.

Written comments or objections should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Ebensburg District Office, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.

Coal Applications Received

**32981131.** Stream Variance, **Simpson Coal Company** (R. D. 1, Box 244, New Alexandria, PA 15670), for an Intent to Explore Permit to drill within the 100' stream barrier of two unnamed tributaries to Big Run in Conemaugh Township, **Indiana County**. Application received October 22, 1998.

**32930105.** Revision, **P & N Coal Company, Inc.** (P. O. Box 332, Punxsutawney, PA 15767), for an additional 9.7

acres of Upper Kittanning coal seam removal is proposed for mining inside the existing 86.7 acre surface mine permit. Also, coal refuse disposal activities are proposed to be added as a type of operation in Banks Township, **Indiana County**, receiving stream unnamed tributaries to Cush Creek and unnamed tributary to South Branch Bear Run. Application received October 26, 1998.

Greensburg District Office, R. D. 2, Box 603-C, Greensburg, PA 15601.

**65930105. Urey Coal Company** (222 Forest Ridge Road, Indiana, PA 15701). Renewal application received for continued reclamation of a bituminous surface auger mine located in Mt. Pleasant Township, **Westmoreland County**. Receiving streams: unnamed tributary to Brush Run to Brush Run. Renewal application received October 28, 1998.

Hawk Run District Office, P. O. Box 209, Off Empire Road, Hawk Run, PA 16840.

**17910131.** Ecklund Coal Co., Inc. (R. D. 1, Box 109, Irvona, PA 16656), major revision to an existing bituminous surface mine permit for a Change in Permit Acreage from 165.9 to 187.7 acres, Bigler Township, **Clearfield County**, receiving streams: Porter Run, Buck Run and unnamed tributary to Clearfield Creek. Application received October 19, 1998.

17980125. Johnson Brothers Coal Co. (R. D. 1, Box 580, Mahaffey, PA 15757), commencement, operation and restoration of a bituminous surface mine permit in Brady Township, Clearfield County affecting 68.9 acres, receiving streams: Little Anderson Creek, unnamed tributary to Little Anderson Creek. Application received October 29, 1998.

Knox District Office, P.O. Box 669, Knox, PA 16232.

**33980110. Original Fuels, Inc.** (P. O. Box 343, Punxsutawney, PA 15767). Commencement, operation and restoration of a bituminous surface strip operation in Perry Township, **Jefferson County** affecting 122.3 acres. Receiving streams: unnamed tributaries to Mahoning Creek. Application to include a stream encroachment to construct a stream crossing across unnamed tributary "B" to Mahoning Creek for the purpose of construction of a haul road to the site. Application received October 26, 1998.

Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

**54713018R3.** Harriman Coal Corporation (978 Gap Street, Valley View, PA 17983), renewal of an existing anthracite surface mine operation in Tremont Township, **Schuylkill County** affecting 600.0 acres, receiving stream—none. Application received October 15, 1998.

**54840102R3.** Harriman Coal Corporation (978 Gap Street, Valley View, PA 17983), renewal of an existing anthracite surface mine operation in Tremont Township, **Schuylkill County** affecting 115.0 acres, receiving stream—Rausch Creek. Application received October 15, 1998.

Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

Noncoal Applications Received

**7875SM2C.** Lafarge Corporation (5160 Main Street, Whitehall, PA 18052-1827), correction to an existing quarry operation to include incidental boundary correction to add 7.1 acres in Whitehall Township, Lehigh County, receiving stream—Coplay Creek. Application received October 9, 1998.

**6275SM2C3. Milestone Materials, Inc.** (1900 Sullivan Trail, P. O. Box 231, Easton, PA 18044-0231), renewal of NPDES Permit No. PA0594539 in Limestone and Liberty Townships, **Montour County**, receiving stream—Chillisquaque Creek and unnamed tributary to Chillisquaque Creek. Application received October 13, 1008

**7373SM1. Haines & Kibblehouse, Inc.** (2025 Lucon Road, P. O. Box 196, Skippack, PA 19474), renewal of NPDES Permit No. PA0595683 in Penn Forest Township, **Carbon County**, receiving stream—Stony Creek. Application received October 13, 1998.

### APPLICATIONS RECEIVED UNDER SECTION 401: FEDERAL WATER POLLUTION CONTROL ACT

#### **ENCROACHMENTS**

The following Dam Safety and Encroachment permit applications, requests for Environmental Assessment approval and requests for water quality certification have been received by the Department of Environmental Protection (Department). Section 401(a) of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)) requires the State to certify that the involved projects will not violate the applicable provisions of 33 U.S.C.A. §§ 1311—1313, 1316 and 1317, as well as relevant State requirements. Initial requests for 401 certification will be published concurrently with the permit application. Persons objecting to approval of a request for certification under section 401 or to the issuance of a Dam Safety or Encroachment Permit or the approval of Environmental Assessments must submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401 of the Federal Water Pollution Control Act.

Southcentral Regional Office: Section Chief, Water Management Program, Soils and Waterways Section, 909 Elmerton Avenue, 2nd Floor, Harrisburg, PA 17110, (717) 705-4707.

**E67-649.** Encroachment. **Burd, Lebo and Reed Partnership**, 209 South Sporting Hill Road, Mechanicsburg, PA 17055. To realign approximately 210 linear feet of an unnamed tributary to North Branch Bermudian Creek (WWF) and place a 3 foot high by 10 foot wide concrete intake structure within the realigned section for the purpose of providing an agricultural supply to Pond Number 1 located northwest of Clear Spring Road adjacent to Union Church Road (Dillsburg, PA Quadrangle N: 12.7 inches) in Franklin Township, **York County**.

**E67-650.** Encroachment. **Fawn Township**, 240 Alum Rock Road, New Park, PA 17352. To remove an existing structure and to construct and maintain a 112-inch by 75-inch corrugated metal pipe arch 35 feet long in an

unnamed tributary to Bald Eagle Creek (TSF) on Bald Eagle Road north of Deer Road (Airville, PA Quadrangle N: 3.8 inches; W: 7.85 inches) in Fawn Township, **York County**.

Southeast Regional Office: Program Manager, Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E15-596. Encroachment. Williams Communications Inc., 1 William Center RC3-T, Tulsa, OK 74172. To install and maintain a fiber optic utility line communication system across the following streams and bodies of water: 1) West Branch Brandywine Creek (TSF, MF) and adjacent wetland (Coatesville, PA USGS Quadrangle N: 22.5inches; W: 10.25-inches) in Valley Township, Chester County; 2) East Branch Brandywine Creek (WWF, MF), (Downingtown, PA USGS Quadrangle N: 3.25-inches; W: 11.25-inches) in East Caln Township, Chester County; 3) Two wetland crossings along the West Branch of the Brandywine Creek (TSF, MF), (Coatesville, PA USGS Quadrangle N: 22.6-inches; W: 10.30 inches) in Valley Township, Chester County. This application also includes the installation and maintenance of 109 utility line stream crossings and/or wetland crossings which qualify for authorization by General Permit #5, Utility Line Stream Crossings. This project is a segment of the Williams Communications, Inc. Fiber Optic Cable Communication System project which extends from Washington, DC to New York, NY. Wetland disturbance will be temporary and minimized by either directional drilling or plowing. This is a linear utility project which effects Atglen Borough, Caln Township, East Brandywine Township, East Caln Township, East Whiteland Township, Sadsbury Township, Valley Township, West Sadsbury Township and West Whiteland Township, Chester County.

E46-807. Encroachment. Joseph Chirra, 1808 Calle Antonio, Vista, CA 92084-5333. To perform the following activities associated with the construction and maintenance of the proposed Chestnut Grove Residential Subdivision: 1) To fill 300 linear foot of an unnamed intermittent tributary to Manatawny Creek by constructing an inlet junction box to an existing 24 inch CMP stormwater outfall and rerouting flows through a stormwater conduit; 2) To excavate 130 linear foot of an unnamed intermittent tributary to Manatawny Creek, excavate in the assumed 100 year floodway of the aforementioned tributary, and impact 0.03 acre of wetland during the construction of stormwater management basin two; 3) To construct an extension of Heather Place and construct Skylark Drive road crossings by relocating the unnamed tributary to Manatawny Creek, placing approximately 290 linear feet of stream enclosure, 20 linear feet of rip-rap scour protection, fill in 100 linear feet of stream and 0.04 acre of adjacent wetlands. This application also requests an Environmental Assessment approval for the construction of two on-stream nonjurisdictional dams impacting 140 linear feet of unnamed intermittent tributaries to Manatawny Creek (CWF). The project is located 1,000 feet southwest of the intersection of SR 0100 and Pine Ford Road (Boyertown PA, Quadrangle N: 6.5 inches; W: 3.3 inches) in Upper Pottsgrove Township, Montgomery County.

Southwest Regional Office: Soils and Waterways Section, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

**E11-268.** Encroachment. **Highland Sewer and Water Authority**, 120 Tank Drive, Johnstown, PA 15904. To remove the existing structure and to construct and maintain a single span bridge having a normal span of 50 feet

and an average underclearance of 6.05 feet across South Fork Little Conemaugh River (HQ-CWF) for the purpose of providing access to the Lloydell Reservoir for onsite monitoring as required by the Dam Safety Emergency Action Plan. The applicant also proposes the placement and maintenance of fill in a de minimis area of wetlands (PEM) equal to 0.02 acre. The project is located on the Lloydell Reservoir Access Road, approximately 1 mile south of its conjunction with Szalat Avenue (Beaverdale, PA Quadrangle N: 9.0 inches; W: 8.2 inches) in Adams and Summerhill Townships, Cambria County.

**E26-249.** Encroachment. **Fayette County Commissioners**, Courthouse, 61 East Main Street, Uniontown, PA 15401-1030. To remove the existing structure and to construct and maintain a single span bridge having a normal span of 17.0 meters and an underclearance of 2.56 meters across Meadow Run (HQ-CWF) for the purpose of improving transportation safety and roadway standards located on Grover Road, approximately 1.5 kilometers southeast of its intersection with S. R. 0381 (Fort Necessity, PA Quadrangle N: 15.5 inches; W: 1.18 inches) in Stewart Township, **Fayette County**.

Northwest Regional Office: Soils and Waterways Section, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942

**E20-464.** Encroachment. **Advanced Cast Products, Inc.**, P. O. Box 417, Meadville, PA 16335-3481. To construct and maintain a 385-foot-long by 80-foot-wide building addition between two existing buildings at the Advanced Cast Products Foundry within the FEMA 100-year floodway of French Creek southeast of the intersection of Pennsylvania Avenue and Mill Street (Meadville, PA Quadrangle N: 0.1 inch; W: 5.2 inches) located in Vernon Township, **Crawford County**.

### **ACTIONS**

### FINAL ACTIONS TAKEN UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

[National Pollution Discharge Elimination System Program (NPDES)]

### DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

#### (Part I Permits)

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications and requests for plan approval and has issued the following significant orders.

Persons aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are

also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Industrial waste and sewerage actions under The Clean Streams Law (35 P.S. §§ 691.1—691.1001).

Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2511.

NPDES Permit No. PA-0063029. Sewerage. Jeff Snyder, t/a Fountain Court, Route 611, Fountain Court—Suite 21, Bartonsville, PA 18321 is authorized to discharge from a facility located in Pocono Township, Monroe County, to Cranberry Creek.

NPDES Permit No. PA-0061344. Industrial waste. Westwood Energy Properties Limited Partnership, P. O. Box 312, Tremont, PA 17981 is authorized to discharge from a facility located in Frailey Township, Schuylkill County, to Lower Rausch Creek.

NPDES Permit No. PA-000885-A1. Industrial waste. Procter and Gamble, P. O. Box 32, Route 87, Mehoopany, PA 18629-0032 is authorized to discharge from a facility located in Washington Township, Wyoming County, to the Susquehanna River.

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

NPDES Permit No. PA0001473. Sewage, Mon River Sewage Corporation, 1428 Delberts Drive, Monongahela, PA 15063 is authorized to discharge from a facility located at Mon River Sewage Corporation Sewage Treatment Plant, Forward Township, Allegheny County to receiving waters named Monongahela River.

NPDES Permit No. PA0030449. Sewage, Long's Mobile Home Park, 406 Lutz School Road, Indiana, PA 15701-9255 is authorized to discharge from a facility located at Long's Mobile Home Park Sewage Treatment Plant, White Township, Indiana County to receiving waters named Unnamed Tributary of McKee Run.

NPDES Permit No. PA0090689. Sewage, Maple Creek Mining, Inc., 981 Route 917, Bentleyville, PA 15314 is authorized to discharge from a facility located at Maple Creek Mine—Spinner Shaft, Spinner Sewage Treatment Plant, Fallowfield Township, Washington County to receiving waters named Sawmill Creek.

NPDES Permit No. PA0205575. Sewage, Pleasant Valley Country Club, R. D. 2, Box 292, Connellsville, PA 15425 is authorized to discharge from a facility located at Pleasant Valley Country Club Sewage Treatment Plant, Bullskin Township, Fayette County to receiving waters named Mounts Creek.

**NPDES Permit No. PA0217921.** Sewage, **Keystone Coal Mining Corporation**, P. O. Box 729, Indiana, PA 15701 is authorized to discharge from a facility located at Urling Mine No. 3 Portal STP, Armstrong Township, **Indiana County** to receiving waters named Walker Run.

**Permit No. 0298407.** Sewerage, **Park Corporation**, P. O. Box 450, Homestead, PA 15120. Construction of sewer system, pump station and force mains located in Homestead Borough, **Allegheny County** to serve The Waterfront Development (Former USX Homestead Works).

**Permit No. 0298408.** Sewerage, **Park Corporation**, P. O. Box 450, Homestead, PA 15120. Construction of

sewer system, pump station and force mains located in Munhall Borough, **Allegheny County** to serve The Waterfront Development (Former USX Homestead Works).

Permit No. 461S038, Amendment No. 1. Sewerage, Ligonier Borough, Town Hall, 120 East Main Street, Ligonier, PA 15658. Construction of sewage treatment plant expansion located in Ligonier Borough, Westmoreland County to serve Ligonier Borough Sewage Treatment Plant.

**Permit No. 5698406.** Sewerage, **Matthew W. Hayman**, 319 West Main Street, Somerset, PA 15501. Construction of single residence sewage treatment plant located in Somerset Township, **Somerset County**, Matthew W. Hayman Residence.

**Permit No. 6598408.** Sewerage, **Charlotte L. Forsythe**, Box 18, Alverton, PA 15617. Construction of single residence sewage treatment facility located in East Huntingdon Township, **Westmoreland County** to serve Charlotte L. Forsythe Residence.

Northcentral Regional Office: 208 West Third Street, Suite 101, Grit Building, Williamsport, PA 17701.

Permit No. 1898401. WQM Sewerage. Beech Creek Borough Authority, P.O. Box 216, Beech Creek, PA 16822. Applicant granted permission to construct and upgrade existing wastewater treatment facility. Facility is located at Beech Creek Borough, **Clinton County**.

**Permit No. 4792402-T2.** WQM Transfer Sewerage. **Matt Rhames**, 30 Blue School Road, Danville, PA 17821. Applicant granted permission to discharge treated sewerage from single residence treatment system. Facility located at Valley Township, **Montour County**.

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6942.

NPDES Permit No. PA0221023. Sewage, David K. Beal, 942 Hatch Run Rd., Warren, PA 16365 is authorized to discharge from a facility located in Glade Township, Warren County to an Unnamed Tributary to Hatch Run.

NPDES Permit No. PA0027120, Amendment No. 1. Sewage. City of Warren, 318 West Third Street, Warren, PA 16365 is authorized to discharge from a facility located in the City of Warren, Warren County to the Allegheny River.

#### **INDIVIDUAL PERMITS**

(PAR)

### Approvals to Use NPDES and/or Other General Permits

The following parties have submitted Notices of Intent (NOIs) for Coverage under (1) General NPDES Permit(s) to discharge wastewater into the surface waters of this Commonwealth. The approval for coverage under these general NPDES permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions set forth in the general permit; (2) General Permit(s) for Beneficial Use of Sewage Sludge or Residential Septage by Land Application in Pennsylvania. The approval of coverage for land application of sewage sludge or residential septage under these general permits is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective general permit. The Department of Environmental Protection approves the following coverages under the specified General Permit.

The EPA Region III Regional Administrator has waived the right to review or object to this permit action under the waiver provision: 40 CFR 123.24.

The application and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted.

List of NPDES and/or other General Permit Type

| PAG-1 | General Permit For Discharges From Stripper Oil Well Facilities   |
|-------|---|
| PAG-2 | General Permit For Discharges of Stormwater From Construction Activities  |
| PAG-3 | General Permit For Discharges of Stormwater From Industrial Activities  |
| PAG-4 | General Permit For Discharges From Single Residence Sewage Treatment Plant  |
| PAG-5 | General Permit For Discharges From Gasoline Contaminated Ground Water<br>Remediation Systems  |
| PAG-6 | General Permit For Wet Weather Overflow Discharges From Combined Sewer Systems  |
| PAG-7 | General Permit For Beneficial Use of Exceptional Quality Sewage Sludge by Land Application  |
| PAG-8 | General Permit For Beneficial Use of Non-Exceptional Quality Sewage Sludge By<br>Land Application to Agricultural Land, Forest, a Public Contact Site or a Land<br>Reclamation Site |
| PAG-9 | General Permit For Beneficial Use of Residential Septage By Land Application to<br>Agricultural Land, Forest or a Land Reclamation Site   |

| General Permit Type—                              | PAG 2       |  |  |  |
|---|-------------|--|--|--|
| Facility Location<br>County and<br>Municipality   | Permit No.  | Applicant Name<br>and Address  | Receiving Stream<br>or Body of Water             | Contact Office and<br>Telephone No.  |
| Centre County<br>Patton Township                  | PAR10F078   | TeleBeam Inc.<br>Ara Kervandjian<br>467 E. Beaver Ave.<br>State College, PA 16801          | Big Hollow, Unt. to<br>Spring Creek              | Centre County CD<br>414 Holmes Ave.,<br>Suite 4<br>Bellefonte, PA 16823<br>(814) 355-6817                                |
| Jefferson County<br>Pinecreek Township            | PAR103328   | Joseph Holben and<br>James Ross<br>R. D. 1, Box 439<br>Brookville, PA 15825                | O'Donnell Run                                    | Jefferson<br>Conservation District<br>180 Main Street<br>Brookville, PA 15825<br>(814) 849-7463                          |
| Mercer County<br>Pine Township                    | PAR104334   | Douglas E. Thomas<br>561 N. Liberty Rd.<br>Grove City, PA 16127                            | Unnamed Tributary<br>to Wolf Creek               | Mercer Conservation<br>District<br>R. D. 2, Box 2055<br>747 Greenville Road<br>Mercer, PA 16137<br>(724) 662-2242        |
| Newtown Township<br>Delaware County               | PAR-10-J124 | Delaware County Christian<br>School<br>462 Malin Road<br>Newtown Square, PA 19073          | Darby Creek                                      | Delaware County CD<br>Rose Tree<br>Park—Hunt Club<br>1521 N. Providence<br>Road<br>Media, PA 19063<br>(610) 892-9484     |
| Horsham Township<br>Montgomery County             | PAR-10-T442 | Liberty Property Limited<br>Partnership<br>125 Witmer Road<br>Horsham, PA 19041            | Tributary A to<br>Pennypack<br>Creek Tributary 1 | Montgomery County<br>Conservation District<br>1015 Bridge Road<br>Suite B<br>Collegeville, PA<br>19426<br>(610) 489-4506 |
| Lower Merion<br>Township<br>Montgomery County     | PAR-10-T444 | Pohlig Builders Inc.<br>274 W. Lancaster Avenue<br>Malvern, PA 19355                       | Unnamed Tributary<br>to Mill Creek               | Montgomery County<br>Conservation District<br>1015 Bridge Road<br>Suite B<br>Collegeville, PA<br>19426<br>(610) 489-4506 |
| Lower Gwynedd<br>Township<br>Montgomery County    | PAR-10-T438 | Lower Gwynedd Township<br>1130 N. Bethlehem Pk.<br>Spring House, PA 19477                  | Willow Run                                       | Montgomery County<br>Conservation District<br>1015 Bridge Road<br>Suite B<br>Collegeville, PA<br>19426<br>(610) 489-4506 |
| West Norriton<br>Township<br>Montgomery County    | PAR-10-T394 | Gambone Brothers<br>1030 W. Germantown Pike<br>P. O. Box 287<br>Fairview Village, PA 19409 | Schuylkill River                                 | Montgomery County<br>Conservation District<br>1015 Bridge Road<br>Suite B<br>Collegeville, PA<br>19426<br>(610) 489-4506 |
| Lower Pottsgrove<br>Township<br>Montgomery County | PAR-10-T435 | The Home Depot<br>3096 Hamilton Boulevard<br>South Plainfield, NJ 07080                    | Schuylkill River                                 | Montgomery County<br>Conservation District<br>1015 Bridge Road<br>Suite B<br>Collegeville, PA<br>19426<br>(610) 489-4506 |

| Facility Location<br>County and<br>Municipality | Permit No.    | Applicant Name<br>and Address  | Receiving Stream<br>or Body of Water         | Contact Office and<br>Telephone No.  |
|---|---------------|--|--|--|
| Montgomery Township<br>Montgomery County        | PAR-10-T427   | General Hancock<br>Partnership<br>2312 North Broad Street<br>Colmar, PA 18915        | Little Neshaminy<br>Creek                    | Montgomery County<br>Conservation District<br>1015 Bridge Road<br>Suite B<br>Collegeville, PA<br>19426<br>(610) 489-4506 |
| Lower Salford<br>Township<br>Montgomery County  | PAR-10-T441   | W. B. Homes Inc.<br>538 East Main Street<br>Lansdale, PA 19446                       | Unnamed Tributary<br>to Indian Creek         | Montgomery County<br>Conservation District<br>1015 Bridge Road<br>Suite B<br>Collegeville, PA<br>19426<br>(610) 489-4506 |
| Towamencin Township<br>Montgomery County        | PAR-10-T386-R | Dock Woods Community<br>275 Dock Drive<br>Lansdale, PA 19446                         | Unnamed Tributary<br>to Skippack Creek       | Montgomery County<br>Conservation District<br>1015 Bridge Road<br>Suite B<br>Collegeville, PA<br>19426<br>(610) 489-4506 |
| Whitpain Township<br>Montgomery County          | PAR-10-T459   | Toll Brothers<br>3103 Philmont Avenue<br>Huntingdon Valley, PA<br>19006              | Stoney Creek                                 | Montgomery County<br>Conservation District<br>1015 Bridge Road<br>Suite B<br>Collegeville, PA<br>19426<br>(610) 489-4506 |
| Plymouth Township<br>Montgomery County          | PAR-10-T449   | Plymouth Township<br>2910 Jolly Road<br>Norristown, PA 19401                         | Diamond Run                                  | Montgomery County<br>Conservation District<br>1015 Bridge Road<br>Suite B<br>Collegeville, PA<br>19426<br>(610) 489-4506 |
| Limerick Township<br>Montgomery County          | PAR-10-T443   | Harold Herr and Albert<br>Herr<br>603 West Ridge Pike<br>Limerick, PA 19468          | Unnamed Tributary<br>to Brook Evans<br>Creek | Montgomery County<br>Conservation District<br>1015 Bridge Road<br>Suite B<br>Collegeville, PA<br>19426<br>(610) 489-4506 |
| Towamencin Township<br>Montgomery County        | PAR-10-T396   | Towamencin Township<br>1675 Sumneytown Pike<br>P. O. Box 303<br>Kulpsville, PA 19443 | Towamencin Creek                             | Montgomery County<br>Conservation District<br>1015 Bridge Road<br>Suite B<br>Collegeville, PA<br>19426<br>(610) 489-4506 |
| Towamencin Township<br>Montgomery County        | PAR-10-T450   | Towamencin Township<br>1675 Sumneytown Pike<br>P. O. Box 303<br>Kulpsville, PA 19443 | Tributary to<br>Skippack Creek               | Montgomery County<br>Conservation District<br>1015 Bridge Road<br>Suite B<br>Collegeville, PA<br>19426<br>(610) 489-4506 |

| Facility Location<br>County and<br>Municipality             | Permit No.    | Applicant Name<br>and Address   | Receiving Stream<br>or Body of Water                       | Contact Office and<br>Telephone No.   |
|---|---------------|---|--|---|
| Lansdale Borough<br>Montgomery County                       | PAR-10-T379   | Westrum Development<br>Company<br>370 Commerce Drive<br>Ft. Washington, PA 19034  | West Branch<br>Neshaminy Creek<br>and Wissahickon<br>Creek | Montgomery County<br>Conservation District<br>1015 Bridge Road<br>Suite B<br>Collegeville, PA<br>19426<br>(610) 489-4506                      |
| Upper Providence<br>Township<br>Montgomery County           | PAR-10-T462   | Upper Providence<br>Industrial Park<br>Partnership<br>Catfish Dam Lane<br>Norristown, PA 19403  | Tributary to the<br>Schuylkill River                       | Montgomery County<br>Conservation District<br>1015 Bridge Road<br>Suite B<br>Collegeville, PA<br>19426<br>(610) 489-4506                      |
| Whitemarsh Township<br>Montgomery County                    | PAR-10-T243-R | Pulte Homes Corporation<br>1210 Northbrook Drive,<br>Suite 150<br>Trevose, PA 19053   | Unnamed tributary<br>to the Schuylkill<br>River            | Montgomery County<br>Conservation District<br>1015 Bridge Road<br>Suite B<br>Collegeville, PA<br>19426<br>(610) 489-4506                      |
| Lackawanna County<br>Taylor Borough and<br>City of Scranton | PAR10N054-1   | Eugene Kane, Jr.<br>P. O. Box 931<br>Scranton, PA 18501-0931  | Keyser Creek   | Lackawanna CD<br>(717) 281-9495   |
| Schuylkill County<br>N. Manheim Township                    | PAR105770     | Blue Mt. High School<br>Blue Mt. Area School<br>District<br>P. O. Box 279<br>Red Dale Road<br>Orwigsburg, PA 17961                                  | Mahannon Creek   | Schuylkill CD<br>(717) 622-3742   |
| Schuylkill County<br>Delano Township                        | PAR105771     | PA DEP<br>Bureau of Abandoned Mines<br>OSM 54 (3101) 103.1<br>Delano—backfilling strip<br>pits<br>2 Public Square<br>Wilkes-Barre, PA<br>18711-0790 | Mahanoy Creek  | Schuylkill CD<br>(717) 622-3742   |
| General Permit Type—  | PAG-3         |   |  |   |
| Facility Location<br>County and<br>Municipality             | Permit No.    | Applicant Name<br>and Address   | Receiving Stream<br>or Body of Water                       | Contact Office and<br>Telephone No.   |
| Allegheny County<br>Oakmont Borough                         | PAR116103     | Triangle Circuits<br>931 3rd Street<br>Oakmont, PA 15139  | Allegheny River  | Southwest Regional<br>Office<br>Water Management<br>Program Manager<br>400 Waterfront Drive<br>Pittsburgh, PA<br>15222-4745<br>(412) 442-4000 |
| Beaver County<br>Rochester Borough                          | PAR156102     | Valspar Coatings<br>372 Cleveland Street<br>Rochester, PA 15074   | UNT of Beaver<br>River                                     | Southwest Regional<br>Office<br>Water Management<br>Program Manager<br>400 Waterfront Drive<br>Pittsburgh, PA<br>15222-4745<br>(412) 442-4000 |

| Facility Location<br>County and<br>Municipality       | Permit No. | Applicant Name<br>and Address  | Receiving Stream<br>or Body of Water         | Contact Office and<br>Telephone No.   |
|---|------------|--|--|---|
| Allegheny County<br>City of Duquesne                  | PAR206139  | USX Realty Development<br>600 Grant Street<br>Pittsburgh, PA 15219-2749          | Thompson Run<br>Creek                        | Southwest Regional<br>Office<br>Water Management<br>Program Manager<br>400 Waterfront Drive<br>Pittsburgh, PA<br>15222-4745<br>(412) 442-4000 |
| Allegheny County<br>Leetsdale Borough                 | PAR216144  | Alcoa Alumina &<br>Chemicals, L.L.C.<br>99 West Park Road<br>Leetsdale, PA 15056 | Ohio River                                   | Southwest Regional<br>Office<br>Water Management<br>Program Manager<br>400 Waterfront Drive<br>Pittsburgh, PA<br>15222-4745<br>(412) 442-4000 |
| Clinton County<br>Bald Eagle Township                 | PAR234814  | Avery Dennison Chemical<br>Division<br>R. D. 2, Box 70<br>Mill Hall, PA 17751    | Bald Eagle Creek                             | Northcentral<br>208 West Third St.<br>Williamsport, PA<br>17701   |
| General Permit Type—                                  | PAG-4      |  |  |   |
| Facility Location<br>County and<br>Municipality       | Permit No. | Applicant Name<br>and Address  | Receiving Stream<br>or Body of Water         | Contact Office and<br>Telephone No.   |
| Somerset County<br>Somerset Township                  | PAG046157  | Matthew W. Hayman<br>319 West Main Street<br>Somerset, PA 15501                  | UNT of Wells<br>Creek                        | Southwest Regional<br>Office<br>Water Management<br>Program Manager<br>400 Waterfront Drive<br>Pittsburgh, PA<br>15222-4745<br>(412) 442-4000 |
| Westmoreland County<br>East Huntingdon<br>Township    | PAG046158  | Charlotte L. Forsythe<br>Box 18<br>Alverton, PA 15617                            | UNT to Buffalo<br>Run                        | Southwest Regional<br>Office<br>Water Management<br>Program Manager<br>400 Waterfront Drive<br>Pittsburgh, PA<br>15222-4745<br>(412) 442-4000 |
| Montour County<br>Valley Township                     | PAG045027  | Matt Rhames<br>30 Blue School Road<br>Danville, PA 17821                         | Unt to<br>Mauses Creek                       | Northcentral<br>208 W. Third St.<br>Williamsport, PA<br>17701<br>(717) 327-3664   |
| Clinton County<br>Colebrook Township                  | PAG045026  | William C. Smith<br>R. D. 2, Box 187<br>Lock Haven, PA 17745                     | UNT to West Branch<br>Susquehanna River      | Northcentral<br>208 West Third<br>Street<br>Williamsport, PA<br>17701<br>(717) 327-3664   |
| Northumberland<br>County<br>Upper Augusta<br>Township | PAG045029  | Carl D. Knouse<br>R. D. 1, Box 263B<br>Sunbury, PA 17801                         | Unnamed Tributary<br>to Susquehanna<br>River | Northcentral<br>208 West Third<br>Street<br>Williamsport, PA<br>17701<br>(717) 327-3664   |

| Facility Location<br>County and<br>Municipality  | Permit No. | Applicant Name<br>and Address   | Receiving Stream<br>or Body of Water | Contact Office and<br>Telephone No.   |
|--|------------|---|--------------------------------------|---|
| Bradford County<br>LeRoy Township                | PAG045031  | James E. and Shirley R.<br>Brenchley<br>R. D. 1, Box 206A<br>Canton, PA 17724               | Towanda Creek                        | Northcentral<br>208 West Third<br>Street<br>Williamsport, PA<br>17701<br>(717) 327-3664                     |
| Bradford County<br>Smithfield Township           | PAG045032  | James Zweidinger<br>279 Pittsburg Avenue<br>Massapeaqua Park, NY<br>11762                   | Browns Creek                         | Northcentral<br>208 West Third<br>Street<br>Williamsport, PA<br>17701<br>(717) 327-3664                     |
| Tioga County<br>Delmar Township                  | PAG045035  | Patricia A. Webster<br>R. D. 7, Box 135<br>Wellsboro, PA 16901                              | Unnamed Tributary<br>of Wilson Creek | Northcentral Region<br>208 West Third<br>Street<br>Williamsport, PA<br>17701<br>(717) 327-3664              |
| General Permit Type—I                            | PAG 8      |   |                                      |   |
| Facility Location<br>County and<br>Municipality  | Permit No. | Applicant Name<br>and Address   | Receiving Stream<br>or Body of Water | Contact Office and<br>Telephone No.   |
| Upper Nazareth<br>Township<br>Northampton County | PAG-8-2205 | Nazareth Borough<br>Municipal Authority<br>P. O. Box A<br>Tatamy Road<br>Nazareth, PA 18064 |                                      | Northeast Region<br>Water Management<br>2 Public Square<br>Wilkes-Barre, PA<br>18711-0790<br>(717) 826-2553 |
| Tioga County<br>Blossburg Borough                | PAG084807  | George Lloyd<br>Blossburg Borough<br>208 Main Street<br>Blossburg, PA 16912                 | N/A                                  | Northcentral<br>208 West Third<br>Street<br>Williamsport, PA<br>17701<br>(717) 327-3664                     |

### SEWAGE FACILITIES ACT PLAN APPROVAL

The Department of Environmental Protection (Department) has taken actions on municipal requests for Act 537 Plan Approval.

Persons aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514), and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Market Street State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Actions under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20).

Southeast Regional Office: Sewage Planning Specialist Supervisor, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

The Plan Approval is granted for a revision to the Official Sewage Facilities Plan of **Richland Township**, **Bucks County** to provide for:

- 1. The reconstruction of Pump Station No. 3 to accommodate future development in the tributary area. This pump station will be upgraded from a capacity of 175 gpm to a capacity of 375 gpm.
- 2. The construction of the 6,600 lf of 12 inch diameter Morgan Creek trunk sewer extension, to be built in conjunction with the proposed Ewer East and Station Road Associates subdivisions.
- 3. The construction of a 2,200 lf 8 inch diameter bypass sewer from Phase II of the Morgan Creek Subdivision to Pump Station No. 4. Construction of this bypass sewer will allow Pump Station No. 4 to be decommissioned and demolished.

### SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Southeast Regional Office: Sanitarian Regional Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, (610) 832-6130.

**Permit No. 1598504.** Public water supply. **Philadelphia Water Company**, 762 West Lancaster Avenue, Bryn Mawr, PA 19010-3489. A permit has been issued to the Philadelphia Suburban Water Company for the construction of the Uwchlan booster pump station with chlorination facilities located in West Whiteland Township, **Chester County**.

Type of Facility: Public Water Supply System.

Consulting Engineer: CET Engineering Services, 1240 North Mountain Road, Harrisburg, PA 17112-1754.

Permit to Construct Issued: October 27, 1998.

### HAZARDOUS SITES CLEANUP

Under the Act of October 18, 1988

Prompt Interim Response Action under the Hazardous Sites Cleanup Act Twin Peaks HSCP Site 323—409 West County Line Road Horsham Township, Montgomery County

The Department of Environmental Protection (Department) under the authority of the Hazardous Sites Cleanup Act (35 P. S. §§ 6020.102—6020.1305) intends to implement a prompt interim response action at the Twin Peaks HSCP Site, in Horsham Township, Montgomery County. The site is the effected residences and businesses that have demonstrated tetrachloroethene and trichloroethene contamination of their drinking water well or have the potential for contamination of their well. The affected residences have been determined to be 409, 405, 331, 329, 327, 325 and 323 West County Line Road.

In deciding the appropriate response, the Department reviewed a number of alternatives for the remediation of the site. One option was to take no action at the site. This option was rejected because it did not satisfy the Department's policy of being protective of the health of the public and the environment. A second option was to provide whole-house filtration systems for treatment of the contaminated groundwater. This option was determined not to be cost efficient or protective of human health for addressing the long-term groundwater contamination.

To fully address the problems that are occurring at the site, the Department provided Horsham Township with a grant for the purposes of installing a waterline extension to the affected residences and businesses. This will include the installation of the waterline main, lateral extensions from the main to the affected properties and restoration of any areas affected by the waterline project.

The Administrative Record contains information related to the site and the Department's decision to perform this prompt interim response action. The Administrative Record is available for public inspection from 9 a.m. to 4 p.m., Monday through Friday, at the Department's Southeast Regional Office at Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6192. An additional copy of the Administrative Record will also be available for public inspection at the Horsham Township Municipal Building, 1025 Horsham Road, between 8:30 a.m. to 4:30 p.m., Monday through Friday.

Written comments concerning the prompt interim response action and information in the Administrative Record will be accepted in person or by mail, if post-

marked on or before November 27, 1998, to the attention of Matthew T. Miller, HSCP Project Officer at the Southeast Regional Office address.

Additionally, the public will have the opportunity to present oral comments at a public hearing scheduled for 7 p.m., Wednesday, November 18, 1998, at the Horsham Township Municipal Building, 1025 Horsham Road, Horsham. Persons wishing to present oral comments must register on or before November 18, 1998, by calling John Gerdelmann at (610) 832-6228. Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact Paul Rettinger at (610) 832-6300 to discuss how the Department may best accommodate their needs.

The Department is providing this notice under section 506(b) of the Hazardous Sites Cleanup Act. The date of publication of this notice in the *Pennsylvania Bulletin* initiates the minimum 90-day public comment period on the Administrative Record, as provided under that act. Questions concerning the site may be directed to Matthew T. Miller, Project Officer, at (610) 832-6192, or Paul Rettinger, Assistant Counsel, at (610) 832-6300.

# LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

**Under Act 2, 1995** 

Preamble 3

The following final reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the Pennsylvania Bulletin a notice of submission of any final reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning the final report, contact the Environmental Cleanup Program in the Department's Regional Office under which the notice of receipt of a final report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following final reports:

Southeast Regional Office: Environmental Cleanup Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-5950.

**The Former Gilbert's Flower Shop Property**, Ridley Township, **Delaware County**. Paul Boni, Esq., 226 W. Rittenhouse Square, Penthouse Suite, Philadelphia, PA 19103, has submitted a Final Report concerning

remediation of site soil and groundwater contaminated with petroleum hydrocarbons. The report is intended to document remediation of the site to meet the Statewide health standard.

Southwest Field Office: John J. Matviya, Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-5217.

Johnstown Corporation, City of Johnstown, Cambria County. Johnstown Corporation, Johnstown, PA and Brian I. Fitzpatrick of QST Environmental, 5205 Militia Hill Road, Plymouth Meeting, PA 19642 has submitted a Final Report addressing soil and groundwater contaminated with PHCs. The report is intended to document remediation of the site to meet the Statewide health standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Tribune Democrat* on October 9, 1998.

# LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

**Under Act 2, 1995** 

### Preamble 4

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908) and Chapter 250 Administration of Land Recycling Program.

Provisions of 25 Pa. Code § 250.8 Administration of Land Recycling Program requires the Department of Environmental Protection (Department) to publish in the Pennsylvania Bulletin a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the Act 2 (Land Recycling and Environmental Remediation Standards Act) remediation standards. Plans and reports required by provisions of Act 2 for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media, benefits of reuse of the property, and in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. A cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the Environmental Cleanup Program in the Department's Regional Office under which the notice of the plan or report appears. If information concerning a

final report is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has acted upon the following plans and reports:

Southeast Regional Office: Environmental Cleanup Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-5950.

Elf Atochem North America, Inc., Upper Merion Township, Montgomery County. Mark Piazza, Senior Environmental Engineer, Elf Atochem North America, Inc., 2000 Market Street, Philadelphia, PA 19103-3222 has submitted a Final Report concerning the remediation of site soil and groundwater contaminated with PCBs, lead, heavy metals, pesticides, solvents, BTEX and polycyclic aromatic hydrocarbons. The Final Report demonstrated attainment of the Statewide health and/or background standards and was approved by the Department on October 23, 1998.

First Industrial Pennsylvania, L. P., Uwchlan Township, Chester County. James P. Cinelli, RT Environmental Services, Inc., 215 West Church Road, King of Prussia, PA 19406, has submitted a Final Report concerning the remediation of site soil contaminated with polycyclic aromatic hydrocarbons. The Final Report demonstrated attainment of the Statewide health standard and was approved by the Department on October 23, 1998.

### **SOLID AND HAZARDOUS WASTE**

### OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permits revoked under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate a solid waste processing or disposal area or site.

Responsible Office: Southcentral Regional Office, Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4706.

Permit No. 602622. Triple S Farm, BFI—Conestoga Landfill (Mineview Drive, P. O. Box 128, Morgantown, PA 19543). This permit has been revoked at the applicant's request for a site in Amity Township, Berks County. Permit revoked in the Regional Office October 22, 1998.

Permits issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate a solid waste processing or disposal area or site.

Northcentral Regional Office: Regional Solid Waste Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701, (717) 327-3653.

Permit No. 301306. PP&L, Sunbury SES, Ash Basin No. 1, Pennsylvania Power & Light Co. (Old Susquehanna Trail Rd., Shamokin Dam, PA 17876). Permit for residual waste disposal impoundment, located in Monroe Township, Snyder County, issued in the regional office on October 28, 1998.

### **AIR QUALITY**

#### **OPERATING PERMITS**

General Plan Approval and Operating Permit issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Regional Office: Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.

**AQ-SE-0008: Naceville Materials** (2001 Ridge Road, Sellersville, PA 18960) issued for a portable crushing plant in West Rockhill Township, **Bucks County**.

Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.

**GP1-67-3040: York Container Co.** (138 Mt. Zion Road, York, PA 17401) issued to replace aged boilers with two natural gas/No. 2 fuel oil Johnston Boilers in Springettsbury Township, **York County**.

Southwest Regional Office: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4174.

**30-00119:** Envirogas Recovery, Inc. (2652 Hidden Valley Drive, Suite 103, Pittsburgh, PA 15241) issued October 29, 1998, for operation of gas-fired booster engine at Blacksville No. 5 Station in Gilmore Township, Greene County.

**30-00125:** Envirogas Recovery, Inc. (One Northshore Center, 12 Federal Street, Pittsburgh, PA 15212) issued October 29, 1998, for operation of gas compressor station at Station 9-S-1 in Gilmore Township, **Greene County**.

**30-00123:** Envirogas Recovery, Inc. (One Northshore Center, 12 Federal Street, Pittsburgh, PA 15212) issued October 29, 1998, for operation of gas compressor station at Station 9-S-3 in Gilmore Township, **Greene County**.

**30-00124:** Envirogas Recovery, Inc. (One Northshore Center, 12 Federal Street, Pittsburgh, PA 15212) issued October 29, 1998, for operation of gas compressor station at Station 9-S-6 in Gilmore Township, **Greene County**.

**30-00122:** Envirogas Recovery, Inc. (One Northshore Center, 12 Federal Street, Pittsburgh, PA 15212) issued October 29, 1998, for operation of gas compressor station at Station 8-S-1 in Gilmore Township, **Greene County**.

Operating Permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Regional Office: Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.

**OP-46-0049: International Business Systems, Inc.** (431 Yerkes Road, King of Prussia, PA 19406) issued October 29, 1998, for the operation of a Facility VOC/NOx RACT in Upper Merion Township, **Montgomery County**.

Administrative Amendment of Operating Permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Regional Office: Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.

**OP-46-0079: Naval Air Station Joint Reserve Base** (Route 611, Horsham, PA 19044) amended October 27, 1998, for Facility VOC/NOx RACT in Horsham Township, **Montgomery County**.

**OP-15-0006: Graco Children's Products, Inc.** (47 Park Avenue, Elverson, PA 19520) amended October 27, 1998, for Facility VOCs RACT in Elverson Borough, **Chester County**.

#### PLAN APPROVALS

Plan Approvals issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.

**06-1047A: Bradley Specialties Corp.** (P. O. Box 436, Shartlesville, PA 19554) issued October 29, 1998, for modification of the fiberglass fabrication plant in Upper Bern Township, **Berks County**.

**06-5063C: EAFCO, Inc.** (Spring and Schaeffer Streets, Boyertown, PA 19512) issued October 29, 1998, for installation of a room blast controlled by a fabric collector at the Boyertown Plant in Boyertown/Colebrookdale Township, **Berks County**.

**06-5066A: General Battery Corp.** (P. O. Box 14294, Reading, PA 19612-4294) issued October 29, 1998, for construction of a lime slaker controlled by a fabric collector in Laureldale/Muhlenberg Township, **Berks County**.

**07-305-001A: Tyrone Synfuels, L. P.** (160 Quality Center Road, Homer City, PA 15748) issued October 28, 1998, for modification of the E-fuel production facility in Snyder Township, **Blair County**.

**22-03017: Hoover Funeral Homes of Linglestown, Inc.** (6011 Linglestown Road, Harrisburg, PA 17112) issued October 27, 1998, for construction of a human crematory controlled by afterburner in Lower Paxton Township, **Dauphin County**.

**31-323-003A: Berg Electronics Group, Inc.** (Lenape Drive, R. R. 1, Box 212, Mount Union, PA 17066) issued October 29, 1998, for construction of the three electroplating lines and an ammonium hydroxide replenishment system controlled by a MAPCO fume scrubber in Shirley Township, **Huntingdon County**.

**38-302-057: G & H Fortyniners, Inc.** (P. O. Box 37, Fredericksburg, PA 17026) issued October 28, 1998, for construction of one boiler 800 HP (Johnston Boiler), oil or natural gas fired, in Bethel Township, **Lebanon County**. This source is subject to 40 CFR 60, Subpart Dc, Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units.

**38-303-007: Pottstown Trap Rock Quarries, Inc.** (P. O. Box 196, Skippack, PA 19474) issued October 26, 1998, for construction of the batch asphalt plant controlled by a cyclone and baghouse in North Annville Township, **Lebanon County**. This source is subject to 40 CFR 60, Subpart I, Standards of Performance for Hot Mix Asphalt Facilities.

**38-318-020A:** Aluminum Company of America (3000 State Drive, Lebanon, PA 17042) issued October 29,

1998, for modification of the No. 92 aluminum foil/coil coating line, top and bottom controlled by a catalytic incinerator in South Lebanon Township, **Lebanon County**.

Southwest Regional Office: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4174.

**04-059A: Koppel Steel Corp.** (P. O. Box 750, Beaver Falls, PA 15010) issued October 27, 1998, for operation of melt shop No. 4 at Koppel Plant in Koppel Borough in **Beaver County**.

11-370A: Chambers Laurel Highlands Landfill, Inc. (R. D. 1, Box 10, Wagner Road) issued October 29, 1998, for operation of municipal waste landfill at Laurel Highlands Landfill in Jackson Township, Cambria County.

Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.

**PA-10-302A: Allegheny Metalworking Corp.** (17 Leonburg Road, Cranberry Township, PA 16066) issued October 27, 1998, for construction of a paint finishing system in Cranberry Township, **Butler County**.

**PA-25-197A: Erie Bronze & Aluminum Co.** (6300 West Ridge Road, Erie, PA 16505) issued October 26, 1998, for construction of two electric induction furnaces in Fairview Township, **Erie County**.

Plan Approval extensions issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Regional Office: Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.

**23-312-205: Sun Co., Inc. (R&M)** (Delaware Avenue and Green Street, Marcus Hook, PA 19061) issued October 27, 1998, for operation of an organic chemical production in Marcus Hook Borough, **Delaware County**.

**15-301-085: Bakery Feeds, Inc.** (97 West Brook Drive, Honey Brook, PA 19344) issued October 28, 1998, for operation of a combustion unit in West Brandywine Township, **Chester County**.

**15-317-020: Bakery Feeds, Inc.** (97 West Brook Drive, Honey Brook, PA 19344) issued October 28, 1998, for operation of a bakery waste plant in West Brandywine Township, **Chester County**.

**PA-15-0016B: Worthington Steel Co.** (45 N. Morehall Road, Malvern, PA 19355) issued October 30, 1998, for operation of a coil coating line in East Whiteland Township, **Chester County**.

Southwest Regional Office: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4174.

**65-889A: Allegheny Energy Resources, Inc.** (20 Stanwix Street, Suite 600, Pittsburgh, PA 15222) issued October 29, 1998, for installation of LFG recycling facility at Valley Landfill Site in Penn Township, **Westmoreland County**.

**26-488A: Laurel Aggregates, Inc.** (P. O. Box 23, Gans, PA 15439) issued October 29, 1998, for installation of limestone hauling and crushing at Wymps Gap Quarry in Springhill Township, **Fayette County**.

**63-892A: Vesta Mining Co.** (P. O. Box 409, Fredericktown, PA 15333) issued October 29, 1998, for installation of coal preparation plant at preparation plant in North Bethlehem Township, **Washington County**.

**63-101A: Maple Creek Mining, Inc.** (981 Route 917, Bentleyville, PA 15314) issued October 29, 1998, for operation of coal storage area at Maple Creek Preparation Plant in New Eagle Borough, **Washington County**.

### REASONABLY AVAILABLE CONTROL TECHNOLOGY

### (RACT)

Proposed Revision to the State Implementation Plan for Oxides of Nitrogen (NOx) and Volatile Organic Compounds (VOC); Public Hearing

Approval of Reasonably Available Control Technology (RACT) Plan for: Occidental Chemical Corporation (Lower Pottsgrove Township, Montgomery County)

The Department of Environmental Protection (Department) has made a determination to approve a RACT plan as an amendment to the State Implementation Plan (SIP) for the above facility. The proposed SIP revision does not adopt new regulations. It incorporates the provisions and requirements contained in the RACT approval for this facility to comply with current regulations.

The determination, if approved, will be incorporated into an Operating Permit for the facility and will be submitted to the United States Environmental Protection Agency (EPA) as a revision to Pennsylvania's SIP.

The following is a summary of the RACT determination for the facility:

#### **Occidental Chemical Corporation**

### (Operating Permit OP-46-0015)

|              | · •                           | 0                                       |                            |
|--------------|-------------------------------|---|----------------------------|
| Sources      | Emission Limit<br>(tons/year) | Control Methods                         | Implementation<br>Schedule |
| Boiler No. 1 | 21.0 (NOx)                    | Annual Tune-Up                          | Immediate                  |
| Boiler No. 3 | 2.4 (NOx)                     | 50% Capacity Factor<br>& Annual Tune-Up | Immediate                  |
| Boiler No. 4 | 30.8 (NOx)                    | 50% Capacity Factor<br>& Annual Tune-Up | Immediate                  |
| Boiler No. 5 | 178.3 (NOx)                   | Alternate Fuel<br>& Annual Tune-Up      | Immediate                  |
| Reactors     | 2.7 (VOC)                     | Recordkeeping                           | Immediate                  |

| Sources          | Emission Limit<br>(tons/year) | Control Methods | Implementation<br>Schedule |
|------------------|-------------------------------|-----------------|----------------------------|
| Spray Dryers     | 171.0 (VOC)                   | Recordkeeping   | Immediate                  |
| Rotary Dryers    | 69.4 (VOC)                    | Recordkeeping   | Immediate                  |
| Wastewater Plant | 25 (VOC)                      | Recordkeeping   | Immediate                  |
| Cleaning Tanks   | 2.7 (VOC)                     | Recordkeeping   | Immediate                  |
| Storage Tanks    | 2.7 (VOC)                     | Recordkeeping   | Immediate                  |
| Laboratories     | 2.7 (VOC)                     | Recordkeeping   | Immediate                  |

One public hearing will be held for the purpose of receiving comments on the proposed SIP revision. The hearing will be held at 2 p.m. on December 17, 1998, at the Department's Southeast Regional Office, Lee Park, 555 North Lane, Suite 6010, Conshohocken, PA. The hearing will represent the opportunity for oral comment to the Department on the proposed SIP revision and will not be a question and answer session. Persons wishing to present testimony at the hearing are encouraged to contact Clarke Rupert, DEP Community Relations Coordinator, at (610) 832-6020 to register prior to the hearing, but may also register at the hearing. Those unable to attend the hearing but who wish to comment should send their written comments to Francine Carlini, Air Quality Program Manager, Department of Environmental Protection, Southeast Regional Office, Lee Park, 555 North Lane, Suite 6010, Conshohocken, PA 19428 on or before December 17, 1998.

Individuals in need of an accommodation as provided for in the Americans With Disabilities Act should contact Clarke Rupert at (610) 832-6020 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

Copies of the pertinent documents are available for review at the Southeast Regional Office. Appointments for scheduling a review may be made by calling (610) 832-6268.

### **MINING**

### APPROVALS TO CONDUCT COAL AND NONCOAL ACTIVITIES

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 water quality certification. Mining activity permits issued in response to the applications will also address the applicable permitting requirements of the following statutes: the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

Ebensburg District Office, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.

Coal Applications Issued

**11850107.** Permit Renewal, **Cooney Brothers Coal Company** (Box 246, Cresson, PA 16630), commencement, operation and restoration of a bituminous strip mine in

Portage Township, **Cambria County**, affecting 85.7 acres, receiving stream unnamed tributary to/and Spring Run, and unnamed tributary to/and Trout Run. Application received July 17, 1998. Permit issued October 26, 1998

**56763036.** Permit Renewal, **Shade Landfill, Inc.** (R. D. 1, Box 305, Cairnbrook, PA 15924), commencement, operation and restoration of a bituminous strip mine, for reclamation, only in Shade Township, **Somerset County**, affecting 84.2 acres, receiving stream Miller Run. Application received September 3, 1998. Permit issued October 26, 1998.

17724026. Permit Renewal, E. P. Bender Coal Company, Inc. (Main and Lehmier Streets, P. O. Box 594, Carrolltown, PA 15722), commencement, operation and restoration of bituminous strip mine for reclamation, only in White and Beccaria Townships, Cambria and Clearfield Counties, affecting 145.5 acres, receiving stream unnamed tributary to Witmer Run; and unnamed tributary to Beaverdam Run. Application received October 14, 1998. Permit issued October 26, 1998.

**32970105. T.L.H. Coal Company** (R. D. 1, Box 170, Rochester Mills, PA 15711), commencement, operation and restoration of a bituminous strip mine in Grant Township, **Indiana County**, affecting 54.2 acres, receiving stream East Run. Application received April 15, 1997. Permit issued October 27, 1998.

Greensburg District Office, R. D. 2, Box 603-C, Greensburg, PA 15601.

**26830201.** Carbon Fuel Resources, Inc. (P. O. Box 275, West Leisenring, PA 15489-0275). Permit revised to change the postmining land use on 64 acres from forestland to unmanaged natural habitat at a bituminous surface mine located in Dunbar Township, **Fayette County**, affecting 86.7 acres. Application received: August 21, 1998. Permit revision issued: October 29, 1998.

**26823024R. Robert Sperko** (R. D. 1, Box 400H, Mc-Clellandtown, PA 15458). Renewal issued for continued reclamation only of a bituminous surface mine located in German Township, **Fayette County**, affecting 22.2 acres. Receiving streams: North Branch and South Branch of Browns Run to Monongahela River. Application received September 15, 1998. Renewal issued: October 30, 1998.

**03960110.** Cookport Coal Co., Inc. (425 Market Street, Kittanning, PA 16201). Permit issued for commencement, operation and reclamation of a bituminous surface/auger mine located in Boggs Township, Armstrong County, affecting 59.7 acres. Receiving streams: unnamed tributary to South Fork of Pine Creek. Application received: July 25, 1997. Permit issued: October 30, 1998.

**65960108. Amerikohl Mining, Inc.** (202 Sunset Drive, Butler, PA 16001). Permit issued for commencement, operation and reclamation of a bituminous surface

mining site located in Unity and Ligonier Townships, **Westmoreland County**, affecting 105.8 acres. Receiving streams: unnamed tributary to Indian Camp Run to Ninemile Run to Loyalhanna Creek to Conemaugh River; unnamed tributary to Fourmile Run to Loyalhanna Creek to Conemaugh River. Application received: August 22, 1997. Permit issued: November 2, 1998.

Hawk Run District Office, P. O. Box 209, Off Empire Road, Hawk Run, PA 16840.

**17960113. Sky Haven Coal, Inc.** (R. R. 1, Box 180, Penfield, PA 15849), revision to an existing bituminous surface mine-auger permit for a Change in Permit Acreage from 306.0 to 321.5 acres, Covington Township, **Clearfield County**, receiving streams: Curley's Run, Curley's Run to West Branch Susquehanna River. Application received July 22, 1998. Permit issued October 20, 1998

17820118. Shale Hill Coal Company (P. O. Box I, Grampian, PA 16838), renewal of an existing bituminous surface mine permit in Green Township, Clearfield County affecting 454.0 acres, receiving streams: Two unnamed tributaries to and Curry Run and Haslett Run to West Branch Susquehanna River. Application received June 19, 1998. Permit issued October 23, 1998.

17930115. K & J Coal Co., Inc. (P. O. Box 189, Westover, PA 16692), renewal of an existing bituminous surface mine-auger permit in Chest Township, Clearfield County affecting 118.0 acres, receiving streams: Wilson Run, Wilson Run to Chest Creek, Chest Creek to West Branch Susquehanna River, West Branch Susquehanna River to Susquehanna River, Susquehanna River to Chesapeake Bay. Application received July 8, 1998. Permit issued October 23, 1998.

Knox District Office, P.O. Box 669, Knox, PA 16232.

**16950101. Original Fuels, Inc.** (P. O. Box 343, Punxsutawney, PA 15767). Transfer of an existing bituminous strip operation from Fye's Dozer Service in Clarion and Limestone Townships, **Clarion County** affecting 43.3 acres. Receiving streams: Two unnamed tributaries of Piney Creek. Application received: May 20, 1998. Permit Issued: October 14, 1998.

**16940105. Original Fuels, Inc.** (P. O. Box 343, Punxsutawney, PA 15767). Transfer of an existing bituminous strip operation from Ancient Sun, Inc. in Perry Township, **Clarion County** affecting 220.0 acres. Receiving streams: Three unnamed tributaries to the Allegheny River. Application received: May 20, 1998. Permit Issued: October 14, 1998.

**16970103. Original Fuels, Inc.** (P. O. Box 343, Punxsutawney, PA 15767). Transfer of an existing bituminous strip operation from MAF Coal & Excavation, Inc. in Clarion Township, **Clarion County** affecting 104.2 acres. Receiving streams: Unnamed tributaries to Brush Run. Application received: May 20, 1998. Permit Issued: October 14, 1998.

Hawk Run District Office, P. O. Box 209, Off Empire Road, Hawk Run, PA 16840.

Large Industrial Mineral Permits Issued

**08980301. Wysox Sand & Gravel, Inc.** (P. O. Box 128, Wysox, PA 18854) commencement, operation and restoration of a large industrial mineral (sand and gravel) permit in Asylum Township, **Bradford County** affecting 42.13 acres, receiving streams: none. Application received June 29, 1998. Permit issued October 29, 1998.

Knox District Office, P. O. Box 669, Knox, PA 16232. Noncoal Permits Issued

**4379306. H & H Materials, Inc.** (190 Canon Rd., Stoneboro, PA 16153). Renewal of NPDES No. PA0118699, Lake Township, **Mercer County**. Receiving streams: Shenango River. Application received: September 1, 1998. Permit Issued: October 14, 1998.

**37930305. G. L. McKnight, Inc.** (P. O. Box 773, Slippery Rock, PA 16057). Renewal of NPDES No. PA0211745, Plain Grove Township, **Lawrence County**. Receiving streams: Unnamed tributary to Taylor Run and Taylor Run. Application received: August 14, 1998. Permit Issued: October 14, 1998.

**37870301. A. Medure Sand & Gravel Co., Inc.** (438 Rear Line Avenue, Ellwood City, PA 16117). Renewal of NPDES No. PA0107913, Wayne Township, **Lawrence County**. Receiving streams: Duck Run and unnamed tributary to Duck Run. Application received: August 7, 1998. Permit Issued: October 23, 1998.

10940306. Quality Aggregates, Inc. (200 Neville Rd., Pittsburgh, PA 15225). Revision to an existing limestone operation to change the postmining land use from forestland to pastureland on the Bilma Obidean, Robert E. Baker and Sunbeam Coal Corporation properties in Marion Township, Butler County. Receiving streams Unnamed tributaries to Slippery Rock Creek and Unnamed tributaries to Blacks Creek. Application received: August 28, 1998. Permit Issued: October 26, 1998.

**37970302. Quality Aggregates, Inc.** (200 Neville Rd., Pittsburgh, PA 15225). Commencement, operation and restoration of a limestone operation in Slippery Rock Township, **Lawrence County** affecting 270.0 acres. Receiving streams: Unnamed tributaries to Slippery Rock Creek. Application received: October 17, 1997. Permit Issued: October 23, 1998.

Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

**48980301. Chrin Brothers, Inc.** (635 Industrial Drive, Easton, PA 18042), commencement, operation and restoration of a quarry operation in Williams Township, **Northampton County** affecting 36.8 acres, receiving stream: Unnamed tributary to Lehigh River. Permit issued October 30, 1998.

Knox District Office, P. O. Box 669, Knox, PA 16232. Small Noncoal (Industrial Minerals) Permits Issued

**61980802. Norma J. Wheeler** (P. O. Box 366, Polk, PA 16342). Commencement, operation and restoration of a small noncoal (industrial mineral) shale and gravel operation in Mineral Township, **Venango County** affecting 1.0 acre. Receiving streams: None. Application received: August 14, 1998. Permit Issued: October 16, 1998.

Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

**58980849.** James W. Barber (Box 157, Clifford, PA 18413), commencement, operation and restoration of a quarry operation in Lenox Township, **Susquehanna County** affecting 1.0 acre, receiving stream—none. Permit issued October 29, 1998.

### ACTIONS TAKEN UNDER SECTION 401: FEDERAL WATER POLLUTION CONTROL ACT

#### **ENCROACHMENTS**

The Department of Environmental Protection (Department) has taken the following actions on previously

received Dam Safety and Encroachment permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Persons aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law) to the Environmental Hearing Board, 400 Market Street, Floor 2, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Actions on applications filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and sections 5 and 402 of The Clean Streams Law (35 P. S. §§ 691.5 and 691.402) and notice of final action for certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)). (Note: Permits issued for Small Projects do not include 401 Certification, unless specifically stated in the description.)

Southcentral Regional Office: Section Chief, Water Management Program, Soils and Waterways Section, 909 Elmerton Avenue, 2nd Floor, Harrisburg, PA 17110, (717) 705-4707.

**E28-221.** Encroachment. **Statler Farms**, 151 Miller Road, Chambersburg, PA 17201. To remove an existing twin 24-inch diameter corrugated metal pipe (CMP) culvert and to install and maintain a new 60-inch diameter CMP culvert at the channel of an unnamed tributary to Conococheague Creek located about a mile north of Marion Village (Greencastle, PA Quadrangle N: 22.2 inches; W: 10.07 inches) in Guilford Township, **Franklin County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

Southwest Regional Office: Soils and Waterways Section, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

**E04-258.** Encroachment. **Colona Terminal Services, Inc.**, 200 Neville Road, Neville Island, PA 15225. To operate and maintain the existing barge docking facility along the left bank of the Ohio River (WWF) near River Mile 23.6 (Beaver, PA Quadrangle N: 10.8 inches; W: 1.5 inches) in Monaca Borough, **Beaver County**. *Note*: The site was originally permitted under E04-079.

Northeast Regional Office: Soils and Waterways Section, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-5485.

**E45-358.** Encroachment. **Connaught Laboratories, Inc.**, P. O. Box 187, Swiftwater, PA 18370-0187. To expand the surface area of a spring fed pond by approximately 0.11 acre as part of a landscape enhancement project at Connaught Laboratories. The surface area of the pond will be approximately 0.25 acre after the proposed expansion project. The project is located on the south side of Swiftwater Creek, approximately 500 feet

downstream of S. R. 0611 (Mount Pocono, PA Quadrangle N: 17.0 inches; W: 9.8 inches) in Pocono Township, **Monroe County**.

Northcentral Region: Water Management—Soils and Waterways, F. Alan Sever, Chief, 208 West Third St., Williamsport, PA 17701.

**E18-262.** Encroachment. **Glenn E. Brenneman**, 375 Hess Farm Road, York, PA 17403. To construct and maintain a permanent stream ford across Campbell Run for a timber harvesting operation and subsequent recreational use. The project site is located on private property approximately 3/4 mile south of Carrier Road approximately 3/4 of a mile southwest of Haneyville (Jersey Mills, PA Quadrangle N: 12.5 inches; W: 15.8 inches) in Gallagher Township, **Clinton County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

**E59-376.** Encroachment. **Pa. Dept. of Transportation**, P. O. Box 218, Montoursville, PA 17754. To remove the existing structure and to construct and maintain a single span prestressed concrete, adjacent box beam bridge with a normal span of 52.6 feet, a skew of 75 degrees and a minimum underclearance of 4.7 feet and to install and maintain approximately 150 feet of R-8 riprap and to construct and maintain a temporary bridge with a span length of 35 feet on a skew of 50 degrees and to place approximately 0.01 acre of riprap de minimis fill in wetland in Crooked Creek on SR 0249 Sect. 017, Segment 0250, offset 0889 (Knoxville, PA Quadrangle N: 1.0 inch; W: 6.1 inches) in Chatham Township, **Tioga County**.

### **DAM SAFETY**

Actions on applications filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); section 302 of the Flood Plain Management Act (32 P. S. § 679.302); and sections 5 and 402 of The Clean Streams Law (35 P. S. §§ 691.5 and 691.402) and notice of final action for certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Central Office: Bureau of Waterways Engineering, 400 Market Street, 6th Floor, P.O. Box 8554, Harrisburg, PA 17105-8554, (717) 787-8568.

**D06-501.** Dam. **Pennsylvania Department of Transportation** (Engineering District 5-0, 1713 Lehigh Street, Allentown, PA 18103). To construct, operate and maintain a stormwater detention dam across a tributary to Lauers Run in the Borough of Wyomissing, **Berks County**. This dam is to control stormwater from the proposed relocation of Route 222 and the construction of the Warren Street Extension.

### **SPECIAL NOTICES**

### **Bureau of Water Quality Protection**

Correction of Typographical Error to the October 17, 1998 Pennsylvania Bulletin Notice on PIT-2 NPDES Permit and Permit Handbooks

In the October 17, 1998, publication of the *Pennsylvania Bulletin* (28 Pa.B. 5291), the Department of Environmental Protection published final Notice for Availability of the Revised NPDES Permit and Related two Permit Handbooks for Municipal, Nonmunicipal and Industrial Wastewater Dischargers. Although the documents listed in the notice are technically accurate, the notice, however, carried wrong document numbers for the two NPDES

Permit Handbooks. This notice is to correct the typographical errors in the October 17 publication. The following listing provides the correct names and documents numbers.

- 1. Permittee Handbook for POTW and Non-Municipal Wastewater Dischargers (362-0300-005 Rev 10/98). This handbook contained only information germane to POTW dischargers.
- 2. Permittee Handbook for Industrial Wastewater Dischargers (362-0300-006 Rev 10/98). This handbook contained only information germane to the industrial dischargers.

The final permit documents package are available for downloading from the Department's Web Site at: HTTP://WWW.DEP.STATE.PA.US. The documents may also be obtained by contacting the appropriate Department Regional Office having jurisdiction over the county with the proposed discharge.

### Certification to Perform Radon-Related Activities in Pennsylvania

In the month of October 1998, the Department of Environmental Protection of the Commonwealth of Pennsylvania, under the authority contained in the Radon Certification Act, act of July 9, 1987 (P. L. 238, No. 43) (63 P. S. §§ 2001—2014) and regulations promulgated thereunder at 25 Pa. Code Chapter 240, has certified the persons listed as follows to perform radon-related activities in Pennsylvania. The period of certification is 2 years. For a complete list of persons currently certified to perform radon-related activities in Pennsylvania and for information as to the specific testing devices that persons certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P. O. Box 8469, Harrisburg, PA 17105-8469, (800) 23RADON.

| Address   | Type of Certification   |
|---|---|
| 208 Charlemma Drive<br>Pittsburgh, PA 15214               | Testing<br>Mitigation   |
| 49 South Main Street<br>Yardley, PA 19067                 | Testing   |
| P. O. Box 65<br>Brodheadsville, PA 18322                  | Mitigation  |
| P. O. Box 373<br>Murrysville, PA 15668                    | Testing   |
| 6 Chestwood Drive<br>Connellsville, PA 15425              | Mitigation  |
| 29 Kent Street<br>Trenton, NJ 08611                       | Mitigation  |
| 2843 North Front Street<br>Harrisburg, PA 17110           | Testing   |
| P. O. Box 241<br>205 Prospect Avenue<br>Cadogan, PA 16212 | Testing   |
| 1857 Sturbridge Drive<br>Lancaster, PA 17601              | Testing   |
| 207 East Hector Street<br>Conshohocken, PA 19428          | Testing   |
| R. R. 4, Box 4439<br>Drums, PA 18222                      | Testing   |
| 200 Newburn Avenue<br>Pittsburgh, PA 15227                | Testing   |
|   | 208 Charlemma Drive Pittsburgh, PA 15214  49 South Main Street Yardley, PA 19067 P. O. Box 65 Brodheadsville, PA 18322 P. O. Box 373 Murrysville, PA 15668 6 Chestwood Drive Connellsville, PA 15425 29 Kent Street Trenton, NJ 08611 2843 North Front Street Harrisburg, PA 17110 P. O. Box 241 205 Prospect Avenue Cadogan, PA 16212 1857 Sturbridge Drive Lancaster, PA 17601 207 East Hector Street Conshohocken, PA 19428 R. R. 4, Box 4439 Drums, PA 18222 200 Newburn Avenue |

 $[Pa.B.\ Doc.\ No.\ 98\text{-}1878.\ Filed\ for\ public\ inspection\ November\ 13,\ 1998,\ 9:00\ a.m.]$ 

### **Biosolids Education Workgroup**

The Biosolids Education Workgroup will meet on November 19, 1998, from 9:30 a.m.—3 p.m. in the Tenth Floor Conference Room at the Rachel Carson State Office Building, 400 Market St., Harrisburg, PA.

The focus for this meeting is to continue the efforts of the September 24, 1998 meeting. Topics will include a biosolids program update, progress reports on subcommittee projects and identification of outreach needs especially for septage haulers. The subcommittees will participate in breakout sessions following the general meeting to advance their individual activities.

The purpose of the Biosolids Education Workgroup is to develop information and activities to promote and advance public confidence in the land application of biosolids. These activities currently involve general public education, local government outreach, legislative outreach, school age curriculum development and county conservation district involvement.

JAMES M. SEIF, Secretary

 $[Pa.B.\ Doc.\ No.\ 98\text{-}1879.\ Filed\ for\ public\ inspection\ November\ 13,\ 1998,\ 9:00\ a.m.]$ 

### **Biosolids Technical Workgroup**

The Biosolids Technical Workgroup will meet on November 19, 1998, from 9:30 a.m.—3 p.m. in the Eighth Floor Conference Room at the Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

The focus for this first meeting is to initiate the activities of the Biosolids Technical Workgroup. Topics will include identification of the purpose of the workgroup and well as efforts to begin revisions of certain technical areas of the biosolids program. These areas of proposed revision will include the Notice of Intent (NOI) form and instructions, the Approval of First Land Application form and instructions (30-day notice), the biosolids program implementation guidance and the biosolids storage program guidance.

JAMES M. SEIF, Secretary

[Pa.B. Doc. No. 98-1880. Filed for public inspection November 13, 1998, 9:00 a.m.]

### DEPARTMENT OF HEALTH

### **Renal Disease Advisory Committee Public Meeting**

The Renal Disease Advisory Committee, established by section 4 of the act of June 23, 1970 (P. L. 419, No. 140) (35 P. S. § 6204), will hold a public meeting on Friday, November 20, 1998.

The meeting will be held in Room 812, Health and Welfare Building, Seventh and Forster Streets, Harrisburg, PA, from 10 a.m. to 3 p.m.

For additional information, contact Jane E. Renaut, Director of the Chronic Renal Disease Program, Division of Special Health Care Needs at (717) 787-9772.

Persons with a disability who desire to attend the meeting and require an auxiliary aid, service or other accommodation to do so, should contact the Chronic Renal Disease Program at (717) 787-9772.

V/TT (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Services at (800) 654-5984 [TT].

DANIEL F. HOFFMANN,

Secretary

[Pa.B. Doc. No. 98-1881. Filed for public inspection November 13, 1998, 9:00 a.m.]

# DEPARTMENT OF PUBLIC WELFARE

Payments to Nursing Facilities; October 1, 1998 Proposed Rates

The purposes of this notice are to announce the proposed changes in payment rates for nursing facilities beginning October 1, 1998, and to identify the methodol-

ogy and justification for these proposed rates. Under 42 U.S.C.A. § 1902(a)(13)(A), as amended by section 4711 of the Balanced Budget Act of 1997, P. L. 105-33, § 4711, a state must use a public process when it proposes to make changes in payment rates or payment methodologies for nursing facility services under its approved Title XIX State Plan. The Department is not proposing to amend its State Plan or to change its regulations, 55 Pa. Code Chapter 1187, relating to the rate-setting methodology used to set nursing facility payment rates. Rather, the Department is proposing to make changes in its nursing facility payment rates because those rate changes are required by the rate-setting methodology contained in its approved State Plan and regulations.

Rates

The proposed October 1, 1998 rates are available through the Bulletin Board System (BBS) at (800) 833-5091, at the local County Assistance Offices throughout this Commonwealth, or by contacting Connie Pretz in the Policy Section of the Bureau of Long Term Care Programs at (717) 772-2570.

Methodology

The methodology that the Department used to set the proposed rates is contained in 55 Pa. Code Chapter 1187, Subchapter G (relating to rate setting) and the Commonwealth's approved Title XIX State Plan.

Justification

The justification for the proposed rates is that they were set under the rate-setting methodology required by the Commonwealth's approved State Plan and the current regulations.

The estimated increase in annual aggregate expenditures for Medical Assistance nursing facility services for FY 1998—1999 based on these final rates is \$20.809 million (\$9.639 million in State funds).

Interested persons are invited to submit written comments about the final rates to the Department within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Comments should be addressed to: Department of Public Welfare, Office of Medical Assistance Programs, Attention: Suzanne Love, Room 515 Health and Welfare Building, Harrisburg, PA 17105.

Persons with a disability may use the AT&T Relay Services by calling (800) 654-5984 (TDD users) or (800) 654-5988 (Voice users). Persons who require another alternative should contact Thomas Vracarich in the Office of Legal Counsel at (717) 783-2209.

FEATHER O. HOUSTOUN,

Secretary

**Fiscal Note:** 14-NOT-184. (1) General Fund; (2) Implementing Year 1998—99 is \$9.6 million; (3) 1st Succeeding Year 1999—00 is \$10.5 million; 2nd Succeeding Year 2000—01 is \$10.5 million; 3rd Succeeding Year 2001—02 is \$10.5 million; 4th Succeeding Year 2002—03 is \$10.5 million; 5th Succeeding Year 2003—04 is \$10.5 million; (4) 1997—98 \$617 million; 1996—97 \$592 million; 1995—96 \$649 million; (7) Medical Assistance—Long Term Care; (8) recommends adoption. Funds are included in the 1998—99 budget for this purpose.

[Pa.B. Doc. No. 98-1882. Filed for public inspection November 13, 1998, 9:00 a.m.]

# DEPARTMENT OF REVENUE

### Pennsylvania Barnyard Bonanza Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314), and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

- 1. Name: The name of the game is Pennsylvania Barnyard Bonanza.
- 2. *Price*: The price of a Pennsylvania Barnyard Bonanza instant lottery game ticket is \$1.00.
- 3. *Play Symbols*: Each Pennsylvania Barnyard Bonanza instant lottery game ticket will contain one play area. The play symbols and their captions located in the play area are:  $\$1^{.00}$  (ONE DOL),  $\$2^{.00}$  (TWO DOL),  $\$4^{.00}$  (FOR DOL),  $\$5^{.00}$  (FIV DOL),  $\$8^{.00}$  (EGT DOL),  $\$10^{.00}$  (TEN DOL), \$20\$ (TWENTY), \$40\$ (FORTY), \$80\$ (EIGHTY), \$250 (TWO FTY), \$5,000 (FIV THO) and a Cow Symbol (COW).
- 4. *Prizes*: The prizes that can be won in this game are \$1, \$2, \$4, \$5, \$8, \$10, \$20, \$40, \$80, \$250, \$500 and \$5,000.
- 5. Approximate Number of Tickets Printed For the Game: Approximately 4,080,000 tickets will be printed for the Pennsylvania Barnyard Bonanza instant lottery game.
  - 6. Determination of Prize Winners:
- (a) Holders of tickets with three matching play symbols of \$5,000 (FIV THO) in the play area, on a single ticket, shall be entitled to a prize of \$5,000.
- (b) Holders of tickets with two matching play symbols of \$250 (TWO FTY) and a Cow Symbol (COW) in the play area, on a single ticket, shall be entitled to a prize of \$500.
- (c) Holders of tickets with three matching play symbols of \$250 (TWO FTY) in the play area, on a single ticket, shall be entitled to a prize of \$250.
- (d) Holders of tickets with three matching play symbols of \$80\$ (EIGHTY) in the play area, on a single ticket, shall be entitled to a prize of \$80.
- (e) Holders of tickets with two matching play symbols of \$40\$ (FORTY) and a Cow Symbol (COW) in the play area, on a single ticket, shall be entitled to a prize of \$80.
- (f) Holders of tickets with three matching play symbols of \$40\$ (FORTY) in the play area, on a single ticket, shall be entitled to a prize of \$40.

- (g) Holders of tickets with two matching play symbols of \$20\$ (TWENTY) and a Cow Symbol (COW) in the play area, on a single ticket, shall be entitled to a prize of \$40.
- (h) Holders of tickets with three matching play symbols of \$20\$ (TWENTY) in the play area, on a single ticket, shall be entitled to a prize of \$20.
- (i) Holders of tickets with two matching play symbols of  $\$10^{.00}$  (TEN DOL) and a Cow Symbol (COW) in the play area, on a single ticket, shall be entitled to a prize of \$20.
- (j) Holders of tickets with three matching play symbols of  $\$10^{.00}$  (TEN DOL) in the play area, on a single ticket, shall be entitled to a prize of \$10.
- (k) Holders of tickets with two matching play symbols of  $\$5^{.00}$  (FIV DOL) and a Cow Symbol (COW) in the play area, on a single ticket, shall be entitled to a prize of \$10.
- (l) Holders of tickets with three matching play symbols of \$8.00 (EGT DOL) in the play area, on a single ticket, shall be entitled to a prize of \$8.
- (m) Holders of tickets with two matching play symbols of \$4<sup>00</sup> (FOR DOL) and a Cow Symbol (COW) in the play area, on a single ticket, shall be entitled to a prize of \$8.
- (n) Holders of tickets with three matching play symbols of  $\$5^{.00}$  (FIV DOL) in the play area, on a single ticket, shall be entitled to a prize of \$5.
- (o) Holders of tickets with three matching play symbols of  $\$4^{00}$  (FOR DOL) in the play area, on a single ticket, shall be entitled to a prize of \$4.
- (p) Holders of tickets with two matching play symbols of  $\$2^{.00}$  (TWO DOL) and a Cow Symbol (COW) in the play area, on a single ticket, shall be entitled to a prize of \$4.
- (q) Holders of tickets with three matching play symbols of  $\$2^{.00}$  (TWO DOL) in the play area, on a single ticket, shall be entitled to a prize of \$2.
- (r) Holders of tickets with two matching play symbols of \$1<sup>.00</sup> (ONE DOL) and a Cow Symbol (COW) in the play area, on a single ticket, shall be entitled to a prize of \$2.
- (s) Holders of tickets with three matching play symbols of \$1.00 (ONE DOL) in the play area, on a single ticket, shall be entitled to a prize of \$1.
- (t) A prize will be paid only for the highest Pennsylvania Barnyard Bonanza instant lottery game prize won on the ticket if the ticket meets the criteria established in 61 Pa. Code § 819.213 (relating to ticket validation and requirements).
- 7. Number and Description of Prizes and Approximate Odds: The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

| Get         | Win | Approximate<br>Odds | Approximate No. of<br>Winners Per 4,080,000<br>Tickets |
|-------------|-----|---------------------|--|
| 3-\$1       | \$1 | 1:9.68              | 421,600  |
| 2-\$1 W/COW | \$2 | 1:20                | 204,000  |
| 3-\$2       | \$2 | 1:30                | 136,000  |
| 2-\$2 W/COW | \$4 | 1:75                | 54,400   |
| 3-\$4       | \$4 | 1:150               | 27,200   |
| 3-\$5       | \$5 | 1:300               | 13,600   |
| 2-\$4 W/COW | \$8 | 1:300               | 13,600   |
| 3-\$8       | \$8 | 1:300               | 13,600   |

| Get           | Win     | Approximate<br>Odds | Approximate No. of<br>Winners Per 4,080,000<br>Tickets |
|---------------|---------|---------------------|--|
| 2-\$5 W/COW   | \$10    | 1:300               | 13,600   |
| 3-\$10        | \$10    | 1:500               | 8,160  |
| 2-\$10 W/COW  | \$20    | 1:500               | 8,160  |
| 3-\$20        | \$20    | 1:750               | 5,440  |
| 2-\$20 W/COW  | \$40    | 1:4,000             | 1,020  |
| 3-\$40        | \$40    | 1:3,000             | 1,360  |
| 2-\$40 W/COW  | \$80    | 1:12,000            | 340  |
| 3-\$80        | \$80    | 1:10,000            | 408  |
| 3-\$250       | \$250   | 1:60,000            | 68   |
| 2-\$250 W/COW | \$500   | 1:80,000            | 51   |
| 3-\$5,000     | \$5,000 | 1:510,000           | 8  |

COW = Doubles the prize

- 8. Retailer Incentive Awards: The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Barnyard Bonanza instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentives).
- 9. Unclaimed Prize Money: For a period of 1 year from the announced close of Pennsylvania Barnyard Bonanza, prize money from winning Pennsylvania Barnyard Bonanza instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Barnyard Bonanza instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.
- 10. Governing Law: In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P. S. §§ 3761-101—3761-314), the regulations contained in 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.
- 11. Termination of the Game: The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Barnyard Bonanza or through normal communications methods.

ROBERT A. JUDGE, Sr.,

Secretary

[Pa.B. Doc. No. 98-1883. Filed for public inspection November 13, 1998, 9:00 a.m.]

### Pennsylvania Double Time Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314), and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

- 1.  $\it Name$ : The name of the game is Pennsylvania Double Time.
- 2. *Price*: The price of a Pennsylvania Double Time instant lottery game ticket is \$1.00.
- 3. Play Symbols: Each Pennsylvania Double Time instant lottery game ticket will contain one play area. The

play symbols and their captions located in the play area are:  $\$1^{.00}$  (ONE DOL),  $\$2^{.00}$  (TWO DOL),  $\$4^{.00}$  (FOR DOL),  $\$5^{.00}$  (FIV DOL),  $\$8^{.00}$  (EGT DOL),  $\$10^{.00}$  (TEN DOL), \$20\$ (TWENTY), \$50\$ (FIFTY), \$100 (ONE HUN), \$500 (FIV HUN) and a Double Dollar Sign Symbol (DOUBLE).

- 4. *Prizes*: The prizes that can be won in this game are \$1, \$2, \$4, \$5, \$8, \$10, \$16, \$20, \$40, \$50, \$100 and \$500.
- 5. Approximate Number of Tickets Printed For the Game: Approximately 5,760,000 tickets will be printed for the Pennsylvania Double Time instant lottery game.
  - 6. Determination of Prize Winners:
- (a) Holders of tickets with three matching play symbols of \$500 (FIV HUN) in the play area, on a single ticket, shall be entitled to a prize of \$500.
- (b) Holders of tickets with three matching play symbols of \$100 (ONE HUN) in the play area, on a single ticket, shall be entitled to a prize of \$100.
- (c) Holders of tickets with two matching play symbols of 50 (FIFTY) and a Double Dollar Sign Symbol (DOUBLE) in the play area, on a single ticket, shall be entitled to a prize of \$100.
- (d) Holders of tickets with three matching play symbols of \$50\$ (FIFTY) in the play area, on a single ticket, shall be entitled to a prize of \$50.
- (e) Holders of tickets with two matching play symbols of \$20\$ (TWENTY) and a Double Dollar Sign Symbol (DOUBLE) in the play area, on a single ticket, shall be entitled to a prize of \$40.
- (f) Holders of tickets with three matching play symbols of \$20\$ (TWENTY) in the play area, on a single ticket, shall be entitled to a prize of \$20.
- (g) Holders of tickets with two matching play symbols of  $\$10^{.00}$  (TEN DOL) and a Double Dollar Sign Symbol (DOUBLE) in the play area, on a single ticket, shall be entitled to a prize of \$20.
- (h) Holders of tickets with two matching play symbols of  $\$8^{.00}$  (EGT DOL) and a Double Dollar Sign Symbol (DOUBLE) in the play area, on a single ticket, shall be entitled to a prize of \$16.
- (i) Holders of tickets with three matching play symbols of  $\$10^{.00}$  (TEN DOL) in the play area, on a single ticket, shall be entitled to a prize of \$10.
- (j) Holders of tickets with two matching play symbols of \$5.00 (FIV DOL) and a Double Dollar Sign Symbol (DOUBLE) in the play area, on a single ticket, shall be entitled to a prize of \$10.

- (k) Holders of tickets with three matching play symbols of  $\$8^{.00}$  (EGT DOL) in the play area, on a single ticket, shall be entitled to a prize of \$8.
- (l) Holders of tickets with two matching play symbols of  $\$4^{.00}$  (FOR DOL) and a Double Dollar Sign Symbol (DOUBLE) in the play area, on a single ticket, shall be entitled to a prize of \$8.
- (m) Holders of tickets with three matching play symbols of  $\$5^{.00}$  (FIV DOL) in the play area, on a single ticket, shall be entitled to a prize of \$5.
- (n) Holders of tickets with three matching play symbols of  $\$4^{00}$  (FOR DOL) in the play area, on a single ticket, shall be entitled to a prize of \$4.
- (o) Holders of tickets with two matching play symbols of \$2<sup>.00</sup> (TWO DOL) and a Double Dollar Sign Symbol (DOUBLE) in the play area, on a single ticket, shall be entitled to a prize of \$4.

| Get           | Win   |
|---------------|-------|
| 3-\$1         | \$1   |
| 3-\$2         | \$2   |
| 2-\$2 W/\$\$  | \$4   |
| 3-\$4         | \$4   |
| 3-\$5         | \$5   |
| 2-\$4 W/\$\$  | \$8   |
| 3-\$8         | \$8   |
| 2-\$5 W/\$\$  | \$10  |
| 3-\$10        | \$10  |
| 2-\$8 W/\$\$  | \$16  |
| 2-\$10 W/\$\$ | \$20  |
| 3-\$20        | \$20  |
| 2-\$20 W/\$\$ | \$40  |
| 3-\$50        | \$50  |
| 2-\$50 W/\$\$ | \$100 |
| 3-\$100       | \$100 |
| 3-\$500       | \$500 |

- \$\$ = Double the prize
- 8. Retailer Incentive Awards: The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Double Time instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentives).
- 9. Unclaimed Prize Money: For a period of 1 year from the announced close of Pennsylvania Double Time, prize money from winning Pennsylvania Double Time instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Double Time instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.
- 10. Governing Law: In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P. S. §§ 3761-101—3761-314), the regulations contained in 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.
- 11. *Termination of the Game*: The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be

- (p) Holders of tickets with three matching play symbols of \$2<sup>.00</sup> (TWO DOL) in the play area, on a single ticket, shall be entitled to a prize of \$2.
- (q) Holders of tickets with three matching play symbols of \$1<sup>.00</sup> (ONE DOL) in the play area, on a single ticket, shall be entitled to a prize of \$1.
- (r) A prize will be paid only for the highest Pennsylvania Double Time instant lottery game prize won on the ticket if the ticket meets the criteria established in 61 Pa. Code § 819.213 (relating to ticket validation and requirements).
- 7. Number and Description of Prizes and Approximate Odds: The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

| Approximate<br>Odds | Approximate No. of<br>Winners Per 5,760,000<br>Tickets |
|---------------------|--|
| 1:7.69              | 748,800  |
| 1:18.75             | 307,200  |
| 1:75                | 76,800   |
| 1:150               | 38,400   |
| 1:300               | 19,200   |
| 1:300               | 19,200   |
| 1:300               | 19,200   |
| 1:300               | 19,200   |
| 1:750               | 7,680  |
| 1:300               | 19,200   |
| 1:1,500             | 3,840  |
| 1:1,500             | 3,840  |
| 1:1,200             | 4,800  |
| 1:2,400             | 2,400  |
| 1:10,000            | 576  |
| 1:10,000            | 576  |
| 1:40,000            | 144  |

disseminated through media used to advertise or promote Pennsylvania Double Time or through normal communications methods.

> ROBERT A. JUDGE, Sr., Secretary

 $[Pa.B.\ Doc.\ No.\ 98\text{-}1884.\ Filed\ for\ public\ inspection\ November\ 13,\ 1998,\ 9:00\ a.m.]$ 

## Pennsylvania New Year's Bonus Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314), and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

- 1.  $\it Name$ : The name of the game is Pennsylvania New Year's Bonus.
- 2. *Price*: The price of a Pennsylvania New Year's Bonus instant lottery game ticket is \$1.00.
- 3. Play Symbols: Each Pennsylvania New Year's Bonus instant lottery game ticket will contain one play area and

one "Bonus" area. The play symbols and their captions located in the play area are:  $\$1^{.00}$  (ONE DOL),  $\$2^{.00}$  (TWO DOL),  $\$3^{.00}$  (THR DOL),  $\$5^{.00}$  (FIV DOL), \$25 (TWY FIV), \$50\$ (FIFTY), \$99\$ (NTY NIN), \$199 (HNTYN) and \$1,999 (NTNNTYNIN). The play symbols and their captions located in the "Bonus" area are: Noisemaker Symbol (BLOW), Balloons Symbol (BALNS), Mask Symbol (MASK), Music Notes Symbol (MUSIC) and Horn Symbol (HORN).

- 4. *Prizes*: The prizes that can be won in this game are \$1, \$2, \$3, \$5, \$9, \$25, \$50, \$99, \$199 and \$1,999.
- 5. Approximate Number of Tickets Printed For the Game: Approximately 4,320,000 tickets will be printed for the Pennsylvania New Year's Bonus instant lottery game.
  - 6. Determination of Prize Winners:
- (a) Holders of tickets with three matching play symbols of \$1,999 (NTNNTYNIN) in the play area on a single ticket, shall be entitled to a prize of \$1,999.
- (b) Holders of tickets with three matching play symbols of \$199 (HNTYN) in the play area on a single ticket, shall be entitled to a prize of \$199.
- (c) Holders of tickets with three matching play symbols of \$99\$ (NTY NIN) in the play area on a single ticket, shall be entitled to a prize of \$99.
- (d) Holders of tickets with three matching play symbols of \$50\$ (FIFTY) in the play area on a single ticket, shall be entitled to a prize of \$50.

| Cat          | II.     |
|--------------|---------|
| Get          | Win     |
| 3-\$1        | \$1     |
| 3-\$2        | \$2     |
| 3-\$3        | \$3     |
| 3-\$5        | \$5     |
| BONUS (HORN) | \$9     |
| 3-\$25       | \$25    |
| 3-\$50       | \$50    |
| 3-\$99       | \$99    |
| 3-\$199      | \$199   |
| 3-\$1,999    | \$1,999 |

- 8. Retailer Incentive Awards: The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania New Year's Bonus instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentives).
- 9. Unclaimed Prize Money: For a period of 1 year from the announced close of Pennsylvania New Year's Bonus, prize money from winning Pennsylvania New Year's Bonus instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania New Year's Bonus instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.
- 10. Governing Law: In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P. S. §§ 3761-101—3761-314), the regulations contained in 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

- (e) Holders of tickets with three matching play symbols of \$25\$ (TWY FIV) in the play area on a single ticket, shall be entitled to a prize of \$25.
- (f) Holders of tickets with a Horn Symbol (HORN) play symbol in the "Bonus" area, on a single ticket, shall be entitled to a prize of \$9.
- (g) Holders of tickets with three matching play symbols of  $\$5^{.00}$  (FIV DOL) in the play area on a single ticket, shall be entitled to a prize of \$5.
- (h) Holders of tickets with three matching play symbols of \$3<sup>.00</sup> (THR DOL) in the play area on a single ticket, shall be entitled to a prize of \$3.
- (i) Holders of tickets with three matching play symbols of  $\$2^{.00}$  (TWO DOL) in the play area on a single ticket, shall be entitled to a prize of \$2.
- (j) Holders of tickets with three matching play symbols of \$1.00 (ONE DOL) in the play area on a single ticket, shall be entitled to a prize of \$1.
- (k) A prize will be paid only for the highest Pennsylvania New Year's Bonus instant lottery game prize won on the ticket if the ticket meets the criteria established in 61 Pa. Code § 819.213 (relating to ticket validation and requirements).
- 7. Number and Description of Prizes and Approximate Odds: The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

| Approximate<br>Odds | Approximate No. of<br>Winners Per 4,320,000<br>Tickets |
|---------------------|--|
| 1:7.89              | 547,200  |
| 1:18.75             | 230,400  |
| 1:85.71             | 50,400   |
| 1:100               | 43,200   |
| 1:50                | 86,400   |
| 1:600               | 7,200  |
| 1:4,800             | 900  |
| 1:8,000             | 540  |
| 1:24,000            | 180  |
| 1:60,000            | 72   |

11. Termination of the Game: The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania New Year's Bonus or through normal communications methods.

ROBERT A. JUDGE, Sr., Secretary

[Pa.B. Doc. No. 98-1885. Filed for public inspection November 13, 1998, 9:00 a.m.]

### Pennsylvania 10 Times Lucky Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314), and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name*: The name of the game is Pennsylvania 10 Times Lucky.

- 2. *Price*: The price of a Pennsylvania 10 Times Lucky instant lottery game ticket is \$2.00.
- 3. *Play Symbols*: Each Pennsylvania 10 Times Lucky instant lottery game ticket will contain one play area featuring one "Lucky Numbers" area and one "Your Numbers" area. The play symbols and their captions located in the "Lucky Numbers" area and the "Your Numbers" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EGT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVTN), 18 (EGTN), 19 (NINTN) and 20 (TWTY).
- 4. *Prize Play Symbols*: The prize play symbols and their captions located in the "Prize" area are:  $\$1^{.00}$  (ONE DOL),  $\$2^{.00}$  (TWO DOL),  $\$5^{.00}$  (FIV DOL),  $\$7^{.00}$  (SVN DOL),  $\$10^{.00}$  (TEN DOL), \$20\$ (TWENTY), \$50\$ (FIFTY), \$100 (ONE HUN), \$500 (FIV HUN) and \$20,000 (TWY THO).
- 5. *Prizes*: The prizes that can be won in this game are \$1, \$2, \$5, \$7, \$10, \$20, \$50, \$100, \$500 and \$20,000. The player can win up to ten times on a ticket.
- 6. Approximate Number of Tickets Printed For the Game: Approximately 4,080,000 tickets will be printed for the Pennsylvania 10 Times Lucky instant lottery game.
  - 7. Determination of Prize Winners:
- (a) Holders of tickets upon which any one of the "Your Numbers" play symbols matches either of the "Lucky Numbers" play symbols and a prize play symbol of \$20,000 (TWY THO) appears in the "Prize" area under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$20,000.
- (b) Holders of tickets upon which any one of the "Your Numbers" play symbols matches either of the "Lucky Numbers" play symbols and a prize play symbol of \$500 (FIV HUN) appears in the "Prize" area under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$500.
- (c) Holders of tickets upon which any one of the "Your Numbers" play symbols matches either of the "Lucky Numbers" play symbols and a prize play symbol of \$100 (ONE HUN) appears in the "Prize" area under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$100.

- (d) Holders of tickets upon which any one of the "Your Numbers" play symbols matches either of the "Lucky Numbers" play symbols and a prize play symbol of \$50\$ (FIFTY) appears in the "Prize" area under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$50.
- (e) Holders of tickets upon which any one of the "Your Numbers" play symbols matches either of the "Lucky Numbers" play symbols and a prize play symbol of \$20\$ (TWENTY) appears in the "Prize" area under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$20.
- (f) Holders of tickets upon which any one of the "Your Numbers" play symbols matches either of the "Lucky Numbers" play symbols and a prize play symbol of  $\$10^{.00}$  (TEN DOL) appears in the "Prize" area under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$10.
- (g) Holders of tickets upon which any one of the "Your Numbers" play symbols matches either of the "Lucky Numbers" play symbols and a prize play symbol of  $\$7^{.00}$  (SVN DOL) appears in the "Prize" area under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$7.
- (h) Holders of tickets upon which any one of the "Your Numbers" play symbols matches either of the "Lucky Numbers" play symbols and a prize play symbol of \$5.00 (FIV DOL) appears in the "Prize" area under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$5.
- (i) Holders of tickets upon which any one of the "Your Numbers" play symbols matches either of the "Lucky Numbers" play symbols and a prize play symbol of  $\$2^{.00}$  (TWO DOL) appears in the "Prize" area under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$2.
- (j) Holders of tickets upon which any one of the "Your Numbers" play symbols matches either of the "Lucky Numbers" play symbols and a prize play symbol of  $\$1^{.00}$  (ONE DOL) appears in the "Prize" area under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$1.
- 8. Number and Description of Prizes and Approximate Odds: The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

| Match The Lucky Number<br>To Any of Your Numbers<br>With Prize(s) Of: | Win  | Approximate<br>Odds | Approximate No. of<br>Winners Per 4,080,000<br>Tickets |
|---|------|---------------------|--|
| \$2   | \$2  | 1:7.89              | 516,800  |
| \$1 x 2   | \$2  | 1:15                | 272,000  |
| \$1 x 3   | \$3  | 1:30                | 136,000  |
| $\$1 \times 2 + \$2$  | \$4  | 1:75                | 54,400   |
| \$2 x 2   | \$4  | 1:150               | 27,200   |
| \$1 x 5   | \$5  | 1:250               | 16,320   |
| $\$1 + \$2 \times 2$  | \$5  | 1:150               | 27,200   |
| \$5   | \$5  | 1:375               | 10,880   |
| $\$1 \times 5 + \$2$  | \$7  | 1:150               | 27,200   |
| \$1 x 7   | \$7  | 1:150               | 27,200   |
| $\$1 \times 3 + \$2 \times 2$   | \$7  | 1:150               | 27,200   |
| \$7   | \$7  | 1:375               | 10,880   |
| \$2 x 5   | \$10 | 1:375               | 10,880   |
| \$1 x 10  | \$10 | 1:750               | 5,440  |
| $\$1 \times 6 + \$2 \times 2$   | \$10 | 1:750               | 5,440  |
| \$10  | \$10 | 1:750               | 5,440  |

| Match The Lucky Number<br>To Any of Your Numbers<br>With Prize(s) Of: | Win         | Approximate<br>Odds | Approximate No. of<br>Winners Per 4,080,000<br>Tickets |
|---|-------------|---------------------|--|
| \$7 x 2   | \$14        | 1:187.50            | 21,760   |
| \$2 x 10  | \$20        | 1:750               | 5,440  |
| \$20  | \$20        | 1:750               | 5,440  |
| \$7 x 5   | \$35        | 1:784.31            | 5,202  |
| $\$5 \times 4 + \$10 \times 2$  | \$40        | 1:1,412             | 2,890  |
| \$20 x 2  | \$40        | 1:1,412             | 2,890  |
| \$5 x 10  | <b>\$50</b> | 1:2,353             | 1,734  |
| \$50  | \$50        | 1:2,353             | 1,734  |
| \$7 x 10  | \$70        | 1:7,059             | 578  |
| \$10 x 10   | \$100       | 1:7,059             | 578  |
| \$50 x 2  | \$100       | 1:7,059             | 578  |
| \$100   | \$100       | 1:7,059             | 578  |
| \$50 x 10   | \$500       | 1:60,000            | 68   |
| \$500   | \$500       | 1:60,000            | 68   |
| \$20,000  | \$20,000    | 1:510,000           | 8  |

- 9. Retailer Incentive Awards: The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania 10 Times Lucky instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentives).
- 10. Unclaimed Prize Money: For a period of 1 year from the announced close of Pennsylvania 10 Times Lucky, prize money from winning Pennsylvania 10 Times Lucky instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania 10 Times Lucky instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.
- 11. Governing Law: In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P. S. §§ 3761-101—3761-314), the regulations contained in 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.
- 12. Termination of the Game: The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania 10 Times Lucky or through normal communications methods.

ROBERT A. JUDGE, Sr.,

Secretary

[Pa.B. Doc. No. 98-1886. Filed for public inspection November 13, 1998, 9:00 a.m.]

# DEPARTMENT OF TRANSPORTATION

#### Contemplated Sale of Land No Longer Needed for Transportation Purposes

Notice is hereby given that the Department of Transportation, pursuant to 71 P. S. § 513(e)(7), intends to sell certain land owned by the Department.

The following property is available for sale by the Department.

Parcel 3—Harmony Township, Beaver County. This parcel contains 46, 871± square feet of unimproved land situated on the westerly side of Duss Avenue, adjacent to the Legionville Bridge, in Harmony Township. Minimum price \$6,551.00.

It has been determined that the land is no longer needed for present or future Transportation purposes.

Interested public entities are invited to express their interest in purchasing the site within 30 calendar days from the date of publication of this notice to: Raymond S. Hack, P.E., District Engineer, Pennsylvania Department of Transportation, Engineering District 11-0, 45 Thoms Run Road, Bridgeville, PA 15017.

BRADLEY L. MALLORY, Secretary

[Pa.B. Doc. No. 98-1887. Filed for public inspection November 13, 1998, 9:00 a.m.]

#### **Retention of Engineering Firms**

## Adams County Project Reference No. 08430AG2262

The Department of Transportation will retain an engineering firm to provide comprehensive traffic and transportation studies, for S.R. 9911, Section S01 for the Gettysburg area in Adams County.

The study involves analyzing and recommending projects to improve traffic flow and safety for various locations in and around Gettysburg. The municipalities involved within the study area, but not necessarily limited to, are the Boroughs of Arendtsville, Bendersville, Biglerville, Bonneauvile, East Berlin, and Gettysburg; and the Townships of Butler, Cumberland, Franklin, Freedom, Highland, Menallen, Mount Joy, Mount Pleasant, Reading, Straban and Tyrone. Improvements to be considered include traffic signal/intersection improvements, minor widenings, capacity improvements, and congestion relief measures; and will include short and long term improvement proposals. The study should establish project needs based on traffic conditions and growth.

The engineering firm will be required to perform origin and destination studies; perform traffic modeling; prepare and distribute newsletters; conduct at least two (2) public meetings/workshops; conduct interviews with municipalities, key industries and transportation officials for growth projections; and establish project needs based on traffic conditions and growth. The selected firm will be required to formulate and participate in a public involvement program, summarize and analyze feedback and coordinate development of the study with various agencies and special interest groups.

The letters of interest, should indicate how the selected firm will accomplish the tasks outlined and provide the services as detailed. The anticipated duration of the agreement is twenty-four (24) months.

The following factors, listed in order of importance, will be considered by the Consultant Selection Committee during the evaluation of the firms submitting letters of interest:

- a. Ability to package and present the letter of interest in accordance with the "General Requirements and Information" section.
- b. Specialized experience and technical competence of firm.
- c. Specialized experience, previous experience, technical competence of individuals who constitute the firm.
- d. Project approach by the firm to accomplish requirements of this assignment.
- e. Current workload and capacity of firm to perform work.
- f. Past record of performance with respect to cost control, work quality, and ability to meet schedules.

The District will announce the three (3) firms that have been shortlisted for further consideration at an open public meeting to be held at Engineering District 8-0, 2140 Herr Street, Harrisburg, PA, 17103-1699, at 1:30 p.m. on January 5, 1999, Conference Room "A". Please specify a contact person, phone number and address in your letter of interest.

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen (15%) percent of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information section after the advertised project(s).

The District's copy of the Letter of Interest and required forms (see general requirements and information section) shall be sent to: Mr. Barry G. Hoffman, P.E., District Engineer, Engineering District 8-0, 2140 Herr Street, Harrisburg, PA 17103-1699.

Any technical questions concerning the requirements for this project should be directed to: Mr. William J. Greene, District 8-0, at (717) 783-5148.

Any questions concerning the submittal of the letter of interest can be directed to the Consultant Agreement Division at (717) 783-9309.

#### **General Requirements and Information**

Firms interested in providing the above work and services are invited to submit two copies of a Letter of Interest are required information for each Project Reference Number for which the applicant wishes to be considered.

The first copy of the Letter of Interest and required information must be submitted to:

Mr. Charles W. Allwein, P.E., Chief Consultant Selection Committee 7th Floor, Forum Place 555 Walnut Street P. O. Box 3060 Harrisburg, Pennsylvania 17105-3060

Note: The Zip Code for express Mailing is 17101-1900

The Letter of Interest and required information must be received within twenty (20) calendar days of this Notice. The Deadline for receipt of a Letter of Interest at the above address is 4:30 p.m. prevailing time of the twentieth day.

The second copy of the letter of interest and required information must be submitted to the appropriate District Engineer/Administrator or the Bureau Director as indicated in the individual advertisement. This copy must be postmarked or delivered on or before the deadline indicated above.

If an individual, firm, or corporation not authorized to engage in the practice of engineering desires to submit a Letter of Interest, said individual, firm, or corporation may do so as part of a Joint Venture with an individual, firm, or corporate which is permitted under the state law to engage in the practice of engineering.

If a Joint Venture responds to a project advertisement, the Department of Transportation will not accept separate Letters of Interest from the Joint Venture constituents. A firm will not be permitted to submit on more than one (1) Joint Venture for the same Project Reference Number. Also a firm that responds to a project as a prime may not be included as a designated subcontractor to another firm that responds as a prime to the project. Multiple responses under any of the foregoing situations will cause the rejection of all responses of the firm or firms involved. The above does not preclude a firm from being set forth as a designated subcontractor to more than one (1) prime responding to the project advertisement.

If a goal for Disadvantaged Business Enterprise (DBE) participation is established for an advertised project, firms expressing interest in the project must agree to ensure that Disadvantaged Business Enterprise (DBE) firms as defined in the Intermodal Surface Transportation Efficiency Act of 1991 and currently certified by the Department of Transportation shall have the maximum opportunity to participate in any subcontracting or furnishing supplies or services approved under Form 442, Section 1.10(a). The Act requires that firms owned and controlled by women (WBEs) be included, as a presumptive group, within the definition of Disadvantaged Business Enterprise (DBE). The goal for DBE participation shall be as stated in the individual project advertisement. Responding firms shall make good faith efforts to meet the DBE goal using DBEs (as they were defined prior to the act, WEBs or combinations thereof.

Proposing DBE firms must be certified at the time of submission of the Letter of Interest. If the selected firm fails to meet the established DBE participation goal, it shall be required to demonstrate its good faith efforts to attain the goal.

Responses are encouraged by small firms, Disadvantaged Business Enterprise (DBE) firms, and other firms who have not previously performed work for the Department of Transportation.

The Department requests that each Letter of Interest include the following information and that the informa-

tion be packaged and presented in the order indicated below to facilitate the Department's review and evaluation.

The firm's ability and willingness to package and present the requested information in the above order to facilitate the Department's review and evaluation will be the first factor considered in the evaluation process.

- 1. Transmittal Letter (Maximum of two (2) 8  $1/2" \times 11"$  typed pages, one side)
- 2. A fact sheet that includes the project reference number for which the applicant wishes to be considered, the firm's legal name, fictitious name (if applicable), and the firm's federal identification number. If the project advertisement indicated the Department will retain an engineering firm for the project, the applicant should indicate on this fact sheet the names and Professional Engineer License Number of individuals who are directing heads or employees of the firm who have responsible charge of the firm's engineering activities, and whose names and seals shall be stamped on all plans, specifications, plats, and reports issued by the firm. If the project advertisement indicated the Department will retain an Land Surveying firm for the project, the applicant should indicate on this fact sheet the names and Professional Land Surveyor Registration Number of individuals who are directing heads or employees of the firm who have responsible charge of the firm's land surveying activities, and whose names and seals shall be stamped on all plans, plats, and reports issued by the firm.
- 3. Project Organizational Chart (one page, one side, maximum size  $11" \times 17"$ )

This Chart should show key staff from the prime and each subconsultant and their area of responsibility.

4. Standard Form 255, "Architect-Engineer and Related Services Questionnaire for Specific Project" (one Form 255 for the project team)

The Standard Form 255 should be signed, dated, and filled out in its entirety, including Item No. 6 listing the proposed subconsultants and the type of work or service they will perform on the project.

Under Item 4 of this form, Column A must specify only the number of subconsultant personnel and Column B should specify only the number of prime consultant personnel to be assigned to work on this project reference number. Do not include the total personnel for either the subconsultant or prime consultant under Item 4 unless the total personnel are necessary to provide the required work and services.

The prime and each subconsultant should not include more than one page each for Items 10 and 11.

If a Disadvantaged Business Enterprise (DBE) goal is specified for the project, the DBE must be currently certified by the Department of Transportation, and the name of the DBE and the work to be performed must be indicated in Item No. 6. If a Woman Business Enterprise (WBE) firm is substituted for the DBE, the WBE firm must also be presently certified by the Department of Transportation and indicated in Item 6.

5. Standard Form 254, "Architect-Engineer for Related Services Questionnaire"

A Standard Form 254, not more than one (1) year old as of the date of this advertisement, should accompany each Letter of Interest for the firm, each party to a Joint

Venture, and for each subconsultant the firm or Joint Venture is proposing to use for the performance of professional services regardless of whether the subconsultant is an individual, a college professor, or a Company, unless an acceptable Standard Form 254 for the prime and each subconsultant/subcontractor is on file in both the Bureau of Design and the Engineering District Office or Central Office Bureau identified in the individual project advertisement.

These Forms should be assembled with the prime's form first, followed by the form for each subconsultant in the same order as the subconsultants appear in Item 6 of Standard Form 255.

#### 6. Authorization Letters (if required)

If the advertisement requires a letter signed by individuals giving their approval to use their name in the Letter of Interest, the letters from proposed prime employees should be first, followed by subconsultant employees, in the same order as shown in Item 6 of Standard Form 255.

#### 7. Registration To Do Business

Firms with out-of-state headquarters or corporations not incorporated in Pennsylvania must include, with each Letter of Interest, a copy of their registration to do business in the Commonwealth as provided by the Department of State. Firms who are not registered to do business in Pennsylvania at the time of this advertisement must document that they have applied for registration to the Department of State, Corporation Bureau. The telephone number for the Corporation Bureau is (717) 787-1057 or (717) 787-2004.

#### 8. Overhead Rates (one page)

A single page summary should indicate the latest audited overhead rate developed in accordance with Federal Acquisition Regulations (FAR) for the prime consultant and each subconsultant. If a FAR rate is not available, the latest rate available from a Certified Public Accountant must be indicated. New firms should indicate how long the firm has been in existence and when an audited overhead rate would be available.

#### 9. Additional Information

Additional information, not to exceed ten (10) one sided 8 1/2" x 11" pages or five (5) double sided 8 1/2" x 11" pages may be included at the discretion of the submitting firm.

Letters of Interest will be rejected for the following reasons:

- 1. Received after the cut-off time and date specified above.
- 2. Failure to identify a Department Certified Disadvantaged Business Enterprise (DBE) if a DBE participation goal is identified in the advertised project.
- $3.\ Failure\ to\ include\ a\ copy\ of\ the\ registration\ to\ do\ business\ in\ the\ Commonwealth,\ if\ applicable.$

The assignment of the agreement/contract for the above advertisement(s) will be made to one of the firms who submitted an acceptable Letter of Interest in response to the project advertisement. The assignment will be made based on the Department's evaluation of the firm's qualification and capabilities. The Department reserves the

right to reject all letters submitted, to cancel the solicitations requested under this Notice, and/or to readvertise solicitation for the work and services.

> BRADLEY L. MALLORY, Secretary

[Pa.B. Doc. No. 98-1888. Filed for public inspection November 13, 1998, 9:00 a.m.]

burg, PA 17101. The check or money order should be made payable to the "Commonwealth of Pennsylvania." HOMER C. FLOYD,

Executive Director

 $[Pa.B.\ Doc.\ No.\ 98\text{-}1890.\ Filed\ for\ public\ inspection\ November\ 13,\ 1998,\ 9\text{:}00\ a.m.]$ 

# ENVIRONMENTAL QUALITY BOARD

#### **Cancellation of Meeting**

The November 17, 1998, Environmental Quality Board meeting has been canceled. The next meeting is scheduled for December 15, 1998, at 10 a.m. in Room 105 of the Rachel Carson State Office Building (RCSOB), Harrisburg.

JAMES M. SEIF, Chairperson

 $[Pa.B.\ Doc.\ No.\ 98\text{-}1889.\ Filed\ for\ public\ inspection\ November\ 13,\ 1998,\ 9:00\ a.m.]$ 

# HUMAN RELATIONS COMMISSION

#### **Public Hearing Opinions**

The Human Relations Commission, under section 7(o) of the Pennsylvania Human Relations Act (P. L. 744, No. 222) announces the publication of the stipulations of fact, findings of fact, conclusions of law, final decision and order, made after a public hearing under section 9(e)—(g) of the act, in the following cases:

Valerie Burt v. Ross Maintenance Company; Doc. No. E69660D; (Pennsylvania Human Relations Commission, October 27, 1998); Gender-based sexual harassment; Ruling for Complainant, 11-0 decision; 20 pages.

Francis C. Shaw v. Shaw Brothers Inc.; Doc. No. E83544A; (Pennsylvania Human Relations Commission, October 27, 1998); Age-based lay-off; Ruling on Damages for Complainant, 11-0 decision; 11 pages.

The final orders in the above-listed cases are subject to appeal to Commonwealth Court, and if appealed is subject to being affirmed, reversed or modified, in whole or part.

A copy of the opinions listed in this notice may be obtained by mailing a request indicating the opinions desired, accompanied by a check or money order in the amount of 10 cents per page (the number of pages in the opinion is set forth at the end of the case listing), to Laura J. Treaster, Information Director, Human Relations Commission, 101 South Second Street, Suite 300, Harris-

### INDEPENDENT REGULATORY REVIEW COMMISSION

#### Notice of Filing of Final-Form Rulemakings

The Independent Regulatory Review Commission received, on the dates indicated, the following final-form regulations for review. To obtain the date and time of the meeting, interested parties may contact the office of the Commission at (717) 783-5417. To obtain a copy of the regulation, interested parties should contact the agency promulgating the regulation.

| Reg. No. | Agency/Title  | Received |
|----------|---|----------|
| 14-438   | Department of Public Welfare<br>Subsidized Child Day Care<br>Eligibility                  | 10/29/98 |
| 57-190   | Pennsylvania Public Utility<br>Commission<br>Advanced Meter Deployment<br>for Electricity | 11/2/98  |
| 17-59    | Pennsylvania State Police<br>DNA Detection of Sexual and<br>Violent Offenders Act         | 11/2/98  |

JOHN R. MCGINLEY, Jr., Chairperson

[Pa.B. Doc. No. 98-1891. Filed for public inspection November 13, 1998, 9:00 a.m.]

### **INSURANCE DEPARTMENT**

## Application for Acquisition of a Domestic Health Maintenance Organization

Health Risk Management, Inc. of Minneapolis, MN, has filed an application to purchase all the issued and outstanding stock of Oxford Health Plans (PA), Inc., a Pennsylvania domiciled Health Maintenance Organization. The filing was made under the requirements set forth under the Insurance Holding Company Act (40 P. S. § 991.1402 et. seq.) Persons wishing to comment on the acquisition are invited to submit a written statement to the Insurance Department within 15 days from the date of this issue of the Pennsylvania Bulletin. Each written statement must include the name, address and telephone number of the interested party, identification of the application to which the statement is addressed, and a concise statement with sufficient detail and relevant facts to inform the Insurance Department of the exact basis of the statement. Written statements should be directed to Michael S. Graeff, Insurance Company Licensing Specialist, Insurance Department, 1345 Strawberry

Square, Harrisburg, PA 17120, fax (717) 787-8557, email http://www.mgraeff@ins.state.pa.us.

M. DIANE KOKEN, Insurance Commissioner

[Pa.B. Doc. No. 98-1892. Filed for public inspection November 13, 1998, 9:00 a.m.]

#### List of Names of Qualified Unlicensed Reinsurers

Under section 319.1 of The Insurance Company Law of 1921 (40 P. S. § 442.1), the Insurance Commissioner hereby lists reinsurers not licensed by the Insurance Department which shall be considered qualified to accept reinsurance from insurers licensed by the Insurance Department.

This listing of qualified unlicensed reinsurers shall be published in the *Pennsylvania Bulletin* when additions to or deletions from the listing are made by the Insurance Commissioner. This present listing shall replace in their entirety previously published listings of qualified unli-

censed reinsurers which appeared at 6 Pa.B. 2423 (September 25, 1976); 6 Pa.B. 3140 (December 18, 1976); 7 Pa.B. 501 (February 19, 1977); 7 Pa.B. 1766 (June 25, 1977); 8 Pa.B. 276 (January 28, 1978); 8 Pa.B. 1646 (June 17, 1978); 8 Pa.B. 1646 (June 17, 1978); 8 Pa.B. 3461 (December 2, 1978); 9 Pa.B. 4235 (December 22, 1979); 11 Pa.B. 38 (January 3, 1981); 12 Pa.B. 37 (January 2, 1982); 12 Pa.B. 2368 (July 23, 1982); 13 Pa.B. 657 (February 5, 1983); 13 Pa.B. 2826 (September 10, 1983); 14 Pa.B. 1053 (March 24, 1984); 14 Pa.B. 3065 (August 18, 1984); 15 Pa.B. 402 (February 2, 1985); 15 Pa.B. 3214 (September 7, 1985); 16 Pa.B. 290 (January 25, 1986); 17 Pa.B. 461 (January 24, 1987); 17 Pa.B. 5368 (December 26, 1987); 18 Pa.B. 5540 (December 10, 1988); 19 Pa.B. 713 (February 18, 1989); 19 Pa.B. 3129 (July 22, 1989); 19 Pa.B. 5476 (December 23, 1989); 20 Pa.B. 6227 (December 15, 1990); 21 Pa.B. 3286 (July 20, 1991); 21 Pa.B. 5445 (November 23, 1991); 22 Pa.B. 4591 (September 5, 1992); 23 Pa.B. 60 (January 2, 1993); 23 Pa.B. 48 (November 27, 1993); 24 Pa.B. 33 (August 13, 1994); 24 Pa.B. 49 (December 3, 1994); 25 Pa.B. 50 (December 16, 1995); 26 Pa.B. 46 (November 16, 1996); 27 Pa.B. 21 (May 24, 1997) and 27 Pa.B. 46 (November 15, 1997).

#### **Insurance Department's Qualified Unlicensed Reinsurers List**

|     |       | <u>.                                      </u>                              |
|-----|-------|---|
| 1.  | 37958 | Acceptance Insurance Company, Omaha, Nebraska                               |
| 2.  | 37532 | Agricultural Excess and Surplus Insurance Company, Wilmington, Delaware     |
| 3.  | 10651 | AIG Global Trade & Political Risk Insurance Company, Parsippany, New Jersey |
| 4.  | 10103 | American Agricultural Insurance Company, Indianapolis, Indiana              |
| 5.  | 41858 | American Dynasty Surplus Lines Insurance Company, Wilmington, Delaware      |
| 6.  | 37990 | American Empire Insurance Company, Cincinnati, Ohio                         |
| 7.  | 26883 | American International Specialty Lines Insurance Company, Anchorage, Alaska |
| 8.  | 91785 | American Phoenix Life and Reassurance Company, Hartford, Connecticut        |
| 9.  | 27898 | Americas Insurance Company, New Orleans, Louisiana                          |
| 10. | 10316 | Appalachian Insurance Company, Johnston, Rhode Island                       |
| 11. |       | Assicurazioni General Di Trieste, Rome, Italy                               |
| 12. | 27189 | Associated International Insurance Company, Woodland Hills, California      |
| 13. | 50687 | Attorneys' Title Insurance Fund, Inc., Orlando, Florida                     |
| 14. | 19925 | Audubon Indemnity Company, Jackson, Mississippi                             |
| 15. | 18988 | Auto-Owners Insurance Company, Lansing, Michigan                            |
| 16. | 36552 | Axa Reinsurance Company, Wilmington, Delaware                               |
| 17. | 61395 | Beneficial Life Insurance Company, Salt Lake City, Utah                     |
| 18. | 10021 | Capital Mortgage Reinsurance Company, New York, New York                    |
| 19. | 30180 | Capital Reinsurance Company, New York, New York                             |
| 20. | 36951 | Century Surety Company, Columbus, Ohio                                      |
| 21. | 38989 | Chubb Custom Insurance Company, Dover, Delaware                             |
| 22. |       | CNA Reinsurance Company Limited, London, England                            |
| 23. | 39993 | Colony Insurance Company, Richmond, Virginia                                |
| 24. | 40371 | Columbia Mutual Insurance Company, Columbia, Missouri                       |
| 25. | 27955 | Commercial Risk Re-Insurance Company, South Burlington, Vermont             |
| 26. | 37567 | Commonwealth Insurance Company, Vancouver, British Columbia, Canada         |
| 27. | 20923 | Continental Reinsurance Corporation, San Francisco, California              |
| 28. | 17400 | Coregis Indemnity Company, Durham, North Carolina                           |
| 29. | 42048 | Diamond State Insurance Company, Indianapolis, Indiana                      |
| 30. | 10928 | Eagle Insurance Company, Jersey City, New Jersey                            |
| 31. |       | E+S Ruckversicherungs-AG, Hannover, Germany                                 |
|     |       |   |

| 32.         | 40509 | EMC Reinsurance Company, Des Moines, Iowa                                      |
|-------------|-------|--|
| 33.         | 90670 | ERC Life Reinsurance Corporation, Jefferson City, Missouri                     |
| 34.         | 39020 | Essex Insurance Company, Wilmington, Delaware                                  |
| 35.         | 29700 | European Reinsurance Corporation of America, Manchester, New Hampshire         |
| 36.         | 35378 | Evanston Insurance Company, Evanston, Illinois                                 |
| 37.         | 44792 | Executive Risk Specialty Insurance Company, Simsbury, Connecticut              |
| 38.         | 32018 | First Excess and Reinsurance Corporation, Jefferson City, Missouri             |
| 39.         | 85472 | First ING Life Insurance Company of New York, New York                         |
| <b>40</b> . | 37362 | General Star Indemnity Company, Stamford, Connecticut                          |
| 41.         | 34991 | Genesis Indemnity Insurance Company, Bismarck, North Dakota                    |
| <b>42</b> . | 92673 | Gerling Global Life Insurance Company, Toronto, Canada                         |
| 43.         | 87017 | Gerling Global Life Reinsurance Company, Los Angeles, California               |
| 44.         | 22098 | Grain Dealers Mutual Insurance Company, Indianapolis, Indiana                  |
| <b>45</b> . |       | Guardian Royal Exchange Assurance Public Limited Company, London, England      |
| 46.         | 42811 | Gulf Underwriters Insurance Company, Raleigh, North Carolina                   |
| 47.         |       | Hannover Ruckversicherungs-Aktiengesellschaft, Hannover, Germany               |
| 48.         | 39187 | Hansa Reinsurance Company of America, Tarrytown, New York                      |
| 49.         | 87572 | Harbourton Reassurance, Inc., Wilmington, Delaware                             |
| 50.         | 36200 | Health Providers Insurance Company, Deerfield, Illinois                        |
| 51.         | 78972 | Healthy Alliance Life Insurance Company, St. Louis, Missouri                   |
| <b>52</b> . | 42374 | Houston Casualty Company, Houston, Texas                                       |
| 53.         | 27960 | Illinois Union Insurance Company, Chicago, Illinois                            |
| <b>54</b> . |       | INEX Insurance Exchange, Chicago, Illinois                                     |
| <b>55</b> . | 10040 | Inner Harbor Reinsurance, Inc., Baltimore, Maryland                            |
| <b>56</b> . | 22829 | Interstate Fire & Casualty Company, Chicago, Illinois                          |
| 57.         | 93505 | ITT Hartford International Life Reassurance Corporation, Westport, Connecticut |
| <b>58</b> . | 16187 | John Hancock Property and Casualty Insurance Company, Wilmington, Delaware     |
| <b>59</b> . | 35637 | Landmark Insurance Company, San Francisco, California                          |
| 60.         | 29912 | Legion Indemnity Company, Chicago, Illinois                                    |
| 61.         | 19437 | Lexington Insurance Company, Wilmington, Delaware                              |
| 62.         |       | Lloyd's Underwriters, London, England  |
| 63.         | 98078 | Manulife Reinsurance Corporation (USA), Buffalo, New York                      |
| 64.         | 32089 | Medmarc Mutual Insurance Company, Vergennes, Vermont                           |
| <b>65</b> . | 97071 | Mercantile and General Life Reassurance Company of America, Lansing, Michigan  |
| 66.         | 23531 | Millers Mutual Fire Insurance Company, Ft. Worth, Texas                        |
| 67.         | 33189 | Monticello Insurance Company, Wilmington, Delaware                             |
| 68.         | 20079 | National Fire & Marine Insurance Company, Omaha, Nebraska                      |
| 69.         | 33510 | Neumann Insurance Company, Denver, Colorado                                    |
| 70.         | 41629 | New England Reinsurance Corporation, Hartford, Connecticut                     |
| 71.         | 11040 | Odyssey Re (London) Limited, London, England                                   |
| 72.         | 31143 | Old Republic Union Insurance Company, Montgomery, Alabama                      |
| 73.         | 88099 | Optimum Re Insurance Company, Dallas, Texas                                    |
| 74.         | 37338 | Pacific Insurance Company, Los Angeles, California                             |
| 74.<br>75.  | 29807 | PXRE Reinsurance Company, Edison, New Jersey                                   |
| 75.<br>76.  |       | ·  |
|             | 88340 | Reassurance Company of Hannover, Orlando, Florida                              |
| 77.         | 24481 | Reliance Insurance Company of Illinois, Chicago, Illinois                      |
| 78.         | 20000 | River Thames Insurance Company, Ltd., London, England                          |
| 79.         | 38636 | SAFR Reinsurance Corporation of the U. S., New York, New York                  |
| 80.         |       | St. Paul Reinsurance Company, Ltd., London, England                            |

| 81.         | 21911 | San Francisco Reinsurance Company, Novato, California                    |
|-------------|-------|--|
| 82.         | 41297 | Scottsdale Insurance Company, Columbus, Ohio                             |
| 83.         | 23388 | Shelter Mutual Insurance Company, Columbia, Missouri                     |
| 84.         |       | Terra Nova Insurance Company, Limited, London, England                   |
| <b>85</b> . | 37982 | Tudor Insurance Company, Keene, New Hampshire                            |
| 86.         |       | Unionamerica Insurance Company, Limited, London, England                 |
| 87.         | 36048 | Unione Italiana Reinsurance Company of America, Inc., New York, New York |
| 88.         | 39330 | United Capitol Insurance Company, Atlanta, Georgia                       |
| 89.         | 28053 | United Coastal Insurance Company, Phoenix, Arizona                       |
| 90.         | 13021 | United Fire & Casualty Company, Cedar Rapids, Iowa                       |
| 91.         | 38032 | US International Reinsurance Company, Manchester, New Hampshire          |
| 92.         | 21067 | Westchester Surplus Lines Insurance Company, Honolulu, Hawaii            |
| 93.         | 29548 | Western Indemnity Insurance Company, Houston, Texas                      |
| 94.         | 13196 | Western World Insurance Company, Keene, New Hampshire                    |
| 95.         | 40193 | X.L. Insurance Company, New York, New York                               |
| 96.         |       | Zurich Reinsurance (London) Limited, London, England                     |

#### Changes to the Qualified Unlicensed Reinsurers List Since It Was Published On November 15, 1997

The following companies have been added to the list since it was published on November 15, 1997:

American Foundation Life Insurance Company, Birmingham, Alabama

Trinity University Insurance Company, Dallas, Texas

The following companies have been removed from the list since it was published on November 15, 1997:

Associated Electric & Gas Insurance Services, Ltd., Hamilton, Bermuda

British Aviation Insurance Company, Ltd., London, England

Centre Reinsurance Company of New York, New York

Commercial Union Assurance Company, PLC, London, England

Empire Indemnity Insurance Company, Oklahoma City, Oklahoma

First Specialty Insurance Corporation, Jefferson City, Missouri

Grinnell Mutual Reinsurance Company, Grinnell, Iowa Indemnity Marine Assurance Company, Ltd., London, England

Investors Insurance Company of America, Red Bank, New Jersey

Landmark American Insurance Company, Englewood, Colorado

Northern Assurance Company, Ltd., London, England Ocean Marine Insurance Company, Ltd., London, England Realm National Insurance Company, New York, New York Swiss Re Life & Health, Limited, London, England

Through Transport Mutual Insurance Association, Ltd., Hamilton, Bermuda

Ulico Indemnity Company, Little Rock, Arkansas United Republic Insurance Company, Houston, Texas Wausa General Insurance Company, Lisle, Illinois Yorkshire Insurance Company, Ltd., York, England Zurich International (Bermuda), Ltd., Hamilton, Bermuda The following companies have changed their names since the list was published on November 15, 1997:

Folksamerica General Insurance Company, New York, New York has changed its name to X. L. Insurance Company, New York, New York

Great Lakes American Reinsurance Company, New York, New York has changed its name to Folksamerica General Insurance Company, New York, New York

Illinois Insurance Exchange, Chicago, Illinois has changed its name to INEX Insurance Exchange, Chicago, Illinois

La Concorde Compagnie D'Assurances S. A., Paris, France has changed its name to Generali-France Assurances, Paris, France

Sphere Drake Insurance PLC. London, England has changed its name to Odyssey Re (London), London England

The following companies were removed from the list because they were licensed since the list was published on November 15, 1997:

Beneficial Standard Life Insurance Company, Los Angeles, California

Citicorp Life Insurance Company, Dover, Delaware

The First Reinsurance Company of Hartford, Avon, Connecticut

Folksamerica Reinsurance Company, New York, New York, M. DIANE KOKEN,

Insurance Commissioner

 $[Pa.B.\ Doc.\ No.\ 98\text{-}1893.\ Filed\ for\ public\ inspection\ November\ 13,\ 1998,\ 9:00\ a.m.]$ 

#### Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insured has requested a hearing, as authorized by the act of June 17, 1998 (P. L. 464, No. 68) in connection with her company's termination of the insured's automobile policies. The hearings will be held in

accordance with the requirements of the act; 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). All administrative hearings are held in the Insurance Department Offices in Harrisburg, PA. Failure by the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

The hearings will be held in the Capitol Associates Building, 901 North Seventh Street, Second Floor Hearing Room, Harrisburg, PA 17102.

Appeal of Norma Sampedro; file no. 98-215-34567; Erie Insurance Exchange; doc. no. PH98-10-026; December 2, 1998, at 10 a.m.

Parties may appear with or without counsel and offer relevant testimony or evidence. Each party must bring documents, photographs, drawings, claims files, witnesses and the like necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

In some cases, the Commissioner may order that the company reimburse an insured for the higher cost of replacement insurance coverage obtained while the appeal is pending. Reimbursement is available only when the insured is successful on appeal, and may not be ordered in all instances. If an insured wishes to seek reimbursement for the higher cost of replacement insurance, the insured must produce documentation at the hearing which will allow comparison of coverages and costs between the original policy and the replacement policy.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The order of the Commissioner is subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the above-referenced administrative hearings, and require an auxiliary aid, service or other accommodation to participate in the hearing, should contact Tracey Pontius, Agency Coordinator at (717) 787-4298.

> M. DIANE KOKEN, Insurance Commissioner

[Pa.B. Doc. No. 98-1894. Filed for public inspection November 13, 1998, 9:00 a.m.]

### LIQUOR CONTROL BOARD

**Expiration of Leases** 

The following Liquor Control Board leases will expire:

Allegheny County, Wine & Spirits Shoppe #0225, 322 Brownsville Road, Pittsburgh, PA 15210-2249.

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 2,800 net useable square feet of new or existing retail commercial space on Brownsville Road serving the Mount Oliver area. Storeroom must have access for large truck delivery.

Proposals due: December 4, 1998 at 12 noon

Department: Pennsylvania Liquor Control Board Location: Real Estate Division, State Office Building, Room 408, 300 Liberty Av-

enue, Pittsburgh, PA 15222

**Contact:** Bruce VanDyke, (412) 565-5130

Westmoreland County, Wine & Spirits Shoppe #6517, 970 E Pittsburgh Street, Greensburg, PA 15601-3519.

Lease Expiration Date: January 31, 2000

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 6,000 net useable square feet of new or existing retail commercial space in a shopping center environment on/near Route 30 East of Greensburg.

Proposals due: December 4, 1998 at 12 noon

Pennsylvania Liquor Control Board Real Estate Division, State Office Department: Location:

Building, Room 408, 300 Liberty Av-

enue, Pittsburgh, PA 15222

**Contact:** George Danis, (412) 565-5130

Schuylkill County, Wine & Spirits Shoppe #5402, 116 S. Main Street, Shenandoah, PA 17976-2336.

Lease Expiration Date: July 31, 2000

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 2,700 to 3,300 net useable square feet of new or existing retail commercial space along PA Route 924 (South Main Street).

Proposals due: December 4, 1998 at 12 noon

Pennsylvania Liquor Control Board Real Estate Division, Brandywine Department: Location:

Plaza, 2223 Paxton Church Road, Har-

risburg, PA 17110-9661

Ronald Hancher, (717) 657-4228 Contact:

> JOHN E. JONES, III, Chairperson

 $[Pa.B.\ Doc.\ No.\ 98\text{-}1895.\ Filed\ for\ public\ inspection\ November\ 13,\ 1998,\ 9:00\ a.m.]$ 

### PENNSYLVANIA PUBLIC **UTILITY COMMISSION**

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Publication of this notice shall be considered as sufficient notice to all carriers holding authority from this Commission. Applications will be considered without hearing in the absence of protests to the application. Protests to the applications published herein are due on or before December 7, 1998, as set forth at 52 Pa. Code § 3.381 (relating to applications for transportation of property and persons). The protests shall also indicate whether it applies to the temporary authority application or the permanent application or both.

Applications of the following for approval of the beginning of the exercise of the right and privilege of operating as common carriers for transportation of persons as described under each application.

**A-00114815. Jefferson County EMS, Inc.** (353 Pine Street, P. O. Box 14, Punxsutawney, Jefferson County, PA 15767), a corporation of the Commonwealth of Pennsylvania—persons, both ambulatory and nonambulatory, in paratransit service, using vehicles equipped with wheelchair lifts and securing devices, between points in the county of Jefferson, and within an airline distance of 100 statute miles of the boroughs of Punxsutawney and Brookville, Jefferson County, and from points in the said territory, to points in Pennsylvania, and return. Temporary Authority Application filed seeking the right cited above. *Attorney*: Sharyn S. Bowser, 554 Vandalia Drive, Tallmadge, OH 44278.

**A-00115406.** Clarion Hospital Emergency Medical Services (One Hospital Drive, Clarion, Clarion County, PA 16214), a corporation of the Commonwealth of Pennsylvania—persons, in paratransit service, to or from medical related facilities such as hospitals, physician offices, clinics, skilled nursing facilities, extended care and personal care homes, in the counties of Clarion, Armstrong, Forest, and Jefferson, and from points in the said counties, to points within an airline distance of 100 statute miles of the limits of the borough of Clarion, Clarion County, and return. *Attorney*: Terry Pope, Ten Grant Street, Clarion, PA 16214.

Applications of the following for amendment to the certificate of public convenience approving the operation of motor vehicles as common carriers for transportation of persons as described under each application.

**A-00111615, Folder 2, Am-A. WGM Transportation Inc.** (R. R. 7, Box 7438, North Fifth Street, East Stroudsburg, Monroe County, PA 18301), a corporation of the Commonwealth of Pennsylvania—persons in paratransit service, between points in the county of Carbon, and from points in said county, to points in Pennsylvania, and return. Application for Temporary Authority has been filed at A-00111651, F 2, AM-A, seeking the right to transport in paratransit service, persons who are clients of the Carbon County Assistance Office, from their homes to educational training centers, and return, all service to be provided between points in the County of Carbon.

#### Motor Carrier Applications—Property, Excluding Household Goods in Use

The following applications for the authority to transport property, excluding household goods in use, between points in Pennsylvania, have been filed with the Pennsylvania Public Utility Commission. Public comment to these applications may be filed, in writing with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265 on or before November 30, 1998.

A-00115413 Harry J. Stong
P. O. Box 1182, Lewistown, PA 17044

A-00115412 Samuel C. Park, t/a Highlander Farm
P. O. Box 546, Elverson, PA 19520

A-00115411 Central Parcel Express, Inc., t/a RDS
Delivery Service
P. O. Box 14749, Cincinnati, OH
45250-0749; Michael Spurlock, 275 East

State Street, Columbus, OH 43215

Harry J. Stong A-00115413 P. Ö. Box 1182, Lewistown, PA 17044 A-00115410 Homestead Oak, Inc. 14221 Conneaut Lake Road, Meadville, PA 16134: John Swick, 360 Chestnut Street, Meadville, PA 16335 A-00115409 Kenneth K. Rishel, t/a Kenneth K. Rishel, Contracting 1229 Turnpike Avenue, Clearfield, PA 16830: Dwight L. Koerber, Jr., 110 North Second Street, P. O. Box 1320, Clearfield, PA 16830 A-00115405 Ed's Delivery Service, Inc. 3300 Old Lincoln Highway, Unit T4, Trevose, PA 19053 A-00115407 Daniel O. Alspaugh 15 Alspaugh Lane, Jonestown, PA 17038 Dennis Corderman, t/a D. Corderman A-00115408 177 Smoker Road, Genesee, PA 16923 A-00115414 Carrigan-Reiff, Ltd.

A-00115415 Caflisch Trucking & Construction
P. O. Box 8, Clymer, NY 14724: Crandall
G. Nyweide, P. O. Box 369, Clymer, NY 14724

A-00115416 Sandra L. Bressler, t/a Bressler Excavating & Truck, R. R. 1, Box 429F, Curwensville, PA 16833: Dwight L. Koerber, Jr., P. O. Box 1320, Clearfield, PA 16830

JAMES J. MCNULTY, Secretary

 $[Pa.B.\ Doc.\ No.\ 98\text{-}1896.\ Filed\ for\ public\ inspection\ November\ 13,\ 1998,\ 9:00\ a.m.]$ 

## Water Service Without Hearing

**A-223750F2000. Borough of Tyrone.** Application of the Borough of Tyrone for approval of the abandonment of water service to a portion of the Township of Snyder, Blair County, PA; and the transfer of the service to the Tyrone Borough Water Authority.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant on or before November 30, 1998, under 52 Pa. Code (relating to public utilities).

Applicant: Borough of Tyrone

Through and By Counsel: Larry C. Clapper, Esquire, Tyrone Borough Solicitor, Goldstein, Heslop, Steele, Clapper & Oswalt, 414 N. Logan Blvd., Altoona, PA 16602

JAMES J. MCNULTY,

Secretary

[Pa.B. Doc. No. 98-1897. Filed for public inspection November 13, 1998, 9:00 a.m.]

# PENNSYLVANIA PUBLIC UTILITY COMMISSION

## Water Service Without Hearing

**A-211070F0007. Citizens Utilities Water Company of Pennsylvania.** Application of Citizens Utilities Water Company of Pennsylvania for approval of the right to offer, render, furnish or supply water service to the public in a portion of Robeson Township, Berks County, PA.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant on or before November 30, 1998, under 52 Pa. Code (relating to public utilities).

Applicant: Citizens Utilities Water Company of Pennsylvania

Through and By Counsel: Michael D. Klein, Esquire, Zsuzsanna E. Benedek, Esquire, LeBoeuf, Lamb, Greene & MacRae L.L.P., 200 North Third Street, Suite 300, P. O. Box 12105, Harrisburg, PA 17108-2105

JAMES J. MCNULTY,

Secretary

 $[Pa.B.\ Doc.\ No.\ 98\text{-}1898.\ Filed\ for\ public\ inspection\ November\ 13,\ 1998,\ 9:00\ a.m.]$ 

# PHILADELPHIA REGIONAL PORT AUTHORITY

#### Request for Proposals

The Philadelphia Regional Port Authority (PRPA) will accept sealed proposals for Project #9830.1, Overlay Paving and Striping of Marginal Wharf, Packer Ave. Marine Terminal until 2 p.m. on Thursday, December 10, 1998. The bid documents can be obtained from the Procurement Administrator, PRPA, 210 W. Washington Square, 13th Floor, Philadelphia, PA 19106, (215) 928-9100 and will be available November 17, 1998. The cost of the bid document is \$35 (includes 7% PA Sales Tax). The cost is nonrefundable. PRPA is an equal opportunity employer. The contractor must comply with all applicable equal opportunity laws and regulations.

Mandatory prebid job site meeting will be held December 3, 1998, 10 a.m. at Delaware and Packer Aves. (1/4 mile S. of Packer Ave.), Philadelphia, PA 19148.

JAMES T. MCDERMOTT, Executive Director

 $[Pa.B.\ Doc.\ No.\ 98\text{-}1899.\ Filed\ for\ public\ inspection\ November\ 13,\ 1998,\ 9:00\ a.m.]$ 

## STATE EMPLOYES' RETIREMENT SYSTEM

## Request for Proposal for Real Estate Investment Consulting Services

The Commonwealth of Pennsylvania State Employes' Retirement Board is soliciting proposals for Real Estate Investment Consulting Services for the Commonwealth of Pennsylvania State Employes' Retirement System (SERS).

Eight signed copies of the proposal must be submitted in accordance with the specific instructions set forth in Request For Proposal 1998-2 (RFP 1998-2). Proposals should be sent to Peter M. Gilbert, Chief Investment Officer, State Employes' Retirement System, 30 North Third Street, Harrisburg, Pennsylvania 17101, Attention: RFP 1998-2. Proposals must be received at this address no later than 4 p.m. on Monday, January 11, 1999. Proposals received after that time will be rejected.

A preproposal conference will be held on Friday, December 11, 1998 at 11 a.m. at the SERS office located at 30 North Third Street, 5th Floor, Harrisburg, PA. Prospective bidders are invited to attend the preproposal conference before submitting a proposal to SERS for consideration. The preproposal conference is to clarify any points in RFP 1998-2 which may require explanation. Questions regarding the contents of RFP 1998-2 should be submitted in writing and received at SERS on or before November 30, 1998. All bidders will receive written responses to the submitted questions 1 week after the preproposal conference. Please note the preproposal conference is not mandatory.

Interested parties should contact Sheri R. Bushey, RFP Coordinator, at the address referenced above or by telephone at (717) 237-0241 to obtain a copy of RFP 1998-2.

JOHN BROSIUS, Executive Director

[Pa.B. Doc. No. 98-1900. Filed for public inspection November 13, 1998, 9:00 a.m.]

### **TURNPIKE COMMISSION**

#### **Request for Proposals**

Sealed Proposals will be received by Jeffrey L. Hess, Purchasing Manager, at the Administration Building, Harrisburg-East Interchange near Highspire, PA (Mailing Address: P. O. Box 67676, Harrisburg, PA 17106-7676) and publicly opened and read at the date and time indicated below for the following contract:

**Contract No. 87-021-RP83**—General Construction of a New Generator Building at the Valley Forge Service Plaza located at M.P. 324.6 EB, Chester Co., and the North Neshaminy Service Plaza, WB, located at MP 351.9, Bucks Co., PA

Bid Opening Date—December 10, 1998, 11 a.m.

Bid Surety—5%

Plans, Specifications and Contract Documents will be available and open for public inspection at the Administration Building. Copies may be purchased upon payment of \$25 per set by check or P. O. Money Order (No Cash)

payable to the Pennsylvania Turnpike Commission. Attention: Secretary-Treasurer's Office, P. O. Box 67676, Harrisburg, PA 17106-7676. No refund for any reason will be made for plans, specifications and contract documents.

A Prequalification Certification and Maximum Capacity Rating assigned by the Prequalification Committee of the Pennsylvania Department of Transportation is not a necessary prerequisite for bidding on this project. A prebid meeting conference for the project will be held November 18, 1998, at 10 a.m. The party will meet at the Valley Forge Service Plaza construction site.

Contact the Purchasing Manager for listing of other locations where plans and specs can be inspected.

JAMES F. MALONE, III, Chairperson

 $[Pa.B.\ Doc.\ No.\ 98\text{-}1901.\ Filed\ for\ public\ inspection\ November\ 13,\ 1998,\ 9:00\ a.m.]$ 

PENNSYLVANIA BULLETIN, VOL. 28, NO. 46, NOVEMBER 14, 1998