

NOTICES

DEPARTMENT OF BANKING

Action on Applications

The Department of Banking of the Commonwealth of Pennsylvania, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending November 2, 1999.

BANKING INSTITUTIONS

New Charter Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
10-29-99	The Fidelity Deposit and Discount Bank Dunmore Lackawanna County	Blakely & Drinker Sts. Dunmore Lackawanna County	Filed

Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
10-27-99	Somerset Trust Company Somerset Somerset County	801 Barn Street Hooversville Somerset County	Approved
10-27-99	The Madison Bank Blue Bell Montgomery County	Pennsylvania Business Campus 100 Gibraltar Road Horsham Montgomery County	Approved
10-27-99	Standard Bank, PaSB Murrysville Westmoreland County	WalMart Store Routes 819 & 119 Mt. Pleasant Westmoreland County	Opened

Branch Relocations

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
11-1-99	Firsttrust Savings Bank Flourtown Montgomery County	<i>To:</i> 1515 Market Street Philadelphia Philadelphia County <i>From:</i> 1601 JFK Boulevard Philadelphia Philadelphia County	Filed

Branch Discontinuances

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
10-30-98	Laurel Bank Johnstown Cambria County	104 Third Avenue Duncansville Cambria County	Effective
10-30-98	Laurel Bank Johnstown Cambria County	1000 Duquesne Blvd. Duquesne Allegheny County	Effective
10-31-98	Laurel Bank Johnstown Cambria County	One Jefferson St. West Lebanon Indiana County	Effective
5-7-99	Laurel Bank Johnstown Cambria County	1705 Route 286 South Indiana Indiana County	Effective
6-18-99	U.S. Bank Johnstown Cambria County	180 St. Mary's St. Loretto Cambria County	Effective

SAVINGS ASSOCIATIONS

Branch Relocations

<i>Date</i>	<i>Name of Association</i>	<i>Location</i>	<i>Action</i>
10-27-99	East Stroudsburg Savings Association Stroudsburg Monroe County	<i>To:</i> 601 Route 940 Mount Pocono Monroe County <i>From:</i> 29 Mount Pocono Blvd. Mount Pocono Monroe County	Approved

CREDIT UNIONS

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name of Credit Union</i>	<i>Location</i>	<i>Action</i>
10-22-99	Philadelphia Telco Credit Union, Trevose, and Trident Credit Union, Philadelphia Surviving Institution—Philadelphia Telco Credit Union, Trevose	Trevose	Filed
11-1-99	Educational Credit Union, Philadelphia, and The Freedom Federal Credit Union, Warminster Surviving Institution—Educational Credit Union, Philadelphia, With a Change In Corporate Title to "Freedom Credit Union"	Philadelphia	Effective
11-1-99	Norristown Bell Credit Union, Blue Bell, and Abcon Credit Union, Valley Forge Surviving Institution—Norristown Bell Credit Union, Blue Bell	Blue Bell	Effective
11-1-99	Philadelphia District Railway Postal Clerks Federal Credit Union, Philadelphia, and Mutual Credit Union, Philadelphia Surviving Institution—Philadelphia District Railway Postal Clerks Federal Credit Union, Philadelphia	Philadelphia	Approved

DAVID E. ZUERN,
Secretary

[Pa.B. Doc. No. 99-1917. Filed for public inspection November 12, 1999, 9:00 a.m.]

DEPARTMENT OF EDUCATION

Professional Standards and Practices Commission; Application of Timothy Dempsey for Reinstatement of Teaching Certificate; Doc. No. RE 99-03

Notice of Hearing

Under the Teacher Certification Law, act of December 12, 1973 (P. L. 397, No. 141) as amended, (24 P. S. §§ 2070.1—2070.18), the Professional Standards and Practices Commission (Commission) has initiated hearing procedures to consider the application of Timothy Dempsey for reinstatement of his teaching certificate.

On or about July 23, 1999, Timothy Dempsey filed an application for reinstatement of his teaching certificate under section 16 of the Teacher Certification Law (24 P. S. § 2070.16), §§ 35.1 and 35.2 of the General Rules of

Administrative Practice and Procedure (1 Pa. Code §§ 35.1—35.2) and 22 Pa. Code § 233.14 (relating to reinstatement). Under section 16 of the Teacher Certification Law, the Department of Education (Department) on October 21, 1999 recommended to the Commission that the application be denied. In accordance with the Teacher Certification Law, and the General Rules of Administrative Practice and Procedure, the Commission will appoint a hearing examiner to serve as presiding officer to conduct the proceedings and hearings as might be necessary, and to prepare a proposed report to the Commission containing findings of fact, conclusions of law and a recommended decision on the application.

An interested party desiring to participate in these hearing procedures must file a notice of intervention or a petition to intervene in accordance with §§ 35.27 to 35.32 of the General Rules of Administrative Practice and Procedure (1 Pa. Code §§ 35.27—35.32) within 30 days after publication of this notice in the *Pennsylvania Bulletin*. Persons objecting to the approval of the application may also, within 30 days after publication of this notice

in the *Pennsylvania Bulletin*, file a protest in accordance with § 35.23 of the General Rules of Administrative Practice and Procedure (1 Pa. Code § 35.23).

Notices and petitions to intervene and protest shall be filed with Carolyn Angelo, Executive Director of the Professional Standards and Practices Commission, at 333 Market Street, Harrisburg, PA 17126-0333, on or before 4 p.m. on the due date prescribed by this notice. Persons with a disability who wish to attend the hearings and

require an auxiliary aid, service or other accommodation to participate, should contact Suzanne B. Markowicz at (717) 787-6576 to discuss how the Commission may best accommodate their needs.

CAROLYN ANGELO,
Executive Director

[Pa.B. Doc. No. 99-1918. Filed for public inspection November 12, 1999, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

APPLICATIONS RECEIVED UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

[National Pollution Discharge Elimination System Program (NPDES)]

DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

(Part I Permits)

The following parties have applied for an NPDES permit to discharge controlled wastewaters into the surface waters of this Commonwealth. Unless otherwise indicated on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (Department) proposes to issue a permit to discharge, subject to certain effluent limitations and special conditions. These proposed determinations are tentative.

Where indicated the EPA, Region III, Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.6E.

Persons wishing to comment on the proposed permit are invited to submit a statement to the office noted above the application within 30 days from the date of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, proposed effluent limitations and special conditions, comments received and other information are on file and may be inspected and arrangements made for copying at the office indicated above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodations to participate in the proceeding should contact the Secretary to the Board at (717) 787-3483. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications for National Pollutant Discharge Elimination System (NPDES) permit to discharge to State waters.

Southeast Regional Office: Regional Manager, Water Management, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6130.

PA 0050989. Sewage, **Frederick Mennonite Community**, P. O. Box 498, Frederick, PA 19435-0498.

This application is for amendment of an NPDES permit to discharge treated sewage from Frederick Mennonite Community WWTP in Upper Frederick Township, **Montgomery County**. This is an existing discharge to unnamed tributary to West Swamp Creek.

The receiving stream is classified for the following uses: trout stocking fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 25,000 gpd from permit issuance lasting through completion of WWTP upgrade are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅ (5-1 to 10-31)	15	30
(11-1 to 4-30)	25	50
Suspended Solids	30	60
Ammonia (as N) (5-1 to 10-31)	4.0	8.0
(11-1 to 4-30)	12.0	24.0
Phosphorus (as P) (4-1 to 10-31)	1.0	2.0
Total Residual Chlorine	1.2	2.0
Fecal Coliform	200 colonies/100 ml as a geometric average	
Dissolved Oxygen	minimum of 5.0 mg/l at all times	
pH	within limits of 6.0—9.0 standard units at all times	

The proposed effluent limits for Outfall 001, based on an average flow of 49,900 gpd from completion of WWTP upgrade lasting through expiration are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅ (5-1 to 10-31)	10	20
(11-1 to 4-30)	20	40
Suspended Solids	30	60
Ammonia (as N) (5-1 to 10-31)	3.0	6.0
(11-1 to 4-30)	9.0	18.0
Phosphorus (as P) (4-1 to 10-31)	1.0	2.0
Fecal Coliform	200 colonies/100 ml as a geometric average	
Dissolved Oxygen	minimum of 6.0 mg/l at all times	
pH	within limits of 6.0—9.0 standard units at all times	

Other Conditions:

The EPA waiver is in effect.
Conditions for future permit modification.
Effective disinfection.

PA 0057878. Sewage, **Kevan Price**, 1219 Ridge Road, Sellersville, PA 18960.

This application is for issuance of an NPDES permit to discharge treated sewage from the Price residence SR STP in West Rockhill Township, **Bucks County**. This is a new discharge to unnamed tributary to Ridge Valley Creek.

The receiving stream is classified for the following uses: high quality trout stocking fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 500 gpd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	10	20
Total Suspended Solids	10	20
Ammonia (as N)	3.0	6.0
Nitrate and Nitrite (as N) (7-1 to 10-31)	10	20
Total Residual Chlorine	not detectable instantaneous minimum	
Fecal Coliform	200 colonies/100 ml as a geometric average	
Dissolved Oxygen	3.0 min. at all times	
pH	within limits of 6.0 to 9.0 standard units at all times	

PA 0050377. Industrial waste, **Lonza, Inc.**, 900 River Road, Conshohocken, PA 19428.

This application is for renewal and expansion of an NPDES permit to discharge treated process wastewater and stormwater from a fine chemical pharmaceutical manufacturing facility located in Upper Merion Township, **Montgomery County**. This is an existing discharge to Schuylkill River by way of Matsunk Creek.

The receiving stream is classified for the following uses: warm water fishery.

The proposed effluent limits for Outfall 001 during the period from issuance through completion of plant expansion, based on an average flow of 60,000 gpd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
BOD ₅ (3-1 to 10-31)	1,020	2,040	2,550
(11-1 to 2-28)	900	1,800	2,250
TSS	100	200	250
COD	9,842	19,684	24,605
TDS	17,500	35,000	43,750
NH ₃ -N (3-1 to 10-31)	20		50
(11-1 to 2-28)	50		125
Temperature			110°F
pH	within limits of 6.0—9.0 standard units at all times		
Color	100		
Total Cyanide	1.9	3.8	4.8
N-Nitrosodimethylamine	monitor	monitor	

The proposed effluent limits for Outfall 001 during the period from completion of plant expansion through September 20, 2001, based on an average flow of 80,000 gpd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
BOD ₅ (3-1 to 10-31)	1,020	2,040	2,550
(11-1 to 2-28)	900	1,800	2,250
TSS	100	200	250
COD	7,382	14,763	18,454
TDS	17,500	35,000	43,750
NH ₃ -N (3-1 to 10-31)	20		50
(11-1 to 2-28)	50		125
Temperature			110°F
pH	within limits of 6.0—9.0 standard units at all times		
Color	100		
Total Cyanide	1.9	3.8	4.8
N-Nitrosodimethylamine	monitor	monitor	

The proposed effluent limits for Outfall 001 during the period from September 21, 2001 through expiration, based on an average flow of 80,000 gpd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
BOD ₅ (3-1 to 10-31)	1,020	2,040	2,550
(11-1 to 2-28)	900	1,800	2,250
TSS	100	200	250
COD	856	1,675	2,140
TDS	17,500	35,000	43,750
NH ₃ -N (3-1 to 10-31)	20		50
(11-1 to 2-28)	50		125
Temperature			110°F
pH	within limits of 6.0—9.0 standard units at all times		
Color	100		
Total Cyanide	1.9	3.8	4.8
N-Nitrosodimethylamine	0.008	0.016	0.02
Acetone	0.2	0.5	
Acetonitrile	10.2	25	
N-Amyl Acetate	0.5	1.3	
Amyl Alcohol	4.1	10	
Benzene	0.02	0.05	
N-Butyl Acetate	0.5	1.3	
Chlorobenzene	0.06	0.15	—
Chloroform	0.01	0.02	—
O-Dichlorobenzene	0.06	0.15	—
1, 2-Dichloroethane	0.1	0.4	—
Diethylamine	102	250	—
Dimethyl Sulfoxide	37.5	91.5	—
Ethanol	4.1	10	—
Ethyl Acetate	0.5	1.3	—

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
N-Heptane	0.02	0.05	—
N-Hexane	0.02	0.03	—
Isobutyraldehyde	0.5	1.2	—
Isopropyl Acetate	0.5	1.3	—
Isopropyl Ether	2.6	8.4	—
Methanol	4.1	10	—
Methyl Cellosolve	40.6	100	—
Methylene Chloride	0.3	0.9	—
Methyl Formate	0.5	1.3	—
MIBK	0.2	0.5	—
Phenol	0.02	0.05	—
Tetrahydrofuran	2.6	8.4	—
Toluene	0.02	0.06	—
Triethylamine	102	250	—
Xylenes	0.01	0.03	—
Isopropanol	1.6	3.9	—

The proposed effluent limits for Outfall 002, based on stormwater from parking lot, roof drains and manufacturing area are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>
CBOD ₅	monitor	monitor
COD	monitor	monitor
Oil and Grease	monitor	monitor
pH	monitor	monitor
Total Suspended Solids	monitor	monitor
Total Kjeldahl Nitrogen	monitor	monitor
Total Phosphorus	monitor	monitor
Dissolved Iron	monitor	monitor
Effluent Guideline Pollutants	monitor	monitor

Other Conditions:

The EPA waiver is in effect.

PA 0056421. Sewage, **Warwick Township Water and Sewer Authority**, 1733 Township Greene, P. O. Box 315, Jamison, PA 18929.

This application is for renewal and expansion of an NPDES permit to discharge treated sewage from the Country Crossing WWTP in Warwick Township, **Bucks County**. This is an increased discharge to Neshaminy Creek.

The receiving stream is classified for the following uses: warm water fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 0.32 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅			
(5-1 to 10-31)	20	30	40
(11-1 to 4-30)	25	40	50
Suspended Solids	30	45	60
Ammonia (as N)			
(5-1 to 10-31)	2.0		4.0
(11-1 to 4-30)	6.0		12.0
Nitrate & Nitrate (as N)	9.0		18.0
(7-1 to 10-31)			
Phosphorus (as P)	0.75		1.5
(4-1 to 10-31)			
Fecal Coliform		200 colonies/100 ml as a geometric average	
Dissolved Oxygen		minimum of 5.0 mg/l at all times	
pH		within limits of 6.0—9.0 standard units at all times	

Other Conditions:

The EPA waiver is in effect.

PA 0056359. Sewage, **Ralph W. Owens**, 208 Neiffer Road, Schwenksville, PA 19423.

This application is for renewal of an NPDES permit to discharge treated sewage from a single family home in Limerick Township, **Montgomery County**. This is an existing discharge to Mine Run.

The receiving stream is classified for the following uses: trout stocking fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 500 gpd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	10	20
Suspended Solids	20	40
Ammonia (as N)	20	40
Total Residual Chlorine	monitor/report	monitor/report
Fecal Coliform	200 colonies/100 ml as a geometric average	
pH	within limits of 6.0—9.0 standard units at all times	

The EPA waiver is in effect.

PA 0012238. Industrial waste, **Fischer and Porter Company**, Warminster, PA 18974.

This application is for renewal of an NPDES permit to discharge treated groundwater from the facility in Warminster Township, **Bucks County**. This is an existing discharge to an unnamed tributary to Pennypack Creek.

The receiving stream is classified for the following uses: trout stocking fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 0.108 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Tetrachloroethylene		0.010	0.015
Trichloroethylene		0.035	0.053
pH	within limits of 6.0—9.0 standard units at all times		

The EPA waiver is in effect.

Northeast Region: Environmental Protection Manager, Water Management, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2553.

PA 0070475. Sewerage, **Pocono Mountain Lodge**, P. O. Box 171, White Haven, PA 18661.

This proposed action is for renewal of a NPDES permit to discharge treated sewage into Black Creek in Kidder Township, **Carbon County**.

The receiving stream is classified for the following uses: High quality, cold water, aquatic life, water supply and recreation.

Effluent requirements were evaluated at the point of discharge.

The proposed effluent limits for Outfall 001, based on a design flow of .06 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	50
Total Suspended Solids	30	60
NH ₃ -N		
(5-1 to 10-31)	3	6
(11-1 to 4-30)	9	18
Dissolved Oxygen	a minimum of 6 mg/l at all times	
Fecal Coliform	200/100 ml as a geometric mean	
(5-1 to 9-30)	2,000/100 ml as a geometric mean	
(10-1 to 4-30)	6.0 to 9.0 standard units at all times	
pH		
Total Residual Chlorine		
(1st month through 24th month)	monitor and report	monitor and report
(25th month through expiration)	1.2	2.8

The EPA waiver is in effect.

PA 0032433. Sewerage, **Commonwealth of Pennsylvania, Department of Conservation and Natural Resources**, Bureau of State Parks, Frances Slocum State Park, 565 Mount Olivet Road, Wyoming, PA 18644-9333.

This proposed action is for renewal of a NPDES permit to discharge treated sewage into Abraham's Creek in Lehman Township, **Luzerne County**.

The receiving stream is classified for the following uses: cold water fishery, aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is Danville Borough Water Authority on the Susquehanna River.

The proposed effluent limits for Outfall 001, based on a design flow of 0.080 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25.0	50.0
Total Suspended Solids	30.0	60.0
NH ₃ -N		
(5-1 to 10-31)	2.0	4.0
(11-1 to 4-30)	6.0	12.0
Fecal Coliform		
(5-1 to 9-30)	200/100 ml as a geometric mean	
(10-1 to 4-30)	2,000/100 ml as a geometric mean	
pH	6.0 to 9.0 standard units at all times	
Total Residual Chlorine	1.2	2.8

The EPA waiver is not in effect.

PA 0063312. Sewerage, **Girardville Area Municipal Authority**, P. O. Box 5, Girardville, PA 17935.

This proposed action is for renewal of an NPDES permit to discharge treated sewage into Mahanoy Creek in Butler Township, **Schuylkill County**.

The receiving stream is classified for the following uses: cold water fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on a design flow of .340 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Weekly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
Total Suspended Solids	30	45	60
Fecal Coliform			
(5-1 to 9-30)	200/100 ml		
(10-1 to 4-30)	2,000/100 ml		
pH	6 to 9 standard units at all times		
Total Residual Chlorine			
(1st month to 24th month)	monitor and report		monitor and report
(25th month to expiration)	1		2

The EPA waiver is in effect.

Southcentral Regional Office: Regional Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4707.

PA 0082937. Industrial waste, SIC: 2752, **R. R. Donnelley & Sons Company**, 1375 Harrisburg Pike, Lancaster, PA 17601.

This application is for renewal of an NPDES permit for an existing discharge of treated industrial waste to an unnamed tributary of the Little Conestoga Creek, in Lancaster City, **Lancaster County**.

The receiving stream is classified for warm water fishery, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was the Holtwood Power Plant located in Martic Township, Lancaster County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.7 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Temperature			
pH		monitor 6-9	

Persons may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is in effect.

PA 0088269. Sewage, SIC: 4952, **Quincy Sewer Authority**, 7575 Mentzer Gap Road, Waynesboro, PA 17268.

This application is for issuance of an NPDES permit for a new discharge of treated sewage to West Branch Antietam Creek, in Quincy Township, **Franklin County**.

The receiving stream is classified for cold water fishes, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was Brunswick Major and Council located in Maryland. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.30 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
Total Suspended Solids	30	45	60
NH ₃ -N	14	XXX	28
Dissolved Oxygen		minimum of 5.0 at all times	
pH		from 6.0 to 9.0 inclusive	
Fecal Coliforms		200/100 ml as a geometric average	
(5-1 to 9-30)		13,900/100 ml as a geometric average	
(10-1 to 4-30)			

Persons may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is in effect.

PA 0086312, Amendment No. 1. Sewage, SIC: 4952, **James Dorwart (Dorwart Apartments)**, 1375 Old Quaker Road, Etters, PA 17319.

This application is for amendment of an NPDES permit for an existing discharge of treated sewage to an unnamed tributary of Bennett Run in Fairview Township, **York County**.

The receiving stream is classified for warm water fish, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements, the existing downstream potable water supply intake considered during the evaluation was the Wrightsville Water Supply Company intake located on the Susquehanna River just north of Wrightsville Borough, York County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.025 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>	
CBOD ₅			
(5-1 to 10-31)	10	20	
(11-1 to 4-30)	20	40	
Suspended Solids	20	40	
NH ₃ -N			
(5-1 to 10-31)	2.0	4.0	
(11-1 to 4-30)	6.0	12.0	
Dissolved Oxygen		minimum of 5.0 at all times	
pH		from 6.0 to 9.0 inclusive	
Fecal Coliforms		200/100 ml as a geometric average	
(5-1 to 9-30)		2,200/100 ml as a geometric average	
(10-1 to 4-30)			

Persons may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is in effect.

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

PA 0027481. Industrial waste, SIC: 4911, **Pennsylvania Power Company**, P. O. Box 128, Shippingport, PA 15077.

This application is for renewal of an NPDES permit to discharge treated process water, sewage and stormwater from the Bruce Mansfield Plant in Shippingport Borough, **Beaver County**.

The following effluent limitations are proposed for discharge to the receiving waters, Ohio River and Little Blue Run, classified as a warm water and trout stock fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply (PWS) is Midland Borough Water Authority, located at Midland, 6.3 miles below the discharge point.

Outfall 021: existing discharge, design flow of 0.03 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	monitor and report				
Total Suspended Solids			30		100
Oil and Grease			15		20
Sulfate	monitor and report				
pH	not less than 6.0 nor greater than 9.0				

Note: Interim/Final limits included until repiping of discharge to Ohio River has been completed.

Outfall 022: existing discharge, design flow of 2.91 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	monitor and report				
Total Suspended Solids			30		100
Oil and Grease			15		20
pH	not less than 6.0 nor greater than 9.0				

Outfall 023: existing discharge, design flow of 0.013 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	monitor and report				
Total Suspended Solids			30		100
Oil and Grease			15		20
pH	not less than 6.0 nor greater than 9.0				

Outfall 024: existing discharge, design flow of 0.007 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	monitor and report				
Total Suspended Solids			30		100
Oil and Grease			15		20
pH	not less than 6.0 nor greater than 9.0				

Outfall 025: existing discharge, design flow of 0.044 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	monitor and report				
Total Suspended Solids			30		100
Oil and Grease			15		20
pH	not less than 6.0 nor greater than 9.0				

Outfall 026: existing discharge, design flow of 0.006 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	monitor and report				
Total Suspended Solids			30		100
Oil and Grease			15		20
pH	not less than 6.0 nor greater than 9.0				

Outfalls 307, 407 and 507: existing discharge, design flows of 1.56 mgd, 1.53 mgd and 1.58 mgd respectively.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	monitor and report				
Free Available Chlorine				0.2	0.5

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Temperature				110°F	
pH	not less than 6.0 nor greater than 9.0				

Outfalls 107 and 207: existing discharge, design flow of 0.85 mgd. and 0.28 respectively.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	monitor and report				
Total Suspended Solids			30	100	
Oil and Grease			15	20	
pH	not less than 6.0 nor greater than 9.0				

Outfall 007: existing discharge, design flow of n/a mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
No monitoring required at this outfall. Discharge controlled/monitored at each of the sub-outfalls.					

Outfall 009: existing discharge, design flow of 0.047 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	0.047				
CBOD ₅			25		50
Total Suspended Solids			30		60
Fecal Coliform (5-1 to 9-30)			200/100 ml as a geometric average		
(10-1 to 4-30)			2,000/100 ml as a geometric average		
Total Residual Chlorine*			1.4		3.3
pH	not less than 6.0 nor greater than 9.0				

*Interim and Final limits have been added to the permit (1 year compliance time)

Outfalls: 001—006, 008, 010—014 and 607: existing discharge, design flow of n/a mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
This discharge shall consist solely of uncontaminated stormwater runoff only.					

Part C Condition includes 2/year monitoring for Total Recoverable Iron, Manganese, TSS, Zinc and pH and annual reporting.

The EPA waiver is not in effect.

PA 0020656. Sewage, **Newell Municipal Authority**, P. O. Box 92, Brownsville, PA 15417.

This application is for renewal of an NPDES permit to discharge treated sewage from the Newell Sewage Treatment Plant in Newell Borough, **Fayette County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as the Monongahela River, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Washington Township Municipal Authority.

Outfall 001: existing discharge, design flow of 0.1 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD ₅			25	37.5	50
Suspended Solids			30	45	60
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric mean				
(10-1 to 4-30)	2,000/100 ml as a geometric mean				

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
Total Residual Chlorine (1st month—36th month) (37th month—expiration)	monitor and report 1.4			3.3
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

Northwest Regional Office: Regional Manager; Water Management, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6942.

PA 0103632, Amendment No. 1. Industrial waste, SIC: 4911, **Piney Creek Limited Partnership**, R. R. 2, Box 56, Clarion, PA 16214.

This proposal is an amendment to add three treated stormwater discharges to an existing permit which was published on February 24, 1996. The discharges are to an unnamed Tributary to Piney Creek in Piney Township, **Clarion County**.

The receiving water is classified for the following uses: cold water fish, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Parker City Water System on the Allegheny River located at river mile 83.9, approximately 27 miles below point of discharge.

The proposed discharge limits for Outfall Sedimentation Traps A, B and C, based on a design flow of n/a mgd, are:

Parameter	Average Monthly (mg/l)	Maximum Daily (mg/l)	Instantaneous Maximum (mg/l)
Flow	monitoring		
TSS	monitoring		
pH	50		

The EPA waiver is in effect.

Proposed NPDES Permit Renewal Actions for Minor Sewage Discharges

The following parties have applied to renew their current NPDES permits to allow the continued discharge of controlled wastewater into the surface waters of this Commonwealth. The Department of Environmental Protection (Department) has made a tentative determination to renew these permits and proposes to issue them, subject to their current permit effluent limitations, and monitoring and reporting requirements. The updates may include but will not be limited to, applicable permit conditions and/or requirements. The updates will not be limited to, applicable permit conditions and/or requirements addressing combined sewer overflows (CSOs), municipal sewage sludge management and total residual chlorine control (TRC). Major changes to or deviations from the terms of the existing permit will be documented and published with the final Department actions.

The EPA, Region III, Regional Administrator has waived the right to review or object to these proposed permit actions under the waiver provision 40 CFR 123.6E.

Persons wishing to comment on the proposed permits are invited to submit a statement to the Field Office indicated as the office responsible, within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding these applications and proposed permit actions. Comments should include the name, address and telephone number of the writer and a brief statement to inform the Field Office of the basis of the comment and the relevant facts upon which it is based. A public hearing may be held if the Field Office considers the public response significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed action. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit renewal application and related documents, proposed effluent limitations and special conditions, comments received and other information are on the Department's file. The documents may be inspected at, or a copy requested from, the Field Office that has been indicated above the application notice.

Southeast Regional Office: Water Management Program Manager; Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19448, (610) 832-6130.

NPDES No.	Facility Name and Address	County and Municipality	Tributary Stream	New Permit Requirements
PA0029912	Embreeville Complex 1822 West Strasburg Road Coatesville, PA 19320	Newlin Township Chester County	West Branch of Brandywine Creek	TRC

Southcentral Regional Office: Water Management Program, 909 Elmerton Avenue, 2nd Floor, Harrisburg, PA 17110, (717) 705-4707.

<i>NPDES No.</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Tributary Stream</i>	<i>New Permit Requirements</i>
PA0082643	Flatbush Golf Course Inc. 940 Littlestown Road Littlestown, PA 17340	Adams County Union Township	UNT to South Branch of Conewago Creek	TRC

DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER Applications under the Pennsylvania Clean Streams Law (Part II Permits)

The following permit applications and requests for plan approval have been received by the Department of Environmental Protection (Department).

Persons objecting to the grounds of public or private interest to the approval of an application or submitted plan may file a written protest with the Department at the address indicated above each permit application or plan. Each written protest should contain the following: name, address and telephone number; identification of the plan or application to which the protest is addressed; and a concise statement in sufficient detail to inform the Department of the exact basis of the protest and the relevant facts upon which it is based. The Department may conduct a fact-finding hearing or an informal conference in response to any given protest. Each commentator will be notified in writing of the time and place if a hearing or conference concerning the plan, action or application to which the protest relates is held. To insure consideration by the Department prior to final action on permit applications and proposed plans, initial protests and additions or amendments to protests already filed should be filed within 15 calendar days from the date of this issue of the *Pennsylvania Bulletin*. A copy of each permit application and proposed plan is on file in the office indicated and is open to public inspection.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact the Secretary to the Board at (717) 787-3483. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Industrial waste and sewerage applications under The Clean Streams Law (35 P. S. §§ 691.1—691.100).

Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6130.

WQM Permit No. 4699202. Industrial waste, **Centre Square Land Corporation**, GHR Consulting Services Inc., 300 Welsh Road, Building Three, Horsham, PA 19044-2209. Applicant request construction of a bioremediation system at the Former Centre Square Citgo Station located in Whitpain Township, **Montgomery County**.

WQM Permit No. 4699427. Sewerage, **Upper Merion Municipal Utility Authority**, 175 West Valley Forge Road, King of Prussia, PA 19406-0139. Applicant request approval to replace the existing chlorine gas system with a liquid sodium hypochlorite system for disinfection to serve Trout Run and the Matsunk Water Pollution Control Centers located in Upper Merion Township, **Montgomery County**.

WQM Permit No. 4699428. Sewerage, **Lower Moreland Township Authority**, 640 Red Lion Road, Huntingdon Valley, PA 19006-6234. Applicant request approval for the construction and operation of an 8 inch gravity sewage collection system and pump station with force main installation to serve single family residences located in the Upper Welsh Road are located in Lower Moreland Township, **Montgomery County**.

WQM Permit No. 2399412. Sewerage, **Brookhaven Borough**, 2 Cambridge Road, Suite 100, Brookhaven, PA 19015-1708. Applicant request approval to modify and upgrade their existing wastewater treatment plant located in Brookhaven Borough, **Delaware County**.

Northcentral Regional Office: Department of Environmental Protection, 208 West Third Street, Suite 101, Grit Building, Williamsport, PA 17701.

WQM Permit No. 1499409. Sewerage, **University Area Joint Sewer Authority**, 1576 Spring Valley Road, State College, PA 16801. Application for a sewer extension that will serve Colonnade at State College, in Patton Township, **Centre County**. The above was received at Department of Environmental Protection, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448 on October 18, 1999.

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

A. 6599411. Sewerage, **Donald Gathers**, 405 Spiering Drive, Lower Burrell, PA 15068. Application for the construction and operation of a sewage treatment plant to serve the Gathers Residence located in Lower Burrell City, **Westmoreland County**.

INDIVIDUAL PERMITS (PAS)

STORMWATER INDIVIDUAL

The following parties have applied for an NPDES permit to discharge stormwater from a proposed construction activity into the surface waters of this Commonwealth. Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (Department) proposes to issue a permit to discharge, subject to certain limitations set forth in the permit and special conditions. These proposed determinations are tentative. Limitations are provided in the permit as erosion and sedimentation control measures and facilities which restrict the rate and quantity of sediment discharged.

Where indicated, the EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement to the office noted above the application within 30 days from the date of this

public notice. Comments reviewed within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealable to the Environmental Hearing Board.

The application and related documents, including the erosion and sedimentation control plan for the construction activity, are on file and may be inspected at the office noted above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Northeast Regional Office: Regional Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

Northampton County Conservation District, District Manager, Greystone Building, Gracedale Complex, Nazareth, PA 18064-9211, (610) 746-1971.

NPDES Permit PAS10U108. Stormwater. Louis Pektor, **Ashley Development Corp.**, 559 Main St., Bethlehem, PA 18018, has applied to discharge stormwater from a construction activity located in Williams Township, **Northampton County**, to Frya Run.

SAFE DRINKING WATER

Application received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Northeast Regional Office: Sanitarian Regional Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

4099504. Public water supply. **Glen Summit Spring Water.** Kevin Duffy, General Manager, P. O. Box 129, Mountaintop, PA 18707. This proposal involves the reconnecting of the existing previously permitted Spring No. 2. The Company intends to use Spring No. 2 to supplement the Springs Nos. 1 and 3 only during periods of low groundwater recharge. The company also proposes to add a filtration system to its water treatment process. It is located in Wright Township, **Luzerne County**. *Engineer:* Mark Snyder, P.E., RETTEW Associates, Inc.

4599051. Public water supply. **Borough of East Stroudsburg.** James Phillips, Borough Manager, 24 Analomink Street, P. O. Box 303, East Stroudsburg, PA 18301. This proposal involves the construction of a new groundwater source, Well No. 4, to supplement the existing source supplies; installation of chemical feed systems for distribution and manganese sequestration; the upgrading of control/telemetry systems and the construction of transmission main piping and related appurtenances. It is located in East Stroudsburg Township, **Monroe County**. *Engineer:* Russell Scott, P.E., RKR Hess Associates, Inc.

4599502. Public water supply. **Saw Creek Estates.** John Briggs, Vice-President, Development Operations, c/o Resorts USA Inc., Bushkill, PA 18324. This proposal involves chemical addition for sequestering iron and manganese in Well No. 12, modification of the corrosion control plan for Well No. 10 and connection of the community water system to provide a secondary supply for Timothy Lake South Campground. It is located in Lehman and Middle Smithfield Township, **Monroe County**. *Engineer:* RKR Hess Assoc.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

Preamble 1

Acknowledgment of Notices of Intent to Remediate submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Sections 302, 303, 304 and 305 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific cleanup standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified as proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment period the municipality may request that the person identified, as the remediator of a site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of a site.

For further information concerning the content of a Notice of Intent to Remediate, contact the Environmental

Cleanup Program Manager, in the Department's Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Southeast Regional Office: Environmental Cleanup Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-5950.

Former Scott Technical Center, Tinicum Township, **Delaware County**. Christopher Orzechowski, RT Environmental Services, Inc., 215 W. Church Road, King of Prussia, PA 19406, has submitted a Notice of Intent to Remediate site soil contaminated with solvents and polycyclic aromatic hydrocarbons. The applicant proposes to remediate the site to meet the Statewide health standard. A summary of the Notice of Intent Remediate was reported to have been published in *The Philadelphia Inquirer* on September 10, 1999.

B & W Associates, City of Philadelphia, **Philadelphia County**. Christopher Orzechowski, RT Environmental Services, Inc., 215 W. Church Road, King of Prussia, PA 19406, has submitted a Notice of Intent to Remediate site groundwater contaminated with solvents. The applicant proposes to remediate the site to meet the Statewide health standard. A summary of the Notice of Intent to Remediate was reported to have been published in *The Philadelphia Inquirer* on September 16, 1999.

Philadelphia Regional Port Authority Pier 80 South Annex, City of Philadelphia, **Philadelphia County**. James G. Gallagher, P.E., Pennoni Associates, Inc., 3001 Market Street, Philadelphia, PA 19104-2897, has submitted a Notice of Intent to Remediate site soil and groundwater contaminated with BTEX and polycyclic aromatic hydrocarbons. The applicant proposes to remediate the site to meet the Statewide health standards. A summary of the Notice of Intent to Remediate was reported to have been published in *The Philadelphia Daily News* on September 17, 1999.

Philadelphia Regional Port Authority Tioga Maintenance Building and Carpenters Shop, City of Philadelphia, **Philadelphia County**. James G. Gallagher, P.E., Pennoni Associates, Inc., 3001 Market Street, Philadelphia, PA 19104-2897, has submitted a Notice of Intent to Remediate site soil and groundwater contaminated with lead BTEX and polycyclic aromatic hydrocarbons. The applicant proposes to remediate the site to meet the Statewide health standards. A summary of the Notice of Intent to Remediate was reported to have been published in *The Philadelphia Daily News* on September 17, 1999.

Eddystone Crossing, Borough of Eddystone, **Delaware County**. J. Anthony Sauder, P.E., P. G., Pennoni Associates, Inc., 3001 Market Street, Philadelphia, PA 19104-2897, has submitted a Notice of Intent to Remediate site soil contaminated with lead, heavy metals and polycyclic aromatic hydrocarbons and groundwater contaminated with polycyclic aromatic hydrocarbons. The applicant proposes to remediate the site to meet site-specific standards. A summary of the Notice of Intent to Remediate was reported to have been published in *The Delaware County Daily Times* on September 20, 1999.

Braun Iron Works (Former), Upper Moreland Township, **Montgomery County**. Laura L. Peck, Law Office of Janet S. Kole, P.C., 900 Haddon Ave., Suite 412,

Collingswood, NJ 08108, has submitted a Notice of Intent to Remediate site groundwater contaminated with lead. The applicant proposes to remediate the site to meet Statewide health and background standards. A summary of the Notice of Intent to Remediate was reported to have been published in *The Montgomery County Record* on September 23, 1999.

Serena, Inc. & Serenapa (Former O'Brien Machinery Site), Downingtown Borough, **Chester County**. Janet S. Kole, 900 Haddon Avenue, Suite 412, Collingswood, NJ 08108, has submitted a Notice of Intent to Remediate site soil contaminated with benzo(a)pyrene. The applicant proposes to remediate the site to meet the Statewide health standards. A summary of the Notice of Intent to Remediate was reported to have been published in *The Daily Local News* on October 1, 1999.

Serena, Inc. & Serenapa (Former O'Brien Machinery Site), Downingtown Borough, **Chester County**. Janet S. Kole, 900 Haddon Avenue, Suite 412, Collingswood, NJ 08108, has submitted a Notice of Intent to Remediate site soil contaminated with lead and arsenic. The applicant proposes to remediate the site to meet the Statewide health standard. A summary of the Notice of Intent to Remediate was reported to have been published in *The Daily Local News* on October 19, 1999.

Southcentral Regional Office: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4705.

Caterpillar Inc. Area B, Springettsbury Township, **York County**. Earth Tech, Inc., 2 Market Plaza Way, Mechanicsburg, PA 17055 has submitted a Notice of Intent to Remediate site soils and groundwater contaminated with PCBs, lead, heavy metals, solvents, BTEX and PAHs. The applicant proposes to remediate the site to meet the Statewide health standard requirements. A summary of the Notice of Intent to Remediate was reported to have been published in the *York Daily Record* on October 25, 1999.

Northcentral Regional Office: Michael C. Welch, Environmental Cleanup Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448, (570) 321-6525.

Former Greystone Property, City of Williamsport, **Lycoming County**. Converse Consultants on behalf of their client, PENNRAM, P. O. Box 695, Williamsport, PA 17701 has submitted an Amended Notice of Intent to Remediate (initial NIR submitted under the site name of Sterile Services, Inc.) soil and groundwater contaminated with lead and BTEX. The applicant proposes to remediate the site to meet the requirements under the Special Industrial Area designation. A summary of the Amended Notice of Intent to Remediate was reported to be published in the Williamsport *Sun-Gazette* on November 9, 1999.

AIR QUALITY

Notice of Plan Approval and Operating Permit Applications

Nonmajor Sources and Modifications

The Department of Environmental Protection (Department) has developed an integrated plan approval, State operating permit and Title V operating permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all

the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department has received applications for plan approvals and/or operating permits from the following facilities. Although the sources covered by these applications may be located at a major facility, the sources being installed or modified do not trigger major new source review or prevention of significant deterioration requirements.

Copies of these applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the Regional Offices identified in this notice. Persons interested in reviewing the application files should contact the appropriate regional office to schedule an appointment.

Persons wishing to file protests or comments on the proposed plan approval and/or operating permits must submit the protest or comment within 30 days from the date of this notice. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Comments or protests filed with the Department's Regional Offices must include a concise statement of the objections to the issuance of the plan approval or operating permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior to the date of the hearing.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121-143, the Federal Clean Air Act and regulations adopted under the act.

OPERATING PERMITS

Applications received and intent to issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001-4015).

Northeast Regional Office: Air Quality Program, Two Public Square, Wilkes-Barre, PA 17811-0790, (570) 826-2531.

39-308-002A: Bridesburg Foundry Co. (Front and Grape Streets, Whitehall, PA 18052) for operation of the foundry melt department sources in Whitehall Township, **Lehigh County**.

54-313-073B: Air Products & Chemicals, Inc. (P. O. Box 351, Tamaqua, PA 18252) for operation of a Nitrogen Trifluoride Plant in Rush Township, **Schuylkill County**.

35-310-029: Silverbrook Anthracite, Inc. (1 Market Street, Laflin, PA 18702) for operation of a stone crushing operation at Goers Hill Road, Archbald Borough, **Lackawanna County**.

40-310-036: Silverbrook Anthracite, Inc. (1 Market Street, Laflin, PA 18702) for operation of a stone crushing operation at Honeypot Bank, Nanticoke, **Luzerne County**.

Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.

67-03054A: York Mold, Inc. (3865 North George Street, Manchester, PA 17345) for operation of a battery terminal manufacturing plant including a settling chamber, fiber bed filter and wet suppression emission control systems in East Manchester Township, **York County**.

67-306-006A: P. H. Glatfelter Co. (228 South Main Street, Spring Grove, PA 17362) for burning of wastewater treatment plant sludge generated at the facility in a circulating fluidized bed boiler controlled by an electrostatic precipitator at the Spring Grove Mill in Spring Grove Borough, **York County**.

Notice of Intent to Issue Title V Operating Permits

Under 25 Pa. Code § 127.521, notice is given that the Department of Environmental Protection (Department) intends to issue a Title V Operating Permit to the following facilities. These facilities are major facilities subject to the operating permit requirements under Title V of the Federal Clean Air Act and 25 Pa. Code Chapter 127, Subchapters F and G (relating to operating permit requirements; and Title V operating permits).

Appointments to review copies of the Title V application, proposed permit and other relevant information must be made by contacting Records Management at the regional office telephone number. For additional information, contact the regional office noted.

Interested persons may submit written comments, suggestions or objections concerning the proposed Title V permit to the regional office within 30 days of publication of this notice. Written comments submitted to the Department during the 30-day public comment period shall include the name, address and telephone number of the person submitting the comments, along with the reference number of the proposed permit. The commentator should also include a concise statement of objections to the permit issuance and the relevant facts upon which the objections are based.

The Department reserves the right to hold a public hearing on the proposed action based upon the information received during the public comment period and will provide notice of any scheduled public hearing at least 30 days in advance of the hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation where the facility is located.

Northcentral Regional Office: Air Quality Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, Attn: Muhammad Zaman, (570) 327-3637.

TVOP-08-00004: Rynone Mfg. Corp. (P. O. Box 128, Sayre, PA 18840) for Sayre Plant in Sayre Borough, **Bradford County**. In accordance with 25 Pa. Code § 127.541, this Title V Operating Permit Revision is to incorporate conditions from Plan Approval 08-318-023D for operation of a new gel-coat spray operation, the air contaminant emissions from which shall be controlled by a Binks dry filter-type spray booth.

PLAN APPROVALS

Applications received and intent to issue Plan Approvals under the Air Pollution Control Act (35 P. S. §§ 4001-4015).

Northeast Regional Office: Air Quality Program, Two Public Square, Wilkes-Barre, PA 17811-0790, (570) 826-2531.

40-318-024A: Inline Fiberglass America LTD (R. R. 1 Humboldt Industrial Park, Hazleton, PA 18201) for reactivation of a resin mixing and storage vent system in Hazle Township, **Luzerne County**.

40-318-025A: Inline Fiberglass America LTD (R. R. 1 Humboldt Industrial Park, Hazleton, PA 18201) for

reactivation of a fiberglass manufacturing and painting system in Hazle Township, **Luzerne County**.

40-318-035A: Inline Fiberglass America LTD (R. R. 1 Humboldt Industrial Park, Hazleton, PA 18201) for reactivation of a heat cleaning oven in Hazle Township, **Luzerne County**.

40-399-023A: Inline Fiberglass America LTD (R. R. 1 Humboldt Industrial Park, Hazleton, PA 18201) for reactivation of a window fabrication operation in Hazle Township, **Luzerne County**.

54-399-028: Greater Pottsville Sewer Authority (401 North Center Street, P. O. Box 1163, Pottsville, PA 17901) for construction of an aerobic reactor at the Yuengling Brewery site in Port Carbon Borough, **Schuylkill County**.

64-322-001: Rosencranse Sanitary Landfill (P. O. Box 40, Beach Lake, PA 18405) for installation of a landfill gas collection system in Berlin Township, **Wayne County**.

Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.

06-03114: WER Corp., d.b.a. Aluminum Alloys (P. O. Box 2197, Sinking Spring, PA 19608) for a sand reclamation system controlled by two fabric collectors in Lower Heidelberg Township, **Berks County**.

36-03102: Lippert Components, Inc. (1658 Dry Tavern Road, Denver, PA 17517) for construction and operation of a recreational vehicle and mobile home frame production facility in Brecknock Township, **Lancaster County**.

Northcentral Regional Office: Air Quality Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3637.

17-305-042A: DTE River Hill, L.L.C. (425 South Main Street, Suite 201, Ann Arbor, MI 48107) owner, and Covol Technologies, Inc. (3280 North Frontage Road, Lehi, UT 84043) operator, for construction of an agglomerated coal fines pellet dryer and associated air cleaning device (a fabric collector) as well as the construction of a coal fines cage mill and associated air cleaning device (a fabric collector) and screen in Karthaus Township, **Clearfield County**.

REASONABLY AVAILABLE CONTROL TECHNOLOGY (RACT)

The Department of Environmental Protection (Department) will conduct a public hearing on December 8, 1999, beginning at 1 p. m. in the Air Quality conference room at the Meadville Regional Office located at 230 Chestnut Street.

The hearing is for the Department to accept testimony concerning the Department's decision to approve, with conditions, the revised Reasonably Available Control Technology (RACT) plans by:

Southdown, Inc., 2001 Portland Park, Wampum, PA 16157, located in Lawrence County, to meet the requirements under 25 Pa. Code §§ 129.91—129.95 (RACT), concerning the emissions of oxides of nitrogen (NOx) from various air contamination sources. The final RACT proposals will be submitted to the United States Environmental Protection Agency (EPA) as a revision to Pennsylvania's State Implementation Plan (SIP).

The proposed SIP revisions do not adopt any new regulations. They incorporate the provisions and require-

ments contained in RACT approvals for these facilities to comply with current regulations.

The preliminary RACT determinations, if finally approved, will be incorporated into Plan Approvals and/or Operating Permits for the facilities and will be submitted to the EPA as a revision to the Commonwealth's SIP.

The following is a revised summary of the preliminary NOx RACT determination for the above listed facility:

Southdown, Inc. Kilns 1, 2 and 3. Revision of NOx emission limit to combined 6.2 lbs NOx per ton of clinker produced; and reduction of (3) NOx Continuous Emission Monitors (CEMs), requirement (1 CEM per kiln), to (1) CEM for the combined stack.

For the above facility, a Public Hearing will be held for the purpose of receiving comments on the above proposed Operating Permit and the proposed SIP revisions. The public hearing is scheduled as follows: DEP Meadville Regional Office, December 8, 1999, Air Quality conference room, 230 Chestnut Street, Meadville, PA 16335, 1 p. m. to 3 p. m.

Persons wishing to present testimony at the hearing should contact Robert Huston, Air Pollution Control Engineer, DEP, 230 Chestnut Street, Meadville, PA 16335-3494, (814) 332-6940 at least 1 week in advance of the hearing to reserve a time to present testimony. Oral testimony will be limited to a maximum of 10 minutes and two written copies of the oral testimony are required. Each organization is requested to designate one witness to present testimony in its own behalf.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodations to do so should contact Robert Huston (814) 332-6940, or the Pennsylvania AT&T relay service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

Those unable to attend the hearing but wish to comment should provide written comments to Robert Huston, Air Pollution Control Engineer, Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335-3481. Comments should be submitted within 30 days of the date of this publication notice.

All the pertinent documents (applications, review memos, and draft approvals) are also available for review from 8 a.m. to 4 p.m. at the Meadville Regional Department office (Air Quality). Appointments for scheduling a review must be made by calling the Department contact person noted previously.

MINING

APPLICATIONS TO CONDUCT COAL AND NONCOAL ACTIVITIES

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to the applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of the application is available for inspection at the District mining office indicated above each application. Where a 401 water quality certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for the certification.

Written comments or objections, or requests for informal conferences on applications, may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the same address within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Where any of the mining activities listed below will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. The NPDES permits will contain, at a minimum, technology-based effluent limitations (as described in the Department's regulations—25 Pa. Code §§ 77.522, 87.102, 88.92, 88.187, 88.242, 89.52 and 90.102) for iron, manganese, suspended solids, settleable solids, alkalinity and pH. In addition to the above, more restrictive effluent limitations, restrictions on discharge volume, or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit when necessary for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies which have requested review of the NPDES permit requirements for a particular mining activity within the above-mentioned public comment period will be provided with a 30-day period to review and submit comments on those requirements.

Written comments or objections should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Hawk Run District Office, P. O. Box 209, Off Empire Road, Hawk Run, PA 16840.

Coal Applications Received

17930117. Al Hamilton Contracting Company (R. R. 1, Box 87, Woodland, PA 16881), renewal of an existing Bituminous Surface Mine permit in Goshen Township, **Clearfield County** affecting 327 acres. Receiving streams: unnamed tributary to Surveyor Run and Surveyor Run. Application received October 20, 1999.

Ebensburg District Office, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.

Coal Applications Received

11793025. Permit revision, **E. P. Bender Coal Company** (Main & Lehmier Streets, P. O. Box 594, Carrolltown, PA 15722), to apply biosolids (stabilized sewage

sludge) to enhance vegetation on a bituminous strip mine in Dean Township, **Cambria County**, affecting 400 acres, receiving stream unnamed tributary to Brubaker Run, application received October 20, 1999.

Greensburg District Office, R. R. 2, Box 603-C, Greensburg, PA 15601.

26890111R. Charles L. Swenglich & Sons Coal Co., Inc. (83 Swenglich Lane, Smithfield, PA 15478-9105). Renewal application received for continued reclamation of a bituminous surface mine located in Georges Township, **Fayette County**, affecting 177 acres. Receiving streams: unnamed tributaries to York Run to Georges Creek to the Monongahela River. Renewal application received: October 25, 1999.

26900105R. Patterson Coal Company (20 Elizabeth Drive, Smithfield, PA 15478). Renewal application received for continued reclamation of a bituminous surface mine located in Georges Township, **Fayette County**, affecting 33.2 acres. Receiving streams: one unnamed tributary to York Run. Renewal application received: October 25, 1999.

26773025R. Charles L. Swenglich & Sons Coal Co., Inc. (83 Swenglich Lane, Smithfield, PA 15478-9105). Renewal application received for continued operation and reclamation of a bituminous surface mine located in German Township, **Fayette County**, affecting 166.2 acres. Receiving streams: an unnamed tributary to South Branch of Browns Run. Renewal application received: October 25, 1999.

63940201R. Reichard Contracting, Inc. (R. R. 3, Box 20, New Bethlehem, PA 16242). Renewal application received for continued reclamation of a coal refuse reprocessing site located in Fallowfield Township, **Washington County**, affecting 25.7 acres. Receiving streams: unnamed tributary to Pigeon Creek to the Monongahela River. Renewal application received: October 28, 1999.

Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

49921301C. Chestnut Coal (R. R. 3, Box 142B, Sunbury, PA 17801), correction to an existing anthracite underground mine operation in Zerbe Township, **Northumberland County** affecting 4.7 acres, receiving stream Zerbe Run. Application received October 13, 1999.

40850201R3. Beaver Brook Coal Company (P. O. Box 2123, Hazleton, PA 18201), renewal of an existing coal refuse reprocessing operation in Hazle Township, **Luzerne County** affecting 312 acres, receiving stream Catawissa Creek. Application received October 25, 1999.

Noncoal Applications Received

36990301. Martin Limestone, Inc. (P. O. Box 550, Blue Ball, PA 17506), commencement, operation and restoration of a quarry operation in Earl and Ephrata Townships, **Lancaster County** affecting 46.04 acres, receiving stream none. Application received October 25, 1999.

Knox District Office, P. O. Box 669, Knox, PA 16232.

Noncoal Applications Received

4876SM12. Waterford Sand & Gravel Company (15871 Sturgis Road, Union City, PA 16438) renewal of an existing gravel operation in Watercreek Township, **Erie County**, affecting 38.2 acres. Receiving streams: unnamed tributary to LeBoeuf Creek. Renewal of NPDES Permit No. PA0108448. Application received October 27, 1999.

APPLICATIONS RECEIVED UNDER SECTION 401: FEDERAL WATER POLLUTION CONTROL ACT

ENCROACHMENTS

The following permit applications and requests for Environmental Assessment approval and requests for water quality certification have been received by the Department of Environmental Protection. Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)), requires the State to certify that the involved projects will not violate the applicable provisions of 33 U.S.C.A. §§ 1311—1313, 1316 and 1317 as well as relevant State requirements. Initial requests for 401 certification will be published concurrently with the permit application. Persons objecting to approval of a request for certification under section 401 or to the issuance of a Dam Safety or Encroachment Permit or the approval of Environmental Assessments must submit any comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under Section 401 of the Federal Water Pollution Control Act.

Southeast Regional Office: Program Manager, Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E46-854. Encroachment. **Upper Dublin Township**, 801 Loch Alsh Ave., Fort Washington, PA 19034-1697. To perform the following water obstruction and encroachment activities associated with the Camphill & Highland Athletic Complex Project: 1. To construct and maintain an 8-foot wide and 14-foot long prefabricated pedestrian bridge across an unnamed tributary to Sandy Run (TSF); 2. To place fill within 0.23 acre of wetland (PEM) associated with the construction of a proposed parking lot. 3. To perform minor grading within the 100-year floodplain of an unnamed tributary to Sandy Run associated with the construction of athletic fields and associated facilities. The site is located just west of the intersection of Camphill Road and Highland Avenue (Ambler USGS Quadrangle N: 2.3 inches; W: 8.6 inches) in Upper Dublin Township, **Montgomery County**.

Northcentral Region: Water Management, Soils and Waterways Section, F. Alan Sever, Chief, 208 West Third St., Suite 101, Williamsport, PA 17701.

E59-392. Encroachment. **TE Products Pipeline Co.**, 71-73 Denison Parkway, Corning NY 14830-0099. To relocate, construct and maintain an 8-inch gas pipeline and to install a stream deflector upstream on Pine Creek located .25 mile west on T-451 from the intersection with SR 3001 just south of Watrous (Marshland, PA Quadrangle N: 5.88 inches; W: 3.38 inches) in Gaines Township, **Tioga County**. This project proposes to impact 50 lineal feet of Pine Creek which is designated as Exceptional Value waters and does not propose to impact any wetlands.

Southwest Regional Office: Soils & Waterways Section, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E65-738. Encroachment. Mr. and Mrs. Mark Fisher, 5205 Mamont Road, Murrysville, PA 15668. To maintain the 30-foot long, 5-foot diameter aluminized steel pipe (invert depressed 6 inches) in Haymakers Run (HQ-CWF) located on a driveway off Mamont Road at a point approximately 1 mile east of the intersection of Mamont Road and Sardis Road (Murrysville, PA Quadrangle N: 15.7 inches; W: 3.2 inches) in Murrysville Borough, **Westmoreland County**. The work was authorized under Emergency Permit No. EP 6599205 issued on September 7, 1999.

E65-743. Encroachment. **R.A.M. Terminals, Incorporated**, One Fifth Street, New Kensington, PA 15068. To construct and maintain a barge docking facility having a length of 700.0 feet and a width of 50.0 feet in and along the Allegheny River at Mile Point 18.7 for the purpose of providing efficient facilities for mooring barges and handling cargo and to dredge and maintain approximately 1.7 acres of the Allegheny River (New Kensington West, PA Quadrangle N: 10.8 inches; W: 2.55 inches) in the City of New Kensington, **Westmoreland County**.

ACTIONS

FINAL ACTIONS TAKEN UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

[National Pollution Discharge Elimination System Program (NPDES)]

DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER (Part I Permits)

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications and requests for plan approval and has issued the following significant orders.

Persons aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Permits Issued

Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6130.

WQM Permit No. 0983418. Sewage. **Bucks County Water and Sewer Authority**, 1275 Almshouse Road, Warrington, PA 18976. Approval to amend an existing Water Quality Management permit to serve the Kings Plaza WWTP located in Doylestown Township, **Bucks County**.

WQM Permit No. 0999407. Sewerage. **James Wunder**, 529 East Lancaster Avenue, Shillington, PA 19607. Approval for the construction and operation of a small flow treatment plant to serve the Wunder residence located in Milford Township, **Bucks County**.

NPDES Permit No. PA0052922. Industrial waste. **Conte Luna Foods, Inc.**, 40 Jacksonville Road, Warminster, PA 18974 is authorized to discharge from a facility located in Warminster Township, **Bucks County** into an unnamed tributary of Pennypack Creek.

Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

Permit No. 4599402. Sewerage. **Pennsylvania American Water Company**, 800 West Hersheypark Drive, Hershey, PA 17033. Permit to modify and add to existing sewage treatment plant, located in Coolbaugh Township, **Monroe County**.

Permit No. 4899405. Sewerage. **Bethlehem Township Municipal Authority**, 4225 Easton Avenue, Bethlehem, PA 18020. Permit to construct and operate a sewage pumping station, to serve Brodhead Manor Development, located in Bethlehem Township, **Northampton County**.

Northcentral Regional Office: Department of Environmental Protection, 208 West Third Street, Suite 101, Grit Building, Williamsport, PA 17701.

NPDES Permit No. PA0007854. Industrial waste. **Pennsylvania Water Company**, 105 Sodom Road, Milton, PA 17847. Permission granted to renew existing permit to discharge from facility located at Milton Borough, **Northumberland County**.

WQM Permit No. 1499407. Sewerage. **University Area Joint Authority**, 1576 Spring Valley Road, State College, PA 16801-8499. The Authority granted permission to construct a sewer extension, pump station to serve the Ferguson Township area. The facility is located at Benner Township, **Centre County**.

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.

WQM Permit No. 2599416. Sewage. **Harborcreek Township Sewer Authority**, 5601 Buffalo Road, Harborcreek, PA 16421. This project is for the construction of a pump station, force main and gravity sewers for the Station Road Sewer Extension in Harborcreek Township, **Erie County**.

Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

NPDES Permit No. PA0095257. Industrial waste. **Indiana County Municipal Services Authority**, P. O. Box 351, Indiana, PA 15701 is authorized to discharge from a facility located at the Creekside Water Treatment Plant, Creekside Borough, **Indiana County** to receiving waters named McKee Run.

NPDES Permit No. PA0091049. Sewage. **U. S. Health and Human Services**, Centers for Disease Control and Prevention, National Institute for Occupa-

tional Safety and Health, Pittsburgh Research Laboratory, P. O. Box 18070, Pittsburgh, PA 15236-0070 is authorized to discharge from a facility located at Lake Lynn Laboratory STP, Springhill Township, **Fayette County** to receiving waters named Unnamed Tributary of Rubles Run-Dragoon Hollow.

NPDES Permit No. PA0093254. Sewage. **Sugar Creek Rest, Inc.**, R. D. 2, Box 80, Worthington, PA 16262-9004 is authorized to discharge from a facility located at Sugar Creek Rest STP, Sugar Creek Township, **Armstrong County** to receiving waters named Tributary of Patterson Run.

NPDES Permit No. PA0096385. Sewage. **Connellsville Area School District**, Administrative Building, 125 North Seventh Street, Connellsville, PA 15425 is authorized to discharge from a facility located at Bullsken Township Elementary School Sewage Treatment Plant, Bullsken Township, **Fayette County** to receiving waters named Mounts Creek.

NPDES Permit No. PA0097128. Sewage. **Paisley Industrial Park—Greene County Commissioners**, Room 220, Greene County Planning Commission, 93 East High Street, Waynesburg, PA 15370-1839 is authorized to discharge from a facility located at Paisley Industrial Park Sewage Treatment Plant, Cumberland Township, **Greene County** to receiving waters named Little Whiteley Creek.

NPDES Permit No. PA0098523. Sewage. **Calvin Cramer**, 305 Oberdick Drive, McKeesport, PA 15135 is authorized to discharge from a facility located at Glen Meadow Mobile Home Park STP, Amwell Township, **Washington County** to receiving waters named Tributary of Little Tenmile Creek.

NPDES Permit No. PA0217646-A1. Sewage. **Dunbar Borough/Township Sanitary Authority**, 47 Connellsville Street, Dunbar, PA 15431 is authorized to discharge from a facility located at the Dunbar Borough Sanitary Authority STP, Dunbar Borough, **Fayette County** to receiving waters named Dunbar Creek.

NPDES Permit No. PA0218235. Sewage. **Russell W. Smith**, 101 Spruce Hill Lane, Fombell, PA 16123 is authorized to discharge from a facility located at Russell Single Residence Sewage Treatment Plant, Marion Township, **Beaver County** to receiving waters named Swale to Connoquenessing Creek.

Permit No. 0298405. Industrial waste, **Lon Refner**, New Enterprise Stone and Lime Company Inc., Box 77, Church Street, New Enterprise, PA 16664. Construction and operation of a Manufacturer of Portland Cement Concrete located in Cambria Township, **Cambria County** to serve the Ebensburg Batch Plant.

Permit No. 1171402-A2. Sewerage. **Portage Area Sewer Authority**, 600 Cambria Street, Portage, PA 15946. Construction of Portage Sewage Treatment Plant Influent Pump Station located in Portage Township, **Cambria County** to serve the Portage Sewage Treatment Plant.

Permit No. 1193405-A1. Sewerage. **U. S. Department of Justice**, Federal Bureau of Prisons, Northeast Regional Office, U. S. Customs House, 7th Floor, Second and Chestnut Streets, Philadelphia, PA 19106. Construction of Ultraviolet Radiation Disinfection System located in Allegheny Township, **Cambria County** to serve Loretto Federal Correctional Institution STP.

Permit No. 2684405. Sewerage. **Robbie Rose**, R. D. 2, University Drive, Dunbar, PA 15431. Construction of

Sewage Treatment Plant located in Georges Township, **Fayette County** to serve Robbie Mobile Home Park.

Permit No. 5672407-A1. Sewerage. **Borough of Meyersdale**, 613 Second Street, Meyersdale, PA 15552. Construction of Pump Station/Force Main/Treatment Plant Modifications located in Meyersdale Borough, **Somerset County** to serve Charles Street Pump Station and Meyersdale Borough STP.

**INDIVIDUAL PERMITS
(PAS)**

The following NPDES Individual Permits for Discharges of Storm Water from Construction Activities have been issued.

Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, (610) 832-6130.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAS10-G0170R	Realen Homes 725 Talamore Drive Ambler, PA 19002	Charlestown Township Chester County	Pickering Creek

Northcentral Region: Water Management, Soils and Waterways Section, F. Alan Sever, Chief, 208 West Third St., Williamsport, PA 17701.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAS101206	Mid Cameron Authority 421 North Broad St. Emporium, PA 15834	Cameron Emporium Borough Shippen Township	West Creek, Day Run

**INDIVIDUAL PERMITS
(PAR)**

Approvals to Use NPDES and Other General Permits

The following parties have submitted (1) Notices of Intent (NOIs) for Coverage under General NPDES Permit(s) to discharge wastewater into the surface waters of this Commonwealth; (2) NOIs for coverage under General Permit(s) for Beneficial Use of Sewage Sludge or Residential Septage by Land Application in Pennsylvania; (3) Notifications for First Land Application of Sewage Sludge.

The approval of coverage under these General Permits may be subject to one or more of the following: pollutant or effluent discharge limitations, monitoring and reporting, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective general permit. The Department of Environmental Protection (Department) has reviewed the NOIs and determined that they comply with administrative requirements of the respective permit application. Also, the Department has evaluated the First Land Application of Sewage Sludge for the following sites applying for coverage under PAG-7, PAG-8 and PAG-9 and determined that the sites are suitable for land application of sewage sludge.

The EPA Region III Regional Administrator has waived the right to review or object to this permit action under the waiver provision: 40 CFR 123.24.

The application and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted.

The Department has acted on the following requests for coverage under the specified General Permit as follows:

*List of
General Permit Type*

- PAG-1 General Permit For Discharges From Stripper Oil Well Facilities
- PAG-2 General Permit For Discharges of Stormwater From Construction Activities
- PAG-3 General Permit For Discharges of Stormwater From Industrial Activities
- PAG-4 General Permit For Discharges From Single Residence Sewage Treatment Plant
- PAG-5 General Permit For Discharges From Gasoline Contaminated Ground Water Remediation Systems
- PAG-6 General Permit For Wet Weather Overflow Discharges From Combined Sewer Systems
- PAG-7 General Permit For Beneficial Use of Exceptional Quality Sewage Sludge By Land Application
- PAG-8 General Permit For Beneficial Use of Non-Exceptional Quality Sewage Sludge By Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
- PAG-9 General Permit For Beneficial Use of Residential Septage By Land Application to Agricultural Land, Forest or a Land Reclamation Site

General Permit Type—PAG-2

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
New Garden Township Chester County	PAR10-G336	Emidio Frezzo, Jr. 117 Beverly Drive Kennett Square, PA	Bucktoe Creek	Department of Environmental Protection Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
East Marlborough and Kennett Townships Chester County	PAR10-G332	Marlborough Square 433 Homestead Drive West Chester, PA	Unnamed Tributary to East Branch Red Clay Creek	Department of Environmental Protection Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
New Garden Township Chester County	PAR10-G341	St. Gabriel of the Sorrowful Mother Church P. O. Box 709 Avondale, PA	Unnamed Tributary to East Branch White Clay Creek	Department of Environmental Protection Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Concord Township Delaware County	PAR10-J160	Brinton Lake Corporate Center c/o Wynnwood Development, Inc. 33 Rock Hill Road Suite 200 Bala Cynwyd, PA 19004	West Branch Chester Creek	Department of Environmental Protection Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Douglass Township Montgomery County	PAR10-T558	TH Properties 345 Main Street Harleysville, PA	Swamp Creek	Department of Environmental Protection Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Butler County Connoquenessing Township	PAR10E116	E & E Development 198 Saxonburg Road Butler, PA 16001	Unnamed Tributary to Connoquenessing Creek	Butler Conservation District 122 McCune Drive Butler, PA 16001-65001 (724) 284-5270
Erie County Fairview Township	PAR10K146	Citadel Development Corp. 2420 West 15th Street Erie, PA 16505	Unnamed Tributary to Bear Run	Erie Conservation District 12723 Route 19 P. O. Box 801 Waterford, PA 16441 (814) 796-4203
Snyder County Selinsgrove Borough	PAR105918	Susquehanna University 514 University Ave. Selinsgrove, PA 17870	Unt. to Penns Creek	Snyder County CD 403 West Market St. Middleburg, PA 17842 (570) 837-0007
Tioga County Tioga Township	PAR106630	Wild Rose Inc. P. O. Box 44 Jersey Shore, PA 17740	Tioga River	Tioga County CD 29 East Ave. Wellsboro, PA 16901 (570) 724-1801

NOTICES

5865

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Luzerne County Sugarloaf Township	PAR10R188	Huntsville Limited Partnership Fairfield Inn at Sugarloaf Township P. O. Box 27 200 E. Front St. Nanticoke, PA 18634	Black Creek	Luzerne CD (570) 674-7991
<i>General Permit Type—PAG-3</i>				
Berks County Amity Township	PAR233507	James E. Hauer Hauer Custom Manufacturing, Inc. 447 Old Swede Road Douglassville, PA 19518-1239	Leaf Creek	DEP—Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Lancaster County Lancaster City	PAR233534	RR Donnelley & Sons Company Northeastern Division Lancaster East 216 Greenfield Road Lancaster, PA 17601-5885	UNT to Conestoga River	DEP—Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Allegheny County West Deer Township	PAR326101	IA Construction Corp. 158 Lindsay Road Zelienople, PA 16063	West Branch Deer Creek	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
Allegheny County Braddock Borough	PAR806127	S H Bell Company 644 Alpha Drive P. O. Box 11495 Pittsburgh, PA 15238	Monongahela River	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
<i>General Permit Type—PAG-4</i>				
Allegheny County Forward Township	PAG046187	Cindy Caster Strotman 7250 Fawn Run Lane Elizabeth, PA 15037	UNT to Becketts Run	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
Venango Township Crawford County	PAG048633	Christine A. Alamazon 25674 Capp Road Edinboro, PA 16412	Boles Run	Northwest Region Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Ridgway Township Elk County	PAG048629	Tina M. Aiello 45A Oknefski Road Ridgway, PA 15853	Unnamed Tributary to Mason Creek	Northwest Region Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

**SEWAGE FACILITIES ACT
PLAN APPROVAL**

Plan approvals granted under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20).

Northcentral Regional Office: Water Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448, (717) 327-0530.

Ferguson Township, Centre County. The Department has approved an Act 537 update revision calling for the abandonment of the existing 0.125 mgd Ferguson Township Municipal Authority wastewater treatment facility and the construction of a pump station and force main to convey wastewater from Ferguson Township's Pine Grove Mills service area to the existing University Area Joint Authority wastewater treatment facility for treatment. The existing Pine Grove Mills area sewage treatment plant is badly deteriorated, hydraulically overloaded and it routinely violates its permit conditions for effluent quality, whereas the 6.0 mgd University Area Joint Authority facility has capacity for this service area, is in excellent condition and consistently produces compliant effluent. This project will not provide for an expansion of the existing Ferguson Township Municipal Authority service area. It will simply allow conveyance of the existing service area's wastewater into the UAJA system for treatment.

The Department's review of the sewage facilities update revision has not identified any significant negative environmental impacts resulting from this proposal.

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.

Pulaski Township, Lawrence County. Pulaski Township Supervisors, R. D. 1, Pulaski, PA 16143. This approved project proposes construction of new sewage collection and treatment facilities to replace individual subsurface disposal systems and privately owned sewage treatment facilities in four defined areas of the township—the Villages of Bedford, Pulaski, Frizzleburg and the Pine Glenn area.

The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal.

Plan revision approval granted for Frystown Truck Plaza East, DEP Code No. A3-06922-199-3 under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20).

Water Management Program Manager, Southcentral Region, 909 Elmerton Avenue, Harrisburg, PA 17110-8200.

Southeast corner of State Routes 78 and 645 in **Bethel Township, Berks County.**

The approved plan revision is for extension of sewers to connect five proposed commercial lots generating 7,005 gallons per day in sewage flows to the existing sewage treatment plant owned and operated by **All American Plazas, Inc.** (NPDES No. 0070360). The name of the proposed subdivision is Frystown Truck Plaza East and the DEP Code No. is **A3-06922-199-3.**

Any required NPDES permits or WQM permits must be obtained in the name of the municipality or authority.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Northeast Regional Office: Sanitarian Regional Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2511.

Permit No. 1399501. Public Water Supply. **NIS Hollow Estates**, Brenda Oswald, 312 Lower NIS Hollow Drive, Lehigh, PA 18235. This proposal involves modification of an existing system to provide for wellhead improvements and raw water disinfection, along with installation of adequate chlorine contact volume and distribution system blowoffs. It is located in Mahoning Township, **Carbon County.** Permit issued on October 1, 1999.

Permit Minor Amendment. Public water supply. **Whitehall Township Authority**, Douglas K. Bowen, 1901 Schadt Ave., Whitehall, PA 18052, for Lehnert Road Water Storage Tank. It is located in Whitehall Twp., **Lehigh County.** Permit issued on September 24, 1999.

Operations Permit issued to **Nuss Mobile Home Park** on September 8, 1999 is located in North Whitehall Township, **Lehigh County.**

Operations permit issued to **Borough of Jim Thorpe** on October 20, 1999 is located in Jim Thorpe Borough, **Carbon County.**

Permit No. 3999505. Public water supply. **Upper Saucon Township**, Bernard Rodgers, Township Secretary, Upper Saucon Township, 5500 Camp Meeting Road, Center Valley, PA 18034. This proposal involves the construction of corrosion control treatment facilities at the existing water blending facility located in Upper Saucon Township, **Lehigh County.** Permit issued on October 25, 1999.

Permit No. 5299502. Public water supply. **Saville Rustin Water Co.**, Pine Ridge Community Bettye Zaraté, General Manager, 1103 Pine Ridge Drive, Bushkill, PA 18324. This proposal involves construction and tie-in of a new well source, installation of Telemetric controls and flow control, along with treatment to control bio-fouling in one of the previously permitted wells. It is located in Lehman Township, **Pike County.** Permit issued on October 13, 1999.

6496504. Public water supply. **Woodland Hills Subdivision**, Barry J. Newcomer, HCR Box 202, Paupack, PA 18451. This proposal involves permitting of an existing system for installation of raw water disinfection facilities, a 2,800 gallon finished water storage tank booster pump facilities and hydropneumatic tanks. It is located in Paupack Township, **Wayne County**. Permit issued on October 17, 1999.

Minor Permit Amendment. Public water supply. **Hawley Water Company**. Frank Sargent, P. O. Box S, Waymart, PA 18472. This proposal involves minor modifications to their existing public water supply system, which serves Hawley Borough, Palmyra Township, and Paupack Township, **Wayne County**. Specifically for a stream crossing with 8-inch diameter ductile iron pipe transmission main and the construction of a 0.5 mg (million gallon) storage facility. Permit issued on October 8, 1999.

Northcentral Field Operations: Environmental Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701.

Permit No. 5999502. The Department issued a construction permit to the **Dear Mobile Home Park**, R. R. 2, Box 174, Tioga, PA 16946, Lawrence Township, **Tioga County**. This permit authorizes construction of Well #2, a new 5,000 gallon concrete storage tank, disinfection and sequestration treatment, and associated transmission lines.

Permit No. 4416465MA1. The Department issued an operation permit to **Tom Fulmer**, Fulmer's Personal Care Home, R. R. 2, Box 146, Williamsport, PA 17701, for bulk water hauling, to haul water from the Borough of Montoursville to his personal care home. The personal care home is located in Old Lycoming Township, **Lycoming County**. Issued an operation permit October 25, 1999.

Permit No. 4998501. The Department issued an operation permit to **East Cameron Township Municipal Authority**, R. R. 1, Box 1248, Shamokin, PA 17872, East Cameron Township, **Northumberland County**. This permit authorizes operation of Well #2, transmission line and disinfection facilities.

Southwest Regional Office: Regional Manager, Water Supply Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

Permit No. 6397501. Public water supply. **Authority of the Borough of Charleroi**, 325 McKean Avenue, P. O. Box 211, Charleroi, PA 15022-0211. Type of Facility: Lover, Jonestown and Fallowfield Township area waterlines. Permit for Operation Issued: October 19, 1999.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

Preamble 2

The following final reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of final reports. A final report is submitted to document cleanup of a release of a regulated substance at

a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed, and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning the final report, please contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice of receipt of a final report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following final reports:

Southeast Regional Office: Environmental Cleanup Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-5950.

Serena, Inc. & Serenapa (Former O'Brien Machinery Site), Downingtown Borough, **Chester County**. Janet S. Kole, 900 Haddon Avenue, Suite 412, Collingswood, NJ 08108, has submitted a Final Report concerning remediation of site soil contaminated with lead and arsenic. The report is intended to document remediation of the site to meet the Statewide health standard.

Serena, Inc. & Serenapa (Former O'Brien Machinery Site), Downingtown Borough, **Chester County**. Janet S. Kole, 900 Haddon Avenue, Suite 412, Collingswood, NJ 08108, has submitted a Final Report concerning remediation of site soil contaminated with benzo(a)pyrene. The report is intended to document remediation of the site to meet the Statewide health standard.

Lenape Manufacturing Co., East Rockhill Township, **Bucks County**. Thomas R. Severino, Environmental Science & Remediation Technologies, Inc., 105 East Evans Street, West Chester, PA 19380, has submitted a Remedial Investigation/Final Report concerning remediation of site soil contaminated with PCBs, heavy metals, solvents and petroleum hydrocarbons and groundwater contaminated with solvents and petroleum hydrocarbons. The report is intended to document remediation of the site to meet Statewide health and site-specific standards.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

Preamble 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908) and Chapter 250 Administration of Land Recycling Program.

Provisions of 25 Pa. Code § 250.8 Administration of Land Recycling Program requires the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document

cleanup of a release of a regulated substance at a site to one of the remediation standards of the Land Recycling and Environmental Remediations Standards Act (act). Plans and reports required by provisions of the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media, benefits of reuse of the property, and in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. A cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, please contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department of Environmental Protection has acted upon the following plans and reports:

Southeast Regional Office: Environmental Cleanup Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-5950.

South Ardmore Redevelopment Project, Lower Merion Township, **Montgomery County**. Paul B. Spilman, P.G., Carroll Engineering Corp., 949 Easton Road, Warrington, PA 18976, has submitted a Remedial Investigation Report and revised Cleanup Plan concerning remediation of site groundwater contaminated with solvents. The Report and revised Cleanup Plan were approved by the Department on September 13, 1999.

Greenway Court Apartments, City of Philadelphia, **Philadelphia County**. Charlene R. Drake, React Environmental Services, Inc., 6901 Kingsessing Avenue, Philadelphia, PA 19142, has submitted a combined Remedial Investigation/Final Report concerning remediation of site soil contaminated with BTEX, petroleum hydrocarbons and polycyclic aromatic hydrocarbons. The combined Remedial Investigation/Final Report demonstrated attainment of the site-specific standard for soil and was approved by the Department on September 22, 1999.

7500 State Road Property, City of Philadelphia, **Philadelphia County**. Darryl D. Borrelli, Manko, Gold & Katcher, LLP, Suite 500, 401 City Avenue, Bala Cynwyd, PA 19004, has submitted a combined Remedial Investigation/Final Report concerning remediation of site groundwater contaminated with solvents and polycyclic aromatic hydrocarbons. The combined Remedial Investi-

gation/Final Report demonstrated attainment of site-specific standards and was approved by the Department on October 1, 1999.

Riverfront North Site, Bristol Borough, **Bucks County**. Michael A. Christie, P.G., Penn Environmental & Remediation, Inc., 1755 Bergey Road, Hatfield, PA 19440, has submitted a Baseline Remedial Report concerning remediation of site soil contaminated with lead, heavy metals, BTEX, petroleum hydrocarbons and polycyclic aromatic hydrocarbons and groundwater contaminated with lead, heavy metals and solvents. The Report was approved by the Department on October 1, 1999.

CHQ Reproductions, Warminster Township, **Bucks County**. Louis F. Vittorio, Jr., P.G., EarthRes Group, Inc., P. O. Box 468, Pipersville, PA 18947, has submitted a Final Report concerning remediation of site soil contaminated with BTEX and polycyclic aromatic hydrocarbons. The Final Report demonstrated attainment of the Statewide health standard and was approved by the Department on October 4, 1999.

PAEDCO Property (Former Phoenix Steel Foundry Building Site), Phoenixville Borough, **Chester County**. Gerald L. Kirkpatrick, P.G., Environmental Standards, Inc., 1140 Valley Forge Road, P. O. Box 810, Valley Forge, PA 19482-0810, has submitted a Final Report concerning remediation of site soil contaminated with lead and heavy metals. The Report demonstrated attainment of Statewide health and site-specific standards and was approved by the Department on October 6, 1999.

Ford Electronics & Refrigeration Corp., Lansdale Borough, **Bucks County**. Angela K. Gershman, ARCADIS Geraghty & Miller, Inc., 3000 Cabot Blvd., Suite 3004, Langhorne, PA 19047, has submitted a Final Report concerning remediation of site soil contaminated with lead, heavy metals and solvents. The Report demonstrated attainment of the Statewide health standard and was approved by the Department on October 15, 1999.

Herzog Farm, Upper Uwchlan Township, **Chester County**. Michael S. Welsh, Applied Environmental Management, Inc., 16 Chester County Commons, Malvern, PA 19355, has submitted a Final Report concerning remediation of site soil and groundwater contaminated with BTEX and polycyclic aromatic hydrocarbons. The Report demonstrated attainment of the Statewide health standard and was approved by the Department on October 20, 1999.

Northeast Regional Field Office: Joseph Brogna, Regional Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

Industrial Engraving—Knox Facility (1101 Knox Avenue), Forks Township, **Northampton County**. Floyd R. Lear, III, President, Industrial Engraving Company, Inc., 1350 Sullivan Trail, P. O. Box 311, Easton, PA 18044-0311, has submitted a Notice of Intent to Remediate concerning the remediation of site groundwater found to have been contaminated with chlorinated solvent compounds. The applicant proposes to remediate the site to meet the site-specific standard. A summary of the Notice of Intent to Remediate was reportedly published in *The Express Times* on October 24, 1999.

Southcentral Regional Office: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4705.

CBS Former Playskool Facility, East Lampeter Township, **Lancaster County**. CBS Inc., 51 West 52nd

Street, New York, NY 10019, has submitted a final report concerning the remediation of site groundwater contaminated with heavy metals and site soils contaminated with solvents and heavy metals. The final report demonstrated attainment of the site-specific standard, and was approved by the Department on October 25, 1999.

Southwest Field Office: John J. Matviya, Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-5217.

Bushy Run Research Center (BRRC), Penn Township, **Westmoreland County**. Carnegie Mellon University, 5000 Forbes Avenue, Pittsburgh, PA 15213 and Michael Petrell, L. Robert Kimball & Associates, Inc., 415 Moon-Clinton Road, Moon Township, PA 15108, have submitted a final report concerning remediation of site soil contaminated with heavy metals, pesticides and PAHs. The final report demonstrated attainment of the Statewide health standard and was approved by the Department on October 14, 1999.

Former Drum Storage Area at Building 408 (Site SS-01), Pittsburgh International Airport, Air Reserve Station, Moon Township, **Allegheny County**. S. Baxter Lane, Colonel, USAFR, Commander, 316 Herman Avenue, Coraopolis, PA 15108 and Richard Seid, 911 AW/CEV PIAP ARS, 1100 Herman Avenue, Coraopolis, PA 15108, have submitted a final report concerning remediation of site soil and groundwater contaminated with PCBs, heavy metals, pesticides, BTEX and PAHs. The final report demonstrated attainment of the Statewide health standard and was approved by the Department on October 19, 1999.

SOLID AND HAZARDOUS WASTE

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permits issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and regulations to operate solid waste processing or disposal area or site.

Regional Office: Regional Solid Waste Manager, Lee Park, 555 North Lane, Suite 6010, Conshohocken, PA 19428.

Permit No. 101494. Waste Management of PA, Inc., 1121 Bordentown Road, Morrisville, PA 19067, was issued a permit for the renewal and continued operation of the original portion of the Tullytown Resource Recovery Facility landfill located in the Borough of Tullytown, **Bucks County**. This permit allows for continued disposal operations in the original area until September 2002, after which only closure and postclosure activities will remain authorized. The Southern expansion area has a separate permit term and is not subject to this action. Permit renewed by the Southeast Regional Office on October 25, 1999.

Southwest Regional Office: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

Permit ID No. 100592. USA South Hills Landfill, Inc., 3100 Hill Road, Library, PA 15129. A major permit modification for the expansion of the USA South Hills Landfill including 36 acres additional waste disposal and 10 acres additional permit area was issued in the Regional Office on October 29, 1999.

AIR QUALITY OPERATING PERMITS

General Plan Approval and Operating Permit issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.

GP4-31-03007: Huntingdon Electric Motor Service, Inc. (Seventh and Penn Streets, Huntingdon, PA 16652), for a general permit for two burn off ovens in Huntingdon Borough, **Huntingdon County**.

Operating Permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.

38-03019: Allied Veterinary Cremation Service (1587 Town Hill Road, York Springs, PA 17372), on October 26, 1999, for operation of a pet cremator with built-in afterburner in South Londonderry Township, **Lebanon County**.

Northcentral Regional Office: Air Quality Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3637.

TVOP-41-00024: Divine Providence Hospital (1100 Grampian Boulevard, Williamsport, PA 17701), issued a Title V Operating Permit on September 16, 1999, for operation of a hospital/medical/infectious waste incinerator, boilers and an emergency generator in Williamsport, **Lycoming County**.

TVOP-41-00027: Muncy Valley Hospital (215 East Water Street, Muncy, PA 17756), issued a Title V Operating Permit on September 16, 1999, for operation of a hospital/medical/infectious waste incinerator, boilers and emergency generators in Muncy Creek Township, **Lycoming County**.

TVOP-14-00003: The Pennsylvania State University (Physical Plant Building, University Park, PA 16802), issued a Title V Operating Permit on October 25, 1999, for operation of a hospital/medical/infectious waste incinerator, gas/no. 2 oil-fired and coal-fired boilers, furnaces, heaters, emergency generators and wastewater treatment plant in State College, **Centre County**.

Southwest Regional Office: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4174.

TVOP-04-00227: Koppel Steel Corp. (P. O. Box 750, Beaver Falls, PA 15010), issued a Title V Operating Permit on October 19, 1999, for operation of steel pipe and tube manufacturing at Ambridge Plant in Harmony Township, **Beaver County**.

Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.

PA-10-302A: Allegheny Metalworking Corp. (17 Leonburg Road, Cranberry Township, PA 16066), on August 30, 1999, for operation of a paint finishing system in Cranberry Township, **Butler County**.

Administrative Amendment of Operating Permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Regional Office: Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.

OP-46-0052: Pottstown Memorial Medical Center (1600 East High Street, Pottstown, PA 19464), on October 26, 1999, for Facility VOC/NOx RACT in Pottstown Borough, **Montgomery County**.

15-301-078: Southern Chester County Medical Center (1011 West Baltimore Pike, West Grove, PA 19390), on October 26, 1999, for a hospital waste incinerator in Penn Township, **Chester County**.

Northcentral Regional Office: Air Quality Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3637.

OP-55-0001C: PP&L, Inc. (Two North Ninth Street, Allentown, PA 18101), on October 26, 1999, to incorporate air contaminant emission limitations and annual capacity factor limitations established in Plan Approval No. OP-55-0001C for two reactivated no. 2 fuel oil-fired combustion turbines at the Sunbury SES in Shamokin Dam Borough, **Snyder County**.

Operating Permits Minor Modification issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Northeast Regional Office: Air Quality Program, Two Public Square, Wilkes-Barre, PA 17811-0790, (570) 826-2531.

48-322-001B: Grand Central Sanitary Landfill (1963 Pen Argyl Road, Pen Argyl, PA 18072), for minor modification of an existing landfill and expansion in the Plainfield Township, **Northampton County**. Initial notice to operate was published in the *Pennsylvania Bulletin* on January 2, 1999.

PLAN APPROVALS

Plan Approvals issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Regional Office: Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.

PA-15-0090: National Service Industries (303 Eagleview Boulevard, Exton, PA 19341), on October 28, 1999, for operation of flexographic offset printing units in Uwchlan Township, **Chester County**.

Northeast Regional Office: Air Quality Program, Two Public Square, Wilkes-Barre, PA 17811-0790, (570) 826-2531.

48-320-011: Lehigh Litho, Inc. (2285 Avenue A, LVIP, Bethlehem, PA 18017), on October 29, 1999, for installation of one Heidelberg two color nonheatset and two Miller six color nonheatset lithographic printing presses in the City of Bethlehem, **Northampton County**.

Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.

06-322-002A: Western Berks Refuse Authority (455 Poplar Neck Road, Birdsboro, PA 19508), on October 28, 1999, for modification of the municipal solid waste landfill at Site B-1 in Cumru Township, **Berks County**.

67-320-026B: GTY Inc., (2075 Loucks Road, York, PA 17404), on November 1, 1999, for construction of a narrow web hot embosser in West Manchester Township, **York County**.

Southwest Regional Office: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4174.

PA-04-003A: P. F. Environmental, Inc. (1135 Butler Avenue, New Castle, PA 16101), on October 25, 1999, for operation of a rotary dryer at Kabuta Plant in Potter Township, **Beaver County**.

PA-63-550A: USA South Hills Landfill, Inc. (3100 Hill Road, Library, PA 15129), on October 29, 1999, for operation of landfill in Union Township, **Washington County**.

Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.

PA-24-126A: US Resistor, Inc. (1016 Delaun Road, St. Marys, PA 15857-1059), on November 1, 1999, for modification to Operating Permit 24-327-003 (batch cold cleaning machine) in St. Marys, **Elk County**.

PA-42-151A: Werzalit of America, Inc. (40 North Holley Avenue, Bradford, PA 16701), on October 15, 1999, for modifications to Plan Approvals 42-302-017 and 42-316-009 in Bradford, **McKean County**.

PA-42-176C: Allegheny Medium Density Fiberboard, Ltd. Partnership (Hutchins Road, Kane, PA 16735), on October 20, 1999, for modification to Plan Approval PA-42-176B (sander dust systems) in Sargeant Township, **Elk County**.

42-317-017B: Allied Signal Specialty Chemicals (Route 46 and 446, Smethport, PA 16749), on October 20, 1999, for modification to Plan Approval 42-317-017B (VOC storage tanks) in Farmers Valley, **McKean County**.

Plan Approvals extensions issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Regional Office: Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.

PA-46-0176: A. Talone, Inc. (318 West Lancaster Avenue, Ardmore, PA 19003), on October 26, 1999, for operation of a solvent recovery dryer in Lower Merion Township, **Montgomery County**.

PA-23-0067: Alloy Surfaces Co., Inc. (121 North Commerce Drive, Aston, PA 19014), on October 26, 1999, for operation of a caustic metal treatment process in Chester Township, **Delaware County**.

PA-09-0057: Ametek Inc., U. S. Gauge Division (900 Clymer Avenue, Sellersville, PA 18960), on October 26, 1999, for operation of a degreaser in Sellersville Borough, **Bucks County**.

PA-09-0024A: Waste Management of PA, Inc. (200 Bordentown Road, Tullytown, PA 19007), on October 26, 1999, for operation of a permitted landfill in Tullytown Borough, **Bucks County**.

Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.

06-01003B: Lucent Technologies, Inc. (P. O. Box 13396, Reading, PA 19612-3396), on October 29, 1999, for temporary operation of a photoresist stripper line, covered under this Plan Approval until February 24, 2000, at the Reading Plant in Muhlenberg Township, **Berks County**.

06-01007O: Carpenter Technology Corp. (P. O. Box 14662, Reading, PA 19612-4662), on October 31, 1999, for construction of the press forge facility covered under this Plan Approval until April 30, 2001, at the Reading Plant in Reading/Muhlenberg Township, **Berks County**.

06-318-064B: Can Corp. of America, Inc. (P. O. Box 170, Blandon, PA 19510), on October 20, 1999, for temporary operation of two sheet coating lines controlled by a thermal oxidizer covered under this Plan Approval until February 16, 2000, at the Blandon Plant in Maidencreek Township, **Berks County**.

36-05019A: Supply Sales Co. (1411 Lancaster Avenue, Lancaster, PA 17512), on November 1, 1999, for temporary operation of a disamatic molding line covered under this Plan Approval until February 28, 2000, at the Columbia Plant in Columbia Borough, **Lancaster County**.

67-306-006A: P. H. Glatfelter Co. (228 South Main Street, Spring Grove, PA 17362), on October 20, 1999, for temporary operation of a circulating, fluidized bed boiler controlled by an electrostatic precipitator covered under this Plan Approval until February 16, 2000, at the Spring Grove Mill in Spring Grove Borough, **York County**.

Northcentral Regional Office: Air Quality Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3637.

08-302-039: Masonite Corp. (P. O. Box 311, Towanda, PA 18848), on October 19, 1999, to extend the authorization to operate two woodwaste-fired boilers and associated air cleaning devices (an electrostatic precipitator and a selective noncatalytic reduction system) on a temporary basis for another 120 days in Wysox Township, **Bradford County**.

Minor Modification of Plan Approvals issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Northcentral Regional Office: Air Quality Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3637.

08-316-011A: Masonite Corp. (P. O. Box 311, Towanda, PA 18848), on October 20, 1999, to extend a stack test deadline 90 days in Wysox Township, **Bradford County**.

MINING

APPROVALS TO CONDUCT COAL AND NONCOAL ACTIVITIES

MINING ACTIVITY ACTIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on

each application also constitutes action on the request for 410 water quality certification. Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

Ebensburg District Office, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.

Coal Permits Issued

56890111. Permit Renewal, **Duppstadt Coal** (2835 Stutzmantown Road, Somerset, PA 15501), for continued restoration of a bituminous strip mine in Elk Lick Township, **Somerset County**, affecting 70.8 acres, receiving stream Tub Mill Run and unnamed tributaries to Laurel Run. Application received August 27, 1999. Application issued October 25, 1999.

4077SM7. Transfer application from **Commonwealth Stone to New Enterprise Stone & Lime Company, Inc.** (Box 77, Church Street, New Enterprise, PA 16664), commencement, operation and restoration of bituminous strip mine in Jenner Township, **Somerset County**, affecting 103.7 acres, receiving stream Roaring Run and Quemahoning Creek. Application received July 19, 1999; issued October 27, 1999.

07910301. Transfer application from **Sproul Lime & Stone Company to New Enterprise Stone & Lime Company, Inc.** (P. O. Box 77, Church Street, New Enterprise, PA 16664), for continued operation and restoration of bituminous strip mine in Frankstown Township, **Blair County**, affecting 15.7 acres, receiving stream unnamed tributary to the Frankstown Branch of the Juniata River. Application received July 22, 1999; issued October 27, 1999.

32870101. Permit Revision, **Urey Coal Company** (222 Forest Ridge Road, Indiana, PA 15701), to mine through and then replace approximately 135 feet of an unnamed tributary to Cush Creek; and to mine through and then replace the unnamed tributary to Cush Creek beginning where the tributary flows under the abandoned railroad grade (the existing haulroad) and continue upstream for a distance of 1,250 feet in Banks and Montgomery Townships, Glen Campbell Boro, **Indiana County**, affecting 145.4 acres, receiving stream unnamed tributaries to Cush Creek and Cush Creek. Application received September 10, 1999; issued October 27, 1999.

Knox District Office, P. O. Box 669, Knox, PA 16232.

16840103. C & K Coal Company (P. O. Box 69, Clarion, PA 16214). Renewal of an existing bituminous strip and tippie refuse disposal operation in Perry Township, **Clarion County** affecting 3.5 acres. This renewal is issued for reclamation only. Receiving streams: Unnamed tributary to Allegheny River and Dunlap Creek. Application received: August 11, 1999. Permit issued: October 19, 1999.

Hawk Run District Office, P. O. Box 209, Off Empire Road, Hawk Run, PA 16840.

59990901. Signor Brothers (P. O. Box 98, Arnot, PA 16911), commencement, operation and restoration of an incidental coal extraction (coal refuse) permit in Bloss-Morris-Liberty Townships, **Tioga County** affecting 3.2 acres. Receiving streams: Babb Creek to Pine Creek to West Branch of the Susquehanna River. Application received July 6, 1999. Permit issued October 19, 1999.

17960106. BBC Coal Company (P. O. Box 249, Clearfield, PA 16830), revision to an existing bituminous surface mine permit for a change in land use on a 72.7 acres permit in Bloom Township, **Clearfield County**. This revision is to change the present land use from noncommercial forestland to cropland/land occasionally cut for hay. Receiving streams: unnamed tributary to Bilgers Run and Hughey Run. Application received August 16, 1999. Permit issued October 25, 1999.

14980101. Sky Haven Coal, Inc. (R. R. 1, Box 180, Penfield, PA 15849), commencement, operation and restoration of a bituminous surface mine permit in Snow Shoe Township, **Centre County** affecting 157.9 acres. Receiving streams: Sandy Run to the West Branch of the Susquehanna River. Application received March 24, 1999. Permit issued October 27, 1999.

Greensburg District Office, R. R. 2, Box 603-C, Greensburg, PA 15601.

03990101. Reichard Contracting, Inc. (R. D. 3, New Bethlehem, PA 16242). Permit issued for commencement, operation and reclamation of a bituminous coal surface mine/coal preparation and processing facility located in Redbank Township, **Armstrong County**, affecting 91.5 acres. Receiving streams: unnamed tributary to Nolf Run, unnamed tributary to Painter Run, and unnamed tributary to Mudlick Creek. Application received: February 10, 1999. Permit issued: October 27, 1999.

65880112. M. B. Energy, Inc. (250 Airport Road, P. O. Box 1319, Indiana, PA 15701). Renewal issued for continued reclamation only of a bituminous coal surface mine located in Salem Township, **Westmoreland County**, affecting 325 acres. Receiving streams: unnamed tributaries to Porters Run and unnamed tributaries to Beaver Run. Application received: July 29, 1999. Renewal issued: October 27, 1999.

Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

40990202. HUD, Inc., t/a Emerald Anthracite (P. O. Box 27, 200 East Front Street, Nanticoke, PA 18634), commencement, operation and restoration of a coal refuse reprocessing operation in Newport and Hanover Townships, **Luzerne County** affecting 94.8 acres, receiving stream—none. Permit issued October 25, 1999.

40940204C3. Northampton Fuel Supply Company, Inc. (7500 Old Georgetown Road, 13th Floor, Bethesda, MD 20814), correction to a coal refuse reprocessing operation in Hanover Township, **Luzerne County** affecting 48.0 acres, receiving stream—none. Correction issued October 25, 1999.

54793009R3. Coal Contractors (199), Inc. (Gowen Mine, Fern Glen, PA 18241), renewal of an existing anthracite surface mine operation in Beaver, North Union and Black Creek Townships, **Luzerne, Schuylkill and Carbon Counties** affecting 991.3 acres, receiving stream—none. Renewal issued October 25, 1999.

54890102R2. White Pine Coal Co., Inc. (P. O. Box 59, Ashland, PA 17921-0059), renewal of an existing anthracite surface mine and coal refuse disposal operation in Reilly, Cass and Foster Townships, **Schuylkill County** affecting 729.7 acres, receiving stream—Muddy Branch Creek. Renewal issued October 29, 1999.

Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.

Small Noncoal (Industrial Mineral) Permits Issued

28990802. Carl L. Robinson (7633 Dusty Road, Mercersburg, PA 17236), commencement, operation and restoration of a small quarry operation in Montgomery Township, **Franklin County** affecting 5.0 acres, receiving stream—none. Permit issued October 26, 1999.

35990802. George Compton, Jr. (565 Rt. 247, Carbondale, PA 18407), commencement, operation and restoration of a small quarry operation in Greenfield Township, **Lackawanna County** affecting 1.0 acre, receiving stream—none. Permit issued October 27, 1999.

58990831. Gerald A. Ellis, Sr. (R. R. 4, Box 277, Montrose, PA 18801), commencement, operation and restoration of a bluestone quarry operation in Jessup Township, **Susquehanna County** affecting 1.0 acre, receiving stream—none. Permit issued October 29, 1999.

Ebensburg District Office, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.

Large Industrial Minerals Applications Issued

31970301. Permit Revision, **U. S. Silica Company** (R. D. 1, Box 1885, Mapleton Depot, PA 17052), for the addition of a haulroad from the south end of the quarry to connect the North Quarry with an existing haulroad further to the south; and for the addition of 16.7 acres to the permit for the haulroad extension, total permit acres goes from 290.3 to 307.0 acres in Brady Township, **Huntingdon County**, receiving stream Mill Creek, Saddler Run. Application received August 6, 1999; issued October 26, 1999.

ACTIONS TAKEN UNDER SECTION 401: FEDERAL WATER POLLUTION CONTROL ACT ENCROACHMENTS

The Department of Environmental Protection has taken the following actions on previously received permit applications, request for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Any person aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, P. O. Box 8457, Harrisburg, PA 17105-8557, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rule of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Actions on applications filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and sections 6 and 402 The

Clean Streams Law (35 P. S. §§ 691.5 and 691.402) and notice of final action for certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)). (Note: Permits issued for Small Projects do not include 401 Certification, unless specifically stated in the description).

Permits Issued and Actions on 401 Certifications

Southeast Regional Office: Program Manager, Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E46-848. Encroachment. **PA Department of Transportation**, 200 Radnor-Chester Road, St. Davids, PA 19087-5178. To extend and maintain an existing bridge 13.5 feet both upstream and downstream, to place and maintain R-6 rock scour protection against the bridge abutment footings, and to place and maintain rock scour protection along the north and south banks of Pine Run (TSF). This bridge is located over Pine Run along Limekiln (S. R. 0152), 200 feet southeast of its intersection with Virginia Drive and Dreshertown Road (S. R. 2024) (Ambler, PA Quadrangle N: 3.2 inches; W: 6.0 inches) in Upper Dublin Township, **Montgomery County**.

E46-834. Encroachment. **PA Department of Transportation**, 200 Radnor-Chester Road, St. Davids, PA 19087. To remove an existing bridge carrying S. R. 4015 Section 42M (Second Avenue) over Mingo Creek (WWF). To construct and maintain a bridge replacement at a location approximately 46 feet downstream of the existing bridge centerline. The proposed bridge replacement will be a dual cell, precast concrete box culvert with an overall length of 92 feet. Each culvert cell will have a clear span of 22 feet and a rise of 12 feet. Approximately 800 feet of the roadway approaches will be reconstructed to improve roadway alignment. The project site is located approximately 800 feet upstream of the confluence of Mingo Creek with the Schuylkill River and 1/4 mile southeast of Royersford (Phoenixville, PA Quadrangle N: 8.2 inches; W: 3.7 inches) in Upper Providence Township, **Montgomery County**.

E46-841. Encroachment. **Upper Dublin Township**, 801 Loch Alsh Avenue, Fort Washington, PA 19034. To improve, widen and maintain Virginia Drive and the intersection of Virginia Drive and Office Center Drive within the 100-year floodplain of Pine Run (TSF) in conjunction with construction of a slip ramp for PA Turnpike in the vicinity of the Fort Washington Interchange (Ambler, PA Quadrangle beginning at N: 2.2 inches; W: 7.4 inches and ending at N: 2.8 inches; W: 6.3 inches) in Upper Dublin Township, **Montgomery County**. Work consists of: 1. Extending a 42-inch by 72-inch elliptical C.M.P. pipe in and along an unnamed tributary to Pine Run beneath Virginia Drive at Station 504+84 by installing a 16 linear foot extension of 42-inch by 72-inch C.M.P. at the downstream end of the aforementioned culvert. 2. Widening Virginia Drive and Office Center Drive within the 100-year floodplain of Pine Run.

Northeast Regional Office: Soils and Waterways Section, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

E45-375. Encroachment. **William J. and Eileen A. Burke**, 4741 NW 75th Street, Coconut Creek, FL 33073. To place fill in a de minimis area of wetlands equal to 0.02 acre for the purpose of constructing a single family home on a 0.34-acre lot. The project is located on Lot 3, Unit 3, Section 6, along the south side of Hillcrest Drive

in Lake Naomi Estates (Pocono Pines, PA Quadrangle N: 21.1 inches; W: 8.8 inches) in Tobyhanna Township, **Monroe County**.

Northcentral Region: Water Management, Soils and Waterways, F. Alan Sever, Chief, 208 West Third St., Williamsport, PA 17701.

E53-330. Encroachment. **Pennsylvania Department of Conservation and Natural Resources**, Bureau of Facility Design and Construction, P. O. Box 8451, Harrisburg, PA 17105-8451. To remove the existing bridge and to construct and maintain a bridge with a 40-foot span and a 4-foot underclearance across the Germania Branch of Kettle Creek located immediately upstream of the confluence of Kortz Run and Germania Branch (Oleana, PA Quadrangle, from N: 21.5 inches; W: 1.6 inches) Abbott Township, **Potter County**. This permit was issued under § 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E57-085. Encroachment. **James E. Epply**, Pennsylvania Department of Conservation and Natural Resources, Bureau of Facilities Design, Box 8451, Harrisburg, PA 17105-8451. To remove the existing structure and to construct and maintain a single span bridge with a normal clear span of 30 feet across Mill Creek. This permit also authorizes a temporary causeway to be constructed to allow passage of motor vehicles during construction. This project is located on Big Hollow Road about 1,200 feet south of its intersection with Mill Creek Road (Hills Grove, PA Quadrangle N: 17.1 inches; W: 15.8 inches) in Hills Grove Township, **Sullivan County**. This permit was issued under § 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E59-382. Encroachment. **Delmar Township Supervisors**, P. O. Box 70A, Wellsboro, PA 16901. To construct and maintain ten sewer line stream crossings of East Branch Stony Fork and unnamed tributaries of this stream and to construct and maintain a 45,000 gpd wastewater treatment plant with outfall pipe in the floodplain of East Branch Stony Fork. This project is located along Stony Fork Road approximately 6.5 miles south of Route 6 (Antrim, PA Quadrangle N: 6.8 inches; W: 15.5 inches) in Delmar Township, **Tioga County**. This permit was issued under § 105.13(e) "Small Projects." This project also includes 401 Water Quality Certification.

ENVIRONMENTAL ASSESSMENT

Southeast Regional Office: Program Manager, Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

EA46-006SE. Environmental Assessment. **June S. Dreslin**, P. O. Box 53, Limekiln, PA 19535. To construct and maintain a nonjurisdictional dam for stormwater management, consisting of an earthen fill dam across an unnamed tributary of Mingo Creek. The project is located approximately 2,000 feet west of the intersection of Township Line Road and Ridge Pike (Phoenixville, PA Quadrangle N: 16.80 inches; W: 0.80 inch) in Limerick Township, **Montgomery County**.

STORAGE TANKS

SITE SPECIFIC INSTALLATION PERMITS

The following Storage Tank Site Specific Installation Permits under the authority of the Storage Tank and Spill Prevention Act (35 P. S. §§ 6021.304, 504, 1101—1102) and 25 Pa. Code Chapter 245, Subchapter C have been issued by the Bureau of Watershed Conservation, Director, P. O. Box 8555, Harrisburg, PA 17105-8555, (717) 787-5267.

<i>SSIP Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Tank Type and Capacity</i>
99-62-001	Larry R. Dosser United Refining Company 15 Bradley Street Warren, PA 16365-0780	Warren County Warren	1 AST storing Fresh Acid 31,093 gallons
99-07-001	John M. Arnold Eldorado Properties Corpo- ration 900 Eisenhower Boulevard Harrisburg, PA 17105	Blair County Allegheny Township	1 AST storing Unleaded Gasoline 8,196,400 gallons

SPECIAL NOTICES

**Submission Date Extension
Calendar Year 1998 Applications
For Municipal Recycling Program Performance Grant Applications
Under Act 101, Section 904 of
the Municipal Waste Planning, Recycling and Waste Reduction Act**

The Department of Environmental Protection (Department) announces an extension to the deadline for calendar year 1998 Recycling Program Performance Grant applications from municipalities for grant assistance under the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) (Act 101).

The deadline for submission of calendar year 1998 applications has been extended to 3 p.m., December 30, 1999. Applications must be on forms provided by the Department. Applications received by the Department after that date will not be considered. All grant awards are predicated on the receipt of recycling fees required by sections 701 and 702 of Act 101, and the availability of moneys in the Recycling Fund.

Grant applications and inquiries concerning this notice should be directed to Todd Pejack, Recycling and Markets Section, Department of Environmental Protection, Bureau of Land Recycling and Waste Management, Rachel Carson State Office Building, P. O. Box 8472, Harrisburg, PA 17105-8472, (717) 787-7382.

Notice of Certification to Perform Radon-Related Activities in Pennsylvania

In the month of October 1999, the Department of Environmental Protection of the Commonwealth of Pennsylvania, under the authority contained in the Radon Certification Act (63 P. S. §§ 2001—2014) and regulations promulgated thereunder at 25 Pa. Code Chapter 240, has certified the persons listed as follows to perform radon-related activities in Pennsylvania. The period of certification is 2 years. For a complete list of persons currently certified to perform radon-related activities in Pennsylvania and for information as to the specific testing devices that persons certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P. O. Box 8469, Harrisburg, PA 17105-8469, (800) 23RADON.

<i>Name</i>	<i>Address</i>	<i>Type of Certification</i>
John Bixler Quality Environmental Technology	118 Stitzer Road Fleetwood, PA 19522	Testing
Michael Bradley HouseInspect	601 North Olive Street Media, PA 19063	Testing
Patrick Dean	123 Coulter Avenue, Suite 203 Ardmore, PA 19003	Testing
Frank Deininger	421 West Chocolate Avenue Hershey, PA 17033	Testing
Bo Hopkins	3692 Sheramy Drive Fairview, PA 16415	Testing
Ronald Hunsberger	6109 Haring Road Plumsteadville, PA 18949	Testing
Christopher Hunt	2115 Dunhill Drive Wilmington, DE 19810	Testing
Greg Kopenhaver	P. O. Box 902 Blue Bell, PA 19422	Testing
William McKelvey	1301 Lincoln Highway Langhorne, PA 19047	Testing
Dominic Passante	108 Valley Stream Mountain Top, PA 18707	Testing
Mark Runge	R. D. 1, Box 195, Reider Road Robesonia, PA 19551	Testing/Mitigation

<i>Name</i>	<i>Address</i>	<i>Type of Certification</i>
Brendan Ryan ALARA Environmental	216 Logan Road Valencia, PA 16509	Testing
Donald Stoltenberg	10522 High Rock Road Airville, PA 17302	Testing
Kenneth Struder	P. O. Box 722 Thorndale, PA 19372	Laboratory
John Trusa	454 Dana Street Wilkes-Barre, PA 18702	Testing
Thomas Voelker	1500 Delaware Avenue Wyomissing, PA 19610	Testing/Laboratory

[Pa.B. Doc. No. 99-1919. Filed for public inspection November 12, 1999, 9:00 a.m.]

Availability of Technical Guidance

Technical Guidance Documents are on DEP's World Wide Web site (www.dep.state.pa.us) at the Public Participation Center. The "1999 Inventory" heading is the Governor's List of Nonregulatory Documents. The "Search the Inventory of Technical Guidance Documents" heading is a database of the Inventory. The "Final Documents" heading is the link to a menu of the various DEP bureaus and from there to each bureau's final technical guidance documents. The "Draft Technical Guidance" heading is the link to DEP's draft technical guidance documents.

DEP will continue to revise its documents, as necessary, throughout 1999.

Ordering Paper Copies of DEP Technical Guidance

Persons can order a bound paper copy of the latest Inventory or an unbound paper copy of any of the final documents listed on the Inventory by calling DEP at (717) 783-8727.

In addition, bound copies of some of DEP's documents are available as DEP publications. Please check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to Technical Guidance Documents

Here is the current list of recent changes. Persons who have any questions or comments about a particular document should call the contact person whose name and phone number is listed with each document. Persons who have questions or comments in general should call Joe Sieber at (717) 783-8727.

Draft Guidance

DEP ID: 563-2504-101 Title: Procedures for Calculating Mine Subsidence Bonds Description: This guidance describes the procedures the Department will follow in determining the appropriate amounts of mine subsidence bonds. It is intended to bring bond liability in line with the amount of damage that is likely to occur at a given mine. It also explains the rationale behind the Department's approach to bond calculation. Anticipated Effective Date: March 6, 2000 Comment Period Ends: December 28, 1999 Contact: Harold Miller at (717) 783-8845, fax number is (717) 783-4675, or E-mail at miller.harold@dep.state.pa.us

JAMES M. SEIF,
Secretary

[Pa.B. Doc. No. 99-1920. Filed for public inspection November 12, 1999, 9:00 a.m.]

Cleanup Standards Scientific Advisory Board; Meeting Cancellation

The Cleanup Standards Scientific Advisory Board (CSSAB) meeting scheduled for December 2, 1999, at 9 a.m., 400 Market Street, Rachel Carson State Office Building, 14th Floor conference room has been cancelled.

Questions concerning the date of the next meeting can be directed to Marilyn Wooding at (717) 783-7509 or E-mail to Wooding.Marilyn@a1.dep.state.pa.us. All agendas, minutes and meeting materials will be available through the Public Participation Center on DEP's World Wide Web site at <http://www.dep.state.pa.us>.

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact Marilyn Wooding directly at (717) 783-7509 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

JAMES M. SEIF,
Secretary

[Pa.B. Doc. No. 99-1921. Filed for public inspection November 12, 1999, 9:00 a.m.]

DEPARTMENT OF HEALTH

Closure of Facility

In accordance with 28 Pa. Code § 101.196 and § 201.23 enacted under the Health Care Facilities Act adopted by the Commonwealth at 35 P.S. § 448.801 *et seq.*, any acute care general hospital and long term care facility which intends to close is to give written notice of such intent to the Department, not less than 90 days prior to the anticipated date of closing. The notice shall include a contingency plan which addresses the following:

—A transition plan for the closure of patient care units including the orderly transfer or discharge of patients and their medical record information;

—The current status of payments to vendors who provide supplies and/or services to patients;

—The policy and procedure for the diversion of emergency room admissions;

—The policy and procedure for the restriction of new admissions;

—The policy and procedure for the disposition of pharmaceuticals including controlled substances;

—The policy and procedure for the disposition and handling of biomedical, hazardous radioactive waste;

—A communication plan which includes providing information to patients, employees, the community, fire, safety and ambulance companies, vendors, government officials and relevant government agencies.

Under 28 Pa. Code § 51.3(c), any health care facility which intends to reduce the number of operational beds (from the date of the last survey) or to cease providing an existing health care service, which would include such things as closing an obstetrical/gynecological service, renal dialysis program, transplant program, outpatient clinic, home care department, is to provide written notice to the Department at least 60 days prior to the effective date it intends to cease providing an existing health care service or reduce its number of operational beds.

Under 28 Pa. Code § 51.3(f), if a health care facility is aware of a situation or the occurrence of an event at the facility which could seriously compromise quality assurance or patient safety, the facility shall immediately notify the Department in writing. The notification shall include sufficient detail and information to alert the Department as to the reason for its occurrence and the steps that the health care facility shall take to rectify the situation.

Under 28 Pa. Code § 601.13, any owner of a home health care agency shall immediately report to the Department, by phone and written follow up report, any action by the agency that causes an interruption or cessation of services.

Questions or inquiries concerning this notice should be sent to: Helen Burns, Acting Director, Bureau of Facility Licensure and Certification, 930 Health and Welfare Building, Harrisburg, PA 17108, or call V/TT (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Services at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 99-1922. Filed for public inspection November 12, 1999, 9:00 a.m.]

Organ Donation Advisory Committee Meeting

The Organ Donation Advisory Committee, established by section 8 of the act of December 1, 1994 (P. L. 655, No. 102) (20 P. S. § 8622) will hold a public meeting on December 1, 1999. The meeting will be held from 10 a.m. to 2 p.m. in Room 812 of the Health and Welfare Building, Seventh and Forster Streets, Harrisburg, PA.

For additional information please contact William J. Neil, Manager, or Angela H. Anderson, Health Education and Information Program, Bureau of Chronic Diseases and Injury Prevention, at (717) 787-5900.

Persons with a disability who desire to attend the meeting and require an auxiliary aid, service or other accommodation to do so, should contact the Bureau of Chronic Diseases and Injury Prevention, at (717) 787-5900.

V/TT (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Services at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 99-1923. Filed for public inspection November 12, 1999, 9:00 a.m.]

DEPARTMENT OF LABOR AND INDUSTRY

Office of Vocational Rehabilitation; Prevention of Blindness Program

The Department of Labor and Industry, Office of Vocational Rehabilitation, announces that competing applications to provide a Prevention of Blindness Program in each of six Office of Vocational Rehabilitation, Bureau of Blindness and Visual Services districts will be accepted. Funding for this competition is under the auspice of the Pennsylvania State Board of Vocational Rehabilitation and the Office of Vocational Rehabilitation (OVR), Bureau of Blindness and Visual Services, which will serve as administrator and fiscal agent for the grants awarded under this competition. Applications will be written to accomplish the following area of emphasis:

To provide a Prevention of Blindness Program in each of six Bureau of Blindness and Visual Services (BBVS) districts in 24 counties where there are currently no organized local prevention services. The Prevention of Blindness Program shall include the following services: Pre-school Vision Screening; Adult Vision Screening; Eye Safety Programs in schools, industries, businesses, community organizations and senior centers; Public Education in all areas served; Follow-up and Referral; and Data Collection.

Service Information

The goal of this competition is to enable the provision of Prevention of Blindness services as emphasized previously. Further, grants awarded as a result of this competition will present a prevention program which maintains a viable organizational and physical presence in the geographic areas to be served during the contract year in order to enhance flow of referrals, delivery of services, implementation of follow-up and coordination of information and feedback.

OVR is seeking a contractor(s) who will provide a Prevention of Blindness program in those counties that currently possess no organized, ongoing prevention program. These counties will hereafter be referred to as "uncovered." The geographic distribution of uncovered counties is as follows:

Eastern PA

Geographic Area # 1
Philadelphia County

Geographic Area # 2
Bradford County
Carbon County
Monroe County
Pike County
Schuylkill County

Susquehanna County
Tioga County
Wayne County
Wyoming County

Geographic Area # 3
Cumberland County (part)
Franklin County
Western PA

Geographic Area # 4
Centre County

Geographic Area # 5
Armstrong County

Geographic Area # 6
Cameron County
Clarion County
Clearfield County
Crawford County
Elk County
Forest County
Jefferson County
McKean County
Potter County
Warren County

It is anticipated a minimum of two awards will be made, one in each of the eastern and western parts of the State, subject to receipt of acceptable applications to do so. Interested parties will submit applications proposing services in either Eastern PA or Western PA sectors as identified above. Funds will be awarded for these purposes based upon OVR's acceptance of 1) the applicant's understanding of the service needs in the area, 2) and the applicant's plan for addressing those needs.

Application Information

Applications that are complete and conform to established specifications and that are received by close of business (5 p.m.), Wednesday, January 5, 2000, will be accepted for review. Applications submitted after this date and time will be ineligible for consideration.

Applications will be evaluated by a panel of reviewers convened for that purpose. Applications will compete to provide services as described in either the Eastern or Western parts of the Commonwealth. Applicants will be competing only against others making application in the corresponding area.

The effective dates for the contract will be July 1, 2000 through June 30, 2001. Final awards made through this competition are subject to the approval of the Executive Director, Pennsylvania Office of Vocational Rehabilitation.

Eligible applicants include private not-for-profit, for-profit, and public organizations/institutions. Organizations or individuals demonstrating compliance with the terms of this announcement may apply to participate in this competition.

A complete application package which includes more detailed information is available by calling Cathy Mills at (717) 783-3462 (TDD: 783-8917) (1-800-442-6351 [Voice] or 1-800-233-3008 [TTY]) or writing to the following address: Office of Vocational Rehabilitation, Infrastructure Services Section, 1320 Labor and Industry Building, Seventh and Forster Streets, Harrisburg, PA 17120, FAX: (717) 783-5221, e-mail: cmills@dli.state.pa.us, Attention: Cathy Mills.

Preproposal Conference

A preproposal conference to deal specifically with technical questions regarding applications will be held for applicants on Wednesday, November 17, 1999, starting at 1 p.m. in the Conference Room, Harrisburg District Office, Bureau of Blindness and Visual Services, 2923 North Seventh Street, Suite B, (Uptown Plaza), Harrisburg, PA 17110-2124.

Copies of the application package will also be available at this conference. Persons expecting to attend should

advise Cathy Mills, no later than 1 week prior to the conference, of any special accommodations that may be required in order for them to fully participate in the preproposal conference.

JOHNNY J. BUTLER,
Secretary

[Pa.B. Doc. No. 99-1924. Filed for public inspection November 12, 1999, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Contemplated Sale of Improved Land No Longer Needed for Transportation Purposes

Notice is hereby given that the Department of Transportation pursuant to 71 P. S. § 513(e)(7), intends to sell certain improved land owned by it.

The property is located in Dunmore Borough, Lackawanna County, PA. The parcel contains approximately 1.771 acres of improved land located at the intersection of Peggy Parkway and Reeves St. and along S. R. 0081. Estimated fair market value is \$230,000. It has been determined that the land is no longer needed for present or future transportation purposes.

Interested public entities are invited to express their interest in purchasing the site within thirty (30) calendar days from the date of publication of this notice to: Pennsylvania Department of Transportation, Charles M. Mattei, P.E., District Engineer, Engineering District 4-0, Dunmore, P. O. Box 111, Scranton, PA 18501.

BRADLEY L. MALLORY,
Secretary

[Pa.B. Doc. No. 99-1925. Filed for public inspection November 12, 1999, 9:00 a.m.]

Retention of Engineering Firms

Armstrong, Butler, Clarion, Indiana and Jefferson Counties

Project Reference No. 08430AG2441

The Department will retain an engineering firm for an Open-End Contract to provide supplementary construction inspection staff under the Department's Inspector(s)-in-Charge to perform construction inspection services on various projects in Engineering District 10—0, that is Armstrong, Butler, Clarion, Indiana and Jefferson Counties. The Contract will include roadway and bridge construction projects, and material plant inspection, and other construction inspection services as needed. The Contract will be for a period of sixty (60) months, with a maximum cost of one million (\$1,000,000) dollars. The Department reserves the option to increase the duration and/or maximum amount of this Contract.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be estab-

lished directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

a. Review of inspectors' resumes with emphasis on construction inspection capabilities and specialized experience in the Maintenance and Protection of Traffic, soils, structures, concrete, asphalt paving, drainage, roadway and structural rehabilitation.

b. Understanding of Department's requirements, policies, and specifications.

c. Past Performance.

d. Number of available inspectors in each payroll classification.

e. Number of NICET certified inspectors in each payroll classification.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Manager 2 (TCM-2) (NICET Highway Construction Level 4 or equivalent)	2 (1)
Transportation Construction Manager 1 (TCM-1) (NICET Highway Construction Level 4 or equivalent)	4 (3)
Transportation Construction Ins. Super. (TCIS) (NICET Highway Construction Level 3 or equivalent)	11 (7)
Transportation Construction Inspector—Materials (TCI-Materials) (NICET Highway Materials Level 2 or equivalent)	10 (6)
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	24 (15)
Technical Assistant (TA) (NICET Highway Construction Level 1 or equivalent)	4 (3)

The number(s) in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the Level required for the Inspection Classification.

2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.

3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.

4. Hold a Bachelor of Science Degree in Civil Engineering or a Bachelor of Science Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

5. Hold an Associate Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement per hour of inspection for each Department Payroll Classification for calendar year of 1999:

<i>Payroll Classification</i>	<i>Maximum Straight Time Reimbursement Per Hour Of Inspection</i>
(TCM-2)	\$52.77
(TCM-1)	\$46.27
(TCIS)	\$40.54
(TCI-Materials)	\$36.55
(TCI)	\$35.47
(TA)	\$24.39

The maximum reimbursement per hour of inspection includes all costs for providing construction inspection services at the project site during the normal work week.

Maximum reimbursement per hour of inspection for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a pre-construction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item; provide certified CDS operators, nuclear densometer gauge licensed operators, a NECEPT certified field bituminous technician and perform other duties as may be required.

The firm selected will be required to supply the following equipment at no direct cost to the Department:

- 5 Nuclear Densometer Gauges/License
- 5 Vehicles for the Transportation of Nuclear Gauges
- 4 Two-Way Radios
- 6 Cellular Phones
- 1 Level and Rod
- 2 Planimeters

The maximum number of resumes to be included in the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes</i>
TCM-2	3
TCM-1	5
TCIS	14
TCI-M	12
TCI	29

No resumes are required for the TA Classification.

This project reference assignment is considered moderately complex. The letter of interest shall be limited to a maximum of five (5) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17 size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Richard H. Hogg, P.E., District Engineer
Engineering District 10-0
Route 286 South, P. O. Box 429
Indiana, PA 15701
Attention: Mr. John C. Fry, P.E.

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 p.m. prevailing time on the sixth (6th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to: Mr. John C. Fry, P.E., District 10-0, at (724) 357-2812.

**Adams, Cumberland, Dauphin, Franklin, Lancaster,
Lebanon, Perry and York Counties**

Project Reference No. 08430AG2442

The Department will retain an engineering firm for an Open-End Contract for various engineering and environmental services on traffic and maintenance type projects located in Engineering District 8-0, that is Adams, Cumberland, Dauphin, Franklin, Lancaster, Lebanon, Perry and York Counties. The Contract will be for a sixty (60) month period with projects assigned on an as-needed basis. The maximum amount of the Open-End Contract will be \$1.0 million. The Department reserves the option to increase the Contract duration and/or maximum amount of this Contract.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Open-End Contract based on the Department's evaluation of the letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

a. Specialized experience and technical competence of the firm with emphasis on the firm's ability to handle projects of a diverse and complex nature. The firm's experience in traffic related design, including Intelligent Transportation System (ITS) /implementation, safety and maintenance improvement projects and minor bridge or culvert design projects; the firm's ability to address critical environmental issues in a timely and cost effective manner; and the firm's ability to procure all necessary permits.

b. Past record of performance with respect to cost control, work quality, ability to meet schedules and previous experience on Open-End Contracts. The specific experience of individuals who constitute the firms shall be considered.

c. Location of consultant in respect to the District.

d. Use of Micro-station CADD.

e. Available staffing for this assignment. The selected firm could be assigned up to twenty (20) concurrent work orders of a similar or diverse nature. Prompt turn-around time is expected.

f. Relative size of firm to size of projects that may be completed under this Contract.

The selected firm shall not be permitted to work on any assignment for which it has a conflict of interest.

The possibility exists that many different types of projects will be assigned under short term completion schedules which will encompass a wide range of traffic engineering projects, including traffic signal and signal system design/analysis, traffic signing and sign structure designs and reviews, prepare/review maintenance and protection of traffic plans, preliminary field surveys, and other engineering services as required.

The selected firm must possess expertise in the development and implementation of Intelligent Transportation Systems (ITS) and will assist the District in it's deployment of the Capital Area Beltway ITS system.

Other areas of traffic engineering expertise associated with these projects may include, but are not limited to: developing and reviewing traffic signal permit drawings (new and revised), developing and/or reviewing traffic signal construction plans, data collection analysis (including preliminary field surveys and traffic counts), developing traffic signal coordination timing plans, analyzing and fine-tuning existing signal system timing plans to address any system deficiencies, observe on-street system operation during peak and off peak periods, adjust coordination timing parameters to optimize traffic flow, prepare lighting conversion plans, conducting traffic engineering studies in accordance with Title 67, Chapter 201, reviewing Highway Occupancy Permits (HOPs) in accordance with Title 67, Chapter 441 and Publication 170 for appropriate design criteria, review traffic impact studies, checking HOP plans and documentation for accuracy and compliance with current requirements and design standards, review for driveway applications as well as intersection improvements, conduct detailed field views for each permit review, review and evaluate traffic impact studies, drainage design, regulatory and warning signs, and pavement markings.

In addition, the selected firm may be required to perform engineering studies and design in support of the District's Maintenance Unit. These services could include, but are not limited to: drainage and hydraulic studies, storm water management, minor structural design, core borings and geotechnical investigations, PUC coordination, wetland delineation and mitigation design, preparation of categorical exclusion evaluations, preparations of erosion and sedimentation control plans, and preparation of GP-7 minor stream encroachment permit applications for PennDEP.

Areas of environmental study associated with these projects may include, but are not limited to: soils; geology; streams; rivers and watercourses; wetlands; floodplains; navigable waterways; surface water and groundwater resources; National and State Wild and Scenic Rivers and Streams; vegetation; wildlife and habitat; terrestrial and aquatic ecology; threatened and endangered species investigation; farmland; National Natural Landmarks; natural and wild areas; cultural resources; parks and recreation facilities; hazardous and residual waste including underground storage tanks; air quality; noise; energy; vibration; public controversy on environmental grounds; aesthetic and other values including visual quality; and socioeconomic impacts. All environmental studies will be conducted in accordance with accepted analysis techniques and methodologies.

The selected firm may be required to perform any or all of the above in order to ensure a complete traffic engineering or maintenance investigation has been performed; provide all necessary engineering services, mate-

rial and equipment necessary to collect, analyze and review data, prepare reports, and attend meetings with applicants and agencies.

The format and content of all documents, plans and specifications will be consistent with applicable State and Federal regulations and guidelines. This is the general work effort involved. A more specific and project related scope of work will be outlined for each individual work order developed under the Open-End Contract.

Provide survey data for in-house design projects, if needed. Survey information must be directly compatible with the District's in-house design capabilities. The District uses in-house software (available to the consultant) or TDS software with a DOS operating data collection.

Project schedules will be maintained by the Department using Welcom "Open Plan" software. Consultant schedule software must be compatible.

This project reference assignment is considered non-complex. The letter of interest shall be limited to a maximum of three (3) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Barry G. Hoffman, P.E., District Engineer
Engineering District 8-0
2140 Herr Street
Harrisburg, PA 17103-1699
Attention: Mr. Glenn Rowe, P.E.

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 p.m. prevailing time on the twentieth (20th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to: Mr. Glenn Rowe, P.E., District 8-0, at (717) 783-3981.

**Crawford, Erie, Forest, Mercer, Venango and
Warren Counties**

Project Reference No. 08430AG2443

The Department will retain three (3) engineering firms for Open-End Contracts for various engineering and/or environmental services on various projects located in Engineering District 1-0, that is Crawford, Erie, Forest, Mercer, Venango and Warren Counties. The maximum amount for two (2) of the Open-End Contracts will be \$2.0 million. The maximum amount for the third (3rd) Open-End Contract will be \$500 thousand. The Department reserves the option to increase the duration and/or maximum amounts of these Contracts.

The Department will establish an order of ranking of a minimum of seven (7) firms for the purpose of negotiating three (3) Open-End Contracts based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

a. Specialized experience and technical competence of the firm. Firms must demonstrate an ability to analyze available data to make decisions to develop plans in a timely and cost effective manner.

b. Past record of performance with respect to cost control, work quality, ability to meet schedules and previous experience on Open-End Contracts. The firms will also be evaluated on customer satisfaction, including accessibility, cooperation, and attitude toward previous projects.

c. The firms selected must be capable of providing adequate leadership and human resources to effectively complete multiple work orders of a similar or diverse nature. Strategic planning and organization is required for prompt turnaround time.

d. Firms must demonstrate their ability to communicate ideas and/or practices across units, including subconsultant, to improve the design process and better meet the requirements of the Department.

e. Relative size of firm to size of projects that may be completed under these Contracts.

f. Location of the firm with respect to the District Office.

The selected firm will be required to provide necessary professional engineering and environmental services, material and equipment necessary to collect, analyze, map and organize data; conduct preliminary engineering alternative analyses; assess impacts; conduct agency and public involvement activities; prepare reports; design mitigation plans; and prepare engineering and environmental analyses.

The work and services required under these Contracts may encompass a wide range of environmental studies and engineering efforts with the possibility of several different types of projects with short completion schedules being assigned concurrently. The anticipated types of projects include, but not limited to, bridge replacements or bridge rehabilitation with minor approach work, environmental studies, roadway betterments (3R type,) minor capital improvement projects (bridges or roadway), traffic signal projects, location studies, various environmental studies, etc.

The engineering work and services which may be required under these Contracts include, but are not limited to, attend project field views and meetings and prepare minutes of the same; prepare appropriate submission for all project related meetings and field views; disseminate intent-to-enter notices, prepare right-of-way plans; perform field surveys; plot topography and cross sections; prepare submission for utility verification and relocations engineering; prepare all pertinent submissions and materials necessary for the Department to prepare the application to PUC and for the PUC field conference; attend and supply any required information for all PUC meetings and hearings during the design of the project; develop erosion control details and narrative; complete structure designs including type, size and location reports, core boring layouts and foundation designs and reports; develop traffic control plans with narratives; conduct soils investigations and prepare soils reports; investigate utility involvement on projects; provide material for and participate in value engineering reviews; develop construction project management (CPM) schedules and reasonable construction working times; prepare lighting plans; prepare information needed to obtain all required permits, approvals, insurance, etc. for project advancement; coordinate contacts with railroad officials and procure railroad related costs, permits, and insurance; collect signal timing, accident data and other traffic flow data; evaluate alternatives using benefit/cost analysis; document engineering study findings and activities;

develop design review submissions as per applicable Department manuals, procedures and policies; alternative analysis to assess impacts and mitigation; and prepare construction plans, specifications, and estimates.

The format and content of all documents, plans, reports and other submissions will be consistent with applicable State and/or Federal regulations and guidelines.

The firm may be required to perform any or all of the following environmental studies; air quality analysis; surface water and groundwater hydrology; terrestrial ecology; wetland determinations and delineations; geological and geomorphology investigations; farmlands; visual quality; socio-economic; Section 106 and cultural resource documentation; Section 4(f) and Section 6(f) documentation; noise and vibration analysis; threatened and endangered species surveys and required mitigation; hazardous and residual waste investigations; and, any other environmental study or investigation not listed above. The environmental studies will be conducted in accordance with acceptable Department policies, methodologies and analysis techniques.

The firm may also be required to perform any or all of the following in order to ensure a complete environmental investigation has been performed: provide all necessary environmental services; material and equipment necessary to collect, organize and analyze data; assess impacts; conduct agency coordination and public involvement activities; and, prepare reports and design mitigation summaries.

The reports and other written graphic material to be prepared may include, but not be limited to: early coordination and scoping correspondence; plans of study; Meeting minutes; public meetings and hearing presentations; handouts and displays; technical basis reports; NEPA environmental documents; Section 106 documents; Section 4(f) and Section 6(f) evaluations; mitigation plans and reports; and, wetland and floodplain findings.

The engineering services and environmental studies identified above are the general work activities that can be expected under these Open-End Contracts. A more specific and project-related Scope of Work will be outlined for each individual Work Order developed under these Open-End Contracts.

This project reference assignment is considered moderately complex. The letter of interest shall be limited to a maximum of five (5) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. John L. Baker, P.E., District Engineer
Engineering District 1-0
255 Elm Street
Oil City, PA 16301
Attention: Ms. E. Mariah Hanson

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 p.m. prevailing time on the twentieth (20th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to: Ms. Mariah Hanson, District 1-0, at (814) 678-7078.

Armstrong, Butler, Clarion, Indiana, and Jefferson Counties

Project Reference No. 08430AG2444

The Department will retain an engineering firm for an Open-End Contract for various engineering services on various projects located in Engineering District 10-0, that is, Armstrong, Butler, Clarion, Indiana and Jefferson Counties. The Contract will be for a sixty (60) month period with projects assigned on an as-needed basis. The maximum amount of the Open-End Contract will be \$750 thousand. The Department reserves the option to increase the duration and/or maximum amount of this Contract.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Open-End Contract based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the acceptable letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Past record of performance (timeliness, responsiveness, quality, cost control, and ability to meet schedules.
- b. Diversity of experience and technical competence.
- c. Location of consultant with respect to the District.
- d. Relative size of the firm to potential assignments.
- e. Avoidance of potential conflict of interest in review tasks.

The majority of work performed under this Open-End Contract will be in the areas of:

- Traffic signal system designs
- Traffic Impact study reviews
- Review of consultant designs including, but not limited to: traffic signal designs; work zone traffic control plans, signing, pavement marking and plans, delineation, etc.
- Step 9 and final safety reviews
- Support for the District's ITS initiatives, including needs assessment and design of facilities
- Support for the District's road safety audit process
- Design of municipal traffic signals
- Highway occupancy permit reviews
- Traffic volume data collection-automatic and manual
- Signal pole foundation and support computation reviews

Review tasks will be subject to the condition that the selected consultant (or any subconsultant retained to perform work under this Open-End Contract) will not be permitted to review any work performed for a developer for which they are also under contract or for a municipality in which they provide engineering services.

The services identified above are the general work activities that can be expected under this Open-End Contract, however, additional engineering services may be required. A more specific and project-related Scope of Work will be outlined with each individual Work Order developed under this Open-End Contract.

This project reference assignment is considered moderately complex. The letter of interest shall be limited to a maximum of five (5) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Richard H. Hogg, P.E., District Engineer
 Engineering District 10-0
 P. O. Box 429, Route 286 South
 Indiana, PA 15701
 Attention: Mr. Timothy R. Pieples, P.E.

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 p.m. prevailing time on the sixth (6th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to: Mr. Timothy R. Pieples, P.E., District 10-0, at (724) 357-2845.

Indiana County

Project Reference No. 08430AG2445

The Department will retain an engineering firm to provide supplementary construction inspection staff of approximately ten (10) inspectors, under the Department's Inspector(s)-in-Charge for construction inspection and documentation services on S. R. 0119, Section 492, Indiana County, U. S. 0119 rehabilitation. This project involves the rehabilitation of S. R. 0119 in Indiana County from the Creekside Exit to the Wayne Avenue Exit, in White and Centre Townships. The project will include guiderail replacement, mainline paving, concrete patching, pavement base drain, sign replacement, and structures work. There will be two (2) phases: phase one will start at the Wayne Avenue Exit and end at the Clymer Exit, phase 2 will begin at the Clymer Exit and end at the Creekside Exit. Work at the exits will extend to the red light on 4th Street at the 286 Exit, to the Airport Road at the Clymer Exit, and to the box culvert over Stoney run at the Creekside Exit.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Review of inspectors' resumes with emphasis on construction inspection capabilities and specialized experience in the Maintenance and Protection of Traffic, soils, structures, concrete, asphalt paving, drainage, roadway and structural rehabilitation.
- b. Understanding of Department's requirements, policies, and specifications.
- c. Past Performance.
- d. Number of NICET certified inspectors in each payroll classification.
- e. Number of available inspectors in each payroll classification.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the

qualifications of the firm's proposed employees will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Ins. Super. (TCIS) (NICET Highway Construction Level 3 or equivalent)	2 (1)
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	7 (5)
Technical Assistant (TA) (NICET Highway Construction Level 1 or equivalent)	1 (0)

The number(s) in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the Level required for the Inspection Classification.
2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
4. Hold a Bachelor of Science Degree in Civil Engineering or a Bachelor of Science Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.
5. Hold an Associate Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification. The maximum reimbursement per hour of inspection for each Department Payroll Classification for calendar year of 1999:

<i>Payroll Classification</i>	<i>Maximum Straight Time Reimbursement Per Hour Of Inspection</i>
(TCIS)	\$40.54
(TCI)	\$35.47
(TA)	\$24.39

The maximum reimbursement per hour of inspection includes all costs for providing construction inspection services at the project site during the normal work week.

Maximum reimbursement per hour of inspection for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a pre-construction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item; provide certified CDS operator, nuclear densometer gauge licensed operator, a

NECEPT certified field bituminous technician and perform other duties as may be required.

The firm selected will be required to supply the following equipment at no direct cost to the Department:

- 2 Nuclear Densometer Gauges/License
(at point of need when needed)
- 1 Level and Rod

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be ten percent (10%) of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information Section after the advertised project(s).

Letters of interest for this project must include a letter, signed by the individuals you propose for all TCIS positions, giving their approval to use their name in your letter of interest for this specific project.

The maximum number of resumes to be included in the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes</i>
TCIS	3
TCI	9

No resumes are required for the TA Classification.

This project reference assignment is considered complex. The letter of interest shall be limited to a maximum of five (5) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Richard H. Hogg, P.E., District Engineer
Engineering District 10-0
Route 286 South, P. O. Box 429
Indiana, PA 15701
Attention: Mr. John C. Fry, P.E.

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 p.m. prevailing time on the twentieth (20th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to: Mr. John C. Fry, P.E., District 10-0, at (724) 357-2812.

Indiana County

Project Reference No. 08430AG2446

The Department will retain an engineering firm to provide supplementary construction inspection staff of approximately seven (7) inspectors, under the Department's Inspector(s)-in-Charge for construction inspection and documentation services on S. R. 0022, Section 480, Indiana County, U. S. 0119 south improvement project. This project involves Phase 1 of the S. R. 0119 south improvement project, between Blairsville and Homer City located in Burrell Township, Indiana County. The expansion and reconfiguration of the S. R. 0119/S. R. 0022 interchange will provide improved access between S. R. 0119 and S. R. 0022 and provide a park and ride facility for commuters. The project will include earthwork, concrete paving, drainage, guiderail, and structure work, along with roadway widening on S. R. 0119 to match into Phase 2 of S. R. 0119 south.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Engineering Agreement based on the Department's

evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Review of inspectors' resumes with emphasis on construction inspection capabilities and specialized experience in the Maintenance and Protection of Traffic, soils, structures, concrete, asphalt paving, drainage, roadway and structural rehabilitation.
- b. Understanding of Department's requirements, policies, and specifications.
- c. Past Performance.
- d. Number of NICET certified inspectors in each payroll classification.
- e. Number of available inspectors in each payroll classification.
- f. Ability to provide CPM scheduling.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Ins. Super. (TCIS)	2 (1)
(NICET Highway Construction Level 3 or equivalent)	
Transportation Construction Inspector (TCI)	5 (3)
(NICET Highway Construction Level 2 or equivalent)	
Technical Assistant (TA)	1 (0)
(NICET Highway Construction Level 1 or equivalent)	

The number(s) in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

- 1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the Level required for the Inspection Classification.
- 2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
- 3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
- 4. Hold a Bachelor of Science Degree in Civil Engineering or a Bachelor of Science Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.
- 5. Hold an Associate Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement per hour of inspection for each Department Payroll Classification for calendar year of 1999:

<i>Payroll Classification</i>	<i>Maximum Straight Time Reimbursement Per Hour Of Inspection</i>
(TCIS)	\$40.54
(TCI)	\$35.47

The maximum reimbursement per hour of inspection includes all costs for providing construction inspection services at the project site during the normal work week.

Maximum reimbursement per hour of inspection for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a pre-construction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item; provide certified CDS operator, nuclear densometer gauge licensed operator, a NECEPT certified field bituminous technician and perform other duties as may be required.

The firm selected will be required to supply the following equipment at no direct cost to the Department:

- 1 Nuclear Densometer Gauge/License
(at point of need when needed)
- 1 Level and Rod
- 1 Planimeter

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be ten percent (10%) of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information Section after the advertised project(s).

Letters of interest for this project must include a letter, signed by the individuals you propose for all TCIS positions, giving their approval to use their name in your letter of interest for this specific project.

The maximum number of resumes to be included in the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes</i>
TCIS	3
TCI	6

This project reference assignment is considered moderately complex. The letter of interest shall be limited to a maximum of five (5) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Richard H. Hogg, P.E., District Engineer
Engineering District 10-0
Route 286 South, P. O. Box 429
Indiana, PA 15701
Attention: Mr. Terry L. Miller, P.E.

The Letter of Interest submission for this project reference number must be received at the address listed

above by 4:30 p.m. prevailing time on the sixth (6th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to Mr. Terry L. Miller, P.E., District 10-0, at (724) 357-2814.

Allegheny County

Project Reference No. 08430AG2447

The Department will retain an engineering firm for a multi-phase, specific project Agreement to perform environmental and final design, geotechnical design work, consultation during construction and shop drawing review for two (2) individual projects. The primary services to be provided are geotechnically related. Both projects are located in Allegheny County. The agreement will include the following projects:

1. S. R. 0279, Section A48, Mt. Nebo Road Slide; landside investigation and remediation.
2. S. R. 0279, Section A46, Retaining Wall Number 4; landslide investigation and remediation.

S. R. 0279, Section A48 will have letting date of June 2003 and S. R. 0279, Section A46 will have a letting date of June 2002.

The required services will vary for each project and may include, but not limited to, the following items: preparation and submission of Preliminary Area Reconnaissances (PAR); Initial Site Assessment Reports (ISA); Wetland Evaluation Report; Categorical Exclusion Evaluation; Geotechnical Engineering Reports (GER); Soil, Rock, Demolition Plan; Hydrology and Hydraulic Evaluation Report; Type, Size and Location Submission (TS&L); Project Mapping; Utility Verification; Field Survey; Environmental Clearance; Field Reconnaissance; Subsurface Exploration Programs; Hydrology and Hydraulic Analysis; Geotechnical Engineering Analysis.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Understanding of Department's requirements, design manuals, policies and specifications.
- b. Specialized experience and technical competence of firm. The specific experience of individuals who constitute the firms shall be considered.
- c. Past record of performance with respect to cost control, work quality, ability to meet schedules and previous experience with District projects.
- d. Location of consultant in respect to the District. This will include ability/provisions for quick responses to District requests.
- e. Method of controlling quality of projects and submissions. Consideration will be given to coordination between disciplines, subconsultants and the like.

This project reference assignment is considered moderately complex. The letter of interest shall be limited to a maximum of five (5) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Raymond S. Hack, P.E., District Engineer
Engineering District 11-0
45 Thoms Run Road
Bridgeville, PA 15017
Attention: Mr. Joel Bowman, P.E.

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 p.m. prevailing time on the twentieth (20th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to: Mr. William Adams, P.E., District 11-0, at (412) 429-4922.

General Requirements and Information

Firms interested in providing the above work and services are invited to submit a Letter of Interest with the required information for each Project Reference Number for which the applicant wishes to be considered.

The Letter of Interest and required information must be submitted to the person designated in the individual advertisement.

The Letter of Interest and required information must be received by the Deadline indicated in the individual advertisement.

All consultants, both prime consultants and subconsultants, who desire to be included in a Letter of Interest must have an Annual Qualification Package on file with the appropriate District Office, by the deadline stipulated in the individual advertisements.

For Statewide projects, all consultants, both prime consultants and subconsultants, who desire to be included in a Letter of Interest must have an Annual Qualification Package on file with the Central Office, Bureau of Design by the deadline stipulated in the individual advertisements.

By submitting a letter of interest for the projects that request engineering services, the consulting firm is certifying that the firm is qualified to perform engineering services in accordance with the laws of the Commonwealth of Pennsylvania. A firm not conforming to this requirement may submit a letter of interest as a part of a joint venture with an individual, firm or corporation which is permitted under State law to engage in the practice of engineering.

Information concerning the Annual Qualification Package can be found in Strike-off Letter No. 433-99-04 or under the Notice to all Consultants published in the February 27, 1999 issue of the Pennsylvania Bulletin.

The requirements for Letters of Interest, in addition to the requirements stipulated in the individual advertisement, are as follows:

1. The Letter of Interest must include the project reference number, the firm's legal name, and the firm's federal identification number.
2. Identify the project manager.
3. Identify subconsultants, if any, including DBE/WBE, if required.
4. Identify key project staff.

If a Joint Venture responds to a project advertisement, the Department of Transportation will not accept separate Letters of Interest from the Joint Venture constituents. A firm will not be permitted to submit a Letter of Interest on more than one (1) Joint Venture for the same Project Reference Number. Also a firm that responds to a project as a prime may not be included as a designated subcontractor to another firm that responds as a prime to the project. Multiple responses under any of the foregoing situations will cause the rejection of all responses of the firm or firms involved. The above does not preclude a firm

from being set forth as a designated subcontractor to more than one (1) prime responding to the project advertisement.

If a goal for Disadvantaged Business Enterprise (DBE) participation is established for an advertised project, firms expressing interest in the project must agree to ensure that Disadvantaged Business Enterprise (DBE) firms as defined in the Transportation Equity Act for the 21st century (TEA-21) and currently certified by the Department of Transportation shall have the opportunity to participate in any subcontracting or furnishing supplies or services approved under Form 442, Section 1.10(a). The TEA-21 requires that firms owned and controlled by women (WBEs) be included, as a presumptive group, within the definition of Disadvantaged Business Enterprise (DBE). The goal for DBE participation shall be as stated in the individual project advertisement. Responding firms shall make good faith efforts to meet the DBE goal using DBEs (as they are defined prior to the act, WBEs or combinations thereof).

Proposing DBE firms must be certified at the time of submission of the Letter of Interest. If the selected firm fails to meet the established DBE participation goal, it shall be required to demonstrate its good faith efforts to attain the goal.

Responses are encouraged by small firms, Disadvantaged Business Enterprise (DBE) firms, and other firms who have not previously performed work for the Department of Transportation.

The assignment of the agreement/contract for the above advertisement(s) will be made to one of the firms who submitted an acceptable Letter of Interest in response to the project advertisement. The assignment will be made based on the Department's evaluation of the firm's qualification and capabilities. The Department reserves the right to reject all letters submitted, to cancel the solicitations requested under this Notice, and/or to readvertise solicitation for the work and services.

BRADLEY L. MALLORY,
Secretary

[Pa.B. Doc. No. 99-1926. Filed for public inspection November 12, 1999, 9:00 a.m.]

ENVIRONMENTAL QUALITY BOARD

Cancellation of Meeting

The November 16, 1999, Environmental Quality Board meeting has been canceled. The next meeting is scheduled for December 21, 1999, at 10 a.m. in Room 105 of the Rachel Carson State Office Building (RCSOB), Harrisburg.

JAMES M. SEIF,
Chairperson

[Pa.B. Doc. No. 99-1927. Filed for public inspection November 12, 1999, 9:00 a.m.]

FISH AND BOAT COMMISSION

Triploid Grass Carp Permit Applications

Under 58 Pa. Code § 71.7, the Fish and Boat Commission may issue permits to stock triploid grass carp in Commonwealth waters. Triploid grass carp are sterile fish that may, in appropriate circumstances, help control aquatic vegetation. The Commission has determined consistent with 58 Pa. Code § 71.7(e)(3) to seek public input

with respect to any proposed stockings of triploid grass carp in waters having a surface area of more than 5 acres. Interested persons are invited to submit written comments, objections or suggestions about the notice to the Executive Director, Fish and Boat Commission, P. O. Box 67000, Harrisburg, PA 17106-7000, within 10 days after publication of this notice in the *Pennsylvania Bulletin*. Comments submitted by facsimile will not be accepted.

The following applications to stock triploid grass carp in waters having a surface area of more than 5 acres are currently undergoing staff review:

<i>Applicant</i>	<i>Water</i>	<i>Location of Water</i>	<i>Description of Water</i>	<i>Nature of Vegetation to be Controlled</i>
Mill Run Boat Club	Mill Run Lake	Spring Township, Snyder County	15.5 acre lake on Beaver Creek	Najas flexilis Potamogeton crispus

PETER A. COLANGELO,
Executive Director

[Pa.B. Doc. No. 99-1928. Filed for public inspection November 12, 1999, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Filing of Final Rulemakings

The Independent Regulatory Review Commission (Commission) received, on the dates indicated, the following regulations for review. To obtain the date and time of the meeting, interested parties may contact the office of the Commission at (717) 783-5417. To obtain a copy of the regulation, interested parties should contact the agency promulgating the regulation.

Final-Form

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>
16A-567	State Real Estate Commission Disclosure Summary	11/3/99

JOHN R. MCGINLEY, Jr.,
Chairperson

[Pa.B. Doc. No. 99-1929. Filed for public inspection November 12, 1999, 9:00 a.m.]

INSURANCE DEPARTMENT

Allstate Indemnity Company; New Passenger Auto Insurance Program for New Business

On November 1, 1999, the Insurance Department received from Allstate Indemnity Company a filing for a new and separate program, for new business only, for the market of people electing to purchase the minimum passenger auto insurance coverage required by law.

The proposed rate level is 1.0% above the current Allstate Indemnity Company rate level. Allstate Indemnity Company proposes to begin marketing the new program January 31, 2000.

Unless formal administrative action is taken prior to December 31, 1999, the subject filing may be deemed approved by operation of law.

Copies of the filing will be available for public inspection, by appointment, during normal working hours at the Insurance Department's offices in Harrisburg, Philadelphia, Pittsburgh and Erie.

Interested parties are invited to submit written comments, suggestions or objections to Michael W. Burkett, Insurance Department, Bureau of Regulation of Rates and Policies, Room 1311, Strawberry Square, Harrisburg, PA 17120 (e-mail at mburkett@ins.state.pa.us) within 15 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 99-1930. Filed for public inspection November 12, 1999, 9:00 a.m.]

Application for Increase in Underwriting Authority of a Domestic Stock Casualty Insurance Corporation

Eastern Atlantic Insurance Company (Eastern Atlantic) has filed an application to increase its lines of underwriting authorities. The line of authority that Eastern Atlantic is applying for is the following as mentioned in section 202, subdivision (c), paragraph (1) Fidelity and Surety. The filing was made under the requirements set forth under section 322 and 352 of The Insurance Company Law (40 P.S. §§ 445 and 477). Persons wishing to comment on the application are invited to submit a written statement to the Insurance Department within 15 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include the name, address and telephone number of the interested party, identification of the application to which the statement is addressed, and a concise statement with sufficient detail and relevant facts to inform the Insurance Department of

the exact basis of the statement. Written statements should be directed to Michael S. Graeff, Insurance Company Licensing Specialist, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120; fax (717) 787-8557; email <http://www.mgraeff@ins.state.pa.us>.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 99-1931. Filed for public inspection November 12, 1999, 9:00 a.m.]

Continental Insurance Company; Homeowners Rate/Rule Filing

On October 28, 1999, the Insurance Department received from Continental Insurance Company a filing for a rate level change for homeowners insurance.

The company requests an overall 5.9% increase amounting to \$1,927,169 annually, to be effective May 1, 2000.

Unless formal administrative action is taken prior to November 27, 1999, the subject filing may be deemed approved by operation of law.

Copies of the filing will be available for public inspection, by appointment, during normal working hours at the Insurance Department's offices in Harrisburg, Philadelphia, Pittsburgh and Erie.

Interested parties are invited to submit written comments, suggestions or objections to Michael W. Burkett, Insurance Department, Bureau of Regulation of Rates and Policies, Room 1311, Strawberry Square, Harrisburg, PA 17120 (e-mail at mburkett@ins.state.pa.us) within 15 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 99-1932. Filed for public inspection November 12, 1999, 9:00 a.m.]

Continental Insurance Company; Personal Automobile Rate/Rule Filing

On October 28, 1999, the Insurance Department received from Continental Insurance Company a filing for a rate level change for private passenger automobile insurance.

The company requests an overall 4.7% increase amounting to \$4,372,763 annually, to be effective May 1, 2000.

Unless formal administrative action is taken prior to December 27, 1999, the subject filing may be deemed approved by operation of law.

Copies of the filing will be available for public inspection, by appointment, during normal working hours at the Insurance Department's offices in Harrisburg, Philadelphia, Pittsburgh and Erie.

Interested parties are invited to submit written comments, suggestions or objections to Michael W. Burkett, Insurance Department, Bureau of Regulation of Rates and Policies, Room 1311, Strawberry Square, Harrisburg,

PA 17120 (e-mail at mburkett@ins.state.pa.us) within 15 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 99-1933. Filed for public inspection November 12, 1999, 9:00 a.m.]

Medical Professional Liability Catastrophe Loss Fund; 2000 Hospital Experience Modification Factors Filing

On November 2, 1999, the Insurance Department received a filing from the Medical Professional Liability Catastrophe Loss Fund for the adjustments to the prevailing primary premiums for hospitals under section 701(e)(4) of Act 135 of 1996.

The filing indicates the following:

"...the requested hospital experience modification factors (are) . . .between -20% and +20%, as provided for in the statute."

"...the overall impact of the program on hospitals as a class is revenue neutral."

The filing applies to any new policies effective on or after January 1, 2000.

Copies of the rate filing will be available for public inspection during normal working hours at the Insurance Department's offices in Harrisburg, Philadelphia, Pittsburgh and Erie.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 99-1934. Filed for public inspection November 12, 1999, 9:00 a.m.]

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insureds have requested a hearing, as authorized by the act of June 17, 1998 (P. L. 464, No. 68) in connection with their company's termination of the insured's automobile policies. The hearings will be held in accordance with the requirements of the act; 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). Failure by the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

The following hearings will be held in the Capitol Associates Building, 901 North Seventh Street, Second Floor Hearing Room, Harrisburg, PA 17102.

Appeal of Jenni R. Fraker; file no. 99-121-05609; Allstate Insurance Company; doc. no. P99-10-018; December 1, 1999, at 1 p.m.

Parties may appear with or without counsel and offer relevant testimony or evidence. Each party must bring documents, photographs, drawings, claims files, witnesses and the like necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

In some cases, the Commissioner may order that the company reimburse an insured for the higher cost of replacement insurance coverage obtained while the appeal is pending. Reimbursement is available only when the insured is successful on appeal, and may not be ordered in all instances. If an insured wishes to seek reimbursement for the higher cost of replacement insurance, the insured must produce documentation at the hearing which will allow comparison of coverages and costs between the original policy and the replacement policy.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The order of the Commissioner is subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the above-referenced administrative hearings, and require an auxiliary aid, service or other accommodation to participate in the hearing, should contact Tracey Pontius, Agency Coordinator at (717) 787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 99-1935. Filed for public inspection November 12, 1999, 9:00 a.m.]

Review Procedure Hearings under the Unfair Insurance Practices Act

The following insureds have requested a hearing as authorized by section 8 of the Unfair Insurance Practices Act (40 P. S. § 1171.8) in connection with their company's termination of the insured's policies. All administrative hearings are held in the Insurance Department Offices in Harrisburg, PA. Failure by the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

The hearing will be held in the Capitol Associates Building, 901 North Seventh Street, Second Floor Hearing Room, Harrisburg, PA 17102.

Appeal of Wayne E. and Karen A. Stevens; file no. 99-280-33545; State Farm Insurance Companies; doc. no. PH99-11-001; December 2, 1999, at 10 a.m.

Both parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The representative of the company must bring relevant claims files and other necessary evidence. The insured must bring all documents, photographs, drawings, witnesses and the like necessary to substantiate the case. The hearing will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law); section 8 of the Unfair Insurance Practices Act (40 P. S. § 1171.8) and the regulations set forth at 31 Pa. Code § 59.7(e) (relating to appeal procedures). Under 31 Pa. Code § 59.7(e)(5), procedural matters will be in conformance with 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) unless specific exemption is given.

After the hearing, the Insurance Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to

those persons participating in the hearing or their designated representatives. The order of the Commissioner is subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the above-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Tracey Pontius, Agency Coordinator at (717) 787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 99-1936. Filed for public inspection November 12, 1999, 9:00 a.m.]

The Medical Protective Company; Physicians and Surgeons Professional Liability Rate and Rule Revision

On October 29, 1999, the Insurance Department received from The Medical Protective Company a filing for a rate level change for physicians and surgeons professional liability insurance.

The Medical Protective Company requests an overall 0.4% decrease to be effective January 1, 2000, for new and renewal business.

Unless formal administrative action is taken prior to December 13, 1999, the subject filing may be deemed approved by operation of law.

Copies of the filing will be available for public inspection, by appointment, during normal working hours at the Insurance Department's offices in Harrisburg, Philadelphia, Pittsburgh and Erie.

Interested parties are invited to submit written comments, suggestions or objections to Chuck Romberger, CPCU, Insurance Department, Bureau of Regulation of Rates and Policies, Room 1311, Strawberry Square, Harrisburg, PA 17120 (e-mail at cromberg@ins.state.pa.us) within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 99-1937. Filed for public inspection November 12, 1999, 9:00 a.m.]

LIQUOR CONTROL BOARD

Expiration of Leases

The following Liquor Control Board leases will expire:

Clearfield County, Wine & Spirits Shoppe # 1704, 449 State Street, Curwensville, PA 16833-1240.

Lease Expiration Date: October 31, 2000

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 1,200 net useable square feet of new or existing retail commercial space in Houtzdale and serving the surrounding area. Location must have free parking and tractor-trailer loading.

Proposals due: December 3, 1999 at 12 noon

Department: Pennsylvania Liquor Control Board
Location: Real Estate Division, State Office Building, Room 408, 300 Liberty Avenue, Pittsburgh, PA 15222.
Contact: Bruce VanDyke, (412) 565-5130

Berks County, Wine & Spirits Shoppe # 0615, 19 Douglassville Shopping Center, Douglassville, PA 19518.

Lease Expiration Date: November 30, 2000

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 2,700 to 4,000 net useable square feet of new or existing retail commercial space within 1 mile of the intersection of U. S. Route 422 and PA Route 662.

Proposals due: December 3, 1999 at 12 noon

Department: Pennsylvania Liquor Control Board
Location: Real Estate Division, Brandywine Plaza, 2223 Paxton Church Road, Harrisburg, PA 17110-9661.
Contact: Charles D. Mooney, (717) 657-4228

Dauphin County, Wine & Spirits Shoppe # 2215, 55 The Point Shopping Center, Harrisburg, PA 17111.

Lease Expiration Date: October 31, 2000

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 5,500 to 6,000 net useable square feet of new or existing retail commercial space along Union Deposit Road between Progress Avenue to the west and East Park Drive to the east.

Proposals due: December 3, 1999 at 12 noon

Department: Pennsylvania Liquor Control Board
Location: Real Estate Division, Brandywine Plaza, 2223 Paxton Church Road, Harrisburg, PA 17110-9661
Contact: Charles D. Mooney, (717) 657-4228

Lancaster County, Wine & Spirits Shoppe # 3605, Manheim Shopping Center, Doe Run Road, Manheim, PA 17545

Lease Expiration Date: July 31, 2002

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 2,500 to 4,000 net useable square feet of new or existing retail commercial space within 3 miles of the intersection of PA Routes 72 and 772, Penn Township.

Proposals due: December 3, 1999 at 12 noon

Department: Pennsylvania Liquor Control Board
Location: Real Estate Division, Brandywine Plaza, 2223 Paxton Church Road, Harrisburg, PA 17110-9661
Contact: Charles D. Mooney, (717) 657-4228

Allegheny County, Wine & Spirits Shoppe #0249, Whitehall Terrace Shopping Center, 4120 Brownsville Road, Pittsburgh, PA 15227-3307.

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 3,200 net useable square feet of new or existing retail commercial space near the intersection of Brownsville Road and PA Route 51. Site must have free, off-street parking and access for tractor trailer deliveries.

Proposals due: November 19, 1999 at 12 noon

Department: Pennsylvania Liquor Control Board
Location: Real Estate Division, State Office Building, Room 408, 300 Liberty Avenue, Pittsburgh, PA 15222
Contact: Joseph Molhoek, (412) 565-5130

York County, Wine & Spirits Shoppe #6710, 4 Dairyland Square, Red Lion, PA 17356-1801.

Lease Expiration Date: June 30, 2002

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 3,300 to 3,800 net useable square feet of new or existing retail commercial space within the Borough of Red Lion or surrounding portions of York or Windsor Townships.

Proposals due: December 10, 1999 at 12 noon

Department: Pennsylvania Liquor Control Board
Location: Real Estate Division, Brandywine Plaza, 2223 Paxton Church Road, Harrisburg, PA 17110-9661.
Contact: Ronald Hancher, Jr., (717) 657-4228

JOHN E. JONES, III,
Chairperson

[Pa.B. Doc. No. 99-1938. Filed for public inspection November 12, 1999, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Interconnection Agreement

A-310633F0002. Level 3 Communications, LLC and Bell Atlantic-Pennsylvania, Inc. Joint Petition of Level 3 Communications, LLC and Bell Atlantic-Pennsylvania, Inc. for approval of an amendment to the Interconnection Agreement.

Level 3 Communications, LLC and Bell Atlantic-Pennsylvania, Inc., by its counsel filed on October 29, 1999, at the Pennsylvania Public Utility Commission (Commission), a Joint Petition for approval of an amendment to the Interconnection Agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Level 3 Communications, LLC and Bell Atlantic-Pennsylvania, Inc. Joint Petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 99-1939. Filed for public inspection November 12, 1999, 9:00 a.m.]

Local Exchange Carrier Services Without Hearing

A-310725F0002. FairPoint Communications Corp. Application of FairPoint Communications Corp. (f/k/a MJD TeleChoice Corp.) for approval to amend its existing authority to provide competitive local exchange carrier services in the service territory of Alltel Pennsylvania, Inc. (at Doc. No. A-310725F0002).

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant on or before November 29, 1999, under 52 Pa. Code (relating to public utilities).

Applicant: FairPoint Communications Corp. f/k/a MJD TeleChoice Corp.

Through and By Counsel: Andrew D. Fisher, Huber Lawrence & Abell, 605 Third Avenue, New York, NY 10158.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 99-1940. Filed for public inspection November 12, 1999, 9:00 a.m.]

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Publication of this notice shall be considered as sufficient notice to all carriers holding authority from this Commission. Applications will be considered without hearing in the absence of protests to the application. Protests to the applications published herein are due on or before December 6, 1999, as set forth at 52 Pa. Code § 3.381 (relating to applications for transportation of property and persons). The protests shall also indicate whether it applies to the temporary authority application or the permanent application or both.

Applications of the following for approval of the beginning of the exercise of the right and privilege of operating as common carriers for transportation of persons as described under each application.

A-00116333. Berwick Area Ambulance Association, Inc. (P. O. Box 111, Berwick, Columbia County, PA 18603), a corporation of the Commonwealth of Pennsylvania—persons in paratransit service, between points in the counties of Montour, Columbia and Luzerne, and from points in said counties, to points in Pennsylvania, and vice versa. *Attorney:* Jeffrey P. Ouellet, 305 North Front Street, 5th Floor, P. O. Box 1003, Harrisburg, PA 17108-1003.

Applications of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of persons by transfer of rights as described under each application.

A-00116336. Royal Star Limo, L.L.C. (407 Muir Avenue, Hazleton, Luzerne County, PA 18201), a limited liability company of the Commonwealth of Pennsylvania—persons in limousine service, between points in the

city of Hazleton, Luzerne County, and within an airline distance of 35 statute miles of the limits of said city, and from points in said city and territory, to points in Pennsylvania, and return; which is to be a transfer of all of the right authorized under the certificate issued at A-00111783, F.2 to Royal Star Limousine Service, Inc., subject to the same limitations and conditions. *Attorney:* John P. Rodgers, 15 Public Square, Suite 210, Wilkes-Barre, PA 18701.

Applications of the following for approval of the right and privilege to partially discontinue/abandon operating as common carriers by motor vehicle for the transportation of household goods in use and property as described under each application.

A-00092905, Folder 2, Am-B. Crossman's Van & Storage Co., Inc. (7138 Chew Avenue, P. O. Box 51222, Philadelphia, Philadelphia County, PA 19115), a corporation of the Commonwealth of Pennsylvania—discontinuance of service—(1) household goods in use: (a) between points in the city and county of Philadelphia; (b) from points in the city and county of Philadelphia to other points in Pennsylvania; and (c) from points in the city and county of Philadelphia, to points within 25 miles by the usually traveled highways of Philadelphia City Hall, and vice versa; and (2) property, except household goods in use, between points in Pennsylvania.

Pennsylvania Public Utility Commission, Bureau of Transportation and Safety v. Leonard A. Moon, t/d/b/a Blue Moon Limousine Service; doc. no. A-00108472C99, A-00108472, F.2

Complaint

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within this Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Transportation and Safety and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Transportation and Safety Prosecutory Staff hereby represents as follows:

1. That Leonard A. Moon, t/d/b/a Blue Moon Limousine Service, respondent, maintains his principal place of business at Route 6, P. O. Box 96, Hawley, Wayne County, Pennsylvania 18428.
2. That respondent was issued a certificate of public convenience by this Commission on December 4, 1992, at Application Docket No. A-00108472, F.2.
3. That respondent failed to maintain evidence of insurance on file with this Commission.
4. That on or before August 4, 1999, respondent abandoned or discontinued service without having first filed an application with this Commission.
5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 52 Pa. Code §§ 33.2 and 32.11 and 66 Pa.C.S. § 512.
6. That respondent, by failing to file an application with this Commission prior to abandoning or discontinuing service, violated 52 Pa. Code § 3.381(a)(1)(v) and 66 Pa.C.S. § 1102(a)(2).

Wherefore, the Bureau of Transportation and Safety Prosecutory Staff hereby requests that the Commission revoke Leonard A. Moon, t/d/b/a Blue Moon Limousine Service's certificate of public convenience at A-00108472, F.2.

Respectfully submitted,

George T. Mahan, Director
Bureau of Transportation and Safety
P. O. Box 3265
Harrisburg, PA 17105-3265

Verification

I, George T. Mahan, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect to be able to prove the same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: _____
George T. Mahan

Notice

A. You must file an answer within twenty (20) days of the date of service of this complaint. The date of service is the mailing date as indicated at the top of the Secretarial cover letter for this complaint and notice, 52 Pa. Code § 1.56(a). The answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this complaint. Your answer must be verified and the original and three (3) copies sent to:

James J. McNulty, Secretary
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

B. If you fail to answer this complaint within twenty (20) days, the Bureau of Transportation and Safety will request that the Commission issue a Secretarial Letter imposing a penalty. The penalty could include the revocation of your certificate of public convenience or other remedy.

C. If you file an answer which admits or fails to deny the allegations of the complaint, the Bureau of Transportation and Safety will request that the Commission issue a Secretarial Letter imposing a penalty (see B).

D. If you file an answer which contests the complaint, the matter will be assigned to an administrative law judge for hearing and decision.

E. Alternative formats of this material are available, for persons with disabilities, by contacting the Technical Unit at (717) 783-5945.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 99-1941. Filed for public inspection November 12, 1999, 9:00 a.m.]

Telecommunications

A-310801F0002. Bell Atlantic-Pennsylvania, Inc. and CoreComm Pennsylvania, Inc. d/b/a CoreComm. Joint Petition of Bell Atlantic-Pennsylvania, Inc. and

CoreComm Pennsylvania, Inc. d/b/a CoreComm for approval of a Resale Agreement under section 252(e) of the Telecommunications Act of 1996.

Bell Atlantic-Pennsylvania, Inc. and CoreComm Pennsylvania, Inc. d/b/a CoreComm, by its counsel, filed on October 29, 1999, at the Pennsylvania Public Utility Commission (Commission), a Joint Petition for approval of a Resale Agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Bell Atlantic-Pennsylvania, Inc. and CoreComm Pennsylvania, Inc. d/b/a CoreComm Joint Petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 99-1942. Filed for public inspection November 12, 1999, 9:00 a.m.]

Telecommunications

A-310804. Bell Atlantic-Pennsylvania, Inc. and DPI Teleconnect. Joint Petition of Bell Atlantic-Pennsylvania, Inc. and DPI Teleconnect for approval of a Resale Agreement under section 252(e) of the Telecommunications Act of 1996.

Bell Atlantic-Pennsylvania, Inc. and DPI Teleconnect, by its counsel, filed on October 29, 1999, at the Pennsylvania Public Utility Commission (Commission), a Joint Petition for approval of a Resale Agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Bell Atlantic-Pennsylvania, Inc. and DPI Teleconnect Joint Petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 99-1943. Filed for public inspection November 12, 1999, 9:00 a.m.]

Telecommunications

A-310748F0002. Bell Atlantic-Pennsylvania, Inc. and Empire Communications, Inc. Joint Petition of Bell Atlantic-Pennsylvania, Inc. and Empire Communications, Inc. for approval of a Resale Agreement under section 252(e) of the Telecommunications Act of 1996.

Bell Atlantic-Pennsylvania, Inc. and Empire Communications, Inc., by its counsel, filed on October 29, 1999, at the Pennsylvania Public Utility Commission (Commis-

sion), a Joint Petition for approval of a Resale Agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Bell Atlantic-Pennsylvania, Inc. and Empire Communications, Inc. Joint Petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 99-1944. Filed for public inspection November 12, 1999, 9:00 a.m.]

Telecommunications

A-310195F0002. Bell Atlantic-Pennsylvania, Inc. and The Furst Group, Inc. Joint Petition of Bell Atlantic-Pennsylvania, Inc. and The Furst Group, Inc. for approval of a Resale Agreement under section 252(e) of the Telecommunications Act of 1996.

Bell Atlantic-Pennsylvania, Inc. and The Furst Group, Inc., by its counsel, filed on October 29, 1999, at the Pennsylvania Public Utility Commission (Commission), a Joint Petition for approval of a Resale Agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Bell Atlantic-Pennsylvania, Inc. and The Furst Group, Inc. Joint Petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 99-1945. Filed for public inspection November 12, 1999, 9:00 a.m.]

Transfer by Sale Without Hearing

A-110500F0290. PP&L, Inc. Application of PP&L, Inc., for approval of the Transfer by Sale to Donald E. Schell, Jr. of facilities located in Hampden Township, Cumberland County, PA.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant on or before November 29, 1999, under 52 Pa. Code (relating to public utilities).

Applicant: PP&L, Inc.

Through and By Counsel: Paul E. Russell, Associate General Counsel, PP&L, Inc., Two North Ninth Street, Allentown, PA 18101-1179.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 99-1946. Filed for public inspection November 12, 1999, 9:00 a.m.]

Water Service Without Hearing

A-220004F2000. Borough of Duncansville. Application of the Borough of Duncansville, Blair County, PA, for approval under section 1102(a)(2) of the Public Utility Code of the surrender and cancellation of the Borough's Certificate of Public Convenience concerning the provision of water service to the public in portions of Blair and Allegheny Townships, Blair County, PA.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant on or before November 29, 1999, under 52 Pa. Code (relating to public utilities).

Applicant: Borough of Duncansville.

Through and By Counsel: Jan P. Paden, Rhoads & Sinon, LLP, Attorneys At Law, P. O. Box 1146, Harrisburg, PA 17108-1146.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 99-1947. Filed for public inspection November 12, 1999, 9:00 a.m.]

STATE ATHLETIC COMMISSION

Notice of Public Meetings for 2000

The State Athletic Commission of the Department of State announces its schedule for regular meetings to be held at least once every 2 months in 2000, under the State Athletic Code, 5 Pa.C.S. § 103. All meetings will be held in Room 301, North Office Building, Harrisburg, PA 17120, at 11 a.m. These meetings are open to the public and are scheduled as follows: February 28, 2000, April 24, 2000, June 26, 2000, August 28, 2000, October 30, 2000 and December 18, 2000.

Individuals having questions regarding these meetings should contact the State Athletic Commission at (717) 787-5720.

GREGORY P. SIRB,
Executive Director

[Pa.B. Doc. No. 99-1948. Filed for public inspection November 12, 1999, 9:00 a.m.]

STATE BOARD FOR CERTIFICATION OF SEWAGE ENFORCEMENT OFFICERS

2000 Examination Announcement

Examination Dates:

- * January 22, 2000 All applications must be received by the Board, complete and correct by close of business December 23, 1999.
- * March 18, 2000 All applications must be received by the Board, complete and correct by the close of business February 17, 2000.
- April 7, 2000
Exton, PA All applications must be received by the Board, complete and correct by close of business March 8, 2000.
- * May 20, 2000 All applications must be received by the Board, complete and correct by close of business April 20, 2000.
- June 30, 2000
Warren, PA All applications must be received by the Board, complete and correct by close of business May 31, 2000.
- * July 22, 2000 All applications must be received by the Board, complete and correct by close of business June 22, 2000.
- August 11, 2000
Scranton, PA All applications must be received by the Board, complete and correct by close of business July 12, 2000.
- September 1, 2000
State College, PA All applications must be received by the Board, complete and correct by close of business August 2, 2000.
- * September 23, 2000 All applications must be received by the Board, complete and correct by close of business August 24, 2000.
- October 20, 2000
Somerset, PA All applications must be received by the Board, complete and correct by close of business September 20, 2000.

* November 11, 2000 All applications must be received by the Board, complete and correct by close of business October 12, 2000.

* These certification examinations will be administered in the area of the following cities; Erie, Harrisburg, Philadelphia, Pittsburgh, State College and Wilkes-Barre

• These certification examinations will be administered the Friday following completion of the Precertification academy at the city listed below the date.

To qualify to sit for the certification exam, all SEO candidates must complete the SEO precertification academy, which consists of 6 days of training spread over 2 weeks.

For information on SEO training, contact the Pennsylvania State Association of Township Supervisors, 3001 Gettysburg Road, Camp Hill, PA 17011-7296, (717) 763-0930.

The Sewage Enforcement Officer written examination contains 80 multiple choice questions covering planning requirements, administration and enforcement of the permit program and technical criteria for soils and disposal systems with a 3.5 hour time limit. The passing grade is 50% correct responses in each subject area and an overall minimum of 70 correct answers on the entire examination. This is an open book exam, however, you are not permitted to bring your own materials. All necessary reference materials will be provided at the test site.

Exam applications may be obtained by contacting the Department of Environmental Protection, Certification and Licensing Section, Rachel Carson State Office Building, 400 Market St., P. O. Box 8454, Harrisburg, PA 17105-8454, (717) 787-6045.

Approximately 3 weeks prior to an examination, applicants will receive an admittance letter from the Certification Board.

Persons with a disability who require accommodation to take the SEO examination, should contact the Board at (717) 787-6045 or through Pennsylvania AT&T Relay Services at (800) 654-5984 (TDD) to discuss how the Board may accommodate their needs.

KATHY W. KEYES,
Secretary

[Pa.B. Doc. No. 99-1949. Filed for public inspection November 12, 1999, 9:00 a.m.]