

# NOTICES

## DEPARTMENT OF BANKING

### Action on Applications

The Department of Banking of the Commonwealth of Pennsylvania, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending December 28, 1999.

#### BANKING INSTITUTIONS

##### Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
12-17-99	Premier Bank Doylestown Bucks County	1401 Easton Avenue Bethlehem Lehigh County	Opened
12-18-99	Main Street Bank Reading Berks County	555 Penn Avenue West Reading Berks County	Opened
12-20-99	Pennsylvania Business Bank Philadelphia Philadelphia County	1401 Walnut Street Philadelphia Philadelphia County	Opened
12-22-99	Harris Savings Bank Harrisburg Dauphin County	200 South Spring Garden Street Carlisle Cumberland County	Approved
12-22-99	Harris Savings Bank Harrisburg Dauphin County	3328 Plaza Drive Reading Berks County	Approved

#### SAVINGS ASSOCIATIONS

No activity.

#### CREDIT UNIONS

No activity.

DAVID E. ZUERN,  
*Secretary*

[Pa.B. Doc. No. 00-61. Filed for public inspection January 7, 2000, 9:00 a.m.]

## DEPARTMENT OF EDUCATION

### Application of Allentown College of St. Francis De Sales for Approval of Change to University Status

#### *Notice of Opportunity for Hearing and Invitation to Protest*

Under 24 Pa.C.S. § 6503(e) (relating to certification of institutions), the Department of Education (Department) will consider the application of Allentown College of St. Francis de Sales for a Certificate of Authority approving the institution's change from college to university status.

In accordance with 24 Pa.C.S. § 6503(e), the Department will act upon the application without hearing, unless within 30 days after the publication of this notice in the *Pennsylvania Bulletin* a written request for public hearing is filed with the Department, along with a notice of intervention, a petition to intervene or protest in

accordance with 1 Pa. Code § 35.23 and 35.24 (relating to protest) or 1 Pa. Code §§ 35.27—35.32 (relating to intervention).

Petitions to intervene, protest and request for hearing shall be filed with Dr. Warren D. Evans, Chartering/Governance/Accreditation Specialist, (717) 787-7572, or Carol Derrickson, Higher Education Associate, (717) 787-4448, 333 Market Street, Harrisburg, PA 17126-0333 on or before 4 p.m. on the due date prescribed by this notice. Persons wishing to review the application should phone or write to the aforementioned office to schedule a time for an in-office review. Duplicate copies of the application are not available.

Persons with a disability who wish to attend the hearing, if held, and require an auxiliary aid, service or other accommodation to participate should contact Dr. Evans at (717) 787-7572 or Carol Derrickson, (717) 787-4448 to discuss how the Department of Education may best accommodate their needs.

EUGENE W. HICKOK,  
*Secretary*

[Pa.B. Doc. No. 00-62. Filed for public inspection January 7, 2000, 9:00 a.m.]

### Application of Beaver College for Approval to Amend and Restate Its Articles of Incorporation in Their Entirety

#### *Notice of Opportunity for Hearing and Invitation to Protest*

Under 24 Pa.C.S. § 6503(e) (relating to certification of institutions), the Department of Education (Department) will consider the application of Beaver College for a Certificate of Authority approving the institution's request to amend and restate its Articles of Incorporation in their entirety.

In accordance with 24 Pa.C.S. § 6503(e), the Department will act upon the application without hearing, unless within 30 days after the publication of this notice in the *Pennsylvania Bulletin* a written request for public hearing is filed with the Department, along with a notice of intervention, a petition to intervene or protest in accordance with 1 Pa. Code § 35.23 and 35.24 (relating to protest) or 1 Pa. Code §§ 35.27—35.32 (relating to intervention).

Interested parties desiring to initiate hearing procedures must file a notice of intervention, petition to intervene or protest, and a request for hearing, within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

Petitions to intervene, protest and request for hearing shall be filed with Dr. Warren D. Evans, Chartering/Governance/Accreditation Specialist, 333 Market Street, Harrisburg, PA 17126-0333, (717) 787-7572 on or before 4 p.m. on the due date prescribed by this notice. Persons wishing to review the application should phone or write to the aforementioned office to schedule a time for an in-office review. Duplicate copies of the application are not available.

Persons with a disability who wish to attend the hearing, if held, and require an auxiliary aid, service or other accommodation to participate should contact Dr. Evans at (717) 787-7572 to discuss how the Department of Education may best accommodate their needs.

EUGENE W. HICKOK,  
*Secretary*

[Pa.B. Doc. No. 00-63. Filed for public inspection January 7, 2000, 9:00 a.m.]

### Evaluation of the Education of Migratory Children; Request for Proposal

The Department of Education, Bureau of Community and Student Services, Division of Migrant Education, will accept proposals until 4 p.m., February 29, 2000 for the Evaluation of the Education of Migratory Children. This evaluation includes agency-based initiatives performed in consultation and approval with the issuing office. Proposals not received by the time specified will not be considered for funding. The Pennsylvania Migrant Education Program is designed to award funds for the purpose of providing educational and support services for assisting migratory children in achieving success in school. A competitive process has been established to receive and select proposals to fund such programs across the Commonwealth. Local educational agencies and institutions of higher education are eligible to apply for Pennsylvania Migrant Education funds.

The Division funds nine regional project areas in Pennsylvania through five contractors. The intent of this request for proposal is to evaluate the services of these nine contractors and one service unit to determine program effectiveness.

Funds under the Pennsylvania Migrant Education Program may only be used to support programs for migratory children. Projects must identify and serve all eligible migrant children to help reduce the educational disruptions and other problems that result from repeated moves and ensure migratory children are provided with appropriate educational services (including support services) that address their needs in a coordinated and efficient manner.

Interested parties are invited to submit proposals to Dr. Manuel Recio, Chief, Division of Migrant Education, Pennsylvania Department of Education, Fifth Floor, 333 Market Street, Harrisburg, PA 17126-0333. The request for proposals can be obtained by calling (717) 783-6467, text telephone TTY: (717) 783-8445.

EUGENE W. HICKOK, Jr.,  
*Secretary*

[Pa.B. Doc. No. 00-64. Filed for public inspection January 7, 2000, 9:00 a.m.]

### Availability of Federal Grant Funds for Even Start Family Literacy Program for Program Year 2000-01

The Federal Even Start Family Literacy Program is authorized by Title I, Part B of the Improving America's Schools Act of 1994 (Public Law 103-382). This program is administered by the Pennsylvania Department of Education for family literacy programs that will:

1. Target families living in areas of high concentration of poverty who are receiving welfare benefits and who have educational needs;
2. Enable communities to foster cooperative partnerships that build on existing community resources to create a new range of services; and
3. Provide services that are of sufficient intensity in terms of hours, and of sufficient duration, to make sustainable changes in a family, and that integrate all of the following:
  - a. Interactive literacy activities between parents and their children.
  - b. Training for parents regarding how to be the primary teacher for their children and full partners in the education of their children.
  - c. Parent literacy training that leads to economic self-sufficiency.
  - d. An age-appropriate education to prepare children for success in school and life experiences.

Organizations eligible to apply for an Even Start grant are a Local Educational Agency (LEA) or Community-based Organization (CBO). Eligible entities are required to establish a formal partnership between one or more

LEA's and one or more CBO's. Priority consideration will be given to applications that reflect the family focus of Even Start; locate sites in areas designated by the federal government as empowerment zones or enterprise communities; submit a total budget which contains a local match beyond the required Even Start statutory percentages; and target services to families most in need (that is, educationally disadvantaged adults who are receiving public assistance; do not have high school diplomas; are members of minority groups; are single parents; have children with developmental delays; reside in a Title I school attendance area; and (if in primary grades) are receiving Title I services. Priority also will be given to programs that are coordinated with adult education and literacy programs; county assistance offices; social service agencies; public libraries; Team PA Career Link One-Stop Centers; Workforce Investment Act (WIA) programs; elementary schools; family centers; preschool programs, such as Head Start; licensed child care centers; and other community groups or agencies that provide services and assistance to persons in need of basic literacy skills and/or support services.

Additional consideration will be given to Even Start Family Literacy Programs in the following order of priorities:

1. Applications for Renewal of grants to currently-funded family literacy programs, providing sufficient progress is made toward meeting program goals and objectives.

2. Applications for New programs in counties not served by a family literacy program that propose comprehensive services that include the four required components: Adult Education, Early Childhood Education, Parent Time and Parent-and-Child Together Time (including Home Visits).

3. Applications designed to Expand current family literacy programs, such as existing Even Start or State Act 143 in unserved areas of counties.

The "Grant Period" (or duration of an Even Start grant) will be for a term of 4 years provided that sufficient progress is made towards meeting program objectives. At the end of the grant period, grantees will be authorized to reapply and compete with other applicants for another 4-year term. The maximum period a project may receive Even Start funds is 8 years.

Restrictions placed upon the State Department of Education for the administration of the Even Start grant are:

1. The Federal program requires a local contribution/matching funds in addition to the requested grant amount. The total cost of the program is to be supported by grant funds and a "local share." The Even Start statute requires a graduated increase in the local share which ranges from 10% (in the first year) to 50% (in years 5 through 8).

2. Section 1204 of the Even Start statute prohibits a local program from using grant funds for indirect costs. This restriction includes the project's matching funds (local share).

Even Start applications must be completed online and submitted by the e-grant website at <http://www.egrants.ed.state.pa.us> to the Bureau of Adult Basic and Literacy Education, Pennsylvania Department of Education, on or before the following submission dates:

Even Start Family Literacy Renewal Applications . . . . . March 10, 2000

Even Start Family Literacy New and Expanded Applications . . . . . April 6, 2000

Instructions and the Application Guidelines are available by ABLÉ site at [www.paadulted.org](http://www.paadulted.org) and by the e-grant website.

Potential applicants are urged to attend the proposal development workshop to learn the latest changes to program guidelines and new requirements for submitting e-grant applications for adult education and family literacy programs funded through (1) the Federal Workforce Investment Act, Section 231, (2) State Adult Literacy Program, Act 143 of 1986, and (3) the Federal Even Start Family Literacy Program. This workshop will be conducted by teleconference on January 31, 2000 from 1 to 3:30 p.m. For the nearest downlink site and to ensure that space, materials and handouts are available, all attendees must register to attend by contacting the Distance Learning Center at (800) 236-5293. For individuals who are deaf or hard of hearing, the Pennsylvania Relay Service (800) 654-5984 (TTY) can be used to call the Distance Learning Center. In order to ensure timely administration and processing of e-grant applications, both the grant writer and the fiscal officer should attend the workshop.

EUGENE W. HICKOK,  
*Secretary*

[Pa.B. Doc. No. 00-65. Filed for public inspection January 7, 2000, 9:00 a.m.]

## Application of Mount Aloysius College for Approval to Amend its Articles of Incorporation

### *Notice of Opportunity for Hearing and Invitation to Protest*

Under 24 Pa.C.S. § 6503(e) (relating to certification of institutions), the Department of Education (Department) will consider the application of Mount Aloysius College for a Certificate of Authority approving the amendment of its Articles of Incorporation so that the college may award degrees other than the Associate of Arts and Associate of Science after receiving the approval of the Department of Education.

In accordance with 24 Pa.C.S. § 6503(e), the Department will act upon the application without hearing, unless within 30 days after the publication of this notice in the *Pennsylvania Bulletin* a written request for public hearing is filed with the Department, along with a notice of intervention, a petition to intervene or protest in accordance with 1 Pa. Code § 35.23 and 35.24 (relating to protest) or 1 Pa. Code §§ 35.27—35.32 (relating to intervention).

Petitions to intervene, protest and request for hearing shall be filed with Dr. Warren D. Evans, Chartering/Governance/Accreditation Specialist, 333 Market Street, Harrisburg, PA 17126-0333 (717) 787-7572 on or before 4 p.m. on the due date prescribed by this notice. Persons wishing to review the application should phone or write to the aforementioned office to schedule a time for an in-office review. Copies of the application are not available.

Persons with a disability who wish to attend the hearing, if held, and require an auxiliary aid, service or

other accommodation to participate, should contact Dr. Evans at the above listed telephone number to discuss how the Department of Education may best accommodate their needs.

EUGENE W. HICKOK,  
*Secretary*

[Pa.B. Doc. No. 00-66. Filed for public inspection January 7, 2000, 9:00 a.m.]

**Availability of Program Year 2000-01 State Act 143 of 1986 Grants for Adult Literacy and Family Literacy Programs**

Act 143 of 1986, as approved by the General Assembly of the Commonwealth of Pennsylvania and signed into law on October 22, 1986, established the Pennsylvania Adult Literacy Education Grant Program. This program is administered by the Pennsylvania Department of Education for adult literacy and family literacy programs that will:

- 1. Enable out-of-school youth and adults 17 years of age and older who are nonreaders or who read below the 5th grade level or who lack basic English language proficiency to improve their basic skills in order to increase their prospects for a more productive life;
- 2. Expand the availability of adult literacy, family literacy and other adult education programs, including volunteer programs, in the Commonwealth; and
- 3. (family literacy only) Provide services that are of sufficient intensity in terms of hours, and of sufficient duration, to make sustainable changes in a family, and that integrate all of the following:
  - a. Interactive literacy activities between parents and their children.
  - b. Training for parents regarding how to be the primary teacher for their children and full partners in the education of their children.
  - c. Parent literacy training that leads to economic self-sufficiency.
  - d. An age-appropriate education to prepare children for success in school and life experiences.

Eligible applicants include literacy councils, libraries, local education agencies, community colleges, and public and private nonprofit agencies, organizations and institutions. Priority consideration will be given to applications to conduct programs that expect to enroll high numbers of eligible adults who: (1) are receiving public assistance, (2) do not have high school diplomas, (3) are members of minority groups, and/or (4) have less than a 5th grade reading level. Priority will also be given to programs that provide client outreach and referral activities that are coordinated with other adult education and literacy programs; county assistance offices; social service agencies; public libraries; Team PA Career Link One-Stop Centers; Workforce Investment Act (WIA) programs; elementary schools, family centers, and preschool programs such as Head Start and licensed child care centers (if Family Literacy); or other community groups or agencies that provide services and assistance to persons in need of basic literacy skills.

For Act 143 Family Literacy Programs, consideration will be given in the following order of priorities:

- 1. Applications for Renewal of grants to currently-funded family literacy programs, providing sufficient progress is made toward meeting program goals and objectives;
- 2. Applications for New programs in counties not served by a family literacy program that propose comprehensive services that include the four required components (Adult Education, Early Childhood Education, Parent Time and Parent-and-Child Together Time); and
- 3. Applications designed to Expand current family literacy programs, such as existing Even Start or Act 143, into unserved areas of counties.

Restrictions placed upon the State Department of Education for the administration of the grant by Act 143 are:

- 1. No more than 20% of the annual appropriation shall be used to provide education to institutionalized adults.
- 2. No more than 20% of the annual appropriation shall be used for programs of equivalency for a certificate of graduation from a secondary school.
- 3. At least 20% of the annual appropriation shall be used for training volunteer adult literacy tutors.
- 4. No more than 10% of any grant to an eligible agency may be used for support services.
- 5. No more than 10% of any grant to an eligible agency may be used for administration.

All Act 143 applications must be completed on-line and submitted via the e-grant website at <http://www.egrants.ed.state.pa.us> to the Bureau of Adult Basic and Literacy Education, Pennsylvania Department of Education, on or before the following dates:

Act 143 Family Literacy Renewal Applications .....	March 10, 2000
Act 143 Adult Literacy Applications ...	March 24, 2000
Act 143 Family Literacy New and Expanded Applications .....	April 6, 2000

Instructions and the Application Guidelines are available by ABLEsite at [www.paadulted.org](http://www.paadulted.org) and by the e-grant website.

Potential applicants are urged to attend the proposal development workshop to learn the latest changes to program guidelines and new requirements for submitting e-grant applications for adult education and family literacy programs funded through (1) the Federal Workforce Investment Act, Section 231, (2) State Adult Literacy Program, Act 143 of 1986, and (3) the Federal Even Start Family Literacy Program. This workshop will be conducted by teleconference on January 31, 2000 from 1 to 3:30 p.m. For the nearest downlink site and to ensure that space, materials and handouts are available, all attendees must register to attend by contacting the Distance Learning Center at (800) 236-5293. For individuals who are deaf or hard of hearing, the Pennsylvania Relay Service (800) 654-5984 (TTY) can be used to call the Distance Learning Center. In order to ensure timely administration and processing of e-grant applications, both the grant writer and the fiscal officer should attend the workshop.

EUGENE W. HICKOK,  
*Secretary*

[Pa.B. Doc. No. 00-67. Filed for public inspection January 7, 2000, 9:00 a.m.]

### Availability of State Grant Funds for Pennsylvania Literacy Corps Programs

The Pennsylvania Adult Literacy Act (Act 143), as approved by the General Assembly of Pennsylvania, provides funds for grants to support adult literacy in the Commonwealth for Program Year 2000-2001. Funds also are available to provide grants for the conduct of the Pennsylvania Literacy Corps Program. This program is administered for the Secretary of Education by the Bureau of Adult Basic and Literacy Education.

The mission of the Pennsylvania Literacy Corps Program is to promote lifelong involvement in community service while enhancing the curricula of higher education institutions with service learning opportunities that assist in resolving community literacy problems. Specifically, the Pennsylvania Literacy Corps strives to:

- mobilize college students to help overcome the illiteracy problem in the Commonwealth;
- encourage higher education institutions to promote and support community service as an integral part of the college curriculum; and
- establish collaborative working partnerships between higher education institutions and providers of adult basic education and literacy services.

Grant funds are available in amounts up to \$35,000 per program to support collaborative efforts between institutions of higher education and adult basic and literacy education provider agencies to establish and conduct a Pennsylvania Literacy Corps Program during the period July 1, 2000 to June 30, 2001. The applicant for a grant may be either the higher education institution or the adult basic and literacy education provider agency; however, the application must reflect a collaborative partnership which meets the goals of the Pennsylvania Literacy Corps Program and provides that college students will devote a minimum of 40 hours of volunteer service with an adult basic and literacy education program as part of their course work.

Priority consideration for the award of grants will be given to applicants with a partnership between higher education institutions and a volunteer based adult basic and literacy education provider agency.

Literacy Corps applications must be completed online and submitted via the e-grant website at <http://www.egrants.ed.state.pa.us> to the Bureau of Adult Basic and Literacy Education, Pennsylvania Department of Education, on or before April 30, 2000. Instructions and the Application Guidelines are available by ABLEsite at [www.paadulted.org](http://www.paadulted.org) and by the e-grant website.

Potential applicants are urged to attend the proposal development workshop to learn the latest changes to program guidelines and new requirements for submitting e-grant applications for adult education and family literacy programs funded through (1) the Federal Workforce Investment Act, Section 231, (2) State Adult Literacy Program, Act 143 of 1986, and (3) the Federal Even Start Family Literacy Program. This workshop will be conducted by teleconference on January 31, 2000 from 1 to 3:30 p.m.. For the nearest downlink site and to ensure that space, materials and handouts are available, all attendees must register to attend by contacting the Distance Learning Center at (800) 236-5293. For individuals who are deaf or hard of hearing, the Pennsylvania

Relay Service (800) 654-5984 (TTY) can be used to call the Distance Learning Center. In order to ensure timely administration and processing of e-grant applications, both the grant writer and the fiscal officer should attend the workshop.

EUGENE W. HICKOK,  
*Secretary*

[Pa.B. Doc. No. 00-68. Filed for public inspection January 7, 2000, 9:00 a.m.]

### Availability of Workforce Investment Act of 1998 Section 231 Funds for Adult Basic Education, Including English as a Second Language and Adult Secondary Education Programs, for Program Year 2000-01

Title II of The Workforce Investment Act of 1998, The Adult Education and Family Literacy Act, provides funds to local eligible provider agencies through the Department of Education for the establishment of adult education and family literacy programs that will:

1. Assist adults to become literate and obtain the knowledge and skills necessary for employment and self-sufficiency;
2. Assist adults who are parents to obtain the educational skills necessary to become full partners in the educational development of their children; and
3. Assist adults in the completion of a secondary school education.

Eligible applicants include local education agencies and public or private nonprofit agencies, organizations, and institutions. A for-profit agency is eligible to participate in the program only if it is part of a consortium with a local education agency or other eligible sponsor, with the nonprofit agency acting as fiscal agent. A for-profit organization must also have the capability and capacity to augment significantly the adult education services of such a consortium.

Consistent with the purpose of the Adult Education and Family Literacy Act, for Program Year 2000-01, the Department of Education will give primary consideration to programs for the educationally disadvantaged.

The "Grant Period" (or duration of a Section 231 grant) will be for a term of 3 years—July 1, 2000 through June 30, 2003—provided that sufficient progress is made toward meeting program objectives. At the end of the grant period, grantees will be authorized to reapply and compete with other applicants for another multi-year term. These grants will be funded by Rider K to a Master Agreement executed between the Department of Education and the funded agency. Current grant recipients were mailed Master Agreements in December 1999, that must be signed and returned to PDE by January 31, 2000. Agencies not currently funded will be given instructions on execution of the Master Agreement once grant applications are accepted for approval.

For Section 231 grant applications, consideration will be given to funding in the following order of priorities:

*Primary Consideration:*

1. Applications for the continuation of existing programs that have demonstrated an ability to produce results consistent with the objectives of the Adult Education and Family Literacy Act.

2. Applications for expansion of services to serve new, additional students in the following categories: (1) job seekers or incumbent workers in conjunction with CareerLink Center association; (2) out-of-school youth in conjunction with Youth Councils; (3) adults seeking to learn English as a Second Language—ESL, and/or; (4) others—must be identified. (These applications require a separate application.)

*Secondary Consideration:* (Requires a pre-application procedure for which special instructions are contained in the Applications Procedures and Program Guidelines that can be accessed at [www.paadulted.org](http://www.paadulted.org))

1. Consolidation incentive grant applications for existing programs.

2. Applications for infrastructure enhancement for existing programs.

Section 231 grants will comprise the 75% Federal share of total program costs. Grant recipients must fund the 25% local match share that may be in-kind. Other Federal funds may not be used for the local match unless specifically identified as eligible for use as matching funds.

Restrictions placed upon the Pennsylvania Department of Education by the United States Department of Education on the administration of the grant include:

1. Not less than 82.5% of the State's allotment must be used for adult education and/or family literacy programs;

2. Not more than 8.25% of the State's allotment may be used for corrections education programs; and

3. Not more than 5% of a local applicant's grant may be used for administrative costs, unless a higher percent is approved in advance by the Bureau of Adult Basic and Literacy Education, Pennsylvania Department of Education.

Section 231 applications must be completed online and submitted by the e-grant website at <http://www.egrants.ed.state.pa.us> to the Bureau of Adult Basic and Literacy Education, Pennsylvania Department of Education. Instructions and the Application Guidelines are available by ABLEsite at [www.paadulted.org](http://www.paadulted.org) and by the e-grant website.

Application due dates are as follows:

- 1. Section 231 renewal applications    March 24, 2000
- 2. Section 231 renewal applications for agencies that received 1999-2000 new/expansion grants\*\*\* ... April 14, 2000
- 3. Expansion, consolidation, and infrastructure enhancement grants..... April 21, 2000

\*\*\* These agencies need time to prepare applications after the grant continuation decisions are made. The decision letters will be issued after the evaluation of the New/Expansion Grant Recipients' Interim Reports which are due in the Bureau on March 12, 2001.

*Note:* The Bureau of ABLE reserves the right to consider proposals received after these deadlines and, if appropriate, to approve them if and when funds become available.

Potential applicants are urged to attend the proposal development workshop to learn the latest changes to program guidelines and new requirements for submitting e-grant applications for adult education and family literacy programs funded through (1) the Federal Workforce Investment Act, Section 231, (2) State Adult Literacy Program, Act 143 of 1986, and (3) the Federal Even Start Family Literacy Program. This workshop will be conducted by teleconference on January 31, 2000 from 1 to 3:30 p.m. For the nearest downlink site and to ensure that space, materials and handouts are available, all attendees must register to attend by contacting the Distance Learning Center at (800) 236-5293. For individuals who are deaf or hard of hearing, the Pennsylvania Relay Service (800) 654-5984 (TTY) can be used to call the Distance Learning Center. In order to ensure timely administration and processing of e-grant applications, both the grant writer and the fiscal officer should attend the workshop.

EUGENE W. HICKOK,  
*Secretary*

[Pa.B. Doc. No. 00-69. Filed for public inspection January 7, 2000, 9:00 a.m.]

**Professional Standards and Practices Commission; Application of Kimberly A. Blimmel for Reinstatement of Teaching Certificate; Doc. No. RE 99-04**

*Notice of Hearing*

Under the Teacher Certification Law (24 P. S. §§ 2070.1—2070.18) (Law), the Professional Standards and Practices Commission (Commission) has initiated hearing procedures to consider the application of Kimberly A. Blimmel for reinstatement of her teaching certificate.

On or about September 23, 1999, Kimberly Blimmel filed an application for reinstatement of her teaching certificate under section 16 of the Teacher Certification Law (24 P. S. § 2070.16), 1 Pa. Code §§ 35.1 and 35.2 (relating to General Rules of Administrative Practice and Procedure) and 22 Pa. Code § 233.14 (relating to reinstatement). Under section 16 of the Law, the Department of Education on December 8, 1999, recommended to the Commission that the application be approved. In accordance with the Law, and the General Rules of Administrative Practice and Procedure, the Commission will appoint a hearing examiner to serve as presiding officer to conduct such proceedings and hearings as might be necessary, and to prepare a proposed report to the Commission containing findings of fact, conclusions of law and a recommended decision on the application.

An interested party desiring to participate in these hearing procedures must file a notice of intervention or a petition to intervene in accordance with 1 Pa. Code §§ 35.27—35.32 (relating to General Rules of Administrative Practice and Procedure) within 30 days after publication of this notice in the *Pennsylvania Bulletin*. Persons objecting to the approval of the application may also, within 30 days after publication of this notice in the *Pennsylvania Bulletin*, file a protest in accordance with 1 Pa. Code § 35.23 (relating to protest generally).

Notices and petitions to intervene and protest shall be filed with Carolyn Angelo, Executive Director of the Professional Standards and Practices Commission, at 333

Market Street, Harrisburg, PA 17126-0333, on or before 4 p.m. on the due date prescribed by this notice. Persons with a disability who wish to attend the hearings and require an auxiliary aid, service or other accommodation to participate, should contact Suzanne B. Markowicz at

(717) 787-6576 to discuss how the Commission may best accommodate their needs.

CAROLYN ANGELO,  
*Executive Director*

[Pa.B. Doc. No. 00-70. Filed for public inspection January 7, 2000, 9:00 a.m.]

# DEPARTMENT OF ENVIRONMENTAL PROTECTION

## Applications, Actions and Special Notices

### APPLICATIONS

#### APPLICATIONS RECEIVED UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

##### [National Pollution Discharge Elimination System Program (NPDES)]

##### DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

##### (Part I Permits)

The following parties have applied for an NPDES permit to discharge controlled wastewaters into the surface waters of this Commonwealth. Unless otherwise indicated on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (Department) proposes to issue a permit to discharge, subject to certain effluent limitations and special conditions. These proposed determinations are tentative.

Where indicated, the EPA, Region III, Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.6E.

Persons wishing to comment on the proposed permit are invited to submit a statement to the office noted above the application within 30 days from the date of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, proposed effluent limitations and special conditions, comments received and other information are on file and may be inspected and arrangements made for copying at the office indicated above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodations to participate in the proceeding should contact the Secretary to the Board at (717) 787-3483. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

#### Applications for National Pollutant Discharge Elimination System (NPDES) permit to discharge to State waters.

*Southcentral Regional Office: Regional Water Management Program Manager; 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4707.*

**PA 0097921, Amendment No. 1.** SIC Code 4952, Sewage, **Berwick Township**, 85 Municipal Road, Hanover, PA 17331.

This application is for amendment of an existing NPDES permit for a discharge of treated sewage to an unnamed tributary of Pine Run, in Berwick Township, **Adams County**.

The receiving stream is classified for warm water fish, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements, the existing downstream potable water supply intake considered during the evaluation was the Wrightsville Water Supply Company located on the Susquehanna River. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.300 mgd are:

Parameter	Average Monthly (mg/l)	Average Weekly (mg/l)	Instantaneous Maximum (mg/l)
5-day CBOD	10	15	20
Total Suspended Solids	10	15	20

## NOTICES

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
NH <sub>3</sub> -N			
(5-1 to 10-31)	2.0	—	4.0
(11-1 to 4-30)	6.0	—	12.0
Total Phosphorus	2.0	—	4.0
Dissolved Oxygen		minimum of 5.0 at all times	
pH		from 6.0 to 9.0 inclusive	
Fecal Coliforms			
(5-1 to 9-30)		200/100 ml as a geometric average	
(10-1 to 4-30)		2,000/100 ml as a geometric average	

To make an appointment to review the DEP files on this case call Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is in effect.

**PA 0082881.** Industrial waste, SIC Code 9999, **Alcoa Inc. (Lancaster Works)**, 201 Isabella Street, Pittsburgh, PA 15212.

This application is for renewal of an NPDES permit for an existing discharge of treated industrial waste to an unnamed tributary to the Little Conestoga Creek, in Lancaster City, **Lancaster County**.

The receiving stream is classified for warm water fishery, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was Holtwood Power Plant located in Martic Township, Lancaster County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.482 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Tetrachloroethylene	0.004	0.008	0.010
Trichloroethylene	0.018	0.036	0.045
pH		6—9	

To make an appointment to review the DEP files on this case call Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is in effect.

**PA 0088277.** Sewage, SIC Code 15, **Test Enterprises, Inc.**, 1235 Abbottstown Pike, Hanover, PA 17331.

This application is for issuance of an NPDES permit for a new discharge of treated sewage to an unnamed tributary to Beaver Creek, in Berwick Township, **Adams County**.

The receiving stream is classified for warm water fishery, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was Wrightsville Water Supply Co. located in Wrightsville, York County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.02555 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
5-day CBOD	25	XXX	XXX	50
Total Suspended Solids	30	XXX	XXX	60
NH <sub>3</sub> -N				
(5-1 to 10-31)	2.5	XXX	XXX	5.0
(11-1 to 4-30)	7.5	XXX	XXX	15.0
Total Phosphorus		monitor and report		
Total Residual Chlorine*	0.2	XXX	XXX	0.7
Dissolved Oxygen		Minimum of 5.0 at all times		
pH		From 6.0 to 9.0 inclusive		
Fecal Coliforms				
(5-1 to 9-30)		200/100 ml as a geometric average		
(10-1 to 4-30)		3,500/100 ml as a geometric average		

\*if chlorine is used for disinfection

To make an appointment to review the DEP files on this case call Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is in effect.

*Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.*



**PA 0093262.** Sewage, **Industrial Leasing Systems**, One Players Club Drive, Charleston, WV 25311.

This application is for renewal of an NPDES permit to discharge treated sewage from BethEnergy Mines Division Office STP in North Bethlehem Township, **Washington County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as drainage swale to Little Chartiers Creek, which are classified as a high quality-warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the: West View Borough Municipal Water Authority on the Ohio River.

*Outfall 001:* existing discharge, design flow of 0.002 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD-5 Day	10			20
Suspended Solids	25			50
Ammonia Nitrogen				
(5-1 to 10-31)	1.5			3.0
(11-1 to 4-30)	4.5			9.0
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2000/100 ml as a geometric mean			
Total Residual Chlorine				
(1st month—36th month)	monitor and report			
(37th month—expiration)	1.4			3.3
Dissolved Oxygen	not less than 6.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

---

*Northwest Regional Office: Regional Manager, Water Management, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6942.*

**PA 0221317.** Sewage, **Allegheny-Clarion Valley Development Corporation**, P. O. Box 48, R. D. 3, Parker, PA 16049.

This application is for renewal of an NPDES Permit to discharge treated sewage to an unnamed tributary of Little Scrubgrass Creek in Allegheny Township, **Butler County**. This is an existing discharge.

The receiving water is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Emlenton Water Company on the Allegheny River located at Emlenton, approximately 15.1 miles below point of discharge.

The proposed effluent limits, based on a design flow of 0.055 mgd, are:

*Outfall No. 001*

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Weekly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	XX		
CBOD <sub>5</sub>	25		50
Total Suspended Solids	30		60
Ammonia-Nitrogen			
(5-1 to 10-31)	2.0		4.0
(11-1 to 4-30)	6.0		12.0
Dissolved Oxygen	minimum of 6 mg/l at all times		
Fecal Coliform			
(5-1 to 9-30)	200/100 ml as a geometric average		
(10-1 to 4-30)	2700/100 ml as a geometric average		
pH	6.0—9.0 at all times		

XX—Monitor and report on monthly DMRs.

Requirement to Develop a Local Industrial Waste Pretreatment Program.

The EPA Waiver is in effect.

**PA 0221384.** Industrial waste, SIC 99. **GTE Operations Support, Inc.**, 1225 Corporate Drive, Irvine, TX 75038.

This application is for renewal of an NPDES Permit, to discharge treated groundwater to an unnamed tributary to Pine Creek in Oil Creek Township, **Venango County**. This is a existing discharge.

The receiving water is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is Emlenton Water Company on the Allegheny River located at Emlenton, approximately 57 miles below point of discharge.

The proposed discharge limits, based on a design flow of 0.029 mgd, are:

*Outfall No. 004*

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (mgd)	monitor and report		
Trichloroethylene	0.0056		0.0068
Tetrachloroethylene	0.033		0.083
Oil and Grease	15		30
pH		6.0 to 9.0 at all times	

The EPA Waiver is in effect.

---

### Proposed NPDES Permit Renewal Actions for Minor Sewage Discharges

---

The following parties have applied to renew their current NPDES permits to allow the continued discharge of controlled wastewaters into the surface waters of this Commonwealth. The Department of Environmental Protection (Department) has made a tentative determination to renew these permits and proposes to issue them, subject to their current permit effluent limitations, and monitoring and reporting requirements, with appropriate and necessary updated requirements to reflect new or changed regulations and other requirements. The updates may include, but will not be limited to, applicable permit conditions and/or requirements addressing combined sewer overflows (CSOs), municipal sewage sludge management and total residual chlorine control (TRC). Major changes to or deviations from the terms of the existing permit will be documented and published with the final Department actions.

The EPA, Region III, Regional Administrator has waived the right to review or object to these proposed permit actions under the waiver provision 40 CFR 123.6E.

Persons wishing to comment on the proposed permits are invited to submit a statement to the Field Office indicated as the office responsible, within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding these applications and proposed permit actions. Comments should include the name, address and telephone number of the writer and a brief statement to inform the Field Office of the basis of the comment and the relevant facts upon which it is based. A public hearing may be held if the Field Office considers the public response significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit action. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit renewal application and related documents, proposed effluent limitations and special conditions, comments received and other information are on the Department's file. The documents may be inspected at, or a copy requested from, the Field Office that has been indicated above the application notice.

---

*Southcentral Regional Office: Water Management Program, 909 Elmerton Avenue, 2nd Floor, Harrisburg, PA 17110, (717) 705-4707.*

<i>NPDES No.</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Tributary Stream</i>	<i>New Permit Requirements</i>
PA 0081337	MGM Enterprises Inc. Northwood Manor MHP 1 Waterford Professional Center York, PA 17402	York County Newberry Township	UNT to Conewago Creek	TRC
PA 0020214 Amendment 1	Borough of Mount Union 9 West Market Street Mount Union, PA 17066	Huntingdon County Mount Union Borough	Juniata River	TRC
PA 0083585	Todd Township Supervisor HCR # 75 McConnellsburg, PA 17233	Fulton County Todd Township	Licking Creek	TRC
PA 0086215	Shalako Mobile Home Park P. O. Box 550 Elizabethtown, PA 17022	York County Hellam Township	UNT to Cabin Creek	TRC

**DISCHARGE OF CONTROLLED INDUSTRIAL  
WASTE AND SEWERAGE WASTEWATER**

**Applications under the Pennsylvania Clean  
Streams Law**

**(Part II Permits)**

The following permit applications and requests for plan approval have been received by the Department of Environmental Protection (Department).

Persons objecting on the grounds of public or private interest to the approval of an application or submitted plan may file a written protest with the Department at the address indicated above each permit application or plan. Each written protest should contain the name, address and telephone number of the protester, identification of the plan or application to which the protest is addressed and a concise statement or protest in sufficient detail to inform the Department of the exact basis of the protest and the relevant facts upon which it is based. The Department may conduct a fact-finding hearing or an informal conference in response to any given protest or protests. Each protester will be notified in writing of the time and place of any scheduled hearing or conference concerning the plan or action or application to which the protest relates. To insure consideration by the Department prior to final action on permit application and proposed plans, initial protests and additions or amendments to protests already filed should be filed within 15 calendar days from the date of this issue of the *Pennsylvania Bulletin*. A copy of each permit application and proposed plan is on file in the office indicated and is open to public inspection.

**Industrial waste and sewerage applications under  
The Clean Streams Law (35 P. S. §§ 691.1—  
691.1001).**

*Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.*

**A. 4099201.** Industrial waste, **Pennsylvania-American Water Company**, 20 East Union Street, Wilkes-Barre, PA 18711. Application for a water purification plant to treat water withdrawn from Huntsville Reservoir, located in Dallas Township, **Luzerne County**. Application received in the Regional Office—December 16, 1999.

**A. 4099405.** Sewerage, **Mountaintop Area Joint Sanitary Authority**, 290 Morio Drive, Mountaintop, PA 18707. Application for sewage treatment plant expansion, located in Dorrance Township, **Luzerne County**. Application received in the Regional Office—December 17, 1999.

*Southcentral Regional Office: Water Management Program Manager, 909 Elmerton Avenue, 2nd Floor, Harrisburg, PA 17110-8200, (717) 705-4707. To review any of these applications, please contact Mary DiSanto at (717) 705-4732.*

**A. 6799412.** Sewage, submitted by **Fairview Township Sewer Authority**, 599 Lewisberry Road, New Cumberland, PA 17070, Fairview Township, **York County** to construct a new pumping station and to remove the Fairview Village Wastewater Treatment Facility and two associated pumping stations was received in the Southcentral Region on December 14, 1999.

**A. 2899406.** Sewage, submitted by **Amos B. Blank**, 12540 Mongul Hill Road, Shippensburg, PA 17257, Southampton Township, **Franklin County** to construct a Small Flow Treatment Facility to serve three proposed

single-family dwellings was received in the Southcentral Region on December 15, 1999.

**A. 2899402, Amendment 99-1.** Sewage, submitted by **Washington Township Municipal Authority**, 11102 Buchanan Trail East, Waynesboro, PA 17268 in Washington Township, **Franklin County** to modify their existing permit to allow for a hydraulic capacity of 1.94 mgd was received in the Southcentral Region on August 31, 1999.

**SAFE DRINKING WATER**

**Applications received under the Pennsylvania Safe  
Drinking Water Act (35 P. S. §§ 721.1—721.17).**

*Southeast Regional Office, Sanitarian Regional Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, (610) 832-6130.*

**A. 4699513.** Public water supply, **Frederick Mennonite Community**, 2849 Big Road, Frederick, PA 19435. This proposal involves the construction of Well No. 5 to upgrade the Frederick Mennonite existing water supply system in Upper Frederick Township, **Montgomery County**.

*Northeast Regional Office: Sanitarian Regional Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.*

**4099507.** Public water supply, **Pardeesville Water Association**, LeRoy Houser, President, Pardeesville Water Association, R. R. 2, P4-4, Hazleton, PA 18201. This proposal involves incorporation of two additional supply wells into the system which will utilize existing facilities for disinfection and sequestration of iron and manganese. It is located in Hazle Township, **Luzerne County**. Engineer: Reilly Associates, Michael Matechak

*Southcentral Regional Office: Sanitarian Regional Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4708.*

**Permit No. 0699507.** Public water supply, **Big Spring Venting**, Lower Heidelberg Twp., **Berks County**. *Responsible Official:* David Weaver, 49 Big Spring Rd., Robesonia, PA 19551. *Type of Facility:* Vended water system utilizing Big Spring well as a source of supply. *Consulting Engineer:* Dennis M. Martin, Martin Water Conditioning, 740 East Lincoln Ave., Myerstown, PA 17067. Application received: December 8, 1999.

*Southwest Regional Office: Regional Manager, Water Supply Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.*

**0299509. Wilkesburg Penn Joint Water Authority**, 2200 Robinson Boulevard, Pittsburgh, PA 15221-1193. Cleaning and painting the sludge system clear span aluminum dome interior serving Penn Hills, **Allegheny County**.

*Northwest Regional Office: Regional Manager, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6899.*

**A. 1099505.** Public water supply, **Young's Mobile Home Park**, 1723 Oneida Valley Road, Karns City, PA 16041. This proposal involves the permitting of existing well Nos. 2, 3 and 4 in Concord Township, **Butler County**.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

### Preamble 1

---

#### **Acknowledgment of Notices of Intent to Remediate submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).**

---

Sections 302, 303, 304 and 305 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, Statewide health standard, the site-specific standard, or who intends to remediate a site as a special industrial area, must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. A person who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment period the municipality may request that the person identified, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, please contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department of Environmental Protection has received the following Notices of Intent to Remediate:

*Southeast Regional Office: Environmental Cleanup Program Manager; Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-5950.*

**Former Automatic Timing and Controls Facility**, Upper Merion Township, **Montgomery County**. Darryl D. Borrelli, Manko, Gold & Katcher, LLP, 401 City Avenue, Suite 500, Bala Cynwyd, PA 19004, has submitted a Notice of Intent to Remediate site groundwater contaminated with solvents. The applicant proposes to remediate the site to meet site-specific standards. A summary of the Notice of Intent to Remediate was reported to have been published in *The Times Herald* on December 9, 1999.

*Southcentral Regional Office: Environmental Cleanup Program Manager; 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4705.*

**Former Mifflin County Subaru**, Armagh Township, **Mifflin County**. Juniata Valley Bank, P. O. Box 66, Mifflintown, PA 17059 has submitted a Notice of Intent to Remediate site soils contaminated with lead. The applicant proposes to remediate site soils to meet the site-specific standard requirements. A summary of the Notice of Intent to Remediate was reported to have been published in the *Lewistown Sentinel* during the week of December 13, 1999.

## SOLID & HAZARDOUS WASTE

### RESIDUAL WASTE PROCESSING FACILITIES

---

**Applications received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate a solid waste processing or disposal area or site.**

---

*Southwest Regional Office: Regional Solid Waste Manager; 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.*

**A. 300615. Orion Power MidWest, LLC**, P. O. Box 87, Pittsburgh, PA 15219-0087. Fern Valley Disposal Site, Route 837, Pittsburgh, PA 15025. Application for the re-issuance of a residual waste landfill Class II permit in Jefferson Borough, **Allegheny County**. Received in the Regional Office on December 20, 1999.

**A. 300720. Orion Power MidWest, LLC**, P. O. Box 87, Pittsburgh, PA 15219-0087. Cheswick Ash Disposal Site, Lefever Road (S. R. 1016), Rural Ridge, PA 15075. Application for the re-issuance of a residual waste landfill Class II permit in Indiana Township, **Allegheny County**. Received in the Regional Office on December 20, 1999.

### OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

---

**Applications submitted under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and regulations to operate solid waste processing or disposal area or site.**

---

*Northwest Regional Office: Regional Solid Waste Manager; 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6848.*

A permit application to renew the facility's operating permit for a period not to exceed 10 years was received from **Waste Management of Pennsylvania, Inc.**, Lake View Landfill, 851 Robison Road East, Erie, PA 16509, Permit No. 100329. Application was received in the Regional Office on December 20, 1999.

## AIR QUALITY

### Plan Approval and Operating Permit Applications Nonmajor Sources and Modifications

The Department of Environmental Protection (Department) has developed an "integrated" plan approval, State operating permit and Title V operating permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

Notice is hereby given that the Department has received applications for plan approvals and/or operating permits from the following facilities. Although the sources covered by these applications may be located at a major facility, the sources being installed or modified do not trigger major new source review or prevention of significant deterioration requirements.

Copies of these applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the Regional Offices identified in this notice. Persons interested in reviewing the application files should contact the appropriate regional office to schedule an appointment.

Persons wishing to file protests or comments on the proposed plan approval and/or operating permits must submit the protest or comment within 30 days from the date of this notice. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Any comments or protests filed with Department's Regional Offices must include a concise statement of the objections to the issuance of the plan approval or operating permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior to the date of the hearing.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121 through 143, the Federal Clean Air Act and regulations adopted under the act.

### OPERATING PERMITS

#### Applications received and intent to issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015).

*Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.*

**36-05086A: DONSCO, Inc.** (P. O. Box 2001, Wrightsville, PA 17368) for operation of two foundry core making machines and a sand mixer in Mount Joy, **Lancaster County**.

**36-304-091: DONSCO, Inc.** (P. O. Box 2001, Wrightsville, PA 17368) for operation of a shotblast machine and six grinding wheels in Mount Joy, **Lancaster County**.

#### Notice of Intent to Issue Title V Operating Permits

Under 25 Pa. Code § 127.521, notice is given that the Department of Environmental Protection (Department)

intends to issue a Title V Operating Permit to the following facilities. These facilities are major facilities subject to the operating permit requirements under Title V of the Federal Clean Air Act and 25 Pa. Code Chapter 127, Subchapters F (relating to operating permit requirements) and G (relating to Title V operating permits).

Appointments to review copies of the Title V application, proposed permit and other relevant information must be made by contacting Records Management at the regional office telephone number noted. For additional information, contact the regional office noted.

Interested persons may submit written comments, suggestions or objections concerning the proposed Title V permit to the regional office within 30 days of publication of this notice. Written comments submitted to the Department during the 30-day public comment period shall include the name, address and telephone number of the person submitting the comments, along with the reference number of the proposed permit. The commentator should also include a concise statement of any objections to the permit issuance and the relevant facts upon which the objections are based.

The Department reserves the right to hold a public hearing on the proposed action based upon the information received during the public comment period and will provide notice of any scheduled public hearing at least 30 days in advance of the hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation where the facility is located.

*Southeast Regional Office: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, Attn: Edward Brown, (610) 832-6242.*

**TVOP-15-00019: PECO Energy Co.** (100 Cromby Road, Phoenixville, PA 19460) in East Pikeland Township, **Chester County**. The facility's major emission points include: boilers and associated fuel burning equipment which emit major levels of NO<sub>x</sub>, VOC, CO and PM-10.

*Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Attn: Eric Gustafson, (814) 332-6940.*

**24-00062: Powder Metal Products, Inc.** (Washington Road, P. O. Box 580, St. Marys, PA 15857) in St. Marys, **Elk County**. PMP's facility is primarily used for the production of fabricated metal parts. The facility's air emission sources include a small natural gas/No. 2 fuel oil fired boiler, sintering ovens, a parts washer and a non-halogenated solvent vapor degreaser. The facility is a major stationary source as defined in Title I, Part D of the Clean Air Act Amendments due to the facility's potential to emit of volatile organic compounds.

#### General Plan Approval and Operating Permit issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

*Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.*

**GP-37-306: Atlantic States Materials of PA, Inc.,** Taylor Run Mine (State Route 108, Harlansburg, PA 16101) on December 22, 1999, for operation of a portable nonmetallic mineral processing plant in Scott Township, **Lancaster County**.

**GP-16-139: Texas Keystone, Inc.,** Holden Compressor Station (State Route 16009, Clarion, PA 16214) on Decem-

ber 20, 1999, for operation of a natural gas production facility in Limestone Township, **Clarion County**.

#### PLAN APPROVALS

#### Applications received and intent to issue Plan Approvals under the Air Pollution Control Act (35 P. S. §§ 4001—4015)

*Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.*

**07-05004A: Eldorado Properties Corp.** (P. O. Box 2621, Harrisburg, PA 17105) for construction of a storage tank for gasoline/distillate oil and operating permit modifications at Altoona Terminal in Allegheny Township, **Blair County**.

*Northcentral Regional Office: Air Quality Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3637.*

**17-318-018B: Invensys Energy Metering** (P. O. Box 528, Dubois, PA 15801) for construction of three gas meter and regulator surface coating spray booths in the City of Dubois, **Clearfield County**.

**TVOP-41-00024A: Divine Providence Hospital** (1100 Grampian Boulevard, Williamsport, PA 17701) for construction of a 12.55 million Btu per hour natural gas/2 fuel oil-fired boiler (Boiler 3) in the City of Williamsport, **Lycoming County**. This boiler is capable of emitting up to 7.8 tons of nitrogen oxides, 2.0 tons of carbon monoxide, 28.2 tons of sulfur dioxide and .15 ton of volatile organic compounds per year but may be restricted to lesser emission rates. Any plan approval issued, as well as any subsequent operating permit issuance or amendment, will contain conditions limiting the boiler's emissions to levels which are no greater than these values (and possibly to more restrictive values) as well as appropriate boiler operating and maintenance requirements and recordkeeping and reporting requirements to ensure compliance.

*Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.*

**PA-37-013A: Southdown, Inc.** (2001 Portland Park, Wampum, PA 16157-9109) for construction of slag feed equipment (maximum 60 tons/hour) to cement kilns in Wampum, **Lawrence County**. This construction is subject to Federal regulations NSPS 40 CFR 60, Subpart F, and 40 CFR 63, Subpart LLL. Southdown, Inc., Wampum, is a Title V facility.

#### Public Notification to Solicit Comments on Plan Approval Application No. PA-23-0082

Notice is hereby given under 25 Pa. Code § 127.44 and 40 CFR 72.65, that the Department of Environmental Protection (Department) is soliciting comments on the proposed Air Quality Plan Approval for Liberty Electric Power, LLC (the Company), Route 291, Borough of Ed-dystone, **Delaware County**, PA, for construction of two combustion turbines with duct burners and a cooling tower as described in the Company's May 14, 1999, Plan Approval Application and subsequent supplemental submissions.

Copies of the application, the Department's technical review and other supporting documents used in the evaluation are available for public inspection between the hours of 8 a.m. and 4 p.m. weekdays at the address shown. To make an appointment, contact Records Management at (610) 832-6268.

Based on the information provided by the applicant and the Department's own analysis, the proposed combustion turbines, duct burners and cooling tower would emit:

<i>Pollutant</i>	<i>Emission Rate, tpy</i>
Nitrogen Oxides	227 tons per year
Carbon Monoxide	507 tons per year
Volatile Organic Compounds	50.1 tons per year
Sulfur Dioxide	238 tons per year
Particulate Matter < 10µm	224 tons per year
Particulate Matter	224 tons per year
Sulfuric Acid Mist	29.1 tons per year

Based on the information provided by the applicant and the Department's own analysis, the proposed combustion turbines with duct burners would consume the following increments:

<i>Pollutant</i>	<i>Ambient Air Quality Impact</i>
Nitrogen Dioxide	0.4 µg/m <sup>3</sup> (annual avg.)
Carbon Monoxide	31.5 µg/m <sup>3</sup> (1 hour avg.) and 12.8 µg/m <sup>3</sup> (8 hour avg.)
Sulfur Dioxide	8.9 µg/m <sup>3</sup> (3 hour avg.), 4.1 µg/m <sup>3</sup> (24 hour avg.) and 0.4 µg/m <sup>3</sup> (annual avg.)
Particulate Matter < 10 µm	4.8 µg/m <sup>3</sup> (24 hour avg.) and 0.5 µg/m <sup>3</sup> (annual avg.)

To assure compliance with the applicable standards, the Department has placed the following conditions in the proposed Plan Approval:

#### 1. Operational Limitations

a. The hours of operation of the combustion turbines shall not be limited.

b. The company shall limit the amount of natural gas combusted in the duct burners to 2,592 million cubic feet, or less, in a 12-month rolling period.

c. The company shall install a fuel meter on the natural gas supply line(s) to the duct burners.

d. The company shall combust only natural gas in the combustion turbines and duct burners.

e. The company shall construct, operate and maintain both combustion turbines, duct burners, cooling tower and air pollution control equipment in accordance with manufacturer's specifications as well as good air pollution control practices.

f. The duct burners are subject to Subpart Da of the Standards of Performance for New Stationary Sources and shall comply with all applicable requirements of this Subpart. 40 CFR 60.4 requires submission of copies of all requests, reports, applications, submittals and other communications to both the EPA and the Department. The EPA copies shall be forwarded to: Director, Air, Toxics and Radiation Division, U. S. EPA, Region III, 1650 Arch Street, Philadelphia, PA 19103.

g. The combustion turbines are subject to Subpart GG of the Standards of Performance for New Stationary Sources and shall comply with all applicable requirements of this Subpart. 40 CFR 60.4 requires submission of copies of all requests, reports, applications, submittals, and other communications to both the EPA and the Department. The EPA copies shall be forwarded to: Director, Air, Toxics and Radiation Division, U. S. EPA, Region III, 1650 Arch Street, Philadelphia, PA 19103.

h. The following condition applies to the start-up or shutdown of the combustion turbines.

i. A cold start-up shall be defined as an event that occurs after the combustion turbine has not been operating for at least 72 hours. A cold start-up shall not last longer than 5 hours after ignition.

ii. A warm start-up shall be defined as an event that occurs after the combustion turbine has not been operating for 8 hours to 48 hours. A warm start-up shall not last longer than 3 hours after ignition.

iii. A hot start-up shall be defined as an event that occurs after the combustion turbine has not been operating for less than 8 hours. A hot start-up shall not last longer than 1.5 hours after ignition.

iv. The emissions from a start-up or shutdown shall be included in the 12-month rolling sum.

v. The emission limitations contained in Condition 3 do not apply during start-up and shutdown of the combustion turbines.

i. The following conditions apply to operation of the selective catalytic reduction units (SCR).

i. Equipment, a rotameter or equivalent as approved by the Department, shall be provided so that the flow rate of reagent to the SCR system can be measured.

ii. The company shall install, operate and maintain the SCR system in accordance with the manufacturer's specifications and good air pollution control practices.

iii. The company shall limit the total dissolved/suspended solids in the cooling water to 4425 ppm by weight, or less, in the cooling tower blowdown water.

## 2. Acid Rain Requirements

Upon start-up, the combustion turbines are subject to the applicable requirements contained in 40 CFR Parts 72 through 78. In addition, the combustion turbines are subject to the applicable requirements contained in 25 Pa. Code § 127.531, regarding special conditions related to acid rain.

## 3. Emission Limitations

a. The following air contaminant emission limits are approved for each combustion turbine with duct burners.

<i>Pollutant</i>	<i>Short Term Emission Limitation For Combustion Turbine<sup>3</sup></i>	<i>Short Term Emission Limitation For Combustion Turbine and Duck Burner<sup>3</sup></i>	<i>Annual Emission Rate<sup>1</sup></i>
Nitrogen Oxides (NOx)	3.5 ppmvd <sup>4</sup>	5.0 ppmvd <sup>4</sup>	113.4 tpy
Volatile Organic Compounds (VOCs) <sup>2</sup>	1.4 ppmvd <sup>4</sup>	5.0 ppmvd <sup>4</sup>	25.1 tpy
Carbon Monoxide (CO)	15 ppmvd <sup>4</sup>	120 ppmvd <sup>4</sup>	253.7 tpy
Particulate Matter (PM)	22.6 lbs/hr	28.1 lbs/hr	109 tpy
Sulfur Dioxide (SO <sub>2</sub> )			119 tpy
Sulfuric Acid Mist			14.6 tpy

<sup>1</sup>Based on a 12-month rolling period and calculated as a 12 month rolling sum. The annual emission rate includes the emissions from start-ups and shutdowns.

<sup>2</sup>The Volatile Organic Compounds shall be calculated as methane.

<sup>3</sup>The short term limitations shall be calculated as an hourly average.

<sup>4</sup>Corrected to 15% O<sub>2</sub>.

b. The emission rates above apply at all times except during start-up and shutdown periods.

c. The company shall limit the emissions of particulate matter from the 12 cell cooling tower to 5.9 tons in a 12-month rolling period.

d. The company shall comply with the provisions contained in 25 Pa. Code § 123.31(b), regarding malodors.

e. The combustion turbines shall comply with the provisions contained in 25 Pa. Code § 123.41, regarding visible emissions.

f. The company shall limit the ammonia slip from each SCR system to 10 ppm, or less.

## 4. Emission Reduction Credit Requirements

a. The company shall not operate the combustion turbines and/or duct burners until the required emission reduction credits are provided and processed through the emission reduction credit (ERC) registry.

b. The company is required to provide emission offsets in the amount of 295.1 tons per year of NOx and 65.1 tons per year of VOCs to offset emissions of 227 tons per year of NOx and 50.1 tons per year of VOCs.

## 5. NOx Allowance Requirements

a. The company shall comply with the applicable regulations contained in 25 Pa. Code §§ 123.101–123.120.

b. The company shall establish a compliance account prior to the commencement of operations and it is responsible to acquire any required NOx allowances from those available in the NATS (25 Pa. Code § 123.117(a)).

## 6. Monitoring Requirements

a. The company shall install, operate and maintain continuous emission monitors for nitrogen oxides, oxygen and carbon monoxide on both combustion turbines.

b. The company shall install a Department certified continuous emission monitor for sulfur dioxide or comply with the provisions of 40 CFR Part 75, Appendix D, relating to estimating the emissions of sulfur dioxide. Prior to the issuance of an operating permit, the company shall notify the Department, in writing, as to the method for monitoring the emissions of sulfur dioxide.

c. The continuous emission monitoring system for the parameters in Condition 6a above must be approved by the Department. The continuous emission monitoring system shall be installed, operated and maintained in

accordance with the requirements of Chapter 139 of the Rules and Regulations of the Department. Proposals containing the information as listed in Phase I section of the Department's *Continuous Source Monitoring Manual* for the continuous emission monitoring system must be submitted at least 3 months prior to the start-up of the combustion turbines.

d. The continuous emission monitoring system shall be maintained and operated to achieve the following data availability requirements.

<i>Requirement</i>	<i>Monitored Pollutants or Parameters</i>
	Carbon Monoxide, NOx and Oxygen
Data Availability:	≥90% valid hours/calendar month
	≥95% valid hours/calendar quarter
Valid Hour:	≥75% valid readings (45 minutes/hour)

e. Continuous monitoring shall be conducted at the locations approved by the Department for the following:

i. Nitrogen oxides, carbon monoxide and oxygen shall be monitored downstream of the air pollution control equipment.

f. The continuous monitors shall be operated in such a manner as to determine compliance with the applicable limits in Condition 3.

g. The company shall continuously monitor the amount reagent being injected.

h. The company shall, on a monthly basis, monitor the amount of natural gas combusted in the duct burners to determine compliance with Condition 1b.

#### 7. Testing Requirements

a. Within 60 days after achieving the maximum production rate at which the affected facility will be operated, but not later than 180 days after the initial start-up of the facility, the owner or operator shall conduct performance test(s) as per Sections 60.8 and 40 CFR, Part 60, Subparts Da and GG and Chapter 139 of the Rules and Regulations of the Department.

b. The initial stack shall be for nitrogen oxides, carbon monoxide, volatile organic compounds, ammonia slip, and particulate matter.

c. At least 30 days prior to the test, the Regional Air Quality Manager shall be informed of the date and time of the test.

d. At least 60 days prior to the test, the company shall submit to the Department for approval the procedures for the test and a sketch with dimensions indicating the location of sampling ports and other data to ensure the collection of representative samples.

e. Within 30 days after the source test(s), two copies of the complete test report, including all operating conditions, shall be submitted to the Regional Air Quality Manager for approval. All test reports shall be complete and include all operating conditions.

f. The company shall, on a weekly basis, test the cooling tower water for dissolved/suspended solids. A schedule of less frequent testing may be approved by the Department upon demonstration that the results of the required testing are below the limitation contained in Condition 3j.

#### 8. Recordkeeping and Reporting Requirements

Sufficient data shall be recorded so that compliance with the conditions in this Plan Approval can be deter-

mined. Records shall be kept for a minimum of 5 years and shall be made available to the Department upon request.

a. The company shall maintain records on all air pollution control system performance evaluations and records of calibration checks, adjustments and maintenance performed on all equipment which is subject to this Plan Approval.

b. The company shall maintain a copy of the manufacturer's specifications for the 2 combustion turbines, 2 duct burners, cooling tower and air pollution control equipment onsite.

c. The company shall maintain a copy of the manufacturer's specifications for all CEMs that are required by this plan approval.

d. The company shall keep a record of all the stack tests that are required in this Plan Approval.

e. The company shall keep a monthly record of the fuel monitoring that is required by Condition 6h.

f. The company shall keep a record of the date of the malfunction, the time of the malfunction, the cause of the malfunction and the action taken to correct the malfunction.

g. The company shall keep a record, on a monthly basis, of the emissions from each combustion turbine and duct burner as well as the cooling tower to demonstrate compliance with Conditions 3a and 3c.

h. The company shall keep all records that are required under 40 CFR Part 60 Subparts Da and GG and 40 CFR Parts 72 through 78.

i. The company shall keep a record of each start-up and shutdown of the combustion turbines and/or duct burners.

j. The company shall keep a record of the results of the testing for cooling tower blowdown water total dissolved and suspended solids.

Anyone wishing to provide the Department with additional information they believe should be considered prior to the issuance of the Plan Approval may submit the information to the address shown below within 30 days. Written comments should include the following: name, address and telephone number of the person submitting comments; identification of the proposed Plan Approval; No. PA-23-0082; concise statement regarding the relevancy of the information or any objections to issuance of the Plan Approval.

Requests for a public fact finding conference or hearing may also be made by writing the Department at the address shown below. A public conference may be held if the Department in its discretion decides that such a conference is warranted on the basis of the information received. All persons who have submitted comments or have requested a conference will be notified of the decision to hold such a conference by publication in a newspaper or the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient.

Written remarks from the public will be addressed by the Department during the review process before a final action is taken on the proposal. A summary report addressing the concerns raised by the public will be released should the Department decide to issue the Plan Approval. Written remarks should be sent to: Francine Carlini, Regional Air Quality Manager, Department of Environmental Protection, Southeast Regional Office, Lee



Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428. For additional information contact George A. Monasky, P.E. at (610) 941-5123.

## MINING

### APPLICATIONS TO CONDUCT COAL AND NONCOAL ACTIVITIES

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to the applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of the application is available for inspection at the District mining office indicated above each application. Where a 401 water quality certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for such certification.

Written comments or objections, or requests for informal conferences on applications, may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the same address within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Where any of the mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. The NPDES permits will contain, at a minimum, technology-based effluent limitations (as described in the Department's regulations—25 Pa. Code §§ 77.522, 87.102, 88.92, 88.187, 88.242, 89.52 and 90.102) for iron, manganese, suspended solids, settleable solids, alkalinity and pH. In addition to the above, more restrictive effluent limitations, restrictions on discharge volume, or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit when necessary for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies which have requested review of the NPDES permit requirements for a particular mining activity within the above-mentioned public comment period will be provided with a 30-day period to review and submit comments on those requirements.

Written comments or objections should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; application number; a brief sum-

mary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

*Knox District Office, P. O. Box 669, Knox, PA 16232.*

*Coal Applications Received:*

**33793033. Cloe Mining Company, Inc.** (P. O. Box I, Grampian, PA 16838). Renewal of an existing bituminous surface and auger operation in Gaskill Township, **Jefferson County**, affecting 94.0 acres. Receiving streams: Unnamed tributaries to Stony Run. Application received December 20, 1999.

**10990104. Ben Hal Mining Company** (389 Irishtown Road, Grove City, PA 16127). Commencement, operation and restoration of a bituminous surface strip operation in Clay and Center Townships, **Butler County**, affecting 120.0 acres. Receiving streams: Four unnamed tributaries to Muddy Creek. Application received December 17, 1999.

**33753031. Colt Resources** (R. D. 3, Box 48A, Clarion, PA 16214). Renewal of an existing bituminous surface, auger, and tippel refuse disposal operation in Perry Township, **Jefferson County**, affecting 123.0 acres. Receiving streams: Nicely Run to Mahoning Creek. Application received December 22, 1999.

**102327-24960101-E-6. Energy Resources, Inc.** (P. O. Box 259, Brockway, PA 15824). Application for a stream encroachment to conduct coal mining activities within 100 feet of unnamed tributaries consisting of erosion and sedimentation control facilities, a stream crossing and to mine through and replace said tributaries with a downslope channel in Horton Township, **Elk County**. Receiving streams: Four unnamed tributaries of Mead Run and Mead Run. Application received December 23, 1999.

**102327-24960101-E-7. Energy Resources, Inc.** (P. O. Box 259, Brockway, PA 15824). Application for a stream encroachment to conduct coal mining activities within 100 feet of unnamed tributaries consisting of erosion and sedimentation control facilities, a stream crossing and to mine through and replace said tributaries with a downslope channel in Horton Township, **Elk County**. Receiving streams: Four unnamed tributaries of Mead Run and Mead Run. Application received December 23, 1999.

*Hawk Run District Office, P. O. Box 209, Off Empire Road, Hawk Run, PA 16840.*

**17990124. Mark Coal Company** (P. O. Box 166, Madera, PA 16661), commencement, operation and restoration of a bituminous surface mine permit in Bigler Township, **Clearfield County** affecting 73.7 acres. Receiving streams: unnamed tributaries to Muddy Run and Muddy Run. Application received December 14, 1999.

*Greensburg District Office, R. R. 2, Box 603-C, Greensburg, PA 15601.*

**03900103R. Thomas J. Smith, Inc.** (R. R. 1, Box 260D, Shelocta, PA 15774). Renewal application received for continued reclamation of a bituminous surface auger mine located in South Bend Township, **Armstrong County**, affecting 79.2 acres. Receiving streams: unnamed tributary to Crooked Creek and Sugar Run to Crooked Creek. Renewal application received: December 21, 1999.

*Ebensburg District Office, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.*

**32870101. Permit Revision, Urey Coal Company** (222 Forest Ridge Road, Indiana, PA 15701), to add 11.0

acres to the existing permit of which approximately 1.1 acres are projected for coal removal. Total SMP acres goes from 145.4 to 156.4 in Banks and Montgomery Townships; Glen Campbell Borough, **Indiana County**, receiving streams unnamed tributaries to Cush Creek and Cush Creek, application received December 15, 1999.

*Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.*

*Noncoal Applications Received:*

**52770301T. Shiffer Bituminous Service Co.** (P. O. Box 248, 76 Storm Street, Stroudsburg, PA 18360), transfer of an existing quarry operation from Getz Enterprises in Polk Township, **Monroe County** affecting 15.0 acres, receiving stream—none. Application received December 20, 1999.

*Knox District Office, P. O. Box 669, Knox, PA 16232.*

**37840409. Southdown, Inc.** (1200 Smith Street, Suite 2400, Houston, TX 77002) Revision to an existing limestone operation in Shenango Township, **Lawrence County**, affecting 186.8 acres. Receiving streams: Unnamed tributary to Big Run. Revision to include incidental coal extraction as part of the permitted activities. Application received December 21, 1999.

### APPLICATIONS RECEIVED UNDER SECTION 401: FEDERAL WATER POLLUTION CONTROL ACT ENCROACHMENTS

The following Dam Safety and Encroachment permit applications, requests for Environmental Assessment approval, and requests for water quality certification have been received by the Department of Environmental Protection (Department). Section 401(a) of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)) requires the state to certify that the involved projects will not violate the applicable provisions of 33 U.S.C.A. §§ 1311—1313, 1316 and 1317, as well as relevant state requirements. Initial requests for 401 certification will be published concurrently with the permit application. Persons objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Safety or Encroachment Permit or the approval of Environmental Assessments must submit any comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under Section 401 of the Federal Water Pollution Control Act.**

*Northeast Regional Office: Soils and Waterways Section, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.*

**E54-271.** Encroachment. **Pottsville Hospital and Warne Clinic**, 420 South Jackson Street, Pottsville, PA 17901-3692. To grade the floodway and to construct an outfall structure along the Schuylkill River for the pur-

pose of constructing the Schuylkill Rehabilitation Center. The project is located on the south side of the Schuylkill River approximately 600 feet east of the intersection of S. R. 0061 and S. R. 0209 (Pottsville, PA Quadrangle N: 10.4 inches; W: 8.6 inches), City of Pottsville and Palo Alto Borough, **Schuylkill County** (Philadelphia District, U. S. Army Corps of Engineers).

**EA64-001NE.** Encroachment, **United States Department of Justice, Federal Bureau of Prisons**, 320 First St. N. W., Washington, DC 20534. To place fill in 4.5 acres of wetlands and to construct and maintain a road crossing of a tributary to Munson Creek (HQ-CWF) for the purpose of constructing a United States Penitentiary. The project is located approximately 0.6 mile southwest of the intersection of S. R. 0296 and S. R. 3028 (Waymart, PA Quadrangle N: 11.75 inches; W: 5.75 inches), Canaan Township, **Wayne County** (Philadelphia District, U. S. Army Corps of Engineers).

*Southwest Regional Office, Soils & Waterways Section, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**E26-263.** Encroachment. **Pennsylvania Department of Transportation**, Engineering District 12-0, P. O. Box 459, Uniontown, PA 15401. To remove the existing reinforced concrete bridge having normal clear spans of 59.4 feet each and an underclearance of 9.0 feet over Jacobs Creek (WWF). Also to construct and maintain two 18-inch diameter concrete pipe outfalls in Jacobs Creek (WWF) and a temporary causeway for pier and beam erection. The project is located on S. R. 1031 (Section F00) between Scottdale and Everson (Connellsville, PA Quadrangle N: 16.7 inches; W: 13.0 inches) in Scottdale Borough, **Westmoreland County** and Upper Tyrone Township, **Fayette County**.

**E02-235.** Encroachment, **Robert E. Dalzell**, 14 River Road, Pittsburgh, PA 15238. To amend permit No. E02-235 which authorized maintenance dredging, to embed a barge in the riverbank and to modify and maintain the existing docking facilities along the right bank of the Allegheny River (WWF) near Mile Point 11.1 (New Kensington West, PA Quadrangle N: 0.7 inches; W: 14.0 inches) in O'Hara Township, **Allegheny County**. The amendment will be for the operation and maintenance of a gazebo in the floodway of the Allegheny River located within the existing facility.

### DAM SAFETY

**Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under Section 401 of the Federal Water Pollution Control Act.**

*Bureau of Waterways Engineering, 400 Market Street, 3rd Floor, P. O. Box 8554, Harrisburg, PA 17105-8554, (717) 787-8568.*

**D63-089.** Dam, **Eighty-Four Mining Company** (1800 Washington Road, Pittsburgh, PA 15421). To modify, operate and maintain Mine No. 84-Pond 6 across a tributary to Pigeon Creek (WWF), for the purpose of elevating the height of the dam to increase the slurry storage capacity of Pond #6 (Hackett, PA Quadrangle N: 4.3 inches; W: 8.5 inches) in Somerset Township, **Washington County**.

## WATER ALLOCATIONS

**Applications received under the act of June 24, 1939 (P. L. 842, No. 356) (35 P. S. §§ 631—641 relating to the acquisition of rights to divert waters of the Commonwealth.**

*Southeast Regional Office: Bureau of Water Supply Management, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.*

**WA 46-67H.** Water allocation, **Philadelphia Suburban Water Company**, 762 West Lancaster Avenue, Bryn Mawr, PA 19010-3489. The applicant is requesting the right to purchase up to 9.5 mgd per day from Philadelphia Water Department in Tinicum Township, **Delaware County**.

*Northwest Regional Office: Regional Manager, Water Supply Management, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6899.*

**WA 37-213A.** Water allocation, **Pennsylvania American Water Company—Ellwood District**, 2736 Ellwood Road, New Castle, PA 16101. Due to recent purchase of the Franklin Township Water System, located in Beaver County, the Company requests modification to permit in order to provide service to an extended system. This application request is not changing the existing allocation, only the increase in service area and number of customers. Site of source and treatment is the Ellwood District, Lawrence County, site of service is Franklin Township, **Beaver County**.

## ACTIONS

### FINAL ACTIONS TAKEN UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

[National Pollution Discharge Elimination System Program (NPDES)]

#### DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

##### (Part I Permits)

The Department of Environmental Protection has taken the following actions on previously received permit applications and requests for plan approval and has issued the following significant orders.

Persons aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

**Actions under The Clean Streams Law (P. L. 1987, No. 394) (35 P. S. §§ 691.1—691.1001).**

#### *Permits Issued*

*Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.*

**Permit No. 5499202.** **Minersville Borough Municipal Authority**, 2 East Sunbury Street, Minersville, PA 17954. Permit to replace sand water filtration plant with a new package-type facility, located in Cass Township, **Schuylkill County**.

**Permit No. 5899402.** **Ararat Township Supervisors**, R. R. 1, Box 23E, Thorn Hill Road, Thompson, PA 18465. Permit to construct and operate a sewage treatment plant and pressure-sewer system around Fiddle Lake, located in Ararat Township, **Susquehanna County**.

**Permit No. 5899403.** **Camp Chen-A-Wanda, Inc.**, R. R. 1, Thompson, PA 18465. Permit to construct and operate two pump stations within its existing collection system, located in Ararat Township, **Susquehanna County**.

**NPDES Permit No. PA-0063207.** Sewerage, **Scott Township Sewer and Water Company**, R. R. 1, Box 324, Jermyn, PA 18433 is authorized to discharge from a facility located in Scott Township, **Lackawanna County**, to South Branch Tunkhannock Creek.

**NPDES Permit No. PA-0036102.** Sewerage, **Lehigh County Authority**, P. O. Box 3348, Allentown, PA 18106 is authorized to discharge from a facility located in Heidelberg Township, **Lehigh County**, to an unnamed tributary to Mill Creek.

**NPDES Permit No. PA-0032433.** Sewerage, **Commonwealth of Pennsylvania, Department of Conservation and Natural Resources**, Frances Slocum State Park, 565 Mount Olivet Road, Wyoming, PA 18644-9333 is authorized to discharge from a facility located in Lehman Township, **Luzerne County**, to Abraham's Creek.

**NPDES Permit No. PA-0061697.** Industrial waste, **Gilberton Power Company**, 50 Eleanor Avenue, Frackville, PA 17931 is authorized to discharge from a facility located in Mahanoy Township, **Schuylkill County**, to Mahanoy Creek.

*Southcentral Regional Office: Regional Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4707.*

**Permit No. PA 0087980.** Concentrated animal feeding operations, **Agway Agricultural Products**, 512 West King Street, Shippensburg, PA 17257 is authorized to operate a 2.295 Animal Equivalent Unit Concentrated Animal Feeding Operation (CAFO) located at Agway Dream Farm in Lurgan Township, **Franklin County**.

**Permit No. PA 0081345.** Sewerage, **Grier Foundation**, P. O. Box 318, Tyrone, PA 16686 is authorized to discharge from a facility located in Warriors Mark Township, **Huntingdon County** to the receiving waters named Little Juniata River.

**Permit No. PA 0082937.** Industrial waste, **R. R. Donnelley & Sons, Co.**, 1375 Harrisburg Pike, Lancaster, PA 17601 is authorized to discharge from a facility located in Lancaster City, **Lancaster County** to the receiving waters named Little Conestoga Creek.

**Permit No. 2898201.** Concentrated animal feeding operation, **Agway Agricultural Products**, 512 West

King Street, Shippensburg, PA 17257. This permit approves the construction of new manure storage facility in Lurgan Township, **Franklin County**.

**Permit No. 2899405.** Sewage, **Shippensburg Borough**, 60 West Burd Street, Shippensburg, PA 17257. This permit approves the modification to the construction of sewage treatment facilities in Southampton Township, **Franklin County**.

**Permit No. 3699202.** Industrial waste, **Wyeth-Ayerst Pharmaceuticals, Inc.**, Wasp and Biddle Street, P. O. Box 304, Marietta, PA 17547. This permit approves the construction of industrial waste treatment facilities in East Donegal Township, **Lancaster County**.

**Permit No. 2270402-T1-Amendment 99-1.** Sewage, **Millersburg Area Authority**, 101 West Street, Millersburg, PA 17061. This permit approves the rerating of sewage treatment facilities in Millersburg Borough, **Dauphin County**.

*Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.*

**NPDES Permit No. PA0043036.** Sewage, **Pennsylvania Conference Association of Seventh Day Adventists, Inc.**, 720 Museum Road, Reading, PA 19611 is authorized to discharge from a facility located at the Laurel Lake Sewage Treatment Plant, Banks Township, **Indiana County** to receiving waters named Straight Run.

**NPDES Permit No. PA0091634.** Sewage, **The Rensselaerville Institute**, P. O. Box 128, Huyck Rd., Rensselaerville, NY 12147-0128 is authorized to discharge from a facility located at Rensselaerville Institute STP, North Union Township, **Fayette County** to receiving waters named Unnamed Tributary of Redstone Creek.

**NPDES Permit No. PA0097781.** Sewage, **NBI Properties, Inc.**, 1880 Industrial Circle, Suite F, Longmont, CO 80501 (previously Belle Vernon Motel Corporation) is authorized to discharge from a facility located at Belle Vernon Holiday Inn STP, Rostraver Township, **Westmoreland County** to receiving waters named Cedar Creek.

*Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6942.*

**NPDES Permit No. PA0102547.** Sewage, **Oak Springs Mobile Home Park Inc.**, P. O. Box 9122, Cranberry Township, PA 16066-0035 is authorized to discharge from a facility located in Cranberry Township, **Butler County** to an unnamed tributary to Brush Creek.

**NPDES Permit No. PA0023167—Amendment No. 1.** Sewage, **Pine Street Wastewater Treatment Plant**, P. O. Box 79, Kane, PA 16735 is authorized to discharge from a facility located in Wetmore Township, **McKean County** to West Run.

**NPDES Permit No. PA0221759.** Sewage, **Robert L. Shuttleworth**, 923 Fern Road, St. Marys, PA 15857 is authorized to discharge from a facility located in Jones Township, **Elk County** to an unnamed tributary to Swamp Creek.

**NPDES Permit No. PA0035114.** Industrial waste, **Torpedo Specialty Wire, Inc.**, R. D. 2, Box 27, Pittsfield, PA 16340 is authorized to discharge from a facility located in Pittsfield Township, **Warren County** to Gar Run.

**WQM Permit No. 4399202.** Industrial waste, **Duferco Farrell Corporation**, 15 Roemer Boulevard, Farrell, PA 16121. This project is for the construction of an acid pickling neutralization treatment system at the number 7 pickle line in the City of Farrell, **Mercer County**.

## INDIVIDUAL PERMITS

(PAR)

### Approvals to Use NPDES and Other General Permits

The following parties have submitted (1) Notices of Intent (NOIs) for coverage under General NPDES Permits to discharge wastewater into the surface waters of the Commonwealth; (2) NOIs for coverage under General Permits for Beneficial Use of Sewage Sludge or Residential Septage by Land Application in Pennsylvania; or (3) Notifications for First Land Application of Sewage Sludge.

The approval of coverage under these General Permits may be subject to one or more of the following: pollutant or effluent discharge limitations, monitoring and reporting, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices, and other conditions set forth in the respective general permit. The Department of Environmental Protection (Department) has reviewed the NOIs and determined that they comply with administrative requirements of the respective permit application. Also, the Department has evaluated the First Land Application of Sewage Sludge for the sites applying for coverage under PAG-7, PAG-8 and PAG-9 and determined that the sites are suitable for land application of sewage sludge.

The EPA Region III Regional Administrator has waived the right to review or object to this permit action under the waiver provision: 40 CFR 123.24.

The application and related documents, effluent limitations, permitting requirements, and other information are on file and may be inspected and arrangement made for copying at the contact office noted.

The Department has acted on the following requests for coverage under the specified General Permit as follows:

#### List of General Permit Type

PAG-1	General Permit for Discharges From Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater From Construction Activities
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges From Single Residence Sewage Treatment Plant

*List of  
General Permit Type*

PAG-5	General Permit for Discharges From Gasoline Contaminated Groundwater Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges From Combined Sewer Systems
PAG-7	General Permit For Beneficial Use of Exceptional Quality Sewage Sludge By Land Application
PAG-8	General Permit For Beneficial Use of Non-Exceptional Quality Sewage Sludge By Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-9	General Permit For Beneficial Use of Residential Septage By Land Application to Agricultural Land, Forest or a Land Reclamation Site
PAG-10	General Permit for Discharges Resulting From Hydrostatic Testing of Tanks and Pipelines

*General Permit Type—PAG-2*

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Northampton County Lower Saucon Township	PAR10U130	Robert Ciccone P. O. Box 86 Bath, PA 18014	Saucon Creek	Northampton CD (610) 746-1971
Northampton County Lower Saucon & Williams Townships	PAR10U129	Allan A. Myers, Inc. 860 Island Park Rd. Easton, PA 18042	Lehigh River (UNT)	Northampton CD (610) 746-1971
Allegheny County Bell Acres Borough	PAR10A392	Southersby Develop Corp. 15 McMichael Road Carnegie, PA 15106	UNT Big Sewickley Creek	Allegheny County CD (412) 241-7645
Allegheny County Jefferson Hills Borough	PAR10A396	Beams Run LTD P O. Box 18761	Peters Creek	Allegheny County CD (412) 241-7645
Allegheny County North Fayette Township	PAR10A399	Lincoln Property Company 35 Highland Road Bethel Park, PA 15102	Montour Run	Allegheny County CD (412) 241-7645
Allegheny County City of Pittsburgh	PAR10A400	Public Auditorium Auth. of Pgh. & Allegheny County Regional Resource Center Suite 1410 425 Sixth Street Pittsburgh, PA 15219	Allegheny River Ohio River	Allegheny County CD (412) 241-7645
Allegheny County City of Pittsburgh	PAR10A403	Pittsburgh Sports & Exhibition Authority Regional Resource Center Suite 1410 425 Sixth Street Pittsburgh, PA 15219	Allegheny River	Allegheny County CD (412) 241-7645
Allegheny County Monroeville	PAR10A405	Houston-Starr Company 300 Brushton Avenue Pittsburgh, PA 15221	Simpson Run	Allegheny County CD (412) 241-7645
Armstrong County East Franklin Township	PAR10B032	Lowell B. Reed R. D. 1, Box 273 Cowansville, PA 16218	Glade Run	Armstrong County CD (724) 548-3425
Beaver County Center Township	PAR100263	Larry Milosh Golf Center at Ironwood 660 Brodhead Rd. Alliquippa, PA 15001	UNT Logtown Run	Beaver County CD (724) 774-7090

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Indiana County Rayne Township White Township Washington Township	PAR103147	Indiana County Municipal Service Authority 827 Water Street Indiana, PA 15701	McKee Run	Indiana County CD (724) 463-8547
Indiana County Conemaugh Township	PAR103148	Conemaugh Twp. Municipal Water & Sewer Authority R. D. 1, Box 206 Saltzburg, PA 15681	Blackleggs Creek	Indiana County CD (724) 463-8547
<i>General Permit Type—PAG-3</i>				
<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Schuylkill County Pine Grove Township	PAR602225	Dean H. Klinger R. R. 5, Box 211 Pine Grove, PA 17963	Unnamed tributary to Swatara Creek	Northeast Office 2 Public Sq. Wilkes-Barre, PA 18711-0790 (570) 826-2511
Berks County Laureldale Township	PAR203510	Empire Steel Castings Inc. 1501 Frush Valley Road Laureldale, PA 19605-1927	Laurel Run Creek	DEP—Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Lancaster County Upper Leacock Township	PAR803558	Skyline Corporation P. O. Box 743 Elkhart, IN 46515-0743	Mill Creek	DEP—Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Perry County Wheatfield Township	PAR603545	Ronald G. Myers Myers Used Auto Parts 50 Paradise Road Duncannon, PA 17020	UNT to Little Juniata Creek	DEP—Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Armstrong County Parker City	PAR226119	Universal Forest Products Inc. 2801 East Beltline NE Grand Rapids, MI 49525	Allegheny River	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
Washington County Chartiers Township	PAR236121	Crouse-Hinds Division P. O. Box 579 Meadow Lands, PA 15347	Chartiers Creek	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Greene County Perry Township	PAR606148	Richard Burnside P. O. Box 4290 Mt. Morris, PA 15349	Unnamed Feeder to Dunkard Creek	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
Armstrong County Parker City	PAR806187	L & L Tank Lines P. O. Box P Parker, PA 16049	Allegheny River	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000

## SAFE DRINKING WATER

### Actions taken under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

*Southeast Regional Office: Sanitarian Regional Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, (610) 832-6130.*

**Permit No. 0999510.** Public water supply, **Northampton Bucks County Municipal Authority**, 111 Township Road, Richboro, PA 18954-1550. A permit has been issued to Northampton Bucks County Municipal Authority granting permission to use Well No. 16 as an additional source in Northampton Township, **Bucks County**. *Type of Facility:* Public Water Supply System. *Consulting Engineer:* Pennoni Associates, Inc., 875 North Easton Road, Doylestown, PA 18901. *Permit to Construct Issued:* December 7, 1999.

**Permit No. 0699505.** Public water supply, **Citizens Utilities Water Co. of PA**, Exeter Township, **Berks County**. *Responsible Official:* Brian J. Hassinger, 4 Wellington Blvd., Wyomissing Hills, PA 19610. *Type of Facility:* Interconnection with the Reading Area Water Authority. Construction of booster pump station, transmission main and 250,000 gallon storage tank. *Consulting Engineer:* Dale R. Kratzer, PE, Spotts Stevens & McCoy Inc., 345 N. Wyomissing Blvd., P. O. Box 6307, Reading, PA 19610-0307. *Permit to Construct issued:* December 17, 1999.

**Permit No. WA 06-1011.** Water allocation, **Citizens Utilities Water Company of Pennsylvania, Berks County**. *Responsible Official:* Brian Hassinger, P. O. Box 6342, 4 Wellington Blvd., Wyomissing, PA 19610. *Request:* Right to purchase 1.5 million gallons per day (mgd) on a monthly basis from the Reading Area Water Authority. The right shall increase to 2.0 mgd upon approval from Public Utility Commission to serve a portion of Robeson Township. *Consulting Engineer:* Dale Kratzer, P.E., Spotts Stevens and McCoy, Inc., 345 N. Wyomissing Boulevard, P. O. Box 6307, Reading, PA 19610-0307. *Permit Issued:* December 16, 1999.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### Under Act 2, 1995

#### Preamble 2

### The following final reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of final reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed, and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning the final report, contact the Environmental Cleanup Program Manager in the Department's Regional Office under which the notice of receipt of a final report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following final reports:

*Southeast Regional Office: Environmental Cleanup Program Manager; Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-5950.*

**Wagner Gourmet Foods Site**, Ivyland Borough, **Bucks County**. Darryl D. Borrelli, Manko, Gold & Katcher, LLP, 401 City Avenue, Suite 500, Bala Cynwyd, PA 19004, has submitted a Final Report concerning remediation of site groundwater contaminated with sol-

vents. The report is intended to document remediation of the site to meet background standards.

*Southcentral Regional Office: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4705.*

**Former LeMac Foundry**, Decatur Township, **Mifflin County**. Brinkerhoff Environmental Services, Inc., 1913 Atlantic Avenue, Suite R5, Manasquan, NJ 08736 has submitted a Final Report concerning remediation of site soils contaminated with lead. The report is intended to document remediation of the site to the Statewide health standard.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

Preamble 3

**The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediations Act (35 P.S. §§ 6026.101—6026.908) and Chapter 250 Administration of Land Recycling Program.**

Provisions of 25 Pa. Code § 250.8 Administration of Land Recycling Program requires the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the Land Recycling and Environmental Remediations Standards Act (act). Plans and reports required by provisions of the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report, and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media, benefits of reuse of the property, and in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. A cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed, and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the Environmental Cleanup Program Manager in the Department's Regional Office under which the notice of the plan or report appears. If information concerning a plan or report is required in an alternative form, contact the community relations coordinator at the appropriate regional office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has acted upon the following plans and reports:

*Southwest Field Office: John J. Matviya, Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-5217.*

**CKE Rectifier Division**, White Township, **Indiana County**. CKE, Inc., 2866 Route 422 West, Indiana, PA 15701 and Alan D. Halperin, P.G., D'Appolonia Engineering, 275 Center Road, Monroeville, PA 15146 has submitted a final report concerning remediation of site soil contaminated with lead and heavy metals. The final report demonstrated attainment of the site specific standard and was approved by the Department on December 14, 1999.

## SOLID AND HAZARDOUS WASTE RESIDUAL WASTE PROCESSING FACILITIES

**Applications withdrawn under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003) regulations to operate solid waste processing or disposal area or site.**

*Regional Office: Regional Solid Waste Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.*

**A. 301077. Safety Kleen (PPM), Inc.**, 1672 East Highland Road, Twinsburg, OH 44087. Applicant withdrew a request to modify its residual waste permit for the addition of a PCB wastewater treatment process at its facility located in the City of Philadelphia. The review was terminated by the Southeast Regional Office on December 16, 1999.

## OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

**Permits issued under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003) and regulations to operate solid waste processing or disposal area or site.**

*Southcentral Regional Office: Regional Solid Waste Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4706.*

**Permit No. 301309. Brunner Island Steam Electric Station, Pennsylvania Power & Light Company**, (Two North Ninth Street, Allentown, PA 18101). Application for Brunner Island Steam Electric Station Mill rejects disposal area for a site in East Manchester Township, **York County**. Permit issued in the Regional Office December 17, 1999 and will expire December 16, 2009.

## AIR QUALITY OPERATING PERMITS

**Operating Permits issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.*

**06-01007P. Carpenter Technology Corp.** (P. O. Box 14662, Reading, PA 19612-4662) on December 17, 1999, for operation of a specialty steel manufacturing facility controlled by various air cleaning devices at the Reading Plant in Reading/Muhlenberg Township, **Berks County**.



*Northcentral Regional Office: Air Quality Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3637.*

**TVOP-08-00001. Tennessee Gas Pipeline Co.**, Station 319, Wyalusing (P. O. Box 2511, 1001 Louisiana Street, Houston, TX 77252-2511) on December 21, 1999, for a natural gas compressor station that includes two natural gas turbines, small combustion sources, backup generator and small storage tanks in Wyalusing Township, **Bradford County**.

**TVOP-08-00004. Rynone Mfg. Corp.**, Sayre Plant (N. Thomas Avenue, P. O. Box 128, Sayre, PA 18840) on December 17, 1999, revised to include conditions from Plan Approval 08-318-023D for operation of a new gel-coat booth (Booth 4). The facility operates bathroom vanity tops polyester molding operations in Sayre Borough, **Bradford County**.

*Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.*

**PA-16-134A. Car Mate Trailers, Inc.** (Route 66, P. O. Box 155, Leeper, PA 16233) on December 31, 1999, for operation of two paint booths in Farmington Township, **Clarion County**.

**PA-33-155A. Trail King Industries, Inc. Ti-Brook** (R. D. 5, Box 48, Brookville, PA 15825) on December 31, 1999, for operation of a paint booth in Brookville, **Jefferson County**.

**Operating Permits Minor Modification issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.*

**16-00128. County Landfill, Inc.** (P. O. Box 237, Leeper, PA 16233) for modification of the Title V Operating Permit to include the conditions of Plan Approval No. PA-16-128B for the installation of the enclosed flare in Farmington Township, **Clarion County**.

**Administrative Amendment of Operating Permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Northcentral Regional Office: Air Quality Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3637.*

**TVOP-55-00001. Sunbury Generation, LLC** (WPS Resources Corp., 677 Baeten Road, Green Bay, WI 54304) on November 1, 1999, for operation of an electricity generating facility which includes six boilers, two turbines, two generators and associated process equipment formerly owned and operated by PP&L, Inc. in Shamokin Dam Borough, **Snyder County**.

**TVOP-17-00001. Sithe Pennsylvania Holdings LLC, Shawville Generating Station** (1001 Broad Street, Johnstown, PA 15907) on November 24, 1999, for operation of an electricity generating facility which includes four boilers, five generators, heaters, tanks and associated process equipment formerly owned and operated by Penelec-GPU Generation, Inc. in Bradford Township, **Clearfield County**.

**SMOP-59-00007. Sithe Pennsylvania Holdings LLC, Blossburg CT Facility** (1001 Broad Street, Johnstown, PA 15907) on November 24, 1999, for operation of an electricity generating facility which includes an engine, a turbine and associated process equipment formerly owned and operated by Penelec-GPU Generation in Covington Township, **Tioga County**.

**SMOP-49-00039. Norfolk Southern Corp.** (110 Franklin Road, SE, Roanoke, VA 24042-0013) on October 25, 1999, for operation of a railcar cleaning facility formerly owned and operated by Consolidated Rail Corp. in Northumberland Borough, **Northumberland County**.

**NMOP-17-00029. Penfield Collieries, LLC** (P. O. Box 19002, Green Bay, WI 54307-9002) on August 27, 1999, for operation of coal preparation plant formerly owned and operated by Lady Jane Collieries, Inc. in Huston Township, **Clearfield County**.

**SMOP-17-00017. Rescar, Inc.** (7702 FM 1960 East, Suite 108, Humble, TX 77346) on August 16, 1999, for operation of a railcar cleaning facility formerly owned and operated by Rescar of Pennsylvania, Inc. in Dubois, **Clearfield County**.

#### PLAN APPROVALS

**Plan Approvals issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Northeast Regional Office: Air Quality Program, Two Public Square, Wilkes-Barre, PA 17811-0790, (570) 826-2531.*

**35-318-081. MACTac, Inc.** (East Corey Street, P. O. Box 1106, Scranton, PA 18501) on December 16, 1999, for construction of a hot melt coater in Moosic Borough, **Lackawanna County**.

**54-310-022. Schuylkill Contracting Co.** (913 Valley Road, R. R. 2, Box 2312, Pottsville, PA 17901) on December 21, 1999, for construction of a stone crushing operation in Foster Township, **Schuylkill County**.

**40-318-024A. Inline Fiberglass America Limited** (R. R. 1, Box 4098, Hazleton, PA 18201) on December 21, 1999, for reactivation of a resin mixing and storage operation in Humboldt Industrial Park, Hazle Township, **Luzerne County**.

**40-318-025A. Inline Fiberglass America Limited** (R. R. 1, Box 4098, Hazleton, PA 18201) on December 21, 1999, for reactivation of eight fiberglass manufacturing lines in the Humboldt Industrial Park, Hazle Township, **Luzerne County**.

**40-318-035A. Inline Fiberglass America Limited** (R. R. 1, Box 4098, Hazleton, PA 18201) on December 21, 1999, for reactivation of a heat cleaning oven in the Humboldt Industrial Park, Hazle Township, **Luzerne County**.

**40-399-023A. Inline Fiberglass America Limited** (R. R. 1, Box 4098, Hazleton, PA 18201) on December 21, 1999, for reactivation of a window fabrication operation in the Humboldt Industrial Park, Hazle Township, **Luzerne County**.

*Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.*

**22-05024A. The Penn State University College of Medicine/Milton S. Hershey Medical Center** (500

University Drive, Hershey, PA 17033-2390) on December 20, 1999, for construction of an animal crematory incinerator controlled by an afterburner in Derry Township, **Dauphin County**.

**31-05011A. US Silica Co.** (P. O. Box 187, Berkeley Springs, WV 25411-0187) on December 22, 1999, for modification of the low-iron sand project controlled by a dust collector at the Mapleton Depot Plant in Brady Township, **Huntingdon County**. This source is subject to 40 CFR Part 60, Subpart OOO—Standards of Performance for New Stationary Sources.

**36-317-105D. Kellogg U.S.A., Inc.** (2050 State Road, Caller Box 3006, Lancaster, PA 17604) on December 20, 1999, for construction of corn lines in East Hempfield Township, **Lancaster County**.

*Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.*

**PA-10-047D. Mine Safety Appliances Co.** (1420 Mars Evans City Road, Evans City, PA 16033) on December 22, 1999, for installation of a new drying operation in the amine boranes process in Forward Township, **Butler County**.

**PA-25-987A. Hanes Erie, Inc.** (7601 Klier Drive, Fairview, PA 16415) on December 15, 1999, for construction of paint spray booths in Fairview Township, **Erie County**.

**PA-37-185A. Universal Refractories, Inc.** (915 Clyde Street, Wampum, PA 16157) on December 20, 1999, for construction of a magnesium oxide processing line in Wampum Borough, **Lawrence County**.

**PA-62-017D. United Refining Co.** (15 Bradley Street, Warren, PA 16365) on December 16, 1999, for modification of Plan Approval 62-312-029A (Tank 432) in Warren, **Warren County**.

**Plan Approvals extensions issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.*

**06-03041. Delaware County Solid Waste Authority** (583 Longview Road, Boyertown, PA 19512) on November 5, 1999, to authorize temporary operation of a municipal waste landfill controlled by an enclosed ground flare and turbine, covered under this Plan Approval until March 3, 2000, at the Rolling Hills Landfill in Earl Township, **Berks County**. This source is subject to 40 CFR Part 60, Subpart WWW—Standards of Performance for Municipal Solid Waste Landfills.

**21-312-021. Arnold Fuel Oil, Inc.** (P. O. Box 2621, Harrisburg, PA 17105) on December 22, 1999, to authorize temporary operation of a petroleum product loading rack controlled by a vapor combustion unit, covered under this Plan Approval until April 19, 2000, at the Mechanicsburg Terminal—Texaco Road in Silver Spring Township, **Cumberland County**.

**36-317-184B. Pepperidge Farm, Inc.** (2195 North Reading Road, Denver, PA 17516) on December 18, 1999, to authorize temporary operation of a bread oven and cracker lines seven and eight and construction of cracker line nine covered under this Plan Approval until April 6, 2000, at the Denver Bakery in East Cocalico Township, **Lancaster County**.

*Northcentral Regional Office: Air Quality Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3637.*

**08-318-027. Mills Pride—Pennsylvania LLC** (P. O. Box 158, Sayre, PA 18840) on December 17, 1999, for performance of stack testing on two wood-fired boilers and a wood cabinet door finishing operation extended until May 31, 2000, in Athens Township, **Bradford County**.

**18-310-002D. Hanson Aggregates Pennsylvania, Inc.** (P. O. Box 231, Easton, PA 18044-0231) on December 20, 1999, for operation of various pieces of stone crushing and screening equipment and associated air cleaning device (a fabric collector) on a temporary basis until April 18, 2000, in Lamar Township, **Clinton County**.

*Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.*

**PA-10-021C. Indspec Chemical Corp.** (133 Main Street, P. O. Box 307, Petrolia, PA 16050) on December 31, 1999, for a gas fired boiler economizer in Petrolia, **Butler County**.

**PA-42-185A. IA Construction Co.** (Route 155, Turtlepoint, P. O. Box 568, Franklin, PA 16323) on December 31, 1999, for a batch asphalt plant in Annin Township, **McKean County**.

**PA-43-170B. Werner Co.** (93 Werner Road, Greenville, PA 16125) on December 30, 1999, for a pultrusion line in Sugar Grove Township, **Mercer County**.

## MINING

### APPROVALS TO CONDUCT COAL AND NONCOAL ACTIVITIES

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 water quality certification. Mining activity permits issued in response to these applications will also address the applicable permitting requirements of the following statutes: the Air Quality Control Act (35 P. S. §§ 4401—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

*Knox District Office, P. O. Box 669, Knox, PA 16232.  
Coal Permits Issued:*

**33940104. MSM Coal Company, Inc.** (P. O. Box 243, DuBois, PA 15801) Renewal of an existing bituminous strip, auger and shale removal operation in Oliver Township, **Jefferson County** affecting 109.2 acres. Receiving streams: Two unnamed tributaries to Little Sandy Creek. Application received: October 13, 1999. Permit Issued: December 16, 1999.

**33980103. Leonard Yenzi** (P. O. Box 62, Anita, PA 15711) Commencement, operation and restoration of a bituminous strip operation in Warsaw Township, **Jefferson County** affecting 74.3 acres. Receiving streams: Unnamed tributary to Mill Creek. Application received: April 20, 1998. Permit Issued: December 20, 1999.

*Hawk Run District Office, P. O. Box 209, Off Empire Road, Hawk Run, PA 16840.*

**17990111. Larry D. Baumgardner Coal Col, Inc.** (P. O. Box 186, Lanse, PA 16849), commencement, operation and restoration of a bituminous surface mine permit in Decatur Township, **Clearfield County** affecting 93.3 acres. Receiving streams: Laurel Run to Moshannon Creek to West Branch Susquehanna River. Application received May 17, 1999. Permit issued December 16, 1999.

**17900140. Junior Coal Contracting, Inc.** (R. R. 3, Box 225A, Philipsburg, PA 16866), revision to an existing bituminous surface mine permit for a change in permit acreage from 60.9 to 63.9 acres. Receiving streams: unnamed tributary to Laurel Run. Application received October 30, 1998. Permit issued December 20, 1999.

**57813001. Bernice Mining & Contracting, Inc.** (P. O. Box 208, Mildred, PA 18632), renewal of an existing bituminous surface mine permit in Cherry Township, **Sullivan County** affecting 511 acres. Receiving streams: Birch Creek to Loyalsock Creek, and two unnamed tributaries of Loyalsock Creek to Loyalsock Creek, and Loyalsock Creek to West Branch Susquehanna River. Application received October 6, 1999. Permit issued December 14, 1999.

**17743172. Sky Haven Coal, Inc.** (R. D. 1, Box 180, Penfield, PA 15849), renewal of an existing bituminous surface mine permit in Morris Township, **Clearfield County** affecting 569 acres. Receiving streams: Two unnamed tributaries to Hawk Run and two unnamed tributaries to Moshannon Creek to West Branch Susquehanna River. Application received October 18, 1999. Permit issued December 14, 1999.

*Ebensburg District Office, 437 South Center Street, P. O. Box 625, Ebensburg, PA 15931-0625.*

**11833026.** Permit Renewal for reclamation only. **Greenley Energy Holdings of PA, Inc.** (505 Point Drive, Greensburg, PA 15601-5628) for continued restoration of a coal refuse reprocessing/coal refuse disposal strip mine in Richland Township; Scalp Level Borough, **Cambria County**, affecting 39.5 acres, receiving stream Little Paint Creek, application received October 18, 1999, issued December 16, 1999.

**32980112. Alverda Enterprises, Inc.** (P. O. Box 87, Alverda, PA 15710), commencement, operation and restoration of bituminous strip mine in Pine & Green Townships, **Indiana County**, affecting 46.6 acres, receiving stream unnamed tributary to Yellow Creek to Yellow Creek, application received October 13, 1998, issued December 20, 1999.

**56990101. Hoffman Mining, Inc.** (P. O. Box 130, 118 Runway Road, Friedens, PA 15541), commencement, operation and restoration of a bituminous strip-auger mine in Paint Township, **Somerset County**, affecting 54.3 acres, receiving stream unnamed tributaries to Kaufman Run and Kaufman Run, application received January 15, 1999, permit issued December 22, 1999.

*Hawk Run District Office, P. O. Box 209, Off Empire Road, Hawk Run, PA 16840.*

*Small Noncoal (Industrial Mineral) Permits Issued:*

**59982801. Fred J. Robbins** (R. R. 2, Box 25A, Tioga, PA 16946), transfer of an existing small industrial minerals (gravel) permit from Scott Fay/Fred J. Robbins located in Lawrence Township, **Tioga County** affecting 1 acre. Receiving streams: Mutton Lamb Creek, tributary to Tioga River. Application received October 6, 1999. Permit issued November 24, 1999.

**08990805. Frank Kamarauskas** (R. D. 4, Box 118, Montrose, PA 18801), commencement, operation and restoration of a small industrial minerals (flagstone) permit in Tuscarora Township, **Bradford County** affecting 1 acre. Receiving streams: unnamed tributary to Mill Run. Application received November 3, 1999. Permit issued December 16, 1999.

*Greensburg District Office, R. R. 2, Box 603-C, Greensburg, PA 15601.*

*Noncoal Permits Issued:*

**63920103T. Langeloth Metallurgical Co., LLC** (Main Street, P. O. Box 608, Langeloth, PA 15054). Revision issued changing name of permittee from Langeloth Metallurgical Co. to Langeloth Metallurgical Co. LLC and renewal issued for continued operation and reclamation of a noncoal surface mine located in Smith Township, **Washington County**, affecting 13.0 acres. Receiving streams: unnamed tributary to Burgetts Fork to Burgetts Fork, to Raccoon Creek to the Ohio River. Revision/renewal application received: October 5, 1998. Name change/renewal issued: December 21, 1999.

*Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.*

**6375SM2C2. Hanson Aggregates Pennsylvania, Inc.** (1900 Sullivan Trail, P. O. Box 231, Easton, PA 18044-0231), correction to an existing quarry operation in Scott and Mt. Pleasant Townships, **Columbia County** affecting 515.5 acres, receiving stream—none. Correction issued December 21, 1999.

**60910302C3. Iddings Quarry, Inc.** (900 Chestnut Street, Mifflinburg, PA 17844), correction to an existing quarry operation in Limestone Township, **Union County** affecting 33.8 acres, receiving stream—unnamed tributary to Buffalo Creek. Correction issued December 22, 1999.

**8073SM1C5. Highway Materials, Inc.** (1750 Walton Road, P. O. Box 1667, Blue Bell, PA 19422), renewal of NPDES Permit PA00614602 in Marlborough Township, **Montgomery County**, receiving stream—Unami Creek. Renewal issued December 22, 1999.

**7775SM12T2. Highway Materials, Inc.** (1750 Walton Road, P. O. Box 1667, Blue Bell, PA 19422), transfer and correction of an existing quarry operation in Alsace Township, **Berks County** affecting 137.44 acres receiving stream—unnamed tributary to Laurel Run. Transfer issued December 22, 1999.

**06980301. Highway Materials, Inc.** (1750 Walton Road, P. O. Box 1667, Blue Bell, PA 19422), commencement, operation and restoration of a quarry operation in Alsace Township, **Berks County** affecting 47.0 acres, receiving stream—unnamed tributary to Berhart Creek. Permit issued December 22, 1999.

**6172SM6C5. Bear Gap Stone, Inc.** (R. R. 1, Box 138, Elysburg, PA 17824), renewal of NPDES Permit PA0223484 in Ralpho Township, **Northumberland County**, receiving stream—unnamed tributary to South Branch Roaring Creek. Renewal issued December 23, 1999.

*Knox District Office, P. O. Box 669, Knox, PA 16232.*

**3778SM10. Franklin Gravel Company** (411 Grant Street, Franklin, PA 16323) Renewal of NPDES PA0108812, City of Franklin, **Venango County**. Receiving streams: Patchel Run. Application received: November 4, 1999. Permit Issued: December 16, 1999.

## ACTIONS TAKEN UNDER SECTION 401: FEDERAL WATER POLLUTION CONTROL ACT

### ENCROACHMENTS

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Persons aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

*Northeast Regional Office: Soils and Waterways Section, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.*

**E13-116.** Encroachment, **Pennsylvania Department of Transportation**, District 5-0, 1713 Lehigh Street, Allentown, PA 18103-4724. To maintain the existing 5-foot diameter C.M.P. culvert within a 50-foot long section of a 6-foot × 5-foot concrete U-channel in a tributary to the Lehigh River. The culvert was constructed under authorization of Emergency Permit No. EP1394401. The project is located along the northeastern side of S. R. 2015, immediately east of the intersection of S. R. 2015 and Second Street (Lehigh PA Quadrangle N: 15.5 inches; W: 10.4 inches) in Franklin Township, **Carbon County**.

**E40-526.** Encroachment, **John T. Timko**, 788 East Main Street, Weatherly, PA 18255. To construct and maintain a road crossing of a tributary to Big Wapwalpen Creek (locally known as Yeager Creek), consisting of a 15.1-foot by 4.8-foot galvanized steel box culvert, including the placement of fill in a de minimis area of wetlands equal to 0.02 acre, for the purpose of providing access from Brandywyn Drive to 16.2-acre single residential lot. This project was previously authorized by Permit No. E40-428. The project is located on Lot 19 of the Fox Run Subdivision, approximately 0.5 mile southeast of the intersection of S. R. 2045 and S. R. 3010 (Freeland, PA Quadrangle N: 19.1 inches; W: 8.1 inches), in Wright Township, **Luzerne County**.

**E40-529.** Encroachment, **Richard K. Haas and Lynn I. Banta**, R. R. 3, Box 3026, Harveys Lake, PA 18618. To modify and maintain an existing pile supported boathouse and dock along the southern shore of Harveys Lake. The new dock will have a surface area of 4,470 S. R. and will extend 70 feet from the shore which is equal to the length of the existing structure. The project is located at Pole 303, approximately 0.5 mile west of the intersection of S. R. 1020 and S. R. 0415 (Harveys Lake, PA Quadrangle N: 18.7 inches; W: 5.0 inches) in Harveys Lake Borough, **Luzerne County**.

**E40-530.** Encroachment, **William P. Duaksis**, R. R. 1, Box 249, Dallas, PA 18612. To modify and maintain an existing pile supported boat dock by constructing an additional 300 S. F. section for two boat slips along the southern shore of Harveys Lake. The modified dock will have a surface area of approximately 2,022 S. F. and will extend 49 feet from the shore. The project is located at Pole 305½, approximately 0.5 mile west of the intersection of S. R. 1020 and S. R. 0415 (Harveys Lake, PA Quadrangle N: 18.7 inches; W: 5.1 inches) in Harveys Lake Borough, **Luzerne County**.

**E64-204.** Encroachment, **Camp Wayne for Girls**, 12 Alleward Street, Lido Beach, NY 11561. To construct and maintain a concrete bulkhead having a length of 95 feet and a floating perimeter dock/walkway with dimensions of 92 feet by 140 feet and approximately 6 feet wide, enclosing a swimming area on Upper Twin Lake. A shallow area, approximately 48 feet by 88 feet will be uniformly graded and covered with a vinyl liner. The project is located along the northern shoreline of Upper Twin Lake (Lake Como, NY Quadrangle N: 21.4 inches; W: 13.0 inches), in Preston Township, **Wayne County**.

*Southcentral Region: Section Chief, Department of Environmental Protection, Southcentral Regional Office, Water Management Program, Soils and Waterways Section, 909 Elmerton Avenue, 2nd Floor, Harrisburg, PA 17110, (717) 705-4707.*

**E22-405.** Encroachment, **Consolidated Scrap Resources, Inc.**, P. O. Box 1761, Harrisburg, PA 17105. To remove a metal shear and to place a shredder in the floodway of Paxton Creek (WWF) at a point approximately 1,200 feet downstream of Maclay Street (Harrisburg, PA Quadrangle N: 5.4 inches; W: 1.0 inch) in the City of Harrisburg, **Dauphin County**. This permit was issued under § 105.13(e) "Small Projects."

**E31-156.** Encroachment, **PA Electric, GPU Energy**, 2800 Pottsville Pike, Reading, PA 19640. To construct a fiber optic cable crossing on existing single pole across Spruce Creek (HQ-CWF) at 10 separate locations extending from a downstream crossing located about 0.75 mile upstream from the confluence of Spruce Creek and the Little Juniata River to an upstream crossing located about 0.7 mile upstream from the village of Graysville and to waiver permit requirements for one crossing across Spruce Creek located about 0.16 mile above the confluence of Spruce Creek and the Little Juniata River (Spruce Creek, PA Quadrangle N: 19.7 inches; W: 1.1 inches and Franklin, PA Quadrangle N: 12.6 inches; W: 3.3 inches) in Spruce Creek and Franklin Townships, **Huntingdon County**. This permit was issued under § 105.13(e) "Small Projects."

**E67-669.** Encroachment, **L & C Partners**, Vincent Leto, 990 S. Pleasant Ave., Dallastown, PA 17313. To construct and maintain two access roads with associated wetland fill and one utility lane crossing for the proposed Rose Brook Residential Subdivision located west of Dietz Road and 4,000 feet north of Ness Road in Windsor Township, **York County**. Culvert No. 1 (Primrose Lane) is 56 linear feet of a 5-foot diameter RCP and Culvert No. 2 (Cranberry Lane) is 96 linear feet of a 5-foot diameter RCP both in an unnamed tributary to Kreutz Creek (WWF) (Red Lion, PA Quadrangle N: 13.8 inches; W: 16.3 inches and N: 13.6 inches; W: 16.3 inches respectively) in Windsor Township, **York County**. The permittee will fill 0.38 acre of wetland in association with the roadway crossings. The permittee is required to provide a minimum of 0.38 acre of replacement wetlands. This permit also includes 401 Water Quality Certification.

*Southwest Regional Office: Soils and Waterways Section, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**E02-1283.** Encroachment, **Department of General Services, Bureau of Architecture & Engineering**, 18th & Herr Streets, Harrisburg, PA 17125. To construct and maintain a flood protection project (DGS No. 184-32; C2:33) in the channel of and along the banks of an unnamed tributary to Lick Run (TSF) for a distance of approximately 2,537.0 feet (as per attached list). The project is located approximately 260 feet west from the intersection of Hollow Haven Drive and Colewood Drive (Glassport, PA Quadrangle N: 17.0 inches; W: 16.25 inches) in Baldwin Borough, **Allegheny County**.

**E02-1287.** Encroachment, **McMetro Partnership**, 315 Payday Drive, Elizabeth, PA 15037. To place and maintain fill in approximately 0.25 acre of wetland (PSS/PEM) for the purpose of constructing a 55 acre retail development known as McMetro Development. The development site is located on the southwest side of S. R. 60 between the Robinson Town Centre Boulevard and S. R. 22/30 interchanges with S. R. 60 (Oakdale, PA Quadrangle N: 13.6 inches; W: 6.5 inches) in North Fayette and Robinson Townships, **Allegheny County**. The applicant has met the wetland replacement requirements by contributing to the Wetland Replacement Fund.

**E02-1291.** Encroachment, **Advance Sign Company**, 1010 Saw Mill Run Boulevard, Pittsburgh, PA 15226. To construct and maintain a building addition (50.0 feet long x 40 feet wide x 27 feet high) to the existing building along the right bank of Saw Mill Run (WWF) for the purpose of expanding an existing business located on the east side of S. R. 51, approximately 1,100 feet south from the intersection of S. R. 51 and Bausman Street (Pittsburgh West, PA Quadrangle N: 6.2 inches; W: 0.7 inches) in the City of Pittsburgh, **Allegheny County**. This permit was issued under § 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

**E26-260.** Encroachment, **Wharton Township**, P. O. Box 1, Farmington, PA 15434-0001. To operate and maintain the existing structure having a 48-inch elliptical pipe culvert (invert depressed 6 inches) in Scotts Run (HQ-CWF) located on T-379 (Scotts Run Road) at a point approximately 300 feet upstream of the confluence of said stream with Big Sandy Creek (Fort Necessity, PA Quadrangle N: 8.2 inches; W: 16.3 inches) in Wharton Township, **Fayette County**. This permit was issued under § 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

**E65-739.** **Deryk R. Grain**, 5195 Mamont Road, Murrysville, PA 15668. To operate and maintain a 6-inch depressed 60-inch corrugated metal pipe culvert in Haymakers Run (HQ-CWF) authorized for construction by Emergency Permit No. EP6599203 for the purpose of providing access to a residence. The project is located off of Mamont Road, approximately 1 mile from its intersection with Sardis Road (Murrysville, PA Quadrangle N: 15.8 inches; W: 3.35 inches) in the Municipality of Murrysville, **Westmoreland County**. This permit was issued under § 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

**E63-477.** Encroachment, **The Money Store**, 4111 South Darlington, Suite 300, Tulsa, OK 74135. This was previously published in the October 30, 1999 issue of the *Pennsylvania Bulletin* as Permit Number E63-744. The permit is to operate and maintain an existing 8-foot diameter CMP culvert depressed 1 foot in Raccoon Creek

(WWF). The purpose of this project is to provide access to a single family residence. The project is located on the west side of Waterdam Road, approximately 350 feet south of its intersection with Krackemerge Road (Midway, PA Quadrangle N: 12.2 inches; W: 8.6 inches) in Mount Pleasant Township, **Washington County**. This permit was issued under § 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

**E65-738.** Encroachment, **Patience and Mark Fisher**, 5205 Mamont Road, Murrysville, PA 15668. To operate and maintain the 30-foot long, 5-foot diameter aluminized steel pipe (invert depressed 6 inches) in Haymakers Run (HQ-CWF) located on a driveway off of Mamont Road at a point approximately one mile east of the intersection of Mamont Road and Sardis Road. The project includes approximately 40 L. F. of riprap bank protection. (Murrysville, PA Quadrangle N: 15.7 inches; W: 3.2 inches) in Murrysville Borough, **Westmoreland County**. The work was authorized and completed under Emergency Permit No. EP6599205 issued on September 7, 1999. This permit was issued under § 105.13 "Small Projects." This permit also includes 401 Water Quality Certification.

*DEP Northwest Regional Office, Soils and Waterways Section, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.*

**E10-286.** Encroachment. **Mine Safety Appliance Company**, P. O. Box 426, Pittsburgh, PA 15230-0426. To fill a total of 1.408 acres of 11 wetland areas for development of building lots and roadways within Cranberry Woods Corporate Office Park located south of S. R. 228 east of I-79 (Mars, PA Quadrangle N: 10.0 inches; W: 13.0 inches) located in Cranberry Township, **Butler County**. Project includes creation of at least 1.58 acres of replacement wetland at two locations within the Cranberry Woods Corporate Office Park development.

**E20-482.** Encroachment. **Cambridge Springs Borough**, 26 Federal Street, Cambridge Springs, PA 16403. To demolish an existing storage building and to construct and maintain a new water treatment plant building measuring 80 feet long by 46.7 feet wide downstream of the existing treatment plant and a 31-foot-diameter by 38-foot-high water storage tank upstream of the existing treatment plant and appurtenances within the 100-year flood plain of French Creek south of Snow Alley (Cambridge Springs, PA Quadrangle N: 10.2 inches; W: 8.0 inches) located in Cambridge Springs Borough, **Crawford County**.

**E16-111.** Encroachment. **Millcreek Township**, P. O. Box 4, Fisher, PA 16225. To remove the existing bridge, fill a scour hole and associated channel work extending approximately 15 meters upstream and downstream of the bridge and to construct and maintain a composite prestressed concrete adjacent box beam bridge having a clear span of 25 meters and a minimum underclearance of 2.25 meters on an 85 degree skew across Mill Creek on T-562 approximately 4.5 miles south of S. R. 1001 (Corsica, PA Quadrangle N: 20.0 inches; W: 15.1 inches) located in Millcreek Township, **Clarion County**.

**E16-112.** Encroachment. **Redbank Township**, P. O. Box 47, Fairmount City, PA 16224. To remove the existing bridge, realign a total of approximately 40 meters of the channel of Pine Creek with elevated flood plain beginning approximately 5 meters upstream of the bridge and

extending downstream, fill 0.0467 hectare of wetland associated with roadway widening and to construct and maintain a precast concrete arch having a normal span of 10.973 meters and a minimum underclearance of 2.855 meters on a 63 degree skew across Pine Creek on T-510 approximately 0.2 kilometer north of S.R. 28 (New Bethlehem, PA Quadrangle N: 10.1 inches; W: 0.2 inches) located in Redbank Township, **Clarion County**. The project includes creation of 0.0552 hectare of replacement wetland.

## STORAGE TANKS

### SITE SPECIFIC INSTALLATION PERMITS

The following Storage Tank Site Specific Installation Permits under the authority of the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.304, 6021.504, 6021.1101 and 6021.1102) and 25 Pa. Code Chapter 245, Subchapter C have been issued by the Bureau of Watershed Conservation, Director, P. O. Box 8555, Harrisburg, PA 17105-8555, (717) 787-5267.

<i>SSIP Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Tank Type and Capacity</i>
99-43-002	Richard Herman Duferco Farrell Corp 15 Roemer Blvd Farrell, PA 16121-2299	Mercer County Farrell	2 ASTs storing Diesel 12,000 gallons each 2 ASTs storing HCL 25,000 gallons each
99-02-007	George Doubs Neville Chemical Company 2800 Neville Road Pittsburgh, PA 15225-1496	Allegheny County Neville Township	6 ASTs storing Resin Forming Feedstock 850,000 gallons each
99-54-001	Robert Cook Modular Environmental Technologies, Inc 2170 Buckthorne The Woodlands, TX 77387	Schuykill County Tamaqua	3 ASTs storing Potassium Hydroxide 31,545 gallons total

[Pa.B. Doc. No. 00-71. Filed for public inspection January 7, 2000, 9:00 a.m.]

### Availability of Technical Guidance

Technical Guidance Documents are on DEP's World Wide Web site ([www.dep.state.pa.us](http://www.dep.state.pa.us)) at the Public Participation Center. The "1999 Inventory" heading is the Governor's List of Non-regulatory Documents. The "Search the Inventory of Technical Guidance Documents" heading is a database of the Inventory. The "Final Documents" heading is the link to a menu of the various DEP bureaus and from there to each bureau's final technical guidance documents. The "Draft Technical Guidance" heading is the link to DEP's draft technical guidance documents.

DEP will continue to revise its documents, as necessary, throughout 1999.

#### Ordering Paper Copies of DEP Technical Guidance

Persons can order a bound paper copy of the latest Inventory or an unbound paper copy of any of the final documents listed on the Inventory by calling DEP at (717) 783-8727.

In addition, bound copies of some of DEP's documents are available as DEP publications. Please check with the appropriate bureau for more information about the availability of a particular document as a publication.

#### Changes to Technical Guidance Documents

Here is the current list of recent changes. Persons who have any questions or comments about a particular document should call the contact person whose name and phone number is listed with each document. Persons who have questions or comments in general should call Joe Sieber at (717) 783-8727.

#### Draft Guidance—Substantive Revision

DEP ID: 362-0300-007 Title: Alternate and Experimental Systems Guidance Description: This document identi-

fies alternate and experimental on-lot wastewater treatment systems and technologies that are acceptable under Chapter 73. Chapter 73 allows for the use of these alternate and experimental systems for new land development and when applying the "best technical guidance" available for correcting a malfunction or making a repair of an existing onlot wastewater system. The revised guidance includes additional systems and proposes modifications to existing systems. This guidance was last published in 1997. The Sewage Advisory Committee reviewed this draft guidance in October 1999. Anticipated Effective Date: January 31, 2000 Comment Period Ends: January 18, 2000 Contact: Milton Lauch at (717) 787-8184, fax number is (717) 772-5156, or E-mail at [Lauch.Milton@dep.state.pa.us](mailto:Lauch.Milton@dep.state.pa.us).

#### Final Guidance

DEP ID: 394-0810-001 Pennsylvania's Continuous Planning Process (CPP) for Water Quality Management 1999 Update Description: Since the late 1970's, the Department has revised many of the processes described in the original CPP and its supplements, and the Pennsylvania General Assembly has enacted new and amended legislation which are now part of the water quality management program. Section 303(e)(2) of the Clean Water Act requires EPA to review a state's approved CPP periodically to ensure its consistency with the Act. In response, the Department has finalized the CPP Update. Effective Date: December 31, 1999 Contact: Fran Koch at (717) 783-2289, or email at [Koch.Fran@dep.state.pa.us](mailto:Koch.Fran@dep.state.pa.us).

JAMES M. SEIF,  
Secretary

[Pa.B. Doc. No. 00-72. Filed for public inspection January 7, 2000, 9:00 a.m.]

### Environmental Justice Work Group Meeting

The Department of Environmental Protection's Environmental Justice Work Group is holding a 2-day meeting on January 13 and 14 at the Philadelphia Airport Hilton, 4509 Island Avenue, Philadelphia. The all-day meeting on January 13 will begin at 9 a.m., and a community forum will held at 7 p.m. The January 14 meeting will be held from 8 a.m. to 4 p.m. The work group is assisting the agency in developing an environmental justice policy and program. Anyone wishing to attend the meeting or community forum should contact Alisa Harris, Environmental Equity Coordinator, or Tom Oldham at (717) 787-4449.

Persons with a disability who desire to attend the meeting and require an auxiliary aid, service or other accommodations to do so should contact Alisa Harris at the above telephone number.

JAMES M. SEIF,  
Secretary

[Pa.B. Doc. No. 00-73. Filed for public inspection January 7, 2000, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Laboratories Approved to Determine Analyses of Blood and/or Serum for Controlled Substances under the Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code, and the Game and Wildlife Code

The following laboratories are licensed by the Department of Health under the Clinical Laboratory Act (35 P. S. §§ 2151—2165) and/or the Federal Clinical Laboratory Improvement Act of 1967 (42 U.S.C.A. § 263a) and are currently approved by the Department under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of blood and/or serum for the determination of controlled substances. This approval is based on demonstrated proficiency in tests conducted by the Bureau of Laboratories of the Department of Health. These laboratories are also approved and designated for purposes of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755 (relating to chemical testing to determine amount of alcohol or controlled substance; reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance) and the Game and Wildlife Code, 34 Pa.C.S. § 2502 (relating to hunting or furtaking under the influence of alcohol or controlled substance), as qualified to perform the types of services which will reflect the presence of controlled substances or their biotransformation products in blood and/or serum.

Depending upon their capability and performance in proficiency surveys, laboratories are approved to perform screening and/or confirmatory analyses on blood and/or serum. Laboratories approved to perform screening analyses are designated on the approval list by an "S" followed by the letters "B" for blood and/or "Se" for serum. Laboratories approved to screen both blood and serum would therefore have "SBSe" listed after their laboratory name. Laboratories approved to offer confirmatory analyses will be designated on the approval list by a "C" followed by the letters "B" for blood and/or "Se" for serum. Laboratories approved to perform confirmatory analyses

on both serum and blood would therefore have "CBSe" listed after the name of their laboratory.

Screening analyses provide a presumptive indication that a controlled substance is present. Confirmatory testing is used to substantiate screening results.

Persons seeking forensic blood and/or serum analysis services from any of the listed laboratories should determine that the laboratory employs techniques and procedures acceptable for the medicolegal purposes. They should also determine that the director of the facility is agreeable to performing analyses for forensic purposes. Persons seeking the analyses are responsible for specifying the extent to which the presence of a controlled substance is to be verified. That specification should be predicated upon the purpose for which the analysis is being sought.

The list of approved laboratories will be revised semiannually and published in the *Pennsylvania Bulletin*. Questions regarding this list should be directed to M. Jeffery Shoemaker, Ph.D., Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 363-8500.

Persons with a disability who require auxiliary aid service should contact Dr. Shoemaker at V/TT: (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT & T Relay Service at (800) 654-5984 [TT].

Allegheny County Coroner's Office-SBSe, CBSe  
Division of Laboratories  
10 County Office Building  
Pittsburgh, PA 15219  
412-350-6873

American Medical Laboratories, Inc.-SBSe, CBSe  
14225 Newbrook Drive  
Chantilly, VA 20153  
703-802-6900

Analytic Biochemistries-SBSe, CBSe  
1680-D Loretta Avenue  
Feasterville, PA 19053  
215-322-9210

Clinical Laboratories, Inc.-SBSe, CBSe  
901 Keystone Industrial Park  
Throop, PA 18512  
570-346-1759

Dept of Pathology & Lab Med-HUP-SSe, CSe  
3400 Spruce Street  
Philadelphia, PA 19104  
215-662-6880

DrugScan, Inc.-SBSe, CBSe  
1119 Mearns Road, P. O. Box 2969  
Warminster, PA 18974  
215-674-9310

Good Samaritan Hospital-SSe  
Fourth and Walnut Streets, P. O. Box 1281  
Lebanon, PA 17042  
717-270-7500

Guthrie Clinic Pathology Laboratory-SSe  
Guthrie Square  
Sayre, PA 18840  
570-888-5858

Health Network Laboratories-SBSe, CBSe  
2024 Lehigh Street  
Allentown, PA 18103  
610-402-8150

Lab Corp Occupational Testing Services, Inc.-SBSe, CBSe  
1904 Alexander Drive  
Research Triangle Park, NC 27709  
919-549-8263

MedTox Laboratories, Inc.-SBSe, CBSe  
402 West County Road D  
St. Paul, MN 55112  
612-636-7466

Mercy Health Lab-Mercy Fitzgerald Hospital-SSe  
Lansdowne Avenue and Bailey Road  
Darby, PA 19023  
610-237-4175

National Medical Services, Inc.-Laboratory-SBSe, CBSe  
3701 Welsh Road  
Willow Grove, PA 19090  
215-657-4900

National Medical Services, Inc.-SBSe, CBSe  
STAT Toxicology Laboratory  
2300 Stratford Avenue  
Willow Grove, PA 19090  
215-784-1600

Pittsburgh Criminalistics-SBSe, CBSe  
1320 Fifth Avenue  
Pittsburgh, PA 15219  
412-391-6118

Quest Diagnostics of PA, Inc.-SBSe, CBSe  
875 Greentree Road  
4 Parkway Center  
Pittsburgh, PA 15220  
412-920-7600

Saint Joseph Hospital-SSe  
250 College Avenue, P. O. Box 3509  
Lancaster, PA 17604  
717-291-8022

Saint Joseph Quality Medical Lab-SBSe, CBSe  
215 North 12th Street, Box 316  
Reading, PA 19603  
610-378-2200

Toxi-Con-SB  
120 Monahan Avenue, Suite 101  
Dunmore, PA 18512  
570-963-0722

Western Reserve Care System-SBSe, CBSe  
500 Gypsy Lane  
Youngstown, OH 44504  
216-740-3794

WVHCS Hospital, General Campus-SSe  
Corner North River and Auburn Streets  
Wilkes-Barre, PA 18764  
570-829-8111

York Hospital-SSe  
1001 South George Street  
York, PA 17405  
717-771-2696

ROBERT S. ZIMMERMAN, Jr.,  
*Secretary*

[Pa.B. Doc. No. 00-74. Filed for public inspection January 7, 2000, 9:00 a.m.]

### Laboratories Approved to Determine Blood Alcohol Content under the Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code, and the Game and Wildlife Code

The following laboratories are licensed by the Department of Health under the Clinical Laboratory Act (35 P. S. §§ 2151—2165) and are currently approved by the Department under 28 Pa. Code §§ 5.50 and 5.103 (relating to approval to provide special analytical services; and blood tests for blood alcohol content) to perform alcohol analyses of blood and/or serum and plasma. This approval is based on demonstrated proficiency in periodic tests conducted by the Department's Bureau of Laboratories. Since procedures for determining the alcohol content of serum and plasma are identical and results obtained from serum or plasma derived from a blood sample are the same, laboratories that demonstrate reliability in the analysis of serum proficiency testing specimens are approved to analyze both serum and plasma. These laboratories are also approved and designated under the provisions of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755 (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance), and the Game and Wildlife Code, 34 Pa.C.S. § 2502, (relating to hunting or furtaking under the influence of alcohol or controlled substance) as qualified to perform the types of specialized services which will reflect the presence of alcohol in blood and/or serum and plasma. Laboratories located outside the Commonwealth may not provide blood and/or serum and plasma alcohol testing services in Pennsylvania unless they are specifically licensed by the Department under the Clinical Laboratory Act.

Persons seeking forensic blood and/or serum and plasma analysis services from the following designated laboratories should determine that the laboratory employs techniques and procedures acceptable for forensic purposes, and that the director of the facility is agreeable to performing determinations for this purpose. The list of approved laboratories will be revised approximately semi-annually and published in the *Pennsylvania Bulletin*.

The Department's blood alcohol and serum/plasma alcohol proficiency testing programs are approved by the United States Department of Health and Human Services (HHS) in accordance with the requirements contained in the Clinical Laboratory Improvement Amendments of 1988 (42 CFR 493.901 and 493.937) which are administered by the Health Care Financing Administration (HCFA). Participation in these programs may therefore be used to demonstrate acceptable performance for approval purposes under both Federal and Commonwealth statutes.

Questions regarding this list should be directed to Dr. M. Jeffery Shoemaker, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 363-8500.

Persons with a disability who require auxiliary aid service should contact Dr. Shoemaker at V/TT: (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].



The symbols S and B indicate the following:

S = approved for serum and plasma analyses

B = approved for blood analyses

SB = approved for serum, plasma and blood analyses

**Abington Memorial Hospital-S**

1200 Old York Road  
Abington, PA 19001  
215-576-2350

**Albert Einstein Medical Center-Northern Division-S**

5501 Old York Road  
Philadelphia, PA 19141  
215-456-6100

**Allegheny County Coroner's Office-SB**

Division of Laboratories  
10 County Office Building  
Pittsburgh, PA 15219  
412-350-6873

**Allegheny General Hospital-Dept. Lab. Medicine-S**

320 East North Avenue  
Pittsburgh, PA 15212  
412-359-3521

**Allegheny Valley Hospital Laboratory-SB**

1300 Carlisle Street  
Natrona Heights, PA 15065  
724-224-5100

**Altoona Hospital-SB**

620 Howard Avenue  
Altoona, PA 16601  
814-946-2340

**American Medical Laboratories, Inc.-SB**

14225 Newbrook Drive  
Chantilly, VA 20153  
703-802-6900

**Analytic Bio-Chemistries, Inc.-SB**

1680-D Loretta Avenue  
Feasterville, PA 19053  
215-322-9210

**Armstrong County Memorial Hospital-S**

1 Nolte Drive  
Kittanning, PA 16201  
724-543-8122

**Associated Clinical Laboratories-SB**

1526 Peach Street  
Erie, PA 16501  
814-461-2400

**Associated Regional and University Pathologists-SB**

500 Chipeta Way  
Salt Lake City, UT 84108  
800-242-2787

**AUH-Forbes Regional-SB**

2570 Haymaker Road  
Monroeville, PA 15146  
412-858-2560

**Ayer Clinical Laboratory-Penn Hospital-S**

8th & Spruce Streets  
Philadelphia, PA 19107  
215-829-3541

**Barnes-Kasson County Hospital-S**

400 Turnpike Street  
Susquehanna, PA 18847  
570-853-3135

**Bon Secours-Holy Family Regional Health-SB**

2500 Seventh Avenue  
Altoona, PA 16602  
814-949-4495

**Braddock Medical Center-S**

412 Holland Avenue  
Braddock, PA 15104  
412-636-5000

**Bradford Hospital Laboratory-SB**

116-156 Interstate Parkway  
Bradford, PA 16701  
814-834-8282

**Brandywine Hospital and Trauma Center-S**

Route 30 Bypass  
Coatesville, PA 19320  
610-383-8000

**Brownsville General Hospital Laboratory-S**

125 Simpson Road  
Brownsville, PA 15417  
724-785-7200

**Butler Memorial Hospital-S**

911 East Brady Street  
Butler, PA 16001  
724-284-4510

**Canonsburg General Hospital-SB**

R.D.#1, Box 147, Route 519  
Canonsburg, PA 15317  
724-745-6100

**Carlisle Hospital-S**

245 Parker Street  
Carlisle, PA 17013  
717-249-1212

**Centre Community Hospital-B**

1800 East Park Avenue  
State College, PA 16803  
814-234-6117

**Chambersburg Hospital-S**

112 North Seventh Street  
Chambersburg, PA 17201  
717-267-7152

**Charles Cole Memorial Hospital-S**

R.D. #1, Box 205  
Coudersport, PA 16915  
814-274-9300

**Chester County Hospital-S**

701 East Marshall Street  
West Chester, PA 19380  
610-431-5182

**Chestnut Hill Hospital-S**

8835 Germantown Avenue  
Philadelphia, PA 19118  
215-248-8630

**Childrens Hospital of Philadelphia-S**

One Children's Center, 34th and Civic Center Blvd.  
Philadelphia, PA 19104  
215-590-1000

**Citizens General Hospital-SB**

651 Fourth Avenue  
New Kensington, PA 15068  
724-337-5031

**City Avenue Hospital-S**

4150 City Avenue  
Philadelphia, PA 19131  
215-871-1000

Clarion Hospital-SB  
One Hospital Drive  
Clarion, PA 16214  
814-226-9500

Clearfield Hospital Laboratory-S  
809 Turnpike Avenue, P. O. Box 992  
Clearfield, PA 16830  
814-765-5341

Clinical Laboratories, Inc.-SB  
901 Keystone Industrial Park  
Throop, PA 18512  
570-346-1759

Community Hospital-B  
North Fraley Street  
Kane, PA 16735  
570-837-4575

Community Hospital of Lancaster-S  
1100 East Orange Street  
Lancaster, PA 17602  
717-397-3711

Community Medical Center-S  
1822 Mulberry Street  
Scranton, PA 18510  
570-969-8000

Conemaugh Valley Memorial Hospital-SB  
1086 Franklin Street  
Johnstown, PA 15905  
814-534-9000

Corry Memorial Hospital-S  
612 West Smith Street  
Corry, PA 16407  
814-664-4641

Crozer-Chester Medical Center-Springfield-S  
190 West Sproul Road  
Springfield, PA 19064  
610-328-9200

Crozer Chester Medical Center-S  
1 Med Ctr. Blvd.  
Upland, PA 19013  
610-447-2000

Delaware County Memorial Hospital-S  
501 N. Lansdowne Avenue  
Drexel Hill, PA 19026  
610-284-8100

Department of Pathology & Lab Med-HUP-SB  
3400 Spruce Street  
Philadelphia, PA 19104  
215-662-6880

Doylestown Hospital-S  
595 West State Street  
Doylestown, PA 18901  
215-345-2250

DrugScan, Inc.-SB  
1119 Mearns Road, P. O. Box 2969  
Warminster, PA 18974  
215-674-9310

DuBois Regional Medical Center-West Unit-S  
100 Hospital Avenue  
DuBois, PA 15801  
814-371-2200

Easton Hospital-SB  
250 South 21st Street  
Easton, PA 18042  
610-250-4140

Elk Regional Health Center-S  
94 Hospital Street  
Ridgway, PA 15853  
814-788-5530

Elk Regional Health Center-B  
763 Johnsonburg Road  
Saint Marys, PA 15857  
814-788-8179

Elkins Park Hospital-S  
60 East Township Line Road  
Elkins Park, PA 19027  
215-663-6102

Ellwood City General Hospital-S  
724 Pershing Street  
Ellwood City, PA 16117  
724-752-0081

Ephrata Community Hospital-S  
169 Martin Avenue, P. O. Box 1002  
Ephrata, PA 17522  
717-733-0311

Episcopal Hospital-S  
100 East Lehigh Avenue  
Philadelphia, PA 19125  
215-427-7333

Evangelical Community Hospital-SB  
1 Hospital Drive  
Lewisburg, PA 17837  
570-522-2510

Frankford Hospital Bucks County Campus-S  
380 North Oxford Valley Road  
Langhorne, PA 19047  
215-934-5227

Frankford Hospital-Frankford Division-S  
Frankford Avenue and Wakeling Street  
Philadelphia, PA 19124  
215-831-2068

Frankford Hospital-Torresdale Division-S  
Red Lion and Knights Road  
Philadelphia, PA 19114  
215-612-4000

Frick Hospital-S  
508 South Church Street  
Mount Pleasant, PA 15666  
412-547-1500

Fulton County Medical Center-S  
216 South First Street  
McConnellsburg, PA 17233  
717-485-3155

Geisinger Medical Center-SB  
North Academy Road  
Danville, PA 17822  
570-271-6338

George Tolstoi Laboratory-Uniontown Hospital-S  
500 West Berkeley Street  
Uniontown, PA 15401  
724-430-5143

Gettysburg Hospital-SB  
147 Gettys Street  
Gettysburg, PA 17325  
717-334-2121

Gnaden Huetten Memorial Hospital-SB  
Eleventh and Hamilton Streets  
Lehighon, PA 18235  
610-377-1300

Good Samaritan Hospital-SB  
Fourth and Walnut Streets, P. O. Box 1281  
Lebanon, PA 17042  
717-270-7500

Good Samaritan Regional Medical Center-B  
700 East Norwegian Street  
Pottsville, PA 17901  
570-621-4032

Graduate Hospital-S  
1800 Lombard Street  
Philadelphia, PA 19146  
215-893-2240

Grand View Hospital-S  
700 Lawn Avenue  
Sellersville, PA 18960  
215-257-3611

Greene County Memorial Hospital-S  
Bonar Avenue  
Waynesburg, PA 15370  
724-627-2608

Guthrie Clinic Pathology Laboratory-S  
Guthrie Square  
Sayre, PA 18840  
570-888-5858

Hahnemann University Hospital-S  
Broad and Vine Streets, MS 113  
Philadelphia, PA 19102  
215-762-1783

Hamot Medical Center-S  
201 State Street  
Erie, PA 16550  
814-455-6711

Hanover General Hospital-SB  
300 Highland Avenue  
Hanover, PA 17331  
717-637-3711

Harrisburg Hospital-SB  
South Front Street  
Harrisburg, PA 17101  
717-782-3131

Hazleton General Hospital-SB  
East Broad Street  
Hazleton, PA 18201  
717-450-4156

Health Network Laboratories-SB  
2024 Lehigh Street  
Allentown, PA 18103  
610-402-8150

Health Network Laboratories-S  
2545 Schoenersville Road  
Bethlehem, PA 18017  
610-861-2261

Highlands Hospital-S  
401 East Murphy Avenue  
Connellsville, PA 15425  
724-628-1500

Holy Spirit Hospital-SB  
503 North 21st Street  
Camp Hill, PA 17011  
717-763-2206

Horizon Hospital System-Greenville Campus-SB  
110 North Main Street  
Greenville, PA 16125  
724-588-2100

Horizon Hospital System-Shenango Campus-SB  
2200 Memorial Drive  
Farrell, PA 16121  
724-981-3500

Indiana Hospital-Department of Lab Medicine-S  
Hospital Road, P. O. Box 788  
Indiana, PA 15701  
724-357-7167

Jameson Memorial Hospital-S  
1211 Wilmington Avenue  
New Castle, PA 16105  
724-656-4080

J. C. Blair Memorial Hospital-S  
Warm Springs Avenue  
Huntingdon, PA 16652  
814-643-8645

Jeanes Hospital-S  
7600 Central Avenue  
Philadelphia, PA 19111  
215-728-2347

Jeannette District Memorial Hospital-S  
Jefferson Avenue  
Jeanette, PA 15644  
724-527-3551

Jefferson Regional Health Services, Inc.-Brookville Div.-S  
100 Hospital Road  
Brookville, PA 15825  
814-849-2312

John F. Kennedy Memorial Hospital-S  
Cheltenham Avenue and Langdon Streets  
Philadelphia, PA 19124  
215-831-7203

Kensington Hospital-S  
136 West Diamond Street  
Philadelphia, PA 19122  
215-426-8100

LabOne, Inc.-SB  
10101 Renner Boulevard  
Lenexa, KS 66219  
913-888-1770

Lab Corp Occupational Testing Services, Inc.-SB  
4022 Willow Lake Blvd  
Memphis, TN 38118  
901-795-1515

Lab Corp. of America Holdings-SB  
69 First Avenue, P. O. Box 500  
Raritan, NJ 08869  
201-526-2400

Lab Corp. of America Holdings-SB  
6370 Wilcox Road  
Dublin, OH 43016  
800-282-7300

Laboratory Specialists, Inc.-B  
1111 Newton Street  
Gretna, LA 70053  
504-361-8989

Lancaster General Hospital-S  
555 North Duke Street, P. O. Box 3555  
Lancaster, PA 17603  
717-299-5511

Lancaster General Hospital-Susquehanna Division-S  
306 North Seventh Street  
Columbia, PA 17512  
717-684-2841

Latrobe Area Hospital-S  
121 West Second Avenue  
Latrobe, PA 15650  
724-537-1550

Lewistown Hospital-S  
Highland Avenue  
Lewistown, PA 17044  
717-248-5411

Lock Haven Hospital-B  
24 Cree Drive  
Lock Haven, PA 17745  
717-893-5000

Main Line Clinical Laboratories-Bryn Mawr-CP-S  
130 Bryn Mawr Avenue  
Bryn Mawr, PA 19010  
610-526-3554

Main Line Clinical Laboratories-Lankenau-CP-S  
100 East Lancaster Avenue  
Wynnewood, PA 19096  
610-645-2615

Main Line Clinical Laboratories-Paoli Memorial-CP-S  
255 W. Lancaster Avenue  
Paoli, PA 19301  
610-648-1000

Marian Community Hospital-S  
100 Lincoln Avenue  
Carbondale, PA 18407  
717-281-1042

McKeesport Hospital Laboratory-S  
1500 Fifth Avenue  
McKeesport, PA 15132  
412-664-2233

Meadville Medical Center-Liberty Street-S  
751 Liberty Street  
Meadville, PA 16335  
814-336-3121

The Medical Center, Beaver, PA, Inc.-SB  
1000 Dutch Ridge Road  
Beaver, PA 15009  
724-728-7000

Medical College of Pennsylvania Hospital-S  
3300 Henry Avenue  
Philadelphia, PA 19129  
215-842-6615

MedTox Laboratories, Inc.-SB  
402 West County Road D  
St. Paul, MN 55112  
612-636-7466

Memorial Hospital-SB  
325 South Belmont Street, P. O. Box 15118  
York, PA 17403  
717-843-8623

Memorial Hospital Lab-SB  
1 Hospital Drive  
Towanda, PA 18848  
570-265-2191

Mercy Health Laboratory, Mercy Fitzgerald Hospital-S  
Lansdowne Avenue and Bailey Road  
Darby, PA 19023  
610-237-4175

Mercy Health Laboratory, Mercy Hospital/Philadelphia-S  
5301 Cedar Avenue  
Philadelphia, PA 19143  
215-748-9170

Mercy Health Laboratory, Mercy Community Hospital-S  
2000 Old West Chester Pike  
Havertown, PA 19083  
610-645-3600

Mercy Health Partners-S  
746 Jefferson Avenue  
Scranton, PA 18510  
570-348-7100

Mercy Hospital-S  
Pride and Locust Streets  
Pittsburgh, PA 15219  
412-232-7831

Mercy Hospital-S  
25 Church Street  
Wilkes-Barre, PA 18765  
570-826-3100

Mercy Hospital-Nanticoke-S  
128 West Washington Street  
Nanticoke, PA 18634  
570-735-5000

Mercy Providence Hospital Laboratory-S  
1004 Arch Street  
Pittsburgh, PA 15212  
412-323-5783

Mercy Suburban Hospital-S  
2701 DeKalb Pike  
Norristown, PA 19404  
610-278-2075

Methodist Hospital Division/TJUH, Inc.-S  
2301 South Broad Street  
Philadelphia, PA 19148  
215-952-9059

Meyersdale Community Hospital-S  
200 Hospital Drive  
Meyersdale, PA 15552  
814-634-5911

MidValley Hospital-S  
1400 Main Street  
Peckville, PA 18452  
717-489-7546

Miners Hospital-S  
290 Haida Avenue  
Hastings, PA 16646  
814-948-7171

Monongahela Valley Hospital, Inc.-S  
Country Club Road, Route 88  
Monongahela, PA 15063  
724-258-1000

Monsour Medical Center-S  
70 Lincoln Way East  
Jeannette, PA 15644  
724-527-1511

Montgomery Hospital Laboratory-S  
Powell and Fornance Streets  
Norristown, PA 19401  
610-270-2173

Moses Taylor Hospital-S  
700 Quincy Avenue  
Scranton, PA 18510  
570-963-2100

Muncy Valley Hospital-S  
215 East Water Street  
Muncy, PA 17756  
570-546-8282

Nason Hospital-B  
Nason Drive  
Roaring Spring, PA 16673  
814-224-6215

National Medical Services, Inc.-Laboratory-SB  
3701 Welsh Road  
Willow Grove, PA 19090  
215-657-4900

National Medical Services, Inc.-Stat Tox Lab-SB  
2300 Stratford Avenue  
Willow Grove, PA 19090  
215-784-1600

Nazareth Hospital-S  
2601 Holme Avenue  
Philadelphia, PA 19152  
215-335-6245

North Penn Hospital-S  
100 Medical Campus Drive  
Lansdale, PA 19446  
215-368-2100

Northwest Medical Center-Franklin-S  
1 Spruce Street  
Franklin, PA 16323  
814-437-7000

Northwest Medical Center, Oil City Campus-SB  
174 East Bissell Avenue  
Oil City, PA 16301  
814-677-1711

Ohio Valley General Hospital-S  
Heckel Road  
McKees Rocks, PA 15136  
412-777-6244

Omega Medical Laboratories, Inc.-SB  
2001 State Hill Road, Suite 100  
Wyomissing, PA 19610  
610-378-1900

PA Department of Health, Bureau of Laboratories-SB  
P. O. Box 500  
Exton, PA 19341-0500  
610-363-8500

PA State Police Lab-Bethlehem-SB  
2932 Airport Road  
Bethlehem, PA 18017  
610-861-2103

PA State Police Lab-Erie-SB  
4310 Iroquois Avenue  
Erie, PA 16511  
814-899-8447

PA State Police Lab-Greensburg-SB  
P. O. Box P, PA State Police  
Greensburg, PA 15601  
724-832-3299

PA State Police Lab-Harrisburg-SB  
1800 Elmerton Avenue  
Harrisburg, PA 17110  
717-783-5548

PA State Police Lab-Lima-SB  
350 N. Middletown Road  
Media, PA 19063  
610-566-9066

PA State Police Lab-Wyoming-SB  
479 Wyoming Avenue  
Wyoming, PA 18644  
570-826-2230

Palmerton Hospital-S  
135 Lafayette Avenue  
Palmerton, PA 18071  
610-826-3141

Parkview Hospital-S  
1331 East Wyoming Avenue  
Philadelphia, PA 19124  
215-537-7430

Penn State-Geisinger WVMC-S  
1000 East Mountain Drive  
Wilkes-Barre, PA 18711  
570-826-7830

Philipsburg Area Hospital-SB  
210 Lock Lomond Road  
Philipsburg, PA 16866  
814-342-7112

Phoenixville Hospital Laboratory-S  
140 Nutt Road, Department of Pathology  
Phoenixville, PA 19460  
610-983-1612

Pinnacle Health/Community General Osteopathic  
Hospital-S  
4300 Londonderry Road, P. O. Box 3000  
Harrisburg, PA 17109  
717-657-7214

Pittsburgh Criminalistics-SB  
1320 Fifth Avenue  
Pittsburgh, PA 15219  
412-391-6118

Pocono Medical Center Laboratory-SB  
206 East Brown Street  
East Stroudsburg, PA 18301  
570-476-3544

Polyclinic Hospital-S  
2601 North Third Avenue  
Harrisburg, PA 17110  
717-782-4141

Pottstown Memorial Medical Center-S  
1600 East High Street  
Pottstown, PA 19464  
610-327-7111

Pottsville Hospital and Warne Clinic-SB  
420 South Jackson Streets  
Pottsville, PA 17901  
570-621-5262

Presbyterian Medical Center of Phila.-S  
3400 Spruce Street, Dept. of Pathology  
Philadelphia, PA 19104  
215-662-3435

Quest Diagnostics Clinical Laboratories, Inc.-SB  
400 Egypt Road  
Norristown, PA 19403  
610-631-4200

Quest Diagnostics of PA, Inc.-S  
900 Business Center Drive  
Horsham, PA 19044  
215-957-9300

Quest Diagnostics of PA, Inc.-SB  
875 Greentree Road  
4 Parkway Center  
Pittsburgh, PA 15220  
412-920-7600

Quest Diagnostics, Incorporated-SB  
One Malcolm Avenue  
Teterboro, NJ 07608  
201-393-5602

Reading Hospital and Medical Center-S  
Sixth and Spruce Streets  
Reading, PA 19611  
610-988-8080

Riddle Memorial Hospital-S  
Baltimore Pike Highway 1  
Media, PA 19063  
610-566-9400

Roxborough Memorial Hospital-S  
5800 Ridge Avenue  
Philadelphia, PA 19128  
215-483-9900

Sacred Heart Hospital-S  
Fourth and Chew Streets  
Allentown, PA 18102  
610-776-4727

Saint Agnes Medical Center-S  
1900 South Broad Street  
Philadelphia, PA 19145  
215-339-4100

Saint Clair Memorial Hospital-S  
1000 Bower Hill Road  
Pittsburgh, PA 15243  
412-561-4900

Saint Francis Hospital-S  
1000 South Mercer Street  
New Castle, PA 16101  
724-658-3511

Saint Joseph Hospital-S  
250 College Avenue, P. O. Box 3509  
Lancaster, PA 17604  
717-291-8022

Saint Lukes Hospital-S  
801 Ostrum Street  
Bethlehem, PA 18015  
610-691-4141

Saint Mary Medical Center-S  
Langhorne-Newtown Road  
Langhorne, PA 19047  
215-750-2162

Saint Vincent Health Center-S  
232 West 25th Street  
Erie, PA 16544  
814-452-5383

Sewickley Valley Hospital Laboratory-S  
Blackburn Road and Fitch Drive  
Sewickley PA 15143  
412-741-6600

Shadyside Hospital-S  
5230 Centre Avenue  
Pittsburgh, PA 15233  
412-622-2315

Sharon Regional Health System-SB  
740 East State Street  
Sharon, PA 16146  
724-983-3911

Sierra Analytical Laboratories-SB  
625 East Drinker Street  
Dunmore, PA 18512  
570-341-2224

Soldiers & Sailors Memorial Hospital-S  
Central Avenue  
Wellsboro, PA 16901  
570-724-1631

Somerset Hospital Laboratory-SB  
225 South Center Avenue  
Somerset, PA 15501  
814-443-2626

South Hills Health System-Jefferson-S  
575 Coal Valley Road  
Pittsburgh, PA 15236  
412-469-5723

Southern Chester County Medical Center-S  
1015 West Baltimore Pike  
West Grove, PA 19390  
610-869-1080

Specialty Laboratories-SB  
2211 Michigan Avenue  
Santa Monica, CA 90404  
310-828-6543

St. Francis Central Hospital-S  
1200 Centre Avenue  
Pittsburgh, PA 15219  
412-562-3060

St. Francis Hospital-Cranberry-S  
One St. Francis Way  
Cranberry Township, PA 16066  
724-772-5300

St. Francis Medical Center-S  
400-45th Street  
Pittsburgh, PA 15201  
412-622-4838

St. Joseph Quality Medical Laboratory-SB  
215 North 12th Street, Box 316  
Reading, PA 19603  
610-378-2200

St. Joseph's Hospital-Div. of NPHS-S  
16th Street and Girard Avenue  
Philadelphia, PA 19130  
215-787-9000

St. Lukes Hospital-Allentown Campus-S  
1736 Hamilton Street  
Allentown, PA 18104  
610-439-4000

St. Lukes Quakertown Hospital-S  
Eleventh Street & Park Avenue, P. O. Box 9003  
Quakertown, PA 18951  
215-536-2400

Suburban General Hospital-S  
100 South Jackson Avenue  
Bellevue, PA 15202  
412-734-6000

Taylor Hospital Division of CCMC-S  
175 East Chester Pike  
Ridley Park, PA 19078  
610-595-6450

Temple East, Inc., NE-S  
2301 East Allegheny Avenue  
Philadelphia, PA 19134  
215-291-3671

Temple East, Inc.-NMC-S  
1741 Frankford Avenue  
Philadelphia, PA 19125  
215-291-2118

Temple Lower Bucks Hospital Lab-S  
501 Bath Road  
Bristol, PA 19007  
215-785-9200

Temple University Hospital-S  
3401 N. Broad Street  
Philadelphia, PA 19140  
215-707-4353

Thomas Jefferson University Hospital-S  
125 South 11th Street, 204 Pavillion  
Philadelphia, PA 19107  
215-955-6374

Titusville Area Hospital-S  
406 West Oak Street  
Titusville, PA 16354  
814-827-1851

Toxi-Con-SB  
120 Monahan Avenue, Suite 101  
Dunmore, PA 18512  
570-963-0722

Tyler Memorial Hospital-S  
R. D. #1, Route 6  
Tunkhannock, PA 18657  
570-836-2161

Tyrone Hospital-SB  
Clay Avenue Extension  
Tyrone, PA 16686  
570-684-0484

United Community Hospital-S  
631 North Broad Street Ext.  
Grove City, PA 16127  
724-458-5442

University Hospital-M.S. Hershey Medical Center-S  
500 University Avenue  
Hershey, PA 17033  
717-531-8353

University of Pittsburgh Medical Center/Beaver Valley-SB  
2500 Hospital Drive-Pathology Dept.  
Aliquippa, PA 15001  
724-857-1238

University of Pittsburgh Medical Center-CLSI-S  
200 Lothrop Street, CLSI Room 5929 MT  
Pittsburgh, PA 15213  
724-647-7813

UPMC Bedford Memorial-SB  
10455 Lincoln Highway  
Everett, PA 15537  
814-623-3506

UPMC Lee Regional Hospital-SB  
320 Main Street  
Johnstown, PA 15901  
814-533-0130

UPMC Passavant-S  
9100 Babcock Boulevard  
Pittsburgh, PA 15237  
412-367-6700

UPMC Saint Margaret Hospital-S  
815 Freeport Road  
Pittsburgh, PA 15215  
412-784-4000

Warminster Hospital-S  
225 Newtown Road  
Warminster, PA 18974  
215-441-6700

Warren General Hospital-SB  
212 Crescent Park West  
Warren, PA 16365  
814-723-3300

Washington Hospital-S  
155 Wilson Avenue  
Washington, PA 15301  
724-223-3136

Wayne Memorial Hospital-S  
601 Park Street  
Honesdale, PA 18431  
570-253-1300

Waynesboro Hospital-SB  
East Main Street  
Waynesboro, PA 17268  
717-765-3403

West Virginia University Hospital-S  
Clinical Laboratories  
1 Medical Center Drive, P. O. Box 8009  
Morgantown, WV 26506  
304-598-4241

Western Pennsylvania Hospital-S  
4800 Friendship Avenue  
Pittsburgh, PA 15224  
412-578-5779

Western Reserve Care System-SB  
500 Gypsy Lane  
Youngstown, OH 44504  
216-740-3794

Westmoreland Hospital-S  
532 W. Pittsburgh Street  
Greensburg, PA 15601  
724-832-4365

Williamsport Hospital and Medical Center-SB  
777 Rural Avenue  
Williamsport, PA 17701  
570-321-2300

Windber Medical Center-B  
600 Somerset Avenue  
Windber, PA 15963  
814-467-6611

WVHCS Hospital, General Campus-SB  
Corner North River and Auburn Streets  
Wilkes-Barre, PA 18764  
570-829-8111

York Hospital-SB  
1001 South George Street  
York, PA 17405  
717-771-2696

ROBERT S. ZIMMERMAN,  
*Secretary*

[Pa.B. Doc. No. 00-75. Filed for public inspection January 7, 2000, 9:00 a.m.]

**Laboratories Approved to Perform Blood Lead  
and/or Erythrocyte Protoporphyrin Determina-  
tions under the Clinical Laboratory Act**

The following laboratories are licensed in accordance with the Clinical Laboratory Act (35 P. S. §§ 2151—2165) and/or the Federal Clinical Laboratory Improvement Act

of 1967 (42 U.S.C.A. § 263a), and are currently approved under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of blood for lead or erythrocyte protoporphyrin content. This approval is based on demonstrated proficiency in periodic evaluations conducted by the Bureau of Laboratories of the Department of Health.

Lead poisoning is a reportable noncommunicable disease. Approved laboratories which offer blood lead or erythrocyte protoporphyrin testing services are required to inform the Department of actual or possible incidents of this condition in accordance with 28 Pa. Code § 27.4 (relating to reportable noncommunicable diseases and conditions). In addition, the Department requests laboratories to submit reports on children under 6 years of age and pregnant women, on whom laboratory tests confirm venous blood lead concentrations of 15 micrograms per deciliter or higher. The Department's collection and review of these latter reports would be consistent with the most recent revision of the guideline titled, *Preventing Lead Poisoning in Young Children*, which was published in 1991 by the United States Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, and is available from them.

All reports must be sent to the Department of Health, Division of Environmental Health, P. O. Box 90, Harrisburg, PA 17108. Report forms are available on request from the Division of Environmental Health.

Erythrocyte protoporphyrin determinations may be performed as an adjunct determination to substantiate blood lead levels of 25 micrograms per deciliter or higher. Since erythrocyte protoporphyrin concentrations may not increase as a result of low level exposures to lead, direct blood lead analysis is the only reliable method for identifying individuals with blood lead concentrations below 25 micrograms per deciliter.

Persons seeking blood lead or erythrocyte protoporphyrin analyses should determine that the laboratory employs techniques and procedures acceptable for the purpose for which the analyses are sought. Laboratories offering blood lead analysis only are designated with the letter "L" following the name of the laboratory. Those offering erythrocyte protoporphyrin analysis only are designated with the letter "P". Laboratories offering both services are designated with the letters "LP".

Blood lead analyses performed for occupational safety and health purposes must be conducted by a laboratory which also meets the requirements of the Occupational Safety and Health Administration of the United States Department of Labor as specified in 29 CFR 1910.1025(j)(2)(iii).

The list of approved laboratories will be reviewed semiannually and if there are any changes to the list, a notice to that effect will be published in the *Pennsylvania Bulletin* at that time.

The Department's blood lead proficiency testing program is approved by the United States Department of Health and Human Services (HHS) in accordance with the requirements contained in the Clinical Laboratory Improvement Amendments of 1988 (42 CFR 493.901 and 493.937) which are administered by the Health Care Financing Administration (HCFA). Participation in these programs may therefore be used to demonstrate acceptable performance for approval purposes under both Federal and Commonwealth statutes.

Questions regarding this list should be directed to Dr. M. Jeffery Shoemaker, Director, Division of Chemistry

and Toxicology, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 363-8500.

Persons with a disability who require auxiliary aid service should contact Dr. Shoemaker at V/TT: (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

Allegheny County Coroners Office-L  
3441 Forbes Avenue Oakland  
Pittsburgh PA 15213  
412-578-8072

American Medical Laboratories, Inc.-LP  
14225 Newbrook Drive  
Chantilly VA 20153  
703-802-6900

Angeline Kirby Memorial Health Center-L  
71 North Franklin Street  
Wilkes-Barre PA 18701  
717-823-5450

Associated Regional & University Pathologists-LP  
500 Chipeta Way  
Salt Lake City UT 84108  
800-242-2787

Aurora Consolidated Labs-LP  
8901 West Lincoln Avenue  
West Allis WI 53227  
414-328-7945

Children's Hospital of Philadelphia-P  
One Children's Center, 34th and Civic  
Philadelphia PA 19104  
215-590-1000

East Penn Manufacturing Company, Inc.-LP  
Deka Road, Keller Tech Center  
Lyons Station PA 19536  
610-682-6361

Edison Medical Laboratories, Inc.-LP  
1692 Oak Tree Road, Suite 1  
Edison NJ 08820  
732-906-7800

Ellwood City General Hospital-LP  
724 Pershing Street  
Ellwood City PA 16117  
412-752-0081

Exide Corp. Indus. Hygiene Lab.-LP  
6313 Rising Sun Avenue  
Philadelphia PA 19111  
215-342-1414

Geisinger Medical Center-L  
North Academy Road  
Danville PA 17822  
717-271-6338

Great Smokies Diagnostic Laboratory-L  
63 Zillicoa Street  
Asheville NC 28801  
828-253-0621

Hagerstown Medical Laboratory-L  
11110 Medical Campus Road, Suite 230  
Hagerstown MD 21742  
301-790-8670

Health Network Laboratories-LP  
2024 Lehigh Street  
Allentown PA 18103  
610-402-8150



- Helena Laboratories-P  
PO Box 752  
Beaumont TX 77704  
409-842-3714
- LabCorp of America Holdings-LP  
6370 Wilcox Road  
Dublin OH 43016  
800-282-7300
- LabCorp of America Holdings-LP  
1447 York Court  
Burlington NC 27215  
800-334-5161
- LabCorp of America Holdings-LP  
69 First Avenue, P. O. Box 500  
Raritan NJ 08869  
201-526-2400
- Laboratory Corp of America-LP  
13900 Park Center Road  
Herndon VA 22071  
703-742-3100
- LabOne, Inc.-LP  
8915 Lenexa Drive  
Overland Park KS 66214  
913-888-1770
- Lancaster General Hospital-L  
555 North Duke Street, P. O. Box 3555  
Lancaster PA 17603  
717-299-5511
- LeadTech Corporation-L  
One Marine Plaza  
North Bergen NJ 07047  
201-868-7707
- Main Line Clinical Laboratory-L  
Lankenau Hospital  
100 East Lancaster Avenue  
Wynnewood PA 19096  
610-645-2615
- Mayo Clinic-LP  
200 First Street, S. W., Hilton 530  
Rochester MN 55905  
507-284-8626
- Medical Associates, PC-P  
935 Highland Blvd, Suite 4400  
Bozemon MT 59715  
406-587-5123
- Med Tox Laboratories-LP  
402 County Road D  
New Brighton MN 55112  
612-636-7466
- Mercy Health Lab-Mercy Fitzgerald Hospital-L  
Lansdowne Avenue and Bailey Road  
Darby PA 19023  
610-237-4175
- Mercy Hosptial Lab-L  
Pride and Locust Streets  
Pittsburgh PA 15219  
412-232-7831
- National Medical Services-LP  
3701 Welsh Road  
Willow Grove PA 19090  
215-657-4900
- Omega Medical Laboratories, Inc.-L  
2001 State Hill Road, Suite 100  
Wyomissing PA 19610  
610-378-1900
- Pacific Toxicology Laboratories-LP  
1545 Pontius Avenue  
Los Angeles CA 90025  
310-479-4911
- Pennsylvania Department of Health-LP  
Bureau of Laboratories  
P. O. Box 500  
Exton PA 19341-0500  
610-363-8500
- Pocono Medical Center-L  
206 East Brown Street  
East Stroudsburg PA 18301  
717-476-3544
- Primary Care Health Services, Inc., Laboratory-L  
7227 Hamilton Avenue  
Pittsburgh PA 15208  
412-244-4728
- Public Health Laboratory City of Philadelphia-L  
500 South Broad Street  
Philadelphia PA 19146  
215-685-6811
- Quest Diagnostics Clin. Labs, Inc.-LP  
400 Egypt Road  
Norristown PA 19403  
610-631-4200
- Quest Diagnostics Clin. Labs., Inc.-LP  
7600 Tyrone Avenue  
Van Nuys CA 91405  
818-376-6195
- Quest Diagnostics Incorporated-LP  
One Malcolm Avenue  
Teterboro NJ 07608  
201-393-5602
- Quest Diagnostics of PA, Inc.-LP  
875 Greentree Road  
Four Parkway Center  
Pittsburgh PA 15220-3610  
412-920-7600
- Quest Diagnostics of PA, Inc.-LP  
900 Business Center Drive  
Horsham PA 19044  
215-957-9300
- Quest Diagnostics, Incorporated-LP  
33608 Ortega Highway  
San Juan Capistrano CA 92690  
949-728-4000
- Reading Hospital and Medical Center-L  
6th and Spruce Streets  
Reading PA 19603  
610-378-6080
- Specialty Laboratories-L  
2211 Michigan Avenue  
Santa Monica CA 90404  
310-828-6543
- St. Joseph Quality Medical Laboratory-L  
215 North 12th Street, Box 316  
Reading PA 19603  
610-378-2200

Toxi-Con Laboratories-LP  
120 Monahan Avenue, Suite 101  
Dunmore PA 18512  
717-963-0722

University of Pittsburgh Medical Center-LP  
200 Lothrop Street  
CLSI Room 5929 MT  
Pittsburgh PA 15213-2582  
412-647-7813

ROBERT S. ZIMMERMAN,  
*Secretary*

[Pa.B. Doc. No. 00-76. Filed for public inspection January 7, 2000, 9:00 a.m.]

## DEPARTMENT OF LABOR AND INDUSTRY

### Maximum Workers' Compensation Payable

Based upon the Statewide Average Weekly Wage, as determined by the Department of Labor and Industry for the fiscal year ending June 30, 1999, the maximum compensation payable under the Workers' Compensation Act, under Article 1, subsections 105.1 and 105.2, shall be \$611 per week for injuries occurring on and after January 1, 2000. For purposes of calculating the update to payments for medical treatment rendered on and after January 1, 2000, the percentage increase in the Statewide Average Weekly Wage is 4%.

JOHNNY J. BUTLER,  
*Secretary*

[Pa.B. Doc. No. 00-77. Filed for public inspection January 7, 2000, 9:00 a.m.]

## DEPARTMENT OF TRANSPORTATION

### Contemplated Sale of Land No Longer Needed for Transportation Purposes

Notice is hereby given that the Department of Transportation, pursuant to 71 P. S. § 513(e)(7), intends to sell certain land owned by the Department.

The following property is available for sale by the Department.

Parcel No. 97—White Oak Borough, Allegheny County. This parcel contains approximately 5.655± Acres or 246,338± SF of land situated along the northwesterly side of Long Run Road (S. R. 0048) in the Borough of White Oak, Pennsylvania. The property will be sold in "as is condition." The estimated fair market value of the parcel is \$142,350.00. It has been determined that the land is no longer needed for present or future Transportation purposes.

Interest public entities are invited to express their interest in purchasing the site within 30 calendar days from the date of publication of this notice to: Raymond S. Hack, District Engineer, Pennsylvania Department of

Transportation, Engineering District 11-0, 45 Thoms Run Road, Bridgeville, Pennsylvania 15017.

BRADLEY L. MALLORY,  
*Secretary*

[Pa.B. Doc. No. 00-78. Filed for public inspection January 7, 2000, 9:00 a.m.]

### Finding Bucks County

Pursuant to the provisions of 71 P. S. Section 2002(b), the Secretary of Transportation makes the following written finding:

The Department of Transportation plans to replace the existing Geigle Hill Road Bridge over the Tinicum Creek in Tinicum Township, Bucks County. The project consists of replacing the bridge with a box culvert and slightly realigning the roadway approaches. The project area is located within the Ridge Valley Rural Historic District, which is listed in the National Register of Historic Places. The project will require the acquisition of land from two contributing resources to the historic district, as well as the removal and replacement of the existing Geigle Hill Road Bridge which is also a contributing resource to the historic district. The effect of this project on the Ridge Valley Rural Historic District will be mitigated by a Memorandum of Agreement (MOA) for the proposed action which has been signed by all appropriate agencies. The MOA included a commitment to prepare a HABS/HAER documentation package as a permanent record of the bridge's existence.

I have considered the environmental, economic, social, and other effects of the proposed project as enumerated in Section 2002 of the Administrative Code, and have concluded that there is no feasible and prudent alternative to the project as designed, and all reasonable steps have been taken to minimize such effect.

No adverse environmental effect is likely to result from the replacement of this bridge.

BRADLEY L. MALLORY,  
*Secretary*

[Pa.B. Doc. No. 00-79. Filed for public inspection January 7, 2000, 9:00 a.m.]

### Retention of Engineering Firms

#### Philadelphia County Project Reference No. 08430AG2470

The Department will retain an engineering firm to perform preliminary engineering, environmental documentation, final design and services during construction for S.R. 0095, Section AFC, Delaware Expressway (I-95) in the City of Philadelphia, from Ann Street to Wheatsheaf Lane, a distance of approximately 2.371km (1.473 miles). The estimated construction cost of this project is \$35.0 million. The expressway reconstruction will include structure replacement, structure rehabilitation and modification, roadway reconstruction, roadway improvements (signs, lighting and drainage) and landscaping.

The selected firm will be required to provide the following engineering, environmental and design services: C.E.E. Level IV/Section 4(f) document preparation; Point of Access Study preparation; surveys; roadway design; drainage design; roadside development design; preparation of cross sections; erosion and sedimentation control design; structure design; subsurface boring, sampling and testing; noise analysis; preparation of traffic control plans, pavement marking and signing plans; traffic signal design; traffic analysis; utility coordination; coordination with public agencies, municipal officials, and the public; and all other related services to complete preliminary engineering, environmental documentation, final design, services during and all other related services required to complete the preliminary engineering, environmental documentation, final design and services during construction for this project.

Firms that are currently serving, or are being considered for selection, as municipal engineer in the municipality listed in the project description will not be considered for this assignment. Also, firms that are under contract, or are being considered, to provide engineering services to a land developer for a site located along the project will likewise not be considered for this assignment. Firms should state in the letter of interest that they are not serving in either capacity as a municipal engineer or as a representative of a site developer. Any questions concerning this requirement should be directed to Michael J. Girman, III, at the telephone number listed below.

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen (15%) percent of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information section after the advertised project(s).

Letters of Interest will be evaluated at the Engineering District 6-0 office with emphasis on the following factors listed in order of importance:

- a. Specialized experience and technical competence of the firm including the firm's experience with similar type projects and their ability to provide innovative solutions to complex technical problems.
- b. Experience of employees to be associated with this project. Particularly important are the key people assigned to the project including their experience and past record of performance with similar projects.
- c. Past performance record.
- d. Relative size of firm to size of project to be completed under this Agreement.
- e. Innovations and flexibility in thinking, particularly with respect to the needs of the local communities.
- f. Geographic location of the consultant with respect to District 6-0.

Engineering District 6-0 will announce the firms that have been shortlisted at an open public meeting to be held in the District Office at 7000 Geerdes Boulevard, King of Prussia, PA on February 10, 2000.

This project reference assignment is considered complex. The letter of interest shall be limited to a maximum of five (5) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and six (6) additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Andrew L. Warren, District Administrator  
Engineering District 6-0  
7000 Geerdes Boulevard  
King of Prussia, PA 19406-1525  
Attention: Mr. Michael J. Girman, III

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 p.m. prevailing time on the tenth(10th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to: Mr. Timothy O'Brien, P.E., District 6-0, at (610) 205-6850, or Mr. Michael J. Girman, III, District 6-0, at (610) 205-6856.

**Delaware County  
Project Reference No. 08430AG2471**

The Department will retain an engineering firm for an Open-End Contract to provide supplementary construction inspection staff under the Department's Inspector(s)-in-Charge to perform construction inspection services on various projects in Delaware County in Engineering District 6-0, on an as-needed basis. The Contract will include roadway and bridge construction projects, and material plant inspection. The Contract will be for a period of sixty (60) months, with a maximum cost of two million (\$2,000,000) dollars.

It is anticipated that a maximum supplementary construction inspection staff of fifteen (15) inspectors will be required for this assignment.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Engineering Agreement based on the Department's evaluation of the acceptable letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a. Review of inspectors' resumes with emphasis on construction inspection capabilities, Department and District experience and supervisory experience.
- b. Any specialized experience in asphalt paving, structure, concrete, drainage, paint inspection and Maintenance and Protection of Traffic.
- c. Number of NICET and NECEPT certified inspectors in each payroll classification.
- d. Understanding of Department's requirements, policies, and specifications.
- e. Ability to provide CPM scheduling. (TCM-1 Classification).
- f. Ability to provide "CDS" operator or someone capable of inputting data into a personal computer, (TCIS Classification).
- g. Past performance.

The qualifications and experience required of the firm's inspectors will be established by the Department, and the qualifications of the firm's proposed employees will be reviewed and approved by the Department.

A minimum of four (4) individuals submitted as part of your inspection staff must have a NECEPT Bituminous Field Technician Certification.

It is anticipated that the supplementary construction inspection staff for this assignment will consist of the following number of inspectors who meet the requirements for the following inspection classifications:

<i>Classification</i>	<i>No. of Inspectors</i>
Transportation Construction Manager 1 (TCM-1) (NICET Highway Construction Level 4 or equivalent)	1 (1)
Transportation Construction Ins. Super. (TCIS) (NICET Highway Construction Level 3 or equivalent)	3 (2)
Transportation Construction Inspector (TCI) (NICET Highway Construction Level 2 or equivalent)	6 (4)
Technical Assistant (TA) (NICET Highway Construction Level 1 or equivalent)	3 (1)
NACE Intermediate Coating Inspector	1 (0) **
NACE Basic Coating Inspector	1 (0) **

\*\* These two (2) specialized classifications will be used for bridge painting inspection. Under these classifications, the selected firm must provide lead abatement training for these employees prior to any job assignment. In addition, the firm must establish, implement and maintain an effective employee medical surveillance in accordance with 29 CFR 1926 throughout the duration of this inspection.

These two (2) specialized classifications will have the following requirements:

1. NACE Intermediate Coating Inspector Training/or equivalent.

The inspector for the above NACE Intermediate Coating Inspector Training category will have completed at least 80% of the required credits for this NACE category or equivalent training; also, will have a minimum of five (5) years coating inspection experience on heavy industrial or highway projects; also, will have a minimum of one (1) year experience of coatings inspection on a lead removal project where air monitoring, blood monitoring, containment and disposal of lead debris were performed; also, will be knowledgeable in OSHA 1926.62 (lead) regulations, applicable OSHA regulations governing proper respirator usage (29 CFR 1910.134) and lead exposure (29 CFR 1910.125) will also be capable of "climbing" on high bridge members to perform coatings inspection: will be capable of supervising/training lower level coatings inspectors (both consultant and state) if necessary. Will also complete EPA accredited training for lead removal (Title X, Sections 402 and 404).

2. NACE Basic Coating Inspector Training/or equivalent.

The inspector for the NACE Basic Coating Inspector will have completed at least 80% of the required credits for this category or equivalent training also, will have a minimum of three (3) years coating inspection experience on heavy industrial or highway project, also, will have minimum of six (6) months experience on lead removal project; also will be knowledgeable in OSHA 1926.62 (lead regulations) applicable OSHA regulations governing proper respirator usage (29 CFR 1910.134) and lead exposure (29 CFR 1910.1025), will also be capable of "climbing" on high bridge members to perform coatings inspection, will also be capable of working with state inspectors; will also complete EPA accredited training for lead removal (Title X, Section 402 and 404).

The number(s) in parenthesis above indicate the number of inspectors in each Classification that must meet at least one of the following requirements:

1. Be certified by the National Institute for Certification in Engineering Technologies (NICET) in the field of Transportation Engineering Technology, subfield of Highway Construction, or subfield of Highway Materials, at the Level required for the Inspection Classification.
2. Be registered as a Professional Engineer by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
3. Be certified as an Engineer-in-Training by the Commonwealth of Pennsylvania with the required highway experience specified for the Inspection Classification.
4. Hold a Bachelor of Science Degree in Civil Engineering or a Bachelor of Science Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.
5. Hold an Associate Degree in Civil Engineering Technology with the required highway experience specified for the Inspection Classification.

The maximum reimbursement per hour of inspection for each Department Payroll Classification for calendar year of 2000:

<i>Payroll Classification</i>	<i>Maximum Straight Time Reimbursement Per Hour Of Inspection</i>
(TCM-1)	\$47.65
(TCIS)	\$41.75
(TCI)	\$36.53
(TA)	\$25.10
NACE Intermediate Coating Inspector	\$61.70
NACE Basic Coating Inspector	\$53.64

The maximum reimbursement per hour of inspection includes all costs for providing construction inspection services at the project site during the normal work week.

Maximum reimbursement per hour of inspection for subsequent calendar years, if applicable, will be established at the scope of work meeting.

The firm selected may be required to attend a pre-construction conference with the Department and the construction contractor for this project. Under the supervision and direction of the Department, the selected firm will be required to keep records and document the construction work; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention, and equal opportunity provisions of the contract item; and perform other duties as may be required. Firms applying must have qualified personnel capable of climbing structures during painting, rehabilitation, or construction.

The firm selected will be required to supply the following equipment at no direct cost to the Department:

- a. Paint Test Kits per project as may be required.
- b. Two-way Radios per project as may be required.
- c. One cellular phone per project.
- d. One 35 MM camera per project.
- e. Safety vests - high visibility for inspectors.

Letters of Interest for this project must include a letter, signed by the individuals you propose for all TCM-1 and TCIS positions, giving their approval to use their name in your Letter of Interest for this specific project.

The maximum number of resumes to be included in the letter of interest shall be as follows:

<i>Classification</i>	<i>No. of Resumes</i>
TCM-1	2
TCIS	4
TCI	7
NACE Intermediate	2
NACE Basic	2

No resumes are required for the TA Classification.

This project reference assignment is considered non-complex. The letter of interest shall be limited to a maximum of three (3) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Andrew L. Warren, District Administrator  
Engineering District 6-0  
7000 Geerdes Blvd.  
King of Prussia, PA 19406-1525

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 p.m. prevailing time on the twentieth (20th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to: Mr. Rex Mackey, District 6-0, at (610) 205-6689.

**Lebanon County**  
**Project Reference No. 08430AG2472**

The Department will retain an engineering firm to provide environmental studies, preliminary engineering, final design, including preparation of bridge and roadway plans, specifications and estimates; construction consultation and viewers plans for:

SR 1022 Section 001, Segment 0020 Offset 2691 (LR 38049 SLD STA 26+77) over Swatara Creek, Union and Swatara Townships, Lebanon County. Work will involve replacement of an existing two span structure and roadway approach work. There is the potential for Section 4(f) takes from historic properties.

The required services will include preparation of intent to enter notices, field surveys, plotting of topography, cultural resources, Categorical Exclusion Evaluation, wetlands, preliminary area reconnaissance, utility investigation, safety review meeting, hydrologic and hydraulic report, type, size and location submission, agency coordination, Step 9 submission, preparation of a joint permit application, development of a soils and foundation engineering report, erosion and sediment control plan and narrative, field view, right-of-way plans, utility engineering, structure plans, value engineering, maintenance and protection of traffic plan and narrative, preparation of construction plans, specifications and estimates, construction consultation, shop drawing review project management and viewers plans.

- The design of the project will be developed using metric units.
- Welcom's Open Plan software will be used for project management and tracking.
- A project specific Quality Development Plan will be developed.

The Department is seeking a multi-disciplined team with environmental, geotechnical, highway design and structure design experience.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a) Specialized experience and technical competence with the replacement and rehabilitation bridge projects and their ability to provide innovative solutions to complex technical problems.
- b) Experience in environmental, highway design, structure design, geotechnical design, and hydrologic/hydraulic analysis and design.
- c) Past record with respect to cost control, work quality, and ability to meet schedules.

The goal for the Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen (15%) percent of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the "General Requirements and Information" section after the advertised project(s).

This project reference assignment is considered moderately complex. The letter of interest shall be limited to a maximum of five (5) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section for additional requirements for the Letter of Interest).

The Letter of Interest submission shall be sent to:

Mr. Barry G. Hoffman, P.E.  
Engineering District 8-0  
2140 Herr Street  
Harrisburg, PA 17103  
Attention: Mr. Michael Lapano

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 p.m. prevailing time on the twentieth day following the date of this Notice. Any technical questions concerning the requirements for this project should be directed to: Mr. Michael Lapano, District 8-0, at (717)787-7482.

**Perry County**  
**Project Reference No. 08430AG2473**

The Department will retain an engineering firm to provide environmental studies, preliminary engineering, final design, including preparation of bridge and roadway plans, specifications and estimates; construction consultation and viewers plans for:

- SR 2002-004 Segment 0110 Offset 0000 (LR 50014 SLD STA 212+67) over Shermans Creek, Wheatfield and Penn Townships, Perry County. Work will involve replacement of an existing two span structure and new roadway alignment.
- SR 2002-005 Segment 0120 Offset 0000 (LR 50014 SLD STA 238+44) over Shermans Creek, Penn Township, Perry County. Work will involve replacement of an existing two span structure and new roadway alignment.
- SR 2003-004 Segment 0060 Offset 0000 (LR 50044 SLD STA 120+28) over Shermans Creek, Carroll Township, Perry County. Work will involve replacement of an existing two span structure and new roadway alignment.

The required services will include preparation of intent to enter notices, field surveys, plotting of topography, cultural resources, Categorical Exclusion Evaluation, wetland evaluation, preliminary area reconnaissance, utility investigation, safety review meeting, hydrologic and hydraulic report, type, size and location submission,

agency coordination, Step 9 submission, preparation of a joint permit application, development of a soils and foundation engineering report, erosion and sediment control plan and narrative, field view, right-of-way plans, utility engineering, structure plans, value engineering, maintenance and protection of traffic plan and narrative, preparation of construction plans, specifications and estimates, construction consultation, shop drawing review project management and viewers plans.

- The design of the project will be developed using metric units.
- Welcom's Open Plan software will be used for project management and tracking.
- A project specific Quality Development Plan will be developed.

The Department is seeking a multi-disciplined team with environmental, geotechnical, highway design and structure design experience.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a) Specialized experience and technical competence with the replacement and rehabilitation bridge projects and their ability to provide innovative solutions to complex technical problems.
- b) Experience in environmental, highway design, structure design, geotechnical design, and hydrologic/hydraulic analysis and design.
- c) Past record with respect to cost control, work quality, and ability to meet schedules.

The goal for the Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen (15%) percent of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the "General Requirements and Information" section after the advertised project(s).

This project reference assignment is considered non-complex. The letter of interest shall be limited to a maximum of three (3) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section for additional requirements for the Letter of Interest).

The Letter of Interest submission shall be sent to:

Mr. Barry G. Hoffman, P.E.  
Engineering District 8-0  
2140 Herr Street  
Harrisburg, PA 17103  
Attention: Mr. Michael Lapano

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 p.m. prevailing time on the twentieth day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to: Mr. Michael Lapano, District 8-0, at (717)787-7482.

**Perry County  
Project Reference No. 08430AG2474**

The Department will retain an engineering firm to provide environmental studies, preliminary engineering, final design, including preparation of bridge and roadway plans, specifications and estimates; construction consultation and viewers plans for:

- SR 0034-014 Segment 0060 Offset 1529 (LR 40 Sta. 156+12) over Shermans Creek, Carroll Township, Perry County. Work will involve replacement of an existing three span structure and new roadway alignment.

The required services will include preparation of intent to enter notices, field surveys, plotting of topography, cultural resources, Categorical Exclusion Evaluation, wetlands, utility investigation, safety review meeting, hydrologic and hydraulic report, type, size and location submission, agency coordination, Step 9 submission, preparation of a joint permit application, development of a soils and foundation engineering report, erosion and sediment control plan and narrative, field view, right-of-way plans, utility engineering, structure plans, value engineering, maintenance and protection of traffic plan and narrative, preparation of construction plans, specifications and estimates, construction consultation, shop drawing review project management and viewers plans.

- The design of the project will be developed using metric units.
- Welcom's Open Plan software will be used for project management and tracking.
- A project specific Quality Development Plan will be developed.

The Department is seeking a multi-disciplined team with environmental, geotechnical, highway design and structure design experience.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a) Specialized experience and technical competence with the replacement and rehabilitation bridge projects and their ability to provide innovative solutions to complex technical problems.
- b) Experience in environmental, highway design, structure design, geotechnical design, and hydrologic/hydraulic analysis and design.
- c) Past record with respect to cost control, work quality, and ability to meet schedules.

The goal for the Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen (15%) percent of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the "General Requirements and Information" section after the advertised project(s).

This project reference assignment is considered non-complex. The letter of interest shall be limited to a maximum of three (3) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section for additional requirements for the Letter of Interest).

The Letter of Interest submission shall be sent to:

Mr. Barry G. Hoffman, P.E.  
Engineering District 8-0  
2140 Herr Street  
Harrisburg, PA 17103  
Attention: Mr. Michael Lapano

The Letter of Interest submission for this project reference number must be received at the address listed

above by 4:30 p.m. prevailing time on the twentieth day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to: Mr. Michael Lapano, District 8-0, at (717)787-7482.

**Perry County**  
**Project Reference No. 08430AG2475**

The Department will retain an engineering firm to provide environmental studies, preliminary engineering, final design, including preparation of bridge and roadway plans, specifications and estimates; construction consultation and viewers plans for:

- SR 4006-003 Segment 0200 Offset 0000 (LR 50024 Sta. 25+77) over Raccoon Creek, Tuscarora Township, Perry County. Work will involve replacement of an existing single span structure and roadway approach work.

The required services will include preparation of intent to enter notices, field surveys, plotting of topography, cultural resources, Categorical Exclusion Evaluation, wetlands, preliminary area reconnaissance, utility investigation, safety review meeting, hydrologic and hydraulic report, type, size and location submission, agency coordination, Step 9 submission, preparation of a joint permit application, development of a soils and foundation engineering report, erosion and sediment control plan and narrative, field view, right-of-way plans, utility engineering, structure plans, value engineering, maintenance and protection of traffic plan and narrative, preparation of construction plans, specifications and estimates, construction consultation, shop drawing review project management and viewers plans.

- The design of the project will be developed using metric units.
- Welcom's Open Plan software will be used for project management and tracking.
- A project specific Quality Development Plan will be developed.

The Department is seeking a multi-disciplined team with environmental, geotechnical, highway design and structure design experience.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a) Specialized experience and technical competence with the replacement and rehabilitation bridge projects and their ability to provide innovative solutions to complex technical problems.
- b) Experience in environmental, highway design, structure design, geotechnical design, and hydrologic/hydraulic analysis and design.
- c) Past record with respect to cost control, work quality, and ability to meet schedules.

The goal for the Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen (15%) percent of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the "General Requirements and Information" section after the advertised project(s).

This project reference assignment is considered non-complex. The letter of interest shall be limited to a maximum of three (3) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Re-

quirements and Information Section for additional requirements for the Letter of Interest).

The Letter of Interest submission shall be sent to:

Mr. Barry G. Hoffman, P.E.  
Engineering District 8-0  
2140 Herr Street  
Harrisburg, PA 17103  
Attention: Mr. Michael Lapano

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 p.m. prevailing time on the twentieth day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to: Mr. Michael Lapano, District 8-0, at (717)787-7482.

**Adams County**  
**Project Reference No. 08430AG2476**

The Department will retain an engineering firm to provide environmental studies, preliminary engineering, final design, including preparation of bridge and roadway plans, specifications and estimates; construction consultation and viewers plans for:

- SR 0234 Section 008, Segment 0570 Offset 2107 (LR 342-B Sta. 21+11) over Beaver Creek, East Berlin Borough, Adams County. Work will involve replacement of an existing two span structure. The National Register listed Swigart's Mill historic site, a Section 4(f) resource, is located adjacent to the bridge.

- SR 1009 Section 003, Segment 0050 Offset 0496 (LR 01042 Sta. 100+12) over Bermudian Creek, Huntingdon Township, Adams County. Work will involve replacement of an existing single span structure and new roadway alignment. The existing structure is an 1896 Pratt thru truss bridge, which is potentially eligible for listing on the National Register of Historic Places. Pennsylvania State Gameland 249, a Section 4(f) resource, is located adjacent to the bridge.

- SR 2012 Section B04, Segment 0040 Offset 0000 (LR 01055 Sta. 99+37) over Alloway Creek, Germany Township, Adams County. Work will involve replacement of an existing single span structure and new roadway alignment.

- SR 4008 Section 013, Segment 0160 Offset 0000 (LR 01001 Sta. 427+89) over Opossum Run, Bendersville Borough, Adams County. Work will involve replacement of an existing two span structure and new roadway alignment.

The required services will include preparation of intent to enter notices, field surveys, plotting of topography, cultural resources, Categorical Exclusion Evaluation, wetlands, preliminary area reconnaissance, utility investigation, safety review meeting, hydrologic and hydraulic report, type, size and location submission, agency coordination, Step 9 submission, preparation of a joint permit application, development of a soils and foundation engineering report, erosion and sediment control plan and narrative, field view, right-of-way plans, utility engineering, structure plans, value engineering, maintenance and protection of traffic plan and narrative, preparation of construction plans, specifications and estimates, construction consultation, shop drawing review project management and viewers plans.

- The design of the project will be developed using metric units.

- Welcom's Open Plan software will be used for project management and tracking.
- A project specific Quality Development Plan will be developed.

The Department is seeking a multi-disciplined team with environmental, geotechnical, highway design and structure design experience.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- Specialized experience and technical competence with the replacement and rehabilitation bridge projects and their ability to provide innovative solutions to complex technical problems.
- Experience in environmental, highway design, structure design, geotechnical design, and hydrologic/hydraulic analysis and design.
- Past record with respect to cost control, work quality, and ability to meet schedules.

The goal for the Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen (15%) percent of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the "General Requirements and Information" section after the advertised project(s).

This project reference assignment is considered moderately complex. The letter of interest shall be limited to a maximum of five (5) pages, 8 1/2" × 11", one sided, plus an organizational chart (up to 11" × 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section for additional requirements for the Letter of Interest).

The Letter of Interest submission shall be sent to:

Mr. Barry G. Hoffman, P.E.  
Engineering District 8-0  
2140 Herr Street  
Harrisburg, PA 17103  
Attention: Mr. Michael Lapano

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 p.m. prevailing time on the twentieth day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to: Mr. Michael Lapano, District 8-0, at (717)787-7482.

**Lancaster County**  
**Project Reference No. 08430AG2477**

The Department will retain an engineering firm to provide environmental studies, preliminary engineering, final design, including preparation of bridge and roadway plans, specifications and estimates; construction consultation and viewers plans for:

- SR 2013 Section 003, Segment 0010 Offset 0000 (LR 36022 SLD STA 0+00) over Octoraro Creek, Colerain Township, Lancaster County. Work will involve replacement of an existing single span structure and roadway approach work. Octoraro Creek is designated as a Pennsylvania Scenic River. The John Evans Memorial Park, a 4(f) resource, is located adjacent to the bridge.

The required services will include preparation of intent to enter notices, field surveys, plotting of topography, cultural resources, Categorical Exclusion Evaluation, wetlands, preliminary area reconnaissance, utility investi-

gation, safety review meeting, hydrologic and hydraulic report, type, size and location submission, agency coordination, Step 9 submission, preparation of a joint permit application, development of a soils and foundation engineering report, erosion and sediment control plan and narrative, field view, right-of-way plans, utility engineering, structure plans, value engineering, maintenance and protection of traffic plan and narrative, preparation of construction plans, specifications and estimates, construction consultation, shop drawing review project management and viewers plans.

- The design of the project will be developed using metric units.
- Welcom's Open Plan software will be used for project management and tracking.
- A project specific Quality Development Plan will be developed.

The Department is seeking a multi-disciplined team with environmental, geotechnical, highway design and structure design experience.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- Specialized experience and technical competence with the replacement and rehabilitation bridge projects and their ability to provide innovative solutions to complex technical problems.
- Experience in environmental, highway design, structure design, geotechnical design, and hydrologic/hydraulic analysis and design.
- Past record with respect to cost control, work quality, and ability to meet schedules.

The goal for the Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen (15%) percent of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the "General Requirements and Information" section after the advertised project(s).

This project reference assignment is considered non-complex. The letter of interest shall be limited to a maximum of three (3) pages, 8 1/2" × 11", one sided, plus an organizational chart (up to 11" × 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section for additional requirements for the Letter of Interest).

The Letter of Interest submission shall be sent to:

Mr. Barry G. Hoffman, P.E.  
Engineering District 8-0  
2140 Herr Street  
Harrisburg, PA 17103  
Attention: Mr. Michael Lapano

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 p.m. prevailing time on the twentieth day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to: Mr. Michael Lapano, District 8-0, at (717)787-7482.

**Cumberland County**  
**Project Reference No. 08430AG2478**

The Department will retain an engineering firm to provide environmental studies, preliminary engineering,



final design, including preparation of bridge and roadway plans, specifications and estimates; construction consultation and viewers plans for:

- SR 2011 Section 005, Segment 0020 Offset 1758 and Segment 0030 Offset 0000 (LR 21017 SLD STA 28+28 and SLD STA 29+69) over Dogwood Run and Yellow Breeches, Monroe Township, Cumberland County. Work will involve replacement of an existing single span structure, an existing three span structure, and roadway approach work. The National Register listed John Williams House, a Section 4(f) resource, is located adjacent to the bridge over Dogwood Run. Yellow Breeches Creek is designated as a Pennsylvania Scenic River.

- SR 4007 Section 008, Segment 0030 Offset 0567 (LR 21042 SLD STA 60+69), Upper Mifflin Township, Cumberland County. Work will involve replacement of an existing single span structure and roadway approach work. The bridge is located within State Game Land 169 which is a Section 4(f) resource.

The required services will include preparation of intent to enter notices, field surveys, plotting of topography, cultural resources, Categorical Exclusion Evaluation, wetlands, preliminary area reconnaissance, utility investigation, safety review meeting, hydrologic and hydraulic report, type, size and location submission, agency coordination, Step 9 submission, preparation of a joint permit application, development of a soils and foundation engineering report, erosion and sediment control plan and narrative, field view, right-of-way plans, utility engineering, structure plans, value engineering, maintenance and protection of traffic plan and narrative, preparation of construction plans, specifications and estimates, construction consultation, shop drawing review project management and viewers plans.

- The design of the project will be developed using metric units.

- Welcom's Open Plan software will be used for project management and tracking.

- A project specific Quality Development Plan will be developed.

The Department is seeking a multi-disciplined team with environmental, geotechnical, highway design and structure design experience.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- Specialized experience and technical competence with the replacement and rehabilitation bridge projects and their ability to provide innovative solutions to complex technical problems.

- Experience in environmental, highway design, structure design, geotechnical design, and hydrologic/hydraulic analysis and design.

- Past record with respect to cost control, work quality, and ability to meet schedules.

The goal for the Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen (15%) percent of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the "General Requirements and Information" section after the advertised project(s).

This project reference assignment is considered moderately complex. The letter of interest shall be limited to a maximum of five (5) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional

resumes, if applicable. (See the General Requirements and Information Section for additional requirements for the Letter of Interest).

The Letter of Interest submission shall be sent to:

Mr. Barry G. Hoffman, P.E.  
Engineering District 8-0  
2140 Herr Street  
Harrisburg, PA 17103

Attention: Mr. Michael Lapano

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 p.m. prevailing time on the twentieth day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to: Mr. Michael Lapano, District 8-0, at (717)787-7482.

**Adams County  
Project Reference No. 08430AG2479**

The Department will retain an engineering firm to provide environmental studies, preliminary engineering, final design, including preparation of bridge and roadway plans, specifications and estimates; construction consultation and viewers plans for:

- SR 0097 Section 003, Segment 0150 Offset 0340 (LR 42 Sta. 366+1) over Littles Run, Mount Joy Township, Adams County. Work will involve replacement of an existing two span structure and new roadway alignment. Within the project limits are several properties that may be eligible for the National Register, therefore, the project may require a Section 4(f) evaluation.

- SR 0116 Section 012, Segment 0040 Offset 0000 (LR 44 Sta. 354+76) over Toms Creek, Hamiltonban Township, Adams County. Work will involve replacement of an existing two span structure and new roadway alignment.

The required services will include preparation of intent to enter notices, field surveys, plotting of topography, cultural resources, Categorical Exclusion Evaluation, wetlands, preliminary area reconnaissance, utility investigation, safety review meeting, hydrologic and hydraulic report, type, size and location submission, agency coordination, Step 9 submission, preparation of a joint permit application, development of a soils and foundation engineering report, erosion and sediment control plan and narrative, field view, right-of-way plans, utility engineering, structure plans, value engineering, maintenance and protection of traffic plan and narrative, preparation of construction plans, specifications and estimates, construction consultation, shop drawing review project management and viewers plans.

- The design of the project will be developed using metric units.

- Welcom's Open Plan software will be used for project management and tracking.

- A project specific Quality Development Plan will be developed.

The Department is seeking a multi-disciplined team with environmental, geotechnical, highway design and structure design experience.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- Specialized experience and technical competence with the replacement and rehabilitation bridge projects and their ability to provide innovative solutions to complex technical problems.

b) Experience in environmental, highway design, structure design, geotechnical design, and hydrologic/hydraulic analysis and design.

c) Past record with respect to cost control, work quality, and ability to meet schedules.

The goal for the Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen (15%) percent of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the "General Requirements and Information" section after the advertised project(s).

This project reference assignment is considered moderately complex. The letter of interest shall be limited to a maximum of five (5) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section for additional requirements for the Letter of Interest).

The Letter of Interest submission shall be sent to:

Mr. Barry G. Hoffman, P.E.  
Engineering District 8-0  
2140 Herr Street  
Harrisburg, PA 17103  
Attention: Mr. Michael Lapano

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 p.m. prevailing time on the twentieth day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to: Mr. Michael Lapano, District 8-0, at (717)787-7482.

**Lebanon County  
Project Reference No. 08430AG2480**

The Department will retain an engineering firm to provide environmental studies, preliminary engineering, final design, including preparation of bridge and roadway plans, specifications and estimates; construction consultation and viewers plans for:

SR 1014 Section 005, Segment 0062 Offset 0000 (LR 38005 SLD STA 420+35) over Elizabeth Run, Bethel Township, Lebanon County. Work will involve replacement of an existing single span structure and roadway approach work.

The required services will include preparation of intent to enter notices, field surveys, plotting of topography, cultural resources, Categorical Exclusion Evaluation, wetlands, preliminary area reconnaissance, utility investigation, safety review meeting, hydrologic and hydraulic report, type, size and location submission, agency coordination, Step 9 submission, preparation of a joint permit application, development of a soils and foundation engineering report, erosion and sediment control plan and narrative, field view, right-of-way plans, utility engineering, structure plans, value engineering, maintenance and protection of traffic plan and narrative, preparation of construction plans, specifications and estimates, construction consultation, shop drawing review project management and viewers plans.

- The design of the project will be developed using metric units.
- Welcom's Open Plan software will be used for project management and tracking.
- A project specific Quality Development Plan will be developed.

The Department is seeking a multi-disciplined team with environmental, geotechnical, highway design and structure design experience.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

a) Specialized experience and technical competence with the replacement and rehabilitation bridge projects and their ability to provide innovative solutions to complex technical problems.

b) Experience in environmental, highway design, structure design, geotechnical design, and hydrologic/hydraulic analysis and design.

c) Past record with respect to cost control, work quality, and ability to meet schedules.

The goal for the Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen (15%) percent of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the "General Requirements and Information" section after the advertised project(s).

This project reference assignment is considered non-complex. The letter of interest shall be limited to a maximum of three (3) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section for additional requirements for the Letter of Interest).

The Letter of Interest submission shall be sent to:

Mr. Barry G. Hoffman, P.E.  
Engineering District 8-0  
2140 Herr Street  
Harrisburg, PA 17103  
Attention: Mr. Michael Lapano

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 p.m. prevailing time on the twentieth day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to: Mr. Michael Lapano, District 8-0, at (717)787-7482.

**General Requirements and Information**

Firms interested in providing the above work and services are invited to submit a Letter of Interest with the required information for each Project Reference Number for which the applicant wishes to be considered.

The Letter of Interest and required information must be submitted to the person designated in the individual advertisement.

The Letter of Interest and required information must be received by the Deadline indicated in the individual advertisement.

All consultants, both prime consultants and subconsultants, who desire to be included in a Letter of Interest must have an Annual Qualification Package on file with the appropriate District Office, by the deadline stipulated in the individual advertisements.

For Statewide projects, all consultants, both prime consultants and subconsultants, who desire to be included in a Letter of Interest must have an Annual Qualification Package on file with the Central Office, Bureau of Design by the deadline stipulated in the individual advertisements.

By submitting a letter of interest for the projects that request engineering services, the consulting firm is certifying that the firm is qualified to perform engineering services in accordance with the laws of the Commonwealth of Pennsylvania. A firm not conforming to this requirement may submit a letter of interest as a part of a joint venture with an individual, firm or corporation which is permitted under State law to engage in the practice of engineering.

Information concerning the Annual Qualification Package can be found in Strike-off Letter No. 433-99-04 or under the Notice to all Consultants published in the February 27, 1999 issue of the Pennsylvania Bulletin.

The requirements for Letters of Interest, in addition to the requirements stipulated in the individual advertisement, are as follows:

1. The Letter of Interest must include the project reference number, the firm's legal name, and the firm's federal identification number.
2. Identify the project manager.
3. Identify subconsultants, if any, including DBE/WBE, if required.
4. Identify key project staff.

If a Joint Venture responds to a project advertisement, the Department of Transportation will not accept separate Letters of Interest from the Joint Venture constituents. A firm will not be permitted to submit a Letter of Interest on more than one (1) Joint Venture for the same Project Reference Number. Also a firm that responds to a project as a prime may not be included as a designated subcontractor to another firm that responds as a prime to the project. Multiple responses under any of the foregoing situations will cause the rejection of all responses of the firm or firms involved. The above does not preclude a firm from being set forth as a designated subcontractor to more than one (1) prime responding to the project advertisement.

If a goal for Disadvantaged Business Enterprise (DBE) participation is established for an advertised project, firms expressing interest in the project must agree to ensure that Disadvantaged Business Enterprise (DBE) firms as defined in the Transportation Equity Act for the 21st century (TEA-21) and currently certified by the Department of Transportation shall have the opportunity to participate in any subcontracting or furnishing supplies or services approved under Form 442, Section 1.10(a). The TEA-21 requires that firms owned and controlled by women (WBEs) be included, as a presumptive group, within the definition of Disadvantaged Business Enterprise (DBE). The goal for DBE participation shall be as stated in the individual project advertisement. Responding firms shall make good faith efforts to meet the DBE goal using DBEs (as they are defined prior to the act, WBEs or combinations thereof).

Proposing DBE firms must be certified at the time of submission of the Letter of Interest. If the selected firm fails to meet the established DBE participation goal, it shall be required to demonstrate its good faith efforts to attain the goal.

Responses are encouraged by small firms, Disadvantaged Business Enterprise (DBE) firms, and other firms who have not previously performed work for the Department of Transportation.

The assignment of the agreement/contract for the above advertisement(s) will be made to one of the firms who

submitted an acceptable Letter of Interest in response to the project advertisement. The assignment will be made based on the Department's evaluation of the firm's qualification and capabilities. The Department reserves the right to reject all letters submitted, to cancel the solicitations requested under this Notice, and/or to readvertise solicitation for the work and services.

BRADLEY L. MALLORY,  
*Secretary*

[Pa.B. Doc. No. 00-80. Filed for public inspection January 7, 2000, 9:00 a.m.]

## FISH AND BOAT COMMISSION

### Proposed Special Regulation Designations

The Fish and Boat Commission (Commission) has approved guidelines with regard to encouraging public participation on possible changes to the designation of stream sections or lakes for special regulation programs. Under 58 Pa. Code Chapter 65 (relating to special fishing regulations), the Commission designates certain streams, stream sections and lakes as being subject to special fishing regulations. These designations are effective after Commission approval when they are posted at the site and a notice is published in the *Pennsylvania Bulletin*. Under the new guidelines, a notice concerning the proposed designation or redesignation of a stream section or lake under special regulations ordinarily will be published in the *Pennsylvania Bulletin* before the matter is reviewed by the Commissioners.

At the next Commission meeting on January 21 and 22, 2000, the Commission will consider designating the following lakes as waters subject to special fishing regulations under 58 Pa. Code Chapter 65, effective upon publication in the *Pennsylvania Bulletin*:

#### *58 Pa. Code § 65.9. Big Bass Special Regulations*

The Commission will consider designating the following lakes as regulated and managed under the Big Bass Special Regulations and adding them to the list of waters subject to these regulations (58 Pa. Code § 65.9):

<i>County</i>	<i>Water</i>
Cambria	Hinckston Dam
Cambria	Wilmore Dam
Somerset	Quemahoning Reservoir

#### *58 Pa. Code § 65.11. Panfish Enhancement Special Regulation*

The Commission will consider designating the following lakes for regulation and management under the Panfish Enhancement Special Regulation and adding them to the list of waters subject to this regulation (58 Pa. Code § 65.11):

<i>County</i>	<i>Water</i>	<i>Applicable Species</i>
Cambria	Hinckston Dam	Sunfish Crappie
Cambria	Wilmore Dam	Sunfish Yellow Perch Crappie

<i>County</i>	<i>Water</i>	<i>Applicable Species</i>
Somerset	Quemahoning Reservoir	Sunfish Yellow Perch Crappie

**Department of Transportation Regulation  
No. 18-349**

**Administrative Practice and Procedure;  
Outdoor Advertising**

**December 23, 1999**

At this time, the Commission is soliciting public input concerning these designations. Persons with comments, objections or suggestions concerning the designations are invited to submit comments in writing to Executive Director, Fish and Boat Commission, P. O. Box 67000, Harrisburg, PA 17106-7000 by no later than the close of business (4 p.m.) on January 20, 2000. Comments submitted by facsimile will not be accepted.

Comments also may be submitted electronically at "regulations@fish.state.pa.us." A subject heading of the proposal and a return name and address must be included in each transmission. In addition, all electronic comments must be contained in the text of the transmission, not in an attachment. If an acknowledgment of electronic comments is not received by the sender within 2 working days, the comments should be retransmitted to ensure receipt.

PETER A. COLANGELO,  
*Executive Director*

[Pa.B. Doc. No. 00-81. Filed for public inspection January 7, 2000, 9:00 a.m.]

**INDEPENDENT  
REGULATORY REVIEW  
COMMISSION**

**Notice of Comments Issued**

Section 5(g) of the Regulatory Review Act (71 P. S. § 745.5(g)) provides that the designated standing committees may issue comments within 20 days of the close of the public comment period, and the Commission may issue comments within 10 days of the close of the committee comment period. The Commission comments are based upon the criteria contained in section 5a(h) and (i) of the act (75 P. S. § 745.5a(h)(i)).

The Commission has issued comments on the following proposed regulations. The agency must consider these comments in preparing the final-form regulation. The final-form regulations must be submitted by the dates indicated.

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Issued</i>	<i>Final-Form Submission Deadline</i>
18-349	Department of Transportation Administrative Practice and Procedure; Outdoor Advertising  (October Pa.B. 5515, (October 23, 1999))	12/23/99	11/22/01
16A-422	State Board of Examiners Fees  (29 Pa.B. 5521 (October 23, 1999))	12/23/99	11/22/01

We have reviewed this proposed regulation from the Department of Transportation (Department) and submit for consideration the following objections and recommendations. Subsections 5.1(h) and 5.1(i) of the Regulatory Review Act (71 P. S. § 745.5a(h) and (i)) specify the criteria the Commission must employ in determining whether a regulation is in the public interest. In applying these criteria, our Comments address issues that relate to reasonableness, need and clarity. We recommend that these Comments be carefully considered as you prepare the final-form regulation.

**1. General.—Clarity.**

*Interested parties and other participants and party[ies]*

In several sections, the phrase "interested parties and other participants" has been replaced with the term "parties." Other sections retain this phrase. With respect to notice requirements, why has the scope of the regulation been reduced to "parties"? How will this change affect the Department's current practices? Also, will this change result in a person with an interest in a proceeding not receiving notice of that proceeding?

Unless the Department has a valid reason for retaining the phrase "interested party[ies] and other participants," this phrase should be deleted, and the term "part[ies]" should be used consistently throughout the regulation. Finally, the term "party" should be defined in section 491.2.

**2. Section 491.2. Definitions.—Clarity.**

*Office of the agency*

The phrase "upon which commencement of process is made upon the Secretary" is unclear. The Department should incorporate the first sentence of section 491.4(c) in this definition.

**3. Section 491.2a. Separation of adjudicatory function from representation of the Department.—Need; Clarity.**

*Subsection (b) Ex Parte discussions*

*Subsection (c) Prohibited discussions with employes*

Both of these subsections convey prohibitions, but do so with inconsistent verbs. Subsection (b) uses "no" in conjunction with "may," and subsection (c) uses "will not." For conformity with the Legislative Reference Bureau's Style Manual, both sections should use "may not."

The word "likewise," which begins subsection (c), should be deleted because it is not clear what that term relates to.

*Subsection (d) Designation by Chief Counsel and Secretary*

For the same reason discussed above, "prohibited from participating" should be replaced with "may not participate." Similarly, "should designate" should be replaced with "shall designate."

**4. Section 491.3. Request for hearing.—Reasonableness; Clarity.**

*Subsection (a) Content*

We have two concerns with this subsection. First, it does not require that the party requesting the hearing provide an address at which documents may be served. This requirement should be added to the final-form regulation.

Second, paragraph (3) uses the phrase “gives rise for the occasion of the appeal.” For clarity, the Department should consider more direct language, such as “is the subject of the appeal.”

*Subsection (b) Timeliness of petition for hearing*

We have two concerns with this subsection. First, the beginning point of the 30-day period referenced in paragraph (b)(1) is unclear. That period begins with the Department’s “determination.” However, the period referenced in subparagraph (2)(i) begins on the mailing date of the Department’s letter. The beginning of the time period referenced in these paragraphs should be consistent and should begin on the date of mailing (which is the date of service under the General Rules, 1 Pa. Code § 33.34) of the Department’s determination.

Second, subparagraph 2(ii) should only become operative in instances where the Department’s notice was either not mailed or misdirected, so that the party did not receive it. Only in that case, should the date of actual or constructive notice begin the 30-day period.

*Subsection (c) Determination of insufficiency*

Subsection (c) does not explain what kind of deficiency will lead to a matter being closed, thereby depriving the filing party of any opportunity for relief. Also, it does not provide any opportunity for a party to correct a deficiency. We recommend that the Department clarify what type of deficiencies are correctable and consider allowing a filing party a period of time to correct a deficiency.

*Subsection (d) Department’s request for clarification of the issues*

Subsection (d) allows the Department to request clarification of the issue giving rise to the appeal, but does not specify the time period within which clarification must be provided. The final-form regulation should provide how long a party has to respond to a request for clarification of the issues.

**5. Section 491.4. Institution of proceedings.—Clarity.**

*Subsection (c) Docket clerks designated office of the agency/timely filings*

The last sentence of this subsection provides that the date of receipt at the office of the agency—not the date of deposit in the mails—is determinative for timely filing purposes. This sentence should be relocated to the preceding section as a new paragraph (c). Alternatively, “date of filing” could be defined as the date of receipt at the office of the agency in section 491.2 (relating to definitions).

**6. Section 491.6. Notice and conduct of hearing.—Clarity.**

*Subsection (a) Written notification to parties*

The Department should explain how the interest of a person entitled to notice under 67 Pa. Code Chapter 441 will be protected if notice is not given. In the final-form regulation, the Department should clarify whether notice to a party in interest will be effective from the time the

party receives actual notice of the matter, or from the time the party should have known of the matter.

*Subsection (d) Intervention*

The underlying premise of the subsection (d)(1) rule is that a person knows or should have known about the hearing matter, but unduly delayed beyond the deadline in filing their petition to intervene. However, the regulation does not indicate what the time frame for intervention is, or when the deadline for intervention occurs. Under 1 Pa. Code § 35.30, the deadline for intervention is published in the *Pennsylvania Bulletin*. The Rules of Civil Procedure provide that intervention is allowed during the pendency of a matter (Pa.R.C.P., Rule 2327). The Department should examine both approaches and establish an allotment of time or deadline. Without any indication of the allowable window for intervention, it is not possible to determine if a petition to intervene has been unduly delayed.

Is subparagraph (2)(ii) properly titled “Supersedeas,” or should it be titled “Supplementation”? It appears that “Supplementation” is the appropriate heading.

*Subsection (g) Request for a stay or supersedeas*

The caption of this subsection implies that there is a difference between the terms “stay” and “supersedeas.” Black’s Law Dictionary indicates that these terms are used synonymously. If there is a difference between these two terms within the context of the Department’s procedures, the Department should indicate what that difference is. Otherwise, the Department should use one term consistently and define that term in section 491.2 (relating to definitions).

**7. Section 491.7. Filing requirements.—Reasonableness; Clarity.**

*Subsection (b) Telefacsimile and electronic transmission not accepted*

This subsection adds a prohibition on electronic filing of documents to the existing prohibition on telefacsimile filings. Why does the Department prohibit the telefacsimile and electronic transmission of documents?

**8. Section 491.9. Order to show cause.—Clarity.**

*Subsection (b) Notification to respondent*

Subsection (b) states in part: “the docket clerk will forward a copy of the order to the respondent.” The term “forward” is vague and potentially confusing. For greater clarity, the Department should replace “forward” with the term “serve.”

*Subsection (e) Notification to parties*

*Subsection (f) Scheduling of hearing*

*Subsection (g) Waiver*

These subsections refer to “parties.” In a proceeding on an order to show cause, what other parties are involved besides the respondent? If there are none, the term “parties” should be replaced with “respondent.”

**State Board of Barber Examiners Regulation  
No. 16A-422**

**Fees**

**December 23, 1999**

We have reviewed this proposed regulation from the State Board of Barber Examiners (Board) and submit for consideration the following objections and recommendations. Subsections 5.1(h) and 5.1(i) of the Regulatory Review Act (71 P. S. § 745.5a(h) and (i)) specify the

criteria the Commission must employ to determine whether a regulation is in the public interest. In applying these criteria, our Comments address issues that relate to fiscal impact, need and clarity. We recommend that these Comments be carefully considered as you prepare the final-form regulation.

### 1. Section 3.103. Fees—Fiscal Impact, Need and Clarity.

#### *Administrative overhead costs.*

In the proposed regulation's fee report forms, there are significant differences in the costs covered by different fees except for "Administrative Overhead" costs. The overhead costs for eight of the proposed fee revisions are \$8.08; and the overhead costs for the remaining fee (Certification of Exam Scores) are \$9.76. According to staff at the Department of State and its Bureau of Professional and Occupational Affairs (BPOA), the allocated share of overhead cost for each fee category is calculated by dividing total overhead costs by the number of active licensees. This methodology for overhead cost allocation is not unreasonable and has been consistently applied. On the other hand, the staff cost allocations are based on estimates of the actual time BPOA staff spends performing the tasks related to each fee.

For overhead cost allocations, there appears to be no relationship to the services covered by the fees or frequency of fee payments. Therefore, there is no indication that the fees will recover actual or projected overhead costs. In addition, the allocated costs are based on past expenditures rather than estimates or projections of future expenditures. Hence, there is no certainty that the "projected revenues will meet or exceed projected expenditures" under section 14(b) of the Barber License Law (63 P. S. § 564(b)).

We question the use of a constant overhead cost allocation that appears to be unrelated to the actual costs of activities covered by different fees. Even though this process was used to determine other fees, why should BPOA maintain this approach? The Board and BPOA should specifically identify the overhead costs, or portion of the total overhead, to be recouped by these fees, and review their methodology for allocating these overhead costs. Is it the Board's goal to allocate all overhead costs by category to each fee? If so, we do not believe the current allocation formula gives the desired result.

#### *Application of Licensure of Barber School.*

This proposed fee is increasing from \$100 to \$280. The reason for this significant increase is not addressed in the preamble. In the fee report form, the section on fee-related costs identifies one activity as "Board Meeting—discuss/vote." The fee report form estimates that this activity will take half an hour and cost \$195. We request the Board explain the costs and the need for this substantial increase.

JOHN R. MCGINLEY, Jr.,  
*Chairperson*

[Pa.B. Doc. No. 00-82. Filed for public inspection January 7, 2000, 9:00 a.m.]

### Notice of Filing of Final Rulemakings

The Independent Regulatory Review Commission received, on the dates indicated, the following regulations for review. To obtain the date and time of the meeting,

interested parties may contact the office of the Commission at (717) 783-5417. To obtain a copy of the regulation, interested parties should contact the agency promulgating the regulation.

#### *Final-Form*

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>
57-203	Pennsylvania Public Utility Commission Annual Resource Report Filing Requirements	12/23/99

JOHN R. MCGINLEY, Jr.,  
*Chairperson*

[Pa.B. Doc. No. 00-83. Filed for public inspection January 7, 2000, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Donegal Mutual Insurance Company; Homeowners Insurance Rate and Rule Revision

On December 21, 1999, the Insurance Department received from Donegal Mutual Insurance Company a filing for a proposed rate level and rule changes for homeowners insurance.

The company requests an overall 9.7% increase amounting to \$2,386,000 annually, to be effective February 1, 2000 for new business and March 1, 2000 for renewal business.

Unless formal administrative action is taken prior to February 19, 2000, the subject filing may be deemed approved by operation of law.

Copies of the filing will be available for public inspection, by appointment, during normal working hours at the Insurance Department's offices in Harrisburg, Philadelphia, Pittsburgh and Erie.

Interested parties are invited to submit written comments, suggestions or objections to Xiaofeng Lu, Insurance Department, Bureau of Regulation of Rates and Policies, Room 1311, Strawberry Square, Harrisburg, PA 17120, (E-mail: xlu@ins.state.pa.us) within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 00-84. Filed for public inspection January 7, 2000, 9:00 a.m.]

### Review Procedure Hearings under the Unfair Insurance Practices Act

The following insureds have requested a hearing as authorized by section 8 of the Unfair Insurance Practices Act (40 P. S. § 1171.8) in connection with their company's termination of the insured's policies. All administrative hearings are held in the Insurance Department Offices in Harrisburg, PA. Failure by the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

The hearing will be held in Room 1701, State Office Building, 1400 Spring Garden Street, Philadelphia, PA 19130.

Appeal of Beverly Lichter; file no. 99-215-33760; State Farm Fire & Casualty Co.; doc. no. PH99-12-018; March 6, 2000, at 3 p.m.

Each party may appear with or without counsel and offer relevant testimony and/or other relevant evidence. Each party must bring documents, photographs, drawings, claims files, witnesses and the like necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the above-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Tracey Pontius, Agency Coordinator at (717) 787-4298.

M. DIANE KOKEN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 00-85. Filed for public inspection January 7, 2000, 9:00 a.m.]

## LIQUEUR CONTROL BOARD

### Expiration of Leases

The Liquor Control Board seeks the following new site:

Allegheny County, Wine and Spirits Shoppe # 0227, Bethel Park.

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 4,000 net useable square feet of new or existing retail commercial space in a shopping center environment located within 1 mile of the intersection of East McMurray Road and Clifton Road in Bethel Park Borough.

*Proposals due:* January 28, 2000 at 12 noon

**Department:** Pennsylvania Liquor Control Board  
**Location:** Real Estate Division, State Office Building, Room 408, 300 Liberty Avenue, Pittsburgh, PA 15222.  
**Contact:** Bruce VanDyke, (412) 565-5130

Luzerne County, Wine and Spirits Shoppe # 4001, 210 East End Centre, Wilkes-Barre, PA 18702-6970.

*Lease Expiration Date:* November 30, 2001

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 6,000 net useable square feet of new or existing retail commercial space within Wilkes-Barre Township.

*Proposals due:* January 28, 2000 at 12 noon

**Department:** Pennsylvania Liquor Control Board  
**Location:** Real Estate Division, Brandywine Plaza, 2223 Paxton Church Road, Harrisburg, PA 17110-9661

**Contact:** Charles D. Mooney, (717) 657-4228

JOHN E. JONES, III,  
*Chairperson*

[Pa.B. Doc. No. 00-86. Filed for public inspection January 7, 2000, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Certificate of Public Convenience Without Hearing

**A-211800 F5001. The Manufacturers Water Company.** Application of The Manufacturers Water Company for a Certificate of Public Convenience evidencing approval of the sale of its common stock by Bethlehem Steel Corporation to CSA NonProfit, Inc.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant on or before January 24, 2000, under 52 Pa. Code (relating to public utilities).

*Applicant:* The Manufacturers Water Company

*Through and By Counsel:* D. Mark Thomas, Esquire, Patricia Armstrong, Esquire, Thomas, Thomas, Armstrong & Niesen, 212 Locust Street, P. O. Box 9500, Harrisburg, PA 17108-9500.

JAMES J. MCNULTY,  
*Secretary*

[Pa.B. Doc. No. 00-87. Filed for public inspection January 7, 2000, 9:00 a.m.]

### Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Publication of this notice shall be considered as sufficient notice to all carriers holding authority from this Commission. Applications will be considered without hearing in the absence of protests to the application. Protests to the applications published herein are due on or before January 31, 2000, as set forth at 52 Pa. Code § 3.381 (relating to applications for transportation of property and persons). The protest shall also indicate whether it applies to the temporary authority application or the permanent application or both.

**Applications of the following for approval of the beginning of the exercise of the right and privilege of operating as common carriers for transportation of persons as described under each application.**

**A-00116389, Folder 2. William R. Smoley** (26 Salem Manor, Selinsgrove, Snyder County, PA 17870)—persons

in group and party service, in vehicles with a seating capacity of 15 passengers or less including the driver, between points in the counties of Snyder, Union, Northumberland, Columbia and Montour, and from points in said counties, to points in Pennsylvania, and return.

**Application of the following for the approval of the transfer of stock as described under each application.**

**A-00101899, F. 5001. Triage, Inc.** (800 West Olney Avenue, Philadelphia, PA 19120), a corporation of the Commonwealth of Pennsylvania—stock transfer—approval of the transfer of all issued and outstanding stock from Terry Marinello (50 shares) and James Wagner (50 shares) to Aleph Management Systems, Inc. *Attorney:* John J. Gallagher, 1760 Market Street, Suite 1100, Philadelphia, PA 19103.

**A-00113748, F. 5001. Tri-Star Enterprises, Inc.** (333 Jenkintown Commons, Jenkintown, Montgomery County, PA 19046), a corporation of the Commonwealth of Pennsylvania—stock transfer—approval of the transfer of all issued and outstanding stock from Brian Somerman (150 shares) to Aleph Management Systems, Inc. *Attorney:* John J. Gallagher, 1760 Market Street, Suite 1100, Philadelphia, PA 19103.

**A-00110771, Folder 5001. Phila. Airport Taxi Service, Inc., t/d/b/a Metro Mobility** (333 Jenkintown Commons, Jenkintown, Montgomery County, PA 19046), a corporation of the Commonwealth of Pennsylvania—for approval of the transfer 100 shares of issued and outstanding stock, 50 each from Cynthia Somerman and Brian Somerman to Aleph Management Systems, Inc. *Attorney:* John J. Gallagher, Suite 1100, 1760 Market Street, Philadelphia, PA 19103.

JAMES J. MCNULTY,  
*Secretary*

[Pa.B. Doc. No. 00-88. Filed for public inspection January 7, 2000, 9:00 a.m.]

### Telecommunications

**A-311050F0003. D&E Telephone Company and D&E/Omnipoint Wireless Joint Venture, L.P. d/b/a PCS One.** Joint Petition of D&E Telephone Company and D&E/Omnipoint Wireless Joint Venture, L.P. d/b/a PCS One for approval of an interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

D&E Telephone Company and D&E/Omnipoint Wireless Joint Venture, L.P. d/b/a PCS One, by its counsel, filed on November 10, 1999, at the Pennsylvania Public Utility Commission, a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the D&E Telephone Company and D&E/Omnipoint Wireless Joint Venture, L.P. d/b/a PCS One Joint Petition are on

file with the Pennsylvania Public Utility Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,  
*Secretary*

[Pa.B. Doc. No. 00-89. Filed for public inspection January 7, 2000, 9:00 a.m.]

## STATE EMPLOYEES' RETIREMENT BOARD

### Hearings Scheduled

Hearings have been scheduled, as authorized by 71 Pa.C.S. Part XXV (relating to State Employees' Retirement Code), in connection with the State Employees' Retirement System's denial of claimants' requests concerning the indicated accounts.

The hearings will be held before a hearing examiner at the State Employees' Retirement System, 30 North Third Street, Fifth Floor, Harrisburg, PA 17108:

January 10, 2000	Wayne J. Hettinger (Continue Disability Retirement Benefits)	1:30 p.m.
January 19, 2000	Richard C. Welsh (dec'd) (Option Change)	1 p.m.
January 17, 2000	Cheryl Franklin (Continue Disability Retirement Benefits)	1:30 p.m.
February 2, 2000	Louis G. Peffenbach (Revoke Conditional Retirement Application executed in 1984)	1 p.m.
February 16, 2000	Beverly T. Kuzmission (Purchase of Service)	1 p.m.
February 16, 2000	Georgine G. Matthews (Purchase of Service)	2 p.m.
February 23, 2000	Constance Salidis (Contested Death Benefit)	1 p.m.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearings will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Under 4 Pa. Code § 250.1 (relating to applicability of general rules), procedural matters will be in conformance with the General Rules of Administrative Practice and Procedure, 1 Pa. Code Part II unless specific exemption is granted.

JOHN BROSIUS,  
*Secretary*

[Pa.B. Doc. No. 00-90. Filed for public inspection January 7, 2000, 9:00 a.m.]



# TURNPIKE COMMISSION

## Retention of a Consulting Firm

### Open End Facilities Management Consulting

#### Reference No. 3-126

The Turnpike Commission (Commission) will retain one Facilities Management Consulting Firm for an open-end contract to provide various facilities management-related services, analyses and reports. Consulting services will include, but not be limited to: overview assessment of facilities management components—custodial, maintenance, capital improvements, grounds care, energy management, and the like; energy procurement strategy; benchmarking and best practice recommendations; alternative organizational and contractual arrangements; technical, financial and staffing requirements; reporting methodologies; and other facilities-related services as needed.

The firm selected will have experience with large, complex facilities management organizations in the areas of operations and maintenance, performance benchmarking, performance measurement methodologies, operating and capital budgeting, service delivery systems, strategic planning and program implementation.

The contract will be for a maximum of \$500,000 or for a 24 month period. The firm will be required to provide sufficient office personnel, managers, technical personnel and clerical staff to support requested services.

The following factors will be considered by the Commission during the evaluation of the firms submitting Letters of Interest for this consulting engagement:

b. Specialized experience and technical competence of prime consultant and subconsultants. The team must clearly demonstrate an ability to analyze available data to make decisions and develop plans to complete the designated tasks in a timely and cost effective manner.

c. Past record of performance with respect to cost control, work quality, ability to meet schedules and previous experience on similar projects. The consultant should identify similar projects that have been completed by that firm as the prime, the magnitude of the project, and the client.

d. The specific experience and number of individuals who constitute the firm.

e. Location of consultant's office where the work will be performed.

f. Workload of the prime consultant and subconsultants for all Turnpike Commission projects and any other Pennsylvania State or local government projects.

g. Other factors, if any, specific to the project.

Address these items and any necessary further details in a brief yet comprehensive manner in the letter of interest.

Direct inquiries to Don Santostefano at (717) 986-9627; or by e-mail at dsantost@pturnpike.com.

#### General Requirements and Information

Firms interested in providing the above work and services are invited to submit a Letter of Interest with the required information. The Letters of Interest must include the following:

1. One page transmittal letter clearly identifying the consulting services reference number, brief description of the consulting services from the advertisement, the firm's Federal identification number, the firm's legal name, contact person or project manager, address of corporate office and project office. (If the firm has multiple offices, the location of the office performing the work must be identified)

2. Three page expression of interest in the advertised consulting services. Each firm should demonstrate their ability to perform the specific requirements indicated for these services and provide explanation that the firm has successfully completed similar type consulting services of the same magnitude.

3. An organization chart for the consulting services, identifying key personnel and any subconsultants and their roles. Any deviation from the subconsultant's listed in the letter of interest will require written approval from the Commission.

4. Tabulation of workload for the prime consultant and all subconsultants for all Turnpike Commission projects and any other Pennsylvania State or local government projects.

5. Other required information:

- Resumes of key personnel expected to be involved in the project, (limit to one 8 1/2 x 11 page, one side, per person). Only resumes of key personnel should be included.

- Copy of the firm's registration to do business in the Commonwealth as provided by the Department of State for firms with out-of-State headquarters or corporations not incorporated in Pennsylvania.

- A copy of the State's DBE/WBE Certification, if applicable.

If a Joint Venture responds to a project advertisement, the Commission will not accept separate letters of interest from joint venture constituents. A firm will not be permitted to submit a letter of interest on more than one joint venture for the same project reference number. Also, a firm that responds to a project as a prime may not be included as a designated subconsultant to another firm that responds to the same project advertisement. This does not preclude a firm from being set forth as a designated subconsultant to more than one prime consultant responding to the project advertisement.

Firms interested in performing the above services are invited to submit a letter of interest and required information to Don Santostefano, Facilities Manager, at the Turnpike Commission Administration Building located at 176 Kost Road, Carlisle, PA 17013-9779 (parcel delivery address). Mailing Address: P. O. Box 67676, Harrisburg, PA 17106-7676.

The letter of interest and required information must be received by 12 noon, January 28, 2000. Any letters of interest received after this date and time will be time-stamped and returned.

Based on an evaluation of acceptable letters of interest received in response to this solicitation, one firm will be selected. The order of preference will be established for the purpose of negotiating an agreement with the highest ranked firm established by the Technical Review Committee and approved by the Selection Committee. Technical Proposals or Requests for Proposals will not be requested prior to selection.

The Commission reserves the right to reject all letters of interest, to cancel solicitation requested under this notice, and/or to re-advertise solicitation for the work and services.

JAMES F. MALONE, III,  
*Chairperson*

[Pa.B. Doc. No. 00-91. Filed for public inspection January 7, 2000, 9:00 a.m.]

### Retention of a Design Management Firm

#### **Mon/Fayette Expressway Project Uniontown to Brownsville Fayette and Washington Counties, Pennsylvania**

#### **Reference No. E-013**

The Turnpike Commission (Commission) will retain a Design Management firm to provide project management services for the Mon/Fayette Expressway Project between Uniontown and Brownsville. Management services will be required for the design of the limited access highway on new alignment between Routes 119 and 51 near Uniontown, PA, and Routes 43 and 88 near Centerville, PA. A total of ten other consulting firms will be retained to perform the preliminary and final design of the roadway, structures and toll plazas. The total length of the design section is approximately 15 miles. The total construction cost is estimated at \$360 million. The Design Management Contract is expected to be for a period of 36 months. This project will be financed with Federal, State and Turnpike funds and will be subject to Federal review and oversight in accordance with Federal aid regulations (23 CFR, Chapter 1).

The selected firm will be required to provide engineering review services during the design phase of the project and to provide sufficient staff to adequately maintain project coordination and schedule from preliminary design through bidding of the construction contracts.

Tasks required include, but are not limited to: prepare master schedules to coordinate all phases of the project; monitor schedules to assure compliance with the master schedule; monitor design costs to keep cost within budget; review of design submissions, preliminary and final right-of-way plans, design drawings, special provisions, specifications and estimates prepared by other consulting engineering firms; conduct design review meetings and plan checks; provide constructability reviews; review environmental items of work; coordinate required permit applications; standardize design details; coordinate design and right-of-way acquisition activities; and coordinate with PennDOT, FHWA environmental agencies, township officials, municipal authorities and utility companies by means of periodic meetings.

The selected firm will be required to provide a full-time, permanent staff of qualified and experienced professional engineers and support personnel required to maintain project control. In addition to the full-time staff, other in-house specialists may be required to assist with specific work tasks encountered. The Commission must approve the individual who will head the Design Management Team.

The selected firm is required to furnish a fully equipped office in Pennsylvania, conveniently accessible, and within 50 miles of the Turnpike Commission Western Regional Office at 2200 North Center Avenue, New

Stanton, PA 15672-9602. The office must include a conference room capable of seating at least 25 people. All full-time staff assigned to the project is to be located in this office.

The following factors will be considered by the Commission during the evaluation of the firms submitting Letters of Interest for this project:

- a. Specialized experience and technical competence of prime consultant and subconsultants. The Team must clearly demonstrate experience and competence on management of large-scale public works design projects.
- b. Past record of performance with respect to cost control, work quality ability to meet schedules and previous experience on similar projects. The consultant should identify similar projects that have been completed by that firm as the prime, the magnitude of the project, and the client.
- c. The specific experience and number of individuals who constitute the firm.
- d. Location of consultant's office where the work will be performed.
- e. Workload of the prime consultant and subconsultants for all Department of Transportation and Turnpike Commission projects.
- f. Other factors, if any, specific to the project.

Address these items and any necessary further details in a brief yet comprehensive manner in the letter of interest.

Firms expressing interest in this project must agree to ensure that Disadvantaged Business Enterprise (DBE) firms as defined in the Transportation Equity Act for the 21st Century (TEA-21) and currently certified by the Department of Transportation shall have the maximum opportunity to participate in any subcontracting or furnishing supplies or services approved under Form 442, Section 1.10(a). The act requires that firms owned and controlled by women (WBEs) be included, as a presumptive group, within the definition of Disadvantaged Business Enterprise (DBE). The goal of DBE participation in this contract will be established prior to the submission of Technical Proposals from the shortlisted firms for this project. Responding firms shall make good faith efforts to meet the DBE goal using DBEs (as they are defined prior to the Act), WBEs or combinations thereof. Proposed DBE firms must be certified at the time of submission of the letter of interest. If the selected firm fails to meet the established goal, it shall be required to demonstrate its good faith efforts to attain the goal. If further information is desired concerning DBE/MBE/WBE participation, direct inquiries to the Office of Equal Opportunity Development, Turnpike Commission at the above address, or by calling (717) 939-9551 Ext. 4241.

Direct inquiries about this advertisement to Kenneth L. Slippey, at 939-9551, extension 5150; or by e-mail at kslippey@paturnpike.com.

#### **General Requirements and Information**

Firms interested in providing the above work and services are invited to submit a Letter of Interest with the required information. The Letters of Interest must include the following:

1. One page transmittal letter clearly identifying the project reference number, brief description of the project from the advertisement, the firm's Federal identification number, the firm's legal name, contact person or project manager, address of corporate office and project office. (If

the firm has multiple offices, the location of the office performing the work must be identified)

2. Three page (maximum) expression of interest on the advertised project. Each firm should demonstrate their ability to perform the specific requirements indicated for this project and provide explanation that the firm has successfully completed projects of the same magnitude.

3. An organization chart for the Project, identifying key personnel and any subconsultants and their roles. Any deviation from the subconsultant's listed in the letter of interest will require written approval from the Commission.

4. Tabulation of workload for the prime consultant and all subconsultants for all Department of Transportation and Turnpike Commission projects.

5. A copy of the Annual Qualification Package submitted to the Department of Transportation for the current year that is in the same District as this project or one that is best suited for this project.

The Annual Qualification Package should contain at a minimum, the following information for the prime consultant and all subconsultants which should be attached to the back of the letter of interest (subs to follow primes):

- Standard Form (SF) 254—Architect-Engineer and Related Services Questionnaire in its entirety, not more than 1 year old as of the date of the advertisement.

- Resumes of key personnel expected to be involved in the project. (limit to one 8 1/2 x 11 page, one side, per person). Only resumes of key personnel should be included.

- Copy of the firm's registration to do business in the Commonwealth as provided by the Department of State for firms with out-of-State headquarters or corporations not incorporated in Pennsylvania.

- A copy of the Department's DBE/WBE Certification, if applicable.

If a Joint Venture responds to a project advertisement, the Commission will not accept separate letters of interest from joint venture constituents. A firm will not be permitted to submit a letter of interest on more than one joint venture for the same project reference number. Also, a firm that responds to a project as a prime may not be included as a designated subconsultant to another firm that responds to the same project advertisement. This does not preclude a firm from being set forth as a designated subconsultant to more than one prime consultant responding to the project advertisement.

Firms interested in performing the above services are invited to submit a letter of interest and required information to Frank J. Kempf, P.E., Assistant Chief Engineer-Programs/Projects, at the PA Turnpike Commission Administration Building located at 176 Kost Road, Carlisle, PA 17013-9779 (parcel delivery address) (Mailing Address: P. O. Box 67676, Harrisburg, PA 17106-7676).

The letter of interest and required information must be received by 12 noon, Friday, January 21, 2000. Any letters of interest received after this date and time will be time-stamped and returned.

The assignment of the above services will be made to one of the firms submitting an acceptable letter of interest. The Commission will be shortlisting this project at a public meeting after the evaluations of acceptable letters of interest. Technical proposals will then be requested from the shortlisted firms.

The Commission reserves the right to reject all letters of interest, to cancel solicitation requested under this notice, and/or to re-advertise solicitation for the work and services.

JAMES F. MALONE, III,  
*Chairperson*

[Pa.B. Doc. No. 00-92. Filed for public inspection January 7, 2000, 9:00 a.m.]