

# NOTICES

## DEPARTMENT OF BANKING

### Action on Applications

The Department of Banking of the Commonwealth of Pennsylvania, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending October 24, 2000.

### BANKING INSTITUTIONS

#### Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
9-5-00	Bank of Hanover and Trust Company Hanover York County	223 E. Main St. Westminster Carroll County Maryland	Opened
10-19-00	Hollidaysburg Trust Company Hollidaysburg Blair County	1402 Logan Avenue Tyrone Blair County	Opened
10-23-00	Citizens & Northern Bank Wellsboro Tioga County	3461 Route 405 Hwy. Muncy Muncy Creek Twp. Lycoming County	Opened

#### Branch Relocations

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
10-20-00	Great Valley Savings Bank Reading Berks County	<i>To:</i> Shillington Square Shopping Center 2251 Lancaster Ave. Shillington Cumru Township Berks County  <i>From:</i> 6 Philadelphia Ave. Shillington Berks County	Approved

### SAVINGS INSTITUTIONS

No activity.

### CREDIT UNIONS

#### Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name of Credit Union</i>	<i>Location</i>	<i>Action</i>
10-23-00	Erie Postal Credit Union, Erie, and Erie General Electric Employees Federal Credit Union, Erie Surviving Institution— Erie General Electric Employees Federal Credit Union, Erie	Erie	Filed

**Branch Relocations**

<i>Date</i>	<i>Name of Credit Union</i>	<i>Location</i>	<i>Action</i>
10-23-00	Incol Credit Union Old Forge Lackawanna County	<i>To:</i> 320 S. Pennsylvania Boulevard Suite 364 Wilkes-Barre Luzerne County  <i>From:</i> 775-1 Rutter Avenue Kingston Luzerne County	Filed

JAMES B. KAUFFMAN, Jr.,  
*Acting Secretary*

[Pa.B. Doc. No. 00-1910. Filed for public inspection November 3, 2000, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Applications, Actions and Special Notices

---

#### APPLICATIONS

---

### APPLICATIONS RECEIVED UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

#### [National Pollution Discharge Elimination System Program (NPDES)]

#### DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

#### (Part I Permits)

The following parties have applied for an NPDES permit to discharge controlled wastewaters into the surface waters of this Commonwealth. Unless otherwise indicated on the basis of preliminary review and application of lawful standard and regulations the Department of Environmental Protection (Department) proposes to issue a permit to discharge subject to certain effluent limitations and special conditions. These proposed determinations are tentative.

Where indicated the EPA Region III Administrator has waived the right to review or object to this proposed permit action under the waiver provision to 40 CFR 123.6E.

Persons wishing to comment on the proposed permit are invited to submit a statement to the office noted above the application within 30 days from the date of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, proposed effluent limitations and special conditions, comments received and other information are on file and may be inspected and arrangements made for copying at the office indicated above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodations to participate in the proceeding should contact the Secretary to the Board at (717) 787-3483. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

---

#### Applications for National Pollutant Discharge Elimination System (NPDES) permit to discharge to State waters.

---

*Southeast Regional Office: Regional Manager, Water Management, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6130.*

**PA 0052256.** Industrial waste, **The Fredericks Company**, 2400 Philmont Avenue, Huntingdon Valley, PA 19006.

This application is for renewal of an NPDES permit to discharge noncontact cooling water from a specialty glass manufacturing facility in Lower Moreland Township, **Montgomery County**. This is an existing discharge to Huntingdon Valley Creek. There are no water supply intakes downstream of this facility on Huntingdon Valley Creek or Pennypack Creek.

The receiving stream is classified for the following uses: trout stocking fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 0.0087 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Temperature			110°F
pH	within limits of 6.0—9.0 standard units at all times		

The proposed effluent limits for Outfall 002, based on an average flow of one storm event are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>		monitor/report	
COD		monitor/report	
Oil and Grease		monitor/report	
pH		monitor/report	
Total Suspended Solids		monitor/report	
Total Kjeldahl Nitrogen		monitor/report	
Total Phosphorous		monitor/report	
Dissolved Iron		monitor/report	

The EPA waiver is in effect.

**PA 0036447.** Industrial waste, **Naval Surface Warfare Center—Carderock Division**, Philadelphia Naval Business Center.

This application is for renewal of an NPDES permit to discharge cooling water from the Philadelphia Naval Shipyard in the City of Philadelphia, **Philadelphia County**. This is an existing discharge to Delaware Estuary—Zone 4.

The receiving stream is classified for the following uses: warm water fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of .066 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	monitor/report		
Temperature			110°F
pH	within limits of 6.0—9.0 standard units at all times		

The proposed effluent limits for Outfall 005, based on an average flow of 0.002 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	monitor/report		
Temperature			110°F
pH	within limits of 6.0—9.0 standard units at all times		

The proposed effluent limits for Outfall 008, based on an average flow of 29 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	monitor/report		
Temperature			110°F
pH	within limits of 6.0—9.0 standard units at all times		

*Other Conditions:*

The EPA Waiver is in effect.  
Thermal Requirements.

*Northeast Region: Environmental Protection Manager, Water Management, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2553.*

**PA-0060267.** Sewerage, **North Pocono School District**, Jefferson Elementary School, 701 Church Street, Moscow, PA 18444.

This proposed action is for renewal of an NPDES permit to discharge treated sewage into an unnamed tributary to the West Branch to Wallenpaupack Creek in Jefferson Township, **Lackawanna County**.

The receiving stream is classified for the following uses: high quality, cold water fishery, aquatic life, water supply, recreation and special protection.

Effluent limits were evaluated at point of discharge.

The proposed effluent limits for Outfall 001 based on a design flow of .009 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub> (5-1 to 10-31)	15.0	30.0
(11-1 to 4-30)	25.0	50.0
Total Suspended Solids	30.0	60.0
NH <sub>3</sub> -N (5-1 to 10-31)	1.50	3.0
(11-1 to 4-30)	4.50	9.0
Phosphorous as "P"	0.50	1.0
Dissolved Oxygen	a minimum of 6.0 mg/l at all times	
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric mean	
pH	6.0 to 9.0 standard units at all times	
Total Residual Chlorine	1.2	2.8

The EPA waiver is in effect.

**PA 0063461.** Sewerage, **Mehoopany Township**, c/o Philip O. Farr, Municipal Building, Schoolhouse Hill Road, Mehoopany, PA 18629.

This proposed action is for issuance of an NPDES permit to discharge treated sewage into Little Mehoopany Creek in Mehoopany Township, **Wyoming County**.

The receiving stream is classified for the following uses: cold water fishery, aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is Danville Borough Water Authority.

The proposed effluent limits for Outfall 001 based on a design flow of 0.055 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Daily Maximum (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	25.0	40.0	50.0
Total Suspended Solids	30.0	45.0	60.0
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric mean		
(10-1 to 4-30)	2,000/100 ml as a geometric mean		
pH	6.0 to 9.0 standard units at all times		
Total Residual Chlorine	1.0		2.0

The EPA waiver is in effect.

**PA-0034088.** Sewerage, **Oakwood Lake Associates**, 215 W. Church Road, Suite 106, King of Prussia, PA 19406.

This proposed action is for renewal of an NPDES permit to discharge treated sewage into Swale Brook in Tunkhannock Township, **Wyoming County**.

The receiving stream is classified for the following uses: cold water fishery, aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing proposed downstream potable water supply (PWS) considered during the evaluation is Danville Water Supply on N. Branch of Susquehanna River.

The proposed effluent limits for Outfall 001 based on a design flow of .01 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	25	50
Total Suspended Solids	30	60
NH <sub>3</sub> -N (5-1 to 10-31)	6.5	13.0
Dissolved Oxygen	A minimum of 6 mg/l at all times	
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric mean	
(10-1 to 4-30)	2,000/100 ml as a geometric mean	
pH	6.0 to 9.0 standard units at all times	
Total Residual Chlorine (1st Month—36th Month)	monitor and report	monitor and report
(37th Month—Expiration)	.5	1.2

The EPA waiver is in effect.

**PA 0026107.** Sewerage, **Wyoming Valley Sanitary Authority**, c/o Fred DeSanto, 1000 Wilkes-Barre Street, Wilkes-Barre, PA 18703-1333.

This proposed action is for renewal of an NPDES permit to discharge treated sewage into North Branch Susquehanna River in Hanover Township, **Luzerne County**.

The receiving stream is classified for the following uses: warm water fishery, aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing downstream potable water supply (PWS) considered during the evaluation is the Danville Water Company located on the North Branch Susquehanna River.

The proposed effluent limits based on a design flow of 32.0 mgd\* are:

*Outfall 001 (Secondary Plant Effluent Prior to Chlorination)*

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Weekly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	25.0	40.0	50.0
Total Suspended Solids	30.0	45.0	60.0
pH	6.0 to 9.0 standard units at all times		

*Outfall 001 (Chlorine Contact Tank Effluent)*

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Weekly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric mean		
(10-1 to 4-30)	2,000/100 ml as a geometric mean		
Total Residual Chlorine	0.50		1.20

Point Sources 002 through 058 (Except 047, 048 and 050) serve as combined sewer reliefs necessitated by stormwater entering the sewer system and exceeding the hydraulic capacity of the sewers and/or the treatment plant. In accordance with the Department's EPS approved CSO strategy, a special permit requirement is included in Part C of this permit.

*Other Conditions:* Sludge disposal, pretreatment operating and reporting requirements and combined sewer overflows.

The EPA waiver is not in effect.

\*Water quality based limits in mg/l are based on 32 mgd. Mass based limits in lbs/day are based on a 50 mgd hydraulic capacity.

*Southcentral Regional Office: Regional Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4707.*

**PA 0080314.** SIC Code 4952, Sewage, **Hampden Township (Roth Lane Treatment Plant)**, 230 South Sporting Hill Road, Hampden, PA 17055-3097.

This application is for renewal of an NPDES permit for an existing discharge of treated sewage to Conodoguinet Creek in Watershed 7-B (Conodoguinet Creek), in Hampden Township, **Cumberland County**.

The receiving stream is classified for warm water fishes, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was Steelton Municipal Waterworks located in Dauphin County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 4.65 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	25	40	XXX	67
Total Suspended Solids	30	45	XXX	81
NH <sub>3</sub> -N (5-1 to 10-31)	6.9	XXX	XXX	18
(11-1 to 4-30)	15	XXX	XXX	40
Total Phosphorus	2	XXX	XXX	5.4
Total Residual Chlorine	0.35	XXX	XXX	1.2
Total Nitrogen	XXX	XXX	monitor and report	XXX
Dissolved Oxygen		minimum of 5.0 at all times		
pH		from 6.0 to 9.0 inclusive		
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric average			
(10-1 to 4-30)	10,000/100 ml as a geometric average			

Individuals may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is not in effect.

**PA 0014648.** SIC Code 4941, Industrial Waste, **United Water Pennsylvania (Hummelstown Plant)**, 4211 East Park Drive, P. O. Box 4151, Harrisburg, PA 17111-0151.

This application is for renewal of an NPDES permit for an existing discharge of treated industrial waste to Swatara Creek in Watershed 7-D (Swatara Creek), in Hummelstown Borough, **Dauphin County**.

The receiving stream is classified for warm water fishery, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was Middletown Borough Water located in Middletown Borough, Dauphin County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.055 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	XXX	XXX	XXX
Total Suspended Solids	30	60	75
Total Iron	2.0	4.0	5.0
Total Manganese	1.0	2.0	2.5
Total Aluminum	4.0	8.0	10.0
Total Residual Chlorine	0.5	1.0	1.6

Individuals may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is in effect.

**PA 0026875.** SIC Code 4952, Sewage, **Borough of Hanover (Borough of Hanover Regional WWTP)**, 44 Frederick Street, Hanover, PA 17331.

This application is for renewal of an NPDES permit for an existing discharge of treated sewage to South Branch Conewago Creek in Watershed 7-F (Conewago Creek), in Conewago Township, **Adams County**.

The receiving stream is classified for warm water fishes, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was the New Oxford Municipal Authority intake in Oxford Township, Adams County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 4.5 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>				
(5-1 to 10-31)	15	22	XXX	40
(11-1 to 4-30)	20	30	XXX	54
Total Suspended Solids	30	45	XXX	81
NH <sub>3</sub> -N				
(5-1 to 10-31)	1.5	XXX	XXX	4.0
(11-1 to 4-30)	3.0	XXX	XXX	8.1
Total Phosphorus	2.0	XXX	XXX	4.0
Total Residual Chlorine	0.17	XXX	XXX	0.57
Nitrate-Nitrogen	monitor and report	monitor and report	XXX	XXX
Total Copper	XXX	XXX	monitor and report	XXX
Total Lead	XXX	XXX	monitor and report	XXX
Dissolved Oxygen		minimum of 5.0 at all times		
pH		from 6.0 to 9.0 inclusive		
Fecal Coliform				
(5-1 to 9-30)		200/100 ml as a geometric average		
(10-1 to 4-30)		2,400/100 ml as a geometric average		

Individuals may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is not in effect.

**PA 0035823.** SIC Code 7033, Sewage, **Saunders Park**, 5909 Little Cove Road, Mercersburg, PA 17236-9409.

This application is for renewal of an NPDES permit for an existing discharge of treated sewage to Little Cove Creek in Watershed 13-B (Licking—Tonoloway Creeks), in Warren Township, **Franklin County**.

The receiving stream is classified for cold water fishery, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was R. C. Wilson Water Treatment Plant located near Williamsport, Maryland. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.010 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	25	50
Suspended Solids	30	60

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
NH <sub>3</sub> -N (5-1 to 10-31)	10.5	21
Total Residual Chlorine	1.5	2.5
Dissolved Oxygen	minimum of 5.0 at all times	
pH	from 6.0 to 9.0 inclusive	
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric average	
(10-1 to 4-30)	17,000/100 ml as a geometric average	

Individuals may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is in effect.

**PA 0021644.** SIC Code 4952, Sewage, **Dover Borough (Dover Borough WWTP)**, 46 Butter Road, Dover, PA 17315-1225.

This application is for renewal of an NPDES permit for an existing discharge of treated sewage to Fox Run in Watershed 7-F (Conewago Creek), in Dover Borough, **York County**.

The receiving stream is classified for trout stocking fishery, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was the Wrightsville Water Supply Co. located on the Susquehanna River in Wrightsville, York County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.4 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub> (5-1 to 10-31)	15	22	30
(11-1 to 4-30)	25	40	50
Total Suspended Solids	30	45	60
NH <sub>3</sub> -N (5-1 to 10-31)	2.0	XXX	4.0
(11-1 to 4-30)	6.0	XXX	12.0
Total Phosphorus	2.0	XXX	4.0
Total Residual Chlorine	0.19	XXX	0.63
Dissolved Oxygen	minimum of 5.0 at all times		
pH	from 6.0 to 9.0 inclusive		
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric average		
(10-1 to 4-30)	2,700/100 ml as a geometric average		

Individuals may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is in effect.

**PA 0046302.** SIC Code 4941, Industrial Waste, **Pennsylvania-American Water Company (Hershey Plant)**, 200 East Canal Street, Hummelstown, PA 17036-9225.

This application is for renewal of an NPDES permit for an existing discharge of treated industrial water to Swatara Creek and Manada Creek in Watershed 7-D (Swatara Creek), in South Hanover Township, **Dauphin County**.

The receiving stream is classified for warm water fishery, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was United Water Pennsylvania located in Hummelstown Borough, Dauphin County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.399 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	XXX	XXX	XXX
Total Suspended Solids	30	60	75
Total Iron	2.0	4.0	5.0
Total Aluminum	4.0	8.0	10.0
Total Manganese	1.0	2.0	2.5
Total Residual Chlorine	0.5	1.0	1.6

The proposed effluent limits for Outfall 002 for a design flow of 0.399 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	XXX	XXX	XXX
Total Suspended Solids	30	60	75
Total Iron	2.0	4.0	5.0
Total Aluminum	4.0	8.0	10.0
Total Manganese	1.0	2.0	2.5
Total Residual Chlorine	0.37	0.74	1.22

The proposed effluent limits for Outfall 003 for a design flow of 0.399 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	XXX	XXX	XXX
Total Suspended Solids	XXX	monitor and report	XXX

Individuals may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is in effect.

**PA 0014621.** SIC Code 4941, Industrial waste, **United Water Pennsylvania**, 4211 East Park Drive, P. O. Box 4151, Harrisburg, PA 17111-0151.

This application is for renewal of an NPDES permit for an existing discharge of treated industrial waste to Susquehanna River in Watershed 7-C (Clark—Paxton Creeks), in Susquehanna Township, **Dauphin County**.

The receiving stream is classified for warm water fishery, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was Steelton Municipal Waterworks located in Steelton Borough, Dauphin County. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.554 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	XXX	XXX	XXX
pH (S.U.)		from 6.0 to 9.0 inclusive	
Total Suspended Solids	30	60	75
Total Iron	2.0	4.0	5.0
Total Manganese	1.0	2.0	2.5
Total Aluminum	4.0	8.0	10.0
Total Residual Chlorine	0.5	1.0	1.6

Individuals may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is in effect.

**PA 0033995.** SIC Code 4952, Sewage, **County of Berks (County STP)**, Sixth and Court Streets, 14th Floor, Reading, PA 19601.

This application is for renewal of an NPDES permit for an existing discharge of treated sewage to Plum Creek in Watershed 3-C (Tulpehocken Creek), in Bern Township, **Berks County**.

The receiving stream is classified for warm water fishes, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was Pottstown Borough located on the Schuylkill River. The discharge is not expected to impact any potable water supply.

The proposed interim effluent limits for Outfall 001 for a design flow of 0.30 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	25	50
Suspended Solids	30	60
NH <sub>3</sub> -N		
(5-1 to 10-31)	5.5	11
(11-1 to 4-30)	16.5	33
Total Residual Chlorine	0.36	1.2
Dissolved Oxygen		minimum of 5.0 at all times
pH		from 6.0 to 9.0 inclusive



<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)	200/100 ml as a geometric average 18,000/100 ml as a geometric average	

The proposed final effluent limits for Outfall 001 for a design flow of 0.50 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	25	50
Suspended Solids	30	60
NH <sub>3</sub> -N (5-1 to 10-31)	5.5	11
(11-1 to 4-30)	16.5	33
Total Residual Chlorine	0.36	1.2
Dissolved Oxygen	minimum of 5.0 at all times	
pH	from 6.0 to 9.0 inclusive	
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)	200/100 ml as a geometric average 10,000/100 ml as a geometric average	

Individuals may make an appointment to review the DEP files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is in effect.

---

*Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.*

**PA 0000566.** Industrial waste, SIC: 3351, **Hussey Copper Ltd.**, 100 Washington Street, Leetsdale, PA 15056.

This application is for renewal of an NPDES permit to discharge treated process water, cooling water and untreated stormwater from copper manufacturing plant in Leetsdale Borough, **Allegheny County**.

The following effluent limitations are proposed for discharge to the receiving waters, Ohio River and Big Sewickley Creek, classified as warm water fisheries with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply (PWS) is the ARCO Chemical Company Beaver Valley Plant, located at Monaca, 14.12 miles below the discharge point.

*Outfall 001:* existing discharge, design flow of 0.9 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	monitor and report				
Temperature (°F)					110
Oil and Grease			15		30
Copper			0.4	0.8	
pH	not less than 6.0 nor greater than 9.0				

*Outfall 101:* existing discharge, design flow of 0.212 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	monitor and report				
TSS	52	112	15	20	
Oil and Grease	34	67	10	10	
Chromium	0.15	0.38	0.15	0.37	
Copper	1.1	2.0	0.61	1.28	
Lead	0.35	0.63	0.13	0.28	
Nickel	0.8	1.2	0.37	0.55	
Zinc	0.8	1.9	0.42	1.02	
pH	not less than 7.5 nor greater than 10.0				

*Outfall 002: existing discharge*

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	monitor and report				
Oil and Grease	monitor and report				
pH	monitor and report				

*Outfalls 003, 004 and 005: new discharges*

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
These outfalls shall contain stormwater only.					

The EPA waiver is not in effect.

**PA 0001236.** Industrial waste, SIC, **Cutler-Hammer, Inc.**, One Tuscarawas Road, Beaver, PA 15009.

This application is for renewal of an NPDES permit to discharge treated process water and untreated cooling water stormwater from the Vanport Plant in Vanport Township, **Beaver County**.

The following effluent limitations are proposed for discharge to the receiving waters of Two Mile Run and the Ohio River, classified as a warm water fisheries with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply (PWS) is Midland Borough Water Authority, located on the Ohio River, 8.0 miles below the discharge point.

*Outfall 102: existing discharge to the Wastewater Treatment Plant:*

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	monitor and report				
Cyanide			0.65	1.20	

*Outfall 202: existing discharge, design flow of 0.029 mgd.*

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	monitor and report				
Temperature (°F)				110	
pH	not less than 6.0 nor greater than 9.0				

*Outfall 302: existing discharge, design flow of 0.186 mgd.*

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	monitor and report				
Cadmium			0.26	0.69	
Chromium			1.71	2.77	
Copper			2.07	3.38	
Lead			0.43	0.69	
Nickel			2.38	3.98	
Silver			0.24	0.43	
Zinc			1.48	2.61	
Cyanide			0.65	1.20	
TTO				2.13	
Oil and Grease			3.0	60.0	
Total Suspended Solids			31.0	60.0	
Total Residual Chlorine			0.5		1.0
pH	not less than 6.0 nor greater than 9.0				

*Other Conditions:* Outfall 002 receives wastewater from Internal Monitoring Points 102, 202 and 302. Effluent limits are imposed and monitored at each internal monitoring point.

Outfall 006: existing discharge, design flow of 0.038 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	monitor and report				
Temperature (°F)					
January 1-15			55		
February 1-29			56		
March 1-31			85		
April 1-15			96		
April 16-30			102		
May 1-15			93		
May 16-31			110		
June 1-15			110		
June 16-30			110		
July 1-31			106		
August 1-31			104		
September 1-15			97		
September 16-30			91		
October 1-15			86		
October 16-31			80		
November 1-15			73		
November 16-30			62		
December 1-31			53		
Cadmium	monitor and report				
Copper	monitor and report				
Lead	monitor and report				
Zinc	monitor and report				
pH	not less than 6.0 nor greater than 9.0				

Outfalls 001, 008, 009: existing stormwater discharge, design flow of varied mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
	The discharge from these outfalls shall consist of uncontaminated stormwater runoff only.				

Outfalls 003—005, 007: stormwater discharge, design flow of varied mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Cadmium	monitor and report				
Copper	monitor and report				
Lead	monitor and report				
Zinc	monitor and report				

The EPA waiver is not in effect.

**PA 0205001.** Industrial waste, SIC: 4941, **Indiana County Municipal Services Authority**, 827 Water Street, Indiana, PA 15701.

This application is for renewal of an NPDES permit to discharge treated process water from the West Lebanon Water Plant in Young Township, **Indiana County**.

The following effluent limitations are proposed for discharge to the receiving waters, Wertz Pond, classified as a cold water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply (PWS) is the Buffalo Township Water Authority, located at Freeport, 37 miles below the discharge point.

Outfall 001: existing discharge, design flow of 0.001 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	monitor and report				
TSS			30		
Aluminum			4		
			60		
			8		

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Iron			2		4
Manganese			1		2
TRC			0.5		1.0
pH	not less than 6.0 nor greater than 9.0 s.u.				

*Other Conditions:*

The EPA waiver is in effect.

**PA 0090816.** Sewage, **51 Park Properties**, 3101 Homestead-Duquesne Boulevard, West Mifflin, PA 15122.

This application is for renewal of an NPDES permit to discharge treated sewage from 51 Park Properties STP in Forward Township, **Allegheny County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Unnamed Tributary of Gillespie Run, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the: McKeesport Municipal Water Authority.

*Outfall 001:* existing discharge, design flow of 0.06 mgd.

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD <sub>5</sub>	25			50
Suspended Solids	30			60
Ammonia Nitrogen				
(5-1 to 10-31)	1.5			3.0
(11-1 to 4-30)	2.3			4.6
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	.02			.05
Dissolved Oxygen	not less than 5.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

**PA 0098337.** Sewage, **Connellsville Area School District**, 125 North Seventh Street, Connellsville, PA 15425.

This application is for renewal of an NPDES permit to discharge treated sewage from the Springfield Township Elementary School in Springfield Township, **Fayette County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as unnamed tributary of Indian Creek, which are classified as a cold water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the: North Fayette County Municipal Authority on the Youghiogheny River.

*Outfall 001:* existing discharge, design flow of 0.003 mgd.

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD <sub>5</sub>	25			50
Suspended Solids	30			60
Ammonia Nitrogen				
(5-1 to 10-31)	10.5			21.0
(11-1 to 4-30)	25.0			50.0
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	1.4			3.3
Dissolved Oxygen	not less than 5.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

**PA 0217131.** Sewage, **Indiana County Municipal Services Authority**, 827 Water Street, Indiana, PA 15701.

This application is for renewal of an NPDES permit to discharge treated sewage from the Rossiter STP in Canoe Township, **Indiana County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Unnamed Tributary of Canoe Creek, which are classified as a cold water fishery, with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the: Armstrong Power Station on the Allegheny River.

*Outfall 001:* existing discharge, design flow of 0.098 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD <sub>5</sub>	25	38		50
Suspended Solids	30	45		60
Ammonia Nitrogen				
(5-1 to 10-31)	5.0	7.5		10.0
(11-1 to 4-30)	15.0	22.5		30.0
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	4,000/100 ml as a geometric mean			
Dissolved Oxygen	not less than 4.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

---

*Northwest Regional Office: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.*

**PA 0000183.** Industrial waste, SIC: 3743 and 3621, **General Electric Company**, 2901 East Lake Road, Erie, PA 16531.

This application is for renewal of an NPDES permit to discharge treated industrial waste and storm sewer runoff from the plant located in Lawrence Park Township, **Erie County**. This is an existing discharge.

The receiving water, Lake Erie, is classified for cold water fishery, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, there are no potable water supplies (PWS) at or near the point of discharge.

*Outfall 001*

<i>Parameter</i>	<i>Effluent Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Total Suspended Solids	30	60	60
Oil and Grease	15	30	30
Dissolved Iron		7.0	7.0
Phosphorus	2.0		
Total Residual Chlorine	0.2		
pH	between 6.0 and 9.0 standard units at all times		

*Outfall 101*—This is an internal monitoring outfall.

<i>Parameter</i>	<i>Effluent Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Total Suspended Solids	30	60	60
Oil and Grease	26	52	52
Copper (T)	2.07	3.38	3.38
Chrome (T)	1.71	2.77	2.77
Zinc (T)	1.48	2.61	2.61
Cadmium (T)	0.26	0.69	0.69
Lead (T)	0.43	0.69	0.69
Nickel (T)	2.38	3.98	3.98
Silver (T)	0.24	0.43	0.43
TTO	N/A	2.13	2.13

<i>Parameter</i>	<i>Effluent Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Cyanide (A)	0.32	0.86	0.86
Cyanide (T)	0.65	1.20	1.20
pH	between 6.0 and 10.0 standard units at all times		

Cyanide (A) shall be monitored at the discharge from the cyanide destruction tank.

*Outfall 201*—This is an internal monitoring outfall.

<i>Parameter</i>	<i>Effluent Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Total Suspended Solids	30	90	90
Oil and Grease	15	18	18
Dissolved Iron		7.0	7.0
Manganese (T)		4.0	4.0
pH	between 6.0 and 10.0 standard units at all times		

*Outfall 002*—This is a discharge to Four Mile Creek, which is classified for WWF, MF, water supply and recreation.

<i>Parameter</i>	<i>Effluent Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Dissolved Iron		7.0	7.0
pH	between 6.0 and 9.0 standard units at all times		

In addition, this discharge shall consist of stormwater runoff only and shall be controlled in accordance with the latest preparedness, prevention and contingency plan.

#### *Outfalls 003 and 004*

These are discharges of stormwater runoff to Four Mile Creek, which is classified for WWF, MF, water supply and recreation.

These discharges shall consist of stormwater runoff only and shall be controlled in accordance with the latest preparedness, prevention and contingency plan.

#### *Outfall 006*

This is a discharge to McDannel Run, which is classified as CWF and is tributary to Lake Erie.

This is a discharge of stormwater runoff only and shall be controlled in accordance with the latest preparedness, prevention and contingency plan.

#### *Outfall 007*

This is a discharge to an unnamed drainage course tributary to Lake Erie of stormwater runoff only and shall be controlled in accordance with the latest preparedness, prevention and contingency plan.

#### *Special Conditions*

Sampling and analysis procedures for TTO specified.

Effluent limitations, monitoring requirements and other standard and special conditions relating to the discharge of pollutants which are contained in Water Quality Management permits # 2576204 and # 2576205 are superseded by the terms and conditions of this permit, unless specifically noted otherwise herein.

No potable water supply will be affected by this proposed discharge.

The EPA waiver is not in effect.

**PA 0104469.** Sewage. **Kasgro Rail Corporation**, 320 East Cherry Street, New Castle, PA 16102.

This application is for renewal of an NPDES Permit, to discharge treated sewage to unnamed tributaries of Beaver River and Shenango River in Taylor Township, **Lawrence County**. This is an existing discharge.

The receiving water is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Beaver Falls Municipal Authority on the Beaver River located at 3.8 and is located 18.5 miles below point of discharge.

The proposed discharge limits for Outfall No. 001 based on a design flow of 0.00400 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	25	50
TSS	30	60
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)	200/100 ml as a geometric average 100,000/100 ml as a geometric average	
Total Residual Chlorine	0.5	1.2
pH	6.0—9.0 at all times	

The EPA waiver is in effect.

**PA 0210013.** Sewage. **Paul R. Goda**, 72 Birchwood Drive, Transfer, PA 16154.

This application is for renewal of an NPDES Permit, to discharge treated sewage to unnamed tributary to Shenango River in Pymatuning Township, **Mercer County**. This is an existing discharge.

The receiving water is classified for the following uses: warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is Sharpsville Municipal Authority located approximately 7 miles below point of discharge.

The proposed discharge limits for Outfall No. 001 based on a design flow of 350 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	25	50
TSS	30	60
Fecal Coliform	200/100 ml as a geometric average	
Total Residual Chlorine	monitor and report	
pH	6.0—9.0 at all times	

The EPA waiver is in effect.

**PA 0221007.** Sewage. **Volant Borough**, P. O. Box 96, Volant, PA 16156.

This application is for renewal of an NPDES Permit to discharge treated sewage to the Unnamed Tributaries of Shenango River and Neshannock Creek in Volant Borough, **Lawrence County**. This is an existing discharge.

The receiving water is classified for the following uses: trout stocked fishery, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Municipal Authority of the Township of North Sewickley on the Beaver River located at river mile 7.6 and is located 27.0 miles below point of discharge.

The proposed effluent limits for Outfall No. 001 based on a design flow of 0.03500 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Weekly Average (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	25	40	50
TSS	30	45	60
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)	200/100 ml as a geometric average 100,000/100 ml as a geometric average		
Total Residual Chlorine	0.5		1.2
pH	6.0—9.0 at all times		

The EPA waiver is in effect.

---

### Proposed NPDES Permit Renewal Actions for Minor Sewage Discharges

---

The following parties have applied to renew their current NPDES permits to allow the continued discharge of controlled wastewater into the surface waters of this Commonwealth. The Department of Environmental Protection (Department) has made a tentative determination to renew these permits and proposes to issue them, subject to their current permit effluent limitations, and monitoring and reporting requirements, with appropriate and necessary updated requirements to reflect new or changed regulations and other requirements. The updates may include, but will not be limited to, applicable permit conditions and/or requirements addressing combined sewer overflows (CSOs), municipal sewage sludge management and total residual chlorine control (TRC). Major changes to or deviations from the terms of the existing permit will be documented and published with the final Department actions.

The EPA, Region III, Regional Administrator has waived the right to review or object to these proposed permit actions under the waiver provision 40 CFR 123.6E.

Persons wishing to comment on the proposed permits are invited to submit a statement to the Field Operations indicated as the office responsible, within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding these applications and proposed permit actions. Comments should include the name, address, telephone number of the writer and a brief statement to

inform the Field Office of the basis of the comment and the relevant facts upon which it is based. A public hearing may be held if the Field Office considers the public response significant.

Following the 30-day comment period, the Water Management Program Managers will make a final determination regarding the proposed permit action. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit renewal application and related documents, proposed effluent limitations and special conditions, comments received and other information are on the Department's file. The documents may be inspected at, or a copy requested from, the Field Office that has been indicated above the application notice.

---

*Southcentral Regional Office: Water Management Program, 909 Elmerton Avenue, 2nd Floor, Harrisburg, PA 17110, (717) 705-4707.*

<i>NPDES No.</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Tributary Stream</i>	<i>New Permit Requirements</i>
PA 0083135	Mifflin County School Dist. E. Derry Elem. School 103 Green Ave. Lewistown, PA 17044	Mifflin County Derry Township	Jacks Creek	TRC
PA 0083852	Ferryboat Campsites Inc. R. D. 2, Box 324 Liverpool, PA 17045	Perry County Buffalo Township	Susquehanna River	TRC

## DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

### Applications under the Pennsylvania Clean Streams Law

#### (Part II Permits)

The following permit applications and requests for plan approval have been received by the Department of Environmental Protection (Department).

Persons objecting on the grounds of public or private interest to the approval of an application or submitted plan may file a written protest with the Department at the address indicated above each permit application or plan. Each written protest should contain the name, address and telephone number of the protester, identification of the plan or application to which the protest is addressed and a concise statement or protest in sufficient detail to inform the Department of the exact basis of the protest and the relevant facts upon which it is based. The Department may conduct a fact-finding hearing or an informal conference in response to any given protest or protests. Each protester will be notified in writing of the time and place of any scheduled hearing or conference concerning the plan or action or application to which the protest relates. To insure consideration by the Department prior to final action on permit application and proposed plans, initial protests and additions or amendments to protests already filed should be filed within 15 calendar days from the date of this issue of the *Pennsylvania Bulletin*. A copy of each permit application and proposed plan is on file in the office indicated and is open to public inspection.

---

#### Industrial waste and sewerage applications under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

*Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.*

**A. 4800402.** Sewerage. **Lower Saucon Authority**, 3706 Old Philadelphia Pike, Bethlehem, PA 18015. Appli-

cation for installation of a gravity sewer system and pump station to serve a proposed development and surrounding community in Lower Saucon Township, **Northampton County**. Application received in the Regional Office—October 16, 2000.

*Southcentral Regional Office: Water Management Program Manager, 909 Elmerton Avenue, 2nd Floor, Harrisburg, PA 17110-8200, (717) 705-4707. Persons who wish to review any of these applications should contact Mary DiSanto at (717) 705-4732.*

**A. 6700411.** Sewerage. Submitted by **Northeastern York County Sewer Authority (NEYCSA)**, P. O. Box 516, Mt. Wolf, PA 17347 in East Manchester Township, **York County** to construct a pump station for a 305 lot residential subdivision was received in the Southcentral Region on October 6, 2000.

**A. 5090405 (amendment 00-1).** Sewerage. Submitted by **Duncannon Borough Municipal Authority**, 428 North High Street, Duncannon, PA 17020 in Duncannon Borough, **Perry County** to re-rate their existing sewage treatment plant was received in the Southcentral Region on October 12, 2000.

**A. 2800405.** Sewerage. Submitted by **Kent D. Garman**, 13532 Cumberland Highway, Orrstown, PA 17244 in Lurgan Township, **Cumberland County** to construct a small flow treatment system to serve his single family residence was received in the Southcentral Region on October 16, 2000.

*Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.*

**A. 462S25-A1.** Sewerage. **Youngwood Borough Authority**, 17 South Sixth Street, Youngwood, PA 15697. Application for the relocation of the sewage pump station and sanitary sewer line extension to serve the Depot Street PS located in Youngwood Borough, **Westmoreland County**. The Pennsylvania Infrastructure Investment Authority (Pennvest), which administers Pennsylvania's State Revolving Fund, has been identified as a possible funding source. The Department's review of the sewage



facilities plan revision has not identified any significant environmental impacts resulting from this proposal.

**A. 0200415.** Sewerage, **Allegheny County Sanitary Authority**, 3300 Preble Ave., Pittsburgh, PA 15233. Application for the modification and operation of the relocation of a force main to serve The Cove at St. Charles located in Blawnox Boro, **Allegheny County**.

**A. 0288438-A1.** Sewerage, **Plum Borough Municipal Authority**, 4555 New Texas Road, Pittsburgh, PA 15239. Application for the modification and operation of sewers and appurtenances to serve Bodies Run located in Plum Borough, **Allegheny County**.

**A. 5600406.** Sewerage, **Somerset Township Municipal Authority**, P. O. Box 247, Somerset, PA 15501. Application for the construction and operation of Sewers and Appurtenances to serve Blackburn Road located in Somerset Township, **Somerset County**.

**INDIVIDUAL PERMITS  
(PAS)**

**NPDES Individual**

The following parties have applied for an NPDES permit to discharge stormwater from a proposed construction activity into the surface waters of the Commonwealth. Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (Department) proposes to issue a permit to discharge, subject to certain limitations set forth in the permit and special conditions. The proposed determinations are tentative. Limitations are provided in the permit as erosion and sedimentation control measures and facilities which restrict the rate and quantity of sediment discharged.

Where indicated, the EPA, Region III, Regional Administrator has waived the right to review or object to this proposed permit action under the waiver provision of 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement to the office noted above the application within 30 days from the date of this public notice. Comments reviewed within this 30-day permit will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, including the erosion and sedimentation control plan for the construction activity, are on file and may be inspected at the office noted above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

*Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428-2233, (610) 832-6130.*

**NPDES Permit PAS10-G024-R.** Stormwater. **Charlestown Oaks, Inc.**, 2EF Raymond Drive, Havertown, PA 19083, has applied to discharge stormwater from a construction activity located in Charlestown Township, **Chester County**, to Little Valley Creek (EV).

*Southwest Regional Office: Regional Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.*

**NPDES PAS10B012-1.** Stormwater. **Mark Ann Industries, Inc.**, P. O. Box 1022, Kittanning, PA 16201 has applied to discharge stormwater from a construction site located in West Franklin Township, **Armstrong County** to an unnamed tributary to Buffalo Creek, HQ-PSF.

**NPDES PAS10A114.** Stormwater. **PA Department of Transportation**, 45 Thoms Road, Bridgeville, PA 15017 has applied to discharge stormwater from a construction site located in Etna Borough, Sharpsburg Borough, Fox Chapel Borough, City of Pittsburgh, Shaler Township and O-Hara Township, **Allegheny County** to Squaw Run, HQ-WWF and Pine Creek, TSF.

**SAFE DRINKING WATER**

**Application received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).**

*Northeast Regional Office: Sanitarian Regional Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.*

**4000503.** Public water supply. **Hazleton City Authority**, Randy Cahalan, Manager, 400 East Arthur Gardner Parkway, Hazleton, PA 18201. This proposal involves the elimination of an 18,000 gallon underground storage tank; and the construction of a new, finished water, 84,000 gallon welded steel standpipe, and an additional source of supply (Well No. 2) with a new valve box chamber and wellhouse with appurtenances. The existing public water system is known as the Village of Tomhicken service area located in Sugarloaf Township, **Luzerne County**. Eng. Schumacher Engineering Inc., William J. Schumacher, Jr., P.E.

**4000504.** Public water supply. **Hazleton City Authority**, Randy Cahalan, Manager, 400 East Arthur Gardner Parkway, Hazleton, PA 18201. This proposal involves the replacement of the existing 4" mains with 8" DIP; and the construction of an additional source of supply (Well No. 2) with wellhouse appurtenances. The existing public water system is known as the Village of Derringer/Fern Glen located in Black Creek Township, **Luzerne County**. Eng. Schumacher Engineering Inc., William J. Schumacher, Jr., P.E.

*Regional Office: Northcentral Field Operations, Environmental Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701.*

**A. Minor Amendment.** The Department has received a permit application from **Benton Municipal Water and Sewer Authority**, P. O. Box 516, Benton, PA 17814-0516, Benton Township, **Columbia County**. The application is for changing from soda ash to caustic soda for pH adjustment.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

### Preamble 1

---

#### Acknowledgment of Notices of Intent to Remediate submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

---

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified as proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment period the municipality may request that the person identified, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, please contact the Environmental Cleanup Program Manager in the Department Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

*Northeast Regional Field Office: Joseph Brogna, Regional Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.*

**Voydik Residence**, North Manheim Township, **Schuylkill County**. Andrew W. Meadows, Operations Manager, The Cardinal Group, Inc., P. O. Box 543, 51 East Second Street, Boyertown, PA 19512 has submitted a Notice of Intent to Remediate (on behalf of his client, Francis Voydik, Shady Lane Road, Schuylkill Haven, PA 17972) concerning the remediation of site soils found or suspected to have been contaminated with no. 2 home heating fuel oil. The applicant proposes to remediate the site to meet the Statewide health standard. A Final Report was simultaneously submitted. Please refer to additional *Pennsylvania Bulletin* notice.

*Southcentral Regional Office: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4705.*

**Distribution Pole 40732S30345**, Borough of Lititz, **Lancaster County**. PPL Generation LLC, Two North Ninth Street, Allentown, PA 18101 has submitted a Notice of Intent to Remediate site soils contaminated with PCBs. The applicant proposes to remediate the site to meet the Statewide health standard requirements. A summary of the Notice of Intent to Remediate was reported to have been published in the *Lancaster Intelligencer Journal/New Era* on August 28, 2000.

**Former Outten's Car Dealership Gasoline Storage Area**, Borough of Hamburg, **Berks County**. On-Site Environmental, Inc., 807 Ravine Road, Downingtown, PA 19335, and Jonestown Bank and Trust Co., 2 West Market Street, Jonestown, PA 17038 have submitted a Notice of Intent to Remediate site soils and groundwater contaminated with PHCs. The applicants propose to remediate the site to meet the site-specific standard requirements. A summary of the Notice of Intent to Remediate was reported to have been published in the *Hamburg Item* on July 19, 2000.

**Former Outten's Car Dealership**, Borough of Hamburg, **Berks County**. On-Site Environmental, Inc., 807 Ravine Road, Downingtown, PA 19335, and Jonestown Bank and Trust Co., 2 West Market Street, Jonestown, PA 17038 have submitted a revised Notice of Intent to Remediate site soils and groundwater contaminated with lead, BTEX and PAHs. The applicants propose to remediate the site to meet a combination of the Statewide health and site-specific standard requirements. A summary of the Notice of Intent to Remediate was reported to have been published in the *Hamburg Item* on October 11, 2000.

**Lewistown Hospital**, Derry Township, **Mifflin County**. Bolger Brothers Inc., R. D. 2, Box 438, Altoona, PA 16601-9322 and Lewistown Hospital, 400 Highland Avenue, Lewistown, PA 17044 have submitted a Notice of Intent to Remediate site soils contaminated with BTEX, PHCs and PAHs. The applicants propose to remediate the site to meet the Statewide health standard requirements. A summary of the Notice of Intent to Remediate was reported to have been published in the *Lewistown Sentinel* on October 13, 2000.

## AIR QUALITY

### Notice of Plan Approval and Operating Permit Applications

#### Nonmajor Sources and Modifications

The Department of Environmental Protection (Department) has developed an "integrated" plan approval, State operating permit and Title V operating permit program.

This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

Notice is hereby given that the Department has received applications for plan approvals and/or operating permits from the following facilities. Although the sources covered by these applications may be located at a major facility, the sources being installed or modified do not trigger major new source review or prevention of significant deterioration requirements.

Copies of these applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the Regional Offices identified in this notice. Persons interested in reviewing the application files should contact the appropriate regional office to schedule an appointment.

Persons wishing to receive a copy of the proposed Plan Approval or Operating Permit must indicate their interest to the Department Regional Office within 30 days of the date of this notice, and must file protests or comments on a proposed Plan Approval or Operating Permit within 30 days of the Department providing a copy of the proposed document to that person or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Any comments or protests filed with the Department Regional Offices must include a concise statement of the objections to the issuance of the plan approval or operating permit and relevant facts, which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the Regional Office identified. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121 through 143, the Federal Clean Air Act and regulations adopted under the act.

#### OPERATING PERMITS

#### Applications received and intent to issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F (relating to operating permit requirements).

*Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.*

**28-03033: Nitterhouse Masonry Products, LLC.** (859 Cleveland Avenue, Chambersburg, PA 17201) for a Natural Minor Operating Permit for a concrete and brick manufacturing facility in Chambersburg Borough, **Franklin County**.

**28-03034: Nitterhouse Masonry Products, LLC.** (859 Cleveland Avenue, Chambersburg, PA 17201) for a Natural Minor Operating Permit for a concrete block and brick manufacturing facility in Guilford Township, **Franklin County**.

**28-03035: Nitterhouse Concrete Products, Inc.** (2655 Molly Pitcher Highway South, Chambersburg, PA 17201) for a Natural Minor Operating Permit for a concrete products manufacturing facility in Guilford Township, **Franklin County**.

**50-05002: Newport School District** (P. O. Box 9, Newport, PA 17074) for a Synthetic Minor Operating Permit for three coal-fired boilers and an oil-fired boiler in Newport Borough, **Perry County**.

**67-03063: Advanced Recycling Technology, Inc.** (340 South Broad Street, Hallam, PA 17406) for construction of an industrial dryer controlled by a wet scrubber in Hallam Borough, **York County**.

*Southwest Regional Office: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4174.*

**30-00059: Dunkard Mining Co. Inc.** (P. O. Box 8, Dilliner, PA 15327) for installation of Coal Preparation at Dunkard Mine in Dunkard Township, **Greene County**.

**63-00908: Ross Mould, Inc.** (259 South College Street, Washington, PA 15301) for operation of Glass Mould Manufacturing in Washington City, **Washington County**.

**04-00181: Interstate Chemical Co., Inc.** (2797 Freedland Road, Hermitage, PA 16148) for installation of an above ground storage tank at Vanport Terminal West in Beaver Borough, **Beaver County**.

**65-00659: Commercial Stone Co., Inc.** (P. O. Box 187, Berkely Springs, WV 25411) for operation of an asphalt plant at Adamsburg in North Huntingdon Township, **Westmoreland County**.

**04-00699: NGC Industries, Inc.** (2001 Rexford Road, Charlotte, NC 28211) for operation of wallboard manufacturing at Shippingport Plant in Shippingport Borough, **Beaver County**.

**32-00311: IA Construction Corp.** (158 Lindsay Road, Zelenople, PA 16063) for operation of a bituminous concrete plant at Homer City in Center Township, **Indiana County**.

**04-00702: United States Gypsum Co.** (125 South Franklin Street, Chicago, IL 60606) for installation of wallboard manufacturing at Aliquippa Plant in Aliquippa, **Beaver County**. This is a Title V Facility.

**04-00701: Allegheny Asphalt Manufacturing, Inc.** (Lindy Inc., R. D. 3, Box 2A, Northgate Industrial Park, New Castle, PA 16103) for operation of an asphalt production plant at Monaca Asphalt Plant in Monaca Boro, **Beaver County**.

**11-00408: Safety-Kleen Corp.** (21 Country Club Road, Grove City, PA 16127) for installation of three Mineral Spirits Tanks at Johnstown Service Center in Richland Township, **Cambria County**.

**04-00059: Koppel Steel Corp.** (P. O. Box 750, Beaver Falls, PA 15010) for installation of a Multi-Lance Manipulator at Koppel Plant in Koppel Boro, **Beaver County**.

**04-00513: Pittsburgh Tool Steel, Inc.** (1535 Beaver Avenue, Monaca, PA 15061) for operation of a steel pickling operation at Monaca Plant in Monaca Borough, **Beaver County**.

**32-00331: Nelson Adams** (13646 Route 403S, Clymer, PA 15728) for operation of furniture manufacturing at Clymer Plant in Cherryhill Township, **Indiana County**.

**04-000-489: Sun Refining & Marketing Co.** (1801 Market St., 15/10 PC, Philadelphia, PA 19103) for operation of Petro Distribution Terminal at Vanport Terminal in Vanport Township, **Beaver County**.

**63-00324: Ginger Hill Synfuel, L.L.C.** (13 Elm Street, Cohasset, MA 02025) for operation of coal mining at Mine Refuse Disposal Area #2 in Carroll Township, **Washington County**.

#### **Notice of Intent to Issue Title V Operating Permits**

Under 25 Pa. Code §§ 127.521 and 127.424, the Department of Environmental Protection (Department) intends to issue a Title V Operating Permit to the following facilities. These facilities are major facilities subject to the operating permit requirements under Title V of the Federal Clean Air Act and 25 Pa. Code Chapter 127, Subchapters F and G (relating to operating permit requirements; and Title V operating permits).

Appointments to review copies of the Title V application, proposed permit and other relevant information must be made by contacting Records Management using the appropriate regional office telephone number noted. For additional information, contact the appropriate regional office noted.

Interested persons may submit written comments, suggestions or objections concerning the proposed Title V permit to the regional office within 30 days of publication of this notice. Written comments submitted to the Department during the 30-day public comment period shall include the name, address and telephone number of the persons submitting the comments, along with the reference number of the proposed permit. The commentator should also include a concise statement of any objections to the permit issuance and the relevant facts upon which the objections are based. Persons with a disability who wish to comment and require auxiliary aid, service or other accommodation to participate should contact the Regional Office identified below. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department reserves the right to hold a public hearing on the proposed action based upon the information received during the public comment period and will provide notice of any scheduled public hearing at least 30 days in advance of the hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation where the facility is located.

*Southeast Regional Office: Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.*

**23-00021: Congoleum Corp.** (Ridge Road and Yates Road, Marcus Hook, PA 19061) in Trainer Borough, **Delaware County**. The facility's major emission points include three boilers, two rotogravure presses, two coating lines, ink mix building and an afterburner, which have the potential to emit major levels of Volatile Organic Compounds and Nitrogen Oxides.

*Southwest Regional Office: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4174.*

**04-00446: AES Beaver Valley, Inc.** (394 Frankford Road, Monaca, PA 15061) for their cogeneration power plant in Potter Township, **Beaver County**.

**63-00016: Allegheny Energy Supply Co., LLC—Mitchell Power Station** (800 Cabin Hill Drive, Greensburg, PA 15601-1689) in Union Township, **Washington County**. The facility's major sources of emissions

include three oil-fired and one coal-fired electric power generating steam boilers, two auxiliary generating boilers, an emergency diesel generator, three lime storage silos, a lime roll crusher, a barge unloading (lime) area, a pneumatic lime conveying system, No. 2 fuel oil storage tanks, a wastewater treatment system, portable space heaters and fugitive dust emission sources from coal handling.

**56-00166: PBS Coal Inc.—Shade Creek Plant** (1576 Stoystown Road, P. O. Box 260, Friedens, PA 15541) in Shade Township, **Somerset County**. The facility operates a thermal dryer that is controlled by a venturi scrubber. The plant also has emissions resulting from a crusher, screens, conveying equipment, coal storage piles, and road dust.

#### **Interstate Ozone Transport Reduction**

*Proposed Revisions to Title V/State Only Operating Permits to establish NO<sub>x</sub> Allowance Allocations and to include Conditions relating to NO<sub>x</sub> Budget Trading Program*

The Department of Environmental Protection (Department) intends to issue new or revise existing Title V/State Only Operating Permits to incorporate the provisions of 25 Pa. Code §§ 145.1—145.90. These regulations establish a NO<sub>x</sub> Budget and a NO<sub>x</sub> Budget Trading Program for NO<sub>x</sub> budget units for the purpose of achieving the health-based ozone ambient air quality standard. The Department is establishing the NO<sub>x</sub> Allowance Allocations for each NO<sub>x</sub> budget unit under the provisions of 25 Pa. Code § 145.42.

The new or revised Title V/State only operating permits will, beginning in 2003, require the owner or operator of each NO<sub>x</sub> budget unit to hold a quantity of NO<sub>x</sub> allowances by November 30 of each year not less than the total NO<sub>x</sub> emissions for the control period from the NO<sub>x</sub> budget unit. One NO<sub>x</sub> Allowance is the limited authorization to emit one ton of NO<sub>x</sub> during the NO<sub>x</sub> Allowance Control Period, which begins May 1 of each year and ends September 30 of the same year. The NO<sub>x</sub> allowances held in the source's current year NO<sub>x</sub> Allowance Tracking System (NATS) compliance and overdraft accounts must be equal to or greater than the total NO<sub>x</sub> emitted from the source during the year's NO<sub>x</sub> allowance control period. The initial NO<sub>x</sub> allowance control period begins on May 1, 2003.

The new or revised Title V/State only operating permits will also include emission monitoring, reporting and recordkeeping requirements for each NO<sub>x</sub> budget source. NO<sub>x</sub> emissions from each NO<sub>x</sub> budget source shall be monitored, reported and recorded in accordance with 25 Pa. Code §§ 145.30 and 145.70—145.76.

Persons wishing to file protests or comments on the proposed Title V/Operating Permits or allocations must submit the protest or comment within 30 days from the date of this notice. Interested persons may also request that a hearing be held concerning the proposed permits or allocations. Any comments or protests filed at the following address must include a concise statement of the objections to the issuance of the permit and/or allocations and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation, where the facility is located, at least 30 days prior to the date of the hearing.

Copies of the proposed permits, allocations and other relevant information are available for review at the address given below.

Bureau of Air Quality, Division of Permits, Rachel Carson State Office Building, P. O. Box 8468, Harrisburg, PA 17105-8468, (717) 787-4325.

	<i>Electric Generating Units</i>	<i>Non Electric Generation Units</i>
State Trading Program Budget	47,224	3,619
Sum of NO <sub>x</sub> Budget Unit Allowance Allocations 2003—2007	44,863	3,438

There is also a combined 2,542 allocation set aside for 2003—2007 for all newly affected electric and non-electric generation units.

**0013: LTV Steel Company** (3100 East 45th St., Cleveland, OH 44127-1094) located in the City of Pittsburgh, **Allegheny County**.

NO<sub>x</sub> affected Source(s):

Point ID: 015	Allowance: 25
Point ID: 017	Allowance: 15
Point ID: 019	Allowance: 29
Point ID: 021	Allowance: 55

**0025: Shenango Iron & Coke Works** (200 Neville Road, Pittsburgh, PA 15225-1690) located in Neville Township, **Allegheny County**.

NO<sub>x</sub> affected Source(s):

Point ID: 006	Allowance: 18
Point ID: 009	Allowance: 15

**02-0054: Orion Power MidWest, L. P.** (7 East Redwood Street, Baltimore, MD 21202) located in Springdale Borough, **Allegheny County**.

NO<sub>x</sub> affected Source(s):

Boiler Point ID: 001 Allowance: 1119

**03-0023: Allegheny Energy Supply Company, L.L.C.** (800 Cabin Hill Dr., Greensburg, PA 15601) located in Washington Township, **Armstrong County**.

NO<sub>x</sub> affected Source(s):

Foster Wheeler	Point ID: 031	Allowance: 363
Foster Wheeler	Point ID: 032	Allowance: 383

**03-0027: Keystone Owners Group** (P. O. Box 68,682 Philadelphia Street, Indiana, PA 15701) located in Plumcreek Township, **Armstrong County**.

NO<sub>x</sub> affected Source(s):

Boiler No. 1	Point ID: 031	Allowance: 2154
Boiler No. 2	Point ID: 032	Allowance: 2133

**OP03-00013: IA Const Corp.** (P. O. Box 290, Homer City, PA 15748) located in East Franklin Township, **Armstrong County**.

NO<sub>x</sub> affected Source(s):

Asphalt Rotary Dryer Point ID: 101 Allowance: 0

**04-0044: Zinc Corporation of America** (300 Frankfort Road, Monaca, PA 15061) located in Potter Township, **Beaver County**.

NO<sub>x</sub> affected Source(s):

Coal Boiler 1	Point ID: 034	Allowance: 176
Coal Boiler 2	Point ID: 035	Allowance: 180

**04-0235: Penn Power Co.** (P. O. Box 128, Shippingport, PA 15077) located in Shippingport Borough, **Beaver County**.

NO<sub>x</sub> affected Source(s):

Boiler Unit 1	Point ID: 031	Allowance: 1657
Foster Wheeler Unit 2	Point ID: 032	Allowance: 1672
Foster Wheeler Unit 3	Point ID: 033	Allowance: 1636

**04-0446: AES Beaver Valley Partners Inc.** (394 Frankfort Road, Monaca, PA 15061) located in Potter Township, **Beaver County**.

NO<sub>x</sub> affected Source(s):

Babcock and Wilcox	Point ID: 032	Allowance: 144
Babcock and Wilcox	Point ID: 033	Allowance: 131
Babcock and Wilcox	Point ID: 034	Allowance: 133
Combustion Engineering	Point ID: 035	Allowance: 67

**06-05033: Texas Eastern Trans Corp.** (P. O. Box 1642, Houston, TX 77251) located in Washington Township, **Berks County**.

NO<sub>x</sub> affected Source(s):

Point ID: 031 Allowance: 98

**06-1024: Reliant Energy Mid Atlantic Power Holdings LLC** (1001 Broad Street, Johnstown, PA 15907) located in Cumru Township, **Berks County**.

NO<sub>x</sub> affected Source(s):

Unit 1	Point ID: 031	Allowance: 161
Unit 2	Point ID: 032	Allowance: 152
Unit 3	Point ID: 033	Allowance: 151

**OP-09-0066: PECO Energy** (2600 Monroe Blvd., Norristown, PA 19403) located in Falls Township, **Bucks County**.

NO<sub>x</sub> affected Source(s):

Power House Boiler No. 3	Point ID: 043	Allowance: 15
Power House Boiler No. 4	Point ID: 044	Allowance: 77
Power House Boiler No. 5	Point ID: 045	Allowance: 32

**TVOP-09-0016: PECO Energy** (2600 Monroe Blvd., Norristown, PA 19403) located in Bristol Township, **Bucks County**.

NO<sub>x</sub> affected Source(s):

Croyden-Turbine #11	Point ID: 031	Allowance: 11
Croyden-Turbine #12	Point ID: 032	Allowance: 9
Croyden-Turbine #21	Point ID: 033	Allowance: 5
Croyden-Turbine #22	Point ID: 034	Allowance: 11
Croyden-Turbine #31	Point ID: 035	Allowance: 13
Croyden-Turbine #32	Point ID: 036	Allowance: 6
Croyden-Turbine #41	Point ID: 037	Allowance: 11
Croyden-Turbine #42	Point ID: 038	Allowance: 9

**11-0318: Ebsenburg Power Company** (20 S. Van Buren Ave., Barbarton, OH 44203-0351) located in Cambria Township, **Cambria County**.

NO<sub>x</sub> affected Source(s):

CFB Boiler Point ID: Allowance: 191

**11-0332: Cambria CoGen Company** (7201 Hamilton Blvd., Allentown, PA 18195) located in Cambria Township, **Cambria County**.

NO<sub>x</sub> affected Source(s):

A Boiler	Point ID: 031	Allowance: 155
B Boiler	Point ID: 032	Allowance: 161

**11-0378: Inter-Power/AhlCon Partners LP** (Colver Power Project) (2591 Wexford-Bayne Road, Ste. 204, Sewickley, PA 15143) located in Cambria Township, **Cambria County**.

NO<sub>x</sub> affected Source(s):

Small Power Producer Point ID: AAB01 Allowance: 291

**13-0003: Panther Creek Partners** (1001 Industrial Road, Nesquehoning, PA 18240) located in Nesquehoning Borough, **Carbon County**.

NO<sub>x</sub> affected Source(s):

Boiler 1	Point ID: 1	Allowance: 134
Boiler 2	Point ID: 2	Allowance: 130

**OP-15-0019: PECO Energy** (2600 Monroe Blvd., Norristown, PA 19403) located in East Pikeland Township, **Chester County**.

NO<sub>x</sub> affected Source(s):

Boiler No. 1	Point ID: 031	Allowance: 377
Boiler No. 2	Point ID: 032	Allowance: 201

**16-0127: Piney Creek LP** (R. R. 2, Box 56, Clarion, PA 16214) located in Piney Township, **Clarion County**.

NO<sub>x</sub> affected Source(s):

CFB Boiler Point ID: 031 Allowance: 102

**OP-17-0001: Reliant Energy Mid Atlantic Power Holdings LLC** (1001 Broad Street, Johnstown, PA 15907) located in Bradford Township, **Clearfield County**.

NO<sub>x</sub> affected Source(s):

Babcock Wilcox Boiler	Point ID: 031	Allowance: 295
Babcock Wilcox Boiler	Point ID: 032	Allowance: 294
Combustion Engineering	Point ID: 033	Allowance: 380
Combustion Engineering	Point ID: 034	Allowance: 392

**OP-18-0005: International Paper Co.** (South Highland Street, Lock Haven, PA 17745) located in Castanea Township, **Clinton County**.

NO<sub>x</sub> affected Source(s):

1 Riley Stoker Vo-Sp	Point ID: 033	Allowance: 101
2 Riley Stoker Vo-Sp	Point ID: 034	Allowance: 90

**64-0008: Reliant Energy Mid Atlantic Power Holdings LLC** (1001 Broad Street, Johnstown, PA 15907) located in Wayne Township, **Crawford County**.

NO<sub>x</sub> affected Source(s):

Combustion Turbine Point ID: 031 Allowance: 8

**21-2010: Reliant Energy Mid Atlantic Power Holdings LLC** (1001 Broad Street, Johnstown, PA 15907) located in South Middleton Township, **Cumberland County**.

NO<sub>x</sub> affected Source(s):

G. E. N Frame Turbine	Point ID: 031	Allowance: 5
G. E. N Frame Turbine #1	Point ID: 032	Allowance: 5

**OP-23-0001: Sunoco Inc.** (R&M) (P. O. Box 426, Marcus Hook, PA 19061-0426) located in Marcus Hook Borough, **Delaware County**.

NO<sub>x</sub> affected Source(s):

Boiler 7	Point ID: 089	Allowance: 102
COGEN.FACIL.GAS TURBINE	Point ID: 090	Allowance: 163

**OP-23-0003: Tosco Refining Company** (4101 Post Road, Trainer, PA 19061) located in Trainer Borough, **Delaware County**.

NO<sub>x</sub> affected Source(s):

7 Boiler	Point ID: 032	Allowance: 71
8 Boiler	Point ID: 033	Allowance: 80

**OP-23-0014A: Kimberly-Clark** (Front and Ave of the States, Chester, PA 19013) located in the City of Chester, **Delaware County**.

NO<sub>x</sub> affected Source(s):

Boiler No. 9	Point ID: 034	Allowance: 1
10 Culm Cogen. Fbc Plant	Point ID: 035	Allowance: 345
	Point ID: 10	Allowance: 211

**OP-23-0017: PECO Energy** (2600 Monroe Blvd., Norristown, PA 19403) located in Eddystone Borough, **Delaware County**.

NO<sub>x</sub> affected Source(s):

No. 1 Boiler	Point ID: 031	Allowance: 565
No. 2 Boiler	Point ID: 032	Allowance: 636
No. 3 Boiler	Point ID: 033	Allowance: 207
No. 4 Boiler	Point ID: 041	Allowance: 237

**24-0009: Willamette Industries Inc.** (100 Center Street, Johnsonburg, PA 15845) located in Johnsonburg Borough, **Elk County**.

NO<sub>x</sub> affected Source(s):

B&W #81 Boiler	Point ID: 040	Allowance: 90
B&W #82 Boiler	Point ID: 041	Allowance: 89

**25-0025: General Electric Co.** (2901 East Lake Road, Erie, PA 16531) located in the City of Erie, **Erie County**.

NO<sub>x</sub> affected Source(s):

B & W Boiler No. 2 Point ID: 032 Allowance: 16

**25-0923: NEPA Energy LP** (2 South Portage Street, Westfield, NY 14787) located in North East Township, **Erie County**.

NO<sub>x</sub> affected Source(s):

Turbine 1	Point ID: 001	Allowance: 103
Turbine 2	Point ID: 002	Allowance: 109

**30-0099: Allegheny Energy Supply Company, L.L.C.** (800 Cabin Hill Dr., Greensburg, PA 15601) located in Monongahela Township, **Greene County**.

NO<sub>x</sub> affected Source(s):

Babcock & Wilcox	Point ID: 031	Allowance: 1155
Babcock & Wilcox	Point ID: 032	Allowance: 1029
Babcock & Wilcox	Point ID: 033	Allowance: 1087

**32-0040: Reliant Energy Mid Atlantic Power Holdings LLC** (1001 Broad Street, Johnstown, PA 15907) located in West Wheatfield Township, **Indiana County**.

NO<sub>x</sub> affected Source(s):

Boiler No. 12 (B&W)	Point ID: 032	Allowance: 64
Boiler No. 14 (B&W)	Point ID: 033	Allowance: 72
Boiler No. 15 (Comb. Eng.)	Point ID: 931	Allowance: 355

**32-0055: EME Homer City Generation LP** (Power Plant Rd., Homer City, PA 15748) located in Center Township, **Indiana County**.

NO<sub>x</sub> affected Source(s):

Boiler No. 1-Foster Wheeler Point ID: 031 Allowance: 1471  
 Boiler No. 2-Foster Wheeler Point ID: 032 Allowance: 1553  
 Boiler No. 3-B.&W. Point ID: 033 Allowance: 1437

**32-0059: Conemaugh Owners Group** (P. O. Box 68, 682 Philadelphia Street, Indiana, PA 15701) located in West Wheatfield Township, **Indiana County**.

NO<sub>x</sub> affected Source(s):

Boiler No. 1 Point ID: 031 Allowance: 2167  
 Boiler No. 2 Point ID: 032 Allowance: 1995

**36-05016: PP&L Inc.** (2 North Ninth Street, Allentown, PA 18101) located in Martic Township, **Lancaster County**.

NO<sub>x</sub> affected Source(s):

Unit 17 Foster Wheeler Point ID: 934 Allowance: 246

**37-0023: Orion Power MidWest, L. P.** (7 East Redwood Street, Baltimore, MD 21202) located in Taylor Township, **Lawrence County**.

NO<sub>x</sub> affected Source(s):

Babcock and Wilcox Point ID: 033 Allowance: 190  
 Babcock and Wilcox Point ID: 034 Allowance: 195  
 Babcock and Wilcox Point ID: 035 Allowance: 245

**40-0005: UGI Corp.** (400 Steward Road, Wilkes-Barre, PA 18773) located in Hunlock Township, **Luzerne County**.

NO<sub>x</sub> affected Source(s):

Foster Wheeler Point ID: 031 Allowance: 131

**40-0031: Williams Generation Company—Hazleton** (P. O. Box 2848-WRO-A, Tulsa, OK 74101-9567) located in Hazle Township, **Luzerne County**.

NO<sub>x</sub> affected Source(s):

Point ID: HRSG Allowance: 16  
 Point ID: Turbine Allowance: 141

**OP-46-0005: Merck & Co.** (Sumneytown Pike, West Point, PA 19486-0004) located in Upper Gwynedd Township, **Montgomery County**.

NO<sub>x</sub> affected Source(s):

Cogen II Gas Turbine Point ID: 039 Allowance: 126

**OP-47-0001A: PPL MONTOUR LLC** (2 North Ninth Street, Allentown, PA 18101) located in Derry Township, **Montour County**.

NO<sub>x</sub> affected Source(s):

Montour No. 1 Point ID: 031 Allowance: 1560  
 Montour No. 2 Point ID: 032 Allowance: 1673

**48-0006: Reliant Energy Mid Atlantic Power Holdings LLC** (1001 Broad Street, Johnstown, PA 15907) located in Upper Mt. Bethel Township, **Northampton County**.

NO<sub>x</sub> affected Source(s):

Unit No. 1 Point ID: 1 Allowance: 266  
 Unit No. 2 Point ID: 2 Allowance: 412  
 Combustion Turbine No. 5 Point ID: 5 Allowance: 48

**48-0011: PPL Martins Creek LLC** (2 North Ninth Street, Allentown, PA 18101) located in Lower Mount Bethel Township, **Northampton County**.

NO<sub>x</sub> affected Source(s):

Foster-Wheeler Unit No. 1 Point ID: 031 Allowance: 314  
 Foster-Wheeler Unit No. 2 Point ID: 032 Allowance: 293  
 C-E Unit No. 3 Point ID: 033 Allowance: 543  
 C-E Unit No. 4 Point ID: 034 Allowance: 500

**48-0013: Bethlehem Steel Corp.** (1170 8th Avenue, Bethlehem, PA 18016) located in the City of Bethlehem, **Northampton County**.

NO<sub>x</sub> affected Source(s):

Boiler 1 Boiler House 2 Point ID: 041 Allowance: 100  
 Boiler 2 Boiler House 2 Point ID: 042 Allowance: 66  
 Boiler 3 Boiler House 2 Point ID: 067 Allowance: 165

**48-0021: Northampton Generating Company** (1 Horwith Drive, Northampton, PA 18067) located in Northampton Borough, **Northampton County**.

NO<sub>x</sub> affected Source(s):

Boiler Point ID: 1 Allowance: 291

**OP-49-0002: Foster Wheeler Mt. Carmel Inc.** (Marion Heights Road, Marion Heights, PA 17832) located in Mount Carmel Township, **Northumberland County**.

NO<sub>x</sub> affected Source(s):

Cogen Point ID: 031 Allowance: 152

**50-05001: Texas Eastern Trans Corp.** (P. O. Box 1642, Houston, TX 77251) located in Carroll Township, **Perry County**.

NO<sub>x</sub> affected Source(s):

Point ID: 031 Allowance: 0

**95-001: Trigen—Philadelphia Energy Corp.** (2600 Christian Street, Philadelphia, PA 19146) located in the City of Philadelphia, **Philadelphia County**.

NO<sub>x</sub> affected Source(s):

Boiler 1 Point ID: 1 Allowance: 12  
 Boiler 2 Point ID: 2 Allowance: 10  
 Boiler 3 Point ID: 3 Allowance: 5  
 Boiler 4 Point ID: 4 Allowance: 6

**95-002: Trigen—Philadelphia Energy Corp.** (2600 Christian Street, Philadelphia, PA 19146) located in the City of Philadelphia, **Philadelphia County**.

NO<sub>x</sub> affected Source(s):

Boiler 23 Point ID: 23 Allowance: 233  
 Boiler 24 Point ID: 24 Allowance: 234  
 Boiler 26 Point ID: 26 Allowance: 234

**95-004: PECO Energy** (2600 Monroe Blvd., Norristown, PA 19403) located in the City of Philadelphia, **Philadelphia County**.

NO<sub>x</sub> affected Source(s):

Combustion Turbine Point ID: 13 Allowance: 56  
 Combustion Turbine Point ID: 14 Allowance: 61

**95-005: PECO Energy** (2600 Monroe Blvd., Norristown, PA 19403) located in the City of Philadelphia, **Philadelphia County**.

NO<sub>x</sub> affected Source(s):

Combustion Turbine Point ID: 37 Allowance: 9  
 Combustion Turbine Point ID: 38 Allowance: 10

**95-006: PECO Energy** (2600 Monroe Blvd., Norristown, PA 19403) located in the City of Philadelphia, **Philadelphia County**.

NO<sub>x</sub> affected Source(s):

Combustion Turbine Point ID: 3 Allowance: 84

**95-029: U S Naval Base** (NSWCCD-SSES, Philadelphia, PA 19112-5083) located in the City of Philadelphia, **Philadelphia County**.

NO<sub>x</sub> affected Source(s):

Point ID: 016 Allowance: 0

Point ID: 017 Allowance: 1

Combustion Source Point ID: 98 Allowance: 0

Combustion Source Point ID: 99 Allowance: 0

**95-038: Sunoco Inc.** (R&M) (3144 Passyunk Ave., Philadelphia, PA 19145-5208) located in the City of Philadelphia, **Philadelphia County**.

NO<sub>x</sub> affected Source(s):

GP Boiler 37 Point ID: 02-2,3 Allowance: 49

GP Boiler 38 Point ID: 02-4.5 Allowance: 83

GP Boiler 39 Point ID: 02-6,7 Allowance: 105

GP Boiler 40 Point ID: 02-8,9 Allowance: 127

**95-047: Sunoco Inc.** (Margaret and Burmuda Sts., Philadelphia, PA 19137-1193) located in the City of Philadelphia, **Philadelphia County**.

NO<sub>x</sub> affected Source(s):

Boiler #3 Point ID: 052 Allowance: 86

**54-00004: Gilberton Power Company** (50 Eleanor Avenue, Frackville, PA 17931) located in West Mahanoy Township, **Schuylkill County**.

NO<sub>x</sub> affected Source(s):

Boiler Point ID: 031 Allowance: 137

Boiler Point ID: 032 Allowance: 136

**54-0003: Schuylkill Energy Resources** (P. O. Box 112, Shenendoah, PA 17967) located in Mahanoy Township, **Schuylkill County**.

NO<sub>x</sub> affected Source(s):

Boiler Point ID: 031 Allowance: 289

**54-0005: Wheelabrator Frackville Energy Co.** (P. O. Box 392, Frackville, PA 17931) located in Mahanoy Township, **Schuylkill County**.

NO<sub>x</sub> affected Source(s):

Boiler Point ID: GEN1 Allowance: 161

**54-0006: Westwood Energy Properties** (US Route 209, Tremont, PA 17981) located in Porter Township, **Schuylkill County**.

NO<sub>x</sub> affected Source(s):

Boiler Point ID: 031 Allowance: 98

**54-0008: Northeastern Power Company** (P. O. Box 7, McAdoo, PA 18237) located in Kline Township, **Schuylkill County**.

NO<sub>x</sub> affected Source(s):

CFB Boiler Point ID: 031 Allowance: 188

**OP-55-0001B: WPS Resources Corp.** (677 Baeten Road, Green Bay, WI 54304) located in Monroe Township, **Snyder County**.

NO<sub>x</sub> affected Source(s):

Sunbury SES Unit 1a Point ID: 031 Allowance: 134

Sunbury SES Unit 1b Point ID: 032 Allowance: 122

Sunbury SES Unit 2a Point ID: 033 Allowance: 130

Sunbury SES Boiler 2b Point ID: 034 Allowance: 134

Sunbury SES Unit No. 3 Point ID: 035 Allowance: 263  
Sunbury SES Unit No. 4 Point ID: 036 Allowance: 302

**61-00181: Scrubgrass Generating Company LP** (R. R. 1, Box 238, Kennerdell, PA 16374) located in Scrubgrass Township, **Venango County**.

NO<sub>x</sub> affected Source(s):

Unit 1 Point ID: 031 Allowance: 124

Unit 2 Point ID: 032 Allowance: 123

**62-0012: Reliant Energy Mid Atlantic Power Holdings LLC** (1001 Broad Street, Johnstown, PA 15907) located in Conewango Township, **Warren County**.

NO<sub>x</sub> affected Source(s):

Combustion

Turbine Point ID: 005 Allowance: 14

Boiler No. 1 Point ID: 1 Allowance: 47

Boiler No. 2 Point ID: 2 Allowance: 32

Boiler No. 3 Point ID: 3 Allowance: 40

Boiler No. 4 Point ID: 4 Allowance: 42

**63-0014: Orion Power MidWest, L. P.** (7 East Redwood Street, Baltimore, MD 21202) located in Union Township, **Washington County**.

NO<sub>x</sub> affected Source(s):

No. 1 Boiler Point ID: 031 Allowance: 214

No. 2 Boiler Point ID: 032 Allowance: 209

No. 3 Boiler Point ID: 033 Allowance: 208

No. 4 Boiler Point ID: 034 Allowance: 428

**63-0016: Allegheny Energy Supply Company, L.L.C.** (800 Cabin Hill Dr., Greensburg, PA 15601) located in Union Township, **Washington County**.

NO<sub>x</sub> affected Source(s):

B & W OIL UNIT Point ID: 031 Allowance: 10

B & W OIL UNIT Point ID: 032 Allowance: 6

B & W OIL UNIT Point ID: 033 Allowance: 9

Combustion Eng Coal Unit Point ID: 034 Allowance: 556

**65-0853: Koppers Ind.** (436 Seventh Ave., Pittsburgh, PA 15219) located in the City of Monessen, **Westmoreland County**.

NO<sub>x</sub> affected Source(s):

Boiler House Point ID: 031 Allowance: 0

**66-0001: Procter & Gamble Paper Products Co.** (P. O. Box 32, Mehoopany, PA 18629) located in Washington Township, **Wyoming County**.

NO<sub>x</sub> affected Source(s):

Westinghouse 251B10 Point ID: 035 Allowance: 187

**67-2005: PPL Brunner Island LLC** (2 North Ninth Street, Allentown, PA 18101) located in East Manchester Township, **York County**.

NO<sub>x</sub> affected Source(s):

Brunner Island 2 Point ID: 032 Allowance: 718

Brunner Island Unit 1 Point ID: 931 Allowance: 568

Brunner Island Unit 3 Point ID: 933 Allowance: 1539

**67-2028: Reliant Energy Mid Atlantic Power Holdings LLC** (1001 Broad Street, Johnstown, PA 15907) located in Hopewell Township, **York County**.

NO<sub>x</sub> affected Source(s):

Combustion Turbine Point ID: 031 Allowance: 3

Combustion Turbine Point ID: 032 Allowance: 4



**67-5004: Glatfelter P H Co.** (228 South Main Street, Spring Grove, PA 17362) located in Spring Grove Borough, **York County**.

NO<sub>x</sub> affected Source(s):

	Point ID: 031	Allowance: 0
Number 4 Power Boiler	Point ID: 034	Allowance: 112
Number 1 Power Boiler	Point ID: 035	Allowance: 137
Number 5 Power Boiler	Point ID: 036	Allowance: 211

#### PLAN APPROVALS

**Applications received and intent to issue Plan Approvals under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B (relating to plan approval requirements).**

*Northeast Regional Office: Air Quality Program, Two Public Square, Wilkes-Barre, PA 17811-0790, (570) 826-2531.*

**66-315-042: Procter & Gamble Paper Products Co.** (P. O. Box 32, Mehoopany, PA 18629) for construction of diaper production lines and associated air cleaning devices along Route 87 in Washington Township, **Wyoming County**.

**66-399-002: Procter & Gamble Paper Products Co.** (P. O. Box 32, Mehoopany, PA 18629) for construction of a central dust collection system in the diaper production area along Route 87 in Washington Township, **Wyoming County**.

*Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.*

**67-05024C: Lehigh Portland Cement Company** (200 Hokes Mill Road, York, PA 17404) for installation of two fabric filters at the York Cement Plant in West Manchester Township, **York County**. The filters will replace three aging filters which control emissions from truck loading of cement. The plan approval will include requirements to ensure compliance with applicable air quality requirements. The plan approval will be incorporated into the plant's Title V operating permit at a later date in accordance with 25 Pa. Code § 127.450 for administrative amendments.

*Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.*

**43-310E: Dufenco Farrell Corp.** (15 Roemer Boulevard, Farrell, PA 16121) for replacement of #21/22 Natural Gas Coil Annealing Furnaces in Farrell, **Mercer County**.

**37-013D: Southdown Inc.** (2001 Portland Park, Wampum, PA 16157-9109) for installation of a baghouse (4000 cfm) on three existing Clinker Silos in Wampum, **Lawrence County**.

#### Notice of Intent to Issue a Plan Approval and Amend a Title V Operating Permit

Under 25 Pa. Code §§ 127.44(b) and 127.424(b), the Department of Environmental Protection (Department) intends to issue two plan approvals to Indspec Chemical Corporation (133 Main Street, Petrolia, PA 16050), for their plant located in Petrolia Borough, Butler County. The facility has applied for a Title V permit No. TV-10-00021. These plan approvals will, in accordance with 25 Pa. Code § 127.450, be incorporated into the Title V operating permit through an administrative amendment at a later date.

Plan approval No. PA-10-0021D is for the post modification of the Copeland Unit. The modification of this source resulted in reduced phenol emissions. The permit contains limitations pertaining to fugitive, particulate matter, odor and visible emissions. The source also has a permit limit of 7,500 hours per year (on a 12 month rolling basis). The Plan Approval and Operating Permit will contain additional record keeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Plan approval No. PA-10-0021H is a minor modification of Plan approval PA-10-0021G. This plan approval was for the construction of a new resin Hold Tank and modification of the resin scrubber. The facility prepared a netting analysis associated with this source, the #10 boiler, the modification to the Resorcinol Flaker Scrubber, the No. 3 & 4 Kiln, No. 5 & 6 Dryers, No. 3 & 4 Spray Towers, No. 5 & 6 Venturi Scrubbers, Secondary Scrubber, Resorcinol Storage Tank and Vent Scrubber System, the Resin Plant and the Copeland Unit. The netting analysis indicated an increase of approximately 96 TPY of CO and decreases in NO<sub>x</sub>, PM-10, SO<sub>2</sub>, and VOC. The decreases are due to the shut down of boilers 3, 4, 5, 6, 7 and 8 prior to startup of the No. 10 boiler and conversion of the Copeland Unit. The permit contains limitations pertaining to fugitive, particulate matter, odor and visible emissions. The source also has a resin production limit of 19,124,000 pounds per year (on a 12 month rolling basis), and a permit limit of 6,400 hours per year (based on a 12 month rolling total) for the Hold Tank. The Plan Approval and Operating Permit will contain additional record keeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

## MINING

### APPLICATIONS TO CONDUCT COAL AND NONCOAL ACTIVITIES

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to the applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of the application is available for inspection at the District mining office indicated above each application. Where a 401 water quality certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for such certification.

Written comments or objections, or requests for informal conferences on applications, may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the same address within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public

notices of filing of permit applications, opportunity for comment, and informal conferences).

Where any of the mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. The NPDES permits will contain, at a minimum, technology-based effluent limitations (as described in the Department's regulations—25 Pa. Code §§ 77.522, 87.102, 88.92, 88.187, 88.242, 89.52, and 90.102) for iron, manganese, suspended solids, settleable solids, alkalinity, and pH. In addition to the above, more restrictive effluent limitations, restrictions on discharge volume, or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit when necessary for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies which have requested review of the NPDES permit requirements for a particular mining activity within the above-mentioned public comment period will be provided with a 30-day period to review and submit comments on those requirements.

Written comments or objections should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

*Cambria Office, 286 Industrial Park Road, Ebensburg, PA 15831-4119.*

*Coal Applications Received:*

**32980109. Permit Revision. Amerikohl Mining, Inc.** (202 Sunset Drive, Butler, PA 16001), to add 16.0 acres to the north end of the existing permit on the John Stille property to conduct additional mining of the Upper Freeport coal seam on 3.8 acres. The remainder of this 16.0 acre added area will be utilized for support and spoil storage activities resulting in the reclamation of 12.4 acres of abandoned mine lands on the Upper Freeport seam. Total SMP acres go from 300.0 to 316.0 in Center Township, **Indiana County**, receiving stream unnamed tributaries to Two Lick Creek, application received October 17, 2000.

**56000106. Tomcat Coal** (309 Coalyard Road, Rockwood, PA 15557), commencement, operation and restoration of bituminous surface mine in Milford Township, **Somerset County**, affecting 10.8 acres, receiving stream unnamed tributaries to Coxes Creek, application received October 16, 2000.

**56870201. Permit Revision. J. R. Coal Sales, Inc.** (311 Allegheny Street, Boswell, PA 15531) to change the land use from woodland to light industrial and unmanaged natural habitat in Boswell Borough, **Somerset County**, affecting 19.9 acres, receiving stream Quemahoning Creek, application received October 20, 2000.

*Greensburg District Office, R. R. 2, Box 603-C, Greensburg, PA 15601.*

**65950111. M. B. Energy, Inc.** (175 McKnight Road, Blairsville, PA 15717-7961). Renewal application received

for continued operation and reclamation of a bituminous surface mine located in Derry Township, **Westmoreland County**, affecting 84.7 acres. Receiving streams: unnamed tributary to Miller Run to Loyalhanna Creek. Renewal application received: October 16, 2000.

**65960101. Amerikohl Mining, Inc.** (202 Sunset Drive, Butler, PA 16001). Renewal application received for continued reclamation of a bituminous surface mine located in Derry Township, **Westmoreland County**, affecting 11.5 acres. Receiving stream: Union Run. Renewal application received: October 18, 2000.

*Hawk Run District Office, P. O. Box 209, Off Empire Road, Hawk Run, PA 16840.*

**17990101. Sky Haven Coal, Inc.** (R. D. 1, Box 180, Penfield, PA 15849), transfer of an existing surface mine permit application from Al Hamilton Contracting Company. The permit is located in Girard Township, **Clearfield County** and affects 149 acres. Receiving streams: Surveyor Run and two unnamed tributaries to Surveyor Run. Application received October 5, 2000.

**17980121. Penn-Grampian Coal Company** (P. O. Box 249, Clearfield, PA 16830), transfer of an existing surface mine permit application from BBC Coal Company. The permit is located in Bloom Township, **Clearfield County** and affects 83.4 acres. Receiving streams: Bilgers Run and Hughey Run. Application received October 10, 2000.

**17920104. Cougar Contracting, Inc.** (P. O. Box 217, Houtzdale, PA 16651), revision to an existing bituminous surface mine permit for a Change in postmining land use from cropland (orchard) to pastureland. The permit is located in Bigler Township, **Clearfield County** and affects 70.5 acres. Receiving streams: Muddy Run and an unnamed stream to Muddy Run. Application received October 13, 2000.

**17000110. Thunder Coal Company** (P. O. Box 283, Grampian, PA 16838), commencement, operation and restoration of a bituminous surface mine-auger permit in Penn Township, **Clearfield County** affecting 51 acres. Receiving streams: unnamed tributary to Kratzer Run and unnamed tributary to West Branch Susquehanna River. Application received October 16, 2000.

*Cambria Office, 286 Industrial Park Road, Ebensburg, PA 15931-4119.*

*Small Industrial Mineral Applications Received:*

**56002801. Mostoller Landfill, Inc.** (7095 Glades Pike, Somerset, PA 15501), commencement, operation and restoration of small noncoal (industrial minerals) operation in Brothersvalley Township, **Somerset County**, affecting 5.0 acres, receiving stream unnamed tributary Kimberly Run, application received October 13, 2000.

*Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.*

*Noncoal Applications Received*

**36900302C3. Haines & Kibblehouse, Inc.** (2052 Lucon Road, P. O. Box 196, Skippack, PA 19474), renewal of NPDES Permit PA0594784 in Fulton Township, **Lancaster County**, receiving stream—unnamed tributary to Octoraro Creek. Application received October 12, 2000.

**6277SM1A1C3. Compass Quarries, Inc., d/b/a Independence Construction Materials** (47 MecIlvaine Road, Box 130, Paradise, PA 17562), renewal of NPDES

Permit PA0595080 in Paradise Township, **Lancaster County**, receiving stream—Londonland Run. Application received October 13, 2000.

**44000302. Glenn O. Hawbaker, Inc.** (P. O. Box 135, 325 West Aaron Drive, State College, PA 16804), commencement, operation and restoration of a quarry operation in Armagh Township, **Mifflin County** affecting 82.8 acres, receiving stream—Honey Creek. Application received October 17, 2000.

**6477SM4A1C2. John F. Walter Excavating, Inc.** (P. O. Box 175, Newville, PA 17241), renewal of NPDES Permit PA0612677 in Middlesex Township, **Cumberland County**, receiving stream—Conodoquinet Creek. Application received October 19, 2000.

**5074SM1A2C5. Valley Quarries, Inc.** (P. O. Box J, Chambersburg, PA 17201), renewal and correction of NPDES Permit PA022629 in Guilford Township, **Franklin County**, receiving stream—Conococheague Creek. Application received October 19, 2000.

#### Bureau of Deep Mine Safety

The Bureau of Deep Mine Safety has received a request for variance from the Eighty Four Mining Company. The following notification contains a summary of this request. A complete copy of the variance request may be obtained from Allison Gaida by calling (724) 439-7469 or from the BDMS web site at <http://www.dep.state.pa.us/dep/deputate/minres/dms/dms.htm>.

The Department is publishing a summary of the request in order to solicit comments from affected parties on the proposed variance request. Comments may be used by the Bureau to assist in its investigation of the variance request. Comments will be accepted for 30 days following the publication of this notice. All comments should be addressed to Richard E. Stickler, Director, Bureau of Deep Mine Safety, Fayette County Health Center, 100 New Salem Road, Room 167, Uniontown, PA 15401.

Section 702 of the Bituminous Coal Mine Act (52 P. S. §§ 701 and 702) provides a mechanism for operators to obtain variances from specific requirements of the Act to accommodate the adoption of new machinery, equipment, tools, supplies, methods, or processes.

Section 228(a) requires that certified persons conduct certain examinations within 3 hours immediately preceding the beginning of a coal-producing shift, and before any workmen in such shift other than those who may be designated to make the examinations prescribed in the section enter the underground areas of such mine.

*Summary of the request:* Eighty Four Mining Company requests a variance to conduct pre-shift examinations within 3 hours preceding the beginning of any 8-hour interval during which any person is scheduled to work or travel underground and establish the 8-hour intervals of time subject to these examinations at the Mine 84.

### APPLICATIONS RECEIVED UNDER SECTION 401: FEDERAL WATER POLLUTION CONTROL ACT

#### ENCROACHMENTS

The following permit applications and requests for Environmental Assessment approval and requests for water quality certification have been received by the Department of Environmental Protection. Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)), requires the State to certify that the involved projects will not violate the applicable provisions of 33

U.S.C.A. §§ 1311—1313, 1316 and 1317 as well as relevant State requirements. Initial requests for 401 certification will be published concurrently with the permit application. Persons objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Safety or Encroachment Permit, or the approval of Environmental Assessments must submit any comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

#### Application received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401 of the Federal Water Pollution Control Act.

*Southeast Regional Office: Program Manager, Water Management Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.*

**E46-877.** Encroachment. **Borough of Trappe**, 525 West Main Street, Trappe, PA 19426. To replace and maintain an existing culvert with 40 linear feet of 12-foot by 4.5-foot reinforced concrete box culvert in and along Donny Brook Run (TSF). The work includes the installation of wingwalls and the placement and maintenance of R-7 riprap outlet protection. This culvert is located beneath Clayhor Avenue (Collegeville, PA Quadrangle N: 11.65 inches; W: 14.2 inches) in Trappe Borough, **Montgomery County**.

**E09-812.** Encroachment. **Bruce Fosselman**, Richland Township, P. O. Box 249, Richlandtown, PA 18955. To place and maintain fill along approximately 700 linear feet of 100-year floodplain and floodway of Tohickon Creek (TSF) as part of the Heller Road widening and improvement project. This work is located between Quakertown Borough and Walnut Bank Farm Road (Quakertown, PA Quadrangle N: 14.2 inches and W: 11.8 inches) in Richland Township, **Bucks County**.

*Southcentral Regional Office: Section Chief, Water Management Program, Soils and Waterways Section, 909 Elmerton Avenue, 2nd Floor, Harrisburg, PA 17110, (717) 705-4707.*

**E05-288.** Encroachment. **Mark Diehl**, Metro Storage Wilson Unit, 1627 Reynoldsdale Road, New Paris, PA 15554. To place fill in 1.72 acres of wetlands adjacent to Dunning Creek (WWF) at a point along Route 56 approximately 1 mile west of I-99 for the purpose of constructing storage buildings (Bedford, PA Quadrangle N: 19.2 inches; W: 7.3 inches) in East St. Clair Township, **Bedford County**.

**E06-537.** Encroachment. **Quaker Hill Dev Co.**, R. D. 1, Box 1325, Mohnnton, PA 19540. To construct a minor road crossing and an outfall channel in and along a tributary to Beaver Run and associated wetlands at a point at Overlook Road for the purpose of constructing a residential development (Morgantown, PA Quadrangle N: 15.9 inches; W: 0.4 inch) in Robeson Township, **Berks County**. The amount of wetland impact is considered de minimis and wetland mitigation is not required.

**E06-546.** Encroachment. **Union Township**, 177 Center Road, Douglassville, PA 19518. To remove the existing twin 48-inch diameter culvert and construct and maintain a 13-foot by 5-foot concrete box culvert at the channel of an unnamed tributary to Schuylkill River on T-357 (Hallman Road) located about 1 mile southwest of Unionville Village (Pottstown, PA Quadrangle N: 20.5 inches; W: 15.5 inches) in Union Township, **Berks County**.

**E07-338.** Encroachment. **Charlie Diehl**, Snyder Township, R. D. 3, Box 119, Tyrone, PA 16686. To replace the deck and improve the approaches on an existing structure having a span of 22.5 feet and an underclearance of 9 feet across the channel of Big Fill Run (HQ-CWF) at a point at T-606 for the purpose of improving a deteriorated bridge (Tyrone, PA Quadrangle N: 20.4 inches; W: 9.55 inches) in Snyder Township, **Blair County**.

**E22-419.** Encroachment. **Marc DeSouza**, Meadows of Hanover Dev., Inc., 225 N. Presidential Blvd., P. O. Box 1176, Bala Cynwyd, PA 19004. To construct and maintain (1) a road crossing, Wetland Crossing #1, on a proposed public street known as Meadow Lark Lane which will impact 0.1 acre of wetlands; and, (2) construct Stormwater Detention Area #9 in an unnamed tributary to Kellock Run (WWF) in conjunction with the development of Phases #1 and #5 of a residential subdivision known as the Meadows of Hanover Development located on the west side of Route 39, about 1.5 miles north of the Village of Union Deposit (Hershey, PA Quadrangle N: 11.0 inches; W: 10.2 inches) in South Hanover Township, **Dauphin County**.

**E22-420.** Encroachment. **The Honorable Todd Hoover**, 511 Stoney Creek Road, Dauphin, PA 17018. To construct and maintain an L-shaped in-ground swimming pool in the floodway of Clarks Creek (CWF) as part of the improvements to an existing residential property located on the north side of Stony Creek (CWF) along Stony Creek Road (T-535) about 1.5 miles northeast of Dauphin Borough (Halifax, PA Quadrangle N: 0.4 inch; W: 5.3 inches) in Middle Paxton Township, **Dauphin County**.

**E28-281.** Encroachment. **James Epply**, PA DCNR, P. O. Box 8451, Harrisburg, PA 17105. To relocate approximately 90 lineal feet of a tributary to Raccoon Creek (CWF/HQ) within a rock lined channel and place embankment fill along the southeast side of a district road at bridge 01-0017 for the purpose of stabilizing the roadway shoulder and installing guide-rail for the public safety. The Site is located in the Michaux State Forest (Caledonia Park, PA Quadrangle N: 1.4 inches; W: 15.25 inches) in Greene Township, **Franklin County**.

**E44-104.** Encroachment. **Mark Sunderland**, Armagh Township, P. O. Box 396, Milroy, PA 17063. To remove an existing structure and to construct and maintain a bridge having a clear normal span of 48 feet and an underclearance of 6.2 feet across the channel of Treaster Run (HQ-CWF) at a point at T-467 (Burnham, PA Quadrangle N: 21.6 inches; W: 1.4 inches) in Armagh Township, **Mifflin County**.

*Northcentral Region: Water Management, Soils and Waterways Section, F. Alan Sever, Chief, 208 West Third St., Suite 101, Williamsport, PA 17701.*

**E53-348.** Encroachment. **Harrison Township Supervisors**, P. O. Box 92, Harrison Valley, PA 16927. To operate and maintain a public road (T-489) crossing Marsh Creek—Cold Water Fishery. The public road crossing shall be operated and maintained with a corrugated metal culvert pipe that has a minimum diameter of

7-feet, length of 30-feet and depression of 0.5-feet. The operation and maintenance of the public road crossing will not impact wetlands while impacting a maximum waterway length of 140-feet. The project is located along the eastern right-of-way of SR 1010 approximately 200-feet north of T-489 and SR 1010 intersection (Harrison Valley, PA Quadrangle N: 17.6 inches; W: 13.2 inches) in Harrison Township, **Potter County**.

**E53-350.** Encroachment. **John P. Kio**, 1703 Promise Lane, Coudersport, PA 16915. To remove an existing structure and to construct, operate and maintain a minor road crossing Trout Run (High Quality—Cold Water Fishery) to provide access to a private, single dwelling. The road crossing Trout Run shall be constructed with a single arch culvert pipe that will have a minimum span of 85-inches, rise of 62-inches, length of 240-inches and a depression into the streambed of 12-inches. The culvert installation shall be completed in dry work conditions by dams and pumping or fluming flows around the work area. The project will not impact wetlands while impacting a maximum waterway length of 130-feet. The project is located along the southern right-of-way of SR 0006 approximately 2,000-feet east of T-394 and SR 0006 intersection (Sweden Valley, PA Quadrangle N: 1.25 inches; W: 5.0 inches) in Sweden Township, **Potter County**.

**E02-1319.** Encroachment. **Norfolk Southern Railway Company**, 600 West Peachtree Street, Suite 1840, Atlanta, GA 30308. To construct and maintain a fiber optics line consisting of 12 high density polyethylene (HPPC) conduits installed within the existing right of way of the Norfolk Southern Railway, utilizing various installation methods, including a track mounted rail plow, bridge attachment, horizontal directional drill, and conventional wet and dry trenching. The line shall cross the following streams: six tributaries to the Allegheny River (WWF), Bull Creek (WWF), Bailey Run (WWF), Crawford Run (WWF), Riddle Run (WWF), Tawney Run (WWF), Deer Creek (WWF), Guys Run (WWF), Power Run (WWF), Squaw Run (HQ-WWF), Pine Creek (TSF), Allegheny River (WWF), Jacks Run (WWF), Spruce Run (WWF), Lowries Run (TSF), Toms Run (WWF), Kilbuck Run (CWF), two tributaries to the Ohio River (WWF), Little Sewickley Creek (HQ-TSF) and Big Sewickley Creek (TSF). This project is part of the construction of a fiber optic network extending from Cleveland, Ohio to Fairfax, Virginia (project starts at Freeport, PA Quadrangle N: 8.1 inches; W: 9.7 inches and ends Ambridge, PA Quadrangle N: 14.1 inches; W: 13.7 inches) in Aspinwall Borough, Avalon Borough, Bellevue Borough, Ben Avon Borough, Brackenridge Borough, Cheswick Borough, East Deer Township, Edgeworth Borough, Emsworth Borough, Etna Borough, Glenfield Borough, Harmar Township, Haysville Borough, Harrison Township, Kilbuck Township, Leets Township, Millvale Borough, O'Hara Township, Osborne Borough, City of Pittsburgh, Sewickley Borough, Sharpsburg Borough, Springdale Borough, Springdale Township and Tarentum Borough in **Allegheny County**.

**E03-389.** Encroachment. **Norfolk Southern Railway Company**, 600 West Peachtree Street, Suite 1840, Atlanta, GA 30308. To construct and maintain several fiber optic utility line crossings in, along or across Long Run (WWF), Kiskiminetas River (WWF) and Buffalo Creek (TSF) and their associated wetlands. The utility line will be installed within existing right of ways of the Norfolk Southern Railway Company, utilizing a variety of installation methods, including a track mounted rail plow, bridge attachment, horizontal directional drill, and conventional wet and dry trenching. This project is part of

the construction of a fiber optic network extending from Washington, D.C. to Cleveland, Ohio. The project will cross Freepport Borough and South Buffalo Township in **Armstrong County**.

**E04-273.** Encroachment. **Norfolk Southern Railway Company**, 600 West Peachtree Street, Suite 1840, Atlanta, GA 30308. To construct and maintain a fiber optic line consisting of 12 high density polyethylene (HPPC) conduits installed within the existing right of way of the Norfolk Southern Railway, utilizing various installation methods, including a track mounted rail plow, bridge attachment, horizontal directional drill, and conventional wet and dry trenching. The line shall cross the following streams: two tributaries to the Ohio River (WWF), Legionville Run (WWF), Crows Run (WWF), Dutchman Run (WWF), Lacock Run (WWF), McKinley Run (WWF), six tributaries to the Beaver River (WWF), Blockhouse Run (WWF), Bennett Run (WWF), Thompson Run (WWF), and a wetland (PFO) in a tributary to the Beaver River. This project is part of the construction of a fiber optic network extending from Cleveland, Ohio to Fairfax, Virginia (project starts at Ambridge, PA Quadrangle N: 14.1 inches; W: 13.7 inches and ends at the Beaver Falls, PA Quadrangle N: 18.7 inches; W: 10.0 inches) in Ambridge Borough, Baden Borough, the City of Beaver Falls, Conway Borough, Daugherty Township, East Rochester Township, Eastvale Borough, Economy Borough, Freedom Borough, Harmony Township, New Brighton Borough, North Sewickley Township, Patterson Heights Borough, Rochester Borough and Rochester Township in **Beaver County**.

**E11-286.** Encroachment. **Norfolk Southern Railway Company**, 600 West Peachtree Street, Suite 1840, Atlanta, GA 30308. To construct and maintain several fiber optic utility line crossings in, along or across Little Conemaugh River, Conemaugh River, several of their tributaries (CWF, WWF), and associated wetlands. The utility line will be installed within existing right of ways of the Norfolk Southern Railway Company, utilizing a variety of installation methods, including a track mounted rail plow, bridge attachment, horizontal directional drill, and conventional wet and dry trenching. This project is part of the construction of a fiber optic network extending from Washington, D.C. and Cleveland, Ohio. The project will cross the Borough of Cassandra, Cresson, East Conemaugh, Gallitzin, Lilly, Portage, Sankertown, South Fork, Summerhill, Tunnelhill, Wilmore, Ehrenfeld and City of Johnstown and the Townships of Allegheny, Conemaugh, Cresson, Croyle, Gallitzin, East Taylor, Lower Yoder, Portage, Summerhill, Upper Yoder and Washington in **Cambria County**.

**E32-424.** Encroachment. **Norfolk Southern Railway Company**, 600 West Peachtree Street, Suite 1840, Atlanta, GA 30308. To construct and maintain several fiber optic utility line crossings, in, along or across the Conemaugh River (WWF), several of its tributaries (WWF & CWF), associated wetlands and tributaries of the Kiskiminetas River (CWF & WWF). The utility line will be installed within existing right of ways of the Norfolk Southern Railway Company utilizing a variety of installation methods, including a track mounted rail plow, bridge attachment, horizontal directional drill, and conventional wet and dry trenching. This project is part of the construction of a fiber optics network from Washington, D.C. to Cleveland, Ohio. The portion of the project to be constructed in **Indiana County** will be located within the Borough of Blairsville, and the Townships of Burrell, Conemaugh and West Wheatfield (Portions of the New

Florence, Rachelwood, Bolivar, Blairsville, Saltsburg and Avonmore, PA USGS Quadrangles).

**E65-764.** Encroachment. **Norfolk Southern Railway Company**, 600 West Peachtree Street, Suite 1840, Atlanta, GA 30308. To construct and maintain several fiber optic utility line crossings in, along or across the Conemaugh River (WWF), Kiskiminetas River (WWF), Allegheny River (WWF), several of their tributaries (HQ-CWF, CWF, TSF, WWF) and associated wetlands. The utility line will be installed within existing right of ways of the Norfolk Southern Railway Company, utilizing a variety of installation methods, including a track mounted rail plow, bridge attachment, horizontal directional drill, and conventional wet and dry trenching. This project is part of the construction of a fiber optic network extending from Washington, D.C. to Cleveland, Ohio. The project will cross the Borough of Bolivar, East Vandergrift, Hyde Park, New Florence, Oklahoma, Seward, Vandergrift, West Leechburg and Avonmore and the Townships of Allegheny, Bell, Derry, Fairfield, St. Clair, and Washington in **Westmoreland County**.

**E65-768.** Encroachment. **Mt. Pleasant Area School District**, Administration Office, R. D. 4, Box 2222, Mt. Pleasant, PA 15666. To place and maintain fill in 0.26 acre of wetland (PEM) to construct athletic fields behind the existing Mount Pleasant Area School District's High School, which is located approximately 1,100 feet from the intersection of S. R. 981 and S. R. 2007 (Mt. Pleasant, PA Quadrangle N: 9.25 inches; W: 3.4 inches) in Mount Pleasant Township, **Westmoreland County**.

## ENVIRONMENTAL ASSESSMENT

The following Environmental Assessment and request for Water Quality Certification is being processed under Sections 105.12(a)(16) and 105.15(b), restoration activities undertaken and conducted under a restoration plan approved by the Department.

*Central Office: Bureau of Waterways Engineering, 400 Market Street, 3rd Floor; P. O. Box 8554, Harrisburg, PA 17105-8554, (717) 787-8568.*

**D21-032EA.** Environmental Assessment. **Commonwealth of Pennsylvania, Department of Environmental Protection, Bureau of Waterways Engineering** (P. O. Box 8460, Harrisburg, PA 17105). To breach and remove the Good Hope Mill Dam across Conodoguinet Creek (WWF) for the purpose of restoring the stream to a free flowing condition. The dam is located approximately 1,300 feet south of the intersection of Good Hope Road and Creek View Road (Harrisburg West, PA Quadrangle N: 2.35 inches; W: 14.55 inches). Hampden Township, **Cumberland County**.

---

## ACTIONS

---

### FINAL ACTIONS TAKEN UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

[National Pollution Discharge Elimination System Program (NPDES)]

DISCHARGE OF CONTROLLED INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

(Part I Permits)

The Department of Environmental Protection (Department) has taken the following actions on previously

received permit applications and requests for plan approval and has issued the following significant orders.

Any person aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

**Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).**

*Southeast Regional Office: Regional Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6130.*

**WQM Permit No. 0900413.** Sewage. **Delaware Valley College**, 700 East Butler Avenue, Doylestown, PA 18901-2697 the applicant is granted approval to construct from a facility located at Doylestown Township, **Bucks County**.

**WQM Permit No. 0900412.** Sewage. **Chalfont-New Britain Township Joint Sewage Authority**, 1645 Upper State Road, Doylestown, PA 18901-2666 the applicant is authorized to discharge from a facility in Doylestown Township, **Bucks County**.

**NPDES Permit No. PA0021181.** Sewage. **Bucks County Water and Sewer Authority**, 1275 Almshouse Road, Warrington, PA 18976 the applicant is authorized to discharge from a facility in Doylestown Township, **Bucks County**.

*Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.*

**NPDES Permit No. PA-0008885.** Industrial, **Procter and Gamble Co.**, P. O. Box 32, Route 87, Mehoopany, PA 18629-0032 is authorized to discharge from a facility located in Washington Township, **Wyoming County** to the Susquehanna River.

**NPDES Permit No. PA-0034398.** Sewerage, **Woodloch Pines, Inc.**, R. R. 1, Box 80, Hawley, PA 18428 is authorized to discharge from a facility located in Lackawaxen Township, **Pike County** to Lake Teedyuskung.

**NPDES Permit No. PA-0060330.** Sewerage. **Hawley Area Authority**, P. O. Box 145, Hawley, PA 18428 is authorized to discharge from a facility located in Lackawaxen Township, **Pike County** to Lackawaxen River.

**NPDES Permit No. PA-0063346.** Sewerage. **Wayne Romanishan, Sr.**, 195 E. Moorestown Road, Wind Gap, PA 18091-0725 is authorized to discharge from a facility

located in Bushkill Township, **Northampton County** to unnamed tributary to Bushkill Creek.

**NPDES Permit No. PA-0031364.** Sewerage. **Wallenpaupack Area School District**, HC 6, Box 6075, Hawley, PA 18428 is authorized to discharge from a facility located in Palmyra Township, **Pike County** to Lake Wallenpaupack.

*Southcentral Regional Office: Regional Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4707.*

**Permit No. PA0086525.** Sewerage. **Centre Township Municipal Authority**, 449 Bucks Hill Road, Mohrsville, PA 19541 is authorized to discharge from a facility located in Centre Township, **Berks County** to the receiving waters named UNT to Irish Creek in Watershed 3-C.

**Permit No. PA0081361.** Sewerage. **Memphord Estates Sewerage Co., Inc.**, 148 South Baltimore Street, Dillsburg, PA 17019-1009 is authorized to discharge from a facility located in Monaghan Township, **York County** to the receiving waters named Stony Run.

*Southwest Regional Office: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.*

**NPDES Permit No. PA0217905 Amendment No. 1.** Industrial waste. **Municipal Authority of the Borough of Oakmont**, P. O. Box 73, 721 Allegheny Avenue, Oakmont, PA 15139 is authorized to discharge from a facility located at the Hulton Treatment Plant, Oakmont Borough, **Allegheny County** to receiving waters named Allegheny River and Falling Springs Run.

**Permit No. 2690201-A1.** Industrial waste. **Pennsylvania-American Water Company**, P. O. Box 1290, 300 Galley Road, McMurray, PA 15317-4290. Construction of a water treatment plant located in Brownsville Borough, **Fayette County** to serve Brownsville WTP, Sodium Bisulfite Dechlorination System.

**Permit No. 6399406.** Sewerage. **Alan Axelson, M.D.**, 2575 Boyce Plaza Road, Pittsburgh, PA 15241. Construction of Sewage Treatment Plant located in Morris, **Washington County** to serve Mansion House at Old Concord Village.

**Permit No. 6572405-A3.** Sewerage. **New Kensington Municipal Sanitary Authority**, 120 Logans Ferry Road, New Kensington, PA 15086. Construction of modifications to the sewage treatment plant located in New Kensington, **Westmoreland County** to serve New Kensington, Arnold, Lower Burrell, and Plum Borough Areas.

*Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6942.*

**NPDES Permit No. PA0035521.** Sewage. **PA Department of Transportation—Rome Township Maintenance Facility**, P. O. Box 3060, Harrisburg, PA 17105-3060 is authorized to discharge from a facility located in Rome Township, **Crawford County** to an unnamed tributary to Oil Creek.

**NPDES Permit No. PA0221783.** Sewage. **Crystal Springs Mobile Home Park**, P. O. Box 145, Forestville, PA 16035 is authorized to discharge from a facility located in Mercer Township, **Butler County** to McDonald Run.

**NPDES Permit No. PA0039233.** Sewage. **Rhodes Country Court**, P. O. Box 398, Reno, PA 16343 is authorized to discharge from a facility located in Cranberry Township, **Venango County** to Sage Run.

**NPDES Permit No. PA0030686.** Sewage. **Cross Creek Resort, Inc.**, Cross Creek Resort Road, Titusville, PA 16354 is authorized to discharge from a facility located in Cherrytree Township, **Venango County** to an unnamed tributary to Cherrytree Run.

**NPDES Permit No. PA0032913.** Sewage. **Scenic Mobile Home Park**, 524 West Locust Street, Woodstock, VA 22664 is authorized to discharge from a facility located in Pymatuning Township, **Mercer County** to an unnamed tributary to Brush Run.

**NPDES Permit No. PA0104299.** Sewage. **Lutherlyn Camp & Retreat Center**, P. O. Box 355, Prospect, PA

16052-0355 is authorized to discharge from a facility located in Connoquenessing Township, **Butler County** to Semicolon Run.

**WQM Permit No. 4300411.** Sewerage, **Ronald B. Woods SRSTP**, 1401 Butler Pike, Mercer, PA 16137. Construction of Ronald B. Woods SRSTP located in Findley Township, **Mercer County**.

**WQM Permit No. 4300412.** Sewerage, **Lauri Bowen SRSTP**, 13 Wasser Bridge Rd., Greenville, PA 16125. Construction of Lauri Bowen SRSTP located in Hempfield Township, **Mercer County**.

**WQM Permit No. 4300413.** Sewerage, **Wayne Dick SRSTP**, 310 Sieg Hill Road, West Middlesex, PA 16159. Construction of Wayne Dick SRSTP located in Shenango Township, **Mercer County**.

### INDIVIDUAL PERMITS

(PAS)

**The following NPDES Individual Permits for Discharges of Stormwater from Construction Activities have been issued.**

*Northeast Regional Office: Regional Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.*

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAS10Q178	Hope Community Church 2074 Hefner Rd. Fogelsville, PA 18051-2320	Lehigh County Weisenberg Township	Hassen and Jordan Creek HQ-CWF
PAS10U134	Nicholas J. Pugliese 1072 Grand St. Phillipsburg, NJ 08865	Northampton County Plainfield Township	Bushkill Creek HQ-CWF

*Southwest Regional Office: Regional Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.*

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAS10A112	Walter Gregg, Jr. Camp Meeting Road Sewickley, PA 15143	Allegheny County Bells Acres Borough	UNT Little Sewickley Creek HQ-TSF

### INDIVIDUAL PERMITS

(PAR)

#### Notice of Intent (NO: I) for Coverage under NPDES and/or Other General Permits

The following parties have submitted (1) Notices of Intent (NOIs) for Coverage under (1) General NPDES Permits to discharge wastewater into the surface of this Commonwealth; (2) NOIs for coverage under General Permits for Beneficial Use of Sewage Sludge or Residential Septage by Land Application in Pennsylvania; or (3) Notifications for First Land Application of Sewage Sludge.

The EPA Region III Regional Administrator has waived the right to review or object to this permit action under the waiver provision: 40 CFR 123.24.

The application and related documents, effluent limitations, permitting requirements, and other information are on file and may be inspected and arrangement made for copying at the contact office noted.

*List of NPDES and/or other General Permit Type*

PAG-1	General Permit for Discharges From Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater From Construction Activities
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities

*List of NPDES  
and/or other  
General Permit Type*

PAG-4	General Permit for Discharges From Single Residence Sewage Treatment Plant
PAG-5	General Permit for Discharges From Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges From Combined Sewer Systems
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest or a Land Reclamation Site
PAG-10	General Permit for Discharge Resulting From Hydrostatic Testing of Tanks and Pipelines
PAG-11	(TO BE ANNOUNCED)
PAG-12	Concentrated Animal Feeding Operations (CAFOs)

*General Permit Type: PAG-2*

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
West Goshen Township Chester County	PAR10-G401	Kisher Israel Congregation 1000 Pottstown Pike West Chester, PA	Taylor Run (TSF-MF)	Department of Environmental Protection Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
City of Coatesville Chester County	PAR10-G394	Coatesville Communities P. O. Box 805 Concordville, PA 19331	Rock Run (TSF-MF)	Department of Environmental Protection Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Chester Township Delaware County	PAR10-J194	Eagle Management Group, Inc. 2833 Ridge Pike Norristown, PA 19403	Chester Creek (WWF-MF)	Department of Environmental Protection Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Montgomery Township Montgomery County	PAR10-T663	Goodman Properties 201 Old York Road Suite 103 Jenkintown, PA 19046	Trewellyn Creek (TSF)	Department of Environmental Protection Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Limerick Township Montgomery County	PAR10-T610	Elliott Building Group, LTD 406 Glen Eagles Drive New Hope, PA	Landis and Lodal Creeks (TSF)	Department of Environmental Protection Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130



<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Upper Merion Township Montgomery County	PAR10-T672	Renaissance Land Associates, LP 1101 DeKalb Pike North Wales, PA 19454	Matsunk Creek (CWF)	Department of Environmental Protection Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6130
Lackawanna County City of Scranton	PAR10N087	Executive Gold & Country Club Robert Osborne P. O. Box 442 Lake Winola, PA 18625	Stafford Meadow Creek	Lackawanna CD (570) 281-9495
Schuylkill County West Brunswick Township	PAR105810	H & H Development Ernest G. Fink Jr. 121 River St. Cressona, PA 17929	Pine Creek to Schuylkill River	Schuylkill CD (570) 622-3742
Caernarvon Township Berks County	PAR-10-C339	Thousand Oaks Corp. Center Raymond Carr Morgantown Properties 400 Gordon Drive Suite 502 Lionville, PA 19341	Conestoga River	Berks County CD P. O. Box 520 1238 County Welfare Road Leesport, PA 19533 (610) 372-4657
City of Altoona Blair County	PAR-10-0706	Business Dev. Center ABCD Corporation 4500 North 6th Avenue Altoona, PA 16602	Mill Run WWF	Blair County CD 1407 Blair Street Hollidaysburg, PA 16648 (814) 696-0877
Allegheny Township Blair County	PAR-10-0707	Foot of Ten Sanitary Sew. Replace Allegheny Twp. Sewer & Water 3131 Old Sixth Ave. Road Duncansville, PA 16635	Frankstown Branch of Juniata River WWF	Blair County CD 1407 Blair Street Hollidaysburg, PA 16648 (814) 696-0877
Logan Township Blair County	PAR-10-0708	New Greenwood Park C Blair Recreation Committee 2101 5th Avenue Altoona, PA 16602	Little Juniata Kettle Creek WWF, TSF	Blair County CD 1407 Blair Street Hollidaysburg, PA 16648 (814) 696-0877
West Pennsboro Township Cumberland County	PAR-10-H246	Big Spring School District Big Spring High School 45 Mount Rock Road Newville, PA 17241	UNT Mt. Rock Creek Big Spring Creek	Cumberland County CD 43 Brookwood Avenue Suite 4 Carlisle, PA 17013 (717) 240-7812
South Hanover Township Dauphin County	PAR-10-I232	Meadows of Hanover Dev. Inc. 225 N. Presidential Blvd. P. O. Box 1176 Bala Cynwyd, PA 19004	Swatara Creek WWF	Dauphin County CD 1451 Peters Mountain Road Dauphin, PA 17018 (717) 921-8100
Londonderry Township Conewago Township Dauphin County	PAR-10-I242	PennDOT Eng. Dist. 8-0 2140 Herr Street Harrisburg, PA 17103-1699	Conewago Creek TSF	Dauphin County CD 1451 Peters Mountain Road Dauphin, PA 17018 (717) 921-8100
Gratz Borough Dauphin County	PAR-10-I245	Gratz Borough Mun. Auth. 125 N. Center Street Gratz, PA 17030	Wiconisco Creek CWF	Dauphin County CD 1451 Peters Mountain Road Dauphin, PA 17018 (717) 921-8100

## NOTICES

5787

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Lower Paxton Township Dauphin County	PAR-10-I249	MTF Associates, Inc. 4701 North Front Street Harrisburg, PA 17110	Paxton Creek	Dauphin County CD 1451 Peters Mountain Road Dauphin, PA 17018 (717) 921-8100
Antrim Township Franklin County	PAR-10-M221	Antrim Township Ben Thomas Jr. 10655 Antrim Church Road Greencastle, PA 17225	Paddy Run WWF	Franklin County CD 550 Cleveland Avenue Chambersburg, PA 17201 (717) 264-8074
Antrim Township Franklin County	PAR-10-M223	Greencastle Area Franklin County Water Auth. 60 North Washington Street Greencastle, PA 17225	Conococheague Creek WWF	Franklin County CD 550 Cleveland Avenue Chambersburg, PA 17201 (717) 264-8074
Monaghan Township York County	PAR-10-Y484	504 South York LP Harry Ramage 135 Tyler Run Road York, PA 17404	Fishers Run CWF	York County CD 118 Pleasant Acres Rd. York, PA 17402 (717) 840-7430
West Manchester Township York County	PAR-10-Y490	West Manchester Township 2501 Catherine Street York, PA 17404	UNT to Codorus Creek WWF	York County CD 118 Pleasant Acres Rd. York, PA 17402 (717) 840-7430
Hanover Borough York County	PAR-10-Y448	C. W. Test Builders North Point Condominiums 1235 Abbottstown Pike Hanover, PA 17331	Slagle Run WWF	York County CD 118 Pleasant Acres Rd. York, PA 17402 (717) 840-7430
Manchester Township York County	PAR-10-Y491	Datum Filing Systems, Inc. 419 Leasing 915 Borom Road York, PA 17404	Codorus Creek WWF	York County CD 118 Pleasant Acres Rd. York, PA 17402 (717) 840-7430
Upper Augusta Township Northumberland County	PAR104938	Shikellamy School District Island Park Adm. Center 200 Island Park Blvd. Sunbury, PA 17801	Sunbury Municipal Sewer and Susquehanna River	Northumberland County CD R. R. 3, Box 238C Sunbury, PA 17801 (570) 286-7114 X4
Lawrence County Union Township	PAR103742	Union Square Plaza Mark Twelve Associates, L. P. c/o Joe Hogan 20 Soundview Market Place Port Washington, NY 11050	UNT to Shenango River (WWF)	Lawrence Conservation Dist. Lawrence Co. Government Center 430 Court Street New Castle, PA 16101-3593 (724) 652-4512

*General Permit Type—PAG-3*

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Schuylkill County Tamaqua Borough	PAR202240	Hart Metals, Inc. P. O. Box 428 Tamaqua, PA 18252	Panther Creek	Northeast Office 2 Public Sq. Wilkes-Barre, PA 18711-0790 (570) 826-2511

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Greene County Jefferson Township	PAR606166	Hoyle's Towing R. D. 1 Box 239-A1 Clarksville, PA 15322	South Fork Ten Mile Creek	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
Allegheny County Plum Borough	PAR806201	Federal Express Corp. Federal Express World HQ Environmental Mgmt. Dept. Bldg. B—2nd Fl. 3620 Hacks Cross Road Memphis, TN 38125-7113	Thompson Run	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
York County Red Lion Borough	PAR123524	ConAgra Flour Milling Company 321 Taylor Avenue Red Lion, PA 17356	Pine Run	DEP—Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Dauphin County Highspire Borough	PAR123519	ConAgra Flour Milling Company 99 Second Street Highspire, PA 17034	Laurel Run	DEP—Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Lebanon County Union Township	PAR603535	PA Dept. of Military & Veterans Affairs PA Army National Guard Ft. Indiantown Gap Bldg. 11-19 Ft. Indiantown Gap Annville, PA 17003	UNT to Manada Creek	DEP—Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Dauphin County Middletown Borough	PAR803640	Federal Express Corporation MDTRT Station Environmental Management Dept. Bldg. B, 2nd Floor 3620 Hacks Cross Road Memphis, TN 38125-7113	Swatara Creek	DEP—Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Mifflin County Granville Township	PAR223515	Marlette Homes, Inc. 30 Industrial Park Road P. O. Box 947 Lewistown, PA 17044	Juniata River	DEP—Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Berks County Reading City	PAR803577	Consolidated Freightways, Inc. Reading Facility 16400 SE CF Way Vancouver, WA 98603	Burnshart Creek to Schuylkill River	DEP—Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Cumberland County Middlesex Township	PAR803599	Consolidated Freightways, Inc. Carlisle Facility 16400 SE CF Way Vancouver, WA 98603	Letort Spring Run to Conodoguinet Creek	DEP—Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707

## NOTICES

5789

<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Huntingdon County Carbon Township	PAR603573	John E. Bollman, Sr. Bollman's Auto Salvage R. D. 1, Box 246 Saxton, PA 16678	Shoup Run	DEP—Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
<i>General Permit Type—PAG 4</i>				
<i>Facility Location County and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Stream, Body of Water or Site Name and Address</i>	<i>Contact Office and Telephone No.</i>
Franklin County Lurgan Township	PAG043664	Kent D. Garman 13532 Cumberland Highway Orrstown, PA 17244	UNT Clipperingers Creek	DEP—Southcentral Region 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Foster Township McKean County	PAG048316	Norman Avey 291 Garlock Hollow Road Bradford, PA 16701	Garlock Hollow Creek	DEP—Northwest Region Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Findley Township Mercer County	PAG048690	Ronald B. Woods 1401 Butler Pike Mercer, PA 16137	Strip Mine Pond	DEP—Northwest Region Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Hempfield Township Mercer County	PAG048692	Lauri Bowen 13 Wasser Bridge Road Greenville, PA 16125	Tributary Shenango River	DEP—Northwest Region Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Shenango Township Mercer County	PAG048696	Wayne Dick 310 Sieg Hill Road West Middlesex, PA 16159	Tributary Shenango River	DEP—Northwest Region Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Freehold Township Warren County	PAG048354	Norman L. Ecker, Sr. R. R. 4, Box 166 Sugar Grove, PA 16350	Tributary to Stillwater Creek	DEP—Northwest Region Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Freehold Township Warren County	PAG048313	Elsie I. Mitchell R. R. 1, Box 32 Columbus, PA 16405	Pine Valley Creek	DEP—Northwest Region Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

*General Permit Type—PAG-12**Facility Location**County and Municipality**Permit No.**Applicant Name and Address**Receiving Stream, Body of Water or Site Name and Address**Contact Office and Telephone No.*

Tim McMichael New Swine Barn  
791 Street Road  
Lower Oxford Township  
Chester County

PAG120001

Tim McMichael  
791 Street Road  
Oxford, PA 19363

Tweed Creek  
(7K-Octoraro Watershed)

Southeast Region  
Water Management  
Suite 6010, Lee Park  
555 North Lane  
Conshohocken, PA 19428  
(610) 832-6130

**SEWAGE FACILITIES ACT  
PLAN APPROVAL**

**Plan approvals granted under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20).**

*Northcentral Regional Office: Water Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448, (570) 327-0530.*

*Location: Boggs Township, Union Township, Unionville Borough and Milesburg Borough, Centre County.*

*Project Description:* This plan addresses the portions of these municipalities served by the Mid-Centre County Authority's sewerage facilities. A \$5.7 million project will be constructed to upgrade and expand the wastewater conveyance and treatment facilities and to expand the collection system to serve two small areas of existing development in Union Township. The treatment facility will be rebuilt utilizing sequencing batch reactor and ultraviolet disinfection technologies with an increase in treatment capacity from 0.78 to 1.0 mgd. The plan also commits the Authority to an annual expenditure for infiltration and inflow removal work in the collection system. The project will abate an existing overload at these facilities, provide for future growth in the service area and allow the Authority to consistently meet its permit conditions for the quantity and quality of its discharge.

The Department's review of this portion of the sewage facilities update revision has not identified any significant negative environmental impacts resulting from this proposal.

Several unsewered areas, in Union and Boggs Townships, were included in this study. The plan's recommendations to address sewage related problems which exist in these areas were not adequate and this portion of the plan was disapproved.

**SAFE DRINKING WATER**

**Actions taken under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).**

*Northeast Regional Office: Sanitarian Regional Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (717) 826-2511.*

**Permit No. 3900501. Great Spring Waters of America Bottling Plant,** 405 Nestle Way, Breinigsville, PA 18031, David Thorpe. It is located in Upper Macungie Township, **Lehigh County.** Permit issued on September 28, 2000.

**Permit No. 3900504. Great Spring Waters of America Bottling Plant,** 405 Nestle Way, Breinigsville, PA 18031, David Thorpe, production lines 7 and 8. It is located in Upper Macungie Township, **Lehigh County.** Permit issued on October 17, 2000.

**Minor Permit Amendment. South Whitehall Township Authority,** Well No. 13 (cornerstone well), Gerald J. Gasda, Manager, 4444 Walbert Avenue, Allentown, PA 18104-1699. It is located in South Whitehall Township, **Lehigh County.** Permit issued on October 3, 2000.

**Minor Permit Amendment. Borough of Emmaus,** c/o Dan DeLong, Public Works Coordinator, 28 Fourth Street, Emmaus, PA 18049-3899, for Well No. 4: Air Stripping, Packed Tower Aeration. It is located in the Borough of Emmaus, **Lehigh County.** Permit issued on September 26, 2000.

**Minor Permit Amendment. PAWC,** c/o Steven J. Seidl, VP Engineering, 800 West Hershey Park Drive, Hershey, PA 17033 for the Industrial Park Well Station located in Coolbaugh Township, **Monroe County.** Permit issued on October 10, 2000.

**Operations permit no. 3480006** issued on October 5, 2000, to **Green Acres Mobile Home Park,** located in Williams Township, **Northampton County.**

**Operations permit no. 2580035** issued on October 5, 2000, to **Oakland Trailer Park,** located in Oakland Township, **Susquehanna County.**

**Operations permit no. 2520058** issued on October 4, 2000 to **Pocono Mountain Lake Estates,** located in Lehman Township, **Pike County.**

**Operations permit no. 248001** issued on October 12, 2000, to **Hazleton City Water Authority,** located in Hazleton City, **Luzerne County.**

*Northwest Regional Office: Regional Manager, 230 Chestnut Street, Meadville, telephone: (814) 332-6899.*

**Permit No. 4300504.** Public Water Supply. **Jamestown Municipal Authority,** 406 Jackson Street, Jamestown, PA 16148 has been issued a permit for installation of a new well, known as Well No. 1R, in Jamestown Borough, **Mercer County.** *Type of Facility:* Community Water Supply. *Consulting Engineer:* Joseph Pacchioni, P.E., Hickory Engineering, Inc., 3755 East State St., Hermitage, PA 16148.

*Permit to Construct Issued: October 17, 2000.*

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

### Preamble 2

The following final reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of final reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed, and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning the final report, please contact the Environmental Cleanup Program Manager in the Department Regional Office under which the notice of receipt of a final report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following final reports:

*Northeast Regional Field Office: Joseph Brogna, Regional Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.*

**Voydik Residence**, North Manheim Township, **Schuylkill County**. Andrew W. Meadows, Operations Manager, The Cardinal Group, Inc., P. O. Box 543, 51 East Second Street, Boyertown, PA 19512 has submitted a Final Report (on behalf of his client, Francis Voydik, Shady Lane Road, Schuylkill Haven, PA 17972) concerning the remediation of site soils found or suspected to have been contaminated with no. 2 home heating fuel oil. The report was submitted to document remediation of the site to meet the Statewide health standard. A Notice of Intent to Remediate was simultaneously submitted. Please refer to additional *Pennsylvania Bulletin* notice.

*Southcentral Regional Office: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4705.*

**Distribution Pole 40732S30345**. Borough of Lititz, **Lancaster County**. PPL Generation LLC, Two North Ninth Street, Allentown, PA 18101 has submitted a Final Report concerning remediation of site contaminated with PCBs. The report is intended to document remediation of the site to the Statewide health standard.

**Ray Byler Property**. Lewistown Borough, **Mifflin County**. RT Environmental Services, Inc., 215 West Church Road, King of Prussia, PA 19406, and Ray Byler, R. D. 1, Box 41, Belleville, PA 17004 have submitted a

combined Remedial Investigation and Final Report concerning remediation of site soils and groundwater contaminated with PHCs. The report is intended to document remediation of the site to a combination of the Statewide health and site specific standards.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

Under Act 2, 1995

### Preamble 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediations Act (35 P. S. §§ 6026.101—6026.908) and Chapter 250 Administration of Land Recycling Program.

Provisions of 25 Pa. Code § 250.8 Administration of Land Recycling Program requires the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the Land Recycling and Environmental Remediations Standards Act (Act). Plans and reports required by provisions of the Act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media, benefits of reuse of the property, and in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. A cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed, and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, please contact the Environmental Cleanup Program Manager in the Department Regional Office under which the notice of the plan or report appears. If information concerning a plan or report is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has acted upon the following plans and reports:

*Southeast Regional Office: Environmental Cleanup Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-5950.*

**3600 Reed Street Property**, City of Philadelphia, **Philadelphia County**. Michael A. Christie, P.G., Penn Environmental & Remediation, 2755 Bergey Road,

Hatfield, PA 19440, has submitted a Remedial Investigation/Cleanup Plan concerning remediation of site soil contaminated with lead, heavy metals, BTEX and polycyclic aromatic hydrocarbons and groundwater contaminated with solvents. The report was approved by the Department on September 20, 2000.

**Glasgow Bridgeport Facility**, Upper Merion Township, **Montgomery County**. Christopher Orzechowski, RT Environmental Services Inc., 214 W. Church Road, King of Prussia, PA 19406, has submitted a Final Report concerning remediation of site soil contaminated with lead, BTEX and polycyclic aromatic hydrocarbons. The report demonstrated attainment of the Statewide health standards and was approved by the Department on September 21, 2000.

**Airport Business Center**, Tinicum Township, **Delaware County**. Susan L. Gordon, Farer Fersko, 600 South Avenue, P. O. Box 580, Westfield, NJ 07091-0580, has submitted a Final Report concerning remediation of site soil contaminated with heavy metals, pesticides and polycyclic aromatic hydrocarbons. The report demonstrated attainment of the Statewide health standard and was approved by the Department on September 26, 2000.

**Former Diamond Oil Property—Lot 2**, City of Coatesville, **Chester County**. James Taylor, Taylor Geo Services, 341 Dartmouth Avenue, Swarthmore, PA 19081, has submitted a Baseline Remedial Investigation Report concerning remediation of site soil and groundwater contaminated with BTEX and polycyclic aromatic hydrocarbons. The report was approved by the Department on September 27, 2000.

**2555 Street Road, LLC**, Bensalem Township, **Bucks County**. Darryl D. Borrelli, Manko, Gold & Kathcher, LLP, 401 City Avenue, Suite 500, Bala Cynwyd, PA 19004, has submitted a Remedial Investigation/Final Report concerning remediation of site groundwater contaminated with solvents. The report demonstrated attainment of site-specific standards and was approved by the Department on October 4, 2000.

**Heating Oil Partners**, L. P./Gill Brothers Oil Co., Northampton Township, **Bucks County**. Sean M. Grexa, The Tyree Organization, Ltd., 1350 S. U. S. Highway 130, Burlington, NJ 08016, has submitted a Final Report concerning remediation of site soil contaminated with petroleum hydrocarbons and groundwater contaminated with BTEX. The report demonstrated attainment of site-specific standards and was approved by the Department on October 4, 2000.

**Spector Residence**, Bensalem Township, **Bucks County**. Louis F. Vittorio, Jr., P.G., EarthRes Group, Inc., P. O. Box 468, 7137 Old Easton Road, Pipersville, PA 18947, has submitted a Final Report concerning remediation of site soil contaminated with BTEX and polycyclic aromatic hydrocarbons. The report demonstrated attainment of the Statewide health standard and was approved by the Department on October 5, 2000.

**Romagano Residence**, Bensalem Township, **Bucks County**. Louis F. Vittorio, Jr., P.G., EarthRes Group, Inc., P. O. Box 468, 7137 Old Easton Road, Pipersville, PA 18947, has submitted a Final Report concerning remediation of site soil contaminated with BTEX and polycyclic aromatic hydrocarbons. The report demonstrated attainment of the Statewide health standard and was approved by the Department on October 5, 2000.

**ChiRex Technology Center, Inc.**, Charlestown Township, **Chester County**. Steven L. Tanen, HydroScience, Inc., Center City Executive Centre, 607 Washington Street, Reading, PA 19601, has submitted a Final Report concerning remediation of site soil contaminated with solvents. The report demonstrated attainment of the Statewide health standard and was approved by the Department on October 5, 2000.

*Northeast Regional Field Office: Joseph Brogna, Regional Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.*

**Goshiney Residence**, Ryan Township, **Schuylkill County**. Brian Holtzhafer, Geologist, Hydrocon Services, Inc., 2945 South Pike Avenue, Allentown, PA 18103 submitted a Final Report (on behalf of his clients, John and Niki Goshiney, Locust Lake Road, Barnesville, PA 18214) concerning the remediation of site soils found or suspected to have been contaminated with no. 2 home heating fuel oil. The report documented attainment of the Statewide health standard and was approved on October 19, 2000.

*Southcentral Regional Office: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4705.*

**Cole Office Environments**, Springettsbury Township, **York County**. Litton Systems, 185 Ridgedale Avenue, Cedar Knolls, NJ 07927 and ARCADIS Geraghty & Miller, Inc., 3000 Cabot Boulevard West, Suite 3004, Langhorne, PA 19047 have submitted a combined Remedial Investigation and Final Report concerning the remediation of site soils contaminated with heavy metals. The report demonstrated attainment of the site-specific standard, and was approved by the Department on October 12, 2000.

## SOLID AND HAZARDOUS WASTE

### OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

**Solid waste permits issued. Permits issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate solid waste processing or disposal area or site.**

*Southcentral Regional Office: Regional Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4706.*

**Permit No. 100944. Lanchester Landfill, Chester County Solid Waste Authority** (7224 Division Highway, Narvon, PA 17555). Permit modification issued for construction and operation of a leachate recirculation and spray irrigation system for a facility in Caenarvon and Honey Brook Townships, **Lancaster County**. Permit issued in the Southcentral Regional Office on October 23, 2000.

*Northcentral Regional Office: Regional Solid Waste Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3653.*

**Permit No. 101568. Spring Creek Composting Facility, University Area Joint Authority** (1576 Spring Valley Road, State College, PA 16801). Renewal of permit for a sludge composting facility located in College Township, **Centre County**, received in the regional office on October 11, 2000.

## AIR QUALITY OPERATING PERMITS

**General Plan Approval and Operating Permit usage authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Southwest Regional Office: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4174.*

**65-0868A: New Enterprise Stone & Lime Co., Inc.** (P. O. Box 77, New Enterprise, PA 16664) on October 18, 2000, for construction and operation of nonmetallic mineral processing at Henderson Quarry in Donegal Township, **Westmoreland County**.

**Operating Permits issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F (relating to operating permit requirements).**

*Southeast Regional Office: Air Quality Program, 555 North Lane, Conshohocken, PA 19428, (610) 832-6242.*

**46-0154: Eye Designs LLC** (245 West Fifth Avenue, Trappe, PA 19426) on October 19, 2000, for operation of two spray booths in Trappe Borough, **Montgomery County**.

*Southwest Regional Office: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4174.*

**65-00659: Commercial Stone Co., Inc.** (P. O. Box 187, Berkeley Springs, WV 15411) for operation of an asphalt plant at Adamsburg in North Huntingdon Township, **Westmoreland County**.

**65-00927: Hoover's Stone Quarry** (R. D. 3, Box 47, Saltsburg, PA 15681) for operation of Mining and Quarrying at Saltsburg in Loyalhanna Township, **Westmoreland County**.

**Minor Operating Permit Minor Modifications issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code § 127.462.**

*Northeast Regional Office: Air Quality Program, Two Public Square, Wilkes-Barre, PA 17811-0790, (570) 826-2531.*

**13-313-031A: Ametek, Inc.** (Chemical Products Division, Green Acres Industrial Park, P. O. Box 9, Nesquehoning, PA 18240) for minor modification of ZSK 133 Production Lines 1 and 2, along Route 54 in Nesquehoning Borough, **Carbon County**.

*Northcentral Regional Office: Air Quality Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3637.*

**13-313-031A: Ametek, Inc.** (Chemical Products Division, Green Acres Industrial Park, P. O. Box 9, Nesquehoning, PA 18240) for minor modification of ZSK 133 Production Lines 1 and 2, along Route 54 in Nesquehoning Borough, **Carbon County**.

*Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.*

**43-00196: General Electric Transportation Systems—Grove City** (1503 West Main Street Extension, Grove City, PA 16127) for re-issuance of General Electric Transportation Systems—Grove City's Title V permit issued July 12, 1999, in Pine Township, **Mercer County**.

### PLAN APPROVALS

**Plan Approvals issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B (relating to plan approval requirements).**

*Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.*

**06-03085A: Power Packaging, Inc.** (1055 Cross Roads Boulevard, Reading, PA 19605) on October 16, 2000, for construction of a boiler with flue gas recirculation at the Reading Plant in Muhlenberg Township, **Berks County**. This source is subject to 40 CFR Part 60, Subpart Dc—Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units.

**06-03118: UGI Utilities, Inc.** (P. O. Box 13009, Reading, PA 19612) on October 18, 2000, for construction of an electric generator firing natural gas at their Reading Office in Reading City, **Berks County**.

**36-03038: Evans Eagle Burial Vaults, Inc.** (15 Graybill Road, Leola, PA 17540) on October 19, 2000, for construction of a cremation chamber controlled by an afterburner in Upper Leacock Township, **Lancaster County**.

**38-313-013C: Geon Engineered Films, Inc.** (1507 Willow Street, Lebanon, PA 17046) on October 23, 2000, for modification to the Banbury and PVC Preblending Processes in Lebanon City, **Lebanon County**.

**67-05026D: DONSCO, Inc.** (P. O. Box 2001, Wrightsville, PA 17368) on October 23, 2000, for modification to the Grinding Department in Wrightsville Borough, **York County**.

**67-310-004H: Southdown, Inc.** (P. O. Box 220, Thomasville, PA 17364) on October 19, 2000, for installation of a bucket elevator and three 100-ton storage silos controlled by existing collectors at Plant 2/2A in Jackson Township, **York County**. These sources are subject to 40 CFR Part 60, Subpart OOO—Standards of Performance for Nonmetallic Mineral Processing Plants.

*Southwest Regional Office: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4174.*

**26-479A: Pioneer Mid-Atlantic, Inc.** (400 Industrial Boulevard, New Kensington, PA 15068) on October 17, 2000, for operation of limestone crushing and sizing plant at Connellsville II Quarry in Bullsken Township, **Fayette County**.

*Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.*

**25-648B: Welch Foods, Inc.** (South Lake Street, North East, PA 16428) on October 18, 2000, for modification of an existing boiler in North East, **Erie County**.



**Plan Approvals extensions issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code § 127.13 (relating to extensions).**

*Southcentral Regional Office: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4702.*

**22-310-005D: Pennsy Supply, Inc.** (P. O. Box 3331, Harrisburg, PA 17105) on October 23, 2000, to authorize temporary operation of a stone crushing plant controlled by two fabric filters and a wet suppression system, covered under this Plan Approval until February 19, 2001, located at the Hummelstown Quarry in South Hanover Township, **Dauphin County**. This source is subject to 40 CFR Part 60, Subpart OOO—Standards of Performance for Nonmetallic Mineral Processing Plant.

*Northcentral Regional Office: Air Quality Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3637.*

**49-00019A: Atlantic Refining and Marketing, owner, and Sunoco, Inc. (R&M), operator,** (1801 Market Street—15/10 PC, Philadelphia, PA 19103) for a Title V facility on September 16, 2000, to extend authorization to operate a gasoline truck loading rack and associated air cleaning devices [two refrigeration vapor recovery units] on a temporary basis until February 13, 2001, in Point Township, **Northumberland County**.

**18-322-001B: Jersey Shore Steel Co.** (P. O. Box 5055, Jersey Shore, PA 17740) on October 20, 2000, to extend authorization to operate a natural gas/# 2 fuel oil/land fill gas-fired reheat furnace on a temporary basis until February 17, 2001, in Pine Creek Township, **Clinton County**.

*Southwest Regional Office: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4174.*

**56-305-043: Senate Coal Mines, Inc.** (One Energy Place, Suite 5100, Latrobe, PA 15650) on October 18, 2000, for installation of a coal refuse reclaiming/screen at Mine 36 in Winber Borough, **Somerset County**.

**04-700A: Mansell Industrial Services** (1755 Pennsylvania Avenue, Monaca, PA 15061) on October 23, 2000, for installation of a rotary kiln dryer at Industry Plant in Industry Borough, **Beaver County**.

**04-108A: Armstrong World Industries** (1018 Eleventh Street, P. O. Box 441, Beaver Falls, PA 15010) on August 9, 2000, for installation of TCD Exhaust at Beaver Falls Ceiling Plant in Beaver Falls, **Beaver County**.

**04-033A: Nova Chemicals, Inc.** (400 Frankfort Road, Monaca, PA 15061) on October 23, 2000, for operation of D2 Liquid Lube Dylite Process at Beaver Valley Plant in Potter Township, **Beaver County**.

*Northwest Regional Office: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6940.*

**42-151A: Werzalit of America, Inc.** (40 Holley Avenue, P. O. Box 373, Bradford, PA 16701) on October 30, 2000, for a chipping drying process in Bradford, **McKean County**.

## MINING

### APPROVALS TO CONDUCT COAL AND NONCOAL ACTIVITIES

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—

1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 water quality certification. Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

*Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.*

#### Coal Permits Issued

**35813204R3. Dominick DeNaples** (400 Mill Street, Dunmore, PA 18512-2827), renewal of an existing coal refuse reprocessing operation in Dunmore Borough, **Lackawanna County** affecting 14.25 acres, receiving stream—Roaring Brook. Renewal issued October 18, 2000.

*Knox District Office, P. O. Box 669, Knox, PA 16232.*

**10820139. Quality Aggregates, Inc.** (200 Neville Road, Pittsburgh, PA 15225). Renewal of an existing bituminous strip and coal ash placement operation in Venango Township, **Butler County** affecting 102.8 acres. Receiving streams: Three unnamed tributaries to Seaton Creek. Application received: August 21, 2000. Permit Issued: October 10, 2000.

**33940105. Original Fuels, Inc.** (P. O. Box 343, Punxsutawney, PA 15767). Transfer of an existing bituminous surface strip operation from Leonard Yenzi in Pinecreek Township, **Jefferson County** affecting 118.1 acres. Receiving streams: Two unnamed tributaries to Five Mile Run to Mill Creek. Application received: April 10, 2000. Permit issued: October 17, 2000.

**33000101. Reichard Contracting, Inc.** (212 Olean Trail, New Bethlehem, PA 16242). Commencement, operation and restoration of a bituminous surface strip, auger, and coal preparation plant/processing facility in Ringgold Township, **Jefferson County** affecting 86.0 acres. Receiving streams: Unnamed tributaries to Painter Run and Painter Run. Application received: April 14, 2000. Permit issued: October 18, 2000.

*Greensburg District Office, R. R. 2, Box 603-C, Greensburg, PA 15601.*

**03990110. Milestone Crushed, Inc.** (521 South Street, Clarion, PA 16214). Permit issued for commencement, operation and reclamation of a bituminous surface mine located in Redbank Township, **Armstrong County**, affecting 81.9 acres. Receiving streams: unnamed tributaries to Redbank Creek and to Redbank Creek. Application received: March 14, 2000. Permit issued: October 18, 2000.

*Cambria Office, 286 Industrial Park Road, Ebensburg, PA 15931-4119.*

**32950109. Permit Transfer from Dunamis Resources, Inc. to Britt Energies, Inc.** (2450 Philadelphia Street, Indiana, PA 15701), for continued operation of a bituminous surface mine in White Township, **Indiana County**, affecting 83.3 acres, receiving stream Yellow Creek and unnamed tributary to Yellow Creek to Two

Lick Creek to Black Lick Creek to Conemaugh River, application received July 27, 2000, issued October 16, 2000.

**11813039. Permit Renewal, Cooney Brothers Coal Company** (Box 246, Cresson, PA 16630), for continued operation of a bituminous surface and auger mine in Adams Township, **Cambria County**, affecting 1353.0 acres, receiving stream unnamed tributary to Paint Creek; to Paint Creek; to unnamed tributary to Sulphur Creek; and to Sulphur Creek application received February 24, 2000, issued October 11, 2000.

**11813040. Permit Renewal, Cooney Brothers Coal Company** (Box 246, Cresson, PA 16630), for continued operation of a bituminous surface and auger mine in Adams Township, **Cambria County**, affecting 750.0 acres, receiving stream unnamed tributaries to South Fork Little Conemaugh River; to South Fork Little Conemaugh River; to unnamed tributaries to Sulphur Creek; and to Sulphur Creek, application received February 24, 2000, issued October 11, 2000.

**11980103. Permit Revision, Laurel Land Development, Inc.** (P. O. Box 629, Carrolltown, PA 15722), to add auger mining in Blacklick Township, **Cambria County**, affecting 148.6 acres, receiving stream South Branch Blacklick Creek, unnamed tributary to South Branch Blacklick Creek, application received May 8, 2000, issued October 17, 2000.

**11950102. Permit Renewal, Laurel Land Development, Inc.** (P. O. Box 629, Carrolltown, PA 15722), for continued operation of a bituminous surface mine in Jackson Township, **Cambria County**, affecting 83.5 acres, receiving stream Hinckston Run; unnamed tributaries to Hinckston Run; and unnamed tributary to Laurel Run, application received August 4, 2000, permit issued October 17, 2000.

**56000102. Action Mining, Inc.** (1117 Shaw Mines Road, Meyersdale, PA 15552), commencement, operation and restoration of a bituminous surface-auger mine in Brothersvalley Township, **Somerset County**, affecting 197.6 acres, receiving stream Piney Run; tribs to Piney Run; tribs to Buffalo Creek, application received February 14, 2000, permit issued October 17, 2000.

**56900201. Permit for reclamation, only, RNS Services, Inc.** (P. O. Box 38, 7 Riverside Plaza, Blossburg, PA 16912), for continued restoration of a bituminous coal refuse reprocessing surface mine in Lincoln Township, **Somerset County**, affecting 8.0 acres, receiving stream unnamed tributary to Quemahoning Creek, application received October 11, 2000, issued October 19, 2000.

**56910101. Permit Revision, Paul F. Becker Coal Company** (1593 Old Route 22, Duncansville, PA 16635), to change the post-mining land use on a portion of the site from "forestland" to "unmanaged natural habitat" in Somerset and Stonycreek Townships, **Somerset County**, affecting 120.0 acres, receiving stream unnamed tributaries to Kimberly Run, application received August 25, 2000, issued October 19, 2000.

**32980112. Permit Revision, Alverda Enterprises, Inc.** (P. O. Box 87, Alverda, PA 15710), to include auger mining on the Lower Freeport coal seam in Pine and Green Townships, **Indiana County**, affecting 46.6 acres, receiving stream unnamed tributaries to Yellow Creek, application received August 24, 2000, issued October 19, 2000.

*Knox District Office, P. O. Box 669, Knox, PA 16232.*

*Small Noncoal (Industrial Minerals) Permits Issued*

**25992805. Raymond D. Showman & Sons, Inc.** (12851 Sharp Road, Edinboro, PA 16412) Commencement, operation and restoration of a small noncoal sand and gravel operation in Washington Township, **Erie County** affecting 5.0 acres. Receiving streams: None. Application received: April 29, 1999. Permit Issued: October 10, 2000.

*Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901-2454.*

**64000801. Joe's Rock Garden** (R. R. 1 Box 1010, Honesdale, PA 18431-9743), commencement, operation and restoration of a small quarry operation in Lebanon Township, **Wayne County**, affecting 5.0 acres, receiving stream—none. Permit issued October 17, 2000.

**40000804. Ray Hildebrand Excavating** (R. R. 1 Box 167A, Wapwallopen, PA 18660), commencement, operation and restoration of a small quarry operation in Slocum Township, **Luzerne County**, affecting 5.0 acres, receiving stream—none. Permit issued October 17, 2000.

**ACTIONS TAKEN UNDER SECTION 401: FEDERAL WATER POLLUTION CONTROL ACT**

**ENCROACHMENTS**

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Any person aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—504 and 701—708 (relating to the Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

**Actions on applications filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and sections 5 and 402 of The Clean Streams Law (35 P. S. §§ 691.5 and 691.402) and notice of final action for certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).** (*Note: Permits issued for Small Projects do not include 401 Certification, unless specifically stated in the description.*)

*Permits Issued and Actions on 401 Certifications.*

*Northeast Regional Office: Soils and Waterways Section, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.*

**E39-360.** Encroachment. **City of Allentown**, 435 Hamilton Street, Allentown, PA 18101. To excavate accumulated silts and sediments in the Lehigh Canal, within an area having overall dimensions of approximately 230 feet by 80 feet, to depths ranging from 2.1 feet to 4.1 feet, for the purpose of restoring the canal to its historical dimensions. The project is located on the east side of Adams Island, approximately 0.5 mile downstream of the Tilghman Street Bridge (Allentown East, PA Quadrangle N: 12.0 inches; W: 11.0 inches), in the City of Allentown, **Lehigh County**.

**E39-386.** Encroachment. **Whitehall Township**, 3219 MacArthur Road, Whitehall, PA 18052. To remove the existing structure and to construct and maintain a single-span prefabricated steel truss pedestrian bridge, having a span of approximately 30 feet with an underclearance of approximately 5 feet, across Coplay Creek. The project is located within Hockendauqua Park, approximately 0.2 mile upstream of the Lehigh Street Bridge over Coplay Creek (Catasauqua, PA Quadrangle N: 6.1 inches; W: 16.4 inches), in Whitehall Township, **Lehigh County**.

**E40-545.** Encroachment. **Pennsylvania Department of Transportation**, Engineering District 4-0, P. O. Box 111, Scranton, PA 18501. To remove the existing structure and to construct and maintain an 18-span prestressed concrete bridge, having a total span of 2,375 feet with a maximum underclearance of 61 feet, across the Susquehanna River. The project will temporarily impact 0.03 acre of wetlands during construction. This impact will be restored at the completion of the project. The project is known as the Carey Avenue Bridge Replacement Project and is located along S. R. 2005, Section 371 (Wilkes-Barre West, PA Quadrangle N: 20.9 inches; W: 7.9 inches), in Plymouth Borough and Hanover Township, **Luzerne County**.

*Northcentral Region, Water Management—Soils and Waterways, F. Alan Sever, Chief, 208 West Third St., Williamsport, PA 17701.*

**E17-348.** Encroachment. **Pennsylvania Department of Transportation**, Engineering District 2-0, 1924—30 Daisy Street, Clearfield, PA 16830. To remove an existing structure and to construct, operate and maintain a single cell box culvert to carry SR 0729, Segment-Offset 0060/0474 across an unnamed tributary to Muddy Run. The public road crossing shall be constructed with a pre-cast reinforced concrete box culvert that will have a span of 10-feet, rise of 4.25-feet, depression of 0.50-feet, and skew of 75-degrees. The project is located along SR 0729 approximately 2,229-feet north of T-537 and SR 0729 intersection (Ramey, PA Quadrangle N: 3.6 inches; W: 10.1 inches) in Beccaria Township, **Clearfield County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

**E18-299.** Encroachment. **Forrest F. Gundlach**, 103 Hogan Blvd., Mill Hall, PA 17751. To construct and maintain 1) a 2-story 40-foot by 64-foot cement block and wood frame building, with the appropriate rodent-proof flood vents, built at grade with two depressed loading docks, 2) removing 316 cubic yards of earthen fill to compensate for the building's encroachment into the floodway, both of which are located at 103 Hogan Boulevard in the right floodway of Bald Eagle Creek 600 feet south of the SR 150 bridge over Bald Eagle Creek (Mill Hall, PA Quadrangle N: 13.5 inches, W: 21.79 inches) in Bald Eagle Township, **Clinton County**. This permit was issued under section 105.13(e) "Small Projects."

**E18-300.** Encroachment. **Forrest F. Gundlach**, 103 Hogan Boulevard, Mill Hall, PA 17751. To construct and maintain 1) a 1-story 50-foot by 60-foot Pre-Engineered Building, with the associated rodent proof flood vents, built at grade on a 6-inch concrete pad with 4-foot footers, 2) removing 316 cubic yards of earthen fill to compensate for the building's encroachment into the floodway, both of which are located at 119 Hogan Boulevard in the right floodway of Bald Eagle Creek 650 feet south of the SR 150 bridge over Bald Eagle Creek (Mill Hall, PA Quadrangle N: 13.5 inches, W: 21.79 inches) in Bald Eagle Township, **Clinton County**. This permit was issued under section 105.13(e) "Small Projects."

**E41-468.** Encroachment. **Gary Stahl**, 690 Palmer Hill Road, Williamsport, PA 17701. To construct and maintain an open pavilion 13 feet by 29 feet by 10 feet high supported by twelve 4 inch by 4 inch posts on a concrete pad in the floodway of the West Branch Susquehanna River on lot 26 at the Montgomery Boat Club (Muncy, PA Quadrangle N: 9.2 inches; W: 12.55 inches) in Clinton Township, **Lycoming County**. This permit was issued under section 105.13(e) "Small Projects."

**E59-396.** Encroachment. **Pennsylvania Department of Transportation**, Engineering District 3-0, 715 Jordan Avenue, Montoursville, PA 17754. To change the channel of Slate Creek; modify, operate and maintain an existing stream enclosure of Slate Creek; modify, operate and maintain existing stream enclosures of nine unnamed tributaries to the Tioga River; modify, operate and maintain an existing stream enclosure of Ellen Run; realign, operate and maintain the channel of Ellen Run; construct, operate and maintain a four span bridge across the Tioga River; modify, operate and maintain an existing stream enclosure of Kelly Creek for the construction of a limited access highway. The channel change and modification of the stream enclosure of Slate Creek shall be limited to a maximum waterway impact of 509-feet. The maintenance of the Ellen Run channel shall be in perpetuity with design cross-sections being maintained for a minimum of 400-feet downstream of the stream enclosure outlet. The bridge across the Tioga River shall be constructed with a minimum total span of 535-feet, underclearance of 49.8-feet, and skew of 56-degrees. The modifications at the stream enclosure of Ellen Run shall be limited to a maximum waterway impact of 400-feet. The modifications at the stream enclosure of Kelly Creek shall be limited to a maximum waterway impact of 190-feet. The modifications at the stream enclosures of the nine unnamed tributaries to the Tioga River shall be limited to a total waterway impact of 722-feet. Construction of SR 6015, Section E61 and Section F12 will result in the permanent impact to 0.60-acre of wetland and 1464-feet of waterway. Construction of SR 6015, Section E61 and Section F12 will result in the temporary impact to 2.33-acres of wetland and 20-feet of waterway. All permanent wetland impacts authorized by this permit shall be mitigated by the permittee through replacement wetlands at the Hilfiger site (0.60-acre). The 1434-feet of permanent impact to waterways authorized by this permit shall be mitigated by the permittee through the stream stabilization and riparian corridor restoration at Canoe Camp Creek. All waterway and wetland mitigation shall be constructed prior or concurrent with the activities authorized by this permit. This permit also authorizes the construction, operation and maintenance of temporary construction accesses across Waters of the Commonwealth; upon completion of the project, all construction accesses shall be removed and the areas restored to original contours, elevations, geometry and

hydrology. The project is located along the eastern right-of-way of SR 0015 approximately 500-feet east of SR 0015 and SR 0006 intersection (Mansfield, PA Quadrangle N: 9.8 inches; W: 5.7 inches) in Mansfield Borough and Richmond Township, **Tioga County**. This permit authorizes the multiple encroachments for the stabilization and riparian corridor restoration of a 1.2-mile reach of Canoe Camp Creek for the mitigation of the permanent impact associated with section E61, section F12 and section D52.

*Northwest Regional Office: Soils and Waterways Section, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6942.*

**E24-211.** Encroachment. **National Fuel Gas Supply**, 1100 State Street, Erie, PA 16501. To install and maintain a 20-inch diameter natural gas pipeline (AM-60) beginning at the existing Lamont Compressor Station (41°, 36', 44" north latitude, 78°, 48' 46" west longitude) and extending generally northwest to the Elk and McKean County Line (41°, 37', 11" north latitude, 78°, 50', 18" west longitude) crossing the following stream and wetland area in Highland Township, **Elk County**:

1. Tributary to Wolf Run (HQ-CWF-Wild Trout) at Section 2, Station 301+60 (James City, PA Quadrangle 41°, 37', 3" north latitude, 78°, 49', 15" west longitude).
2. Wetland no. AM60D10 (PEM) at Section 2, Station 279+33 (James City, PA Quadrangle 41°, 37', 14" north latitude, 78°, 49', 41" west longitude) traversing a distance of 108 feet.

**E42-269.** Encroachment. **Allegheny Partners, L. P. c/o Forest Investment Associates**, P. O. Box 1474, 312 West Main Street, Smethport, PA 16749. To remove the existing bridge and to install and maintain a pre-fabricated steel bridge having a structure length of 26 feet and a maximum underclearance of about 5.5 feet across Jet Brook on a private access road to property for timber harvesting approximately 250 feet east of S. R. 6 north of S. R. 146 at Marvindale (Hazel Hurst, PA Quadrangle N: 19.3 inches; W: 5.25 inches) in Hamlin Township, **McKean County**.

**E42-270.** Encroachment. **National Fuel Gas Supply**, 1100 State Street, Erie, PA 16501. To install and maintain a 20-inch diameter natural gas pipeline (AM-60) beginning at the McKean and Elk County Line (41°, 36', 44" north latitude, 78°, 50', 18" west longitude) and extending generally northwest to the Warren and McKean County Line (41°, 43', 1" north latitude, 78°, 57', 11" west longitude) crossing the following streams and wetland areas in Hamilton and Wetmore Townships, **McKean County**:

1. East Branch Tionesta Creek (HQ-CWF-Wild Trout-Stocked Trout) at Section 2, Station 244+37 (Kane, PA Quadrangle 41°, 37', 32" north latitude, 78°, 50', 14" west longitude).
2. Tributary to East Branch Tionesta Creek (HQ-CWF-Wild Trout) at Section 2, Station 243+53 (Kane, PA Quadrangle 41°, 37', 35" north latitude, 78°, 50', 14" west longitude).
3. Tributary to East Branch Tionesta Creek (HQ-CWF-Wild Trout) at Section 2, Station 220+36 (Kane, PA Quadrangle 41°, 38', 58" north latitude, 78°, 50', 11" west longitude).
4. Wetland no. AM60W09 (POW) at Section 2, Station 183+19 (Kane, PA Quadrangle 41°, 38', 35" north latitude, 78°, 50', 10" west longitude) traversing a distance of 96 feet.

5. Tributary to East Branch Tionesta Creek (HQ-CWF-Wild Trout) at Section 2, Station 182+15 (Kane, PA Quadrangle 41°, 38', 37" north latitude, 78°, 50', 10" west longitude).
6. Wetland no. AM60W08 (PEM) at Section 2, Station 147+89 (Kane, PA Quadrangle 41°, 39', 8" north latitude, 78°, 50', 22" west longitude) traversing a distance of 89 feet.
7. West Run (HQ-CWF-Wild Trout) at Section 2, Station 146+90 (Kane, PA Quadrangle 41°, 39', 8" north latitude, 78°, 50', 21" west longitude).
8. Tributary to West Run (HQ-CWF-Wild Trout) as Section 2, Station 114+00 (Kane, PA Quadrangle 41°, 39', 38" north latitude, 78°, 50', 39" west longitude).
9. Wetland no. AM60W07 (PEM-EV) at Section 2, Station 113+06 (Kane, PA Quadrangle 41°, 39', 39" north latitude, 78°, 50', 39" west longitude) traversing a distance of 245 feet.
10. Wetland no. AM60W06 (PEM-EV) at Section 2, Station 51+88 (Kane, PA Quadrangle 41°, 40', 38" north latitude, 78°, 51', 1" west longitude) traversing a distance of 161 feet.
11. Tributary to Rock Run (HQ-CWF-Wild Trout) at Section 2, Station 49+11 (Kane, PA Quadrangle 41°, 40', 40" north latitude, 78°, 51', 1" west longitude).
12. Wetland no. AM60W05 (PEM-EV) at Section 2, Station 48+31 (Kane, PA Quadrangle 41°, 40', 39" north latitude, 78°, 51', 2" west longitude) traversing a distance of 75 feet.
13. Wetland no. AM60W04 (PEM/PFO-EV) at Section 2, Station 23+29 (Kane, PA Quadrangle 41°, 41', 6" north latitude, 78°, 51', 22" west longitude) traversing a distance of 668 feet.
14. Wetland no. AM60W03 (PEM-EV) at Section 2, Station 18+48 (Kane, PA Quadrangle 41°, 41', 9" north latitude, 78°, 51', 26" west longitude) traversing a distance of 178 feet.
15. Wetland no. AM60W02 (PEM-EV) at Section 2, Station 13+13 (Kane, PA Quadrangle 41°, 41', 10" north latitude, 78°, 51', 26" west longitude) traversing a distance of 73 feet.
16. Tributary to Twomile Run (HQ-CWF-Wild Trout) at Section 2, Station 9+76 (Kane, PA Quadrangle 41°, 41', 12" north latitude, 78°, 51', 27" west longitude).
17. Twomile Run (HQ-CWF-Wild Trout-Stocked Trout) at Section 2, Station 2+12 (Kane, PA Quadrangle 41°, 41', 19" north latitude, 78°, 51', 31" west longitude).
18. Wetland no. AM60W01 (PEM/PFO-EV) at Section 2, Station 1+90 (Kane, PA Quadrangle 41°, 41', 19" north latitude, 78°, 51', 34" west longitude) traversing a distance of 106 feet.
19. Wetland no. S1W01 (PEM/PSS-EV) at Section 1, Station 5+14 (Kane, PA Quadrangle 41°, 44', 19" north latitude, 78°, 52', 2" west longitude) traversing a distance of 250 feet.
20. Wetland no. S1W02 (PEM/PSS-EV) at Section 1, Station 14+75 (Kane, PA Quadrangle 41°, 41', 15" north latitude, 78°, 52', 2" west longitude) traversing a distance of 22 feet.

21. Wetland no. S1W03 (PEM/PSS-EV) at Section 1, Station 17+38 (Kane, PA Quadrangle 41°, 41', 15" north latitude, 78°, 51', 59" west longitude) traversing a distance of 200 feet.
  22. Twomile Run (HQ-CWF-Wild Trout-Stocked Trout) at Section 1, Station 19+18 (Kane, PA Quadrangle 41°, 41', 15" north latitude, 78°, 52', 3" west longitude).
  23. Wetland no. S1W04 (PEM-EV) at Section 1, Station 41+34 (Kane, PA Quadrangle 41°, 41', 17" north latitude, 78°, 51', 41" west longitude) traversing a distance of 78 feet.
  24. Tributary to Twomile Run (HQ-CWF-Wild Trout) at Section 1, Station 42+00 (Kane, PA Quadrangle 41°, 41', 18" north latitude, 78°, 52', 30" west longitude).
  25. Wetland no. S1W05 (PEM-EV) at Section 1, Station 45+36 (Ludlow, PA Quadrangle 41°, 41', 19" north latitude, 78°, 52', 35" west longitude) traversing a distance of 43 feet.
  26. Tributary to East Branch Tionesta Creek (HQ-CWF-Wild Trout) at Section 1, Station 99+85 (Ludlow, PA Quadrangle 41°, 41', 31" north latitude, 78°, 53', 43" west longitude).
  27. Wetland no. S1W06 (PEM-EV) at Section 1, Station 102+22 (Ludlow, PA Quadrangle 41°, 41', 31" north latitude, 78°, 53', 45" west longitude) traversing a distance of 19 feet.
  28. Wetland no. S1W07 (PEM) at Section 1, Station 103+17 (Ludlow, PA Quadrangle 41°, 41', 32" north latitude, 78°, 53', 48" west longitude) traversing a distance of 63 feet.
  29. Wetland no. S1W08 (PEM, EV) at Section 1, Station 114+53 (Ludlow, PA Quadrangle 41°, 41', 37" north latitude, 78°, 54', 3" west longitude) traversing a distance of 120 feet.
  30. Wetland no. S1W09 (PEM) at Section 1, Station 138+56 (Ludlow, PA Quadrangle 41°, 41', 49" north latitude, 78°, 54', 30" west longitude) traversing a distance of 104 feet.
  31. Wetland no. S1W10 (PEM, EV) at Section 1, Station 143+90 (Ludlow, PA Quadrangle 41°, 41', 51" north latitude, 78°, 54', 37" west longitude) traversing a distance of 172 feet.
  32. Bloody Run (HQ-CWF, Wild Trout) at Section 1, Station 145+30 (Ludlow, PA Quadrangle 41°, 41', 51" north latitude, 78°, 54', 38" west longitude).
  33. Tributary to Bloody Run (HQ-CWF, Wild Trout) at Section 1, Station 152+71 (Ludlow, PA Quadrangle 41°, 41', 55" north latitude, 78°, 54', 46" west longitude).
  34. Wetland no. S1W11 (PEM) at Section 1, Station 186+42 (Ludlow, PA Quadrangle 41°, 42', 15" north latitude, 78°, 55', 23" west longitude) traversing a distance of 124 feet.
  35. Wetland no. S1W12 (PEM/PFO, EV) at Section 1, Station 189+85 (Ludlow, PA Quadrangle 41°, 42', 17" north latitude, 78°, 55', 26" west longitude) traversing a distance of 76 feet.
  36. Wetland no. S1W13 (PEM-PFO, EV) at Section 1, Station 223+65 (Ludlow, PA Quadrangle 41°, 42', 34" north latitude, 78°, 56', 3" west longitude) traversing a distance of 140 feet.
  37. Tributary to East Branch Tionesta Creek (HQ-CWF, Wild Trout) at Section 1, Station 225+25 (Ludlow, PA Quadrangle 41°, 42', 36" north latitude, 78°, 56', 4" west longitude).
  38. Wetland no. S1W14 (PEM) at Section 1, Station 233+04 (Ludlow, PA Quadrangle 41°, 42', 40" north latitude, 78°, 56', 13" west longitude) traversing a distance of 72 feet.
  39. Tributary to East Branch Tionesta Creek (HQ-CWF, Wild Trout) at Section 1, Station 233+64 (Ludlow, PA Quadrangle 41°, 42', 40" north latitude, 78°, 56', 13" west longitude).
- E62-371. Encroachment. National Fuel Gas Supply,** 1100 State Street, Erie, PA 16501. To install and maintain a 20-inch diameter natural gas pipeline (AM-60) beginning at the Warren and McKean County Line (41°, 37', 11" north latitude, 78°, 50', 18" west longitude) and extending generally northwest to the existing Roystone Compressor Station (41°, 36', 44" north latitude, 78°, 48', 46" west longitude) crossing the following stream and wetland area in Sheffield Township, **Warren County:**
1. Wetland no. S1W15B (PEM) at Section 1, Station 314+76 (Ludlow, PA Quadrangle 41°, 43', 10" north latitude, 78°, 57', 48" west longitude) traversing a distance of 205 feet.
  2. Wetland no. S1W16 (PEM/PSS, EV) at Section 1, Station 332+43 (Ludlow, PA Quadrangle 41°, 43', 12" north latitude, 78°, 5', 12" west longitude) traversing a distance of 330 feet.
  3. Tributary to Twomile Run (HQ-CWF, Wild Trout) at Section 1, Station 332+70 (Ludlow, PA Quadrangle 41°, 43', 12" north latitude, 78°, 58', 12" west longitude).
  4. Twomile Run (HQ-CWF, Wild Trout, Stocked Trout) as Section 1, Station 334+29 (Ludlow, PA Quadrangle 41°, 43', 13" north latitude, 78°, 58', 14" west longitude).

#### ENVIRONMENTAL ASSESSMENT

The following Environmental Assessment and request for Water Quality Certification is being processed under section 105.12(a)(16) and 105.15(b), restoration activities undertaken and conducted under a restoration plan approved by the Department.

*Central Office: Bureau of Waterways Engineering, 400 Market Street, 3rd Floor; P. O. Box 8554, Harrisburg, PA 17105-8554, (717) 787-8568.*

**EA59-012CO.** Environmental Assessment. **Darryl C. Harvey** (R. R 1 Box 73, Covington, PA 16917). To construct a non-jurisdictional dam in the watershed of Canoe Camp Creek (CWF) impacting 0.97 acre of wetland (PEM) for a farm pond. The proposed dam is located approximately 2,800 feet south-southeast of intersections of T475 and T818 (Mansfield, PA, Quadrangle N: 0.50 inch; W: 2.45 inches). Sullivan Township, **Tioga County.**

#### STORAGE TANKS

##### SITE SPECIFIC INSTALLATION PERMITS

The following Storage Tank Site Specific Installation Permits under the authority of the Storage Tank and Spill Prevention Act (35 P. S. §§ 6021.304, 6021.504, 6021.1101 and 6021.1102) and 25 Pa. Code Chapter 245, Subchapter C have been issued by the Bureau of Watershed Conservation, Director, P. O. Box 8555, Harrisburg, PA 17105-8555, (717) 787-5267.

<i>SSIP Permit No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Tank Type and Capacity</i>
00-02-013	Robert P. Spargal USX Corporation 600 Grant Street Pittsburgh, PA 15230	Allegheny County Clairton City	1 AST storing Asphalt Emulsion 88,200 gallons
00-02-014	Jason H. Johns Sunoco, Inc. (R & M) 1801 Market St. Philadelphia, PA 19103-1699	Allegheny County Pittsburgh City	1 AST storing Ethanol 126,830 gallons
00-65-001	Jason H. Johns Sunoco, Inc. (R & M) 1801 Market St. Philadelphia, PA 19103-1699	Westmoreland County Delmont Boro	1 AST Storing Ethanol 100,000 gallons

## SPECIAL NOTICES

*Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335-3494.*

### Public Hearing Notice

The Department of Environmental Protection (DEP) will conduct a public hearing on Tuesday, December 12, 2000, beginning at 7 p.m. in the auditorium of Seneca Valley High School, 128 Seneca School Road, Harmony, PA, in response to an application from AK Steel Corp., Butler Works for discharge of treated industrial wastewater. This application is for renewal of a National Pollutant Discharge Elimination System (NPDES) permit to discharge the treated wastewater to Connoquenessing Creek in the City of Butler, Butler County. The NPDES application number is PA0006343. DEP personnel will be at Seneca Valley High School at 6 p.m. for a public availability session prior to the hearing.

Any person who wishes to present testimony at the hearing should submit a written notice of such intent to Pat Williams, Water Quality Program, DEP, 230 Chestnut Street, Meadville, PA 16335-3494, on or before December 5, 2000. The written notice should include the person's name, address, telephone number and a brief statement as to the nature of the testimony to be offered at the hearing. Testimony may be presented in either written or oral form. All testimony should be concise, to the point and relevant to the permit issue. Oral testimony will be limited to a maximum of 5 minutes per speaker. Those presenting written testimony can submit a written copy of their comments and any relevant documents at the hearing. Written testimony can also be sent to Pat Williams in the Meadville Water Quality Program either prior to the hearing or until December 22, 2000.

After the hearing DEP will prepare a document including a summary of the written and oral comments submitted at the hearing, the DEP's responses to the comments, and the reasons for such responses. DEP will make its decision on the application following completion of this summary.

Interested persons may obtain further information or inspect and copy public forms and related documents at the DEP Regional Office at 320 Chestnut Street in Meadville between the hours of 8 a.m. and 4 p.m. Monday through Friday. Appointments for file reviews can be made by calling (814) 332-6340.

### Submission Date Extension Calendar Year 1999 Applications For Municipal Recycling Program Performance Grant Applications

The Department of Environmental Protection (Department) announces an extension to the deadline for calendar year 1999 Recycling Program Performance Grant applications from municipalities for grant assistance under section 904 of the Municipal Waste Planning, Recycling and Waste Reduction Act (Act 101) (53 P. S. § 4000.904).

The deadline for submission of calendar year 1999 applications has been extended to 3 p.m., November 17, 2000. Applications must be on forms provided by the Department. Applications received by the Department after that date will not be considered. All grant awards are predicated on the receipt of recycling fees required by sections 701 and 702 of Act 101, and the availability of monies in the Recycling Fund.

Grant applications and inquiries concerning this notice should be directed to Todd Pejack, Recycling and Markets Section, Department of Environmental Protection, Bureau of Land Recycling and Waste Management, Rachel Carson State Office Building, P. O. Box 8472, Harrisburg, PA 17105-8472, telephone (717) 787-7382.

[Pa.B. Doc. No. 00-1911. Filed for public inspection November 3, 2000, 9:00 a.m.]

### Availability of Technical Guidance

Technical guidance documents are on DEP's world wide web site ([www.dep.state.pa.us](http://www.dep.state.pa.us)) at the public participation center. The "July 2000 Inventory" heading is the Governor's list of nonregulatory guidance documents. The "Final Documents" heading is the link to a menu of the various DEP bureaus and from there to each bureau's final technical guidance documents. The "Draft Technical Guidance" heading is the link to DEP's draft technical guidance documents.

DEP will continue to revise its nonregulatory documents, as necessary, throughout 2000.

#### *Ordering paper copies of DEP Technical Guidance*

DEP encourages the use of the Internet to view guidance documents. When this option is not available, persons can order a bound paper copy of the latest inventory or an unbound paper copy of any of the final documents listed on the inventory by calling DEP at (717) 783-8727.

In addition, bound copies of some of DEP's documents are available as DEP publications. Please check with the appropriate bureau for more information about the availability of a particular document as a publication.

#### *Changes to Technical Guidance Documents*

Below is the current list of recent changes. Persons who have any questions or comments about a particular document should call the contact person whose name and phone number is listed with each document. Persons who have questions or comments in general should call Joe Sieber at (717) 783-8727.

#### *Final Guidance*

DEP ID: 400-5900-117 Title: Standard Operating Procedure for the Acceptance, Collection, Transport, Storage and Disposition of Elemental Mercury by DEP Staff Description: Due to potential health risks posed by exposure to elemental mercury, DEP staff shall follow the standard operating procedures in this policy during the acceptance, collection, transport, storage and disposition of elemental mercury. Effective Date: November 4, 2000 Contact: Charles High at (717) 787-5715

#### *Draft Guidance*

DEP ID: 013-0830-003 Title: Locational Data Policy Description: This policy highlights DEP's commitment to establishing a shared Geographic Information Systems (GIS) database. The policy establishes the standards and requirements for collecting and documenting GIS data under DEP's jurisdiction. The policy will ensure uniformity, reliability and compatibility of DEP's locational data. Comment Period Ends: December 4, 2000 Anticipated Effective Date: January, 2001 Contact: Gail Jackson at (717) 772-4786 or e-mail at: Jackson.Gail@dep.state.pa.us.

JAMES M. SEIF,  
*Secretary*

[Pa.B. Doc. No. 00-1912. Filed for public inspection November 3, 2000, 9:00 a.m.]

## DEPARTMENT OF GENERAL SERVICES

### Construction Manager; Request for Proposal

The Department of General Services is seeking interested firms to submit sealed proposals for consideration for the following project:

**DGS 700-41.OA**—Construction Management, Phase 1, Construction and Rehabilitation of the Pennsylvania Farm Show Complex, Harrisburg, Dauphin County, PA. A brief description of the project is as follows: Construction Management for Pre-Construction and Construction Services for design and construction of a new Exposition Center, Parking Facilities, Heating/Air Conditioning Plant and essential repairs/rehabilitation to existing facilities and Flood Protection. Construction Manager is not acting as contractor. Construction allocation is \$55.2 million for the entire project.

**RFP PRICE**—\$50 (Includes 6% Pa. Sales Tax) per RFP. Checks must be made payable to the Commonwealth of Pennsylvania. This price is **nonrefundable**. Requests for the RFP should be mailed to the Department of General Services, Bureau of Professional Selections and

Administrative Services, Room 107, Headquarters Building, 18th & Herr Streets, Harrisburg, PA 17125. Contact Bidders Services at (717) 787-3923 or [www.dgs.state.pa.us](http://www.dgs.state.pa.us) for the names of those who have secured the RFP.

### A PREPROPOSAL CONFERENCE IS NOT SCHEDULED FOR THIS CONTRACT.

All questions regarding the RFP or to clarify matters concerning the Construction Manager's responsibilities must be submitted in writing to the issuing office by no later than 5 p.m., Thursday, November 9, 2000. Only firms requesting the RFP will receive a copy of all submitted questions and answers. All proposals are due Tuesday, November 21, 2000 no later than 2 p.m., in Room 107, Headquarters Building, 18th & Herr Streets, Harrisburg, PA 17125. Responses received after this due date and time will be returned unopened.

GARY E. CROWELL,  
*Secretary*

[Pa.B. Doc. No. 00-1913. Filed for public inspection November 3, 2000, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Advisory Health Board Meeting

The Department of Health (Department) gives notice that the Advisory Health Board will meet on Tuesday, November 21, 2000 at 9:30 a.m. in Room 812 of the Health and Welfare Building to vote on draft Newborn Screening Regulations which the Department intends to publish as proposed within the next 6 months.

Further information regarding the meeting or a copy of the draft proposed regulations may be obtained by contacting Jack Means, Department of Health, Division of Maternal and Child Health, P. O. Box 90, Harrisburg, PA 17108, (717) 783-8143.

Persons with a disability who desire to attend the meeting, and require an auxiliary aid service or other accommodation to do so, or who require a copy of the draft proposed regulations in an alternative format (that is, large print, audio tape, Braille) should also contact Jack Means at (717) 783-8143, V/TT (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Services at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,  
*Secretary*

[Pa.B. Doc. No. 00-1914. Filed for public inspection November 3, 2000, 9:00 a.m.]

## DEPARTMENT OF TRANSPORTATION

### Application for Lease of Right of Way

The Department of Transportation, pursuant to the authority contained in Section 2002(c) of the Administrative Code (71 P. S. § 512(c)) and in 67 Pa. Code § 495.4, gives notice that an application to lease highway right of way has been submitted to the Department by Brooks

Provisions, Inc., of 3445 S. Front St., Philadelphia, PA 19148, seeking to lease highway right of way located at State Route 0095 Section A-2, under I-95 between Packer Ave. and Lawrence Street. This land will be used for parking.

Interested persons are invited to submit, within thirty (30) days from the publication of this notice in the *Pennsylvania Bulletin*, written comments, suggestions or objections regarding the approval of this application to Andrew Warren, District Engineer, Engineering District 6-0, 7000 Geerdes Boulevard, King of Prussia, PA 19406.

Questions regarding this application or the proposed use may be directed to Ray DeMasi, Real Estate Specialist, Pennsylvania Department of Transportation, District 6-0, 7000 Geerdes Boulevard, King of Prussia, PA 19406; (610) 205-6507

BRADLEY L. MALLORY,  
*Secretary*

[Pa.B. Doc. No. 00-1915. Filed for public inspection November 3, 2000, 9:00 a.m.]

## DEPARTMENT OF TRANSPORTATION

### Retention of Engineering Firms

#### **Berks, Carbon, Lehigh, Monroe, Northampton and Schuylkill Counties Project Reference No. 08430AG2634**

The Department will retain an engineering firm for an Open-End Contract for various traffic engineering services on various projects located in Engineering District 5-0, that is Berks, Carbon, Lehigh, Monroe, Northampton, and Schuylkill Counties. The Contract will be for a sixty (60) month period with projects assigned on an as-needed basis. The maximum amount of the Open-End Contract will be \$1.0 million.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Open-End Contract based on the Department's evaluation of the letters of interest received in response to this solicitation. The final ranking will be established directly from the letters of interest. Technical proposals will *not* be requested prior to the establishment of the final ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a) Past record of performance with respect to cost control, work quality, ability to meet schedules, and previous experience on Open-end Contracts. The specific experience of individuals employed by the firm shall be considered.
- b) Available staffing for this assignment and the ability to meet the Department's needs.
- c) Specialized experience and technical competence of firm, with emphasis on traffic engineering experience.
- d) Location of Consultant in respect to the District.
- e) Project team composition.

The work and services required under this Contract may encompass a wide range of environmental studies

and engineering efforts with the possibility of several different types of projects with short completion schedules being assigned concurrently. The anticipated types of projects include, but not limited to, bridge replacements or bridge rehabilitation with minor approach work, environmental studies, roadway betterments (3R type,) minor capital improvement projects (bridges or roadway), railroad grade crossing projects, and minor location studies, etc. The majority of the work assigned under this Contract will be in the area of traffic engineering.

The engineering work and services which may be required under this Contract include, but are not limited to, perform field surveys; plot topography and cross sections; prepare submission for utility verification and relocations engineering; prepare all pertinent submissions and materials necessary for the Department to prepare the application to PUC and for the PUC field conference; attend and supply any required information for all PUC meetings and hearings during the design of the project; develop erosion control details and narrative; prepare right of way plans; complete structure designs including type, size and location reports, core boring layouts and foundation designs and reports; develop traffic control plans with narratives; conduct soils investigations and prepare soils reports; investigate utility involvement on projects; provide material for and participate in value engineering reviews; coordinate contacts with railroad officials and procure railroad related costs, permits, and insurance; collect signal timing, accident data and other traffic flow data; document engineering study findings and activities; alternative analysis to assess impacts and mitigation; and prepare construction plans, specifications, and estimates. However, the majority of the work assigned will be in the following areas:

- Extension of staff for review of large consultant designs including, but not limited to: traffic signal designs, work zone traffic control plans, signing and pavement marking plans, delineation and RPM
- Extension of staff for Step 9 Safety reviews
- Support for the District's new "Road Safety Audit" process and the District's ITS initiative
- Design of various small traffic projects District-wide
- Design of municipal traffic signals
- Extension of staff for Highway Occupancy Permit reviews in cases where the review would cause a conflict of interest with the consultant currently under contract to perform these reviews

The areas of environmental study required under the Contract may include, but are not limited to: air quality; noise; energy; vibration; hazardous waste; surface water and ground water quality; surface water and ground water hydrology; terrestrial ecology including threatened and endangered species; wetlands; soils; geology; farmlands; visual quality; socio-economic resources; cultural resources; Section 4(f) Evaluations; early coordination and; scoping correspondence; meeting minutes; public meeting and hearing presentations; visualization materials, handouts and displays; technical basis reports (TBRs) and/or technical files; NEPA environmental documents; Section 106 documents; mitigation plans and reports; wetland and floodplain findings; and preliminary engineering plans, and remote sensing/mapping innovations; The format and content of all documents will be consistent with applicable State and Federal regulations, policies and guidelines.

The engineering services and environmental studies identified above are the general work activities that can



be expected under this Open-End Contract. A specific project-related Scope of Work will be outlined for each individual Work Order developed under this Open-End Contract.

This project reference assignment is considered non-complex. The letter of interest shall be limited to a maximum of three (3) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Walter Bortree, P.E., District Engineer  
Engineering District 5-0  
1713 Lehigh Street  
Allentown, PA 18103  
Attn: Brian H. Graver

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 p.m. prevailing time on the twentieth (20th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to Brian H. Graver, phone number (610) 798-4322, fax number (610) 798-4303.

**Berks, Carbon, Lehigh, Monroe,  
Northampton and Schuylkill Counties  
Project Reference No. 08430AG2635**

The Department will retain an engineering firm for an Open-End Contract for various engineering and/or environmental services on various projects located in Engineering District 5-0, that is Berks, Carbon, Lehigh, Monroe, Northampton, and Schuylkill Counties. The Contract will be for a sixty (60) month period with projects assigned on an as-needed basis. The maximum amount of the Open-End Contract will be \$2.0 million.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Open-End Contract based on the Department's evaluation of the letters of interest received in response to this solicitation. The final ranking will be established directly from the letters of interest. Technical proposals will *not* be requested prior to the establishment of the final ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

a) Past record of performance with respect to cost control, work quality, ability to meet schedules, and previous experience on Open-end Contracts. The specific experience of individuals employed by the firm shall be considered.

b) Available staffing for this assignment and the ability to meet the Department's needs.

c) Specialized experience and technical competence of firm.

d) Location of Consultant in respect to the District.

e) Project team composition.

The work and services required under this Contract may encompass a wide range of environmental studies and engineering efforts with the possibility of several different types of projects with short completion schedules being assigned concurrently. The anticipated types of projects include, but not limited to, bridge replacements or bridge rehabilitation with minor approach work, envi-

ronmental studies, roadway betterments (3R type,) minor capital improvement projects (bridges or roadway), railroad grade crossing projects, and minor location studies, etc.

The engineering work and services which may be required under this Contract include, but are not limited to, perform field surveys; plot topography and cross sections; prepare submission for utility verification and relocations engineering; prepare all pertinent submissions and materials necessary for the Department to prepare the application to PUC and for the PUC field conference; attend and supply any required information for all PUC meetings and hearings during the design of the project; develop erosion control details and narrative; prepare right of way plans; complete structure designs including type, size and location reports, core boring layouts and foundation designs and reports; develop traffic control plans with narratives; conduct soils investigations and prepare soils reports; investigate utility involvement on projects; provide material for and participate in value engineering reviews; coordinate contacts with railroad officials and procure railroad related costs, permits, and insurance; collect signal timing, accident data and other traffic flow data; document engineering study findings and activities; alternative analysis to assess impacts and mitigation; and prepare construction plans, specifications, and estimates. The selected consultant may be required to provide NBIS bridge inspection services, including structure inspection and completion of inspection reports.

The areas of environmental study required under the Contract may include, but are not limited to: air quality; noise; energy; vibration; hazardous waste; surface water and ground water quality; surface water and ground water hydrology; terrestrial ecology including threatened and endangered species; wetlands; soils; geology; farmlands; visual quality; socio-economic resources; cultural resources; Section 4(f) Evaluations; early coordination and; scoping correspondence; meeting minutes; public meeting and hearing presentations; visualization materials, handouts and displays; technical basis reports (TBRs) and/or technical files; NEPA environmental documents; Section 106 documents; mitigation plans and reports; wetland and floodplain findings; and preliminary engineering plans, and remote sensing/mapping innovations; The format and content of all documents will be consistent with applicable State and Federal regulations, policies and guidelines. The engineering services and environmental studies identified above are the general work activities that can be expected under this Open-End Contract. A specific project-related Scope of Work will be outlined for each individual Work Order developed under this Open-End Contract.

This project reference assignment is considered non-complex. The letter of interest shall be limited to a maximum of three (3) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Walter E. Bortree, P.E., District Engineer  
Engineering District 5-0  
1713 Lehigh Street  
Allentown, PA 18103  
Attn: Brian H. Graver

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 p.m. prevailing time on the twentieth (20th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to B. H. Graver, phone number (610) 798-4232, fax number (610) 798-4303.

**Schuylkill County  
Project Reference No. 08430AG2636**

The Department will retain an engineering firm to provide preliminary engineering, environmental studies, final design, and construction consultation services on the following projects:

1. S. R. 0061, Section 14B, Schuylkill County Local Name: Mady's Bridge (over RBM&N Railroad) This project involves the replacement of the 314-foot long structure carrying S. R. 0061 over the track of the Reading, Blue Mountain, and Northern Railroad in the City of Pottsville, Schuylkill County. (S. R. 0061, Seg. 340, Offset 43).

2. S. R. 0061, Section 15B, Schuylkill County Local Name: Mady's Bridge (over RBM&N Railroad) This project involves the replacement of the 79-foot long structure carrying S. R. 0061 over the Schuylkill River, located in the City of Pottsville, Schuylkill County (S. R. 0061, Seg. 340, Offset 898).

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

a) Past record of performance with respect to cost control, work quality, ability to meet schedules, and previous experience. The specific experience of individuals employed by the firm shall be considered.

b) Available staffing for this assignment and the ability to meet the Department's needs.

c) Specialized experience and technical competence of firm.

d) Location of Consultant with respect to the District Office.

e) Proposed project team composition.

The firm selected may be required to perform the following services for this project:

1. All studies necessary for the preparation, but not limited to, a Categorical Exclusion Evaluation Level 1B and associated documents including: cultural resource surveys; wetlands delineation and evaluation; Section 106 documents; hazardous waste reports; archeological surveys.

2. Preliminary engineering including, but not limited to: Field surveying; hydraulic and hydrologic analysis; type, size, and location drawings; Step 9 Submission; roadway design; E & S plans; soils and geotechnical reconnaissance; maintenance and protection of traffic; right-of-way investigation; and coordination with utility and railroad companies.

3. Preparation of final roadway and structure plans, including, but not limited to: roadway and structure borings; final design; and preparation of plans, specifications, and estimates.

4. Services during construction, including construction consultation and shop drawing review.

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen percent (15%) of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information Section after the advertised projects.

This project reference assignment is considered complex. The letter of interest shall be limited to a maximum of five (5) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Walter E. Bortree, P.E., District Engineer  
Engineering District 5-0  
1713 Lehigh Street  
Allentown, PA 18103  
Attn: Brian H. Graver

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 p.m. prevailing time on the twentieth (20th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to Brian H. Graver, phone number (610) 798-4322, fax number (610) 798-4116.

**Lehigh County  
Project Reference No. 08430AG2637**

The Department will retain an engineering firm to provide preliminary engineering, environmental studies, final design, and construction consultation services on S. R. 1014, Section 01B, Lehigh Street Bridge Replacement, Lehigh County. This project involves the replacement of the Lehigh Street Bridge over Coplay Creek, located on S. R. 1014 in Whitehall Township, Lehigh County.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

a) Past record of performance with respect to cost control, work quality, ability to meet schedules, and previous experience. The specific experience of individuals employed by the firm shall be considered.

b) Available staffing for this assignment and the ability to meet the Department's needs.

c) Specialized experience and technical competence of firm.

d) Location of Consultant with respect to the District Office.

e) Proposed project team composition.

The firm selected may be required to perform the following services for this project:

1. All studies necessary, but not limited to, the preparation of an Categorical Exclusion Evaluation Level 1B and associated documents including: cultural resource surveys; wetlands delineation and evaluation; Section 106 documents; hazardous waste reports; archeological surveys.

2. Preliminary engineering including, but not limited to: Field surveying; hydraulic and hydrologic analysis; type, size, and location drawings; Step 9 Submission; roadway design; E & S plans; soils and geotechnical reconnaissance; maintenance and protection of traffic; right-of-way investigation; and coordination with utility companies.

3. Preparation of final roadway and structure plans, including, but not limited to: roadway and structure borings; final design; and preparation of plans, specifications, and estimates.

4. Services during construction, including construction consultation and shop drawing review.

The goal for Disadvantaged Business Enterprise (DBE) participation in this Agreement shall be fifteen percent (15%) of the total contract price. Additional information concerning DBE participation in this Agreement is contained in the General Requirements and Information Section after the advertised projects.

This project reference assignment is considered moderately complex. The letter of interest shall be limited to a maximum of three (3) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Walter E. Bortree, P.E., District Engineer  
Engineering District 5-0  
1713 Lehigh Street  
Allentown, PA 18103  
Attn: Brian H. Graver

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 p.m. prevailing time on the twentieth (20th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to Brian H. Graver, phone number (610) 798-4322, fax number (610) 798-4116.

**Adams, Cumberland, Dauphin, Franklin,  
Lancaster, Lebanon, Perry and York Counties  
Project Reference No. 08430AG2638**

The Department will retain an engineering firm for an Open-End Contract for various engineering and/or environmental services on various projects located in Engineering District 8-0, that is Adams, Cumberland, Dauphin, Franklin, Lancaster, Lebanon, Perry and York Counties. The Contract will be for a sixty (60) month period with projects assigned on an as-needed basis. The maximum amount of the Open-End Contract will be \$500 thousand.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Open-End Contract based on the Department's evaluation of the letters of interest received in response to this solicitation. The ranking will be established directly from the letters of interest. Technical proposals will not be requested prior to the establishment of the ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

a) Past record of performance with respect to cost control, work quality, ability to meet schedules, and previous experience on Open-end Contracts. The specific experience of individuals employed by the firm shall be considered.

b) Specialized experience and technical competence of firm.

c) Available staffing for this assignment and the ability to meet the Department's needs. The selected firm could be assigned up to twenty concurrent work orders of a similar or diverse nature. Prompt turn-around time is expected.

d) Use of Microstation CADD

e) Ability to use technology for effectively transferring information and communicating between the Department and consultant team members.

The work and services required under this Contract may encompass a wide range of environmental studies and engineering efforts with the possibility of several different types of projects with short completion schedules being assigned concurrently. The anticipated types of projects include, but not limited to, bridge replacements or bridge rehabilitation with minor approach work, environmental studies, resurfacing maintenance contracts, roadway betterments (3R type) minor capital improvement projects (bridges or roadway), railroad grade crossing projects, and minor location studies, etc.

The engineering work and services which may be required under this Contract include, but are not limited to, perform field surveys; plot topography and cross sections; prepare submission for utility verification and relocations engineering; prepare all pertinent submissions and materials necessary for the Department to prepare the application to PUC and for the PUC field conference; attend and supply any required information for all PUC meetings and hearings during the design of the project; develop erosion control details and narrative; prepare right of way plans; complete structure designs including type, size and location reports, core boring layouts and foundation designs and reports; provide H & H reviews; develop traffic control plans with narratives; conduct soils investigations and prepare soils reports; investigate utility involvement on projects; provide material for and participate in value engineering reviews; coordinate contacts with railroad officials and procure railroad related costs, permits, and insurance; collect signal timing, accident data and other traffic flow data; document engineering study findings and activities; alternative analysis to assess impacts and mitigation; and prepare construction plans, specifications, and estimates.

The areas of environmental study required under the Contract may include, but are not limited to: air quality; noise; energy; vibration; hazardous waste; surface water and ground water quality; surface water and ground water hydrology; terrestrial ecology including threatened and endangered species; wetlands; soils; geology; farmlands; visual quality; socio-economic resources; cultural resources; Section 4(f) Evaluations; early coordination and; scoping correspondence; meeting minutes; public meeting and hearing presentations; visualization materials, handouts and displays; technical basis reports (TBRs) and/or technical files; NEPA environmental documents; Section 106 documents; mitigation plans and reports; wetland and floodplain findings; and preliminary engineering plans, and remote sensing/mapping innovations; The format and content of all documents will be consistent with applicable State and Federal regulations, policies and guidelines.

The engineering services and environmental studies identified above are the general work activities that can be expected under this Open-End Contract. A more specific and project-related Scope of Work will be outlined for each individual Work Order developed under this Open-End Contract.

This project reference assignment is considered non-complex. The letter of interest shall be limited to a maximum of three (3) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

District Consultant Selection Committee  
Engineering District 8-0  
2140 Herr Street  
Harrisburg, PA 17103-1699  
Attn: Mr. Greg Vaughn  
(Letter of Interest Enclosed)

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 p.m. prevailing time on the twentieth (20th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to Gregory J. Vaughn, phone number 717-783-5149, fax number 717-705-5493.

**Fayette, Greene, Washington and  
Westmoreland Counties  
Project Reference No. 08430AG2639**

The Department will retain an engineering firm to perform periodic National Bridge Inspection Standard (NBIS) bridge safety inspections for designated bridges and structures on the local roadway system located in Engineering District 12-0, that is Fayette, Greene, Washington and Westmoreland Counties. The Contract will be for a sixty (60) month period with projects assigned according to the NBIS inspection schedule and the needs of the local bridge owners.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating a Contract based on the Department's evaluation of the letters of interest received in response to this solicitation. The final ranking will be established directly from the letters of interest. Technical proposals will *not* be requested prior to the establishment of the final ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a) Past record of performance with respect to cost control, work quality, ability to meet schedules, and previous experience on NBIS Bridge Inspection Contracts. The specific experience of individuals employed by the firm shall be considered.
- b) Available staffing for this assignment and the ability to meet the Department's needs.
- c) Specialized experience and technical competence of firm.
- d) Location of Consultant in respect to the District.

The selected firm will be required to provide all necessary professional and non-professional services, work, material and equipment necessary to inspect/re-inspect and evaluate the condition of locally owned bridges and structures at various locations. The schedule includes 237 bridges on a two-year inspection cycle. Due to variability of inspection schedules and emergencies, this work is not anticipated to be evenly distributed throughout a year or duration of contract. The firm will provide updated inspection reports including a bridge load capacity rating/re-rating and/or posting recommendation as warranted. Structure inventory and appraisal data, and completed Bridge Management System coding sheets are also to be furnished. Inventory and operating ratings based on existing conditions for AASHTO and PDT loadings using the Department's computer programs and/or other programs with prior approval when the Department's program is not applicable, may be required.

Firms responding to this solicitation shall provide the following additional information in their letter of interest:

1. Identify the lead person (prime or subconsultant) for each of the required services identified above. Include the qualifications and experience that relates to each required service areas for each lead person. List NBIS certification credentials and PA Bridge Safety Inspection courses taken by staff.

2. Indicate internal procedures for timeliness of report submission, cost containment and quality assurances.

3. Indicate computer capabilities including PDT programs and other software.

The engineering services identified above are the general work activities that can be expected under this Contract. A specific project-related Scope of Work will be outlined at the Scope of Work meeting with the selected firm.

This project reference assignment is considered moderately complex. The letter of interest shall be limited to a maximum of five (5) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Michael H. Dufalla, P.E., District Engineer  
Engineering District 12-0  
P. O. Box 459  
825 North Gallatin Avenue Ext.  
Uniontown, PA 15401  
Attention: Mr. Jim Majeed, P.E.

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 p.m. prevailing time on the twentieth (20th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to Mr. Jim Majeed, P.E., phone number (724) 439-7162, fax number (724) 430-4401.

**Berks, Carbon, Lehigh, Monroe,  
Northampton and Schuylkill Counties  
Project Reference No. 08430AG2640**

The Department will retain an engineering firm for an Open-End Contract for engineering services to designate and locate utilities on various projects located in Engineering District 5-0, that is Berks, Carbon, Lehigh, Monroe, Northampton, and Schuylkill Counties. The Contract will be for a sixty (60) month period with projects assigned on an as-needed basis. The maximum amount of the Open-End Contract will be \$500 thousand.

The Department will establish an order of ranking of a minimum of three (3) firms for the purpose of negotiating an Open-End Contract based on the Department's evaluation of the letters of interest received in response to this solicitation. The final ranking will be established directly from the letters of interest. Technical proposals will *not* be requested prior to the establishment of the final ranking.

The following factors, listed in order of importance, will be considered by the Department during the evaluation of the firms submitting letters of interest:

- a) Past record of performance with respect to cost control, work quality, ability to meet schedules, and

previous experience on Open-end Contracts. The specific experience of individuals employed by the firm shall be considered.

b) Available staffing for this assignment and the ability to meet the Department's needs.

c) Specialized experience, availability of appropriate equipment, and technical competence of firm in performing subsurface utility engineering for highway projects.

d) Location of Consultant in respect to the District.

e) Project team composition.

The selected firm will be required to provide all professional designating and locating services to designate, with electronic equipment, existing subsurface utility facilities, including detection and mapping of underground storage tanks, drums, and similar type facilities in progressive phases; to locate, either by test holes or by nondestructive methods, existing subsurface utility facilities which may be affected by our highway projects; to provide valuation problem identification and solutions in the field; to provide utility facility identification by survey; to provide other related services as required.

For the purpose of this advertisement, "designate" means to indicate, by marking, the presence and approximate horizontal location of a subsurface utility using geophysical prospecting techniques, and "locate" means to obtain the accurate horizontal and vertical location of a subsurface utility by digging a test hole.

The engineering services identified above are the general work activities that can be expected under this Open-End Contract. A specific project-related Scope of Work will be outlined for each individual Work Order developed under this Open-End Contract.

This project reference assignment is considered non-complex. The letter of interest shall be limited to a maximum of three (3) pages, 8 1/2" x 11", one sided, plus an organizational chart (up to 11" x 17" size), and additional resumes, if applicable. (See the General Requirements and Information Section).

The Letter of Interest submission shall be sent to:

Mr. Walter E. Bortree, P.E., District Engineer  
Engineering District 5-0  
1713 Lehigh Street  
Allentown, PA 18103  
Attn: Brian H. Graver

The Letter of Interest submission for this project reference number must be received at the address listed above by 4:30 p.m. prevailing time on the twentieth (20th) day following the date of this Notice.

Any technical questions concerning the requirements for this project should be directed to B. H. Graver, phone number (610) 798-4232, fax number (610) 798-4303.

#### **General Requirements and Information**

Firms interested in providing the above work and services are invited to submit a Letter of Interest with the required information for each Project Reference Number for which the applicant wishes to be considered.

The Letter of Interest and required information must be submitted to the person designated in the individual advertisement.

The Letter of Interest and required information must be received by the Deadline indicated in the individual advertisement.

For District projects, all consultants, both prime consultants and subconsultants, who desire to be included in a Letter of Interest must have an Annual Qualification Package on file with the appropriate District Office, by the deadline stipulated in the individual advertisements.

For Statewide projects, all consultants, both prime consultants and subconsultants, who desire to be included in a Letter of Interest must have an Annual Qualification Package on file with Central Office, Bureau of Design by the deadline stipulated in the individual advertisements.

Information concerning the Annual Qualification Package can be found in Strike-off Letter No. 433-99-04 or under the Notice to all Consultants published in the February 27, 1999 issue of the *Pennsylvania Bulletin*.

By submitting a letter of interest for the projects that request engineering services, the consulting firm is certifying that the firm is qualified to perform engineering services in accordance with the laws of the Commonwealth of Pennsylvania. A firm not conforming to this requirement may submit a letter of interest as a part of a joint venture with an individual, firm or corporation which is permitted under State law to engage in the practice of engineering.

The letter of interest must include full disclosure of any potential conflict of interest by the prime or any subconsultant based on Engineering Involvement Restrictions Guidelines as established in Strike-off Letter No. 433-00-02 published March 27, 2000. If there are no potential conflicts you shall include the following statement: "I have reviewed Strike-off Letter No. 433-00-02 and determine that there are no potential conflicts of interest for anyone on this project team."

If a Joint Venture responds to a project advertisement, the Department of Transportation will not accept separate Letters of Interest from the Joint Venture constituents. A firm will not be permitted to submit a Letter of Interest on more than one (1) Joint Venture for the same Project Reference Number. Also a firm that responds to a project as a prime may not be included as a designated subcontractor to another firm that responds as a prime to the project. Multiple responses under any of the foregoing situations will cause the rejection of all responses of the firm or firms involved. The above does not preclude a firm from being set forth as a designated subcontractor to more than one (1) prime responding to the project advertisement.

If a goal for Disadvantaged Business Enterprise (DBE) participation is established for an advertised project, firms expressing interest in the project must agree to ensure that Disadvantaged Business Enterprise (DBE) firms as defined in the Transportation Equity Act for the 21st century (TEA-21) and currently certified by the Department of Transportation shall have the opportunity to participate in any subcontracting or furnishing supplies or services approved under Form 442, Section 1.10(a). The TEA-21 requires that firms owned and controlled by women (WBEs) be included, as a presumptive group, within the definition of Disadvantaged Business Enterprise (DBE). The goal for DBE participation shall be as stated in the individual project advertisement. Responding firms shall make good faith efforts to meet the DBE goal using DBEs (as they are defined prior to the act, WBEs or combinations thereof).

Proposed DBE firms must be certified at the time of submission of the Letter of Interest. If the selected firm fails to meet the established DBE participation goal, it shall be required to demonstrate its good faith efforts to attain the goal.

Responses are encouraged by small firms, Disadvantaged Business Enterprise (DBE) firms, and other firms who have not previously performed work for the Department of Transportation.

Letters of Interest for will be considered non-responsive and eliminated from further consideration for any of the following reasons:

1. Letters of Interest not received on time.
2. Project of interest is not identified.
3. An Annual Qualification Package for the prime consultant and all subconsultants is not on file with the organization receiving the Letter of Interest.
4. Conflict of Interest evaluation statement is not included.
5. A Disadvantaged Business Enterprise (DBE) participation goal is established for the Project Reference Number but no DBE/WBE is identified and no good faith effort is included.
6. Firm submitted a Letter of Interest on more than one (1) Joint Venture or a firm submitted a Letter of Interest as a prime and was also included as a subconsultant, to another firm. Multiple responses under any of the foregoing situations will cause the rejection of all responses of the firm, or firms, involved.

In addition to the above reasons, a Letter of Interest for Construction Inspection Services will be considered non-responsive for any of the following reasons:

1. Prime consultant or any subconsultant does not have a Federal Acquisition Regulation (FAR) Audit Field Overhead Rate on file with the Department.
2. Using an individual's resume without including a letter granting the individual's approval for TCIS and higher positions.
3. Exceeding the maximum number of resumes in a payroll classification.

The assignment of the agreement/contract for the above advertisement(s) will be made to one of the firms who submitted an acceptable Letter of Interest in response to the project advertisement. The assignment will be made based on the Department's evaluation of the firm's qualification and capabilities. The Department reserves the right to reject all letters submitted, to cancel the solicitations requested under this Notice, and/or to readvertise solicitation for the work and services.

BRADLEY L. MALLORY,  
*Secretary*

[Pa.B. Doc. No. 00-1916. Filed for public inspection November 3, 2000, 9:00 a.m.]

## ENVIRONMENTAL QUALITY BOARD

### Cancellation of Meeting

The November 21, 2000, Environmental Quality Board meeting has been canceled. The next meeting of the Board is scheduled for December 19, 2000, at 10 a.m. in

Room 105 of the Rachel Carson State Office Building (RCSOB), Harrisburg.

JAMES M. SEIF,  
*Chairperson*

[Pa.B. Doc. No. 00-1917. Filed for public inspection November 3, 2000, 9:00 a.m.]

## INDEPENDENT REGULATORY REVIEW COMMISSION

### Actions Taken by the Commission

The Independent Regulatory Review Commission (Commission) met publicly at 10:30 a.m., Thursday, October 19, 2000, and took the following action:

*Regulations Deemed Approved under Section 5(g) of the Regulatory Review Act—Effective October 17, 2000, October 11, 2000 and October 6, 2000, respectively.*

State Board of Nursing #16A-5113: Biennial Renewal Fees (increases the biennial renewal of license fee for Registered Nurses and Practical Nurses, and the biennial renewal of certification fee for Certified Registered Nurse Practitioners)

State Board of Veterinary Medicine #16A-579: Biennial Renewal Fees (adjusts biennial renewal fees for veterinarians and animal health technicians)

Department of Agriculture #2-117: Noxious Weeds (adds two plants to the noxious weed control list and increases the number of loosestrife species on the list)

*Regulations Approved:*

Environmental Quality Board #7-340: Municipal Waste (amends 25 Pa. Code Chapters 271, 272, 273, 277, 279, 281, 283, 284 and 285)

Environmental Quality Board #7-336: Residual Waste (amends 25 Pa. Code Chapters 250, 287, 288, 289, 291, 293, 295, 297 and 299)

Department of Agriculture #2-128: Importation and Intrastate Transportation of Animals; Brucellosis (amends 7 Pa. Code Chapters 3 and 7)

State Architects Licensure Board #16A-414: Fees (amends fees in 49 Pa. Code Chapter 39, Section 9.3)

State Board of Medicine and State Board of Nursing #16A-499: Certified Registered Nurse Practitioners Prescriptive Authority (adds 49 Pa. Code §§ 18.53 to 18.57 and 21.283 to 21.287)

Bureau of Professional and Occupational Affairs #16-20: Schedule of Civil Penalties (amends 49 Pa. Code Chapter 43b)

State Real Estate Commission #16A-560: General Revisions (amends 49 Pa. Code Chapter 35)

State Board of Accountancy #16A-556: Peer Review (amends 49 Pa. Code §§ 11.81—11.86)

Department of Health #10-161: WIC Program (amends 28 Pa. Code Chapters 1101—1113)

Pennsylvania Public Utility Commission #57-204: Cramming and Slamming (amends 52 Pa. Code Chapter 64)

Pennsylvania Public Utility Commission #57-209: Updating and Revising Existing Filing Requirements (amends 52 Pa. Code §§ 53.57—53.60)

*Commissioners Voting:* John R. McGinley, Jr., Chairperson, by proxy; Alvin C. Bush, Vice Chairperson; Arthur Coccodrilli; Robert J. Harbison, III; John F. Mizner

Public Meeting held  
October 19, 2000

*Environmental Quality Board—Municipal Waste; Regulation No. 7-340*

On August 11, 1998, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Environmental Quality Board. This rulemaking amends 25 Pa. Code Chapters 271—273, 277, 279, 281 and 283—285. The proposed regulation was published in the August 29, 1998 *Pennsylvania Bulletin* with a 60-day public comment period. The final-form regulation was submitted to the Commission on September 22, 2000.

This regulation amends requirements for the handling, transportation and disposal of municipal waste. Municipal waste is any garbage, refuse, or other discarded material resulting from operation of residential, municipal, commercial, or institutional establishments.

We have determined this regulation is consistent with the statutory authority of the Environmental Quality Board (35 P.S. § 6018.101) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

*By Order of the Commission:*

This regulation is approved.

*Commissioners Voting:* John R. McGinley, Jr., Chairperson, by proxy; Alvin C. Bush, Vice Chairperson; Arthur Coccodrilli; Robert J. Harbison, III; John F. Mizner

Public Meeting held  
October 19, 2000

*Environmental Quality Board—Residual Waste; Regulation No. 7-336*

On July 29, 1998, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Environmental Quality Board. This rulemaking amends 25 Pa. Code Chapters 250, 287—289, 291, 293, 295, 297 and 299. The proposed regulation was published in the August 15, 1998 *Pennsylvania Bulletin* with a 60-day public comment period. The final-form regulation was submitted to the Commission on September 20, 2000.

This regulation amends requirements for handling, transportation and disposal of residual waste. Residual waste is any garbage, refuse or other discarded material resulting from industrial, mining, and agricultural operations.

We have determined this regulation is consistent with the statutory authority of the Environmental Quality Board (35 P.S. § 6018.101) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

*By Order of the Commission:*

This regulation is approved.

*Commissioners Voting:* John R. McGinley, Jr., Chairperson, by proxy; Alvin C. Bush, Vice Chairperson; Arthur Coccodrilli; Robert J. Harbison, III; John F. Mizner

Public Meeting held  
October 19, 2000

*Department of Agriculture—Importation and Intrastate Transportation of Animals; Brucellosis; Regulation No. 2-128*

On January 31, 2000, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Department of Agriculture (Department). This rulemaking amends 7 Pa. Code Chapters 3 and 7. The proposed regulation was published in the February 12, 2000 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on September 14, 2000. On September 27, 2000, the Commission received a request from the Department to toll consideration of this final-form regulation to correct minor technical problems. On October 4, 2000, the Department of Agriculture submitted its revisions to the final-form regulation to the Commission.

This regulation updates the Department's vaccination requirements for Brucellosis in cattle and bison and acceptable testing requirements for Equine Infectious Anemia in horses. The revisions also raise the age allowable for an official vaccination for Brucellosis from 8 months to 12 months and clarifies identification of calves by a change in tattoo requirements.

We have determined this regulation is consistent with the statutory authority of the Department of Agriculture (3 Pa.C.S. §§ 2301-2389) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

*By Order of the Commission:*

This regulation is approved.

*Commissioners Voting:* John R. McGinley, Jr., Chairperson, by proxy; Alvin C. Bush, Vice Chairperson; Arthur Coccodrilli; Robert J. Harbison, III; John F. Mizner

Public Meeting held  
October 19, 2000

*State Architects Licensure Board—Fees; Regulation No. 16A-414*

On July 22, 1999, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the State Architects Licensure Board (Board). This rulemaking amends fees in 49 Pa. Code Chapter 39, Section 9.3. The proposed regulation was published in the August 7, 1999 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on September 18, 2000.

The existing fees were established in 1987 and no longer reflect the cost to the Board of providing these services. The Board estimates that 1,125 persons who use these services over the next two-year period will pay a total of \$18,250 in additional fees.

We have determined this regulation is consistent with the statutory authority of the State Architects Licensure

Board (63 P. S. § 34.11) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

*By Order of the Commission:*

This regulation is approved.

*Commissioners Voting:* John R. McGinley, Jr., Chairperson, by proxy; Alvin C. Bush, Vice Chairperson; Arthur Coccodrilli; Robert J. Harbison, III; John F. Mizner

Public Meeting held  
October 19, 2000

*State Board of Medicine and State Board of Nursing—Certified Registered Nurse Practitioners Prescriptive Authority; Regulation No. 16A-499*

On September 17, 1999, the Independent Regulatory Review Commission (Commission) received this joint proposed regulation from the State Board of Medicine and the State Board of Nursing (Boards). This rulemaking adds 49 Pa. Code §§ 18.53 to 18.57 and 21.283 to 21.287. The proposed regulation was published in the October 2, 1999 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on June 6, 2000. At our July 13, 2000 public meeting, the Commission voted to disapprove the final-form regulation. On September 11, 2000, the Boards notified the Commission of their intent to revise and resubmit the regulation. On October 2, 2000, the revised final-form regulation was submitted to the Commission.

This rulemaking sets forth the rules and procedures for Certified Registered Nurse Practitioners (CRNPs) to prescribe and dispense certain drugs. The regulation establishes education requirements, specifies categories of drugs CRNPs may and may not prescribe, requires collaborative agreements with physicians, specifies CRNP identification requirements and specifies physician supervision requirements.

We have determined this regulation is consistent with the statutory authority of the State Board of Medicine (63 P. S. § 422.15(b)) and the State Board of Nursing (63 P. S. § 212) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is now in the public interest.

*By Order of the Commission:*

This regulation, as revised, is approved.

*Commissioners Voting:* John R. McGinley, Jr., Chairperson, by proxy; Alvin C. Bush, Vice Chairperson; Arthur Coccodrilli; Robert J. Harbison, III; John F. Mizner

Public Meeting held  
October 19, 2000

*Bureau of Professional and Occupational Affairs—Schedule of Civil Penalties; Regulation No. 16-20*

On August 10, 1999, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Bureau of Professional and Occupational Affairs (BPOA). This rulemaking amends 49 Pa. Code Chapter 43b. The proposed regulation was published in the August 21, 1999 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on September 18, 2000.

The regulation establishes schedules of civil penalties for the licensees of six professional licensure boards. These penalties apply to such actions as practicing without a license or with an expired license and other violations of the licensing laws for the six boards.

We have determined this regulation is consistent with the statutory authority of the BPOA (63 P. S. § 2205(a)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

*By Order of the Commission:*

This regulation is approved.

*Commissioners Voting:* John R. McGinley, Jr., Chairperson, by proxy; Alvin C. Bush, Vice Chairperson; Arthur Coccodrilli; Robert J. Harbison, III; John F. Mizner

Public Meeting held  
October 19, 2000

*State Real Estate Commission—General Revisions; Regulation No. 16A-560*

On January 20, 1999, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the State Real Estate Commission. This rulemaking amends 49 Pa. Code Chapter 35. The proposed regulation was published in the January 30, 1999 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on September 25, 2000.

The final-form regulation requires candidates for the broker's examination to demonstrate completion of courses in real estate office management and real estate law, as well as 12 credits in other real estate courses. Additionally, real estate companies that have an ownership interest in a real estate school, college, university or institute of higher learning must disclose that interest in all advertisements, promotions and endorsements.

We have determined this regulation is consistent with the statutory authority of the State Real Estate Commission (63 P. S. §§ 455.404 and 455.602) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

*By Order of the Commission:*

This regulation is approved.

*Commissioners Voting:* John R. McGinley, Jr., Chairperson, by proxy; Alvin C. Bush, Vice Chairperson; Arthur Coccodrilli; Robert J. Harbison, III; John F. Mizner

Public Meeting held  
October 19, 2000

*State Board of Accountancy—Peer Review; Regulation No. 16A-556*

On August 11, 1999, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the State Board of Accountancy (Board). This rulemaking amends 49 Pa. Code §§ 11.81—11.86. The proposed regulation was published in the August 21, 1999 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on September 25, 2000. The regulation was tolled and simultaneously resubmitted on October 6, 2000, to correct the peer review compliance date for firms



that conduct review engagements, but not audit engagements, after May 1, 1998. The revised regulation requires these firms to complete an offsite peer review before the license biennium that begins May 1, 2006.

The regulation implements Section 8.9 of Act 140 of 1996 (Act) (63 P.S. § 9.8i). The regulation establishes standards for performing and reporting peer reviews. Additionally, the regulation prohibits the use or public disclosure of information obtained during a peer review.

We have determined this regulation is consistent with the statutory authority of the Board (63 P.S. § 9.8i(c)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

*By Order of the Commission:*

This regulation is approved.

*Commissioners Voting:* John R. McGinley, Jr., Chairperson, by proxy; Alvin C. Bush, Vice Chairperson; Arthur Coccodrilli; Robert J. Harbison, III; John F. Mizner

Public Meeting held  
October 19, 2000

*Department of Health—WIC Program; Regulation No. 10-161*

On February 9, 2000, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Department of Health (Department). This rulemaking amends 28 Pa. Code Chapters 1101—1113. The proposed regulation was published in the February 19, 2000 *Pennsylvania Bulletin*, with a 30-day public comment period. The final-form regulation was submitted to the Commission on September 18, 2000.

This rulemaking amends the Supplemental Nutrition Program for Women, Infants and Children (WIC Program). The amendments affect the authorization of stores, management of stores participating in the WIC Program and appeal procedures. The amendments implement changes mandated by Federal regulations and changes suggested in comments the Department solicited in response to the Governor's Executive Order 1996-1.

We have determined this regulation is consistent with the statutory authority of the Department (42 U.S.C.A. § 1786; 7 C.F.R. 246.4) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

*By Order of the Commission:*

This regulation is approved.

*Commissioners Voting:* John R. McGinley, Jr., Chairperson, by proxy; Alvin C. Bush, Vice Chairperson; Arthur Coccodrilli; Robert J. Harbison, III; John F. Mizner

Public Meeting held  
October 19, 2000

*Pennsylvania Public Utility Commission—Cramming and Slamming; Regulation No. 57-204*

On May 19, 1999, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Pennsylvania Public Utility Commission (PUC). This rulemaking amends 52 Pa. Code Chapter 64. The proposed regulation was published in the May 29,

1999 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on September 21, 2000.

This regulation standardizes local exchange company responses to customer complaints on cramming and slamming. Cramming is adding an unauthorized charge for products or services to a customer's bill. Slamming is changing a customer's telecommunications service provider without authorization.

We have determined this regulation is consistent with the statutory authority of the PUC (66 Pa.C.S. § 1501) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

*By Order of the Commission:*

This regulation is approved.

*Commissioners Voting:* John R. McGinley, Jr., Chairperson, by proxy; Alvin C. Bush, Vice Chairperson; Arthur Coccodrilli; Robert J. Harbison, III; John F. Mizner

Public Meeting held  
October 19, 2000

*Pennsylvania Public Utility Commission—Updating and Revising Existing Filing Requirement; Regulation No. 57-209*

On November 29, 1999, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Pennsylvania Public Utility Commission (PUC). This rulemaking amends 52 Pa. Code §§ 53.57—53.60. The proposed regulation was published in the December 11, 1999 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on September 26, 2000.

This rulemaking streamlines requirements for changing rates for all telecommunications providers and simplifies filing requirements for intraLATA toll rates, bundled service packages and promotional offerings. All telecommunications providers under the PUC's jurisdiction, including hundreds of interexchange carriers and competitive and incumbent local exchange carriers, must comply with the regulation.

We have determined this regulation is consistent with the statutory authority of the Pennsylvania Public Utility Commission (66 Pa.C.S. §§ 501 and 1308) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

*By Order of the Commission:*

This regulation is approved.

JOHN R. MCGINLEY, Jr.,  
Chairperson

[Pa.B. Doc. No. 00-1918. Filed for public inspection November 3, 2000, 9:00 a.m.]

### Notice of Filing of Final Rulemakings

The Independent Regulatory Review Commission (Commission) received the following regulation on the dates indicated. To obtain the date and time of the meeting at which the Commission will consider these regulations, contact the Commission at (717) 783-5417 or visit its

website at [www.irrc.state.pa.us](http://www.irrc.state.pa.us). To obtain a copy of the regulation, contact the promulgating agency.

*Final-Form*

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>
7-347	Environmental Quality Board Universal Waste Rule—Addition of Mercury—Containing Devices	10/24/00

JOHN R. MCGINLEY, Jr.,  
*Chairperson*

[Pa.B. Doc. No. 00-1919. Filed for public inspection November 3, 2000, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Application for Approval to Acquire Control of CGU Insurance Company, General Accident In- surance Company and Potomac Insurance Com- pany

White Mountains Insurance Group, Ltd. has filed an application to acquire 100% of the issued and outstanding voting securities of CGU Corporation which is the direct or indirect parent of and holds directly or indirectly all of the issued and outstanding voting securities of the following Pennsylvania domestic insurers: CGU Insurance Company, General Accident Insurance Company and Potomac Insurance Company. The initial filing was received on October 23, 2000, and was made under requirements set forth under the Insurance Holding Companies Act (40 P. S. §§ 991.1401—991.1413). Persons wishing to comment on the grounds of public or private interest in this acquisition are invited to submit a written statement to the Pennsylvania Insurance Department within 30 days from the date of publication of this notice in the *Pennsylvania Bulletin*. Each written statement must include the name, address and telephone number of the interested party, identification of the application to which the statement is addressed, and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Cressinda Bybee, Company Licensing Division, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120; fax (717) 787-8557; e-mail [cbybee@ins.state.pa.us](mailto:cbybee@ins.state.pa.us).

M. DIANE KOKEN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 00-1920. Filed for public inspection November 3, 2000, 9:00 a.m.]

### Review Procedure Hearings under the Unfair In- surance Practices Act

The following insured has requested a hearing as authorized by section 8 of the Unfair Insurance Practices Act (40 P. S. § 1171.8) in connection with the termination of the insured's residential or personal coverage. This administrative hearing will be held in the Insurance Department Offices in Harrisburg, PA. Failure by the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

The hearing will be held at the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North 7th Street, Harrisburg, PA 17102.

Appeal of Donald E. Grantz; file no. 00-181-05497; Penn National Mutual Casualty Insurance Company; doc. no. P00-10-015; November 21, 2000, at 10 a.m.

Each party may appear with or without counsel and offer relevant testimony and/or other relevant evidence. Each party must bring documents, photographs, drawings, claims files, witnesses and the like necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the above-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Tracey Pontius, Agency Coordinator at (717) 787-4298.

M. DIANE KOKEN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 00-1921. Filed for public inspection November 3, 2000, 9:00 a.m.]

## LIQUOR CONTROL BOARD

### Expiration of Leases

The following Liquor Control Board lease will expire:

Bucks County, Wine & Spirits Shoppe #0902, 19 West Court Street, Doylestown, PA 18901-4210.

*Lease Expiration Date:* 90-Day Status

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 3,000 net useable square feet of new or existing retail commercial space in the Borough of Doylestown.

*Proposals due:* December 1, 2000 at 12 noon

**Department:** Pennsylvania Liquor Control Board  
**Location:** Real Estate Division, 8305 Ridge Avenue, Philadelphia, PA 19128-2113  
**Contact:** Robert J. Jolly, (215) 482-9670

JOHN E. JONES, III,  
*Chairperson*

[Pa.B. Doc. No. 00-1922. Filed for public inspection November 3, 2000, 9:00 a.m.]

# PENNSYLVANIA PUBLIC UTILITY COMMISSION

## Telecommunications

**A-310738F0002. D&E Systems, Inc. d/b/a D&E Communications and The United Telephone Company of Pennsylvania d/b/a Sprint.** Joint Petition of D&E Systems, Inc. d/b/a D&E Communications and The United Telephone Company of Pennsylvania d/b/a Sprint for approval of an Interconnection Agreement under section 252(e) of the Telecommunications Act of 1996.

D&E Systems, Inc. d/b/a D&E Communications and The United Telephone Company of Pennsylvania d/b/a Sprint, by its counsel, filed on October 16, 2000, at the Pennsylvania Public Utility Commission, a Joint Petition for approval of an Interconnection Agreement under Sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the D&E Systems, Inc. d/b/a D&E Communications and The United Telephone Company of Pennsylvania d/b/a Sprint Joint Petition are on file with the Pennsylvania Public Utility Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,  
*Secretary*

[Pa.B. Doc. No. 00-1923. Filed for public inspection November 3, 2000, 9:00 a.m.]

## PUBLIC SCHOOL EMPLOYEES' RETIREMENT BOARD

### Hearings Scheduled

Hearings have been scheduled, as authorized by 24 Pa.C.S. Part IV (relating to Public School Employees' Retirement Code), in connection with the Public School Employees' Retirement System's denial of Claimants' requests concerning the indicated accounts.

The hearings will be held before a hearing examiner at the Public School Employees' Retirement System, 5 North Fifth Street, Harrisburg, PA 17101:

December 6, 2000	Peggy Balla (Membership Eligibility) Jeffrey P. Deutsch (Membership Eligibility)	10:30 a.m.  1 p.m.
December 20, 2000	Rosemary Muller William D. McClure (Purchase of Service)	10:30 a.m.

Persons with a disability who wish to attend the above-listed hearings and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact Marilyn Fuller-Smith, Assistant Executive Director, at (717) 720-4700 to discuss how the Public School Employees' Retirement System may best accommodate their needs.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearings will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Under 22 Pa. Code § 201.1 (relating to applicability of general rules), procedural matters will be in conformance with the General Rules of Administrative Practice and Procedure, 1 Pa. Code Part II unless specific exemption is granted.

DALE H. EVERHART,  
*Secretary*

[Pa.B. Doc. No. 00-1924. Filed for public inspection November 3, 2000, 9:00 a.m.]

## STATE ATHLETIC COMMISSION

### Meeting Cancelled

The Pennsylvania State Athletic Commission meeting scheduled for November 6, 2000 has been cancelled.

If there are any questions, contact the Commission at (717) 787-5720.

GREGORY P. SIRB,  
*Executive Director*

[Pa.B. Doc. No. 00-1925. Filed for public inspection November 3, 2000, 9:00 a.m.]