

# NOTICES

## DEPARTMENT OF BANKING

### Action on Applications

The Department of Banking of the Commonwealth of Pennsylvania, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending October 31, 2001.

#### BANKING INSTITUTIONS

##### Holding Company Acquisitions

<i>Date</i>	<i>Name of Corporation</i>	<i>Location</i>	<i>Action</i>
10-26-01	F.N.B. Corporation, Naples, FL, to acquire up to 20.0% of the voting shares of Sun Bancorp, Inc., Selinsgrove, PA	Naples, FL	Approved

##### Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
10-22-01	Northwest Savings Bank Warren Warren County  Purchase of assets/assumption of liabilities of one branch of Prestige Bank, F.S.B., Pittsburgh, Located at:  125 West Beau Street Washington Washington County	Warren	Effective
10-24-01	Northwest Savings Bank Warren Warren County  Purchase of assets/assumption of liabilities of two branch offices of Sun Bank, Selinsgrove, located at:  2 East Fourth Street Emporium Cameron County	Warren  Johnsonburg Plaza Route 219 Johnsonburg Elk County	Approved
10-25-01	Northwest Savings Bank Warren Warren County  Purchase of assets/assumption of liabilities of one branch office of Reliance Savings Bank, Altoona, located at:  873 Lovell Avenue Ebensburg Cambria County	Warren	Approved

##### Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
10-25-01	Northwest Savings Bank Warren Warren County	950 E. Main Street Bradford McKean County	Filed

**Branch Discontinuances**

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
10-24-01	First Commonwealth Bank Indiana Indiana County	127 S. Julian St. Bedford Bedford County	Filed
10-24-01	First Commonwealth Bank Indiana Indiana County	100 Plaza South New Castle Lawrence County	Filed

**SAVINGS INSTITUTIONS**

No activity.

**CREDIT UNIONS**

No activity.

JAMES B. KAUFFMAN, Jr.,  
*Secretary*

[Pa.B. Doc. No. 01-2017. Filed for public inspection November 9, 2001, 9:00 a.m.]

## DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

### Bureau of Forestry; Wildfire Hazard Mitigation Federal Assistance Grant Program

The Department of Conservation and Natural Resources (DCNR) has announced that funding is available for grants to help Commonwealth forested communities guard against the threat of wildfires.

The program provides matching grants to communities under the National Fire Plan under section 10(b)3 of the Cooperative Forestry Assistance Act of 1978 (Volunteer Fire Assistance). Only those communities that are in the Pennsylvania Firewise Community program are eligible to receive grant funding.

DCNR is announcing an application period for these grants. The cut off date for submitting applications for the first round funding is 4 p.m. on December 17, 2001. The total amount available to Pennsylvania Firewise Communities is \$425,000. If there are funds uncommitted and available after the first round funding decisions, DCNR may offer a second round of funding, which will

begin at 8 a.m. on December 18, 2001. Second round applications will be considered on a first come first serve basis. This second round of funding will close at 4 p.m. on June 30, 2002.

This is a cost-share program. Financial assistance on any project during any fiscal year cannot exceed 50% or \$40,000, whichever is less, of the actual expenditures including expenditures of local, public and private non-profit organizations participating in the agreement.

The maximum grant to be considered for this program is \$40,000 per community.

Communities, municipalities and all persons interested in applying for, or have questions about this grant program, should request application materials from the Department of Conservation and Natural Resources, Bureau of Forestry, Division of Forest Fire Protection, P. O. Box 8552, Harrisburg, PA 17105-8552. Individuals may also contact the Division of Forest Fire Protection at (717) 787-2925 or in person at the 6th Floor, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA, between 8 a.m. and 4 p.m.

JOHN C. OLIVER,  
*Secretary*

[Pa.B. Doc. No. 01-2018. Filed for public inspection November 9, 2001, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Applications, Actions and Special Notices

---

### APPLICATIONS

---

### NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS

### NPDES APPLICATIONS

### PART I PERMITS

Under the Federal Clean Water Act and The Clean Streams Law, the following parties have applied for an NPDES permit or to renew their current permit to discharge controlled wastewaters into the waters of this Commonwealth or to conduct other activities required by the NPDES permit. For renewal applications listed in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements. For all new permit applications, renewal application with major changes or applications for permits not waived by EPA, the Department,

based upon preliminary reviews, also made a tentative determination of proposed effluent limitations and other terms and conditions for the permit applications listed in Section II. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the EPA Region III Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement, to the office noted before the application within 30 days from the date of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding this application. The comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant. Following the comment period, the Department's Water Management Program Manager will make a final determination regarding these applications. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The renewal application, including proposed effluent limitations and special conditions, is available on file. For new permit applications, information submitted with the applications is available on file. The information may be inspected and arrangements made for copying at the office indicated before the application.

Persons with a disability, who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information, should contact the Department through the Pennsylvania AT&T Relay service at (800) 654-5984.

### I. NPDES Renewal Applications

*Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA-0062570 Sewage Municipal	Covington Township Sewer Authority Box 266 Moscow, PA 18444	Lackawanna Covington Township	Roaring Brook Creek (Watershed 5A)	Yes
PA-0062065 Sewage Nonmunicipal	Connwest Freight Systems, Inc. 3456 St. John Road Lima, OH 45804-4019	Luzerne Dorrance Township	Balliet Run (watershed #5B)	Yes

*Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0086916	Gerald L. Wolfe Wolfe's Auto Service 3063 Lebanon Road Manheim, PA 17545-8941	Lancaster County Rapho Township	Dry swale of Shearer's Creek/7-G	Y
PA0246417	Harold E. Miller State Line Sales, Inc. 2632 Robert Fulton Highway Peach Bottom, PA 17563	Lancaster County Fulton Township	UNT to Conowingo Creek/ 7-K	Y
PA0080209	Hoffman Homes, Inc. 815 Orphanage Road Littlestown, PA 17340	Adams County Mt. Joy Township	Lousey Run/13-D	Y
PA0084816	Sun Pipeline Co. Montello Pump Station 1801 Market Street-15/10PC Philadelphia, PA 19103	Berks County Spring Township	Swale to tributary of Cacoosing Creek/3-C	Y
PA0081787	Telco Developers Inc. Gretna Spring MHP 5 Maple Ave. Manheim, PA 17545	Lebanon County Cornwall Township	Chickies Creek/7G	Y

*Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**PA0005622**, Industrial Waste. **Bessemer & Lake Erie Railroad**, 471 Race Street, Greenville, PA 16125. This proposed facility is located in Hempfield Township, **Mercer County**.

Description of Proposed discharge of cleaning wastes and stormwater, is in watershed 20-A and classified for: warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>—NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Reynolds Water Company on Shenango River located at River Mile 55.7, approximately 2.8 miles below point of discharge.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0003 MGD.

Parameter	Mass (lb/day)		Concentration (mg/l)		Instantaneous Maximum
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	
Flow	XX				
TSS			30		60
Oil and Grease			15		30
pH	Within limits of 6.0 to 9.0 standard units at all times.				

Outfall 002 is for stormwater only.

XX—Monitor and report.

The EPA Waiver is in effect.

In addition to the effluent limits, the permit contains the following major special conditions.

Standard Storm Water Conditions.

**PA0029114**, Sewage. **Clintonville Borough Sewer and Water Authority**, P. O. Box 292, Clintonville, PA 16372. This proposed facility is located in Clintonville Borough, **Venango County**.

Description of Proposed Activity: renewal for an existing discharge.

The receiving stream, Scrubgrass Creek, is in watershed 16-G and classified for: Cold Water Fishery, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>—NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply (stream and Public Water Supplier) considered during the evaluation is the Emlenton Water Company on the Allegheny River located at river mile 90.0 and is located 21.0 miles below point of discharge.

The proposed effluent limits for Outfall 001 based on a design flow of 0.06500.

Parameter	Average Monthly (mg/l)	Average Weekly (mg/l)	Instantaneous Maximum (mg/l)
CBOD <sub>5</sub>	25	40	50
Total Suspended Solids	30	45	60
NH <sub>3</sub> -N			
(5-1 to 10-31)	11		22.0
(11-1 to 4-30)	33.0		66.0
Fecal Coliform			
(5-1 to 9-30)		200/100 ml as a geometric average	
(10-1 to 4-30)		9,900/100 ml as a geometric average	
Total Residual Chlorine	0.5		1.2
pH	6.0 to 9.0 standard units at all times		

The EPA Waiver is in effect.

**PA0033421**, Sewage. **Kamping and Recreational Enterprises, Inc.**, 1337 Butler Pike, Mercer, PA 16137. This proposed facility is located in Findley Township, **Mercer County**.

Description of Proposed Activity: renewal of a treated sewage discharge.

The receiving stream, unnamed tributary to Pine Run, is in watershed 20-A and classified for: Trout Stocked Fishery, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>—NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply (stream and Public Water Supplier) considered during the evaluation is Beaver Falls Municipal Authority on the Beaver River located at river mile 3.8 and is located 31.5 miles below point of discharge.

The proposed effluent limits for Outfall 001 based on a design flow of 0.00500 mgd.

Parameter	Average Monthly (mg/l)	Average Weekly (mg/l)	Instantaneous Maximum (mg/l)
CBOD <sub>5</sub>	25		50
Total Suspended Solids	30		60

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
NH <sub>3</sub> -N (5-1 to 10-31)	3.5		7.0
(11-1 to 4-30)	10.5		21.0
Fecal Coliform (5-1 to 9-30)		200/100 ml as a geometric average	
(10-1 to 4-30)		2,000/100 ml as a geometric average	
Total Residual Chlorine	0.5		1.2
Dissolved Oxygen		minimum of 3 mg/l at all times	
pH		6.0 to 9.0 standard units at all times	

The EPA Waiver is in effect.

**PA0005045, Industrial Waste. The Cleveland Electric Illuminating Company—Seneca Generating Station, Kinzua Reservoir, P. O. Box 126, Warren, PA 16365.** This proposed facility is located in Mead Township, Warren County.

Description of Proposed discharge: noncontact cooling water, miscellaneous wastewater and stormwater, is in watershed 16-B and classified for: warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>—NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Emlenton Water Company on the Allegheny River located at Emlenton, approximately 104 miles below point of discharge.

The proposed effluent limits for Outfall 001 are based on a design flow of 5.49 MGD.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		<i>Instantaneous Maximum</i>
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	
Flow	XX				
Total Residual Chlorine			0.26		0.8
pH			Within limits of 6.0 to 9.0 standard units at all times.		

The proposed effluent limits for Outfall 002 are based on a design flow of 5.5 MGD.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		<i>Instantaneous Maximum</i>
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	
Flow	XX				
Total Residual Chlorine			0.26		0.8
pH			Within limits of 6.0 to 9.0 standard units at all times.		

The proposed effluent limits for Outfall 003 are based on a design flow of 0.033 MGD.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		<i>Instantaneous Maximum</i>
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	
Flow	XX				
Oil and Grease			15		30
pH			Within limits of 6.0 to 9.0 standard units at all times.		

The proposed effluent limits for Outfall 004 are based on a design flow of 0.77 MGD.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		<i>Instantaneous Maximum</i>
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	
Flow	XX				
Total Residual Chlorine			0.26		0.8
pH			Within limits of 6.0 to 9.0 standard units at all times.		

The proposed effluent limits for Outfall 005 are based on a design flow of n/a MGD.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		<i>Instantaneous Maximum</i>
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	

This shall be uncontaminated stormwater runoff only. Refer to Special Condition C.

The proposed effluent limits for Outfall 007 are based on a design flow of n/a MGD.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum

This shall be uncontaminated stormwater runoff only. Refer to Special Condition C.

The proposed effluent limits for Outfall 008 are based on a design flow of n/a MGD.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum

This shall be uncontaminated stormwater runoff only. Refer to Special Condition C.

XX—Monitor and report.

In addition to the effluent limits, the permit contains the following major special conditions:

1. DMR Reporting
2. Temperature Change
3. Effluent Chlorine Minimization
4. Storm Water Only Outfalls

The EPA Waiver is in effect.

**PA0209945**, Sewage, **Widad Bazzoui SRSTP**, 565 Minard Run Road, Bradford, PA 16701-3764. This proposed facility is located in Bradford Township, **McKean County**.

Description of Proposed Activity: renewal of treated sewage at a single residence.

The receiving stream, unnamed tributary to Minard Run, is in watershed 16-C and classified for: exceptional value (according to 1/13/01 version of Chapter 93), water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>—NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply (stream and Public Water Supplier) considered during the evaluation is public water supply by the State of New York which is located at 9.55 miles below point of discharge.

The proposed effluent limits for Outfall 001 based on a design flow of 0.000400 GPD.

Parameter	Average Monthly (mg/l)	Average Weekly (mg/l)	Instantaneous Maximum (mg/l)
CBOD <sub>5</sub>	25		50
Total Suspended Solids	30		60
Fecal Coliform (all year)	200/100 ml as a geometric average		
Total Residual Chlorine	Monitor and Report		
pH	6.0 to 9.0 standard units at all times		

The EPA Waiver is in effect.

## II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Applications

*Southeast Region: Water Management Program Manager; Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.*

**No. PA0055875**, Sewage, **The Upper Hanover Authority**, Pillsbury Road and State Street, P. O. Box 205, East Greenville, PA 18041.

This application is for renewal/expansion of an NPDES permit to discharge treated sewage from Macoby Creek Wastewater Treatment Plant in Upper Hanover Township, **Montgomery County**. This is an existing discharge to an unnamed tributary to Macoby Creek.

The receiving stream is classified for the following uses: trout stocking fishery, high quality trout stocking fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 0.075 MGD are as follows:

Parameter	Average Monthly (mg/l)	Average Weekly (mg/l)	Instantaneous Maximum (mg/l)
CBOD <sub>5</sub>	10	15	20
Suspended Solids	10	15	20
Ammonia (as N)	3.0		6.0
Phosphorus (as P) (4-1 to 10-31)	1.0		2.0

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Residual Chlorine (Years 1—3) (Years 4—5)	Monitor/Report 0.1		Monitor/Report 0.4
Fecal Coliform	200 colonies/100 ml as a geometric average		
Dissolved Oxygen	minimum of 5.0 mg/l at all times		
pH	Within limits of 6.0—9.0 Standard Units at all times		

The EPA Waiver is in effect.

The closest public drinking water intake is located 27 miles downstream on the Schuylkill River.

**No. PA0011011**, Industrial Waste, **Plymouth Tube Company**, P. O. Box 768, Warrentville, IL 60555-0768.

This application is for renewal of an NPDES permit to discharge treated groundwater from groundwater remediation system in Horsham Township, **Montgomery County**. This is an existing discharge to an unnamed tributary to Park Creek.

The receiving stream is classified for the following uses: warm water fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 28,000 gpd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Dissolved Solids	500	1,000	1,500
Trichloroethylene	0.005	0.01	0.015
pH	Within limits of 6.0—9.0 Standard Units at all times		
NO <sub>2</sub> and NO <sub>3</sub>	9	18	23

The proposed effluent limits for stormwater Outfall 002 are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>		Report	
COD		Report	
Oil and Grease		Report	
pH		Report	
Total Suspended Solids		Report	
Total Kjeldahl Nitrogen		Report	
Total Phosphorous		Report	
Iron (Dissolved)		Report	

The EPA Waiver is in effect.

**No. PA0050407**, Sewage, **Bryn Mawr Rehabilitation Hospital**, 414 Paoli Pike, Malvern, PA 19335.

This application is for renewal of an NPDES permit to discharge treated sewage from Bryn Mawr Rehabilitation Center STP in Willistown Township, **Chester County**. This is an existing discharge to tributary to Ridley Creek—3G Watershed.

The receiving stream is classified for the following uses: warm water fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 0.020 MGD are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub> (5-1 to 10-31)	15	30
(11-1 to 4-30)	25	50
Suspended Solids	30	60
Ammonia (as N) (5-1 to 10-31)	3.5	7.0
(11-1 to 4-30)	10.5	21.0
Total Residual Chlorine	0.5	1.2
Fecal Coliform	200 colonies/100 ml as a geometric average	
Dissolved Oxygen	minimum of 5.0 mg/l at all times	
pH	Within limits of 6.0—9.0 Standard Units at all times	

Other Conditions:

The EPA Waiver is in effect.

Conditions for future permit modification.

Effective disinfection.

**No. PA0055476**, Sewage, **Chadds Ford Township Sewer Authority**, P. O. Box 816, Chadds Ford, PA 19317.

This application is for renewal of an NPDES permit to discharge treated sewage from an STP in Chadds Ford Township, **Delaware County**. This is an existing discharge to UNT to Harvey's Run.

The receiving stream is classified for the following uses: warm water fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of .08 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	10	15	20
Suspended Solids	10	15	20
Ammonia (as N)			
(5-1 to 10-31)	3.0	4.5	6.0
(11-1 to 4-30)	9.0	13.5	18.0
Total Residual Chlorine	0.12		0.28
Fecal Coliform	200 colonies/100 ml as a geometric average		
Dissolved Oxygen	Minimum 3 mg/l at all times		
pH	Within limits of 6.0—9.0 Standard Units at all times		

Other Conditions:

The EPA Waiver is in effect.

**No. PA0056537**, Industrial Waste, **Highway Materials, Inc.**, 680 Morehall Road, Malvern, PA 19355.

This application is for renewal of an NPDES permit to discharge stormwater from a hot mix asphalt plant in East Whiteland Township, **Chester County**. This is an existing discharge to UNT to Valley Creek.

The receiving stream is classified for the following uses: exceptional value waters, aquatic life, water supply and recreation.

The proposed effluent limits for Outfalls 001 and 002, based on an average flow of storm event are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	Monitor/Report	Monitor/Report	
Suspended Solids	Monitor/Report	Monitor/Report	
Oil and Grease	Monitor/Report	Monitor/Report	
Temperature	Monitor/Report	Monitor/Report	
pH	Monitor/Report	Monitor/Report	
COD	Monitor/Report	Monitor/Report	
Total Kjeldahl Nitrogen	Monitor/Report	Monitor/Report	
Total Phosphorous	Monitor/Report	Monitor/Report	
Iron (Dissolved)	Monitor/Report	Monitor/Report	
Napthalene	Monitor/Report	Monitor/Report	
Trichloroethylene	Monitor/Report	Monitor/Report	
Benzene	Monitor/Report	Monitor/Report	

Other Conditions:

The EPA Waiver is in effect.

*Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

**PA#0061841**, Industrial, **Pennsylvania American Water Company**, 800 West Hersheypark Drive, P. O. Box 888, Hershey, PA 17033-0888. This proposed facility is located in Carbondale Township, **Lackawanna County**.

Description of Proposed Activity: Renewal of NPDES permit.

The receiving stream, Racket Brook, is in the State Water Plan watershed #5A and is classified for: cold water fishery. The nearest downstream public water supply intake for Danville Borough Water Authority is located on Susquehanna River over 50 miles below the point of discharge.

The proposed effluent limits for Outfall 001 based on a design flow of 0.182 MGD.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>	
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>
Total Suspended Solids			30.0	60.0
Total Aluminum			1.2	2.4
Total Iron			2.0	4.0
Total Manganese			1.0	2.0
pH			6—9 Standard Units	



*Southcentral Region: Water Management Program Manager; 909 Elmerton Avenue, Harrisburg, PA 17110.*

**Application No. PA 0010502**, Industrial Waste 3489, 3471 and 3483, **Letterkenny Army Depot**, One Overcash Avenue, Building 618, Chambersburg, PA 17201. This facility is located in Greene Township, **Franklin County**.

Description of activity: The application is for renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream, Rowe Run, is in Watershed 7-B and classified for cold water fishes, water supply and recreation and fish consumption. The nearest downstream public water supply intake for Carlisle Borough is located on Conodoguinet Creek, approximately 44.93 miles downstream. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfall 001 based on a design flow of 0.290 MGD are:

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow	Monitor and Report	Monitor and Report	XXX	XXX	XXX
pH (S.U.)		From 6.0 to 9.0 inclusive			25
Oil and Grease	Monitor and Report	Monitor and Report	15	30	30
Total Suspended Solids	24	48	10	20	25
CBOD <sub>5</sub>	48	97	20	40	50
Total Phosphorus	4.8	9.7	2.0	4.0	5.0
Total Cadmium	0.007	0.014	0.003	0.006	0.0075
Total Chromium	1.93	3.87	0.80	1.6	2.0
Total Copper	0.097	0.19	0.040	0.080	0.10
Total Lead	0.034	0.068	0.014	0.028	0.035
Total Nickel	0.609	1.22	0.252	0.504	0.63
Total Silver	0.005	0.010	0.00022	0.00044	0.00055
Total Zinc	0.53	1.05	0.218	0.436	0.545
Interim Phenanthrene	Monitor and Report	Monitor and Report	Monitor and Report	Monitor and Report	XXX
Final Phenanthrene	0.0046	0.0092	0.0019	0.0038	0.0047
Total Toxic Organics	XXX	Monitor and Report	XXX	2.13	XXX

In addition to the effluent limits, the permit contains the following major special conditions:

Part C requirements for toxics are briefly listed as:

1. Water quality based effluent goals for Phenanthrene.
2. Requirements to submit the first phase of a toxics reduction evaluation within 2 years of permit issuance.
3. Conditions for future permit modifications.
4. Procedures for granting time extensions to achieve final water quality based effluent limitations.
5. Procedures for demonstrating alternative site-specific bioassay based effluent limitations.
6. Procedures for demonstrating alternative method detection limits.

The proposed effluent limits for stormwater Outfall 004 are:

Monitor and Report concentrations of CBOD<sub>5</sub>, COD, TSS, Total Phosphorus, Total Kjeldahl Nitrogen, Dissolved Iron, Oil and Grease, pH, Total Cadmium, Total Chromium, Total Copper, Total Lead, Total Nickel, Total Silver, Total Zinc, Total Cyanide and TTO.

The receiving stream of an unnamed tributary to Conococheague Creek, is in Watershed 13-C and classified for cold water fishes, water supply and recreation and fish consumption. The nearest downstream public water supply intake for Hagerstown, Maryland is located on the Potomac River. The discharge is not expected to affect the water supply.

The proposed effluent limits for stormwater Outfall 002 are:

Monitor and report concentrations of CBOD<sub>5</sub>, COD, TSS, Total Phosphorus, Total Kjeldahl Nitrogen, Dissolved Iron, Oil and Grease and pH.

The receiving stream of an unnamed tributary to Rocky Spring Branch, is in Watershed 13-C and classified for trout stocking fishes, water supply and recreation and fish consumption. The nearest downstream public water supply intake for Hagerstown, Maryland is located on the Potomac River. The discharge is not expected to affect the water supply.

The proposed effluent limits for stormwater Outfall 005 are:

Monitor and report concentrations of CBOD<sub>5</sub>, COD, TSS, Total Phosphorus, Total Kjeldahl Nitrogen, Dissolved iron, Oil and Grease and pH.

Individuals may make an appointment to review the DEP files on this case by calling the File Review Coordinator at (717) 705-4732.

The EPA waiver is not in effect.

*Southwest Regional Office: Regional Manager, Water Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; (412) 442-4000.*

**PA0043648**, Industrial Waste, SIC, 1221, **EME Homer City Generation LP**, 1750 Power Plant Road, Homer City, PA 15748.

This application is for Renewal of an NPDES permit to discharge treated process water, sewage and stormwater from a coal cleaning plant in Center Township, **Indiana County**.

The following effluent limitations are proposed for discharge to the receiving waters, unnamed tributary of Cherry Run, classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply (PWS) is The Saltsburg Municipal Water Authority, located at Saltsburg, 30 miles below the discharge point.

*Outfall 001: existing discharge, design flow of 0.29 mgd. Interim Limits*

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (MGD)	Monitor and Report				
TSS			35		70
Iron			3.5		7.0
Manganese			2.0		4.0
Selenium			Monitor and Report		
Sulfates			Monitor and Report		
pH	not less than 6.0 nor greater than 9.0				

Other Conditions: A toxics reduction evaluation for selenium is necessary.

*Outfall 001: existing discharge, design flow of 0.29 MGD. Final Limits.*

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (MGD)	Monitor and Report				
TSS			35		70
Iron			3.5		7.0
Manganese			2.0		4.0
Selenium			0.013		0.026
Sulfates			674.0		1,348.0
pH	not less than 6.0 nor greater than 9.0				

*Outfall 002: existing discharge, design flow of 0.002 mgd.*

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD <sub>5</sub>	25			50
Suspended Solids	30			60
Fecal Coliform				
(5-1 to 9-30)		200/100 ml as a geometric mean		
(10-1 to 4-30)		2,000/100 ml as a geometric mean		
Total Residual Chlorine		Monitor and Report		
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

**PA0031313**, Sewage, **Brownsville Area School District**, 6353 National Pike, Grindstone, PA 15442.

This application is for renewal of an NPDES permit to discharge treated sewage from Colonial Elementary School Sewage Treatment Plant in Redstone Township, **Fayette County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as unnamed tributary of Colvin Run, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the: Pennsylvania American Water Company on the Monongahela River.

*Outfall 001:* existing discharge, design flow of 0.0105 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD <sub>5</sub>	25			50
Suspended Solids	30			60
Ammonia Nitrogen				
(5-1 to 10-31)	3.0			6.0
(11-1 to 4-30)	9.0			18.0
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	1.4			3.3
Dissolved Oxygen	not less than 3 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

**PA0096512**, Sewage, **Mt. Morris Water and Sewer Authority**, P. O. Box 340, Mt. Morris, PA 15349.

This application is for renewal of an NPDES permit to discharge treated sewage from Mt. Morris Wastewater Treatment Plant in Perry Township, **Greene County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Dunkard Creek, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the: Dunkard Valley Joint Municipal Authority.

*Outfall 001:* existing discharge, design flow of 0.1 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD <sub>5</sub>	25	38		50
Suspended Solids	30	45		60
Ammonia Nitrogen				
(5-1 to 10-31)	7.0	10.5		14.0
(11-1 to 4-30)	21.0	31.5		42.0
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	1.4			3.3
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

*Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**PA0020141**, Sewage, **Brookville Municipal Authority**, Darrah Street, Brookville, PA 15825. This proposed facility is located in Brookville, **Jefferson County**.

Description of Proposed Activity: A Part I NPDES Permit for an existing discharge.

The receiving stream, Redbank Creek, is in watershed 17C and classified for: trout stock fishery (TSF), water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>—NO<sub>3</sub>, fluoride and phenolics, the existing/proposed downstream potable water supply (stream and Public Water Supplier) considered during the evaluation is the Hawthorn Borough Water Company intake on Redbank Creek located at Hawthorn Borough, approximately 17 miles below point of discharge.

The proposed effluent limits for Outfall 001 based on a design flow of 1.25 mgd.

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	25		50
Total Suspended Solids	30		60
NH <sub>3</sub> -N			
(5-1 to 10-31)	5.5		11.0
(11-1 to 4-30)	16.0		32.0

Parameter	Average Monthly (mg/l)	Average Weekly (mg/l)	Instantaneous Maximum (mg/l)
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)		200/100 ml as a geometric average 22,000/100 ml as a geometric average	
Total Residual Chlorine (Final)	0.2		0.6
pH		6.0 to 9.0 standard units at all times	

The EPA Waiver is in effect.

**WATER QUALITY MANAGEMENT  
PERMITS**

**CONTROLLED INDUSTRIAL WASTE  
AND SEWAGE WASTEWATER**

**APPLICATIONS UNDER THE CLEAN  
STREAMS LAW**

**PART II PERMITS**

The following permit applications or requests for plan approval have been received by the Department of Environmental Protection (Department). The applications are listed in two categories. Section I lists all municipal and industrial permits and Section II lists oil and gas related permit applications.

Persons wishing to comment on any of the applications are invited to submit a statement to the office noted before the application within 15 days from the date of this public notice. Comments received within this 15-day comment period will be considered in making the final decision regarding the application. The comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department reserves the right to hold a public hearing if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation of the area. If no hearing is held, the Department's Water Management Program Manager will make a final determination regarding the applications after a complete review. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

A copy of the permit application or proposed plan is on file in the office indicated and is open to public inspection. Appointments to review the application may be made by contacting Records Management at the indicated telephone number.

**I. Industrial Waste and Sewerage Applications under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).**

*Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.*

**WQM Permit No. 2301411**, Sewerage, **Newtown Township Municipal Authority**, 209 Bishop Hollow

Rd., Newtown Square, PA 19073. This proposed facility is located in Newtown Township, **Delaware County**.

Description of Proposed Action/Activity: Construction and operation of sewage pump station in an existing single-family residential development.

*Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

**WQM Permit No. 4801404**, Sewerage, **Nazareth Borough Municipal Authority**, 872 Tatamy Road, P. O. Box A, Nazareth, PA 18064. This proposed facility is located in Upper Nazareth Township, **Northampton County**.

Description of Proposed Action/Activity: The project includes accepting dedication of the already constructed West End Pump Station and Force Main to Nazareth Borough Municipal Authority. The pump station was sized to provide service to Creekside Estates as well as surrounding areas. The peak flow design capacity of the pump station is 600 GPM. Based on a peaking factor of 3.5, an average daily flow of 206,000 GPD can be accommodated. An 8 inch diameter force main extends approximately 5,600 feet from the pump station in an easterly direction to Gracedale Avenue and then northerly and discharges to the Nazareth Borough Municipal Authority sewer system at Stout Blvd.

*Southcentral Region: Water Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.*

**WQM Permit No. 3801407**, Sewerage, **Kristie Smoker**, R. D. 3, Box 471A, Annville, PA 17003. This proposed facility is located in North Annville Township, **Lebanon County**.

Description of Proposed Action/Activity: Construction of Small Flow Sewage Treatment System to serve a single family residence on Valley Glen Road.

**WQM Permit No. 0501407**, Sewerage, **Dr. James J. Glah**, 50 N. Hopwell Road, Everett, PA 15537. This proposed facility is located in Monroe Township, **Bedford County**.

Description of Proposed Action/Activity: Construction of a Small Flow Sewage Treatment System to serve a single family residence on Black Valley Road.

**WQM Permit No. 0701405**, **Northern Blair County Regional Sewer Authority**, Washington Avenue and 3rd Street, R. R. 4, Box 236A, Tyrone, PA 16686. This proposed facility is located in Antis Township, **Blair County**.

Description of Proposed Action/Activity: Construction of the Ardie J. Dillon Industrial Park II Pump Station and Force Main.

*Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**Application No. 2685202**, Industrial Waste, **Allegheny Power**, 800 Cabin Hill Drive, Greensburg, PA 15601. Application for the installation of a wastewater treatment system to serve the Connellsville West Side Facility, located in the City of Connellsville, **Fayette County**.

**Application No. 0201412**, Sewerage, **Kennedy Township Sewage Authority**, 340 Forest Grove Road, Coraopolis, PA 15108. Application for the modification of the Porters Hollow Pumping Station, serving Porters Hollow Road, Ewing Road, Forest Grove Road and Diebold Road, located in Kennedy Township, **Allegheny County**.

---

#### NPDES Stormwater Individual Permit

---

The following parties have applied for an NPDES permit to discharge stormwater associated with a construction activity into waters of this Commonwealth. Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (Department) proposes to issue a permit to discharge, subject to certain limitations set forth in the permit conditions. These proposed determinations are tentative. Limitations are provided as erosion and sediment control best management practices (BMPs) which restrict the rate and quantity of sediment discharged.

Where indicated, the EPA Region III Administrator has waived the right to review or object to this proposed

permit action under the waiver provision 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement to the appropriate Department Regional Office noted before the application within 30 days from the date of this public notice. Comments reviewed within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and relevant facts upon which it is based. A public hearing may be held after consideration of comments received by the appropriate DEP Regional Office during the 30-day public comment period. Following the 30-day comment period, the appropriate Regional Office Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, including the erosion and sediment control plan for the earth disturbance activity, are on file and may be inspected at the office identified in this notice.

Persons with a disability that require an auxiliary aid, service or other accommodation to participate during the 30-day public comment period should contact the specified Regional Office. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

---

*Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

*Luzerne County Conservation District: 485 Smith Pond Road, Lehman, PA 18627-0250, (570) 674-7991.*

<i>NPDES No.</i>	<i>Applicant Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Receiving Water/Use</i>
PAS10R040	NBC Seventh Realty Group Attn: Ken Downey 770 Cochituate Rd. Framingham, MA 01701	Luzerne County Pittston Township	Spring Brook, HQ-CWF Lidy Creek, CWF Collins Creek, CWF

*Wayne County Conservation District: Ag Service Center, 470 Sunrise Avenue, Honesdale, PA 18431, (570) 253-0930.*

<i>NPDES No.</i>	<i>Applicant Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Receiving Water/Use</i>
PAS107422	Waymart Area Authority P. O. Box 3300 Waymart, PA 18472-0224	Wayne County Waymart Borough Canaan Township	Tributary to Middle Creek HQ-CWF, MF Van Auken Creek HQ-TSF, MF

*Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**NPDES Permit PAS100247**, Stormwater. **Louis Pappan**, Four Ways Properties, LTD, 1198 Mulberry Street, Bridgewater, PA 15009 has applied to discharge stormwater associated with a construction activity located in South Beaver Township, **Beaver County** to UNT North Fork Little Beaver Creek/HQ-CWF.

*Beaver County Conservation District: 1000 3rd Street, Suite 202, Beaver, PA 15009-2626, (724) 774-7090.*

<i>NPDES No.</i>	<i>Applicant Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Receiving Water/Use</i>
PAS100247	Louis Pappan Four Ways Properties, LTD 1198 Mulberry Street Bridgewater, PA 15009	Beaver County South Beaver Township	UNT North Fork Little Beaver Creek/HQ-CWF

## PUBLIC WATER SUPPLY PERMIT

Under the Pennsylvania Safe Drinking Water Act, the following parties have applied for a PWS permit to construct or substantially modify a public water system.

Persons wishing to comment on the permit application are invited to submit a statement to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding this application. Comment responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and any related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

### SAFE DRINKING WATER

#### Applications Received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

*Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

#### Permit No. 0601518, Public Water Supply.

Applicant	<b>Reading Area Water Authority</b>
Municipality	Ontelaunee Township
County	<b>Berks</b>
Responsible Official	Anthony J Consentino, Executive Director 815 Washington Street Room 1-21 Reading, PA 19601
Type of Facility	Public Water Supply
Consulting Engineer	Thomas L. Weld Jr, P.E. BCM Engineers 920 Germantown Pike Plymouth, PA 19462
Application Received Date	October 5, 2001
Description of Action	Installation of new corrosion control treatment facilities.

Permit No. 0601517, Public Water Supply.	
Applicant	<b>Citizens Utilities Water Company of PA</b>
Municipality	Amity Township
County	<b>Berks</b>
Responsible Official	Darryl A Jenkins, Manager 4 Wellington Blvd. Wyomissing Hills, PA 19610
Type of Facility	Public Water Supply
Consulting Engineer	Steven E. Riley, P.E. Spotts Stevens and McCoy 345 North Wyomissing Boulevard Reading, PA 19530-0307
Application Received Date	October 3, 2001
Description of Action	Reconstruction of Douglasville Well 12 and rerating to 120 gallons per minute.

Permit No. 0601519, Public Water Supply.	
Applicant	<b>Citizens Utilities Water Company of PA</b>
Municipality	South Heidelberg Township
County	<b>Berks</b>
Responsible Official	Brian Hassinger P. O. Box 6342 4 Wellington Blvd. Wyomissing, PA 19610
Type of Facility	Public Water Supply
Consulting Engineer	Daniel J Castellani, P.E. Entech Engineering Inc 4 South 4th Street 4 Wellington Blvd. Reading, PA 19603
Application Received Date	October 16, 2001
Description of Action	Cushion Peak booster pump station.

*Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

Permit No. 5026504, Public Water Supply.	
Applicant	<b>Aqua Filter Fresh, Inc.</b> P. O. Box 14128 One Commerce Drive Pittsburgh, PA 15239
Responsible Official	Doug Hupe, Vice President Aqua Filter Fresh, Inc. P. O. Box 14128 One Commerce Drive Pittsburgh, PA 15239
Type of Facility	Bottled water distribution
Consulting Engineer	R. F. Mitall & Associates, Inc. 117 Sagamore Hill Road Pittsburgh, PA 15239
Application Received Date	October 5, 2001
Description of Action	Tyler Mountain Water

*Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**Permit No. 2501503**, Public Water Supply.  
 Applicant **Wattsburg Borough**  
 14431 Main Street  
 Wattsburg, PA 16442  
 Township or Borough **Wattsburg Borough, Erie County**  
 Responsible Official Gene Combs, Council President  
 Type of Facility PWS  
 Consulting Engineer Bruce D. Patterson, P.E.  
 Northwest Engineering Inc.  
 P. O. Box Q  
 Tidioute, PA 16351  
 Application Received Date October 16, 2001  
 Description of Action Construction of a water well source, water distribution system and small control/treatment building.

#### MINOR AMENDMENT

#### Applications Received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

*Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**Application No. 1094506-MA1**, Minor Amendment.  
 Applicant **Saxonburg Area Authority**  
 420 West Main Street  
 Saxonburg, PA 16056  
 Township or Borough **Clinton Township, Butler County**  
 Responsible Official Michael A. Thomas, Manager  
 Type of Facility PWS  
 Consulting Engineer Ronald Olsen, P.E.  
 Olsen Engineering and Associates  
 126 South Main Street  
 Butler, PA 16001  
 Application Received Date October 18, 2001  
 Description of Action Construct elevated water storage tank at Victory Road Business Park.

**Application No. 6190503-MA4**, Minor Amendment.  
 Applicant **Sandycreek Township General Authority**  
 R. D. #4, Box 900  
 Franklin, PA 16323.  
 Township or Borough **Sandycreek Township, Venango County**  
 Responsible Official Marlin Kennedy, Chairperson  
 Type of Facility PWS  
 Consulting Engineer Stone Consulting and Design, Inc.  
 324 Pennsylvania Avenue West  
 P. O. Box 306  
 Warren, PA 16365.

Application Received Date October 23, 2001  
 Description of Action Install 10,000 LF of water distribution line with 43 services and 500,000 gallon standpipe storage tank.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION UNDER ACT 2, 1995 PREAMBLE 1

### Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, Statewide health standard, the site-specific standard or who intend to remediate a site as a special industrial area, must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of the cleanup standards or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment period the municipality may request that the person identified, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved and comments, should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the Environmental Cleanup Program Manager in the Department Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordina-

tor at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

*Northeast Regional Field Office: Joseph A. Brogna, Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.*

**Maffeo Spill (Reading Blue Mountain and Northern Railroad Company Property)**, Cressona Borough, **Schuylkill County**. James Drasher, Manager of Environmental Services, Aqua-Terra Environmental, Ltd., P. O. Box 4099, Reading, PA 19606 has submitted a Notice of Intent to Remediate (on behalf of his client, Carl Maffeo, North Garfield Avenue, Schuylkill Haven, PA 17972) concerning the remediation of soils, sediment and surface water found or suspected to have been contaminated with no. 2 fuel oil constituents. The applicant proposes to remediate the site to meet the Statewide health standard. A summary of the Notice of Intent to Remediate was expected to be published in the *Pottsville Republican & Evening Herald* on October 6, 2001.

**PPL—Siegfried Substation**, Allen Township, **Northampton County**. PPL Electric Utilities, 2 North Ninth Street, Allentown, PA 18101 has submitted a Notice of Intent to Remediate concerning the remediation of site soils found or suspected to be contaminated with PCBs (polychlorinated biphenyls). The notice indicates that the site will be remediated to meet the Statewide human health standard. A summary of the Notice of Intent to Remediate will be published in Allentown's *The Morning Call* on or about October 19, 2001.

**S.O.L.I.D.A. (Susquehanna, Oakland, Lanesboro Industrial Development Authority) Property**, Oakland Township, **Susquehanna County**. Martin Gilgallon, P.G., Project Hydrogeologist, Pennsylvania Tectonics, Inc., 333 Enterprise Street, Dickson City, PA 18519 has submitted a Notice of Intent to Remediate (on behalf of his client, SOLIDA, R. R. 2, Box 49-A, Susquehanna, PA 18847) concerning the remediation of soils and/or groundwater found or suspected to have been contaminated with petroleum hydrocarbons, lead and other metals. The applicant proposes to remediate the site to meet the Special Industrial Area standard. A summary of the Notice of Intent to Remediate was expected to be published in the *Scranton Times* on October 24, 2001.

*Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**Chelsea Building Products**, Oakmont, **Allegheny County**. Gregory J. Gromicko, Earth Sciences Consultants, Inc., One Triangle Lane, Export, PA 15632 (on behalf of Chelsea Building Products, 565 Cedar Way, Oakmont, PA 15139) has submitted a Notice of Intent to Remediate groundwater contaminated with solvents. The applicant proposes to remediate the site to meet the Site Specific Standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Pittsburgh Post Gazette* on October 17, 2001.

**Weiss Brothers Property (former)**, City of McKeesport, **Allegheny County**. Charles Haefner, Business Innovation Center, Suite 207, One Library Place, Duquesne, PA 15110 (on behalf of GLS Development, Inc., 460 E. Pittsburgh-McKeesport Blvd., North Versailles, PA 15137) has submitted a Notice of Intent to Remediate soil and groundwater contaminated with lead, heavy metals, BTEX, solvents, SVOCs and VOCs. The applicant pro-

poses to remediate the site to meet the Site Specific Standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *McKeesport Daily News* on October 1, 2001.

**The Glosser Property**, Johnstown, **Cambria County**. Von E. Fisher, KU Resources, Inc., One Library Place, Suite 207, Duquesne, PA 15110 (on behalf of The David A. Glosser Foundation, 72 Messenger Street, Johnstown, PA 15901 and The Sheesley Supply Company, Inc., 837 Horner Street, Johnstown, PA 15907) has submitted a Notice of Intent to Remediate soil and groundwater contaminated with lead, heavy metals, PAHs, solvents and VOCs. The applicant proposes to remediate the site to meet the Site Specific Standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Johnstown Tribune Democrat* on September 28, 2001.

**Exxon Terminal #2024 (former)**, White Township, **Indiana County**. Gary Antoinette, Geologic Services Corporation, 129 McCarrell Lane, Suite 2B, Zelienople, PA 16063 (on behalf of Exxon Mobil Ref. and Supply Company, Frank Messina, 1900 East Linden Avenue, Linden, NJ 07036) has submitted a Notice of Intent to Remediate soil contaminated with Lead, BTEX, Naphthalene and Cumene. The applicant proposes to remediate the site to meet the Site Specific Standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Indiana Gazette* on August, 20, 2001.

#### INFECTIOUS AND CHEMOTHERAPEUTIC WASTE TRANSPORTER LICENSES

**Applications received or withdrawn under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and the Infectious and Chemotherapeutic Waste Law (35 P. S. §§ 6019.1—6019.6) and regulations to transport infectious and chemotherapeutic waste.**

*Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.*

#### RENEWAL APPLICATIONS RECEIVED

**Geisinger System Services**, 100 North Academy Avenue, Danville, PA 17822. License No. **PA-HC 0141**. Received on October 21, 2001.

**Medical Waste Systems, Inc. d/b/a Bio Systems**, 380 Constance Drive, Warminster, PA 18974. License No. **PA-HC 0073**. Received on October 18, 2001.

#### OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

**Applications Received under the Solid Waste Management Act (35 P. S. §§ 6018.101— 6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.**

*Northcentral Region: Regional Solid Waste Manager, 208 West Third Street, Williamsport, PA 17701.*

**Permit Application No. 100904. Centre County Solid Waste Authority**, 253 Transfer Road, Bellefonte, PA 16823, for the Dale Summit Transfer Station located in College Township, **Centre County**. Application received for a major permit modification for radiation



protection action plan. The application was received by the Williamsport Regional Office on October 9, 2001.

Comments concerning the application should be directed to John C. Hamilton, P.E., Facilities Operations Manager, Williamsport Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448. Persons interested in obtaining more information about the general permit application may contact the Williamsport Office at (570) 327-3653. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to and approval or denial of the application.

*Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**Permit Application No. 101669. Practical Environmental Solutions, Inc.**, Southpointe-Plaza II, 380 Southpointe Blvd., Suite 140, Canonsburg, PA 15317. Imperial Processing Facility, Southpointe-Plaza II, 380 Southpointe Blvd., Suite 140, Canonsburg, PA 15317. A Major Permit Modification application for a Radiation Protection Action Plan at a municipal waste processing facility in Findlay Township, **Allegheny County** was received in the Regional Office on October 24, 2001.

## AIR QUALITY

### NOTICE OF PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

#### NEW SOURCES AND MODIFICATIONS

The Department of Environmental Protection (DEP) has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for DEP, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

DEP has received applications for plan approvals and/or operating permits from the following facilities.

Copies of these applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the Regional Office identified in this notice. Persons interested in reviewing the application files should contact the appropriate Regional Office to schedule an appointment.

Persons wishing to receive a copy of the proposed Plan Approval or Operating Permit must indicate their interest to the DEP Regional Office within 30 days of the date of this notice and must file protests or comments on a Proposed Plan Approval or Operating Permit within 30 days of the DEP providing a copy of the proposed document to that person or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Any comments or protests filed with DEP Regional Offices must include a concise statement of the objections to the issuance of the plan approval or operating permit and relevant facts, which serve as the basis for the objections. If DEP schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior to the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation

to participate should contact the Regional Office identified. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121 through 143, the Federal Clean Air Act and regulations adopted under the Act.

### PLAN APPROVALS

**Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.**

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; Contact: David Aldenderfer, Program Manager, (570) 327-3637.*

**14-00002B: Graymont (PA), Inc.** (P. O. Box 448, Bellefonte, PA 16823) for construction of a stone crusher, the fugitive particulate matter from which will be controlled by an existing air cleaning device (a fabric collector) in Spring Township, **Centre County**.

**14-00002C: Graymont (PA), Inc.** (P. O. Box 448, Bellefonte, PA 16823) for construction of a stone screen, the fugitive particulate matter from which will be controlled by an existing air cleaning device (a fabric collector), in Spring Township, **Centre County**. This screen is subject to Subpart OOO of the Federal Standards of Performance for New Stationary Sources.

**14-00002D: Graymont (PA), Inc.** (P. O. Box 448, Bellefonte, PA 166823) for construction of a lime coproduct agricultural amendment processing operation (CalAg system) in Spring Township, **Centre County**.

**49-00024A: Sunbury Property, LLC, owner and Knight-Celotex, LLC, operator** (1400 Susquehanna Avenue, Sunbury, PA 17801) to modify a fiberboard laminating operation by increasing the allowable volatile organic compound emission rate from 2.7 tons per 12 consecutive month period to 10 tons per 12 consecutive month period in the City of Sunbury, **Northumberland County**.

**19-00006B: H. J. Heinz Co., LP** (6670 Low Street, Bloomsburg, PA 17815) for modification of three natural gas/#6 fuel oil-fired boilers by increasing their allowable #6 oil usage in South Centre Township, **Columbia County**.

**Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.**

*Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428; Contact: Thomas McGinley, New Source Review Chief, (610) 832-6242.*

**46-00037H: Cabot Performance Materials** (County Line Road, P. O. Box 1608, Boyertown, PA 19512-1608) for modification of two existing Niobium (Nb) processing lines into lines capable of processing Tantalum (Ta) or (Nb), augmenting the three existing Ta lines and a fourth

unpermitted Ta line; modification of the existing processes capable of performing the extraction step in the Atlas boxes and the stripping step in the Quinn unit; utilize any combination of Atlas boxes/Quinn unit to recover Ta/Nb metals; increase the annual production rate from 2.8 million pounds of Potassium Tantalum fluoride (K<sub>2</sub>TaF<sub>7</sub>) to 4.6 million pounds of K<sub>2</sub>TaF<sub>7</sub> per year; and installation of two MIBK Recovery Units (one operates as the primary unit and the other as a secondary unit) at their facility in Douglass Township, **Montgomery County**.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Contact: James Parette, New Source Review Chief, (570) 826-2531.*

**58-313-001A: Envirocycle, Inc.** (P. O. Box 899, Hallstead, PA 18822) for installation and operation of a new baghouse to further control particulate emissions from the existing blending and conveying systems in Great Bend Township, **Susquehanna County**. The new baghouse will reduce emissions to 0.008 grains/SCF of Particulate. The Department will place a condition for the facility to monitor the pressure drop across the baghouse and keep a sufficient number of spare bags on hand. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements. The facility currently has an Operating Permit 58-313-001.

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Ronald Davis, New Source Review Chief, (717) 705-4702.*

**06-05065A: Glen Gery Corp.** (423 South Pottsville Pike, Shoemakersville, PA 19555) for a brick manufacturing facility controlled by various fabric collectors in Perry Township, **Berks County**. The facility is subject to Title V. The facility has the potential to emit the following: particulate—106 tons per year, sulfur dioxide—200 tons per year and Hazardous Air Pollutants—350 tons per year. The operating permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

**28-05001: Martin's Famous Pastry Shoppe, Inc.** (1000 Potato Roll Lane, Chambersburg, PA 17201) for installation of two bakery oven lines controlled by a catalytic oxidizer in Guilford Township, **Franklin County**. The oven lines replace two older uncontrolled units. Potential emissions from the non-Title V facility will not increase significantly and the existing 50-tons/year cap on VOC emissions will remain in place. The plan approval will include provisions for emission testing, monitoring, recordkeeping and reporting designed to ensure compliance with the applicable requirements.

---

**Intent to Issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.**

---

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Contact: Michael Saffo, Facilities Permitting Chief, (570) 826-2531.*

**54-00038: Hart Metals Inc.** (Route 209 North, Tamaqua, PA 18252) for operation of metal products and associated air cleaning devices in Tamaqua Borough, **Schuylkill County**.

**35-00021: Hendrick Manufacturing Co.** (1 Seventh Avenue, Carbondale, PA 18407) for operation of an an-

nealing furnace and its associated air cleaning devices in the City of Carbondale, **Lackawanna County**.

**35-00040: Karnel, Inc.** (P. O. Box 453, Clarks Summit, PA 18411) for operation of a spray booth and its associated air cleaning devices in South Abington Township, **Lackawanna County**.

**35-00016: Sandvik, Inc.** (P. O. Box 1220, Scranton, PA 18501) for operation of two boilers and Hydrochloric Acid Tanks with scrubber and dust collector system in Scott Township, **Lackawanna County**.

**45-00026: Hanson Aggregates PA, Inc.** (P. O. Box 0231, Easton, PA 18044-0231) for operation of a hot mix asphalt plant with RAP System and its air cleaning devices in Hamilton Township, **Monroe County**.

**40-00012: Pennsylvania Department of Correction—SCI Retreat** (P. O. Box 598, Camp Hill, PA 170001) for operation of three boilers in New Port Township, **Luzerne County**.

**39-00049: Acme Cryogenics, Inc.** (P. O. Box 445, Allentown, PA 18105) for operation of a spray booth and a brazing operation with associated air cleaning devices in City of Allentown, **Lehigh County**.

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Leif Ericson, Program Manager, (717) 705-4702.*

**67-03037: Hard Chrome Specialist, Inc.** (41 Leigh Drive, York, PA 17402) for operation of both a chrome plating and nickel plating line located in Manchester Township, **York County**. The potential-to-emit chromium and nickel emissions are about 2 lbs/yr and 6 lbs/yr, respectively. The operation of the chrome plating line is subject to the Maximum Achievable Control Technology (MACT) standards adopted under 40 CFR Part 63, Subpart N, National Emission Standards for Chromium Emissions from Hard and Decorative Chromium Electroplating and Chromium Anodizing Tanks. The Natural Minor operating permit will contain monitoring and record keeping requirements designed to keep the facility operating in compliance with all the applicable air quality requirements.

**67-03096: FCI USA, Inc.** (25 Grumbacher Road, York, PA 17402) for operation of its electronics connectors manufacturing facility in Manchester Township, **York County**. This facility has the potential to emit about 1 ton of VOC per year and about 1 pound of total chromium per year. The Natural Minor operating permit will include emission limitations and work practice standards and monitoring, record keeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

**67-05094: Kemps Foods, Inc.** (2 West Hamilton Avenue, York, PA 17404) for operation of a 40 mmBtu/hr Keeler boiler fired by No. 4 fuel oil or natural gas in the City of York, **York County**. Facility emissions of sulfur dioxide will be limited to less than 100 tons/year. The synthetic minor operating permit will contain emission limits along with monitoring, recordkeeping and reporting conditions to ensure the facility complies with the applicable air quality requirements.

**36-3040: Wenger's Feed Mill, Inc.** (101 West Harrisburg Avenue, Rheems, PA 17570-0026) for a natural minor operating permit for their Rheems animal feed mill in Mount Joy Township, **Lancaster County**. The estimated potentials to emit are: 33.58 tpy of PM, 2.54 tpy of NO<sub>x</sub>, 2.13 tpy of CO and .015 tpy of SO<sub>2</sub>. The natural minor operating permit shall contain additional record

keeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

**50-05002: Newport School District** (P. O. Box 9, Newport, PA 17074) for the operation of two coal-fired boilers at the Newport Elementary School in Newport Borough, **Perry County**. Facility emissions of sulfur dioxide will be limited to less than 100 tons/year. The synthetic minor operating permit will contain emission limits along with monitoring, recordkeeping and reporting conditions to ensure the facility complies with the applicable air quality requirements.

**50-05003: Newport School District** (P. O. Box 9, Newport, PA 17074) for operation of two coal-fired boilers at the Newport High School in Newport Borough, **Perry County**. Facility emissions of sulfur dioxide will be limited to less than 100 tons/year. The synthetic minor operating permit will contain emission limits along with monitoring, recordkeeping and reporting conditions to ensure the facility complies with the applicable air quality requirements.

**34-05003: Tedd Wood, Inc.** (P. O. Box 187, Johnstown Road, Thompsontown, PA 17094) for operation of a wood cabinet manufacturing facility in Delaware Township, **Juniata County**. Facility emissions of volatile organic compounds will be limited to less than 50 tons/year and hazardous air pollutant (HAP) emissions are limited to less than 10 tons/year for any single HAP or 25 tons/year for any combination of HAPs. The synthetic minor operating permit will contain emission limits along with monitoring, recordkeeping and reporting conditions to ensure the facility complies with the applicable air quality requirements.

**67-05095: Osram Sylvania Inc.** (1128 Roosevelt Avenue, York, PA 17404) for operation of an electronics components manufacturing facility in West Manchester Township, **York County**. Facility emissions of hazardous air pollutant (HAP) emissions are limited to less than 10 tons/year for any single HAP or 25 tons/year for any combination of HAPs. The synthetic minor operating permit will contain emission limits along with monitoring, recordkeeping and reporting conditions to ensure the facility complies with the applicable air quality requirements.

**21-03003: Norfolk Southern Railway Co.** (218 Enola Road, Enola, PA 17025) for a natural minor operating permit for Enola Diesel Shop at East Pennsboro Township, **Cumberland County**. The primary emissions from the sources are oxides of nitrogen (NOx) and the actual NOx emission is about 5 tons per year. Natural Minor Operating Permit shall contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

## MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to the applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S.

§§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of the application is available for inspection at the District Mining Office indicated before each application. Where a 401 Water Quality Certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for certification.

Written comments or objections or requests for informal conferences on applications, may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the same address within 30 days of this publication or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment and informal conferences).

Where any of the following mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. NPDES permits will contain, at a minimum, technology-based effluent limitations (as described in the Department's regulations—25 Pa. Code §§ 77.522, 87.102, 88.92, 88.187, 88.242, 89.52 and 90.102) for iron, manganese, suspended solids, settleable solids, alkalinity and pH. In addition to the previous, more restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit, when necessary, for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies which have requested review of the NPDES permit requirements for a particular mining activity within the previously-mentioned public comment period will be provided with a 30-day period to review and submit comments on those requirements.

Written comments or objections should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

### *Coal Applications Received*

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454, (570) 621-3118.*

**549001303T and NPDES Permit #PA0224057. John E. Lucas** (268 2nd Street, Tremont, PA 17981), transfer of an existing anthracite underground mine operation from M & M Anthracite Coal Company in Frailey Township, **Schuylkill County** affecting 3.0 acres, receiving stream—Middle Creek. Application received: October 15, 2001.

**49861303R3. Snyder Coal Company** (66 Snyder Lane, Hegins, PA 17938), renewal of an existing anthracite underground mine operation in Zerbe Township,

**Northumberland County** affecting 2.8 acres, receiving stream—none (no discharge). Application received: October 24, 2001.

*Hawk Run District Mining Office: Empire Road, P. O. Box 209, Hawk Run, PA 16840-0209, (814) 342-8200.*

**33010105. Amerikohl Mining, Inc.** (202 Sunset Driver, Butler, PA 16001). Commencement, operation and restoration of a bituminous surface strip and auger operation in Young and McCalmont Townships, **Jefferson County** affecting 203.5 acres. Receiving streams: Three unnamed tributaries to Elk Run and Elk Run, classified for the following uses: Statewide water uses: CWF. No public water supplies are within 10 miles downstream of this proposed operation. Application received: October 19, 2001.

**1475-33010105-E-1. Amerikohl Mining, Inc.** (202 Sunset Driver, Butler, PA 16001). Application for a stream encroachment to encroach to within 25 feet of and to construct a temporary stream crossing over an unnamed tributary to Elk Run in Young and McCalmont Townships, **Jefferson County** affecting 203.5 acres. Receiving streams: Three unnamed tributaries to Elk Run and Elk Run, classified for the following uses: Statewide water uses: CWF. No public water supplies are within 10 miles downstream of this proposed operation. Application received: October 19, 2001.

**33980110. Original Fuels, Inc.** (P. O. Box 343, Punxsutawney, PA 15767). Renewal of an existing bituminous surface strip operation in Perry Township, **Jefferson County** affecting 122.3 acres. Receiving streams: unnamed tributaries to Mahoning Creek, classified for the following uses: Statewide water uses: CWF. No public water supplies are within 10 miles downstream of this proposed operation. Application received: October 22, 2001.

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.*

**32970101. Fossil Fuel, Inc.**, 690 Weaver Road, Marion Center, PA 15759. Permit renewal for reclamation only for continued restoration of a bituminous surface and auger mine in Grant Township, **Indiana County**, affecting 24.5 acres. Receiving stream: unnamed tributaries to Little Mahoning Creek classified for the following use: high quality—cold water fishery. There are no potable water supply intakes within 10 miles downstream of the discharge point. Application received: October 23, 2001.

**56910104 and NPDES Permit No. PA0599255. Hardrock Coal Company**, 275 Saddle Ridge Road, Berlin, PA 15530. Permit renewal for continued operation of a bituminous surface mine and for existing discharge of treated mine drainage in Elk Lick Township, **Somerset County**, affecting 133.4 acres. Receiving streams: unnamed tributary to Tub Mill Run, unnamed tributary to Casselman River classified for the following use: cold water fishery. There are no potable water supply intakes within 10 miles downstream of the point of discharge. Application received: October 22, 2001.

*Noncoal Applications Received*

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454, (570) 621-3118.*

**09840301C6. Waste Management Disposal Services of PA, Inc.** (1121 Bordentown Road, Morrisville, PA 19067), correction to an existing quarry operation in Falls Township, **Bucks County** affecting 257.0 acres, receiving stream—unnamed tributary to Delaware River. Application received: October 18, 2001.

**58900302C2. Stateline Quarries, Ltd.** (2183 Pennsylvania Avenue, Apalachin, NY 13732), renewal of existing NPDES Permit # PA0595471 in connection with an existing large noncoal quarry in Apolaccon Township, **Susquehanna County**, affecting 294.4 acres. Receiving streams: unnamed tributary to Apalachin Creek and Cork Hill Creek, classified as High Quality Waters. There are no known potable water supply intakes within 10 miles downstream of the point of discharge. Application received: October 17, 2001.

**52980301T. ER Linde Construction Corporation** (R. R. 6, Box 6825, Honesdale, PA 18431), transfer of an existing quarry operation and NPDES Permit #PA0223905 in Lackawaxen Township, **Pike County** affecting 11.8 acres, receiving stream—unnamed tributary to Little Blooming Grove Creek classified as a High Quality Stream. There are no known potable water supply intakes within 10 miles downstream of the point of discharge. Application received: October 18, 2001.

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.*

**07010801. Randy C. Aurandt**, R. D. #1, Box 229A-2, Williamsburg, PA 16693-9615, commencement, operation and restoration of a small industrial minerals (topsoil) permit in Woodbury Township, **Blair County**, affecting 14.0 acres. Receiving streams: from Frankstown Branch of the Juniata River classified for the following uses: trout stock fishery. There are no potable water supply intakes within 10 miles downstream. Application received: October 18, 2001.

*Knox District Mining Office: White Memorial Building, P. O. Box 669, Knox, PA 16232-0669, (814) 797-1191.*

**37960301. Essroc Cement Corp.** (P. O. Box 779, Bessmer, PA 16112-8928). Renewal of NPDES Permit No. PA 022718, North Beaver Township, **Lawrence County**. Receiving streams: unnamed tributary to the Mahoning River, classified for the following uses: Statewide water uses: WWF. No public water supplies are within 10 miles downstream of this proposed operation. NPDES Renewal application received: October 23, 2001.

#### FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications and requests for Environmental Assessment approval and requests for Water Quality Certification have been received by the Department of Environmental Protection. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341(a)), requires the State to certify that the involved projects will not violate the applicable provisions of sections 301—303, 306 and 307 of the FWPCA 33 U.S.C.A. §§ 1311—1313, 1316 and 1317 as well as relevant State requirements. Initial requests for 401 Water Quality Certification will be published concurrently with the permit application. Persons objecting to approval of a request for certification under section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8 a.m. and 4 p.m. on each working day at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**Applications Received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1–693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and Requests for Certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).**

**WATER OBSTRUCTIONS AND ENCROACHMENTS**

*Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.*

**E51-195. John Bartram Association and Fairmount Park Commission**, 54th Street and Lindbergh Boulevard, Philadelphia, PA 19030, City of Philadelphia, **Philadelphia County**, ACOE Philadelphia District.

To perform the following activities associated with the construction of the proposed berthing facility in the vicinity of Bartram's Garden along the Schuylkill River (WWF-MF) (Philadelphia, PA Quadrangle N: 10.5 inches, W: 11.8 inches).

1. To maintain the existing facility at the Bartram's Gardens including floating boat launch platforms, a low deck structure, retaining walls, boardwalks, trails, walkways, a pedestrian bridge, drainage systems and other associated facilities within the floodplain of the Schuylkill River and along approximately 2,857 feet of shoreline between 51st and 56th Streets.

2. To construct and maintain 12 bents with associated piles, to strengthen and rehabilitate the existing seawall.

3. To install and maintain an "L" shaped 125-foot by 8-foot and 50-foot by 8-foot floating dock with associated piles. This work also includes installation of handrails and lights on the floating dock.

4. To install and maintain a 30-foot by 5-foot floating dock with associated piles downstream from the existing seawall. This work also includes installation of handrails and lights on the floating dock.

5. To install one loading platform and gangway with associated piles.

6. To install and maintain two mooring dolphins with associated piles.

7. To install and maintain a 120-foot long fender system with associated piles.

8. To modify and maintain the existing facility by installing fences, lighting fixtures, ADA wheelchair complaint hoist, benches, trash receptacles and electrical utilities. This work also includes resurfacing of the exist-

ing 660-foot long roadway and rehabilitation of the existing retaining wall with supporting bents.

Proposed work will impact a total length of approximately 400 feet along the Schuylkill River and occupy approximately 107 square feet of submerged lands. Various sizes and types of piles will be utilized for the construction of this facility.

**E15-674. Chadds Ford Unionville School District**, 740 Unionville Road, Kennet Square, PA 19348, Pennsbury Township, **Chester County**, ACOE Philadelphia District.

To remove an existing 24 foot long deteriorated concrete arch bridge, consisting of a 16-foot span and 10-foot underclearance and to construct and maintain a new 33-foot long concrete arch bridge consisting of a 16 foot span and 10 foot underclearance over Ring Run (WWF, MF) to accommodate road widening. The hydraulic opening of the structure will remain the same of size 16 feet wide by 10 foot high. The applicant proposes a temporary causeway crossing of the stream to facilitate construction of the new structure. The site is located at private access drive to Chadds Ford Elementary School, approximately 100 feet west of its intersection with PA SR 1 (Wilmington North DEL-PA. USGS Quadrangle, N: 22.20 inches; W: 13.80 inches).

**E46-896. Esquire D. Jordan/Jan M. Jordan**, 1037 East Avenue, Penllyn, PA 19422, Upper Dublin Township, **Montgomery County**, ACOE Philadelphia District.

To relocate approximately 150 linear feet of an unnamed tributary of the Wissahickon Creek (TSF) and to construct and maintain a retaining wall and to place associated fill in 0.048 acre of adjacent wetlands (PFO) to facilitate the construction of 2 single family residences on a 0.50 acre parcel located approximately 400 feet east of the intersection of Inverness Avenue and Glencoe Avenue (Ambler, PA US Quadrangle N: 4.3 inches; W: 11.9 inches).

*Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**E06-555. James Eppley**, DCNR, P. O. Box 8451, Harrisburg, PA 17105 in Cumru Township, **Berks County**, ACOE Philadelphia District.

To remove and replace with reinforced concrete the existing cut stone and mortar abutments at a bridge spanning Angelica Creek (CWF) located at a point within the Nolde Forest State Park (Reading, PA Quadrangle N: 5.2 inches; W: 10.3 inches) in Cumru Township, Berks County.

**E06-557. William Round**, Berks Product Corporation, P. O. Box 421, Reading, PA 19603 in Ontelaunee Township, **Berks County**, ACOE Philadelphia District.

To place shotcrete in sinkholes in and along both the Schuylkill River (WWF) and Maiden Creek (WWF) to remediate sinkhole problems located at a point near the confluence of both streams and extending north along the Schuylkill River for approximately 6,100 feet and east along Maiden Creek for about 1,700 feet (Temple, PA Quadrangle N: 8.8 inches; W: 10.4 inches) in Ontelaunee Township, Berks County.

**E06-558. Tilden Township**, 772 Hex Highway, Hamburg, PA 19526 in Tilden Township, **Berks County**, ACOE Philadelphia District.

To relocate and maintain approximately 80 feet of an unnamed tributary to Mill Creek (TSF) located at a point along Mountain Road (0.1) miles from the intersection

with Tilden Road (Auburn, PA Quadrangle N: 8.0 inches; W: 8.4 inches) in Tilden Township, Berks County.

**E07-352. Martin Marasco**, Altoona Blair County Development Corp., 4500 Sixth Avenue, Altoona, PA 16602 in Greenfield Township, **Blair County**, ACOE Baltimore District.

To impact 0.26 acre of isolated, emergent wetlands at the watershed of South Poplar Run (CWF) at the William W. Ward Industrial Park along SR 3002 for the purpose of developing industrial lots (Roaring Spring, PA Quadrangle N: 7.5 inches; W: 11.9 inches) in Greenfield Township, Blair County. The permittee will provide 0.27 acre of replacement wetlands as mitigation.

*Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**E02-1358. Township of Scott**, Administrative Offices, 2nd Floor, 301 Lindsay Road, Carnegie, PA 15106. Scott Township, **Allegheny County**, ACOE Pittsburgh District.

To remove the existing bridge (Lindsay Road Bridge) and to construct and maintain a new bridge having a span of 31.0 feet across Georges Run (WWF) for the purpose of improving highway safety. The bridge is located on Lindsay Road, just southwest from the intersection of Lindsay Road and Hope Hollow Road (Pittsburgh West, PA Quadrangle N: 3.4 inches; W: 11.5 inches).

**E63-517. Linda and John Jones**, 896 Rocky Run Road, West Finley, PA 15377. East Finley Township, **Washington County**, ACOE Pittsburgh District.

To remove the existing structure and to construct and maintain six 30 inch culverts across Rock Run (TSF). This project will restore the low flow crossing that was impacted by long wall mining. The project is located on the east side of Rocky Run Road approximately 6,300 feet southwest of its intersection with Route 231 (Claysville, PA Quadrangle N: 2.6 inches; W: 3.8 inches).

**E63-520. Washington County Planning Commission**, 100 West Beau Street, Suite 701, Washington, PA 15301. Morris Township, **Washington County**, ACOE Pittsburgh District.

To rehabilitate, operate and maintain the existing Day Bridge having a span of 37.67 feet with a minimum underclearance of 5.0 feet across Short Creek (TSF) for the purpose of improving highway safety. The bridge is located on T-339, approximately 100 feet south from the intersection of S.R. 0018 and T-339 (Prosperity, PA Quadrangle N: 6.0 inches; W: 5.3 inches).

**E63-521. Washington County Planning Commission**, 100 West Beau Street, Suite 701, Washington, PA 15301. Hanover Township, **Washington County**, ACOE Pittsburgh District.

To rehabilitate, operate and maintain the existing Jackson Mill Bridge having a span of 44.33 feet with a minimum underclearance of 10.0 feet across Kings Creek (CWF) for the purpose of improving highway safety. The bridge is located on T-853 (Kings Creek Road) just south from the intersection of T-853 (Kings Creek Road) and T-352 (Burgettstown, PA Quadrangle N: 8.9 inches; W: 15.9 inches).

**E63-522. Ted Taylor Builders**, 608 East McMurray Road, Suite 101, McMurray, PA 15317. Peters Township, **Washington County**, ACOE Pittsburgh District.

To construct and maintain a stormwater pond with a tributary to Peters Creek (TSF) as part of a development known as Old Trails. The project is located on the west

side of Turkeyfoot Road approximately 1,100 feet north of its intersection with Bebout Road (Bridgeville, PA Quadrangle N: 3.8 inches; W: 6.7 inches).

*Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**E61-246. Alexander Sanfilippo** 102 McNelly Road, Pittsburgh, PA 15226, Fishermans Cove Development Lots 15 and 16, in Victory Township, **Venango County**, ACOE Pittsburgh District (Kennerdell, PA Quadrangle N: 12.25 inches; W: 14.50 inches).

The project includes the maintenance of an 8-foot wide Rock Groin Structure located on the right bank of the Allegheny River, within the Fisherman's Cove Development, Victory Township, Venango County, Polk, PA. The structure extends 12 feet into the Allegheny River.

**E10-344. Landmark Properties, Inc.**, 4848 Route 8, Allison Park, PA 15101. Emeryville Drive Lots 1 and 2 Wetland Fill in Cranberry Township, **Butler County**, ACOE Pittsburgh District (Mars, PA Quadrangle N: 9.3 inches; W: 14.1 inches).

To fill 0.13 acre of wetland on Emeryville Drive Lots 1 and 2 for construction of a 5 story office building and associated parking area along Emeryville Drive approximately 0.25 mile east of Margarite Drive. Project includes contribution to the Pennsylvania Wetland Replacement Fund for replacement of impacted wetland.

#### DAM SAFETY

*Central Office: Bureau of Waterways Engineering, 400 Market Street, Floor 3, P. O. Box 8554, Harrisburg, PA 17105-8554.*

**D23-113. Thornbury Investors, L.P.**, 1541 East Strasburg Road, West Chester, PA 19380. To construct, operate and maintain Cherry Farm Basin #1 across West Branch Chester Creek (TSF), directly impacting 0.23 acre of wetlands (PFO) and 102 feet of stream and providing 0.23 acres of wetland mitigation, for the purpose of stormwater detention and roadway crossing for the proposed Cherry Farm residential development (West Chester, PA Quadrangle N: 4.55 inches; W: 7.05 inches) in Thornbury Township **Delaware County**.

**D23-114. Thornbury Investors, L.P.**, 1541 East Strasburg Road, West Chester, PA 19380. To construct, operate and maintain Cherry Farm Basin #2 across a tributary to West Branch Chester Creek (TSF), directly impacting 0.37 acre of wetlands (PFO) and 205 feet of stream and providing 0.37 acre of wetland mitigation, for the purpose of stormwater detention for the proposed Cherry Farm residential development (West Chester, PA Quadrangle N: 3.8 inches; W: 7.9 inches) in Thornbury Township, **Delaware County**.

#### ACTIONS

### FINAL ACTIONS TAKEN UNDER THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT—NPDES AND WQM PART II PERMITS

#### INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications and requests for plan ap-

proval. The actions are listed in two categories. Section I lists all municipal and industrial permits and Section II lists oil and gas related permits.

Persons aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

**I. Municipal and Industrial Permit Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).**

*Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.*

**NPDES Permit No. PA0056596**, Sewage, **Craig Forwood**, 204 Delphi Road, Schwenksville, PA 19473. This proposed facility is located in Lower Frederick Township, **Montgomery County**.

Description of Proposed Action/Activity: Renewal of a NPDES permit to discharge from an unnamed tributary to Mine Run-3E.

**WQM Permit No. 2301409**, Sewerage, **Thornbury Township**, 6 Township Drive, Cheyney, PA 19319- 1020. This proposed facility is located in Thornbury Township, **Delaware County**.

Description of Proposed Action/Activity: Construction and operation of two new pump stations and conveyance system.

*Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

**NPDES Permit No. PA-0061069**, Industrial Waste, **Schott Glass Technologies, Inc.**, 400 York Avenue, Duryea, PA 18642. This proposed facility is located in Duryea Borough, **Luzerne County**.

Description of Proposed Action/Activity: renewal of NPDES Permit to discharge treated industrial wastewater and uncontaminated stormwater (Receiving Stream) Lackawanna River.

**NPDES Permit No. PA-0035335**, Sewage, **Papillon Contracting, Inc., t/a Barton Court Mobile Home Park**, 816 North Ninth Street, Stroudsburg, PA 18360. This proposed facility is located in Pocono Township, **Monroe County**.

Description of Proposed Action/Activity: to renewal of an existing NPDES permit to discharge 0.0117 MGD of treated sewage into an unnamed tributary of Pocono Creek in Pocono Township, Monroe County.

**NPDES Permit No. PA-0043362**, Sewage, **Union Lake Hotel, Inc.**, R. R. 1, Box 74. Equinunk, PA 18417. This proposed facility is located in Manchester Township, **Wayne County**.

Description of Proposed Action/Activity: Renewal of NPDES Permit to discharge to unnamed tributary of Little Equinunk Creek.

*Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**NPDES Permit No. PA0087882**, Sewage, **Visaggio's Inc.**, 6990 Wertzville Road, Enola, PA 17025. This proposed facility is located in Silver Spring Township, **Cumberland County**.

Description of Proposed Action/Activity: Authorization to discharge to the receiving waters named Simmons Creek in Watershed 7-B.

**NPDES Permit No. PA0082015**, Sewage, **Meadows Sewer Company**, 5015 East Trindle Road, Mechanicsburg, PA 17050-3622. This proposed facility is located in Middlesex Township, **Cumberland County**.

Description of Proposed Action/Activity: Authorization to discharge to Conodoguinet Creek in Watershed 7-B.

**NPDES Permit No. PA0080705**, Sewage, **Fredericksburg Sewer and Water Authority**, 2529 Route 22, P. O. Box 161, Frederickburg, PA 17026. This proposed facility is located in Bethel Township, **Lebanon County**.

Description of Proposed Action/Activity: Authorization to discharge to Deep Run in Watershed 7-D.

**NPDES Permit No. PA0044113**, Sewage, **South Middleton Municipal Authority**, 345 Criswell Drive, Boiling Springs, PA 17007-0008. This proposed facility is located in Monroe Township, **Cumberland County**.

Description of Proposed Action/Activity: Authorization to discharge to Yellow Breeches Creek in Watershed 7-E.

**NPDES Permit No. PA0082007**, Sewage, **Norman W. Sigel and J. Arthur Oberholtzer**, 6827 Bedford Valley Road, Bedford, PA 15522-6114. This proposed facility is located in Cumberland Valley Township, **Bedford County**.

Description of Proposed Action/Activity: Authorization to discharge to Sand Spring Run in Watershed 13-A.

**NPDES Permit No. PA0083585 and WQM Permit No. 2987401, amendment 01-1**, Sewage, **Todd Township Supervisors**, HCR 75, McConnellsburg, PA 17233. The proposed facility is located in Todd Township, **Fulton County**.

Description of Proposed Action/Activity: Authorization for the construction/operation of a Tablet Chlorinator and Chlorine Contact Tank at the Knobsville Plant.

**WQM Permit No. 2101406**, Sewerage, **Visaggio's Inc.**, 6990 Wertzville Road, Enola, PA 17025. This proposed facility is located in Silver Spring Township, **Cumberland County**.

Description of Proposed Action/Activity: Authorization for the construction/operation of Sewage Treatment Facilities.

**WQM Permit No. 2101407**, Sewerage, **Silver Spring Township Authority**, 6425 Rear Carlisle Pike, Mechanicsburg, PA 17050. This proposed facility is located in Silver Spring Township, **Cumberland County**.

Description of Proposed Action/Activity: Authorization for the construction / operation of an Outfall Line.

**WQM Permit No. 0701403**, Sewerage, **Hollidaysburg Sewer Authority**, 401 Blair Street, Hollidaysburg, PA 16648. This proposed facility is located in Hollidaysburg Borough, **Blair County**.

Description of Proposed Action/Activity: Authorization for the construction/operation of Sewers and Appurtenances

**WQM Permit No. 0692402, Amendment 01-1**, Sewerage, **Exeter Township**, Berks County Authority, P. O. Box 4068, Reading, PA 19606. This proposed facility is located in Exeter Township, **Berks County**.

Description of Proposed Action/Activity: Authorization for the construction/operation of Sewage Treatment Facilities.

**NPDES Permit No. PA0080829**, Industrial Waste, **Keystone Protein Company**, Chestnut Hill Road, P. O. Box 37, Fredericksburg, PA 17026. This proposed facility is located in Bethel Township, **Lebanon County**.

Description of Proposed Action/Activity: Authorization to discharge to an unnamed tributary of Beach Run in Watershed 7-D.

**WQM Permit No. PA0024228**, Industrial Waste, **Pennfield Farms, Inc.**, Pennfield Farm Poultry IWTF, P. O. Box 70, Fredericksburg, PA 17026. This proposed facility is located in Bethel Township, **Lebanon County**.

Description of Proposed Action/Activity: Authorization to discharge to Deep Run in Watershed 7-D.

**Permit No. PA 0080705. Fredericksburg Sewer and Water Authority**, 2529 Route 22, P. O. Box 161, Fredericksburg, PA 17026.

Final Notice is hereby given that the Department of Environmental Protection, after public notice, has on October 25, 2001, issued a National Pollutant Discharge Elimination System Permit.

This notice reflects changes from the notice published in the *Pennsylvania Bulletin*. The effluent limits for the existing facility Outfall 001 for a design flow of 0.15 MGD are:

Parameter	Average Monthly (mg/l)	Average Weekly (mg/l)	Instantaneous Maximum (mg/l)
CBOD <sub>5</sub>	25	40	50
Total Suspended Solids	30	45	60
NH <sub>3</sub> -N			
(5-1 to 10-31)	1.5	XXX	3.0
(11-1 to 4-30)	4.5	XXX	9.0
Total Phosphorus	2.0	XXX	4.0
Dissolved Oxygen	Minimum of 5.0 at all times		
pH	From 6.0 to 9.0 inclusive		
Fecal Coliform	200/100 ml as a geometric average		
(5-1 to 9-30)	2,200/100 ml as a geometric average		
(10-1 to 4-30)			
Total Residual Chlorine	0.18	XXX	0.58
Total Nitrogen	Monitor and Report	XXX	XXX

Individuals may make an appointment to review the DEP files on this case by calling the File Review Coordinator at (717) 705-4732.

**Permit No. PA 0080829, Keystone Protein Company**, Chestnut Hill Road, P. O. Box 37, Fredericksburg, PA 17026.

Final Notice is hereby given that the Department of Environmental Protection, after public notice, has on October 25, 2001, issued a National Pollutant Discharge Elimination System.

This notice reflects changes from the notice published in the *Pennsylvania Bulletin*.

Parameter	Monthly Average	Weekly Average	Instantaneous Maximum
CBOD <sub>5</sub>	—	—	83.5
Suspended Solids	—	—	102.1
Oil and Grease	15	30	30

Individuals may make an appointment to review the DEP files on this case by calling the File Review Coordinator at (717) 705-4732.

**Permit No. PA 0087882, Visaggio's, Inc.**, 6990 Wertzville Road, Enola, PA 17025.

Final Notice is hereby given that the Department of Environmental Protection, after public notice, has on October 25, 2001, issued a National Pollutant Discharge Elimination System Permit.

This notice reflects changes from the notice published in the *Pennsylvania Bulletin*.

Parameter	Monthly Average	Weekly Average	Instantaneous Maximum
NH <sub>3</sub> -N			
(5-1 to 10-31)	16	XXX	32

Individuals may make an appointment to review the DEP files on this case by calling the File Review Coordinator at (717) 705-4732.



*Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**Permit No. 2681401, Amendment No. 1.** Sewerage, **Joseph Argiro**, R. D. 2, Box 368, Connellsville, PA 15425. Modification of Sewage Treatment Plant located in Bullsken Township, **Fayette County** to serve Argiro Mobile Home Park Sewage Treatment Plant.

*Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**NPDES Permit No. PA0103829**, Industrial Waste, **Precise Plastics, Inc.**, 7700 Middle Road, Fairview, PA 16415-1703. This proposed facility is located in Fairview Township, **Erie County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to Trout Run.

**NPDES Permit No. PA0100986**, Sewage, **PHB Machining Division**, 8150 West Ridge Road, Fairview, PA 16415. This proposed facility is located in Fairview Township, **Erie County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to an unnamed tributary to Trout Run.

**NPDES Permit No. PA0034045**, Sewage, **Greene Township**, Horseshoe Subdivision, 9333 Tate Road, Erie, PA 16509-6049. This proposed facility is located in Greene Township, **Erie County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to Four Mile Creek.

**NPDES Permit No. PA0020346**, Sewage, **Borough of Punxsutawney**, Mahoning East Civic Center, 301 East Mahoning Street, Punxsutawney, PA 15767. This proposed facility is located in Borough of Punxsutawney, **Jefferson County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to Mahoning Creek.

**NPDES Permit No. PA0104507**, Sewage, **Keith Palumbo**, 3600 Hubbard West Middlesex Road, West Middlesex, PA 16159. This proposed facility is located in Shenango Township, **Mercer County**.

Description of Proposed Action/Activity: This project is to discharge to unnamed tributary to Shenango River.

**WQM Permit No. 1601404**, Sewerage, **Ronald J. and Jennifer A. Grooms**, P. O. Box 94, Marble, PA 16334. This proposed facility is located in Washington Township, **Clarion County**.

Description of Proposed Action/Activity: This project is for a Single Residence.

**WQM Permit No. 2501421**, Sewerage, **Roy A. and LuAnn M. Strobel**, 5721 Gibson Hill Road, Edinboro, PA 16412. This proposed facility is located in Washington Township, **Erie County**.

Description of Proposed Action/Activity: This project is for a Single Residence.

**WQM Permit No. 430149**, Sewerage, **Anthony M.**

**Johnson**, 669 Clay Furnace Road, Sharpsville, PA 16150. This proposed facility is located in Clark Borough, **Mercer County**.

Description of Proposed Action/Activity: This project is for a Single Residence.

**WQM Permit No. 2501417**, Sewerage, **Charles J. and Anne Elizabeth Weiss Parcel B**, 3817 Wood Street, Erie, PA 16509. This proposed facility is located in Washington Township, **Erie County**.

Description of Proposed Action/Activity: This project is for a Single Residence.

**WQM Permit No. 2501416**, Sewerage, **Charles J. and Anne Elizabeth Weiss Parcel A**, 3817 Wood Street, Erie, PA 16509. This proposed facility is located in Washington Township, **Erie County**.

Description of Proposed Action/Activity: This project is for a Single Residence.

**WQM Permit No. 1001412**, Sewerage, **Christopher W. Mullen**, 132 Knoch Road, Saxonburg, PA 16056. This proposed facility is located in Clinton Township, **Butler County**.

Description of Proposed Action/Activity: This project is for a Single Residence.

**WQM Permit No. 4301421**, Sewerage, **James K. Park**, 1879 Airport Road, Clarks Mills, PA 16114. This proposed facility is located in Perry Township, **Mercer County**.

Description of Proposed Action/Activity: This project is for a Single Residence.

**WQM Permit No. 6201408**, Sewerage, **Randall H. English**, R. R. #1, Box 1355, Russell, PA 16345. This proposed facility is located in Pine Grove Township, **Warren County**.

Description of Proposed Action/Activity: This project is for a Single Residence.

**WQM Permit No. 2001415**, Sewerage, **Alex and Sally A. Torok**, 24529 State Highway 408, Cambridge Springs, PA 16403. This proposed facility is located in Cambridge Township, **Crawford County**.

Description of Proposed Action/Activity: This project is for a Single Residence.

**WQM Permit No. 2501423**, Sewerage, **Jeffrey S. McIntyre**, 7405 Old State Road, Edinboro, PA 16412. This proposed facility is located in Franklin Township, **Erie County**.

Description of Proposed Action/Activity: This project is for a Single Residence.

**WQM Permit No. 1001410**, Sewage, **Slippery Rock Municipal Authority**, P. O. Box 157, Slippery Rock, PA 16057-0157. This proposed facility is located in Slippery Rock Township, **Butler County**.

Description of Proposed Action/Activity: This project is for the construction of a sewer extension to serve the Weathervane Hill Subdivision.

#### NPDES STORMWATER INDIVIDUAL PERMITS—(PAS)

The following NPDES Individual Permits for Discharges of Stormwater Associated with Construction Activities have been issued.

These actions of the Department of Environmental Protection (Department) may be appealed to the Environmental Hearing Board (Board), Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483, by any aggrieved person under the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Appeals must be filed

with the Board within 30 days from the date of this issue of the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Department's regulations governing practice and procedure before the Board may be obtained from the Board.

*Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAS10S090	LTS Development, Inc. P. O. Box 160 Shawnee on the Delaware, PA 18356	Monroe	Chestnuthill Township	McMichael's and Sugar Hollow Creeks HQ-CWF

#### APPROVALS TO USE NPDES AND/OR OTHER GENERAL PERMITS

The following parties have submitted: (1) Notices of Intent (NOIs) for Coverage under (1) General NPDES Permits to Discharge Wastewater into the Waters of the Commonwealth. The approval for coverage under these general NPDES permits is subject to applicable effluent limitations. Monitoring, reporting requirements and other conditions set forth in the general permit; (2) General Permits for Beneficial Use of Sewage Sludge or Residential Septage by Land Application in Pennsylvania; (3) General NPDES Permit Authorizing the Discharge of Stormwater Associated with Construction Activities to Waters of the Commonwealth; (4) Notification for First Use Application of Sewage Sludge.

The approval of coverage for land application of sewage sludge or residential septage under these general permits is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective permit. The Department of Environmental Protection approves the following coverage under the specific General Permit.

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

The application and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted.

#### List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges From Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities (PAR)
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges From Single Residence Sewage Treatment Plant
PAG-5	General Permit for Discharges From Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges From Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Nonexceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Nonexceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	Concentrated Animal Feeding Operations (CAFOs)

#### General Permit Type—PAG-2

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Telephone No.</i>
Schuylkill County Butler Township, Cass Township and Foster Township	PAR105826	Schuylkill High Ridge Business Park SEDCO P. O. Box 659 91 S. Progress Ave. Pottsville, PA 17901	Tributaries to W. Branch of Schuylkill River, CWF Unnamed tributaries to Rattling Run, CWF and Mahanoy Creek, CWF	Schuylkill County Conservation District (570) 622-3742
Susquehanna Township Dauphin County	PAR10I287	Department of General Services 18th and Herr Streets Harrisburg, PA 17125	Paxton Creek WWF	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 (717) 921-8100

## NOTICES

6221

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Telephone No.</i>
East Manchester Township York County	PAR10Y552	Garrod Hydraulics Inc. Eugene D. Garrod 3466 Board Road York, PA 17340	Little Conewago Creek WWF	York County Conservation District 118 Pleasant Acres Rd. York, PA 17402 (717) 840-7430
Penn Township York County	PAR10Y554	South Western School District Tom Hoover 225 Bowman Road Hanover, PA 17331	Oil Creek WWF	York County Conservation District 118 Pleasant Acres Rd. York, PA 17402 (717) 840-7430
York Township York County	PAR10Y557	Hammermill Associates 1 Waterford Professional Center York, PA 17402	UNT to Mill Creek WWF	York County Conservation District 118 Pleasant Acres Rd. York, PA 17402 (717) 840-7430
Springettsbury Township York County	PAR10Y558	York Container Company 138 Mt. Zion Road York, PA 17402	Mill Creek WWF	York County Conservation District 118 Pleasant Acres Rd. York, PA 17402 (717) 840-7430
Fairview Township York County	PAR10Y509	The Cascades Commonwealth Corp. Edsel Deleme 764 Corporate Circle Limekiln Commerce Park New Cumberland, PA 17070	UNT to Yellow Breeches Creek CWF	York County Conservation District 118 Pleasant Acres Rd. York, PA 17402 (717) 840-7430
Snaice Spring Township Bedford County	PAR100458	Diakon Lutheran Social Ministries 960 Century Drive P. O. Box 2001 Mechanicsburg, PA 17055-2001	UNT to the Raystown Branch	Bedford County Conservation District 702 West Pitt Street Suite 4 Bedford, PA 15009 (814) 623-6706
North Middleton Township Cumberland County	PAR10H272	Fred Gettys North Ridge Phase 4 1950 Chestnut Court Camp Hill, PA 17011	UNT to Conodoguinet Creek WWF	Cumberland County Conservation District 43 Brookwood Avenue Suite 4 Carlisle, PA 17013 (717) 240-7812
Susquehanna Township Dauphin County	PAR10I287	Department of General Services 18th and Herr Streets Harrisburg, PA 17125	Paxton Creek WWF	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 (717) 921-8100
Brecknock Township Lancaster County	PAR100411	Donald Mellinger 236 E. Main St Terre Hill, PA 17581	Muddy Creek (TS)	Lancaster County Conservation District 1383 Arcadia Rd. Rm. 6 Lancaster, PA 17601 (717) 299-5361
Manheim Township Lancaster County	PAR100512	Manheim Township School District School Rd. Box 5134 Lancaster, PA 17606	UNT Conestoga River (WWF)	Lancaster County Conservation District 1383 Arcadia Rd., Rm. 6 Lancaster, PA 17601 (717) 299-5361
East Hempfield Township Lancaster County	PAR100518	Hempshade Partners 255 Butler Ave. Ste. 203 Lancaster, PA 17601	UNT Little Conestoga Creek (CWF)	Lancaster County Conservation District 1383 Arcadia Rd., Rm. 6 Lancaster, PA 17601 (717) 299-5361

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Telephone No.</i>
Centre Township Berks County	PAR10C380	Harold A. Spatz 552 Irish Creek Road Mohrsville, PA 19541	Irish Creek WWF	Berks County Conservation District P. O. Box 520 1238 County Welfare Road Leesport, PA 19533 (610) 372-4657
Columbia County Montour Township	PAR102148	First Church of Christ 375 West St. Bloomsburg, PA 17815	Montour Run CWF	Columbia County Conservation District 702 Sawmill Rd., Suite 105 Bloomsburg, PA 17815 (570) 784-1310
Columbia County Scott Township and Town of Bloomsburg	PAR102149	Shopping Center at Scott Township Caldwell Development 434 N. Front St. Wormleysburg, PA 17043	Neals Run	Columbia County Conservation District 702 Sawmill Rd., Suite 105 Bloomsburg, PA 17815 (570) 784-1310

*Southwest Region: Regional Water Management Program Manager; 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Telephone No.</i>
Beaver County Ohioville Borough Brighton Township	PAR100290	Michael Roaman Greek Catholic Union Real Estate Company, Inc. 132 Lisbon Road Beaver, PA 15009	UNT to South Branch Brady Run/TSF	Beaver County Conservation District (724) 774-7090
Cambria County Gallitzin Borough Tunnelhill Borough Gallitzin Township	PAR101074	Gallitzin Water Authority 411 Convent Street Gallitzin, PA 16641	Clearfield Creek Bradley Run UNT Tributaries/CWF	Cambria County Conservation District (814) 472-2120

*General Permit Type—PAG-3*

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Telephone No.</i>
Upper Merion Township Montgomery County	PAR800039	BFI Waste System of North America 400 River Rd. Conshohocken, PA 19428	Schuylkill River-3F Watershed	DEP Southeast Region Lee Park, Suite 6010 555 North Lane Conshohocken, PA 19428 (610) 832-6131
Eddystone Borough Delaware County	PAR230051	Foamex International 1500 E. Second St. Eddystone, PA 19022	Delaware River-3G Watershed	DEP Southeast Region Lee Park, Suite 6010 555 North Lane Conshohocken, PA 19428 (610) 832-6131
Upper Darby Township Delaware County	PAR800111	Waste Management of Delaware Valley 400 Progress Drive Telford, PA 18969	Muckinpattis Creek-3G Watershed	DEP Southeast Region Lee Park, Suite 6010 555 North Lane Conshohocken, PA 19428 (610) 832-6131
Lancaster County New Holland Borough	PAR113518	New Holland North America, Inc. 300 Diller Avenue MS 717 New Holland, PA 17557	UNT to Mill Creek/ CWF	DEP SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Berks County Laureldale Township	PAR153502	Reitech Corporation 3146 Marion Street Reading, PA 19605	UNT to Bernhardt Creek / WWF	DEP SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707

## NOTICES

6223

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Telephone No.</i>
Franklin County Shippensburg Borough	PAR213548	Valley Quarries, Inc. Valley Transit Mix Shippensburg Plant P. O. Box J Chambersburg, PA 17201-0809	Middle Springs Creek/ CWF	DEP SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Franklin County Antrim Township	PAR213512	Valley Quarries, Inc. Valley Transit Mix Greencastle Plant P. O. Box J Chambersburg, PA 17201-0809	Conococheague Creek/ WWF	DEP SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Lancaster County Ephrata Township	PAR603507	Mark S. and Mary Brubacher Browns Used Auto Parts 110-112 Gardenspot Road Ephrata, PA 17522	Cocalico Creek/WWF	DEP SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Lancaster County Paradise Township	PAR223503	Stock Building Supply 3246 Lincoln Hwy E. P. O. Box 369 Paradise, PA 17562	UNT to Eshelman Run/ CWF	DEP SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Farmington Township Clarion County	PAR228332	Kahle's Kitchens, Inc. P. O. Box 168 Leeper, PA 16233	Unnamed tributary to Licking Creek	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

*General Permit Type—PAG-4*

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Telephone No.</i>
Bedford County Monroe Township	PAG043684	James J. Glah 50 North Hopewell Road Everett, PA 15537	Clear Creek/TSF	DEP SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Clearfield Township Cambria County	PAG046108	David E. Weber 536 Schoolhouse Drive Ashville, PA 16613	UNT to Swartz Run	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
Glade Township Warren County	PAG048425	Bruce L. Abplanalp 858 Jackson Avenue Ext. Warren, PA 16365-4347	Unnamed tributary of West Branch Glade Run	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Washington Township Erie County	PAG048764	Roy A. and LuAnn M. Strobel 5721 Gibson Hill Road Edinboro, PA 16412	Unnamed tributary to Conneauttee Creek	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Telephone No.</i>
Clark Borough Mercer County	PAG048756	Anthony M. Johnson 669 Clay Furnace Road Sharpsville, PA 16150	Tributary Shenango Reservoir	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Washington Township Clarion County	PAG048759	Ronald J. and Jennifer A. Grooms P. O. Box 94 Marble, PA 16334	Unnamed tributary to Mahles Run	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Washington Township Erie County	PAG048754	Charles J. and Anne Elizabeth Weiss Parcel B 3817 Wood Street Erie, PA 16509	Unnamed tributary to Little Conneauttee Creek	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Washington Township Erie County	PAG048753	Charles J. and Anne Elizabeth Weiss Parcel A 3817 Wood Street Erie, PA 16509	Unnamed tributary to Little Conneauttee Creek	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Clinton Township Butler County	PAG048755	Christopher W. Mullen 132 Knoch Rd. Saxonburg, PA 16056	Tributary to Thorn Creek	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Cussewago Township Crawford County	PAG048321	Randy J. Felton and Bonnie S. Felton 17825 Fox Road Cambridge Springs, PA 16403	Unnamed tributary to Cussewago Creek	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Perry Township Mercer County	PAG048760	James K. Park 1879 Airport Road Clarks Mills, PA 16114	Tributary Little Shenango River	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Pine Grove Township Warren County	PAG048749	Randall H. English R. R. 1, Box 1355 Russell, PA 16345	Unnamed tributary of Widdlefield Run	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Cambridge Township Crawford County	PAG048757	Alex and Sally A. Torok 24529 State Highway 408 Cambridge Springs, PA 16403	Unnamed tributary to French Creek	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Telephone No.</i>
Franklin Township Erie County	PAG048768	Jeffrey S. McIntyre 7405 Old State Road Edinboro, PA 16412	Unnamed tributary to French Creek	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

*General Permit Type—PAG-5*

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Telephone No.</i>
Jeannette Westmoreland County	PAG056162	Maloy's Amoco 101 Altman Road Jeannette, PA 15644	Tributary of Brush Run	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
City of Uniontown Fayette County	PAG056168	Fike's Dairy 47 W. Craig St. Uniontown, PA 15401	Unnamed tributary of Redstone Creek	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000

*General Permit Type—PAG-7*

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Site Name &amp; Location</i>	<i>Contact Office &amp; Telephone No.</i>
Burrell Township Westmoreland County	PAG076102	Blairsville Municipal Authority 203 East Market Street Blairsville, PA 15717	Blairsville Municipal Authority WWTP Industrial Park Road Blairsville, PA 15717	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000

*General Permit Type—PAG-8*

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Site Name &amp; Location</i>	<i>Contact Office &amp; Telephone No.</i>
Lackawanna County Throop Borough	PAG082212	Lackawanna River Basin Sewer Authority—Throop Plant		NERO 2 Public Square Wilkes-Barre, PA 18711 (570) 826-2511

*General Permit Type—PAG-9 (SSN)*

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Site Name &amp; Location</i>	<i>Contact Office &amp; Telephone No.</i>
Highland Township Clarion County	PAG098307	Bauer's Septic Service 29998 Route 66 Lucinda, PA 16235	Highland Reclaimed Strip #1 Highland Township Clarion County	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

*General Permit Type—PAG-10*

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Telephone No.</i>
Susquehanna County Hop Bottom and Lenox Townships	PAG102204	Tennessee Gas Pipeline Co. El Paso Tower Nine Greenway Plaza Suite 1666 Houston, TX 77046	Martin's Creek, tributary to Tower Creek, Wyalusing Creek, Wapaseening Creek CWF, WWF	DEP—NERO Water Management 2 Public Square Wilkes-Barre, PA 18711

**PUBLIC WATER SUPPLY PERMITS**

The Department of Environmental Protection (Department) has taken the following actions on applications received under the Safe Drinking Water Act for the construction, substantial modification or operation of a public water system.

Persons aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days from the date of issue of the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

**SAFE DRINKING WATER****Actions taken under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).**

*Southeast Region: Water Supply Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.*

**Permit No. 0901514**, Public Water Supply.

Applicant	<b>Central Bucks School District</b> 320 West Swamp Road Doylestown, PA 18901
Township	Buckingham
County	<b>Bucks</b>
Type of Facility	Public Water Supply System
Consulting Engineer	Boucher and James P. O. Box 904 Doylestown, PA 18901
Permit to Construct Issued	October 25, 2001

**Operations Permit** issued to **Superior Water Company**, 2960 Skippack Pike, Worcester, PA 19490, New Hanover Township, **Montgomery County** on October 25, 2001.

*Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

**Operations Permit** issued to **Great Spring Waters of America, Inc.**, 405 Nestle Way, Breinigsville, PA 18031, Upper Macungie Township, **Lehigh County** on September 27, 2001.

*Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**Permit No. 0101506**, Public Water Supply.

Applicant	<b>Cavalry Heights, Inc.</b>
Municipality	Mt. Pleasant Township
County	<b>Adams</b>
Type of Facility	Issuance of a Construction Permit for a 5,000-gallon finished water storage tank and a finished water pump station at the existing Cavalry Heights mobile home park.
Consulting Engineer	Janet R McNally, P.E. William F. Hill & Assoc., Inc. 207 Baltimore St. Gettysburg, PA 17325
Permit to Construct Issued:	September 14, 2001

**Permit No. 3896505**, Public Water Supply.

Applicant	<b>West Lebanon Township Water Company</b>
Municipality	West Lebanon Township
County	<b>Lebanon</b>
Type of Facility	Designation of Optimal Corrosion Control water quality parameter performance requirements.
Consulting Engineer	Alex A McIntyre, P.E. Alex A. McIntyre, Consulting Engineer 1297 Wheatland Ave. Lancaster, PA 17603
Permit to Operate Issued:	October 18, 2001

**Permit No. 3198503**, Public Water Supply.

Applicant	<b>Mt. Union Area School District—Mapleton Elementary</b>
Municipality	Mapleton Borough
County	<b>Huntingdon</b>
Type of Facility	Designation of Optimal Corrosion Control water quality parameter performance requirements.
Consulting Engineer	Mark V Glenn, P.E. Gwin, Dobson & Foreman, Inc. 3121 Fairway Dr. Altoona, PA 16602-4475



Permit to Operate Issued: October 18, 2001

**Permit No. 0699501**, Public Water Supply.

Applicant **Borough of Shoemakersville**  
 Municipality Borough of Shoemakersville  
 County **Berks**  
 Type of Facility Operation of new water filtration plant.

Consulting Engineer Russell M Smith, P.E.  
 Spotts Stevens and McCoy Inc.  
 345 North Wyomissing Boulevard  
 242 Main Street  
 Reading, PA 19610-0307

Permit to Operate Issued: October 16, 2001

**Permit No. 0101504**, Public Water Supply.

Applicant **Insite Development, LLC**  
 Municipality Berwick Township  
 County **Adams**  
 Type of Facility Construction Permit for Wells No. 3, 6 and 7 and treatment facilities. Permitted pumping rates for the wells are 25, 4 and 9 gallons per minute, respectively. Well No. 3 will be treated using existing facilities. Wells No. 6 and 7 will each have a treatment building. Both will contain greensand filtration and hypochlorite disinfection equipment.

Consulting Engineer Charles A. Kehew II, P.E.  
 James R. Holley & Assoc., Inc.  
 18 South George St.  
 York, PA 17401

Permit to Construct Issued: October 18, 2001

**Permit No. 0696503**, Public Water Supply.

Applicant **Hamburg Municipal Authority**  
 Municipality Windsor Township  
 County **Berks**  
 Type of Facility Operation of a shallow tray aeration system on Well No. 5

Consulting Engineer Karen Pollock, P.E.  
 System Designs Engineering  
 850 Park Road  
 Wyomissing, PA 19610

Permit to Operate Issued: October 22, 2001

**Permit No. 2800507**, Public Water Supply.

Applicant **Guilford Water Authority**  
 Municipality Greene Township  
 County **Franklin**

Type of Facility Construction Permit for Cold Spring Wells No. 11, 12 and 14 and the Ore Bank Hill Well No. 2. The Cold Spring Wells will be operated at rates up to 120, 300 and 1,200 gpm, respectively. The Ore Bank Well will be operated at rates up to 50 gpm. Treatment will be provided at existing, previously permitted facilities.

Consulting Engineer Diana Young, P.E.  
 Buchart-Horn, Inc.  
 P. O. Box 15040  
 York, PA 17405-7040

Permit to Construct Issued: October 22, 2001

*Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**Permit No. 2601501**, Public Water Supply.

Applicant **Indian Creek Valley Water Authority**  
 P. O. Box 486, 2068 Indian Head Road  
 Indian Head, PA 15446-0486

[Borough or Township] Stewart Township

County **Fayette**  
 Type of Facility Tanks, pump station and emergency interconnection with Ohiopyle Borough.

Consulting Engineer Bankson Engineers

Permit to Construct Issued: October 23, 2001

*Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**Operations Permit # 1672501-T1-MA3** issued to **Pennsylvania-American Water Company**, 800 West Hershey Park Drive, P. O. Box 888, Hershey, PA 17033-0888, Clarion and Monroe Townships, **Clarion County** on October 24, 2001.

#### STORMWATER MANAGEMENT

**Action on plans submitted under the Stormwater Management Act (32 P. S. § 680.9).**

*Bureau of Watershed Management, P. O. Box 8555, Harrisburg, PA 17105-8555.*

**Plan No. SWMP 321:06, Tulpehocken Creek Stormwater Management Plan**, as submitted by **Berks County** was approved on August 28, 2001.

**Plan No. SWMP 106, Upper Mahoning Creek Stormwater Management Plan**, as submitted by **Jefferson County**, was approved on February 13, 2001.

#### SEWAGE FACILITIES ACT PLAN APPROVAL

**Plan Approvals Granted under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20).**

*Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

## Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Buck Township	HC1, Box 72 White Haven, PA 18661	Luzerne

Plan Description: The approved plan provides for an on-lot management program. This program will be designed to identify malfunctioning on-lot sewage disposal systems and ensure the proper function and maintenance of on-lot sewage disposal systems located within the Township. The Plan will be implemented by a Sewage Management Committee comprised of three members appointed by the Board of Supervisors. Supervisors may serve on the Committee if there is a lack of members. The Committee will report to the Supervisors and make recommendations. All actions will be the responsibility of the Board of Supervisors. The Department's review of the Plan has not identified any significant environmental impacts resulting from the proposal. The required ordinances for holding tanks, on-lot disposal systems management and other ordinances associated with the implementation of the Township's Official Plan must be implemented and copies sent to the Department of Environmental Protection upon final municipal adoption.

*Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

## Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Greene Township	1145 Garver Ln. Scotland, PA 17254	Franklin County

Plan Description: The approved plan provides for a sewer extension of GTMA sewers to serve 68 new residential lots. Treatment of the wastewater will be at the Borough of Chambersburg wastewater treatment plant. The development is located on both sides of Hafer Road, east of Smoketown Road. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

*Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.*

## Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Herndon Borough	Box 353 Herndon, PA 17830	Northumberland

Plan Description: The approved plan provides for construction of new 60,000 GPD sewage treatment plant with a gravity collection and conveyance system. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

**HAZARDOUS SITES CLEAN-UP UNDER THE ACT  
OF OCTOBER 18, 1988**

**NOTICE OF PROMPT INTERIM RESPONSE**

**ADSCO Site, Tyrone Township, Adams County**

The Department of Environmental Protection (Department), under the authority of the Hazardous Sites

Cleanup Act (HSCA) (35 P. S. §§ 6020.101—6020.1305), has initiated a prompt interim response at the ADSCO site. This response has been undertaken under section 505(b) of the HSCA (35 P. S. § 6020.505(b)). The site is located at Tyrone Township, Adams County, PA.

The ADSCO Site (Site) is located along Cranberry Road approximately 1.5 miles east of the town of Aspers. The area surrounding the Site consists mostly of agricultural lands. There is limited residential development in the vicinity of the Site. The Site, an inactive landfill since 1990, is a 108-acre property on which approximately 25 acres are land filled.

The operators did not properly close the landfill. However, a carbon filtration point-of-entry treatment system was provided for the onsite resident's water supply, a spring, which had been contaminated with volatile organic chemicals (VOCs) above regulatory standards. During site assessment activities, the Department detected the VOC Vinyl Chloride, which had not been previously detected in the water supply. Vinyl Chloride, a Class A Human Carcinogen, is not removed by carbon filtration. Bottled water for drinking purposes was supplied as an emergency measure.

The Department proposes a prompt interim response at this site to protect public health and safety or the environment. This determination is based on the continued release of VOCs to the groundwater and the actual human exposure to hazardous substances via inhalation, ingestion and dermal contact.

The Department considered three alternatives: 1. Continued carbon treatment of the spring supply and provision of bottled water for drinking purposes. Although this alternative removes the ingestion threat posed by the VOCs present, it does not remove the inhalation threat posed by Vinyl Chloride. 2. Addition of an air-stripping unit to the existing carbon filtration treatment system. This alternative removes the inhalation threat associated with Vinyl Chloride. However, there are engineering problems involved with collecting and treating the water from the spring, a surface water source, especially in treating for the bacterial contamination threat often associated with surface water supplies. 3. Replacement of the surface water source with a ground water well and provision of a treatment system utilizing both air stripping and carbon filtration. This alternative removes the inhalation, ingestion and dermal contact threats posed by the VOC contamination. This alternative also avoids the engineering difficulties associated with collecting and treating the spring water and greatly reduces the threat from bacterial contamination posed by the use of a surface water source. This alternative will be protective of human health and the environment.

The Department is providing this notice under sections 505(b) and 506(b) of HSCA (35 P. S. §§ 6020.505(b) and 6020.506(b)) and the publication of this notice starts the administrative record period under HSCA. The Administrative Record which contains information about this site and which supports the Department's decision to perform this action at the site is available for public review and comment. The Administrative Record can be examined from 8 a.m. to 4 p.m. at the Department's Southcentral Regional Office located at 909 Elmerton Avenue, Harrisburg, PA 17110, by contacting Jeff Silar at (717) 705-4842. The Administrative Record can also be reviewed at the Adams County Public Library located at 140 Baltimore Street, Gettysburg, PA 17325 during normal operating hours by contacting the library at (717) 334-5716.

The Administrative Record will be open for comment from the date of publication of this notice in the *Pennsylvania Bulletin* and will remain open for 90 days. Persons may submit written comments regarding this action to the Department before February 9, 2002, by mailing them to Jeff Silar at Department of Environmental Protection, 909 Elmerton Avenue, Harrisburg, PA 17110-8200.

The public will have an opportunity to present oral comments regarding the proposed action at a public hearing. The hearing has been scheduled for December 11, 2001, at 7 p.m. at the Tyrone Township Building located at 5280 Old Harrisburg Road, York Springs, PA 17372. Persons wishing to present formal oral comment at the hearing should register before 4 p.m., December 7, 2001, by calling Sandra Roderick at (717) 705-4931.

If no person registers to present oral comments by December 7, 2001, the hearing will not be held, but will be replaced with an informational meeting. Persons interested in finding out if anyone has registered and if the hearing will be held, should also contact Sandra Roderick at the previous number. An informational meeting will be held following the hearing.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should call Sandra Roderick at the previous number or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995

#### PREAMBLE 2

**The following final reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).**

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of final reports. A final report is submitted to document cleanup of a release of a regulated substance at a site where one of the Act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected.

For further information concerning the final report, contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice of receipt of a final report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following final reports:

*Northeast Regional Field Office, Joseph A. Brogna, Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.*

**PPL—Palmerton Substation**, Lower Towamensing Township, **Carbon County**. PPL Electric Utilities Corporation, Environmental Management Division, 2 North Ninth Street, Allentown, PA, 18101-1179 has submitted a Final Report concerning the remediation of site soils found or suspected to have been contaminated with polychlorinated biphenyls (PCBs). The report was submitted to document remediation of the site to meet the Statewide health standard.

*Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**Inactive Tank Farm Facility—Dominion Transmission (formerly CNG Transmission)**, Independence Township, **Beaver County**. Sheri L. Franz, Dominion Resource Services, Inc. 625 Liberty Avenue, Pittsburgh, PA 15222 (on behalf of Dominion Transmission, 445 West Main Street, Clarksburg, WV 26302) has submitted a Final Report concerning remediation of site soil and groundwater contaminated with PCBs, lead, BTEX and PHCs. The report is intended to document remediation of the site to meet the Statewide Health Standard.

**PPG Industries, Inc.—Former Works No. 5 Facility**, Ford City, **Armstrong County**. Patrick Kelly (on behalf of PPG Industries, Inc., Post Office Box 2009 4325 Rosanna Drive, Building C, Allison Park, PA 15101-2009) has submitted a Final Report concerning remediation of site soil and groundwater contaminated with lead, heavy metals, BTEX, PHCs, PAHs and solvents. The report is intended to document remediation of the site to meet the Site Specific Standard.

**World Kitchen, Inc. (formerly Corning Consumer Products Company)**, Charleroi Borough, **Washington County**. Steve E. Johnson, One Weston Way, West Chester, PA 19380 (on behalf of Corning Incorporated, HP-ME-03-055, Corning, NY 14831 and Borden, Inc., 180 E. Broad Street, 28th Floor, Columbus, OH 43215-3799) has submitted a Final Report concerning remediation of site soil and groundwater contaminated with PCBs, lead, heavy metals, pesticides, solvents, BTEX, PHCs and PAHs. The report is intended to document remediation of the site to meet the Statewide Health Standard.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995

#### PREAMBLE 3

**The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).**

Provisions of 25 Pa. Code § 250.8, Administration of the Land Recycling and Environmental Remediation Standards Act (Act) requires the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the Land Recycling and Environmental Remediation Standards Act. Plans and reports required by provisions of the Act for compliance with selection of remediation to a site-specific standard,

in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media; benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. A cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following final reports:

*Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**Boutronics Corporation**, Greensburg, **Westmoreland County**. J. Christopher Hartigan, The Fourth River Company, 1550 Obey Street, Suite 20, Pittsburgh, PA 15205 (on behalf of Boutronics Corporation, 3000 Lillian Drive, Murrysville, PA 15668) has submitted a Final Report concerning the remediation of site soil and groundwater contaminated with BTEX. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on October 15, 2001.

**Federal Laboratory Site Area 11**, Conemaugh Township, **Indiana County**. Kelly R. McIntosh, Geomatrix Consultants, Inc., 338 Harris Hill Road, Suite 201 Williamsport, NY 14221 (on behalf of TransTechnology Corporation, 150 Allen Road, Liberty Corner, NJ 07938) has submitted a Cleanup Plan for Area 11 concerning the remediation of site soil contaminated with heavy metals. The Cleanup Plan was disapproved by the Department on October 15, 2001.

**PPG Industries, Inc. Former Works No. 5 Facility**, Ford City, **Armstrong County**. Patrick Kelly (on behalf of PPG Industries, Inc., Post Office, Box 2009, 4325 Rosanna Drive, Building C, Allison Park, PA 15101-2009) has submitted a Cleanup Plan concerning the remediation of site soil and groundwater contaminated with lead, heavy metals, BTEX, PHCs, PAHs and solvents. The Cleanup Plan was approved by the Department on October 23, 2001.

**PPG Slurry Lagoon Area**, North Buffalo/Cadogan Township, **Armstrong County**. John J. Mahfood, Key Environmental Inc., Rosslyn Farms Industrial Park, 1200

Arch Street, Suite 200, Carnegie, PA 15106 (on behalf of PPG Industries, Inc., Post Office Box 2009, 4325 Rosanna Drive, Building C, Allison Park, PA 15101-2009 and the Borough of Ford City, Post Office Box 12, Ford City, PA 16226) has submitted a Remedial Investigation Report concerning the remediation of site soil and groundwater contaminated with lead, heavy metals, BTEX, TAL Metals + Cyanide, PAHs, TCL VOCs and TCL SVOCs. The Remedial Investigation Report was approved by the Department on October 19, 2001.

**World Kitchen, Inc. (formerly Corning Consumer Products Company)**, Charleroi Borough, **Washington County**. Steve E. Johnson, One Weston Way, West Chester, PA 19380 (on behalf of Corning Incorporated, HP-ME-03-055, Corning NY 14831 and Borden, Inc., 180 E. Broad Street 28th Floor, Columbus, OH 43215-3799) has submitted a Final Report concerning the remediation of site soil and groundwater contaminated with PCBs, lead, heavy metals, pesticides, solvents, BTEX, PHCs and PAHs. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on October 19, 2001.

*Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**National Fuel Gas Company** (Van Compressor Station), Route 322, Van, PA, **County of Venango**, Rochland and Cranberry Townships, had submitted a Site Characterization Report concerning remediation of groundwater. The report was approved by the Department on October 25, 2001, and did demonstrate attainment of the site to meet the Site Specific Standard and the Statewide Health Standard.

#### HAZARDOUS WASTE TRANSPORTER LICENSE

**Actions on applications for Hazardous Waste Transporter License received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to transport hazardous waste.**

*Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.*

#### HAZARDOUS WASTE TRANSPORTER LICENSE RENEWED

**Enmanco. Corp.**, P. O. Box 807, Mt Clemens, MI 48046. License No. **PA-AH 0574**. Effective October 29, 2001.

**Fred Pugliese d/b/a Plainfield Motor Service**, 724 W. Route 126, Plainfield, IL 60544. License No. **PA-AH 0573**. Effective October 29, 2001.

**Safety-Kleen Systems, Inc.**, 1301 Gervais St, Suite 300, Columbia, SC 29211. License No. **PA-AH 0172**. Effective October 24, 2001.

#### INFECTIOUS AND CHEMOTHERAPEUTIC WASTE TRANSPORTER LICENSE

**Actions on applications for Infectious and Chemotherapeutic Waste Transporter License received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and the Infectious and Chemotherapeutic Waste Law (35 P. S. §§ 6019.1—6019.6) and regulations to transport infectious and chemotherapeutic waste.**

*Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.*

**INFECTIOUS AND CHEMOTHERAPEUTIC WASTE  
TRANSPORTER LICENSE RENEWED**

**J. J. Keller & Associates, Inc.**, 3003 W. Breezewood Lane, Neenah, WI 54957. License No. **PA-HC 0201**. Effective October 24, 2001.

**HAZARDOUS WASTE TREATMENT, STORAGE AND  
DISPOSAL FACILITIES**

**Draft permits issued, revised or withdrawn under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and Regulations to Operate a Hazardous Waste Treatment, Storage or Disposal Facility.**

*Southeast Region: Division of Municipal and Residual Waste, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.*

**PAD085690592. Republic Environmental Systems (Pennsylvania) Inc.**, 2869 Sandstone Drive, Hatfield, PA 19440, Hatfield Township, **Montgomery County**. Draft permit issued by the Southeast Regional Office on October 23, 2001.

**Draft permits issued, revised or withdrawn under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and Regulations to Operate a Hazardous Waste Treatment, Storage or Disposal Facility.**

*Northeast Region: Division of Municipal and Residual Waste, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

**Draft Hazardous Waste Permit**

**Permit ID No. PAD002389559. Keystone Cement Company**, P. O. Box A, Bath, PA 18014-0058, East Allen Township, **Northampton County**.

The Department of Environmental Protection (DEP) proposes to renew Keystone Cement Company's Hazardous Waste Storage permit. The Hazardous Waste Storage Facility consists of the utilized site access roads, utilized weight scales, site laboratory, the new Truck Staging Area, a Truck Unloading Area and the Hazardous Waste Storage Tank System, including all ancillary systems and the connection to the site cement kilns. This permit regulates the incoming approved wastes from the moment of arrival onsite until beneficial use as fuel in the site cement kilns. The draft permit also addresses Keystone Cement's request to modify their existing permit to account for new hazardous Waste Codes K169 and K170, an expansion of the Truck Unloading Area, a new Truck Staging Area and other changes. Various permit conditions have also been updated.

A public hearing is scheduled for December 13, 2001, at 7 p.m. The hearing will be held at the Northampton County Community College, 3835 Green Pond Road, Bethlehem, PA. The public hearing will be held on the draft permit for Hazardous Waste Storage.

Copies of the application, draft permit and fact sheet for the Hazardous Waste Facility may be reviewed at the following offices of the DEP: Bethlehem District Office, 4530 Bath Pike, Bethlehem, PA 18017, (610) 861-2070; Northeast Regional Office, 2 Public Square, Wilkes-Barre,

PA 18711-0790, (570) 826-2511, Contact: Robert C. Wallace, Chief, Engineering and Facilities Section, Waste Management Program.

Those interested in reviewing the draft permit and fact sheet should call to schedule a date to review the files. Additional information regarding the Keystone Cement Company facility is available at the Northeast (Wilkes-Barre) Regional Office. Call Records Management at (570) 826-5472 to set up any file review at the Wilkes-Barre Regional Office.

DEP, in completing its review and prior to taking final action on the permit application to Keystone Cement Company, will consider all written comments received during the comment period and oral or written statements received during the public hearing, the requirements of the hazardous waste regulations of 25 Pa. Code Chapter 260a—270a and 40 CFR Parts 260—270 and 273 as incorporated by reference and the DEP's permitting policies.

The public will be given 45 days to comment on the draft permit prepared under the Solid Waste Management Act. The comment period will begin on November 10, 2001, and will end on December 25, 2001. Any person interested in commenting on the application or draft permit must do so within this comment period.

Persons intending to make a presentation at the hearing should submit written notice to William Tomayko, Program Manager, Department of Environmental Protection, Waste Management Program, 2 Public Square, Wilkes-Barre, PA 18711-0790. This written notice should include the person's name, address, telephone number and a brief description as to the nature of the testimony. Comments should be kept brief and, depending on the number of speakers, may be limited to 10 minutes per speaker. Where groups are represented, a spokesperson is requested to present the group's concerns. DEP requests that individuals present written copies of their testimony in addition to their oral presentation.

Persons may present oral or written statements or data concerning the draft permit directly to DEP before, during or after the public hearing, as long as DEP receives the statement and data before December 25, 2001. Comments should include name, address and telephone number of the writer and a concise statement to inform DEP regarding the exact basis of any comment and relevant fact on which it is based.

Following the public comment period, the Regional Waste Management Program Manager will make a final determination regarding the draft hazardous waste permit modification. Notice of this determination will be published in the *Pennsylvania Bulletin*, at which time the determination may be appealed to the Environmental Hearing Board. DEP will provide a written justification for changes to the draft hazardous waste permit to persons providing comment to DEP.

Persons with disabilities who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact Richard Shudak of DEP at (570) 826-2060 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how DEP may accommodate their needs.

## RESIDUAL WASTE GENERAL PERMITS

**Permits Issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.**

*Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.*

**General Permit Application No. WMGR072. R. E. Pierson Construction Co., Inc.,** P. O. Box 430, Woodstown, NJ 08098-0430. General Permit Numbered WMGR072 for the beneficial use of dewatered dredge waste as a roadbed material in roadway construction was issued by Central Office on October 22, 2001.

Persons interested in reviewing the general permit may contact Ronald C. Hassinger, Chief, General Permits and Beneficial Use Section, Division of Municipal and Residual Waste, Bureau of Land Recycling and Waste Management, P. O. Box 8472, Harrisburg, PA 17105-8472, (717) 787-7381. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984.

**OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE**

**Permits Issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.**

*Southeast Region: Regional Solid Waste Manager; Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.*

**Permit No. 101429. Richard S. Burns and Company, Inc.** 4300 Rising Sun Avenue, Philadelphia, PA 19140, City of Philadelphia. Richard S. Burns Transfer Station permit modified to increase facility's daily volume and to authorized phased construction of onsite facility improvements. The permit was issued by the Southeast Regional Office on October 25, 2001.

**Permit No. 101567. Construction Demolition Recycling, Inc.,** 1060 Industrial Boulevard, Southampton, PA 18966, Upper Southampton Township, **Bucks County.** The permit was renewed for a 10-year term for the continued operation of the waste transfer station. The permit was issued by the Southeast Regional Office on October 25, 2001.

**Permit No. 100148. Waste Management Disposal Services of Pennsylvania, Inc.,** 1121 Bordertown Road, Morrisville, PA 19067, Falls Township, **Bucks County.** Permit modified to allow the GROWS Landfill scale house facility to be jointly utilized by the Tullytown Resource Recovery Facility. The permit was modified by the Southeast Regional Office on October 25, 2001.

**Permit No. 101494. Waste Management of Pennsylvania, Inc.,** 1121 Bordertown Road, Morrisville, PA 19067, Borough of Tullytown and Falls Township, **Bucks County.** Permit modified to reflect Tullytown Resource Recovery Facility's joint use of the GROWS Landfill scale house facility. The permit was modified by the Southeast Regional Office on October 25, 2001.

## AIR QUALITY

**Plan Approvals Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.**

*Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428; Contact: Thomas McGinley, New Source Review Chief, (610) 832-6242.*

**15-0041: Eastern Shore Natural Gas Co.** (604 Street Road, Cochranville, PA 19330) on October 23, 2001, for operation of two natural gas internal engines in Londonberry Township, **Chester County.**

**46-0036D: Visteon SYS LLC** (2750 Morris Road, Lansdale, PA 19446) on October 23, 2001, for operation of a Wave Solder No. 12 in Worcester Township, **Montgomery County.**

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Ronald Davis, New Source Review Chief, (717) 705-4702.*

**06-03091: The Rose Corp.** (P. O. Box 15208, Reading, PA 19612-5208) on October 25, 2001, for modification of a surface coating and grit blasting operation controlled by filters and a fabric collector in the City of Reading, **Berks County.**

**31-05011C: U. S. Silica Co.** (P. O. Box 187, Berkeley Springs, WV 25411) on October 23, 2001, for modification of existing fluid bed dryer to use additional fuels of No. 4 Oil, No. 6 Oil and Recycled Oil at its Mapleton Depot Plant facility in Brady Township, **Huntingdon County.** This facility is subject to 40 CFR Subpart 000—Standards of Performance for Nonmetallic Mineral Processing Plants.

**Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.**

*Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428; Contact: Thomas McGinley, New Source Review Chief, (610) 832-6242.*

**15-0029B: Dopaco, Inc.** (241 Woodbine Road, Downingtown, PA 19335) on October 23, 2001, for operation of a packaging rotogravure printing press in Downingtown Borough, **Chester County.**

**15-0021: Glasgow, Inc.** (660 Morehall Road, Frazer, PA 19335) on October 23, 2001, for operation of an asphalt plant and quarry in East Whiteland Township, **Chester County.**

**46-0166: M & M Stone Co.** (Indian Creek Road, Harleysville, PA 19438) on October 23, 2001, for operation of a batch asphalt plant in Lower Salford Township, **Montgomery County.**

**46-0081B: Markel Corp.** (416 School Lane, Norristown, PA 19404) on October 23, 2001, for operation of two horizontal extruders in Plymouth Township, **Montgomery County.**

**23-0001E: Sunoco, Inc.** (Delaware Avenue and Green Street, Marcus Hook, PA 19061) on October 23, 2001, for operation of a storage tank in Marcus Hook Borough, **Delaware County**.

**09-0112A: Superior Woodcraft, Inc.** (160 North Hamilton Street, Doylestown, PA 18901) on October 23, 2001, for operation of floor type spray booths in Doylestown Borough, **Bucks County**.

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Ronald Davis, New Source Review Chief, (717) 705-4702.*

**67-03031: Pennex Aluminum Co.** (P. O. Box 100, Wellsville, PA 17365) on August 26, 2001, for construction of a 70-ton reverberatory furnace in Wellsville Borough, **York County**. This plan approval was extended.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; Contact: David Aldenderfer, Program Manager, (570) 327-3637.*

**49-0013A: Sunbury Property, LLC, owner and Knight-Celotex, LLC, operator** (1400 Susquehanna Avenue, Sunbury, PA 17801) on October 22, 2001, for the transfer of approval to install an air cleaning device (a regenerative thermal oxidizer) on a fiberboard dryer from a previous owner and operator, Celotex Corp., in the City of Sunbury, **Northumberland County**.

**08-318-027A: Mill's Pride—PA** (100 Lamoka Road, Sayre, PA 18840) on October 24, 2001, to extend the authorization to operate a wood kitchen cabinet glazing line, the air contaminant emissions from which are controlled by a regenerative thermal oxidizer, on a temporary basis until February 21, 2002, in Athens Township, **Bradford County**.

---

**Title V Operating Permits Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.**

---

*Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428; Contact: Edward Brown, Facilities Permitting Chief, (610) 832-6242.*

**15-00031: Henry Co.** (Cold Stream Road, Kimberton, PA 19442) on October 25, 2001, for operation of a Facility Title V Operating Permit in East Pikeland Township, **Chester County**.

**15-00025: Kimball International Marketing, Inc./ dba Transwall** (1220 Wilson Drive, West Chester, PA 19380) on October 25, 2001, for operation of a Facility Title V Operating Permit in West Goshen Township, **Chester County**.

**46-00081: Markel Corp.** (416 School Lane, Norristown, PA 19404) on October 25, 2001, for operation of a Facility Title V Operating Permit in Plymouth Township, **Montgomery County**.

**09-00030: MSC Pre Finish Metals, Inc.** (120 Enterprise Avenue, Morrisville, PA 19067) on October 25, 2001, for operation of a Facility Title V Operating Permit in Falls Township, **Bucks County**.

**15-00015: Sartomer Co., Inc.** (610 South Bolmar Street, West Chester, PA 19382) on October 25, 2001, for operation of a Facility Title V Operating Permit in West Chester Borough, **Chester County**.

**46-00156: Universal Packaging Corp.** (1196 Easton Road, Horsham, PA 19044) on October 25, 2001, for operation of a Facility Title V Operating Permit in Horsham Township, **Montgomery County**.

**15-00027: Johnson Matthey, Inc.** (456 Devon Park Drive, Wayne, PA 19087) on October 24, 2001, for operation of a Facility Title V Operating Permit in Tredyffrin Township, **Chester County**.

**46-00079: Naval Air Station Joint Reserve Base** (County Line Road and Route 611, Willow Grove, PA 19090) on October 24, 2001, for operation of a Facility Title V Operating Permit in Horsham Township, **Montgomery County**.

---

**Operating Permit for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.**

---

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Leif Ericson, Program Manager, (717) 705-4702.*

**28-03033: Nitterhouse Concrete Products, Inc.** (2655 Molly Pitcher Highway South, Box N, Chambersburg, PA 17201) on October 23, 2001, for operation of a concrete and brick manufacturing facility in Chambersburg Borough, **Franklin County**.

---

**Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.**

---

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; Contact: David Aldenderfer, Program Manager, (570) 327-3637.*

**49-00002: ConAgra Grocery Products Co.** (30 Marr Street Milton, PA 17847) issued a revised operating permit, Revision No. 1, on October 23, 2001, for the change of ownership of the Milton plant from International Home Food Products Inc. to ConAgra Grocery Products Co. This facility is located in Milton Borough, **Northumberland County**. This Title V operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

**14-00005: State Correctional Institute at Rockview** (Box A, Bellefonte, PA 16823) issued a revised operating permit, Revision No. 1, on October 24, 2001, to allow for modifications in the specifications of coal burned at the facility. This facility is located in Benner Township, **Centre County**. This Title V operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

**08-313-011C: OSRAM SYLVANIA Products, Inc.** (Hawes Street, Towanda, PA 18848-0504) on October 24, 2001, to incorporate conditions established in Plan Approval 08-313-011D for the installation of air cleaning devices (a fabric collector and a HEPA filter) on a powdered metal spray dryer, as well as for the modification of the subject spray dryer (increase in the emission of particulate matter, chromium, nickel and cobalt), in North Towanda Township, **Bradford County**.

## ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

**Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 Water Quality Certification and the NPDES permit application. Mining activity permits issued in response to the applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).**

### Coal Permits Actions

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454, (570) 621-3118.*

**54851332R3. RS & W Coal Company** (R. R. 1 Box 36, Klingerstown, PA 17941), renewal of an existing anthracite underground mine operation in Norwegian Township, **Schuylkill County** affecting 2.1 acres, receiving stream—West Branch Schuylkill River. Application received: December 28, 2000. Renewal issued: October 24, 2001.

**49663004R3. Reading Anthracite Company** (P. O. Box 1200, Pottsville, PA 17901) renewal of an existing anthracite surface mine operation in Zerbe and West Cameron Townships, **Schuylkill County** affecting 2.1 acres, receiving stream—none. Application received: October 27, 2000. Renewal issued: October 24, 2001.

*Hawk Run District Mining Office: Empire Road, P. O. Box 209, Hawk Run, PA 16840-0209, (814) 342-8200.*

**17990105 and NPDES Permit No. PA 0238261, Waroquier Coal Company** (P. O. Box 128, Clearfield, PA 16830), transfer of an existing bituminous surface mine-auger permit from W. Ruskin Dressler, located in Brady Township, **Clearfield County** affecting 75 acres. Receiving streams: unnamed tributary to Luthersburg Branch, Luthersburg Branch, unnamed tributary to LaBorde Branch and LaBorde Branch to the West Branch of the Susquehanna River. Application received: February 13, 2001. Permit issued: October 16, 2001.

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.*

**56960102. Hoffman Mining, Inc.**, P. O. Box 130, 118 Runway Road, Friedens, PA 15541. Permit Revision to change the land use for the premining land use of forestland to be restored to pastureland or land occasionally cut for hay post-mining in Paint Township, **Somerset County**, affecting 196.0 acres. Receiving streams: Weaver Creek to Paint Creek classified for the following use: cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: May 9, 2001. Permit issued: October 26, 2001.

*Knox District Mining Office: White Memorial Building, P. O. Box 669, Knox, PA 16232-0669, (814) 797-1191.*

**33990101. Amerikohl Mining, Inc.** (202 Sunset Drive, Butler, PA 16001). Revision to an existing bituminous surface strip and auger operation in Winslow Township, **Jefferson County** affecting 127.8 acres. Receiving streams: unnamed tributary to Soldier Run and Soldier Run. Application received: January 11, 1999. Permit issued: October 17, 2001.

This permit was issued under a Project XL agreement between the DEP and the United States Environmental Protection Agency (EPA). Project XL is EPA's program to test innovative approaches to environmental protection using regulatory flexibility to achieve superior environmental performance. Under Project XL, a Consent Order and Agreement between Amerikohl Mining, Inc. was executed on October 17, 2001. The purpose of this agreement is to improve water quality in Soldier Run (Jefferson County) through encouraging re-mining and acid mine drainage abatement measures. The agreement will base compliance on in-stream water quality and the implementation of best management practices (BMPs), instead of numeric effluent limitations measured at individual discharge points. The agreement applies only to this surface mining permit. Soldier Run is one of up to eight acid mine drainage impacted watersheds where this approach under Project XL will be evaluated. The full text of the Consent Order and Agreement and the Project XL agreement can be obtained at [www.dep.state.pa.us/dep/deputate/minres/districts/projectxl](http://www.dep.state.pa.us/dep/deputate/minres/districts/projectxl) or by contacting DEP's Knox or Hawk Run District Offices.

### Noncoal Permits Actions

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454, (570) 621-3118.*

**66010801. Robert R. Shupp** (P. O. Box 246, Factoryville, PA 18419), small quarry operation in Nicholson Borough, **Wyoming County**, affecting 2.0 acres. Receiving stream: Tunkhannock Creek. Application received: June 28, 2001. Permit issued: October 23, 2001.

**58010847. Duane L. Jarauld** (R. R. 7, Box 7038, Montrose, PA 18801), small quarry operation in Oakland Township, **Susquehanna County**, affecting 2 acres. Receiving stream: None. Application received: August 27, 2001. Permit issued: October 23, 2001.

*Greensburg District Mining Office: Armbrust Building, R. R. 2 Box 603-C, Greensburg, PA 15601-0982, (724) 925-5500.*

**26870202. Carriage Mining, Inc.** (1406 Highview Drive, Greensburg, PA 15601). Revision permit issued for commencement, operation and reclamation of a noncoal surface mine located in German Township, **Fayette County** affecting 103.2 acres. Receiving streams: unnamed tributaries to Browns Run to the Monongahela River. Revision application received: September 14, 2001. Revision permit issued: October 26, 2001.

*Knox District Mining Office: White Memorial Building, P. O. Box 669, Knox, PA 16232-0669, (814) 797-1191.*

**10012804. Parker Sand & Gravel Co.** (P. O. Box 0, Parker, PA 16049) Commencement, operation and restoration of a small noncoal sand and gravel operation in Parker Township, **Butler County** affecting 6.7 acres. Receiving streams: unnamed tributaries to Allegheny River. Application received: April 2, 2001. Permit Issued: October 15, 2001.

### Small Noncoal Permit—Final Bond Release

*Greensburg District Mining Office: Armbrust Building, R. R. 2 Box 603-C, Greensburg, PA 15601-0982, (724) 925-5500.*



**26932303. David M. Stronko** (P. O. Box 164, Lemont Furnace, PA 15456). Final bond release for a small noncoal mining operation in Franklin and Dunbar Townships, **Fayette County**. Restoration of 34.1 acres completed. Receiving streams: Bute Run to Redstone Creek to Monongahela River. Application for final bond release received: May 24, 2001. Final bond release approved: October 16, 2001.

*Hawk Run District Mining Office: Empire Road, P. O. Box 209, Hawk Run, PA 16840-0209, (814) 342-8200.*

**53990801, Thomas L. Kisiel** (P. O. Box 126, Coudersport, PA 16915). Final bond release for a small noncoal mining operation in Roulette Township, **Potter County**. Restoration of 1 acre completed. Receiving stream: Allegheny River. Application received: September 14, 2001. Final bond release approved: October 26, 2001.

#### ACTIONS ON BLASTING ACTIVITY APPLICATIONS

**Actions on applications under the Explosives Acts of 1937 and 1957 (43 P.S. §§ 151—161); and 25 Pa. Code § 211.124 (relating to blasting activity permits). Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.**

#### *Blasting Permits Actions*

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454, (570) 621-3118.*

**36014033. Gerlach's Drilling & Blasting** (172 Bender Mill Road, Lancaster, PA 17603), construction blasting in Manor Township, **Lancaster County** with an expiration date of January 31, 2003. Permit issued: October 22, 2001.

**36014034. Gerlach's Drilling & Blasting** (172 Bender Mill Road, Lancaster, PA 17603), construction blasting in East Hempfield Township, **Lancaster County** with an expiration date of November 30, 2001. Permit issued: October 22, 2001.

**38014019. Gerlach's Drilling & Blasting** (172 Bender Mill Road, Lancaster, PA 17603), construction blasting in South Lebanon Township, **Lebanon County** with an expiration date of January 31, 2003. Permit issued: October 22, 2001.

**40014006. Hayduk Enterprises** (P. O. Box 554, Dalton, PA 18414), construction blasting in Lehman Township, **Luzerne County** with an expiration date of November 16, 2001. Permit issued: October 22, 2001.

**40014007. Hayduk Enterprises** (P. O. Box 554, Dalton, PA 18414), construction blasting in Jenkins Township, **Luzerne County** with an expiration date of November 30, 2001. Permit issued: October 22, 2001.

**06014015. American Rock Mechanics, Inc.** (7531 Chestnut Street, Zionsville, PA 18042), construction blasting in Exeter Township, **Berks County** with an expiration date of November 30, 2002. Permit issued: October 23, 2001.

**28014016. Sheehan Pipe Line Construction Co.** (2431 E. 61st Street, Suite 700, Tulsa, OK 74136-1267), construction blasting in Guilford Township, **Franklin County** with an expiration date of June 30, 2002. Permit issued: October 23, 2001.

**35014003. Dominick DeNaples** (400 Mill Street, Dunmore, PA 18512), construction blasting for Mount

Margaret Estates in the City of Scranton, **Lackawanna County** with an expiration date of January 31, 2007. Permit issued: October 23, 2001.

**36014035. Keystone Blasting Service** (381 Reifsnyder Road, Lititz, PA 17543), construction blasting in Ephrata Borough, **Lancaster County** with an expiration date of December 31, 2001. Permit issued: October 23, 2001.

**36014036. Keystone Blasting Service** (381 Reifsnyder Road, Lititz, PA 17543), construction blasting in West Lampeter Township, **Lancaster County** with an expiration date of November 30, 2003. Permit issued: October 23, 2001.

**36014040. Gerlach's Drilling & Blasting** (172 Bender Mill Road, Lancaster, PA 17603), construction blasting in Manor Township, **Lancaster County** with an expiration date of January 1, 2003. Permit issued: October 23, 2001.

**36014043. Gerlach's Drilling & Blasting** (172 Bender Mill Road, Lancaster, PA 17603), construction blasting in Lancaster Township, **Lancaster County** with an expiration date of November 30, 2001. Permit issued: October 23, 2001.

**36014044. Gerlach's Drilling & Blasting** (172 Bender Mill Road, Lancaster, PA 17603), construction blasting in Lancaster Township, **Lancaster County** with an expiration date of December 31, 2001. Permit issued: October 23, 2001.

**54014006. Seema Construction** (252 Bow Creek Road, Grantville, PA 17028), construction blasting in Cass Township, **Schuylkill County** with an expiration date of March 31, 2002. Permit issued: October 23, 2001.

**01014004. Rogele, Inc.** (1025 S. 21st Street, P. O. Box 1757, Harrisburg, PA 17105-1757), construction blasting in Straban Township, **Adams County** with an expiration date of December 15, 2001. Permit issued: October 24, 2001.

**01014005. Conewago Enterprises, Inc.** (660 Edgegrove Road, Hanover, PA 17331), construction blasting in Menallen Township, **Adams County** with an expiration date of January 15, 2002. Permit issued: October 24, 2001.

**06014013. Schlouch, Inc.** (Excelsior Industrial Park, P. O. Box 69, Blandon, PA 19510), construction blasting in Spring Township, **Berks County** with an expiration date of May 31, 2002. Permit issued: October 24, 2001.

**06014014. Schlouch, Inc.** (Excelsior Industrial Park, P. O. Box 69, Blandon, PA 19510), construction blasting in Amity Township, **Berks County** with an expiration date of June 30, 2002.

**21014018. Hall Explosives, Inc.** (2981 Elizabethtown Road, Hershey, PA 17033), construction blasting in Silver Springs Township, **Cumberland County** with an expiration date of November 30, 2002.

**28014018. David H. Martin Excavating, Inc.** (4961 Cumberland Highway, Chambersburg, PA 17201), construction blasting in Antrim Township, **Franklin County** with an expiration date of February 28, 2002. Permit issued: October 24, 2001.

**36014038. Gerlach's Drilling & Blasting** (172 Bender Mill Road, Lancaster, PA 17603), construction blasting in Manor Township, **Lancaster County** with an expiration date of December 15, 2001. Permit issued: October 24, 2001.

**36014039. Gerlach's Drilling & Blasting** (172 Bender Mill Road, Lancaster, PA 17603), construction blasting in East Hempfield Township, **Lancaster County** with an expiration date of December 15, 2001. Permit issued: October 24, 2001.

**36014041. Keystone Blasting Service** (381 Reifsnyder Road, Lititz, PA 17543), construction blasting in East Hempfield Township, **Lancaster County** with an expiration date of December 31, 2001. Permit issued: October 24, 2001.

**36014042. Hall Explosives, Inc.** (2981 Elizabethtown Road, Hershey, PA 17033), construction blasting in Manheim Township, **Lancaster County** with an expiration date of August 30, 2002. Permit issued: October 24, 2001.

**67014012. E. G. Stoltzfus, Inc.** (474 Mt. Sidney Road, Lancaster, PA 17601), construction blasting in Springettsbury Township, **York County** with an expiration date of November 30, 2007. Permit issued: October 24, 2001.

*Hawk Run District Mining Office: Empire Road, P. O. Box 209, Hawk Run, PA 16840-0209, (814) 342-8200.*

**14015002. Douglas Explosives, Inc.** (P. O. Box 77, Philipsburg, PA 16866), construction blasting in Rush Township, **Centre County**, expected duration of 55 days. Permit issued: October 9, 2001.

**14014015. Stone Valley Construction** (P. O. Box 369, Pine Grove Mills, PA 16868), construction blasting in College Township, **Centre County**, expected duration of 120 days. Permit issued: October 25, 2001.

*Greensburg District Mining Office: Armbrust Building, R. 2 Box 603-C, Greensburg, PA 15601-0982, (724) 925-5500.*

**65014002. Heritage Estates L.P.** has been issued a blasting activity permit for construction located in Murrsville Borough, **Westmoreland County**, with an expected duration of 25 days. Permit issued: October 22, 2001.

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.*

**32014001. Kukurin Contracting**, R. D. 2, Route 286, Export, PA 15632, construction of sewer line pump station, in Saltsburg, PA, **Indiana County** and expected duration of 30 days. Permit Issued: October 23, 2001.

*Knox District Mining Office: White Memorial Building, P. O. Box 669, Knox, PA 16232-0669, (814) 797-1191.*

**10014002. Mark Mashuda Excavating** (113 Lakeland Drive, Mars, PA 16046). Blasting activity permit to blast at a housing development on Kreiss Road in Lancaster Township, **Butler County** for 10 days. Application received: September 12, 2001. Application issued: September 17, 2001.

**33014004. Kukurin Contracting, Inc.** (R. D. 2, Route 286, Export, PA 15632-9802). Blasting activity permit to blast Summerville sewer project in Summerville Borough, **Jefferson County** for 5 days. Application received: September 5, 2001. Application issued: September 17, 2001.

These actions of the Department of Environmental Protection (Department) may be appealed to the Environmental Hearing Board (Board), Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483, by any aggrieved person under the Environmental Hearing

Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Appeals must be filed with the Board within 30 days from the date of this issue of the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Department's regulations governing practice and procedure before the Board may be obtained from the Board.

#### **FEDERAL WATER POLLUTION CONTROL ACT SECTION 401**

The Department of Environmental Protection has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341(a)).

Except as otherwise noted, the Department of Environmental Protection certifies that the construction and operation herein described will comply with the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State Water Quality Standards.

Any person aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

**Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law (35 §§ 691.1—691.702) and Notice of Final Action for Certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).** (Note: Water Obstruction and Encroachment Permits issued for Small Projects do not include 401 Certification, unless specifically stated in the description.)

*Permits Issued and Actions on 401 Certifications:*

#### **WATER OBSTRUCTIONS AND ENCROACHMENTS**

*Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.*

**E15-665. R.E.I., Inc.**, 935 West Milner Street, West Chester, PA 19382, East Bradford Township, **Chester County**, ACOE Philadelphia District.

To fill in a 2.2 acre off-stream, man-made pond which is located adjacent to Black Horse Run (TSF, MF), within The West End Swim and Tennis Club. The site is located approximately 500 feet northeast of the intersection of

Birmingham Road and Milner Street (Unionville, PA Quadrangle N: 12.1 inches; W: 0.6 inch).

**E15-647. William S. Hoffman**, 1037 Schuylkill Road, Phoenixville, PA 19460, East Vincent Township, **Chester County**, ACOE Philadelphia District.

To perform the following activities within the proposed Waynefield Residential Subdivision:

1. To install and maintain an 80 linear foot long roadway crossing consisting of a 60-inch by 36-inch elliptical reinforced concrete pipe, concrete headwalls and rock aprons across an unnamed tributary to the French Creek (HQ, TSF) impacting 0.40 acre of wetlands associated with the construction of Heritage Drive in the northwest portion of the site (Phoenixville, PA USGS Quadrangle N: 5.8 inches; W: 12.4 inches).

2. To install and maintain an 85 linear foot long roadway crossing consisting of a 54-inch corrugated metal pipe, concrete headwalls and rock aprons across an unnamed tributary to the French Creek (HQ, TSF) impacting 0.10 acre of wetlands associated with the construction of Heritage Drive in the northwest portion of the site (Phoenixville, PA USGS Quadrangle N: 5.6 inches; W: 12.1 inches).

3. To install and maintain a 63 linear foot long roadway crossing consisting of a 10-foot by 3.5-foot corrugated metal arch, concrete headwalls and rock aprons across an unnamed tributary to the French Creek (HQ, TSF) impacting 0.20 acre of wetlands associated with the construction of Center Creek Drive located approximately 75 feet downstream of the confluence of the two upstream tributaries (Phoenixville, PA USGS Quadrangle N: 5.4 inches; W: 12.2 inches).

4. To install and maintain a 24-inch outfall structure associated with stormwater conveyance system along an unnamed tributary to the French Creek (HQ, TSF) in the vicinity of where the tributary exists the site (Phoenixville, PA USGS Quadrangle N: 4.8 inches; W: 12.3 inches).

5. To install and maintain a 30-inch outfall structure associated with stormwater conveyance system within the 100-year floodway of an unnamed tributary to the French Creek (HQ, TSF) just downstream from activity No. 3 (Phoenixville, PA USGS Quadrangle N: 5.3 inches; W: 12.2 inches).

This project will impact approximately 270 linear feet of stream and 0.38 acre if wetlands and is located approximately 1,700 feet northeast of the intersection of West Seven Stars Road and Lucas Road (Phoenixville, PA USGS Quadrangle N: 5.1 inches; W: 12.1 inches). The permittee proposes to construct a total of 0.38 acre of replacement wetlands.

**E51-169. Philadelphia Industrial Development Corporation**, 1500 Market Street, 2600 Centre Square West, Philadelphia, PA 19102, City of Philadelphia, **County of Philadelphia**, ACOE Philadelphia District.

To maintain approximately 0.15 acre of fill within wetlands (PEM) associated with the Otten Flavors at the Eastwick Industrial Park. The site is located just east of Bartram and Holstein Avenues (Philadelphia USGS Quadrangle N: 3.5 inches, W: 15.2 inches). The Permittee has agreed to provide a minimum of 0.43 acre of replacement wetlands.

**E51-191. City of Philadelphia**, Department of Streets, Bridge Unit, 830 Municipal Services Building,

1401 JFK Boulevard, Philadelphia, PA 19102-1676, City of Philadelphia, **County of Philadelphia**, ACOE Philadelphia District.

To replace, construct and maintain the Germantown Avenue Bridge crossing the Wissahickon Creek (TSF). The project involves the removal of the existing 9-span concrete T-beam bridge. The bridge replacement is part of a larger project to rehabilitate Germantown Avenue from Northwestern Avenue to Hillcrest Avenue. The proposed bridge will be a 3-span, continuous steel I-beam bridge. It will be approximately 313 feet long, composed of three continuous spans of approximately 102 feet, 109 feet and 102 feet, respectively. The proposed bridge will contain an associated stormwater management drainage-way and outfall structure and will include pedestrian sidewalks on the east and west side. The proposed bridge will be shifted approximately 75 feet upstream from where the existing bridge is located. The shifting of the bridge will alleviate the sharp curve and improve driving conditions over the bridge. The project site is located 100 feet southeast of the intersection of Northwestern Avenue and Germantown Avenue (Germantown, PA Quadrangle N: 15.3; W: 14.4).

*Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

**E13-128. PPL Electric Utilities Corporation**, GENN 4, 2 North Ninth Street, Allentown, PA 18101. Franklin and Mahoning Townships, **Carbon County**, Army Corps of Engineers Philadelphia District.

To construct and maintain two electric/fiber optic line aerial crossings of the Lehigh River and Lehigh Canal within the same 100-foot wide easement. The crossings are associated with the Lehigh and Weissport Taps. The project is located approximately 2,400 feet south of the intersection of SR 0209 and SR 3006 (Lehigh, PA Quadrangle N: 17.3 inches; W: 11.5 inches).

*Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.*

**E08-374. Pennsylvania Department of Transportation**, District 3-0, P. O. Box 218, Montoursville, PA 17754-0218. Streambed Paving, in Wilmot Township, **Bradford County**, ACOE Baltimore District (Jenningsville, PA Quadrangle N: 21.8 inches; W: 15.5 inches).

To construct and maintain streambed paving at the outlet to a bridge to the free end of the wingwalls located on SR 0187 in Sugar Run Creek approximately 1 mile north of Hollenback and to construct and maintain a temporary dam upstream of the bridge for the purpose of pumping and diverting water around the bridge during paving. The project will not impact wetlands while impacting 15 feet of waterway. This permit was issued under § 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

**E08-375. Steven and Nancy Kinner**, P. O. Box 35, Alba, PA 16910. Water Obstruction and Encroachment Permit application, in Alba Township, **Bradford County**, ACOE Susquehanna River Basin District (Canton, PA Quadrangle N: 14.6 inches; W: 11.1 inches).

To construct and maintain a 30-foot by 20-foot garage and a 28-foot by 8-foot deck all of which are located along an unnamed tributary to Alba Creek in Alba Borough. This permit was issued under § 105.13(e) "Small Projects."

**E08-376. Pennsylvania Department of Transportation**, Engineering District 3-0, P. O. Box 218, Montoursville, PA 17754-0218. Water Obstruction and

Encroachment Permit Application, in Wyalusing Township, **Bradford County**, ACOE Susquehanna River Basin District (Laceyville, PA Quadrangle N: 18.9 inches; W: 15.1 inches).

To a) remove three existing structures, b) construct and maintain a three span precast concrete I-beam bridge having a span of 187 feet and a minimum underclearance of 15.2 feet with a skew of 80° in Wyalusing Creek, a single cell precast reinforced concrete box culvert having a span of 20.0 feet and a minimum underclearance of 6.5 feet with a skew of 76° 32' in an overflow channel adjacent to Wyalusing Creek and a single cell precast reinforced concrete box culvert having a span of 193.0 feet and a minimum underclearance of 6.0 feet with a skew similar to that of the existing structure in Camp Creek, c) temporarily construct and maintain six 5-foot diameter corrugated metal pipes and associated R-3 and R-6 rock fill for a temporary causeway, all of which is located along SR 0706, Segment 026.

**E08-377. Pennsylvania Department of Transportation**, Engineering District 3-0, P. O. Box 218, Montoursville, PA 17754-0218. Water Obstruction and Encroachment Permit Application, in Wilmot Township, **Bradford County**, ACOE Susquehanna River Basin District (Jenningsville, PA Quadrangle N: 17.8 inches; W: 16.1 inches).

To perform 11.5 feet of streambed paving in Stony Run Creek underneath an existing structure located along SR 2006 located at the intersection of SR 0187 south and SR 2006. This permit was issued under § 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

**E12-124. Racoh Products, Inc.**, R. R. 1, Box 322, Emporium, PA 15834. Racoh Products, Inc. Building Addition, in Shippen Township, **Cameron County**, ACOE Baltimore District (Rich Valley, PA Quadrangle N: 5 inches; W: 3 inches).

To modify, operate and maintain an existing commercial facility in the floodway of Driftwood Branch, Sinnemahoning Creek. The modifications of the existing commercial facility shall be limited to maximum facility dimension of 125-feet by 100-feet. All existing fills and buildings in the floodway shall be maintained to the present elevations. Prior to any future expansion of the facility or placement of fill in the floodway, the permittee shall obtain a written permit from Cameron County Commissioners and the Department of Environmental Protection. The existing commercial facility is located along the western right-of-way of SR 0046 approximately 500-feet south of SR 4004 and SR 0046. This permit was issued under § 105.13(e) "Small Projects."

**E12-125. National Fuel Gas Supply Corporation**, 1100 State Street, Erie, PA 16501. Pipeline F-M120 Replacement, in Shippen Township, **Cameron County**, ACOE Baltimore District (West Creek, PA Quadrangle N: 9.1 inches; W: 17.0 inches).

To remove existing pipeline F-M120 and replace, operate and maintain a 12.75-inch diameter pipeline beneath West Branch, Hicks Run for the transmission of natural gas. The existing gas transmission line shall be replaced with 12.75-inch diameter steel pipe. Installation of the pipeline shall be completed during stream low periods and in dry work conditions by dams and pumping or fluming stream flow around the work area. Installation work shall also include installing rock stream bank protection for a minimum length of 30-feet on northern and southern stream bank of West Branch, Hicks Run.

Rock used for stream bank protection shall be blocky, angular and nonerodible with a gradation equal to NSA No. R-5. The project is located along the southern right-of-way of SR 0120 approximately 1.1-miles west of Hicks Run Road and T-310 intersection. This permit was issued under § 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

**E12-126. Bennett Branch Watershed Association**, P. O. Box 99, Benezette, PA 15821. Bennett Branch Restoration-Moser/Beers Property, in Gibson Township, **Cameron County**, ACOE Baltimore District (Driftwood, PA Quadrangle N: 18.5 inches; W: 12.7 inches).

To realign the stream channel and to construct, operate and maintain six in-stream grade control structures for the stabilization of Bennett Branch-Sinnemahoning Creek stream bank. The channel relocation and stream bank stabilization project shall be limited to a maximum length of 1,500-feet in Bennett Branch. The six grade control structures shall be constructed of large blocky rock in stream flow conditions ample to determine stream flow centerline. The project is located along the eastern right-of-way of SR 0555 approximately 1.7-miles east of Hicks Run Road and SR 0555 intersection. This permit also authorizes the construction, operation, maintenance and removal of temporary access roads, channel diversions, cofferdams and stockpiles in and along Bennett Branch. All temporary facilities used for project construction shall be removed from floodplain areas; upon project completion, all areas of disturbance shall be restored and stabilized within 20-days. This permit does not authorize any temporary or permanent impact to the wetlands adjacent to project area.

**E14-401. Patrick Hawbaker**, 235 Shannely Drive, Port Matilda, PA 16870. Culvert Replacement, in Halfmoon Township, **Centre County**, ACOE Baltimore District (Port Matilda, PA Quadrangle N: 7.2 inches; W: 3.3 inches).

To remove an existing 48-inch diameter corrugated metal pipe and to construct and maintain two 48-inch diameter 20-foot long reinforced concrete pipes depressed 6-inches into the streambed to produce an effective waterway opening of 24.22 square feet with 108 linear feet of stone end walls and R-5 riprap outlet/inlet aprons in Halfmoon Creek located 0.5 mile southwest of the intersection of SR 550 and Houtz Road. The project proposes to permanently impact 50 linear feet of Halfmoon Creek that is classified as a High Quality-Cold Water Fishery. This permit was issued under § 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

**E17-361. Mosquito Creek Sportsman Association**, P. O. Box 218, Frenchville, PA 16836. Mosquito Creek Acid Abatement Project, in Girard Township, **Clearfield County**, ACOE Baltimore District (The Knobs, PA Quadrangle N: 18.7 inches; W: 8.3 inches).

To construct, operate and maintain a concrete dam, intake structure and outfall structure in an unnamed tributary to Mosquito Creek for the operation and maintenance of an acid precipitation abatement facility. The dam shall be constructed of cast in-place concrete with a maximum dam height of 2.75-feet, crest width of 6-feet and crest length of 15-feet. The concrete dam, intake structure and outfall shall be constructed during stream low flow and in dry work conditions through the use of dams and pumping or fluming stream flow around work areas. The project is located along the southern right-of-way of SR 2004 at a point where the unnamed tributary

to Mosquito Creek crosses beneath the Ardell Road. This permit also authorizes the construction, operation, maintenance and removal of temporary crossings, diversions and cofferdams needed to construct the acid precipitation abatement facility. Upon completion of the construction activities, all temporary structures shall be removed with disturbed areas restored to original contours and elevations. All wetland impacts shall be temporary; wetland replacement will not be required, provided however, clay dikes and trench plugs are properly used and all disturbed wetlands are restored.

**E18-323. Western Clinton County Municipal Authority**, P. O. Box 363, Renovo, PA 17764-0363. Small Projects Water Obstruction and Encroachment Joint Permit Application, in Renovo Borough, **Clinton County**, ACOE Susquehanna River Basin District (Renovo East, PA Quadrangle N: 14.5 inches; W: 13.5 inches).

To construct and maintain a 45' diameter secondary wastewater clarifier tank and a 32'x34' sludge dewatering building, all of which is located on Erie Street (Renovo East, PA Quadrangle N: 14.5 inches; W: 13.5 inches) in the floodplain of the West Branch Susquehanna River in Renovo Borough, Clinton County. This permit was issued under § 105.13(e) "Small Projects."

**E49-248. Pennsylvania Department of Transportation**, Engineering District 3-0, P. O. Box 218, Montoursville, PA 17754-0218. Water Obstruction and Encroachment Permit application, in Spring Township, **Snyder County**, ACOE Susquehanna River Basin District (Pillow, PA Quadrangle N: 0.5 inch; W: 15.8 inches).

To perform 43 feet of streambed paving in an unnamed tributary to Mahantango Creek underneath an existing structure located on S.R. 3024, Segment 0010 at offset 0000. This permit was issued under § 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

**E49-249. Pennsylvania Department of Transportation**, Engineering District 3-0, P. O. Box 218, Montoursville, PA 17754-0218. Water Obstruction and Encroachment Joint Permit Application, in Lewis Township, **Northumberland County**, ACOE Susquehanna River Basin District (Washingtonville, PA Quadrangle N: 18.94 inches; W: 16.13 inches).

To a) remove existing structure, b) construct and maintain a single span precast reinforced concrete box culvert having a span of 14.0 feet and a minimum underclearance of 4.5 feet with a skew of 90° in a tributary to Beaver Run, c) temporarily construct, maintain and remove three 4-foot diameter corrugated metal pipes and associated rock fill for a temporary road crossing, d) temporarily construct, maintain and remove sand bag diversion dike at the existing bridge site, all of which are located along SR 0044, Segment 0010, Offset 2194.

**E55-182. Pennsylvania Department of Transportation**, Engineering District 3-0, P. O. Box 218, Montoursville, PA 17754-0218. SR 0522 Section 042M unnamed tributary to Middle Creek bridge replacement, in Beaver Township, **Snyder County**, ACOE Susquehanna River Basin District (Beavertown, PA Quadrangle N: 3.1 inches; W: 1.2 inches).

To a) remove two existing structures b) construct and maintain a 20 foot by 6 foot reinforced concrete box culvert on a skew of 55° in a tributary to Middle Creek located 3.5 miles southwest of Middleburg along SR 0522, in Beaver Township, Snyder County. This permit was issued under § 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

**E59-419. Borough of Tioga**, P. O. Box 158, Tioga, PA 16946. Water Obstruction and Encroachment Permit Application, in Tioga Borough, **Tioga County**, ACOE Susquehanna River Basin District (Tioga, PA Quadrangle N: 4.55 inches; W: 1.13 inches).

To operate and maintain a flood control project consisting of 8,000 feet of improved earthen channel, 9,800 feet earthen levee and 340 feet of rock rip-rap protection all located along the Tioga River in the Borough of Tioga, Tioga County.

*Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**E26-241 A1. Department of Conservation and Natural Resources**, P. O. Box 8451, Harrisburg, PA 17105-8451. Stewart Township, **Fayette County**, ACOE Pittsburgh District.

To amend Permit No. E26-241 to include the installation and maintenance of an enclosed pedestrian pathway under and across an existing bike trail along the Youghiogheny River, the realignment of approximately 200 feet of existing trail along the Youghiogheny River (Ohiopyle, PA Quadrangle N: 21.68 inches; W: 15.84 inches) and the construction and maintenance of a 400-foot long portage across Bear Run and along the Youghiogheny River (Mill Run, PA Quadrangle N: 4.98 inches; W: 14.16 inches).

*Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**E10-340. Cranberry Township**, 2525 Rochester Road, Cranberry Township, PA 16066. Robinhood Drive Enclosure in tributary to Brush Creek, in Cranberry Township, **Butler County**, ACOE Pittsburgh District (Mars, PA Quadrangle N: 11.3 inches; W: 15.4 inches).

To remove the existing culvert and to install and maintain a 220-foot long, 84-inch diameter smooth walled aluminum steel pipe stream enclosure having a reinforced concrete drop structure with trashrack at the inlet and an approximately 30-foot long rock riprap energy dissipater at the outlet in a tributary to Brush Creek on Robinhood Drive and two residential lots downstream of Robinhood drive approximately 1,200 feet north of Freedom Road.

**E20-492. Meadville Real Estate, L.P.**, George F. Saad, 7805 McKnight Road, Ross Park Professional Building, Suite 202, Pittsburgh, PA 15237. Vernon Town Square, in Vernon Township, **Crawford County**, ACOE Pittsburgh District (Geneva, PA Quadrangle N: 22.4 inches; W: 11.0 inches).

To fill 2.02 acres of wetlands (PSS/PFO) for construction of Vernon Town Square commercial/retail development at the northwest corner of the intersection of S.R. 322 and S.R. 98 in Vernon Township, Crawford County. This project includes creation of 3.0 acres of replacement wetlands (PSS/PFO) and enhancement of 0.5 acre of existing wetlands (PEM) north of Semerad Road approximately 0.38 mile northeast of its intersection with S.R. 19 at Keborts Corners (Geneva, PA Quadrangle N: 16.5 inches; W: 9.0 inches) in Union Township, Crawford County.

**E42-278. McKean County**, McKean County Commissioners, Court House, Smethport, PA 16749. Boyer Crossing Bridge T-414 Across Allegheny River, in Liberty Township, **McKean County**, ACOE Pittsburgh District (Roulette, PA Quadrangle N: 7.4 inches; W: 3.5 inches).

To replace the deck, repair the superstructure, modify the roadway approaches and to maintain the Boyer

Crossing Bridge across the Allegheny River on T-414 approximately 0.1 mile south of S.R. 6.

**E42-279, Bradford Township**, 136 Hemlock Street, Bradford, PA 16701. Marilla Brook Reservoir Trail, in Bradford Township, **McKean County**, ACOE Pittsburgh District.

To construct and maintain the following structures associated with a recreational trail around the Marilla Brook Reservoir (Reservoir No. 3) south of S.R. 346 approximately 5.5 miles west of S.R. 219 in Bradford Township, McKean County:

1. A bridge (No. 5) supported by wood piers having a total structure length of 174 feet with 23 6-foot spans and 2 17-foot spans and a maximum underclearance of approximately 10 feet across Marilla Brook and adjoining wetlands.

2. A bridge (No. 6) supported by wood piers having a total structure length of 115 feet with 15 6-foot spans and 2 12-foot spans and a maximum underclearance of approximately 8 feet across a tributary to Marilla Brook and adjoining wetlands.

3. Fill a total of 0.05 acre of 4 wetland areas along the western end of the reservoir for the 6-foot wide trail.

**E42-280, Bradford Township**, 136 Hemlock Street,

Bradford, PA 16701. Tuna Valley Trails—West Tuna Creek Trail, in Bradford Township, **McKean County**, ACOE Pittsburgh District.

To construct and maintain a recreational trail in and along the 100-year floodway and floodplain of West Branch Tunungwant Creek and including the following between Onofrio Street and Clarks Lane in Bradford Township, McKean County:

1. A steel beam bridge (No. 1) having a span of 30 feet and an underclearance of approximately 8 feet across a tributary to West Branch Tunungwant Creek (Gates Hollow) approximately 120 feet downstream of Campus Drive and 700 feet south of Onofrio Street.

2. A steel beam bridge (No. 2) having a span of 21 feet and an underclearance of approximately 6.4 feet across a tributary to West Branch Tunungwant Creek approximately 50 feet downstream of Campus Drive and 1200 feet north of Dorothy Lane.

3. A steel beam bridge (No. 3) having a span of 69 feet and an underclearance of 8.5 feet across West Branch Tunungwant Creek approximately 650 feet upstream of Dorothy Lane.

Fill a total of 0.03 acre of six wetland areas for construction of the trail.

## STORAGE TANKS

### SITE-SPECIFIC INSTALLATION PERMITS

The following Storage Tank Site-Specific Installation Permits, under the authority of the Storage Tank Spill Prevention Act (35 P. S. §§ 6021.304, 6021.504, 6021.1101 and 6021.1102) and under 25 Pa. Code Chapter 245, Subchapter C, have been issued by the Bureau of Land Recycling and Waste Management, Director, P. O. Box 8763, Harrisburg, PA 17105-8763.

<i>SSIP Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Tank Type</i>	<i>Tank Capacity</i>
01-26-002	Dennis R. States HRI, Inc. 1525 Millville Road Bloomsburg, PA 17815	Columbia	Hemlock Township	2 ASTs storing- MC-30 Dust Oil Pallative 1 AST storing- E-3 Chipping Oil	30,000 gallons each  30,000 gallons

## SPECIAL NOTICES

### Notice of Public Hearing for NPDES Permit No. PAR 107616

The Department of Environmental Protection (Department) will hold a public hearing to accept comment on National Pollutant Discharge Elimination System (NPDES) General Permit Application No. PAR107616 for the discharge of stormwater from construction activities at the proposed race track on the Jubinski property in Falls and Overfield Townships, **Wyoming County**.

The public hearing will be conducted on December 12, 2001, at 7 p.m. at the Lake Winola Fire Company, on State Route 307 in the Main Meeting Room, Lake Winola Fire Company that is located in Lake Winola, Overfield Township, Wyoming County, PA by the Department of Environmental Protection, Water Management Program, Soils and Waterways Section, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2553. The hearing is in

response to an application submitted by Al Jubinski, R. R. 2, P. O. Box 440, Dalton, PA 18414. The NPDES permit application proposes the discharge of stormwater from construction activities to tributaries to Beaver Creek.

The Department requests that individuals wishing to testify at the hearing submit a written notice of the intent to the Jubinski Racetrack Hearing, Department of Environmental Protection, Water Management Program, 2 Public Square, Wilkes-Barre, PA 18711. The Department will accept notices up to the day of the hearing. The Department requests that individuals limit their testimony to 10 minutes so that all individuals have the opportunity to testify. The Department can only review comments made with regard to the NPDES Permit Application No. PAR107616. Written copies of oral testimony are requested. Relinquishing to time will not be allowed. All individuals attending the hearing will have the opportunity to testify if they so desire, however, individuals who preregister to testify will be given priority on the agenda.

Persons with a disability who wish to testify and require an auxiliary aid, service or other accommodation should contact Richard Shudak of the Department at (570) 826-2511 or the Pennsylvania AT&T relay service at (800) 654-5984 (TDD) to discuss how the Department can meet their needs.

The NPDES permit application is available for review at the Wyoming County Conservation District office in Tunkhannock, PA, (570) 836-2589.

For further information, contact Mark Carmon of the Department's Northeast Regional Office at (570) 826-2511.

[Pa.B. Doc. No. 01-2019. Filed for public inspection November 9, 2001, 9:00 a.m.]

### **Pennsylvania Bituminous Mine Safety Advisory Committee Change of Meeting Date**

The October 24, 2001, meeting of the Technical Advisory Committee on Diesel-Powered Equipment has been rescheduled. The next meeting is now scheduled for November 28, 2001, at 10 a.m. in the Fayette County Health Center in Uniontown.

Questions concerning this meeting can be directed to Allison Gaida at (724) 439-7289 or e-mail to [agaida@state.pa.us](mailto:agaida@state.pa.us). The agenda and meeting materials will be available through the Public Participation Center on DEP's website at <http://www.dep.state.pa.us>.

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact Allison Gaida directly at (724) 439-7289 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how DEP can accommodate their needs.

DAVID E. HESS,  
*Secretary*

[Pa.B. Doc. No. 01-2020. Filed for public inspection November 9, 2001, 9:00 a.m.]

## **DEPARTMENT OF GENERAL SERVICES**

### **Design Professional Selections**

As of October 1, 2001, the Department of General Services (DGS) began to utilize the Professional Selections section of the Public Works web page accessed through the DGS home page at [www.dgs.state.pa.us](http://www.dgs.state.pa.us) exclusively to advertise for design services.

Any questions or concerns should be addressed to the Selections Committee, Department of General Services, Room 103, 18th and Herr Streets, Harrisburg, PA 17125, (717) 783-8468.

KELLY P. LOGAN,  
*Acting Secretary*

[Pa.B. Doc. No. 01-2021. Filed for public inspection November 9, 2001, 9:00 a.m.]

## **DEPARTMENT OF HEALTH**

### **Organ Donation Advisory Committee Meeting**

The Organ Donation Advisory Committee, established by 20 Pa.C.S. § 8622, will hold a public meeting on December 12, 2001, from 10 a.m. to 2 p.m. The meeting will be held in Room 812 of the Health and Welfare Building, 7th and Forster Streets, Harrisburg, PA.

For additional information contact William J. Neil, Manager, Health Education and Information Program, Bureau of Chronic Diseases and Injury Prevention or Angela H. Anderson, Clerk Typist II, Health Education and Information Program, Bureau of Chronic Diseases and Injury Prevention, 1000 Health and Welfare Building, Harrisburg, PA at (717) 787-5900.

Persons with a disability who desire to attend the meeting and require an auxiliary aid, service or other accommodation to do so, should contact William J. Neil or Angela H. Anderson at (717) 787-5900, V/TT (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Services at (800) 654-5984 (TT).

This meeting is subject to cancellation without notice.

ROBERT S. ZIMMERMAN, Jr.,  
*Secretary*

[Pa.B. Doc. No. 01-2022. Filed for public inspection November 9, 2001, 9:00 a.m.]

### **Requests for Exception; Long-Term Care Nursing Facilities**

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.6(a) (relating to function of building);

St. Mary's @ Asbury Ridge  
4855 West Ridge Road  
Erie, PA 16506

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 211.12(b) (relating to nursing services):

Dallastown Nursing Center  
623 East Main Street  
Dallastown, PA 17313

The requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax: (717) 772-2163, e-mail address: [PAEXCEPT@HEALTH.STATE.PA.US](mailto:PAEXCEPT@HEALTH.STATE.PA.US).

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 15 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so, should contact V/TT: (717) 783-6514 for

speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,  
Secretary

[Pa.B. Doc. No. 01-2023. Filed for public inspection November 9, 2001, 9:00 a.m.]

## DEPARTMENT OF REVENUE

### Cigarette Tax Notice

Under section 227-A of the Fiscal Code (72 P. S. § 227-A) (relating to administration powers and duties), the Department of Revenue (Department) hereby announces the lowest cost of the stamping agent, wholesaler and retailer, respectively, effective October 29, 2001, as follows:

	<i>Premium Brands</i>	<i>Generic Brands</i>
(a.k.a. Kings and Regulars)		
Cost of the Stamping Agent (for sales to wholesalers)	\$29.54	\$26.84
Cost of the Wholesaler (for sales to retailers)	\$30.73	\$27.92
Cost of the Retailer (for sales to retail customers)	\$32.57	\$29.59

The Department considers these costs as presumptive minimum costs. Cigarette stamping agents, wholesalers and retailers are prohibited from selling cigarettes at a price lower than their respective presumptive minimum costs. These costs are listed on a per carton basis, 10 packs of cigarettes per carton, 20 cigarettes per pack. To determine the presumptive minimum price per pack of cigarettes, one should divide the costs previously listed by ten and round to the nearest hundredth of a percent. For example, the presumptive minimum price of a pack of cigarettes sold by a retailer to a consumer is \$3.26 for premium brands (\$32.57/10) and \$2.96 for generic brands (\$29.59/10).

Cigarette dealers who either sell cigarettes under a different packaging setup (that is, eight packs per carton) or sell cigarettes that do not qualify as premium or generic brands (that is, subgeneric, foreign or specialty cigarettes) as previously described are prohibited from selling cigarettes at a price lower than the cost of the stamping agent, cost of the wholesaler or cost of the retailer, respectively, as further defined and explained in the Department's cigarette tax regulations, 61 Pa. Code Article III.

Cigarette dealers wishing to prove a cost different from the Department's presumptive costs previously stated must follow the procedures listed under 61 Pa. Code Chapter 76 (relating to unfair sales of cigarettes).

LARRY P. WILLIAMS,  
Secretary

[Pa.B. Doc. No. 01-2024. Filed for public inspection November 9, 2001, 9:00 a.m.]

### Pennsylvania Major Moola Instant Lottery

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Major Moola.

2. *Price:* The price of a Pennsylvania Major Moola instant lottery game ticket is \$5.00.

3. *Play Symbols:* Each Pennsylvania Major Moola instant lottery game ticket will contain one play area featuring a "Winning Numbers" area and a "Your Numbers" area. The play symbols and their captions located in the "Winning Numbers" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWY TWO), 23 (TWYTHR) and 24 (TWYFOR). The play symbols and their captions located in the "Your Numbers" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWY TWO), 23 (TWYTHR), 24 (TWYFOR) and a Moneybag Symbol (MNBAG).

4. *Prize Play Symbols:* The prize play symbols and their captions located in the "Your Numbers" area are: \$2.<sup>00</sup> (TWO DOL), \$5.<sup>00</sup> (FIV DOL), \$6.<sup>00</sup> (SIX DOL), \$7.<sup>00</sup> (SVN DOL), \$10.<sup>00</sup> (TEN DOL), \$12\$ (TWELV), \$15\$ (FIFTN), \$20\$ (TWENTY), \$100 (ONE HUN), \$250 (TWOHUNFTY), \$500 (FIV HUN), \$10,000 (TEN THO) and \$200,000 (TWOHUNTHO).

5. *Prizes:* The prizes that can be won in this game are \$2, \$5, \$6, \$7, \$10, \$12, \$15, \$20, \$100, \$250, \$500, \$10,000 and \$200,000. A player can win up to 11 times on a ticket.

6. *Approximate Number of Tickets Printed for the Game:* Approximately 7,200,000 tickets will be printed for the Pennsylvania Major Moola instant lottery game.

7. *Determination of Prize Winners:*

(a) Holders of tickets upon which any one of the "Your Numbers" play symbols matches any of the "Winning Numbers" play symbols and a prize play symbol of \$200,000 (TWOHUNTHO) appears under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$200,000.

(b) Holders of tickets upon which any one of the "Your Numbers" play symbols matches any of the "Winning Numbers" play symbols and a prize play symbol of \$10,000 (TEN THO) appears under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$10,000.

(c) Holders of tickets upon which any one of the "Your Numbers" play symbols is a Moneybag Symbol (MNBAG), and a prize play symbol of \$500 (FIV HUN) appears under the Moneybag Symbol (MNBAG) on a single ticket, shall be entitled to a prize of \$500.

(d) Holders of tickets upon which any one of the "Your Numbers" play symbols matches any of the "Winning Numbers" play symbols and a prize play symbol of \$500



(FIV HUN) appears under the matching “Your Numbers” play symbol, on a single ticket, shall be entitled to a prize of \$500.

(e) Holders of tickets upon which any one of the “Your Numbers” play symbols matches any of the “Winning Numbers” play symbols and a prize play symbol of \$250 (TWOHUNFTY) appears under the matching “Your Numbers” play symbol, on a single ticket, shall be entitled to a prize of \$250.

(f) Holders of tickets upon which any one of the “Your Numbers” play symbols is a Moneybag Symbol (MNBAG), and a prize play symbol of \$100 (ONE HUN) appears under the Moneybag Symbol (MNBAG) on a single ticket, shall be entitled to a prize of \$100.

(g) Holders of tickets upon which any one of the “Your Numbers” play symbols matches any of the “Winning Numbers” play symbols and a prize play symbol of \$100 (ONE HUN) appears under the matching “Your Numbers” play symbol, on a single ticket, shall be entitled to a prize of \$100.

(h) Holders of tickets upon which any one of the “Your Numbers” play symbols is a Moneybag Symbol (MNBAG), and a prize play symbol of \$20\$ (TWENTY) appears under the Moneybag Symbol (MNBAG) on a single ticket, shall be entitled to a prize of \$20.

(i) Holders of tickets upon which any one of the “Your Numbers” play symbols matches any of the “Winning Numbers” play symbols and a prize play symbol of \$20\$ (TWENTY) appears under the matching “Your Numbers” play symbol, on a single ticket, shall be entitled to a prize of \$20.

(j) Holders of tickets upon which any one of the “Your Numbers” play symbols is a Moneybag Symbol (MNBAG), and a prize play symbol of \$15\$ (FIFTN) appears under the Moneybag Symbol (MNBAG) on a single ticket, shall be entitled to a prize of \$15.

(k) Holders of tickets upon which any one of the “Your Numbers” play symbols matches any of the “Winning Numbers” play symbols and a prize play symbol of \$15\$ (FIFTN) appears under the matching “Your Numbers” play symbol, on a single ticket, shall be entitled to a prize of \$15.

(l) Holders of tickets upon which any one of the “Your Numbers” play symbols is a Moneybag Symbol (MNBAG), and a prize play symbol of \$12\$ (TWELV) appears under the Moneybag Symbol (MNBAG) on a single ticket, shall be entitled to a prize of \$12.

(m) Holders of tickets upon which any one of the “Your Numbers” play symbols matches any of the “Winning Numbers” play symbols and a prize play symbol of \$12\$ (TWELV) appears under the matching “Your Numbers” play symbol, on a single ticket, shall be entitled to a prize of \$12.

(n) Holders of tickets upon which any one of the “Your

Numbers” play symbols is a Moneybag Symbol (MNBAG), and a prize play symbol of \$10<sup>.00</sup> (TEN DOL) appears under the Moneybag Symbol (MNBAG) on a single ticket, shall be entitled to a prize of \$10.

(o) Holders of tickets upon which any one of the “Your Numbers” play symbols matches any of the “Winning Numbers” play symbols and a prize play symbol of \$10<sup>.00</sup> (TEN DOL) appears under the matching “Your Numbers” play symbol, on a single ticket, shall be entitled to a prize of \$10.

(p) Holders of tickets upon which any one of the “Your Numbers” play symbols is a Moneybag Symbol (MNBAG), and a prize play symbol of \$7<sup>.00</sup> (SVN DOL) appears under the Moneybag Symbol (MNBAG) on a single ticket, shall be entitled to a prize of \$7.

(q) Holders of tickets upon which any one of the “Your Numbers” play symbols matches any of the “Winning Numbers” play symbols and a prize play symbol of \$7<sup>.00</sup> (SVN DOL) appears under the matching “Your Numbers” play symbol, on a single ticket, shall be entitled to a prize of \$7.

(r) Holders of tickets upon which any one of the “Your Numbers” play symbols is a Moneybag Symbol (MNBAG), and a prize play symbol of \$6<sup>.00</sup> (SIX DOL) appears under the Moneybag Symbol (MNBAG) on a single ticket, shall be entitled to a prize of \$6.

(s) Holders of tickets upon which any one of the “Your Numbers” play symbols matches any of the “Winning Numbers” play symbols and a prize play symbol of \$6<sup>.00</sup> (SIX DOL) appears under the matching “Your Numbers” play symbol, on a single ticket, shall be entitled to a prize of \$6.

(t) Holders of tickets upon which any one of the “Your Numbers” play symbols is a Moneybag Symbol (MNBAG), and a prize play symbol of \$5<sup>.00</sup> (FIV DOL) appears under the Moneybag Symbol (MNBAG) on a single ticket, shall be entitled to a prize of \$5.

(u) Holders of tickets upon which any one of the “Your Numbers” play symbols matches any of the “Winning Numbers” play symbols and a prize play symbol of \$5<sup>.00</sup> (FIV DOL) appears under the matching “Your Numbers” play symbol, on a single ticket, shall be entitled to a prize of \$5.

(v) Holders of tickets upon which any one of the “Your Numbers” play symbols matches any of the “Winning Numbers” play symbols and a prize play symbol of \$2<sup>.00</sup> (TWO DOL) appears under the matching “Your Numbers” play symbol, on a single ticket, shall be entitled to a prize of \$2.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

*When Any Of Your Numbers Match Any Of The Winning Numbers, Win With Prize(s) Of:*

\$5  
\$5 (MB)  
\$6  
\$6 (MB)

*Win*  
\$5  
\$5  
\$6  
\$6

*Approximate Odds*  
1:15  
1:8.82  
1:300  
1:75

*Approximate No. of Winners Per 7,200,000 Tickets*

480,000  
816,000  
24,000  
96,000

*When Any Of Your  
Numbers Match Any  
Of The Winning  
Numbers, Win With  
Prize(s) Of:*

	<i>Win</i>	<i>Approximate Odds</i>	<i>Approximate No. of Winners Per 7,200,000 Tickets</i>
\$7	\$7	1:300	24,000
\$7 (MB)	\$7	1:75	96,000
\$2 x 5	\$10	1:150	48,000
\$5 x 2	\$10	1:150	48,000
\$10	\$10	1:600	12,000
\$10 (MB)	\$10	1:600	12,000
\$6 x 2	\$12	1:300	24,000
\$5 + \$7	\$12	1:600	12,000
\$12	\$12	1:600	12,000
\$12 (MB)	\$12	1:600	12,000
\$5 x 3	\$15	1:150	48,000
\$10 + \$5	\$15	1:150	48,000
\$15	\$15	1:600	12,000
\$15 (MB)	\$15	1:600	12,000
\$15 + \$5	\$20	1:600	12,000
\$5 x 4	\$20	1:300	24,000
\$10 x 2	\$20	1:600	12,000
\$5 x 2 + \$10	\$20	1:300	24,000
\$7 x 2 + \$6	\$20	1:300	24,000
\$20	\$20	1:600	12,000
\$20 (MB)	\$20	1:600	12,000
\$20 x 5	\$100	1:480	15,000
\$10 x 5 + \$20 x 2 + \$5 x 2	\$100	1:342.86	21,000
\$15 x 4 + \$10 x 4	\$100	1:480	15,000
\$20 x 3 + \$5 x 8	\$100	1:400	18,000
\$100	\$100	1:1,600	4,500
\$100 (MB)	\$100	1:960	7,500
\$250	\$250	1:60,000	120
\$100 x 5	\$500	1:1,440,000	5
\$250 x 2	\$500	1:1,440,000	5
\$500	\$500	1:3,600,000	2
\$500 (MB)	\$500	1:900,000	8
\$10,000	\$10,000	1:720,000	10
\$200,000	\$200,000	1:1,440,000	5

(MB) = Moneybag wins automatically

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Major Moola instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentives).

10. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Major Moola, prize money from winning Pennsylvania Major Moola instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Major Moola instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

11. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P. S. §§ 3761-101—3761-314), the regulations contained in 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

12. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Major Moola or through normal communications methods.

LARRY P. WILLIAMS,  
*Secretary*

[Pa.B. Doc. No. 01-2025. Filed for public inspection November 9, 2001, 9:00 a.m.]

### Pennsylvania Triple 333 Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Triple 333.

2. *Price:* The price of a Pennsylvania Triple 333 instant lottery game ticket is \$1.00.

3. *Play Symbols:* Each Pennsylvania Triple 333 instant lottery game ticket will contain one "Tic Tac Toe" area and one "Bonus" area. The play symbols and their captions located in the "Tic Tac Toe" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT) and 9 (NINE). The play symbols and their captions located in the "Bonus" area are: TRIPLE (333) and NO BONUS (TRY AGAIN).

4. *Prize Play Symbols:* The prize play symbols and their captions located in the "Prize" area are: \$1<sup>00</sup> (ONE DOL), \$2<sup>00</sup> (TWO DOL), \$3<sup>00</sup> (THR DOL), \$5<sup>00</sup> (FIV DOL), \$6<sup>00</sup> (SIX DOL), \$10<sup>00</sup> (TEN DOL), \$15\$ (FIFTN), \$20\$ (TWENTY), \$30\$ (THIRTY), \$60\$ (SIXTY), \$90\$ (NINTY) and \$3,000 (THR THO).

5. *Prizes:* The prizes that can be won in this game are \$1, \$2, \$3, \$5, \$6, \$9, \$10, \$15, \$20, \$30, \$60, \$90 and \$3,000.

6. *Approximate Number of Tickets Printed for the Game:* Approximately 12,000,000 tickets will be printed for the Pennsylvania Triple 333 instant lottery game.

7. *Determination of Prize Winners:*

(a) Holders of tickets with three matching 3 (THREE) play symbols in the same row, column or diagonal in the "Tic Tac Toe" area and a prize play symbol of \$3,000 (THR THO) appearing in the "Prize" area, on a single ticket, shall be entitled to a prize of \$3,000.

(b) Holders of tickets with three matching 3 (THREE) play symbols in the same row, column or diagonal in the "Tic Tac Toe" area and a prize play symbol of \$90\$ (NINTY) appearing in the "Prize" area, on a single ticket, shall be entitled to a prize of \$90.

(c) Holders of tickets with three matching 3 (THREE) play symbols in the same row, column or diagonal in the "Tic Tac Toe" area, a TRIPLE (333) play symbol in the "Bonus" area and a prize play symbol of \$30\$ (THIRTY) appearing in the "Prize" area, on a single ticket, shall be entitled to a prize of \$90.

(d) Holders of tickets with three matching 3 (THREE) play symbols in the same row, column or diagonal in the "Tic Tac Toe" area and a prize play symbol of \$60\$ (SIXTY) appearing in the "Prize" area, on a single ticket, shall be entitled to a prize of \$60.

(e) Holders of tickets with three matching 3 (THREE) play symbols in the same row, column or diagonal in the "Tic Tac Toe" area, a TRIPLE (333) play symbol in the "Bonus" area and a prize play symbol of \$20\$ (TWENTY) appearing in the "Prize" area, on a single ticket, shall be entitled to a prize of \$60.

(f) Holders of tickets with three matching 3 (THREE) play symbols in the same row, column or diagonal in the "Tic Tac Toe" area and a prize play symbol of \$30\$ (THIRTY) appearing in the "Prize" area, on a single ticket, shall be entitled to a prize of \$30.

(g) Holders of tickets with three matching 3 (THREE) play symbols in the same row, column or diagonal in the "Tic Tac Toe" area, a TRIPLE (333) play symbol in the "Bonus" area and a prize play symbol of \$10<sup>00</sup> (TEN DOL) appearing in the "Prize" area, on a single ticket, shall be entitled to a prize of \$30.

(h) Holders of tickets with three matching 3 (THREE) play symbols in the same row, column or diagonal in the "Tic Tac Toe" area and a prize play symbol of \$20\$ (TWENTY) appearing in the "Prize" area, on a single ticket, shall be entitled to a prize of \$20.

(i) Holders of tickets with three matching 3 (THREE) play symbols in the same row, column or diagonal in the "Tic Tac Toe" area and a prize play symbol of \$15\$ (FIFTN) appearing in the "Prize" area, on a single ticket, shall be entitled to a prize of \$15.

(j) Holders of tickets with three matching 3 (THREE) play symbols in the same row, column or diagonal in the "Tic Tac Toe" area, a TRIPLE (333) play symbol in the "Bonus" area and a prize play symbol of \$5<sup>00</sup> (FIV DOL) appearing in the "Prize" area, on a single ticket, shall be entitled to a prize of \$15.

(k) Holders of tickets with three matching 3 (THREE) play symbols in the same row, column or diagonal in the "Tic Tac Toe" area and a prize play symbol of \$10<sup>00</sup> (TEN DOL) appearing in the "Prize" area, on a single ticket, shall be entitled to a prize of \$10.

(l) Holders of tickets with three matching 3 (THREE) play symbols in the same row, column or diagonal in the "Tic Tac Toe" area, a TRIPLE (333) play symbol in the "Bonus" area and a prize play symbol of \$3<sup>00</sup> (THR DOL) appearing in the "Prize" area, on a single ticket, shall be entitled to a prize of \$9.

(m) Holders of tickets with three matching 3 (THREE) play symbols in the same row, column or diagonal in the "Tic Tac Toe" area and a prize play symbol of \$6<sup>00</sup> (SIX DOL) appearing in the "Prize" area, on a single ticket, shall be entitled to a prize of \$6.

(n) Holders of tickets with three matching 3 (THREE) play symbols in the same row, column or diagonal in the "Tic Tac Toe" area, a TRIPLE (333) play symbol in the "Bonus" area and a prize play symbol of \$2<sup>00</sup> (TWO DOL) appearing in the "Prize" area, on a single ticket, shall be entitled to a prize of \$6.

(o) Holders of tickets with three matching 3 (THREE) play symbols in the same row, column or diagonal in the "Tic Tac Toe" area and a prize play symbol of \$5<sup>00</sup> (FIV DOL) appearing in the "Prize" area, on a single ticket, shall be entitled to a prize of \$5.

(p) Holders of tickets with three matching 3 (THREE) play symbols in the same row, column or diagonal in the "Tic Tac Toe" area and a prize play symbol of \$3<sup>00</sup> (THR DOL) appearing in the "Prize" area, on a single ticket, shall be entitled to a prize of \$3.

(q) Holders of tickets with three matching 3 (THREE) play symbols in the same row, column or diagonal in the "Tic Tac Toe" area, a TRIPLE (333) play symbol in the "Bonus" area and a prize play symbol of \$1<sup>00</sup> (ONE DOL) appearing in the "Prize" area, on a single ticket, shall be entitled to a prize of \$3.

(r) Holders of tickets with three matching 3 (THREE) play symbols in the same row, column or diagonal in the "Tic Tac Toe" area and a prize play symbol of \$2<sup>00</sup> (TWO DOL) appearing in the "Prize" area, on a single ticket, shall be entitled to a prize of \$2.

(s) Holders of tickets with three matching 3 (THREE) play symbols in the same row, column or diagonal in the "Tic Tac Toe" area and a prize play symbol of \$1<sup>00</sup> (ONE DOL) appearing in the "Prize" area, on a single ticket, shall be entitled to a prize of \$1.

<i>Get</i>	<i>Win</i>	<i>Approximate Odds</i>	<i>Approximate No. of Winners Per 12,000,000 Tickets</i>
\$1	\$1	1:9.09	1,320,000
\$2	\$2	1:21.43	560,000
\$1 (T)	\$3	1:27.27	440,000
\$3	\$3	1:300	40,000
\$5	\$5	1:300	40,000
\$2 (T)	\$6	1:150	80,000
\$6	\$6	1:600	20,000
\$3 (T)	\$9	1:120	100,000
\$10	\$10	1:300	40,000
\$5 (T)	\$15	1:750	16,000
\$15	\$15	1:3,000	4,000
\$20	\$20	1:1,000	12,000
\$10 (T)	\$30	1:2,400	5,000
\$30	\$30	1:4,800	2,500
\$20 (T)	\$60	1:4,000	3,000
\$60	\$60	1:12,000	1,000
\$30 (T)	\$90	1:12,000	1,000
\$90	\$90	1:12,000	1,000
\$3,000	\$3,000	1:1,000,000	12

(T) = Triple the prize shown

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Triple 333 instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentives).

10. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Triple 333, prize money from winning Pennsylvania Triple 333 instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Triple 333 instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

11. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P. S. §§ 3761-101—3761-314), the regulations contained in 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

12. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Triple 333 or through normal communications methods.

LARRY P. WILLIAMS,  
Secretary

[Pa.B. Doc. No. 01-2026. Filed for public inspection November 9, 2001, 9:00 a.m.]

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>Approximate Odds</i>	<i>Approximate No. of Winners Per 12,000,000 Tickets</i>
1:9.09	1,320,000
1:21.43	560,000
1:27.27	440,000
1:300	40,000
1:300	40,000
1:150	80,000
1:600	20,000
1:120	100,000
1:300	40,000
1:750	16,000
1:3,000	4,000
1:1,000	12,000
1:2,400	5,000
1:4,800	2,500
1:4,000	3,000
1:12,000	1,000
1:12,000	1,000
1:12,000	1,000
1:1,000,000	12

### Pennsylvania Winning Numbers Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Winning Numbers.

2. *Price:* The price of a Pennsylvania Winning Numbers instant lottery game ticket is \$2.00.

3. *Play Symbols:* Each Pennsylvania Winning Numbers instant lottery game ticket will contain one play area featuring a "Winning Numbers" area and a "Your Numbers" area. The play symbols and their captions located in the "Winning Numbers" area and "Your Numbers" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN) and 20 (TWENTY).

4. *Prize Play Symbols:* The prize play symbols and their captions located in the "Your Numbers" area are: \$1<sup>00</sup> (ONE DOL), \$2<sup>00</sup> (TWO DOL), \$3<sup>00</sup> (THR DOL), \$4<sup>00</sup> (FOR DOL), \$7<sup>00</sup> (SVN DOL), \$14\$ (FORTN), \$21\$ (TWY ONE), \$42\$ (FRY TWO), \$70\$ (SEVENTY), \$210 (TWOHUNTEN), \$7,000 (SVN THO) and \$21,000 (TWYONETHO).

5. *Prizes:* The prizes that can be won in this game are \$1, \$2, \$3, \$4, \$7, \$14, \$21, \$42, \$70, \$210, \$7,000 and \$21,000. A player can win up to 10 times on a ticket.

6. *Approximate Number of Tickets Printed for the Game:* Approximately 6,000,000 tickets will be printed for the Pennsylvania Winning Numbers instant lottery game.

7. *Determination of Prize Winners:*

(a) Holders of tickets upon which any one of the "Your Numbers" play symbols matches either of the "Winning Numbers" play symbols and a prize play symbol of \$21,000 (TWYONETHO) appears under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$21,000.

(b) Holders of tickets upon which any one of the "Your Numbers" play symbols matches either of the "Winning Numbers" play symbols and a prize play symbol of \$7,000 (SVN THO) appears under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$7,000.

(c) Holders of tickets upon which any one of the "Your Numbers" play symbols matches either of the "Winning Numbers" play symbols and a prize play symbol of \$210 (TWOHUNTEN) appears under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$210.

(d) Holders of tickets upon which any one of the "Your Numbers" play symbols matches either of the "Winning Numbers" play symbols and a prize play symbol of \$70\$ (SEVENTY) appears under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$70.

(e) Holders of tickets upon which any one of the "Your Numbers" play symbols matches either of the "Winning Numbers" play symbols and a prize play symbol of \$42\$ (FRY TWO) appears under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$42.

(f) Holders of tickets upon which any one of the "Your Numbers" play symbols matches either of the "Winning Numbers" play symbols and a prize play symbol of \$21\$ (TWY ONE) appears under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$21.

(g) Holders of tickets upon which any one of the "Your Numbers" play symbols matches either of the "Winning Numbers" play symbols and a prize play symbol of \$14\$ (FORTN) appears under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$14.

(h) Holders of tickets upon which any one of the "Your Numbers" play symbols matches either of the "Winning Numbers" play symbols and a prize play symbol of \$7<sup>00</sup> (SVN DOL) appears under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$7.

(i) Holders of tickets upon which any one of the "Your Numbers" play symbols matches either of the "Winning Numbers" play symbols and a prize play symbol of \$4<sup>00</sup> (FOR DOL) appears under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$4.

(j) Holders of tickets upon which any one of the "Your Numbers" play symbols matches either of the "Winning Numbers" play symbols and a prize play symbol of \$3<sup>00</sup> (THR DOL) appears under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$3.

(k) Holders of tickets upon which any one of the "Your Numbers" play symbols matches either of the "Winning Numbers" play symbols and a prize play symbol of \$2<sup>00</sup> (TWO DOL) appears under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$2.

(l) Holders of tickets upon which any one of the "Your Numbers" play symbols matches either of the "Winning Numbers" play symbols and a prize play symbol of \$1<sup>00</sup> (ONE DOL) appears under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$1.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

*When Any Of Your Numbers Match Either Of The Winning Numbers Win With Prize(s) Of:*

<i>Prize(s) Of:</i>	<i>Win</i>	<i>Approximate Odds</i>	<i>Approximate No. of Winners Per 6,000,000 Tickets</i>
\$1 x 2	\$2	1:7.14	840,000
\$2	\$2	1:25	240,000
\$1 x 3	\$3	1:100	60,000
\$2 + \$1	\$3	1:150	40,000
\$3	\$3	1:300	20,000
\$1 x 4	\$4	1:150	40,000
\$2 x 2	\$4	1:150	40,000
\$3 + \$1	\$4	1:250	24,000
\$4	\$4	1:375	16,000
\$1 x 7	\$7	1:125	48,000
\$2 x 3 + \$1	\$7	1:150	40,000
\$4 + \$3	\$7	1:250	24,000
\$7	\$7	1:750	8,000
\$2 x 7	\$14	1:375	16,000
\$4 x 3 + \$2	\$14	1:1,500	4,000

*When Any Of Your  
Numbers Match Either  
Of The Winning  
Numbers Win With  
Prize(s) Of:*

<i>Prize(s) Of:</i>	<i>Win</i>	<i>Approximate Odds</i>	<i>Approximate No. of Winners Per 6,000,000 Tickets</i>
\$3 x 4 + \$2	\$14	1:1,500	4,000
\$7 x 2	\$14	1:1,500	4,000
\$14	\$14	1:1,500	4,000
\$3 x 7	\$21	1:150	40,000
\$7 x 3	\$21	1:250	24,000
\$14 + \$7	\$21	1:500	12,000
\$2 x 5 + \$7 + \$4	\$21	1:250	24,000
\$21	\$21	1:500	12,000
\$7 x 6	\$42	1:1,667	3,600
\$14 x 3	\$42	1:1,667	3,600
\$21 x 2	\$42	1:2,400	2,500
\$42	\$42	1:2,400	2,500
\$7 x 10	\$70	1:15,000	400
\$14 x 5	\$70	1:24,000	250
\$21 x 3 + \$7	\$70	1:24,000	250
\$70	\$70	1:60,000	100
\$21 x 10	\$210	1:120,000	50
\$70 x 3	\$210	1:120,000	50
\$210	\$210	1:120,000	50
\$7,000	\$7,000	1:750,000	8
\$7,000 x 3	\$21,000	1:3,000,000	2
\$21,000	\$21,000	1:1,500,000	4

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Winning Numbers instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentives).

10. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Winning Numbers, prize money from winning Pennsylvania Winning Numbers instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Winning Numbers instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

11. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P. S. §§ 3761-101—3761-314), the regulations contained in 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

12. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Winning Numbers or through normal communications methods.

LARRY P. WILLIAMS,  
*Secretary*

[Pa.B. Doc. No. 01-2027. Filed for public inspection November 9, 2001, 9:00 a.m.]

## HISTORICAL AND MUSEUM COMMISSION

### National Register Nominations to be Considered by the Historic Preservation Board

The Historic Preservation Board (Board) meeting to be held on December 11, 2001, will start at 9:45 a.m. in the 5th Floor Board Room, State Museum of Pennsylvania, 3rd and North Streets, Harrisburg, PA. Individuals with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to participate, should contact Helena Johnson at (717) 783-2698 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Board can accommodate their needs. Persons with questions or comments should contact the Bureau for Historic Preservation at (717) 783-8946.

#### *Allegheny Plateau*

1. Troy Public High School, 250 High Street, Troy, Bradford County

#### *Anthracite Region and Poconos*

2. Frederick and Catherine Leaser Farm, 7654 Leaser Road, Lynn Township, Lehigh County

#### *Great Valley and Piedmont Region*

3. Social Service Building, 311 South Juniper Street, Philadelphia

4. Smyser & English Pharmacy, 243-245 West Cheltenham Avenue, Philadelphia

5. Fairmount Avenue Historic District, Fairmount Avenue; Melon St.; 15th St.; 16th St.; 17th St., Philadelphia

6. Byers Station Historic District, Byers and Eagle Farm Roads, Upper Uwchlan Township, Chester County

7. Brinton/King Farmstead, 1301 Brinton's Bridge Road and 162 Baltimore Pike, Pennsbury Township, Chester County

8. Byers/Muma House, 1402 Trout Run Road, East Donegal Township, Lancaster County

*Ridge and Valley*

9. Pennsylvania Main Line Canal, Juniata Division, Canal Section, 1.5 mile section of canal between former Pennsylvania Railroad Main Line and Juniata River, Granville Township, Mifflin County

10. Broad Avenue Historic District, centered on Broad Avenue from 23rd to 31st Street, Altoona, Blair County

11. Downtown Altoona Historic District Boundary Increase, roughly between 11th and 14th Avenues, bounded by 13th and 18th Streets, Altoona, Blair County

12. Knickerbocker Historic District, 4th, 5th and 6th Avenues, Burgoon Road, 40th and 41st Streets, Altoona, Blair County

13. Llyswen Historic District, Coleridge Avenue, Logan Boulevard and Aldrich Avenue bounded by Mill Run and Ward Avenue, Altoona, Blair County

*Southwestern Pennsylvania*

14. John A. Brashear House and Factory, 1954 Perysville Avenue, Pittsburgh, Allegheny County

15. Second National Bank of Meyersdale, 151 Center Street, Meyersdale, Somerset County

16. Frank L. Ross Farm, S. R. 519, 3/10 mile north of U. S. 40, North Bethlehem and South Strabane Townships, Washington County

BRENT D. GLASS,  
*Chairperson*

[Pa.B. Doc. No. 01-2028. Filed for public inspection November 9, 2001, 9:00 a.m.]

**INDEPENDENT  
REGULATORY REVIEW  
COMMISSION**

**Notice of Comments Issued**

Section 5(d) of the Regulatory Review Act (71 P. S. § 745.5(d)) provides that the designated standing committees may issue comments within 20 days of the close of the public comment period, and the Independent Regulatory Review Commission (Commission) may issue comments within 10 days of the close of the committee comment period. The Commission comments are based upon the criteria contained in section 5.1(h) and (i) of the Act (71 P. S. § 745.5a(h) and (i)).

The Commission has issued comments on the following proposed regulation. The agency must consider these comments in preparing the final-form regulation. The final-form regulation must be submitted by the date indicated.

*Final-Form  
Submission  
Deadline*

<i>Reg No.</i>	<i>Agency/Title</i>	<i>Issued</i>	<i>Deadline</i>
16A-695	State Board of Social Workers, Marriage and Family Therapists and Professional Counselors Fees	10/25/01	09/24/03

(31 Pa.B. 4651 (August 25, 2001))

**State Board of Social Workers, Marriage and Family Therapists and Professional Counselors  
Regulation No. 16A-695**

**Fees**

**October 25, 2001**

We submit for consideration the following objections and recommendations regarding this regulation. Each objection or recommendation includes a reference to the criteria in the Regulatory Review Act (71 P. S. § 745.5a(h) and (i)) which have not been met. The State Board of Social Workers, Marriage and Family Therapists and Professional Counselors (Board) must respond to these Comments when it submits the final-form regulation. If the final-form regulation is not delivered by September 24, 2003, the regulation will be deemed withdrawn.

**1. Section 47.4. Licensure fees.—Need; Clarity.**

The House Professional Licensure Committee questioned why the Board did not delete the fee relating to the 1988 to 1991 licensure cycle. Is this fee needed?

**2. Sections 48.4 and 49.3. Applicability of General Provisions in Chapter 47.—Need; Clarity.**

These provisions require registration of continuing education providers, courses and programs under Section 47.34. However, there currently is no continuing education requirement for licensed Marriage and Family Therapists or Professional Counselors. If the Board intends to require continuing education for licensees under Chapters 48 and 49 in the future, that requirement would require another rulemaking.

The Board should consider deleting the course registration provisions from this rulemaking. Instead, the Board should promulgate continuing education requirements and registration of course providers together in a future rulemaking. This would allow affected parties to consider the full implications of these requirements.

JOHN R. MCGINLEY, Jr.,  
*Chairperson*

[Pa.B. Doc. No. 01-2029. Filed for public inspection November 9, 2001, 9:00 a.m.]

**Notice of Filing of Final Rulemakings**

The Independent Regulatory Review Commission (Commission) received the following regulations on the dates indicated. To obtain the date and time of the meeting at which the Commission will consider these regulations, contact the Commission at (717) 783-5417 or visit its website at [www.irrc.state.pa.us](http://www.irrc.state.pa.us). To obtain a copy of the regulation, contact the promulgating agency.

<i>Final Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>
50-116	Pennsylvania Securities Commission National Securities Markets Improvement Act of 1996 Amendments	10/30/01
15-414	Department of Revenue Personal Income Tax	10/31/01
15-413	Department of Revenue Termination Pay, Severance Pay and Early Retirement Incentive Programs	10/31/01

JOHN R. MCGINLEY, Jr.,  
*Chairperson*

[Pa.B. Doc. No. 01-2030. Filed for public inspection November 9, 2001, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Alleged Violation of Insurance Laws; William M. Davis; Doc. No. SC01-10-038

Notice is hereby given of the Order to Show Cause issued on October 25, 2001, by the Deputy Insurance Commissioner of the Commonwealth of Pennsylvania in the previously-referenced matter. Violation of the following is alleged: sections 604 and 639 of the Insurance Department Act of 1921 (40 P. S. §§ 234 and 279); and 31 Pa. Code §§ 37.46—37.48.

Respondent shall file a written answer to the Order to Show Cause within 30 days of the date of issue. If Respondent files a timely answer, a formal administrative hearing shall be held in accordance with 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law); 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); Special Rules of Administrative Practice and Procedure, 31 Pa. Code §§ 56.1—56.3 and other relevant procedural provisions of law.

Answers, motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed in writing with the Hearings Administrator, Insurance Department, Administrative Hearings Office, 901 North 7th Street, Harrisburg, PA 17102.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, should contact Tracey Pontius, Agency ADA Coordinator at (717) 787-4298.

M. DIANE KOKEN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 01-2031. Filed for public inspection November 9, 2001, 9:00 a.m.]

### Allstate Insurance Company; Homeowners Manuals of Rules and Rates; Rate Filing

On October 26, 2001, the Insurance Department received from Allstate Insurance Company a filing for a proposed rate level and rule changes for homeowners insurance.

The company requests an overall 21.9% increase amounting to \$31,253,000 annually, to be effective February 18, 2002, for new business and renewal business.

Unless formal administrative action is taken prior to December 25, 2001, the subject filing may be deemed approved by operation of law.

Copies of the filing will be available for public inspection, by appointment, during normal working hours at the Insurance Department's regional offices in Harrisburg, Philadelphia, Pittsburgh and Erie.

Interested parties are invited to submit written comments, suggestions or objections to Xiaofeng Lu, Insurance Department, Bureau of Regulation of Rates and Policies, Room 1311, Strawberry Square, Harrisburg, PA 17120, e-mail xlu@state.pa.us within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 01-2032. Filed for public inspection November 9, 2001, 9:00 a.m.]

### Hartford Insurance Company of the Midwest; Private Passenger Auto Insurance Rate and Rule Revision

On October 22, 2001, the Insurance Department received from Hartford Insurance Company of the Midwest a filing for a proposed rate level change for Private Passenger Auto insurance.

The company requests an overall 2.2% increase amounting to \$999,000 annually to be effective upon approval.

Unless formal administrative action is taken prior to December 21, 2001, the subject filing may be deemed approved by operation of law.

Interested parties are invited to submit written comments, suggestions or objections to Xiaofeng Lu, Insurance Department, Bureau of Regulation of Rates and Policies, Room 1311, Strawberry Square, Harrisburg, PA 17120, e-mail xlu@state.pa.us, within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 01-2033. Filed for public inspection November 9, 2001, 9:00 a.m.]



**List of Names of Qualified Unlicensed Reinsurers**

Under section 319.1 of The Insurance Company Law of 1921 (40 P.S. § 442.1), the Insurance Commissioner hereby lists reinsurers not licensed by the Insurance Department (Department) which shall be considered qualified to accept reinsurance from insurers licensed by the Department.

This listing of qualified unlicensed reinsurers shall be published in the *Pennsylvania Bulletin* when additions to or deletions from the listing are made by the Insurance Commissioner. This present listing shall replace in their entirety previously published listings of qualified unlicensed reinsurers which appeared at 6 Pa.B. 2423 (September 25, 1976); 6 Pa.B. 3140 (December 18, 1976); 7 Pa.B. 501 (February 19, 1977); 7 Pa.B. 1766 (June 25, 1977); 8 Pa.B. 276 (January 28, 1978); 8 Pa.B. 1646 (June 17, 1978); 8 Pa.B. 1646 (June 17, 1978); 8 Pa.B. 3461 (December 2, 1978); 9 Pa.B. 4235 (December 22, 1979); 11 Pa.B. 38 (January 3, 1981); 12 Pa.B. 37 (January 2, 1982); 12 Pa.B. 2368 (July 23, 1982); 13 Pa.B. 657 (February 5, 1983); 13 Pa.B. 2826 (September 10, 1983); 14 Pa. B. 1053 (March 24, 1984); 14 Pa.B. 3065 (August 18, 1984); 15 Pa.B. 402 (February 2, 1985); 15 Pa.B. 3214 (September 7, 1985); 16 Pa.B. 290 (January 25, 1986); 17 Pa.B. 461 (January 24, 1987); 17 Pa.B. 5368 (December 26, 1987); 18 Pa.B. 5540 (December 10, 1988); 19 Pa.B. 713 (February 18, 1989); 19 Pa.B. 3129 (July 22, 1989); 19 Pa.B. 5476 (December 23, 1989); 20 Pa.B. 6227 (December 15, 1990); 21 Pa.B. 3286 (July 20, 1991); 21 Pa.B. 5445 (November 23, 1991); 22 Pa.B. 4591 (September 5, 1992); 23 Pa.B. 60 (January 2, 1993); 23 Pa.B. 5678 (November 27, 1993); 24 Pa.B. 4151 (August 13, 1994); 24 Pa.B. 6033 (December 3, 1994); 25 Pa.B. 5799 (December 16, 1995); 46 Pa.B. 5665 (November 16, 1996); 27 Pa.B. 2593 (May 24, 1997); 27 Pa.B. 6019 (November 15, 1997); 28 Pa.B. 5733 (November 14, 1998) 28 Pa.B. 5922 (December 5, 1998), 29 Pa.B. 5965 (November 20, 1999), 30 Pa.B. 5033 (November 18, 2000) and 31 Pa.B. 205 (January 13, 2001).

The following company has changed its name since the list was published at 31 Pa.B. 205:

Agricultural Excess & Surplus Insurance Company, Wilmington, Delaware has changed its name to Great American E & S Insurance Company, Wilmington, Delaware.

The following company has been added to the list since it was published at 31 Pa.B. 205:

Milwaukee Mutual Insurance Company, Milwaukee, Wisconsin.

The following companies have been removed from the list because they became licensed in Pennsylvania since the list was published at 31 Pa.B. 205:

Auto-Owners Insurance Company, Lansing, Michigan, became licensed on June 19, 2001.

North American Elite Insurance Company, Manchester, New Hampshire became licensed on September 28, 2001.

**Qualified Reinsurers List**

1. 37958 Acceptance Insurance Company, Omaha, Nebraska
2. 10021 ACE Capital Mortgage Reinsurance Company, New York, New York
3. 30180 ACE Guaranty Re Inc., New York, New York

4. 10651 AIG Global Trade & Political Risk Insurance Company, Parsippany, New Jersey
5. 41858 American Dynasty Surplus Lines Insurance Company, Wilmington, Delaware
6. 37990 American Empire Insurance Company, Cincinnati, Ohio
7. 26883 American International Specialty Lines Insurance Company, Anchorage, Alaska
8. 10316 Appalachian Insurance Company, Johnston, Rhode Island
9. 27189 Associated International Insurance Company, Woodland Hills, California
10. 50687 Attorneys' Title Insurance Fund, Inc., Orlando, Florida
11. 19925 Audubon Indemnity Company, Ridgeland, Mississippi
12. 36552 AXA Corporate Solutions Reinsurance Company, Wilmington, Delaware
13. 36951 Century Surety Company, Columbus, Ohio
14. 38989 Chubb Custom Insurance Company, Dover, Delaware
15. 81914 Clarica Life Insurance Company, Brookfield, Wisconsin
16. 97071 Clarica Life Reinsurance Company, Lansing, Michigan
17. 10291 CNA Reinsurance Company Limited, London, England
18. 39993 Colony Insurance Company, Richmond, Virginia
19. 40371 Columbia Mutual Insurance Company, Columbia, Missouri
20. 27955 Commercial Risk Re-Insurance Company, South Burlington, Vermont
21. 17400 Coregis Indemnity Company, Chicago, Illinois
22. 10928 Eagle Insurance Company, Jersey City, New Jersey
23. 10240 E+S Ruckversicherungs Aktiengesellschaft, Hannover, Germany
24. 40509 EMC Reinsurance Company, Des Moines, Iowa
25. 90670 ERC Life Reinsurance Corporation, Jefferson City, Missouri
26. 39020 Essex Insurance Company, Wilmington, Delaware
27. 35378 Evanston Insurance Company, Evanston, Illinois
28. 44792 Executive Risk Specialty Insurance Company, Simsbury, Connecticut
29. 85472 First ING Life Insurance Company of New York, New York
30. 92673 Gerling Global Life Insurance Company, Los Angeles, California
31. 87017 Gerling Global Life Reinsurance Company, Los Angeles, California
32. 37532 Great American E & S Insurance Company, Wilmington, Delaware

- |   |  |
|---|--|
| <p>33. 22098 Grain Dealers Mutual Insurance Company, Indianapolis, Indiana</p> <p>34. 88340 Hannover Life Reassurance Company of America, Orlando, Florida</p> <p>35. 10241 Hannover Ruckversicherungs-Aktiengesellschaft, Hannover, Germany</p> <p>36. 93505 Hartford International Life Reassurance Corporation, Hartford, Connecticut</p> <p>37. 78972 Healthy Alliance Life Insurance Company, St.Louis, Missouri</p> <p>38. 42374 Houston Casualty Company, Houston, Texas</p> <p>39. 27960 Illinois Union Insurance Company, Chicago, Illinois</p> <p>40. 22829 Interstate Fire &amp; Casualty Company, Chicago, Illinois</p> <p>41. INEX Insurance Exchange, Chicago, Illinois</p> <p>42. 35637 Landmark Insurance Company, Los Angeles, California</p> <p>43. 29912 Legion Indemnity Company, Chicago, Illinois</p> <p>44. 19437 Lexington Insurance Company, Wilmington, Delaware</p> <p>45. Lloyd's Underwriters, London, England</p> <p>46. 98078 Manulife Reinsurance Corporation (U.S.A.), Bloomfield Hills, Michigan</p> <p>47. 32089 Medmarc Mutual Insurance Company, Montpelier, Vermont</p> <p>48. 14591 Milwaukee Mutual Insurance Company, Milwaukee, Wisconsin</p> <p>49. 33189 Monticello Insurance Company, Wilmington, Delaware</p> <p>50. 20079 National Fire &amp; Marine Insurance Company, Omaha, Nebraska</p> <p>51. 41629 New England Reinsurance Corporation, Hartford, Connecticut</p> <p>52. 31143 Old Republic Union Insurance Company, Chicago, Illinois</p> <p>53. 88099 Optimum Re Insurance Company, Dallas, Texas</p> <p>54. 37338 Pacific Insurance Company, Los Angeles, California</p> <p>55. 38636 Partner Reinsurance Company of the U. S., New York, New York</p> <p>56. 88536 Protective Life and Annuity Insurance Company, Birmingham, Alabama</p> <p>57. 29807 PXRE Reinsurance Company, Hartford, Connecticut</p> <p>58. 24481 Reliance Insurance Company of Illinois, Chicago, Illinois</p> <p>59. 10679 St. Paul Reinsurance Company, Limited, London, England</p> <p>60. 21911 San Francisco Reinsurance Company, Novato, California</p> <p>61. 87572 Scottish Re (U.S.), Inc., Wilmington, Delaware</p> | <p>62. 41297 Scottsdale Insurance Company, Columbus, Ohio</p> <p>63. 23388 Shelter Mutual Insurance Company, Columbia, Missouri</p> <p>64. 10743 Sphere Drake Insurance Company Limited, Brighton, England</p> <p>65. 10932 Starr Excess Liability Insurance Company, Ltd., Wilmington, Delaware</p> <p>66. 39187 Suecia Insurance Company, Nanuet, New York</p> <p>67. 93483 Swiss-Am Reassurance Company, Wilmington, Delaware</p> <p>68. 10744 Terra Nova Insurance Company, Limited, London, England</p> <p>69. 19887 Trinity Universal Insurance Company, Dallas, Texas</p> <p>70. 37982 Tudor Insurance Company, Keene, New Hampshire</p> <p>71. 10292 Unionamerica Insurance Company, Limited, London, England</p> <p>72. 36048 Unione Italiana Reinsurance Company of America, Inc., New York, New York</p> <p>73. 39330 United Capitol Insurance Company, Chicago, Illinois</p> <p>74. 28053 United Coastal Insurance Company, Phoenix, Arizona</p> <p>75. 13021 United Fire &amp; Casualty Company, Cedar Rapids, Iowa</p> <p>76. 38032 US International Reinsurance Company, Manchester, New Hampshire</p> <p>77. 10172 Westchester Surplus Lines Insurance Company, Atlanta, Georgia</p> <p>78. 29548 Western Indemnity Insurance Company, Houston, Texas</p> <p>79. 13196 Western World Insurance Company, Keene, New Hampshire</p> <p>80. 10242 Zurich Specialties London Limited, London, England</p> |
|---|--|

M. DIANE KOKEN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 01-2034. Filed for public inspection November 9, 2001, 9:00 a.m.]

### Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insureds have requested a hearing as authorized by the act of June 17, 1998 (P. L. 464, No. 68), in connection with the termination of the insured's automobile policy. The hearing will be held in accordance with the requirements of the act; 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). The administrative hearing will be held in the Insurance Department's regional office in Philadelphia, PA. Failure by the appellants to appear at the scheduled hearing may result in dismissal with prejudice.

The following hearing will be held in the Philadelphia Regional Office, Room 1701 State Office Building, 1400 Spring Garden Street, Philadelphia, PA 19130.

Appeal of Mark A. and Alisha W. Green; file no. 01-280-03017; State Farm Mutual Auto Insurance Company; doc. no. PH01-10-023; December 7, 2001, at 3 p.m.

Parties may appear with or without counsel and offer relevant testimony or evidence. Each party must bring documents, photographs, drawings, claims files, witnesses and the like necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

In some cases, the Insurance Commissioner (Commissioner) may order that the company reimburse an insured for the higher cost of replacement insurance coverage obtained while the appeal is pending. Reimbursement is available only when the insured is successful on appeal, and may not be ordered in all instances. If an insured wishes to seek reimbursement for the higher cost of replacement insurance, the insured must produce documentation at the hearing which will allow comparison of coverages and costs between the original policy and the replacement policy.

Following the hearing and receipt of the stenographic transcript, the Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the above-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, should contact Tracey Pontius, Agency Coordinator, at (717) 787-4298.

M. DIANE KOKEN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 01-2035. Filed for public inspection November 9, 2001, 9:00 a.m.]

## LIQUOR CONTROL BOARD

### Expiration of Leases

The following Liquor Control Board leases will expire:

Lebanon County, Wine & Spirits Shoppe #3801, 831 Bowman Street, Lebanon, PA 17046-8432.

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 4,000 net useable square feet of new or existing retail commercial space within the City of Lebanon, between Fifth and Eleventh Avenues.

*Proposals due:* November 30, 2001, at 12 noon

**Department:** Pennsylvania Liquor Control Board  
**Location:** Real Estate Division, Brandywine Plaza, 2223 Paxton Church Road, Harrisburg, PA 17110-9661  
**Contact:** Charles D. Mooney, (717) 657-4228

Berks County, Wine & Spirits Shoppe #0608, 3026 Penn Avenue, West Lawn, PA 19609-1421.

*Lease Expiration Date:* August 31, 2003

Lease retail commercial space to the Commonwealth of Pennsylvania. Proposals are invited to provide the Pennsylvania Liquor Control Board with approximately 4,400 net useable square feet of new or existing retail commercial space along PA Route 724 between US Route 422 to the north and US Route 222 to the south.

*Proposals due:* November 30, 2001, at 12 noon

**Department:** Pennsylvania Liquor Control Board  
**Location:** Real Estate Division, Brandywine Plaza, 2223 Paxton Church Road, Harrisburg, PA 17110-9661.

**Contact:** Charles D. Mooney, (717) 657-4228

JOHN E. JONES, III,  
*Chairperson*

[Pa.B. Doc. No. 01-2036. Filed for public inspection November 9, 2001, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

**Joint Petition of Buffalo Valley Telephone Company and Conestoga Telephone & Telegraph Company for Commission Action; Doc. No. P-00971244**

On March 26, 1996, the Pennsylvania Public Utility Commission (Commission) entered a final opinion and order which granted Buffalo Valley Telephone Company (Buffalo Valley) and Conestoga Telephone & Telegraph Company (Conestoga) a 2-year suspension of the obligations imposed by section 251(b) and (c) of the Telecommunications Act of 1996, 47 U.S.C.A. §§ 101, et seq., with the opportunity to request three additional 1-year extensions of that suspension.

On September 26, 2001, Buffalo Valley and Conestoga filed a joint petition requesting a third 1-year extension of the original 2-year suspension. The Commission has determined that publication and comment on this joint petition is appropriate. Interested parties must submit comments on the petition within 7 days of publication in the *Pennsylvania Bulletin*. Reply comments must be submitted within 14 days of publication.

Copies of the petition may be obtained from the Commission's Secretary's Bureau upon request. The contact person at the Commission is Elizabeth A. Lion Januzzi, Assistant Counsel, Law Bureau, (717) 772-0696.

JAMES J. MCNULTY,  
*Secretary*

[Pa.B. Doc. No. 01-2037. Filed for public inspection November 9, 2001, 9:00 a.m.]

**Petition of Frontier Companies for Action; Doc. No. P-00981393**

By Order entered December 7, 1998, at Docket No. P-00981393, the Pennsylvania Public Utility Commission

(Commission) granted the Frontier Companies' request for a 2-year suspension of interconnection obligations imposed by section 251(b) and (c) of the Federal Telecommunications Act of 1996, 47 U.S.C.A. §§ 101, et seq.

On October 9, 2001, the Frontier Companies filed a petition requesting an extension of the suspension, effective December 7, 2001, to December 7, 2002. The Commission has determined that publication and comment on this petition is appropriate. Interested parties must submit comments on the Frontier Companies' petition within 7 days of publication in the *Pennsylvania Bulletin*. Reply Comments must be submitted within 14 days of publication in the *Pennsylvania Bulletin*.

Copies of the petition may be obtained from the Commission, Secretary's Bureau, upon request. The contact person at the Commission is Elizabeth A. Lion Januzzi, Assistant Counsel, Law Bureau, (717) 772-0696.

JAMES J. MCNULTY,  
*Secretary*

[Pa.B. Doc. No. 01-2038. Filed for public inspection November 9, 2001, 9:00 a.m.]

### Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Publication of this notice shall be considered as sufficient notice to all carriers holding authority from this Commission. Applications will be considered without hearing in the absence of protests to the application. Protests to the applications published herein are due on or before December 3, 2001, as set forth at 52 Pa. Code § 3.381 (relating to applications for transportation of property and persons). The protest shall also indicate whether it applies to the temporary authority application or the permanent application or both.

#### Notice of Motor Carrier Applications— Persons in Limousine Service

The following application for authority to transport persons in limousine service between points in Pennsylvania have been filed with the Commission. The application will be considered without hearing in the absence of substantive protests limited to the issue of applicant fitness. Protest to this application are due on or before December 3, 2001.

A-00118387 Geistwhite Landscaping, Inc.  
t/d/b/a Carlisle Car & Driver Service  
18 Circle Drive  
Carlisle, PA 17013

JAMES J. MCNULTY,  
*Secretary*

[Pa.B. Doc. No. 01-2039. Filed for public inspection November 9, 2001, 9:00 a.m.]

### Telecommunications

**A-310557F7000. Verizon Pennsylvania Inc. and Access Point, Inc.** Joint petition of Verizon Pennsylvania Inc. and Access Point, Inc., for approval of an Interconnection Agreement, and Amendment No. 1 under section 252(e) of the Telecommunications Act of 1996.

Verizon Pennsylvania Inc. and Access Point, Inc. filed on October 23, 2001, at the Pennsylvania Public Utility Commission (Commission), a Joint Petition for approval of an Interconnection Agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Verizon Pennsylvania Inc. and Access Point, Inc. Joint Petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,  
*Secretary*

[Pa.B. Doc. No. 01-2040. Filed for public inspection November 9, 2001, 9:00 a.m.]

### Telecommunications

**A-310043F7000. Verizon Pennsylvania Inc. and NOS Communications, Inc.** Joint petition of Verizon Pennsylvania Inc. and NOS Communications, Inc. for approval of a Replacement Interconnection Agreement, Replacing the Current Resale Agreement, under section 252(e) of the Telecommunications Act of 1996.

Verizon Pennsylvania Inc. and NOS Communications, Inc. filed on October 24, 2001, at the Pennsylvania Public Utility Commission (Commission), a Joint Petition for approval of an Interconnection Agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Verizon Pennsylvania Inc. and NOS Communications, Inc. Joint Petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,  
*Secretary*

[Pa.B. Doc. No. 01-2041. Filed for public inspection November 9, 2001, 9:00 a.m.]