# **NOTICES** DEPARTMENT OF BANKING

## Action on Applications

The Department of Banking (Department), under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 9, 2002 (P. L. 1572, No. 207), known as the Credit Union Code, has taken the following action on applications received for the week ending December 5, 2006

### **BANKING INSTITUTIONS**

#### **New Charter Applications** Date Name of Bank Location Action 12-1-06 MileStone Bank Doylestown Approved Doylestown **Bucks County Voluntary Dissolutions** Date Name of Bank Action 12-5-06 Philadelphia Depository Trust Articles of Dissolution filed with Department Company of State. Corporate existence terminated. Philadelphia Philadelphia County **Branch Discontinuances** Name of Bank Date Location Action 12-1-06 1100 Spring Garden Drive **Omega Bank** Effective State College Middletown Centre County **Dauphin County** 12-1-06 **Omega Bank** 51 South Front Street Effective State College Steelton Centre County **Dauphin County**

### SAVINGS INSTITUTIONS

### No activity.

### **CREDIT UNIONS**

#### Notices

Date	Name of Credit Union	Location	Action		
12-5-06	Boeing Helicopters Credit Union Ridley Park Delaware County	Ridley Park	Filed		
	Represents notice to amend the Articles of Incorporation to serve a field of membership to include all people who live, work, worship, attend school in, and businesses and other legal entities in the community of Delaware and Chester Counties, in this Commonwealth.				

The Department's website at www.banking.state.pa.us includes public notices for more recently filed applications.

VICTORIA A. REIDER,

Acting Secretary

[Pa.B. Doc. No. 06-2458. Filed for public inspection December 15, 2006, 9:00 a.m.]

## DEPARTMENT OF EDUCATION

Application of Art Institute International, Inc. for Approval of a Major Corporate Change and Accompanying Articles of Incorporation Including an Internal Transfer of its Degree Granting Authority and the Resolution Establishing a Protective Endowment Fund

### Notice of Opportunity for Hearing and Invitation to Protest

Under 24 Pa.C.S. § 6503(e) (relating to certification of institutions) the Department of Education (Department) will consider the application of Art Institute International, Inc. for a Certificate of Authority approving a major corporate change, including an internal transfer of its degree granting authority and the resolution establishing a protective endowment fund and change of its Articles of Incorporation to reflect this change in status.

In accordance with 24 Pa.C.S. § 6503(e), the Department will act upon the application without hearing, unless within 30 days after the publication of the notice in the *Pennsylvania Bulletin* a written request for public hearing is filed with the Department, along with a notice of intervention, a petition to intervene or protest in accordance with 1 Pa. Code §§ 35.23 and 35.24 (relating to protest) or 1 Pa. Code §§ 35.27—35.32 (relating to intervention).

Petitions to intervene, protest and request for hearing shall be filed with Paula Fleck, Director, Bureau of Postsecondary Services, Department of Education, 333 Market Street, Harrisburg, PA 17126-0333 (717) 787-4313 on or before 4 p.m. on the due date prescribed by this notice. Persons wishing to review the application should phone or write to the aforementioned office to schedule a time for an in-office review. Copies of the application are not available.

Persons with a disability who wish to attend the hearing, if held, and require an auxiliary aid, service or other accommodation to participate should contact Paula Fleck at (717) 772-3623 to discuss how the Department of Education may best accommodate their needs.

### GERALD L. ZAHORCHAK, D. Ed. Secretary

[Pa.B. Doc. No. 06-2459. Filed for public inspection December 15, 2006, 9:00 a.m.]

### Availability of 2006-2007 Career and Technical Education Curriculum Grants

Applications for curriculum grant funding are invited. The project period is January 30, 2007, to June 30, 2007. The maximum amount per project is \$25,000.

### 1. Eligibility Requirements

Funding is available on a competitive basis to career and technical education centers/area vocational-technical schools that offer approved career and technical education programs.

### 2. Application Deadline

Applications are due January 30, 2007, by 5 p.m.

### 3. How to apply

The Department of Education (Department) has implemented an internet-based E-Grant system that requires eligible applicants to apply for funding online. The grant guidelines will be available on the Department's website at www.pde.state.pa.us. On the left side, click on Pre K-12 Schools, Career and Technical Education, Grants and Funding and Funding Sources. This page provides a listing of the various funding guidelines. Click on Equipment Grants.

### 4. Questions Concerning the Grant Application

Questions concerning the grant application should be addressed to John Bonchalk, General Vocational Education Advisor, Department of Education, Bureau of Career and Technical Education, Data Analysis, Assessment and Contracts Division, 333 Market Street, 6th Floor, Harrisburg, PA 17126-0333, (717) 772-4853, jbonchalk@state. pa.us.

### GERALD L. ZAHORCHAK, D. Ed. Secretary

Sceretary

[Pa.B. Doc. No. 06-2460. Filed for public inspection December 15, 2006, 9:00 a.m.]

### Availability of 2006-2007 Career and Technical Education Equipment Grants

Applications for equipment grants funding are invited. The project period is January 30, 2007, to June 30, 2007. The maximum amount per project is \$50,000.

1. Eligibility Requirements

Funding is available on a competitive basis to career and technical education centers, area school districts with eight or more approved career and technical programs two of which must be trade and industrial, and school districts with approved career and technical education agriculture programs.

### 2. Application Deadline

Applications are due January 30, 2007, by 5 p.m.

### 3. How to apply

The Department of Education (Department) has implemented an internet-based E-Grant system that requires eligible applicants to apply for funding online. The grant guidelines will be available on the Department's website at www.pde.state.pa.us. On the left side, click on Pre K-12 Schools, Career and Technical Education, Grants and Funding and Funding Sources. This page provides a listing of the various funding guidelines. Click on Equipment Grants.

### 4. Questions Concerning the Grant Application

Questions concerning the grant application should be addressed to John Bonchalk, General Vocational Education Advisor, Department of Education, Bureau of Career and Technical Education, Data Analysis, Assessment and Contracts Division, 333 Market Street, 6th Floor, Harrisburg, PA 17126-0333, (717) 772-4853, jbonchalk@state. pa.us.

### GERALD L. ZAHORCHAK, D. Ed. Secretary

[Pa.B. Doc. No. 06-2461. Filed for public inspection December 15, 2006, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

**Applications, Actions and Special Notices** 

## APPLICATIONS

## THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a general permit. The applications concern, but are not limited to, discharges related to industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFOs). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

Location	Permit Authority	Application Type or Category
Section I	NPDES	Renewals
Section II	NPDES	New or amendment
Section III	WQM	Industrial, sewage or animal waste; discharge into groundwater
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 individual permits and individual stormwater construction permits in Sections IV and VI, the Department, based upon preliminary reviews, has made a tentative determination of proposed effluent limitations and other terms and conditions for the permit applications. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the EPA Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on an NPDES application are invited to submit a statement to the regional office noted before an application within 30 days from the date of this public notice. Persons wishing to comment on a WQM permit application are invited to submit a statement to the regional office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for a public hearing on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

### I. NPDES Renewal Applications

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

NPDES No.	Facility Name &	County &	<i>Stream Name</i>	EPA Waived
(Type)	Address	Municipality	(Watershed #)	Y/N ?
PA0063487 Renewal	Northside Heights Estates 97 Sam Brooke Circle Lehighton, PA 18235-4226	East Penn Township Carbon County	UNT to Lizard Creek 02B	Y

PENNSYLVANIA BULLETIN, VOL. 36, NO. 50, DECEMBER 16, 2006

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed #)	EPA Waived Y/N ?
PA0061204 Renewal	Kidder Township (Split Rock WWTP) State Road 1003 P. O. Box 576 Lake Harmony, PA 18624	Carbon County Kidder Township	Shingle Mill Run 02A	Y
PA0063037 Renewal	Stoney Creek Hotel 26 Rau Road Jim Thorpe, PA 18229	Carbon County Penn Forest Township	Stoney Creek 02B	Y
PA0060721	Pocono Plateau Camp and Retreat Center R. R. 2, Box 2747 Pocono Plateau Road Cresco, PA 18326-9404	Barrett Township Monroe County	Taylor Creek 01C	Y

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

NPDES No. (Type)	Facility Name & Address	County & Municipality	<i>Stream Name (Watershed #)</i>	EPA Waived Y/N ?
PA0008893 (IW)	Team Ten, LLC 1600 Pennsylvania Avenue Tyrone, PA 16686	Blair County Tyrone Borough	Bald Eagle Creek 11-A	Y
PA0081787 (SEW)	Telco Developers, Inc. Gretna Springs MHP 5 Maple Avenue Manheim, PA 17545	Lebanon County West Cornwall Township	Chickies Creek 7-G	Y
PA0008010 (IW)	Hain Pure Protein Corporation 220 North Center Street Fredericksburg, PA 17026	Lebanon County Bethel Township	Beach Run 7-D	Y
PA0021202 (SEW)	East Berlin Borough 128 Water Street East Berlin, PA 17316	Adams County East Berlin Borough	Conewago Creek 7-F	Y

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481. NPDES No. Facility Name & EPA Waived County & Stream Name (Type) Address Municipality (Watershed #) Y/N? PA0100889 Erie City Water Authority— Millcreek Township **Presque Isle Bay** Y Sommerheim WTP Erie County 15-PI 340 West Bayfront Parkway Erie, PA 16507-2004 PA0104167 Erie City Water Authority— Y City of Erie Presque Isle Bay Chestnut Street WTP Erie County 340 West Bayfront Parkway Erie, PA 16507-2004

## II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Applications

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

**PA0056537**, Industrial Waste, SIC 2951, **Highway Materials**, **Inc.**, 680 Morehall Road, Malvern, PA 19355. This proposed facility is located in East Whiteland Township, **Chester County**.

Description of Proposed Activity: Renewal of existing NPDES permit to discharge stormwater from an asphalt manufacturing facility.

The receiving stream, a UNT to Valley Creek, is in the State Water Plan Watershed 3F and is classified for exceptional value, aquatic life, water supply and recreation. The nearest downstream public water supply intake for PA American-Norristown is located on the Schuylkill River and is approximately 12.5 miles below the point of discharge.

The proposed effluent limits for Outfall 001 are based on a design flow of an average storm event.

	Concentral		
Parameters	Average	Maximum	Instantaneous
	Semi-Annual	Daily	Maximum (mg/l)
Total Suspended Solids	Monitor and Report	Monitor and Report	
Oil and Grease	Monitor and Report	Monitor and Report	
pH	Monitor and Report	Monitor and Report	
Naphthalene	Monitor and Report	Monitor and Report	
Trichloroethylene	Monitor and Report	Monitor and Report	
Benzene	Monitor and Report	Monitor and Report	

In addition to the effluent limits, the permit contains the following major special conditions:

1. Remedial Measures if Public Nuisance.

2. Change in Ownership.

3. Proper Sludge Disposal.

4. Stormwater Requirements.

The EPA waiver is in effect.

No. PA0027103, Sewage, Delaware County Regional Water Quality Control Authority, 100 East Fifth Street, P. O. Box 999, Chester, PA 19016-0999.

This application is for renewal of an NPDES permit to discharge 44 million gpd of treated sewage to the Delaware River, Zone 4. This is an existing discharge to the Delaware River.

The receiving stream is classified for the following uses: WWF (maintenance only), MF (passage only), aquatic life and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 44 mgd, are as follows:

	Average	Weekly	Instantaneous
Parameter	Monthly (mg/l)	Average (mg/l)	Maximum (mg/l)
BOD <sub>5</sub>	30	45	60
BOD <sub>5</sub> Percent Removal	89 1/4%		
Total Suspended Solids	30	45	60
Suspended Solids Percent Removal	85%		
Total Residual Chlorine	0.5		1.0
Oil and Grease	15		30
pH (Standard)	6.0 Min.		9.0
Fecal Coliform	200 #/100 ml		
Chlorodibromomethane	Monitor and Report		
Dichlorobromomethane	Monitor and Report		
1,2 Dichloroethane	Monitor and Report		
Tetrachlorethylene	Monitor and Report		
Trichloroethlene	Monitor and Report		
		Maximum Daily	
		(mg/l)	
Copper, Total	Monitor and Report		
Lead, Total	Monitor and Report		
Zinc, Total	Monitor and Report		
Ammonia as Nitrogen	Monitor and Report	Monitor and Report	
Total Kjeldahl Nitrogen	Monitor and Report	Monitor and Report	
Nitrite as Nitrogen	Monitor and Report	Monitor and Report	
Nitrate as Nitrogen	Monitor and Report	Monitor and Report	

The permit authorizes to discharge stormwater from around the sewage treatment plant through Outfalls 028–030 to the Delaware River, Zone 4.

Also, DELCORA is authorized to discharge Combined Sewer Overflows through Outfalls 002 and 004——027 and are subject to the following condition:

Discharges of floating materials, oil, grease, scum, sheen, foam and substances which produce color, tastes, odors, turbidity or settle to form deposits shall be controlled to levels which will not be inimical or harmful to the water uses to be protected or to human, animal, plant or aquatic life.

In addition to the effluent limits, the permit contains the following special conditions:

- 1. BOD<sub>5</sub> Percent Removal Requirements.
- Pretreatment Program.
   Watershed TMDL/WLA Data.
- 4. WET Testing Requirements.
- 5. Maximize Flow to Treatment Plant.
- 6. CSO Reopener.
- 7. Stormwater Outfalls Requirements.
- 8. Combined Sewer Overflows.
- 9. PCBs Requirements.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

Application No. PA 0248070, Industrial Waste, SIC Code 4941, Mifflintown Municipal Authority, Route 333 West, P. O. Box 36, Mifflintown, PA 17059-0036. This facility is located in Milford Township, Juniata County.

Description of activity: The application is for issuance of an NPDES permit for new discharge of treated industrial waste.

The receiving stream, dry swale to Juniata River in Watershed 12-A and classified for WWF, water supply, recreation and fish consumption. The nearest downstream public water supply intake is Newport Borough Authority located on the Juniata River, >20 miles downstream. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfall 001 based on a design flow of 0.085 mgd are:

	Mass (	Mass (lb/day) Concentration (mg		r∕l)	
Parameter	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Total Suspended Solids			30	60	75
Iron, Total			2	4	5
Aluminum, Total			4	8	9
Manganese, Total			1	2	2.5
Total Residual Chlorine			0.5		1.6

Persons may make an appointment to review the Department of Environmental Protection's files on this case by calling the file review coordinator at (717) 705-4732.

The EPA waiver is in effect.

Application No. PA 0248525, Concentrated Animal Feeding Operation (CAFO), Bross Family Farms, LLC, 2454 Stoney Point Road, East Berlin, PA 17316.

Bross Family Farms, LLC has submitted an NPDES permit application for Bross Family Farms No. 7 located in Washington Township, **York County**. The CAFO is situated near UNTs of North Branch Bermudian Creek (Watershed 7-F), which are classified as WWFs. The CAFO has a target animal population of approximately 354 animal equivalent units consisting of 27,000 medium tom turkeys. The existing operation includes one brooder barn and three finishing barns. There are no liquid or semi-solid manure storage facilities on the farm, and all manure is stored as solid litter within the barns. A release or discharge to waters of this Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 25-year, 24-hour storm event.

The Department of Environmental Protection (Department) has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

The permit application and draft permit are on file at the Southcentral Regional Office of the Department. Persons may make an appointment to review the files by calling the file review coordinator at (717) 705-4732.

Persons wishing to comment on the proposed permit are invited to submit written comments to the previous address within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in formulating the Department's final determination regarding the application. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the basis of the comment and the relevant facts upon which it is based.

Following the 30-day comment period, the Watershed Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the Pennsylvania Bulletin at which time the determination may be appealed to the Environmental Hearing Board.

The Environmental Protection Agency permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

Application No. PA 0248509, Concentrated Animal Feeding Operation (CAFO), Bross Family Farms, LLC, 2454 Stoney Point Road, East Berlin, PA 17316.

Bross Family Farms, LLC has submitted an NPDES permit application for Bross Family Farms No. 2 located in Reading Township, **Adams County**. The CAFO is situated near UNTs of Market Run and Mud Run (Watershed 7-F), which are classified as WWF. The CAFO has a target animal population of approximately 325 animal equivalent units consisting of 28,000 heavy turkeys. The existing operation includes one brooder barn and four finishing barns. There are no liquid or semi-solid manure storage facilities on the farm, and all manure is stored as solid litter within the barns. A release or discharge to waters of this Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 25-year, 24-hour storm event.

The Department of Environmental Protection (Department) has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

The permit application and draft permit are on file at the Southcentral Regional Office of the Department. Persons may make an appointment to review the files by calling the file review coordinator at (717) 705-4732.

Persons wishing to comment on the proposed permit are invited to submit written comments to the previous address within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in formulating the Department's final determination regarding the application. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the basis of the comment and the relevant facts upon which it is based.

Following the 30-day comment period, the Watershed Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time the determination may be appealed to the Environmental Hearing Board.

The Environmental Protection Agency permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

Application No. PA 0248517, Concentrated Animal Feeding Operation (CAFO), Bross Family Farms, LLC, 2454 Stoney Point Road, East Berlin, PA 17316.

Bross Family Farms, LLC has submitted an NPDES permit application for Bross Family Farms No. 3 located in Reading Township, **Adams County**. The CAFO is situated near Plum Run and Mud Run (Watershed 7-F), which are classified as WWF. The CAFO has a target animal population of approximately 660 animal equivalent units consisting of 35,000 standard and 34,000 heavy turkey hens. The existing operation includes two brooder barns and nine finishing barns. There are no liquid or semi-solid manure storage facilities on the farm, and all manure is stored as solid litter within the barns. A release or discharge to waters of this Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 25-year, 24-hour storm event.

The Department of Environmental Protection (Department) has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

The permit application and draft permit are on file at the Southcentral Regional Office of the Department. Persons may make an appointment to review the files by calling the file review coordinator at (717) 705-4732.

Persons wishing to comment on the proposed permit are invited to submit written comments to the previous address within 30 days from the date of this public notice.

Comments received within this 30-day period will be considered in formulating the Department's final determination regarding the application. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the basis of the comment and the relevant facts upon which it is based.

Following the 30-day comment period, the Watershed Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time the determination may be appealed to the Environmental Hearing Board.

The Environmental Protection Agency permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

**PA0229067**, CAFO, SIC 0241, **Thomas M. Craig**, 2336 Zion Road, Bellefonte, PA 16823. This existing facility is located in Spring Township, **Centre County**.

Description of Proposed Activity: Murmac Farms is an existing dairy farm that will be expanding operations to include 1,090 cows (adult, heifers and dry), totaling 1,397 Animal Equivalent Units.

The water body nearest to this facility is a UNT to Nittany Creek in the Bald Eagle Creek Watershed (SWP-09C) and has a designated use of CWF.

Except for the chronic or catastrophic rainfall events defined as over 25 year/24 hour rain storms, the CAFO permit is a nondischarge NPDES permit. Where applicable compliance with 40 CFR Federal effluent limitation guidelines is required. The permit requires no other numeric effluent limitations. Compliance with the Pennsylvania Nutrient Management Act and The Clean Streams Law constitutes compliance with state narrative water quality standards.

In addition to the effluent limits, the permit contains the following major special conditions.

- 1. Compliance with the farm's Nutrient Management Plan.
- 2. Compliance with the farm's Preparedness, Prevention and Contingency Plan.
- 3. Compliance with the Farm's Erosion & Sedimentation Control Plan for plowing and tilling.
- 4. Erosion and Sedimentation Control Plan requirements for stormwater during construction activities.
- 5. Animal mortality handling and disposing requirements.
- 6. Certification requirements for manure storage facilities.
- 7. Requirements for storage of feed and other raw materials.
- 8. Best Management Practices requirements.

The EPA waiver will not be in effect.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

**PA0026204**, Sewage. **City of Oil City**, City Plaza, 21 Seneca Street, Oil City, PA 16301. This existing facility is located in Oil City, **Venango County**.

Description of Proposed Activity: Renewal of an NPDES permit for an existing discharge of treated sewage.

For the purpose of evaluating effluent requirements for TDS, NO2-NO3, fluoride, phenolics, sulfate and chloride, the existing/proposed downstream potable water supply, considered during the evaluation is the Emlenton Municipal Water Authority located on the Allegheny River and is approximately 41.4 miles below point of discharge.

The receiving streams, Oil Creek and the Allegheny River in Watershed 16-E and classified for: WWF, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001 are based on a design flow of 4.0 mgd.

	Loadings		Concentrations		
Parameters	Average Monthly (lb/day)	Average Weekly (lb/day)	Average Monthly (mg/l)	Average Weekly (mg/l)	Instantaneous Maximum (mg/l)
Flow CBOD₅ Total Suspended Solids Fecal Coliform	XX 834 1,000	XX 1,250 1,500	25 30	40 45	50 60
(5-1 to 9-30) (10-1 to 4-30) Total Residual Chlorine pH	200/100 ml as a geometric average 2,000/100 ml as a geometric average 0.5 6.0 to 9.0 standard units at all times			1.6	

The proposed effluent limits for Outfalls 018-020 are based on a design flow of n/a mgd.

	Loadings			Concentrations		
Parameters	Average Monthly (lb/day)	Average Weekly (lb/day)	Average Monthly (mg/l)	Average Weekly (mg/l)	Instantaneous Maximum (mg/l)	
These discharges shall consist of uncontaminated stormwater runoff from the treatment plant site.						

XX—Monitor and report on monthly DMRs.

The proposed effluent limits for Outfalls 002–017 are based on a design flow of n/a mgd.

	Loadings			Concentrations	
Parameters	Average Monthly (lb/day)	Average Weekly (lb/day)	Average Monthly (mg/l)	Average Weekly (mg/l)	Instantaneous Maximum (mg/l)
These discharges shall consist of overflow from the combined sewer system during precipitation events only.					

The EPA waiver is not in effect.

### III. WQM Industrial Waste and Sewerage Applications Under The Clean Streams Law (35 P.S. §§ 691.1-691.1001)

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

**WQM Permit No. 5206405**, Sewerage, **Tamiment Development Group**, **LP**, 920 Matsonford Road, West Conshohocken, PA 19428. This proposed facility is located in Lehman Township, **Pike County**, PA.

Description of Proposed Action/Activity: This project is for the construction of a new irrigation system for the existing golf course at Tamiment Golf Club.

**WQM Permit No. 5206404**, Sewerage, **Tamiment Development Group**, **LP**, 920 Matsonford Road, West Conshohocken, PA 19428. This proposed facility is located in Lehman Township, **Pike County**, PA.

Description of Proposed Action/Activity: This project consists of construction of a new wastewater to replace existing facility that will have the capacity to treat 1.15 mgd of wastewater.

**WQM Permit No. 6606401**, Sewerage, **Nicholson Borough Water Authority**, P. O. Box 324, Nicholson, PA 18446. This proposed facility is located in Nicholson Borough and Nicholson Township, **Wyoming County**, PA.

Description of Proposed Action/Activity: This project consists of installation of a new sanitary sewage collection, conveyance and treatment facility for Nicholson Borough.

**WQM Permit No. 4806405**, Sewerage, **Pen Argyl Municipal Authority**, 11 North Robinson Avenue, Pen Argyl, PA 18071. This proposed facility is located in Pen Argyl Borough, **Northampton County**, PA.

Description of Proposed Action/Activity: This project consists of an upgrade to the existing Authority's Wastewater Treatment Plant including process conversion from contact aeration to SBR, new digesters, pump replacements and other mechanical and structural improvements.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

**WQM Permit No. 0788401, Amendment 06-1**, Sewerage, **Altoona City Authority**, 20 Greenwood Road, Altoona, PA 16601-7114. This proposed facility is located in Altoona City, **Blair County**.

Description of Proposed Action/Activity: Proposed construction for increased hydraulic and organic loading capacity to the Easterly Wastewater Treatment Facility.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

**WQM Permit No. 4906402**, Sewerage, SIC 4952, **Mount Carmel Municipal Authority**, Fifth and Oak Streets, P. O. Box 365, Mount Carmel, PA 17851-0365. These proposed facilities will be located in Mount Carmel Township and the Borough of Mount Carmel, **Northumberland County**.

Description of Proposed Action/Activity: The Authority seeks a permit authorizing the construction and operation of the second phase of a three phase sewer separation project, consistent with the approved Act 537 Plan Update. The second phase will include the separation of storm and sanitary sewers in subbasin E, south of Shamokin Creek, with 9,500 lineal feet of new lines and the replacement of 9,000 lineal feet of interceptor in drainage basins D—F.

**WQM Permit No. 1406410**, Sewerage, **Day Family Trust—Farm House Tract**, 10 James Street, Mill Hall, PA 17751. This proposed facility is located at 840 Hunter Run Road, Howard, PA in Liberty Township, **Centre County**.

Description of Proposed Action/Activity: The proposed facility is a small flow treatment system to serve an existing residence. The system is to consist of 1,000 gallon septic tank, an effluent filter, a peat based bio-filter and UV disinfection.

**WQM Permit No. 1406409**, Sewerage, **Danny Walk**, 1460 Bell Hollow Lane, Port Matilda, PA 16870. This proposed facility is located at Walk's Lane in Taylor Township, **Centre County**.

Description of Proposed Action/Activity: The proposed facility is a small flow treatment system to serve a new residence. The system is to consist of 1,000 gallon septic tank, a 600 square foot sand filter, a 1,500 gpd erosion chlorinator and a 415 gallon chlorine contact tank.

IV. NPDES Applications for Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

#### V. NPDES Applications for Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

NPDES Permit No.	<i>Applicant Name &amp; Address</i>	County	Municipality	Receiving Water/Use
PAI010906032	William Burland 1930 Old Bethlehem Road Quakertown, PA 18951	Bucks	Springfield Township	Cooks Creek (EV)
PAI0910906050	Jerome and Diane Giuliano 2774 Sugan Road Solebury, PA 18963	Bucks	Solebury Township	Paunnacussing Creek HQ-CWF
PAI011506086	The Hankin Group 707 Eagleview Boulevard Exton, PA 19341	Chester	Uwchlan Township	Shamona Creek HQ-TSF-MF
PAI011506093	Michael Ligon 4054 Tinker Hill Road Phoenixville, PA 19460	Chester	East Nantmeal Township	Beaver Run EV

NPDES Permit No.	<i>Applicant Name &amp; Address</i>	County	Municipality	Receiving Water/Use
PAI011506094	Greenpoint Farm, Inc. 402 Bayard Road Suite 100 Kennett Square, PA 19348	Chester	Londonderry Township	Big Elk Creek HQ-TSF-MF

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Lackawanna County Conservation District: 1300 Old Plank Rd., Mayfield, PA 18433, (570) 281-9495.

NPDES Permit No.	<i>Applicant Name &amp; Address</i>	County	Municipality	Receiving Water/Use
PAI023506006	Robert Kretschmer Department of Transportation, District 4-0 55 Keystone Ind. Park Dunmore, PA 18512-1516	Lackawanna	Jessup Boro.	Grassy Island Creek HQ-CWF Tributary to Lackawanna River CWF Tributary to Sterry Creek CWF

Monroe County Conservation District: 8050 Running Valley Rd., Stroudsburg, PA 18360, (570) 629-3060

NPDES Permit No.	<i>Applicant Name &amp; Address</i>	County	Municipality	Receiving Water/Use
PAI024506027	Nish Nick, Inc. 30 Jade Lane Phillipsburg, NJ 08865-7327	Monroe	Tobyhanna Township	Tobyhanna Creek HQ-CWF
PAI024506028	DEPG Stroud Associates, LP 625 Ridge Pike Suite A-107 Conshohocken, PA 19428	Monroe	Stroud Township	Wigwam Run HQ-CWF
PAI024506029	CMC Development Corp. 4511 Falmer Drive Bethlehem, PA 18020	Monroe	Hamilton Township	Cherry Creek HQ-CWF, MF
PAI024506030	Monroe—Pike Land, LLC R. R. 2, Box 2091C East Stroudsburg, PA 18301	Monroe	Stroud and Pocono Townships	Tributary to Brodhead Creek HQ-CWF

Northampton County Conservation District: Greystone Bldg., Gracedale Complex, Nazareth, PA 18064-9211, (610) 746-1971.

NPDES Permit No.	<i>Applicant Name &amp; Address</i>	County	Municipality	Receiving Water/Use
PAI024806034	DP Industrial, LLC Attn: Stephen Bailey 200 North Third St. Suite 1402 Harrisburg, PA 17101	Northampton	Lower Nazareth Township	Monocacy Creek HQ-CWF

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

NPDES Permit No.	<i>Applicant Name &amp; Address</i>	County	Municipality	Receiving Water/Use
PAI033606009	J. Michael Stoltzfus 2419 Valley Rd. Narvon PA 17555	Lancaster	East Earl Township and Terre Hill Borough	Black Creek HQ-WWF UNT Conestoga River WWF
PAI030606010	Eric Gross 1007 S Krocks Rd. Wescosville PA 18106	Berks	Longswamp Township	Little Lehigh Creek HQ-CWF
PAI030606012	JMH, Inc. 200 Park Road Suite 400 Wyomissing PA 19610	Berks	Wyomissing Borough	Wyomissing Creek, Schuylkill River Watershed HQ-CWF

### VII. List of NOIs for NPDES and/or Other General Permit Types

PAG-12 Concentrated Animal Feeding Operations (CAFOs)PAG-13 Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

## PUBLIC WATER SUPPLY (PWS) PERMIT

Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17), the following parties have applied for a PWS permit to construct or substantially modify a public water system.

Persons wishing to comment on a permit application are invited to submit a statement to the office listed before the application within 30 days of this public notice. Comments received within the 30-day comment period will be considered in the formulation of the final determinations regarding the application. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (Department) of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and any related documents are on file at the office listed before the application and are available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability who require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

### SAFE DRINKING WATER

### Applications Received Under the Pennsylvania Safe Drinking Water Act

Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401.

### Permit No.1506507, Public Water Supply

,			
Applicant	Wallace Township Municipal Authority		
Township	Wallace		
County	Bucks		
<b>Responsible</b> Official	Michael DiSantis		
Type of Facility	PWS		
<b>Consulting Engineer</b>	Evans Mill Environmental, LLC		
Application Received Date	November 27, 2006		
Description of Action	Construction of a new public water supply system to serve the proposed Hamilton Subdivision.		

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

### Permit No. 3606517, Public Water Supply.

Permit No. 3606517,	<b>1</b> 7, Public Water Supply.		
Applicant	Pepe's Pizza		
Municipality	Clay Township		
County	Lancaster		
Responsible Official	Paolo Quaranta, Owner 1790 Clay Road Ephrata, PA 17522		
Type of Facility	Public Water Supply		
Consulting Engineer	Charles A. Kehew II, P. E. James R. Holley & Assoc., Inc. 18 South George St. York, PA 17401		
Application Received:	11/9/2006		
Description of Action	Installation of a nitrate treatment system using anion exchange to address elevated levels of nitrate in the source water.		
Permit No. 2106505,	Public Water Supply.		
Applicant	Newville Borough Water and Sewer Authority		
Municipality	West Pennsboro Township		
County	Cumberland		
Responsible Official	Roger Hoover, Authority Chairpeson 4 West Street Newville, PA 17241		
Type of Facility	Public Water Supply		
Consulting Engineer	Janet R. McNally, P. E. William F. Hill & Assoc., Inc. 207 Baltimore St. Gettysburg, PA 17325		
Application Deceived			
Application Received:	10/26/2006		

Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Application No. 1606502, Public Water Supply			
Applicant	Redbank Valley Municipal Authority		
Township or Borough	New Bethlehem, <b>Clarion</b> <b>County</b> and South Bethlehem/Mahoning, <b>Armstrong County</b>		
Responsible Official	William A. George, Chairperson		

PENNSYLVANIA BULLETIN, VOL. 36, NO. 50, DECEMBER 16, 2006

Consulting Engineer	Senior Project Manager Gannett Fleming, Inc. 554 South Erie St. Mercer PA 16137
Application Received Date	11/22/2006
Description of Action	Construction of 560 gpm water treatment plant, Beautiful Outlook water storage tank and waterline.

Consulting Engineer

Thomas I Thompson P F

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### **UNDER ACT 2, 1995**

### PREAMBLE 1

### Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101-6026.908).

Sections 302-305 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the Pennsylvania Bulletin an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the Background Standard, Statewide Health Standard, the Site-Specific Standard or who intend to remediate a site as a special industrial area must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one, a combination of the cleanup standards or who receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a Site-Specific Standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified, proposed for remediation to a Site-Specific Standard or as a special industrial area, the municipality within which the site is located may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office before which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

**Slater Residence** Skippack Township, **Montgomery County**. Richard Trimpi, Trimpi Assoc., Inc., 1635 Old Plains Road, Pennsburg, PA 18073 on behalf of Georgia and Gehman Slater, 2057 Old Forty Foot Road, Harleysville, PA 19438, has submitted a Notice of Intent to Remediate. Soil and groundwater at the site has been impacted with No. 2 fuel oil. The future use of the site is residential. A summary of the Notice of Intent to Remediate was reported to have been published in the *Buck County Intelligencer* on November 1, 2006.

Leahy Tansporation, City of Philadelphia, Philadelphia County. Mark J. Irani, P. G., Land Recycling Solutions, LLC., 3101 Mt. Carmel Ave., Suite 3 Glenside, PA 19038 on behalf of Peter Leahy, Leahy Transportation, 2747 Salmon St., Philadelphia, PA 19134 has submitted a Notice of Intent to Remediate. Soil and groundwater at the site has been impacted with No. 2 fuel oil. The planned future use of the property will continue to be for a mixed residential and commercial use.

**Frankford Valley Corp., Prop.**, City of Philadelphia, **Philadelphia County**. Gerald Santilli, Frankford Valley Corp., 1901 Route, 70 East, Cherry Hill, NJ 08003 has submitted a Notice of Intent to Remediate. Soil at the site has been impacted with arsenic. The future use of the property will remain as a charter school and the entire property will be developed.

**Penn Lighting**, City of Philadelphia, **Philadelphia County**. Tiffani Doerr, GES, Inc., 440 Creamery Way Suite 500, Exton, PA 19341 on behalf of Robert Wax, Penn Lighting, 239 South 24th St., Philadelphia, PA 19103 has submitted a Notice of Intent to Remediate. Soil at the site has been impacted with No 2 fuel oil. The Future use of the property will be non-residential.

**Rite Aid Store No. 3457**, City of Philadelphia, **Philadelphia County**. Kenneth M. Yoder, P. G., BL Co., 213 Mkt. 6th Floor, Harrisburg, PA 17101 on behalf of Robert Lerner, Rite Aid Corp., 30 Hunter Lane, Camp Hill, PA 117101 has submitted a Notice of Intent to Remediate. Soil and groundwater at the site has been impacted with diesel fuel and unleaded gasoline. The future use of the site will remain as a retail pharmacy store.

**Cardone Ind., Inc., Plt 4 and 4A**, City of Philadelphia, **Philadelphia County**. Peter Falnes, Gannett Fleming, Inc. 202 Wall St., Princeton, NJ 08540 has submitted a Notice of Intent to Remediate. Groundwater at the site has been impacted with other organics, semi-volatile organics. The planned future use of the site will remain commercial, nonresidential.

**Exxon 21291**, Lower Merion Township, **Montgomery County**. Serena L. Oldhouser, GES, Inc., 440 Creamery Way, Suite 500, Exton PA 19341 on behalf of Lou Basttiste, 637 East Lancaster Ave., Wynnewood, PA 19096 has submitted a Notice of Intent to Remediate. Soil and groundwater at site has been impacted with unleaded gasoline. The future use of the site will be for commercial property.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

**ENCO Realty Facility (Former)**, Reading City, **Berks County**. Whittemore and Haigh Engineering, Inc., 200 Bethlehem Drive, Suite 201, Morgantown, PA 19543, on behalf of QMM Properties, LLC, P. O. Box 350, Shillington, PA 19607-0350, submitted a Notice of Intent to Remediate site soils contaminated with VOCs and lead from historical industrial use of the site. The property is and will remain a frozen food manufacturing plant. The applicant is seeking to remediate to the Site-Specific and Statewide Health Standards.

**Former Trojan Yacht Site**, East Lampeter Township, **Lancaster County**. Rettew Associates, Inc., 3020 Columbia Avenue, Lancaster, PA 17603, on behalf of Shippen Realty Partners, 1032 Buchanan Avenue, Lancaster, PA 17603, submitted a Notice of Intent to Remediate site soils and groundwater contaminated with VOCs, SVOCs and chlorinated solvents. The property was formerly a yacht manufacturing plant and future use will be light industrial. The applicant seeks to remediate to the Site-Specific Standard.

**Manheim Plaza**, Manheim Township, **Lancaster County**. Rettew Associates, Inc., 3020 Columbia Avenue, Lancaster, PA 17603, on behalf of Horst Venture I, LP, 205 Granite Run Drive, Suite 280, Lancaster, PA 17601-6821, submitted a Notice of Intent to Remediate site soils and groundwater contaminated with petroleum hydrocarbons and metals. The property was used as an industrial facility and future use is commercial and light industrial. The applicant seeks to remediate to the Statewide Health Standard.

**Kevin Spangler Residence**, Clay Township, **Lancaster County**. Skelly and Loy, Inc., 2601 North Front Street, Harrisburg, PA 17110, on behalf of Kevin and Stacci Spangler, 930 Skyline Drive, Lititz, PA 17543-9762, submitted a Notice of Intent to Remediate site soils contaminated with No. 2 fuel oil. The property is and will remain a private residence. The applicant seeks to remediate to the Residential Statewide Health Standard.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

**PPL Crandall Hill Check (P-135)**, Roulette Township, **Potter County**, PPL Services Corp, 2 North 9th St. GENTW 17, Allentown, PA 18101 has submitted a Notice of Intent to Remediate soil contaminated with mercury. The applicant proposes to remediate the site to meet the Statewide Health Standard. The site will remain a natural gas meter/regulator station

Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

**Cooper Standard Automotive Property (Former)**, Borough of Kittanning, **Armstrong County**. Mary King, Civil & Environmental Consultants, Inc., 333 Baldwin Road, Pittsburgh, PA 15205 on behalf of Nick Caruso, Armstrong County Department of Planning and Development, 402 Market Street, Kittanning, PA 16201 has submitted a Notice of Intent to Remediate. The 6 acre site was a ball field until a 80,000 square foot manufacturing facility was constructed in the late 1960s or early 1970s. Cooper Standard Automotive, Formerly 5 Rubber Corporation and Standard Products, operated at the site from the late 1980s through mid-2000, manufacturing rubber molded products for the automotive industry. The compound 1,1.1-trichlorethane was identified in groundwater at levels below Statewide Health Standards. Historical remediation activities included the excavation of soil impacted by oil and grease. The intended use is nonresidential, manufacturing

### INFECTIOUS AND CHEMOTHERAPEUTIC WASTE TRANSPORTER LICENSES

Applications received or withdrawn under the Solid Waste Management Act (35 P. S. §§ 6018.101— 6018.1003) and Act 93 of June 28, 1988 (P. L. 525, No. 93) and regulations to transport infectious and chemotherapeutic waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

Renewal Applications Received

**Pet Memorial Services Corporation**, 319 Westtown Road, Suite Q, West Chester, PA 19382-4557. License No. PA-HC 0195. Received on October 17, 2006.

**Conservative Environmental Services, Inc.**, P. O. Box 745, Mechanicsburg, PA 17055. License No. PA-HC 0224. Received on November 8, 2006.

**Environmental Transport Group, Inc.**, P. O. Box 296, Flanders, NJ 07836-0296. License No. PA-HC 0023. Received on November 13, 2006.

**Cole Care, Inc.**, 1001 E. Second Street, Coudersport, PA 16915. License No. PA-HC 0178. Received on August 28, 2006.

### OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Application received, under the Solid Waste Management (35 P. S. §§ 6018.101—6018.1003, the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and regulations to operate Solid Waste Processing or Disposal Area or Site.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

**Permit ID No.301305. Calgon Carbon Corporation**, P. O. Box 717, Pittsburgh, PA 15230. JTS and Parts (Neville Island Transfer Station), 3000 Grand Avenue, Pittsburgh, PA 15225. Application for the permit renewal of a residual waste transfer station in Neville Township, **Allegheny County** was received in the Regional Office on December 1, 2006.

### DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Determination of Applicability for General Permit issued Under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and residual waste regulations for a general permit to operate residual waste processing facilities and/or the beneficial use of residual waste other than coal ash.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. **General Permit No. WMGR038-SC002.** Permit Issued to **ZIRCorp, LLC**, 320 Sanru Drive, Johnstown, PA, 15904 for their facility located at 560 Sunnyside Road, Bedford Township, **Bedford County**, for the Processing and Beneficial use of waste tires, tire derived material and tire derived fuel. The Department of Environmental Protection issued the determination of applicability on December 5, 2006.

Persons interested in reviewing the general permit may contact John Oren, Facilities Manager, Southcentral Regional Office, Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110. TDD users may contact the Department of Environmental Protection through the Pennsylvania Relay Service, (800) 654-5984.

## AIR QUALITY

## PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

### NEW SOURCES AND MODIFICATIONS

The Department of Environmental Protection (Department) has developed an "integrated" plan approval, State operating permit and Title V operating permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department has received applications for plan approvals and/or operating permits from the following facilities.

Copies of the applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the regional office identified in this notice. Persons interested in reviewing the application files should contact the appropriate regional office to schedule an appointment.

Persons wishing to receive a copy of a proposed plan approval or operating permit must indicate their interest to the Department regional office within 30 days of the date of this notice and must file protests or comments on a proposed plan approval or operating permit within 30 days of the Department providing a copy of the proposed document to that person or within 30 days of its publication in the Pennsylvania Bulletin, whichever comes first. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Comments or protests filed with the Department regional offices must include a concise statement of the objections to the issuance of the Plan approval or operating permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the Pennsylvania Bulletin at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office identified before the application. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121—143, the Federal Clean Air Act (act) and regulations adopted under the act.

### PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001-4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Mark Wejkszner, New Source Review Chief, (570) 826-2531.

**39-318-117: Mack Trucks, Inc.** (7000 Alburtis Road, Macungie, PA 18062) for construction of a multitone paint spray operation and associated air cleaning device in Lower Macungie Township, **Lehigh County**.

**66-315-048: The Procter and Gamble Paper Products Co.** (P. O. Box 32, Mehoopany, PA 18629) for modification of a paper machine and installation of an air cleaning device at 87, Washington Township, **Wyoming County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

**28-05011B: Waste Management** (9446 Letzburg Road, Greencastle, PA 17225) for a northwest expansion of the existing Mountain View Reclamation Landfill in Antrim and Montgomery Townships, **Franklin County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, William Charlton, New Source Review Chief, (412) 442-4174.

**65-00713B: Greenridge Reclamation, LLC** (R. D. No. 1, Box 717, Landfill Road, East Huntingdon, PA) for an increase in the volume of landfill gas to flare at Greenridge Reclamation Landfill in East Huntingdon Township, **Westmoreland County**.

**30-00166A: Greene Team Pellet Fuel Co.** (P. O. Box 74, Garards Fort, PA 15334) for wood pellet manufacturing at Greene Team Pellet Fuel Plant in Greene Township, **Greene County**.

**65-00101B: MAX Environmental Technologies, Inc.** (1815 Washington Road, Pittsburgh, PA 15241) for baghouse to control dust from unloading area and to provide negative pressure in the processing building at Yukon Plant in South Huntingdon, **Westmoreland County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.

**10-281K: II-VI, Inc.** (375 Saxonburg Boulevard, Saxonburg, PA 16056) for installation of a 70 kwh electric furnace and associated control equipment at their Clinton Township facility in the City of Saxonburg, **Butler County**.

**20-193A: Lord Corp.** (124 Grant Street, Cambridge Springs, PA 16403) for installation of a new filter system to control emissions from existing surface coating operations in the municipality of Cambridge Springs, **Crawford County**. This is a Title V facility.

### Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001-4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Thomas McGinley, New Source Review Chief, (484) 250-5920.

**15-0123: Century Cabinetry, Inc.** (220 Phillips Road, Exton, PA 19341) for installation of a regenerative thermal oxidizer for the control of VOC and HAP from the facility's Automated Spray Finishing Line in West Whiteland Township, **Chester County**.

In accordance with 25 Pa. Code §§ 127.44(b) and 127.424(b), the Department of Environmental Protection (Department) intends to issue a plan approval for their plant in West Whiteland Township, Chester County. The provision of this plan approval will subsequently be incorporated into an Operating Permit through an administrative amendment in accordance with 25 Pa. Code § 127.450.

Plan Approval No. PA-15-0123 is for the installation of a regenerative thermal oxidizer for the control of VOCs and HAPs from the facility's Automated Spray Finishing Line. Further details on the conditions and the reasons for their inclusion are available upon request.

The Department has made a preliminary determination to approve Reasonably Available Control Technology (RACT) plans as amendments to the State Implementation Plan (SIP) for Century Cabinetry. The proposed SIP revisions do not adopt any new regulations. They incorporate the provisions and requirements contained in RACT approvals for this facility to comply with current regulations. These preliminary determinations, if finally approved, will be incorporated into Plan Approvals and/or Operating Permits for the facility and will be submitted to the United States Environmental Protection Agency as revisions to Pennsylvania's SIP.

The preliminary RACT determinations for Century Cabinetry for the Clean-up Operations in the Manual Spray Booths and the Automated Spray Finishing Line are the immediate implementation of work practice standards for minimization of cleaning solvent usage.

Interested persons may submit written comments, suggestions or objections concerning the proposed Plan Approval to the regional office on or before January 17, 2007. Written comment submitted to the Department during the public comment period shall include the following:

Name, address and telephone number of the commentator.

Identification of the proposed [Plan Approval No. PA-15-0123].

A concise statement regarding the relevancy of the information or objections to the issuance of the permit.

One public hearing will be held for the purpose of receiving comments on the proposed SIP revisions for VOC RACT and the Department's Intent to Issue a Plan Approval. The hearing will be held at 2 p.m. on January 17, 2007, at the Department of Environmental Protection, Southeast Regional Office, 2 East Main Street, Norristown, PA. The hearing will represent the opportunity for oral comment to Department on the proposed SIP revisions and will not be a question and answer session. Persons wishing to present testimony at the hearing are encouraged to contact the Department Community Relations Coordinator Lynda Rebarchak at (484) 250-5820 to register prior to the hearing, but may also register at the hearing. Individuals in need of accommodations as provided for in the Americans with Disabilities Act who would like to attend the hearing should contact Lynda Rebarchak at the previous telephone number or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department can meet your needs.

Written comments on the plan approval or the proposed SIP revisions or requests for a public hearing on the plan approval should be directed to Francine Carlini, Regional Manager, Air Quality, Department of Environmental Protection, Southeast Regional Office, 2 East Main Street, Norristown, PA 19401, or by calling (484) 250-5920.

Copies of the application, the Department's analysis, and other documents used in the evaluation of the plan approval application and RACT approval are available for public review during normal business hours at the Southeast Regional Office, 2 East Main Street, Norristown, PA. Appointments for scheduling a review may be made by calling (484) 250-5017.

**09-0037F: CMS Gilbreth Systems, Inc.** (3001 State Road, Croydon, PA 19021) for installation of a ten color Rotomec Rotogravure Printing Press at its Bristol Plant located in Bristol Township, **Bucks County**. This graphic arts packaging and labeling company is a Title V Facility, currently operating under TVOP-09-00037. A seven color Tecmo Rotogravure Printing Press will simultaneously be removed from the plant. Emissions from the new press will be controlled by the existing Regenerative Thermal Oxidizer. The facility is an area source for HAPs, therefore not subjected to 40 CFR 63, Subpart KK. The facility is subjected to 25 Pa. Code § 129.67 for graphic arts systems. The plan approval will include monitoring, testing, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Mark Wejkszner, New Source Review Chief, (570) 826-2531.

35-399-042: Master Halco, Inc. (1000N South Road, Scranton, PA 18504) for construction and operation of galvanizing process line for manufacturing zinc coated chain-link fence in City of Scranton, Lackawanna **County**. The equipment involved in the galvanizing process includes: a series of process tanks containing caustic and acid solutions for cleaning and preparing the fence material; a kettle containing molten zinc that will coat the prepared fence material; a natural gas fired furnace to heat the zinc kettle; two baghouses (one for particulate emitted from the molten zinc kettle and one for particulate emitted from the wire drawing operations); one scrubber for the control of vapors emitted from the acid pickling tanks; and two small natural gas fired heaters to heat the caustic cleaning tank and caustic rinse tanks. The company anticipates an overall control efficiency of more than 95% for scrubber for control of HCL fumes, which will yield an outlet concentration of less than 0.004 lb/hr of HCl fume. Expected particulate emission rate will be less than 0.02 grain/dscf from each bag house. The company will operate the facility and maintain the systems in accordance with the good engineering practices to assure proper operation of the system. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions

PENNSYLVANIA BULLETIN, VOL. 36, NO. 50, DECEMBER 16, 2006

designed to keep the facility operating within all applicable air quality requirements.

39-318-116: Gateway Industrial Services (805 Harrison Street, Allentown, PA 18103) for construction of a paint spray booth and associated air cleaning device at the facility located in the City of Allentown, **Lehigh County**. The facility is a non-Title V (State-only) facility and has been issued Synthetic Minor Operating Permit No. 39-00078. The particulate emissions from the source will not exceed the Best Available Technology standard of 0.02 gr/dscf. Annual emissions from the entire facility, including the new paint spray booth, will not exceed 49.9 tons per year of VOC emissions, 25.0 tons per year of combined HAPs and 10.0 tons per year of a single HAPs. The Plan Approval and Operating Permit will include emission restrictions, monitoring, recordkeeping, report-ing and work practice requirements designed to keep the source operating within all applicable air quality requirements. This plan approval will, in accordance with 25 Pa. Code § 127.450, be incorporated into the Synthetic Minor Operating Permit through an administrative amendment at a later date.

**39-309-067: Lafarge North America, Inc.** (5160 Main Street, Whitehall, PA 18052) for relocation of the tirederived fuel (TDF) feed chute and installation of a "dust curtain" (splitter gate with ductwork) for the No. 2 cement kiln at the Whitehall Plant in Whitehall Township, Lehigh County. The facility currently has a Title V Operating Permit No. 39-00011. This plan approval will, in accordance with 25 Pa. Code § 127.450, be incorporated into the Title V Operating Permit through an administrative amendment at a later date.

The installation of the "dust curtain" and relocation of the TDF feed chute will lessen the dust build-up and plugging problems associated with the current location of the TDF feed chute in the preheater of the No. 2 cement kiln. The cement kiln can be fired by either a combination of coke and bituminous coal; or a combination of coke and bituminous coal with TDF and/or plastic- derived fuel (PDF). The emissions will not exceed the following emission limits (unchanged from the issued Plan Approval No. 39-309-063 for PDF, the issued Plan Approval No. 39-309-064 for the Cadence mixing fan, and the current Title V permit) listed below:

Pollutant	Pounds/Hour
Arsenic	0.00151
Cadmium	0.00525
Hexavalent Chromium	0.00135
Lead	0.07
Mercury	0.00744
Nickel	0.0189
Zinc	0.38689
Total VOCs	5.4
SO <sub>2</sub>	362.0
	(3-hr Block Average)
NOx (with TDF/PDF)	260.5
	(30-day Rolling Average)
NOx (NO TDF/PDF)	297.7
	(30-day Rolling Average)
Particulates	14.8
HCl	2.23
HCN	0.059
Chlorine	0.077

The Plan Approval will contain additional recordkeeping, testing and operating restrictions designed to keep the facility operating within all applicable air quality requirements. The company will be required to continue to operate and maintain a Continuous Emission Monitoring System, which is certified by the Department of Environmental for opacity, SOx and NOx. In addition the company is required to conduct annual stack testing for arsenic, cadmium, hexavalent chromium, lead, mercury, nickel, zinc, total VOCs, particulates, CO, HCl, HCN and chlorine due to the kiln being fired by TDF and/or PDF.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

**06-05069J: East Penn Mfg Co., Inc.** (P. O. Box 147, Deka Road, Lyon Station, PA 19536-0147) for modification of their battery assembly operation controlled by various control devices in Richmond Township, **Berks County**. The modifications include the installation of new fabric collectors and HEPA filters; construction of various new support sources with controls; and the rearrangement of sources and control devices. Several of the sources are subject to 40 CFR Part 60, Subpart KK, Standards of Performance for New Stationary Sources. The plan approval will include monitoring, record keeping, work practices and reporting requirements designed to keep the source operating within all applicable air quality requirements. The facility is currently covered by the Title V operating permit application No. 06-05069. The plan approval will be incorporated into this application.

**67-05099A: Kinsley Manufacturing, Inc.** (1110 East Princess Street, York, PA 17403) for construction of two portable spray paint units with dry panel filters for control of PM emissions at its steel fabrication shop in York City, **York County**. The source will emit approximately 7.5 tons VOC per year and 5.9 tons xylene per year. The plan approval and subsequent State-only operating permit administrative amendment will include emission restrictions, work practice standards, testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

**47-00003A: Department of Public Welfare** (1401 North 7th Street, Harrisburg, PA 17105-2675) for construction and operation of one dual-fired, anthracite coal and No. 2 fuel oil boiler (Source ID 037), and one anthracite coal-fired boiler (Source ID 038) and installation of independent flue gas recirculating system (IDs C037 and C038) to control NOx and PM emissions from each respective boiler at the Danville State Hospital facility located in Mahoning Township, **Montour County**. The respective facility is a major facility for which a Title V operating permit 47-00003 has been issued.

The Department of Environmental Protection's (Department) review of the information contained in the application indicates that the proposed boilers with independent flue gas recirculation systems will meet all applicable air quality regulatory requirements pertaining to air contamination sources and the emission of air contaminants, including the Best Available Technology (BAT) requirements of 25 Pa. Code §§ 127.1 and 127.12. The proposed boilers will be subject to the requirements of Subpart Dc of the New Source Performance Standards, 40 CFR 60.40c—60.48c and will comply with all applicable requirements of this Subpart. Based on these findings, the Department intends issue a plan approval for the construction and operation of the boilers with the installation of a flue gas recirculating system for each boiler. Additionally, if the Department determines that the proposed boilers and the flue gas recirculating systems are operating in compliance with all plan approval conditions, the conditions established in the plan approval will be incorporated into Title V operating permit #47-00003 via an administrative amendment pursuant to 25 Pa. Code § 127.450.

The following is a summary of the conditions that the Department proposes to place in the plan approval to ensure compliance with all applicable regulatory requirements:

1. Under BAT requirements of 25 Pa. Code §§ 127.1 and 127.12, this plan approval is issued for the construction of two boilers with the installation of a flue gas recirculation system for each boiler. One boiler is a 14 million Btu per hour English Boiler & Tube, Inc. Model SF-10-250 anthracite coal and No. 2 fuel oil-fired boiler (Source ID 037). The air contaminant emissions from Source ID 037 shall be controlled by a flue gas recirculation system with a KLM multi-clone collector, model no. MHE/DCAH-15 (ID C037). The other boiler is a 28 million Btu per hour English Boiler & Tube, Inc. Model SF-20-250 anthracite coal fired boiler (Source ID 038). The air contaminant emissions from Source ID 038 shall be controlled by a flue gas recirculation system with a KLM multi-clone collector, model no. MHE/DCAH-15 (ID C038).

2. Under BAT requirements of 25 Pa. Code §§ 127.1 and 127.12, the emission of the following air contaminants from the exhaust of IDs C037 and C038 associated with Source IDs 037 and 038 shall not exceed the following limitations for each unit firing on anthracite coal:

- i.  $NO_2$ —0.13 lb/mmBtu of rated heat input and 6.22 tons in any 12-consecutive month period.
- ii.  $PM/PM_{10}$ —0.10 lb/mmBtu of rated heat input and 4.79 tons in any 12-consecutive month period.
- iii.  $SO_2$ -1.2 lb/mmBtu of rated heat input and 57.41 tons in any 12-consecutive month period.
- iv. CO—0.036 lb/mmBtu of rated heat input and 1.72 tons in any 12-consecutive month period.
- v. VOCs—0.012 lb/hr of rated heat input and 0.57 tons in any 12-consecutive month period.

3. Under BAT requirements of 25 Pa. Code §§ 127.1 and 127.12, the emission of the following air contaminants from the exhaust of ID C037 associated with Source ID 037 shall not exceed the following limitations while firing on virgin No. 2 fuel oil:

- i.  $NO_2$ —0.13 lb/mmBtu of rated heat input and 3.64 tons in any 12-consecutive month period.
- ii.  $PM/PM_{10}$ —0.014 lb/mmBtu of rated heat input and 0.40 ton in any 12-consecutive month period.
- iii.  $SO_2$ —0.30 lb/mmBtu of rated heat input and 8.52 tons in any 12-consecutive month period.
- iv. CO—0.036 lb/mmBtu of rated heat input and 1.01 tons in any 12-consecutive month period.
- v. VOCs-0.012 lb/mmBtu of rated heat input and 0.42 ton in any 12-consecutive month period.

4. Under BAT requirements of 25 Pa. Code §§ 127.1 and 127.12, the permittee shall not emit into the outdoor atmosphere of visible air contaminants in such a manner that the opacity from IDs C037 associated with Source IDs 037 is greater than 10% at any time and ID C038 associated with Source IDs 037 is greater than 10% at any time

5. The permittee shall perform PM, SOx and NOx stack tests from the exhaust of IDs C037 and C038 associated with Source IDs 037 and C038 within 180 days from the commencement of operation of Source IDs 037 and 038 to demonstrate compliance with the PM, SOx and NOx emission limitations. The permittee shall perform opacity readings at the exhaust of IDs C037 and 038 during the stack tests in accordance with EPA Method 9 to demonstrate compliance with the opacity limitation. All testing is to be done while Source IDs 037 and 038 are firing anthracite coal and operating at its maximum rate and using EPA reference method test procedures acceptable to the Department. The oxygen concentration in the exhaust gas of Source IDs 037 and 038 shall be recorded on a continuous basis during the test. The oxygen concentration range for both Source IDs 037 and 038 will be established based upon the recorded data and stack test report.

6. Under BAT requirements of 25 Pa. Code §§ 127.1 and 127.12, IDs C037 and C038 shall be equipped with instrumentation to measure the differential pressure across each multi-clone collector and shall monitor the differential pressure across each collector on a continuous basis.

7. Under BAT requirements of 25 Pa. Code §§ 127.1 and 127.12, the exhaust of Source IDs 037 and 038 shall be equipped with instrumentation to monitor the oxygen content of the exhaust gas from each boiler and shall monitor the oxygen content of the exhaust gas from each boiler on a continuous basis.

8. Under BAT requirements of 25 Pa. Code §§ 127.1 and 127.12, the permittee shall not fire more than 4,000 tons of anthracite coal in each boiler of Source IDs 037 and 038 in any 12-consecutive month period.

9. Under BAT requirements of 25 Pa. Code §§ 127.1 and 127.12, the permittee shall not fire more than 400,000 gallons of virgin No. 2 fuel oil in Source ID 037 in any 12-consecutive month period.

10. Under BAT requirements of 25 Pa. Code §§ 127.1 and 127.12, Source ID 037 shall only be fired on anthracite coal or virgin No. 2 fuel oil. Source ID 038 shall only be fired on anthracite coal. The anthracite coal shall have a maximum sulfur content of 0.74% by weight (as received). The virgin No. 2 fuel oil shall have a maximum sulfur content of 0.3%, by weight. Additionally, the virgin No. 2 fuel oil shall not contain any reclaimed/reprocessed oil, waste oil or any other waste material.

11. Under BAT requirements of 25 Pa. Code §§ 127.1 and 127.12 and 40 CFR 60.42c, 60.44c and 60.48c, For each separate load of anthracite coal or virgin No. 2 fuel oil delivered to the facility for use in Source IDs 037 and 038, the permittee shall obtain from the anthracite coal or virgin No. 2 fuel oil supplier a fuel certification report which contains the following information:

- i. The date of delivery and the name of the supplier.
- ii. The results of analyses performed on the anthracite coal for sulfur content, ash content, moisture content and heat content.
- iii. The results of analyses performed on the virgin No. 2 fuel oil for sulfur content, ash content and heat content.
- iv. Identification of the specific analytical methods used to perform the analyses listed above.

If the anthracite coal or virgin No. 2 fuel oil supplier does not provide a fuel certification report for the load, which contains the required information listed previously, the permittee shall not accept delivery of the load.

12. Under BAT requirements of 25 Pa. Code §§ 127.1 and 127.12, the permittee shall not operate Source IDs 037 and 038 without the simultaneous operation of IDs C037 and C038.

13. Under BAT requirements of 25 Pa. Code §§ 127.1 and 127.12, the multi-clone collector ash discharge system of IDs C037 and C038 shall remain sealed from the open air at all times and shall discharge into a hopper located in the basement of the boiler building.

14. Under BAT requirements of 25 Pa. Code §§ 127.1 and 127.12 and 40 CFR Part 60 Subpart Dc 60.48c, the permittee shall keep records of the amount of fuel burned in Source IDs 037 and 038 on a daily basis. These records shall be kept for a minimum of 5 years and be made available to the Department upon request.

15. Upon Department request, the permittee shall provide analyses and/or samples of the anthracite coal being fired in Source IDs 037 and 038 and virgin No. 2 fuel oil being fired in Source 037.

16. The permittee shall keep records of the following for Source IDs 037 and 038:

- i. The stack test reports.
- ii. The amount of anthracite coal burned on a monthly basis, and the supporting calculations used to verify compliance with the throughput limitation in any 12-consecutive month period.
- iii. The amount of virgin No. 2 fuel oil burned in Source ID 037 on a monthly basis, and the supporting calculations used to verify compliance with the throughput limitation in any 12-consecutive month period,
- iv. The emission of CO, NOx, PM, SOx and VOC and the supporting calculations, on a monthly basis, used to verify compliance with the respective emission limitation in any 12-consecutive month period.
- v. The differential pressure across each multi-clone collector of IDs C037 and C038 at least once per day. The differential pressure operating range of both multi-clone collectors of IDs C037 and C038 will be established upon issuance of the revised Title V operating permit.
- vi. The oxygen concentration of the exhaust gas from Source IDs 037 and 038 at least once per day.
- vii. Fuel certifications for each delivery of anthracite coal or virgin No. 2 fuel oil.

These records shall be kept for a minimum of 5 years and shall be made available to the Department upon request.

17. Source IDs 037 and 038 are subject to Subpart Dc of the Federal Standards of Performance for New Stationary Sources, 40 CFR 60.40c—60.48c. The permittee shall comply with all applicable requirements of this subpart, including any recordkeeping and reporting requirements

A copy of the plan approval application and the Department's review are available for public review between 8 a.m. and 4 p.m. at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review may be made by calling the Department at (570) 327-3693. Written comments or requests for a public hearing should be directed to Muhammad Q. Zaman, Chief, Facilities Permitting Section, Department of Environmental Protection, Air Quality Program, Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-0512.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104, Edward Braun, Chief, (215) 685-9476.

**AMS 06128: Star High Performance, Inc.** (547 Clearfield Street and 525 West Clearfield Street, Philadelphia, PA 19133) for installation of an aluminum sweat furnace with a 2 mmBtu/hr primary burner, a 1.5 mmBtu/hr holding chamber burner, and a 1.5 mmBtu/hr afterburner. The potential emissions from the unit will be 1.1 tons per year of PM, 1.3 tons per year of SOx, 2.1 tons per year of NOx, 0.1 ton per year of VOC, 1.8 tons per year of CO and 2.0 by 10-7 tons (less than one pound) per year of dioxin/furans. The plan approval will contain operating and recordkeeping requirements to ensure operation within all applicable requirements.

**AMS 05153: Southeastern Pennsylvania Transportation Authority** (2700 Allegheny Avenue, Philadlephia, PA 19129) for installation of one 2.1 mmBtu/hr boiler, two 8.37 mmBtu/hr boilers, two pressure washers, two space heaters and one 175 Kilowatt diesel emergency generator in the City of Philadelphia, **Philadelphia County**. There will be a potential annual emission increase of 13.9 tons for NOx for the garage. The plan approval will contain operating, monitoring, and recordkeeping requirements to ensure operation within all applicable requirements.

### **OPERATING PERMITS**

Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001-4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Edward Jurdones Brown, Facilities Permitting Chief, (484) 250-5920.

09-00066: Exelon Generation Co.—Fairless Hill Steam Generating Station (990 Steel Road South, Fairless Hills, 19030) this action is a renewal of the Title V Operating Permit, in the Falls Township, Bucks County. The initial permit was issued on 12-28-2001 and last amended on March 3, 2006. The facility is primarily used for providing steam energy and electricity from three boilers that fire on landfill gas and natural gas for use at the former USX facility. As a result of potential emissions of NOx, SOx and PM10, the facility is a major stationary source as defined in Title I, Part D of the Clean Air Act Amendments, and is therefore subject to the Title V permitting requirements adopted in 25 Pa. Code Chapter 127, Subchapter G. The proposed Title V Operating Permit renewal does not adopt any new regulations and does not reflect any change in air emissions from the facility. The facility is not subject to Compliance Assurance Monitoring under 40 CFR Part 64. The renewal contains all applicable requirements including monitoring, recordkeeping and reporting

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

**29-05001: JLG Industries, Inc.** (1 JLG Drive, McConnellsburg, PA 17233) to modify a Title V Operating Permit for JLG Industries, Inc. 1 JLG Drive, McConnellsburg, PA 17233. The Operating Permit is for the lift truck manufacturing facility located in Ayr Township, **Fulton County**. The JLG plant is a major facility and is subject to the operating permit requirements under Title V of the Federal Clean Air Act and 25 Pa Code Chapter 127, Subchapters F and G (relating to operating permit requirements; Title V operating permit requirements). Furthermore, the facility is subject to multiple State and Federal regulations. The modification involves the addition of a facility-wide HAP limit of 10 tpy for any single HAP or 25 tpy for total HAPs. There will be no emission increase at the facility due to this modification. Appropriate recordkeeping and monitoring requirements have been added to ensure compliance with the new facility-wide HAP limit.

Copies of the Title V modification application, proposed permit, and other relevant information are available for public inspection at the Southcentral Regional Office, 909 Elmerton Avenue, Harrisburg, PA 17110-8200. An appointment to review the pertinent documents at the Southcentral Regional Office may be scheduled by contacting Jennifer Troutman at (717) 705-4732 between 8:30 a.m. and 3:30 p.m., Monday through Friday, except holidays.

Interested persons may submit written comments, suggestions or objections to Yasmin Neidlinger, Chief, Facilities Permitting Section, 909 Elmerton Avenue, Harrisburg, PA 17110-8200 within 21 days of this notice. Written comments should include the name, address and telephone number of the persons submitting the comments along with the reference number of the proposed permit.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, Muhammad Zaman, Facilities Permitting Chief, (570) 327-0512.

**19-00003: Bloomsburg University** (400 East Second Street, Bloomsburg, PA 17815) for renewal of the Title V Operating Permit for their heating plant in Bloomsburg, **Columbia County**. The facility is currently operating under Title V operating permit 19-00003. The facility's main sources include five anthracite coal fired boilers, one natural gas fired boiler, and numerous small natural gas/diesel fuel fired emergency generators which have the potential to emit major quantities of SOx. The facility has the potential to emitsion thresholds. The proposed Title V Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

### Intent to Issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001–4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19428, Edward Jurdones Brown, Facilities Permitting Chief, (484) 250-5920.

**46-00194:** Freedom Alloys, Inc. (155 Railroad Plaza, Royersford, PA 19468) for a non-Title V, State-only, Natural Minor Operating Permit in Royersford Borough, **Montgomery County**. Freedom Alloys, Inc. is a facility that produces Beryllium and Copper Alloy ingots. Beryllium, Nickel and PM pollutants are emitted from the facility. A dust collector is used as a control device. Monitoring, recordkeeping and reporting requirements have been added to the permit to address applicable limitations. There are no other sources of emissions.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702. **36-05146: PPL Distributed Generation, LLC** (2 North 9th Street, Allentown, PA 18101) for operation of two landfill gas-fired engines at the Frey Farm-Creswell Landfill in Manor Township, **Lancaster County**. The engines are classified as a major source (Title V) with the potential-to-emit CO at a rate of 133 tpy. Other pollutants associated with the operation of the engines include the potential-to-emit 43 tpy of NOx, 43 tpy of SO2, 19 tpy of PM, 7 tpy of VOCs and 8 tpy of nonmethane organic compounds (NMOCs). The Title V Operating Permit will contain additional testing, monitoring, recordkeeping and reporting requirements, emission restrictions and work practice standards designed to keep the facility operating within all applicable air quality requirements.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

**49-00027: Somerset Consolidated Industries, Inc.** (5th and Ash Streets, Watsontown, PA 17777) for operation of a gray iron foundry (The Watsontown Foundry) in Watsontown Borough, **Northumberland County**.

The facility incorporates an electric induction furnace, a ductile iron production operation, a pouring/casting operation, a casting cooling operation, a casting shakeout operation, a casting grinding/cleaning operation, a nobake sand handling operation, a green sand handling operation, a core oven, a dip coating operation, a solvent parts washer and 13 small propane and kerosene-fired space heaters. The PM emissions from the casting shakeout operation, the casting grinding/cleaning operation and the no-bake sand handling operation are controlled by two fabric collectors. The PM emissions from the ductile iron production operation are controlled by the use of tundish ladles.

The air contaminant emissions from the facility are not expected to exceed 118.87 tons of PM of which no more than 67.95 PM10, 16.88 tons of VOCs, 2.23 tons of NOx, 1.49 tons SOx and .61 ton of CO per year. The facility is not a major (Title V) facility for any air contaminant.

The Department of Environmental Protection (Department) proposes to incorporate into the operating permit to be issued conditions requiring compliance with all applicable regulatory requirements pertaining to air contamination sources and the emission of air contaminants, as well as conditions previously contained in Operating Permit 49-304-002, issued on December 3, 1992, Operating Permit 49-304-003C, issued on December 30, 1993, and Operating Permit 49-304-004A, issued on October 4, 1994.

The conditions previously contained in Operating Permits 49-304-002, 49-304-003C and 49-304-004A include:

1. A condition limiting the fuel used in the core oven to gas (natural or propane), No. 2 fuel oil and kerosene, to which no reclaimed or waste oil or other waste materials have been added.

2. A condition prohibiting the operation of the air contaminant-emitting process equipment controlled by a shaker type fabric collector from being operated when the respective fabric collector is in a bag shake mode.

3. A condition requiring extra fabric collector bags to be kept onsite.

4. A condition requiring all ductile iron produced at this facility to be produced with a tundish ladle.

5. condition prohibiting the induction furnace from being charged with anything other than steel rail, pig iron, foundry returns and oil-free steel punchings and limiting the additives used in the furnace to carbon raisers, ferrosilicon, ferromoly, nickel, ferromanganese, ferrochrome and Slago (or equivalent product).

6. A condition prohibiting the induction furnace from being used to produce anything other than gray iron, ductile iron and Ni Hard.

7. A condition limiting the amount of Ni Hard produced with the induction furnace to no more than 125 tons in any 12-consecutive month period.

8. A condition limiting the amount of nickel and ferrochrome used in the production of Ni Hard to no more than 12,000 pounds and 5,000 pounds, respectively, in any 12-consecutive month period and the amount of nickel, ferrochrome, ferromoly and ferromanganese used in the production of all alloys other than Ni Hard to no more than 500 pounds, 6,000 pounds, 500 pounds and 3,500 pounds, respectively, in any 12-consecutive month period.

9. A condition requiring the maintenance of records of the amount of Ni Hard produced each month, the amounts of nickel and ferrochrome used in Ni Hard production each month, the total combined amount of all alloys other than Ni Hard produced each month and the amounts of nickel, ferrochrome, ferromoly and ferromanganese used in the production of all alloys other than Ni Hard each month.

The Department additionally proposes to incorporate a number of new conditions into the operating permit to be issued including:

10. A condition limiting the induction furnace from operating more than 8,640 hours in any 12-consecutive month period.

11. A condition requiring the maintenance of records of the number of hours the induction furnace is operated each month.

12. A condition requiring the submission of an annual report of the records maintained pursuant to conditions 9 and 11.

13. A condition limiting the volatile organic compound emissions from the dip coating operation to less than 10 tons in any 12-consecutive month period.

14. A condition requiring compliance with the applicable requirements of 29 Pa. Code § 129.52 if the VOC emissions from the dip coating operation ever exceed 3 pounds per hour, 15 pounds per day or 2.7 tons per calendar year.

15. A condition requiring the maintenance of records of the identity, quantity, VOC content and HAP content of each coating and coating additive added to the dip coating operation each day.

16. Conditions requiring the solvent parts washer to comply with all applicable requirements specified in 25 Pa. Code § 129.63.

17. A condition prohibiting the use of solvents containing HAPs in the solvent parts washer.

18. A condition requiring the maintenance of records of the identity and amount of solvent placed into the solvent parts washer each month.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Mark Wayner, Facilities Permitting Chief, (412) 442-4174. **63-00570: RAS Industries** (12 Arentzen Boulevard, Charleroi, Pa 15022) for manufacturing of plastics, foam products at Speers Plant in Speers Borough, **Washington County**. This is a renewal.

### Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104, Edward Brawn, Chief, (215) 685-9476.

**N04-010: CRAMCO** (2200 East Ann Street, Philadelphia, PA 19134) for the manufacturing of furniture in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include one 6.1 mmBtu/hr boiler with multicyclone and baghouse, one 9.8 mmBtu/hr boiler, one 1.1 mmBtu/hr boiler, one 350,000 Btu/hr oven with afterburner, one 2.5 mmBtu/hr curing oven, three spray booths and one baghouse to control emissions from the Wood Department.

The operating permit will be issued under the 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest or comments on the above operating permit must submit the protest or comments within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

## COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1— 693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of an application is available for inspection at the district mining office indicated before an application. Where a 401 Water Quality Certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for certification.

Written comments, objections or requests for informal conferences on applications may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the district mining office indicated before an application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Where any of the mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. NPDES permits will contain, at a minimum, technology-based effluent limitations as identified in this notice for the respective coal and noncoal applications. In addition, more restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit, when necessary, for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies who have requested review of NPDES permit requirements for a particular mining activity within the previously mentioned public comment period will be provided with a 30-day period to review and submit comments on the requirements.

Written comments or objections should contain the name, address and telephone number of the person submitting comments or objections; the application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor wishes to have the conference conducted in the locality of the proposed mining activities.

### Coal Applications Received

*Effluent Limits*—The following coal mining applications that include an NPDES permit application will be subject to, at a minimum, the following technology-based effluent limitations for discharges of wastewater to streams:

Parameter	30-Day	Daily	Instantaneous
	Average	Maximum	Maximum
Iron (total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/Ĭ	70 mg/Ĭ	90 mg/Ĭ
pH*		greater than 6	.0; less than 9.0

Alkalinity greater than acidity\*

\* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: (1) surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; and mined areas backfilled and revegetated; and (2) drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

California District Office: 25 Technology Drive, Coal Center, PA 15423, (724) 769-1100.

**30841314 and NPDES Permit No. PA0215368, Dana Mining Company of PA, Inc.** (P. O. Box 1209, Morgantown, WV 26507). To revise the permit for the Titus Mine in Dunkard Township, **Greene County** to adjust underground permit and subsidence control plan area acres. Underground Acres Proposed 24.0, SCP Acres Proposed 24.0. No additional discharges. Application received: November 13, 2006.

**30841316 and NPDES Permit No. PA0213535. Consol Pennsylvania Coal Company** (1525 Pleasant Grove Road, P. O. Box J, Claysville, PA 15323). To revise the permit for the Bailey Mine and Prep Plant in Richhill Township, **Greene County** to perform stream restoration as may be necessary for 5 areas of Polly Hollow, seven areas of UNTs of North Fork Dunkard Fork, and one area of Crows Nest at UNT North Fork to alleviate subsidence pooling impacts from longwall mining bound by the following points on the Wind Ridge USGS Quad, N: 5.75 inches; W: 7.79 inches to N: 5.35 inches; W: 14.41 inches to N: 2.57 inches; W: 13.87 inches to N: 2.67 inches; W: 8.14 inches. No additional discharges. Application received: August 17, 2006.

**63831302 and NPDES Permit No. PA0213608, Eighty Four Mining Company** (P. O. Box J, 1525 Pleasant Grove, Claysville, PA 15323). To revise the permit for the Mine No. 84 in West Bethlehem Township, **Washington County** to add surface acreage to install the 12B bleeder shaft facility. Surface Acres Proposed 16.3. No additional discharges. Application received: October 19, 2006.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

**Permit No. 32010107 and NPDES No. PA248991. Britt Energies, Inc.** (P. O. Box 515, Indiana, PA 15701). Permit renewal for reclamation only of a bituminous surface auger mine in White Township, **Indiana County**, affecting 75.0 acres. Receiving streams: Yellow Creek, classified for the following uses: TSF. There are no potable water supply intakes within 10 miles downstream. Application received: November 20, 2006.

**Permit No. 32010113 and NPDES No. PA0249106. T.L.H. Coal Company** (4401 Pollock Road, Marion Center, PA 15759). Permit renewal for reclamation only of a bituminous surface and auger mine in West Mahoning Township, **Indiana County**, affecting 57.2 acres. Receiving streams: UNT to Mahoning Creek and Mahoning Creek, classified for the following uses: WWF. There are no potable water supply intakes within 10 miles downstream. Application received: November 7, 2006.

**Permit No. 11960109 and NPDES No. PA0234320. Paul F. Becker Coal Company** (1593 Old Route 22, Duncansville, PA 16635). Permit renewal for reclamation only of a bituminous surface and auger, mine in Elder Township, **Cambria County**, affecting 27.0 acres. Receiving stream: UNT to Brubaker Run, classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received: November 13, 2006.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, (724) 925-5500.

PENNSYLVANIA BULLETIN, VOL. 36, NO. 50, DECEMBER 16, 2006

### 7650

**26060109 and NPDES Permit No. 0251011. Purco Coal, Inc.** (22 Van Voorhis Lane, Monongahela, PA 15063). Application for commencement, operation and reclamation of a bituminous surface mine, located in Springhill Township, **Fayette County**, affecting 140.3 acres. Receiving stream: UNT to Hope Hollow, classified for the following use: WWF. The potable water supplies intake within 10 miles downstream from the point of discharge: Point Marion Borough Water Service, East Dunkard Water Association and Dunkard Valley Water Authority. Application received: November 22, 2006.

**65010101 and NPDES Permit No. 0202908. M.B. Energy, Inc.** (175 McKnight Road, Blairsville, PA 15717). Renewal application for reclamation only of an existing bituminous surface mine, located in Derry Township, **Westmoreland County**, affecting 197 acres. Receiving streams: Saxman Run and unnamed tributaries to Saxman Run, classified for the following use: WWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Renewal application received: November 29, 2006.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

**33910107 and NPDES Permit PA0208469. Original Fuels, Inc.** (P. O. Box 343, Punxsutawney, PA 15767). Revision to an existing bituminous surface strip and auger operation in Beaver Township, **Jefferson County**  affecting 91.5 acres. Receiving streams: Unnamed tributary of Red Run to Red Run UNT to Tarkiln Run, classified for the following uses: CWF. The first downstream potable water supply intake from the point of discharge is Hawthorn Municipal Authority. Revision to include a landuse change from forestland to land occasionally cut for hay on the James R. Thomas property. Application received: November 22, 2006.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200.

**17000102 and NPDES No. PA0242888. Hepburnia Coal Co.** (P. O. Box 1, Grampian, PA 16838). Permit renewal for the continued operation and restoration of a bituminous surface-auger mine in Bell Township, **Clearfield County**, affecting 131.3 acres. Receiving streams: Unnamed tributaries of Whiskey Run to Whiskey Run and to UNTs of South Branch Bear Run to South Branch Bear Run, to West Branch Susquehanna River, classified for the following use: CWF (Sensitive). There are no potable water supply intakes within 10 miles downstream. Application received: November 21, 2006.

Noncoal Applications Received

Effluent Limits

The following noncoal mining applications that include an NPDES permit application will be subject to, at a minimum, the following technology-based effluent limitations for discharges of wastewater to streams:

Parameter	<i>30-day</i>	Daily	Instantaneous
	Average	Maximum	Maximum
suspended solids Alkalinity exceeding acidity <sup>1</sup>	35 mg/l	70 mg/l	90 mg/l

pH<sup>1</sup>

<sup>1</sup> The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, (724) 925-5500.

**26920401 and NPDES Permit No. PA0203441. Coolspring Mining, Inc.** (P. O. Box 1328, Uniontown, PA 15401). Revision application to add mining of Pocono Burgoon Sandstone to an existing noncoal surface mine, located in North Union Township, **Fayette County**, affecting 60.6 acres. Receiving stream: UNT to Coolspring Run, classified for the following use: WWF. There is not potable water supply intake within 10 miles downstream from the point of discharge. Revision application received: November 27, 2006.

**3374SM58T and NPDES Permit No. PA0591688. Coolspring Mining, Inc.** (P. O. Box 1328, Uniontown, PA 15401). Revision application to add mining of Pocono Burgoon Sandstone to an existing noncoal surface mine, located in North Union Township, **Fayette County**, affecting 146.6 acres. Receiving streams: Coolspring Run and a UNT to Coolspring Run, classified for the following use: WWF. There is not potable water supply intake within 10 miles downstream from the point of discharge. Revision application received: November 27, 2006. Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200.

greater than 6.0; less than 9.0

**14990301 and NPDES No. PA0242781. Glenn O. Hawbaker, Inc.** (711 E. College Avenue, Pleasant Gap, PA 16823), renewal of NPDES permit in Rush Township, **Centre County**. Receiving streams: UNT to Moshannon Creek. There are no potable water supply intakes within 10 miles downstream. NPDES Renewal application received: November 20, 2006.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

**49060802.** Chillisquaque Mountain Stone (729 Hookies Grove Road, Northumberland, PA 17857). Stages I and II bond release from a quarry operation in Point Township, Northumberland County affecting 2.0 acres on property owned by Stephen J. and JoAnn M. Balschi. Application received: November 20, 2006.

**54040801. Michael Kost** (222 Brier City Road, Pottsville, PA 17901). Stages I and II bond release from a quarry operation in Norwegian Township, **Schuylkill County** affecting 1.0 acre on property owned by Michael Kost and D. Susan Kost. Application received: November 27, 2006.

**66060301.** Noxen Sand & Materials (2162 Chase Road. Shavertown, PA 18708). Commencement, operation, and restoration of a quarry operation in Noxen Township, **Wyoming County** affecting 55 acres, receiving stream: none. Application received: November 27, 2006.

PENNSYLVANIA BULLETIN, VOL. 36, NO. 50, DECEMBER 16, 2006

## FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (Department). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the State to certify that the involved projects will not violate the applicable provisions of sections 301-303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311–1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA or to the issuance of a Dam Permit, Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment must submit comments, suggestions or objections within 30 days of the date of this notice, as well as questions, to the regional office noted before the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Individuals will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on each working day at the regional office noted before the application.

Persons with a disability who wish to attend a hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1–693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401(a) of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

### WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

**E23-464.** City of Philadelphia, Division of Aviation, Philadelphia International Airport, Philadelphia, PA 19153, Tinicum Township, Delaware County, ACOE Philadelphia District.

To maintain, extend and improve the existing safety area of Runway 9R located between Hog Island Road and the western terminus of Runway 9R at the Philadelphia International Airport which is situated within the 100year floodplain of the Delaware River. (Philadelphia, PA-NJ Quadrangle N: 15.5 inches; W: 1.3 inches).

Additional water obstruction and encroachment activities associated with the Runway 9-R Safety Area are as follows:

1. To place and maintain fill in 2.00 acres of wetlands (PEM). The applicant proposes to construct 0.07 acre of wetland replacement.

2. To modify fill previously placed within Submerged Lands of this Commonwealth under License 367 issued be the Navigation Commission.

3. To remove a tide gate at confluence of Long Hook Creek and the Delaware Estuary (WWF MF)

4. To modify an existing service road crossing by installing a Self-Regulating Tide Gate on the downstream end of the existing culvert.

5. To install and maintain a 36-inch R.C.P. stormwater outfall and appurtenant tide gate along the Delaware River.

6. To relocate 500 liner feet of Long Hook Creek immediately upstream of Hog Island Road.

**E51-218 and E23-463. City of Philadelphia, Division of Aviation, Philadelphia International Airport, Terminal E, Departures**, Philadelphia PA 19153, City and **County of Philadelphia**, ACOE Philadelphia District.

To maintain, extend and improve the existing Airport Runway (RW) 17-35 from its current length of 5,460 feet to a new length of 6,500. The extension will occur on both ends: involving a 640-foot extension to the north end of RW 17 situated in the City and County of Philadelphia; and a 400-foot extension to the south end of RW 35 in Tinicum Township, Delaware County. This work is associated with the modification of the Taxiways D and E, which also includes the modification/relocation of parking lots, service roads and local roads at the Philadelphia International Airport within the 100-year floodplain of the Delaware River. (Philadelphia, PA-NJ Quadrangle N: 15.5 inches; W: 1.3 inches).

Additional water obstruction and encroachment activities associated with the Runway 17-35 improvements project are as follows:

### Philadelphia Portion (E51-218)

To enclose and maintain 574 linear feet of Church Creek, a tributary of Mingo Creek (WWF), by placing three parallel 120-inch CMP structures, which tie into the existing, enclosed Church Creek stormwater facility. The enclosure is associated with the extension of Taxiways D and E at the northern end of Runway 17-35 and will include the removal of the existing enclosure modified and authorized by permit E51-192.

### Delaware County (E23-463)

To construct and maintain 81 linear feet of a 66-inch RCP culvert and 50 linear feet of associated grading along south East Pending Ditch, a stormwater conveyance that drains to the Delaware River for the purpose of constructing a service road crossing. The project will require mitigation of potential turtle habitat loss by the placing turtle basking areas and constructing nesting areas.

**E09-906. Main Street Development Group**, 1574 Easton Road, Warrington, PA 18976, Richland Township, **Montgomery County**, ACOE Philadelphia District.

To perform the following activities associated with the proposed Reserve at Hidden Ponds subdivision:

1. To place fill in 0.15 acre of wetland (PFO) associated with the proposed Quaker Way access road.

2. To modify and maintain an existing pond (No. 1) by deepening it to increase storage capacity.

3. To modify and maintain an existing pond (No. 2) to accommodate a proposed stormwater management facility.

4. To construct and maintain an 8-foot wide pedestrian bridge with a clear span of 39 feet across Beaver Run Creek (TSF) associated with the proposed walking trail.

This site is located approximately 2,000 feet north of the intersection of Old Bethlehem Pike (S.R.0319) and Station Road, (Quakertown, PA USGS Quadrangle N: 9.9 inches; W: 12.3 inches) in Richland Township, Bucks County.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

**E36-819, Millers Run Stream Restoration (Phase II)**, Little Conestoga Watershed Alliance, P. O. Box 6355, Lancaster, PA 17607, in East Hempfield Township, **Lancaster County**, ACOE Baltimore District.

To rehabilitate and maintain a 4,000-foot section of Millers Run (CWF) involving regrading and stabilizing stream banks, removing 3 debris dams and installing and maintaining 4 rock deflectors, 4 rock cross vanes and 16 J-hooks to reduce instream erosion and sedimentation, restore natural flow regime, restore stable stream channel dimensions and preserve landowner properties along the stream. The project reach extends from Sylvan Road to Old Harrisburg Pike (Lancaster, PA Quadrangle; 40° 03' 59.1" N, 76° 21' 59.8" W; 12.1 inches North, 16.3 inches West) in East Hempfield Township, Lancaster County.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701, (570) 327-3636.

**E60-180.** Union County Industrial Development Corporation, Union County Government Center, 155 North 15th Street, Lewisburg, PA 17837. Project Central Pennsylvania, in Gregg Township, Union County, ACOE Baltimore District (Allenwood, PA Quadrangle N: 22.7 inches; W: 3.8 inches).

To construct, operate and maintain:

No. 1: Wetland encroachment, 17,949 square feet (0.412 acre) of isolated wetland impact associated with the excavation of parking, building and building pad construction.

No. 2: Wetland encroachment, 8,246 square feet (0.189 acre) of jurisdictional wetland impact associated with roadway and utility line construction.

No. 3: Wetland encroachment, 2,353 square feet (0.054 acre) of jurisdictional wetland impact associated with roadway and pipe outfall construction.

No. 4: Wetland encroachment, 283 square feet (0.006 acre) of jurisdictional wetland impact associated with sanitary sewer and nature trail construction.

No. 5: Wetland encroachment, 1891 square feet (0.043 acre) of temporary jurisdictional wetland impact associated with sanitary sewer construction.

No. 6: Wetland encroachment, 2,460 square feet (0.056 acre) of jurisdictional wetland impact associated with roadway and pipe outfall construction.

No. 7: Wetland encroachment, 1,376 square feet (0.032 acre) of jurisdictional wetland impact associated with sanitary sewer construction.

No. 8: Wetland Encroachment, 2,005 square feet (0.046 Acres) of jurisdictional wetland impact associated with stormwater management basin pipe outfall and energy dissipation pool construction. A dissipation pool will be

proposed to reduce the energy of the detention basin discharge to reduce erosion in the remaining wetland.

No. 9: Wetland Encroachment, 578 square feet (0.013 Acres) of jurisdictional wetland impact associated with future roadway construction. The roadway will be realigned in the future to connect to the future roadway that will service the remaining 53 acres of the business park.

No. 10: Wetland encroachment, 1,069 square feet (0.025 acre) of jurisdictional wetland impact associated with utility pole relocation. The utility company requires an access road.

The remaining encroachments will be in the right 100-year floodway of the West Branch Susquehanna River:

No. 11: Installation of a permanent 25-acre foot stormwater management Basin and 7-acre foot water quality facility. The stormwater detention has been designed to reduce post development peak flows from the proposed distribution facility. The 8-acre foot water quality basin has been designed as a Best Management Practice Facility. Proposed excavation = 23,000 cubic yards – Proposed Fill = 10,500 cubic yards – Net Difference = 12,500 cubic yards excavation.

No. 12: Stormwater basin embankment to an elevation of 480.0 feet, which is above the projected 10-year flood elevation. The embankment has been designed to resist accelerated erosion from flood conditions and will be armored with Landlok TRM 435 or approved equal.

No. 13: Embankment for water quality facility to an elevation of 472.2 feet, which is above the projected 10-year flood elevation of 467.76. The embankment has been designed to resist accelerated erosion from flood conditions and will be armored with Landlok TRM 435 or approved equal.

No. 14: Earthen embankment for dissipation swale to reduce flows before water enters the proposed detention basin. This dissipation system will be armored with Landlok TRM 435 or approved equal.

No. 15: Detention basin and water quality outfall collection area to capture the 100-year outflow from the detention basin and safely convey it to the West Branch Susquehanna River beneath River Road. Landlok TRM 435 lining or equal has been proposed to protect the facility.

No. 16: Culvert outfall from twin 60" aluminized steel pipes with Type D-W concrete endwall and R-10 riprap to reduce the energy of the stormwater as it discharges to the Susquehanna River.

No. 17: Temporary jurisdictional wetland disturbance of 139 L.F. or 1,563 Sq. Ft. (0.036 Ac.) for the placement of a gas line crossing 6 feet below a UNT to the West Branch Susquehanna River.

No. 18: Wetland encroachment, 974 Square Feet (0.022 Acres) of Isolated Wetland Disturbance for an access road for the construction of an overhead electric line.

All disturbed areas will be stabilized with pavement, riprap or a seed mixture.

The previous-mentioned encroachments are proposed to facilitate the construction of a 166-acre warehouse distribution center located in the northeast corner of the Great Stream Commons Industrial Park.

This project proposes to have 0.824 acre of permanent wetland impacts, 0.111 acre of temporary wetland im-

pacts, 72 linear feet of stream impacts and is proposing 1.471 acres of wetland mitigation.

Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

**E56-342.** Department of Transportation, District 9-0, 1620 North Juniata Street, Hollidaysburg, PA 16648. To construct a bridge in the Borough of Meyersdale, Somerset County, Pittsburgh ACOE District. (Meyersdale, PA Quadrangle N: 12.0; W: 1.1 inches and Latitude: 39° 29' 56"—Longitude: 79° 00' 30"). The applicant proposes to construct and maintain a 40 ft. wide, 127.8 ft. long, two span bridge with an underclearance of 6.94 ft. and 45° skew; to replace the existing SR 2006, 26.3 ft wide, 76.4 ft. long, two span bridge with an underclearance of 9.68 ft. over Flaugherty Creek (CWF) with a drainage area of 2,389 square miles. The project is located approximately 0.4 miles east of the Borough of Meyersdale.

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

**E37-174. William DeCarbo, Staph-Decarbo, LLC**, 520 Friendship Street, New Castle, PA 16101. Highland Fields Mitigation. Neshannock Township, **Lawrence County**, ACOE Pittsburgh District. (New Castle North Quadrangle, N: 41° 02′ 36″; W: 80° 20′ 16″)

To fill and maintain 0.17 acre of wetland for the construction of a housing subdivision approximately 500 feet west of Mercer Road and 1,100 feet north of the intersection of Mercer and Roberts Roads. The applicant will create an offsite 0.52 acre wetland mitigation (3:1 replacement) on nearby property, northwest of the development. This application is in response to a violation and is after the fact.

**E62-410, Bruce Kelly**, 4887 Elmwood Drive, Pittsburgh, PA 15227. Bruce Kelly SFTF, in Deerfield Township, **Crawford County**, ACOE Pittsburgh District (Youngsville, PA Quadrangle N: 0.25 inch; W: 7.4 inches).

The applicant proposes to construct and maintain an outfall structure having a 4-inch diameter outfall pipe (for a 400 gpd single residence sewage treatment facility) above the high water mark within the Federal Scenic River corridor of the Allegheny River approximately 2.0 miles NE of the intersection of SR 62 and SR 3020 (Cobham Hill Road). The Allegheny River is a perennial stream classified as a warm water fishery.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701, (570) 327-3636.

**E14-487. Robert S. McGrail-Peasley**, 2045 Runville Road, Bellefonte, PA 16823, Berm/bridge/culvert, in Boggs

Township, **Centre County**, ACOE Baltimore District (Bellefonte, PA Quadrangle N: 21.07 inches; W: 13.35 inches).

To construct and maintain: 1) 340 foot long by 2 foot wide by 2 foot high earthen berm on the top of the right bank of a UNT to Wild Cat Run for the purpose of protecting an earthen road from flood waters; 2) a wooden pedestrian bridge with a 19-foot clear span and 4-foot underclearance across Wild Cat Run for private use; 3) a 24-inch diameter HDPE culvert with a rock headwall to make a new road crossing near the upstream limit of the earthen berm, located 3,100 feet upstream of the intersection of Gum Stump Road and Runville Road (SR 144) (Bellefonte, PA Quadrangle N: 21.07 inches; W: 13.35 inches) in Boggs Township, Centre County. This project proposes to impact 340 linear feet of the unnamed tributary to Wild Cat Run and 5 linear feet of Wild Cat Run that are tributaries to Wallace Run, which is classified as a HQ-CWF and proposes no wetland impacts.

### ENVIRONMENTAL ASSESSMENTS

Central Office: Bureau of Waterways Engineering, Rachel Carson State Office Building, Floor 3, 400 Market Street, Harrisburg, PA 17105.

**D13-005EA. Borough of Lehighton**, P. O. Box 29, Lehighton, PA 18235. Lehighton Borough **Carbon County**, ACOE Philadelphia District.

Project proposes to breach and remove Heilman Dam across Mahoning Creek (CWF) for the purpose of eliminating a threat to public safety and restoring the stream to a free flowing condition. The project will restore approximately 2,000 feet of stream channel. The dam is located approximately 900 feet south of the intersection of SR 443 and US 209 (Lehighton, PA Quadrangle, N: 13.5", W: 11.1").

**D36-302EA and D36-303EA. George B. Mann**, 181 Supervisors Road, Lancaster, PA 17603 and Lancaster County Conservancy, 117 South West End Avenue, P. O. Box 716, Lancaster, PA 17608-0716. Manor Township, **Lancaster County**, ACOE Baltimore District.

Project proposes to breach and remove W. Branch Little Conestoga Dam No. 1 across West Branch Little Conestoga Creek (TSF) for the purpose of eliminating a threat to public safety and restoring the stream to a free flowing condition. The project will also involve removing W. Branch Little Conestoga Dam No. 2 under 25 Pa. Code § 105.12(a)(1). W. Branch Little Conestoga Dam No. 2 is located on a UNT to West Branch Little Conestoga approximately 1,500 feet upstream from W. Branch Little Conestoga Dam No. 1. The project will restore approximately 2,500 linear feet of stream channel. The dam is located approximately 3,100 feet southeast of the intersection of SR999 and Supervisors Road T395 (Safe Harbor, PA Quadrangle N: 22.30"; W: 4.35") (Columbia, East, PA Quadrangle N: 0.2"; W: 4.5").

## ACTIONS

## THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT FINAL ACTIONS TAKEN FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

The Department of Environmental Protection (Department) has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and Notices of Intent (NOI) for coverage under general permits. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1-691.1001) and the Federal Clean Water Act.

Location	Permit Authority	Application Type or Category
Section I	NPDES	Renewals
Section II	NPDES	New or amendment
Section III	WQM	Industrial, sewage or animal wastes; discharges to groundwater
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

Sections I—VI contain actions related to industrial, animal or sewage wastes discharges, discharges to groundwater and discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities and concentrated animal feeding operations (CAFOs). Section VII contains notices for parties who have submitted NOIs for coverage under general NPDES permits. The approval for coverage under general NPDES permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions set forth in each general permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective permit. Permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure may be obtained from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Northeast Region	: Water Management Program Ma	nager, 2 Public Square, V	Vilkes-Barre, PA 18711-0790.	
NPDES No. (Type)	Facility Name & Address	County & Municipality	<i>Stream Name (Watershed #)</i>	EPA Waived Y/N ?
PA0035335	Barton Court Mobile Home Park Bartonsville, PA 18321	Pocono Township Monroe County	1E UNT to Pocono Creek HQ-CWF	Y
PA-0052167 (Major Sewage)	Wind Gap Municipal Authority 16 South Broadway Wind Gap, PA 18091	Northampton County Plainfield Township	Little Bushkill Creek (1F)	Ν

### **I. NPDES Renewal Permit Actions**

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed #)	EPA Waived Y/N ?
PAR10Y555-1R	Stonegate Commons Gerry Horst 120 North Pointe Blvd. Lancaster, PA 17603	York County Conewago Township	Billion Run WWF	Y
PAR10Y559-R	Brookside Heights Steve Fisher 421 Bridge Valley Road Pequea, PA 17565	York County Dover Township	Fox Run TSF	Y

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

0	8 8	8	8	
NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed #)	EPA Waived Y/N
PA0027481 Industrial Waste	PA Power Company P. O. Box 128 Shippingport, PA 15077	Beaver County Shippingport Borough	Ohio River Hayden Run Creek Mill Creek and Little Blue Run	Y

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed #)	EPA Waived Y/N ?
PA0093131	Oakview Golf Club 165 Ralston Road P. O. Box 173 Slippery Rock, PA 16057	Slippery Rock Township Butler County	UNT to Slippery Rock Creek 20-C	Y
PA0103152	Hydro-Pac, Inc. 7470 Market Road P. O. Box 921 Fairview, PA 16415	Fairview Township Erie County	UNT to Brandy Run 15-BR	Y
PA0210617	Evergreen Mobile Home Park 1674 University Parkway No. 79 Sarasota, FL 34243	Mahoning Township Lawrence County	UNT to Shenango River 20-A	Y
PA0238635	Frank A. and Melissa A. Blaine, Jr. 304 Eagle Mill Road Butler, PA 16001-8786	Connoquenessing Township Butler County	Little Connoquenessing Creek in Watershed 20-C	Y

### II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

**NPDES Permit No. PA0056898**, Industrial Waste, **To-Jo Mushrooms, Inc.** 974 Penn Green Road, Avondale, PA 19311. This proposed facility is located in New Garden Township, **Chester County**.

Description of Proposed Action/Activity: Approval for the renewal to increase the flow and discharge into an UNT to Trout Run in Watershed.

**NPDES Permit No. PA0054810**, Sewage, **Upper Frederick Township**, 3205 Big Road, P. O. Box 597, Frederick, PA 19435-0597. This proposed facility is located in Upper Frederick Township, **Montgomery County**.

Description of Proposed Action/Activity: Approval for the renewal to discharge treated sewage into Goshenhoppen Creek in Watershed 3E-Perkiomen.

**NPDES Permit No. PA0027154**, Sewage, **Borough of Phoenixville**, 140 Church Street, Phoenixville, PA 19460. This proposed facility is located in Phoenixville Borough, **Chester County**.

Description of Proposed Action/Activity: Approval for the renewal to discharge treated sewage into the Schuylkill River in Watershed 3D-Manatawny.

**NPDES Permit No. PA0029343**, Sewage, **Chatham Acres Nursing Center**, P. O. Box 1, Chatham, PA 19318-0001. This proposed facility is located in London Grove Township, **Chester County**.

Description of Proposed Action/Activity: Approval for the renewal to discharge treated sewage into East Branch White Clay Creek in Watershed 3I.

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

**NPDES Permit No. PA-0065129**, Sewage, **David Holbert**, 125 Rocky Riff Farm Road, Lackawaxen, PA 18435. This proposed facility is located in Lackawaxen Township, **Pike County**.

Description of Proposed Action/Activity: Issuance of NPDES Permit.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

**NPDES Permit No. PA0020711**, Sewage, **Borough of Topton**, 205 South Callowhill Street, Topton, PA 19562. This proposed facility is located in Longswamp Township, **Berks County**.

Description of Proposed Action/Activity: Authorization to discharge to the Toad Creek in Watershed 2-C.

**NPDES Permit No. PA0052400**, Sewage, **Irish Creek Village**, 552 Irish Creek Road, Mohrsville, PA 19541-9333. This proposed facility is located in Centre Township, **Berks County**.

Description of Proposed Action/Activity: Authorization to discharge to the Irish Creek in Watershed 3-B.

**NPDES Permit No. PA0032557**, Sewage, **Logan Township Board of Supervisors**, Greenwood Wastewater Treatment Facility, 800 39th Street, Altoona, PA 16602-1799. This proposed facility is located in Antis Township, **Blair County**.

Description of Proposed Action/Activity: Authorization to discharge to the Little Juniata River in Watershed 11-A.

**NPDES Permit No. PAS603503**, Industrial Waste, **Royal Green Corporation**, P. O. Box 9, Temple, PA 19560. This proposed facility is located in Ontelaunee Township, **Berks County**.

Description of Proposed Action/Activity: Authorization to discharge to the Schuylkill River in Watershed 3-B.

**NPDES Permit No. PA0248428**, CAFO, **Mark Leinbach, Mark Leinbach Farm**, 105 Hoover Lane, Loysville, PA 17047. This proposed facility is located in Tyrone Township, **Perry County**.

Description of Size and Scope of Proposed Operation/Activity: Authorization to operate a 772-AEU swine operation in Watershed 7-A.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

**NPDES Permit No. PA0002933-A1**, Sewage, **West Penn Power Company d/b/a Allegheny Power**, South Seventh Street, Connellsville, PA 15425. This proposed facility is located in the City of Connellsville, **Fayette County**.

Description of Proposed Action/Activity: Permit amendment issuance.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

**NPDES Permit No. PA0223034**, Industrial Waste Amendment No. 1, **Duferco Farrell Corp**, 15 Roemer Boulevard, Farrell, PA 16121-2299. This proposed facility is located in City of Farrell, **Mercer County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to Shenango River in Watershed 20-A.

**NPDES Permit No. PA0104442**, Sewage, **Breakneck Creek Regional Authority**, P. O. Box 1180, Mars, PA 16046-1180. This proposed facility is located in Adams Township, **Butler County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to Breakneck Creek in Watershed 20-C.

**NPDES Permit No. PA0020141**, Sewage, **Brookville Municipal Authority**, 30 Darrah Street, Brookville, PA 15825. This proposed facility is located in Brookville Borough, **Jefferson County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to Redbank Creek in Watershed 17-C.

### III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law (35 P. S. §§ 691.1-691.1001)

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

**WQM Permit No. WQG01010601**, Sewerage, **James Lyons**, 9 Mathias Road, Littlestown, PA 17340. This proposed facility is located in Germany Township, **Adams County**.

Description of Proposed Action/Activity: Proposed construction of a small flow treatment facility to replace existing malfunctioning septic system.

**WQM Permit No. 0706404**, Sewerage, **Bellwood Borough Authority**, 516 Main Street, Bellwood, PA 16617. This proposed facility is located in Bellwood Borough, **Blair County**.

Description of Proposed Action/Activity: Approval for the construction of sewerage facilities consisting of 484 feet of 18-inch PVC interceptor along Stadium Drive to replace the existing 12-inch interceptor.

WQM Permit No. 0700404 Amendment 06-2, Sewerage, Logan Township Board of Supervisors, 800 39th Street, Altoona, PA 16602-1799. This proposed facility is located in Logan Township, Blair County.

Description of Proposed Action/Activity: Approval for the modification of sewerage facilities consisting of the re-rating of the average annual hydraulic capacity from 0.700 mgd to 1.13 mgd.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

**WQM Permit No. 2685202-A2**, Industrial Waste, **West Penn Power/Allegheny Power**, 800 Campbell Hill Drive, Greensburg, PA 15601. This existing facility is located in the City of Connellsville, **Fayette County**.

Description of Proposed Action/Activity: Permit amendment issuance for construction and operation of treatment system to treat oil and PCB contaminated stormwater and groundwater.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

**WQM Permit No. 4306402**, Sewerage, **City of Sharon**, 155 West Connelly Boulevard, Sharon, PA 16146. This proposed facility is located in City of Sharon, **Mercer County**.

Description of Proposed Action/Activity: This project is for the Connelly Boulevard siphon improvements and the wastewater treatment plant expansion and improvements.

**WQM Permit No. WQG018509**, Sewerage, **Janet K. Fleming**, 101 Lower Lane, Slippery Rock, PA 16057. This proposed facility is located in Slippery Rock Township, **Butler County**.

Description of Proposed Action/Activity: A single residence sewage treatment plant.

**WQM Permit No. WQG018512**, Sewerage, **Andrew E. Smith**, 2401 South Hill Road, Waterford, PA 16441. This proposed facility is located in McKean Township, **Erie County**.

Description of Proposed Action/Activity: A single residence sewage treatment plant.

### 7658

**WQM Permit No. WQG018510**, Sewerage, **Martin S. Haffner**, 8543 Plank Road, Montville, OH 44064. This proposed facility is located in Tionesta Township, **Forest County**.

Description of Proposed Action/Activity: A single residence sewage treatment plant.

## **IV. NPDES Stormwater Discharges from MS4 Permit Actions**

### V. NPDES Waiver Stormwater Discharges from MS4 Actions

### VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

Southeast Region	n: Water Management Program Ma	anager, 2 East Ma	ain Street, Norristown, PA	19401.
NPDES Permit No.	<i>Applicant Name &amp; Address</i>	County	Municipality	Receiving Water/Use
PAI010904022	The Wehrung Group 412 Hollow Horn Road Pipersville, Pa 18947	Bucks	Nockamixon Township	Rapp Creek Tinicum Creek (EV)
PAI011506073	Julie I. Blank 471 Fairmount Drive Chester Springs, PA 19425	Chester	East Vincent Township	Beaver Run (EV)
PAI01506079	271 LP 86 Jansen Avenue Essington, PA 19029	Chester	East Whiteland Township	Little Valley Creek (EV)
PAI012305007	Middletown Township P. O. Box 157 27 North Pennell Road Lima, PA 19037	Delaware	Middletown Township	Rocky Run (HQ-CWF)
Northeast Region	n: Water Management Program Ma	anager, 2 Public S	Square, Wilkes-Barre, PA I	18711-0790.
NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI024505018	Matzel Development, LLC 1411 State Hwy. 35 North Ocean, NJ 07712	Monroe	Tobyhanna Township	Two Mile Run HQ-CWF
PAI023906018	RB Grange Road Associates, LP Attn: RD Management Corporation New York, NY 10019	Lehigh	Lower Macungie Township	Little Lehigh Creek HQ-CWF Cedar Creek HQ-CWF
PAI023905029	Donald Frederick Principal Investments, LLC 1611 Pond Road, Suite 201 Allentown, PA 18104	Lehigh	Lower Macungie Township	Little Lehigh Creek HQ-CWF
Southcentral Re 705-4707.	gion: Water Management Progra	am Manager, 90	9 Elmerton Avenue, Ha	rrisburg, PA 17110 (717)
NPDES Permit No.	<i>Applicant Name &amp; Address</i>	County	Municipality	Receiving Water/Use
PAI033606003	Silvano J. Giannini 332 Snyder Hollow Road New Providence PA 17560	Lancaster	Providence Township	Trout Run HQ-CWF
PAI032106005	Ronald Sanderson 1220 Brandt Road Mechanicsburg PA 17055	Cumberland	Monroe Township	Yellow Breeches Creek HQ-CWF

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Centre County Conservation District: 414 Holmes Avenue, Suite 4, Bellefonte, PA 16823, (814) 355-6817.

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI041404002 (1)	Lindsey Kiefer Kiefer Fill Site, Phase II 2990 Ernest Lane State College, PA 16801	Centre	Ferguson Township	UNT to Spring Creek HQ-CWF

NPDES Permit No.	<i>Applicant Name &amp; Address</i>	County	Municipality	Receiving Water/Use
PAI041406016	Steve Dell Traditions of America-Liberty Hill 5000 Ritter Road, Suite 202 Mechanicsburg, PA 17055	Centre	Harris Township	Spring Creek HQ-CWF

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Beaver County Conservation District, 156 Cowpath Road, Aliquippa, PA 15001. (724) 378-1701.

NPDES Permit No.	<i>Applicant Name &amp; Address</i>	County	Municipality	Receiving Water/Use
PAI050405002	Doug Campbell Corporation for Owner-Operator Projects 2750 Constitution Boulevard Beaver Falls, PA 15010	Beaver	Chippewa Township	UNT to North Fork of Little Beaver Creek (HQ-CWF)

### VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

### List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges from Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated with Construction Activities (PAR)
PAG-3	General Permit for Discharges of Stormwater from Industrial Activities
PAG-4	General Permit for Discharges from Single Residence Sewage Treatment Plants
PAG-5	General Permit for Discharges from Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Nonexceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	CAFOs
PAG-13	Stormwater Discharges from MS4

General Permit Type—PAG-2

Facility Location & Municipality	Permit No.	<i>Applicant Name &amp; Address</i>	Receiving Water/Use	Contact Office & Phone No.
Northampton Township Bucks County	PAG2000906021	St. Vincent DePaul Church 654 Hatboro Road Richboro, PA 18954	UNT Little Neshaminy Creek (WWF, MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Newtown Township Bucks County	PAG2000906069	Gigiliotti Avignon Associates, LP P. O. Box 270 Newtown, PA 18940	Newtown Creek (CWF, MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Falls Township Bucks County	PAG2000906056	Manhassett Bay Associates 215 Nassau Street Princeton, NJ 08542	Delaware River (WWF, MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900

7660	
------	--

Facility Location & Municipality	Permit No.	Applicant Name & Address	Receiving Water/Use	<i>Contact Office &amp; Phone No.</i>
Wrightstown Township Bucks County	PAG2000906031	Francis Gorski P. O. Box 132 Penns Park, PA 198943-0312	Queen Anne Creek (WWF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Falls Township Bucks County	PAG2000906075	LTL color Compounders CFJ Partnership, LP 20 Progress Drive Morrisville, PA 19067	UNT Neshaminy Creek (WWF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Newtown Township Bucks County	PAG2000906045	McGrath Home 1262 Wood Lane Suite 207 Langhorne, PA 19047	Core Creek (CWF, MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Middletown Township Bucks County	PAG2000906110	McGrath Home 1262 Wood Lane Suite 207 Langhorne, PA 19047	Queen Ann Creek (WWF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Birmingham Township Chester County	PAG2001506057	George and Kathleen Savon Queen Ranger Lane Birmingham, PA 19382	UNT Brandywine Creek (WWF, MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Radnor Township Delaware County	PAG2002306064	Villanova University 800 Lancaster Avenue Villanova, PA 19085	Mill Creek (WWF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
West Brunswick Township Schuylkill County	PAG2005403016(1)	Auburn Business Park 115 South Center St. Pottsville, PA 17901	Tributary to Schuylkill River CWF	Schuylkill Co. Cons. Dist. (570) 622-3742
Dallas and Kingston Townships Luzerne County	PAG2004006002	Judith Rimple Anthracite Scenic Trails Association P. O. Box 212 Dallas, PA 18612	Toby Creek CWF	Luzerne Co. Cons. Dist. (570) 674-7991
East Penn and Mahoning Townships Parryville Borough Carbon County	PAG2001306006	Turnpike Commission P. O. Box 67676 Harrisburg, PA 17106	Lehigh River TSF Pohopoco Creek CWF	Carbon Co. Cons. Dist. (610) 377-4894
Olyphant Borough Lackawanna County	PAG2003505008(1)	Robert Mericle 100 Baltimore Drive East Mountain Corporate Wilkes-Barre, PA 18702	Sterry Creek CWF	Lackawanna Co. Cons. Dist. (570) 281-9495
City of Hazleton Luzerne County	PAG2004006029	City of Hazleton Attn: Sam Monticello 40 North Church St. Hazleton, PA 18201	Black Creek CWF	Luzerne Co. Cons. Dist. (570) 674-7991
Washington Township Northampton County	PAG2004806024	Tucker Development, LLC Attn: Bruce Nimensky 57 Brant Ave. Clark, NJ 07006	Oughoughton Creek CWF	Northampton Co. Cons. Dist. (610) 746-1971
Lower Nazareth Township Northampton County	PAG2004805037	Robert P. Kelly et.al. Attn: Gregory H. Kelly 501-23 State Road Emmaus, PA 18049	Schoeneck Creek WWF	Northampton Co. Cons. Dist. (610) 746-1971
Scott Township Carbondale Township Mayfield Borough Jermyn Borough Lackawanna County	PAG2003506036	William White R. R. 1, Box 432 Olyphant, PA 18447	Rush Brook CWF Tributary to South Branch Tunkhannock Creek CWF	Lackawanna Co. Cons. Dist. (570) 281-9495

Facility Location & Municipality	Permit No.	Applicant Name & Address	Receiving Water/Use	<i>Contact Office &amp; Phone No.</i>
Yatesville Borough Luzerne County	PAG2004006037	Intercities Cold Storage, Inc. Attn: James Brown 1075 Oak St. Pittston, PA 18640	Susquehanna River CWF	Luzerne Co. Cons. Dist. (570) 674-7991
Pittston Township Luzerne County and Moosic Borough Lackawanna County	PAG2004006014(1)	Wilkes-Barre Scranton International Airport Attn: Al Brocavich 100 Terminal Road Avoca, PA 18641	Spring Brook CWF	Luzerne Co. Cons. Dist. (570) 674-7991
Oxford Township Adams County	PAG2000106016	Joseph A. Myers J. A. Myers Building & Development, Inc. 160 Ram Drive Hanover, PA 17331	UNT to South Branch of Conewago Creek WWF	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325 (717) 334-0636
Oxford Township Adams County	PAG2000106028	Keith Sunderman S & A Homes 2121 Old Gatesburg Rd State College, PA 16803	UNT to South Branch Conewago Creek WWF	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325 (717) 334-0636
Cumberland Township Adams County	PAG2000106026	Joseph E. Tripi 555 Pumping Station Road Gettysburg, PA 17325	UNT to Marsh Creek CWF	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325 (717) 334-0636
Pequea Township Lancaster County	PAG2003606063	Five Springs Limited Partnership 2300 Rice Rd Lancaster, PA 17603	Conestoga River WWF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster PA 17601 (717) 299-5361, Ext. 5
Martic Township Lancaster County	PAG2003606064	Department of Transportation District 8-0 2140 Herr Street Harrisburg, PA 17103	Pequea Creek WWF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster PA 17601 (717) 299-5361, Ext. 5
Mount Joy Township Lancaster County	PAG2003606100	Elizabethtown Area Schl District 600 E. High St Elizabethtown, PA 17022	UNT Conoy Creek/TSF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster PA 17601 (717) 299-5361, Ext. 5
Manor Township Lancaster County	PAG2003606104	Bricker & Son Development, Inc. 665 Walea Place Honolulu, HI 96817	Little Conestoga Creek WWF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster PA 17601 (717) 299-5361, Ext. 5
Earl Township Lancaster County	PAG2003606107	Robert E. Martin 110 S Railroad Ave New Holland, PA 17557	UNT Conestoga River WWF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster PA 17601 (717) 299-5361, Ext. 5

Facility Location & Municipality	Permit No.	Applicant Name & Address	Receiving Water/Use	Contact Office & Phone No.
Rapho Township Lancaster County	PAG2003606109	Ronald and Lauren Lane 755 Lebanon Rd Manheim, PA 17545	Chickies Creek/WWF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster PA 17601 (717) 299-5361, Ext. 5
Lancaster City Lancaster County	PAG2003606115	Wohlsen Construction Company 548 Steel Way Lancaster, PA 17601	Little Conestoga River WWF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster PA 17601 (717) 299-5361, Ext. 5
Clay Township Lancaster County	PAG2003606116	Paul B. Zimmerman 50 Wood Corner Rd Ephrata, PA 17522	Middle Creek TSF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster PA 17601 (717) 299-5361, Ext. 5
Millersville Borough Lancaster County	PAG2003606118	Millersville Borough 10 Colonial Avenue Millersville, PA 17551	UNT Conestoga River WWF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster PA 17601 (717) 299-5361, Ext. 5
Leacock Township Lancaster County	PAG2003606120	John J. Fisher 3234 E Gordon Rd Gordonville, PA 17529	Pequea Creek WWF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster PA 17601 (717) 299-5361, Ext. 5
Manheim Township Lancaster County	PAG2003606121	Blackford Development 120 North Pointe Blvd Lancaster, PA 17601	Bachman Run WWF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster PA 17601 (717) 299-5361, Ext. 5
Penn Township Lancaster County	PAG2003606129	Longenecker's Hardware Co. 127 Doe Run Road Manheim, PA 17545	Chiques Creek WWF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster PA 17601 (717) 299-5361, Ext. 5
West Earl Township Lancaster County	PAG2003606130	Ridge Property Holdings Llc 32 Middle Creek Road Lititz, PA 17543	UNT Conestoga River WWF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster PA 17601 (717) 299-5361, Ext. 5
Manor Township Lancaster County	PAR100575(1)	Charles Kicera, Inc. 26 Millersville Rd. Lancaster, PA 17603	W Branch Of Little Conestoga Creek TSF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster PA 17601 (717) 299-5361, Ext. 5
York Township York County	PAG2006706065	Kingsville Holdings 14 Back River Neck Road Essex, MD 21221	Mill Creek WWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430

## 7662

Facility Location & Municipality	Permit No.	Applicant Name & Address	Receiving Water/Use	Contact Office & Phone No.
Springettsbury Township York County	PAG2006706046	John Yurejfcic Whiteford Park Enterprises 1879 Whiteford Road York, PA 17402	Codorus Creek WWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
York Township York County	PAG2006706050	Rite Aid Corp. 914 S. Meadow Lane Palmyra, PA 17078	UNT to E. Branch Codorus Creek CWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
Dover Township York County	PAG2006706039	Locust Point Garage Keith Shaub 5460 Salmon Run Road Dover, PA 17315	Davidsburg Run WWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
Springettsbury Township York County	PAG20067030341	AMC Theatre/Market Street Commons add on lots Timothy Pasch 2645 Carnegie Road York, PA 17402	Kreutz Creek WWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
Dauphin Borough Dauphin County	PAG2002206069	Joshua Moss 612 Clarks Road Dauphin, PA 17018	Stony Creek CWF	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018
Columbia County Town of Bloomsburg	PAG2001906015	Greg Kline Cardinal Commercial Builders 2640-B Clyde Avenue State College, PA 16801	Fishing Creek WWF	Columbia County Conservation District 702 Sawmill Road Suite 204 Bloomsburg, PA 17815 (570) 784-1310, Ext. 102
Lycoming County City of Williamsport	PAG2004106018	Lycoming Housing Authority 1941 Lincoln Drive Williamsport, PA 17701	Grafius Run WWF	Lycoming County Conservation District 542 County Farm Road Suite 202 Montoursville, PA 17754 (570) 433-3003
Tioga County Tioga Township	PAG2005906013	Jon Peifer R. R. 2, Box 32A Tioga, PA 16946	Mitchell Creek WWF Tioga River WWF	Tioga County Conservation District 50 Plaza Lane Wellsboro, PA 16901 (570) 724-1801, Ext. 3
Union County Kelly Township	PAG2006006009	Art Keister Silvermoon Plaza-Phase 2 150 Silvermoon Lane Lewisburg, PA 17837	UNT to Susquehanna River WWF	Union County Conservation District Union County Government Center 155 North 15th Street Lewisburg, PA 17837 (570) 524-3860
Union County Kelly Township	PAG2006006010	Dave Hassenplug, Township Spvr. 551 Zeigler Road Lewisburg, PA 17837	UNT to West Branch Susquehanna River WWF	Union County Conservation District Union County Government Center 155 North 15th Street Lewisburg, PA 17837 (570) 524-3860

Facility Location & Municipality	Permit No.	Applicant Name & Address	Receiving Water/Use	<i>Contact Office &amp; Phone No.</i>		
Union County Gregg Township	PAG2006006012	Gleonard E. Byers, Jr. Chairman, Gregg Township M. A. P. O. Box 192 Allenwood, PA 17810-0192	West Branch Susquehanna River WWF	Union County Conservation District Union County Government Center 155 North 15th Street Lewisburg, PA 17837 (570) 524-3860		
Union County West Buffalo Township	PAG2006006013	Dave Brubaker Meadow Green Townhouse Apartments, Lot #84 230 Oak View Drive Northumberland, PA 17857	UNT to Buffalo Creek CWF	Union County Conservation District Union County Government Center 155 North 15th Street Lewisburg, PA 17837 (570) 524-3860		
Union County Hartleton Borough	PAG2006006014	Ted Price 374 Candlelight Lane Mifflinburg, PA 17844	UNT to Cold Run TSF	Union County Conservation District Union County Government Center 155 North 15th Street Lewisburg, PA 17837 (570) 524-3860		
Armstrong County Pine Township	PAG2000306007	Department of Transportation Engineering District 10-0 2550 Oakland Avenue Indiana, PA 15701	Allegheny River (WWF) Whiskey Run (WWF)	Armstrong County CD (724) 548-3425		
Butler County City of Butler	PAG2001006025	Department of Transportation Engineering District 10-0 2550 Oakland Avenue P. O. Box 429 Indiana, PA 15701	Connoquenessing Creek WWF	Butler Conservation District (724) 284-5270		
Erie County Fairview Township	PAG2002506037	The Village at Walnut Creek Citadel Development/Mike Peck 5472 Stone Run Drive Fairview, PA 16415	Walnut Creek CWF, MF	Erie Conservation District (814) 825-6403		
General Permit Type—PAG-3						
Facility Location: Municipality & County	Permit No.	Applicant Name & Address	Receiving Water/Use	Contact Office & Phone No.		
Oakland Township Susquehanna County	PAR602237	Boughton's Auto Salvage, Inc. R. D. 2, Box 39 Susquehanna, PA 18847	Unnamed feeder to Susquehanna River CWF	DEP—NERO Water Mgmt. Program 2 Public Square Wilkes-Barre, PA 18711-2511 (570) 826-2511		
Lebanon County Jonestown Borough	PAR203597	V & S Lebanon Galvanizing, LLC 1000 Buckeye Park Road Columbus, OH 43207-2509	UNT to Forge Creek WWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707		
Dauphin County Lower Swatara Township	PAR123561	The Pepsi Bottling Group 941 Dana Drive Harrisburg, PA 17109	UNT to Spring Creek WWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707		

## 7664

Facility Location:						
Municipality & County	Permit No.	Applicant Name & Address	Receiving Water/Use	<i>Contact Office &amp; Phone No.</i>		
East Deer Township Allegheny County	PAR236112	Air Products and Chemicals, Inc. 7201 Hamilton Blvd. A11B1 Allentown, PA 18195-1501	Allegheny River	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000		
Shippingport Borough Beaver County	PAR216143	NGC Industries, Inc. P. O. Box 346 Shippingport, PA 15077	Unnamed Swale to the Ohio River	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000		
Cambria Township Cambria County	PAR326103	New Enterprise Stone & Lime Co., Inc. P. O. Box 77 New Enterprise, PA 16664	Howells Run	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000		
Somerset Township Washington County	PAR706120	Hanson Aggregates BMC, Inc. 2200 Springfield Pike Connellsville, PA 15425	UNT to North Branch of Pigeon Creek	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000		
Adams Township Butler County	PAR118316	Lectromat, Inc. P. O. Box 608 Mars, PA 16046-0608	Breakneck Creek	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942		
General Permit Ty	pe—PAG-4					
Facility Location: Municipality & County	Permit No.	Applicant Name & Address	Receiving Water/Use	Contact Office & Phone No.		
Hilltown Township Bucks County	PAG040060	Richard and Deborah Reblock 2026 Broad Street Perkasie, PA 18944	Deep Run Creek Watershed 3-E Perkiomen	Southeast Regional Office 2 East Main Street Norristown, PA 19401		
Adams County Germany Township	PAG043854	James Lyons 9 Mathias Road Littlestown, PA 17349	Piney Creek WWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707		
Bedford County Napier Township	PAF043563	Dennis Dull 1472 Tulls Hill Road Bedford, PA 15522	UNT Raystown Branch Juniata River WWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707		
Allegheny County Sewickley Heights Borough	PAG046248	Terence Jackovic 106 Lang Road Sewickley Heights, PA 15143	UNT to Kilbuck Run	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000		

PENNSYLVANIA BULLETIN, VOL. 36, NO. 50, DECEMBER 16, 2006

# NOTICES

7	6	6	6
---	---	---	---

Facility Location: Municipality & County	Permit No.	Applicant Name & Address	Receiving Water/Use	Contact Office & Phone No.
Allegheny County Sewickley Heights Borough	PAG046332	Louis Dell'Aquila 220 Camp Meeting Road Sewickley, PA 15143	UNT of Ohio River	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
Washington Township Erie County	PAG048753	Ann Elizabeth and Charles J. Weiss 3100 Crane Road Edinboro, PA 16412	UNT to Little Conneauttee Creek in Watershed 16-D	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Springfield Township Erie County	PAG048773	John W. and Marcia A. Konopa 7951 Griffey Road West Springfield, PA 16443	UNT to Conneaut Creek in Watershed 15-CC	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Slippery Rock Township Butler County	PAG049303	Janet K. Fleming 101 Lower Lane Slippery Rock, PA 16057	Slippery Rock Creek in Watershed 20-C	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Cussewago Township Crawford County	PAG049304	John E. Taddeo 116 Colonial Drive Clinton, PA 15023	UNT to Cussewago Creek in Watershed 16-D	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Washington Township Erie County	PAG048381	Robert J. and Karen A. Dibble 5671 Gibson Hill Road Edinboro, PA 16412	UNT to Conneauttee Creek in Watershed 16-A	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
West Salem Township Mercer County	PAG048550	Frank D. Smith 76 North Summit Road Greenville, PA 16125	UNT to Big Run in Watershed 20-A	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Franklin Township Erie County	PAG048798	Black Interests Limited Partnership 652 West Sixth Street Erie, PA 16507	Porter Run in Watershed 15-EC	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
McKean Township Erie County	PAG049306	Andrew E. Smith 2401 South Hill Road Waterford, PA 16441	To a dry stream channel to Elk Creek in Watershed 15-EC	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
West Salem Township Mercer County	PAG048446	Nancy E. Griffin 38 Wise Road Greenville, PA 16125	UNT to the Shenango River in Watershed 20-A	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
South Shenango Township Crawford	PAG048395	James E. Schmid 7192 East Lake Road Jamestown, PA 16134	UNT to the Pymatuning Reservoir in Watershed 20-A	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

Facility Location: Municipality & County	Permit No.	Applicant Name & Address	Receiving Water/Use	Contact Office & Phone No.
Tionesta Township Forest County	PAG049302	Martin S. Haffner 8543 Plank Road Montville, OH 44064	UNT to the Allegheny River in Watershed 16-F	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
North East Township Erie County	PAG049297	Christopher R. Miller 12536 East Lake Road North East, PA 16428	UNT to Lake Erie 15	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
General Permit Ty	pe—PAG-5			
Facility Location & Municipality	Permit No.	Applicant Name & Address	Receiving Water/Use	<i>Contact Office &amp; Phone No.</i>
Bullskin Township Fayette County	PAG056219	Sheetz, Inc. 5700 Sixth Avenue Altoona, PA 16602	Mounts Creek	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh PA 15222-4745 (412) 442-4000

# PUBLIC WATER SUPPLY (PWS) PERMITS

The Department of Environmental Protection has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501-508 and 701-704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the Pennsylvania Bulletin, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

# SAFE DRINKING WATER

## Actions taken under the Pennsylvania Safe Drinking Water Act

Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401.

**Operations Permit** issued to: **Horsham Water and Sewer Authority**, 617 Horsham Road, Horsham, PA 19044 (PWS ID 1460033) Horsham Township, **Montgomery County** on November 22, 2006, for the operation of facilities approved under Construction Permit No. 4606504 for the newly installed sequestering agent equipment for treatment of elevated iron and manganese in Well No. 40.

**Operations Permit** issued to: **Palisades School District**, 39 Thomas Free Drive, Kintnersville, PA 18930 (PWS ID 1091297) Nockamixon Township, **Bucks County** on November 17, 2006, for the operation of facilities approved under Construction Permit No. 0906508 for the newly installed arsenic treatment system at the Durham-Nockamixon Elementary School water system.

**Operations Permit** issued to: **Palisades School District**, 39 Thomas Free Drive, Kintnersville, PA 18930 (PWS ID 1091296) Nockamixon Township, **Bucks County** on November 17, 2006, for the operation of facilities approved under Construction Permit No. 0906509 for the newly installed arsenic treatment system at the Palisades High School water system.

**Operations Permit** issued to: **Palisades School District**, 39 Thomas Free Drive, Kintnersville, PA 18930 (PWS ID 1091361) Nockamixon Township, **Bucks County** on November 17, 2006, for the operation of facilities approved under Construction Permit No. 0906510 for the newly installed arsenic treatment system at the Palisades Middle School water system.

# NOTICES

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes Barre, PA 18711-0790.MunicipalityExeter TownshipCountyBerks				
Permit No. 2406498	, Public Water Supply.	County Turns of Fasility		
Applicant	Group Mountain Springs	Type of Facility	Repainting of the Neversink Tank No. 1 Finished Water	
	Foster Township, <b>Luzerne</b> County	Consulting Engineer	Storage Tank Scott M. Thomas, P. E.	
Responsible Official	Gary Troutman, General Partner Group Mountain Springs 750 Point Township Drive Northumberland, PA 17857		Pennsylvania American Water Company 800 West Hersheypark Drive Hershey, PA 17033	
Type of Facility	Bulk Water Hauling System	Permit to Construct	11/20/2006	
Consulting Engineer	Thomas G. Pullar, P. E. EarthRes Group, Inc. P. O. Box 468 Pipersville, PA 18947	Water Supply.	<b>MA, Minor Amendment</b> , Public	
Permit Issue Date	11-28-06	Applicant	Pennsylvania-American Water Company	
Description of Action	Removal of six previously	Municipality	North Londonderry	
	permitted bulk water transport tanks.	County	Dauphin	
Permit No. 3480064 ter Supply.	, Operations Permit Public Wa-	Type of Facility	Repainting and rehabilitation of the Londonderry storage tank.	
Applicant	Easton Suburban Water Authority	Consulting Engineer	Scott M. Thomas, P. E. Pennsylvania American Water Company	
	Williams Township, Wilson Borough, City of Easton,		800 West Hersheypark Drive Hershey, PA 17033	
	Palmer-Forks Township, Lower Nazareth Township	Permit to Construct Issued:	11/30/2006	
County	Northampton	Permit No. 4406501	MA, Minor Amendment, Public	
Type of Facility	PWS	Water Supply.	MA, MINO Amendment, I ubit	
Consulting Engineer	James Elliot, P. E. Gannett Fleming, Inc. P. O. Box 67100	Applicant	Municipal Authority of the Borough of Lewistown	
	Harrisburg, PA 17106-7100	Municipality	Armagh Township	
Permit to Operate	11/14/2006	County	Mifflin	
Issued		Type of Facility	This permit adds Del PAC 2020	
<b>Permit No. 2409002</b> ter Supply.	e, Operations Permit Public Wa-		as alternative coagulant and potassium permanganate for taste and odor to the list of	
Applicant	<b>Pennsylvania American</b> <b>Water Company (PAWC)</b> 800 West Hershey Park Drive		approved chemicals for treatment at the existing treatment plant.	
	Hershey, PA 17033 Jackson Township, Hanover Township, Wilkes-Barre	Consulting Engineer	John T. Mazich, P. E. Uni-Tec Consulting Engineers, Inc.	
	Township, Sugar Notch Borough		2007 Cato Avenue State College, PA 16801	
County True of Facility	Luzerne	Permit to Construct	11/22/2006	
Type of Facility	PWS	Issued:		
Consulting Engineer	Scott M. Thomas, P. E. PAWC 852 Mechanicsburg, PA 17055	Municipal Authorit	t issued to <b>Bedford Township</b> y, 4050037, Bedford Township,	
Permit to Operate Issued	11/21/2006		11/17/2006 for the operation of nder Construction Permit No.	
	Water Supply Management Pro- Elmerton Avenue, Harrisburg, PA	Operations Permit Municipal Authorit	t issued to <b>Bedford Township</b> y, 4050037, Bedford Township, 11/20/2006 for the operation of	
<b>Permit No. 0606514</b> Water Supply.	MA, Minor Amendment, Public		nder Construction Permit No.	
Applicant	Donneylyania American			

Applicant

Pennsylvania American Water Company

**Operations Permit** issued to **Bedford Township Municipal Authority**, 4050037, Bedford Township,

PENNSYLVANIA BULLETIN, VOL. 36, NO. 50, DECEMBER 16, 2006

# 7668

**Bedford County** on 11/20/2006 for the operation of facilities approved under Construction Permit No. 0505504 MA.

**Operations Permit** issued to **North Middleton Authority**, 7210049, North Middleton Township, **Cumberland County** on 11/8/2006 for the operation of facilities approved under Construction Permit No. 2106501 MA.

Wellhead Protection Program Approval issued to Dillsburg Area Authority, P. O. Box 370, 498 West Church Street, Dillsburg, PA 17019, PWS ID 7670071, Dillsburg Borough, York County on November 13, 2006.

**Wellhead Protection Program Approval** issued to **Franklintown Borough Municipal Authority**, P. O. Box 75, Franklintown, PA 17323, PWS ID 7670113, Franklintown Borough, **York County** on November 13, 2006.

Wellhead Protection Program Approval issued to Martinsburg Municipal Authority, P.O Box 307, 133 Allegheny Street, Martinsburg, PA, 16662, PWS ID 4070030, Martinsburg Borough, Blair County on November 13, 2006.

Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Permit No. M.AT1	-Transfer Public Water Supply.	
Applicant	Roulette Township Municipal Water Company	
Township or Borough	Roulette Township	
County	Potter	
Responsible Official	George Baker, Chairperson Roulette Township Supervisors P. O. Box 253 Roulette, PA 16746	
Type of Facility	Public Water Supply—Transfer	
<b>Consulting Engineer</b>	N/A	
Permit Issued Date	November 28, 2006	
Description of Action	Transfer permit for treatment for Well No. 4.	
<b>Permit No. 5391501-T1—Transfer</b> Public Water Supply.		
Applicant	Roulette Township Municipal Water Company.	

	Water Company.		
Township or Borough	Roulette Township		
County	Potter		
Responsible Official	George Baker, Chairperson Roulette Township Supervisors P. O. Box 253 Roulette, PA 16746		
Type of Facility	Public Water Supply—Transfer		
<b>Consulting Engineer</b>	N/A		
Permit Issued Date	November 28, 2006		
Description of Action	Transfer permit for Gray Spring.		
Permit No. 5390501-T1—Transfer Public Water Supply.			
Applicant	Roulette Township Municipal Water Company.		
Township or Borough	Roulette Township		
County	Potter		

Responsible Official	George Baker, Chairperson Roulette Township Supervisors P. O. Box 253 Roulette, PA 16746
Type of Facility	Public Water Supply—Transfer
<b>Consulting Engineer</b>	N/A
Permit Issued Date	November 28, 2006
Description of Action	Transfer permit for treatment for Well No. 4.

**Permit No. P267W014-T1—Transfer** Public Water Supply.

Applicant	Roulette Township Municipal Water Company.
Township or Borough	Roulette Township
County	Potter
Responsible Official	George Baker, Chairperson Roulette Township Supervisors P. O. Box 253 Roulette, PA 16746
Type of Facility	Public Water Supply—Transfer
<b>Consulting Engineer</b>	N/A
Permit Issued Date	November 28, 2006
Description of Action	Transfer permit for Well No. 4.

# Permit No. 5302502-Operation Public Water Sup-

ply.	operation rubbe hater Sup
Applicant	Coudersport Borough Authority
Township or Borough	Coudersport Borough
County	Potter
Responsible Official	William Krog, Chairperson Coudersport Borough Authority 201 South West Street Coudersport, PA 16915
Type of Facility	Public Water Supply—Operation
Consulting Engineer	Uni-Tec Consulting Engineers, Inc. 2007 Cato Avenue State College, PA 16801
Permit Issued Date	December 5, 2006
Description of Action	Amendment approving North Well Nos. 2 and 3 as sources of supply. The permit authorizing operation has been amended following the determination that North Well Nos. 2 and 3 will remain classified as groundwater sources at this time based on the Surface Water Identification Protocol monitoring.

### SEWAGE FACILITIES ACT PLAN APPROVAL

### Plan Approvals Granted under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1-750.20a)

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Plan Location: Tuscarora Inn & Conference Center/ Tuscarora Village

Borough or Township	Borough or Township Address	County
Upper Mt. Bethel Township	387 Ye Olde Highway Mt. Bethel, PA 18343	Northampton

Plan Description: The approved plan provides for the replacement and expansion of the existing wastewater treatment facility for an additional 7,380 gpd of sewage flows that will be generated by the construction of a new 60-person dormitory at the Tuscarora Inn & Conference Center and fifteen new homes in Tuscarora Village. These are the last undeveloped lots in the approved Tuscarora Village subdivision. Measured flow data indicates the average monthly flow at the existing wastewater treat-ment plant is 58,000 gpd. The design flow for the expanded treatment facility will be the 58,000 average monthly flows plus the 7,380 new flows for a total of 66,000 gpd. The existing outfall line and outfall structure from the existing facility will be used to discharge to the Delaware River. River Road Utilities owns, operates and maintains the existing treatment plant and will continue in that capacity for the expanded facility. Private wells provide water to the Tuscarora Facilities. The proposed development is located at 3,300 River Road, Upper Mt. Bethel Township, Northampton County. Any required NPDES Permits or WQM Permits must be obtained in the name of River Road Utilities, Inc.

Plan Location: Trexler Fields Subdivision

Borough or Township	Borough or Township Address	County
Upper Macungie Township	8330 Schantz Road Breinigsville, PA 18031	Lehigh

*Plan Description*: The approved plan provides for of a 360 lot residential subdivision of a 221 acre tract. Approximately 83.5 acres will be maintained as conservation area. A new gravity sewer extension will be constructed by the developer to serve the project. The new collection system will connect to the existing Upper Macungie Township Authority facilities at Manhole Numbers 69 and TF0100. The proposed 99,000 gpd of sewage flows will be conveyed by the Lehigh County Authority Western Lehigh Interceptor to the City of Allentown Wastewater Treatment Plant. Lehigh County Authority will provide public water to the project. The proposed development is located on Trexler Road, Upper Macungie Township, Lehigh County. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: (717) 705-4707.

# Plan Location:

Borough or Township	Borough or Township Address	County
District Township	202 Weil Road Boyertown, PA 19512	Berks

*Plan Description*: The approved plan provides for the proposed 8 lot residential subdivision known as the Fredericksville Farms Subdivision (DEP code number A3-06929-061-2) located on the north and south side of Huffs Church Rd., 1,500 ft. west of Baldy Hill Rd., in District Township, Berks County. Each of the lots will be served by individual onlot septic systems. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts re-

sulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

# HAZARDOUS SITES CLEAN-UP UNDER THE ACT OF OCTOBER 18, 1988

### **Proposed Interim Response**

Prompt Interim Response; Bishop Tube Site, East Whiteland Township, Chester County

The Department of Environmental Protection (Department), under the authority of the Hazardous Sites Cleanup Act (HSCA) (35 P. S. §§ 6020.102—6020.1303), has initiated a prompt interim response at the Bishop Tube Site (Site), East Whiteland Township, Chester County, PA.

The Site is located on Malin Road, south of US 30, in Frazier, East Whiteland Township, Chester County. The Site consists of a large area of contaminated groundwater associated with the former Bishop Tube Company. The Bishop Tube Company used and or released hazardous substances the environment into including trichloroethylene (TCE), nitric acid, hydrofluoric acid and various heavy metals including nickel and chromium. TCE is of particular concern since it has been detected in groundwater on the former Bishop Tube property and in wells and springs off site. Three distinct source areas of TCE contamination in saturated and unsaturated soil have been identified on the former Bishop Tube property. These source areas continue to cause degradation of groundwater. Contaminants related to the site have been detected in one home well and the nearby Little Valley Creek. A former owner and operator of the Bishop Tube Company fitted the affected home well with a granular activated carbon treatment system to remove TCE from the water supply. The Department has maintained the filter as part of the ongoing groundwater investigation. In addition to groundwater and surface water exposures, TCE vapors from contaminated soil and groundwater may enter buildings near the source area or from severely contaminated groundwater.

The 13.7 acre Site is currently owned by Constitution Drive Partners, LP (CDP), which purchased it from the Central and Western Chester County Industrial Development Authority in 2005, with the intention of redeveloping the property for commercial/light industrial use. Two adjoining manufacturing buildings on the Site occupy 3.2 acres. The remainder of the property primarily consists of paved and gravel storage/parking areas with undeveloped grass and wooded areas south of the buildings. The Bishop Tube property is currently not occupied. However, CDP is developing plans for the site.

As part of the purchase of the property, CDP agreed to actively remediate contaminated unsaturated soils in the three source areas. The Department of Environmental Protection (Department) agreed to use its best efforts to work with CDP to address groundwater contamination without causing excessive interference in redevelopment of the property. CDP is proposing to remediate unsaturated soils in the three areas using soil vapor extraction. In one of these areas (known as the Plant #8 Vapor Degreaser) a significant amount of the contamination (including suspected areas of undissolved TCE waste, known as free product) is in the saturated zone above the bedrock. Testing performed by CDP has revealed that in order to effectively implement the SVE remedy in the Plant #8 Vapor Degreaser source area, a sub-slab vapor barrier must be installed. This barrier prevents ambient air from entering the soil and "short-circuiting" the contaminated zone. To address the source of contamination within the saturated soil in this area, the Department will need to install wells and other infrastructure beneath the building slab and under the proposed vapor barrier. CDP and the Department have agreed to work together to cost effectively address the soil (saturated and unsaturated zones) source areas at the Site. The Department has initiated a prompt interim response to effectuate the source area cleanup.

The Department considered two options when evaluating the remediation of saturated zone soils at the site.

Alternative 1—No Action—The "No Action" alternative provides a baseline against which the other alternatives can be prepared and/or judged. Had the Department selected the "No Action" alternative, free product present in the source area would result in perpetuation of regional groundwater degradation and resulting stream discharge and indoor air concerns. Future remediation of groundwater contamination would be rendered more difficult and costly without actions to address its source.

Alternative 2—Treatment of Groundwater Contained in the Unconsolidated Materials within the Former Plant #8 Source Area—This alternative involves treatment of saturated soil and groundwater in the former Plant #8 Vapor Degreaser Area. This treatment could involve physical, biological and/or chemical treatment techniques to capture and/or destroy contaminants. The Department has reached an agreement with CDP to share costs and construction obligations associated with a physical treatment technology, known as air sparging (AS), which is complimentary with CDP's proposed soil vapor extraction system. The combined air sparging/soil vapor extraction (AS/SVE) system physically removes volatile organic compounds, such as TCE, through the injection and removal of air in the source area. TCE and other volatile organic contaminants are transferred from the contaminated soil or groundwater into the air prior to extraction and treatment above ground. TCE and other hazardous substances in the extracted air would be captured (for offsite disposal) or destroyed prior to discharge to the atmosphere.

Though AS/SVE has been used successfully at many sites, a number of factors, including soil type, proximity of groundwater to the extraction wells and extremely high contaminant concentrations, may limit its effectiveness at the Site. Therefore, this alternative provides for alternative treatment technologies. Sufficient flexibility can be incorporated into the AS/SVE infrastructure to allow for alternative treatment methods including introduction of heated air, steam, chemical oxidants or biological amendments to help remove and/or destroy the contaminants.

This remedy would minimize the continued off-site migration of contaminated groundwater and discharges to Little Valley Creek. The remedy is an important phase of a final remedial action aimed at addressing the wider groundwater degradation (including off-site and deep bedrock aquifer contamination) associated with the Site.

The Department has selected Alternative 2 and has initiated construction of the remedy. The Department acted promptly so as to coordinate efforts with CDP in performing work beneath the slab of the existing building, which they intend to restore to productive use. This Alternative is technically feasible, implementable and would reduce risks to human health and the environment by eliminating contamination at its source. An Administrative Record, which contains more detailed information concerning this interim response action, is available for public inspection. The Administratie Record may be examined from 8 a.m. to 4 p.m. at the Department's offices at 2 East Main Street, Norristown, PA by calling Dustin Armstrong at (484) 250-5723.

An additional copy of the Administratie Record is available for review at the East Whiteland Township Offices, 209 Conestoga Road, Frazer, PA 19355.

A public hearing is scheduled under Section 506(d) of HSCA for January 30, 2007, at 7 p.m. at the East Whiteland Township Building, 209 Conestoga Road, Frazer, PA. The Department will be available to informally answer questions beginning at 6:30 p.m. at the Township Building. Persons who want to present formal oral comments regarding this response action may do so by registering with the Department before the hearing by calling the Department's Community Relations Coordinator Lynda Rebarchak at (484) 250-58720.

Individuals who wish to attend the public hearing and are in need of an accommodation as provided for in the Americans With Disabilities Act should contact Lynda Rebarchak at (484) 250-58720 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

The public may also submit written comments regarding the Department's response action during the period of public comment. Under section 506(c) of HSCA, the Department has established a period for public comment, which shall run from the date of this notice through March 16, 2007. Written comments should be addressed to Dustin Armstrong, Project Officer, Department of Environmental Protection, 2 East Main Street, Norristown, PA 19401.

Individuals with questions concerning this notice should contact Dustin Armstrong, (484) 250-5723.

# LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

# **UNDER ACT 2, 1995**

### PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101— 6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the Pennsylvania Bulletin a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, shall also be published in the Pennsylvania Bulletin. These include the remedial investigation report, risk assessment report and cleanup

plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media; benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the Environmental Cleanup Program manager in the Department regional office after which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

Wellington Estate, Bensalem Township, Bucks County. Joseph W. Standen, Jr., Leggett, Brasher & Graham, Inc., 426 Brandywine Pkwy., W. Chester, PA 19380 on behalf of George DeLuca Homes, 107 Floral Vale Blvd., Yardley, PA 19067 has submitted a Final Report concerning remediation of site soil contaminated with No. 6 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standards.

**Slater Residence**, Skippack Township, **Montgomery County**. Richard Trimpi, Trimpi Assoc., Inc., 1635 Old Plains Rd. Pennsburg, PA 18073 on behalf of Georgia and Gehman Slater 2057 Old Forty Foot Rd., Harleysville, PA 19438 has submitted a Final Report concerning remediation of site soil and groundwater contaminated with No. 2. Fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standards.

**Philadelphia, Phillies Ball Park & Parking Areas** City of Philadelphia, **Philadelphia County**. Keith Kowalski, P. G., URS Corp., 335 Commerce Dr., Ft. Washington, PA 19034 on behalf of John Stranix, The Phillies, 1 Citizens Park Way, Philadelphia, PA 19148 has submitted a Final Report concerning remediation of site soil and groundwater contaminated with lead, heavy metals, BTEX, PHC, PCB and solvents. The report is intended to document remediation of the site to meet the Site Specific Standards.

**US Steel Fairless Works Gravel Area**, Falls Township, **Bucks County**. Francis Adams, Golder Assoc., Inc., 1951 Old Cuthbert Road, Suite., 301, Cherry Hill, NJ 08034 on behalf of Kathy Mayher, United States Steel Crop., 600 Grant St., Pittsburgh, PA 15219 has submitted a Final Report, Risk Assessment and Remedial Investigation Report concerning remediation of site soil contaminated with inorgancis, solvents and PCB's. The report is intended to document remediation of the site to meet the Site Specific Standards and Statewide Health Standards.

**Media Station Apts**, Upper Providence Township, **Delaware County**. Thomas E. Rodriquez, Blasland, Bouck & Lee, Inc., 500 N. Gulph Road, Suite 401, King of Prussia, PA 19406 on behalf of Viera Thilbaut, Medial Station, LP, 340 Media Station Rd., P. O. Box 973, Media, PA 19063 has submitted a Remedial Investigation Report and Final Report concerning remediation of site soil and groundwater contaminated with other organics. The report is intended to document remediation of the site to meet the Statewide Health Standards.

**Houdry Laboratory**, Lower Chichester Township, **Delaware County**. James Mulry, Mulry and Cresswell Env., Inc., 1691 Horseshoe Pike, Suite 3, Glenmoore, PA 19343 on behalf of Dina Toto, Sunoco, Inc., (R & M) Marcus Hook Refinery, P. O. Box 426, Marcus Hook PA 19061 has submitted a Remedial Investigation and Cleanup Plan Report concerning remediation of site soil and groundwater contaminated with inorganics and petroleum. The report is intended to document remediation of the site to meet the Site Specific Standards.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

**Estate of Arthur F. Walters, Russ's Auto Repair Shop**, Manheim Township, **Lancaster County**. ARM Group, Inc., 1129 West Governor Road, P. O. Box 797, Hershey, PA 17033-0797, on behalf of Chester and Miller, LLP, 150 North Queen Street, Lancaster, PA 17603, submitted a Final Report concerning remediation of site soils and groundwater contaminated with gasoline from two underground storage tanks removed in 1999. The report is intended to document remediation of the site to the Statewide Health Standard.

**Former Waynesboro Gas Company**, Waynesboro Borough and Washington Township, **Franklin County**. Corporate Environmental Solutions, LLC, 260 Millers Run Road, Bridgeville, PA 15017 and GEI Consultants, Inc., 455 Winding Brook Drive, Suite 201, Glastonburg, CT 06033 on behalf of Intermec, Inc., 3601 Algonquin Road, Suite 575, Rolling Meadows, IL 60008, and PPL Gas Utilities Corporation 2 North Ninth Street, Allentown, PA 18101 submitted a Final Report concerning remediation of site soils, groundwater and sediment contaminated with lead, heavy metals, solvents, BTEX and PAHs. The report is intended to document remediation of the site to the Statewide Health and Site-Specific Standards.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

**Corning Asahi Video Products Co.**, College Township, **Centre County**. N.A. Water Systems, 120 Radnor Road, State College, PA 16801 on behalf of Corning Incorporated, HP-ME-02-50 (A2H), Corning, NY 14831 has submitted a Final Report concerning remediation of site soil contaminated with lead and other inorganic constituents. The report is intended to document remediation of the site to meet the Statewide Health Standard.

**SEDA-Cog Joint Rail Authority Newberry Yard-South Site**, City of Williamsport, **Lycoming County**. Marshall Miller & Assoc., 3913 Hartzdale Drive, Suite 1306, Camp Hill, PA 17011 on behalf of SEDA-COG Joint Rail Authority, 201 Furnace Road, Lewisburg, PA 17837 has submitted a combined Remedial Investigation and Final Report concerning remediation of site groundwater contaminated with a separate phase liquid. The report is intended to document remediation of the site to meet the Site-specific Standard.

**PPL Crandall Hill Check (P-135)**, Roulette Township, **Potter County**, PPL Services Corp, 2 North 9th St. GENTW 17, Allentown, PA 18101 has submitted a Final Report concerning remediation of site soil contaminated with mercury. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

**Hercules Chemical Clairton Facility**, City of Clairton, **Allegheny County**. Chad C. Coy, P. E., Cummings/Riter Consultants, Inc., 10 Duff Road, Suite 500, Pittsburgh PA 15235 (on behalf of Joseph A. Keller, P. E., Hercules Incorporated, Research Center Building 8139/15, 500 Hercules Road, Wilmington, DE 19808-1599) has submitted a Remedial Investigation Report concerning remediation of site soil and groundwater contaminated with lead, heavy metals, BTEX, PAHs and SVOCs. The report is intended to document remediation of the site to meet the Site-Specific Standard.

**CBI Constructors, Inc.** Neville Township, **Allegheny County**. Jonathan Alix, AWARE Environmental Inc., 9305-J Monroe Road, Charlotte, NC 28270 (on behalf of Doug Hansen, Chicago Bridge & Iron Company, 14105 S. Route 59, Plainfield, IL 60544) has submitted a Final Report concerning remediation of site soil contaminated with lead above the medium specific concentration of 450 mg/kg. Lead impacted areas were found in four site areas and were found to be surficial in natural. Excavation and disposal of contaminated soil has already taken place. CB&I believe they have fulfilled the Act 2 requirements for a Statewide Health Standard Cleanup. The intended use of the site is for commercial/light industrial purposes.

**Cooper Standard Automotive Property (Former)**, Kittanning Borough, **Armstrong County**. Mary A. King, Civil & Environmental Consultants, Inc., 333 Baldwin Road, Pittsburgh, PA 15205 (on behalf of Nick Caruso, Armstrong County Dept. of Planning and Development, 402 Market Street, Kittanning, PA 16201) has submitted a Final Report concerning remediation of site soil contaminated with other organics. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

**Caparo Steel AOC-1 Oil Reclaim, Farrell, Mercer Environmental Management Associates, LLC**, 10925 Perry highway, Suite 23 Wexford, PA 15090 on behalf of Caparo Steel Company (Duferco Farrell Corp) 15 Roemer Blvd. Farrell, PA 16121 has submitted a Final Report concerning remediation of soil impacted by inorganics/ metals, PCBs, VOCs and SVOCs and other petroleum products/oils at the former oil reclaim area (AOC-1). The report is intended to document remediation of the site to meet the Statewide Health Standards of Act II. Future use of the site is intended to be industrial/nonresidential.

# LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### **UNDER ACT 2, 1995**

### PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of 25 Pa. Code § 250.8, administration of the Land Recycling and Environmental Remediation Standards Act (act), require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of final actions on plans and reports. A final report is submitted to document cleanup of a release

of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by provisions of the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media, benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is re-quired by provisions of the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be  $\bar{d}one$  and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the Environmental Cleanup Program manager in the Department regional office before which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

**Heintz Corp., Prop., Parcel B** City of Philadelphia **Philadelphia County**. Steven Coe, Brown Env., Svc., Corp., 312 S. State St., Suite, N102, Newtown, PA 18940 has submitted a Remedial Investigation Report and Risk Assessment Report concerning the remediation of site soil and groundwater contaminated with petroleum and chlorinated solvents. The Remedial Investigation Report and Risk Assessment Report was approved by the Department on November 16, 2006.

**New Hope Motel**, Solebury Township, **Bucks County**. Toby Kessler, Gilmore and Assoc., Inc. 350 E. Butler Ave., New Britain, PA 18901 on behalf of Goetz and Nora Drescher, 10 Rd. Fox Dr., New Hope, PA 18938 has submitted a Final Report concerning the remediation of site soil and groundwater contaminated with No. 2 fuel oil. The Final report demonstrated attainment of the Statewide Health Standards and was approved by the Department on November 8, 2006. **Thyssen Krupp Budd Co., Die Storage Yard Site**, City of Philadelphia **Philadelphia County**. Justin Lauterbacah, RT Env., Svc., Inc., 125 W. Church Rd., King of Prussia, PA 19406 on behalf of Joseph DePascale, Hunting Fox Assoc., I. LP, c/o PREI 1001 E. Hector St., Suite 100, Conshohocken, PA 19428 has submitted a Remedial Investigation Report and Cleanup Plan concerning the remediation of site soil and groundwater contaminated with PAHs, VOCs and PCBs. The Remedial Investigation Report and Cleanup Plan was approved by the Department on November 7, 2006.

**Miller Residence**, Swarthmore Borough **Delaware County**. Andrew Sokol, Taylor GeoServices, Inc. 938 Lincoln Ave., Springfield, PA 19543 on behalf of Nancy Miller, 6 Crest Lane, Swarthmore, PA 19081 has submitted a Low Risk Final Report concerning the remediation of site soil contaminated with No. 2 fuel oil. The Low Risk Final Report demonstrated attainment of the Statewide Health Standards and was approved by the Department on November 30, 2006.

**Bratton Residence**, Abington Township, **Montgomery County**, Thomas Hippensteal, P. G. Env., Consultants, Inc., 500 Norristown Rd., P. O. Box 940, Springhouse, PA 19477 on behalf of Thomas and Elizabeth Bratton has submitted a Low Risk Final Report concerning the remediation of site soil contaminated with No. 2 fuel oil. The Low Risk Final report demonstrated attainment of the Statewide Health Standards and was approved by the Department on November 7, 2006.

**Sellersville Landfill**, Borough of Sellersville, **Bucks County** Craig Herr, RT Env., Svc., Inc., 215 W. Church Rd., King of Prussia, PA 19406 on behalf of Raymond Moats, Snyder Associates, 418 W. Main St., Lansdale, PA 19446 has submitted a Cleanup Plan Report concerning the remediation of site groundwater and soil. Contaminated with volatile organics. The Cleanup Plan Report was approved by the Department on October 3,2006

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

**Ship and Store**, City of York, **York County**. Environmental Consulting, Inc., 500 East Washington Street, Suite 375, Norristown, PA 19401, on behalf of Bridge Industrial Associates, 1027 Conshohocken Road, Conshohocken, PA 19428, submitted a Final Report concerning remediation of site soils and groundwater contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the nonresidential Statewide Health Standard, and was approved by the Department on November 27, 2006.

**Center at Rocky Meadows**, Carlisle Borough, Dickinson Township, South Middleton Township, **Cumberland County**. BL Companies, 213 Market Street, 6th Floor, Harrisburg, PA 17101, on behalf of Equiterra Properties, 140 West Huffaker Lane, Suite 509, Reno, NV 89511, submitted a Final Report concerning remediation of site groundwater contaminated with VOCs. The Final Report demonstrated attainment of the background standard and was approved by the Department on November 27, 2006.

**Ed Spears Residence/RN Transport**, Franklin Township, **York County**. Marshall Miller & Associates, 3913 Hartzdale Drive, Suite 1306, Camp Hill, PA 17011, on behalf of Edward Spears, 1623 South Mountain Road, Dillsburg, PA 17019 and Response Environmental, Inc., 912 Spring Circle, Mechanicsburg, PA 17055, submitted a revised Final Report concerning remediation of site soils contaminated with No. 2 fuel oil. The report demon-

strated attainment of the Residential Statewide Health Standard and was approved by the Department on November 29, 2006.

**Myers Adam Property**, Perry Township, **Berks County**. GemChem, Inc., 53 North Cedar Street, P. O. Box 384, Lititz, PA 17543-384, on behalf of Myers Adam, 109 Pine View Road, Shoemakersville, PA 19555, submitted a Final Report concerning remediation of site soils contaminated with No. 2 fuel oil. The report demonstrated attainment of the residential Statewide Health Standard and was approved by the Department on November 29, 2006.

**Michael Gebhart Property**, Butler Township, **Adams County**. GemChem, Inc., 53 North Cedar Street, Lititz, PA 17543, on behalf of Michael Gebhart, 131 Cavalry Field Road, Gettysburg, PA 17325 and Eichelbergers Inc., 107 Texaco Road, Mechanicsburg, PA 17050, submitted a Final Report concerning remediation of site soils contaminated with diesel fuel. The report demonstrated attainment of the residential statewide health standard and was approved by the Department on November 29, 2006.

Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Technical Coatings Company-Block 632-G, Lot 364, Borough of Oakmont, Allegheny County. Andrew Bonas, ENVIRON International Corporation, 214 Carnegie Center, Princeton, NJ 08540 on behalf of Rayna Laiosa, Benjamin Moore & Co., 51 Chestnut Ridge Road, Montvale, NJ 07645 has submitted a Final Report concerning the remediation of site soil contaminated with lead above the residential direct contact MSCs along with the residential and nonresidential soil to groundwater Statewide Health Standards. Remnant 55-gallon drums and paint cans were found discarded within the site. Soil and debris removal in concert with follow up sampling will show that the site will meet nonresidential Statewide Health Standards. Subsurface groundwater sampling events showed one exceedance of the Department of Environmental Protection used aquifer groundwater residential and nonresidential Statewide Health Standard. Groundwater is not used for any purpose. The site intended purpose is to remain nonresidential. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on November 9, 2006.

Monessen Riverfront Redevelopment Phase III, City of Monessen, Westmoreland County. Alan Halperin, D'Appolonia, 175 Center Road, Monroeville, PA 15146 on behalf of Jay Bandieramonte, Redevelopment Authority of the County of Westmoreland, 2 North Main Street, Suite 600, Greensburg, PA 15601 has submitted a Baseline Environmental Report concerning the remediation of site soil and groundwater contaminated with asbestos abatement, waste removal and demolition of mill structures have been followed by capping of impacted soils with uncontaminated materials in preparation for reuse of an Industrial Site. The Baseline Environmental Report was approved by the Department on November 14, 2006. To obtain cleanup liability protection , the person undertaking the reuse of a Special Industrial Area shall enter into an agreement with the Department, based on the approved Baseline Environmental Report which outlines cleanup liability of the property.

**CBI Constructors, Inc.**, Neville Township **Allegheny County**. Jonathan Alix, AWARE Environmental Inc., 9305-J Monroe Road, Charlotte, NC 28270 on behalf of

Doug Hansen, Chicago Bridge & Iron Company, 14105 S. Route 59, Plainfield, IL 60544 has submitted a Final Report concerning the remediation of site soil contaminated with lead above the medium specific concentration of 450 mg/kg. Lead impacted areas were found in four site areas and were found to be surficial in nature. Excavation and disposal of contaminated soil has already taken place. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on August 23, 2006.

**First Commonwealth Bank**, Borough of Ebensburg, **Cambria County**. Heather W. Gawne, CORE Environmental Services, Inc., 4068 Mount Royal Boulevard, Suite 225, Gamma Building, Allison Park, PA 15101 on behalf of Don Verobish, First Commonwealth Professional Resources, Inc., Route 220 and North Juniata Street, Hollidaysburg, PA 16648 has submitted a Remedial Investigation Report and Risk Assessment Report concerning the remediation of site soil and groundwater contaminated with analytes of leaded and unleaded gasoline that is, benzene, toluene, ethyl-benzene, xylenes, methyl tertiarybutyl ether and 1,2-ethylene dibromide. The Remedial Investigation Report and Risk Assessment Report were approved by the Department on November 16, 2006.

Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

**Brookville Chevrolet**, Brookville, PA, **Jefferson County**. Environmental Remediation & Recover Inc., 5719 Rt. 6 North, Edinboro, PA 16412 on behalf of LT Land Partnership, 1 East Main Street Brookville, PA 15825 has submitted a Final Report concerning an automobile dealership that was contaminated in the past by underground storage tanks, which impacted the surrounding soils with leaded gasoline constituents. The Final Report concerning the remediation of soils and groundwater was approved by the Department on November 22, 2006, and demonstrated attainment of a Non-Residential, nonuse Aquifer Statewide Health Standard, deed notice is required.

## HAZARDOUS WASTE TRANSPORTER LICENSE

Actions on applications for Hazardous Waste Transporter License received under the Solid Waste Management Act (35 P. S. §§ 6018.101–6018.1003) and regulations to transport hazardous waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

Hazardous Waste Transporter License Issued

**Information Research Corporation**, 150C Johns Street, Weston, WV 26452. License No. PA-AH 0729. Effective November 7, 2006.

Hazardous Waste Transporter License Renewed

**Envirite of Ohio, Inc.**, 2050 Central Avenue S.E., Canton, OH 44707. License No. PA-AH 0548. Effective October 18, 2006.

**Buffalo Fuel Corporation**, 4870 Packard Road, Niagara Falls, NY 14304. License No. PA-AH 0147. Effective October 25, 2006.

Wills Trucking, Inc., 3185 Columbia Road, Richfield, OH 44286. License No. PA-AH 0295. Effective November 1, 2006.

**Environmental Transport Group, Inc.**, P. O. Box 296, Flanders, NJ 07836-0296. License No. PA-AH 0104. Effective November 7, 2006.

**Dart Trucking Company, Inc.**, 41738 Easterly Drive, P. O. Box 60, Columbiana, OH 44408. License No. PA-AH 0219. Effective November 14, 2006.

**Empire Wrecking Co. of Reading, PA**, 1420 Clarion Street, Reading, PA 19601. License No. PA-AH 0255. Effective November 15, 2006.

Hazardous Waste Transporter License Expired

**Providence Environmental, Inc.**, 312 Sharpe Road, Columbia, SC 29203. License No. PA-AH 0695. Effective October 31, 2006.

**Inland Waters Pollution Control, Inc.**, 2021 S. Schaefer Highway, Detroit, MI 48217. License No. PA-AH 0292. Effective October 31, 2006.

Hazardous Waste Transporter License Voluntarily Terminated

**Vernon Milling Company, Inc.**, P. O. Box 1617, Vernon, AL 35592. License No. PA-AH 0640. Effective September 30, 2006.

### INFECTIOUS AND CHEMOTHERAPEUTIC WASTE TRANSPORTER LICENSE

Actions on applications for Infectious and Chemotherapeutic Waste Transporter License received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the act of July 13, 1988 (P. L. 525, No. 93) (35 P. S. §§ 6019.1—6019.6) and regulations to transport infectious and chemotherapeutic waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

Infectious and Chemotherapeutic Waste Transporter License Renewed

**Pet Memorial Services Corporation**, 319 Westtown Road, Suite Q, West Chester, PA 19382-4557. License No. PA-HC 0195. Effective November 8, 2006.

**Conservative Environmental Services, Inc.**, P. O. Box 745, Mechanicsburg, PA 17055. License No. PA-HC 0224. Effective November 14, 2006.

**Environmental Transport Group, Inc.**, P. O. Box 296, Flanders, NJ 07836-0296. License No. PA-HC 0023. Effective November 16, 2006.

**Cole Care, Inc.**, 1001 E. Second Street, Coudersport, PA 16915. License No. PA-HC 0178. Effective November 29, 2006.

# MUNICIPAL WASTE GENERAL PERMITS

Permit Issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and municipal waste regulations for a general permit to operate municipal waste processing facilities and the beneficial use of municipal waste.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit Application No. WMGM033. Bethlehem Renewable Energy, LLC, 1300 North 17th Street, Arlington, VA 22209.

General Permit No. WMGM033 is for the processing and beneficial use of landfill gas, generated at the Bethlehem Landfill, located in Northampton County, as an alternate fuel for the power generators installed at this landfill. The electricity produced will be transmitted to the local electric utility grid for consumers use. The general permit was issued by Central Office on December 5, 2006.

Persons interested in reviewing the general permit may contact Ronald C. Hassinger, Chief, General Permits and Beneficial Use Section, Division of Municipal and Residual waste, Bureau of Waste Management, P. O. Box 8472, Harrisburg, PA 17105-8472, (717) 787-7381. TDD users may contact the Department through the Pennsylvania Relay Service, (800) 654-5984.

### OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permits Approved under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and regulations to operate solid waste processing or disposal area or site.

Northeast Region: Regional Solid Waste Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

**Permit Application No. 101634. Chapin Sewage Disposal**, Roy F. Chapin, Sr., 114 Brittany Layne Road, Huntington Mills, PA 18622-1133. A Permit Renewal approval, authorizing the continued operation of this municipal waste (septage) transfer facility located in New Columbus Borough, **Luzerne County**. The permit was issued by the Regional Office on November 18, 2006 with an expiration date of November 18, 2016.

Northcentral Region: Regional Solid Waste Manager, 208 West Third Street, Williamsport, PA 17701.

**Permit No. WMGR038NC002. Northern Tier Solid Waste Authority**, US Route 6, Box 10, Burlington PA 18814-0010, located in West Burlington Township, **Bradford County**. The general permit renewal for waste tire processing was approved on November 15, 2006, by the Williamsport Regional Office.

Persons interested in reviewing the permit may contact David Garg, P. E., Facilities Manager, Williamsport Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, Telephone (570) 327-3653. TDD users may contact the Department through the Pennsylvania Relay Service, (800) 654-5984.

# **AIR QUALITY**

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Mark Wejkszner, New Source Review Chief, (570) 826-2531.

**40-320-027GP7: Quebecor World Hazleton Inc.** (Route 924, Humboldt Industrial Park, Hazleton, PA 18201) on November 21, 2006, to construct and operate a lithographic printing press in Hazle Township, **Luzerne County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Ronald Davis, New Source Review Chief, (717) 705-4702.

**GP3-22-03071: Haines and Kibblehouse, Inc.** (2151 North Union Street, Hummelstown, PA 17036) on November 28, 2006, for Portable Nonmetallic Mineral Processing Plants under GP3 in Lower Swatara Township, **Dauphin County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; George Monasky, New Source Review Chief, (814) 332-6940.

**GP-37-306: Three Rivers Aggregates—Taylor Run Plant** (State Route 108, 4557 Harlansburg Road, Slippery Rock, PA 16057) on November 20, 2006, for a diesel or No. 2 fuel-fired internal combustion engine in Scott Township, **Lawrence County**.

Plan Approvals Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Ronald Davis, New Source Review Chief, (717) 705-4702.

**01-03032A: Carma Industrial Coatings, Inc.** (710 Berlin Road, New Oxford, PA 17350) on November 29, 2006, to install a surface coating system in Berwick Township, **Adams County**.

**36-05028A: CNH America, Inc.** (500 Diller Avenue, New Holland, PA 17557-9301) on November 30, 2006, to install a replacement surface coating system in New Holland Borough, **Lancaster County**.

**38-05036A: Grosfillex, Inc.** (230 Old West Penn Avenue, Robesonia, PA 19551) on November 28, 2006, to install two automated paint lines controlled by dry filters in South Lebanon Township, **Lebanon County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; David Aldenderfer, Program Manager, (570) 327-3637.

**17-305-051A: Parkwood Resources, Inc.** (511 Railroad Street, Homer City, PA 15748) on November 14, 2006, to modify a coal stockpiling and truck loading operation by increasing the allowable annual throughput from 700,000 tons to 1,200,000 tons at their Cherry Tree Mine in Burnside Township, **Clearfield County**.

**53-00003C:** National Fuel Gas Supply Corp. (1100 State Street, Erie, PA 16501) on November 14, 2006, to modify a 4445 brake horsepower natural gas-fired reciprocating internal combustion compressor engine (Engine 1A) by increasing its formaldehyde emission limit from .991 pound per hour to 1.67 pounds per hour and its total combined HAPs emission limit from 1.59 pounds per hour to 2.269 pounds per hour at their Ellisburg Compressor Station in Allegany Township, Potter County.

**47-309-001: United States Gypsum Co.** (125 South Franklin St., Chicago, IL 60606) on November 17, 2006, to construct a wallboard manufacturing facility (USG Washingtonville Plant) in Derry Township, **Montour County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; William Charlton, New Source Review Chief, (412) 442-4174.

**03-00027B: Reliant Energy Northeast Management Co.** (121 Champion Way, Suit 200, Canonsburg, PA 15317) on December 4, 2006, to install flue gas desulfurization systems on the two existing pulverized coal-fired boilers and the turbine upgrade at their Keystone Power Plant located at Plumcreek Township, **Armstrong County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; George Monasky, New Source Review Chief, (814) 332-6940.

**10-345B:** Allegheny Mineral Corp.—Murrinsville Plant (102 Van Dyke Road, Harrisville, PA 16038) on November 22, 2006, to modify plan approval 10-345A conditions with regards to the rated capacity and the facility throughput limitation in Marion Township, **Butler County**. This is a State-only V facility. The public notice is required for sources required to obtain a Plan Approval in accordance with 25 Pa. Code § 127.44. This plan approval will, in accordance with 25 Pa. Code § 127.450, be incorporated into the State-only operating permit through an administrative amendment at a later date.

**25-053B: Urick Foundry Co.** (1501 Cherry Street, Erie, PA 16502) on November 22,, 2006, to replace the existing cupola and control devices with the installation of two new coreless electric induction furnaces and baghouse system in City of Erie, **Erie County**. This is a State Only facility.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401; Thomas McGinley, New Source Review Chief, (484) 250-5920.

**23-0001Z:** Sunoco, Inc.—R & M (P. O. Box 426, Marcus Hook, PA 19061-0426) on November 29, 2006, to operate four auxiliary boilers in Marcus Hook Borough, Delaware County.

**09-0122A: Arkema, Inc.** (2000 Market Street, Philadelphia, PA 19103) on November 28, 2006, to operate a (B66) thermal oxidizer in Bristol Township, **Bucks County**.

**23-0012: Epsilon Product Co., LLC** (Post Road and Blueball Avenue, P. O. Box 432, Marcus Hook, PA 19061) on November 28, 2006, to operate a Plant 2 and thermal oxidizer in Marcus Hook Borough, **Delaware County**.

**23-0059: Lyondell Chemical Co.** (3801 West Chester Pike, Newtown Square, PA 19073) on November 28, 2006, to operate a pilot unit in Newtown Township, **Delaware County**.

**23-0089: FPL Energy Marcus Hook, LP** (P. O. Box 426 Delaware Avenue and Green Street, Marcus Hook, PA 19061) on November 30, 2006, to operate a 750 megawatt (MW) combined cycle in Marcus Hook Borough, **Delaware County**.

**46-0221: Upper Moreland Hatboro Joint Sewer Authority** (P. O. Box 535 / 2875 Terwood Road, Willow Grove, PA 19090) on November 28, 2006, to operate tri-mer odor scrubbers in Upper Moreland Township, **Montgomery County**. **09-0053: Greif Industrial Packaging and Services, LLC** (366 Greif Parkway, Delaware, OH 43015) on December 1, 2006, to operate a lining surface coating booth in Warminster Township, **Bucks County**.

**15-0078B: Centocor, Inc.** (200 Great Valley Parkway, Malvern, PA 19355) On December 1, 2006, to operate two natural gas fired boilers in East Whiteland Township, **Chester County**.

**09-0102A: Clean Earth of Southeast PA Inc.** (7 Steel Rd East, Morrisville, PA 19067) On December 5, 2006, to reflect a change of ownership from Soil Technology, Inc., to Clean Earth of Southeast PA, in Falls Township, **Bucks County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Ronald Davis, New Source Review Chief, (717) 705-4702.

**06-03124:** James Hardie Building Products, Inc.— Excelsior Industrial Park (318 June Avenue, Blandon, PA 19510) on December 6, 2006, to install a surface coating (painting) line in Maidencreek Township, **Berks County**. This plan approval was extended.

**36-05087B: Morgan Corp.** (485 Wenger Drive, Ephrata, PA 17522) on November 5, 2006, to construct a drive-thru paint spray booth with High Volume Low Pressure spray guns at their existing facility in Ephrata Borough, **Lancaster County**. This plan approval was extended.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; David Aldenderfer, Program Manager, (570) 327-3637.

**41-305-010B: Keystone Filler & Manufacturing Co.** (214 Railroad Street, Muncy, PA 17756) on November 28, 2006, to operate a portable coal, shale and rottenstone crushing and screening operation on a temporary basis tuntil March 28, 2007, in Muncy Creek Township, **Lycoming County**. The plan approval has been extended.

## Title V Operating Permits Issued under the Air Pollution Control Act (35 P. S. §§ 4001-4015) and 25 Pa. Code Chapter 127, Subchapter G.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; Muhammad Zaman, Facilities Permitting Chief, (570) 327-3637.

**14-00003: The Pennsylvania State University** (101-P Physical Plant Building, University Park, PA 16802) on November 30, 2006, to issue renewal of Title V Operating Permit for their University Park Campus in State College Borough, **Centre County**. The facility's main sources include four bituminous coal/natural gas/No. 2 fuel oil fired boilers, three natural gas/No. 2 fuel oil fired boilers, one matural gas/coal-water slurry/micronized coal fired boiler, one medium hazardous/medical/ infectious waste incinerator and 46 emergency generators. The four bituminous coal/natural gas/No. 2 fuel oil fired boilers of West Campus Steam Plant are subject to 40 CFR Part 63, Subpart DDDDD 63.7480—63.7575. The renewal Title V operating permit contains all applicable regulatory requirements including monitoring, record-keeping and reporting conditions.

### Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P. S. §§ 4001-4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Ronald Davis, New Source Review Chief, (717) 705-4702.

**36-03030: ICM of PA, Inc.** (638 Lancaster Avenue, Malvern, PA 19355) on November 29, 2006, for operation of portable crushing and screening plants at the Talmage quarry located in Upper Leacock Township, **Lancaster County**. This is a renewal of the State-only operating permit.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; David Aldenderfer, Program Manager, (570) 327-3637.

**60-00020:** Pik Rite, Inc. (60 Pik Rite Lane, Lewisburg, PA 17837) on November 7, 2006, to operate a steel parts fabricating and surface coating facility in Buffalo Township, Union County.

**17-00044: Metaltech, Inc.** (3547 Watson Highway, DuBois, PA 15801) on November 14, 2006, to operate a powdered metal parts manufacturing facility in Sandy Township, **Clearfield County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; Mark Wayner, Facilities Permitting Chief, (412) 442-4174.

**03-00184:** Continental Clay Co. (260 Oak Avenue, Kittanning, PA, 16201-1346) on November 28, 2006, for emission sources at this facility to include a tunnel kiln, wheel and pan crushing units and a brick paver grinder. The latter two sources are both equipped with dust collectors to control PM emissions from the plant in Rayburn Township, Armstrong County.

**63-00654: Elliott Turbomachinery Co., Inc.** (213 Scott Street Extension, Donora, PA 15033) on November 30, 2006, to operate a repair shop in Donora Borough, **Washington County**.

**65-00322: PIAD Precision Casting** (161 Devereux Drive, Greensburg, PA 15601) on November 28, 2006, to operate their foundry in Hempfield Township, **Westmore-land County**.

**65-00800:** Columbia Gas Transmission Corp. (P. O. Box 1273, 1700 MacCorkle Avenue S.E., Charleston, WV 25325) on November 28, 2006, to operate two natural gas-fired combustion compressor engines and small ancillary equipment at their compressor site in Salem Township, Westmoreland County.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Eric Gustafson, Facilities Permitting Chief, (814) 332-6940.

**25-00911: Humane Society of Northwestern Pennsylvania** (2407 Zimmerly Road, Erie, PA 16509) on November 28, 2006, for a Natural Minor Permit to operate a natural gas fired incinerator in Millcreek Township, **Erie County**.

**37-00011: Dairy Farmers of America Inc.** (R. R. 1, Box 268 (intersection of Route 208 and Route 18), New Wilmington, PA 16142-9518) on November 28, 2006, to reissue a Natural Minor Operating Permit to operate a manufacturing facility that produces cheese, in Wilmington Township, **Lawrence County**. The facility's primary emission sources include three natural gas fired boilers, a dryer, two reactors, three emergency generators, a parts washer and miscellaneous natural gas combustion (space heating/make up air).

**25-00971: Erie Plating Co.** (656 West 12th Street, Erie, PA 16501-1509) on November 30, 2006, to reissue a State-only permit in the City of Erie, **Erie County**. The facility manufactures plating and polishing products. The facility's major emission sources include boiler, space heaters, chromic acid anodizing tank, chrome plating tanks, rotoblast, sludge dryer, solution tanks, acid-alkali tanks and plating plus rinse tanks.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001-4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; David Aldenderfer, Program Manager, (570) 327-3637.

**41-00013: Coastal Aluminum Rolling Mills, Inc.** (2475 Trenton Avenue, Williamsport, PA 17701) on December 1, 2006, under the administrative amendment requirements of 25 Pa. Code § 127.450, to incorporate conditions established in Plan Approval 41-00013B, issued on October 19, 2004, for construction of a coil coating line (Line No. 8) and associated air cleaning device (a regenerative thermal oxidizer) in the City of Williamsport, Lycoming County.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Eric Gustafson, Facilities Permitting Chief, (814) 332-6940.

**61-00204:** Franklin Bronze and Alloy Co., Inc. (655 Grant Street, Franklin PA 16323-2217) on November 28, 2006, for an administrative amendment to the facility's State-only Operating Permit to operate an investment casting process in Franklin City, **Venango County**. This amendment includes all requirements and conditions from Plan Approvals 61-204B and 61-204C.

# De Minimis Emissions Increases Authorized under 25 Pa. Code § 127.449.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; Mark Wayner, Facilities Permitting Chief, (412) 442-4174.

**30-00099: Allegheny Energy Supply Co., LLC** (800 Cabin Hill Drive, Greensburg, PA 15601) on December 28, 2006, de minimis emission increase of 900 pounds of ammonia per year resulting from the temporary operation (2 days) of an ammonia conditioning trial system at the Hatfield Ferry Station located in Monongahela Township, **Greene County**.

**65-00788: Sony Electronics** (1001 Technology Drive, Mt Pleasant PA 15666) on November 10, 2006, de minimis emission increase of 54 pounds PM per year resulting from the installation of a painting mask washer at the Pittsburgh Manufacturing Center plant located in East Huntingdon Township, **Westmoreland County**.

**63-00886: All-Clad Metalcrafters, LLC** (424 Morganza Rd., Canonsburg PA 15317) on November 21, 2006, de minimis emission increase of 0.4 ton NOx per year and 0.3 ton CO per year resulting from the installation of a new Almco Industrial Finishing System at the plant located in Canonsburg, **Washington County**.

# ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1–1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301–3326); The Clean Streams Law (35 P. S. §§ 691.1–691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51–30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1–1406.21). The final action on each application also constitutes action on the request for 401 Water Quality Certification and the NPDES permit application. Mining activity permits issued in response to the applications will also address the application permitting requirements of the following statutes: the Air Quality Control Act (35 P. S. §§ 4001–4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1–693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101–6018.1003).

### Coal Permits Actions

California District Office: 25 Technology Drive, Coal Center, PA 15423, (724) 769-1100.

**30841316 and NPDES Permit No. PA0213535. Consol Pennsylvania Coal Company** (P. O. Box J, 1525 Pleasant Grove Road, Claysville, PA 15323). To revise the permit for the Bailey Mine and Prep Plant in Richhill Township, **Greene County** to add acreage for development mining. Underground Acres Proposed 487.5, SCP Acres Proposed 487.5. Application received: March 10, 2006. Permit issued: November 29, 2006.

**56841603 and NPDES Permit No. PA0588504. PBS Coals, Inc.** (P. O. Box 260, Friedens, PA 15541-0260). To renew the permit for the Shade Creek Prep Plant in Shade Township, **Somerset County** and related NPDES Permit. No additional discharges. Application received: May 15, 2006. Permit issued: December 1, 2006.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

**Permit No. 32010113 and NPDES No. PA0249106. T.L.H. Coal Company** (4401 Pollock Road, Marion Center, PA 15759). Permit renewal for reclamation only of a bituminous surface and auger mine in West Mahoning Township, **Indiana County**, affecting 57.2 acres. Receiving streams: UNT to Mahoning Creek and Mahoning Creek, classified for the following use: WWF. There are no potable water supply intakes within 10 miles downstream. Application received: November 7, 2006. Permit issued: November 29, 2006.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

**10920112. State Industries, Inc.** (P. O. Box 1022, Kittanning, PA 16201). Renewal of an existing bituminous strip, auger and coal ash placement operation in Concord Township, **Butler County** affecting 230.1 acre. This renewal is issued for reclamation only. Receiving streams: Four UNTs to Bear Creek and Bear Creek. Application received: September 8, 2006. Permit Issued: November 28, 2006.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200. **17010109 and NPDES No. PA0243116. Forcey Coal, Inc.** (P. O. Box 225, Madera, PA 16661). Revision of an existing bituminous surface mine to add 3.3 acres of support area to the existing surface mine permit in Bigler Township, **Clearfield County**, affecting 168.3 acres. Receiving streams: Banian Run, Muddy Run, and Clearfield Creek. Application received: December 2, 2005. Permit issued: November 27, 2006.

**17960101 and NPDES No. PA0220256. Sky Haven Coal, Inc.** (5510 State Park Road, Penfield, PA 15849). Permit renewal for the continued operation and restoration of a bituminous surface mine in Morris Township, **Clearfield County**, affecting 184.8 acres. Receiving streams: Hawk Run and two UNTs. There are no potable water supply intakes within 10 miles downstream. Application received: June 15, 2006. Permit issued: November 27, 2006.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

**49850701R4. Reading Anthracite Company** (P. O. Box 1200, Pottsville, PA 17901). Renewal of an existing anthracite coal refuse disposal operation in Coal Township, **Northumberland County** affecting 29.8 acres; receiving stream: none. Application received: November 18, 2005. Renewal issued: November 29, 2006.

**54683045R4. Blaschak Coal Corp.** (P. O. Box 12, Mahanoy City, PA 17848). Renewal of an existing anthracite surface mine, refuse reprocessing and disposal operation in Union, Butler and West Mahanoy Townships, **Schuylkill County** affecting 743.0 acres; receiving stream: none. Application received: June 28, 2006. Renewal issued: December 1, 2006.

Noncoal Permits Actions

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

**10960304. Quality Aggregates, Inc.** (200 Neville Road, Neville Island, PA 15225). Renewal of NPDES Permit No. PA0227218 in Washington Township, **Butler County**. Receiving streams: UNT to South Branch Slippery Rock Creek. Application received: September 25, 2006. Permit issued: November 22, 2006.

**37990304. Three Rivers Aggregates** (P. O. Box 6090, Falmouth, VA 22403). Transfer of an existing sand and gravel operation from G. L. McKnight, Inc. in Plain Grove Township, **Lawrence County** affecting 46.0 acres. Receiving streams: Jamison Run and UNT to Jamison Run. Application received: April 26, 2006. Permit issued: November 27, 2006.

**37930305. Three Rivers Aggregates** (P. O. Box 6090, Falmouth, VA 22403). Transfer of an existing sand and gravel operation from G. L. McKnight, Inc. in Plain Grove Township, **Lawrence County** affecting 127.0 acres. Receiving streams: UNT to Taylor Run. Application received: April 25, 2006. Permit issued: November 27, 2006.

**42060802. Robert J. Ostrom** (P. O. Box 201, Port Allegany, PA 16743). Commencement, operation and restoration of a small noncoal bluestone operation in Liberty Township, **McKean County** affecting 5.0 acres. Receiving streams: Lillibridge Creek. Application received: May 11, 2006. Permit issued: November 29, 2006.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

**39970301C3 and NPDES Permit No. PA0223786.** Lafarge North America, Inc. (5160 Main Street, Whitehall, PA 18052). Correction to an existing quarry

operation to add an NPDES discharge point for discharge of treated mine drainage affecting 211.71 acres in Whitehall Township, **Lehigh County**; receiving stream: Coplay Creek. Application received: June 1, 2006. Correction issued: November 28, 2006.

**7976SM2C7 and NPDES Permit No. PA0122351. Eureka Stone Quarry, Inc.** (800 Lower State Road, Chalfont, PA 18914). Renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in Warrington Township, **Bucks County**; receiving stream: UNT to Neshaminy Creek. Application received: August 18, 2006. Renewal issued: November 30, 2006.

**7973SM5C6 and NPDES Permit No. PA0223352. Eureka Stone Quarry, Inc.** (800 Lower State Road, Chalfont, PA 18914). Renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in Wrightstown Township, **Bucks County**; receiving stream: Neshaminy Creek. Application received: August 18, 2006. Renewal issued: November 30, 2006.

# ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 (73 P.S. §§ 151—161) and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

**01064123.** Newville Construction Services, Inc. (408 Mohawk Road, Newville, PA 17241-9424). Blasting activity permit issued for residential development in Hamilton Township, Adams County. Blasting activity permit end date is November 30, 2007. Permit issued: November 20, 2006.

**21064192.** John W. Gleim, Jr., Inc. (625 Hamilton Street, Carlisle, PA 17013-1925). Blasting activity permit issued for residential development in North Middleton Township, **Cumberland County**. Blasting activity permit end date is April 15, 2007. Permit issued: November 22, 2006.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

**48064131.** Hayduk Enterprises, Inc. (257 Riverside Drive, Factoryville, PA 18419). Construction blasting for Saucon Manor in Hellertown Borough, Northampton County with an expiration date of November 30, 2007. Permit issued: November 30, 2006.

**09064132.** Horst Drilling & Blasting, Inc. (141 Ranck's Church Road, New Holland, PA 17557). Construction blasting for a residential development in Upper Makefield Township, **Bucks County** with an expiration date of December 11, 2007. Permit issued: December 1, 2006.

**36064115. Gerlach's Drilling & Blasting** (172 Bender Mill Road, Lancaster, PA 17603). Construction blasting for Bloomfield Square in Manheim Township, **Lancaster County** with an expiration date December 1, 2007. Permit issued: December 1, 2006.

**38064135.** Keystone Blasting Service (381 Reifsnyder Road, Lititz, PA 17543). Construction blasting for DC Diffenbach Properties, LLC in Jackson Township, **Lebanon County** with an expiration date of December 30, 2006. Permit issued: December 1, 2006. **45064171.** Silver Valley Drilling & Blasting, Inc. (R. R. 4, Box 4196, Saylorsburg, PA 18353). Construction blasting for Shawnee Oakdale parking lot and swimming pool in Smithfield and Middle Smithfield Townships, **Monroe County** with an expiration date of November 30, 2007. Permit issued: December 1, 2006.

# FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501-508 and 701-704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the Pennsylvania Bulletin, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and The Clean Streams Law (35 §§ 691.1—691.702) and Notice of Final Action for Certification under section 401 of the FWPCA (33 U.S.C.A. § 1341).

Permits, Environmental Assessments and 401 Water Quality Certifications Issued

# WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

**E46-995. Wissahickon Valley Watershed Associates**, 12 Morris Road, Ambler, PA 19002-5499, Upper Dublin Township, **Montgomery County**, ACOE Philadelphia District.

To construct and maintain a new pedestrian bridge across Wissahickon Creek (TSF). The proposed bridge, measuring 100-foot long by 8-foot wide, is part of the trail system through open space located above the 100-year flood plain. The site is located about 250 feet southeast of the intersection of Butler Pike and Morris Road (Ambler, PA, USGS Quadrangle N: 4.47 inches; W: 14.26 Inches).

**E46-989. Department of Transportation**, 7000 Geerdes Boulevard, King of Prussia, PA 19406, Montgomery, Lower Gwynedd, Horsham and Upper Dublin Townships, **Montgomery County**, ACOE Philadelphia District.

To rehabilitate, maintain and reconstruct an approximately 10-mile segment of the Fort Washington Expressway (SR 0309). This project has been divided into four design/construction sections (100, 101, 102 and 103), and the limit for the entire project is between Ogontz Avenue in Cheltenham Township (Germantown, PA, Quadrangle N: 14.6 inches; W: 5.0 inches) and approximately 0.5 mile north of Welsh Road (SR 0063) in Montgomery Township (Ambler, PA, Quadrangle N: 15.5 inches; W: 13.9 inches) and traverses through Springfield, Whitemarsh, Upper Dublin, Lower Gwynedd and Horsham Townships in Montgomery County. The total permanent and temporary wetland impact for the entire project covers 5.40 acres. The project includes provisions for the construction of replacement wetlands and rehabilitation of stream reaches at various locations along Sandy Run in Springfield and Whitemarsh Townships with the construction of the first segment, Section 100, Permit No. E46-921.

This permit is for Section 101 and is the fourth submission for the PA Route 309 Expressway Improvement Project located in Montgomery, Horsham, Lower Gwynedd, and Upper Dublin Townships. The limit of work extends between Highland Avenue in Upper Dublin Township (Ambler, PA, Quadrangle N: 4.2 inches; W: 11.1 inches) to approximately 0.5 mile north of Welsh Road (SR 0063) in Montgomery Township (Ambler, PA, Quadrangle N: 15.5 inches; W: 13.9 inches).

The reconstruction/rehabilitation work in Section 101 includes the following activities:

1. To extend and maintain an existing 6-foot high by 6-foot wide concrete arch culvert that carries Watercourse W20, a UNT to Wissahickon Creek (TSF) under SR 0309 at Station 10+807. The enclosure will be extended 26.6 feet downstream and 72.8 feet upstream with cast-inplace reinforced concrete box culvert extensions to accommodate the proposed embankment and a township access road.

2. To extend and maintain an existing 6-foot high by 8-foot wide concrete box culvert that carries Watercourse W18, a UNT to Honey Run (TSF) under SR 0309 at Station 11+870. The enclosure will be extended 32.5 feet downstream and 26.5 feet upstream with cast-in-place reinforced concrete box culvert extensions to accommodate the proposed embankment.

3. To extend and maintain an existing 7.5-foot high by 8-foot wide concrete arch culvert that carries Watercourse W11, a UNT to Tannery Creek (TSF) under SR 0309 at Station 12+360. The enclosure will be extended 24.8 feet downstream with a cast-in-place reinforced concrete box culvert extension to accommodate the proposed embankment and 11 linear feet of rock protection will be placed at the base of the upstream wingwall. 4. To extend and maintain an existing 11-foot high by 16-foot wide concrete arch culvert that carries Watercourse W13, a UNT to Valley Brook Creek (TSF) under SR 0309 at Station 12+800. The enclosure will be extended 20.1 feet downstream with a cast-in-place reinforced concrete box culvert extension to accommodate the proposed embankment.

5. To extend and maintain an existing 9-foot high by 12-foot wide concrete arch culvert that carries Watercourse W14, a UNT to Park Creek (WWF) under SR 0309 at Station 13+240. The enclosure will be extended 22.0 feet downstream and 23.6 feet upstream with cast-inplace reinforced concrete box culvert extensions to accommodate the proposed embankment.

6. To place fill and impact 0.65 acres of wetland (PFO, PSS, PEM and PAB) for a retaining wall, roadway, and embankment fill at numerous locations along SR 0309. The work includes 0.44 acres of temporary wetland impacts.

7. Additionally, 766 linear feet of intermittent streams will be impacted at numerous SR 0309 associated with the planning of this section.

8. Work also includes an additional 1.33 acres of wetland creation for 0.70 acres of additional wetland mitigation for additional wetland impacts in Sections 101, 102 and 103 and for 0.63 acres of additional wetland mitigation for temporary wetland impacts (as requested by the United States Army Corps of Engineers) at two locations in Springfield and Whitemarsh Townships.

9. Work also includes numerous stormwater management facilities at various locations associated with the reconstruction of this segment.

The issuance of this permit also constitutes approval of a Water Quality Certification under section 401(a) of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

**E02-1548.** Lindy Paving, 586 North Gate Circle, New Castle, PA 16105. To operate a barge mooring facility in Neville Township, Allegheny County, Pittsburgh ACOE District. (Ambridge, PA Quadrangle N: 1.3 inches; W: 0.1 inch; Latitude: 40° 30′ 26″—Longitude: 80° 07′ 33″). To operate and maintain the existing barge mooring facility 690 ft. in length by 120 ft. wide (as measured from the normal pool elevation) in the channel and along the right back of the Ohio River back channel for the purpose of loading and unloading barges. The project is located approximately 4,500 feet upstream from the I-79 bridge and will impact 690 linear feet of stream channel.

### ENVIRONMENTAL ASSESSMENTS

Cambria District: Environmental Program Manager, 286 Industrial Pk Rd, Ebensburg, PA 15931-4119.

**EA1009-006. Department of Environmental Protection**, Bureau of Abandoned Mine Reclamation, Division of Mine Hazards, P. O. Box 8476, Harrisburg, PA 17105. Abandoned Mine Land Reclamation Project, in West Liberty Township, **Butler County**, Pittsburgh ACOE District. The applicant proposes to backfill an abandoned surface mine, which includes a total of 600 linear feet of dangerous highwall. The project will include the backfilling of 0.01 acre of PEM wetland and 0.7 acre of open water that have developed within the open surface mine pits. (Prospect Quadrangle N: 22.22 inches, W: 6.0 inches). A 0.26 acre PEM wetland will be constructed with the project.

**EA2909-001. Department of Environmental Protection**, Bureau of Abandoned Mine Reclamation, Cambria Office, 286 Industrial Park Rd., Ebensburg, PA 15931. Abandoned Mine Land Reclamation Project, in Broad Top Township, **Bedford County** and Wells Township, **Fulton County**, Baltimore ACOE District.

The applicant proposes to backfill an abandoned surface mine, which includes a total of 2,500 linear feet of dangerous highwall. The project will include the backfilling of 3.53 acres of open water that has developed within the open surface mine pits. A 1.06-acre shallow pond/ wetland will be constructed with the project. (Saxton Quadrangle N: 3.0 inches, W: 3.25 inches). Central Office: Bureau of Waterways Engineering, Rachel Carson State Office Building, Floor 3, 400 Market Street, Harrisburg, PA 17105.

**D21-061EA and D21-062EA. John Eby**, Lower Allen Township, 1993 Hummel Avenue, Camp, PA 17011, Lower Allen Township, **Cumberland County**, ACOE Baltimore District.

Project proposes to breach and remove Smith Dam and an unnamed dam across a tributary to Cedar Run (CWF) for the purpose of restoring the stream to a free flowing condition and providing unobstructed fish passage. The project will restore approximately 100 linear feet of stream channel. Smith Dam is located approximately 3,600 feet East of the intersection of Simpson Ferry Road (SR 2014) and US 15. The unnamed dam is located approximately 275 feet downstream from Smith Dam immediately upstream of the Norfolk Southern Bridge Crossing (Lemoyne, PA Quadrangle N: 18.9 inches; W: 6.3 inches) (Lemoyne, PA Quadrangle N: 18.7 inches; W: 6.3 inches).

# **SPECIAL NOTICES**

## **Certification to Perform Radon-Related Activities in this Commonwealth**

In the month of November 2006 the Department of Environmental Protection, under the Radon Certification Act (63 P. S. §§ 2001—2014) and regulations promulgated thereunder at 25 Pa. Code Chapter 240, has certified the following persons to perform radon-related activities in this Commonwealth. The period of certification is 2 years. For a complete list of persons currently certified to perform radon-related activities in this Commonwealth and for information as to the specific testing devices that persons certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P. O. Box 8469, Harrisburg, PA 17105-8469, (800) 23RADON.

Name	Address	Type of Certification
Sandra Bender	929 Mt. Zion Road Lebanon, PA 17046	Laboratory
John Biegalski	515 West Church Road King of Prussia, PA 19406	Testing
Jeffrey Boyle	172 Matis Drive Howard, PA 16841	Testing
Roger Burens, Jr.	340 West DeKalb Pike King of Prussia, PA 19406	Mitigation
Clerkin Home Inspections, LLC	1114 Bergan Road Oreland, PA 19075	Testing
Kevin Crane Crane Enterprises, Inc.	419 West 4th Street Suite 1 Williamsport, PA 17701	Testing
Mark Dilts	2844 Slifer Valley Road Riegelsville, PA 18077	Mitigation
Bruce Eichenlaub	535 Derr Hill Road Lock Haven, PA 17745	Testing
Daryl Festa	634 North Avenue Pittsburgh, PA 15209	Testing
Rick Hynes	1037 Carnes School Road Seneca, PA 16346	Mitigation
Paul Inman	675 Estelle Drive Lancaster, PA 17601	Testing
Daniel Jones Alpha Detection & Control	98 Porter Avenue Scottdale, PA 15683	Mitigation
Allen Lenhardt	1419 Rock Glen Road Bloomsburg, PA 17815	Testing and Mitigation
Chris Matteson	912 Bruton Cove Hummelstown, PA 17036	Testing

# NOTICES

Name	Address	Type of Certification
Professional Home Inspection Service	1278 Vestal Avenue Binghamton, NY 13903	Mitigation
Radon Specialists, Inc.	134 Broad Street Stroudsburg, PA 18360	Testing
Ray Remsnyder	2843 North Front Street Harrisburg, PA 17110	Testing
Lloyd Scarborough	429 Hillside Avenue Morrisville, PA 19067	Testing
Kenneth Struder Pennsylvania Home Inspections	P. O. Box 72722 Thorndale, PA 19372	Testing and Laboratory
Robert Vail	1335 Chapman Lake Road Jermyn, PA 18433	Mitigation

[Pa.B. Doc. No. 06-2462. Filed for public inspection December 15, 2006, 9:00 a.m.]

# Availability of Technical Guidance

Technical guidance documents are available on the Department of Environmental Protection's (Department) website at www.depweb.state.pa.us (DEP Keywords: "Technical Guidance"). The "Final Documents" heading is the link to a menu of the various Department bureaus where each bureau's final technical guidance documents are posted. The "Draft Technical Guidance" heading is the link to the Department's draft technical guidance documents.

The Department will continue to revise its nonregulatory documents, as necessary, throughout 2006.

### Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to view and download technical guidance documents. When this option is not available, persons can order a paper copy of any of the Department's draft or final technical guidance documents by contacting the Department at (717) 783-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

### Changes to Technical Guidance Documents

Following is the current list of recent changes. Persons who have questions or comments about a particular document should call the contact person whose name and phone number is listed with each document.

#### Correction Notice

Notices concerning final technical guidance documents #274-0300-001 and #274-0300-005, referenced as follows, were published at 36 Pa.B. 7344 (December 2, 2006). Although the information provided in those notices was accurate, the Department is providing the following information to further identify the specific changes made to each guidance document.

## Final Technical Guidance

DEP ID: 274-0300-001 Title: Continuous Source Monitoring Manual, Revision No. 8 Description: This Manual, referenced in 25 Pa. Code § 139.102 (relating to references), contains design specifications, performance specifications, performance test procedures, data storage and reporting requirements, quality assurance criteria and administrative procedures for requesting Department approval of continuous source monitoring systems required under the Department's rules and regulations. Technical guidance document number 274-0300-005: Applicability Determination for Continuous Source Monitoring Manual Revision No. 8 complements this manual by including the procedures and schedule owners of continuous source monitoring systems should use to comply with manual.

In accordance with 25 Pa. Code, § 139.5 (relating to references), the Department provided notice of proposed revisions to the Manual at 35 Pa.B. 5052 (September 10, 2005). During the 45-day public comment period, comments were received, which were addressed by the Department in a separate Comment and Response document, which is available on the Department's website (see web address). Upon review of the public comments submitted, changes to the technical guidance document were made. These changes are identified as follows:

#### Introduction

\* The names and procedures of certain CEMS and measurement device performance tests have been changed in order to be compatible with terminology and procedures utilized in 40 CFR, Part 75. The table below lists the legacy DEP terminology/procedures (used in past revisions) and the new 40 CFR Part 75 compatible terminology/procedures.

Legacy DEP Terminology/Procedures	40 CFR, Part 75—Compatible Terminology/Procedures
Relative Accuracy Test	Relative Accuracy Test Audit (RATA)
Calibration Error Test	Linearity Test
24-Hour Zero and Calibration Drift Test	7-Day Calibration Error Test
Response Time Test	Cycle Time Test

Submittal and Approval

\* Addresses changes to process operational conditions that could require additional monitoring approvals.

### Initial Application

\* Specification Tables now include requirements for "Highest" and "Optional Lower" ranges, including a footnote cautioning against the use of unnecessarily high ranges (where applicable). \* Eliminated requirements for 2-hour drift testing.

\* Changes referenced American Society for Testing and Materials (ASTMs) to the most recent version of the procedures available on the implementation date of the Manual.

\* Sources may petition (in many instances) to use either a more stringent applicable Federal requirement or less stringent applicable Federal requirement with proper justification.

\* A DEP approved alternative may be utilized (on a very limited basis) provided that it can be demonstrated that the requirement will not adversely impact the Department's ability to enforce compliance with all applicable requirements.

\* Added an alternative 2 ppm calibration error specification.

\* Added an explanation of how to calculate the "equivalent reading at the level of the monitored emission standards" to be used in the calculation of measurement device calibration error.

\* Added a footnote to explain that for measurement device ranges not used to determine compliance with emission standards, the specification shall be the equivalent, in device units of measurement, of 2.5% of the measurement device range.

### Recordkeeping and Reporting:

\* Language has been added to explain the reporting of "substitute" data and when the use of process down in allowed for reporting purposes.

\* Language has been added to explain information to be reported relative to tests, audits and recalibrations.

\* Language has been added to explain delinquency penalties, timeliness issues and potential consequences. *Quality Assurance:* 

\* Changed requirements for addressing "infrequent operation/extended outage/shutdown."

 $\ast$  Added a note to address provisional validation of data.

\* Added a note to address substitute data for "Default Value," "Diluent Cap" or "Over-scaling" purposes.

\* Changed language to make data validation and data reduction provisions more consistent with Federal requirements.

\* Added language to explain invalidation of data by the Bureau if reports are not submitted in a timely manner.

\* Sources may petition the Department to use Federal calibration level requirements or data reduction provisions rather than those listed, with proper justification.

\* Changed language with respect to notifications and testing required due to component maintenance or replacement.

\* Added notes to remind sources that they may petition the Department to use more stringent applicable Federal daily calibration error check or linearity procedure requirements than that listed, with proper justification.

\* Changed language to make provisions for "operating hours exemptions" and "grace periods" more consistent with Federal requirements.

\* Added language relative to determination of compliance with "stack" flow measurement device installation specifications for "leak checks."

### Appendix

\* Replaced the old Attachment No. 3 with the new PA EDR Version 2.00 Record Type Formats and Reporting Instructions. The new reporting format is markedly different from the previous version in both format and content. This will result in significant changes for companies required to maintain CEMS and the Department.

\* Added Attachment No. 5-Recertification Guidance

Contact: Charles J. Zadakis, Chief, Continuous Emission Monitoring Section, Department of Environmental Protection, Bureau of Air Quality, P. O. Box 8468, Harrisburg, PA 17105-8468; (717) 772-3944 or czadakis@state. pa.us. Effective Date: December 2, 2006.

DEP ID: \*274-0300-005 Title: Applicability Determination for Continuous Source Monitoring Manual Revision No. 8 \*Please Note: The previous version of this guidance entitled "Applicability Determination for Continuous Source Monitoring Manual Revision No. 7" was assigned the following identification number: #274-0300-004. Description: This Manual outlines the procedures and schedule to be utilized by source owners and operators to comply with the requirements of 25 Pa. Code § 139.102(3) (relating to references), which are identified and described in the Department's Continuous Source Monitoring Manual-Revision No. 8 (Manual) (DEP ID #274-0300-001). The manual contains requirements relative to monitoring system design and performance, testing, record keeping, reporting and quality assurance for affected industrial and utility sources which are required to continuously monitor emissions of pollutants or operational parameters.

In accordance with 25 Pa. Code § 139.5, the Department provided notice of proposed revisions to the technical guidance document at 35 Pa.B. 5431 (October 1, 2005). During the 30-day public comment period, comments were received, which were addressed by the Department in a separate Comment and Response document, which is available on the Department's website (see web address). Upon review of the public comments submitted, changes to the technical guidance document were made. These changes are identified as follows:

*Item 1*: Except as indicated in "Note 1" and "Note 2," below, all monitoring systems and emissions reports must comply with the requirements of Revision No. 8 of the Manual no later than the first day of the second calendar quarter following an announcement by the Bureau of Air Quality (BAQ), in the *Pennsylvania Bulletin* that the upgraded continuous emission monitoring data processing system (CEMDPS) has become functional.

*Item 2*: The owners/operators of a facility may comply with the requirements of the Manual, except as indicated in "Note1" and "Note 2," below, as early as the first day of the first day of the first calendar quarter following an announcement by the BAQ, in the *Pennsylvania Bulletin*, that the upgraded CEMDPS has become functional.

*Note 1*: Existing opacity monitoring systems must meet all requirements of the Manual upon relocation or substantially refurbishing (as determined by the Department) the opacity monitoring systems. Revised Phase I Monitoring Plans must be submitted for Department review prior to such replacement. Existing opacity monitoring systems must comply with the Recordkeeping and Reporting requirements of Revision No. 8. *Note 2*: The owners/operators of facilities that are unable to comply with the requirements of Item 1 must submit an implementation plan to the Chief of the Continuous Emission Monitoring Section no later than 60 days following the announcement by the Department, in the *Pennsylvania Bulletin*, that the upgraded CEMDPS has become functional. The implementation plan will be reviewed and a formal response provided by the Department within 60 days of receiving the request. If the Department denies the request, it will provide the owners/operators of the facility with a reasonable timeframe to be in compliance with the requirements of Revision 8 of the Manual.

*Note 3*: Any monitoring systems currently approved under the requirements of Revision No. 6 of the Manual (except as indicated in "Note 1") must demonstrate compliance with the Recordkeeping and Reporting requirements of Revision No. 8. There must also be a demonstration of compliance for all associated measurement devices with the 7-day calibration error requirements (formerly known as drift requirements) of Revision No. 8. If the Revision No. 8 requirements are more stringent than those of Revision No. 6, said monitoring system tests would need to be conducted by the applicability date specified in Item 1 or Item 2. Results of previously conducted tests that demonstrate the compliance would be acceptable.

*Note 4*: Monitoring systems currently approved under the requirements of Revision No. 7 of the Manual will be required only to demonstrate compliance with the Recordkeeping and Reporting requirements of Revision No. 8.

Contact: Charles J. Zadakis, Chief, Continuous Emission Monitoring Section, Department of Environmental Protection, Bureau of Air Quality, P. O. Box 8468, Harrisburg, PA 17105-8468; (717) 772-3944 or czadakis@state. pa.us. Effective Date: December 2, 2006.

### Final Technical Guidance:

DEP ID: 383-2100-109 Title: Treatment of Groundwater Under the Direct Influence of Surface Water (GUDI) Sources at Noncommunity Water Systems and Small Community Water Systems. Description: This guidance establishes alternate disinfection treatment design standards that may be used by noncommunity water systems and small community water systems that provide treatment of groundwater under the direct influence of surface water (GUDI) sources. The guidance is consistent with the Federal Surface Water Treatment Rule (40 CFR 141.70) and provides that noncommunity water systems and small community water systems may use certain innovative, low cost filtration technologies to treat GUDI sources, as well as an alternate disinfection treatment design standard. The Department provided notice of a 30-day public comment period on the draft version of the technical guidance document at 36 Pa.B. 3166 (June 24, 2006). The Department did not receive public comments on the draft document during the public comment period. The document is issued under the authority of the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1-721.17) and 25 Pa. Code Chapter 109. Contact: Tom Franklin, Department of Environmental Protection, Bureau of Water Standards and Facility Regulation, P. O. Box 8774, Rachel Carson State Office Building, 11th

Floor, Harrisburg, PA 17105-8774, (717) 787-8184 or thfranklin@state.pa.us. Effective Date: December 16, 2006.

KATHLEEN A. MCGINTY, Secretary

[Pa.B. Doc. No. 06-2463. Filed for public inspection December 15, 2006, 9:00 a.m.]

# DEPARTMENT OF GENERAL SERVICES

# Real Estate for Sale; Lancaster County

The Department of General Services (Department) will accept bids for the purchase of 0.23 acre of land and building formerly known as the Columbia National Guard Motor Vehicle Building located at 439 Manor Street, Borough of Columbia, Lancaster County. Bids are due January 5, 2007. Interested parties wishing to receive a copy of Solicitation No. 94051 should view the website at www.dgs.state.pa.us or call Lisa Kettering at (717) 787-1321.

JAMES P. CREEDON, Secretary [Pa.B. Doc. No. 06-2464. Filed for public inspection December 15, 2006, 9:00 a.m.]

# DEPARTMENT OF HEALTH

# Amendments to Charges for Medical Records

Because of an inadvertent typographical error in the notice published at 36 Pa.B. 7345 (December 2, 2006), the Department of Health (Department) is reprinting the document in its entirety to ensure accuracy of the information contained in this document.

Under 42 Pa.C.S. §§ 6152 and 6155 (relating to subpoena of records; and rights of patients), the Secretary of Health (Secretary) is directed to adjust annually the amounts which may be charged by a health care facility or health care provider upon receipt of a request or subpoena for production of medical charts or records. These charges apply to any request for a copy of a medical chart or record except as follows:

(1) Flat fees (as listed in this notice) apply to amounts that may be charged by a health care facility or health care provider when copying medical charges or records either: (a) for the purpose of supporting any claim or appeal under the Social Security Act or any Federal or State financial needs based program; or (b) for a district attorney.

(2) An insurer shall not be required to pay for copies of medical records required to validate medical services for which reimbursement is sought under an insurance contract, except as provided in: (a) the Worker's Compensation Act (77 P. S. § 1 et seq.) and the regulations

promulgated thereunder; (b) 75 Pa.C.S. Chapter 17 (relating to financial responsibility) and the regulations promulgated thereunder; or (c) a contract between an insurer and any other party.

The charges listed in this notice do not apply to an X-ray film or any other portion of a medical record which is not susceptible to photostatic reproduction.

Under 42 Pa.C.S § 6152.1 (relating to limit on charges), the Secretary is directed to make a similar adjustment to the flat fee which may be charged by a health care facility or health care provider for the expense of reproducing medical charts or records where the request is: (1) for the purpose of supporting a claim or appeal under the Social Security Act or any Federal or State financial needs based benefit program; or (2) made by a district attorney.

The Secretary is directed to base these adjustments on the most recent changes in the consumer price index reported annually by the Bureau of Labor Statistics of the United States Department of Labor. For the annual period of October 31, 2005, through October 31, 2006, the consumer price index was 1.3%.

Accordingly, the Secretary provides notice that, effective January 1, 2007, the following fees may be charged by a health care facility or health care provider for production of records in response to subpoena or request:

	Not to Exceed
Amount charged per page for pages 1—20	<b>\$ 1.25</b>
Amount charged per page for pages 21-60	\$.93
Amount charged per page for pages 61—end	\$.31
Amount charged per page for microfilm	
copies	\$ 1.83
Flat fee for production of records to support	
any claim under Social Security	\$23.49
Flat fee for supplying records requested by a	
district attorney	\$18.54
·	
* Search and retrieval of records	\$18.54

\*NOTE: Federal regulations enacted under the Health Insurance Portability and Accountability Act (HIPAA) at 45 CFR Parts 160—164 state that covered entities may charge a reasonable cost based fee that includes only the cost of copying, postage and summarizing the information (if the individual has agreed to receive a summary) when providing individuals access to their medical records. The Department of Health and Human Services has stated that the fees may not include costs associated with searching for and retrieving the requested information. For further clarification on this issue, inquiries should be directed to the Office of Civil Rights, United States Department of Health and Human Services, 200 Independence Avenue, S.W., Room 509F, HHH Building, Washington, D.C. 20201, (866) 627-7748, www.hhs.gov/ocr/hipaa.

In addition to the amounts listed previously, charges may also be assessed for the actual cost of postage, shipping and delivery of the requested records.

The Department is not authorized to enforce these charges.

Questions or inquiries concerning this notice should be sent to James T. Steele, Jr., Deputy Chief Counsel, Room 825, Health and Welfare Building, Harrisburg, PA 17120 or for speech and or hearing impaired persons, the Pennsylvania AT&T Relay Services at (800) 654-5984 (TT) or V/TT (717) 783-6514.

CALVIN B. JOHNSON, M. D., M.P.H., Secretary

[Pa.B. Doc. No. 06-2465. Filed for public inspection December 15, 2006, 9:00 a.m.]

# Application of Central Montgomery Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Central Montgomery Medical Center has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards) which requires compliance with minimum standards contained in *Guidelines for Design and Construction of Hospital and Healthcare Facilities.* The facility specifically requests exemption from the following standards contained in this publication: 7.4.A6 (relating to airborne infection isolation room).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 or for speech and/or hearing impaired persons, V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H., Secretary

[Pa.B. Doc. No. 06-2466. Filed for public inspection December 15, 2006, 9:00 a.m.]

# Application of Central Penn GI Endoscopy Center, LLC for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Central Penn GI Endoscopy Center, LLC has requested an exception to the requirements of 28 Pa. Code §§ 551.3 and 553.31(a) (relating to definitions; and administrative responsibilities).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request for exception and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number or for speech and/or hearing impaired persons, V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

CALVIN B. JOHNSON, M. D., M.P.H., Secretary

[Pa.B. Doc. No. 06-2467. Filed for public inspection December 15, 2006, 9:00 a.m.]

## Application of Chestnut Hill Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Chestnut Hill Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards) which requires compliance with minimum standards contained in *Guidelines for Design and Construction of Hospital and Healthcare Facilities.* The facility specifically requests exemption from the following standards contained in this publication: 7.2.C4 (relating to self-closing devices on doors).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 or for speech and/or hearing impaired persons, V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT). CALVIN B. JOHNSON, M. D., M.P.H.,

Secretary

[Pa.B. Doc. No. 06-2468. Filed for public inspection December 15, 2006, 9:00 a.m.]

# Application of Eastern Regional Medical Center in Philadelphia for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Eastern Regional Medical Center in Philadel-

phia has requested an exception to the requirements of 28 Pa. Code § 107.62(b) (relating to oral orders).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request for exception and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number or for speech and/or hearing impaired persons, V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

CALVIN B. JOHNSON, M. D., M.P.H., Secretary

[Pa.B. Doc. No. 06-2469. Filed for public inspection December 15, 2006, 9:00 a.m.]

## Application of Grand View Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Grand View Hospital has requested an exception to the requirements of 28 Pa. Code § 51.23 (relating to positron emission tomography).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request for exception and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number or for speech and/or hearing impaired persons, V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

CALVIN B. JOHNSON, M. D., M.P.H., Secretary

[Pa.B. Doc. No. 06-2470. Filed for public inspection December 15, 2006, 9:00 a.m.]

# Application of St. Joseph Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that St. Joseph Medical Center has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards) which requires compliance with minimum standards contained in *Guidelines for Design and Construction of Hospital and Healthcare Facilities.* The facility specifically requests exemption from the following standards contained in this publication: 7.7.A2 (relating to pump room).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 or for speech and/or hearing impaired persons, V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,

Secretary

[Pa.B. Doc. No. 06-2471. Filed for public inspection December 15, 2006, 9:00 a.m.]

# Application of Southwest Regional Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Southwest Regional Medical Center has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards) which requires compliance with minimum standards contained in *Guidelines for Design and Construction of Hospital and Healthcare Facilities.* The facility specifically requests exemption from the following standards contained in this publication: 7.2.A5 (relating to hand washing station).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception. Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 or for speech and/or hearing impaired persons, V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H., Secretary

[Pa.B. Doc. No. 06-2472. Filed for public inspection December 15, 2006, 9:00 a.m.]

# Application of Wyomissing Hills Podiatric Surgical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Wyomissing Hills Podiatric Surgical Center has requested an exception to the requirements of 28 Pa. Code § 555.31(a) (relating to principle).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

The facility is requesting a waiver of the comment period, as set forth in 28 Pa. Code § 51.33(c).

Persons with a disability who wish to obtain a copy of a request for exception and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number or for speech and/or hearing impaired persons, V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

CALVIN B. JOHNSON, M. D., M.P.H.,

Secretary

[Pa.B. Doc. No. 06-2473. Filed for public inspection December 15, 2006, 9:00 a.m.]

# Laboratories Approved to Perform Blood Lead and/or Erythrocyte Protoporphyrin Determinations Under the Clinical Laboratory Act

The following laboratories are licensed in accordance with the Clinical Laboratory Act (35 P. S. §§ 2151–2165) and/or the Federal Clinical Laboratory Improvement Act of 1967 (42 U.S.C. § 263a), and are currently approved under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of blood for lead or erythrocyte protoporphyrin content. This approval is based on demonstrated proficiency in periodic evaluations conducted by the Bureau of Laboratories of the Department of Health.

Lead poisoning is a reportable noncommunicable disease. Approved laboratories which offer blood lead testing services are required to inform the Department of actual or possible incidents of this condition in accordance with 28 Pa. Code § 27.34 (relating to reporting cases of lead poisoning.) These regulations specify the following requirements for reporting by clinical laboratories.

(1) A clinical laboratory shall report all blood lead test results on both venous and capillary specimens for persons under 16 years of age to the Department's Childhood Lead Poisoning Prevention Program, Division of Maternal and Child Health, Bureau of Family Health.

(2) A clinical laboratory shall report an elevated blood lead level in a person 16 years of age or older to the Department's Division of Environmental Health Epidemiology, Bureau of Epidemiology or to other locations as designated by the Department. An elevated blood lead level is defined by the National Institute for Occupational Safety and Health (NIOSH). As of January 26, 2002, NIOSH defines an elevated blood lead level as a venous blood lead level of 25 micrograms per deciliter ( $\mu$ g/dL) or higher. The Department will publish in the *Pennsylvania Bulletin* any NIOSH update of the definition within 30 days of NIOSH's notification to the Department.

(3) A clinical laboratory which conducts blood lead tests on 100 or more specimens per month shall submit results electronically in a format specified by the Department.

(4) A clinical laboratory which conducts blood lead tests on less than 100 blood lead specimens per month shall submit results either electronically or by hard copy in the format specified by the Department.

(5) A laboratory which performs blood lead tests on blood specimens collected in this Commonwealth shall be licensed as a clinical laboratory and shall be specifically approved by the Department to conduct those tests.

(6) Blood lead analyses requested for occupational health purposes on blood specimens collected in this Commonwealth shall be performed only by laboratories which are licensed and approved as specified in paragraph (5), and which are also approved by the Occupational Safety and Health Administration of the United States Department of Labor under 29 CFR 1910.1025(j)(2)(iii) (relating to lead).

(7) A clinical laboratory shall complete a blood lead test within 5 work days of the receipt of the blood specimen and shall submit the case report to the Department by the close of business of the next work day after the day on which the test was performed. The clinical laboratory shall submit a report of lead poisoning using either the hard-copy form or electronic transmission format specified by the Department.

(8) When a clinical laboratory receives a blood specimen without all of the information required for reporting purposes, the clinical laboratory shall test the specimen and shall submit the incomplete report to the Department.

Erythrocyte protoporphyrin determinations may be performed as an adjunct determination to substantiate blood lead levels of 25 micrograms per deciliter or higher. Since erythrocyte protoporphyrin concentrations may not increase as a result of low-level exposures to lead, direct blood lead analysis is the only reliable method for identifying individuals with blood lead concentrations below 25 micrograms per deciliter.

Persons seeking blood lead or erythrocyte protoporphyrin analyses should determine that the laboratory employs techniques and procedures acceptable for the purpose for which the analyses are sought. Laboratories offering blood lead analysis only are designated with the letter "L" following the name of the laboratory. Those offering erythrocyte protoporphyrin analysis only are designated with the letter "P." Laboratories offering both services are designated with the letters "LP."

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsyl*-

vania Bulletin. The name of a laboratory is sometimes changed but the location, personnel and testing procedures of the facility remain unchanged. When changes of this type occur, the Clinical Laboratory Permit number does not change. If questions arise about the identity of a laboratory due to a name change, the Clinical Laboratory Permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test if the name of the facility changed, the Clinical Laboratory Permit numbers of the facilities are included in the lists of approved laboratories above the name of the laboratory at the time the list was prepared.

The Department's blood lead proficiency testing program is approved by the United States Department of Health and Human Services (HHS) in accordance with the requirements contained in the Clinical Laboratory Improvement Amendments of 1988 (42 CFR 493.901 and 493.937) which are administered by the Centers for Medicare and Medicaid Services (CMS). Participation in these programs may therefore be used to demonstrate acceptable performance for approval purposes under both Federal and Commonwealth statutes.

Questions regarding this list should be directed to Dr. M. Jeffery Shoemaker, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact Dr. Shoemaker at the previously referenced address or phone number. Persons who are speech or hearing impaired may call by using V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

022912 ACL LABORATORIES—LP 8901 WEST LINCOLN AVE WEST ALLIS, WI 53227 414-328-7945

000016

ANGELINE KIRBY MEM HEALTH CENTER—L 71 NORTH FRANKLIN STREET WILKES-BARRE, PA 18701 570-823-5450

020506

CENTRAL PA ALLIANCE LABORATORY—LP 1803 MT ROSE AVENUE SUITE C3-C4 YORK, PA 17403 717-851-1426

000228

CHILDRENS HOSP OF PHILADELPHIA—L ONE CHILDREN'S CENTER 34TH & CIVIC PHILADELPHIA, PA 19104 215-590-1000

027845 CLINICAL REFERENCE LABORATORY—LP 8433 QUIVIRA ROAD LENEXA, KS 66215 913-492-3652

000561 EAST PENN MFG CO INC—LP DEKA RD KELLER TECH CENTER PO BOX 147 LYONS STATION, PA 19536 610-682-6361

# 7690

000332 ELLWOOD CITY HOSPITAL-LP 724 PERSHING ST ELLWOOD CITY, PA 16117 724-752-0081 000173 GEISINGER MEDICAL CENTER-L N ACADEMY RD DANVILLE, PA 17822 570-271-6338 025914 GENOVA DIAGNOSTICS-L **63 ZILLICOA STREET** ASHEVILLE, NC 28801 828-253-0621 020802 HAGERSTOWN MEDICAL LABORATORY-L 11110 MEDICAL CAMPUS RD STE 230 HAGERSTOWN, MD 21742 301-790-8670 024655 HEALTH NETWORK LABORATORIES-LP 2024 LEHIGH STREET ALLENTOWN, PA 18103-4798 610-402-8150 005618 LAB CORP OF AMERICA HOLDINGS-LP 6370 WILCOX ROAD DUBLIN, OH 43016-1296 800-282-7300 021885 LAB CORP OF AMERICA HOLDINGS-LP 1447 YORK COURT **BURLINGTON, NC 27215** 800-334-5161 001088 LABCORP OF AMERICA HOLDINGS-LP 69 FIRST AVE PO BOX 500 RARITAN, NJ 08869 908-526-2400 009523 LABORATORY CORP OF AMERICA-L 13900 PARK CENTER ROAD HERNDON, VA 20171 703-742-3100 000242 MAIN LINE CLIN LABS LANKENAU CP-L **100 EAST LANCASTER AVENUE** WYNNEWOOD, PA 19096 610-645-2615 029685 MAYO CLINIC DEPARTMENT OF LAB MEDICINE & PATHOLOGY-L 200 FIRST STREET SW ROCHESTER, MN 55905 507-284-0453 009003 MAYO CLINIC DEPT LAB MED & PATH-P 200 FIRST STREET SW HILTON 530 ROCHESTER, MN 55905 507-284-3018

# NOTICES

029251 MAYO MEDICAL LABORATORIES NEW ENG-LAND-LP **265 BALLARDVALE STREET** WILMINGTON, MA 01887 978-658-3600 026302 MEDICAL ASSOCIATES PC-P 935 HIGHLAND BLVD SUITE 4400 BOZEMAN, MT 59715 406-587-5123 005574 MEDTOX LABORATORIES INC-LP 402 WEST COUNTY ROAD D ST PAUL. MN 55112 651-636-7466 000203 MERCY FITZGERALD HOSPITAL-L **1500 LANSDOWNE AVENUE** DARBY, PA 19023 610-237-4262 000504 NATIONAL MED SVCS INC/DBA NMS LABS-LP 3701 WELSH ROAD WILLOW GROVE, PA 19090 215-657-4900 023801 PACIFIC TOXICOLOGY LABORATORIES-LP 9348 DE SOTO AVENUE CHATSWORTH, CA 91311 818-598-3110 022533 PENNSYLVANIA DEPT OF HEALTH-LP **110 PICKERING WAY** LIONVILLE, PA 19353 610-280-3464 000022 POCONO MEDICAL CENTER LAB-L 206 EAST BROWN STREET EAST STROUDSBURG, PA 18301 570-476-3544 000324 PRIMARY CARE HLTH SERV INC LAB-L 7227 HAMILTON AVE PITTSBURGH, PA 15208 412-244-4728 000255 PUBLIC HEALTH LAB CITY OF PHILA—L 500 SOUTH BROAD STREET **ROOM 359** PHILADELPHIA, PA 19146 215-685-6815 022715 QUEST DIAGNOSTICS-LP **10101 RENNER BOULEVARD** LENEXA, KS 66219-9752 913-888-1770 000315 QUEST DIAGNOSTICS CLINICAL LABS INC-LP 900 BUSINESS CENTER DRIVE HORSHAM, PA 19044

PENNSYLVANIA BULLETIN, VOL. 36, NO. 50, DECEMBER 16, 2006

215-957-9300

000669 QUEST DIAGNOSTICS INCORPORATED-L **ČNE MALCOLM AVENUE** TETERBORO, NJ 07608 201-393-5602 001136 QUEST DIAGNOSTICS NICHOLS INSTITUTE-LP **14225 NEWBROOK DRIVE** P. O. BOX 10841 CHANTILLY, VA 20153-0841 703-802-6900 000482 QUEST DIAGNOSTICS OF PA INC-LP **875 GREENTREE ROAD 4 PARKWAY CENTER** PITTSBURGH, PA 15220-3610 412-920-7600 025461 QUEST DIAGNOSTICS VENTURE LLC-LP **875 GREENTREE ROAD 4 PARKWAY CENTER** PITTSBURGH, PA 15220-3610 412-920-7631 000150 READING HOSPITAL & MED CTR-L 6TH AND SPRUCE STREETS WEST READING, PA 19611 610-988-8080 022376 SPECIALTY LABORATORIES INC-L 27027 TOURNEY ROAD VALENCIA, CA 91355 661-799-6543 000151 ST JOSEPH QUALITY MEDICAL LAB-L 2500 BERNVILLE ROAD READING, PA 19605-9453 610-378-2200 000104 THE UNIONTOWN HOSPITAL LABORATORY-L 500 WEST BERKELEY STREET UNIONTOWN, PA 15401 724-430-5143 000083 UPMC PRESBYTERIAN SHADYSIDE CP PUH-L **ROOM 5929 MAIN TOWER CHP** 200 LOTHROP STREET PITTSBURGH, PA 15213-2582 412-648-6000 CALVIN B. JOHNSON, M. D., M.P.H., Secretary

[Pa.B. Doc. No. 06-2474. Filed for public inspection December 15, 2006, 9:00 a.m.]

# Notice to Public of Proposed Lead-Based Paint Hazard Control Action Located Within the Floodplain

# To all Interested Agencies, Groups and Persons

The purpose of this notice is to notify the public that the Department of Health (Department) is proposing to use Federal funds under the United States Department of Housing and Urban Development (HUD) Lead-Based

Paint Hazard Control Grant Program within a Federal Emergency Management Agency (FEMA) designated 100year floodplain. The proposed program would involve lead hazard control/reduction activities and associated minor rehabilitation on residential properties within the city limits of Johnstown, Harrisburg and the County of Fayette. The target areas contain floodplains and project sites could be located within Flood Zones 4203800001A, 4203800002A, 4202310005C, 4202310010C, 4204580001C, 4204570001C, 4216210001B, 42116220001-0015, 4216230001-0010. 4204600001B. 4204610001B. 4204620001C, 4216240001-0020, 4204630001B. 4204640001C, 4216250001-0020, 4216260001-0030, 4216270006C, 4216270007C, 4216270008C, 4216280001-0004, 4216290001-0010, 4216300005A, 4216310001-0009, 422606A, 42225720001B, 4216320001-0007, 4204650001B, 422400010B, 4216330001-0025, 421615A, 4216340001-0008, 4216160001B, 426170001B, 4216350001-0006, 4216360001-0035, H01-02, 4216370001-0010, 4216380001-0035, 4216390010C, 4216390015C, 4216400001-0004, 4204670005B, Map H, 4216410001-0004, and 4216420001-0006 as designated by the FEMA Flood Insurance Rate Maps.

*Project*: Lead Hazard Control Program, Grant Number PALHB0338-06, \$3,000,000 award, Period of Performance: November 1, 2006—October 31, 2009.

*Purpose*: Funds will be used to provide assistance to income-eligible occupants to make units, which includes privately owned rental units as well as owner-occupied units, lead safe with a priority on units occupied by families with children under age six. Units will be made lead-safe through lead inspections, risk assessments and lead hazard control, including temporary relocation during hazard control work. Lead hazard control work will be completed through the use of interim controls or hazard abatement.

Location: See target area described previously.

Affected and interested agencies, groups and persons are encouraged to participate in this decision-making process for the proposed action in the floodplain. Written comments for consideration by the Commonwealth may be sent to Faith Blough or Cynthia Dundas, Program Administrators at the address previously listed. Written comments should be received at this address on or before December 31, 2006.

Information regarding HUD's regulations concerning floodplain management may be obtained by contacting Ed Thomas, Environmental Clearance Officer, U.S. Department of HUD, The Wanamaker Building, 100 Penn Square East, Philadelphia, PA 19107-3380 (215) 656-0500, Ext. 3223 (this is not a toll-free number).

Persons with a disability who require an alternative format of this document (for example, large print, audiotape, Braille), or who wish to comment in an alternative format and seek assistance to do so should contact Faith Blough or Cynthia Dundas, Public Health Program Administrators at the address listed previously, (717) 772-2762 or for speech and/or hearing impaired persons, V/TT (717) 783-6514.

> CALVIN B. JOHNSON, M. D., M.P.H., Secretary

[Pa.B. Doc. No. 06-2475. Filed for public inspection December 15, 2006, 9:00 a.m.]

7691

# Requests for Exception; Long-Term Care Nursing Facilities

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 201.3 (relating to definitions).

Moravian Springs Health Center 175 West North Street Nazareth, PA 18064 Facility ID: 392702

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.6(a) (relating to function of building).

Spang Crest Manor 945 Duke Street Lebanon, PA 17042 Facility ID: 193602

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 15 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who require an alternative format of this document or who wish to comment in an alternative format (for example, large print, audiotape, Braille) should contact the Division of Nursing Care Facilities at the address or phone numbers listed previously or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

### CALVIN B. JOHNSON, M. D., M.P.H., Secretary

[Pa.B. Doc. No. 06-2476. Filed for public inspection December 15, 2006, 9:00 a.m.]

# Special Supplemental Nutrition Program for Women, Infants and Children (WIC Program); Maximum Allowable Prices and Competitive Prices

### Maximum Allowable Prices and Competitive Prices for Type 1 Stores in Regular Cost Counties

Under 28 Pa. Code §§ 1103.4(5) and 1105.3(a)(1) (relating to selection criteria for authorization and reauthorization; and terms and conditions of participation) and 7 CFR § 246.12, the WIC Program hereby publishes notice of the Maximum Allowable Prices and Competitive Prices for Type 1 Stores in Regular Cost Counties.

### Maximum Allowable Prices

Effective January 1, 2007, through March 31, 2007, the maximum allowable prices the Department of Health (Department) will pay Type 1 Stores in Regular Cost Counties for WIC Allowable Foods are as follows:

	Allowable
Description	Price
1/2 gal. of Milk: Whole, Reduced Fat, Low	60.00
Fat, or Skim	\$2.22 \$0.98
12 oz. Evaporated Milk 16 oz. Dry Milk	\$5.26
1 qt. Lactose Reduced Milk	\$2.05
1/2 gal. Kosher Milk	\$2.69
4 oz. Kosher Infant Juice	\$0.65
8 oz. Kosher Infant Cereal 1 doz. Grade A Eggs	\$1.74 \$1.92
1 lb. Fresh Carrots	\$1.02
14 to 16 oz. Canned Carrots	\$1.07
1 lb. Cheese	\$6.45
1 lb. Kosher Cheese 1 lb. Dry Beans or Peas	\$6.45 \$1.53
1 oz. Adult WIC Cereal	\$1.55
8 oz. Gerber Infant Cereal	\$1.74
15 to 18 oz. Peanut Butter	\$2.82
46 oz. Single Strength Juice or 11.5 or 12	69.0F
oz. Juice Concentrate 6 oz. Cans Juice	\$2.85 \$1.38
6 to 6.5 oz. Chunk Light Tuna Packed in	\$1.50
Water	\$1.10
4 oz. Gerber Infant Juice	\$0.65
32 oz. Alimentum Advance Ready-to-Feed	60.04
Formula 16 oz. Alimentum Advance Powder	\$8.34
Formula	\$23.89
12.8 oz. EnfaCare LIPIL w/ Iron Powder	
Formula	\$13.03
13 oz. Isomil Advance Concentrate Formula	\$4.42
32 oz. Isomil Advance Ready-to-Feed	<b>91.1</b> 2
Formula	\$5.41
12.9 oz. Isomil Advance Powder Formula	\$13.68
12.9 oz. Isomil 2 Advance Powder Formula	\$13.17
13 oz. Isomil with Iron Concentrate Formula	\$5.21
12.9 oz. Isomil with Iron Powder Formula	\$12.17
32 oz. Isomil DF Ready-to-Feed Formula	\$6.65
13 oz. Nutramigen Lipil Concentrate	00.44
Formula 32 oz. Nutramigen Lipil Ready-to-Feed	\$6.44
Formula	\$8.09
16 oz. Nutramigen Lipil Powder Formula	\$23.99
8 oz. Pediasure Ready-to-Feed Formula	\$1.82
8 oz. Pediasure with Fiber Ready-to-Feed	01 OF
Formula 13 oz. Similac Advance Concentrate	\$1.85
Formula	\$4.06
32 oz. Similac Advance Ready-to-Feed	
Formula	\$5.72
12.9 oz. Similac Advance Powder Formula 12.9 oz. Similac 2 Advance Powder Formula	\$12.70 \$11.59
13 oz. Similac with Iron Concentrate	\$11.59
Formula	\$3.74
32 oz. Similac with Iron Ready-to-Feed	
Formula	\$5.05
12.9 oz. Similac with Iron Powder Formula 13 oz. Similac Lactose Free Advance	\$12.07
Concentrate Formula	\$4.43
32 oz. Similac Lactose Free Advance	,
Ready-to-Feed Formula	\$5.54
12.9 oz. Similac Lactose Free Advance	\$13.60
Powder Formula 12.8 oz. Similac Neosure Advance Powder	\$13.00
Formula	\$14.03

Mavimum

Competitive

A store must permit purchase of WIC allowable foods that exceed the maximum allowable price to WIC participants using a WIC check; however, the amounts that exceed the maximum allowable price of any WIC allowable foods sold to WIC participants will be billed to the store on a quarterly basis in accordance with 28 Pa. Code § 1105.2 (relating to price adjustment).

#### **Competitive Prices**

In order to remain WIC Authorized, each store must maintain the minimum inventory of the following WIC food items at, or below, the Competitive Prices listed for the store's peer group. Effective January 1, 2007, through March 31, 2007, the Competitive Prices for WIC Authorization for Type 1 Stores in Regular Cost Counties are as follows:

	Competitive
Description	Prices
1/2 gal. of Milk: Whole, Reduced Fat, Low	
Fat, or Skim	\$1.88
1/2 gal. of Kosher Milk: Whole, Reduced	
Fat, Low Fat, or Skim	\$2.09
12 oz. Evaporated Milk	\$0.87
16 oz. Dry Milk	\$5.24
1 doz. Grade A Eggs	\$1.64
1 lb. Fresh Carrots	\$0.99
14 to 16 oz. Canned Carrots	\$0.99
1 lb. Cheese	\$5.12
1 lb. Kosher Cheese	\$5.12
1 lb. Dry Beans or Peas	\$1.12
1 oz. Adult WIC Cereal	\$0.31
8 oz. Gerber Infant Cereal	\$1.74
15 to 18 oz. Peanut Butter	\$2.20
46 oz. Single Strength Juice or 11.5 or 12 oz.	
Juice Concentrate	\$2.31
6 to 6.5 oz. Chunk Light Tuna Packed in	
Water	\$0.86
4 oz. Gerber Infant Juice	\$0.65
13 oz. Isomil Advance Concentrate Formula	\$4.42
32 oz. Isomil Advance Ready-to-Feed	
Formula	\$5.41
12.9 oz. Isomil Advance Powder Formula	\$13.68
13 oz. Similac Advance Concentrate	
Formula	\$4.06
32 oz. Similac Advance Ready-to-Feed	
Formula	\$5.72
12.9 oz. Similac Advance Powder Formula	\$12.70

## Maximum Allowable Prices and Competitive Prices for Type 2 Stores in Regular Cost Counties

Under 28 Pa. Code §§ 1103.4(5) and 1105.3(a)(1) and 7 CFR § 246.12, the WIC Program hereby publishes notice of the Maximum Allowable Prices and Competitive Prices for Type 2 Stores in Regular Cost Counties.

#### **Maximum Allowable Prices**

Effective January 1, 2007, through March 31, 2007, the Maximum Allowable Prices the Department will pay Type 2 Stores in Regular Cost Counties for WIC allowable foods are as follows:

	Maximum
	Allowable
Description	Price
1/2 gal. of Milk: Whole, Reduced Fat, Low	
Fat, or Skim	\$2.22
12 oz. Evaporated Milk	\$1.09
16 oz. Dry Milk	\$5.26
1 qt. Lactose Reduced Milk	\$2.05

Description	Maximum Allowable Price
1/2 gal. Kosher Milk	\$2.69
4 oz. Kosher Infant Juice	\$0.67
8 oz. Kosher Infant Cereal	\$1.85
1 doz. Grade A Eggs	\$1.92
1 lb. Fresh Carrots	\$1.07
14 to 16 oz. Canned Carrots	\$1.07
1 lb. Cheese	\$6.45
1 lb. Kosher Cheese	\$7.92
1 lb. Dry Beans or Peas	\$1.53
1 oz. Adult WIC Cereal	\$0.35
8 oz. Gerber Infant Cereal	\$1.85
15 to 18 oz. Peanut Butter	\$2.82
46 oz. Single Strength Juice or 11.5 or 12 oz.	
Juice Concentrate	\$2.91
6 oz. Cans Juice	\$1.49
6 to 6.5 oz. Chunk Light Tuna Packed in	+
Water	\$1.10
4 oz. Gerber Infant Juice	\$0.67
32 oz. Alimentum Advance Ready-to-Feed	
Formula	\$8.57
16 oz. Alimentum Advance Powder Formula	\$25.07
12.8 oz. EnfaCare LIPIL w/ Iron Powder	***
Formula	\$13.45
13 oz. Isomil Advance Concentrate Formula	\$4.82
32 oz. Isomil Advance Ready-to-Feed	60.40
Formula	\$6.49
12.9 oz. Isomil Advance Powder Formula	\$14.40
12.9 oz. Isomil 2 Advance Powder Formula	\$14.08
13 oz. Isomil with Iron Concentrate Formula	\$5.49
12.9 oz. Isomil with Iron Powder Formula	\$13.29
32 oz. Isomil DF Ready-to-Feed Formula	\$6.65
13 oz. Nutramigen Lipil Concentrate	60.01
Formula	\$6.81
32 oz. Nutramigen Lipil Ready-to-Feed	60.07
Formula	\$8.67
16 oz. Nutramigen Lipil Powder Formula	\$24.76
8 oz. Pediasure Ready-to-Feed Formula	\$2.00
8 oz. Pediasure with Fiber Ready-to-Feed	<u>60.00</u>
Formula	\$2.08
13 oz. Similac Advance Concentrate	QA 47
Formula	\$4.47
32 oz. Similac Advance Ready-to-Feed	00 50
Formula	\$6.56
12.9 oz. Similac Advance Powder Formula	\$13.50
12.9 oz. Similac 2 Advance Powder Formula 13 oz. Similac with Iron Concentrate	\$12.85
	¢4.90
Formula 32 oz. Similac with Iron Ready-to-Feed	\$4.29
Formula	\$6.04
12.9 oz. Similac with Iron Powder Formula 13 oz. Similac Lactose Free Advance	\$12.94
Concentrate Formula	\$4.82
32 oz. Similac Lactose Free Advance	
Ready-to-Feed Formula	\$6.34
12.9 oz. Similac Lactose Free Advance	
Powder Formula	\$14.35
12.8 oz. Similac Neosure Advance Powder	
Formula	\$15.49

A store must permit purchase of WIC allowable foods that exceed the maximum allowable price to WIC participants using a WIC check; however, the amounts that exceed the maximum allowable price of any WIC allowable foods sold to WIC participants will be billed to the store on a quarterly basis in accordance with 28 Pa. Code § 1105.2 (relating to price adjustments).

. .

### **Competitive Prices**

In order to remain WIC Authorized, each store must maintain the minimum inventory of the following WIC food items at, or below, the Competitive Prices listed for the store's peer group. Effective January 1, 2007, through March 31, 2007, the Competitive Prices for WIC Authorization for Type 2 Stores in Regular Cost Counties are as follows:

Description	Competitive Prices
1/2 gal. of Milk: Whole, Reduced Fat, Low	
Fat, or Skim	\$1.88
1/2 gal. of Kosher Milk: Whole, Reduced Fat,	
Low Fat, or Skim	\$2.44
12 oz. Evaporated Milk	\$0.96
16 oz. Dry Milk	\$5.24
1 doz. Grade A Eggs	\$1.64
1 lb. Fresh Carrots	\$1.00
14 to 16 oz. Canned Carrots	\$1.00
1 lb. Cheese	\$5.30
1 lb. Kosher Cheese	\$7.10
1 lb. Dry Beans or Peas	\$1.16
1 oz. Adult WIC Cereal	\$0.34
8 oz. Gerber Infant Cereal	\$1.85
15 to 18 oz. Peanut Butter	\$2.20
46 oz. Single Strength Juice or 11.5 or 12 oz.	
Juice Concentrate	\$2.43
6 to 6.5 oz. Chunk Light Tuna Packed in	
Water	\$0.86
4 oz. Gerber Infant Juice	\$0.67
13 oz. Isomil Advance Concentrate Formula	\$4.82
32 oz. Isomil Advance Ready-to-Feed	
Formula	\$6.49
12.9 oz. Isomil Advance Powder Formula	\$14.40
13 oz. Similac Advance Concentrate	
Formula	\$4.47
32 oz. Similac Advance Ready-to-Feed	
Formula	\$6.56
12.9 oz. Similac Advance Powder Formula	\$13.50

### Maximum Allowable Prices and Competitive Prices for Type 3 Stores in Regular Cost Counties

Under 28 Pa. Code §§ 1103.4(5) and 1105.3(a)(1) and 7 CFR § 246.12, the WIC Program hereby publishes notice of the Maximum Allowable Prices and Competitive Prices for Type 3 Stores in Regular Cost Counties.

### **Maximum Allowable Prices**

Effective January 1, 2007, through March 31, 2007, the Maximum Allowable Prices the Department will pay Type 3 Stores in Regular Cost Counties for WIC allowable foods are as follows:

Description	Maximum Allowable Price
1/2 gal. of Milk: Whole, Reduced Fat, Low	
Fat, or Skim	\$2.22
12 oz. Evaporated Milk	\$1.09
16 oz. Dry Milk	\$5.26
1 qt. Lactose Reduced Milk	\$2.05
1/2 gal. Kosher Milk	\$2.89
4 oz. Kosher Infant Juice	\$0.69
8 oz. Kosher Infant Cereal	\$1.95
1 doz. Grade A Eggs	\$2.11
1 lb. Fresh Carrots	\$1.07
14 to 16 oz. Canned Carrots	\$1.07
1 lb. Cheese	\$6.45
1 lb. Kosher Cheese	\$9.38

	Maximum
	Allowable
Description	Price
1	
1 lb. Dry Beans or Peas	\$1.53
1 oz. Adult WIC Cereal	\$0.36
8 oz. Gerber Infant Cereal	\$1.95
15 to 18 oz. Peanut Butter 46 oz. Single Strength Juice or 11.5 or 12 oz.	\$2.82
Juice Concentrate	\$2.91
6 oz. Cans Juice	\$1.49
6 to 6.5 oz. Chunk Light Tuna Packed in	91.45
Water	\$1.10
4 oz. Gerber Infant Juice	\$0.69
32 oz. Alimentum Advance Ready-to-Feed	<b>0.00</b>
Formula	\$9.00
16 oz. Alimentum Advance Powder Formula	\$26.24
12.8 oz. EnfaCare LIPIL w/ Iron Powder	<i><b>Q</b></i> <b>QQQZZ</b>
Formula	\$13.87
13 oz. Isomil Advance Concentrate Formula	\$5.21
32 oz. Isomil Advance Ready-to-Feed	
Formula	\$7.57
12.9 oz. Isomil Advance Powder Formula	\$15.11
12.9 oz. Isomil 2 Advance Powder Formula	\$14.99
13 oz. Isomil with Iron Concentrate Formula	\$5.76
12.9 oz. Isomil with Iron Powder Formula	\$14.41
32 oz. Isomil DF Ready-to-Feed Formula	\$6.65
13 oz. Nutramigen Lipil Concentrate	
Formula	\$7.17
32 oz. Nutramigen Lipil Ready-to-Feed	
Formula	\$9.25
16 oz. Nutramigen Lipil Powder Formula	\$25.52
8 oz. Pediasure Ready-to-Feed Formula	\$2.11
8 oz. Pediasure with Fiber Ready-to-Feed	
Formula	\$2.30
13 oz. Similac Advance Concentrate	
Formula	\$4.87
32 oz. Similac Advance Ready-to-Feed	A
Formula	\$7.39
12.9 oz. Similac Advance Powder Formula	\$14.29
12.9 oz. Similac 2 Advance Powder Formula	\$14.10
13 oz. Similac with Iron Concentrate	04.00
Formula	\$4.83
32 oz. Similac with Iron Ready-to-Feed	\$7.09
Formula 12.9 oz. Similac with Iron Powder Formula	\$7.02
	\$13.81
13 oz. Similac Lactose Free Advance Concentrate Formula	\$5.21
32 oz. Similac Lactose Free Advance	<b>\$J.</b> 21
Ready-to-Feed Formula	\$7.14
12.9 oz. Similac Lactose Free Advance	\$7.14
Powder Formula	\$15.10
12.8 oz. Similac Neosure Advance Powder	¢10.10
Formula	\$16.95
i vi mulu	¢10.00

A store must permit purchase of WIC allowable foods that exceed the maximum allowable price to WIC participants using a WIC check; however, the amounts that exceed the maximum allowable price of any WIC allowable foods sold to WIC participants will be billed to the store on a quarterly basis in accordance with 28 Pa. Code § 1105.2 (relating to price adjustments).

### **Competitive Prices**

In order to remain WIC Authorized, each store must maintain the minimum inventory of the following WIC food items at, or below, the Competitive Prices listed for the store's peer group. Effective January 1, 2007, through March 31, 2007, the Competitive Prices for WIC Authorization for Type 3 Stores in Regular Cost Counties are as follows:

Description	Competitive Prices
-	
1/2 gal. of Milk: Whole, Reduced Fat, Low Fat, or Skim	\$1.90
1/2 gal. of Kosher Milk: Whole, Reduced Fat,	\$1.50
Low Fat. or Skim	\$2.79
12 oz. Evaporated Milk	\$1.02
16 oz. Dry Milk	\$5.24
1 doz. Grade A Eggs	\$2.00
1 lb. Fresh Carrots	\$1.00
14 to 16 oz. Canned Carrots	\$1.00
1 lb. Cheese	\$5.59
1 lb. Kosher Cheese	\$9.08
1 lb. Dry Beans or Peas	\$1.16
1 oz. Adult WIC Cereal	\$0.36
8 oz. Gerber Infant Cereal	\$1.95
15 to 18 oz. Peanut Butter	\$2.36
46 oz. Single Strength Juice or 11.5 or 12 oz.	
Juice Concentrate	\$2.46
6 to 6.5 oz. Chunk Light Tuna Packed in	
Water	\$0.96
4 oz. Gerber Infant Juice	\$0.69
13 oz. Isomil Advance Concentrate Formula	\$5.21
32 oz. Isomil Advance Ready-to-Feed	
Formula	\$7.57
12.9 oz. Isomil Advance Powder Formula	\$15.11
13 oz. Similac Advance Concentrate	
Formula	\$4.87
32 oz. Similac Advance Ready-to-Feed	6 <b>m</b> 66
Formula	\$7.39
12.9 oz. Similac Advance Powder Formula	\$14.26

### Maximum Allowable Prices and Competitive Prices for Type 1 Stores in High Cost Counties

Under 28 Pa. Code §§ 1103.4(5) and 1105.3(a)(1) and 7 CFR § 246.12, the WIC Program hereby publishes notice of the Maximum Allowable Prices and Competitive Prices for Type 1 Stores in High Cost Counties.

### **Maximum Allowable Prices**

Effective January 1, 2007, to March 31, 2007, the Maximum Allowable Prices the Department will pay Type 1 Stores in High Cost Counties for WIC allowable foods are as follows:

. .

	Maximum
	Allowable
Description	Price
1/2 gal. of Milk: Whole, Reduced Fat, Low	
Fat, or Skim	\$2.32
12 oz. Evaporated Milk	\$0.98
16 oz. Dry Milk	\$5.56
1 qt. Lactose Reduced Milk	\$2.25
1/2 gal. Kosher Milk	\$2.94
4 oz. Kosher Infant Juice	\$0.68
8 oz. Kosher Infant Cereal	\$1.83
1 doz. Grade A Eggs	\$2.23
1 lb. Fresh Carrots	\$1.07
14 to 16 oz. Canned Carrots	\$1.07
1 lb. Cheese	\$6.45
1 lb. Kosher Cheese	\$6.45
1 lb. Dry Beans or Peas	\$1.53
1 oz. Adult WIC Cereal	\$0.36
8 oz. Gerber Infant Cereal	\$1.83
15 to 18 oz. Peanut Butter	\$2.82
46 oz. Single Strength Juice or 11.5 or 12 oz.	
Juice Concentrate	\$3.15
6 oz. Cans Juice	\$1.38

	Maximum
	Allowable
Description	Price
6 to 6.5 oz. Chunk Light Tuna Packed in	
Water	\$1.10
4 oz. Gerber Infant Juice	\$0.68
32 oz. Alimentum Advance Ready-to-Feed	
Formula	\$8.69
16 oz. Alimentum Advance Powder Formula	\$25.18
12.8 oz. EnfaCare LIPIL w/ Iron Powder	***
Formula	\$13.61
13 oz. Isomil Advance Concentrate Formula	\$4.72
32 oz. Isomil Advance Ready-to-Feed Formula	\$6.65
12.9 oz. Isomil Advance Powder Formula	\$6.65 \$14.49
12.9 oz. Isomil 2 Advance Powder Formula	\$13.95
13 oz. Isomil with Iron Concentrate Formula	\$5.61
12.9 oz. Isomil with Iron Powder Formula	\$13.25
32 oz. Isomil DF Ready-to-Feed Formula	\$6.96
13 oz. Nutramigen Lipil Concentrate	
Formula	\$6.74
32 oz. Nutramigen Lipil Ready-to-Feed	
Formula	\$8.47
16 oz. Nutramigen Lipil Powder Formula	\$25.14
8 oz. Pediasure Ready-to-Feed Formula	\$2.05
8 oz. Pediasure with Fiber Ready-to-Feed Formula	\$2.01
13 oz. Similac Advance Concentrate	\$2.01
Formula	\$4.40
32 oz. Similac Advance Ready-to-Feed	54.40
Formula	\$6.15
12.9 oz. Similac Advance Powder Formula	\$13.77
12.9 oz. Similac 2 Advance Powder Formula	\$12.41
13 oz. Similac with Iron Concentrate	
Formula	\$4.22
32 oz. Similac with Iron Ready-to-Feed	
Formula	\$5.46
12.9 oz. Similac with Iron Powder Formula	\$13.28
13 oz. Similac Lactose Free Advance Concentrate Formula	\$4.67
32 oz. Similac Lactose Free Advance	\$4.07
Ready-to-Feed Formula	\$6.30
12.9 oz. Similac Lactose Free Advance	<i>0.00</i>
Powder Formula	\$14.33
12.8 oz. Similac Neosure Advance Powder	
Formula	\$15.32

A store must permit purchase of WIC allowable foods that exceed the maximum allowable price to WIC participants using a WIC check; however, the amounts that exceed the maximum allowable price of any WIC allowable foods sold to WIC participants will be billed to the store on a quarterly basis in accordance with 28 Pa. Code § 1105.2 (relating to price adjustments).

# **Competitive Prices**

In order to remain WIC Authorized, each store must maintain the minimum inventory of the following WIC food items at, or below, the Competitive Prices listed for the store's peer group. Effective January 1, 2007, to March 31, 2007, the Competitive Prices for WIC Authorization for Type 1 Stores in High Cost Counties are as follows:

Description	Prices
1/2 gal. of Milk: Whole, Reduced Fat, Low	
Fat, or Skim	\$2.06
1/2 gal. of Kosher Milk: Whole, Reduced Fat,	
Low Fat, or Skim	\$2.94

Compatitiva

	Competitive
Description	Prices
12 oz. Evaporated Milk	\$0.87
16 oz. Dry Milk	\$5.43
1 doz. Grade A Eggs	\$1.97
1 lb. Fresh Carrots	\$0.99
14 to 16 oz. Canned Carrots	\$0.99
1 lb. Cheese	\$5.20
1 lb. Kosher Cheese	\$5.20
1 lb. Dry Beans or Peas	\$1.12
1 oz. Adult WIC Cereal	\$0.36
8 oz. Gerber Infant Cereal	\$1.83
15 to 18 oz. Peanut Butter	\$2.24
46 oz. Single Strength Juice or 11.5 or 12 oz.	
Juice Concentrate	\$2.69
6 to 6.5 oz. Chunk Light Tuna Packed in	
Water	\$0.96
4 oz. Gerber Infant Juice	\$0.68
13 oz. Isomil Advance Concentrate Formula	\$4.72
32 oz. Isomil Advance Ready-to-Feed	
Formula	\$6.65
12.9 oz. Isomil Advance Powder Formula	\$14.49
13 oz. Similac Advance Concentrate	
Formula	\$4.40
32 oz. Similac Advance Ready-to-Feed	
Formula	\$6.15
12.9 oz. Similac Advance Powder Formula	\$13.77

## Maximum Allowable Prices and Competitive Prices for Type 2 Stores in High Cost Counties

Under 28 Pa. Code §§ 1103.4(5) and 1105.3(a)(1) and 7 CFR § 246.12, the WIC Program hereby publishes notice of the Maximum Allowable Prices and Competitive Prices for Type 2 Stores in High Cost Counties.

## **Maximum Allowable Prices**

Effective January 1, 2007, to March 31, 2007, the Maximum Allowable Prices the Department will pay Type 2 Stores in High Cost Counties for WIC allowable foods are as follows:

. . .

	Maximum
	Allowable
Description	Price
1/2 gal. of Milk: Whole, Reduced Fat, Low	
Fat, or Skim	\$2.32
12 oz. Evaporated Milk	\$1.09
16 oz. Dry Milk	\$5.56
1 qt. Lactose Reduced Milk	\$2.25
1/2 gal. Kosher Milk	\$2.94
4 oz. Kosher Infant Juice	\$0.71
8 oz. Kosher Infant Cereal	\$1.92
1 doz. Grade A Eggs	\$2.23
1 lb. Fresh Carrots	\$1.07
14 to 16 oz. Canned Carrots	\$1.07
1 lb. Cheese	\$6.78
1 lb. Kosher Cheese	\$8.12
1 lb. Dry Beans or Peas	\$1.53
1 oz. Adult WIC Cereal	\$0.36
8 oz. Gerber Infant Cereal	\$1.92
15 to 18 oz. Peanut Butter	\$2.82
46 oz. Single Strength Juice or 11.5 or 12 oz.	
Juice Concentrate	\$3.15
6 oz. Cans Juice	\$1.49
6 to 6.5 oz. Chunk Light Tuna Packed in	
Water	\$1.10
4 oz. Gerber Infant Juice	\$0.71
32 oz. Alimentum Advance Ready-to-Feed	
Formula	\$9.09

	Maximum Allowable
Description	Allowable
1	
16 oz. Alimentum Advance Powder Formula 12.8 oz. EnfaCare LIPIL w/ Iron Powder	\$26.18
Formula	\$14.17
13 oz. Isomil Advance Concentrate Formula 32 oz. Isomil Advance Ready-to-Feed	\$5.09
Formula	\$7.29
12.9 oz. Isomil Advance Powder Formula	\$15.10
12.9 oz. Isomil 2 Advance Powder Formula	\$14.83
13 oz. Isomil with Iron Concentrate Formula	\$5.80
12.9 oz. Isomil with Iron Powder Formula	\$13.94
32 oz. Isomil DF Ready-to-Feed Formula	\$6.96
13 oz. Nutramigen Lipil Concentrate	
Formula	\$7.08
32 oz. Nutramigen Lipil Ready-to-Feed	
Formula	\$9.03
16 oz. Nutramigen Lipil Powder Formula	\$25.94
8 oz. Pediasure Ready-to-Feed Formula	\$2.11
8 oz. Pediasure with Fiber Ready-to-Feed	<b>VA</b> 111
Formula	\$2.16
13 oz. Similac Advance Concentrate	<i><b></b></i>
Formula	\$4.75
32 oz. Similac Advance Ready-to-Feed	\$ 1.7 0
Formula	\$6.95
12.9 oz. Similac Advance Powder Formula	\$14.27
12.9 oz. Similac 2 Advance Powder Formula	\$13.59
13 oz. Similac with Iron Concentrate	010.00
Formula	\$4.64
32 oz. Similac with Iron Ready-to-Feed	01.01
Formula	\$6.41
12.9 oz. Similac with Iron Powder Formula	\$13.66
13 oz. Similac Lactose Free Advance	\$15.00
Concentrate Formula	\$5.07
32 oz. Similac Lactose Free Advance	\$3.07
	\$6.89
Ready-to-Feed Formula	30.89
12.9 oz. Similac Lactose Free Advance	015 09
Powder Formula	\$15.02
12.8 oz. Similac Neosure Advance Powder	¢16 54
Formula	\$16.54

A store must permit purchase of WIC allowable foods that exceed the maximum allowable price to WIC participants using a WIC check; however, the amounts that exceed the maximum allowable price of any WIC allowable foods sold to WIC participants will be billed to the store on a quarterly basis in accordance with 28 Pa. Code § 1105.2 (relating to price adjustments).

## **Competitive Prices**

In order to remain WIC Authorized, each store must maintain the minimum inventory of the following WIC food items at, or below, the Competitive Prices listed for the store's peer group. Effective January 1, 2007, to March 31, 2007, the Competitive Prices for WIC Authorization for Type 2 Stores in High Cost Counties are as follows:

Description	Competitive Prices
<ul><li>1/2 gal. of Milk: Whole, Reduced Fat, Low Fat, or Skim</li><li>1/2 gal. of Kosher Milk: Whole, Reduced Fat,</li></ul>	\$2.06
Low Fat, or Skim	\$2.94
12 oz. Evaporated Milk	\$0.96
16 oz. Dry Milk	\$5.43
1 doz. Grade A Eggs	\$1.97
1 lb. Fresh Carrots	\$1.00
14 to 16 oz. Canned Carrots	\$1.00

	Competitive
Description	<sup>1</sup> Prices
1 lb. Cheese	\$5.68
1 lb. Kosher Cheese	\$7.14
1 lb. Dry Beans or Peas	\$1.16
1 oz. Adult WIC Cereal	\$0.36
8 oz. Gerber Infant Cereal	\$1.92
15 to 18 oz. Peanut Butter	\$2.24
46 oz. Single Strength Juice or 11.5 or 12 oz.	
Juice Concentrate	\$2.74
6 to 6.5 oz. Chunk Light Tuna Packed in	
Water	\$0.96
4 oz. Gerber Infant Juice	\$0.71
13 oz. Isomil Advance Concentrate Formula	\$5.09
32 oz. Isomil Advance Ready-to-Feed	
Formula	\$7.29
12.9 oz. Isomil Advance Powder Formula	\$15.10
13 oz. Similac Advance Concentrate	
Formula	\$4.75
32 oz. Similac Advance Ready-to-Feed	
Formula	\$6.95
12.9 oz. Similac Advance Powder Formula	\$14.27

### Maximum Allowable Prices and Competitive Prices for Type 3 Stores in High Cost Counties

Under 28 Pa. Code §§ 1103.4(5) and 1105.3(a)(1) and 7 CFR § 246.12, the WIC Program hereby publishes notice of the Maximum Allowable Prices and Competitive Prices for Type 3 Stores in High Cost Counties.

## **Maximum Allowable Prices**

Effective January 1, 2007, through March 31, 2007, the Maximum Allowable Prices the Department will pay Type 3 Stores in High Cost Counties for WIC allowable foods are as follows:

	Maximum Allowable
Description	Price
1/2 gal. of Milk: Whole, Reduced Fat, Low	
Fat, or Skim	\$2.32
12 oz. Evaporated Milk	\$1.09
16 oz. Dry Milk	\$5.56
1 qt. Lactose Reduced Milk	\$2.25
1/2 gal. Kosher Milk	\$2.94
4 oz. Kosher Infant Juice	\$0.73
8 oz. Kosher Infant Cereal	\$2.01
1 doz. Grade A Eggs	\$2.36
1 lb. Fresh Carrots	\$1.07
14 to 16 oz. Canned Carrots	\$1.07
1 lb. Cheese	\$6.78
1 lb. Kosher Cheese	\$9.78
1 lb. Dry Beans or Peas	\$1.53
1 oz. Adult WIC Cereal	\$0.38
8 oz. Gerber Infant Cereal	\$2.01
15 to 18 oz. Peanut Butter	\$2.82
46 oz. Single Strength Juice or 11.5 or 12 oz.	
Juice Concentrate	\$3.15
6 oz. Cans Juice	\$1.49
6 to 6.5 oz. Chunk Light Tuna Packed in	
Water	\$1.10
4 oz. Gerber Infant Juice	\$0.73
32 oz. Alimentum Advance Ready-to-Feed	
Formula	\$9.48
16 oz. Alimentum Advance Powder Formula	\$27.18
12.8 oz. EnfaCare LIPIL w/ Iron Powder	
Formula	\$14.53
13 oz. Isomil Advance Concentrate Formula	\$5.46

	Allowable
Description	Price
32 oz. Isomil Advance Ready-to-Feed	
Formula	\$7.93
12.9 oz. Isomil Advance Powder Formula	\$15.71
12.9 oz. Isomil 2 Advance Powder Formula	\$15.71
13 oz. Isomil with Iron Concentrate Formula	\$5.98
12.9 oz. Isomil with Iron Powder Formula	\$14.63
32 oz. Isomil DF Ready-to-Feed Formula	\$6.96
13 oz. Nutramigen Lipil Concentrate	
Formula	\$7.41
32 oz. Nutramigen Lipil Ready-to-Feed	
Formula	\$9.58
16 oz. Nutramigen Lipil Powder Formula	\$26.73
8 oz. Pediasure Ready-to-Feed Formula	\$2.17
8 oz. Pediasure with Fiber Ready-to-Feed	
Formula	\$2.30
13 oz. Similac Advance Concentrate	
Formula	\$5.10
32 oz. Similac Advance Ready-to-Feed	
Formula	\$7.74
12.9 oz. Similac Advance Powder Formula	\$14.77
12.9 oz. Similac 2 Advance Powder Formula	\$14.77
13 oz. Similac with Iron Concentrate	
Formula	\$5.06
32 oz. Similac with Iron Ready-to-Feed	
Formula	\$7.36
12.9 oz. Similac with Iron Powder Formula	\$14.04
13 oz. Similac Lactose Free Advance	
Concentrate Formula	\$5.46
32 oz. Similac Lactose Free Advance	
Ready-to-Feed Formula	\$7.48
12.9 oz. Similac Lactose Free Advance	
Powder Formula	\$15.71
12.8 oz. Similac Neosure Advance Powder	
Formula	\$17.75

A store must permit purchase of WIC allowable foods that exceed the maximum allowable price to WIC participants using a WIC check; however, the amounts that exceed the maximum allowable price of any WIC allowable foods sold to WIC participants will be billed to the store on a quarterly basis in accordance with 28 Pa. Code § 1105.2 (relating to price adjustments).

### **Competitive Prices**

In order to remain WIC Authorized, each store must maintain the minimum inventory of the following WIC food items at, or below, the competitive prices listed for the store's peer group. Effective January 1, 2007 through March 31, 2007, the Competitive Prices for WIC Authorization for Type 3 Stores in High Cost Counties are as follows:

Description	Competitive Prices
1/2 gal. of Milk: Whole, Reduced Fat, Low	
Fat, or Skim	\$2.15
1/2 gal. of Kosher Milk: Whole, Reduced Fat,	
Low Fat, or Skim	\$2.94
12 oz. Evaporated Milk	\$1.03
16 oz. Dry Milk	\$5.43
1 doz. Grade A Eggs	\$2.25
1 lb. Fresh Carrots	\$1.00
14 to 16 oz. Canned Carrots	\$1.00
1 lb. Cheese	\$5.71
1 lb. Kosher Cheese	\$9.08
1 lb. Dry Beans or Peas	\$1.24
1 oz. Adult WIC Cereal	\$0.38

Maximum

Description	Competitive Prices	Description Competitive Prices
<ul> <li>Description</li> <li>8 oz. Gerber Infant Cereal</li> <li>15 to 18 oz. Peanut Butter</li> <li>46 oz. Single Strength Juice or 11.5 or 12 oz. Juice Concentrate</li> <li>6 to 6.5 oz. Chunk Light Tuna Packed in Water</li> <li>4 oz. Gerber Infant Juice</li> <li>13 oz. Isomil Advance Concentrate Formula</li> <li>32 oz. Isomil Advance Ready-to-Feed Formula</li> <li>12.9 oz. Isomil Advance Concentrate Formula</li> <li>32 oz. Similac Advance Ready-to-Feed Formula</li> <li>32 oz. Similac Advance Ready-to-Feed Formula</li> </ul>	Prices         \$2.01         \$2.38         \$2.74         \$1.01         \$0.73         \$5.46         \$7.93         \$15.71         \$5.10         \$7.74	DescriptionPrices12.9 oz. Similac Advance Powder Formula\$14.7712.9 oz. Similac Advance Powder Formula\$14.77Persons with a disability who require an alternative format of this document (for example, large print, audiotape, Braille), should contact Chris Harr, Depart- ment of Health, Division of WIC, Room 604, Health and Welfare Building, 7th and Forster Streets, Harrisburg, PA 17120 or for speech or hearing impaired persons, the Pennsylvania AT&T Relay Services at (800) 654-5984 or V/TT (717) 783-6514.CALVIN B. JOHNSON, M. D., M.P.H., Secretary[Pa.B. Doc. No. 06-2477. Filed for public inspection December 15, 2006, 9:00 a.m.]
	<i></i>	

# DEPARTMENT OF PUBLIC WELFARE

# Medical Assistance Program Fee Schedule Revisions

The Department of Public Welfare (Department) announces that it will revise the fees, or a component of the fee, on the Medical Assistance (MA) Program Fee Schedule for select medical, surgical, diagnostic, laboratory, radiological procedure codes and the physician component of select emergency room procedure codes, effective January 2, 2007. In addition, the Department will remove from the MA Program Fee Schedule procedure codes for the treatment of infertility.

### Fee Schedule Revisions

The Pennsylvania Medicaid State Plan (State Plan) specifies that maximum fees for services covered under the MA Program are to be determined on the basis of the following: fees may not exceed the Medicare upper limit when applicable; fees must be consistent with efficiency, economy and quality of care and fees must be sufficient to assure the availability of services to recipients.

The Department has determined that MA payment rates for 1573 medical, surgical, diagnostic, laboratory, radiological and the physician component of emergency room physician procedure codes/modifier combinations are above the Medicare-approved amount for the same procedure codes. The Department is adjusting the MA Program Fee Schedule payment rates for these 1573 procedure code/modifier combinations to equal the Medicare-approved amount. Revision of these fees is necessary to comply with the State Plan and to avoid a Federal disallowance.

In reviewing the MA payment rates for these procedure codes, the Department discovered it had transposed the professional and technical component fees for the following procedure code. The Department is correcting this error. In addition, the total fee is being increased to equal the Medicare rate. The new fees are as follows:

Procedure Code	Procedure Description	Fees
77295	THERAPEUTIC RADIOLOGY SIMULATION-AIDED FIELD SETTING; THREE-DIMENSIONAL	\$1020.00 (Total Component Fee) \$229.75 (26-Professional Comp) \$790.25 (TC—Technical Comp)

The Department is also correcting the assistant surgeon rate (80 modifier) as well as decreasing the total component rate to equal the Medicare rate for the following procedure code, as it has determined that the previous assistant surgeon rate was incorrect. As set forth in 55 Pa.Code § 1150.54(a)(3) (relating to surgical services), the maximum payment to the assistant surgeon will be an amount equal to 20% of the MA maximum allowable payment made to the surgeon.

Procedure Code	Procedure Description	Fees
21199	OSTEOTOMY, MANDIBLE, SEGMENTAL; WITH GENIOGLOSSUS ADVANCEMENT	\$ 960.50 (Primary Surgeon File) \$192.10 (80—Assistant Surgeon Fee)

The Department has also determined that for the following ten procedure codes, the sum of the professional and technical component rates did not equal the total component rate. The Department has adjusted the rates by decreasing the professional component fee and, in one instance, decreasing the technical component fee. The Department also reduced the total component fee to equal the Medicare rate for these ten procedure codes.

Procedure Code	Procedure Description	Fees
70320	RADIOLOGIC EXAMINATION, TEETH; COMPLETE, FULL MOUTH	<ul> <li>\$ 35.37 (Total Component Fee)</li> <li>\$ 11.38 (26—Professional Comp)</li> <li>No Change (TC—Technical Comp)</li> </ul>

Procedure Code	Procedure Description	Fees
74182	MAGNETIC RESONANCE (EG, PROTON) IMAGING, ABDOMEN; WITH CONTRAST MATERIAL(S)	\$ 399.69 (Total Component Fee) \$ 87.49 (26—Professional Comp) No Change (TC—Technical Comp)
76086	MAMMARY DUCTOGRAM OR GALACTOGRAM, SINGLE DUCT, RADIOLOGICAL SUPERVISION AND INTERPRETATION	<ul> <li>\$ 98.34 (Total Component Fee)</li> <li>\$ 18.36 (26—Professional Comp)</li> <li>No Change (TC—Technical Comp)</li> </ul>
76088	MAMMARY DUCTOGRAM OR GALACTOGRAM, MULTIPLE DUCTS, RADIOLOGICAL SUPERVISION AND INTERPRETATION	\$ 133.85 (Total Component Fee) \$ 22.79 (26—Professional Comp) No Change (TC—Technical Comp)
76093	MAGNETIC RESONANCE IMAGING, BREAST, WITHOUT AND/OR WITH CONTRAST MATERIAL(S); UNILATERAL	<ul> <li>\$ 626.11 (Total Component Fee)</li> <li>\$ 82.03 (26—Professional Comp)</li> <li>No Change (TC—Technical Comp)</li> </ul>
76094	MAGNETIC RESONANCE IMAGING, BREAST, WITHOUT AND/OR WITH CONTRAST MATERIAL(S); BILATERAL	\$ 819.98 (Total Component Fee) \$ 82.03 (26—Professional Comp) No Change (TC—Technical Comp)
92544	OPTOKINETIC NYSTAGMUS TEST, BIDIRECTIONAL, FOVEAL OR PERIPHERAL STIMULATION, WITH RECORDING	\$ 21.57 (Total Component Fee) \$ 14.26 (26—Professional Comp) No Change (TC—Technical Comp)
92545	OSCILLATING TRACKING TEST, WITH RECORDING	\$ 20.09 (Total Component Fee) \$ 12.78 (26—Professional Comp) No Change (TC—Technical Comp)
92546	SINUSOIDAL VERTICAL AXIS ROTATIONAL TESTING	\$ 24.00 (Total Component Fee) \$ 15.74 (26—Professional Comp) No Change (TC—Technical Comp)
94450	BREATHING RESPONSE TO HYPOXIA (HYPOXIA RESPONSE CURVE)	\$ 45.43 (Total Component Fee) \$ 19.87 (26—Professional Comp) \$ 25.56 (TC—Technical Comp)

In addition, the Department is end-dating the following procedure codes covering services related to infertility treatment. Section 443.6(f) of the Public Welfare Code (62 P. S. § 443.6(f)), prohibits the Department from paying a provider for any medical services, procedures or drugs related to infertility therapy.

Procedure Code	Procedure Description
58752	TUBOUTERINE IMPLANTATION
58770	SALPINGOSTOMY (SALPINGONEOSTOMY)

As set forth as follows, the Department will revise the total fee (billed with no modifier) and either the professional component fee (billed with modifier 26), the technical component fee (billed with modifier TC), or the assistant surgeon fee (billed with modifier 80), as applicable, for the following procedure codes:

	Procedure Codes with Fees Exceeding 100% Medicare				
Code	Description	Assistant Surgeon Fee Revision (Billing with Modifier 80)	Professional Component Fee Revision (Billing with Modifier 26)	Technical Component Fee Revision (Billing with Modifier TC)	Total Fee Revision (Billing with No Modifier)
G0108	DIABETES OUTPATIENT SELF-MANAGEMENT TRAINING SERVICES, INDIVIDUAL, PER 30 MINUTES	N/A	N/A	N/A	\$28.68
G0109	DIABETES SELF-MANAGEMENT TRAINING SERVICES, GROUP SESSION (2 OR MORE), PER 30 MINUTES	N/A	N/A	N/A	\$16.71
G0202	SCREENING MAMMOGRAPHY, PRODUCING DIRECT DIGITAL IMAGE, BILATERAL, ALL VIEWS	N/A	\$35.31	No Change	\$98.74
Q0035	CARDIOKYMOGRAPHY	N/A	\$8.80	No Change	\$20.66

	Procedure Codes with Fees Exe	0			
Code	Description	Assistant Surgeon Fee Revision (Billing with Modifier 80)	Professional Component Fee Revision (Billing with Modifier 26)	Technical Component Fee Revision (Billing with Modifier TC)	Total Fe Revision (Billing with No Modifier
11001	DEBRIDEMENT OF EXTENSIVE ECZEMATOUS OR INFECTED SKIN; EACH ADDITIONAL 10% OF THE BODY SURFACE (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	N/A	N/A	N/A	\$16.35
11101	BIOPSY OF SKIN, SUBCUTANEOUS TISSUE AND/OR MUCOUS MEMBRANE (INCLUDING SIMPLE CLOSURE), UNLESS OTHERWISE LISTED (SEPARATE PROCEDURE); EACH SEPARATE/ADDITIONAL LESION (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	N/A	N/A	N/A	\$22.64
11201	REMOVAL OF SKIN TAGS, MULTIPLE FIBROCUTANEOUS TAGS, ANY AREA; EACH ADDITIONAL TEN LESIONS (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	N/A	N/A	N/A	\$15.70
11450	EXCISION OF SKIN AND SUBCUTANEOUS TISSUE FOR HIDRADENITIS, AXILLARY; WITH SIMPLE OR INTERMEDIATE REPAIR	N/A	N/A	N/A	\$183.24
11451	EXCISION OF SKIN AND SUBCUTANEOUS TISSUE FOR HIDRADENITIS, AXILLARY; WITH COMPLEX REPAIR	N/A	N/A	N/A	\$252.67
11462	EXCISION OF SKIN AND SUBCUTANEOUS TISSUE FOR HIDRADENITIS, INGUINAL; WITH SIMPLE OR INTERMEDIATE REPAIR	N/A	N/A	N/A	\$173.95
11463	EXCISION OF SKIN AND SUBCUTANEOUS TISSUE FOR HIDRADENITIS, INGUINAL; WITH COMPLEX REPAIR	N/A	N/A	N/A	\$257.76
11470	EXCISION OF SKIN AND SUBCUTANEOUS TISSUE FOR HIDRADENITIS, PERIANAL, PERINEAL, OR UMBILICAL; WITH SIMPLE OR INTERMEDIATE REPAIR	N/A	N/A	N/A	\$212.98
11471	EXCISION OF SKIN AND SUBCUTANEOUS TISSUE FOR HIDRADENITIS, PERIANAL, PERINEAL, OR UMBILICAL; WITH COMPLEX REPAIR	N/A	N/A	N/A	\$279.15
11970	REPLACEMENT OF TISSUE EXPANDER WITH PERMANENT PROSTHESIS	N/A	N/A	N/A	\$509.48
15101	SPLIT GRAFT, TRUNK, ARMS, LEGS; EACH ADDITIONAL 100 SQ CM, OR EACH ADDITIONAL ONE PERCENT OF BODY AREA OF INFANTS AND CHILDREN, OR PART THEREOF (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	\$22.50	N/A	N/A	\$112.51
15121	SPLIT GRAFT, FACE, SCALP, EYELIDS, MOUTH, NECK, EARS, ORBITS, GENITALIA, HANDS, FEET AND/OR MULTIPLE DIGITS; EACH ADDITIONAL 100 SQ CM, OR EACH ADDITIONAL ONE PERCENT OF BODY AREA OF INFANTS AND CHILDREN, OR PART THEREOF (LIST SEPARATELY IN ADDITION	\$35.08	N/A	N/A	\$175.42

NOTICES
---------

	Procedure Codes with Fees Exc	0		<b></b>	
Code	Description	Assistant Surgeon Fee Revision (Billing with Modifier 80)	Professional Component Fee Revision (Billing with Modifier 26)	Technical Component Fee Revision (Billing with Modifier TC)	Total Fee Revision (Billing with No Modifier)
15201	FULL THICKNESS GRAFT, FREE, INCLUDING DIRECT CLOSURE OF DONOR SITE, TRUNK; EACH ADDITIONAL 20 SQ CM (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	N/A	N/A	N/A	\$77.02
15221	FULL THICKNESS GRAFT, FREE, INCLUDING DIRECT CLOSURE OF DONOR SITE, SCALP, ARMS AND/OR LEGS; EACH ADDITIONAL 20 SQ CM (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	\$13.83	N/A	N/A	\$69.13
15241	FULL THICKNESS GRAFT, FREE, INCLUDING DIRECT CLOSURE OF DONOR SITE, FOREHEAD, CHEEKS, CHIN, MOUTH, NECK, AXILLAE, GENITALIA, HANDS AND/OR FEET; EACH ADDITIONAL 20 SQ CM (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	N/A	N/A	N/A	\$108.62
15261	FULL THICKNESS GRAFT, FREE, INCLUDING DIRECT CLOSURE OF DONOR SITE, NOSE, EARS, EYELIDS AND/OR LIPS; EACH ADDITIONAL 20 SQ CM (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	N/A	N/A	N/A	\$138.78
15400	XENOGRAFT, SKIN (DERMAL), FOR TEMPORARY WOUND CLOSURE; TRUNK, ARMS, LEGS; FIRST 100 SQ CM OR LESS, OR ONE PERCENT OF BODY AREA OF INFANTS AND CHILDREN	N/A	N/A	N/A	\$302.99
15572	FORMATION OF DIRECT OR TUBED PEDICLE, WITH OR WITHOUT TRANSFER; SCALP, ARMS OR LEGS	\$121.75	N/A	N/A	\$608.75
15576	FORMATION OF DIRECT OR TUBED PEDICLE, WITH OR WITHOUT TRANSFER; EYELIDS, NOSE, EARS, LIPS OR INTRAORAL	\$118.28	N/A	N/A	\$591.39
15600	DELAY OF FLAP OR SECTIONING OF FLAP (DIVISION AND INSET); AT TRUNK	N/A	N/A	N/A	\$185.57
15610	DELAY OF FLAP OR SECTIONING OF FLAP (DIVISION AND INSET); AT SCALP, ARMS, OR LEGS	N/A	N/A	N/A	\$219.65
15786	ABRASION; SINGLE LESION (EG, KERATOSIS, SCAR)	N/A	N/A	N/A	\$125.41
15787	ABRASION; EACH ADDITIONAL FOUR LESIONS OR LESS (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	N/A	N/A	N/A	\$19.20
15820	BLEPHAROPLASTY, LOWER EYELID;	N/A	N/A	N/A	\$397.76
15821	BLEPHAROPLASTY, LOWER EYELID; WITH EXTENSIVE HERNIATED FAT PAD	N/A	N/A	N/A	\$426.01
15822	BLEPHAROPLASTY, UPPER EYELID;	N/A	N/A	N/A	\$333.39

		Assistant Surgeon Fee	Professional Component Fee	Technical Component Fee	
Code	Description	<i>Revision (Billing with Modifier 80)</i>	Revision (Billing with Modifier 26)	Revision (Billing with Modifier TC)	Total Fe Revision (Billing with No Modifier
15831	EXCISION, EXCESSIVE SKIN AND SUBCUTANEOUS TISSUE (INCLUDING LIPECTOMY); ABDOMEN (ABDOMINOPLASTY)	\$160.45	N/A	N/A	\$802.25
15936	EXCISION, SACRAL PRESSURE ULCER, IN PREPARATION FOR MUSCLE OR MYOCUTANEOUS FLAP OR SKIN GRAFT CLOSURE;	\$160.77	N/A	N/A	\$803.85
15937	EXCISION, SACRAL PRESSURE ULCER, IN PREPARATION FOR MUSCLE OR MYOCUTANEOUS FLAP OR SKIN GRAFT CLOSURE; WITH OSTECTOMY	\$187.48	N/A	N/A	\$937.40
16035	ESCHAROTOMY; INITIAL INCISION	N/A	N/A	N/A	\$209.80
17003	DESTRUCTION (EG, LASER SURGERY, ELECTROSURGERY, CRYOSURGERY, CHEMOSURGERY, SURGICAL CURETTEMENT), ALL BENIGN OR PREMALIGNANT LESIONS (EG, ACTINIC KERATOSES) OTHER THAN SKIN TAGS OR CUTANEOUS VASCULAR PROLIFERATIVE LESIONS; SECOND THROUGH 14 LESIONS, (LIST SEPARATELY IN ADDITION TO CODE FOR FIRST LESION)	N/A	N/A	N/A	\$8.38
17266	DESTRUCTION, MALIGNANT LESION (EG, LASER SURGERY, ELECTROSURGERY, CRYOSURGERY, CHEMOSURGERY, SURGICAL CURETTEMENT), TRUNK, ARMS OR LEGS; LESION DIAMETER OVER 4.0 CM	N/A	N/A	N/A	\$133.13
17310	CHEMOSURGERY (MOHS MICROGRAPHIC TECHNIQUE), INCLUDING REMOVAL OF ALL GROSS TUMOR, SURGICAL EXCISION OF TISSUE SPECIMENS, MAPPING, COLOR CODING OF SPECIMENS, MICROSCOPIC EXAMINATION OF SPECIMENS BY THE SURGEON, AND COMPLETE HISTOPATHOLOGIC PREPARATION INCLUDING THE FIRST ROUTINE STAIN(EG, HEMATOXYLIN AND EROSIN, TOLUIDINE BLUE); EACH ADDITIONAL SPECIMEN, AFTER THE FIRST FIVE SPECIMENS, FIXED OR FRESH TISSUE, ANY STAGE (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	N/A	N/A	N/A	\$52.64
19001	PUNCTURE ASPIRATION OF CYST OF BREAST; EACH ADDITIONAL CYST (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	N/A	N/A	N/A	\$21.92
19102	BIOPSY OF BREAST; PERCUTANEOUS, NEEDLE CORE, USING IMAGING GUIDANCE	N/A	N/A	N/A	\$102.63

NOTICES
---------

	Procedure Codes with Fees Exc	0			
Code	Description	Assistant Surgeon Fee Revision (Billing with Modifier 80)	Professional Component Fee Revision (Billing with Modifier 26)	Technical Component Fee Revision (Billing with Modifier TC)	Total Fee Revision (Billing with No Modifier,
19126	EXCISION OF BREAST LESION IDENTIFIED BY PREOPERATIVE PLACEMENT OF RADIOLOGICAL MARKER, OPEN; EACH ADDITIONAL LESION SEPARATELY IDENTIFIED BY A PREOPERATIVE RADIOLOGICAL MARKER (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	\$31.37	N/A	N/A	\$156.83
19324	MAMMAPLASTY, AUGMENTATION; WITHOUT PROSTHETIC IMPLANT	N/A	N/A	N/A	\$414.48
19325	MAMMAPLASTY, AUGMENTATION; WITH PROSTHETIC IMPLANT	\$116.81	N/A	N/A	\$584.04
19340	IMMEDIATE INSERTION OF BREAST PROSTHESIS FOLLOWING MASTOPEXY, MASTECTOMY OR IN RECONSTRUCTION	\$75.71	N/A	N/A	\$378.54
19380	REVISION OF RECONSTRUCTED BREAST	\$130.78	N/A	N/A	\$653.89
20100	EXPLORATION OF PENETRATING WOUND (SEPARATE PROCEDURE); NECK	\$114.20	N/A	N/A	\$571.01
20150	EXCISION OF EPIPHYSEAL BAR, WITH OR WITHOUT AUTOGENOUS SOFT TISSUE GRAFT OBTAINED THROUGH SAME FASCIAL INCISION	\$164.21	N/A	N/A	\$821.06
20660	APPLICATION OF CRANIAL TONGS, CALIPER OR STEREOTACTIC FRAME, INCLUDING REMOVAL (SEPARATE PROCEDURE)	N/A	N/A	N/A	\$168.18
20910	CARTILAGE GRAFT; COSTOCHONDRAL	N/A	N/A	N/A	\$401.44
20912	CARTILAGE GRAFT; NASAL SEPTUM	N/A	N/A	N/A	\$459.95
20920	FASCIA LATA GRAFT; BY STRIPPER	\$73.12	N/A	N/A	\$365.61
20924	TENDON GRAFT, FROM A DISTANCE (EG, PALMARIS, TOE EXTENSOR, PLANTARIS)	\$95.73	N/A	N/A	\$478.65
20926	TISSUE GRAFTS, OTHER (EG, PARATENON, FAT, DERMIS)	N/A	N/A	N/A	\$398.48
20974	ELECTRICAL STIMULATION TO AID BONE HEALING; NONINVASIVE (NONOPERATIVE)	N/A	N/A	N/A	\$45.32
21120	GENIOPLASTY; AUGMENTATION (AUTOGRAFT, ALLOGRAFT, PROSTHETIC MATERIAL)	\$92.30	N/A	N/A	\$461.50
21123	GENIOPLASTY; SLIDING, AUGMENTATION WITH INTERPOSITIONAL BONE GRAFTS (INCLUDES OBTAINING AUTOGRAFTS)	\$167.03	N/A	N/A	\$835.15
21137	REDUCTION FOREHEAD; CONTOURING ONLY	\$135.40	N/A	N/A	\$677.02
21138	REDUCTION FOREHEAD; CONTOURING AND APPLICATION OF PROSTHETIC MATERIAL OR BONE GRAFT (INCLUDES OBTAINING AUTOGRAFT)	\$168.23	N/A	N/A	\$841.16
21209	OSTEOPLASTY, FACIAL BONES; REDUCTION	\$111.67	N/A	N/A	\$558.33
21242	ARTHROPLASTY, TEMPOROMANDIBULAR JOINT, WITH ALLOGRAFT	\$187.77	N/A	N/A	\$938.86

		Assistant Surgeon Fee	Professional Component Fee	Technical Component Fee	
		Revision (Billing with Modifier	Revision (Billing with Modifier	Revision (Billing with Modifier	Total Fe Revision (Billing with No
Code	Description	80)	26)	TC)	Modifier
21270	MALAR AUGMENTATION, PROSTHETIC MATERIAL	N/A	N/A	N/A	\$657.44
21275	SECONDARY REVISION OF ORBITOCRANIOFACIAL RECONSTRUCTION	\$148.85	N/A	N/A	\$744.23
21280	MEDIAL CANTHOPEXY (SEPARATE PROCEDURE)	\$88.80	N/A	N/A	\$444.02
21282	LATERAL CANTHOPEXY	N/A	N/A	N/A	\$293.31
21295	REDUCTION OF MASSETER MUSCLE AND BONE (EG, FOR TREATMENT OF BENIGN MASSETERIC HYPERTROPHY); EXTRAORAL APPROACH	\$29.94	N/A	N/A	\$149.70
21296	REDUCTION OF MASSETER MUSCLE AND BONE (EG, FOR TREATMENT OF BENIGN MASSETERIC HYPERTROPHY); INTRAORAL APPROACH	\$67.85	N/A	N/A	\$339.25
21386	OPEN TREATMENT OF ORBITAL FLOOR BLOWOUT FRACTURE; PERIORBITAL APPROACH	\$123.75	N/A	N/A	\$618.75
21387	OPEN TREATMENT OF ORBITAL FLOOR BLOWOUT FRACTURE; COMBINED APPROACH		N/A	N/A	\$707.18
21390	OPEN TREATMENT OF ORBITAL FLOOR BLOWOUT FRACTURE; PERIORBITAL APPROACH, WITH ALLOPLASTIC OR OTHER IMPLANT	\$135.59	N/A	N/A	\$677.95
21400	CLOSED TREATMENT OF FRACTURE OF ORBIT, EXCEPT BLOWOUT; WITHOUT MANIPULATION	N/A	N/A	N/A	\$121.90
21401	CLOSED TREATMENT OF FRACTURE OF ORBIT, EXCEPT BLOWOUT; WITH MANIPULATION	N/A	N/A	N/A	\$254.80
21406	OPEN TREATMENT OF FRACTURE OF ORBIT, EXCEPT BLOWOUT; WITHOUT IMPLANT	N/A	N/A	N/A	\$496.10
21407	OPEN TREATMENT OF FRACTURE OF ORBIT, EXCEPT BLOWOUT; WITH IMPLANT	\$117.96	N/A	N/A	\$589.81
21454	OPEN TREATMENT OF MANDIBULAR FRACTURE WITH EXTERNAL FIXATION	N/A	N/A	N/A	\$484.16
21480	CLOSED TREATMENT OF TEMPOROMANDIBULAR DISLOCATION; INITIAL OR SUBSEQUENT	N/A	N/A	N/A	\$31.45
21557	RADICAL RESECTION OF TUMOR (EG, MALIGNANT NEOPLASM), SOFT TISSUE OF NECK OR THORAX	\$110.54	N/A	N/A	\$552.71
21740	RECONSTRUCTIVE REPAIR OF PECTUS EXCAVATUM OR CARINATUM; OPEN	\$197.71	N/A	N/A	\$988.57

NOTICES	
---------	--

	Procedure Codes with Fees Exc	8	1		
Code	Description	Assistant Surgeon Fee Revision (Billing with Modifier 80)	Professional Component Fee Revision (Billing with Modifier 26)	Technical Component Fee Revision (Billing with Modifier TC)	Total Fee Revision (Billing with No Modifier)
22103	PARTIAL EXCISION OF POSTERIOR VERTEBRAL COMPONENT (EG, SPINOUS PROCESS, LAMINA OR FACET) FOR INTRINSIC BONY LESION, SINGLE VERTEBRAL SEGMENT; EACH ADDITIONAL SEGMENT (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	\$28.70	N/A	N/A	\$143.48
22116	PARTIAL EXCISION OF VERTEBRAL BODY, FOR INTRINSIC BONY LESION, WITHOUT DECOMPRESSION OF SPINAL CORD OR NERVE ROOT(S), SINGLE VERTEBRAL SEGMENT; EACH ADDITIONAL VERTEBRAL SEGMENT (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	\$28.64	N/A	N/A	\$143.19
22226	OSTEOTOMY OF SPINE, INCLUDING DISKECTOMY, ANTERIOR APPROACH, SINGLE VERTEBRAL SEGMENT; EACH ADDITIONAL VERTEBRAL SEGMENT (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	\$74.78	N/A	N/A	\$373.89
22328	OPEN TREATMENT AND/OR REDUCTION OF VERTEBRAL FRACTURE(S) AND/ OR DISLOCATION(S), POSTERIOR APPROACH, ONE FRACTURED VERTEBRAE OR DISLOCATED SEGMENT; EACH ADDITIONAL FRACTURED VERTEBRAE OR DISLOCATED SEGMENT (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	\$56.13	N/A	N/A	\$280.64
22585	ARTHRODESIS, ANTERIOR INTERBODY TECHNIQUE, INCLUDING MINIMAL DISKECTOMY TO PREPARE INTERSPACE (OTHER THAN FOR DECOMPRESSION); EACH ADDITIONAL INTERSPACE (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	\$68.62	N/A	N/A	\$343.09
22614	ARTHRODESIS, POSTERIOR OR POSTEROLATERAL TECHNIQUE, SINGLE LEVEL; EACH ADDITIONAL VERTEBRAL SEGMENT (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	\$80.14	N/A	N/A	\$400.69
22632	ARTHRODESIS, POSTERIOR INTERBODY TECHNIQUE, INCLUDING LAMINECTOMY AND/OR DISKECTOMY TO PREPARE INTERSPACE (OTHER THAN FOR DECOMPRESSION), SINGLE INTERSPACE; EACH ADDITIONAL INTERSPACE (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	\$64.91	N/A	N/A	\$324.53
22840	POSTERIOR NONSEGMENTAL INSTRUMENTATION (EG, HARRINGTON ROD TECHNIQUE, PEDICLE FIXATION ACROSS ONE INTERSPACE, ATLANTOAXIAL TRANSARTICULAR SCREW FIXATION, SUBLAMINAR WIRING AT C1, FACET SCREW FIXATION)	\$156.39	N/A	N/A	\$781.93

		Assistant Surgeon Fee Revision (Billing with Modifier	Professional Component Fee Revision (Billing with Modifier	Technical Component Fee Revision (Billing with Modifier	Total Fe Revisior (Billing with No
Code	Description	80)	<i>26)</i>	TC)	Modifier
22842	POSTERIOR SEGMENTAL INSTRUMENTATION (EG, PEDICLE FIXATION, DUAL RODS WITH MULTIPLE HOOKS AND SUBLAMINAR WIRES); THREE TO SIX VERTEBRAL SEGMENTS	\$156.51	N/A	N/A	\$782.56
22845	ANTERIOR INSTRUMENTATION; 2 TO 3 VERTEBRAL SEGMENTS	\$149.55	N/A	N/A	\$747.73
22848	PELVIC FIXATION (ATTACHMENT OF CAUDAL END OF INSTRUMENTATION TO PELVIC BONY STRUCTURES) OTHER THAN SACRUM	\$74.24	N/A	N/A	\$371.18
23105	ARTHROTOMY; GLENOHUMERAL JOINT, WITH SYNOVECTOMY, WITH OR WITHOUT BIOPSY	N/A	N/A	N/A	\$598.96
23106	ARTHROTOMY; STERNOCLAVICULAR JOINT, WITH SYNOVECTOMY, WITH OR WITHOUT BIOPSY	N/A	N/A	N/A	\$451.26
23210	RADICAL RESECTION FOR TUMOR; SCAPULA	\$168.52	N/A	N/A	\$842.62
23921	DISARTICULATION OF SHOULDER; SECONDARY CLOSURE OR SCAR REVISION	N/A	N/A	N/A	\$405.50
24100	ARTHROTOMY, ELBOW; WITH SYNOVIAL BIOPSY ONLY	N/A	N/A	N/A	\$367.27
24152	RADICAL RESECTION FOR TUMOR, RADIAL HEAD OR NECK	\$138.12	N/A	N/A	\$690.62
24365	ARTHROPLASTY, RADIAL HEAD	\$121.49	N/A	N/A	\$607.46
24366	ARTHROPLASTY, RADIAL HEAD; WITH IMPLANT	\$130.10	N/A	N/A	\$650.48
24931	AMPUTATION, ARM THROUGH HUMERUS; WITH IMPLANT	\$147.05	N/A	N/A	\$735.24
24935	STUMP ELONGATION, UPPER EXTREMITY	N/A	N/A	N/A	\$928.82
25335	CENTRALIZATION OF WRIST ON ULNA (EG, RADIAL CLUB HAND)	N/A	N/A	N/A	\$943.22
25574	OPEN TREATMENT OF RADIAL AND ULNAR SHAFT FRACTURES, WITH INTERNAL OR EXTERNAL FIXATION; OF RADIUS OR ULNA	\$109.81	N/A	N/A	\$549.05
26125	FASCIECTOMY, PARTIAL PALMAR WITH RELEASE OF SINGLE DIGIT INCLUDING PROXIMAL INTERPHALANGEAL JOINT, WITH OR WITHOUT Z-PLASTY, OTHER LOCAL TISSUE REARRANGEMENT OR SKIN GRAFTING (INCLUDES OBTAINING GRAFT); EACH ADDITIONAL DIGIT (LIST SEPARATELY IN ADDITION TO PRIMARY PROCEDURE)	\$55. <b>8</b> 9	N/A	N/A	\$279.46
26531	ARTHROPLASTY, METACARPOPHALANGEAL JOINT; WITH PROSTHETIC IMPLANT, EACH JOINT	\$115.84	N/A	N/A	\$579.20
26536	ARTHROPLASTY, INTERPHALANGEAL JOINT; WITH PROSTHETIC IMPLANT, EACH JOINT	\$120.25	N/A	N/A	\$601.25

	Procedure Codes with Fees Exc	0	1		
Code	Description	Assistant Surgeon Fee Revision (Billing with Modifier 80)	Professional Component Fee Revision (Billing with Modifier 26)	Technical Component Fee Revision (Billing with Modifier TC)	Total Fee Revision (Billing with No Modifier,
26591	REPAIR, INTRINSIC MUSCLES OF HAND, EACH MUSCLE	N/A	N/A	N/A	\$467.70
26861	ARTHRODESIS, INTERPHALANGEAL JOINT, WITH OR WITHOUT INTERNAL FIXATION; EACH ADDITIONAL INTERPHALANGEAL JOINT (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	N/A	N/A	N/A	\$105.98
26863	ARTHRODESIS, INTERPHALANGEAL JOINT, WITH OR WITHOUT INTERNAL FIXATION; WITH AUTOGRAFT (INCLUDES OBTAINING GRAFT), EACH ADDITIONAL JOINT (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	N/A	N/A	N/A	\$237.00
27036	CAPSULECTOMY OR CAPSULOTOMY, HIP, WITH OR WITHOUT EXCISION OF HETEROTOPIC BONE, WITH RELEASE OF HIP FLEXOR MUSCLES (IE, GLUTEUS MEDIUS, GLUTEUS MINIMUS, TENSOR FASCIA LATAE, RECTUS FEMORIS, SARTORIUS, ILIOPSOAS)	N/A	N/A	N/A	\$899.26
27052	ARTHROTOMY, WITH BIOPSY; HIP JOINT	N/A	N/A	N/A	\$470.39
27054	ARTHROTOMY WITH SYNOVECTOMY, HIP JOINT	N/A	N/A	N/A	\$619.76
27071	PARTIAL EXCISION (CRATERIZATION, SAUCERIZATION) (EG, OSTEOMYELITIS OR BONE ABSCESS); DEEP (SUBFASCIAL OR INTRAMUSCULAR)	\$167.83	N/A	N/A	\$839.16
27096	INJECTION PROCEDURE FOR SACROILIAC JOINT, ARTHROGRAPHY AND/ OR ANESTHETIC/STEROID	N/A	N/A	N/A	\$66.78
27178	OPEN TREATMENT OF SLIPPED FEMORAL EPIPHYSIS; CLOSED MANIPULATION WITH SINGLE OR MULTIPLE PINNING	\$161.14	N/A	N/A	\$805.68
27334	ARTHROTOMY, WITH SYNOVECTOMY, KNEE; ANTERIOR OR POSTERIOR	N/A	N/A	N/A	\$629.44
27335	ARTHROTOMY, WITH SYNOVECTOMY, KNEE; ANTERIOR AND POSTERIOR INCLUDING POPLITEAL AREA	N/A	N/A	N/A	\$713.42
27358	EXCISION OR CURETTAGE OF BONE CYST OR BENIGN TUMOR OF FEMUR; WITH INTERNAL FIXATION (LIST IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	\$58.16	N/A	N/A	\$290.79
27396	TRANSPLANT, HAMSTRING TENDON TO PATELLA; SINGLE TENDON	\$115.68	N/A	N/A	\$578.39
27425	LATERAL RETINACULAR RELEASE OPEN	\$82.86	N/A	N/A	\$414.31
27427	LIGAMENTOUS RECONSTRUCTION (AUGMENTATION), KNEE; EXTRA-ARTICULAR	\$134.29	N/A	N/A	\$671.45
27438	ARTHROPLASTY, PATELLA; WITH PROSTHESIS	\$155.40	N/A	N/A	\$777.01

		Assistant Surgeon Fee Revision	Professional Component Fee Revision	Technical Component Fee Revision	Total Fe
Code	Description	(Billing with Modifier 80)	(Billing with Modifier 26)	(Billing with Modifier TC)	Revision (Billing with No Modifien
27692	TRANSFER OR TRANSPLANT OF SINGLE TENDON (WITH MUSCLE REDIRECTION OR REROUTING); EACH ADDITIONAL TENDON (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	\$22.49	N/A	N/A	\$112.43
27700	ARTHROPLASTY, ANKLE;	\$117.25	N/A	N/A	\$586.24
27742	ARREST, EPIPHYSEAL (EPIPHYSIODESIS), ANY METHOD, COMBINED, PROXIMAL AND DISTAL TIBIA AND FIBULA; AND DISTAL FEMUR	\$127.00	N/A	N/A	\$635.01
27871	ARTHRODESIS, TIBIOFIBULAR JOINT, PROXIMAL OR DISTAL	\$131.10	N/A	N/A	\$655.50
28160	HEMIPHALANGECTOMY OR INTERPHALANGEAL JOINT EXCISION, TOE, PROXIMAL END OF PHALANX, EACH	N/A	N/A	N/A	\$270.50
28456	PERCUTANEOUS SKELETAL FIXATION OF TARSAL BONE FRACTURE (EXCEPT TALUS AND CALCANEUS), WITH MANIPULATION, EACH	N/A	N/A	N/A	\$257.21
28530	CLOSED TREATMENT OF SESAMOID FRACTURE	N/A	N/A	N/A	\$93.67
28725	ARTHRODESIS; SUBTALAR	\$155.68	N/A	N/A	\$778.40
29131	APPLICATION OF FINGER SPLINT; DYNAMIC	N/A	N/A	N/A	\$29.96
29325	APPLICATION OF HIP SPICA CAST; ONE AND ONE-HALF SPICA OR BOTH LEGS	N/A	N/A	N/A	\$167.14
29820	ARTHROSCOPY, SHOULDER, SURGICAL; SYNOVECTOMY, PARTIAL	\$103.63	N/A	N/A	\$518.13
29834	ARTHROSCOPY, ELBOW, SURGICAL; WITH REMOVAL OF LOOSE BODY OR FOREIGN BODY	\$94.12	N/A	N/A	\$470.58
29835	ARTHROSCOPY, ELBOW, SURGICAL; SYNOVECTOMY, PARTIAL	\$96.28	N/A	N/A	\$481.40
29837	ARTHROSCOPY, ELBOW, SURGICAL; DEBRIDEMENT, LIMITED	\$101.31	N/A	N/A	\$506.55
29843	ARTHROSCOPY, WRIST, SURGICAL; FOR INFECTION, LAVAGE AND DRAINAGE	\$89.66	N/A	N/A	\$448.28
29850	ARTHROSCOPICALLY AIDED TREATMENT OF INTERCONDYLAR SPINE(S) AND/OR TUBEROSITY FRACTURE(S) OF THE KNEE, WITH OR WITHOUT MANIPULATION; WITHOUT INTERNAL OR EXTERNAL FIXATION (INCLUDES ARTHROSCOPY)	\$104.16	N/A	N/A	\$520.81
29871	ARTHROSCOPY, KNEE, SURGICAL; FOR INFECTION, LAVAGE AND DRAINAGE	N/A	N/A	N/A	\$484.01
29874	ARTHROSCOPY, KNEE, SURGICAL; FOR REMOVAL OF LOOSE BODY OR FOREIGN BODY (EG, OSTEOCHONDRITIS DISSECANS FRAGMENTATION, CHONDRAL FRAGMENTATION)	\$101.78	N/A	N/A	\$508.88

NOTICES
---------

	Procedure Codes with Fees Ex	Assistant	Professional	Technical	
Code	Description	Assistant Surgeon Fee Revision (Billing with Modifier 80)	Component Fee Revision (Billing with Modifier 26)	Component Fee Revision (Billing with Modifier TC)	Total Fea Revision (Billing with No Modifier
29875	ARTHROSCOPY, KNEE, SURGICAL;	\$94.54	N/A	N/A	\$472.71
23013	SYNOVECTOMY, LIMITED (EG, PLICA OR SHELF RESECTION) (SEPARATE PROCEDURE)	<i>33</i> 4.34	IN/A	IV/A	5472.71
29894	ARTHROSCOPY, ANKLE (TIBIOTALAR AND FIBULOTALAR JOINTS), SURGICAL; WITH REMOVAL OF LOOSE BODY OR FOREIGN BODY	\$99.13	N/A	N/A	\$495.66
29895	ARTHROSCOPY, ANKLE (TIBIOTALAR AND FIBULOTALAR JOINTS), SURGICAL; SYNOVECTOMY, PARTIAL	\$97.22	N/A	N/A	\$486.10
29897	ARTHROSCOPY, ANKLE (TIBIOTALAR AND FIBULOTALAR JOINTS), SURGICAL; DEBRIDEMENT, LIMITED	\$101.83	N/A	N/A	\$509.15
30150	RHINECTOMY; PARTIAL	N/A	N/A	N/A	\$751.80
30160	RHINECTOMY; TOTAL	\$147.92	N/A	N/A	\$739.60
30540	REPAIR CHOANAL ATRESIA; INTRANASAL	N/A	N/A	N/A	\$631.70
31239	NASAL/SINUS ENDOSCOPY, SURGICAL; WITH DACRYOCYSTORHINOSTOMY	\$124.48	N/A	N/A	\$622.42
31240	NASAL/SINUS ENDOSCOPY, SURGICAL; WITH CONCHA BULLOSA RESECTION	\$33.14	N/A	N/A	\$165.72
31255	NASAL/SINUS ENDOSCOPY, SURGICAL; WITH ETHMOIDECTOMY, TOTAL (ANTERIOR AND POSTERIOR)	\$85.30	N/A	N/A	\$426.52
31287	NASAL/SINUS ENDOSCOPY, SURGICAL, WITH SPHENOIDOTOMY;	\$48.84	N/A	N/A	\$244.18
31288	NASAL/SINUS ENDOSCOPY, SURGICAL, WITH SPHENOIDOTOMY; WITH REMOVAL OF TISSUE FROM THE SPHENOID SINUS	\$56.73	N/A	N/A	\$283.64
31292	NASAL/SINUS ENDOSCOPY, SURGICAL; WITH MEDIAL OR INFERIOR ORBITAL WALL DECOMPRESSION	\$191.86	N/A	N/A	\$959.28
31512	LARYNGOSCOPY, INDIRECT; WITH REMOVAL OF LESION	N/A	N/A	N/A	\$130.44
31513	LARYNGOSCOPY, INDIRECT; WITH VOCAL CORD INJECTION	N/A	N/A	N/A	\$134.69
31528	LARYNGOSCOPY DIRECT, WITH OR WITHOUT TRACHEOSCOPY; WITH DILATION, INITIAL	N/A	N/A	N/A	\$145.53
31535	LARYNGOSCOPY, DIRECT, OPERATIVE, WITH BIOPSY	N/A	N/A	N/A	\$196.06
31540	LARYNGOSCOPY, DIRECT, OPERATIVE, WITH EXCISION OF TUMOR AND/OR STRIPPING OF VOCAL CORDS OR EPIGLOTTIS	N/A	N/A	N/A	\$253.39
31560	LARYNGOSCOPY, DIRECT, OPERATIVE, WITH ARYTENOIDECTOMY	N/A	N/A	N/A	\$327.70
31561	LARYNGOSCOPY, DIRECT, OPERATIVE, WITH ARYTENOIDECTOMY; WITH OPERATING MICROSCOPE OR TELESCOPE	N/A	N/A	N/A	\$357.51

	Procedure Codes with Fees Exc	Assistant Surgeon	Professional Component	Technical Component	
		Fee Revision (Billing with	Fee Revision (Billing with	Fee Revision (Billing with	Total Fe Revisior (Billing
Code	Description	Modifier 80)	Modifier 26)	Modifier TC)	with No Modifier
31576	LARYNGOSCOPY, FLEXIBLE FIBEROPTIC; WITH BIOPSY	N/A	N/A	N/A	\$123.03
31578	LARYNGOSCOPY, FLEXIBLE FIBEROPTIC; WITH REMOVAL OF LESION	N/A	N/A	N/A	\$166.61
31603	TRACHEOSTOMY, EMERGENCY PROCEDURE; TRANSTRACHEAL	N/A	N/A	N/A	\$228.79
31605	TRACHEOSTOMY, EMERGENCY PROCEDURE; CRICOTHYROID MEMBRANE	N/A	N/A	N/A	\$188.19
31630	BRONCHOSCOPY, RIGID OR FLEXIBLE, WITH OR WITHOUT FLUOROSCOPIC GUIDANCE; WITH TRACHEAL/BRONCHIAL DILATION OR CLOSED REDUCTION OF FRACTURE	N/A	N/A	N/A	\$212.96
31643	BRONCHOSCOPY, (RIGID OR FLEXIBLE); WITH PLACEMENT OF CATHETER(S) FOR INTRACAVITARY RADIOELEMENT APPLICATION	N/A	N/A	N/A	\$180.42
31710	CATHETERIZATION FOR BRONCHOGRAPHY, WITH OR WITHOUT INSTILLATION OF CONTRAST MATERIAL	N/A	N/A	N/A	\$66.95
31820	SURGICAL CLOSURE TRACHEOSTOMY OR FISTULA; WITHOUT PLASTIC REPAIR	N/A	N/A	N/A	\$306.50
32020	TUBE THORACOSTOMY WITH OR WITHOUT WATER SEAL (EG, FOR ABSCESS, HEMOTHORAX, EMPYEMA) (SEPARATE PROCEDURE)	N/A	N/A	N/A	\$209.74
32160	THORACOTOMY, MAJOR; WITH CARDIAC MASSAGE	\$114.51	N/A	N/A	\$572.57
32402	BIOPSY, PLEURA; OPEN	\$98.77	N/A	N/A	\$493.83
32405	BIOPSY, LUNG OR MEDIASTINUM, PERCUTANEOUS NEEDLE	N/A	N/A	N/A	\$98.04
32420	PNEUMOCENTESIS, PUNCTURE OF LUNG FOR ASPIRATION	N/A	N/A	N/A	\$109.53
32501	RESECTION AND REPAIR OF PORTION OF BRONCHUS (BRONCHOPLASTY) WHEN PERFORMED AT TIME OF LOBECTOMY OR SEGMENTECTOMY (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	\$49.97	N/A	N/A	\$249.86
32602	THORACOSCOPY, DIAGNOSTIC (SEPARATE PROCEDURE); LUNGS AND PLEURAL SPACE, WITH BIOPSY	\$67.71	N/A	N/A	\$338.55
32651	THORACOSCOPY, SURGICAL; WITH PARTIAL PULMONARY DECORTICATION	\$158.63	N/A	N/A	\$793.14
32653	THORACOSCOPY, SURGICAL; WITH REMOVAL OF INTRAPLEURAL FOREIGN BODY OR FIBRIN DEPOSIT	\$156.67	N/A	N/A	\$783.35
32654	THORACOSCOPY, SURGICAL; WITH CONTROL OF TRAUMATIC HEMORRHAGE	\$155.71	N/A	N/A	\$778.56
32655	THORACOSCOPY, SURGICAL; WITH EXCISION-PLICATION OF BULLAE, INCLUDING ANY PLEURAL PROCEDURE	\$160.32	N/A	N/A	\$801.60

	Procedure Codes with Fees Exc	Assistant	Professional	Technical	
		Assistant Surgeon Fee	Component Fee	Component Fee	
		Revision	Revision	Revision	Total Fe
		(Billing with	(Billing with	(Billing with	Revisior (Billing
		Modifier	Modifier	Modifier	with No
Code	Description	80)	26)	TC)	Modifier
32656	THORACOSCOPY, SURGICAL; WITH PARIETAL PLEURECTOMY	\$163.67	N/A	N/A	\$818.33
32657	THORACOSCOPY, SURGICAL; WITH WEDGE RESECTION OF LUNG, SINGLE OR MULTIPLE	\$168.11	N/A	N/A	\$840.54
32658	THORACOSCOPY, SURGICAL; WITH REMOVAL OF CLOT OR FOREIGN BODY FROM PERICARDIAL SAC	\$148.71	N/A	N/A	\$743.54
32659	THORACOSCOPY, SURGICAL; WITH CREATION OF PERICARDIAL WINDOW OR PARTIAL RESECTION OF PERICARDIAL SAC FOR DRAINAGE	\$148.66	N/A	N/A	\$743.31
32662	THORACOSCOPY, SURGICAL; WITH EXCISION OF MEDIASTINAL CYST, TUMOR OR MASS	\$198.22	N/A	N/A	\$991.08
32665	THORACOSCOPY, SURGICAL; WITH ESOPHAGOMYOTOMY (HELLER TYPE)	\$186.49	N/A	N/A	\$932.44
33010	PERICARDIOCENTESIS; INITIAL	N/A	N/A	N/A	\$115.83
33011	PERICARDIOCENTESIS; SUBSEQUENT	N/A	N/A	N/A	\$117.16
33206	INSERTION OR REPLACEMENT OF PERMANENT PACEMAKER WITH TRANSVENOUS ELECTRODE(S); ATRIAL	\$84.22	N/A	N/A	\$421.08
33207	INSERTION OR REPLACEMENT OF PERMANENT PACEMAKER WITH TRANSVENOUS ELECTRODE(S); VENTRICULAR	N/A	N/A	N/A	\$481.98
33208	INSERTION OR REPLACEMENT OF PERMANENT PACEMAKER WITH TRANSVENOUS ELECTRODE(S); ATRIAL AND VENTRICULAR	N/A	N/A	N/A	\$488.23
33210	INSERTION OR REPLACEMENT OF TEMPORARY TRANSVENOUS SINGLE CHAMBER CARDIAC ELECTRODE OR PACEMAKER CATHETER (SEPARATE PROCEDURE)	N/A	N/A	N/A	\$173.29
33211	INSERTION OR REPLACEMENT OF TEMPORARY TRANSVENOUS DUAL CHAMBER PACING ELECTRODES (SEPARATE PROCEDURE)	\$35.93	N/A	N/A	\$179.67
33213	INSERTION OR REPLACEMENT OF PACEMAKER PULSE GENERATOR ONLY; DUAL CHAMBER	\$76.46	N/A	N/A	\$382.28
33216	INSERTION OF A TRANSVENOUS ELECTRODE; SINGLE CHAMBER (ONE ELECTRODE) PERMANENT PACEMAKER OR SINGLE CHAMBER PACING CARDIOVERTER-DEFIBRILLATOR	N/A	N/A	N/A	\$373.58
33218	REPAIR OF SINGLE TRANSVENOUS ELECTRODE FOR A SINGLE CHAMBER, PERMANENT PACEMAKER OR SINGLE CHAMBER PACING CARDIOVERTER-DEFIBRILLATOR	N/A	N/A	N/A	\$364.42

		Assistant Surgeon Fee	Professional Component Fee	Technical Component Fee	_
Cale	Description	Revision (Billing with Modifier	Revision (Billing with Modifier	Revision (Billing with Modifier	Total Fe Revision (Billing with No
Code 33222	Description REVISION OR RELOCATION OF SKIN	80) N/A	26) N/A	TC) N/A	<i>Modifier</i> \$347.41
33222	POCKET FOR PACEMAKER	IN/A	11/74	IN/A	5547.41
33223	REVISION OF SKIN POCKET FOR SINGLE OR DUAL CHAMBER PACING CARDIOVERTER-DEFIBRILLATOR	\$83.09	N/A	N/A	\$415.43
33233	REMOVAL OF PERMANENT PACEMAKER PULSE GENERATOR	\$48.70	N/A	N/A	\$243.52
33249	INSERTION OR REPOSITIONING OF ELECTRODE LEAD(S) FOR SINGLE OR DUAL CHAMBER PACING CARDIOVERTER-DEFIBRILLATOR AND INSERTION OF PULSE GENERATOR	N/A	N/A	N/A	\$848.50
33282	IMPLANTATION OF PATIENT-ACTIVATED CARDIAC EVENT RECORDER	\$60.49	N/A	N/A	\$302.44
33284	REMOVAL OF AN IMPLANTABLE, PATIENT-ACTIVATED CARDIAC EVENT RECORDER	\$44.01	N/A	N/A	\$220.03
33517	CORONARY ARTERY BYPASS, USING VENOUS GRAFT(S) AND ARTERIAL GRAFT(S); SINGLE VEIN GRAFT (LIST SEPARATELY IN ADDITION TO CODE FOR ARTERIAL GRAFT)	\$27.60	N/A	N/A	\$138.02
33518	CORONARY ARTERY BYPASS, USING VENOUS GRAFT(S) AND ARTERIAL GRAFT(S); TWO VENOUS GRAFTS (LIST SEPARATELY IN ADDITION TO CODE FOR ARTERIAL GRAFT)	\$51.95	N/A	N/A	\$259.73
33519	CORONARY ARTERY BYPASS, USING VENOUS GRAFT(S) AND ARTERIAL GRAFT(S); THREE VENOUS GRAFTS (LIST SEPARATELY IN ADDITION TO CODE FOR ARTERIAL GRAFT)	\$76.17	N/A	N/A	\$380.87
33521	CORONARY ARTERY BYPASS, USING VENOUS GRAFT(S) AND ARTERIAL GRAFT(S); FOUR VENOUS GRAFTS (LIST SEPARATELY IN ADDITION TO CODE FOR ARTERIAL GRAFT)	\$100.60	N/A	N/A	\$502.99
33522	CORONARY ARTERY BYPASS, USING VENOUS GRAFT(S) AND ARTERIAL GRAFT(S); FIVE VENOUS GRAFTS (LIST SEPARATELY IN ADDITION TO CODE FOR ARTERIAL GRAFT)	\$125.23	N/A	N/A	\$626.15
33530	REOPERATION, CORONARY ARTERY BYPASS PROCEDURE OR VALVE PROCEDURE, MORE THAN ONE MONTH AFTER ORIGINAL OPERATION (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	\$62.84	N/A	N/A	\$314.21

NOTICES	
---------	--

Code	Description	Assistant Surgeon Fee Revision (Billing with Modifier 80)	Professional Component Fee Revision (Billing with Modifier 26)	Technical Component Fee Revision (Billing with Modifier TC)	Total Fe Revision (Billing with No Modifier
33572	CORONARY ENDARTERECTOMY, OPEN, ANY METHOD, OF LEFT ANTERIOR DESCENDING, CIRCUMFLEX, OR RIGHT CORONARY ARTERY PERFORMED IN CONJUNCTION WITH CORONARY ARTERY BYPASS GRAFT PROCEDURE, EACH VESSEL (LIST SEPARATELY IN ADDITION TO PRIMARY PROCEDURE)	\$47.54	N/A	N/A	\$237.69
33924	LIGATION AND TAKEDOWN OF A SYSTEMIC-TO-PULMONARY ARTERY SHUNT, PERFORMED IN CONJUNCTION WITH A CONGENITAL HEART PROCEDURE (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	\$59.27	N/A	N/A	\$296.34
33961	PROLONGED EXTRACORPOREAL CIRCULATION FOR CARDIOPULMONARY INSUFFICIENCY; EACH ADDITIONAL 24 HOURS (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	\$112.82	N/A	N/A	\$564.09
33968	REMOVAL OF INTRA-AORTIC BALLOON ASSIST DEVICE, PERCUTANEOUS	N/A	N/A	N/A	\$34.25
33970	INSERTION OF INTRA-AORTIC BALLOON ASSIST DEVICE THROUGH THE FEMORAL ARTERY, OPEN APPROACH	N/A	N/A	N/A	\$358.76
33973	INSERTION OF INTRA-AORTIC BALLOON ASSIST DEVICE THROUGH THE ASCENDING AORTA	\$104.30	N/A	N/A	\$521.48
34051	EMBOLECTOMY OR THROMBECTOMY, WITH OR WITHOUT CATHETER; INNOMINATE, SUBCLAVIAN ARTERY, BY THORACIC INCISION	\$181.90	N/A	N/A	\$909.49
34201	EMBOLECTOMY OR THROMBECTOMY, WITH OR WITHOUT CATHETER; FEMOROPOPLITEAL, AORTOILIAC ARTERY, BY LEG INCISION	\$121.85	N/A	N/A	\$609.26
35180	REPAIR, CONGENITAL ARTERIOVENOUS FISTULA; HEAD AND NECK	\$156.77	N/A	N/A	\$783.87
35188	REPAIR, ACQUIRED OR TRAUMATIC ARTERIOVENOUS FISTULA; HEAD AND NECK	\$173.52	N/A	N/A	\$867.60
35190	REPAIR, ACQUIRED OR TRAUMATIC ARTERIOVENOUS FISTULA; EXTREMITIES	\$151.79	N/A	N/A	\$758.96
35207	REPAIR BLOOD VESSEL, DIRECT; HAND, FINGER	\$136.21	N/A	N/A	\$681.04
35390	REOPERATION, CAROTID, THROMBOENDARTERECTOMY, MORE THAN ONE MONTH AFTER ORIGINAL OPERATION (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	\$34.24	N/A	N/A	\$171.18
35450	TRANSLUMINAL BALLOON ANGIOPLASTY, OPEN; RENAL OR OTHER VISCERAL ARTERY	\$108.22	N/A	N/A	\$541.09

		Assistant Surgeon Fee Revision (Billing with Modifier	Professional Component Fee Revision (Billing with Modifier	Technical Component Fee Revision (Billing with Modifier	Total Fe Revision (Billing with No
<i>Code</i> 35454	Description           TRANSLUMINAL BALLOON ANGIOPLASTY,	<i>80)</i> \$66.88	26) N/A	TC) N/A	<i>Modifier</i> \$334.40
35456	OPEN; ILIAC TRANSLUMINAL BALLOON ANGIOPLASTY, OPEN; FEMORAL-POPLITEAL	N/A	N/A	N/A	\$404.62
35458	TRANSLUMINAL BALLOON ANGIOPLASTY, OPEN; BRACHIOCEPHALIC TRUNK OR BRANCHES, EACH VESSEL	\$103.34	N/A	N/A	\$516.71
35459	TRANSLUMINAL BALLOON ANGIOPLASTY, OPEN; TIBIOPERONEAL TRUNK AND BRANCHES	\$94.47	N/A	N/A	\$472.34
35480	TRANSLUMINAL PERIPHERAL ATHERECTOMY, OPEN; RENAL OR OTHER VISCERAL ARTERY	\$119.34	N/A	N/A	\$596.69
35481	TRANSLUMINAL PERIPHERAL ATHERECTOMY, OPEN; AORTIC	\$84.20	N/A	N/A	\$420.99
35482	TRANSLUMINAL PERIPHERAL ATHERECTOMY, OPEN; ILIAC	\$73.34	N/A	N/A	\$366.68
35483	TRANSLUMINAL PERIPHERAL ATHERECTOMY, OPEN; FEMORAL-POPLITEAL	\$89.06	N/A	N/A	\$445.29
35484	TRANSLUMINAL PERIPHERAL ATHERECTOMY, OPEN; BRACHIOCEPHALIC TRUNK OR BRANCHES, EACH VESSEL	\$112.58	N/A	N/A	\$562.90
35492	TRANSLUMINAL PERIPHERAL ATHERECTOMY, PERCUTANEOUS; ILIAC	\$74.83	N/A	N/A	\$374.16
35493	TRANSLUMINAL PERIPHERAL ATHERECTOMY, PERCUTANEOUS; FEMORAL-POPLITEAL	\$90.79	N/A	N/A	\$453.94
35681	BYPASS GRAFT; COMPOSITE, PROSTHETIC AND VEIN (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	\$17.16	N/A	N/A	\$85.78
35682	BYPASS GRAFT; AUTOGENOUS COMPOSITE, TWO SEGMENTS OF VEINS FROM TWO LOCATIONS (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	\$77.13	N/A	N/A	\$385.64
35683	BYPASS GRAFT; AUTOGENOUS COMPOSITE, THREE OR MORE SEGMENTS OF VEIN FROM TWO OR MORE LOCATIONS (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	\$91.03	N/A	N/A	\$455.14
35700	REOPERATION, FEMORAL-POPLITEAL OR FEMORAL (POPLITEAL)-ANTERIOR TIBIAL, POSTERIOR TIBIAL, PERONEAL ARTERY OR OTHER DISTAL VESSELS, MORE THAN 1 MONTH AFTER ORIGINAL OPERATION (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	\$33.01	N/A	N/A	\$165.03
35860	EXPLORATION FOR POSTOPERATIVE HEMORRHAGE, THROMBOSIS OR INFECTION; EXTREMITY	\$74.38	N/A	N/A	\$371.88

	Procedure Codes with Fees Exc	0	1 1		
Code	Description	Assistant Surgeon Fee Revision (Billing with Modifier 80)	Professional Component Fee Revision (Billing with Modifier 26)	Technical Component Fee Revision (Billing with Modifier TC)	Total Fee Revision (Billing with No Modifier)
35875	THROMBECTOMY OF ARTERIAL OR	\$120.79	20) N/A	N/A	\$603.97
	VENOUS GRAFT (OTHER THAN HEMODIALYSIS GRAFT OR FISTULA)	\$120.79	IN/A	IN/A	\$603.97
36000	INTRODUCTION OF NEEDLE OR INTRACATHETER, VEIN	N/A	N/A	N/A	\$8.84
36450	EXCHANGE TRANSFUSION, BLOOD; NEWBORN	N/A	N/A	N/A	\$115.20
36455	EXCHANGE TRANSFUSION, BLOOD; OTHER THAN NEWBORN	N/A	N/A	N/A	\$131.20
36550	DECLOTTING BY THROMBOLYTIC AGENT OF IMPLANTED VASCULAR ACCESS DEVICE OR CATHETER	N/A	N/A	N/A	\$24.63
36590	REMOVAL OF TUNNELED CENTRAL VENOUS ACCESS DEVICE, WITH SUBCUTANEOUS PORT OR PUMP, CENTRAL OR PERIPHERAL INSERTION	N/A	N/A	N/A	\$197.30
36620	ARTERIAL CATHETERIZATION OR CANNULATION FOR SAMPLING, MONITORING OR TRANSFUSION (SEPARATE PROCEDURE); PERCUTANEOUS	N/A	N/A	N/A	\$53.58
36800	INSERTION OF CANNULA FOR HEMODIALYSIS, OTHER PURPOSE (SEPARATE PROCEDURE); ARTERIOVENOUS, EXTERNAL REVISION, OR CLOSURE	N/A	N/A	N/A	\$161.60
36810	INSERTION OF CANNULA FOR HEMODIALYSIS, OTHER PURPOSE (SEPARATE PROCEDURE); ARTERIOVENOUS, EXTERNAL (SCRIBNER TYPE)	N/A	N/A	N/A	\$221.25
36815	INSERTION OF CANNULA FOR HEMODIALYSIS, OTHER PURPOSE (SEPARATE PROCEDURE); ARTERIOVENOUS, EXTERNAL REVISION, OR CLOSURE	N/A	N/A	N/A	\$149.98
36821	ARTERIOVENOUS ANASTOMOSIS, OPEN; DIRECT, ANY SITE (EG, CIMINO TYPE) (SEPARATE PROCEDURE)	N/A	N/A	N/A	\$534.91
36825	CREATION OF ARTERIOVENOUS FISTULA BY OTHER THAN DIRECT ARTERIOVENOUS ANASTOMOSIS (SEPARATE PROCEDURE); AUTOGENOUS GRAFT	N/A	N/A	N/A	\$586.74
36830	CREATION OF ARTERIOVENOUS FISTULA BY OTHER THAN DIRECT ARTERIOVENOUS ANASTOMOSIS (SEPARATE PROCEDURE); NONAUTOGENOUS GRAFT (EG, BIOLOGICAL COLLAGEN, THERMOPLASTIC GRAFT)	N/A	N/A	N/A	\$684.18
36832	REVISION, OPEN, ARTERIOVENOUS FISTULA; WITHOUT THROMBECTOMY, AUTOGENOUS OR NONAUTOGENOUS DIALYSIS GRAFT (SEPARATE PROCEDURE)	\$120.57	N/A	N/A	\$602.84

		Assistant Surgeon Fee	Professional Component Fee	Technical Component Fee	
Code	Description	<i>Revision (Billing with Modifier 80)</i>	Revision (Billing with Modifier 26)	Revision (Billing with Modifier TC)	Total Fe Revision (Billing with No Modifier
36834	PLASTIC REPAIR OF ARTERIOVENOUS ANEURYSM (SEPARATE PROCEDURE)	\$116.37	N/A	N/A	\$581.87
36835	INSERTION OF THOMAS SHUNT (SEPARATE PROCEDURE)	\$89.71	N/A	N/A	\$448.54
36860	EXTERNAL CANNULA DECLOTTING (SEPARATE PROCEDURE); WITHOUT BALLOON CATHETER	N/A	N/A	N/A	\$102.78
36861	EXTERNAL CANNULA DECLOTTING (SEPARATE PROCEDURE); WITH BALLOON CATHETER	N/A	N/A	N/A	\$154.68
37207	TRANSCATHETER PLACEMENT OF AN INTRAVASCULAR STENT(S), (NONCORONARY VESSEL), OPEN; INITIAL VESSEL	N/A	N/A	N/A	\$457.51
37208	TRANSCATHETER PLACEMENT OF AN INTRAVASCULAR STENT(S), (NON-CORONARY VESSEL), OPEN; EACH ADDITIONAL VESSEL (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	N/A	N/A	N/A	\$221.33
37618	LIGATION, MAJOR ARTERY (EG, POST-TRAUMATIC, RUPTURE); EXTREMITY	\$65.45	N/A	N/A	\$327.25
37700	LIGATION AND DIVISION OF LONG SAPHENOUS VEIN AT SAPHENOFEMORAL JUNCTION, OR DISTAL INTERRUPTIONS	\$50.58	N/A	N/A	\$252.88
38102	SPLENECTOMY; TOTAL, EN BLOC FOR EXTENSIVE DISEASE, IN CONJUNCTION WITH OTHER PROCEDURE (LIST IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	\$51.37	N/A	N/A	\$256.83
38230	BONE MARROW HARVESTING FOR TRANSPLANTATION	N/A	N/A	N/A	\$296.75
38240	BONE MARROW OR BLOOD-DERIVED PERIPHERAL STEM CELL TRANSPLANTATION; ALLOGENIC	N/A	N/A	N/A	\$123.46
38241	BONE MARROW OR BLOOD-DERIVED PERIPHERAL STEM CELL TRANSPLANTATION; AUTOLOGOUS	\$24.76	N/A	N/A	\$123.80
38382	SUTURE AND/OR LIGATION OF THORACIC DUCT; ABDOMINAL APPROACH	\$124.07	N/A	N/A	\$620.34
38505	BIOPSY OR EXCISION OF LYMPH NODE(S); BY NEEDLE, SUPERFICIAL (EG, CERVICAL, INGUINAL, AXILLARY)	N/A	N/A	N/A	\$72.62
38700	SUPRAHYOID LYMPHADENECTOMY	\$109.51	N/A	N/A	\$547.54
38747	ABDOMINAL LYMPHADENECTOMY, REGIONAL, INCLUDING CELIAC, GASTRIC, PORTAL, PERIPANCREATIC, WITH OR WITHOUT PARA-AORTIC AND VENA CAVAL NODES (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	\$52.32	N/A	N/A	\$261.58

	Procedure Codes with Fees Exc	eeding 100%	Medicare		
Code	Description	Assistant Surgeon Fee Revision (Billing with Modifier 80)	Professional Component Fee Revision (Billing with Modifier 26)	Technical Component Fee Revision (Billing with Modifier TC)	Total Fee Revision (Billing with No Modifier)
38770	PELVIC LYMPHADENECTOMY, INCLUDING EXTERNAL ILIAC, HYPOGASTRIC, AND OBTURATOR NODES (SEPARATE PROCEDURE)	\$148.06	N/A	N/A	\$740.29
39000	MEDIASTINOTOMY WITH EXPLORATION, DRAINAGE, REMOVAL OF FOREIGN BODY, OR BIOPSY; CERVICAL APPROACH	\$83.46	N/A	N/A	\$417.28
39540	REPAIR, DIAPHRAGMATIC HERNIA (OTHER THAN NEONATAL), TRAUMATIC; ACUTE	\$154.40	N/A	N/A	\$772.02
39541	REPAIR, DIAPHRAGMATIC HERNIA (OTHER THAN NEONATAL), TRAUMATIC; CHRONIC	\$165.92	N/A	N/A	\$829.60
39545	IMBRICATION OF DIAPHRAGM FOR EVENTRATION, TRANSTHORACIC OR TRANSABDOMINAL, PARALYTIC OR NONPARALYTIC	\$164.05	N/A	N/A	\$820.26
40525	EXCISION OF LIP; FULL THICKNESS, RECONSTRUCTION WITH LOCAL FLAP (EG, ESTLANDER OR FAN)	N/A	N/A	N/A	\$527.75
40527	EXCISION OF LIP; FULL THICKNESS, RECONSTRUCTION WITH CROSS LIP FLAP (ABBE-ESTLANDER)	N/A	N/A	N/A	\$627.19
40650	REPAIR LIP, FULL THICKNESS; VERMILION ONLY	N/A	N/A	N/A	\$261.98
40818	EXCISION OF MUCOSA OF VESTIBULE OF MOUTH AS DONOR GRAFT	N/A	N/A	N/A	\$233.80
41112	EXCISION OF LESION OF TONGUE WITH CLOSURE; ANTERIOR TWO-THIRDS	N/A	N/A	N/A	\$222.43
41113	EXCISION OF LESION OF TONGUE WITH CLOSURE; POSTERIOR ONE-THIRD	N/A	N/A	N/A	\$250.24
42106	EXCISION, LESION OF PALATE, UVULA; WITH SIMPLE PRIMARY CLOSURE	N/A	N/A	N/A	\$170.97
42107	EXCISION, LESION OF PALATE, UVULA; WITH LOCAL FLAP CLOSURE	N/A	N/A	N/A	\$316.69
42120	RESECTION OF PALATE OR EXTENSIVE RESECTION OF LESION	\$130.54	N/A	N/A	\$652.70
42145	PALATOPHARYNGOPLASTY (EG, UVULOPALATOPHARYNGOPLASTY, UVULOPHARYNGOPLASTY)	N/A	N/A	N/A	\$581.27
42220	PALATOPLASTY FOR CLEFT PALATE; SECONDARY LENGTHENING PROCEDURE	\$104.08	N/A	N/A	\$520.41
42280	MAXILLARY IMPRESSION FOR PALATAL PROSTHESIS	N/A	N/A	N/A	\$103.14
42408	EXCISION OF SUBLINGUAL SALIVARY CYST (RANULA)	N/A	N/A	N/A	\$309.17
42450	EXCISION OF SUBLINGUAL GLAND	N/A	N/A	N/A	\$333.16
42507	PAROTID DUCT DIVERSION, BILATERAL (WILKE TYPE PROCEDURE)	N/A	N/A	N/A	\$470.04
42508	PAROTID DUCT DIVERSION, BILATERAL (WILKE TYPE PROCEDURE); WITH EXCISION OF ONE SUBMANDIBULAR GLAND	\$132.41	N/A	N/A	\$662.03

		Assistant	Professional	Technical	
		Surgeon Fee	Component Fee	Component Fee	
		Revision (Billing with Modifier	Revision (Billing with Modifier	Revision (Billing with Modifier	Total Fee Revision (Billing with No
Code	Description	80)	26)	TC)	Modifier
42509	PAROTID DUCT DIVERSION, BILATERAL (WILKE TYPE PROCEDURE); WITH EXCISION OF BOTH SUBMANDIBULAR GLANDS	N/A	N/A	N/A	\$814.34
42510	PAROTID DUCT DIVERSION, BILATERAL (WILKE TYPE PROCEDURE); WITH LIGATION OF BOTH SUBMANDIBULAR (WHARTONOS) DUCTS	\$119.12	N/A	N/A	\$595.62
43020	ESOPHAGOTOMY, CERVICAL APPROACH, WITH REMOVAL OF FOREIGN BODY	\$103.68	N/A	N/A	\$518.40
43100	EXCISION OF LESION, ESOPHAGUS, WITH PRIMARY REPAIR; CERVICAL APPROACH	\$117.92	N/A	N/A	\$589.61
43204	ESOPHAGOSCOPY, RIGID OR FLEXIBLE; WITH INJECTION SCLEROSIS OF ESOPHAGEAL VARICES		N/A	N/A	\$203.62
43215	ESOPHAGOSCOPY, RIGID OR FLEXIBLE; WITH REMOVAL OF FOREIGN BODY	\$29.25	N/A	N/A	\$146.27
43216	ESOPHAGOSCOPY, RIGID OR FLEXIBLE; WITH REMOVAL OF TUMOR(S), POLYP(S), OR OTHER LESION(S) BY HOT BIOPSY FORCEPS OR BIPOLAR CAUTERY	\$26.66	N/A	N/A	\$133.30
43220	ESOPHAGOSCOPY, RIGID OR FLEXIBLE; WITH BALLOON DILATION (LESS THAN 30 MM DIAMETER)	N/A	N/A	N/A	\$117.94
43226	ESOPHAGOSCOPY, RIGID OR FLEXIBLE; WITH INSERTION OF GUIDE WIRE FOLLOWED BY DILATION OVER GUIDE WIRE	N/A	N/A	N/A	\$129.69
43227	ESOPHAGOSCOPY, RIGID OR FLEXIBLE; WITH CONTROL OF BLEEDING (EG, INJECTION, BIPOLAR CAUTERY, UNIPOLAR CAUTERY, LASER, HEATER PROBE, STAPLER, PLASMA COAGULATOR)	N/A	N/A	N/A	\$194.17
43231	ESOPHAGOSCOPY, RIGID OR FLEXIBLE; WITH ENDOSCOPIC ULTRASOUND EXAMINATION	N/A	N/A	N/A	\$172.70
43241	UPPER GASTROINTESTINAL ENDOSCOPY INCLUDING ESOPHAGUS, STOMACH, AND EITHER THE DUODENUM AND/OR JEJUNUM AS APPROPRIATE; WITH TRANSENDOSCOPIC INTRALUMINAL TUBE OR CATHETER PLACEMENT	N/A	N/A	N/A	\$142.17
43243	UPPER GASTROINTESTINAL ENDOSCOPY INCLUDING ESOPHAGUS, STOMACH, AND EITHER THE DUODENUM AND/OR JEJUNUM AS APPROPRIATE; WITH INJECTION SCLEROSIS OF ESOPHAGEAL AND/OR GASTRIC VARICES	N/A	N/A	N/A	\$244.42

NOTICES	
---------	--

	Procedure Codes with Fees Exc	Assistant	Professional	Technical	
Code	Description	Assistant Surgeon Fee Revision (Billing with Modifier 80)	Component Fee Revision (Billing with Modifier 26)	Component Fee Revision (Billing with Modifier TC)	Total Fe Revisior (Billing with No Modifier
43245	UPPER GASTROINTESTINAL ENDOSCOPY INCLUDING ESOPHAGUS, STOMACH, AND EITHER THE DUODENUM AND/OR JEJUNUM AS APPROPRIATE; WITH DILATION OF GASTRIC OUTLET FOR OBSTRUCTION (EG, BALLOON, GUIDE WIRE, BOUGIE)	N/A	N/A	N/A	\$172.89
43246	UPPER GASTROINTESTINAL ENDOSCOPY INCLUDING ESOPHAGUS, STOMACH, AND EITHER THE DUODENUM AND/OR JEJUNUM AS APPROPRIATE; WITH DIRECTED PLACEMENT OF PERCUTANEOUS GASTROSTOMY TUBE	\$46.37	N/A	N/A	\$231.87
43247	UPPER GASTROINTESTINAL ENDOSCOPY INCLUDING ESOPHAGUS, STOMACH, AND EITHER THE DUODENUM AND/OR JEJUNUM AS APPROPRIATE; WITH REMOVAL OF FOREIGN BODY	N/A	N/A	N/A	\$183.17
43249	UPPER GASTROINTESTINAL ENDOSCOPY INCLUDING ESOPHAGUS, STOMACH, AND EITHER THE DUODENUM AND/OR JEJUNUM AS APPROPRIATE; WITH BALLOON DILATION OF ESOPHAGUS (LESS THAN 30 MM DIAMETER)	\$31.60	N/A	N/A	\$157.98
43250	UPPER GASTROINTESTINAL ENDOSCOPY INCLUDING ESOPHAGUS, STOMACH, AND EITHER THE DUODENUM AND/OR JEJUNUM AS APPROPRIATE; WITH REMOVAL OF TUMOR(S), POLYP(S), OR OTHER LESION(S) BY HOT BIOPSY FORCEPS OR BIPOLAR CAUTERY	\$34.80	N/A	N/A	\$173.99
43251	UPPER GASTROINTESTINAL ENDOSCOPY INCLUDING ESOPHAGUS, STOMACH, AND EITHER THE DUODENUM AND/OR JEJUNUM AS APPROPRIATE; WITH REMOVAL OF TUMOR(S), POLYP(S), OR OTHER LESION(S) BY SNARE TECHNIQUE	N/A	N/A	N/A	\$199.29
43260	ENDOSCOPIC RETROGRADE CHOLANGIOPANCREATOGRAPHY (ERCP); DIAGNOSTIC, WITH OR WITHOUT COLLECTION OF SPECIMEN(S) BY BRUSHING OR WASHING (SEPARATE PROCEDURE)	N/A	N/A	N/A	\$316.90
43261	ENDOSCOPIC RETROGRADE CHOLANGIOPANCREATOGRAPHY (ERCP); WITH BIOPSY, SINGLE OR MULTIPLE	\$66.67	N/A	N/A	\$333.33
43262	ENDOSCOPIC RETROGRADE CHOLANGIOPANCREATOGRAPHY (ERCP); WITH SPHINCTEROTOMY/PAPILLOTOMY	N/A	N/A	N/A	\$391.55
43267	ENDOSCOPIC RETROGRADE CHOLANGIOPANCREATOGRAPHY (ERCP); WITH ENDOSCOPIC RETROGRADE INSERTION OF NASOBILIARY OR NASOPANCREATIC DRAINAGE TUBE	N/A	N/A	N/A	\$391.55

	Procedure Codes with Fees Exc	Assistant	Professional	Technical	
Code	Description	Surgeon Fee Revision (Billing with Modifier 80)	Component Fee Revision (Billing with Modifier 26)	Component Fee Revision (Billing with Modifier TC)	Total Fee Revision (Billing with No Modifier,
43268	ENDOSCOPIC RETROGRADE CHOLANGIOPANCREATOGRAPHY (ERCP); WITH ENDOSCOPIC RETROGRADE INSERTION OF TUBE OR STENT INTO BILE OR PANCREATIC DUCT	N/A	N/A	N/A	\$394.97
43269	ENDOSCOPIC RETROGRADE CHOLANGIOPANCREATOGRAPHY (ERCP); WITH ENDOSCOPIC RETROGRADE REMOVAL OF FOREIGN BODY AND/OR CHANGE OF TUBE OR STENT	N/A	N/A	N/A	\$434.37
43271	ENDOSCOPIC RETROGRADE CHOLANGIOPANCREATOGRAPHY (ERCP); WITH ENDOSCOPIC RETROGRADE BALLOON DILATION OF AMPULLA, BILIARY AND/OR PANCREATIC DUCT(S)	N/A	N/A	N/A	\$391.55
43272	ENDOSCOPIC RETROGRADE CHOLANGIOPANCREATOGRAPHY (ERCP); WITH ABLATION OF TUMOR(S), POLYP(S), OR OTHER LESION(S) NOT AMENABLE TO REMOVAL BY HOT BIOPSY FORCEPS, BIPOLAR CAUTERY OR SNARE TECHNIQUE	N/A	N/A	N/A	\$391.55
43300	ESOPHAGOPLASTY, (PLASTIC REPAIR OR RECONSTRUCTION), CERVICAL APPROACH; WITHOUT REPAIR OF TRACHEOESOPHAGEAL FISTULA	\$119.73	N/A	N/A	\$598.65
43635	VAGOTOMY WHEN PERFORMED WITH PARTIAL DISTAL GASTRECTOMY (LIST SEPARATELY IN ADDITION TO CODE(S) FOR PRIMARY PROCEDURE)	\$22.05	N/A	N/A	\$110.24
43761	REPOSITIONING OF THE GASTRIC FEEDING TUBE, ANY METHOD, THROUGH THE DUODENUM FOR ENTERIC NUTRITION	N/A	N/A	N/A	\$102.71
44015	TUBE OR NEEDLE CATHETER JEJUNOSTOMY FOR ENTERAL ALIMENTATION, INTRAOPERATIVE, ANY METHOD (LIST SEPARATELY IN ADDITION TO PRIMARY PROCEDURE)	N/A	N/A	N/A	\$140.06
44121	ENTERECTOMY, RESECTION OF SMALL INTESTINE; EACH ADDITIONAL RESECTION AND ANASTOMOSIS (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	\$47.59	N/A	N/A	\$237.94
44139	MOBILIZATION (TAKE-DOWN) OF SPLENIC FLEXURE PERFORMED IN CONJUNCTION WITH PARTIAL COLECTOMY (LIST SEPARATELY IN ADDITION TO PRIMARY PROCEDURE)	\$23.81	N/A	N/A	\$119.04
44360	SMALL INTESTINAL ENDOSCOPY, ENTEROSCOPY BEYOND SECOND PORTION OF DUODENUM, NOT INCLUDING ILEUM; DIAGNOSTIC, WITH OR WITHOUT COLLECTION OF SPECIMEN(S) BY BRUSHING OR WASHING (SEPARATE PROCEDURE)	N/A	N/A	N/A	\$141.56

NOTICES	
---------	--

	Procedure Codes with Fees Exc	Assistant	Professional	Technical	
Code	Description	Surgeon Fee Revision (Billing with Modifier 80)	Component Fee Revision (Billing with Modifier 26)	Component Fee Revision (Billing with Modifier TC)	Total Fee Revision (Billing with No Modifier,
44361	SMALL INTESTINAL ENDOSCOPY, ENTEROSCOPY BEYOND SECOND PORTION OF DUODENUM, NOT INCLUDING ILEUM; WITH BIOPSY, SINGLE OR MULTIPLE	N/A	N/A	N/A	\$156.20
44363	SMALL INTESTINAL ENDOSCOPY, ENTEROSCOPY BEYOND SECOND PORTION OF DUODENUM, NOT INCLUDING ILEUM; WITH REMOVAL OF FOREIGN BODY	N/A	N/A	N/A	\$187.68
44364	SMALL INTESTINAL ENDOSCOPY, ENTEROSCOPY BEYOND SECOND PORTION OF DUODENUM, NOT INCLUDING ILEUM; WITH REMOVAL OF TUMOR(S), POLYP(S), OR OTHER LESION(S) BY SNARE TECHNIQUE	N/A	N/A	N/A	\$200.54
44365	SMALL INTESTINAL ENDOSCOPY, ENTEROSCOPY BEYOND SECOND PORTION OF DUODENUM, NOT INCLUDING ILEUM; WITH REMOVAL OF TUMOR(S), POLYP(S), OR OTHER LESION(S) BY HOT BIOPSY FORCEPS OR BIPOLAR CAUTERY	\$35.85	N/A	N/A	\$179.26
44373	SMALL INTESTINAL ENDOSCOPY, ENTEROSCOPY BEYOND SECOND PORTION OF DUODENUM, NOT INCLUDING ILEUM; WITH CONVERSION OF PERCUTANEOUS GASTROSTOMY TUBE TO PERCUTANEOUS JEJUNOSTOMY TUBE	N/A	N/A	N/A	\$189.05
44376	SMALL INTESTINAL ENDOSCOPY, ENTEROSCOPY BEYOND SECOND PORTION OF DUODENUM, INCLUDING ILEUM; DIAGNOSTIC, WITH OR WITHOUT COLLECTION OF SPECIMEN(S) BY BRUSHING OR WASHING (SEPARATE PROCEDURE)	\$56.24	N/A	N/A	\$281.18
44377	SMALL INTESTINAL ENDOSCOPY, ENTEROSCOPY BEYOND SECOND PORTION OF DUODENUM, INCLUDING ILEUM; WITH BIOPSY, SINGLE OR MULTIPLE	\$58.91	N/A	N/A	\$294.57
44378	SMALL INTESTINAL ENDOSCOPY, ENTEROSCOPY BEYOND SECOND PORTION OF DUODENUM, INCLUDING ILEUM; WITH CONTROL OF BLEEDING (EG, INJECTION, BIPOLAR CAUTERY, UNIPOLAR CAUTERY, LASER, HEATER PROBE, STAPLER, PLASMA COAGULATOR)	\$75.60	N/A	N/A	\$378.01
44380	ILEOSCOPY, THROUGH STOMA; DIAGNOSTIC, WITH OR WITHOUT COLLECTION OF SPECIMEN(S) BY BRUSHING OR WASHING (SEPARATE PROCEDURE)	N/A	N/A	N/A	\$61.04
44382	ILEOSCOPY, THROUGH STOMA; WITH BIOPSY, SINGLE OR MULTIPLE	N/A	N/A	N/A	\$73.33

		Assistant Surgeon Fee	Professional Component Fee	Technical Component Fee	<i></i>
Code	Description	<i>Revision (Billing with Modifier 80)</i>	Revision (Billing with Modifier 26)	Revision (Billing with Modifier TC)	Total Fee Revision (Billing with No Modifier
44385	ENDOSCOPIC EVALUATION OF SMALL INTESTINAL (ABDOMINAL OR PELVIC) POUCH; DIAGNOSTIC, WITH OR WITHOUT COLLECTION OF SPECIMEN(S) BY BRUSHING OR WASHING (SEPARATE PROCEDURE)	N/A	N/A	N/A	\$99.19
44392	COLONOSCOPY THROUGH STOMA; WITH REMOVAL OF TUMOR(S), POLYP(S), OR OTHER LESION(S) BY HOT BIOPSY FORCEPS OR BIPOLAR CAUTERY	N/A	N/A	N/A	\$205.71
44393	COLONOSCOPY THROUGH STOMA; WITH ABLATION OF TUMOR(S), POLYP(S), OR OTHER LESION(S) NOT AMENABLE TO REMOVAL BY HOT BIOPSY FORCEPS, BIPOLAR CAUTERY OR SNARE TECHNIQUE	N/A	N/A	N/A	\$259.80
44955	APPENDECTOMY; WHEN DONE FOR INDICATED PURPOSE AT TIME OF OTHER MAJOR PROCEDURE (NOT AS SEPARATE PROCEDURE) (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	N/A	N/A	N/A	\$82.55
45123	PROCTECTOMY, PARTIAL, WITHOUT ANASTOMOSIS, PERINEAL APPROACH	\$184.70	N/A	N/A	\$923.48
45150	DIVISION OF STRICTURE OF RECTUM	N/A	N/A	N/A	\$334.66
45307	PROCTOSIGMOIDOSCOPY, RIGID; WITH REMOVAL OF FOREIGN BODY	N/A	N/A	N/A	\$55.39
45308	PROCTOSIGMOIDOSCOPY, RIGID; WITH REMOVAL OF SINGLE TUMOR, POLYP OR OTHER LESION BY HOT BIOPSY FORCEPS OR BIPOLAR CAUTERY	N/A	N/A	N/A	\$49.24
45320	PROCTOSIGMOIDOSCOPY, RIGID; WITH ABLATION OF TUMOR(S), POLYP(S) OR OTHER LESION(S) NOT AMENABLE TO REMOVAL BY HOT BIOPSY FORCEPS, BIPOLAR CAUTERY OR SNARE TECHNIQUE (EG, LASER)	N/A	N/A	N/A	\$89.04
45321	PROCTOSIGMOIDOSCOPY, RIGID; WITH DECOMPRESSION OF VOLVULUS	N/A	N/A	N/A	\$67.45
45337	SIGMOIDOSCOPY, FLEXIBLE; WITH DECOMPRESSION OF VOLVULUS, ANY METHOD	N/A	N/A	N/A	\$130.04
45339	SIGMOIDOSCOPY, FLEXIBLE; WITH ABLATION OF TUMOR(S), POLYP(S) OR OTHER LESION(S) NOT AMENABLE TO REMOVAL BY HOT BIOPSY FORCEPS, BIPOLAR CAUTERY OR SNARE TECHNIQUE	N/A	N/A	N/A	\$170.69
45341	SIGMOIDOSCOPY, FLEXIBLE; WITH ENDOSCOPIC ULTRASOUND EXAMINATION	N/A	N/A	N/A	\$140.91
46030	REMOVAL OF ANAL SETON, OTHER MARKER	N/A	N/A	N/A	\$75.16

NOTICES
---------

	Procedure Codes with Fees Exc	Assistant	Professional	Technical	
		Assistant Surgeon Fee Revision (Billing with Modifier	Component Fee Revision (Billing with Modifier	Component Fee Revision (Billing with Modifier	Total Fe Revision (Billing with No
Code	Description	80)	26)	TC)	Modifier
46715	REPAIR OF LOW IMPERFORATE ANUS; WITH ANOPERINEAL FISTULA (CUT-BACK PROCEDURE)	N/A	N/A	N/A	\$422.96
46751	SPHINCTEROPLASTY, ANAL, FOR INCONTINENCE OR PROLAPSE; CHILD	\$109.26	N/A	N/A	\$546.31
47505	INJECTION PROCEDURE FOR CHOLANGIOGRAPHY THROUGH AN EXISTING CATHETER (EG, PERCUTANEOUS TRANSHEPATIC OR T-TUBE)	N/A	N/A	N/A	\$38.57
47550	BILIARY ENDOSCOPY, INTRAOPERATIVE (CHOLEDOCHOSCOPY) (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	N/A	N/A	N/A	\$161.54
48102	BIOPSY OF PANCREAS, PERCUTANEOUS NEEDLE	N/A	N/A	N/A	\$252.19
48400	INJECTION PROCEDURE FOR INTRAOPERATIVE PANCREATOGRAPHY (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	N/A	N/A	N/A	\$100.36
49180	BIOPSY, ABDOMINAL OR RETROPERITONEAL MASS, PERCUTANEOUS NEEDLE	N/A	N/A	N/A	\$88.10
49420	INSERTION OF INTRAPERITONEAL CANNULA OR CATHETER FOR DRAINAGE OR DIALYSIS; TEMPORARY	N/A	N/A	N/A	\$127.81
49422	REMOVAL OF PERMANENT INTRAPERITONEAL CANNULA OR CATHETER	N/A	N/A	N/A	\$360.97
49568	IMPLANTATION OF MESH OR OTHER PROSTHESIS FOR INCISIONAL OR VENTRAL HERNIA REPAIR (LIST SEPARATELY IN ADDITION TO CODE FOR THE INCISIONAL OR VENTRAL HERNIA REPAIR)	\$52.32	N/A	N/A	\$261.58
49572	REPAIR EPIGASTRIC HERNIA (EG, PREPERITONEAL FAT); INCARCERATED OR STRANGULATED	\$80.03	N/A	N/A	\$400.17
49580	REPAIR UMBILICAL HERNIA, UNDER AGE 5 YEARS; REDUCIBLE	\$52.15	N/A	N/A	\$260.75
49582	REPAIR UMBILICAL HERNIA, UNDER AGE 5 YEARS; INCARCERATED OR STRANGULATED	\$79.43	N/A	N/A	\$397.14
49905	OMENTAL FLAP, INTRA-ABDOMINAL (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	\$69.88	N/A	N/A	\$349.38
50390	ASPIRATION AND/OR INJECTION OF RENAL CYST OR PELVIS BY NEEDLE, PERCUTANEOUS	N/A	N/A	N/A	\$99.82
50392	INTRODUCTION OF INTRACATHETER OR CATHETER INTO RENAL PELVIS FOR DRAINAGE AND/OR INJECTION, PERCUTANEOUS	N/A	N/A	N/A	\$185.78

	Procedure Codes with Fees Exc	Assistant	Professional	Technical	
Code	Description	Surgeon Fee Revision (Billing with Modifier 80)	Component Fee Revision (Billing with Modifier 26)	Component Fee Revision (Billing with Modifier TC)	Total Fe Revision (Billing with No Modifier
50393	INTRODUCTION OF URETERAL CATHETER OR STENT INTO URETER THROUGH RENAL PELVIS FOR DRAINAGE AND/OR INJECTION, PERCUTANEOUS	N/A	N/A	N/A	\$226.10
50394	INJECTION PROCEDURE FOR PYELOGRAPHY (AS NEPHROSTOGRAM, PYELOSTOGRAM, ANTEGRADE PYELOURETEROGRAMS) THROUGH NEPHROSTOMY OR PYELOSTOMY TUBE, OR INDWELLING URETERAL CATHETER	N/A	N/A	N/A	\$52.89
50395	INTRODUCTION OF GUIDE INTO RENAL PELVIS AND/OR URETER WITH DILATION TO ESTABLISH NEPHROSTOMY TRACT, PERCUTANEOUS	N/A	N/A	N/A	\$185.40
50575	RENAL ENDOSCOPY THROUGH NEPHROTOMY OR PYELOTOMY, WITH OR WITHOUT IRRIGATION, INSTILLATION OR URETEROPYELOGRAPHY, EXCLUSIVE OF RADIOLOGIC SERVICE; WITH ENDOPYELOTOMY (INCLUDES CYSTOSCOPY, URETEROSCOPY, DILATION OF URETER AND URETERAL PELVIC JUNCTION, AND INSERTION OF ENDOPHYELOTOMY STENT)	\$143.58	N/A	N/A	\$717.90
50980	URETERAL ENDOSCOPY THROUGH URETEROTOMY, WITH OR WITHOUT IRRIGATION, INSTILLATION OR URETEROPYELOGRAPHY, EXCLUSIVE OF RADIOLOGIC SERVICE; WITH REMOVAL OF FOREIGN BODY OR CALCULUS	N/A	N/A	N/A	\$355.24
51020	CYSTOTOMY OR CYSTOSTOMY; WITH FULGURATION AND/OR INSERTION OF RADIOACTIVE MATERIAL	\$80.04	N/A	N/A	\$400.22
51030	CYSTOTOMY OR CYSTOSTOMY; WITH CRYOSURGICAL DESTRUCTION OF INTRAVESICAL LESION	\$81.99	N/A	N/A	\$409.95
51050	CYSTOLITHOTOMY, CYSTOTOMY WITH REMOVAL OF CALCULUS, WITHOUT VESICAL NECK RESECTION	\$80.32	N/A	N/A	\$401.61
51798	MEASUREMENT OF POST-VOIDING RESIDUAL URINE AND/OR BLADDER CAPACITY BY ULTRASOUND, NONIMAGING	N/A	N/A	N/A	\$14.07
51845	ABDOMINO-VAGINAL VESICAL NECK SUSPENSION, WITH OR WITHOUT ENDOSCOPIC CONTROL (EG, STAMEY, RAZ, MODIFIED PEREYRA)	N/A	N/A	N/A	\$554.87
51980	CUTANEOUS VESICOSTOMY	\$128.06	N/A	N/A	\$640.28
52235	CYSTOURETHROSCOPY, WITH FULGURATION (INCLUDING CRYOSURGERY OR LASER SURGERY) AND/OR RESECTION OF; MEDIUM BLADDER TUMOR(S) (2.0 TO 5.0 CM)	N/A	N/A	N/A	\$284.39
52276	CYSTOURETHROSCOPY WITH DIRECT VISION INTERNAL URETHROTOMY	N/A	N/A	N/A	\$260.99

NOTICES
---------

	Procedure Codes with Fees Exc			Trabation	
Code	Description	Assistant Surgeon Fee Revision (Billing with Modifier 80)	Professional Component Fee Revision (Billing with Modifier 26)	Technical Component Fee Revision (Billing with Modifier TC)	Total Fe Revision (Billing with No Modifier
52301	CYSTOURETHROSCOPY; WITH RESECTION OR FULGURATION OF ECTOPIC URETEROCELE(S), UNILATERAL OR BILATERAL	N/A	N/A	N/A	\$290.51
52320	CYSTOURETHROSCOPY (INCLUDING URETERAL CATHETERIZATION); WITH REMOVAL OF URETERAL CALCULUS	N/A	N/A	N/A	\$243.54
52325	CYSTOURETHROSCOPY (INCLUDING URETERAL CATHETERIZATION); WITH FRAGMENTATION OF URETERAL CALCULUS (EG, ULTRASONIC OR ELECTRO-HYDRAULIC TECHNIQUE)	N/A	N/A	N/A	\$318.98
52612	TRANSURETHRAL RESECTION OF PROSTATE; FIRST STAGE OF TWO-STAGE RESECTION (PARTIAL RESECTION)	N/A	N/A	N/A	\$446.99
52614	TRANSURETHRAL RESECTION OF PROSTATE; SECOND STAGE OF TWO-STAGE RESECTION (RESECTION COMPLETED)	N/A	N/A	N/A	\$388.02
52630	TRANSURETHRAL RESECTION; OF REGROWTH OF OBSTRUCTIVE TISSUE LONGER THAN 1 YEAR POSTOPERATIVE	N/A	N/A	N/A	\$399.72
54065	DESTRUCTION OF LESION(S), PENIS (EG, CONDYLOMA, PAPILLOMA, MOLLUSCUM CONTAGIOSUM, HERPETIC VESICLE), EXTENSIVE (EG, LASER SURGERY, ELECTROSURGERY, CRYOSURGERY, CHEMOSURGERY)	N/A	N/A	N/A	\$137.73
54111	EXCISION OF PENILE PLAQUE (PEYRONIE DISEASE); WITH GRAFT TO 5 CM IN LENGTH	\$148.08	N/A	N/A	\$740.42
54112	EXCISION OF PENILE PLAQUE (PEYRONIE DISEASE); WITH GRAFT GREATER THAN 5 CM IN LENGTH	\$173.40	N/A	N/A	\$866.99
54115	REMOVAL FOREIGN BODY FROM DEEP PENILE TISSUE (EG, PLASTIC IMPLANT)	N/A	N/A	N/A	\$364.10
54328	ONE STAGE DISTAL HYPOSPADIAS REPAIR (WITH OR WITHOUT CHORDEE OR CIRCUMCISION); WITH EXTENSIVE DISSECTION TO CORRECT CHORDEE AND URETHROPLASTY WITH LOCAL SKIN FLAPS, SKIN GRAFT PATCH AND/OR ISLAND FLAP	\$174.09	N/A	N/A	\$870.44
54332	ONE STAGE PROXIMAL PENILE OR PENOSCROTAL HYPOSPADIAS REPAIR REQUIRING EXTENSIVE DISSECTION TO CORRECT CHORDEE AND URETHROPLASTY BY USE OF SKIN GRAFT TUBE AND/OR ISLAND FLAP	\$189.54	N/A	N/A	\$947.69
54344	REPAIR OF HYPOSPADIAS COMPLICATIONS (IE, FISTULA, STRICTURE, DIVERTICULA); REQUIRING MOBILIZATION OF SKIN FLAPS AND URETHROPLASTY WITH FLAP OR PATCH GRAFT	\$183.13	N/A	N/A	\$915.63

		Assistant Surgeon Fee	Professional Component Fee	Technical Component Fee	
		Revision (Billing with Modifier	Revision (Billing with Modifier	Revision (Billing with Modifier	Total Fe Revision (Billing with No
Code	Description	80)	<i>26)</i>	TC)	Modifier
54348	REPAIR OF HYPOSPADIAS COMPLICATIONS (IE, FISTULA, STRICTURE, DIVERTICULA); REQUIRING EXTENSIVE DISSECTION AND URETHROPLASTY WITH FLAP, PATCH OR TUBED GRAFT (INCLUDES URINARY DIVERSION)	\$194.43	N/A	N/A	\$972.15
54430	CORPORA CAVERNOSA-CORPUS SPONGIOSUM SHUNT (PRIAPISM OPERATION), UNILATERAL OR BILATERAL	\$116.11	N/A	N/A	\$580.57
55680	EXCISION OF MULLERIAN DUCT CYST	\$62.44	N/A	N/A	\$312.19
56606	BIOPSY OF VULVA OR PERINEUM (SEPARATE PROCEDURE); EACH SEPARATE ADDITIONAL LESION (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	N/A	N/A	N/A	\$30.50
56720	HYMENOTOMY, SIMPLE INCISION	N/A	N/A	N/A	\$45.65
57065	DESTRUCTION OF VAGINAL LESION(S); EXTENSIVE (EG, LASER SURGERY, ELECTROSURGERY, CRYOSURGERY, CHEMOSURGERY)	N/A	N/A	N/A	\$165.47
57282	COLPOPEXY, VAGINAL; EXTRA-PERITONEAL APPROACH (SACROSPINOUS, ILIOCOCCYGEUS)	\$89.06	N/A	N/A	\$445.30
57284	PARAVAGINAL DEFECT REPAIR (INCLUDING REPAIR OF CYSTOCELE, STRESS URINARY INCONTINENCE, AND/OR INCOMPLETE VAGINAL PROLAPSE)	\$153.67	N/A	N/A	\$768.36
57291	CONSTRUCTION OF ARTIFICIAL VAGINA; WITHOUT GRAFT	N/A	N/A	N/A	\$497.84
57308	CLOSURE OF RECTOVAGINAL FISTULA; TRANSPERINEAL APPROACH, WITH PERINEAL BODY RECONSTRUCTION, WITH OR WITHOUT LEVATOR PLICATION	N/A	N/A	N/A	\$585.48
57310	CLOSURE OF URETHROVAGINAL FISTULA	\$80.87	N/A	N/A	\$404.33
57311	CLOSURE OF URETHROVAGINAL FISTULA; WITH BULBOCAVERNOSUS TRANSPLANT	\$92.55	N/A	N/A	\$462.73
57320	CLOSURE OF VESICOVAGINAL FISTULA; VAGINAL APPROACH	\$94.73	N/A	N/A	\$473.64
57522	CONIZATION OF CERVIX, WITH OR WITHOUT FULGURATION, WITH OR WITHOUT DILATION AND CURETTAGE, WITH OR WITHOUT REPAIR; LOOP ELECTRODE EXCISION	N/A	N/A	N/A	\$223.57
57556	EXCISION OF CERVICAL STUMP, VAGINAL APPROACH; WITH REPAIR OF ENTEROCELE	\$102.21	N/A	N/A	\$511.06
57820	DILATION AND CURETTAGE OF CERVICAL STUMP	N/A	N/A	N/A	\$108.37

NOTICES	
---------	--

	Procedure Codes with Fees Ex	ceeding 100%			
Code	Description	Assistant Surgeon Fee Revision (Billing with Modifier 80)	Professional Component Fee Revision (Billing with Modifier 26)	Technical Component Fee Revision (Billing with Modifier TC)	Total Fee Revision (Billing with No Modifier;
58960	LAPAROTOMY, FOR STAGING OR RESTAGING OF OVARIAN, TUBAL OR PRIMARY PERITONEAL MALIGNANCY (SECOND LOOK), WITH OR WITHOUT OMENTECTOMY, PERITONEAL WASHING, BIOPSY OF ABDOMINAL AND PELVIC PERITONEUM, DIAPHRAGMATIC ASSESSMENT WITH PELVIC AND LIMITED PARA-AORTIC LYPHADENECTOMY	\$172.21	N/A	N/A	\$861.05
59856	INDUCED ABORTION, BY ONE OR MORE VAGINAL SUPPOSITORIES (EG, PROSTAGLANDIN) WITH OR WITHOUT CERVICAL DILATION (EG, LAMINARIA), INCLUDING HOSPITAL ADMISSION AND VISITS, DELIVERY OF FETUS AND SECUNDINES; WITH DILATION AND CURETTAGE AND/OR EVACUATION	N/A	N/A	N/A	\$476.59
59857	INDUCED ABORTION, BY ONE OR MORE VAGINAL SUPPOSITORIES (EG, PROSTAGLANDIN) WITH OR WITHOUT CERVICAL DILATION (EG, LAMINARIA), INCLUDING HOSPITAL ADMISSION AND VISITS, DELIVERY OF FETUS AND SECUNDINES; WITH HYSTEROTOMY (FAILED MEDICAL EVACUATION)	N/A	N/A	N/A	\$574.43
60210	PARTIAL THYROID LOBECTOMY, UNILATERAL; WITH OR WITHOUT ISTHMUSECTOMY	\$128.45	N/A	N/A	\$642.27
60212	PARTIAL THYROID LOBECTOMY, UNILATERAL; WITH CONTRALATERAL SUBTOTAL LOBECTOMY, INCLUDING ISTHMUSECTOMY	\$185.77	N/A	N/A	\$928.87
60271	THYROIDECTOMY, INCLUDING SUBSTERNAL THYROID; CERVICAL APPROACH	\$196.76	N/A	N/A	\$983.81
60512	PARATHYROID AUTOTRANSPLANTATION (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	\$47.97	N/A	N/A	\$239.83
61000	SUBDURAL TAP THROUGH FONTANELLE, OR SUTURE, INFANT, UNILATERAL OR BILATERAL; INITIAL	N/A	N/A	N/A	\$96.32
61001	SUBDURAL TAP THROUGH FONTANELLE, OR SUTURE, INFANT, UNILATERAL OR BILATERAL; SUBSEQUENT TAPS	N/A	N/A	N/A	\$97.59
61020	VENTRICULAR PUNCTURE THROUGH PREVIOUS BURR HOLE, FONTANELLE, SUTURE OR IMPLANTED VENTRICULAR CATHETER/RESERVOIR; WITHOUT INJECTION	N/A	N/A	N/A	\$113.42
61026	VENTRICULAR PUNCTURE THROUGH PREVIOUS BURR HOLE, FONTANELLE, SUTURE, OR IMPLANTED VENTRICULAR CATHETER/RESERVOIR; WITH INJECTION OF MEDICATION OR OTHER SUBSTANCE FOR DIAGNOSIS OR TREATMENT	N/A	N/A	N/A	\$121.64

		Assistant	Professional	Technical	
Code	Description	Surgeon Fee Revision (Billing with Modifier 80)	Component Fee Revision (Billing with Modifier 26)	Component Fee Revision (Billing with Modifier TC)	Total Fee Revision (Billing with No Modifier,
61050	CISTERNAL OR LATERAL CERVICAL (C1-C2) PUNCTURE; WITHOUT INJECTION (SEPARATE PROCEDURE)	N/A	N/A	N/A	\$104.00
61105	TWIST DRILL HOLE FOR SUBDURAL OR VENTRICULAR PUNCTURE	N/A	N/A	N/A	\$369.42
61107	TWIST DRILL HOLE FOR SUBDURAL OR VENTRICULAR PUNCTURE; FOR IMPLANTING VENTRICULAR CATHETER OR PRESSURE RECORDING DEVICE	N/A	N/A	N/A	\$315.34
61210	BURR HOLE(S); FOR IMPLANTING VENTRICULAR CATHETER, RESERVOIR, EEG ELECTRODE(S) OR PRESSURE RECORDING DEVICE (SEPARATE PROCEDURE)	N/A	N/A	N/A	\$366.58
61215	INSERTION OF SUBCUTANEOUS RESERVOIR, PUMP OR CONTINUOUS INFUSION SYSTEM FOR CONNECTION TO VENTRICULAR CATHETER	N/A	N/A	N/A	\$360.50
61531	SUBDURAL IMPLANTATION OF STRIP ELECTRODES THROUGH ONE OR MORE BURR OR TREPHINE HOLE(S) FOR LONG TERM SEIZURE MONITORING	\$196.38	N/A	N/A	\$981.92
61550	CRANIECTOMY FOR CRANIOSYNOSTOSIS; SINGLE CRANIAL SUTURE	\$164.39	N/A	N/A	\$821.95
61626	TRANSCATHETER OCCLUSION OR EMBOLIZATION (EG, FOR TUMOR DESTRUCTION, TO ACHIEVE HEMOSTASIS, TO OCCLUDE A VASCULAR MALFORMATION), PERCUTANEOUS, ANY METHOD; NONCENTRAL NERVOUS SYSTEM, HEAD OR NECK (EXTRACRANIAL, BRACHIOCEPHALIC BRANCH)	N/A	N/A	N/A	\$856.01
61880	REVISION OR REMOVAL OF INTRACRANIAL NEUROSTIMULATOR ELECTRODES	N/A	N/A	N/A	\$445.26
61885	INSERTION OR REPLACEMENT OF CRANIAL NEUROSTIMULATOR PULSE GENERATOR OR RECEIVER, DIRECT OR INDUCTIVE COUPLING; WITH CONNECTION TO A SINGLE ELECTRODE ARRAY	N/A	N/A	N/A	\$451.75
61888	REVISION OR REMOVAL OF CRANIAL NEUROSTIMULATOR PULSE GENERATOR OR RECEIVER	N/A	N/A	N/A	\$358.18
62140	CRANIOPLASTY FOR SKULL DEFECT; UP TO 5 CM DIAMETER	\$180.40	N/A	N/A	\$902.02
62141	CRANIOPLASTY FOR SKULL DEFECT; LARGER THAN 5 CM DIAMETER	\$197.78	N/A	N/A	\$988.88
62142	REMOVAL OF BONE FLAP OR PROSTHETIC PLATE OF SKULL	\$146.17	N/A	N/A	\$730.87
62143	REPLACEMENT OF BONE FLAP OR PROSTHETIC PLATE OF SKULL	\$174.39	N/A	N/A	\$871.96

	Procedure Codes with Fees Exe	ceeding 100%	Medicare		
Code	Description	Assistant Surgeon Fee Revision (Billing with Modifier 80)	Professional Component Fee Revision (Billing with Modifier 26)	Technical Component Fee Revision (Billing with Modifier TC)	Total Fee Revision (Billing with No Modifier)
62192	CREATION OF SHUNT; SUBARACHNOID/SUBDURAL-PERITONEAL, -PLEURAL, OTHER TERMINUS	\$163.32	N/A	N/A	\$816.59
62194	REPLACEMENT OR IRRIGATION, SUBARACHNOID/SUBDURAL CATHETER	N/A	N/A	N/A	\$301.76
62201	VENTRICULOCISTERNOSTOMY, THIRD VENTRICLE; STEREOTACTIC, NEUROENDOSCOPIC METHOD	\$199.64	N/A	N/A	\$998.22
62287	ASPIRATION OR DECOMPRESSION PROCEDURE, PERCUTANEOUS, OF NUCLEUS PULPOSUS OF INTERVERTEBRAL DISK, ANY METHOD, SINGLE OR MULTIPLE LEVELS, LUMBAR (EG, MANUAL OR AUTOMATED PERCUTANEOUS DISKECTOMY, PERCUTANEOUS LASER DISKECTOMY)	\$102.79	N/A	N/A	\$513.95
62350	IMPLANTATION, REVISION OR REPOSITIONING OF TUNNELED INTRATHECAL OR EPIDURAL CATHETER, FOR LONG-TERM MEDICATION ADMINISTRATION VIA AN EXTERNAL PUMP OR IMPLANTABLE RESERVOIR/INFUSION PUMP; WITHOUT LAMINECTOMY	\$85.23	N/A	N/A	\$426.16
62355	REMOVAL OF PREVIOUSLY IMPLANTED INTRATHECAL OR EPIDURAL CATHETER	\$67.24	N/A	N/A	\$336.21
62365	REMOVAL OF SUBCUTANEOUS RESERVOIR OR PUMP, PREVIOUSLY IMPLANTED FOR INTRATHECAL OR EPIDURAL INFUSION	\$70.80	N/A	N/A	\$354.01
63030	LAMINOTOMY (HEMILAMINECTOMY), WITH DECOMPRESSION OF NERVE ROOT(S), INCLUDING PARTIAL FACETECTOMY, FORAMINOTOMY AND/OR EXCISION OF HERNIATED INTERVERTEBRAL DISK; ONE INTERSPACE, LUMBAR (INCLUDING OPEN OR ENDOSCOPICALLY-ASSISTED APPROACH)	\$166.83	N/A	N/A	\$834.16
63035	LAMINOTOMY (HEMILAMINECTOMY), WITH DECOMPRESSION OF NERVE ROOT(S), INCLUDING PARTIAL FACETECTOMY, FORAMINOTOMY AND/OR EXCISION OF HERNIATED INTERVERTEBRAL DISK; EACH ADDITIONAL INTERSPACE, CERVICAL OR LUMBAR (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	\$39.57	N/A	N/A	\$197.86
63047	LAMINECTOMY, FACETECTOMY AND FORAMINOTOMY (UNILATERAL OR BILATERAL WITH DECOMPRESSION OF SPINAL CORD, CAUDA EQUINA AND/OR NERVE ROOT(S), (EG, SPINAL OR LATERAL RECESS STENOSIS)), SINGLE VERTEBRAL SEGMENT; LUMBAR	\$198.14	N/A	N/A	\$990.69

		Assistant	Professional	Technical	
Code	Description	Surgeon Fee Revision (Billing with Modifier 80)	Component Fee Revision (Billing with Modifier 26)	Component Fee Revision (Billing with Modifier TC)	Total Fe Revision (Billing with No Modifier
63048	LAMINECTOMY, FACETECTOMY AND FORAMINOTOMY (UNILATERAL OR BILATERAL WITH DECOMPRESSION OF SPINAL CORD, CAUDA EQUINA AND/OR NERVE ROOT(S), (EG, SPINAL OR LATERAL RECESS STENOSIS)), SINGLE VERTEBRAL SEGMENT; EACH ADDITIONAL SEGMENT, CERVICAL, THORACIC OR LUMBAR (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	\$40.46	N/A	N/A	\$202.28
63057	TRANSPEDICULAR APPROACH WITH DECOMPRESSION OF SPINAL CORD, EQUINA AND/OR NERVE ROOT(S) (EG, HERNIATED INTERVERTEBRAL DISK), SINGLE SEGMENT; EACH ADDITIONAL SEGMENT, THORACIC OR LUMBAR (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	\$65.29	N/A	N/A	\$326.47
63066	COSTOVERTEBRAL APPROACH WITH DECOMPRESSION OF SPINAL CORD OR NERVE ROOT(S), (EG, HERNIATED INTERVERTEBRAL DISK), THORACIC; EACH ADDITIONAL SEGMENT (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	\$40.27	N/A	N/A	\$201.37
63076	DISKECTOMY, ANTERIOR, WITH DECOMPRESSION OF SPINAL CORD AND/ OR NERVE ROOT(S), INCLUDING OSTEOPHYTECTOMY; CERVICAL, EACH ADDITIONAL INTERSPACE (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	\$50.57	N/A	N/A	\$252.85
63078	DISKECTOMY, ANTERIOR, WITH DECOMPRESSION OF SPINAL CORD AND/ OR NERVE ROOT(S), INCLUDING OSTEOPHYTECTOMY; THORACIC, EACH ADDITIONAL INTERSPACE (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	\$40.10	N/A	N/A	\$200.52
63082	VERTEBRAL CORPECTOMY (VERTEBRAL BODY RESECTION), PARTIAL OR COMPLETE, ANTERIOR APPROACH WITH DECOMPRESSION OF SPINAL CORD AND/OR NERVE ROOT(S); CERVICAL, EACH ADDITIONAL SEGMENT (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	\$54.52	N/A	N/A	\$272.62
63086	VERTEBRAL CORPECTOMY (VERTEBRAL BODY RESECTION), PARTIAL OR COMPLETE, TRANSTHORACIC APPROACH WITH DECOMPRESSION OF SPINAL CORD AND/OR NERVE ROOT(S); THORACIC, EACH ADDITIONAL SEGMENT (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	\$38.65	N/A	N/A	\$193.27

NOTICES	
---------	--

		Assistant Surgeon Fee Revision (Billing with Modifier	Professional Component Fee Revision (Billing with Modifier	Technical Component Fee Revision (Billing with Modifier	Total Fea Revision (Billing with No
Code	Description	<i>80)</i>	26)	TC)	Modifier
63088	VERTEBRAL CORPECTOMY (VERTEBRAL BODY RESECTION), PARTIAL OR COMPLETE, COMBINED THORACOLUMBAR APPROACH WITH DECOMPRESSION OF SPINAL CORD, CAUDA EQUINA OR NERVE ROOT(S), LOWER THORACIC OR LUMBAR; EACH ADDITIONAL SEGMENT (LIST SEPARATELY IN ADDITION TO PRIMARY PROCEDURE)	\$52.66	N/A	N/A	\$263.28
63091	VERTEBRAL CORPECTOMY (VERTEBRAL BODY RESECTION), PARTIAL OR COMPLETE, TRANSPERITONEAL OR RETROPERITONEAL APPROACH WITH DECOMPRESSION OF SPINAL CORD, CAUDA EQUINA OR NERVE ROOT(S), LOWER THORACIC, LUMBAR OR SACRAL; EACH ADDITIONAL SEGMENT (LIST SEPARATELY IN ADDITION TO PRIMARY PROCEDURE)	\$35.88	N/A	N/A	\$179.40
63308	VERTEBRAL CORPECTOMY (VERTEBRAL BODY RESECTION), PARTIAL OR COMPLETE, FOR EXCISION OF INTRASPINAL LESION, SINGLE SEGMENT; EACH ADDITIONAL SEGMENT (LIST SEPARATELY IN ADDITION TO CODES FOR SINGLE SEGMENT)	\$65.44	N/A	N/A	\$327.21
63655	LAMINECTOMY FOR IMPLANTATION OF NEUROSTIMULATOR ELECTRODES, PLATE/PADDLE, EPIDURAL	\$139.93	N/A	N/A	\$699.64
63707	REPAIR OF DURAL/CEREBROSPINAL FLUID LEAK, NOT REQUIRING LAMINECTOMY	\$153.31	N/A	N/A	\$766.53
63709	REPAIR OF DURAL/CEREBROSPINAL FLUID LEAK OR PSEUDOMENINGOCELE, WITH LAMINECTOMY	\$191.67	N/A	N/A	\$958.33
63710	DURAL GRAFT, SPINAL	\$189.20	N/A	N/A	\$946.02
63740	CREATION OF SHUNT, LUMBAR, SUBARACHNOID-PERITONEAL, -PLEURAL, OR OTHER; INCLUDING LAMINECTOMY	\$154.17	N/A	N/A	\$770.85
63741	CREATION OF SHUNT, LUMBAR, SUBARACHNOID-PERITONEAL, -PLEURAL, OR OTHER; PERCUTANEOUS, NOT REQUIRING LAMINECTOMY	\$105.14	N/A	N/A	\$525.69
63744	REPLACEMENT, IRRIGATION OR REVISION OF LUMBOSUBARACHNOID SHUNT	\$108.89	N/A	N/A	\$544.47
63746	REMOVAL OF ENTIRE LUMBOSUBARACHNOID SHUNT SYSTEM WITHOUT REPLACEMENT	N/A	N/A	N/A	\$419.25
64472	INJECTION, ANESTHETIC AGENT AND/OR STEROID, PARAVERTEBRAL FACET JOINT OR FACET JOINT NERVE; CERVICAL OR THORACIC, EACH ADDITIONAL LEVEL (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	N/A	N/A	N/A	\$62.95

Code	Decemintion	Assistant Surgeon Fee Revision (Billing with Modifier 80)	Professional Component Fee Revision (Billing with Modifier 26)	Technical Component Fee Revision (Billing with Modifier TC)	Total Fe Revisior (Billing with No Modifier
64476	Description INJECTION, ANESTHETIC AGENT AND/OR STEROID, PARAVERTEBRAL FACET JOINT OR FACET JOINT NERVE; LUMBAR OR SACRAL, EACH ADDITIONAL LEVEL (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	<u> </u>	20) N/A	TC) N/A	\$47.48
64480	INJECTION, ANESTHETIC AGENT AND/OR STEROID, TRANSFORAMINAL EPIDURAL; CERVICAL OR THORACIC, EACH ADDITIONAL LEVEL (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	N/A	N/A	N/A	\$77.48
64555	PERCUTANEOUS IMPLANTATION OF NEUROSTIMULATOR ELECTRODES; PERIPHERAL NERVE (EXCLUDES SACRAL NERVE)	N/A	N/A	N/A	\$132.51
64575	INCISION FOR IMPLANTATION OF NEUROSTIMULATOR ELECTRODES; PERIPHERAL NERVE (EXCLUDES SACRAL NERVE)	N/A	N/A	N/A	\$274.72
64714	NEUROPLASTY, MAJOR PERIPHERAL NERVE, ARM OR LEG; LUMBAR PLEXUS	\$114.20	N/A	N/A	\$570.98
64722	DECOMPRESSION; UNSPECIFIED NERVE(S) (SPECIFY)	\$59.33	N/A	N/A	\$296.66
64726	DECOMPRESSION; PLANTAR DIGITAL NERVE	N/A	N/A	N/A	\$270.24
64727	INTERNAL NEUROLYSIS, REQUIRING USE OF OPERATING MICROSCOPE (LIST SEPARATELY IN ADDITION TO CODE FOR NEUROPLASTY) (NEUROPLASTY INCLUDES EXTERNAL NEUROLYSIS)	N/A	N/A	N/A	\$183.42
64740	TRANSECTION OR AVULSION OF; LINGUAL NERVE	\$81.58	N/A	N/A	\$407.91
64742	TRANSECTION OR AVULSION OF; FACIAL NERVE, DIFFERENTIAL OR COMPLETE	\$83.73	N/A	N/A	\$418.65
64752	TRANSECTION OR AVULSION OF; VAGUS NERVE (VAGOTOMY), TRANSTHORACIC	\$88.45	N/A	N/A	\$442.23
64760	TRANSECTION OR AVULSION OF; VAGUS NERVE (VAGOTOMY), ABDOMINAL	\$81.28	N/A	N/A	\$406.40
64761	TRANSECTION OR AVULSION OF; PUDENDAL NERVE	N/A	N/A	N/A	\$379.40
64771	TRANSECTION OR AVULSION OF OTHER CRANIAL NERVE, EXTRADURAL	\$101.23	N/A	N/A	\$506.14
64772	TRANSECTION OR AVULSION OF OTHER SPINAL NERVE, EXTRADURAL	\$96.83	N/A	N/A	\$484.15
64778	EXCISION OF NEUROMA; DIGITAL NERVE, EACH ADDITIONAL DIGIT (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)		N/A	N/A	\$183.19
64787	IMPLANTATION OF NERVE END INTO BONE OR MUSCLE (LIST SEPARATELY IN ADDITION TO NEUROMA EXCISION)	\$50.62	N/A	N/A	\$253.11

NOTICES
---------

	Procedure Codes with Fees Exc	Assistant	Professional	Technical	
		Surgeon Fee Revision (Billing with	Component Fee Revision (Billing with	Component Fee Revision (Billing with	Total Fee Revision (Billing
Code	Description	Modifier 80)	Modifier 26)	Modifier TC)	with No Modifier,
64795	BIOPSY OF NERVE	N/A	N/A	N/A	\$183.28
64832	SUTURE OF DIGITAL NERVE, HAND OR FOOT; EACH ADDITIONAL DIGITAL NERVE (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	N/A	N/A	N/A	\$340.58
64859	SUTURE OF EACH ADDITIONAL MAJOR PERIPHERAL NERVE (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	\$51.35	N/A	N/A	\$256.73
64868	ANASTOMOSIS; FACIAL-HYPOGLOSSAL	\$193.35	N/A	N/A	\$966.75
64870	ANASTOMOSIS; FACIAL-PHRENIC	\$188.81	N/A	N/A	\$944.04
64872	SUTURE OF NERVE; REQUIRING SECONDARY OR DELAYED SUTURE (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY NEURORRHAPHY)	\$24.24	N/A	N/A	\$121.19
64874	SUTURE OF NERVE; REQUIRING EXTENSIVE MOBILIZATION, OR TRANSPOSITION OF NERVE (LIST SEPARATELY IN ADDITION TO CODE FOR NERVE SUTURE)	\$35.61	N/A	N/A	\$178.06
64876	SUTURE OF NERVE; REQUIRING SHORTENING OF BONE OF EXTREMITY (LIST SEPARATELY IN ADDITION TO CODE FOR NERVE SUTURE)	\$40.38	N/A	N/A	\$201.89
65125	MODIFICATION OF OCULAR IMPLANT WITH PLACEMENT OR REPLACEMENT OF PEGS (EG, DRILLING RECEPTACLE FOR PROSTHESIS APPENDAGE) (SEPARATE PROCEDURE)	N/A	N/A	N/A	\$247.45
65150	REINSERTION OF OCULAR IMPLANT; WITH OR WITHOUT CONJUNCTIVAL GRAFT	N/A	N/A	N/A	\$519.45
65280	REPAIR OF LACERATION; CORNEA AND/OR SCLERA, PERFORATING, NOT INVOLVING UVEAL TISSUE	N/A	N/A	N/A	\$515.17
65710	KERATOPLASTY (CORNEAL TRANSPLANT); LAMELLAR	N/A	N/A	N/A	\$869.79
65730	KERATOPLASTY (CORNEAL TRANSPLANT); PENETRATING (EXCEPT IN APHAKIA)	N/A	N/A	N/A	\$972.57
65755	KERATOPLASTY (CORNEAL TRANSPLANT); PENETRATING (IN PSEUDOPHAKIA)	N/A	N/A	N/A	\$993.30
65772	CORNEAL RELAXING INCISION FOR CORRECTION OF SURGICALLY INDUCED ASTIGMATISM	N/A	N/A	N/A	\$310.14
65775	CORNEAL WEDGE RESECTION FOR CORRECTION OF SURGICALLY INDUCED ASTIGMATISM	N/A	N/A	N/A	\$431.68
65855	TRABECULOPLASTY BY LASER SURGERY, ONE OR MORE SESSIONS (DEFINED TREATMENT SERIES)	N/A	N/A	N/A	\$257.64
65860	SEVERING ADHESIONS OF ANTERIOR SEGMENT, LASER TECHNIQUE (SEPARATE PROCEDURE)	\$45.09	N/A	N/A	\$225.46

		Assistant Surgeon Fee Revision (Pilling	Professional Component Fee Revision	Technical Component Fee Revision (Billing	Total Fee Revision
Code	Description	(Billing with Modifier 80)	(Billing with Modifier 26)	<i>with</i> <i>Modifier</i> <i>TC</i>	(Billing with No Modifier
65900	REMOVAL OF EPITHELIAL DOWNGROWTH, ANTERIOR CHAMBER OF EYE	N/A	N/A	N/A	\$781.36
66155	FISTULIZATION OF SCLERA FOR GLAUCOMA; THERMOCAUTERIZATION WITH IRIDECTOMY	N/A	N/A	N/A	\$646.96
66220	REPAIR OF SCLERAL STAPHYLOMA; WITHOUT GRAFT	N/A	N/A	N/A	\$549.69
66225	REPAIR OF SCLERAL STAPHYLOMA; WITH GRAFT	N/A	N/A	N/A	\$734.26
66625	IRIDECTOMY, WITH CORNEOSCLERAL OR CORNEAL SECTION; PERIPHERAL FOR GLAUCOMA (SEPARATE PROCEDURE)	N/A	N/A	N/A	\$364.01
66682	SUTURE OF IRIS, CILIARY BODY (SEPARATE PROCEDURE) WITH RETRIEVAL OF SUTURE THROUGH SMALL INCISION (EG, MCCANNEL SUTURE)	N/A	N/A	N/A	\$471.07
66700	CILIARY BODY DESTRUCTION; DIATHERMY	N/A	N/A	N/A	\$322.79
66740	CILIARY BODY DESTRUCTION; CYCLODIALYSIS	N/A	N/A	N/A	\$323.85
66821	DISCISSION OF SECONDARY MEMBRANOUS CATARACT (OPACIFIED POSTERIOR LENS CAPSULE AND/OR ANTERIOR HYALOID); LASER SURGERY (EG, YAG LASER) (ONE OR MORE STAGES)	N/A	N/A	N/A	\$216.51
66830	REMOVAL OF SECONDARY MEMBRANOUS CATARACT (OPACIFIED POSTERIOR LENS CAPSULE AND/OR ANTERIOR HYALOID) WITH CORNEO-SCLERAL SECTION, WITH OR WITHOUT IRIDECTOMY (IRIDOCAPSULOTOMY, IRIDOCAPSULECTOMY)	N/A	N/A	N/A	\$559.64
66850	REMOVAL OF LENS MATERIAL; PHACOFRAGMENTATION TECHNIQUE (MECHANICAL OR ULTRASONIC) (ÉG, PHACOEMULSIFICATION), WITH ASPIRATION	N/A	N/A	N/A	\$620.46
66920	REMOVAL OF LENS MATERIAL; INTRACAPSULAR	N/A	N/A	N/A	\$599.06
66940	REMOVAL OF LENS MATERIAL; EXTRACAPSULAR (OTHER THAN 66840, 66850, 66852)	N/A	N/A	N/A	\$611.66
66983	INTRACAPSULAR CATARACT EXTRACTION WITH INSERTION OF INTRAOCULAR LENS PROSTHESIS (ONE STAGE PROCEDURE)	N/A	N/A	N/A	\$554.14
66984	EXTRACAPSULAR CATARACT REMOVAL WITH INSERTION OF INTRAOCULAR LENS PROSTHESIS (ONE STAGE PROCEDURE), MANUAL OR MECHANICAL TECHNIQUE (EG, IRRIGATION AND ASPIRATION OR PHACOEMULSIFICATION)	N/A	N/A	N/A	\$653.17

NOTICES	
---------	--

	Procedure Codes with Fees Exc	Assistant Surgeon Fee Revision	Professional Component Fee Revision	Technical Component Fee Revision	Total Fe
Code	Description	(Billing with Modifier 80)	(Billing with Modifier 26)	(Billing with Modifier TC)	Revision (Billing with No Modifien
66985	INSERTION OF INTRAOCULAR LENS PROSTHESIS (SECONDARY IMPLANT), NOT ASSOCIATED WITH CONCURRENT CATARACT REMOVAL	N/A	N/A	N/A	\$583.93
67005	REMOVAL OF VITREOUS, ANTERIOR APPROACH (OPEN SKY TECHNIQUE OR LIMBAL INCISION); PARTIAL REMOVAL	N/A	N/A	N/A	\$390.66
67010	REMOVAL OF VITREOUS, ANTERIOR APPROACH (OPEN SKY TECHNIQUE OR LIMBAL INCISION); SUBTOTAL REMOVAL WITH MECHANICAL VITRECTOMY	N/A	N/A	N/A	\$455.98
67028	INTRAVITREAL INJECTION OF A PHARMACOLOGIC AGENT (SEPARATE PROCEDURE)	N/A	N/A	N/A	\$149.08
67031	SEVERING OF VITREOUS STRANDS, VITREOUS FACE ADHESIONS, SHEETS, MEMBRANES OR OPACITIES, LASER SURGERY (ONE OR MORE STAGES)	N/A	N/A	N/A	\$268.97
67036	VITRECTOMY, MECHANICAL, PARS PLANA APPROACH	\$156.07	N/A	N/A	\$780.34
67107	REPAIR OF RETINAL DETACHMENT; SCLERAL BUCKLING (SUCH AS LAMELLAR SCLERAL DISSECTION, IMBRICATION OR ENCIRCLING PROCEDURE), WITH OR WITHOUT IMPLANT, WITH OR WITHOUT CRYOTHERAPY, PHOTOCOAGULATION, AND DRAINAGE OF SUBRETINAL FLUID	\$194.25	N/A	N/A	\$971.24
67115	RELEASE OF ENCIRCLING MATERIAL (POSTERIOR SEGMENT)	N/A	N/A	N/A	\$370.36
67227	DESTRUCTION OF EXTENSIVE OR PROGRESSIVE RETINOPATHY (EG, DIABETIC RETINOPATHY), ONE OR MORE SESSIONS; CRYOTHERAPY, DIATHERMY	N/A	N/A	N/A	\$448.44
67250	SCLERAL REINFORCEMENT (SEPARATE PROCEDURE); WITHOUT GRAFT	N/A	N/A	N/A	\$656.66
67255	SCLERAL REINFORCEMENT (SEPARATE PROCEDURE); WITH GRAFT	N/A	N/A	N/A	\$689.45
67311	STRABISMUS SURGERY, RECESSION OR RESECTION PROCEDURE; ONE HORIZONTAL MUSCLE	N/A	N/A	N/A	\$469.41
67320	TRANSPOSITION PROCEDURE (EG, FOR PARETIC EXTRAOCULAR MUSCLE), ANY EXTRAOCULAR MUSCLE (SPECIFY) (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	N/A	N/A	N/A	\$237.44
67331	STRABISMUS SURGERY ON PATIENT WITH PREVIOUS EYE SURGERY OR INJURY THAT DID NOT INVOLVE THE EXTRAOCULAR MUSCLES (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	N/A	N/A	N/A	\$222.80

		Assistant Surgeon Fee Revision (Billing with Modifier	Professional Component Fee Revision (Billing with Modifier	Technical Component Fee Revision (Billing with Modifier	Total Fee Revision (Billing with No
Code	Description	80)	<i>26)</i>	TC)	Modifier
67332	STRABISMUS SURGERY ON PATIENT WITH SCARRING OF EXTRAOCULAR MUSCLES (EG, PRIOR OCULAR INJURY, STRABISMUS OR RETINAL DETACHMENT SURGERY) OR RESTRICTIVE MYOPATHY (EG, DYSTHYROID OPHTHALMOPATHY) (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	N/A	N/A	N/A	\$246.20
67334	STRABISMUS SURGERY BY POSTERIOR FIXATION SUTURE TECHNIQUE, WITH OR WITHOUT MUSCLE RECESSION (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	N/A	N/A	N/A	\$218.09
67335	PLACEMENT OF ADJUSTABLE SUTURE(S) DURING STRABISMUS SURGERY, INCLUDING POSTOPERATIVE ADJUSTMENT(S) OF SUTURE(S) (LIST SEPARATELY IN ADDITION TO CODE FOR SPECIFIC STRABISMUS SURGERY)	N/A	N/A	N/A	\$136.62
67340	STRABISMUS SURGERY INVOLVING EXPLORATION AND/OR REPAIR OF DETACHED EXTRAOCULAR MUSCLE(S) (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	N/A	N/A	N/A	\$269.64
67415	FINE NEEDLE ASPIRATION OF ORBITAL CONTENTS	N/A	N/A	N/A	\$95.43
67500	RETROBULBAR INJECTION; MEDICATION (SEPARATE PROCEDURE, DOES NOT INCLUDE SUPPLY OF MEDICATION)	N/A	N/A	N/A	\$41.38
67505	RETROBULBAR INJECTION; ALCOHOL	N/A	N/A	N/A	\$43.20
67515	INJECTION OF MEDICATION OR OTHER SUBSTANCE INTO TENONOS CAPSULE	N/A	N/A	N/A	\$37.02
67825	CORRECTION OF TRICHIASIS; EPILATION BY OTHER THAN FORCEPS (EG, BY ELECTROSURGERY, CRYOTHERAPY, LASER SURGERY)	N/A	N/A	N/A	\$102.64
67830	CORRECTION OF TRICHIASIS; INCISION OF LID MARGIN	N/A	N/A	N/A	\$118.14
67835	CORRECTION OF TRICHIASIS; INCISION OF LID MARGIN, WITH FREE MUCOUS MEMBRANE GRAFT	N/A	N/A	N/A	\$377.15
67901	REPAIR OF BLEPHAROPTOSIS; FRONTALIS MUSCLE TECHNIQUE WITH SUTURE OR OTHER MATERIAL (EG, BANKED FASCIA)	N/A	N/A	N/A	\$481.83
67903	REPAIR OF BLEPHAROPTOSIS; (TARSO) LEVATOR RESECTION OR ADVANCEMENT, INTERNAL APPROACH	N/A	N/A	N/A	\$444.42
67904	REPAIR OF BLEPHAROPTOSIS; (TARSO) LEVATOR RESECTION OR ADVANCEMENT, EXTERNAL APPROACH	N/A	N/A	N/A	\$428.85

NOTICES	
---------	--

		Assistant Surgeon Fee Revision (Billing with	Professional Component Fee Revision (Billing with	Technical Component Fee Revision (Billing with	Total Fee Revision (Billing
Code	Description	Modifier 80)	Modifier 26)	Modifier TC)	with No Modifier)
67908	REPAIR OF BLEPHAROPTOSIS; CONJUNCTIVO-TARSO-MULLEROS MUSCLE-LEVATOR RESECTION (EG, FASANELLA-SERVAT TYPE)	N/A	N/A	N/A	\$385.81
67921	REPAIR OF ENTROPION; SUTURE	N/A	N/A	N/A	\$232.80
67924	REPAIR OF ENTROPION; EXTENSIVE (EG, TARSAL STRIP OR CAPSULOPALPEBRAL FASCIA REPAIRS OPERATION)	N/A	N/A	N/A	\$388.53
68325	CONJUNCTIVOPLASTY; WITH BUCCAL MUCOUS MEMBRANE GRAFT (INCLUDES OBTAINING GRAFT)	N/A	N/A	N/A	\$516.23
68326	CONJUNCTIVOPLASTY, RECONSTRUCTION CUL-DE-SAC; WITH CONJUNCTIVAL GRAFT OR EXTENSIVE REARRANGEMENT	N/A	N/A	N/A	\$501.08
68330	REPAIR OF SYMBLEPHARON; CONJUNCTIVOPLASTY, WITHOUT GRAFT	N/A	N/A	N/A	\$351.69
68335	REPAIR OF SYMBLEPHARON; WITH FREE GRAFT CONJUNCTIVA OR BUCCAL MUCOUS MEMBRANE (INCLUDES OBTAINING GRAFT)	N/A	N/A	N/A	\$501.88
68340	REPAIR OF SYMBLEPHARON; DIVISION OF SYMBLEPHARON, WITH OR WITHOUT INSERTION OF CONFORMER OR CONTACT LENS	N/A	N/A	N/A	\$304.56
68700	PLASTIC REPAIR OF CANALICULI	N/A	N/A	N/A	\$464.62
68720	DACRYOCYSTORHINOSTOMY (FISTULIZATION OF LACRIMAL SAC TO NASAL CAVITY)	\$124.40	N/A	N/A	\$621.99
69005	DRAINAGE EXTERNAL EAR, ABSCESS OR HEMATOMA; COMPLICATED	N/A	N/A	N/A	\$148.05
69105	BIOPSY EXTERNAL AUDITORY CANAL	N/A	N/A	N/A	\$60.67
69120	EXCISION EXTERNAL EAR; COMPLETE AMPUTATION	N/A	N/A	N/A	\$376.65
69300	OTOPLASTY, PROTRUDING EAR, WITH OR WITHOUT SIZE REDUCTION	N/A	N/A	N/A	\$407.24
69450	TYMPANOLYSIS, TRANSCANAL	N/A	N/A	N/A	\$465.45
69501	TRANSMASTOID ANTROTOMY (SIMPLE MASTOIDECTOMY)	N/A	N/A	N/A	\$674.33
69550	EXCISION AURAL GLOMUS TUMOR; TRANSCANAL	N/A	N/A	N/A	\$952.26
69801	LABYRINTHOTOMY, WITH OR WITHOUT CRYOSURGERY INCLUDING OTHER NONEXCISIONAL DESTRUCTIVE PROCEDURES OR PERFUSION OF VESTIBULOACTIVE DRUGS (SINGLE OR MULTIPLE PERFUSIONS); TRANSCANAL	N/A	N/A	N/A	\$669.50
69806	ENDOLYMPHATIC SAC OPERATION; WITH SHUNT	N/A	N/A	N/A	\$876.23

		Assistant	Professional	Technical	
		Surgeon Fee	Component Fee	Component Fee	<b>.</b>
		Revision (Billing	Revision (Billing	Revision (Billing	Total Fe Revision
		with	with	with	(Billing
Code	Description	Modifier 80)	Modifier 26)	Modifier TC)	with No Modifier
69990	MICROSURGICAL TECHNIQUES, REQUIRING USE OF OPERATING MICROSCOPE (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	N/A	N/A	N/A	\$219.84
70015	CISTERNOGRAPHY, POSITIVE CONTRAST, RADIOLOGICAL SUPERVISION AND INTERPRETATION	N/A	\$60.87	\$48.59	\$109.46
70030	RADIOLOGIC EXAMINATION, EYE, FOR DETECTION OF FOREIGN BODY	N/A	\$8.80	\$14.97	\$23.77
70100	RADIOLOGIC EXAMINATION, MANDIBLE; PARTIAL, LESS THAN FOUR VIEWS	N/A	\$9.18	No Change	\$25.68
70120	RADIOLOGIC EXAMINATION, MASTOIDS; LESS THAN THREE VIEWS PER SIDE	N/A	\$9.18	No Change	\$25.68
70130	RADIOLOGIC EXAMINATION, MASTOIDS; COMPLETE, MINIMUM OF THREE VIEWS PER SIDE	N/A	\$17.26	No Change	\$44.76
70134	RADIOLOGIC EXAMINATION, INTERNAL AUDITORY MEATI, COMPLETE	N/A	\$17.26	No Change	\$39.76
70140	RADIOLOGIC EXAMINATION, FACIAL BONES; LESS THAN THREE VIEWS	N/A	\$9.56	No Change	\$29.56
70150	RADIOLOGIC EXAMINATION, FACIAL BONES; COMPLETE, MINIMUM OF THREE VIEWS	N/A	\$12.89	No Change	\$35.39
70170	DACRYOCYSTOGRAPHY, NASOLACRIMAL DUCT, RADIOLOGICAL SUPERVISION AND INTERPRETATION	N/A	\$15.09	No Change	\$41.59
70190	RADIOLOGIC EXAMINATION; OPTIC FORAMINA	N/A	\$10.66	No Change	\$31.66
70200	RADIOLOGIC EXAMINATION; ORBITS, COMPLETE, MINIMUM OF FOUR VIEWS	N/A	\$13.99	No Change	\$34.99
70210	RADIOLOGIC EXAMINATION, SINUSES, PARANASAL, LESS THAN THREE VIEWS	N/A	\$8.80	No Change	\$25.30
70220	RADIOLOGIC EXAMINATION, SINUSES, PARANASAL, COMPLETE, MINIMUM OF THREE VIEWS	N/A	\$12.51	No Change	\$35.01
70250	RADIOLOGIC EXAMINATION, SKULL; LESS THAN FOUR VIEWS	N/A	\$12.14	No Change	\$33.14
70260	RADIOLOGIC EXAMINATION, SKULL; COMPLETE, MINIMUM OF FOUR VIEWS	N/A	\$17.26	No Change	\$44.76
70328	RADIOLOGIC EXAMINATION, TEMPOROMANDIBULAR JOINT, OPEN AND CLOSED MOUTH; UNILATERAL	N/A	\$9.18	No Change	\$25.68
70380	RADIOLOGIC EXAMINATION, SALIVARY GLAND FOR CALCULUS	N/A	\$8.80	No Change	\$29.80
70470	COMPUTERIZED AXIAL TOMOGRAPHY, HEAD OR BRAIN; WITHOUT CONTRAST MATERIAL, FOLLOWED BY CONTRAST MATERIAL(S) AND FURTHER SECTIONS	N/A	\$64.32	No Change	\$164.32

NOTICES
---------

		Assistant Surgeon	Professional Component Fee	Technical Component Fee	
Code	Description	Fee Revision (Billing with Modifier 80)	Revision (Billing with Modifier 26)	Revision (Billing with Modifier TC)	Total Fee Revision (Billing with No Modifier,
70480	COMPUTED TOMOGRAPHY, ORBIT, SELLA, OR POSTERIOR FOSSA OR OUTER, MIDDLE OR INNER EAR; WITHOUT CONTRAST MATERIAL	N/A	\$64.70	No Change	\$178.70
70481	COMPUTERIZED AXIAL TOMOGRAPHY, ORBIT, SELLA, OR POSTERIOR FOSSA OR OUTER, MIDDLE OR INNER EAR; WITH CONTRAST MATERIAL(S)	N/A	\$69.51	No Change	\$198.51
70482	COMPUTERIZED AXIAL TOMOGRAPHY, ORBIT, SELLA, OR POSTERIOR FOSSA OR OUTER, MIDDLE OR INNER EAR; WITHOUT CONTRAST MATERIAL, FOLLOWED BY CONTRAST MATERIAL(S) AND FURTHER SECTIONS	N/A	\$73.19	No Change	\$225.19
70496	COMPUTED TOMOGRAPHIC ANGIOGRAPHY, HEAD, WITHOUT CONTRAST MATERIAL(S), FOLLOWED BY CONTRAST MATERIAL(S) AND FURTHER SECTIONS, INCLUDING IMAGE POSTPROCESSING	N/A	\$88.25	No Change	\$288.45
70498	COMPUTED TOMOGRAPHIC ANGIOGRAPHY, NECK, WITHOUT CONTRAST MATERIAL(S), FOLLOWED BY CONTRAST MATERIAL(S) AND FURTHER SECTIONS, INCLUDING IMAGE POSTPROCESSING	N/A	\$88.25	No Change	\$288.45
70540	MAGNETIC RESONANCE (EG, PROTON) IMAGING, ORBIT, FACE AND NECK; WITHOUT CONTRAST MATERIAL(S)	N/A	\$68.04	No Change	\$337.04
70542	MAGNETIC RESONANCE (EG, PROTON) IMAGING, ORBIT, FACE AND NECK; WITHOUT CONTRAST MATERIAL(S)	N/A	\$81.65	No Change	\$389.40
70543	MAGNETIC RESONANCE (EG, PROTON) IMAGING, ORBIT, FACE AND NECK; WITHOUT CONTRAST MATERIAL(S), FOLLOWED BY CONTRAST MATERIAL(S) AND FURTHER SEQUENCES	N/A	\$108.80	No Change	\$662.69
70545	MAGNETIC RESONANCE ANGIOGRAPHY, HEAD; WITH CONTRAST MATERIAL(S)	N/A	\$60.34	No Change	\$327.75
70546	MAGNETIC RESONANCE ANGIOGRAPHY, HEAD; WITHOUT CONTRAST MATERIAL(S), FOLLOWED BY CONTRAST MATERIAL(S) AND FURTHER SEQUENCES	N/A	\$90.83	No Change	\$596.30
70547	MAGNETIC RESONANCE ANGIOGRAPHY, NECK; WITHOUT CONTRAST MATERIAL(S)	N/A	\$60.34	No Change	\$327.75
70548	MAGNETIC RESONANCE ANGIOGRAPHY, NECK; WITH CONTRAST MATERIAL(S)	N/A	\$60.34	No Change	\$327.75
70549	MAGNETIC RESONANCE ANGIOGRAPHY, NECK; WITHOUT CONTRAST MATERIAL(S), FOLLOWED BY CONTRAST MATERIAL(S) AND FURTHER SEQUENCES	N/A	\$90.83	No Change	\$596.30
71021	RADIOLOGIC EXAMINATION, CHEST, TWO VIEWS, FRONTAL AND LATERAL; WITH APICAL LORDOTIC PROCEDURE	N/A	\$13.61	No Change	\$28.61

		Assistant Surgeon Fee Revision	Professional Component Fee Revision	Technical Component Fee Revision	Total Fe
Code	Description	<i>Kevision</i> (Billing with Modifier 80)	(Billing with Modifier 26)	(Billing with Modifier TC)	Revision (Billing with No Modifier
71035	RADIOLOGIC EXAMINATION, CHEST, SPECIAL VIEWS (EG, LATERAL DECUBITUS, BUCKY STUDIES)	N/A	\$9.18	\$18.39	\$27.56
71551	MAGNETIC RESONANCE (EG, PROTON) IMAGING, CHEST (EG, FOR EVALUATION OF HILAR AND MEDIASTINAL LYMPHADENOPATHY); WITH CONTRAST MATERIAL(S)	N/A	\$87.49	No Change	\$399.59
71552	MAGNETIC RESONANCE (EG, PROTON) IMAGING, CHEST (EG, FOR EVALUATION OF HILAR AND MEDIASTINAL LYMPHADENOPATHY); WITHOUT CONTRAST MATERIAL(S), FOLLOWED BY CONTRAST MATERIAL(S) AND FURTHER SEQUENCES	N/A	\$114.00	No Change	\$667.72
72010	RADIOLOGIC EXAMINATION, SPINE, ENTIRE, SURVEY STUDY, ANTEROPOSTERIOR AND LATERAL	N/A	\$22.79	\$36.70	\$59.49
72020	RADIOLOGIC EXAMINATION, SPINE, SINGLE VIEW, SPECIFY LEVEL	N/A	\$7.70	\$14.97	\$22.67
72050	RADIOLOGIC EXAMINATION, SPINE, CERVICAL; MINIMUM OF FOUR VIEWS	N/A	\$15.47	No Change	\$41.97
72052	RADIOLOGIC EXAMINATION, SPINE, CERVICAL; COMPLETE, INCLUDING OBLIQUE AND FLEXION AND/OR EXTENSION STUDIES	N/A	\$18.36	No Change	\$50.86
72069	RADIOLOGIC EXAMINATION, SPINE, THORACOLUMBAR, STANDING (SCOLIOSIS)	N/A	\$11.38	\$17.36	\$28.74
72070	RADIOLOGIC EXAMINATION, SPINE; THORACIC, TWO VIEWS	N/A	\$11.04	No Change	\$32.04
72072	RADIOLOGIC EXAMINATION, SPINE; THORACIC, THREE VIEWS	N/A	\$11.04	No Change	\$32.54
72074	RADIOLOGIC EXAMINATION, SPINE; THORACIC, MINIMUM OF FOUR VIEWS	N/A	\$11.04	No Change	\$32.54
72090	RADIOLOGIC EXAMINATION, SPINE; SCOLIOSIS STUDY, INCLUDING SUPINE AND ERECT STUDIES	N/A	\$13.99	No Change	\$34.99
72100	RADIOLOGIC EXAMINATION, SPINE, LUMBOSACRAL; TWO OR THREE VIEWS	N/A	\$11.04	No Change	\$33.54
72120	RADIOLOGIC EXAMINATION, SPINE, LUMBOSACRAL, BENDING VIEWS ONLY, MINIMUM OF FOUR VIEWS	N/A	\$11.04	No Change	\$32.04
72126	COMPUTERIZED AXIAL TOMOGRAPHY, CERVICAL SPINE; WITH CONTRAST MATERIAL	N/A	\$61.44	No Change	\$155.44
72127	COMPUTERIZED AXIAL TOMOGRAPHY, CERVICAL SPINE; WITHOUT CONTRAST MATERIAL, FOLLOWED BY CONTRAST MATERIAL(S) AND FURTHER SECTIONS	N/A	\$64.32	No Change	\$200.32
72128	COMPUTED TOMOGRAPHY, THORACIC SPINE; WITHOUT CONTRAST MATERIAL	N/A	\$58.48	No Change	\$145.98

	Procedure Codes with Fees Exe				
Code	Description	Assistant Surgeon Fee Revision (Billing with Modifier 80)	Professional Component Fee Revision (Billing with Modifier 26)	Technical Component Fee Revision (Billing with Modifier TC)	Total Fee Revision (Billing with No Modifier)
72130	COMPUTERIZED AXIAL TOMOGRAPHY, THORACIC SPINE; WITHOUT CONTRAST MATERIAL, FOLLOWED BY CONTRAST MATERIAL(S) AND FURTHER SECTIONS	N/A	\$64.32	No Change	\$200.32
72132	COMPUTERIZED AXIAL TOMOGRAPHY, LUMBAR SPINE; WITH CONTRAST MATERIAL	N/A	\$61.44	No Change	\$155.44
72133	COMPUTERIZED AXIAL TOMOGRAPHY, LUMBAR SPINE; WITHOUT CONTRAST MATERIAL, FOLLOWED BY CONTRAST MATERIAL(S) AND FURTHER SECTIONS	N/A	\$64.32	No Change	\$200.32
72190	RADIOLOGIC EXAMINATION, PELVIS; COMPLETE, MINIMUM OF THREE VIEWS	N/A	\$10.66	No Change	\$31.66
72191	COMPUTED TOMOGRAPHIC ANGIOGRAPHY, PELVIS, WITHOUT CONTRAST MATERIAL(S), FOLLOWED BY CONTRAST MATERIAL(S) AND FURTHER SECTIONS, INCLUDING IMAGE POSTPROCESSING	N/A	\$91.55	No Change	\$301.35
72194	COMPUTERIZED AXIAL TOMOGRAPHY, PELVIS; WITHOUT CONTRAST MATERIAL, FOLLOWED BY CONTRAST MATERIAL(S) AND FURTHER SECTIONS	N/A	\$61.44	No Change	\$163.94
72195	MAGNETIC RESONANCE (EG, PROTON) IMAGING, PELVIS; WITHOUT CONTRAST MATERIAL(S)	N/A	\$73.57	No Change	\$334.69
72196	MAGNETIC RESONANCE (EG, PROTON) IMAGING, PELVIS; WITH CONTRAST MATERIAL(S)	N/A	\$87.49	No Change	\$290.89
72197	MAGNETIC RESONANCE (EG, PROTON) IMAGING, PELVIS; WITHOUT CONTRAST MATERIAL(S), FOLLOWED BY CONTRAST MATERIAL(S) AND FURTHER SEQUENCES	N/A	\$114.00	No Change	\$673.01
72200	RADIOLOGIC EXAMINATION, SACROILIAC JOINTS; LESS THAN THREE VIEWS	N/A	\$8.80	No Change	\$25.30
72202	RADIOLOGIC EXAMINATION, SACROILIAC JOINTS; THREE OR MORE VIEWS	N/A	\$9.56	No Change	\$26.06
72220	RADIOLOGIC EXAMINATION, SACRUM AND COCCYX, MINIMUM OF TWO VIEWS	N/A	\$8.80	No Change	\$25.30
73020	RADIOLOGIC EXAMINATION, SHOULDER; ONE VIEW	N/A	\$7.70	No Change	\$24.20
73030	RADIOLOGIC EXAMINATION, SHOULDER; COMPLETE, MINIMUM OF TWO VIEWS	N/A	\$9.18	No Change	\$25.68
73050	RADIOLOGIC EXAMINATION; ACROMIOCLAVICULAR JOINTS, BILATERAL, WITH OR WITHOUT WEIGHTED DISTRACTION	N/A	\$10.28	No Change	\$29.28
73202	COMPUTERIZED AXIAL TOMOGRAPHY, UPPER EXTREMITY; WITHOUT CONTRAST MATERIAL, FOLLOWED BY CONTRAST MATERIAL(S) AND FURTHER SECTIONS	N/A	\$61.44	No Change	\$153.94

		Assistant Surgeon	Professional Component	Technical Component	
Code	Description	Fee Revision (Billing with Modifier 80)	Fee Revision (Billing with Modifier 26)	Fee Revision (Billing with Modifier TC)	Total Fe Revision (Billing with No Modifier
73206	COMPUTED TOMOGRAPHIC ANGIOGRAPHY, UPPER EXTREMITY, WITHOUT CONTRAST MATERIAL(S), FOLLOWED BY CONTRAST MATERIAL(S) AND FURTHER SECTIONS, INCLUDING IMAGE POSTPROCESSING	N/A	\$91.21	No Change	\$279.78
73218	MAGNETIC RESONANCE (EG, PROTON) IMAGING, UPPER EXTREMITY, OTHER THAN JOINT; WITHOUT CONTRAST MATERIAL(S)	N/A	\$68.04	No Change	\$324.90
73219	MAGNETIC RESONANCE (EG, PROTON) IMAGING, UPPER EXTREMITY, OTHER THAN JOINT; WITH CONTRAST MATERIAL(S)	N/A	\$81.99	No Change	\$389.74
73221	MAGNETIC RESONANCE (EG, PROTON) IMAGING, ANY JOINT OF UPPER EXTREMITY; WITHOUT CONTRAST MATERIAL(S)	N/A	\$68.04	No Change	\$337.04
73222	MAGNETIC RESONANCE (EG, PROTON) IMAGING, ANY JOINT OF UPPER EXTREMITY; WITH CONTRAST MATERIAL(S)	N/A	\$81.65	No Change	\$389.40
73223	MAGNETIC RESONANCE (EG, PROTON) IMAGING, ANY JOINT OF UPPER EXTREMITY; WITHOUT CONTRAST MATERIAL(S), FOLLOWED BY CONTRAST MATERIAL(S) AND FURTHER SEQUENCES	N/A	\$108.80	No Change	\$662.69
73510	RADIOLOGIC EXAMINATION, HIP, UNILATERAL; COMPLETE, MINIMUM OF TWO VIEWS	N/A	\$10.66	No Change	\$27.16
73525	RADIOLOGIC EXAMINATION, HIP, ARTHROGRAPHY, RADIOLOGICAL SUPERVISION AND INTERPRETATION	N/A	\$27.53	No Change	\$75.03
73530	RADIOLOGIC EXAMINATION, HIP, DURING OPERATIVE PROCEDURE	N/A	\$14.71	\$18.39	\$33.10
73542	RADIOLOGICAL EXAMINATION, SACROILIAC JOINT ARTHROGRAPHY, RADIOLOGICAL SUPERVISION AND INTERPRETATION	N/A	\$28.75	No Change	\$84.69
73550	RADIOLOGIC EXAMINATION, FEMUR, TWO VIEWS	N/A	\$8.80	No Change	\$25.30
73560	RADIOLOGIC EXAMINATION, KNEE; ONE OR TWO VIEWS	N/A	\$8.80	No Change	\$25.30
73562	RADIOLOGIC EXAMINATION, KNEE; THREE VIEWS	N/A	\$9.18	No Change	\$25.68
73565	RADIOLOGIC EXAMINATION, KNEE; BOTH KNEES, STANDING, ANTEROPOSTERIOR	N/A	\$8.80	\$17.36	\$26.16
73590	RADIOLOGIC EXAMINATION; TIBIA AND FIBULA, TWO VIEWS	N/A	\$8.80	No Change	\$25.30
73592	RADIOLOGIC EXAMINATION; LOWER EXTREMITY, INFANT, MINIMUM OF TWO VIEWS	N/A	\$8.08	No Change	\$24.58

	Procedure Codes with Fees Exc	0			
		Assistant Surgeon Fee Revision (Billing with Modifier	Professional Component Fee Revision (Billing with Modifier	Technical Component Fee Revision (Billing with Modifier	Total Fee Revision (Billing with No
Code	Description	80)	26)	TC)	Modifier)
73702	COMPUTERIZED AXIAL TOMOGRAPHY, LOWER EXTREMITY; WITHOUT CONTRAST MATERIAL, FOLLOWED BY CONTRAST MATERIAL(S) AND FURTHER SECTIONS	N/A	\$61.44	No Change	\$153.94
73706	COMPUTED TOMOGRAPHIC ANGIOGRAPHY, LOWER EXTREMITY, WITHOUT CONTRAST MATERIAL(S), FOLLOWED BY CONTRAST MATERIAL(S) AND FURTHER SECTIONS, INCLUDING IMAGE POST-PROCESSING	N/A	\$95.64	No Change	\$284.21
73718	MAGNETIC RESONANCE (EG, PROTON) IMAGING, LOWER EXTREMITY OTHER THAN JOINT; WITHOUT CONTRAST MATERIAL(S)	N/A	\$68.04	No Change	\$324.90
73719	MAGNETIC RESONANCE (EG, PROTON) IMAGING, LOWER EXTREMITY OTHER THAN JOINT; WITH CONTRAST MATERIAL(S)	N/A	\$81.65	No Change	\$389.40
73721	MAGNETIC RESONANCE (EG, PROTON) IMAGING, ANY JOINT OF LOWER EXTREMITY; WITHOUT CONTRAST MATERIAL	N/A	\$68.04	No Change	\$337.04
73722	MAGNETIC RESONANCE (EG, PROTON) IMAGING, ANY JOINT OF LOWER EXTREMITY; WITH CONTRAST MATERIAL(S)	N/A	\$81.65	No Change	\$389.40
73723	MAGNETIC RESONANCE (EG, PROTON) IMAGING, ANY JOINT OF LOWER EXTREMITY; WITHOUT CONTRAST MATERIAL(S), FOLLOWED BY CONTRAST MATERIAL(S) AND FURTHER SEQUENCES	N/A	\$108.80	No Change	\$662.69
74022	RADIOLOGIC EXAMINATION, ABDOMEN; COMPLETE ACUTE ABDOMEN SERIES, INCLUDING SUPINE, ERECT, AND/OR DECUBITUS VIEWS, SINGLE VIEW CHEST	N/A	\$15.85	No Change	\$39.85
74170	COMPUTERIZED AXIAL TOMOGRAPHY, ABDOMEN; WITHOUT CONTRAST MATERIAL, FOLLOWED BY CONTRAST MATERIAL(S) AND FURTHER SECTIONS	N/A	\$70.61	No Change	\$182.11
74175	COMPUTED TOMOGRAPHIC ANGIOGRAPHY, ABDOMEN, WITHOUT CONTRAST MATERIAL(S), FOLLOWED BY CONTRAST MATERIAL(S) AND FURTHER SECTIONS, INCLUDING IMAGE POSTPROCESSING	N/A	\$95.64	No Change	\$305.44
74249	RADIOLOGICAL EXAMINATION, GASTROINTESTINAL TRACT, UPPER, AIR CONTRAST, WITH SPECIFIC HIGH DENSITY BARIUM, EFFERVESCENT AGENT, WITH OR WITHOUT GLUCAGON; WITH SMALL INTESTINE FOLLOW THROUGH	N/A	\$45.96	No Change	\$121.96
74291	CHOLECYSTOGRAPHY, ORAL CONTRAST; ADDITIONAL OR REPEAT EXAMINATION OR MULTIPLE DAY EXAMINATION	N/A	\$10.28	\$14.97	\$25.25

	Procedure Codes with Fees Exe	ceeding 100%	Medicare		
Code	Description	Assistant Surgeon Fee Revision (Billing with Modifier 80)	Professional Component Fee Revision (Billing with Modifier 26)	Technical Component Fee Revision (Billing with Modifier TC)	Total Fee Revision (Billing with No Modifier;
74301	CHOLANGIOGRAPHY AND/OR PANCREATOGRAPHY; ADDITIONAL SET INTRAOPERATIVE, RADIOLOGICAL SUPERVISION AND INTERPRETATION (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	N/A	\$10.66	No Change	\$36.16
74350	PERCUTANEOUS PLACEMENT OF GASTROSTOMY TUBE, RADIOLOGICAL SUPERVISION AND INTERPRETATION	N/A	\$38.26	\$113.21	\$151.48
74355	PERCUTANEOUS PLACEMENT OF ENTEROCLYSIS TUBE, RADIOLOGICAL SUPERVISION AND INTERPRETATION	N/A	\$38.26	\$94.18	\$132.44
74360	INTRALUMINAL DILATION OF STRICTURES AND/OR OBSTRUCTIONS (EG, ESOPHAGUS), RADIOLOGICAL SUPERVISION AND INTERPRETATION	N/A	\$27.57	No Change	\$109.94
74363	PERCUTANEOUS TRANSHEPATIC DILATION OF BILIARY DUCT STRICTURE WITH OR WITHOUT PLACEMENT OF STENT, RADIOLOGICAL SUPERVISION AND INTERPRETATION	N/A	\$44.48	No Change	\$179.48
74475	INTRODUCTION OF INTRACATHETER OR CATHETER INTO RENAL PELVIS FOR DRAINAGE AND/OR INJECTION, PERCUTANEOUS, RADIOLOGICAL SUPERVISION AND INTERPRETATION	N/A	\$27.23	No Change	\$107.23
74480	INTRODUCTION OF URETERAL CATHETER OR STENT INTO URETER THROUGH RENAL PELVIS FOR DRAINAGE AND/OR INJECTION, PERCUTANEOUS, RADIOLOGICAL SUPERVISION AND INTERPRETATION	N/A	\$27.23	No Change	\$63.23
74485	DILATION OF NEPHROSTOMY, URETERS, OR URETHRA, RADIOLOGICAL SUPERVISION AND INTERPRETATION	N/A	\$27.19	\$113.21	\$140.40
74742	TRANSCERVICAL CATHETERIZATION OF FALLOPIAN TUBE, RADIOLOGICAL SUPERVISION AND INTERPRETATION	N/A	\$30.87	No Change	\$77.87
75630	AORTOGRAPHY, ABDOMINAL PLUS BILATERAL ILIOFEMORAL LOWER EXTREMITY, CATHETER, BY SERIALOGRAPHY, RADIOLOGICAL SUPERVISION AND INTERPRETATION	N/A	\$92.05	No Change	\$278.05
75635	COMPUTED TOMOGRAPHIC ANGIOGRAPHY, ABDOMINAL AORTA AND BILATERAL ILIOFEMORAL LOWER EXTREMITY RUNOFF, RADIOLOGICAL SUPERVISION AND INTERPRETATION, WITHOUT CONTRAST MATERIAL(S), FOLLOWED BY CONTRAST MATERIAL(S) AND FURTHER SECTIONS, INCLUDING IMAGE POST PROCESSING	N/A	\$121.32	No Change	\$349.68
75790	ANGIOGRAPHY, ARTERIOVENOUS SHUNT (EG, DIALYSIS PATIENT), RADIOLOGICAL SUPERVISION AND INTERPRETATION	N/A	\$92.99	\$48.59	\$141.58

NOTICES	
---------	--

		Assistant Surgeon	Professional Component	Technical Component	
Code	Description	Fee Revision (Billing with Modifier 80)	Fee Revision (Billing with Modifier 26)	Fee Revision (Billing with Modifier TC)	Total Fee Revision (Billing with No Modifier
75809	SHUNTOGRAM FOR INVESTIGATION OF PREVIOUSLY PLACED INDWELLING NONVASCULAR SHUNT (EG, LEVEEN SHUNT, VENTRICULOPERITONEAL SHUNT, INDWELLING INFUSION PUMP), RADIOLOGICAL SUPERVISION AND INTERPRETATION	N/A	\$23.55	\$28.19	\$51.74
75885	PERCUTANEOUS TRANSHEPATIC PORTOGRAPHY WITH HEMODYNAMIC EVALUATION, RADIOLOGICAL SUPERVISION AND INTERPRETATION	N/A	\$72.47	No Change	\$198.97
75889	HEPATIC VENOGRAPHY, WEDGED OR FREE, WITH HEMODYNAMIC EVALUATION, RADIOLOGICAL SUPERVISION AND INTERPRETATION	N/A	\$57.38	No Change	\$188.88
75891	HEPATIC VENOGRAPHY, WEDGED OR FREE, WITHOUT HEMODYNAMIC EVALUATION, RADIOLOGICAL SUPERVISION AND INTERPRETATION	N/A	\$57.38	No Change	\$178.88
75893	VENOUS SAMPLING THROUGH CATHETER, WITH OR WITHOUT ANGIOGRAPHY (EG, FOR PARATHYROID HORMONE, RENIN), RADIOLOGICAL SUPERVISION AND INTERPRETATION	N/A	\$27.23	No Change	\$128.23
75894	TRANSCATHETER THERAPY, EMBOLIZATION, ANY METHOD, RADIOLOGICAL SUPERVISION AND INTERPRETATION	N/A	\$66.79	No Change	\$167.79
75896	TRANSCATHETER THERAPY, INFUSION, ANY METHOD (EG, THROMBOLYSIS OTHER THAN CORONARY), RADIOLOGICAL SUPERVISION AND INTERPRETATION	N/A	\$66.56	No Change	\$167.56
75898	ANGIOGRAPHY THROUGH EXISTING CATHETER FOR FOLLOW-UP STUDY FOR TRANSCATHETER THERAPY, EMBOLIZATION OR INFUSION	N/A	No Change	\$37.73	\$107.73
75940	PERCUTANEOUS PLACEMENT OF IVC FILTER, RADIOLOGICAL SUPERVISION AND INTERPRETATION	N/A	\$27.84	No Change	\$263.84
75962	TRANSLUMINAL BALLOON ANGIOPLASTY, PERIPHERAL ARTERY, RADIOLOGICAL SUPERVISION AND INTERPRETATION	N/A	\$27.53	No Change	\$325.13
75964	TRANSLUMINAL BALLOON ANGIOPLASTY, EACH ADDITIONAL PERIPHERAL ARTERY, RADIOLOGICAL SUPERVISION AND INTERPRETATION (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	N/A	\$18.66	No Change	\$207.66
75966	TRANSLUMINAL BALLOON ANGIOPLASTY, RENAL OR OTHER VISCERAL ARTERY, RADIOLOGICAL SUPERVISION AND INTERPRETATION	N/A	\$67.20	No Change	\$364.80

		Assistant Surgeon Fee Revision	Professional Component Fee Revision	Technical Component Fee Revision	Total Fe
Code	Description	(Billing with Modifier 80)	(Billing with Modifier 26)	(Billing with Modifier TC)	Revision (Billing with No Modifier
75968	TRANSLUMINAL BALLOON ANGIOPLASTY, EACH ADDITIONAL VISCERAL ARTERY, RADIOLOGICAL SUPERVISION AND INTERPRETATION (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	N/A	\$18.70	No Change	\$207.70
75978	TRANSLUMINAL BALLOON ANGIOPLASTY, VENOUS (EG, SUBCLAVIAN STENOSIS), RADIOLOGICAL SUPERVISION AND INTERPRETATION	N/A	\$27.23	No Change	\$296.23
75992	TRANSLUMINAL ATHERECTOMY, PERIPHERAL ARTERY, RADIOLOGICAL SUPERVISION AND INTERPRETATION	N/A	\$27.88	No Change	\$557.18
75993	TRANSLUMINAL ATHERECTOMY, EACH ADDITIONAL PERIPHERAL ARTERY, RADIOLOGICAL SUPERVISION AND INTERPRETATION (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	N/A	\$18.70	No Change	\$301.20
75994	TRANSLUMINAL ATHERECTOMY, EACH ADDITIONAL PERIPHERAL ARTERY, RADIOLOGICAL SUPERVISION AND INTERPRETATION (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	N/A	\$67.51	No Change	\$591.20
75995	TRANSLUMINAL ATHERECTOMY, VISCERAL, RADIOLOGICAL SUPERVISION AND INTERPRETATION	N/A	\$67.24	No Change	\$590.93
75996	TRANSLUMINAL ATHERECTOMY, EACH ADDITIONAL VISCERAL ARTERY, RADIOLOGICAL SUPERVISION AND INTERPRETATION (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	N/A	\$18.36	No Change	\$300.86
76020	BONE AGE STUDIES	N/A	\$9.56	\$18.39	\$27.94
76040	BONE LENGTH STUDIES (ORTHOROENTGENOGRAM, SCANOGRAM)	N/A	\$13.61	No Change	\$41.11
76061	RADIOLOGIC EXAMINATION, OSSEOUS SURVEY; LIMITED (EG, FOR METASTASES)	N/A	\$22.79	\$36.02	\$58.81
76062	RADIOLOGIC EXAMINATION, OSSEOUS SURVEY; COMPLETE (AXIAL AND APPENDICULAR SKELETON)	N/A	\$27.23	No Change	\$72.23
76066	JOINT SURVEY, SINGLE VIEW, TWO OR MORE JOINTS (SPECIFY)	N/A	\$15.78	No Change	\$49.38
76098	RADIOLOGICAL EXAMINATION, SURGICAL SPECIMEN	N/A	\$8.08	\$14.97	\$23.05
76120	CINERADIOGRAPHY/VIDEORADIOGRAPHY, EXCEPT WHERE SPECIFICALLY INCLUDED	N/A	\$19.46	No Change	\$54.46
76150	XERORADIOGRAPHY	N/A	N/A	N/A	\$14.97
76370	COMPUTED TOMOGRAPHY GUIDANCE FOR PLACEMENT OF RADIATION THERAPY FIELDS	N/A	\$43.01	\$106.07	\$149.08

	Procedure Codes with Fees Exc				
Code	Description	Assistant Surgeon Fee Revision (Billing with Modifier 80)	Professional Component Fee Revision (Billing with Modifier 26)	Technical Component Fee Revision (Billing with Modifier TC)	Total Fee Revision (Billing with No Modifier,
76380	COMPUTED TOMOGRAPHY, LIMITED OR LOCALIZED FOLLOW-UP STUDY	N/A	\$49.30	No Change	\$128.50
76393	MAGNETIC RESONANCE GUIDANCE FOR NEEDLE PLACEMENT (EG, FOR BIOPSY, NEEDLE ASPIRATION, INJECTION, OR PLACEMENT OF LOCALIZATION DEVICE) RADIOLOGICAL SUPERVISION AND INTERPRETATION	N/A	\$76.69	No Change	\$350.69
76516	OPHTHALMIC BIOMETRY BY ULTRASOUND ECHOGRAPHY, A-SCAN;	N/A	\$28.97	\$43.84	\$72.82
76519	OPHTHALMIC BIOMETRY BY ULTRASOUND ECHOGRAPHY, A-SCAN; WITH INTRAOCULAR LENS POWER CALCULATION	N/A	\$28.97	\$46.92	\$75.89
76529	OPHTHALMIC ULTRASONIC FOREIGN BODY LOCALIZATION	N/A	\$30.42	\$41.07	\$71.49
76536	ULTRASOUND, SOFT TISSUES OF HEAD AND NECK (EG, THYROID, PARATHYROID, PAROTID), B-SCAN AND/OR REAL TIME WITH IMAGE DOCUMENTATION	N/A	\$27.99	\$50.98	\$78.97
76604	ULTRASOUND, CHEST, B-SCAN (INCLUDES MEDIASTINUM) AND/OR REAL TIME WITH IMAGE DOCUMENTATION	N/A	\$27.61	\$46.92	\$74.53
76645	ULTRASOUND, BREAST(S) (UNILATERAL OR BILATERAL), B-SCAN AND/OR REAL TIME WITH IMAGE DOCUMENTATION	N/A	\$27.23	\$37.73	\$64.95
76775	ULTRASOUND, RETROPERITONEAL (EG, RENAL, AORTA, NODES), B-SCAN AND/OR REAL TIME WITH IMAGE DOCUMENTATION; LIMITED	N/A	\$29.39	No Change	\$78.39
76800	ULTRASOUND, SPINAL CANAL AND CONTENTS	N/A	\$55.97	\$50.98	\$106.96
76810	ULTRASOUND, PREGNANT UTERUS, REAL TIME WITH IMAGE DOCUMENTATION, FETAL AND MATERNAL EVALUATION, AFTER FIRST TRIMESTER (> OR = 14 WEEKS 0 DAYS), TRANSABDOMINAL APPROACH; EACH ADDITIONAL GESTATION (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	N/A	No Change	\$42.61	\$74.11
76816	ULTRASOUND, PREGNANT UTERUS, REAL TIME WITH IMAGE DOCUMENTATION, FOLLOW-UP (EG, RE-EVALUATION OF FETAL SIZE BY MEASURING STANDARD GROWTH PARAMETERS AND AMNIOTIC FLUID VOLUME, RE-EVALUATION OF ORGAN SYSTEM(S) SUSPECTED OR CONFIRMED TO BE ABNORMAL ON A PREVIOUS SCAN),TRANSABDOMINAL APPROACH, PER FETUS	N/A	No Change	\$39.78	\$72.28
76818	FETAL BIOPHYSICAL PROFILE; WITH NONSTRESS TESTING	N/A	\$54.65	\$58.09	\$112.74

Code	Description	Assistant Surgeon Fee Revision (Billing with Modifier 80)	Professional Component Fee Revision (Billing with Modifier 26)	Technical Component Fee Revision (Billing with Modifier TC)	Total Fe Revision (Billing with No Modifier
76826	ECHOCARDIOGRAPHY, FETAL, CARDIOVASCULAR SYSTEM, REAL TIME WITH IMAGE DOCUMENTATION (2D), WITH OR WITHOUT M-MODE RECORDING; FOLLOW-UP OR REPEAT STUDY	N/A	No Change	\$25.80	\$44.80
76827	DOPPLER ECHOCARDIOGRAPHY, FETAL, PULSED WAVE AND/OR CONTINUOUS WAVE WITH SPECTRAL DISPLAY; COMPLETE	N/A	\$29.77	No Change	\$79.67
76828	DOPPLER ECHOCARDIOGRAPHY, FETAL, PULSED WAVE AND/OR CONTINUOUS WAVE WITH SPECTRAL DISPLAY; FOLLOW-UP OR REPEAT STUDY	N/A	\$29.66	No Change	\$58.06
76872	ULTRASOUND, TRANSRECTAL	N/A	\$34.89	No Change	\$89.04
76880	ULTRASOUND, EXTREMITY, NONVASCULAR, B-SCAN AND/OR REAL TIME WITH IMAGE DOCUMENTATION	N/A	\$29.77	No Change	\$77.27
76945	ULTRASONIC GUIDANCE FOR CHORIONIC VILLUS SAMPLING, IMAGING SUPERVISION AND INTERPRETATION	N/A	\$33.83	No Change	\$81.07
76946	ULTRASONIC GUIDANCE FOR AMNIOCENTESIS, IMAGING SUPERVISION AND INTERPRETATION	N/A	\$19.80	No Change	\$66.30
76970	ULTRASOUND STUDY FOLLOW-UP (SPECIFY)	N/A	\$20.21	\$37.73	\$57.94
76977	ULTRASOUND BONE DENSITY MEASUREMENT AND INTERPRETATION, PERIPHERAL SITE(S), ANY METHOD	N/A	\$2.88	No Change	\$31.57
77261	THERAPEUTIC RADIOLOGY TREATMENT PLANNING; SIMPLE	N/A	N/A	N/A	\$72.25
77262	THERAPEUTIC RADIOLOGY TREATMENT PLANNING; INTERMEDIATE	N/A	N/A	N/A	\$108.96
77263	THERAPEUTIC RADIOLOGY TREATMENT PLANNING; COMPLEX	N/A	N/A	N/A	\$161.83
77326	BRACHYTHERAPY ISODOSE PLAN; SIMPLE (CALCULATION MADE FROM SINGLE PLANE, ONE TO FOUR SOURCES/RIBBON APPLICATION, REMOTE AFTERLOADING BRACHYTHERAPY, ONE TO EIGHT SOURCES)	N/A	\$47.03	No Change	\$119.53
77331	SPECIAL DOSIMETRY (EG, TLD, MICRODOSIMETRY) (SPECIFY), ONLY WHEN PRESCRIBED BY THE TREATING PHYSICIAN	N/A	\$43.76	\$17.70	\$61.47
77610	HYPERTHERMIA GENERATED BY INTERSTITIAL PROBE(S); FIVE OR FEWER INTERSTITIAL APPLICATORS	N/A	\$79.00	\$109.49	\$188.49
77615	HYPERTHERMIA GENERATED BY INTERSTITIAL PROBE(S); MORE THAN FIVE INTERSTITIAL APPLICATORS	N/A	\$105.13	\$145.85	\$250.97
77620	HYPERTHERMIA GENERATED BY INTRACAVITARY PROBE(S)	N/A	\$83.00	\$109.49	\$192.49

	Procedure Codes with Fees Exc	Assistant	Professional	Technical	
Code	Description	Assistant Surgeon Fee Revision (Billing with Modifier 80)	Component Fee Revision (Billing with Modifier 26)	Component Fee Revision (Billing with Modifier TC)	Total Fe Revision (Billing with No Modifier
77750	INFUSION OR INSTILLATION OF RADIOELEMENT SOLUTION (INCLUDES THREE MONTHS FOLLOW-UP CARE)	N/A	No Change	\$47.60	\$96.60
77761	INTRACAVITARY RADIATION SOURCE APPLICATION; SIMPLE	N/A	No Change	\$90.08	\$211.08
77762	INTRACAVITARY RADIATION SOURCE APPLICATION; INTERMEDIATE	N/A	No Change	\$129.55	\$250.55
77763	INTRACAVITARY RADIATION SOURCE APPLICATION; COMPLEX	N/A	No Change	\$160.85	\$281.85
77776	INTERSTITIAL RADIATION SOURCE APPLICATION; SIMPLE	N/A	No Change	\$78.83	\$223.83
77777	INTERSTITIAL RADIATION SOURCE APPLICATION; INTERMEDIATE	N/A	No Change	\$151.66	\$296.66
77778	INTERSTITIAL RADIATION SOURCE APPLICATION; COMPLEX	N/A	No Change	\$183.95	\$328.95
77781	REMOTE AFTERLOADING HIGH INTENSITY BRACHYTHERAPY; 1-4 SOURCE POSITIONS OR CATHETERS	N/A	\$83.47	No Change	\$203.47
77782	REMOTE AFTERLOADING HIGH INTENSITY BRACHYTHERAPY; 5-8 SOURCE POSITIONS OR CATHETERS	N/A	\$125.68	No Change	\$305.68
77784	REMOTE AFTERLOADING HIGH INTENSITY BRACHYTHERAPY; OVER 12 SOURCE POSITIONS OR CATHETERS	N/A	\$282.61	No Change	\$672.61
77790	SUPERVISION, HANDLING, LOADING OF RADIATION SOURCE	N/A	No Change	\$17.70	\$54.20
78000	THYROID UPTAKE; SINGLE DETERMINATION	N/A	\$9.56	No Change	\$29.56
78006	THYROID IMAGING, WITH UPTAKE; SINGLE DETERMINATION	N/A	\$24.65	No Change	\$62.15
78011	THYROID IMAGING; WITH VASCULAR FLOW	N/A	\$22.79	No Change	\$67.79
78103	BONE MARROW IMAGING; MULTIPLE AREAS	N/A	\$38.23	No Change	\$109.73
78110	PLASMA VOLUME, RADIOPHARMACEUTICAL VOLUME-DILUTION TECHNIQUE (SEPARATE PROCEDURE); SINGLE SAMPLING	N/A	\$9.90	No Change	\$29.90
78111	PLASMA VOLUME, RADIOPHARMACEUTICAL VOLUME-DILUTION TECHNIQUE (SEPARATE PROCEDURE); MULTIPLE SAMPLINGS	N/A	\$11.38	No Change	\$35.38
78120	RED CELL VOLUME DETERMINATION (SEPARATE PROCEDURE); SINGLE SAMPLING	N/A	\$11.76	No Change	\$30.76
78121	RED CELL VOLUME DETERMINATION (SEPARATE PROCEDURE); MULTIPLE SAMPLINGS	N/A	\$16.19	No Change	\$43.69

		Assistant Surgeon Fee	Professional Component Fee	Technical Component Fee	<i></i>
		Revision (Billing with Modifier	Revision (Billing with Modifier	Revision (Billing with Modifier	Total Fe Revision (Billing with No
Code	Description	80)	26)	TC)	Modifier
78122	WHOLE BLOOD VOLUME DETERMINATION, INCLUDING SEPARATE MEASUREMENT OF PLASMA VOLUME AND RED CELL VOLUME (RADIOPHARMACEUTICAL VOLUME-DILUTION TECHNIQUE)	N/A	\$23.13	No Change	\$91.13
78130	RED CELL SURVIVAL STUDY	N/A	\$31.21	No Change	\$77.71
78135	RED CELL SURVIVAL STUDY; DIFFERENTIAL ORGAN/TISSUE KINETICS, (EG, SPLENIC AND/OR HEPATIC SEQUESTRATION)	N/A	\$32.69	No Change	\$197.69
78185	SPLEEN IMAGING ONLY, WITH OR WITHOUT VASCULAR FLOW	N/A	\$20.56	No Change	\$59.56
78201	LIVER IMAGING; STATIC ONLY	N/A	\$22.41	No Change	\$68.91
78202	LIVER IMAGING; WITH VASCULAR FLOW	N/A	\$25.75	No Change	\$75.75
78205	LIVER IMAGING (SPECT)	N/A	\$36.03	No Change	\$171.03
78206	LIVER IMAGING (SPECT); WITH VASCULAR FLOW	N/A	\$48.88	No Change	\$187.76
78215	LIVER AND SPLEEN IMAGING; STATIC ONLY	N/A	\$24.65	No Change	\$71.15
78216	LIVER AND SPLEEN IMAGING; WITH VASCULAR FLOW	N/A	\$28.71	No Change	\$90.21
78220	LIVER FUNCTION STUDY WITH HEPATOBILIARY AGENTS, WITH SERIAL IMAGES	N/A	\$24.65	No Change	\$68.65
78223	HEPATOBILIARY DUCTAL SYSTEM IMAGING, INCLUDING GALLBLADDER, WITH OR WITHOUT PHARMACOLOGIC INTERVENTION, WITH OR WITHOUT QUANTITATIVE MEASUREMENT OF GALLBLADDER FUNCTION	N/A	\$42.63	No Change	\$115.63
78230	SALIVARY GLAND IMAGING	N/A	\$22.79	No Change	\$61.79
78232	SALIVARY GLAND FUNCTION STUDY	N/A	\$23.89	No Change	\$62.89
78258	ESOPHAGEAL MOTILITY	N/A	\$37.51	No Change	\$101.51
78264	GASTRIC EMPTYING STUDY	N/A	\$39.36	No Change	\$138.36
78270	VITAMIN B-12 ABSORPTION STUDY (EG, SCHILLING TEST); WITHOUT INTRINSIC FACTOR	N/A	\$10.28	No Change	\$30.28
78271	VITAMIN B-12 ABSORPTION STUDY (EG, SCHILLING TEST); WITH INTRINSIC FACTOR	N/A	\$10.28	No Change	\$29.28
78282	GASTROINTESTINAL PROTEIN LOSS	N/A	\$19.46	No Change	\$58.46
78291	PERITONEAL-VENOUS SHUNT PATENCY TEST (EG, FOR LEVEEN, DENVER SHUNT)	N/A	\$44.83	\$109.83	\$154.66
78315	BONE AND/OR JOINT IMAGING; THREE PHASE STUDY	N/A	\$51.50	No Change	\$170.50

NOTICES	
---------	--

Code	Description	Assistant Surgeon Fee Revision (Billing with Modifier 80)	Professional Component Fee Revision (Billing with Modifier 26)	Technical Component Fee Revision (Billing with Modifier TC)	Total Fe Revision (Billing with No Modifier
78414	DESCRIPTION DETERMINATION OF CENTRAL C-V HEMODYNAMICS (NONIMAGING) (EG, EJECTION FRACTION WITH PROBE TECHNIQUE) WITH OR WITHOUT PHARMACOLOGIC INTERVENTION OR EXERCISE, SINGLE OR MULTIPLE DETERMINATIONS	N/A	\$23.13	No Change	\$84.13
78428	CARDIAC SHUNT DETECTION	N/A	\$40.39	No Change	\$115.39
78456	ACUTE VENOUS THROMBOSIS IMAGING, PEPTIDE	N/A	\$50.74	No Change	\$157.40
78457	VENOUS THROMBOSIS IMAGING, VENOGRAM; UNILATERAL	N/A	\$38.99	No Change	\$103.99
78460	MYOCARDIAL PERFUSION IMAGING; (PLANAR) SINGLE STUDY, AT REST OR STRESS (EXERCISE AND/OR PHARMACOLOGIC), WITH OR WITHOUT QUANTIFICATION	N/A	\$43.73	\$84.99	\$128.71
78461	MYOCARDIAL PERFUSION IMAGING; MULTIPLE STUDIES, (PLANAR) AT REST AND/OR STRESS (EXERCISE AND/OR PHARMACOLOGIC), AND REDISTRIBUTION AND/OR REST INJECTION, WITH OR WITHOUT QUANTIFICATION	N/A	\$62.84	\$169.32	\$232.16
78464	MYOCARDIAL PERFUSION IMAGING; TOMOGRAPHIC (SPECT), SINGLE STUDY (INCLUDING ATTENUATION CORRECTION WHEN PERFORMED), AT REST OR STRESS (EXERCISE AND/ OR PHARMACOLOGIC), WITH OR WITHOUT QUANTIFICATION	N/A	\$55.52	No Change	\$268.52
78466	MYOCARDIAL IMAGING, INFARCT AVID, PLANAR; QUALITATIVE OR QUANTITATIVE	N/A	\$35.27	No Change	\$91.27
78473	CARDIAC BLOOD POOL IMAGING, GATED EQUILIBRIUM; MULTIPLE STUDIES, WALL MOTION STUDY PLUS EJECTION FRACTION, AT REST AND STRESS (EXERCISE AND/OR PHARMACOLOGIC), WITH OR WITHOUT ADDITIONAL QUANTIFICATION	N/A	\$74.98	No Change	\$301.98
78494	CARDIAC BLOOD POOL IMAGING, GATED EQUILIBRIUM, SPECT, AT REST, WALL MOTION STUDY PLUS EJECTION FRACTION, WITH OR WITHOUT QUANTITATIVE PROCESSING	N/A	\$60.98	No Change	\$231.73
78496	CARDIAC BLOOD POOL IMAGING, GATED EQUILIBRIUM, SINGLE STUDY, AT REST, WITH RIGHT VENTRICULAR EJECTION FRACTION BY FIRST PASS TECHNIQUE (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	N/A	\$25.71	No Change	\$74.14
78586	PULMONARY VENTILATION IMAGING, AEROSOL; SINGLE PROJECTION	N/A	\$20.21	No Change	\$62.71
78587	PULMONARY VENTILATION IMAGING, AEROSOL; MULTIPLE PROJECTIONS (EG, ANTERIOR, POSTERIOR, LATERAL VIEWS)	N/A	\$24.99	No Change	\$73.99

		Assistant Surgeon Fee Revision	Professional Component Fee Revision	Technical Component Fee Revision	Total Fe
Code	Description	(Billing with Modifier 80)	(Billing with Modifier 26)	(Billing with Modifier TC)	Revision (Billing with No Modifier
78588	PULMONARY PERFUSION IMAGING, PARTICULATE, WITH VENTILATION IMAGING, AEROSOL, ONE OR MULTIPLE PROJECTIONS	N/A	\$55.14	\$115.23	\$170.37
78591	PULMONARY VENTILATION IMAGING, GASEOUS, SINGLE BREATH, SINGLE PROJECTION	N/A	\$20.21	No Change	\$84.21
78593	PULMONARY VENTILATION IMAGING, GASEOUS, WITH REBREATHING AND WASHOUT WITH OR WITHOUT SINGLE BREATH; SINGLE PROJECTION	N/A	\$24.65	No Change	\$68.65
78594	PULMONARY VENTILATION IMAGING, GASEOUS, WITH REBREATHING AND WASHOUT WITH OR WITHOUT SINGLE BREATH; MULTIPLE PROJECTIONS (EG, ANTERIOR, POSTERIOR, LATERAL VIEWS)	N/A	\$26.85	No Change	\$84.35
78600	BRAIN IMAGING, LIMITED PROCEDURE; STATIC	N/A	\$22.41	No Change	\$79.91
78601	BRAIN IMAGING, LIMITED PROCEDURE; WITH VASCULAR FLOW	N/A	\$25.75	No Change	\$95.75
78605	BRAIN IMAGING, COMPLETE STUDY; STATIC	N/A	\$26.85	No Change	\$80.85
78606	BRAIN IMAGING, COMPLETE STUDY; WITH VASCULAR FLOW	N/A	\$32.35	No Change	\$91.35
78610	BRAIN IMAGING, VASCULAR FLOW ONLY	N/A	\$15.43	No Change	\$49.43
78615	CEREBRAL VASCULAR FLOW	N/A	\$21.66	No Change	\$55.66
78630	CEREBROSPINAL FLUID FLOW, IMAGING (NOT INCLUDING INTRODUCTION OF MATERIAL); CISTERNOGRAPHY	N/A	\$34.55	No Change	\$116.05
78645	CEREBROSPINAL FLUID FLOW, IMAGING (NOT INCLUDING INTRODUCTION OF MATERIAL); SHUNT EVALUATION	N/A	\$28.71	No Change	\$138.71
78650	CEREBROSPINAL FLUID LEAKAGE DETECTION AND LOCALIZATION	N/A	\$31.21	No Change	\$85.21
78700	KIDNEY IMAGING; STATIC ONLY	N/A	\$22.79	No Change	\$64.29
78701	KIDNEY IMAGING; WITH VASCULAR FLOW	N/A	\$24.65	No Change	\$79.65
78704	KIDNEY IMAGING; WITH FUNCTION STUDY (IE, IMAGING RENOGRAM)	N/A	\$37.51	No Change	\$102.51
78710	KIDNEY IMAGING, TOMOGRAPHIC (SPECT)	N/A	\$33.45	No Change	\$233.42
78715	KIDNEY VASCULAR FLOW ONLY	N/A	\$15.43	No Change	\$44.43
78725	KIDNEY FUNCTION STUDY, NONIMAGING RADIOISOTOPIC STUDY	N/A	\$19.46	\$64.55	\$84.00
78730	URINARY BLADDER RESIDUAL STUDY	N/A	\$18.36	\$52.35	\$70.71
78740	URETERAL REFLUX STUDY (RADIOPHARMACEUTICAL VOIDING CYSTOGRAM)	N/A	\$29.01	No Change	\$79.01
78761	TESTICULAR IMAGING; WITH VASCULAR FLOW	N/A	\$36.03	No Change	\$131.03

NOTICES
---------

		Assistant	Professional	Technical	
Code	Description	Surgeon Fee Revision (Billing with Modifier 80)	Component Fee Revision (Billing with Modifier 26)	Component Fee Revision (Billing with Modifier TC)	Total Fee Revision (Billing with No Modifier
78800	RADIOPHARMACEUTICAL LOCALIZATION OF TUMOR OR DISTRIBUTION OF RADIOPHARMACEUTICAL AGENT(S); LIMITED AREA	N/A	\$33.75	No Change	\$88.75
78802	RADIOPHARMACEUTICAL LOCALIZATION OF TUMOR OR DISTRIBUTION OF RADIOPHARMACEUTICAL AGENT(S); WHOLE BODY, SINGLE DAY IMAGING	N/A	\$43.73	No Change	\$113.73
78806	RADIOPHARMACEUTICAL LOCALIZATION OF INFLAMMATORY PROCESS; WHOLE BODY	N/A	\$43.73	No Change	\$113.73
79200	RADIOPHARMACEUTICAL THERAPY, BY INTRACAVITARY ADMINISTRATION	N/A	No Change	\$94.18	\$159.18
79300	RADIOPHARMACEUTICAL THERAPY, BY INTERSTITIAL RADIOACTIVE COLLOID ADMINISTRATION	N/A	\$83.75	No Change	\$191.25
88302	LEVEL II—SURGICAL PATHOLOGY, GROSS AND MICROSCOPIC EXAMINATION APPENDIX, INCIDENTAL FALLOPIAN TUBE, STERILIZATION FINGERS/TOES, AMPUTATION, TRAUMATIC FORESKIN, NEWBORN HERNIA SAC, ANY LOCATION HYDROCELE SAC NERVE SKIN, PLASTIC REPAIR SYMPATHETIC GANGLION TESTIS, CASTRATION VAGINAL MUCOSA, INCIDENTAL VAS DEFERENS, STERILIZATION	N/A	\$7.28	No Change	\$12.28
88304	LEVEL III—SURGICAL PATHOLOGY, GROSS AND MICROSCOPIC EXAMINATION	N/A	\$11.72	No Change	\$18.22
88311	DECALCIFICATION PROCEDURE (LIST SEPARATELY IN ADDITION TO CODE FOR SURGICAL PATHOLOGY EXAMINATION)	N/A	N/A	N/A	\$17.57
88314	SPECIAL STAINS (LIST SEPARATELY IN ADDITION TO CODE FOR SURGICAL PATHOLOGY EXAMINATION); HISTOCHEMICAL STAINING WITH FROZEN SECTION(S)	N/A	\$24.16	No Change	\$32.75
88332	PATHOLOGY CONSULTATION DURING SURGERY; EACH ADDITIONAL TISSUE BLOCK WITH FROZEN SECTION(S)	N/A	No Change	\$7.79	\$36.79
88349	ELECTRON MICROSCOPY; SCANNING	N/A	\$41.00	No Change	\$65.60
88358	MORPHOMETRIC ANALYSIS; TUMOR (EG, DNA PLOIDY)	N/A	\$52.73	\$17.18	\$69.91
88368	MORPHOMETRIC ANALYSIS, IN SITU HYBRIDIZATION, (QUANTITATIVE OR SEMIQUANTITATIVE) EACH PROBE; MANUAL	N/A	No Change	\$63.36	\$123.94
89230	SWEAT COLLECTION BY IONTOPHORESIS	N/A	N/A	N/A	\$4.37
91060	GASTRIC SALINE LOAD TEST	N/A	\$22.76	No Change	\$29.58
92270	ELECTRO-OCULOGRAPHY WITH INTERPRETATION AND REPORT	N/A	No Change	\$41.63	\$79.63

		Assistant Surgeon Fee Revision (Billing	Professional Component Fee Revision (Billing	Technical Component Fee Revision (Billing	Total Fe Revision
Code	Description	with Modifier 80)	with Modifier 26)	with Modifier TC)	(Billing with No Modifier
92283	COLOR VISION EXAMINATION, EXTENDED, EG, ANOMALOSCOPE OR EQUIVALENT	N/A	\$9.14	No Change	\$12.68
92284	DARK ADAPTATION EXAMINATION WITH INTERPRETATION AND REPORT	N/A	\$12.14	No Change	\$54.14
92285	EXTERNAL OCULAR PHOTOGRAPHY WITH INTERPRETATION AND REPORT FOR DOCUMENTATION OF MEDICAL PROGRESS (EG, CLOSE-UP PHOTOGRAPHY, SLIT LAMP PHOTOGRAPHY, GONIOPHOTOGRAPHY, STEREO-PHOTOGRAPHY)	N/A	\$10.96	No Change	\$14.21
92542	POSITIONAL NYSTAGMUS TEST, MINIMUM OF FOUR POSITIONS, WITH RECORDING	N/A	\$18.28	No Change	\$27.66
92543	CALORIC VESTIBULAR TEST, EACH IRRIGATION (BINAURAL, BITHERMAL STIMULATION CONSTITUTES FOUR TESTS), WITH RECORDING	N/A	\$5.80	No Change	\$20.73
92547	USE OF VERTICAL ELECTRODES (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	N/A	N/A	N/A	\$4.57
92562	LOUDNESS BALANCE TEST, ALTERNATE BINAURAL OR MONAURA	N/A	N/A	N/A	\$15.24
92563	TONE DECAY TEST	N/A	N/A	N/A	\$14.21
92564	SHORT INCREMENT SENSITIVITY INDEX (SISI)	N/A	N/A	N/A	\$17.59
92565	STENGER TEST, PURE TONE	N/A	N/A	N/A	\$14.90
92569	ACOUSTIC REFLEX TESTING; DECAY	N/A	N/A	N/A	\$15.24
92572	STAGGERED SPONDAIC WORD TEST	N/A	N/A	N/A	\$3.38
92575	SENSORINEURAL ACUITY LEVEL TEST	N/A	N/A	N/A	\$10.87
92577	STENGER TEST, SPEECH	N/A	N/A	N/A	\$26.75
92587	EVOKED OTOACOUSTIC EMISSIONS; LIMITED (SINGLE STIMULUS LEVEL, EITHER TRANSIENT OR DISTORTION PRODUCTS)	N/A	\$7.28	No Change	\$48.64
92588	EVOKED OTOACOUSTIC EMISSIONS; COMPREHENSIVE OR DIAGNOSTIC EVALUATION (COMPARISON OF TRANSIENT AND/OR DISTORTION PRODUCT OTOACOUSTIC EMISSIONS AT MULTIPLE LEVELS AND FREQUENCIES)	N/A	\$19.42	No Change	\$66.25
92603	DIAGNOSTIC ANALYSIS OF COCHLEAR IMPLANT, AGE 7 YEARS OR OLDER; WITH PROGRAMMING	N/A	N/A	N/A	\$75.63
92612	FLEXIBLE FIBEROPTIC ENDOSCOPIC EVALUATION OF SWALLOWING BY CINE OR VIDEO RECORDING;	N/A	N/A	N/A	\$71.91
92613	FLEXIBLE FIBEROPTIC ENDOSCOPIC EVALUATION OF SWALLOWING BY CINE OR VIDEO RECORDING; PHYSICIAN INTERPRETATION AND REPORT ONLY	N/A	N/A	N/A	\$41.77

NOTICES	
---------	--

	Procedure Codes with Fees Ex	ceeding 100%	Medicare		
Code	Description	Assistant Surgeon Fee Revision (Billing with Modifier 80)	Professional Component Fee Revision (Billing with Modifier 26)	Technical Component Fee Revision (Billing with Modifier TC)	Total Fee Revision (Billing with No Modifier)
92615	FLEXIBLE FIBEROPTIC ENDOSCOPIC EVALUATION, LARYNGEAL SENSORY TESTING BY CINE OR VIDEO RECORDING; PHYSICIAN INTERPRETATION AND REPORT ONLY	N/A	N/A	N/A	\$37.37
92617	FLEXIBLE FIBEROPTIC ENDOSCOPIC EVALUATION OF SWALLOWING AND LARYNGEAL SENSORY TESTING BY CINE OR VIDEO RECORDING; PHYSICIAN INTERPRETATION AND REPORT ONLY	N/A	N/A	N/A	\$46.51
92975	THROMBOLYSIS, CORONARY; BY INTRACORONARY INFUSION, INCLUDING SELECTIVE CORONARY ANGIOGRAPHY	N/A	N/A	N/A	\$386.05
92978	INTRAVASCULAR ULTRASOUND (CORONARY VESSEL OR GRAFT) DURING DIAGNOSTIC EVALUATION AND/OR THERAPEUTIC INTERVENTION INCLUDING IMAGING SUPERVISION, INTERPRETATION AND REPORT; INITIAL VESSEL (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	N/A	\$94.32	No Change	\$244.45
92980	TRANSCATHETER PLACEMENT OF AN INTRACORONARY STENT(S), PERCUTANEOUS, WITH OR WITHOUT OTHER THERAPEUTIC INTERVENTION, ANY METHOD; SINGLE VESSEL	N/A	N/A	N/A	\$800.60
92981	TRANSCATHETER PLACEMENT OF AN INTRACORONARY STENT(S), PERCUTANEOUS, WITH OR WITHOUT OTHER THERAPEUTIC INTERVENTION, ANY METHOD; EACH ADDITIONAL VESSEL (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	N/A	N/A	N/A	\$222.23
92982	PERCUTANEOUS TRANSLUMINAL CORONARY BALLOON ANGIOPLASTY; SINGLE VESSEL	N/A	N/A	N/A	\$593.76
92984	PERCUTANEOUS TRANSLUMINAL CORONARY BALLOON ANGIOPLASTY; EACH ADDITIONAL VESSEL (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	N/A	N/A	N/A	\$158.62
92995	PERCUTANEOUS TRANSLUMINAL CORONARY ATHERECTOMY, BY MECHANICAL OR OTHER METHOD, WITH OR WITHOUT BALLOON ANGIOPLASTY; SINGLE VESSEL	N/A	N/A	N/A	\$652.97
92996	PERCUTANEOUS TRANSLUMINAL CORONARY ATHERECTOMY, BY MECHANICAL OR OTHER METHOD, WITH OR WITHOUT BALLOON ANGIOPLASTY; EACH ADDITIONAL VESSEL (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	N/A	N/A	N/A	\$170.01

		Assistant Surgeon Fee Revision (Billing with	Professional Component Fee Revision (Billing with	Technical Component Fee Revision (Billing with	Total Fee Revision (Billing
Code	Description	Modifier 80)	Modifier 26)	Modifier TC)	with No Modifier,
92997	PERCUTANEOUS TRANSLUMINAL PULMONARY ARTERY BALLOON ANGIOPLASTY; SINGLE VESSEL	N/A	N/A	N/A	\$631.34
92998	PERCUTANEOUS TRANSLUMINAL PULMONARY ARTERY BALLOON ANGIOPLASTY; EACH ADDITIONAL VESSEL (LIST SEPARATELY IN ADDITION TO CODE FOR PRIMARY PROCEDURE)	N/A	N/A	N/A	\$311.10
93014	TELEPHONIC TRANSMISSION OF POST-SYMPTOM ELECTROCARDIOGRAM RHYTHM STRIP(S), 24 HOUR ATTENDED MONITORING, PER 30 DAY PERIOD OF TIME; PHYSICIAN REVIEW WITH INTERPRETATION AND REPORT ONLY	N/A	N/A	N/A	\$26.81
93015	CARDIOVASCULAR STRESS TEST USING MAXIMAL OR SUBMAXIMAL TREADMILL OR BICYCLE EXERCISE, CONTINUOUS ELECTROCARDIOGRAPHIC MONITORING, AND/OR PHARMACOLOGICAL STRESS; WITH PHYSICIAN SUPERVISION, WITH INTERPRETATION AND REPORT	N/A	N/A	N/A	\$99.70
03016	CARDIOVASCULAR STRESS TEST USING MAXIMAL OR SUBMAXIMAL TREADMILL OR BICYCLE EXERCISE, CONTINUOUS ELECTROCARDIOGRAPHIC MONITORING, AND/OR PHARMACOLOGICAL STRESS; PHYSICIAN SUPERVISION ONLY, WITHOUT INTERPRETATION AND REPORT	N/A	N/A	N/A	\$23.48
93018	CARDIOVASCULAR STRESS TEST USING MAXIMAL OR SUBMAXIMAL TREADMILL OR BICYCLE EXERCISE, CONTINUOUS ELECTROCARDIOGRAPHIC MONITORING, AND/OR PHARMACOLOGICAL STRESS; INTERPRETATION AND REPORT ONLY	N/A	N/A	N/A	\$15.43
93040	RHYTHM ECG, ONE TO THREE LEADS; WITH INTERPRETATION AND REPORT	N/A	N/A	N/A	\$13.51
93041	RHYTHM ECG, ONE TO THREE LEADS; TRACING ONLY WITHOUT INTERPRETATION AND REPORT	N/A	N/A	N/A	\$5.43
93224	ELECTROCARDIOGRAPHIC MONITORING FOR 24 HOURS BY CONTINUOUS ORIGINAL ECG WAVEFORM RECORDING AND STORAGE, WITH VISUAL SUPERIMPOSITION SCANNING; INCLUDES RECORDING, SCANNING ANALYSIS WITH REPORT, PHYSICIAN REVIEW AND INTERPRETATION	N/A	N/A	N/A	\$150.78
93227	ELECTROCARDIOGRAPHIC MONITORING FOR 24 HOURS BY CONTINUOUS ORIGINAL ECG WAVEFORM RECORDING AND STORAGE, WITH VISUAL SUPERIMPOSITION SCANNING; PHYSICIAN REVIEW AND INTERPRETATION	N/A	N/A	N/A	\$26.81

NOTICES	
---------	--

		Assistant Surgeon Fee Revision (Billing with	Professional Component Fee Revision (Billing with	Technical Component Fee Revision (Billing with	Total Fee Revision (Billing
Code	Description	Modifier 80)	Modifier 26)	Modifier TC)	with No Modifier
93233	ELECTROCARDIOGRAPHIC MONITORING FOR 24 HOURS BY CONTINUOUS ORIGINAL ECG WAVEFORM RECORDING AND STORAGE WITHOUT SUPERIMPOSITION SCANNING UTILIZING A DEVICE CAPABLE OF PRODUCING A FULL MINIATURIZED PRINTOUT; PHYSICIAN REVIEW AND INTERPRETATION	N/A	N/A	N/A	\$26.81
93237	ELECTROCARDIOGRAPHIC MONITORING FOR 24 HOURS BY CONTINUOUS COMPUTERIZED MONITORING AND NONCONTINUOUS RECORDING, AND REAL-TIME DATA ANALYSIS UTILIZING A DEVICE CAPABLE OF PRODUCING INTERMITTENT FULL-SIZED WAVEFORM TRACINGS, POSSIBLY PATIENT ACTIVATED	N/A	N/A	N/A	\$23.13
93272	PATIENT DEMAND SINGLE OR MULTIPLE EVENT RECORDING WITH PRESYMPTOM MEMORY LOOP, 24-HOUR ATTENDED MONITORING, PER 30 DAY PERIOD OF TIME; PHYSICIAN REVIEW AND INTERPRETATION ONLY	N/A	N/A	N/A	\$26.81
93278	SIGNAL-AVERAGED ELECTROCARDIOGRAPHY (SAECG), WITH OR WITHOUT ECG	N/A	\$13.20	No Change	\$49.69
93312	ECHOCARDIOGRAPHY, TRANSESOPHAGEAL, REAL TIME WITH IMAGE DOCUMENTATION (2D) (WITH OR WITHOUT M-MODE RECORDING); INCLUDING PROBE PLACEMENT, IMAGE ACQUISITION, INTERPRETATION AND REPORT	N/A	\$112.82	No Change	\$245.75
93313	ECHOCARDIOGRAPHY, TRANSESOPHAGEAL, REAL TIME WITH IMAGE DOCUMENTATION (2D) (WITH OR WITHOUT M-MODE RECORDING); PLACEMENT OF TRANSESOPHAGEAL PROBE ONLY	N/A	N/A	N/A	\$45.01
93316	TRANSESOPHAGEAL ECHOCARDIOGRAPHY FOR CONGENITAL CARDIAC ANOMALIES; PLACEMENT OF TRANSESOPHAGEAL PROBE ONLY	N/A	N/A	N/A	\$45.73
93321	DOPPLER ECHOCARDIOGRAPHY, PULSED WAVE AND/OR CONTINUOUS WAVE WITH SPECTRAL DISPLAY (LIST SEPARATELY IN ADDITION TO CODES FOR ECHOCARDIOGRAPHIC IMAGING); FOLLOW-UP OR LIMITED STUDY (LIST SEPARATELY IN ADDITION TO CODES FOR ECHOCARDIOGRAPHIC IMAGING)	N/A	\$8.04	\$40.39	\$48.43
93503	INSERTION AND PLACEMENT OF FLOW DIRECTED CATHETER (EG, SWAN-GANZ) FOR MONITORING PURPOSES	N/A	N/A	N/A	\$139.64

		Assistant Surgeon	Professional Component	Technical Component	
Code	Description	Fee Revision (Billing with Modifier 80)	Fee Revision (Billing with Modifier 26)	Fee Revision (Billing with Modifier TC)	Total Fee Revision (Billing with No Modifier,
93539	INJECTION PROCEDURE DURING CARDIAC CATHETERIZATION; FOR SELECTIVE OPACIFICATION OF ARTERIAL CONDUITS (EG, INTERNAL MAMMARY), WHETHER NATIVE OR USED FOR BYPASS	N/A	N/A	N/A	\$20.93
93540	INJECTION PROCEDURE DURING CARDIAC CATHETERIZATION; FOR SELECTIVE OPACIFICATION OF AORTOCORONARY VENOUS BYPASS GRAFTS, ONE OR MORE CORONARY ARTERIES	N/A	N/A	N/A	\$22.41
93541	INJECTION PROCEDURE DURING CARDIAC CATHETERIZATION; FOR PULMONARY ANGIOGRAPHY	N/A	N/A	N/A	\$15.06
93542	INJECTION PROCEDURE DURING CARDIAC CATHETERIZATION; FOR SELECTIVE RIGHT VENTRICULAR OR RIGHT ATRIAL ANGIOGRAPHY	N/A	N/A	N/A	\$15.06
93543	INJECTION PROCEDURE DURING CARDIAC CATHETERIZATION; FOR SELECTIVE LEFT VENTRICULAR OR LEFT ATRIAL ANGIOGRAPHY	N/A	N/A	N/A	\$15.06
93544	INJECTION PROCEDURE DURING CARDIAC CATHETERIZATION; FOR AORTOGRAPHY	N/A	N/A	N/A	\$13.20
93545	INJECTION PROCEDURE DURING CARDIAC CATHETERIZATION; FOR SELECTIVE CORONARY ANGIOGRAPHY (INJECTION OF RADIOPAQUE MATERIAL MAY BE BY HAND)	N/A	N/A	N/A	\$20.93
93556	IMAGING SUPERVISION, INTERPRETATION AND REPORT FOR INJECTION PROCEDURE(S) DURING CARDIAC CATHETERIZATION; PULMONARY ANGIOGRAPHY, AORTOGRAPHY, AND/OR SELECTIVE CORONARY ANGIOGRAPHY INCLUDING VENOUS BYPASS GRAFTS AND ARTERIAL CONDUITS (WHETHER NATIVE OR USED IN BYPASS)	N/A	\$43.31	No Change	\$391.42
93562	INDICATOR DILUTION STUDIES SUCH AS DYE OR THERMAL DILUTION, INCLUDING ARTERIAL AND/OR VENOUS CATHETERIZATION; SUBSEQUENT MEASUREMENT OF CARDIAC OUTPUT	N/A	N/A	N/A	\$20.24
93603	RIGHT VENTRICULAR RECORDING	N/A	N/A	N/A	\$174.32
93619	COMPREHENSIVE ELECTROPHYSIOLOGIC EVALUATION WITH RIGHT ATRIAL PACING AND RECORDING, RIGHT VENTRICULAR PACING AND RECORDING, HIS BUNDLE RECORDING, INCLUDING INSERTION AND REPOSITIONING OF MULTIPLE ELECTRODE CATHETERS, WITHOUT INDUCTION OR ATTEMPTED IN	N/A	N/A	N/A	\$679.91

NOTICES	
---------	--

	Procedure Codes with Fees Exc	ceeding 100%	Medicare		
Code	Description	Assistant Surgeon Fee Revision (Billing with Modifier 80)	Professional Component Fee Revision (Billing with Modifier 26)	Technical Component Fee Revision (Billing with Modifier TC)	Total Fee Revision (Billing with No Modifier)
93641	ELECTROPHYSIOLOGIC EVALUATION OF SINGLE OR DUAL CHAMBER PACING CARDIOVERTER-DEFIBRILLATOR LEADS INCLUDING DEFIBRILLATION THRESHOLD EVALUATION (INDUCTION OF ARRHYTHMIA, EVALUATION OF SENSING AND PACING FOR ARRHYTHMIA TERMINATION) AT TIME OF INITIAL IMPLANTATION WITH TESTING OF SINGLE OR DUAL CHAMBER PACING CARDIOVERTER-DEFIBRILLATOR PULSE GENERATOR	N/A	N/A	N/A	\$574.79
93642	ELECTROPHYSIOLOGIC EVALUATION OF SINGLE OR DUAL CHAMBER PACING CARDIOVERTER-DEFIBRILLATOR (INCLUDES DEFIBRILLATION THRESHOLD EVALUATION, INDUCTION OF ARRHYTHMIA, EVALUATION OF SENSING AND PACING FOR ARRHYTHMIA TERMINATION, AND PROGRAMMING OR REPROGRAMMING OF SENSING OR THERAPEUTIC PARAMETERS	N/A	N/A	N/A	\$524.02
93650	INTRACARDIAC CATHETER ABLATION OF ATRIOVENTRICULAR NODE FUNCTION, ATRIOVENTRICULAR CONDUCTION FOR CREATION OF COMPLETE HEART BLOCK, WITH OR WITHOUT TEMPORARY PACEMAKER PLACEMENT	N/A	N/A	N/A	\$571.62
93651	INTRACARDIAC CATHETER ABLATION OF ARRHYTHMOGENIC FOCUS; FOR TREATMENT OF SUPRAVENTRICULAR TACHYCARDIA BY ABLATION OF FAST OR SLOW ATRIOVENTRICULAR PATHWAYS, ACCESSORY ATRIOVENTRICULAR CONNECTIONS OR OTHER ATRIAL FOCI, SINGLY OR IN COMBINATION	N/A	N/A	N/A	\$866.32
93652	INTRACARDIAC CATHETER ABLATION OF ARRHYTHMOGENIC FOCUS; FOR TREATMENT OF SUPRAVENTRICULAR TACHYCARDIA BY ABLATION OF FAST OR SLOW ATRIOVENTRICULAR PATHWAYS, ACCESSORY ATRIOVENTRICULAR CONNECTIONS OR OTHER ATRIAL FOCI, SINGLY OR IN COMBINATION FOR TREATMENT OF VENTRICULAR TACHYCARDIA	N/A	N/A	N/A	\$942.33
93722	PLETHYSMOGRAPHY, TOTAL BODY; INTERPRETATION AND REPORT ONLY	N/A	N/A	N/A	\$8.46
93733	ELECTRONIC ANALYSIS OF DUAL CHAMBER INTERNAL PACEMAKER SYSTEM (MAY INCLUDE RATE, PULSE AMPLITUDE AND DURATION, CONFIGURATION OF WAVE FORM, AND/OR TESTING OF SENSORY FUNCTION OF PACEMAKER), TELEPHONIC ANALYSIS	N/A	\$9.14	No Change	\$27.74

		Assistant Surgeon Fee Revision	Professional Component Fee Revision	Technical Component Fee Revision	Total Fe
Code	Description	(Billing with Modifier 80)	(Billing with Modifier 26)	(Billing with Modifier TC)	Revision (Billing with No Modifier
93735	ELECTRONIC ANALYSIS OF SINGLE CHAMBER PACEMAKER SYSTEM (INCLUDES EVALUATION OF PROGRAMMABLE PARAMETERS AT REST AND DURING ACTIVITY WHERE APPLICABLE, USING ELECTROCARDIOGRAPHIC RECORDING AND INTERPRETATION OF RECORDINGS AT REST AND DURING EXERCISE, ANALYSIS OF EVENT MARKERS AND DEVICE RESPONSE); WITH REPROGRAMMING	N/A	No Change	\$16.26	\$28.66
93736	ELECTRONIC ANALYSIS OF SINGLE CHAMBER INTERNAL PACEMAKER SYSTEM (MAY INCLUDE RATE, PULSE AMPLITUDE AND DURATION, CONFIGURATION OF WAVE FORM, AND/OR TESTING OF SENSORY FUNCTION OF PACEMAKER), TELEPHONIC ANALYSIS	N/A	\$8.04	No Change	\$26.64
93875	NONINVASIVE PHYSIOLOGIC STUDIES OF EXTRACRANIAL ARTERIES, COMPLETE BILATERAL STUDY (EG, PERIORBITAL FLOW DIRECTION WITH ARTERIAL COMPRESSION, OCULAR PNEUMOPLETHYSMOGRAPHY, DOPPLER ULTRASOUND SPECTRAL ANALYSIS)	N/A	\$11.38	No Change	\$47.38
93880	DUPLEX SCAN OF EXTRACRANIAL ARTERIES; COMPLETE BILATERAL STUDY	N/A	\$30.80	No Change	\$150.14
93886	TRANSCRANIAL DOPPLER STUDY OF THE INTRACRANIAL ARTERIES; COMPLETE STUDY	N/A	\$50.10	No Change	\$169.44
93888	TRANSCRANIAL DOPPLER STUDY OF THE INTRACRANIAL ARTERIES; LIMITED STUDY	N/A	\$32.89	No Change	\$85.69
93922	NONINVASIVE PHYSIOLOGIC STUDIES OF UPPER OR LOWER EXTREMITY ARTERIES, SINGLE LEVEL, BILATERAL (EG, ANKLE/BRACHIAL INDICES, DOPPLER WAVEFORM ANALYSIS, VOLUME PLETHYSMOGRAPHY, TRANSCUTANEOUS OXYGEN TENSION MEASUREMENT)	N/A	\$12.82	No Change	\$49.93
93924	NONINVASIVE PHYSIOLOGIC STUDIES OF LOWER EXTREMITY ARTERIES, AT REST AND FOLLOWING TREADMILL STRESS TESTING, COMPLETE BILATERAL STUDY	N/A	\$26.29	No Change	\$102.88
93925	DUPLEX SCAN OF LOWER EXTREMITY ARTERIES OR ARTERIAL BYPASS GRAFTS; COMPLETE BILATERAL STUDY	N/A	\$30.04	No Change	\$149.38
93926	DUPLEX SCAN OF LOWER EXTREMITY ARTERIES OR ARTERIAL BYPASS GRAFTS; UNILATERAL OR LIMITED STUDY	N/A	\$20.45	No Change	\$99.05
93930	DUPLEX SCAN OF UPPER EXTREMITY ARTERIES OR ARTERIAL BYPASS GRAFTS; COMPLETE BILATERAL STUDY	N/A	\$24.12	No Change	\$143.46

	Procedure Codes with Fees Exc	0	1 1	<i>T</i> 1 · 1	
Code	Description	Assistant Surgeon Fee Revision (Billing with Modifier 80)	Professional Component Fee Revision (Billing with Modifier 26)	Technical Component Fee Revision (Billing with Modifier TC)	Total Fe Revision (Billing with No Modifier
93931	DUPLEX SCAN OF UPPER EXTREMITY ARTERIES OR ARTERIAL BYPASS GRAFTS; UNILATERAL OR LIMITED STUDY	N/A	\$16.08	No Change	\$94.68
93965	NONINVASIVE PHYSIOLOGIC STUDIES OF EXTREMITY VEINS, COMPLETE BILATERAL STUDY (EG, DOPPLER WAVEFORM ANALYSIS WITH RESPONSES TO COMPRESSION AND OTHER MANEUVERS, PHLEBORHEOGRAPHY, IMPEDANCE PLETHYSMOGRAPHY)	N/A	\$17.98	No Change	\$53.98
93978	DUPLEX SCAN OF AORTA, INFERIOR VENA CAVA, ILIAC VASCULATURE OR BYPASS GRAFTS; COMPLETE STUDY	N/A	\$33.99	No Change	\$142.06
93979	DUPLEX SCAN OF AORTA, INFERIOR VENA CAVA, ILIAC VASCULATURE OR BYPASS GRAFTS; UNILATERAL OR LIMITED STUDY	N/A	\$22.72	No Change	\$101.32
93980	DUPLEX SCAN OF ARTERIAL INFLOW AND VENOUS OUTFLOW OF PENILE VESSELS; COMPLETE STUDY	N/A	\$63.83	\$94.14	\$157.97
93981	DUPLEX SCAN OF ARTERIAL INFLOW AND VENOUS OUTFLOW OF PENILE VESSELS; FOLLOW-UP OR LIMITED STUDY	N/A	\$22.07	No Change	\$79.07
93990	DUPLEX SCAN OF HEMODIALYSIS ACCESS (INCLUDING ARTERIAL INFLOW, BODY OF ACCESS AND VENOUS OUTFLOW)	N/A	\$13.47	No Change	\$93.98
94260	THORACIC GAS VOLUME	N/A	\$6.60	No Change	\$21.00
94375	RESPIRATORY FLOW VOLUME LOOP	N/A	No Change	\$18.04	\$32.04
94400	BREATHING RESPONSE TO CO2 (CO2 RESPONSE CURVE)	N/A	\$20.18	No Change	\$32.60
94621	PULMONARY STRESS TESTING; COMPLEX (INCLUDING MEASUREMENTS OF CO2 PRODUCTION, O2 UPTAKE AND ELECTROCARDIOGRAPHIC RECORDINGS)	N/A	No Change	\$63.56	\$108.31
94657	VENTILATION ASSIST AND MANAGEMENT, INITIATION OF PRESSURE OR VOLUME PRESET VENTILATORS FOR ASSISTED OR CONTROLLED BREATHING; SUBSEQUENT DAYS	N/A	N/A	N/A	\$41.22
94660	CONTINUOUS POSITIVE AIRWAY PRESSURE VENTILATION (CPAP), INITIATION AND MANAGEMENT	N/A	N/A	N/A	\$37.89
94662	CONTINUOUS NEGATIVE PRESSURE VENTILATION (CNP), INITIATION AND MANAGEMENT	N/A	N/A	N/A	\$37.58
94664	DEMONSTRATION AND/OR EVALUATION OF PATIENT UTILIZATION OF AN AEROSOL GENERATOR, NEBULIZER, METERED DOSE INHALER OR IPPB DEVICE	N/A	N/A	N/A	\$11.82
94681	OXYGEN UPTAKE, EXPIRED GAS ANALYSIS; INCLUDING CO2 OUTPUT, PERCENTAGE OXYGEN EXTRACTED	N/A	\$9.94	No Change	\$32.44

		Assistant Surgeon Fee Revision (Billing with	Professional Component Fee Revision (Billing with Medican	Technical Component Fee Revision (Billing with	Total Fe Revision (Billing
Code	Description	Modifier 80)	Modifier 26)	Modifier TC)	with No Modifier
94760	NONINVASIVE EAR OR PULSE OXIMETRY FOR OXYGEN SATURATION; SINGLE DETERMINATION	N/A	N/A	N/A	\$1.98
94761	NONINVASIVE EAR OR PULSE OXIMETRY FOR OXYGEN SATURATION; MULTIPLE DETERMINATIONS (EG, DURING EXERCISE)	N/A	N/A	N/A	\$4.23
95027	INTRACUTANEOUS (INTRADERMAL) TESTS, SEQUENTIAL AND INCREMENTAL, WITH ALLERGENIC EXTRACTS FOR AIRBORNE ALLERGENS, IMMEDIATE TYPE REACTION, SPECIFY NUMBER OF TESTS	N/A	N/A	N/A	\$5.43
95165	PROFESSIONAL SERVICES FOR THE SUPERVISION OF PREPARATION AND PROVISION OF ANTIGENS FOR ALLERGEN IMMUNOTHERAPY; SINGLE OR MULTIPLE ANTIGENS (SPECIFY NUMBER OF DOSES)	N/A	N/A	N/A	\$3.26
95831	MUSCLE TESTING, MANUAL (SEPARATE PROCEDURE) WITH REPORT; EXTREMITY (EXCLUDING HAND) OR TRUNK	N/A	N/A	N/A	\$15.36
95832	MUSCLE TESTING, MANUAL (SEPARATE PROCEDURE) WITH REPORT; HAND, WITH OR WITHOUT COMPARISON WITH NORMAL SIDE	N/A	N/A	N/A	\$15.70
95851	RANGE OF MOTION MEASUREMENTS AND REPORT (SEPARATE PROCEDURE); EACH EXTREMITY (EXCLUDING HAND) OR EACH TRUNK SECTION (SPINE)	N/A	N/A	N/A	\$9.10
95852	RANGE OF MOTION MEASUREMENTS AND REPORT (SEPARATE PROCEDURE); HAND, WITH OR WITHOUT COMPARISON WITH NORMAL SIDE	N/A	N/A	N/A	\$6.18
95868	NEEDLE ELECTROMYOGRAPHY, CRANIAL NERVE SUPPLIED MUSCLES, BILATERAL	N/A	No Change	\$25.46	\$56.46
95869	NEEDLE ELECTROMYOGRAPHY; THORACIC PARASPINAL MUSCLES (EXCLUDING T1 OR T12)	N/A	No Change	\$7.79	\$21.79
95926	SHORT-LATENCY SOMATOSENSORY EVOKED POTENTIAL STUDY, STIMULATION OF ANY/ALL PERIPHERAL NERVES OR SKIN SITES, RECORDING FROM THE CENTRAL NERVOUS SYSTEM; IN LOWER LIMBS	N/A	\$29.24	No Change	\$61.70
95927	SHORT-LATENCY SOMATOSENSORY EVOKED POTENTIAL STUDY, STIMULATION OF ANY/ALL PERIPHERAL NERVES OR SKIN SITES, RECORDING FROM THE CENTRAL NERVOUS SYSTEM; IN THE TRUNK OR HEAD	N/A	\$30.23	No Change	\$62.69
95937	NEUROMUSCULAR JUNCTION TESTING (REPETITIVE STIMULATION, PAIRED STIMULI), EACH NERVE, ANY ONE METHOD	N/A	No Change	\$12.23	\$19.73

	Procedure Codes with Fees Exe	ceeding 100%	Medicare		
Code	Description	Assistant Surgeon Fee Revision (Billing with Modifier 80)	Professional Component Fee Revision (Billing with Modifier 26)	Technical Component Fee Revision (Billing with Modifier TC)	Total Fee Revision (Billing with No Modifier)
95955	ELECTROENCEPHALOGRAM (EEG) DURING NONINTRACRANIAL SURGERY (EG, CAROTID SURGERY)	N/A	\$52.11	\$72.53	\$124.64
95958	WADA ACTIVATION TEST FOR HEMISPHERIC FUNCTION, INCLUDING ELECTROENCEPHALOGRAPHIC (EEG) MONITORING	N/A	No Change	\$63.79	\$108.99
97012	APPLICATION OF A MODALITY TO ONE OR MORE AREAS; TRACTION, MECHANICAL	N/A	N/A	N/A	\$14.22
97016	APPLICATION OF A MODALITY TO ONE OR MORE AREAS; VASOPNEUMATIC DEVICES	N/A	N/A	N/A	\$13.28
97018	APPLICATION OF A MODALITY TO ONE OR MORE AREAS; PARAFFIN BATH	N/A	N/A	N/A	\$6.00
97022	APPLICATION OF A MODALITY TO ONE OR MORE AREAS; WHIRLPOOL	N/A	N/A	N/A	\$13.93
97024	APPLICATION OF A MODALITY TO ONE OR MORE AREAS; DIATHERMY (EG, MICROWAVE)	N/A	N/A	N/A	\$4.97
97026	APPLICATION OF A MODALITY TO ONE OR MORE AREAS; INFRARED	N/A	N/A	N/A	\$4.63
97028	APPLICATION OF A MODALITY TO ONE OR MORE AREAS; ULTRAVIOLET	N/A	N/A	N/A	\$5.73
97034	APPLICATION OF A MODALITY TO ONE OR MORE AREAS; CONTRAST BATHS, EACH 15 MINUTES	N/A	N/A	N/A	\$13.39
99281	EMERGENCY DEPARTMENT VISIT FOR THE EVALUATION AND MANAGEMENT OF A PATIENT, WHICH REQUIRES THESE THREE KEY COMPONENTS: A PROBLEM FOCUSED HISTORY; A PROBLEM FOCUSED EXAMINATION AND STRAIGHTFORWARD MEDICAL DECISION MAKING. COUNSELING AND/OR COORDINATION OF CARE WITH OTHER PROVIDERS OR AGENCIES ARE PROVIDED CONSISTENT WITH THE NATURE OF THE PROBLEM(S) AND THE PATIENT'S AND/OR FAMILY'S NEEDS. USUALLY, THE PRESENTING PROBLEMS ARE SELF LIMITED OR MINOR	N/A	N/A	N/A	\$16.19
99282	EMERGENCY DEPARTMENT VISIT FOR THE EVALUATION AND MANAGEMENT OF A PATIENT, WHICH REQUIRES THESE THREE KEY COMPONENTS: A PROBLEM FOCUSED HISTORY; A PROBLEM FOCUSED EXAMINATION AND STRAIGHTFORWARD MEDICAL DECISION MAKING. COUNSELING AND/OR COORDINATION OF CARE WITH OTHER PROVIDERS OR AGENCIES ARE PROVIDED CONSISTENT WITH THE NATURE OF THE PROBLEM(S) AND THE PATIENT'S AND/OR FAMILY'S NEEDS. USUALLY, THE PRESENTING PROBLEMS ARE OF LOW TO MODERATE SEVERITY	N/A	N/A	N/A	\$26.85

#### Fiscal Impact

It is anticipated that these revisions will result in savings of \$1.228 million (\$0.667 million in State funds) in the Medical Assistance-Capitation Program in Fiscal Year 2006-2007 and annualized savings of \$3.685 million (\$2.010 million in State funds) in Fiscal Year 2007-2008.

#### Public Comment

Interested persons are invited to submit written comments regarding this notice to the Department at the following address: Department of Public Welfare, Office of Medical Assistance Programs, c/o Deputy Secretary's Office, Attention: Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. Comments received will be reviewed and considered for any subsequent revision to the MA Program Fee Schedule.

Persons with a disability who require an auxiliary aid or service may submit comments using the AT&T Relay Service, (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

ESTELLE B. RICHMAN,

Secretary

**Fiscal Note**: 14-NOT-493. No fiscal impact; recommends adoption. Implementation of this regulation should save the Commonwealth \$667,000 for Fiscal Year 2006-07 and \$2,010,000 for Fiscal Year 2007-08.

[Pa.B. Doc. No. 06-2478. Filed for public inspection December 15, 2006, 9:00 a.m.]

#### Medical Assistance Program Fee Schedule Revisions; 2006 HCPCS Updates; Prior Authorization Requirements

The Department of Public Welfare (Department) announces changes to the Medical Assistance (MA) Program Fee Schedule and accompanying prior authorization requirements.

#### Fee Schedule Revisions

The Department is adding and end dating procedure codes as a result of implementing the 2006 updates made by the Centers for Medicare and Medicaid Services (CMS) to the Healthcare Common Procedure Coding System (HCPCS). The 2006 HCPCS codes are effective for dates of service on and after January 2, 2007.

Fees for the new procedure codes will be published in a medical assistance bulletin that will be issued to all providers.

Procedure codes being added to the MA Program Fee Schedule as a result of the 2006 HCPCS updates which are effective and compensable for dates of service as of January 2, 2007.

Procedure Code and Modifiers	Procedure Code and Modifiers	Procedure Code and Modifiers	Procedure Code and Modifiers
A4233	L3961	22525	80195
A4234	L3967	32503	82271
A4235	L3971	32503 (80)	82272
A4236	L3973	32504	83631
A4363	L3975	32504 (80)	83695
A4411	L3976	33507	83700
A4412	L3977	33507 (80)	83701
A4604	L3978	33768	83900
A5120	L5703	33768 (80)	83901
A5512	L5971	33880	83907
A5513	L6677	33880 (80)	83908
A6457	L7400	33881	83909
A6513	L7401	33881 (80)	86200
A6530	L7402	33883	86355
A6531	L7403	33883 (80)	86357
A6532	L7404	33884	86367
A6533	L7405	33884 (80)	86923
A6534	L8623	33886	87209
A6535	L8624	33886 (80)	87900
A6536	S0625	33889	88333
A6537	S2075	33889 (80)	88333 (26)

#### 7764

Procedure Code and Modifiers	Procedure Code and Modifiers	Procedure Code and Modifiers	Procedure Code and Modifiers
A6538	S2075 (80)	33891	88333 (TC)
A6539	S2075 (SG)	33891 (80)	88334
A6540	S2076	33925	88334 (26)
A6541	S2076 (80)	33925 (80)	88334 (TC)
A6543	S2076 (SG)	33926	88384
A6544	S2077	33926 (80)	88385
B4185	S2077 (80)	36598	88386
E0705 (NU)	S2078	37184 (SG)	90649
E0705 (RR)	S2078 (80)	37185	90714
E0911 (NU)	S2078 (SG)	37186	90736
E0911 (RR)	S2079	37187	90760
E1392 (RR)	S2079 (80)	37187 (SG)	90761
E2207 (NU)	S2079 (SG)	37188	90765
E2207 (RR)	S3626	37188 (SG)	90766
E2208 (NU)	01965	44180	90767
E2208 (RR)	01966	44180 (80)	90768
E2209 (NU)	15110	44180 (SG)	90772
E2209 (RR)	15110 (SG)	44186	90773
E2210 (NU)	15111	44186 (80)	90774
E2211 (NU)	15115	44186 (SG)	90775
E2212 (NU)	15115 (SG)	44187	91022
E2213 (NU)	15116	44187 (80)	91022 (26)
E2214 (NU)	15130	44187 (SG)	91022 (TC)
E2215 (NU)	15130 (SG)	44188	92626
E2216 (NU)	15131	44188 (80)	92627
E2217 (NU)	15135	44188 (SG)	92630
E2218 (NU)	15135 (SG)	44213	92633
E2219 (NU)	15136	44213 (80)	95865
E2220 (NU)	15150	44227	95865 (26)
E2221 (NU)	15150 (SG)	44227 (80)	95865 (TC)
E2222 (NU)	15151	44227 (SG)	95866
E2223 (NU)	15152	45395	95866 (26)
E2224 (NU)	15155	45395 (80)	95866 (TC)
E2225 (NU)	15155 (SG)	45395 (SG)	96101
E2226 (NU)	15156	45397	96101 (U8)
E2371 (NU)	15157	45397 (80)	96101 (U7)
E2372 (NU)	15170	45397 (SG)	96101 (AH)
L0491	15170 (SG)	45400	96101 (TF)
L0492	15171	45400 (80)	96101 (UB)
L0621	15175	45400 (SG)	96101 (TG)
L0622	15175 (SG)	45402	96116
L0623	15176	45402 (80)	96118
L0624	15300	45402 (SG)	96118 (UB)
L0625	15300 (SG)	45990	96401
L0626	15301	45990 (SG)	96402
L0627	15320	46505	96409
L0627	15320 (SG)	46710	96411
LUU20	13340 (30)	40710	30411

Procedure Code and Modifiers	Procedure Code and Modifiers	Procedure Code and Modifiers	Procedure Code and Modifiers
L0629	15321	46710 (80)	96413
L0630	15330	46710 (SG)	96415
L0631	15330 (SG)	46712	96416
L0632	15331	46712 (80)	96417
L0633	15335	50250	96521
L0634	15335 (SG)	50250 (80)	96522
L0635	15336	50382	96523
L0636	15340	50382 (SG)	99300
L0637	15340 (SG)	50384	99304
L0638	15341	50384 (SG)	99305
L0639	15360	50387	99306
L0640	15360 (SG)	50387 (SG)	99307
L0859	15361	50389	99308
L2034	15365	50389 (SG)	99309
L2387	15365 (SG)	50592	99310
L3671	15366	50592 (80)	99318
L3672	15420	50592 (SG)	99324
L3673	15420 (SG)	57295	99325
L3702	15421	57295 (80)	99326
L3763	15430	58110	99327
L3764	15430 (SG)	75956	99328
L3765	15431	75957	99334
L3766	22010	75958	99335
L3905	22010 (SG)	75959	99336
L3913	22015	76376	99337
L3919	22015 (SG)	76377	
L3921	22523	77421	
L3933	22523 (SG)	77421 (26)	
L3935	22524	77421 (TC)	
	22524 (SG)	77422	
		77423	

Procedure codes being end-dated from the MA Program fee schedule as a result of the 2006 HCPCS updates and which will not be compensable for services provided after January 1, 2007:

Procedure Codes							
A5119	G0213	K0074	K0637	L8620	32525	82273	96520
A5511	G0214	K0075	K0639	Q4055	33918	83715	96530
A6551	G0215	K0076	K0640	01964	33919	83716	97020
B4184	G0216	K0078	K0642	15342	37720	86064	97520
B4186	G0217	K0102	K0644	15343	37730	86379	96520
E0953	G0218	K0104	K0645	15350	42325	86587	96530
E0954	G0220	K0106	K0646	15351	42326	90782	97020
E0972	G0221	K0618	K0647	15810	43638	90784	97520
E0996	G0222	K0619	K0648	15811	43639	90871	96520
E1000	G0234	K0620	K0649	16010	44200	96100	96530
E1001	G0296	K0628	K0671	16015	44201	96115	97020
E1025	G0356	K0629	L1750	21493	76375	96117	97520
E1026	G0363	K0630	L3963	21494	78160	96400	96520

Procedure Codes							
E1027	K0064	K0631	L8190	31585	78162	96408	96530
G0210	K0066	K0634	L8195	31586	78170	96410	97020
G0211	K0067	K0635	L8200	32520	78172	96412	
G0212							

Prior Authorization Requirements

The following new 2006 HCPCS procedure codes are for items of prostheses and orthoses and therefore require prior authorization under section 443.6(b)(1) of the Public Welfare Code (code) (62 P. S. § 443.6(b)(1)), as amended by the act of July 7, 2005 (P. L. 177, No. 42):

Procedure Code	Procedure Description
L0491	TLSO, sagittal-coronal control, modular segmented spinal system, two reigid plastic shells, posterior extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, anterior extends from the symphysis pubis to the xiphoid, soft liner, restricts gross trunk motion in the sagittal and coronal planes, lateral strength is provided by overlapping plastic and stabilizing closures, including straps and closures, prefabricated, includes fitting and adjustment
L0492	TLSO, sagittal-coronal control, modular segmented spinal system, three rigid plastic shells, posterior extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, anterior extends from the symphysis pubis to the xyphoid, soft liner, restricts gross trunk motion in the Sagittal and Coronal planes, lateral strength is provided by overlapping plastic and stabilizing closures, including straps and closures, prefabricated, includes fitting and adjustment
L0621	Sacroiliac orthosis, flexible, provides pelvic-sacral support, reduces motion about the sacroiliac joint, includes straps, closures, may include pendulous abdomen design, prefabricated, includes fitting and adjustment
L0622	Sacroiliac orthosis, flexible, provides pelvic-sacral support, reduces motion about the sacroiliac joint, includes straps, closures, may include pendulous abdomen design, custom fabricated.
L0623	Sacroiliac orthosis, provides pelvic-sacral support, with rigid or semi-rigid panels over the sacrum and abdomen, reduces motion about the sacroiliac joint, includes straps, closures, may include pendulous abdomen design, prefabricated, includes fitting and adjustment
L0624	Sacroiliac orthosis, provides pelvic-sacral support, with rigid or semi-rigid panels over the sacrum and abdomen, reduces motion about the sacroiliac joint, includes straps, closures, may include pendulous abdomen design, custom fabricated
L0625	Lumbar orthosis, flexible, provides lumbar support, posterior extends from L-1 to below L-5 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include pendulous abd.design, shoulder straps, stays, prefabricated, includes fitting and adjust.
L0626	Lumbar orthosis, sagittal control, with rigid posterior panel, posterior extends from L-1 to below L-5 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include pendulous abd.design, shoulder straps, stays, prefabri- cated, includes fitting and adjust.
L0627	Lumbar orthosis, sagittal control, with rigid anterior and posterior panel, posterior extends from L-1 to below L-5 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include pendulous abd.design, shoulder straps, stays, prefabricated, includes fitting and adjust.
L0628	Lumbar orthosis, flexible, provides lumbar-sacral support, posterior extends from sacro- coccygeal junction to T-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include pendulous abd.design, shoulder straps, stays, prefabricated, includes fitting and adjust.
L0629	Lumbar orthosis, flexible, provides lumbar-sacral support, posterior extends from sacrococcygeal junction to T-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include stays, pendulous abd.design, shoulder straps, custom fabricated.
L0630	Lumbar-sacral orthosis, sagittal control, with rigid posterior panel(s), posterior extends from sacrococcygeal junction to T-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, stays, shoulder straps, pendulous abdomen design, prefabricated, includes fitting and adjustment

Procedure Code	Procedure Description
L0631	Lumbar-sacral orthosis, sagittal control, with rigid anterior and posterior panels, posterior extends from sacrococcygeal junction to T-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, pendulous abdomen design, prefabricated, includes fitting and adjustment
L0632	Lumbar-sacral orthosis, sagittal control, with rigid anterior and posterior panels, posterior extends from sacrococcygeal junction to T-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, custom fabricated
L0633	Lumbar-sacral orthosis, sagittal-coronal control, with rigid posterior frame/panel(s), posterior extends from sacrococcygeal junction to T-9 vertebra, lateral strength provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, stays, shoulder straps, pendulous abdomen design, prefabricated, includes fitting and adjustment
L0634	Lumbar-sacral orthosis, sagittal-coronal control, with rigid posterior frame/panel(s), posterior extends from sacrococcygeal junction to T-9 vertebra, lateral strength provided by rigid lateral frame/panel(s), produces intracavitary pressure to reduce load on intravertebral discs, includes straps, closures, may include padding, stays, shoulder straps, pendulous abdomen design, custom fabricated
L0635	Lumbar-sacral orthosis, sagittal-coronal control, lumbar flexion, rigid posterior frame/panel(s), lateral articulating design to flex the lumbar spine, posterior extends from sacrococcygeal junction to T-9 vertebra, lateral strength provided by rigid lateral frame/panel(s), produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, anterior panel, pendulous abdomen design, prefabricated, includes fitting and adjustment
L0636	Lumbar sacral orthosis, sagittal-coronal control, lumbar flexion, rigid posterior frame/panels, lateral articulating design to flex the lumbar spine, posterior extends from sacrococcygeal junction to T-9 vertebra, lateral strength provided by rigid lateral frame/panel, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, anterior panel, pendulous abd.design, custom fabricated
L0637	Lumbar-sacral orthosis, sagittal-coronal control, with rigid anterior and posterior frame/panels, posterior extends from sacrococcygeal junction to T-9 vertebra, lateral strength provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, prefabricated, includes fitting and adjustment
L0638	Lumbar-sacral orthosis, sagittal-coronal control, with rigid anterior and posterior frame/ panels, posterior extends from sacrococcygeal junction to T-9 vertebra, lateral strength provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, custom fabricated
L0639	Lumbar-sacral orthosis, sagittal-coronal control, rigid shell(s)/panel(s), posterior extends from sacrococcygeal junction to T-9 vertebra, anterior extends from symphysis pubis to xyphoid, produces intracavitary pressure to reduce load on the intervertebral discs, overall strength is provided by overlapping rigid material and stabilizing closures, includes straps, closures, may include soft interface, pendulous abdomen design, prefabricated, includes fitting and adjustment
L0640	Lumbar-sacral orthosis, sagittal-coronal control, rigid shell(s)/panel(s), posterior extends from sacrococcygeal junction to T-9 vertebra, anterior extends from symphysis pubis to xyphoid, produces intracavitary pressure to reduce load on the intervertebral discs, overall strength is provided by overlapping rigid material and stabilizing closures, includes straps, closures, may include soft interface, pendulous abdomen design, custom fabricated
L0859	Addition to halo procedure, MRI compatible systems, rings and pins, any material
L2034	Knee ankle foot orthosis, full plastic, single upright, with or without free motion knee, medial lateral rotation control, with or without free motion ankle, custom fabricated
L2387	Addition to lower extremity, polycentric knee joint, for custom fabricated knee ankle foot orthosis, each joint
L3671	Shoulder orthosis, shoulder cap design, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment
L3672	Shoulder orthosis, adbduction positioning (airplane design), thoracic component and support bar, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment

Procedure Code	Procedure Description
L3673	Shoulder orthosis, adbduction positioning (airplane design), thoracic component and support bar, includes nontorsion joint/turnbuckle, may include soft interface, straps, custom fabricated, includes fitting and adjustment
L3702	Elbow orthosis, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment
L3763	Elbow wrist hand orthosis, rigid, without joints, may include soft interface, straps, custom fabricated, inlcudes fitting and adjustment
L3764	Elbow wrist hand orthosis, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment
L3765	Elbow wrist hand finger orthosis, rigid, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment
L3766	Elbow wrist hand finger orthosis, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment
L3905	Wrist hand orthosis, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated includes fitting and adjustment
L3913	Hand finger orthosis, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment
L3919	Hand orthosis, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment
L3921	Hand finger orthosis, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment
L3933	Finger orthosis, without joints, may include soft interface, custom fabricated, includes fitting and adjustment
L3935	Finger orthosis, nontorsion joint, may include soft interface, custom fabricated, includes fitting and adjustment
L3961	Shoulder elbow wrist hand orthosis, shoulder cap design, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment
L3967	Shoulder elbow wrist hand orthosis, abduction positioning (airplane design), thoracic component and support bar, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment
L3971	Shoulder elbow wrist hand orthosis, shoulder cap design, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment.
L3973	Shoulder elbow wrist hand orthosis, abduction positioning (airplane design), thoracic component and support bar, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment
L3975	Shoulder elbow wrist hand finger orthosis, shoulder cap design, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment.
L3976	Shoulder elbow wrist hand finger orthosis, abduction positioning (airplane design), thoracic component and support bar, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment
L3977	Shoulder elbow wrist hand finger orthosis, shoulder cap design, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment.
L3978	Shoulder elbow wrist hand finger orthosis, abduction positioning (airplane design), thoracic component and support bar, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment
L5703	Ankle, symes, molded to patient model, socket without solid ankle cushion heel
L5971	All lower extremity prosthesis, solid ankle cushion heel (SACH) foot, replacement only
L6677	Upper extremity addition, harness, triple control, simultaneous operation of terminal device and elbow
L7400	Addition to upper extremity prosthesis, below elbow/wrist disarticulation, ultralight material (titanium, carbon fiber or equal)

Procedure Code	Procedure Description
L7401	Addition to upper extremity prosthesis, above elbow disarticulation, ultralight material (titanium, carbon fiber or equal)
L7402	Addition to upper extremity prosthesis, shoulder disarticulation/interscapular thoracic, ultralight material (titanium, carbon fiber or equal)
L7403	Addition to upper extremity prosthesis, below elbow/wrist disarticulation, acrylic material
L7404	Addition to upper extremity prosthesis, above elbow disarticulation, acrylic material
L7405	Addition to upper extremity prosthesis, shoulder disarticulation/interscapular thoracic, acrylic material
L8623	Lithium ion battery for use with cochlear implant device speech processor, other than ear level, replacement, each
L8624	Lithium ion battery for use with cochlear implant device speech processor, ear level, replacement, each

#### Fiscal Impact

The estimated cost for Fiscal Year 2006-2007 is \$0.764 million (\$0.348 million in State funds). The estimated cost for Fiscal Year 2007-2008 is \$2.291 million (\$1.050 million in State funds).

#### Public Comment

Interested persons are invited to submit written comments regarding this notice to the Department at the following address: Department of Public Welfare, Office of Medical Assistance Programs, c/o Deputy Secretary's Office, Attention: Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. Comments received will be reviewed and considered for any subsequent revisions to the MA Program Fee Schedule.

Persons with a disability who require an auxiliary aid or service may submit comments using the AT&T Relay Service, (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

ESTELLE B. RICHMAN, Secretary

**Fiscal Note**: 14-NOT-492. (1) General Fund; (2) Implementing Year 2006-07 is \$348,000; (3) 1st Succeeding Year 2007-08 is \$1,050,000; 2nd Succeeding Year 2008-09 is \$1,052,000; 3rd Succeeding Year 2009-10 is \$1,052,000; 4th Succeeding Year 2010-11 is \$1,052,000; 5th Succeeding Year 2011-12 is \$1,052,000; (4) 2005-06 Program—\$945,950,000; 2004-05 Program—\$842,991,000; 2003-04 Program—\$677,979,000; (7) Medical Assistance-Outpatient; (8) recommends adoption. Funds are included in the 2006-07 budget for this purpose.

[Pa.B. Doc. No. 06-2479. Filed for public inspection December 15, 2006, 9:00 a.m.]

## DEPARTMENT OF REVENUE

#### Pennsylvania Blazing 8s Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101— 3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name*: The name of the game is Pennsylvania Blazing 8s.

2. *Price*: The price of a Pennsylvania Blazing 8s instant lottery game ticket is \$2.

3. *Play Symbols*: Each Pennsylvania Blazing 8s instant lottery game ticket will contain one play area. The play symbols and their captions printed in black ink, located in the play area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT) and 8 (BKEGT). The play symbols and their captions printed in red ink, located in the play area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT) and 8 (REGT).

4. *Prize Symbols*: The prize symbols and their captions, located in the 10 "prize" areas are:  $\$1^{.00}$  (ONE DOL),  $\$2^{.00}$  (TWO DOL),  $\$3^{.00}$  (THR DOL),  $\$5^{.00}$  (FIV DOL),  $\$10^{.00}$  (TEN DOL), \$20\$ (TWENTY), \$50\$ (FIFTY), \$100 (ONE HUN), \$500 (FIV HUN), \$1,000 (ONE THO) and \$28,000 (TWYEGTTHO).

5. *Prizes*: The prizes that can be won in this game are: \$1, \$2, \$3, \$5, \$10, \$20, \$50, \$100, \$500, \$1,000 and \$28,000. The player can win up to 10 times on the ticket.

6. Approximate Number of Tickets Printed For the Game: Approximately 7,200,000 tickets will be printed for the Pennsylvania Blazing 8s instant lottery game.

7. Determination of Prize Winners:

(a) Holders of tickets with a play symbol of 8 (BKEGT), with the symbol and caption printed in black ink, and a prize symbol of \$28,000 (TWYEGTTHO) appearing in the "prize" area to the right of that black 8 (BKEGT) play symbol, on a single ticket, shall be entitled to a prize of \$28,000.

(b) Holders of tickets with a play symbol of 8 (BKEGT), with the symbol and caption printed in black ink, and a prize symbol of \$1,000 (ONE THO) appearing in the "prize" area to the right of that 8 (BKEGT) play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(c) Holders of tickets with a play symbol of 8 (BKEGT), with the symbol and caption printed in black ink, and a prize symbol of \$500 (FIV HUN) appearing in the "prize" area to the right of that 8 (BKEGT) play symbol, on a single ticket, shall be entitled to a prize of \$500.

(d) Holders of tickets with a play symbol of 8 (REGT), with the symbol and caption printed in red ink, and a prize symbol of \$100 (ONE HUN) appearing in the "prize" area to the right of that 8 (REGT) play symbol, on a single ticket, shall be entitled to a prize of \$300.

(e) Holders of tickets with a play symbol of 8 (BKEGT), with the symbol and caption printed in black ink, and a prize symbol of \$100 (ONE HUN) appearing in the "prize" area to the right of that 8 (BKEGT) play symbol, on a single ticket, shall be entitled to a prize of \$100.

(f) Holders of tickets with a play symbol of 8 (REGT), with the symbol and caption printed in red ink, and a prize symbol of \$20\$ (TWENTY) appearing in the "prize" area to the right of that 8 (REGT) play symbol, on a single ticket, shall be entitled to a prize of \$60.

(g) Holders of tickets with a play symbol of 8 (BKEGT), with the symbol and caption printed in black ink, and a prize symbol of \$50\$ (FIFTY) appearing in the "prize" area to the right of that 8 (BKEGT) play symbol, on a single ticket, shall be entitled to a prize of \$50.

(h) Holders of tickets with a play symbol of 8 (REGT), with the symbol and caption printed in red ink, and a prize symbol of  $10^{00}$  (TEN DOL) appearing in the "prize" area to the right of that 8 (REGT) play symbol, on a single ticket, shall be entitled to a prize of 30.

(i) Holders of tickets with a play symbol of 8 (BKEGT), with the symbol and caption printed in black ink, and a prize symbol of \$20\$ (TWENTY) appearing in the "prize" area to the right of that 8 (BKEGT) play symbol, on a single ticket, shall be entitled to a prize of \$20.

(j) Holders of tickets with a play symbol of 8 (REGT), with the symbol and caption printed in red ink, and a prize symbol of  $5^{5.00}$  (FIV DOL) appearing in the "prize" area to the right of that 8 (REGT) play symbol, on a single ticket, shall be entitled to a prize of \$15.

(k) Holders of tickets with a play symbol of 8 (BKEGT), with the symbol and caption printed in black ink, and a prize symbol of  $\$10^{.00}$  (TEN DOL) appearing in the "prize" area to the right of that 8 (BKEGT) play symbol, on a single ticket, shall be entitled to a prize of \$10.

(l) Holders of tickets with a play symbol of 8 (REGT), with the symbol and caption printed in red ink, and a prize symbol of  $$2^{.00}$  (TWO DOL) appearing in the "prize" area to the right of that 8 (REGT) play symbol, on a single ticket, shall be entitled to a prize of \$6.

(m) Holders of tickets with a play symbol of 8 (BKEGT), with the symbol and caption printed in black ink, and a prize symbol of  $5^{500}$  (FIV DOL) appearing in the "prize" area to the right of that 8 (BKEGT) play symbol, on a single ticket, shall be entitled to a prize of  $5^{5.}$ 

(n) Holders of tickets with a play symbol of 8 (BKEGT), with the symbol and caption printed in black ink, and a prize symbol of  $\$^{3.00}$  (THR DOL) appearing in the "prize" area to the right of that 8 (BKEGT) play symbol, on a single ticket, shall be entitled to a prize of  $\$^{3}$ .

(o) Holders of tickets with a play symbol of 8 (REGT), with the symbol and caption printed in red ink, and a prize symbol of  $\$1^{.00}$  (ONE DOL) appearing in the "prize" area to the right of that 8 (REGT) play symbol, on a single ticket, shall be entitled to a prize of \$3.

(p) Holders of tickets with a play symbol of 8 (BKEGT), with the symbol and caption printed in black ink, and a prize symbol of  $\$2^{.00}$  (TWO DOL) appearing in the "prize" area to the right of that 8 (BKEGT) play symbol, on a single ticket, shall be entitled to a prize of \$2.

(q) Holders of tickets with a play symbol of 8 (BKEGT), with the symbol and caption printed in black ink, and a prize symbol of  $\$1^{.00}$  (ONE DOL) appearing in the "prize" area to the right of that 8 (BKEGT) play symbol, on a single ticket, shall be entitled to a prize of \$1.

8. Number and Description of Prizes and Approximate Odds: The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

Find An "8" Symbol, Win With Prize(s) Of:	Win:	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. of Winners Per 7,200,000 Tickets</i>
$\$1 \times 2$	\$2	20	360,000
\$2	\$2	21.43	336,000
$\$1 \times 3$	\$3	50	144,000
\$1 w/RED 8	\$3	50	144,000
\$3	\$3	50	144,000
$\$1 \times 5$	\$5	300	24,000
\$2 + \$3	\$5	300	24,000
$1 \text{ w/RED } 8 + 1 \times 2$	\$5	60	120,000
\$5	\$5	300	24,000
\$1 × 10	\$10	300	24,000
$2 \times 5$	\$10	300	24,000
\$2 w/RED 8 + \$2 × 2	\$10	150	48,000
\$10	\$10	150	48,000
$\$2 \times 10$	\$20	375	19,200
$\$5 \times 4$	\$20	375	19,200
\$5 w/RED 8 + \$5	\$20	375	19,200
$\$10 \times 2$	\$20	375	19,200
\$20	\$20	375	19,200
\$5 × 10	\$50	1,846	3,900
$$5 \text{ w/RED } 8 + $5 \times 7$	\$50	1,846	3,900
\$10 × 5	\$50	1,905	3,780

Find An "8" Symbol, Win With Prize(s) Of:	Win:	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. of Winners Per 7,200,000 Tickets</i>
\$10 w/RED 8 + \$10 × 2	\$50	1,846	3,900
\$50	\$50	1,846	3,900
\$10 × 10	\$100	6,000	1,200
\$20 × 5	\$100	6,000	1,200
\$20 w/RED 8 + \$20 × 2	\$100	6,000	1,200
$50 \times 2$	\$100	6,000	1,200
\$100	\$100	6,000	1,200
\$50 × 10	\$500	60,000	120
\$100 × 5	\$500	60,000	120
\$100 w/RED 8 + \$100 × 2	\$500	60,000	120
\$500	\$500	60,000	120
\$100 × 10	\$1,000	120,000	60
\$1,000	\$1,000	120,000	60
\$28,000	\$28,000	720,000	10

RED 8 = Triples the prize shown to the right of that symbol.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer Incentive Awards*: The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Blazing 8s instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentives).

10. Unclaimed Prize Money: For a period of 1 year from the announced close of Pennsylvania Blazing 8s, prize money from winning Pennsylvania Blazing 8s instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Blazing 8s instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

11. *Governing Law*: In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law, 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

12. Termination of the Game: The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Blazing 8s or through normal communications methods.

GREGORY C. FAJT

Secretary of Revenue

[Pa.B. Doc. No. 06-2480. Filed for public inspection December 15, 2006, 9:00 a.m.]

## Pennsylvania Lucky Leprechaun Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101— 3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game: 1. *Name*: The name of the game is Pennsylvania Lucky Leprechaun.

2. *Price*: The price of a Pennsylvania Lucky Leprechaun instant lottery game ticket is \$1.

3. *Play Symbols*: Each Pennsylvania Lucky Leprechaun instant lottery game ticket will contain one play area containing nine prize play symbols, and a separate "BONUS" area containing a prize play or a play symbol. The play symbols and their captions located in the play area are: Leprechaun (LEPCH) play symbol and an X (XXX) play symbol. The prize play symbols and their captions located in the "BONUS" area are: FREE (TICKET), \$2<sup>.00</sup> (TWO DOL), \$5<sup>.00</sup> (FIV DOL), \$10<sup>.00</sup> (TEN DOL), \$20\$ (TWENTY), \$40\$ (FORTY), \$100 (ONE HUN) and NO BONUS (TRY AGAIN). The "BONUS" is played separately from the rest of the game.

4. *Prizes*: The prizes that can be won in this game are: Free Ticket, \$2, \$5, \$10, \$20, \$40, \$100 and \$1,700. The prizes that can be won in "BONUS" area are: Free Ticket, \$2, \$5, \$10, \$20, \$40 and \$100. The player can win up to two times on each ticket.

5. Approximate Number of Tickets Printed For the Game: Approximately 10,080,000 tickets will be printed for the Pennsylvania Lucky Leprechaun instant lottery game.

6. Determination of Prize Winners:

(a) Holders of tickets with three matching Leprechaun (LEPCH) play symbols appearing in a left to right diagonal line in the play area, and a prize amount of \$1,700 appearing below the arrow pointing to that win, on a single ticket, shall be entitled to a prize of \$1,700.

(b) Holders of tickets with three matching Leprechaun (LEPCH) play symbols appearing in a right to left diagonal line in the play area, and a prize amount of \$100 appearing above the arrow pointing to that win, on a single ticket, shall be entitled to a prize of \$100.

(c) Holders of tickets with a \$100 (ONE HUN) prize play symbol in the "BONUS" area, on a single ticket, shall be entitled to a prize of \$100.

(d) Holders of tickets with three matching Leprechaun (LEPCH) play symbols appearing in the bottom row in the play area, and a prize amount of \$40 appearing above the arrow pointing to that win, on a single ticket, shall be entitled to a prize of \$40.

(e) Holders of tickets with a \$40\$ (FORTY) prize play symbol in the "BONUS" area, on a single ticket, shall be entitled to a prize of \$40.

(f) Holders of tickets with three matching Leprechaun (LEPCH) play symbols appearing in the right column in the play area, and a prize amount of \$20 appearing to the right of the arrow pointing to that win, on a single ticket, shall be entitled to a prize of \$20.

(g) Holders of tickets with a \$20\$ (TWENTY) prize play symbol in the "BONUS" area, on a single ticket, shall be entitled to a prize of \$20.

(h) Holders of tickets with three matching Leprechaun (LEPCH) play symbols appearing in the top row in the play area, and a prize amount of \$10 appearing above the arrow pointing to that win, on a single ticket, shall be entitled to a prize of \$10.

(i) Holders of tickets with a  $$10^{.00}$  (TEN DOL) prize play symbol in the "BONUS" area, on a single ticket, shall be entitled to a prize of \$10.

(j) Holders of tickets with three matching Leprechaun (LEPCH) play symbols appearing in the left column in the play area, and a prize amount of \$5 appearing to the right of the arrow pointing to that win, on a single ticket, shall be entitled to a prize of \$5.

(k) Holders of tickets with a  $$5^{.00}$  (FIV DOL) prize play symbol in the "BONUS" area, on a single ticket, shall be entitled to a prize of \$5.

(l) Holders of tickets with three matching Leprechaun (LEPCH) play symbols appearing in the middle row in the play area, and a prize amount of \$2 appearing above the arrow pointing to that win, on a single ticket, shall be entitled to a prize of \$2.

(m) Holders of tickets with a  $\$^{2.00}$  (TWO DOL) prize play symbol in the "BONUS" area, on a single ticket, shall be entitled to a prize of  $\$^{2}$ .

(n) Holders of tickets with three matching Leprechaun (LEPCH) play symbols appearing in the middle column in the play area, and "FREE" appearing to the right of the arrow pointing to that win, on a single ticket, shall be entitled to a prize of one Pennsylvania Lucky Leprechaun instant game ticket or one Pennsylvania Lottery instant game ticket of equivalent sale price which is currently on sale.

(o) Holders of tickets with a FREE (TICKET) prize play symbol in the "BONUS" area, on a single ticket, shall be entitled to a prize of one Pennsylvania Lucky Leprechaun instant game ticket or one Pennsylvania Lottery instant game ticket of equivalent sale price which is currently on sale.

7. Number and Description of Prizes and Approximate Odds: The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

Get 3 "Leprechaun" Symbols In Any Row, Column or Diagonal And Win With Prize(s) Of:	Win:	<i>Approximate Odds Are 1 in:</i>	Approximate No. Of Winners Per 10,080,000 Tickets
FREE TICKET (BONUS)	TICKET	20	504,000
FREE TICKET MIDDLE COLUMN	TICKET	20	504,000
\$2 (BONUS)	\$2	33.33	302,400
\$2 MIDDLÉ ROW	\$2	33.33	302,400
\$5 (BONUS)	\$5	75	134,400
\$5 LEFT COLUMN	\$5	75	134,400
\$5 (BONUS) + \$5 LEFT COLUMN	\$10	200	50,400
\$10 (BONUS)	\$10	200	50,400
\$10 TOP ROW	\$10	300	33,600
\$10 (BONUS) + \$10 TOP ROW	\$20	1,000	10,080
\$20 (BONUS)	\$20	1,000	10,080
\$20 RIGHT COLUMN	\$20	750	13,440
\$20 (BONUS) + \$20 RIGHT COLUMN	\$40	2,286	4,410
\$40 (BONUS)	\$40	2,286	4,410
\$40 BOTTOM ROW	\$40	2,264	4,452
\$100 (BONUS)	\$100	16,000	630
\$100 RIGHT DIAGONAL	\$100	16,000	630
\$1,700 LEFT DIAGONAL	\$1,700	480,000	21

BONUS = Get a FREE (TICKET) symbol or an amount from \$2 to \$100 in the BONUS, win that prize automatically.

Prizes, including top prizes, are subject to availability at the time of purchase.

8. *Retailer Incentive Awards*: The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Lucky Leprechaun instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentives).

9. Unclaimed Prize Money: For a period of 1 year from the announced close of Pennsylvania Lucky Leprechaun, prize money from winning Pennsylvania Lucky Leprechaun instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Lucky Leprechaun instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

10. Governing Law: In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law, 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

11. Termination of the Game: The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Lucky Leprechaun or through normal communications methods.

GREGORY C. FAJT Secretary of Revenue

[Pa.B. Doc. No. 06-2481. Filed for public inspection December 15, 2006, 9:00 a.m.]

#### Pennsylvania Majestic Jewels Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101— 3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name*: The name of the game is Pennsylvania Majestic Jewels.

2. *Price*: The price of a Pennsylvania Majestic Jewels instant lottery game ticket is \$3.

3. *Play Symbols*: Each Pennsylvania Majestic Jewels instant lottery game ticket will feature a "YOUR CROWN JEWELS" area and a "CROWN GRID" area. The play symbols located in the "YOUR CROWN JEWELS" area are: The letters A through F, each with the numbers 1 through 6. The play symbols located in the "CROWN GRID" area are: Aquamarine symbol; Turquoise symbol; Topaz symbol; Amethyst symbol; Pearl symbol; Jade symbol; Sapphire symbol; Emerald symbol; Ruby symbol and Diamond symbol.

4. *Prizes*: The prizes that can be won in this game are: Free Ticket, \$3, \$5, \$10, \$20, \$50, \$100, \$500, \$3,000 and \$60,000.

5. Approximate Number of Tickets Printed For the Game: Approximately 7,200,000 tickets will be printed for the Pennsylvania Majestic Jewels instant lottery game.

6. Determination of Prize Winners:

(a) Holders of tickets where the player uncovers three matching Diamond play symbols using only the letternumber combinations found in the "YOUR CROWN JEW-ELS" area, on a single ticket, shall be entitled to a prize of \$60,000.

(b) Holders of tickets where the player uncovers three matching Ruby symbols using only the letter-number combinations found in the "YOUR CROWN JEWELS" area, on a single ticket, shall be entitled to a prize of \$3,000.

(c) Holders of tickets where the player uncovers three matching Emerald symbols using only the letter-number combinations found in the "YOUR CROWN JEWELS" area, on a single ticket, shall be entitled to a prize of \$500.

(d) Holders of tickets where the player uncovers three matching Sapphire symbols using only the letter-number combinations found in the "YOUR CROWN JEWELS" area, on a single ticket, shall be entitled to a prize of \$100.

(e) Holders of tickets where the player uncovers three matching Jade symbols using only the letter-number combinations found in the "YOUR CROWN JEWELS" area, on a single ticket, shall be entitled to a prize of \$50.

(f) Holders of tickets where the player uncovers three matching Pearl symbols using only the letter-number combinations found in the "YOUR CROWN JEWELS" area, on a single ticket, shall be entitled to a prize of \$20.

(g) Holders of tickets where the player uncovers three matching Amethyst symbols using only the letter-number combinations found in the "YOUR CROWN JEWELS" area, on a single ticket, shall be entitled to a prize of \$10.

(h) Holders of tickets where the player uncovers three matching Topaz symbols using only the letter-number combinations found in the "YOUR CROWN JEWELS" area, on a single ticket, shall be entitled to a prize of \$5.

(i) Holders of tickets where the player uncovers three matching Turquoise play symbols using only the letternumber combinations found in the "YOUR CROWN JEW-ELS" area, on a single ticket, shall be entitled to a prize of \$3.

(j) Holders of tickets where the player uncovers three matching Aquamarine play symbols using only the letternumber combinations found in the "YOUR CROWN JEW-ELS" area, on a single ticket, shall be entitled to a prize of one Pennsylvania Majestic Jewels instant game ticket or one Pennsylvania Lottery instant game ticket of equivalent sale price which is currently on sale.

7. Number and Description of Prizes and Approximate Odds: The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

Uncover 3 Like Symbols			
Using Only The Grid			
Locations Revealed Under			
The "YOUR CROWN			Approximate No.
JEWELS" Area Win With		Approximate	of Winners Per
Prize(s) Of:	Win	Odds Are 1 In:	7,200,000 Tickets
AQUAMARINE	TICKET	14.29	504,000
TURQUOISE	\$3	16.67	432,000
TOPAZ	\$5	20	360,000
AMETHYST	\$10	33.33	216,000

Uncover 3 Like Symbols Using Only The Grid Locations Revealed Under The "YOUR CROWN JEWELS" Area Win With Prize(s) Of:	Win
PEARL	\$20
JADE	\$50
SAPPHIRE	\$100
EMERALD	\$500
RUBY	\$3,000
DIAMOND	\$60,000

Prizes, including top prizes, are subject to availability at the time of purchase.

8. Retailer Incentive Awards: The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Majestic Jewels instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentives).

9. Unclaimed Prize Money: For a period of 1 year from the announced close of Pennsylvania Majestic Jewels, prize money from winning Pennsylvania Majestic Jewels instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Majestic Jewels instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

10. Governing Law: In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law, 61 Pa. Code Part V (relating to State lotteries) and the provisions contained in this notice.

11. Termination of the Game: The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Majestic Jewels or through normal communications methods.

> GREGORY C. FAJT Secretary of Revenue

[Pa.B. Doc. No. 06-2482. Filed for public inspection December 15, 2006, 9:00 a.m.]

## **FISH AND BOAT** COMMISSION

#### 2007 Changes to List of Class A Wild Trout Waters

The Fish and Boat Commission (Commission) is considering changes to its list of Class A Wild Trout Streams. Under 58 Pa. Code § 57.8a (relating to Class A wild trout streams), it is the Commission's policy to manage selfsustaining Class A wild trout populations as a renewable natural resource to conserve that resource and the angling it provides. Class A wild trout populations represent the best of Pennsylvania's naturally reproducing trout fisheries. The Commission manages these stream sections solely for the perpetuation of the wild trout fishery with no stocking.

Approximate No. Approximate of Winners Per Odds Are 1 In: 7,200,000 Tickets 50 144,000 200 36,000 1,200 6,000 2,500 2,880 120,000 60 480,000 15

The criteria developed for Class A Wild Trout fisheries are species specific. Wild Trout Abundance Class Criteria include provisions for:

(i) Wild Brook Trout Fisheries.

(A) Total brook trout biomass of at least 30 kg/ha (26.7 lbs/acre).

(B) Total biomass of brook trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(C) Brook trout biomass must comprise at least 75% of the total trout biomass.

(ii) Wild Brown Trout Fisheries.

(A) Total brown trout biomass of at least 40 kg/ha (35.6 lbs/acre).

(B) Total biomass of brown trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(C) Brown trout biomass must comprise at least 75% of the total trout biomass.

(iii) Mixed Wild Brook and Brown Trout Fisheries.

(A) Combined brook and brown trout biomass of at least 40 kg/ha (35.6 lbs/acre).

(B) Total biomass of brook trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(C) Total biomass of brown trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(D) Brook trout biomass must comprise less than 75% of the total trout biomass.

(E) Brown trout biomass must comprise less than 75% of the total trout biomass.

(iv) Wild Rainbow Trout Fisheries.

Total biomass of rainbow trout less than 15 cm (5.9 inches) in total length of at least 2.0 kg/ha (1.78 lbs/acre).

In order for a water to be removed from the Class A Wild Trout Streams designation, total trout biomass must be documented below the set criteria for two consecutive stream examinations.

At its meeting on January 22 and 23, 2007, the Commission intends to consider additions to its list of Class A Wild Trout Streams. The Commission will not consider the removal of any streams from the list at that time.

Persons with comments, objections or suggestions concerning the additions are invited to submit comments in writing to Executive Director, Fish and Boat Commission, P. O. Box 67000, Harrisburg, PA 17106-7000, within 30 days after publication of this notice in the Pennsylvania Bulletin. Comments also may be submitted electronically by completing the form at www.state.pa.us/Fish/

regcomments. If an acknowledgment of electronic comments is not received by the sender within 2 working days, the comments should be retransmitted to ensure receipt. Electronic comments submitted in any other manner will not be accepted.

#### Additions

The Commission will consider adding the following waters to the current list of Class A Wild Trout Waters:

County	Stream	Limits	Length
Blair	Kettle Creek	Kettle Reservoir outfall downstream to the upstream intersection with I-99	2.14 miles
Blair	Sandy Run	The first unnamed tributary entering from the east upstream of the SR 0220 bridge downstream to the mouth	1.55 miles
Columbia	Glen Brook	Breast of Berwick Reservoir downstream to the junction of Water Dam and Foundryville Roads	1.14 miles
	]	Removals	

None

DOUGLAS J. AUSTEN, Ph.D. Executive Director

[Pa.B. Doc. No. 06-2483. Filed for public inspection December 15, 2006, 9:00 a.m.]

#### 2007 Designations and Redesignations of Waters Subject to Special Fishing Regulations

The Fish and Boat Commission (Commission) designated, redesignated or removed the following streams, stream sections and lakes as waters subject to 58 Pa. Code Chapter 65 (relating to special fishing regulations), effective January 1, 2007:

58 Pa. Code § 65.6. Delayed harvest artificial lures only (DHALO) areas

The Commission designated the following waters as DHALO areas regulated and managed under 58 Pa. Code § 65.6:

County	Water on which located	Description
Clearfield	Sandy Lick Creek	From the mouth of Laborde Branch downstream to 100 meters downstream of Reisinger Run, a distance of 1.37 miles
Lycoming	Pine Creek	From the confluence with Slate Run downstream to a point about 150 meters upstream of the confluence with Naval Run, a distance of 1.2 miles

County	<i>Water on which located</i>	Description
Monroe	McMichaels Creek	The Commission extended the limits of the DHALO Area 0.54 mile further downstream to the Glenbrook Road (SR 2004) Bridge. The new limits are from 0.71 mile downstream of the Turkey Hill Road (T-416) Bridge to the Glenbrook Road (SR 2004) Bridge, a distance of 1.66 miles
Tioga	Pine Creek	From Darling Run downstream to a point 150 meters downstream of the confluence of Owassee Slide Hollow, a distance of 1.0 mile
COD- C-	COTO DI	

58 Pa. Code § 65.9. Big bass special regulations

The Commission designated the following lake as a water to be regulated and managed under the big bass special regulations pursuant to 58 Pa. Code § 65.9:

Crawford Tamarack Lake

58 Pa. Code § 65.10. Early season trout stocked waters program

The Commission removed the following waters from the list of waters regulated and managed under the early season trout stocked waters program under to 58 Pa. Code § 65.10:

County	Water
Berks	Antietam Lake
Berks	Scotts Run Lake
Bucks	Levittown Lake
Bucks	Lake Luxembourg
Cumberland	Laurel Lake
Lancaster	Muddy Run Recreation Lake
Lebanon	Stovers Dam
Lehigh	Leaser Lake
Montgomery	Deep Creek Dam
Northampton	Minsi Lake

58 Pa. Code § 65.12. Regional opening day of trout season program

The Commission designated the following waters as waters to be regulated and managed as part of the regional opening day of trout season program under 58 Pa. Code § 65.12:

County	Water
Adams	All waterways
Berks	All waterways
Bucks	All waterways
Carbon	Lizard Creek
Carbon	Mahoning Creek
Chester	All waterways
Cumberland	All waterways
Dauphin	All waterways
Delaware	All waterways
Franklin	All waterways
Juniata	All waterways
Lancaster	All waterways
Lebanon	All waterways
Lehigh	All waterways
Montgomery	All waterways
2 0	5

County	Water
Northampton	All waterways
Northumberland	Mahantango Creek
Perry	All waterways
Philadelphia	All waterways
Schuylkill	All waterways
Snyder	Mahantango Creek West Branch
York	All waterways

58 Pa. Code § 65.17. Catch and release lakes program

The Commission designated the following waters as waters to be regulated and managed as part of the catch and release lakes program under 58 Pa. Code § 65.17:

County	Water
Allegheny	Pine Township Park Pond
Beaver	Raccoon Creek State Park Upper Pond
Columbia and	Bear Gap Reservoir
Northumberland	
Columbia and	McWilliams Reservoir
Northumberland	
Columbia	Klines Reservoir
Schuylkill	Owl Creek Reservoir
Westmoreland	Lower Burrell Park Pond

58 Pa. Code § 65.18. Brood stock lakes program

The Commission designated the following waters as waters to be regulated and managed as part of the brood stock lakes program under 58 Pa. Code § 65.18:

County	Name of Water
Crawford	Canadohta Lake
Crawford	Conneaut Lake
Crawford	Sugar Lake
Crawford	Tamarack Lake
Crawford	Woodcock Creek Lake
Erie	Howard Eaton Reservoir
Erie	Edinboro Lake
Erie	Union City Reservoir
Pike and Wayne	Lake Wallenpaupack
Wayne	Belmont Lake
Wayne	Duck Harbor Pond
Wayne	Lower Woods Pond
Wayne	Miller Pond
Wayne	Prompton Lake

DOUGLAS J. AUSTEN, Ph.D. Executive Director

[Pa.B. Doc. No. 06-2484. Filed for public inspection December 15, 2006, 9:00 a.m.]

## INDEPENDENT REGULATORY REVIEW COMMISSION

#### Actions Taken by the Commission

The Independent Regulatory Review Commission met publicly at 10:30 a.m., Thursday, November 30, 2006, and announced the following:

Regulations Deemed Approved under section 5(g) of the Regulatory Review Act—Effective November 29, 2006 Environmental Quality Board #7-397: Stream Redesignations, (Newtown Creek, et al.) (amends 25 Pa. Code Chapter 93)

#### Regulations Approved:

Department of Labor and Industry #12-75: Training and Certification Requirements for Code Administrators Administration; Elevators and Other Lifting Devices (amends 34 Pa. Code §§ 401, 403 and 405)

State Board of Cosmetology #16A-4511: Accreditation of Licensed Schools (amends 49 Pa. Code Chapter 7)

State Board of Social Workers, Marriage and Family Therapists and Professional Counselors #16A-6912: Continuing Education (amends 49 Pa. Code Chapters 47, 48 and 49)

Bureau of Professional and Occupational Affairs #16-32: Schedule of Civil Penalties (amends 49 Pa. Code Chapter 43b, relating to schedule of civil penalties)

Department of Transportation #18-393: Child Passenger Protection (replaces the text of a policy statement found in 67 Pa. Code Chapter 102)

Department of Agriculture #2-150: Commercial Manure Hauler and Broker Certification (amends 7 Pa. Code Chapter 130e)

Department of Public Welfare #14-505: Child Care (amends 55 Pa. Code Chapter 168)

#### **Approval Order**

Public Meeting held November 30, 2006

*Commissioners Voting*: Arthur Coccodrilli, Acting Chairperson; David M. Barasch, Esq.; David J. DeVries, Esq.; John F. Mizner, Esq.

Department of Labor and Industry—Training and Certification Requirements for Code Administrators Administration; Elevators and Other Lifting Devices; Regulation No. 12-75 (#2580)

#### **Approval Order**

On October 20, 2006, the Independent Regulatory Review Commission (Commission) received this regulation from the Department of Labor and Industry (Department). This rulemaking amends 34 Pa. Code §§ 401, 403 and 405. Notice of proposed rulemaking was omitted for this regulation; it will become effective upon publication in the *Pennsylvania Bulletin*.

This final-omitted regulation includes updates to adopt the 2006 versions of the International Code Council codes; incorporates six separate statutory amendments to the Pennsylvania Construction Code enacted between 2001 and 2006; and incorporates an amendment to the Administrative Code in 2003 relating to elevator fees.

We have determined this regulation is consistent with the statutory authority of the Department (35 P. S. § 7210.301) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

#### By Order of the Commission:

This regulation is approved.

ALVIN C. BUSH, Chairperson

#### **Approval Order**

Public Meeting held November 30, 2006

*Commissioners Voting*: Arthur Coccodrilli, Acting Chairperson; David M. Barasch, Esq.; David J. DeVries, Esq.; John F. Mizner, Esq.

State Board of Cosmetology—Accreditation of Licensed Schools; Regulation No. 16A-4511 (#2528)

On March 8, 2006, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the State Board of Cosmetology (Board). This rulemaking amends 49 Pa. Code Chapter 7. The proposed regulation was published in the March 18, 2006 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on November 2, 2006.

This regulation clarifies the existing requirement for cosmetology schools to be accredited within five years of being licensed by the Board.

We have determined this regulation is consistent with the statutory authority of the Board (63 P. S. § 517) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

ALVIN C. BUSH, Chairperson

#### **Approval Order**

Public Meeting held November 30, 2006

*Commissioners Voting*: Arthur Coccodrilli, Acting Chairperson; David M. Barasch, Esq.; David J. DeVries, Esq.; John F. Mizner, Esq.

State Board of Social Workers, Marriage and Family Therapists and Professional Counselors—Continuing Education; Regulation No. 16A-6912 (#2479)

On April 20, 2005, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the State Board of Social Workers, Marriage and Family Therapists and Professional Counselors (Board). This rulemaking amends 49 Pa. Code Chapters 47, 48 and 49. The proposed regulation was published in the April 30, 2005 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on November 2, 2006. The regulation amends and updates the existing continuing education requirements for licensed social workers and establishes similar requirements for licensed clinical social workers, marriage and family therapists, and professional counselors.

We have determined this regulation is consistent with the statutory authority of the Board (63 P. S. § 1918(a)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest. By Order of the Commission:

This regulation is approved.

ALVIN C. BUSH, Chairperson

#### **Approval Order**

Public Meeting held November 30, 2006

*Commissioners Voting*: Arthur Coccodrilli, Acting Chairperson; David M. Barasch, Esq.; David J. DeVries, Esq.; John F. Mizner, Esq.

Bureau of Professional and Occupational Affairs— Schedule of Civil Penalties; Regulation No. 16-32 (#2435)

On September 29, 2004, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Bureau of Professional and Occupational Affairs. This rulemaking amends 49 Pa. Code, Chapter 43b, relating to schedule of civil penalties. The proposed regulation was published in the October 9, 2004 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on November 2, 2006.

This regulation establishes schedules of civil penalties for the State Board of Barber Examiners, the State Real Estate Commission, the State Board of Vehicle Manufacturers, Dealers and Salespersons and the State Architects Licensure Board for: (1) operation without a current and valid license, registration, certificate or permit and (2) violating a provision of a professional licensure act or regulation of a licensing board or commission relating to the conduct of professional activity or the operation of a licensed business or facility.

We have determined this regulation is consistent with the statutory authority of the Bureau of Professional and Occupational Affairs (63 P. S. § 2205(a)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

ALVIN C. BUSH, Chairperson

#### **Approval Order**

Public Meeting held November 30, 2006

*Commissioners Voting*: Arthur Coccodrilli, Acting Chairperson; David M. Barasch, Esq.; David J. DeVries, Esq.; John F. Mizner, Esq.

Department of Transportation—Child Passenger Protection; Regulation No. 18-393 (#2439)

On October 5, 2004, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Department of Transportation (Department). This rulemaking replaces the text of a policy statement found in Chapter 102 of 67 Pa. Code. The proposed regulation was published in the October 16, 2004 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on October 27, 2006.

This regulation implements Act 229 of 2002 by codifying the rules and exceptions for the use of child safety passenger restraint systems and child booster seats.

We have determined this regulation is consistent with the statutory authority of the Department (75 Pa.C.S.A. §§ 4581 and 6103) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

ALVIN C. BUSH, Chairperson

#### **Approval Order**

Public Meeting held November 30, 2006

*Commissioners Voting*: Arthur Coccodrilli, Acting Chairperson; David M. Barasch, Esq.; David J. DeVries, Esq.; John F. Mizner, Esq.

Department of Agriculture—Commercial Manure Hauler and Broker Certification; Regulation No. 2-150 (#2513)

On December 7, 2005, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Department of Agriculture. This rulemaking establishes amends 7 Pa. Code Chapter 130e. The proposed regulation was published in the December 17, 2005 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on November 2, 2006.

This regulation implements Act 49 of 2004 by establishing certification requirements for commercial manure haulers and commercial manure brokers in regulation.

We have determined this regulation is consistent with the statutory authority of the Department of Agriculture (3 P. S. §§ 2010.1—2010.12) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

ALVIN C. BUSH, Chairperson

#### **Approval Order**

Public Meeting held November 30, 2006

*Commissioners Voting*: Arthur Coccodrilli, Acting Chairperson; David M. Barasch, Esq.; David J. DeVries, Esq.; John F. Mizner, Esq.

Department of Public Welfare—Child Care; Regulation No. 14-505 (#2549)

On June 19, 2006, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Department of Public Welfare (Department). This rulemaking amends 55 Pa. Code Chapter 168. The proposed regulation was published in the July 1, 2006 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on November 8, 2006. This regulation is a comprehensive update of an existing chapter governing child care subsidies for families receiving Temporary Assistance for Needy Families benefits, and extends these subsidies to families receiving General Assistance and Food Stamp benefits.

We have determined this regulation is consistent with the statutory authority of the Department (62 P. S. §§ 201(2) and 403(b)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

#### By Order of the Commission:

This regulation is approved.

ALVIN C. BUSH, Chairperson

[Pa.B. Doc. No. 06-2485. Filed for public inspection December 15, 2006, 9:00 a.m.]

## **INSURANCE DEPARTMENT**

#### Application for Approval of a Proposed Merger

Medco Containment Life Insurance Company, a life insurance company organized under the laws of this Commonwealth, has filed an application for approval to merge with Medco Containment Insurance Company of New Jersey, a New Jersey domiciled stock health insurance company, with Medco Containment Life Insurance Company surviving the merger. The filing was made under the requirements set forth under the Insurance Holding Companies Act (40 P. S. §§ 991.1401—991.1413), 15 Pa.C.S. §§ 1921—1932 (relating to merger, consolida-tion, share exchanges and sale of assets) and the GAA Amendments Act of 1990 (15 P. S. §§ 21101—21404). Persons wishing to comment on the merger are invited to submit a written statement to the Insurance Department (Department) within 7 days from the date of this issue of the Pennsylvania Bulletin. Each written statement must include name, address and telephone number of the interested party, identification of the application to which the statement is addressed and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Robert Brackbill, Company Licensing Division, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120; fax (717) 787-8557; rbrackbill@state.pa.us.

M. DIANE KOKEN,

[Pa.B. Doc. No. 06-2486. Filed for public inspection December 15, 2006, 9:00 a.m.]

#### Application for Approval to Redomesticate

Personal Service Insurance Company, an Ohio stock casualty insurance company, has submitted a Plan of Redomestication, whereby it proposes to redomesticate from the State of Ohio to this Commonwealth. The filing was made under the requirements set forth under 15 Pa.C.S. §§ 4161 and 4162 (relating to the Business Corporation Law of 1988) and section 357 of the Insurance Company Law of 1921 (40 P.S. § 477e). Persons

wishing to comment on the redomestication are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include the name, address and telephone number of the interested party, identification of the application to which the statement is addressed and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Cressinda Bybee, Company Licensing Division, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, cbybee@state.pa.us.

> M. DIANE KOKEN, Insurance Commissioner

[Pa.B. Doc. No. 06-2487. Filed for public inspection December 15, 2006, 9:00 a.m.]

#### Application for Voluntary Surrender of Certificate of Authority

Clarion County Mutual Insurance Company, a domestic mutual fire insurance company, has submitted an application for approval to surrender its Insurance Department (Department) Certificate of Authority. Persons wishing to comment on the grounds of public or private interest concerning the surrender are invited to submit a written statement to the Department within 7 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include the name, address and telephone number of the writer, identification of the application to which the comment is addressed and a concise statement with sufficient detail to inform the Department of the exact basis of the comment and the relevant facts upon which it is based. Written statements should be directed to Robert Brackbill, Company Licensing Division, Room 1345, Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, rbrackbill@state.pa.us.

> M. DIANE KOKEN, Insurance Commissioner

[Pa.B. Doc. No. 06-2488. Filed for public inspection December 15, 2006, 9:00 a.m.]

## LEGISLATIVE REFERENCE BUREAU

#### **Documents Filed But Not Published**

The Legislative Reference Bureau (Bureau) accepted the following documents during the preceding calendar month for filing without publication under 1 Pa. Code § 3.13(b) (relating to contents of Bulletin). The Bureau will continue to publish on a monthly basis either a summary table identifying the documents accepted during the preceding calendar month under this subsection or a statement that no documents have been received. For questions concerning or copies of documents filed, but not published, call (717) 783-1530.

#### Executive Board

Resolution #OR-06-276, Dated November 13, 2006. Authorizes the reorganization of the Fish and Boat Commission by establishing the Habitat Management Division in the Bureau of Fisheries.

Resolution #OR-06-277, Dated November 13, 2006. Authorizes the reorganization of the PA Board of Probation and Parole by abolishing the Bureau of Information Technology and its three divisions, Systems, Technical Services and Data Warehouse.

#### Governor's Office

Management Directive No. 520.7—Development and Validation of Job Standards, Amended October 16, 2006.

Management Directive No. 535.9—Physical and Information Security Awareness Training, Dated October 3, 2006.

Management Directive No. 580.16—Provisional Employment in the Classified Service, Amended November 16, 2006.

Management Directive No. 580.32—Substitute Employment in the Classified Service, Amended October 24, 2006.

Management Directive No. 615.15—Vehicle Parking License Agreements, Amended October 26, 2006.

Administrative Circular No. 06-16—Appropriation, Authorization, and Expenditure of Federal Funds, Dated October 13, 2006.

> MARY JANE PHELPS, Director Pennsylvania Bulletin

[Pa.B. Doc. No. 06-2489. Filed for public inspection December 15, 2006, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

#### Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by January 8, 2007. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

#### Applications of the following for approval to *begin* operating as *common carriers* for transportation of *persons* as described under each application.

**A-00123182 (Amended) Dewayne Royer** (177 Mackeyville Road, P. O. Box 62, Mackeyville, Clinton County, PA 17750)—persons in paratransit service, limited to persons whose personal convictions prevent them

#### 7780

from owning or operating motor vehicles, from points in the Counties of Clinton and Centre, to points in Pennsylvania, and return.

**A-00123330 Bonnie L. Anderson** (P. O. Box 178, East Waterford, Juniata County, PA 17021)—persons, in paratransit service, in the Counties of Bedford, Chester, Clinton, Dauphin, Huntingdon, Indiana, Juniata, North-umberland and Perry, and from points in said counties, topoints in Pennsylvania, and return; limited to the transportation of persons whose personal convictions prevent them from owning or operating motor vehicles.

**A-00123331 Pennsylvania Transit Company, LLC.** (3300 Henry Avenue, Gate House Building, First Floor, Philadelphia, PA 19129), a limited liability company of the Commonwealth of Pennsylvania, common carrier—persons in paratransit service, in the City and County of Philadelphia and the Counties of Bucks, Chester, Delaware and Montgomery. *Attorney*: Norman R. Garvin, 10 West Market Street, Suite 1500, Indianapolis, IN 46204.

**A-00123333 Irma J. Fryer** (151 Old Stagecoach Road, Lewistown, Mifflin County, PA 17044)—persons in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, from points in the County of Mifflin, to points in Pennsylvania, and return.

**A-00123334 Earl Groff** (32 Poplar Drive, Manheim, Lancaster County, PA 17044)—persons in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, from points in the Counties of Berks, Chester, Dauphin, Lancaster, Lebanon, Schuylkill, and York, to points in Pennsylvania, and return.

# Applications of the following for approval of the *beginning* of the exercise of the right and privilege of operating motor vehicles as *common carriers* for the transportation of *persons* by *transfer of rights* as described under each application.

**A-00121547, F.1, Am-A Stephen E. Campanella, Jr.,** (137 King Street, East Stroudsburg, Monroe County, PA 18301)—persons in group and party service, in vehicles seating 11 to 15 passengers, including the driver, from points in the Counties of Wyoming, Luzerne, Lackawanna, Susquehanna, Bradford and Sullivan, to points in Pennsylvania and return; which is to be a transfer of all the right authorized under the certificate issued at A-00113735, F.2 to Valvano's Limousine, Inc., subject to the same limitations and conditions. *Attorney*: J. Bruce Walter, Esquire, One South Market Street, P. O. Box 1146, Harrisburg, PA 17108-1146.

**A-00123320 Thomas R. Hagberg,** (646 Hatch Run Road, Warren, Warren County, PA 16365)—persons upon call or demand, in the Borough of Warren, Warren County; which is to be a transfer of all the right authorized under the certificate issued at A-00097613, subject to the same limitations and conditions. *Attorney:* Gregory B. Fraser, Esquire, 400 Market Street, Warren, PA 16365.

Application of the following for *amendment* to the certificate of public convenience approving the operation of motor vehicles as *common carriers* for transportation of *persons* as described under the application.

**A-00100359, F.2, Am-E Baker's Transportation Service, Inc.** (1400 West First Street, Oil City, Venango County, PA 16301), a corporation of the Commonwealth of Pennsylvania, inter alia—persons upon call or demand in the City of Franklin, Venango County: *So As To Permit* the transportation of persons upon call or demand in the City of Oil City, the Borough of Sugarcreek and the Townships of Cornplanter and Sandycreek, all in the County of Venango.

Application of the following for approval of the *beginning* of the exercise of the right and privilege of operating motor vehicles as *common carriers* for the transportation of *household goods* as described under the application.

**A-00123259, F.2 Mulhern's Moving, Inc., t/a U-Call We-Haul U-Save** (1579 West County Line Road, Hatboro, Montgomery County, PA 19040), a corporation of the Commonwealth of Pennsylvania—household goods in use, between points in the Counties of Bucks and Montgomery, which are located within an airline distance of 50 statute miles of 1579 West County Line Road, Hatboro, Montgomery County, PA.

Application of the following for approval of the *additional right* and privilege of operating motor vehicles as *common carriers* for transportation of *household goods* as described under the application.

**A-00123310, F.2 Bob Crouse Delivery Service, LLC.** (419 Kristines Way, Harleysville, Montgomery County, PA 19438), a limited liability company of the Commonwealth of Pennsylvania—additional right—household goods in use, between points in the Counties of Montgomery, Chester and Berks, and from points in the said Counties to points in Pennsylvania. *Attorney:* Andrew D. Santanna, P. O. Box 431, Lansdale, PA 19446.

## Application of the following for approval to *begin* operating as *contract carriers* for transportation of *persons* as described under the application.

**A-00123307 Mohamed E. Idress** (3134 Nesper Street, Philadelphia, PA 19152)—contract carrier—persons in paratransit service, for Logisticare Solutions, LLC. in the City and County of Philadelphia.

### Applications of the following for the approval of the right and privilege to *discontinue/abandon* operating as *common carriers* by motor vehicle and for cancellation of the certificate of public convenience as described under each application.

**A-00105495 James Kirtz, t/a Jimmy Moving & Hauling** (1227 West Flora Street, Philadelphia, Philadelphia County, PA 19122)—for the discontinuance of service and cancellation of his certificate, as a common carrier, by motor vehicle, authorizing the transportation of household goods in use, between points in the City and County of Philadelphia.

**A-00116101, F.4 Airport Taxi Limousine and Courier Service of Lehigh Valley, Inc.**, (P. O. Box 1000, Pittston, Luzerne County, PA 18640-5001)—discontinuance of service—persons, in airport transfer service: (1) from the Lehigh Valley International Airport in the Township of Hanover, Lehigh County, to points in Pennsylvania east of US 15, and vice versa, right 1 subject to the following condition: That no person shall be transported from points in the said territory to the Lehigh Valley International Airport who are farther than 35 air miles from the said airport; and (2) persons, who arepassengers from diverted flights or who are stranded passengers, from the Lehigh Valley International Airport, in the Township of Hanover, Lehigh County, to any other airport located in Pennsylvania. *Attorney*: Steven K. Haas, 100 North Tenth Street, Harrisburg, PA 17101

[Pa.B. Doc. No. 06-2490. Filed for public inspection December 15, 2006, 9:00 a.m.]

#### **Telecommunications**

A-312800F7000. Petition of Pymatuning Independent Telephone Company and Verizon Pennsylvania, Inc. Joint petition of Pymatuning Independent Telephone Company and Verizon Pennsylvania, Inc. for approval of an interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Petition of Pymatuning Independent Telephone Company and Verizon Pennsylvania Inc., by its counsel, filed on November 30, 2006, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Petition of Pymatuning Independent Telephone Company and Verizon Pennsylvania, Inc. joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY, Secretary

[Pa.B. Doc. No. 06-2491. Filed for public inspection December 15, 2006, 9:00 a.m.]

## PUBLIC SCHOOL EMPLOYEES' RETIREMENT BOARD

#### **Hearings Scheduled**

Hearings have been scheduled, as authorized by 24 Pa.C.S. Part IV (relating to Public School Employees' Retirement Code), in connection with the Public School Employees' Retirement System's (System) denial of claimants' requests concerning the indicated accounts. The hearings will be held before a hearing examiner at the Public School Employees' Retirement System, 5 North Fifth Street, Harrisburg, PA 17101:

January 10, 2007	Kenneth J. Harasty (Act-9 T-D) Sandra E. Turner	1 p.m. 2:30 p.m.
January 24, 2007	Lil Koszowski (Purchase of Service)	1 p.m.
February 7, 2007	Donald W. Johnson (Disability Retirement)	1 p.m.
	Edward T. Laczkowski	2:30 p.m.
February 21, 2007	Cannonie, et al (Final Average Salary)	1 p.m.
March 13, 2007	Phyllis Weinberg (Waiver of Adjustment)	1 p.m.
March 21, 2007	Francine E. Belton (Change of Option)	1 p.m.
	Barbara Mazer (Disability Retirement)	2:30 p.m.

Persons with a disability who wish to attend the listed hearings and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact Marilyn Fuller-Smith, Assistant to the Executive Director, at (717) 720-4921 to discuss how the System may best accommodate their needs.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearings will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Under 22 Pa. Code § 201.1 (relating to applicability of general rules), procedural matters will be in conformance with 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure) unless specific exemption is granted.

JEFFREY B. CLAY, Executive Director

[Pa.B. Doc. No. 06-2492. Filed for public inspection December 15, 2006, 9:00 a.m.]

## STATE BOARD OF COSMETOLOGY

Bureau of Professional and Occupational Affairs v. Alice M. Pizarro; Doc. No. 0320-45-2006

On October 13, 2006, Alice M. Pizarro, License No. CO-210788-L, of Philadelphia, Philadelphia County, was assessed an additional \$1,000 civil penalty for neglecting to remit previous civil penalty of \$1,000 for a total of \$2,000, based on her operating an unlicensed cosmetology shop.

Individuals may obtain a copy of the adjudication by writing to C. William Fritz, II, Board Counsel, State Board of Cosmetology, P. O. Box 2649, Harrisburg, PA 17105-2649.

This adjudication and order represents the final State Board of Cosmetology (Board) decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate

Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of the petition for review. The Board contact for receiving service of appeals is the previously named Board counsel.

SUSAN E. RINEER,

Chairperson

[Pa.B. Doc. No. 06-2493. Filed for public inspection December 15, 2006, 9:00 a.m.]

## STATE BOARD OF NURSING

## Bureau of Professional and Occupational Affairs v. Barbara J. Francis; Doc. No. 1588-51-06

On September 27, 2006, Barbara J. Francis, license no. PN256588L, of Cypress, TX, was suspended under the order of the Court of Common Pleas of Chester County dated August 31, 2006, which the Court issued under under 23 Pa.C.S. § 4355 (relating to denial or suspension of licenses). The suspension is effective immediately.

Individuals may obtain a copy of the adjudication by writing to Herbert Abramson, Senior Counsel in Charge, State Board of Nursing, P. O. Box 2649, Harrisburg, PA 17105-2649.

> JOANNE L. SORENSEN, R. N., MS, Chairperson

[Pa.B. Doc. No. 06-2494. Filed for public inspection December 15, 2006, 9:00 a.m.]

#### Bureau of Professional and Occupational Affairs v. Sarah Wilks, R. N.; Doc. No. 1191-51-2006

On October 11, 2006, Sarah Wilks, R. N., license number RN-522574-L, of Pittsburgh, Allegheny County, was indefinitely suspended, retroactive to August 17, 2006, based upon her failure to submit to a mental and physical examination.

Individuals may obtain a copy of the adjudication by writing to Thomas A. Blackburn, Board Counsel, State Board of Nursing, P. O. Box 2649, Harrisburg, PA 17105-2649.

This adjudication and order represent the final State Board of Nursing (Board) decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of the petition for review. The Board contact for receiving service of appeals is the previously named Board counsel.

JOANNE L. SORENSEN, R. N., MS,

Chairperson

[Pa.B. Doc. No. 06-2495. Filed for public inspection December 15, 2006, 9:00 a.m.]

## STATE BOARD OF VEHICLE MANUFACTURERS, DEALERS AND SALESPERSONS

#### Bureau of Professional and Occupational Affairs v. Manfred Schnieder; Doc. No. 1623-60-06

On October 5, 2006, Manfred Schnieder, license no. MV204499, of Pittsburgh, Allegheny County, was suspended under the Order of the Court of Common Pleas of Allegheny County dated September 22, 2006, which the Court issued under 23 Pa.C.S. § 4355 (relating to denial or suspension of licenses). The suspension is effective immediately.

Individuals may obtain a copy of the adjudication by writing to Herbert Abramson, Senior Counsel in Charge, State Board of Vehicle Manufacturers, Dealers and Salespersons, P. O. Box 2649, Harrisburg, PA 17105-2649.

> EDWIN K. GALBREATH, Jr., Chairperson

[Pa.B. Doc. No. 06-2496. Filed for public inspection December 15, 2006, 9:00 a.m.]

## Bureau of Professional and Occupational Affairs v. Larry Waldschmidt; Doc. No. 1624-60-06

On October 5, 2006, Larry Waldschmidt, license no. MV123166L, of Tarentum, Allegheny County, was suspended under the Order of the Court of Common Pleas of Allegheny County dated September 22, 2006, which the Court issued under 23 Pa.C.S. § 4355 (relating to denial or suspension of licenses). The suspension is effective immediately.

Individuals may obtain a copy of the adjudication by writing to Herbert Abramson, Senior Counsel in Charge, State Board of Vehicle Manufacturers, Dealers and Salespersons, P. O. Box 2649, Harrisburg, PA 17105-2649.

EDWIN K. GALBREATH, Jr.,

Chairperson

[Pa.B. Doc. No. 06-2497. Filed for public inspection December 15, 2006, 9:00 a.m.]

## STATE EMPLOYEES' RETIREMENT BOARD

#### Hearings Scheduled

Hearings have been scheduled, as authorized by 71 Pa.C.S. Part XXV (relating to State Employees' Retirement Code), in connection with the State Employees' Retirement System's denial of Claimants' requests concerning the indicated accounts.

The hearings will be held before a hearing examiner at the State Employees' Retirement System, 30 North Third Street, Fifth Floor, Harrisburg, PA 17101:

January 18, 2007	Sandra L. Karpinski (Multiple Service Election)	1 p.m.
January 25, 2007	John C. Cresci (Disability Supplement Calculation)	1 p.m.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearings will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Under 4 Pa. Code § 250.1 (relating to applicability of general rules), procedural matters will be in conformance with 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure) unless specific exemption is granted.

#### ERIC HENRY, Secretary

[Pa.B. Doc. No. 06-2498. Filed for public inspection December 15, 2006, 9:00 a.m.]

## STATE REAL ESTATE COMMISSION

#### Bureau of Professional and Occupational Affairs v. Howard Novick; Doc. No. 0227-56-04, File No. 05-56-00384

On October 24, 2006, Howard Novick, license no. RS220897L, of Pittsburgh, Allegheny County, was suspended for at least 1 year based on findings he failed to comply with the terms of his probation and failed to cooperate with PHMP in monitoring his compliance with the consent agreement.

Individuals may obtain a copy of the adjudication by writing to Judith Pachter Schulder, Board Counsel, State Real Estate Commission, P. O. Box 2649, Harrisburg, PA 17105-2649.

This adjudication and order represents the final State Real Estate Commission (Commission) decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Commission with a copy of the petition for review. The Commission contact for receiving service of appeals is the previously named Commission counsel.

> JOSEPH TARANTINO, Jr. Chairperson

[Pa.B. Doc. No. 06-2499. Filed for public inspection December 15, 2006, 9:00 a.m.]