DEPARTMENT OF AGRICULTURE

Agricultural Research Project Contractors

The Department of Agriculture (Department) is soliciting names of research institutions which have an interest in conducting agricultural research from July 1, 2008, to June 30, 2009, and continuing. Institutions which respond will be provided with a preproposal format and a list of research topic areas. Institutions which responded for Fiscal Year 2007-2008 will automatically receive a

solicitation and do not need to respond this year. The Department, through a selection process, will decide which projects are to be placed under contract. Interested parties should submit their name, address and telephone number to Kelly O'Donnell, Department of Agriculture, 2301 North Cameron Street, Harrisburg, PA 17110, (717) 705-3979.

DENNIS C WOLFF, Secretary

[Pa.B. Doc. No. 08-579. Filed for public inspection March 28, 2008, 9:00 a.m.]

DEPARTMENT OF BANKING

Actions on Applications

The Department of Banking (Department), under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 9, 2002 (P. L. 1572, No. 207), known as the Credit Union Code, has taken the following action on applications received for the week ending March 18, 2008.

BANKING INSTITUTIONS

Conversions

DateName of BankLocationAction3-14-2008From: The Merchants National BankBangorFiled

of Bangor Bangor

Northampton County

To: Merchants Bank of Bangor

Bangor

Northampton County

Application for conversion from a Federally-chartered bank to a Pennsylvania State-chartered bank.

Section 112 Applications

Date Name of Group Location Action

3-18-2008 The Snyder Group, Kittanning, to acquire up to 74.2% of Merchants
Bancorp of Pennsylvania, Kittanning

Holding Company Acquisitions

Date Name of Corporation Location Action
3-11-2008 S & T Bancorp, Inc., Indiana, to acquire 100% of IBT Bancorp, Inc.,

Irwin

3-12-2008 F.N.B. Corporation, Hermitage, to Hermitage Approved

acquire 100% of Omega Financial Corporation, State College and thereby indirectly acquire Omega Bank, State College, which will be merged with and into First National Bank of Pennsylvania, Greenville, a wholly-owned subsidiary of F.N.B.

Corporation

Effective

Approved

Consolidations, Mergers and Absorptions

Lancaster

Date Name of Bank Location Action S & T Bank, Indiana and Irwin Bank, 3-11-2008 Indiana Filed Irwin Surviving Institution:

S & T Bank, IN

3-15-2008 Fulton Bank, Lancaster, PA, and

Resource Bank, Virginia Beach, VA Surviving Institution: Fulton Bank,

Lancaster, PA

Branch offices acquired by Fulton Bank by means of merger:

4429 Bonney Road 501 Independence Parkway Virginia Beach Suite 105

Virginia Beach County, VA Chesapeake City

Chesapeake County, VA 735 Thimble Shoals Boulevard 8730 Stoney Point Parkway

Newport News Suite 100

Newport News County, VA Richmond

Richmond County, VA 625 Elden Street

1616 Laskin Road Virginia Beach Herndon

Virginia Beach County, VA Fairfax County, VA 4180 Dominion Boulevard 9012 Church Street

Glen Allen Manassas Henrico County, VA Manassas County, VA

Branch Applications

Date Name of Bank Location Action 3-10-2008 First Commonwealth Bank 5853 Forbes Avenue Opened

Indiana Pittsburgh

Indiana County Allegheny County

3-12-2008 860 Long Pond Road Northwest Savings Bank Approved

Warren Greece

Warren County Monroe County, NY

3-12-2008 Susquehanna Bank PA 4185 West Market Street Approved

York

Lititz

Lancaster County York County

3-18-2008 Susquehanna Bank DV 76 East Lancaster Avenue

Bryn Mawr Ardmore

Montgomery County **Montgomery County**

Branch Discontinuances

Date Name of Bank Action Location 3-12-2008 Approved

205 Park Place, Suite 6 Omega Bank State College Bellefonte

Centre County Centre County

3-12-2008 Omega Bank 639 South Main Street Approved

State College Wilkes-Barre **Centre County** Luzerne County

3-12-2008 Omega Bank 814 Westminster Drive Approved

State College Williamsport

Centre County Lycoming County

SAVINGS INSTITUTIONS

No activity.

CREDIT UNIONS

Consolidations, Mergers and Absorptions

Name of Credit Union 3-18-2008 Pennsylvania State Employees Credit

Location Harrisburg

Action Approved

Date

Union, Harrisburg, and GF Employees Credit Union, Camp Hill Surviving Credit Union: Pennsylvania State Employees Credit Union,

Harrisburg

The Department's web site at www.banking.state.pa.us includes public notices for more recently filed applications.

STEVEN KAPLAN,

Secretary

[Pa.B. Doc. No. 08-580. Filed for public inspection March 28, 2008, 9:00 a.m.]

DEPARTMENT **OF EDUCATION**

Availability of 2008-2009 Career and Technical Education Curriculum Grants

Applications for curriculum grant funding are invited. The project period is July 1, 2008, to June 30, 2009. The maximum amount per project is \$25,000.

1. Eligibility Requirements

Funding is available on a competitive basis to career and technical education centers/area vocational-technical schools that offer approved career and technical education programs. The participating high schools that are part of the articles of agreement with the eligible CTC/AVTS must commit to raising the academic rigor for their CTE students. Each district must commit to increasing their CTE students academic achievement by 11% in reading and 13% in math as measured by the PSSA, within the grant period. Funding preference is provided to CTCs that have received designation as High.

2. Application Deadline

Applications are due May 2, 2008, by 5 p.m.

3. How to apply

The Department of Education (Department) has implemented an internet-based E-Grant system that that requires eligible applicants to apply for funding online. The grant guidelines will be available on Department's web site: www.pde.state.pa.us/. On the left side, click on Pre K-12 Schools, Career and Technical Education, Grants and Funding and Funding Sources. This page provides a listing of the various funding guidelines. Click on Committed to Excellence Curriculum Grant.

4. Questions Concerning the Grant Application

Questions concerning the grant application should be addressed to John Bonchalk, General Vocational Education Advisor, Department of Education, Bureau of Career and Technical Education, Data Analysis, Assessment and Contracts Division, 333 Market Street, 11th Floor, Harris-burg, PA 17126-0333, (717) 772-4853, jbonchalk@state. pa.us.

GERALD L. ZAHORCHAK, D. Ed.,

Secretary

[Pa.B. Doc. No. 08-581. Filed for public inspection March 28, 2008, 9:00 a.m.]

Availability of 2008-2009 Career and Technical Education Equipment Grants

Applications for equipment grant funds are invited. The project period is July 1, 2008, to June 30, 2009. The maximum amount per project is \$50,000.

1. Eligibility Requirements

Funding is available on a competitive basis to career and technical education centers/area vocational-technical schools that offer approved career and technical education programs, CTCs that received recognition by the Department of Education (Department) as a high performing CTC/AVTS will be given preference for funding.

2. Application Deadline

Applications are due May 2, 2008, by 5 p.m.

3. How to apply

The Department has implemented an internet-based E-Grant system that that requires eligible applicants to apply for funding online. The grant guidelines will be available on Department's web site: www.pde.state.pa.us/. On the left side, click on Pre K-12 Schools, Career and Technical Education, Grants and Funding and Funding Sources. This page provides a listing of the various funding guidelines. Click on Equipment Grants.

4. Questions Concerning the Grant Application

Questions concerning the grant application should be addressed to John Bonchalk, General Vocational Education Advisor, Department of Education, Bureau of Career and Technical Education, Data Analysis, Assessment and Contracts Division, 333 Market Street, 11th Floor, Harrisburg, PA 17126-0333, (717) 772-4853, jbonchalk@state. pa.us.

GERALD L. ZAHORCHAK, D. Ed., Secretary

[Pa.B. Doc. No. 08-582. Filed for public inspection March 28, 2008, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a general permit. The applications concern, but are not limited to, discharges related to industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFOs). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

Location	Permit Authority	Application Type or Category
Section I	NPDES	Renewals
Section II	NPDES	New or amendment
Section III	WQM	Industrial, sewage or animal waste; discharge into groundwater
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 individual permits and individual stormwater construction permits in Sections IV and VI, the Department, based upon preliminary reviews, has made a tentative determination of proposed effluent limitations and other terms and conditions for the permit applications. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the EPA Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on an NPDES application are invited to submit a statement to the regional office noted before an application within 30 days from the date of this public notice. Persons wishing to comment on a WQM permit application are invited to submit a statement to the regional office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final

determinations regarding the applications. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for a public hearing on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Northeast Region	n: Water Management Program	Manager, 2 Public Square, Wil	lkes-Barre, PA 18711-07	90.
NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed #)	EPA Waived Y/N ?
PA0063436 Sewage—SFRSTP	Elmer Brown R. R. 1 Box 1579 Hallstead, PA 18822	Liberty Township Susquehanna County	Rhiney Creek 4E	Y
PA0036081	Lehigh County Authority P. O. Box 3348 1053 Spruce Street Allentown, PA 18106	North Whitehall Township Lehigh County	Lehigh River Watershed 2C TSF	Y
PAS802209 (Industrial Stormwater)	Swallow Associates 3003 Turner Street Allentown, PA 18104	Upper Macungie Township Lehigh County	UNT to Cedar Creek 2C	Y
Southcentral Reg 705-4707.	gion: Water Management Prog	gram Manager, 909 Elmertor	n Avenue, Harrisburg,	PA 17110, (717)
NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed #)	EPA Waived Y/N ?
PA0081981 (Sew)	Smithville Community, LLC 103 Taggart Drive Coatesville, PA 19320	Lancaster County Providence Township	7-K UNT Huber Run	Y
PA0248614 (CAFO)	Joe Conners Farm 2819 Powell Valley Road Halifax, PA 17032	Dauphin County Wayne Township	6-C North Fork of Powell Creek	Y
PA0084794 (Sew/Transfer)	Asbury Pointe Water and Sewer Company, LLC 139 East Manchester Township York, PA 17401	York County East Manchester Township	7-H Codorus Creek	Y
PA0010201 (IW)	Columbia Water Company 220 Locust Street Columbia, PA 17512	Lancaster County Columbia Borough	Susquehanna River 7-G	Y
PA0080004 (Sew)	Martin's Famous Pastry Shoppe, Inc. 1000 Potato Roll Lane Chambersburg, PA 17202	Franklin County Antrim Township	UNT Conocheague Creek 13-C	Y
PA0246590 (Sew)	Dennis and Janice McClure 3469 McAlevys Fort Road Petersburg, PA 16669	Huntingdon County Jackson Township	UNT Standing Stone Creek 11-B	Y
Northcentral Reg	tion: Water Management Progra	am Manager, 208 West Third S	Street, Williamsport, PA	17701.
NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed #)	EPA Waived Y/N ?
PA0114073	Dominion Transmission, Inc. 5049 Route 349 Westfield, PA 16950	Tioga County Farmington Township	UNT to Elkhorn Creek 4A	Y

20-C

Stream Name

EPA Waived

(Type)	Address	Municipality	(Watershed #)	Y/N?
PA0111635 IW	Spring Township Municipal Authority P. O. Box 133 Beaver Springs, PA 17812	Snyder County Beaver Township	Kern Run 6A	Y
Northwest Reg	gion: Water Management Progran	n Manager, 230 Chestnut Stree	et, Meadville, PA 16335-	3481.
NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed #)	EPA Waived Y/N ?
PA0239186	The Davis Foundation OH1-1074 1111 Polaris Parkway	Forward Township Butler County	UNT to Connoquenessing Creek	Y

County &

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Applications

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

PA0055395, Sewage, SIC 6515, **Green Top Park, Inc.**, 2465 Milford Square Pike, Quakertown, PA 18951. This proposed facility is located in West Rockhill Township, **Bucks County**.

Description of Proposed Activity: Renewal of an NPDES permit to discharge 12,000 gpd of treated sewage into a UNT to Tohickon Creek.

The receiving stream, Tohickon Creek, is in the State Water Plan Watershed 2D and is classified for: TSF. The nearest downstream public water supply intake for PA American Water Company is located on Delaware River and is 30 miles below the point of discharge.

The proposed effluent limits for Outfall 001 are based on a design flow of 12,000 gpd.

D	Average	Instantaneous	
Parameter	Monthly (mg/l)	Maximum (mg/l)	
CBOD ₅	25	50	
Suspended Solids	30	60	
Ammonia (as N)			
(5-1 to 10-31)	1.7	3.4	
(11-1 to 4-30)	3.0	6.0	
Phosphorus (as P)	0.5	1.0	
Total Residual Chlorine	0.02	0.05	
Fecal Coliform	200 #/100 ml	1,000 #/100 ml	
Dissolved Oxygen	minimum of 5.0 mg/l at all times		
рН	Within limits of 6.0 to 9.0 Standard Units at all times		

In addition to the effluent limits, the permit contains the following major special conditions:

1. Special Protection Waters Discharge.

NPDES No.

Facility Name &

Columbus, OH 43240-2050

PA0031178, SEW, SIC 6515, Melody Lakes Management, LLC, 1045 North West End Boulevard, Lot 600, Quakertown, PA 18951. This proposed facility is located in Richland Township, Bucks County.

Description of Proposed Activity: Renewal of an NPDES permit to discharge 72,000 gpd of treated sewage into a UNT to Tohickon Creek.

The receiving stream, UNT to Tohickon Creek, is in the State Water Plan Watershed 2D and is classified for: TSF. The nearest downstream public water supply intake for PA American Water Company is located on Delaware River and is 31.5 miles below the point of discharge.

The proposed effluent limits for Outfall 001 are based on a design flow of 72,000 gpd.

n ,	Average	Instantaneous
Parameter	Monthly (mg/l)	Maximum (mg/l)
$CBOD_5$		
(5-1 to 10-31)	10	20
(11-1 to 4-30)	20	40
Suspended Solids	30	60
Ammonia (as N)		
(5-1 to 10-31)	2.0	4.0
(11-1 to 4-30)	6.0	12.0
Phosphorus (as P)	0.5	1.0
Total Residual Chlorine	0.03	0.1
Fecal Coliform	200 #/100 ml	1,000 #/100 ml

Average Instantaneous
Parameter Monthly (mg/l) Maximum (mg/l)

The ball of the standard of the

Dissolved Oxygen minimum of 6.0 mg/l at all times Within limits of 6.0 to 9.0 Standard Units at all times

In addition to the effluent limits, the permit contains the following major special conditions:

1. Special Protection Waters Discharge.

Parameters 4 8 1

PA0013323, Industrial Waste, SIC 3721, **The Boeing Company**, P. O. Box 16858, MC P25-75, Philadelphia, PA 19142. This proposed facility is located in Ridley Township, **Delaware County**.

Description of Proposed Activity: Renewal of an NPDES permit to discharge process wastewater, cooling tower blow down and stormwater from Boeing Helicopters Ridley Facility.

The receiving streams, Darby and Crum Creeks, and the Delaware River are in the State Water Plan Watershed 3G and is classified for WWF, aquatic life, water supply and recreation. There is no public water supply intake below the point of discharge.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.075 mgd:

Average Maximum Instantaneous

Monthly Daily Maximum (mg/l)

110° F

Concentration (mg/l)

 Temperature
 110° F

 Total Suspended Solids
 30
 60
 75

 Total Dissolved Solids
 1,000
 2,000
 2,500

 Oil and Grease
 15
 30

pH
PCB, Total (Dry Weather) pg/l
PCB, Total (Wet Weather) pg/l
Total Residual Oxidant

6.0 to 9.0 Standard Units at all times
Monitor and Report
Monitor and Report
0.5

The proposed effluent limits for Monitoring Point MP101 are based on a design flow of 75,000 gal/month as batch discharge:

Concentration (mg/l) Average Maximum Instantaneous Parameters Monthly Daily Maximum (mg/l) **Total Suspended Solids** 30 60 75 Oil and Grease 15 30 Cadmium, Total 0.26 0.69Chromium, Total (+6) 2.22 1.71 Copper, Total 2.07 3.38 Lead. Total 0.43 0.69 Nickel, Total 2.38 3.98 Silver, Total 0.24 0.43 Zinc, Total 1.48 2.61 Cyanide, Total 0.65 1.20 Total Toxic Organics 2.13 6.0 to 9.0 Standard Units at all times

The proposed monitoring requirements for Outfalls 002, 003 and 016 are based on an average flow of stormwater:

Concentration (mg/l) Maximum Parameters Daily CBOD₅ Monitor and Report COD Monitor and Report Oil and Grease Monitor and Report pH (Standard Units) Monitor and Report Total Suspended Solids Monitor and Report Total Kjeldahl Nitrogen Monitor and Report Total Phosphorus Monitor and Report Monitor and Report Iron, Dissolved PCB, Total (Wet Weather) pg/l Monitor and Report

Concentration (mg/l)

The proposed effluent limits for Outfall 007 are based on an average flow of oil bearing stormwater:

Concentration (mg/l)

Average Maximum Instantaneous Parameters Monthly Daily Maximum (mg/l)

Oil and Grease 15 30

6.0 to 9.0 Standard Units at all times bΗ PCB, Total (Wet Weather) pg/l Monitor and Report

The proposed effluent limits for Outfall 008 are based on an average flow of oil bearing stormwater:

Concentration (mg/l)

Average Maximum Instantaneous Parameters Monthly Daily Maximum (mg/l) 30

Oil and Grease 15 6.0 to 9.0 Standard Units at all times

The proposed monitoring requirements for Outfalls 004, 009-015, 017, 019-025 are based on an average flow of

stormwater:

Maximum **Parameters** Daily

CBOD₅ Monitor and Report COD Monitor and Report Oil and Grease Monitor and Report pH (Standard Units) Monitor and Report Total Suspended Solids Monitor and Report Total Kjeldahl Nitrogen Monitor and Report Monitor and Report Total Phosphorus Iron, Dissolved Monitor and Report

In addition to the effluent limits, the permit contains the following major special conditions:

- 1. Remedial Measures if Unsatisfactory Effluent.
- 2. Right to Modify.

pΗ

- 3. Approved Chemical Additives.
- 4. Chemical Addition Requirements.
- 5. Change in Ownership.
- 6. TTO Definition.
- 7. TTO Monitoring.
- 8. TMDL/WLA Data.
- 9. I-Max Limitation.
- 10. Stormwater Requirement.
- 11. Thermal Requirement.
- 12. PCB PMP Requirement.

PA0058041, Sewage, SIC 4952, Limerick Township Municipal Authority, 529 King Road, P. O. Box 29, Royersford, PA 19468. This proposed facility is located in Limerick Township, Montgomery County.

Description of Proposed Activity: Renewal of an NPDES permit to discharge treated sewage from Possum Hollow STP.

The receiving stream, the Schuylkill River, is in the State Water Plan Watershed 3D and is classified for: WWF, aquatic life, water supply and recreation. The nearest downstream public water supply intake for PA American Water Company is located on the Schuylkill River and is 1.55 miles below the point of discharge.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.7 mgd.

	Average Monthly	Average Weekly	Instantaneous Maximum
Parameters	(mg/l)̈́	(mg∕Ĭ)	(mg/l)
$CBOD_5$	20	30	40
TSS	20	30	40
Ammonia as N	8.0		16.0

Average Average Instantaneous Monthly Weekly Maximum Parameters (mg/l) (mg/Ĭ) (mg/l) # 200/100 ml # 1,000/100 ml Fecal Coliform Dissolved Oxygen 5.0 (Instantaneous Minimum) 6.0 to 9.0 Standard Units at all times pΗ

In addition to the effluent limits, the permit contains the following major special conditions:

- 1. Operator Notification.
- 2. Average Weekly Definition.
- 3. Remedial Measures.
- 4. No Stormwater.
- 5. Necessary Property Rights.
- 6. Change of Ownership.
- 7. Proper Sludge Disposal.
- 8. Total Maximum Daily Load (TMDL)/WLA Analysis.
- 9. Operator Certification.
- 10. I-Max Condition.
- 11. PCB TMDL Condition.
- 12. Fecal Coliform I-Max Reporting.

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

PA0013501, Industrial, **Honeywell International, Inc.**, 98 Westwood Road, Pottsville, PA 17901-1834. This existing facility is located in Norwegian Township, **Schuylkill County**.

Description of Proposed Activity: Renewal of NPDES permit for the discharge of noncontact cooling water and stormwater.

The receiving stream, UNT to West Branch Schuylkill River, is in the State Water Plan Watershed 03A and is classified for: CWF. The nearest downstream public water supply intake for Pottstown Water Supply is located on the Schuylkill River approximately 60 miles below the point of discharge.

The proposed effluent limits for Outfall 001 (noncontact cooling water and stormwater) based on a design flow of 0.0172 mgd are:

 $\frac{Mass\ (lb/day)}{Average} \qquad \frac{Maximum}{Average} \qquad \frac{Average}{Monthly} \qquad \frac{Average}{Monthly} \qquad \frac{Monthly}{Daily}$ pH $\frac{0.0\ to\ 9.0\ Standard\ Units\ at\ all\ times}{Daily}$

The proposed effluent limits for Outfall 002 (stormwater) are as follows:

	Mass (lb/day)		Concentration (mg/l)	
Parameter	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily
CBOD ₅ Chemical Oxygen Demand Oil and Grease pH Total Suspended Solids (TSS) Total Kjeldahl Nitrogen (TKN) Total Phosphorus Iron (dissolved)				Report

In addition to the effluent limits, the permit contains the following major special conditions:

1. Requirements applicable to stormwater outfalls along with identified best management practices.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

Application No. PA 0082279, Sewage, **Spring Creek Joint Sewer Authority**, P. O. Box 373, Three Springs, PA 17264. This facility is located in Clay Township, **Huntingdon County**.

Description of activity: The application is for renewal and expansion of an NPDES permit for an existing expanded discharge of treated sewage.

The receiving stream, Three Springs Creek, is in Watershed 12-C, and classified for CWF, water supply, recreation and fish consumption. The nearest downstream public water supply intake for Newport Borough is located on the Juniata River, approximately greater than 50 miles downstream. The discharge is not expected to affect the water supply.

The proposed interim effluent limits for Outfall 001 for a design flow of 0.110 mgd are:

Average Monthly (mg/l)	Average Weekly (mg/l)	Instantaneous Maximum (mg/l)
25	40	50
30	45	60
7.5		15
22.5		45
0.5		1.6
	From 6.0 to 9.0 inclusiv	/e
2,000/1	100 ml as a Geometric	Average
	Monthly (mg/l) 25 30 7.5 22.5 0.5 M 200/1	Monthly (mg/l) Weekly (mg/l) 25 40 30 45 7.5 22.5

The proposed final effluent limits for Outfall 001 for a design flow of 0.170 mgd are:

Parameter	Average Monthly (mg/l)	Average Weekly (mg/l)	Instantaneous Maximum (mg/l)
1 arameter	Monthly (mg/1)	weekiy (mg/ 1)	Maximum (mg/1)
$CBOD_5$	25	40	50
Total Suspended Solids	30	45	60
NH ₃ -N			
(5-1 to 10-31)	4.5		9
(11-1 to 4-30)	13.5		27
Total Residual Chlorine	0.25		0.82
Dissolved Oxygen	M	inimum of 5.0 at all tin	nes
рН	J	From 6.0 to 9.0 inclusiv	ve
Fecal Coliform			
(5-1 to 9-30)	200/10	00 ml as a Geometric A	verage
(10-1 to 4-30)	2,000/1	100 ml as a Geometric	Average

Chesapeake Bay Requirements

	Concentration (mg/l)	Mass	(lbs)
Ammonia-N	Monthly Average	Monthly	Annual
	Report	Report	Report
Kjeldahl-N	Report	Report	XXX
Nitrate-Nitrite as N	Report	Report	XXX
Total Nitrogen	Report	Report	Report
Total Phosphorus	Report	Report	Report
Net Total Nitrogen	XXX	Report	7,306
Net Total Phosphorus	XXX	Report	974

Persons may make an appointment to review the Department of Environmental Protection's files on this case by calling the file review coordinator at (717) 705-4732.

The EPA waiver is in effect.

Application No. PA 0261092, Sewage, **Graham and Carla Snyder**, 1144 Piketown Road, Harrisburg, PA 17112. This facility is located in West Hanover Township, **Dauphin County**.

Description of activity: The application is for issuance of an NPDES permit for a new discharge of treated sewage.

The receiving stream, UNT Beaver Creek, is in Watershed 7-D, and classified for WWF, water supply, recreation and fish consumption. The nearest downstream public water supply intake for Middletown Borough Water Company is located on the Swatara Creek, approximately 20.55 miles downstream. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.0005 mgd are:

Parameter	Average Monthly (mg/l)	Instantaneous Maximum (mg/l)
CBOD ₅	25	50
Total Suspended Solids	30	60
Total Residual Chlorine	Report	
pH	From 6.0 to	9.0 inclusive
Fecal Coliform		
(5-1 to 9-30)	200/100 ml as a 0	Geometric Average
(10-1 to 4-30)	2,000/100 ml as a	Geometric Average

Persons may make an appointment to review the Department of Environmental Protection's files on this case by calling the file review coordinator at (717) 705-4732.

The EPA waiver is in effect.

Application No. PA 0261041, CAFO, Karlin Lynch Farm, 138 Mays Chapel Road, Warfordsburg, PA 17267.

Karlin Lynch has submitted an NPDES permit application for the Karlin Lynch Farm, an existing turkey and beef operation in Bethel Township, **Fulton County**. The CAFO is situated near a UNT to Deer Lick Creek (Watershed 13-B), which is classified as a TSF. The operation currently consists of two turkey barns and a heifer operation with 22,000 turkeys and 500 heifers. The CAFO is proposing the addition of two turkey barns housing a total of 44,000 turkeys. The CAFO has a target animal population of approximately 730 animal equivalent units consisting of 66,000 turkeys and 500 heifers.

The Department of Environmental Protection (Department) has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue the NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit. The permit application and draft permit are on file at the Southcentral Regional Office of the Department.

Persons may make an appointment to review the Department's files by calling the file review coordinator at (717) 705-4732.

The Environmental Protection Agency permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

Application No. PA 0055352, Sewage, **Berks Properties**, 2520 Egypt Road, Norristown, PA 19403. This facility is located in Hereford Township, **Berks County**.

Description of activity: The application is for renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, West Branch of Perkiomen Creek, is in Watershed 3-E, and classified for exceptional value, water supply, recreation and fish consumption. The nearest downstream public water supply intake for Philadelphia Suburban Water Company is located on the Green Lane Reservoir, approximately 15 miles downstream. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.014 mgd are:

Parameter	Average Monthly (mg/l)	Average Weekly (mg/l)	Instantaneous Maximum (mg/l)
CBOD ₅	25	XXX	50
Total Suspended Solids	30	XXX	60
NH ₃ -N	20	XXX	40
Total Residual Chlorine	0.5	XXX	1.64
Total Phosphorus	0.5	XXX	1.0
Dissolved Öxygen	M	inimum of 5.0 at all tim	nes
pH		From 6.0 to 9.0 inclusive	e
Fecal Coliform			
(5-1 to 9-30)	200/1	00 ml as a Geometric Av	verage
(10-1 to 4-30)	2,000/	100 ml as a Geometric A	werage

Green Lane TMDL Requirements

Concentration (mg/l)

Mass (lbs)

Monthly
Average
Monthly

0.5
0.059

Total Phosphorus

Persons may make an appointment to review the Department of Environmental Protection's files on this case by calling the file review coordinator at (717) 705-4732.

The EPA waiver is in effect.

Application No. PA 0261068, CAFO, Meadow Lane Dairy, 3392 Blue Rock Road, Lancaster, PA 17603.

Geoffrey Rohrer has submitted an NPDES permit application for the Meadow Lane Dairy, an existing dairy and poultry operation located in Manor Township, **Lancaster County**. The CAFO is situated near the West Branch Little Conestoga Creek (Watershed 07-J), which is classified as TSF. The CAFO is proposing to construct a new dairy facility and expand the operation to approximately 1,137 animal equivalent units. After the expansion the animals housed on the farm will consist of 56,000 broilers, 500 milk cows, 55 dry cows, 260 heifers and 160 calves. Two underground concrete liquid manure storage structures currently serve the dairy operation. The farm has proposed to construct a 3-stage, high density polyethylene (HDPE) lined manure storage system to serve the expanded dairy operation. The system will consist of 3 HDPE-lined manure storage impoundments. Broiler manure is handled as solid floor litter. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 25-year, 24-hour storm event.

The Department of Environmental Protection (Department) has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

The permit application and draft permit are on file at the Southcentral Regional Office of the Department.

Persons may make an appointment to review the Department's files by calling the file review coordinator at (717) 705-4732.

Persons wishing to comment on the proposed permit are invited to submit written comments to the previously listed address within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in formulating the Department's final determination regarding the application. All comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the basis of the comment and the relevant facts upon which it is based.

Following the 30-day comment period, the Watershed Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time the determination may be appealed to the Environmental Hearing Board.

The Environmental Protection Agency permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

Application No. PA 0046221, Sewage, **Newville Borough Water & Sewer Authority**, 99 Cove Alley, Newville, PA 17241. This facility is located in Newville Borough, **Cumberland County**.

Description of activity: The application is for renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, Big Spring Creek is in Watershed 7-B, and classified for CWF, water supply, recreation and fish consumption. The nearest downstream public water supply intake for Carlisle Borough is located on the Conodoguinet Creek, approximately 19.9 miles downstream. The discharge is not expected to affect the water supply.

The proposed Interim effluent limits for Outfall 001 for a design flow of 0.35 mgd are:

Average	Average	Instantaneous
Monthly (mg/l)	Weekly (mg/l)	Maximum (mg/l)
25	40	50
30	45	60
Monitor and Report		
0.5		1.6
1.0		2.0
Mi	nimum of 5.0 at all tin	nes
F	From 6.0 to 9.0 inclusiv	ve
200/10	00 ml as a Geometric A	verage
2,000/1	00 ml as a Geometric	Average
	Monthly (mg/l) 25 30 Monitor and Report 0.5 1.0 Mi F	Monthly (mg/l) Weekly (mg/l) 25 40 30 45 Monitor and Report 0.5

Chesapeake Bay Requirements

	Concentration (mg/l)	Mass	s (lbs)
	Monthly Average	Monthly	Annual
Ammonia-N Kjeldahl-N Nitrate-Nitrite as N Total Nitrogen Total Phosphorus Net Total Nitrogen Net Total Phosphorus	Report Report Report Report Report XXX XXX	Report Report Report Report Report Report Report	Report** XXX XXX Report Report Report Report Report

The proposed Final effluent limits for Outfall 001 for a design flow of 0.600 mgd are:

Parameter	Average Monthly (mg/l)	Average Weekly (mg/l)	Instantaneous Maximum (mg/l)
CBOD ₅	25	40	50
Total Šuspended Solids	30	45	60
NH ₃ -N			
(5-1 to 10-31)	18		36
(11-1 to 4-30)	Monitor and Report		
Total Phosphorus	1.0		2.0
Dissolved Oxygen	Mi	inimum of 5.0 at all tin	nes
pH	I	From 6.0 to 9.0 inclusiv	ve
Fecal Coliform			
(5-1 to 9-30)		00 ml as a Geometric A	
(10-1 to 4-30)	2,000/1	00 ml as a Geometric	Average

Chesapeake Bay Requirements

	Concentration (mg/l)		s (lbs)
	Monthly Average	Monthly	Annual
Ammonia-N	Report	Report	Report**
Kjeldahl-N	Report	Report	XXX
Nitrate-Nitrite as N	Report	Report	XXX
Total Nitrogen	Report	Report	Report
Total Phosphorus	Report	Report	Report
Net Total Nitrogen	XXX	Report	7,306*
Net Total Phosphorus	XXX	Report	974*

- * The permit contains conditions which authorize the permittee to apply nutrient reduction credits, to meet the Net Total Nitrogen and Net Total Phosphorus effluent limits, under the Department of Environmental Protection's (Department) Trading of Nutrient and Sediment Reduction Credits Policy and Guidelines (392-0900-001, December 30, 2006). The conditions include the requirement to report application of these credits in Supplemental DMRs submitted to the Department.
- * Net Total Nitrogen and Net Total Phosphorus limits compliance date will begin on October 1, 2012. Since these reporting requirements are annual loads, reporting on compliance with the annual limitations will be required on the Supplemental Discharge Monitoring Report—Annual Nutrient Summary. The facility is required to monitor and report for Net Total Nitrogen and Net Total Phosphorus from the effective date of the permit until October 1, 2012.
- ** Total Annual Ammonia Load will be required to be reported on the Supplemental DMR—Annual Nutrient Summary. Persons may make an appointment to review the Department's files on this case by calling the file review coordinator at (717) 705-4732.

The EPA waiver is not in effect.

Southwest Regional Office: Regional Manager, Water Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

Amplified Draft Application Notice for NPDES Permit No. PA0000647, Industrial Waste, SIC 8731, Crucible Research, Division of Crucible Materials Corporation, 6003 Campbells Run Road, Pittsburgh, PA 15205-1022.

This notice reflects changes from the notice published in 38 Pa.B. 1178 (March 8, 2008).

Outfall 101: existing discharge, design flow of 0.0052 mgd.

	Mass (I	lbs/day)	(Concentration (mg	r/l)
Parameter	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	Monitor a	nd Report			
Total Suspended Solids			20		50
Oil and Grease			12		30
Copper			1.0		2.5
Cyanide			0.12		0.30
Lead			0.20		0.50
Chromium, Total			0.5		1.25
Iron, Total			4.0		10.0
Mercury					
Effective date—36 months			Monitor a	and Report	
36 months—expiration date			8.4×10^{-5}	•	2.1×10^{-4}
рН		7.5 nor greater 10.0			

Outfall 201: existing discharge, design flow of 0.0044 mgd.

Mass (lbs/day) Concentration (mg/l)

Average Maximum Average Maximum Instantaneous

Monthly Daily Monthly Daily Maximum

Monitor and Report

Flow (mgd) Monitor and Report pH not less than 6.0 nor greater than 9.0

PA0046671, Sewage, **United Steelworkers of America, Five Gateway Center**, Pittsburgh, PA 15222. This application is for renewal of an NPDES permit to discharge treated sewage from Linden Hall United Steelworkers STP in Lower Tyrone Township, **Fayette County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as UNT to the Youghiogheny River, which are classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Westmoreland County Municipal Authority-McKeesport.

Outfall 001: existing discharge, design flow of 0.035 mgd.

	Concentration (mg/1)			
Parameter	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD ₅	25			50
Suspended Solids	30			60
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a	Geometric Mean		
(10-1 to 4-30)	2,000/100 ml as a	Geometric Mean		
Total Residual Chlorine	1.4			3.3
рН	not less than 6.0 n	or greater than 9.0		

The EPA waiver is in effect.

Parameter

PA0205877, Sewage, **Redstone Township Sewer Authority**, 1002 Main Street, P. O. Box 751, Republic, PA 15475. This application is for renewal of an NPDES permit to discharge treated sewage from Redstone Township Sewer Authority Wastewater Treatment Plant in Redstone Township, **Fayette County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Dunlap Creek, which are classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the California Water Company located on the Monongahela River.

Outfall 001: existing discharge, design flow of 0.45 mgd.

	Concentration (mg/l)			
Parameter	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
$CBOD_5$	25	37.5		50
Suspended Solids	30	45		60
Ammonia Nitrogen	2.5	3.8		5.0
(5-1 to 10-31)				
(11-1 to 4-30)	7.5	11.3		15.0
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a			
(10-1 to 4-30)	2,000/100 ml as a			
pH	not less than 6.0 no	or greater than 9.0		

The EPA waiver is in effect.

PA0217476, Sewage, **Scott Hooks Construction, Inc.**, 190 Walnut Bottom Road, Kittanning, PA 16201-7041. This application is for renewal of an NPDES permit to discharge treated sewage from Fox Hollow Estates STP in East Franklin Township, **Armstrong County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as UNT to Glade Run, which are classified as a TSF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Buffalo Township Municipal Water Authority, Freeport Plant.

Outfall 001: existing discharge, design flow of 0.0085 mgd.

	Concentration (mg/l)			
Parameter	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD ₅	25			50
Suspended Solids	30			60

Concentration (mg/l)			
Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
2.0			4.0
4.0			8.0
200/100 ml as a	Geometric Mean		
2,000/100 ml as a	Geometric Mean		
0.03			0.07
not less than 6 mg/l			
not less than 6.0 no	r greater than 9.0		
	Monthly 2.0 4.0 200/100 ml as a 2,000/100 ml as a 0.03 not less than 6 mg/l	Average Average Monthly Weekly 2.0 4.0 200/100 ml as a Geometric Mean 2,000/100 ml as a Geometric Mean	Average Average Maximum Monthly Weekly Daily 2.0 4.0 200/100 ml as a Geometric Mean 2,000/100 ml as a Geometric Mean 0.03 not less than 6 mg/l

The EPA waiver is in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

WQM Permit No. 6708404, Sewerage, **Springettsbury Township**, 3501 North Sherman Street, York, PA 17402. This proposed facility is located in Springettsbury Township, **York County**.

Description of Proposed Action/Activity: Construction/Operation project involves a Biological Nutrient upgrade of the existing treatment capacity of the plant at the designed flow rate of 15 mgd.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WQM Permit No. 1108401, Sewerage, **Stonycreek Township Commissioners**, 1610 Bedford Street, Johnstown, PA 15902. This proposed facility is located in Stonycreek Township, **Cambria County**.

Description of Proposed Action/Activity: Application for the construction and operation of replacement pump station.

WQM Permit No. 5606403-A2, SCI Laurel Highlands, P. O. Box 631, 5706 Glades Pike, Somerset, PA 15501-0631. This existing facility is located in Somerset Township, **Somerset County**.

Description of Proposed Action/Activity: Application for the construction and operation of replacement sludge handling facilities, new aerobic sludge digestion and new dewatering facilities.

WQM Permit No. WQG016159, Sewerage, **Jerry J. Klotz**, 821 East Main Street, Somerset, PA 15501. This proposed facility is located in Somerset Township, **Somerset County**.

Description of Proposed Action/Activity: Application for construction and operation of a single residence sewage treatment plant.

IV. NPDES Applications for Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

V. Applications for NPDES Wavier Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.					
NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use	
PAI010908004	Thornwood Builders, LLC P. O. Box 200 Springtown, PA 18081	Bucks	Springfield Township	Cooks Creek EV	
PAS10G522R	Heritage Land Group 2500 York Road Jamison, PA 18929	Chester	Wallace Township	Indian Run HQ-CWF	
PAS10G535R	The Cutler Group, Inc. 5 Apollo Road Suite One Plymouth Meeting, PA 19462	Chester	Upper Uwchlan Township	UNT Marsh Creek-Pickering Creek HQ-TSF-MF	

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI011506076A2	Warwick Township 2500 Ridge Road Elverson, PA 19520	Chester	Warwick Township	French Creek EV
PAI011508014	Samuel and Lucetta Hultz 820 Pughtown Road Spring City, PA 19475	Chester	South Coventry Township	French Creek EV
PAI011508015	Medical Venture Properties (NG), LLC P. O. Box 218 Willow Street, PA 17584	Chester	New Garden Township	White Clay Creek EV
PAI011508016	Coatesville Property Associates Five Tower Bridge Suite 750 Barr Harbor Drive West Conshohocken, PA 19428	Chester	City of Coatesville	West Branch Brandywine Creek HQ-TSF-MF
PAI011508017	Elisa Rogers 525 Avondale Road Wayne, PA 19087	Chester	Tredyffrin Township	Valley Creek EV
PAI012308001	Randolph B. Bates 1835 Middletown Road Gradyville, PA 19039	Delaware	Edgmont Township	Ridley Creek HQ-TSF
Southcentral Reg	gion: Water Management Program	Manager, 909 El	merton Avenue, Harrisbur	g, PA 17110.
NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI032108007	Fish and Boat Commission 1601 Elmerton Avenue Harrisburg, PA 17106-7000	Cumberland	North Newton Township	Big Spring Creek EV-CWF
PAI030708001	Chestnut Flats Wind, LLC One South Broad Street 30th Floor Philadelphia, PA 19107	Blair	Logan Township	Mill Run-Dry Gap Run HQ-CWF
PAI030708002	Pinecroft Associate Resources, LLC 5506 Sixth Avenue Rear Altoona, PA 16602	Blair	Antis Township	UNT to Sandy Run HQ-CWF
PAI030507003	Department of Transportation Engineering District 9-0 1620 North Juniata Street Hollidaysburg, PA 16648	Bedford	Hopewell Township	Bank Run-Yellow Creek HQ-CWF
PAI030507002	Ryan Clark 257 Town Hill Road New Enterprise, PA 16664	Bedford	South Woodbury Township	Yellow Creek HQ
Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.				
Centre County C	onservation District: 414 Holmes A	Avenue, Suite 4, 1	Bellefonte, PA 16823, (814)	355-6817.
NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI041408003	Kent Rishel Krislund Camp and Conference Center P. O. Box 116 Madisonburg, PA 16852	Centre	Miles and Walker Townships	Roaring Run EV
PAI041408004	Jess Burkholder Burkholder's Country Market 165 Burkholder Lane Spring Mill, PA 16875	Centre	Penn Township	Elk Creek EV

NPDES Applicant Name &

Receiving Permit No. Address County Municipality Water/Use PAI041408005 Thomas F. Songer Centre Harris Township Spring Creek Benjamin Heights HQ-CWF

Torron Group, LP 1951 Pine Hall Drive Suite 150 State College, PA 16801

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Venango County Conservation District: Venango County Conservation District, 1793 Cherrytree Road, Franklin, PA 16323, (814) 676-2832.

NPDES Applicant Name &

Receiving Permit No. Address County Municipality Water/Use PAI066108001 **UNT Pine Creek** Oil Creek Township Venango Oil Creek Township

16835 Shreve Run Road **HQ-CWF** Pleasantville, PA 16341 UNT Pine Creek

CWF

UNT West Pithole Creek

CWF

VII. List of NOIs for NPDES and/or Other General Permit Types

PAG-12 Concentrated Animal Feeding Operations (CAFOs)

PAG-13 Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

PUBLIC WATER SUPPLY (PWS) PERMIT

Under the Pennsylvania Safe Drinking Water Act (35) P. S. §§ 721.1—721.17), the following parties have applied for a PWS permit to construct or substantially modify a public water system.

Persons wishing to comment on a permit application are invited to submit a statement to the office listed before the application within 30 days of this public notice. Comments received within the 30-day comment period will be considered in the formulation of the final determinations regarding the application. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (Department) of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the Pennsylvania Bulletin at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and any related documents are on file at the office listed before the application and are available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability who require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received under the Pennsylvania Safe Drinking Water Act

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Ávenue, Harrisburg, PA

Permit No. 3808501, Public Water Supply.

Applicant Gretna Springs

Municipality West Cornwall Township

County Lebanon

Gretna Springs, President Responsible Official

5 Maple Avenue Manĥeim, PA 17545

Type of Facility **Public Water Supply**

Consulting Engineer David J. Gettle Kohl Bros., Inc.

P. O. Box 350 Myerstown, PA 17067

Application Received: January 29, 2008

Construction of Well No. 3 as a Description of Action

new source of supply to replace

Well No. 1.

Permit No. 6708502, Public Water Supply.

Applicant **Delta Borough**

Municipality Peach Bottom Township

County York

Responsible Official Delta Borough, Borough Council

President

101 College Avenue P. O. Box 278 Delta, PA 17314

Type of Facility **Public Water Supply**

Consulting Engineer Charles A. Kehew II, P. E.

James R. Holley & Assoc., Inc.

18 South George Street York, PA 17401

March 3, 2008

Application Received: **Description of Action** New Well DR-2

MINOR AMENDMENT

Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Application No. 364W14-MA4, Minor Amendment.

Applicant Hawthorn Borough Water

Authority

Township or Borough Hawthorn Borough **Clarion County**

Responsible Official Michael Malak, P. E.

> Senate Engineering Company U-PARC, 420 William Pitt Way Pittsburgh, PA 15238-1330

Type of Facility **Public Water Supply** March 7, 2008

Application Received

Date

Description of Action The Oakridge Waterline Extension project, Phase III

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2. 1995 PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101-6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the Pennsylvania Bulletin an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the Background Standard, Statewide Health Standard, the Site-Specific Standard or who intend to remediate a site as a special industrial area must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one, a combination of the cleanup standards or who receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a Site-Specific

Standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified, proposed for remediation to a Site-Specific Standard or as a special industrial area, the municipality within which the site is located may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office before which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

Kardon Park Site, Borough Downingtown and East Caln Township, Chester County. Paul Stratman, P. E., P.G. Advance GeoService Corporation, 1055 Andrew Drive, Suite A, West Chester, PA 19380 on behalf of Steve Sullins, Borough of Downingtown, 6 West Lancaster Avenue, Downingtown, PA 19335 has submitted a Notice of Intent to Remediate. Groundwater and soil at site has been impacted by release of inorganics. The future use of the site will be for recreational use. A summary of the Notice of Intent to Remediate was reported to have been published in the Daily Local New on March 6, 2008.

Reba Brown Senior Residence, City of Philadelphia, Philadelphia County. Eric Poulson, P. E., Poulson & Associates, LLC, 5 Camby Chase, Media, PA 19063 has submitted a Notice of Intent to Remediate. Soil at the site has been impacted by release of PAH's. The future use of the property is for senior housing apartments.

Kearney Elementary School, City of Philadelphia, **Philadelphia County**. Gloria Hunsberger, Kleinfelder East, Inc., 800 East Washington Street, West Chester, PA 19380 on behalf of Francine Locke, School District of Philadelphia, 440 North Broad Street, 3rd Floor, Philadelphia, PA 19103 has submitted a Notice of Intent to Remediate. Groundwater at the site has been impacted by release of lead and unleaded gasoline.

56 West Lincoln Highway, Middletown Township/ Penndel Borough, **Bucks County**. Charlene Drake, React Environmental Professional Services Group, 6901 Kinsessing Avenue, Suite 201, Philadelphia, PA 19142 on behalf of Chris Neill, Primax Property, LLC, 1065 East Moreland Street, 4th Floor, Charlotte, NC 28204 has submitted a Notice of Intent to Remediate. Groundwater and soil at the site has been impacted by the release of inorganics. The future use of the site will be commercial.

Northeast Region: Ronald S. Brezinski, Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Former SOLIDA Property—Sewage Treatment Plant Area, Oakland Township, Susquehanna County. Martin Gilgallon, P.G., Pennsylvania Tectonics, Inc., 826 Main Street, Peckville, PA 18452 has submitted a Notice of Intent to Remediate (on behalf of his client, The Corporation of the Presiding Bishop of the Church of Jesus Christ of Latter-Day Saints, 50 East North Temple Street, 12 Floor, Salt Lake City, UT 84150-6320), concerning the remediation of soils found to have been contaminated with lead and copper in an area that was covered with historical fill. The applicant proposes to remediate the site to meet the Residential Statewide Health Standard for soils. A summary of the Notice of Intent to Remediate was published in *The Scranton Times* on March 3, 2008.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Former Cole Steel Facility, Spring Garden Township, York County. CDM, Inc., Raritan Plaza I, Raritan Center, Edison, NJ 08818, on behalf of Cresticon, Inc., 1840 Century City Park East, Los Angeles, CA 90067-2199, submitted a Notice of Intent to Remediate site soils and groundwater contaminated with VOCs, semi-VOCS and metals. The applicant seeks to remediate the site to meet the Site-Specific Standard.

Former Trimen Industries, Oxford Township, Adams County. BL Companies, 213 Market Street, 6th Floor, Harrisburg, PA 17101, on behalf of R & R Byproducts, Inc., P. O. Box 291, York, PA 17405, submitted a Notice of Intent to Remediate site soils and groundwater contaminated with No. 2 fuel oil. The property owner intends to use the property to process and recycle onsite stockpiles of spent foundry sands that remain from previous operations of the site. The site will be remediated to the Statewide Health Standard.

Standard Steel, LLC, Machine Shop No. 1, Burnham Borough, Mifflin County. Mountain Research, LLC, 825 25th Street, Altoona, PA 16601, on behalf of Standard Steel, LLC, 500 North Walnut Street, Burnham, PA 17009, submitted a Notice of Intent to Remediate site soils and groundwater contaminated with petroleum products and PAHs. The applicant seeks to remediate the site to a combination of the Statewide Health and Site-Specific Standards.

Standard Steel, LLC, Residual Waste Landfill, Derry Township, Mifflin County. Mountain Research, LLC, 825 25th Street, Altoona, PA 16601, on behalf of Standard Steel, LLC, 500 North Walnut Street, Burnham, PA 17009, submitted a Notice of Intent to Remediate site soils and groundwater contaminated with petroleum products, VOCs and Chromium. The applicant seeks to remediate the site to a combination of the Statewide Health and Site-Specific Standards.

Steven Ohmsman Residence, Wyomissing Borough, Berks County. Patriot Environmental Management, LLC, P. O. Box 629, Douglassville, PA 19518, on behalf of Steven Ohmsman, 115 Grandview Boulevard, Reading, PA 19609 and Santilli Oil Company, 240 Franklin Street, Shoemakersville, PA 19555, submitted a Notice of Intent to Remediate site soils contaminated with No. 2 fuel oil. The applicant seeks to remediate the site to meet the Statewide Health Standard.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

Cohen Auto Parts, Athens Township, **Bradford County**, Teeter Environmental Services Inc. on behalf of Todd Campbell, TOGEMCO, 615 South Main Street,

Athens, PA 18810 has submitted a Notice of Intent to Remediate soil contaminated with lead. The applicant proposes to remediate the site to meet the Site-Specific Standard. The intended future use of the property is nonresidential.

DETERMINATION FOR APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Applications received for Determination of Applicability under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

General Permit Application No. WMGR090 SW001C. Lane Construction Corporation, 1 Rutgers Road, Pittsburgh, PA 15205. City of Pittsburgh/Crafton Plant, 1601 Chartiers Valley Lane, Pittsburgh, PA 15205. An application of Determination of Applicability for the general permit for beneficial use of asphalt plant residues was received in the Regional Office on March 14, 2008.

General Permit Application No. WMGR090 SW001D. Lane Construction Corporation, 1 Rutgers Road, Pittsburgh, PA 15205. Springdale Plant, 1000 Sherosky Way, Springdale, PA 15144. An application of Determination of Applicability for the general permit for beneficial use of asphalt plant residues was received in the Regional Office on March 14, 2008.

Comments concerning the application should be directed to David Eberle, Facilities Manager, Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Persons interested in obtaining more information about the general permit application may contact the Department of Environmental Protection (Department) Southwest Regional Office at (412) 442-4000. TDD users may contact the Department through the Pennsylvania Relay Service at (800) 654-5984. Public comments must be submitted within 30 days of this notice and may recommend revisions to, and approval or denial of the application.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Application Received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401.

Permit Application No. 101680. Waste Management Disposal Services, 1000 New Ford Mill Road, Morrisville, PA 19067, Falls Township, Bucks County. This application is for the Minor Modification of the Geocomposite material used within the leachate detection zone of the liner system at the GROWS North Landfill. The application was received by the Southeast Regional Office on March 11, 2008.

Permit application deemed administratively complete Under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Northcentral Region: Regional Solid Waste Manager, 208 West Third Street, Williamsport, PA 17701.

Permit No. 100955. Clinton County Solid Waste Authority, 264 Landfill Lane, P. O. Box 209, McElhattan, PA 17748-0209, for the Wayne Township Landfill located in Wayne Township, **Clinton County**. The permit application for a major modification to expand the northside of the landfill was deemed administratively complete by the Williamsport Regional Office on March 13, 2008.

Comments concerning the application should be directed to David Garg, P. E., Facilities Manager, Williamsport Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Persons interested in obtaining more information about the permit application may contact the Williamsport Regional Office (570) 327-3740. TDD users may contact the Department of Environmental Protection through the Pennsylvania Relay Service (800) 654-5984.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

NEW SOURCES AND MODIFICATIONS

The Department of Environmental Protection (Department) has developed an "integrated" plan approval, State operating permit and Title V operating permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department has received applications for plan approvals and/or operating permits from the following facilities.

Copies of the applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the regional office identified in this notice. Persons interested in reviewing the application files should contact the appropriate regional office to schedule an appointment.

Persons wishing to receive a copy of a proposed plan approval or operating permit must indicate their interest to the Department regional office within 30 days of the date of this notice and must file protests or comments on a proposed plan approval or operating permit within 30 days of the Department providing a copy of the proposed document to that person or within 30 days of its publication in the Pennsylvania Bulletin, whichever comes first. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Comments or protests filed with the Department regional offices must include a concise statement of the objections to the issuance of the Plan approval or operating permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the Pennsylvania Bulletin at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office identified before the application. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984. Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121—143, the Federal Clean Air Act (act) and regulations adopted under the act.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

21-05035A: Hempt Brothers, Inc. (P. O. Box 278, Camp Hill, PA 17001) for construction of recycled asphalt pavement processing equipment at their Locust Point Asphalt Plant in Silver Spring Township, **Cumberland County**.

21-05053A: PPL Renewable Energy, LLC—Community Refuse Service, Inc.—Landfill Project (Two North Ninth Street, Allentown, PA 18101-1179) for a landfill gas to energy project at the Cumberland County Landfill in Hopewell Township, Cumberland County.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, M. Gorog and B. Hatch, Environmental Engineer Managers, (412) 442-4163/5226.

63-00650B: Reaxis Inc. (941 Robinson Highway, McDonald, PA 15057) for installation of a 3,200 gallon reactor with packed bed scrubber at the McDonald Plant in Robinson Township, **Washington County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.

37-012B: Dunbar Asphalt Products, Inc. (P. O. Box 477, Wheatland, PA 16161) for modification of a plan approval to increase production and change the No. 2 fuel oil sulfur limit at the Hillsville Hot Mix Batch Asphalt Plant in Mahoning Township, **Lawrence County**.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Sachin Shankar, New Source Review Chief, (484) 250-5920.

23-0003J: ConocoPhillips Co. (4101 Post Road, Trainer, PA 19061-3812) for modification of previously issued Plan Approval No. PA-23-0003E for a clean fuel project and upgrade of an existing FCCU at their Trainer facility in Trainer Borough, **Delaware County**. This facility is a Title V facility. This modification will result in NOx emission increase of 39 tpy. The Plan Approval and

Operating Permit will contain recordkeeping requirements and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Neal Elko, New Source Review Chief, (570) 826-2531.

40-305-027B: Mountaintop Anthracite, Inc. (1550 Crestwood Drive, Mountaintop, PA 18707) for modification and operation of an anthracite coal processing operations at their facility in Wright Township, Luzerne **County**. By this application the company has proposed to increase production beyond the current production limit of 200 tpd from an anthracite coal drying, screening and packaging plant. The coal at a rate of 15 tph will be process through dryer and other equipment for packaging. The PM emissions from the dryer and fugitive PM emissions from the plant equipment will be controlled by baghouses. Expected PM emission rate will be less than 0.02 grain/dscf from each baghouse. The company will operate the facility and maintain the system in accordance with the good engineering practices to assure proper operation of the system. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

39-302-193: St. Luke's Hospital (1736 Hamilton Street, Allentown, PA 18104) for installation of three No. 4 fuel oil/natural gas-fired boilers at their facility in the City of Allentown, **Lehigh County**. The facility is a non-Title V (State-only) facility. Each boiler will utilize flue gas recirculation to reduce NOx emissions. The operation of all three boilers will result in total potential emissions of 23.46 tpy of PM, 73.2 tpy of NOx, 14.16 tpy of CO and 55.2 tpy of SO₂. The boilers are subject to Subpart Dc of the Federal Standards of Performance for New Stationary Sources for Small Industrial-Commercial-Institutional Steam Generating Units. The Plan Approval will include emission restrictions, stack testing, monitoring, reporting, work practices and recordkeeping requirements designed to keep the sources operating within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

07-03055A: Advanced Metals Processing—PA, LLC (734 Jackson Street, State College, PA 16803) for construction of a scrap nonferrous metal delacquering oven, remelting oven and ancillary equipment in Hollidaysburg Borough, **Blair County**. The facility's estimated potential annual emissions are expected to be 33.8 tons VOCs, 7.24 tons PM, 7.11 tons of CO, 8.46 tons of NOx, 0.05 ton of SO₂ and 0.35 ton of HAPs. The plan approval will contain emission limits along with monitoring, recordkeeping and reporting conditions to ensure the facility complies with the applicable air quality requirements. The source will be subject to 40 CFR Part 63, Subpart RRR—National Emission Standards for HAPs for Secondary Aluminum Production for area sources.

28-05011B: Waste Management Disposal Services of PA, Inc. (9446 Letzburg Road, Greencastle, PA 17225-9317) to expand the existing landfill and the landfill gas collection system at their existing Mountain View Reclamation facility in Antrim and Montgomery Townships, Franklin County. This expansion is anticipated to increase landfill gas generation rates. This facility's expected annual emissions will be approximately 179.1 tons

of CO, 71.7 tons of NOx, 33.6 tons of PM, 30.5 tons of SOx, 24.8 tons of VOC and 9.6 tons of HAPs, in the year 2029. This plan approval will be incorporated into the existing Title V Permit at a later date. This plan approval will include monitoring, recordkeeping and reporting requirements designed to keep the sources operating within all applicable air quality requirements.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

08-00002E: E.I. duPont de Nemours & Co., Inc. (R. D. 1, Box 15, Towanda, PA 18848) for the construction of a two roll corona film treater in North Towanda Township, **Bradford County**.

The facility in which the corona film treater will be located is a major (Title V) facility for which a Title V operating permit (08-00002) has been issued.

The ozone emissions from the corona film treater will be controlled by two catalytic ozone decomposers. The resultant emission of ozone is not expected to exceed .03 tpy.

The Department of Environmental Protection's (Department) review of the information submitted by E.I. duPont de Nemours & Co., Inc. indicates that the proposed corona film treater will comply with all applicable regulatory requirements pertaining to air contamination sources and the emission of air contaminants, including the BAT requirement of 25 Pa. Code §§ 127.1 and 127.12. Based on this finding, the Department proposes to issue plan approval for the construction of the corona film treater. Additionally, if the Department determines that the corona film treater is operating in compliance with all conditions of the plan approval and all applicable regulatory requirements following its construction, the Department intends to incorporate the plan approval conditions into Title V Operating Permit 08-00002 in accordance with the administrative amendment requirements of 25 Pa. Code § 127.450.

The following is a summary of the conditions the Department proposes to place in the plan approval to be issued to ensure compliance with all applicable requirements:

- 1. The ozone emissions from each of the two corona treatment units incorporated in the corona film treater shall be controlled by a catalytic ozone decomposer.
- 2. The ozone concentration in the exhaust of the catalytic ozone decomposers shall not exceed .2 parts per million.
- 3. The catalytic ozone decomposers shall each be equipped with instrumentation to continuously monitor the ozone concentration in the decomposer's exhaust as well as with an alarm which will sound if the ozone concentration in the decomposer exhaust exceeds. .1 parts per million and an interlock system which will prevent the respective corona treatment unit from energizing if the ozone concentration in the decomposer exhaust exceeds. .2 parts per million or if air flow to the ozone decomposer has not been established.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, M. Gorog and B. Hatch, Environmental Engineer Managers, (412) 442-4163/5226.

PA-65-00713B: Greenridge Reclamation, LLC (R. D. 1, Box 717, East Huntingdon Landfill Road, Scottsdale, PA 15683) for control of additional landfill gas production at their existing facility in East Huntington Township, **Westmoreland County**.

Under 25 Pa. Code § 127.44(a), the Department of Environmental Protection (Department) intends to issue a Plan Approval to Greenridge Reclamation, LLC (R. D. 1, Box 717, East Huntingdon Landfill Road, Scottsdale, PA 15683) to control additional landfill gas (LFG) production at their existing facility located in East Huntington Township, Westmoreland County. This approval will authorize an increase in the allowable LFG throughput for the Evaporation/Flare System from 3,500 cfm to 5,000 cfm but does not authorize any increase in landfill capacity or waste acceptance rates. Emission rates from the enclosed flare will be as stated in the Special Conditions to follow.

Copies of the application, the Department's analysis and other documents used in evaluation of the application are available for public inspection during normal business hours at the address listed:

Department of Environmental Protection 400 Waterfront Drive Pittsburgh, PA 15222

In order for the Department to assure compliance with all applicable standards, the Department proposes to place the following General and Special Conditions on the Plan Approval:

General Conditions

- 1. Words and terms that are not otherwise defined in this plan approval shall have the meanings set forth in section 3 of the Air Pollution Control Act (35 P. S. \S 4003) and 25 Pa. Code \S 121.1.
- 2. The issuance of this plan approval does not prevent the future adoption by the Department of any rules, regulations or standards, or the issuance of orders necessary to comply with the requirements of the Federal Clean Air Act or the Pennsylvania Air Pollution Control Act, or to achieve or maintain ambient air quality standards. The issuance of this plan approval shall not be construed to limit the Department's enforcement authority. (25 Pa. Code § 127.12b(a) and (b))
- 3. This plan approval authorizes temporary operation of the sources covered by this plan approval provided the following conditions are met.
- (a) When construction, installation, modification or reactivation is being conducted, the permittee should provide written notice to the Department of the completion of the activity approved by this plan approval and the permittee's intent to commence operation at least 5 working days prior to the completion of said activity. The notice shall state when the activity will be completed and when the permittee expects to commence operation. When the activity involves multiple sources on different time schedules, notice is required for the commencement of operation of each source.
- (b) Under 25 Pa. Code § 127.12b(d), temporary operation of the sources is authorized to facilitate the shakedown of sources and air cleaning devices, to permit operations pending the issuance of a permit under 25 Pa. Code Chapter 127, Subchapters F and G (relating to operating permits); and Title V operating permits) or to permit the evaluation of the air contaminant aspects of the source.

(c) This plan approval authorizes a temporary operation period not to exceed 180 days from the date of commencement of operation, provided the Department receives notice from the permittee under paragraph (a).

- (d) The permittee may request an extension of the 180-day shakedown period if further evaluation of the air contamination aspects of the sources is necessary. The request for an extension should be submitted, in writing, to the Department at least 15 days prior to the end of the initial 180-day shakedown period and shall provide a description of the compliance status of the source, a detailed schedule for establishing compliance, and the reasons compliance has not been established. This temporary operation period will be valid for a limited time and may be extended for additional limited periods, each not to exceed 120 days. If, at any time, the Department has cause to believe that air contaminant emissions from the sources listed in this plan approval may be in excess of the limitations specified in, or established pursuant to this plan approval or the permittee's operating permit, the permittee may be required to conduct test methods and procedures deemed necessary by the Department to determine the actual emissions rate. The testing shall be conducted in accordance with 25 Pa. Code Chapter 139, where applicable, and in accordance with any restrictions or limitations established by the Department at such time as it notifies the company that testing is required. (25 Pa. Code § 127.12b)
- 4. The permittee shall maintain and operate the sources and associated air cleaning devices in accordance with good engineering practice as described in the plan approval application submitted to the Department. (25 Pa. Code § 127.12(a)(10))
- 5. (a) The records, reports or information obtained by the Department or referred to at public hearings shall be available to the public, except as provided in paragraph (b) of this condition.
- (b) Upon cause shown by the permittee that the records, reports or information, or a particular portion thereof, but not emission data, to which the Department has access under the act, if made public, would divulge production or sales figures or methods, processes or production unique to that person or would otherwise tend to affect adversely the competitive position of that person by revealing trade secrets, including intellectual property rights, the Department will consider the record, report or information, or particular portion thereof confidential in the administration of the act. The Department will implement this section consistent with sections 112(d) and 114(c) of the Clean Air Act (42 U.S.C.A. §§ 7412(d) and 7414(c)). Nothing in this section prevents disclosure of the report, record or information to Federal, State or local representatives as necessary for purposes of administration of Federal, State or local air pollution control laws, or when relevant in a proceeding under the act. (25 Pa. Code §§ 127.12(c) and (d) and 35 P. S. § 4013.2)
- 6. (a) This plan approval will be valid for a limited time, as specified by the expiration date contained on Page 1 of this plan approval. Except as provided in §§ 127.11a and 127.215 (relating to reactivation of sources; and reactivation), at the end of the time, if the construction, modification, reactivation or installation has not been completed, a new plan approval application or an extension of the previous approval will be required.
- (b) If construction has commenced, but cannot be completed before the expiration of this plan approval, an extension of the plan approval must be obtained to

continue construction. To allow adequate time for departmental action, a request for the extension should be postmarked at least 30 days prior to the expiration date. The Department will not issue an extension after the plan approval expires. The request for an extension should include the following:

- (i) A justification for the extension,
- (ii) A schedule for the completion of the construction

If construction has not commenced before the expiration of this plan approval, then a new plan approval application must be submitted and approval obtained before construction can commence.

- (c) If the construction, modification or installation is not commenced within 18 months of the issuance of this plan approval or if there is more than an 18-month lapse in construction, modification or installation, a new plan approval application that meets the requirements of 25 Pa. Code Chapter 127, Subchapter B, D and E (relating to plan approval requirements; prevention of significant deterioration of air quality; and new source review) shall be submitted. (25 Pa. Code § 127.13)
- 7. (a) This plan approval may not be transferred from one person to another except when a change of ownership is demonstrated to the satisfaction of the Department and the Department approves the transfer of the plan approval in writing.
- (b) Section 127.12a (relating to compliance review) applies to a request for transfer of a plan approval. A compliance review form shall accompany the request.
- (c) This plan approval is valid only for the specific source and the specific location of the source as described in the application. (25 Pa. Code § 127.32)
- 8. (a) Under 35 P. S. § 4008, no person shall hinder, obstruct, prevent or interfere with the Department or its personnel in the performance of any duty authorized under the Air Pollution Control Act.
- (b) The permittee shall also allow the Department to have access at reasonable times to said sources and associated air cleaning devices with such measuring and recording equipment, including equipment recording visual observations, as the Department deems necessary and proper for performing its duties and for the effective enforcement of the Air Pollution Control Act and regulations adopted under the act.
- (c) Nothing in this plan approval condition shall limit the ability of the Environmental Protection Agency (EPA) to inspect or enter the premises of the permittee in accordance with section 114 or other applicable provisions of the Clean Air Act. (25 Pa. Code § 127.12(4) and 35 P. S. § 4008 and § 114 of the CAA)
- 9. This plan approval may be terminated, modified, suspended or revoked and reissued if one or more of the following applies:
- (a) The permittee constructs or operates the source subject to the plan approval in violation of the act, the Clean Air Act, the regulations promulgated under the act or the Clean Air Act, a plan approval or permit or in a manner that causes air pollution.
- (b) The permittee fails to properly or adequately maintain or repair an air pollution control device or equipment attached to or otherwise made a part of the source.
- (c) The permittee fails to submit a report required by this plan approval.

- (d) The EPA determines that this plan approval is not in compliance with the Clean Air Act or the regulations thereunder. (25 Pa. Code 127.13a)
- 10. (a) The permittee, or any other person, may not circumvent the new source review requirements of 25 Pa. Code Chapter 127, Subchapter E by causing or allowing a pattern of ownership or development, including the phasing, staging, delaying or engaging in incremental construction, over a geographic area of a facility which, except for the pattern of ownership or development, would otherwise require a permit or submission of a plan approval application.
- (b) No person may permit the use of a device, stack height which exceeds good engineering practice stack height, dispersion technique or other technique which, without resulting in reduction of the total amount of air contaminants emitted, conceals or dilutes an emission of air contaminants which would otherwise be in violation of this plan approval, the Air Pollution Control Act or the regulations promulgated thereunder, except that with prior approval of the Department, the device or technique may be used for control of malodors. (25 Pa. Code §§ 121.9 and 127.216)
- 11. Reports, test data, monitoring data, notifications shall be submitted to the:

Regional Air Program Manager Department of Environmental Protection (At the address given on the plan approval transmittal letter or otherwise notified) (25 Pa. Code § 127.12c)

- 12. (a) If required by section 112(r) of the Clean Air Act, the permittee shall develop and implement an accidental release program consistent with requirements of the Clean Air Act, 40 CFR Part 68 (relating to chemical accident prevention provisions) and the Federal Chemical Safety Information, Site Security and Fuels Regulatory Relief Act (P. L. No. 106-40).
- (b) The permittee shall prepare and implement a Risk Management Plan (RMP) which meets the requirements of section 112(r) of the Clean Air Act, 40 CFR Part 68 and the Federal Chemical Safety Information, Site Security and Fuels Regulatory Relief Act when a regulated substance listed in 40 CFR 68.130 is present in a process in more than the listed threshold quantity at the facility. The permittee shall submit the RMP to the EPA according to the following schedule and requirements:
- (1) The permittee shall submit the first RMP to a central point specified by the EPA no later than the latest of the following:
- (i) Three years after the date on which a regulated substance is first listed under 40 CFR 68.130; or,
- (ii) The date on which a regulated substance is first present above a threshold quantity in a process.
- (2) The permittee shall submit any additional relevant information requested by the Department or the EPA concerning the RMP and shall make subsequent submissions of RMPs in accordance with 40 CFR 68.190.
- (3) The permittee shall certify that the RMP is accurate and complete in accordance with the requirements of 40 CFR Part 68, including a checklist addressing the required elements of a complete RMP.
- (c) As used in this plan approval condition, the term "process" shall be as defined in 40 CFR 68.3. The term "process" means any activity involving a regulated substance including any use, storage, manufacturing, handling or onsite movement of the substances or any

combination of these activities. For purposes of this definition, any group of vessels that are interconnected, or separate vessels that are located such that a regulated substance could be involved in a potential release, shall be considered a single process. (25 Pa. Code § 127.12(9) and 40 CFR Part 68)

Special Conditions

- 1. This Plan Approval authorizes an increase in the maximum rate of landfill gas combusted by the LES and the Enclosed Flare at the Greenridge Reclamation, LLC municipal solid waste landfill facility located in East Huntington Township, Westmoreland County. (25 Pa. Code § 127.12b)
- 2. The Owner/Operator shall comply with the requirements of 25 Pa. Code § 123.31 regarding malodorous emissions.
- 3. The Owner/Operator shall comply with the requirements of 25 Pa. Code $\S\S$ 123.1 and 123.2 regarding fugitive emissions.
- 4. The Owner/Operator shall operate the Enclosed Flare with no visible flame or visible emissions except for periods not to exceed a total of 5 minutes during any consecutive 2 hour period. In addition, per 25 Pa. Code § 123.41, visible emissions from the Enclosed Flare shall not equal or exceed 20% opacity for a period or periods aggregating more than 3 minutes in any 1 hour or equal or exceed 60% opacity at any time. This Condition shall replace Condition No. 006, section E, I of TV-65-00713. (25 Pa. Code § 127.12b)
- 5. The total volume of landfill gas combusted by the LES, the Enclosed Flare, and/or the Emergency Candle Flare shall not exceed 115 mmBtu/hr based on 5,000 standard cubic feet per minute at a methane concentration of 55%. This Condition shall replace Condition No. 011, section E, I of TV-65-00713. (25 Pa. Code § 127.12b)
- 6. Emissions from the Enclosed Flare shall be limited as follows. This Condition shall replace Condition No. 003, section E, I of TV-65-00713: (25 Pa. Code § 127.12b)

			Ton/Yr in any
Pollutant	Lb/mmBtu	Lb/Hr	consecutive 12-month period
NOx CO	0.06 0.20	$9.0 \\ 30.0$	39.42 131.40

- 7. Stack testing to determine the mass emission rate of NOx and CO shall be conducted within 180 days of issuance of this approval and at a minimum of once every 5 years thereafter. This Condition shall replace Condition No. 010, section D, II of TV-65-00713: (25 Pa. Code §§ 127.12b and 139.11)
- a. All stack testing shall be conducted in accordance with the provisions of 25 Pa. Code Chapter 139 and the most current version of the Department's Source Testing Manual.
- b. The Owner/Operator shall submit two copies of a pretest protocol to the Department's Regional Air Quality Manager and one copy a pretest protocol to the Division of Source Testing and Monitoring for review at least 60 days prior to performance of any stack test.
- c. Under 25 Pa. Code Chapter 139, the Owner/Operator shall notify the Regional Air Quality Manager and the Division of Source Testing and Monitoring at least 15 days prior to any stack test so that an observer may be

present at the time of the test. Notification shall not be made without prior receipt of a test protocol acceptance letter from the Department.

- d. All relevant operating parameters of the Enclosed Flare shall be recorded at appropriate intervals throughout the duration of the stack test. Operating data recorded shall be sufficient to establish that the Enclosed Flare is operating at the maximum routine operating condition. A discussion of the recorded operating parameters and values shall be included in the stack test report.
- e. Under 25 Pa. Code Chapter 139, within 15 calendar days after completion of the onsite testing portion of an emission test program, if a complete test report has not been submitted, an electronic mail notification shall be sent to the Regional Air Quality Manager and the Division of Source Testing and Monitoring indicating the completion date of onsite testing.
- f. The Owner/Operator shall submit two copies of the stack test report to the Department's Regional Air Quality Manager and one copy to the Division of Source Testing and Monitoring within 60 days of the completion of testing.
- g. Under 25 Pa. Code Chapter 139, a complete test report shall include a summary report. At a minimum, the summary report shall include the following:
- 1. Permit numbers and conditions which are the basis for the evaluation.
- 2. A summary of the emission results indicating if each pollutant measured is within permitted limits.
- 3. A statement of compliance or noncompliance signed by the Owner/Operator.
- a. Under 25 Pa. Code Chapter 139, all submittals shall meet all applicable requirements specified in the most current version of the Department's Source Testing Manual.
- 8. The Enclosed Flare shall be operated to; either reduce NMOC, VOC and HAP emissions by 98%; or reduce the outlet NMOC, VOC and HAP concentration to less than 20 ppmv. Compliance with this Condition shall be determined by maintaining the operating temperature of the Enclosed Flare at 1,500° F or greater. This Condition shall replace Condition No. 010, section E, I of TV-65-00713. (25 Pa. Code § 127.12b)
- 9. The Owner/Operator shall perform a daily inspection of the Facility for the presence of malodorous emissions, visible emissions and fugitive emissions. Records each inspection shall be maintained in a log and include any corrective actions taken. (25 Pa. Code § 127.12b)
- 10. All logs and required records shall be maintained onsite for a minimum of 5 years and shall be made available to the Department upon request. (25 Pa. Code § 127.12b)
- 11. All requirements, other than those specifically replaced by reference in this approval, of TV-65-00713 shall remain in effect. (25 Pa. Code § 127.12b)
- 12. Plan Approval authorizes the temporary operation of the sources covered by this Plan Approval provided the following conditions are met: (25 Pa. Code § 127.12b)
- a. Operation of the sources covered by this Plan Approval is authorized only to facilitate the start-up and shakedown of sources and air cleaning devices, to permit operations pending the issuance of an Operating Permit,

or to permit the evaluation of the source for compliance with all applicable regulations and requirements.

- b. Upon determination by the Owner/Operator that the sources covered by this Plan Approval are in compliance with all conditions of the Plan Approval the Owner/Operator shall contact the Department's reviewing engineer and schedule the Initial Operating Permit Inspection.
- c. Upon completion of Initial Operating Permit Inspection and determination by the Department that the sources covered by this Plan Approval are in compliance with all conditions of the Plan Approval the Owner/Operator shall submit a revision to the Title V Operating Permit (TVOP), at least 60 days prior to the expiration date of the Plan Approval.
- d. The Owner/Operator may request an extension of the 180-day Period of Temporary Operation if compliance with all applicable regulations and Plan Approval requirements has not been established. The extension request shall be submitted in writing at least 15 days prior to the end of the Period of Temporary Operation and shall provide a description of the compliance status of the source. The extension request shall include a detailed schedule for establishing compliance and the reasons compliance has not been established. This Period of Temporary Operation may be extended for additional limited periods, each not to exceed 120-days, by submitting an extension request as described previously.
- e. If, at any time, the Department has cause to believe that air contaminant emissions from the sources listed in this plan approval may be in excess of the limitations specified in, or established under this plan approval or the permittee's operating permit, the permittee may be required to conduct test methods and procedures deemed necessary by the Department to determine the actual emissions rate. The testing shall be conducted in accordance with 25 Pa. Code Chapter 139, where applicable, and in accordance with any restrictions or limitations established by the Department at the time as it notifies the company that testing is required.

Any person wishing to provide the Department with additional information that they believe should be considered prior to the issuance of the Plan Approval may submit the information to the Department at the address shown. A 30-day comment period, from the date of this publication, will exist for the submission of comments. Each written comment must contain the following:

- Name, address and telephone number of the person submitting the comments.
- Identification of the proposed Plan Approval (specify the Plan Approval number).
- Concise statements regarding the relevancy of the information or objections to issuance of the Plan Approval. Written comments should be directed to:

Mark A. Wayner, P. E. Regional Air Quality Program Manager Commonwealth of Pennsylvania Department of Environmental Protection Southwest Region—Field Operation 400 Waterfront Drive Pittsburgh, PA 15222-4745

For additional information you may contact the following at the same address:

Mark R. Gorog, P. E. Environmental Engineer Manager (412) 442-4163 Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104, Edward Braun, Chief, (215) 685-9476.

AMS 07203: Verizon PA, Inc.—Market Central Office (900 Race Street, Philadelphia, PA 19107) for installation of one 1,500 kilowatt emergency generator, and three 1,547 kilowatt emergency generators in the City of Philadelphia, Philadelphia County. Four emergency generators can burn diesel, kerosene or No. 2 fuel oil. The potential emissions from the facility will be limited to less than 25 tons per rolling 12-month period of NOx. The plan approval will contain operating, monitoring, recordkeeping and reporting requirements to ensure operation within all applicable requirements.

AMS 08010: Verizon—PA, Inc.—Sherwood Central Office (5650 Chestnut Street, Philadelphia, PA 19131) for installation of two 200 kilowatt emergency generators and one 750 kilowatt emergency generator in the City of Philadelphia, Philadelphia County. Three emergency generators can burn diesel, kerosene or No. 2 fuel oil. There will be a potential annual emission increase of 10.1 tons of NOx for the facility. The plan approval will contain operating, monitoring and recordkeeping requirements to ensure operation within all applicable requirements.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

22-05011: PPL Martins Creek, LLC (Two North Ninth Street, Allentown, PA 18101-1179) for operation of a combustion turbine site in the City of Harrisburg, **Dauphin County**. The facility's major source of emissions is attributed to the operation of four combustion turbines firing No. 2 fuel oil, which primarily emit NOx. The Title V Operating Permit will contain fuel usage restrictions, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements. This is a renewal of the Title V operating permit issued in 2003.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Barbara Hatch, Facilities Permitting Chief, (412) 442-4174.

30-00110: Equitrans, LP (200 Allegheny Center Mall, Pittsburgh, PA 15222) for operation of Natural Gas Transmission Station at Pratt Station No. 47 in Waynesburg Borough, **Greene County**. This is a Title V renewal.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19428, Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.

09-00104: Daniel C. Tanney, Inc. (3268 Clive Avenue, Bensalem, PA 19020) for operation of a fabricated metal products manufacturing plant in Bensalem Township, **Bucks County**. The permit is for a non-Title V (State-only) facility. The facility does not have the potential to exceed major facility threshold levels; therefore the facility is a Natural Minor. This action is a renewal of the

State-only Operating Permit. The initial permit was issued on September 24, 2003. There are no new sources at the facility and there are no new applicable regulations for the facility. The renewal permit will include monitoring, recordkeeping and reporting requirements designed to keep the plant operating within all applicable air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Neal Elko, New Source Review Chief, (570) 826-2531.

40-00063: Kappa Graphics, LP (50 Rock Street, Pittston, PA 18604) for operation of lithographic printing presses at their facility in Hughestown Borough, **Luzerne County.** This facility is currently operating under Operating Permits 40-320-021 and 40-320-011. All permit requirements shall be included in the new Stateonly (Synthetic Minor) Operating Permit for this facility. This Operating Permit shall include emission restrictions, monitoring, recordkeeping and reporting requirements designed to ensure this facility complies with all applicable air quality regulations.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

- **01-05004: Reliant Energy Mid-Atlantic Power Holdings, LLC, Hamilton Station** (121 Champion Way, Suite 200, Cannonsburg, PA 15317) for renewal of their synthetic minor operating permit in Hamilton Township, **Adams County** issued in October 2003.
- **01-05006: Reliant Energy Mid-Atlantic Power Holdings, LLC, Orrtanna Station** (121 Champion Way, Suite 200, Cannonsburg, PA 15317) for renewal of their synthetic minor operating permit in Highland Township, **Adams County** issued in September 2003.
- **06-03028: Berks Can Co., Inc.** (3723 Pottsville Pike, Reading, PA 19605) for operation of a three piece can manufacturing facility in Muhlenberg Township, **Berks County**. This is a non-Title V (State-only) facility. The State-only operating permit shall contain testing, monitoring, recordkeeping and reporting requirements, emission restrictions and work practice standards designed to keep the facility operating within all applicable air quality requirements.
- **21-05010: Reliant Energy Mid-Atlantic Power Holdings, LLC, Mountain Station** (121 Champion Way, Suite 200, Cannonsburg, PA 15317) for renewal of the synthetic minor operating permit in South Middletown Township, **Cumberland County** issued in August 2003.
- **67-03043: Envirite of Pennsylvania, Inc.** (730 Vogelsong Road, York, PA 17404) for renewal of their State-only operating permit for their waste treatment plant in the City of York, **York County** issued in April 2003
- **67-05028: Reliant Energy Mid-Atlantic Power Holdings, LLC—Tolna Station** (121 Champion Way, Suite 200, Cannonsburg, PA 15317) for renewal of their synthetic minor operating permit in Hopewell Township, **York County** issued in August 2003.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

41-00046: Pennsylvania College of Technology (One College Avenue, Williamsport, PA 17701) for the operation of a college in the City of Williamsport, **Lycoming County**.

The facility incorporates 23 natural gas/No. 2 fuel oil-fired boilers and water heaters (with a total combined heat input of 102.75 mmBtu/hr), 40 natural gas-fired heaters and boilers (with a total combined heat input of 14.46 mmBtu/hr), 5 natural gas-fired emergency generators (195, 136, 102, 85 and 60 brake horsepower), two diesel fuel-fired emergency generators (350 and 335 brake horsepower), 9 solvent parts washers, eight paint spray booths, 10 printing presses and four natural gas-fired heat treat ovens. The PM emissions from the eight paint spray booths are controlled by panel filters.

The air contaminant emissions from the facility are not expected to exceed 90.14 tons of SOx, 37.24 tons of NOx, 20.88 tons of CO, 14.29 tons of VOCs and 4.18 tons of HAPs per year.

The facility is not a major (Title V) facility for any air contaminant.

The Department of Environmental Protection proposes to incorporate into the operating permit to be issued conditions requiring compliance with all applicable regulatory requirements pertaining to air contamination sources and the emission of air contaminants as well as conditions previously contained in Operating Permit 41-302-035, issued on July 12, 1994, for the operation of two 14.646 mmBtu/hr natural gas/No. 2 fuel oil-fired boilers. These conditions include:

- 1. Conditions limiting the No. 2 fuel oil and diesel fuel used at the facility to No. 2 fuel oil and diesel fuel to which no reclaimed/reprocessed oil, waste oil or other waste materials have been added.
- 2. Conditions limiting the fuel used in the facility's 23 natural gas/No. 2 fuel oil-fired boilers and water heaters to natural gas and No. 2 fuel oil, the fuel used in the facility's 40 natural gas-fired heaters and boilers, five natural gas-fired emergency generators, the heaters associated with five of the facility's paint spray booths and the facility's 4 heat treat ovens to natural gas and the fuel used in the facility's two diesel fuel-fired emergency generators to diesel fuel.
- 3. Conditions limiting the total combined amount of No. 2 fuel oil used in all sources at the entire facility to no more than 2,500,000 gallons in any 12-consecutive month period and requiring the maintenance, and annual reporting, of records of the amount of No. 2 fuel oil used each month.
- 4. Conditions limiting the total combined NOx emissions from the facility's seven emergency generators to less than 2.75 tons during any ozone season.
- 5. Conditions limiting the operation of the seven emergency generators to no more than 500 hours each in any 12-consecutive month period and requiring the maintenance of records of the number of hours each generator operates each month.
- 6. A condition limiting the total combined VOC emissions from the facility's solvent parts washers to less than 2.7 tons in any 12-consecutive month period.
- 7. A condition requiring the maintenance of records of the total combined amount of solvent added to the solvent parts washers each month.
- 8. A condition prohibiting the use, in the solvent parts washers, of any halogenated solvent or solvent to which a VHAP has intentionally been added.
- 9. Conditions limiting the total combined VOC emissions from five of the facility's eight spray booths to less than 2.7 tons in any 12-consecutive month period and the

total combined VHAP emissions to less than 1.0 ton in any 12-consecutive month period and requiring the maintenance of records of the identity, amount, VOC content and VHAP content of the materials used in the booths each month.

- 10. Conditions limiting the total combined VOC emissions from two of the facility's eight spray booths to less than 2.7 tons in any 12-consecutive month period and the total combined VHAP emissions to less than 1.0 ton in any 12-consecutive month period and requiring the maintenance of records of the identity, amount, VOC content and VHAP content of the materials used in the booths each month.
- 11. Conditions limiting the VOC emissions from one of the facility's eight spray booths to no more than 3 pounds per hour or 15 pounds per day and less than 2.7 tons in any 12-consecutive month period and the VHAP emissions to less than 1.0 ton in any 12-consecutive month period and requiring the maintenance of records of the identity, amount, VOC content and VHAP content of the materials used in the booths each month as well as the number of hours the booth is used each month.
- 12. Conditions requiring the facility's eight spray booths to be equipped with panel filters and instrumentation to monitor the pressure differential across the filters on a continuous basis.
- 13. Conditions prohibiting the facility's eight spray booths, 10 printing presses and four heat treat ovens from being used for purposes other than instructional purposes.
- 14. Conditions limiting the total combined VOC emissions from the facility's 10 printing presses to less than 2.7 tons in any 12-consecutive month period and the total combined VHAP emissions to less than 1.0 ton in any 12-consecutive month period and requiring the maintenance of records of the identity, amount, VOC content and VHAP content of the materials used in the printing presses each month.
- 15. A condition prohibiting the facility's four heat treat ovens from processing any material coated or treated with a VOC-containing material or VHAP-containing material.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Barbara Hatch, Facilities Permitting Chief, (412) 442-4174.

63-00624: Golden Eagle Construction Co. (P. O. Box 945, Uniontown, PA 15401) for operation of asphalt manufacturing at Eighty Four Plant in North Strabane Township, **Washington County**. This is State-only renewal.

63-00895: Ensinger (365 Meadowlands Boulevard, Washington, PA 15301) operates a nylone production unit. The facility consists of an afterburner attached to a sandbed and a smog-hog eliminator with fabric collector. Emissions from this facility shall not exceed 100 tons of SO_2 , 100 tons of NOx, 100 tons of PM10, 50 tons of VOCs, 10 tons of a single HAP and/or 25 tons of all HAP's combined.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Matthew Williams, New Source Review Chief, (814) 332-6940.

10-00286: Portersville Sales & Testing (P. O. Box 131, 1406 Perry Highway, Portersville, PA 16051) for renewal of the State-only Operating Permit for their manufacturing facility in Portersville Borough, **Butler County**. The facility is a Natural Minor. The primary

sources at the facility include a boiler, paint spray bay, shot blast room, grit blaster and a parts cleaning station.

25-00961: National Fabricators and Machining, Inc. (9209 West Main Road, North East, PA 16428) for reissuance of a Natural Minor Permit to operate an industrial machinery fabricating facility in Township of North East, **Erie County**. Emissions sources associated with this facility include spray booth, heat stress oven, welding operation, torch cutting, 24 space heaters and two safety kleen parts cleaners. This facility is natural minor because the emissions of pollutants are less than Title V threshold.

61-00149: Christian Life Academy (P. O. Box 207, 224 South Main Street, Seneca, PA 16346) to issue a renewal of the State-only Operating Permit for the Tri-Fuel Boiler at their school in Cranberry Township, **Venango County**. The facility is a Natural Minor.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104, Edward Brawn, Chief, (215) 685-9476.

S07-004: North Philadelphia Health System—St. Joseph's Hospital (1601 West Girard Avenue, Philadelphia, PA 19130) for operation of a hospital in the City of Philadelphia, Philadelphia County. The facility's air emission source includes three 200 Horsepower boilers, one 25 horsepower boiler and one 565 kW emergency generator.

The operating permit will be issued under the 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest or comments on the previous operating permit must submit the protest or comments within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least 30 days before the hearing.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of an application is available for inspection at the district mining office indicated before an application. Where a 401 Water

Quality Certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for certification.

Written comments, objections or requests for informal conferences on applications may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the district mining office indicated before an application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Where any of the mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. NPDES permits will contain, at a minimum, technology-based effluent limitations as identified in this notice for the respective coal and noncoal applications. In addition, more restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit, when necessary, for compliance with water quality standards (in accordance with 25 Pa. Code

Chapters 93 and 95). Persons or agencies who have requested review of NPDES permit requirements for a particular mining activity within the previously mentioned public comment period will be provided with a 30-day period to review and submit comments on the requirements.

Written comments or objections should contain the name, address and telephone number of the person submitting comments or objections; the application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor wishes to have the conference conducted in the locality of the proposed mining activities.

Coal Applications Received

Effluent Limits—The following coal mining applications that include an NPDES permit application will be subject to, at a minimum, the following technology-based effluent limitations for discharges of wastewater to streams:

Parameter	30-Day	Daily	Instantaneous
	Average	Maximum	Maximum
Iron (total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH ^{1^t Alkalinity greater than acidity¹}	8		i.0; less than 9.0

¹The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: (1) surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; and mined areas backfilled and revegetated; and (2) drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

32040102 and NPDES No. PA0249491. Britt Energies, Inc., 2450 Philadelphia Street, Indiana, PA 15701, revision of an existing bituminous surface and auger mine for a land use change on a portion of the site from forestland to pastureland/land occasionally cut for hay in Center Township, **Indiana County**, affecting 201.2 acres. Receiving stream: UNT to Yellow Creek classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received March 10, 2008.

32030101 and NPDES No. PA0249378. P & N Coal Company, Inc., P. O. Box 332, Punxsutawney, PA 15767, permit renewal for a bituminous surface mine in Montgomery Township, Indiana County, affecting 182.2 acres. Receiving streams: Cush Creek and UNT to Cush Creek classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received March 10, 2008.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191. **24010101** and NPDES Permit No. PA0241857. FSMR, Inc. (P. O. Box 203, Brockway, PA 15824). Transfer of an existing bituminous surface strip, auger and clay removal operation in Horton Township, Elk County affecting 264.3 acres. Receiving streams: UNT "G" to Mead Run, UNTs "2" and "3" to Johnson Run, classified for the following use: CWF. There are no potable surface water supply intakes within 10 miles downstream. Transfer from Energy Resources, Inc. Application received March 10, 2008.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

54830103R5 and PA0613398. K & K Coal Company, (133 Valley Furnace Avenue, Port Carbon, PA 17965), renewal of an existing anthracite surface mine operation in Blythe Township, **Schuylkill County** affecting 160.0 acres, receiving stream: UNT to East Branch Schuylkill River. Application received March 7, 2008.

54920203R3. B-D Mining Company, (10 Gilberton Road, Gilberton, PA 17934), renewal of an existing anthracite coal refuse reprocessing operation in Mahanoy Township and Shenandoah Borough, **Schuylkill County** affecting 86.0 acres, receiving stream: none. Application received March 14, 2008.

Noncoal Applications Received

Effluent Limits—The following noncoal mining applications that include an NPDES permit application will be subject to, at a minimum, the following technology-based effluent limitations for discharges of wastewater to streams:

Parameter
Suspended solids
Alkalinity exceeding acidity*
pH*
* The parameter is applicable at all times.

30-day
AverageDaily
MaximumInstantaneous
Maximum35 mg/l70 mg/l90 mg/l

greater than 6.0; less than 9.0

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

45950301C10 and NPDES Permit No. PA0223506. Bill Barry Excavating, Inc., (R. R. 3, Box 3271, Cresco, PA 19326), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in Barrett Township, **Monroe County**, receiving stream: UNT to Cranberry Creek, classified for the following use: HQ-CWF. Application received March 14, 2008.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (Department). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the State to certify that the involved projects will not violate the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA or to the issuance of a Dam Permit, Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment must submit comments, suggestions or objections within 30 days of the date of this notice, as well as questions, to the regional office noted before the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Individuals will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on each working day at the regional office noted before the application.

Persons with a disability who wish to attend a hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401(a) of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

E39-482. K & M Associates, Inc., 496 Lone Lane, Allentown, PA 18104, in Upper Macungie Township, Lehigh County, United States Army Corps of Engineers, Philadelphia District.

To remove the existing structure and to construct and maintain a road-crossing of a tributary to Cedar Creek (HQ-CWF) consisting of twin 8' by 4.5' concrete box culverts and to fill a de minimis area of PEM wetlands equal to 0.03 acre. The activities are associated with Rabenold Farms residential development. The project is located on the north side of Schantz Road at the intersection of Schantz Road (T-527) and Crocks Road (T-498) (Allentown West, PA Quadrangle N: 13.1 inches; W: 10.5 inches).

E45-522. PPL—Attention: Mark Richel, 2 North Nine Street Genn 3, Allentown, PA 18101, in Pocono Township, **Monroe County**, United States Army Corps of Engineers, Philadelphia District.

To construct and maintain two utility line crossings under Swiftwater Creek associated with Rabenold Farms residential development. The project is located on the north side of Schantz Road at the intersection of Schantz Road (T-527) and Crocks Road (T-498) (Allentown West, PA Quadrangle N: 13.1 inches; W: 10.5 inches).

E45-517. Stewart H. Martin, Jr., R. R. 2, Box 2750, Canadensis, PA 18325, in Barrett Township, **Monroe County**, United States Army Corps of Engineers, Philadelphia District.

To construct and maintain a steel I-beam bridge, having a 24-foot span and a 5-foot underclearance across Stoney Run (EV) and to place fill in 0.02 acre of PSS wetlands adjacent to Stoney Run. The project is located on the eastern side of Lower Ceese Hill Road approximately 2.4 miles northeast of its intersection with SR 0447 (Skytop, PA Quadrangle N: 10.8 inches; W: 11.1 inches).

E40-676. Crystal Penn Ridge, LLC, 1247 Sussex Turnpike, Randolph, NJ 07869, in Butler, Dennison and Foster Townships, Luzerne County, United States Army Corps of Engineers, Baltimore District.

To construct and maintain 26 road crossings in tributaries to Oley Creek (CWF) and Nescopeck Creek (HQ-CWF) and in approximately 0.64 acre of wetlands for the purpose of providing access to a proposed 1,504-unit planned residential development known as Crystal Penn Ridge. Work also includes numerous sanitary sewer,

water, electric and telecommunication utility line stream and wetland crossings in the previously mentioned waters. The project is located on the east side of SR 0309 adjacent to Beech Mountain Lakes residential community, approximately 0.8 mile south of the intersection of Interstate 80 and SR 0309 (Freeland, PA Quadrangle N: 9.3 inches; W: 6.0 inches).

Southcentral Region: Watershed Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

E67-846: City of York, Farquhar Park Pool, 1 Marketway West, 3rd Floor Planning, York, PA 17401-1231, City of York, **York County**, ACOE Baltimore District.

To construct and maintain an 8.0-foot wide single span prefabricated steel pedestrian bridge with a normal span of 65.0 feet across Willis Run (WWF), to install and maintain a 6.0-inch steel pipe encasement for a gas line in Willis Run (WWF), and to replace and expand existing parking facilities, and construct sidewalks and new stormwater facilities in the floodplain of Willis Run (WWF) (York, PA Quadrangle N: 17 inches; W: 16 inches, Latitude 39° 58′ 07″; Longitude: 76° 44′ 23″). The project is located at 542 North Newberry Street in the City of York, York County.

Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02-1576. Redevelopment Authority of Allegheny County, 425 Sixth Street, Suite 800, Pittsburgh, PA 15219. To place and maintain fill along the right bank and in the flood plain in Rankin, Swissvale, Munhall and Whitaker Boroughs, Allegheny County, Pittsburgh ACOE District (Pittsburgh East, PA Quadrangle N: 6.6 inches; W: 1.9 inches, Latitude: 40° 24′ 41″; Longitude: 79° 53′ 19″). The applicant proposes to place and maintain fill for an approximate length of 4,800 feet and an average width of 900 feet along the right bank and in the floodplain of Monongahela River (WWF) located just downstream of the Rankin Bridge for the purpose of elevating the floodplain to redevelop a 194-acre site

located on the both banks of said river. The project includes demolition of trestle of the Hot Metal Bridge.

ENVIRONMENTAL ASSESSMENTS

Central Office: Bureau of Waterways Engineering, Rachel Carson State Office Building, Floor 3, 400 Market Street, Harrisburg, PA 17105.

D15-077EA. Heritage Building Group, Inc., 2500 York Road, Jamison, PA 18929. Parkesburg Borough, **Chester County**, ACOE Philadelphia District.

Project proposes to: (1) breach and remove Crystal Springs Dam across a tributary to Buck Run (TSF) for the purpose of eliminating a threat to public safety and restoring the stream to a free flowing condition. Dam removal will restore approximately 300 feet of stream; (2) construct and maintain a 5.0-foot high by 20.0-foot wide reinforced concrete box culvert within the tributary to Buck Run. In-stream length of the culvert is 99.0 feet; (3) construct and maintain a 4-foot wide by 20-foot long pedestrian bridge spanning a tributary to Buck Run (TSF). Construction of the pedestrian bridge will cause temporary impacts to approximately 0.03-acre of Palustrine Emergent Wetland. Impacts 2 and 3 are eligible for authorization by means of the Department of Environmental Protection's General Permit Number 7. The project is located approximately 250 feet southeast of the intersection of Sadsbury Road and Church Street (SR 10) (Parkesburg, PA Quadrangle Latitude: 39° 58′ 00″; Longitude: 75° 54′ 52″).

D40-099EA. Land Manager Supervisor, P. O. Box 220, Dallas, PA 18612. Salem Township, **Luzerne County**, ACOE Baltimore District.

Project proposes to breach and remove Intake Dam across Little Shickshinny Creek (HQ-CWF) for the purpose of eliminating a threat to public safety and restoring the stream to a free flowing condition. The project will restore approximately 100 feet of stream channel. The dam is located approximately 2,800 feet west of the intersection of US 11 and Shickshinny Valley Road (SR 4004) (Shickshinny, PA Quadrangle Latitude: 41° 09′ 04″; Longitude: 76° 09′ 40″).

ACTIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

The Department of Environmental Protection (Department) has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and Notices of Intent (NOI) for coverage under general permits. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

Location	Permit Authority	Application Type or Category
Section I	NPDES	Renewals
Section II	NPDES	New or amendment
Section III	WQM	Industrial, sewage or animal wastes; discharges to groundwater
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

Sections I—VI contain actions related to industrial, animal or sewage wastes discharges, discharges to groundwater and discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities and concentrated animal feeding operations (CAFOs). Section VII contains notices for parties who have

submitted NOIs for coverage under general NPDES permits. The approval for coverage under general NPDES permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions set forth in each general permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective permit. Permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Nortneast Region	n: Water Management Program Ma	anager, z Public Square,	Wilkes-Barre, PA 18711-079	0.
NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed #)	EPA Waived Y/N ?
PA0051811 (Industrial Waste)	Lehigh County Authority (Green Hills Pumping Station) P. O. Box 3348 1053 Spruce Street Allentown, PA 18106	South Whitehall Township Lehigh County	UNT to Little Cedar Creek 02C	Y
PA0051799 (Minor Sewage)	Lehigh Carbon Community College 4525 Education Park Drive Schnecksville, PA 18078	North Whitehall Township Lehigh County	Tributary to Jordan Creek 2C	Y
PA0063088	Karl A. and Linda L. Landon 2020 Raubsville Road Hellertown, PA 18055	Northampton County Williams Township	UNT to East Branch Saucon Creek Watershed 2C HQ-CWF	Y

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

/05-4/0/.				
NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed #)	<i>EPA Waived</i> <i>Y/N</i> ?
PA0081833 (Sew)	SK Part II, LTD Peach Bottom Inn 6085 Delta Road Delta, PA 17314	York County Peach Bottom Township	Scott Creek 7-I	Y
PA0080187 (IW)	Dauphin Meadows, Inc. 3035 Route 209 Millersburg, PA 17061	Dauphin County Washington Township	Wisconisco Creek 6-C	Y
PA0084166 (IW)	City of Lebanon Authority 2311 Ridgeview Road Lebanon, PA 17042	Lebanan County Swatara Township	UNT of Swatara Creek 7-D	Y
PA0085171 (Sew)	Lyons Borough Municipal Authority 316 South Kemp Street P. O. Box 131 Lyon Station, PA 19536	Berks County Lyons Borough	Sacony Creek 3-B	Y

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed #)	<i>EPA Waived</i> Y/N ?
PA0246646 (Sew)	Copart Auto Auction 8 Park Drive Grantville, PA 17028	Lebanon County East Hanover Township	UNT of Swatara Creek 7-D	Y
PA0021776 (Sew)	Fairfield Municipal Authority 180 Water Street Extended P. O. Box 705 Fairfield, PA 17320	Adams County Hamiltonban Township	Spring Run Creek 13-D	Y
Northcentral R	egion: Water Management Program	Manager, 208 West Third	Street, Williamsport, PA 1	7701.
NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed #)	<i>EPA Waived</i> Y/N ?
PA0228672 (Sewage)	Muddy Run Regional Authority Glen Hope STP P. O. Box 474 Madera, PA 16661	Glen Hope Borough Township Clearfield County	Clearfield Creek CWF	Y

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed #)	EPA Waived Y/N
PA0098876 Industrial Waste	YMCA of Pittsburgh South Hills YMCA 51 McMurray Road Upper St. Clair, PA 15241	Allegheny County Upper St. Clair Township	McLaughlin Run	Y
PA0217816 Sewage	Regina Lambie Nazimek P. O. Box 896 Connellsville, PA 15425	Westmoreland County East Huntingdon Township	UNT of Jacobs Creek	Y

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed #)	<i>EPA Waived</i> Y/N ?
PA0210714	Mark D. and Wendy J. Watts 3383 Church Street Reynoldsville, PA 15851	Winslow Township Jefferson County	UNT to Fehley Run 17-C	Y
PA0239071	ABECO, Inc. P. O. Box 265 Clarion, PA 16214	Paint Township Clarion County	UNT to Clarion River 17-B	Y
PA0238899	Oil Creek Plastics, Inc. 45619 State Highway 27 P. O. Box 385 Titusville. PA 16354-0385	Oil Creek Township Crawford County	UNT to Pine Creek 16-E	Y

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

NPDES Permit No. PA0087483, Industrial Waste, Elizabethtown Area Water Authority, Five Municipal Drive, Elizabethtown, PA 17022. This proposed facility is located in West Cornwall Township, Lebanon County.

Description of Proposed Action/Activity: Authorization to discharge from a facility known as the Cornwall Quarry Water Transfer Pump Station Discharge to a UNT of Conewago Creek in Watershed 7-G.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

PA0229253, Sewerage (4952), Karthaus-Burnside Joint Sewer Authority, P. O. Box 97, Karthaus, PA 16845. The proposed facility is located in Karthaus Township, Clearfield County.

Description of Proposed Activity: A permit has been issued for coverage under an NPDES permit for the discharge of treated sewage in Karthaus Township, Clearfield County. The facility is proposed to serve Karthaus Township, Clearfield County and Burnside Township, Centre County. A Water Quality Management Permit for construction of the facility will be submitted to the Department of Environmental Protection (Department) under separate cover.

The receiving stream for Outfall 001, the West Branch of the Susquehanna River, is in the State Water Plan Watershed 8D and is classified for: WWF. The nearest public water supply surface water intake, owned by Pennsylvania American Water Company, is located on the Susquehanna River approximately 120 miles below the point of discharge.

The effluent limits for Outfall 001 are based on a design flow of 0.115 mgd and are as follows:

Parameter	Average Monthly (mg/l)	Instantaneous Maximum (mg/l)
Flow	Monitor a	nd Report
Fecal Coliforms		1
(5-1 to 9-30)	200/100 ml	
(10-1 to 4-30)	2,000/100 ml	
$C-BOD_5$	25	50
Total Suspended Solids	30	60
Total Chlorine Residual	0.50	1.64
pH	Within the Ran	ge of 6.0 to 9.0

Chesapeake Bay Tributary Strategy Nutrient Requirements:

	Concentration (mg/l)	Mas.	s (lbs)
Parameter	Monthly	Monthly	Annual
	Average	Load	Load
Ammonia-N Kjeldahl-N Nitrate-Nitrate as N Total Nitrogen	Report Report Report Report	Report Report Report Report	Report** Report
Total Phosphorus	Report	Report	Report
Net Total Nitrogen		Report	5,625*
Net Total Phosphorus		Report	0*

- * This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Trading of Nutrients and Sediment Reduction Credits Policy and Guidelines (Document No. 392-0900-001, December 30, 2006). The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.
- * The compliance date for Net Total Nitrogen and Net Total Phosphorus will begin on the permit effective date. Since these reporting requirements are annual loads, the reporting on compliance with the annual limitations will be required to be reported on the Supplemental DMR—Annual Nutrient Summary. This facility is required to monitor and report for Net Total Nitrogen and Net Total Phosphorus from the effective date of the permit through the expiration date of the permit.
 - ** Total Annual Ammonia Load will be required to be reported on the Supplemental DMR.

PA0229245, Sewage, SIC 4952, **Ryan B. Corl**, 3083 Jodi Lane, Dover, PA 16873. This proposed facility is located in Goshen Township, **Clearfield County**.

Description of Proposed Activity: The applicant proposes the construction and operation of a small flow treatment facility serving the Shawville Post Office and several adjacent apartments.

The receiving stream, the West Branch Susquehanna River, is in the State Water Plan Watershed 08C and is classified for: WWF. The nearest downstream public water supply intake for Pennsylvania American Water Company is located on the West Branch Susquehanna River is 152 river miles below the point of discharge.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0009 mgd.

	Average	Average	Maximum	Instantaneous
Parameter	Monthly (mg/l)	Weekly (mg/l)	Daily (mg/l)	Maximum mg/l
$_{ m pH}$ $_{ m CBOD_5}$	Wit	hin the Range of 6.0	0 to 9.0 Standard U	nits
CBOD ₅	10			20
TSS	10			20
Total Cl ² Residual	1.0			3.2
Fecal Coliforms	2	200 colonies/100 ml	and not greater tha	n
		ies/100 ml in more t		

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

WQM Permit No. 6407404, Sewerage, **Wayne Economic Development Corporation (WEDCO)**, 303 Commercial Street, Suite 109, Honesdale, PA 18431. This proposed facility is located in Sterling Township, **Wayne County**.

Description of Proposed Action/Activity: Issuance of Water Quality Management Permit for construction of a new 35,000 gpd wastewater treatment plant and sewage pump station to serve the Sterling Business Park.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

WQM Permit No. WQG01070801, Sewage, **Richard A. Huber, Jr.**, 112 West 9th Street, Altoona, PA 16601. This proposed facility is located in Logan Township, **Blair County**.

Description of Proposed Action/Activity: Construction/Operation of a small flow sewage treatment system to serve their single-family residence on Woomer Road.

WQM Permit No. 2104402 Amendment 07-1, Sewage, **Silver Spring Township Authority**, 31 East Main Street, New Kingstown, PA 17072. This proposed facility is located in Silver Spring Township, **Cumberland County**.

Description of Proposed Action/Activity: Amendment approval for the construction/modification of sewerage facilities consisting of replacing pumps in station and construction of about 4,355 feet of 10-inch diameter force main replacing the 6-inch diameter force main. Existing manhole at connection to gravity sewer in Roadway Drive is replaced with drop manhole.

WQM Permit No. 0107405, Sewage, **Fairfield Municipal Authority**, P. O. Box 705, Fairfield, PA 17320. This proposed facility is located in Hamiltonban Township, **Adams County**.

Description of Proposed Action/Activity: Permit approval for the construction of sewerage facilities consisting of flow equalization, screening and grit removal, a Hydroxyl (ActiveCell) Biological Treatment System with a pre-anoxic zone, Locus active cell aeration and postanoxic zone, chemical addition aerobic sludge digestion and UV disinfection.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

WQM Permit No. 1707405, Sewerage, SIC 4952, **Ryan Corl**, 3083 Jodi Lane, Dover, PA 16873. This proposed facility is located in Goshen Township, **Clearfield County**.

Description of Proposed Action/Activity: A Water Quality Management Permit has been issued for the construction and operation of a Small Flow Treatment Facility (SFTF) serving three apartments and the Post Office in Shawville. The SFTF will consist of a septic tank, dual peat-biofilters, an erosion chlorinator and a chlorine contact tank. The system will be designed to treat 935 gpd.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WQM Permit No. 3285201-A2, Industrial Waste, **EME Homer City Generation, LP**, 1750 Power Plant Road, Homer City, PA 15748-8009. This existing facility is located in Center and Blacklick Townships, **Indiana County**.

Description of Proposed Action/Activity: Permit issuance to upgrades to industrial wastewater treatment plant.

WQM Permit No. 463S028-A2, Sewerage, **Westmoreland Fayette Municipal Sewer Authority**, P. O. Box 126, Scottdale, PA 15683. This existing facility is located in East Huntingdon Township, **Westmoreland County**.

Description of Proposed Action/Activity: Letter amendment issuance for installation of sodium bisulfite dechlorination system.

WQM Permit No. 9040S-A1, Sewerage, **Gilmary Diocesan Center**, 601 Flaugherty Run Road, Coraopolis, PA 15108-3899. This existing facility is located in Findlay Township, **Allegheny County**.

Description of Proposed Action/Activity: Letter amendment issuance for installation of permanent dechlorination facilities at the sewage treatment plant.

WQM Permit No. WQG016156, Sewerage, **Margaret Piernik**, 5991 Fox Hollow, North Ridgeville, OH 44039. This proposed facility is located in Sewickley Heights Borough, **Allegheny County**.

Description of Proposed Action/Activity: Permit issuance for the construction and operation of a single residence sewage treatment plant.

WQM Permit No. 6507404, Sewerage, **Thomas and Sandra Usher Camp**, 2345 Route 381, Rector, PA 15658. This proposed facility is located in Cook and Ligonier Townships, **Westmoreland County**.

Description of Proposed Action/Activity: Permit issuance for the construction and operation of several small flow land application treatment systems.

WQM Permit No. 6371406-A2, Sewerage, **Pigeon Creek Sanitary Authority**, 508 Main Street, Bentleyville, PA 15314. This existing facility is located in Fallowfield Township, **Washington County**.

Description of Proposed Action/Activity: Permit issuance for the construction and operation of sludge pumping building and sludge dewatering centrifuge.

WQM Permit No. 6506405, Sewerage, **Penn Township Sewage Authority**, 1032 Nike Site Road, Irwin, PA 15642. This proposed facility is located in Penn Township, **Westmoreland County**.

Description of Proposed Action/Activity: Permit issuance for the construction and operation of pump station and force main to convey flow from Fox Run Development. Also, construction and operation of Harrison City Export Road Interceptor to handle build out in watershed.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. WQG028313, Sewerage, **Union Township Sewer and Disposal Authority**, 1910 Davies Avenue, New Castle, PA 16101. This proposed facility is located in Union Township, **Lawrence County**.

Description of Proposed Action/Activity: A single 17 Lot Residential Subdivision.

IV. NPDES Stormwater Discharges from MS4 Permit Actions

V. NPDES Waiver Stormwater Discharges from MS4 Actions

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

Southeast Region	: Water Management Program Ma	nager, 2 East Ma	in Street, Norristown, PA	19401.
NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI010907002	Alex Yuchkovski P. O. Box 754 Richboro, PA 18954	Bucks	Solebury Township	Tributary Aquetong Creek HQ-WWF
PAI010907024	Richard D. Zaveta, Jr., Inc. 4030 Skyron Drive Doylestown, PA 18902	Bucks	Buckingham Township	UNT Paunacussing Creek HQ-CWF
PAI010908002	99 Warrington, LLC 28 Somers Road Hampden, MA 10136	Bucks	Warrington Township	Little Neshaminy Creek WWF, MF
PAI011508001	Pohlig Builders, Inc. 274 Lancaster Avenue Suite 100 Malvern, PA 19355-3255	Chester	Willistown Township	Ridley Creek HQ-TSF
PAI011508003	Larry Fondren 1223 Yellow Springs Road Malvern, PA 19355	Chester	Tredyffrin Township	Valley Creek EV
PAI012307004	White Horse Village, Inc. 535 Gradyville Road Newtown Square, PA 19073-2815	Delaware	Edgmont Township	Ridley Creek HQ-TSF
PAI014607005	Federal Highway Administration 21400 Ridgetop Circle Sterling, VA 20166	Montgomery	Upper Merion Township	Valley Creek EV

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges From Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities (PAR)
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges From Small Flow Treatment Facilities
PAG-5	General Permit for Discharges From Gasoline Contaminated Groundwater Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges From Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Nonexceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

General Permit Type—PAG-02				
Facility Location & Municipality	Permit No.	Applicant Name & Address	Receiving Water/Use	Contact Office & Phone No.
Bensalem Township Bucks County	PAG200090030462	Philadelphia Park 3331 Street Road No. 200 Bensalem, PA 19020	Neshaminy and Poquessing Creeks WWF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Falls Township Bucks County	PAG2000908003	USS Real Estate One Ben Fairless Drive Fairless Hills, PA 19030	Delaware River WWF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Buckingham Township Bucks County	PAG2000906010	Buckingham Township P. O. Box 413 Buckingham, PA 18912	Pine Run WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Falls Township Bucks County	PAG2000908014	Epuron, LLC One Liberty Place 16450 Market Street 36th Floor Philadelphia, PA 19103	Scotts Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Newtown Township Bucks County	PAG2000908013	826 Newtown Associates, LP 101 Eisenhower Parkway Roseland, NJ 07068	UNT Lake Luxembourg CWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
New Britain Township Bucks County	PAG2000908015	John W. Trauger 2201 Upper Stump Road Perkasie, PA 18944	UNT North Branch Neshaminy Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Solebury Township Bucks County	PAR109D717R	Zaveta Construction 4030 Skyron Drive Doylestown, PA 18901	UNT Pidcock Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Middletown Township Bucks County	PAG2000908004	Team Toyota 746 East Lincoln Highway Langhorne, PA 19047	Mill Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Middletown Township Bucks County	PAG2000908002	George School 1690 Newtown- Langhorne Road Newtown, PA 18940	Neshaminy Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Richland Township Bucks County	PAG2000908020	Quakertown Community School District 600 Park Avenue Quakertown, PA 18951	Tohickon Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
West Whiteland Township Chester County	PAG2001507060	Southeastern Pennsylvania Transit Authority 1234 Market Street 12th Floor Philadelphia, PA 19107	Valley Creek CWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
New Garden Township Chester County	PAG2001507069	Delaware Valley Realty, LLC 722 Yorklyn Road Suite 350 Hockessin, DE 19707	UNT West Branch Red Clay Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
West Sadsbury Township Atglen Borough Chester County and Sadsbury Township and Christiana Borough Lancaster County	PAG2001507077	Pennsylvania Water Main 4 Wellington Boulevard Wyomissing, PA 19610	UNT East Branch Octoraro Creek TSF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900

Facility Location & Municipality	Permit No.	Applicant Name & Address	Receiving Water/Use	Contact Office & Phone No.
Middletown Township Delaware County	PAG2002308002	Riddle Memorial Hospital 1068 West Baltimore Pike Media, PA 19063	Granite Run Tributary TSF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Marple Township Delaware County	PAG2002308007	Delaware County Community College 901 Media Line Road Media, PA 19063	Tributary Crum Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Limerick Township Montgomery County	PAG2004607154	Linfield Corporate Center, LP 1030 West Germantown Pike East Norriton, PA 19403	Brook Evans Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Towamencin Township Montgomery County	PAG2004607172	Philadelphia Suburban Development Co. 100 Ross Road Suite 200 King of Prussia, PA 19406	Skippack Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
City of Philadelphia Philadelphia County	PAG2015107025	PAKTF, LP 6439 Lindbergh Boulevard Philadelphia, PA 19142	Schuylkill River WWF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
City of Philadelphia Philadelphia County	PAG2015107044	CNR Associates, LP 1950 Bensalem Road Suite 205 Bensalem, PA 19020	Delaware River CWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
City of Philadelphia Philadelphia County	PAG2015107052	Hunter Roberts Construction Group 1717 Arch Street Suite 3410 Philadelphia, PA 19103	Schuylkill River WWF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
City of Philadelphia Philadelphia County	PAG2015107053	Saint Joseph's University 5600 City Avenue Philadelphia, PA 19131-1395	Tidal Schuylkill River Watershed WWF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
City of Philadelphia Philadelphia County	PAG2015108004	Chew and Wister, LP 111 Presidential Boulevard Suite 209 Bala Cynwyd, PA 19004-1013	Tookany, Tacony and Frankford Creeks WWF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Hampden Township Cumberland County	PAG2002103007R	Triple Crown Corp. Mark Disanto 5351 Jaycee Avenue Harrisburg, PA 17112	Sears Run WWF	Cumberland County Conservation District 310 Allen Road Carlisle, PA 17013 (717) 240-7812
Lower Paxton Township Dauphin County	PAG2002208015	Bottling Group, LLC 941 Dana Drive Harrisburg, PA 17109	Spring Creek WWF	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 (717) 921-8100
Lower Paxton Township Dauphin County	PAG2002208006	Liberty Place, LLC 3029 North Front Street Harrisburg, PA 17110	Paxton Creek WWF	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 (717) 921-8100

Facility Location & Municipality	Permit No.	Applicant Name & Address	Receiving Water/Use	Contact Office & Phone No.
Muhlenberg Township Berks County	PAG2000608003	Rosario Marchio New Vision Builders, Inc. 4166 Hill Terrace Drive Sinking Spring, PA 19608	Schuylkill River CWF	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 (610) 372-4657, Ext. 201
Caernarvon Township Berks County	PAG2000607081	Ronald Smith P. O. Box 202 Morgantown, PA 19543	Conestoga River WWF	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 (610) 372-4657, Ext. 201
Ontelaunee Township Berks County	PAG2000607042	William Round Berks Products Corp. P. O. Box 9000 Wyomissing, PA 19610	Schuylkill River WWF-MF	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 (610) 372-4657, Ext. 201
South Heidelberg Township Berks County	PAG2000603047R	John Smith Forino Co., LP 555 Mountainhome Road Sinking Spring, PA 19607	Cacoosing Creek WWF	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 (610) 372-4657, Ext. 201
East Pennsboro Township Cumberland County	PAG2002107035	Daniel Jorich Jorich Land Development, Inc. 1620 Mountain Road Dauphin, PA 17018	UNT to Conodoguinet Creek WWF	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013 (717) 240-7812
Hamilton Township Franklin County	PAG2002807022	Route 30 Commons Harold Brake Brake Concrete P. O. Box 275 St. Thomas, PA 17252	Back Creek CWF	Franklin County Conservation District 100 Sunset Boulevard West Chambersburg, PA 17201 (717) 264-8074, Ext. 5
Hamilton Township Franklin County	PAG2002803007R	Whiskey Run Edwin Martin D-111 Group 826 Tallow Hill Road Chambersburg, PA 17202	Back Creek TSF	Franklin County Conservation District 100 Sunset Boulevard West Chambersburg, PA 17201 (717) 264-8074, Ext. 5
Greene Township Franklin County	PAR10M145RR	Scot Green Estates Terry Wagner Scot Green Estates, Inc. P. O. Box 400 Scotland, PA 17254	Conococheague Creek CWF	Franklin County Conservation District 100 Sunset Boulevard West Chambersburg, PA 17201 (717) 264-8074, Ext. 5
Hamilton Township Franklin County	PAR10M124RR1	Warm Springs Ridge Joe Myers 160 Ram Drive Hanover, PA 17331	UNT to Conococheague Creek CWF	Franklin County Conservation District 100 Sunset Boulevard West Chambersburg, PA 17201 (717) 264-8074, Ext. 5

Facility Location & Municipality	Permit No.	Applicant Name & Address	Receiving Water/Use	Contact Office & Phone No.
Antrim Township Franklin County	PAG2002808010	Cedar Brook S & A Homes 2966 Philadelphia Avenue Chambersburg, PA 17201	UNT to Conococheague Creek WWF	Franklin County Conservation District 100 Sunset Boulevard West Chambersburg, PA 17201 (717) 264-8074, Ext. 5
Silver Spring Township Cumberland County	PAG2002107026	Silver Spring Township Authority James Stevens P. O. Box 1001 New Kingstown, PA 17072	Conodoguinet Creek WWF	Cumberland County Conservation District 310 Allen Road Carlisle, PA 17013 (717) 240-7812
Buffalo Township Perry County	PAG2035008001	John L. Brodisch 632 Center Road Newport, PA 17074	Board Run WWF	Perry County Conservation District P. O. Box 36 31 West Main Street New Bloomfield, PA 17068 (717) 582-5119
York Township York County	PAG2006708003	Dennis Flickinger 1601 Kenneth Road P. O. Box 7764 York, PA 17404	UNT to East Branch Codorus Creek CWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
Shrewsbury Township York County	PAG2006707090	Wayne K. McCullough 3280 Fissels Church Road P. O. Box 128 Glen Rock, PA 17327	South Branch Codorus Creek WWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
Penn Township York County	PAG2006707070	Joe A. Myers 160 Ram Drive Hanover, PA 17331	Plum Creek WWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
Bedford Township Bedford County	PAG20005040083	Real Partners Development 300 Orchard Avenue Altoona, PA 16602	UNT to Brush Creek WWF	Bedford County Conservation District 702 West Pitt Street Suite 3 Fairlawn Court Bedford, PA 15522 (814) 623-7900, Ext. 3
York Township York County	PAG2006707069	York Township Recreation Department Debra Hatley 190 Oak Road Dallastown, PA 17313	UNT to Mill Creek WWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
Fairview Township York County	PAG2006708024	Girish Patel SKHK, LLC 300 Commerce Drive New Cumberland, PA 17070	Yellow Breeches Creek CWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
York Township York County	PAG2006707091	York Township Water and Sewer Authority 190 Oak Road Dallastown, PA 17313	South Branch Codorus Creek WWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
Freedom Township Blair County	PAG2000708003	Texas Eastern Transmission, LP 890 Winter Street Suite 300 Waltham, MA 02451	South Dry Run WWF	Blair County Conservation District 1407 Blair Street Hollidaysburg, PA 16648 (814) 696-0877, Ext. 5

Facility Location & Municipality	Permit No.	Applicant Name & Address	Receiving Water/Use	Contact Office & Phone No.
Silver Spring Township Cumberland County	PAG2002107041	Mike Willis Cumberland Valley School District 6746 Carlisle Pike Mechanicsburg, PA 17050	Conodoguinet Creek WWF	Cumberland County Conservation District 310 Allen Road Carlisle, PA 17013 (717) 240-7812
Juniata Township Huntingdon County	PAG2003108002	Barry Filson R. D. 1 School House Road Hesston, PA 16647	UNT to Hawn's Run-Raystown Lake WWF	Huntingdon County Conservation District 10605 Raystown Road Suite A Huntingdon, PA 16652-1627 (814) 627-1627
Allegheny Township Blair County	PAG2000708005	Blair County Conservation District 1407 Blair Street Hollidaysburg, PA 16648	UNT to Sugar Run CWF	Blair County Conservation District 1407 Blair Street Hollidaysburg, PA 16648 (814) 696-0877, Ext. 5
East Manchester Township York County	PAG2006707066	Richard Dreher 100 Colliery Road Dickinson City, PA 18519	UNT to Codorus Creek WWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
Clearfield County Lawrence Township	PAG2001708001	Department of Transportation District 2-0 P. O. Box 342 Clearfield, PA 16830-0342	West Branch of Susquehanna River	Clearfield County Conservation District 650 Leonard Street Clearfield, PA 16830 (814) 765-2629
Clearfield County Lawrence Township	PAG2001708003	KCL Enterprises, Inc. P. O. Box 21 Curwensville, PA 16833	West Branch of Susquehanna River	Clearfield County Conservation District 650 Leonard Street Clearfield, PA 16830 (814) 765-2629
Butler County Butler Township	PAG2001007018	Butler County Community College P. O. Box 1203 Butler, PA 16003-1203	UNT Connoquenessing Creek WWF	Butler Conservation District (724) 284-5270
Madison Township Clarion County	PAG2101608004	BAMR P. O. Box 8476 Harrisburg, PA 17105-8476	UNT to Catfish Run WWF	BAMR P. O. Box 8476 Harrisburg, PA 17105-8476 (717) 783-1311
General Permit Ty	pe—PAG-3			
Facility Location:				
Municipality & County	Permit No.	Applicant Name & Address	Receiving Water/Use	Contact Office & Phone No.
Bradford Township McKean County	PAR148303	Georgia Pacific Corrugated II, LLC One Owens Way Bradford, PA 16701	UNT to the East Branch Tunungwant Creek	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
General Permit Ty	pe—PAG-4			
Facility Location & Municipality	Permit No.	Applicant Name & Address	Receiving Water/Use	Contact Office & Phone No.
Blair County Logan Township	PAG043869	Richard A. Huber, Jr. 112 West 9th Street Altoona, PA 16601	UNT Little Juniata River WWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707

Facility Location & Municipality	Permit No.	Applicant Name & Address	Receiving Water/Use	Contact Office & Phone No.
Sewickley Heights Borough Allegheny County	PAG046360	Margaret Piernik 5991 Fox Hollow North Ridgeville, OH 44039	UNT to Kilbuck Run	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
Waterford Township Erie County	PAG048492	Thomas A. Platz 12704 Smedley Road Waterford, PA 16441	UNT to French Creek 16-A	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Brokenstraw Township Warren County	PAG048336	Robert M. Manera 1470 Brown Hill Road Youngsville, PA 16371	Indian Camp Run 16-B	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Greene Township Erie County	PAG048915	David A. Quick 8832 Wattsburg Road Erie, PA 16509	UNT to Four Mile Creek 15-FM	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
General Permit Ty	pe—PAG-5			
Facility Location: Municipality & County	Permit No.	Applicant Name & Address	Receiving Water/Use	Contact Office & Phone No.
Springfield Township Montgomery County	PAG050011	BP North America 1 West Pennsylvania Avenue Suite 440 Towson, MD 21204	Wissahickon Creek 3F	Southeast Regional Office Water Management 2 East Main Street Norristown, PA 19401 (484) 250-5970
Upper Gwynedd Township Montgomery County	PAG050079	Sunoco, Inc. R & M 350 Eagleview Boulevard Suite 300 Exton, PA 19341	Wissahickon Creek 3F	Southeast Regional Office Water Management 2 East Main Street Norristown, PA 19401 (484) 250-5970
Lower Merion Township Montgomery County	PAG050080	Righters Ferry Associates, LP 2701 Renaissance Boulevard 4th Floor King of Prussia, PA 19406	Schuylkill River 3F	Southeast Regional Office Water Management 2 East Main Street Norristown, PA 19401 (484) 250-5970
East Rockhill Township Bucks County	PAG050083	Stan Duda Stan's Amoco 2450 Three Mile Run Perkasie, PA 18944	UNT of East Branch of Perkiomen Creek	Southeast Regional Office Water Management 2 East Main Street Norristown, PA 19401 (484) 250-5970

PUBLIC WATER SUPPLY (PWS) PERMITS

The Department of Environmental Protection has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel

Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of

itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Permit No. 8906WMA, Minor Amendment, Public Water Supply.

Applicant

Aqua Pennsylvania, Inc.
204 East Sunbury Street
Shamokin, PA 17872

Kingston Township

County Luzerne

Type of Facility Public Water System

(Meadowcrest well 4 contact

time)

Consulting Engineer CET Engineering Services

1240 North Mountain Road

Harrisburg, PA

Permit to Construct February 28, 2008

Issued

Permit No. 4592506MA, Minor Amendment, Public

Water Supply.

Applicant Pennsylvania American

Water

800 West Hersheypark Drive

Hershey, PA 17033 Hamilton Township

County **Monroe**Type of Facility PWS

Consulting Engineer Scott Thomas, P. E.

Pennsylvania American Water

852 Wesley Drive

Mechanicsburg, PA 17055

Permit to Construct

Issued

March 11, 2008

Permit No. 5401508-T1, Minor Amendment, Public Water Supply.

Applicant Hazleton Area Water

Company

410 West Mine Street Hazleton, PA 18201 West Penn Township

County Schuylkill

Type of Facility Bulk Water Hauling Facility

Consulting Engineer James Palumbo, P. E.

Quad Three Group, Inc. 72 Glenmaura National

Boulevard Moosic. PA 18507

Permit to Construct March 10, 2008

Issued

Permit No. 3908502, Public Water Supply.

Applicant Nestle Waters North America,

Inc.

Upper Macungie Township

County

Type of Facility

Consulting Engineer

Edward Davis, P. E.
Forino Company, LP

555 Mountain Home Road Sinking Spring, PA

Sinking Spring, PA March 4, 2008

Permit to Construct

Issued

Permit No. 3480046, Operations Permit, Public

Water Supply.

Applicant Bethlehem Authority

10 East Church Street Bethlehem, PA 18018 Lehigh Township

County Northampton

Type of Facility PWS

Consulting Engineer Phillip McLachlan, P. E.

Malcolm Pirnie, Inc. 111 South Independence

Mall-East Suite 1010

Philadelphia, PA 19107

Permit to Operate March 5, 2008

Issued

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA

17110.

Permit No. 3607512, Public Water Supply.

Applicant David L. Fite Reality, LTD

Municipality Providence Township

County Lancaster

Type of Facility This project is for a new water

system to serve a proposed development. The water system will consist of one well, disinfection, 6,000-gallon underground concrete tank, booster pumps and 4-inch

distribution system.

Consulting Engineer Charles A. Kehew II, P. E.

James R. Holley & Assoc., Inc.

18 South George Street

York, PA 17401

Permit to Construct March 13, 2008

Issued

Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Williamsport, PA

17701.

Hughesville Borough Authority, Public Water Supply, Lycoming County. The Source Water Protection (SWP) report for Hughesville Borough Authority has been approved on March 18, 2008. Hughesville Borough Authority personnel are to be commended for taking these proactive steps to protect these water sources for their community. Development of the program was funded, in part, by a SWP grant (L. Richard Adams, (570) 321-6581).

Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Permit No. 4300503-T1-MA2, Public Water Supply.

Applicant Aqua Pennsylvania, Inc.

Borough or Township
County
County
Type of Facility
Consulting Engineer

City of Farrell
Mercer County
Public Water Supply
Peter J. Kusky, P. E.

Division Engineer, Aqua PA, Inc. 6650 South Avenue

Boardman, OH 44512

Permit to Construct Issued

March 12, 2008

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted under section 5 of the Pennsylvania Sewage Facilities Act (35 P. S. § 750.5)

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

Plan Location:

Borough or Borough or Township

TownshipAddressCountyParadiseP. O. Box 40LancasterTownship2 Township DriveCounty

Paradise, PA 17562

Plan Description: The approved plan provides for a small flow treatment plant with a discharge to Pequea Creek to handle 2,000 gpd flow equalized for the National Toy Train Museum. The new system will resolve an onlot malfunction at the site. The ID number for this minor plan revision is A3-36943-170-3s and the APS number is 629218. The Department of Environmental Protection's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the owner, the Train Collectors' Association.

Plan Location:

Borough or Borough or Township

Township Address County
West Earl 157 West Metzler Road Lancaster
Township Brownstown, PA 17508

Plan Description: The approved Special Study provides a revised implementation schedule (dated April, 2007) for sewer projects to serve the Oregon Pike Developments, the Village of Talmage and the Conestoga View Area. The previous implementation schedules for these areas were identified in the township's Act 537 Plan Update that was approved by the Department of Environmental Protection (Department) on March 9, 2005. The Department's review of the sewage facilities update revision has not identified

any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

Plan Location: 565 Mud Run Road in Huntington Township, Adams County.

Borough or Borough or Township

Township Address County
Huntington P. O. Box 247
Township York Springs, PA 17372
Adams

Plan Description: The approved plan provides the installation of a small flow treatment facility to serve one new single-family residence. The name of the project is Robert Van Vliet and the Department of Environmental Protection (Department) Code No. is A3-01920-159-3s. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality, authority or owner as appropriate.

Plan Location:

Borough or Borough or Township
Township Address County
Conewago 490 Copenhaffer Road York County

Township York, PA 17404

Plan Description: The approved plan, in the name of Norma Bair, provides for a Small Flow Treatment Facility to serve an existing single-family residence. The Department of Environmental Protection's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the Owner.

SEWAGE FACILITIES ACT PLAN DISAPPROVAL

Plan Approvals Granted under section 5 of the Pennsylvania Sewage Facilities Act (35 P. S. § 750.5)

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

Plan Location:

Borough or Township
Address County

Bloomfield 422 Twin Ridge Road Bedford
Township New Enterprise, PA 16664 County

Plan Description: The Department of Environmental Protection has completed a review of the Health by Choice proposed official plan revision for six one-room overnight cabins served by an individual onlot sewage disposal system and a central water supply. The proposed plan was to be located on the west side of State Road 867 2.15 miles south of the intersection with State Road 868 in Bloomfield Township, Bedford County. The proposed plan was disapproved because the Completeness Checklist was not completed and signed by the Township official. Therefore, the requirements of 25 Pa. Code \$ 71.53(b) cannot be met for this submission and the project cannot be considered deemed approved by the Township.

HAZARDOUS SITES CLEAN-UP UNDER THE ACT OF OCTOBER 18, 1988

Public Notice of Proposed Consent Order and Agreement

Bottle House Site City of Allentown, Lehigh County

Under section 1113 of the Pennsylvania Hazardous Sites Cleanup Act (35 P. S. § 6020.1113) (HSCA), notice is hereby provided that the Pennsylvania Department of Environmental Protection (Department) has entered into de minimis settlements in the form of a Consent Order and Agreement (CO & A) with BASF Corporation; ConocoPhillips Company; E.I. du Pont De Nemours & Company; Georgia Gulf Corporation; Graver Technologies; Hoffmann-La Roche Inc.; Lyondell Chemical Company; Merck & Co., Inc.; Pharmacia Corporation; Nissan Chemical Industries, Ltd. and its subsidiaries Nissan Chemical America Corporation and Nissan Chemical Houston Corporation; NOVA Chemicals Corporation; Olin Corporation; Omnova Solutions Inc.; PolyOne Corporation; A. Schulman, Inc.; Stepan Company; and Syntex AgriBusiness, Inc. (Settlors). The CO & A's address the investigation and removal of hazardous substances that were left on the Bottle House Site (Site) by the Settlors. The Settlors will reimburse the Department their portion of the costs incurred to perform the site investigation/response activities at the Site.

The Site is located at 401—451 North Front Street, Allentown, Lehigh County and consists of a large threestory brick building that was the former bottling house for the Neuweiler Brewery. Brewery operations ceased at this site in the late 1960's. The Site then became an industrial property being utilized as a warehouse and manufacturing facility, which is surrounded on three sides by family residences and by a community recreational area on the fourth side. The operations resulted in large quantities of hazardous substances and or contaminants being stored in the building. The Department alleges that the Settlors sent nominal amounts of hazardous substances and/or contaminants to the Site. The Department initiated a prompt interim response action under the HSCA on September 27, 1999. The objective of this prompt interim response action was to eliminate the immediate threat to human health and safety and the environment posed by the hazardous substances and/or contaminants that were present on the site. The response was completed on April 28, 2000, at a cost of \$1,563,183.46.

The settlements proposed in each of the CO & A's referenced above would resolve certain potential claims of the Department solely against the Settlors, for future enforcement and reimbursement of response costs incurred by the Department in addressing the release or threat of release of hazardous substances at the Site. The claims originated under the authority of the Hazardous Sites Cleanup Act. The proposed settlements would require the Settlors to pay the Department the amounts listed below for their portion of the response costs.

Settlor	Amount
BASF Corporation	\$ 57,449.00
ConocoPhillips Company	\$ 13,867.00
E.I. du Pont De Nemours & Company	\$ 13,867.00
Georgia Gulf Corporation	\$ 10,908.00
Graver Technologies	\$ 15,848.00

Hoffmann-La Roche, Inc. \$ 19,810.00 Lyondell Chemical Company \$ 15,848.00 Merck & Co., Inc. \$ 9,905.00 Pharmacia Corporation \$ 21,791.00 Nissan Chemical Industries, Ltd. \$ 55,468.00 NOVA Chemicals Corporation \$ 3,962.00 Olin Corporation \$ 9,905.00 Omnova Solutions, Inc. \$ 57,449.00 PolyOne Corporation \$ 79,240.00 A. Schulman, Inc. \$ 13,867.00 Stepan Company \$ 25,753.00 Syntex AgriBusiness, Inc. \$ 13,867.00	Settlor	Amount
Merck & Co., Inc. \$ 9,905.00 Pharmacia Corporation \$ 21,791.00 Nissan Chemical Industries, Ltd. \$ 55,468.00 NOVA Chemicals Corporation \$ 3,962.00 Olin Corporation \$ 9,905.00 Omnova Solutions, Inc. \$ 57,449.00 PolyOne Corporation \$ 79,240.00 A. Schulman, Inc. \$ 13,867.00 Stepan Company \$ 25,753.00	Hoffmann-La Roche, Inc.	\$ 19,810.00
Pharmacia Corporation \$ 21,791.00 Nissan Chemical Industries, Ltd. \$ 55,468.00 NOVA Chemicals Corporation \$ 3,962.00 Olin Corporation \$ 9,905.00 Omnova Solutions, Inc. \$ 57,449.00 PolyOne Corporation \$ 79,240.00 A. Schulman, Inc. \$ 13,867.00 Stepan Company \$ 25,753.00	Lyondell Chemical Company	\$ 15,848.00
Nissan Chemical Industries, Ltd. \$ 55,468.00 NOVA Chemicals Corporation \$ 3,962.00 Olin Corporation \$ 9,905.00 Omnova Solutions, Inc. \$ 57,449.00 PolyOne Corporation \$ 79,240.00 A. Schulman, Inc. \$ 13,867.00 Stepan Company \$ 25,753.00	Merck & Co., Inc.	\$ 9,905.00
NOVA Chemicals Corporation \$ 3,962.00 Olin Corporation \$ 9,905.00 Omnova Solutions, Inc. \$ 57,449.00 PolyOne Corporation \$ 79,240.00 A. Schulman, Inc. \$ 13,867.00 Stepan Company \$ 25,753.00	Pharmacia Corporation	\$ 21,791.00
Olin Corporation \$ 9,905.00 Omnova Solutions, Inc. \$ 57,449.00 PolyOne Corporation \$ 79,240.00 A. Schulman, Inc. \$ 13,867.00 Stepan Company \$ 25,753.00	Nissan Chemical Industries, Ltd.	\$ 55,468.00
Omnova Solutions, Inc. \$ 57,449.00 PolyOne Corporation \$ 79,240.00 A. Schulman, Inc. \$ 13,867.00 Stepan Company \$ 25,753.00	NOVA Chemicals Corporation	\$ 3,962.00
PolyOne Corporation \$ 79,240.00 A. Schulman, Inc. \$ 13,867.00 Stepan Company \$ 25,753.00	Olin Corporation	\$ 9,905.00
A. Schulman, Inc. \$ 13,867.00 Stepan Company \$ 25,753.00	Omnova Solutions, Inc.	\$ 57,449.00
Stepan Company \$ 25,753.00	PolyOne Corporation	\$ 79,240.00
r J	A. Schulman, Inc.	\$ 13,867.00
Syntex AgriBusiness, Inc. \$ 13,867.00	Stepan Company	\$ 25,753.00
	Syntex AgriBusiness, Inc.	\$ 13,867.00

The specific terms of the settlements are set forth in the CO & A's between the Department and the Settlors, which is available for public review and comment. The Department will receive and consider comments relating to the CO & A's for 60 days from the date of this Public Notice. The Department has the right to withdraw its consent to the CO & A's if the comments concerning the CO & A's disclose facts or considerations which indicate that the CO & A's are inappropriate, improper or not in the public interest. After the public comment period, the Department's settlement with the Settlors shall be effective upon the date that the Department notifies the Settlors, in writing, that the CO & A's are final and effective in its present form and that the Department has filed a response to significant written comments to the CO & A's, or that no such comments were received.

Copies of the CO & A's are available for inspection at the Department's Northeast Regional Office. Comments may be submitted, in writing, to Karen Unruh, Department of Environmental Protection, Hazardous Sites Cleanup, 2 Public Square, Wilkes-Barre, PA 18711. Further information may be obtained by contacting Karen Unruh at (570) 826-2511. TDD users should contact the Department through the Pennsylvania Relay Services at (800) 645-5984.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results

which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, shall also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a Site-Specific Standard remediation. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media; benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the Environmental Cleanup Program manager in the Department regional office after which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Ronald S. Brezinski, Regional Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Goulds Pumps Ashland Foundry, Ashland and Butler Townships, Schuylkill County. ENSR, Corp., 2 Technology Park Drive, Westford, MA 01886 has submitted a Remedial Action Report package (on behalf of their client, ITT Goulds Pumps, 500 East Centre Street, Ashland, PA 17921), concerning the remediation of soils and groundwater found to have been impacted by lubricating oil as a result of a drum blow-down incident. The report was submitted to document attainment of the Residential Statewide Health Standard for soils and groundwater.

Goulds Pumps Ashland Foundry, Ashland and Butler Townships, Schuylkill County. ENSR, Corp., 2 Technology Park Drive, Westford, MA 01886, has submitted a Remedial Investigation Report/Final Report package (on behalf of their client, ITT Goulds Pumps, 500 East Centre Street, Ashland, PA 17921), concerning the remediation of soils and groundwater found to have been impacted by petroleum constituents and metals. The applicant has proposed Site-Specific Standard remediation of the soils and groundwater for metals and the Statewide Health Standard for soils and groundwater for the remaining petroleum related constituents. The report was submitted to document attainment of the Statewide Health Standard and the Site-Specific Standard for both matrixes.

PPL Gas Utilities Corp-Former Bangor MGP Site, Borough of Bangor, Northampton County. John J. Mahfood, Project Manager, Corporate Environmental Solutions, LLC, 260 Miller Run Road, Bridgeville, PA 15017 has submitted a Remedial Investigation Report (on behalf of his client, PPL Gas Utilities Corporation, 2 North Ninth Street, Allentown, PA 18101), concerning the characterization of soils/groundwater impacted by polycyclic aromatic hydrocarbons, benzene, ethyl benzene and xylenes associated with the manufacturing of coal gas. The report was submitted in partial fulfillment of the Site-Specific Standard. A public notice regarding the submittal of the Remedial Investigation Report was published in the Easton Express Times on February 14, 2008.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

Ralph Heimer Property, 232 South Allen Street, State College, PA, State College Borough, Centre County. Blazosky Associates, Inc., 2525 Green Tech Drive, Suite D, State College, PA 16803 on behalf of Ralph Heimer, Jacamar Enterprises, Inc., 426 East College Avenue, State College, PA 16801 has submitted a Final Report concerning remediation of site soil contaminated with fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of 25 Pa. Code \S 250.8, administration of the Land Recycling and Environmental Remediation Standards Act (act), require the Department of Environmental Protection (Department) to publish in the Pennsylvania Bulletin a notice of final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by provisions of the act for compliance with selection of remediation to a Site-Specific Standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media, benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by provisions of the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the Environmental Cleanup Program manager in the Department regional office before which the notice of the plan or report appears. If information concerning a final report is required in an alternative

form, contact the Community Relations Coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Ronald S. Brezinski, Regional Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

PPL Gas Utilities Corp.—Former Bangor MGP Site, Borough of Bangor, Northampton County. John J. Mahfood, Project Manager, Corporate Environmental Solutions, LLC, 260 Miller Run Road, Bridgeville, PA 15017 submitted a Remedial Investigation Report (on behalf of his client, PPL Gas Utilities Corporation, 2 North Ninth Street, Allentown, PA 18101), concerning the characterization of soils/groundwater impacted by polycyclic aromatic hydrocarbons, benzene, ethyl benzene and xylenes associated with the manufacturing of coal gas. The report was submitted in partial fulfillment of the Site-Specific Standard and was approved on March 17, 2008.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

BRT, Inc., Accidental Gasoline Release, East Lampeter Township, Lancaster County. Marshall Geoscience, Inc., 170 East First Avenue, Collegeville, PA 19426, on behalf of Wawa, Inc., 260 West Baltimore Pike, Media, PA 19063-5620 and BRT, Inc., 813 North Octorara Trail, Parkesburg, PA 19365, submitted a final report concerning remediation of surface water contaminated with gasoline. The final report demonstrated attainment of the Residential Statewide Health Standard and was approved by the Department of Environmental Protection on March 11, 2008.

Harman Stove Company, Jackson Township, Dauphin County. GeoServices, Ltd., 1525 Cedar Cliff Drive, Camp Hill, PA 17011, on behalf of Harman Stove Company, 352 Mountain House Road, Halifax, PA 17032, submitted a final report concerning remediation of site soils contaminated with paint waste and xylene. The final report demonstrated attainment of the Residential Statewide Health Standard and was approved by the Department of Environmental Protection on March 12, 2008.

Columbia Gas of Pennsylvania Service Center, Gettysburg Borough, Adams County. ENSR, 2 Technology Park Drive, Westford, MA 01866-3140, on behalf of Columbia Gas of Pennsylvania, 1020 North Hartley Street, York, PA 17404 and NiSource Corporate Services Company, 300 Frieberg Parkway, Westborough, MA 01581-3900, submitted a Cleanup Plan concerning remediation of site soils and groundwater contaminated with coal tar and PAHs. The plan was approved by the Department of Environmental Protection on March 12, 2008. The applicant seeks to remediate the site to the Site-Specific Standard.

Glen-Gery Corporation, Lower Heidelberg Site, Lower Heidelberg Township, Berks County. Groundwater & Environmental Services, Inc., 440 Creamery Way, Suite 500, Exton, PA 19341, on behalf of Glen-Gery Corporation, Mid-Atlantic Plant, 423 South Pottsville Pike, Shoemakersville, PA 19555, submitted a Final Report concerning remediation of site soils and groundwater contaminated with arsenic and lead. The final report demonstrated attainment of the Residential Statewide Health Standard and was approved by the Department of Environmental Protection on March 17, 2008

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

Metzger Estate, Muncy Township, Lycoming County, Chambers Environmental Group, Inc., 620 East Rolling Ridge Drive, Bellefonte, PA 16823 on behalf of Andrea Bower, Attorney for Metzger Estate, 426 Broad Street, Montoursville, PA 17754 has submitted a Final Report concerning remediation of site soil and groundwater contaminated with petroleum. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department of Environmental Protection on March 14, 2008.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permit Issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401.

Permit No. 301077. Clean Harbors PPM, LLC, 4105 Whitaker Avenue, Philadelphia, PA 19124, City of Philadelphia, **Philadelphia County**. This permit was issued for a 10-year renewal for continued operations of the residual waste transfer facility known as Clean Harbors PPM, LLC located in Philadelphia County. The permit was issued by the Southeast Regional Office on March 7, 2008.

Northcentral Region: Regional Solid Waste Manager, 208 West Third Street, Williamsport, PA 17701.

Permit No. 101217. Northern Tier Solid Waste Authority, P. O. Box 162, 200 Tioga Street, Wellsboro, PA 16901-0162, located in Delmar Township, Tioga County. A permit reissuance was issued for the change of ownership from Casella Waste Management to Northern Tier Solid Waste Authority and the name change from the Wellsboro Area Transfer Station to the Tiadaghton Area Transfer Station. This permit reissuance was issued by the Williamsport Regional Office on March 3, 2008.

Persons interested in reviewing the permit should contact David Garg, P. E., Facilities Manager, Williamsport Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3653. TDD users should contact the Department of Environmental Protection through the Pennsylvania Relay Service, (800) 654-5984.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Sachin Shankar, New Source Review Chief, (484) 250-5920.

09-301-125GP: Allied Crematory, LLC (854 Bristol Pike, Bensalem, PA 19020) on March 13, 2008, to operate a human crematory in Bensalem Township, **Bucks County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Mark Neal Elko, New Source Review Chief, (570) 826-2531.

- **48-329-007GP9: Grand Central Sanitary Landfill, Inc.** (910 West Pennsylvania Avenue, Pen Argyl, PA 18072) on March 12, 2008, to install and operate two Diesel I/C Engines at their site at the Turnpike Site in Planifield Township, **Northampton County**.
- **45-310-050GP3: Haines & Kibblehouse** (P. O. Box 196, 2052 Lucon Road, Skippack, PA 19474) on March 14, 2008, to construct and operate a Portable Crushing Operation with watersprays at their site in Tobyhanna Township, **Monroe County**.
- **45-329-007GP9: Tobyhanna Army Depot** (11 Hap Arnold Boulevard, Tobyhanna, PA 18466) on March 14, 2008, to install and operate a Diesel I/C Engine at their site in Coolbaugh Township, **Monroe County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.

- **GP-10-284A: Seneca Landfill, Inc.** (Hartman Road, Mars, PA 16046) on March 13, 2008, for a Portable Nonmetallic Mineral Processing Plant consisting of an Extec Crusher and Vibratory Screen BAQ/GPA/GP-3 in Jackson and Lancaster Townships, **Butler County**.
- **GP-20-288A: Suburban Heating Oil Partners, LLC** (16717 State Highway, Saegertown, PA 16433) on March 11, 2008, for a 20,000 gallon gasoline storage tank BAQ/GPA/GP-2 in Hayfield Township, **Crawford County**.
- **GP-61-213A: Rock Well Petroleum—US, Inc.** (Highway 36, Pleasantville, PA 16314) on March 11, 2008, for a Caterpillar Engine BAQ/GPA/GP-11 in Allegheny Township, **Venango County**.
- Plan Approvals Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Sachin Shankar, New Source Review Chief, (484) 250-5920.

09-0186B: Kinder Morgan Bulk Terminals, Inc. (1 Sinter Lane, Fairless Hills, PA 19030) on March 13, 2008, for modification of a Bulk Material Handling System (Source ID: 101), to have the option of unloading by means of self-unloading vessels in Falls Township, Bucks County. The only pollutants of concern from this operation are PM and HAP emissions. The use of selfunloading vessels will increase the potential-to-emit of total PM emissions from the Bulk Material Handling System from 73.32 tpy to 74.60 tpy. Likewise, PM10 emissions will increase from 19.98 tpy to 20.59 tpy and total HAP emissions will increase from 9.88 tpy to 10.0 tpy. This facility will continue to be a non-Title V facility. PM and HAP emissions will be controlled by water suppression, chemical suppression, covers and barriers, as needed. The Plan Approval will contain recordkeeping and operating restrictions designed to keep the facility operating within the allowable emissions and all applicable air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Neal Elko, New Source Review Chief, (570) 826-2531.

- **66-310-013: Airport Sand & Gravel Co., Inc.** (500 Swetland Lane, West Wyoming, PA 18644) on March 18, 2008, to install a crushing operation with water sprays at their facility to be in Nicholson Township, **Wyoming County**.
- **54-303-019: Lehigh Asphalt Paving & Construction Co.** (P. O. Box 549, Tamaqua, PA 18252) on March 5, 2008, to construct a batch asphalt plant with RAP and WDLF at their facility in West Penn Township, **Schuylkill County**.
- **39-399-059: GEO Specialty Chemicals, Inc.** (2409 North Cedar Crest Boulevard, PA 18104) on March 17, 2008, to revise operational terms listed in the Title V Operating Permit No. 39-00024 for the existing formaldehyde plant catalytic incinerator in South Whitehall Township, **Lehigh County**.
- **39-309-072: Lafarge North America, Inc.** (5160 Main Street, Whitehall, PA 18052) on March 17, 2008, to replace/install an air cleaning device (fabric collector) for the H1-H4 homogenizing silos in Whitehall Township, **Lehigh County**.
- **39-309-071: Lafarge North America, Inc.** (5160 Main Street, Whitehall, PA 18052) on March 17, 2008, to replace/install the induced draft fan for cement kiln No. 2 in Whitehall Township, **Lehigh County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

- **21-05052A: Valk Manufacturing Co.** (66 East Main Street, P. O. Box 428, New Kingstown, PA 17072-0428) on March 12, 2008, for a snow plow and blade manufacturing operation in Silver Spring Township, **Cumberland County**.
- **22-03002A:** Conopco—d/b/a UnileverBestfoods North America (523 South 17th Street, Harrisburg, PA 17104-2220) to permit burning of No. 6 fuel oil in their two boilers at their site in the City of Harrisburg, **Dauphin County**.
- **31-05018A: Texas Eastern Transmission, LP** (P. O. Box 1642, Houston, TX 77251-1642) on March 17, 2008, to remove a redundant continuous emissions monitoring requirement in the existing permit for the facility in Todd Township, **Huntingdon County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.

- **24-119A:** Advanced Heat Treating, Inc. (1059 Trout Run Road, City of Saint Marys, PA 15857) on March 11, 2008, to replace an existing mist eliminator with a Smog Hog type electrostatic precipitator at their facility site in the City of Saint Marys, **Elk County**. This is not a Title V facility.
- **27-033B: National Forest Products, LTD** (South Forest Street, Marienville, PA 16239) on March 10, 2008, to construct a surface coating operation in Jenks Township, **Forest County**.
- **37-243E: INMETCO** (One INMETCO Drive, Ellwood City, PA 16117) on March 10, 2008, to install two additional chambers to an existing inplant baghouse in Ellwood City Borough, **Lawrence County**. The baghouse will increase its capacity from 67,450 scfm to 87,060 scfm. This is a Title V facility.
- **42-215A: Kane Area School District** (6965 Route 321, Kane, PA 16735) on March 12, 2008, to install a Bio-Mass Fuel-Fired Boiler with a multicyclone control

device for Particulate Equipment at their Kane facility in the Township of Kane, **McKean County**.

61-004D: Electralloy (175 Main Street, Oil City, PA 16301) on March 12, 2008, to install a new fabric filter to replace the existing scrubber to control emissions from the electric arc furnace and AOD vessels at their facility in the Borough of Oil City, **Venango County**. The facility currently has a Title V permit which was issued October 31, 2002.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Sachin Shankar, New Source Review Chief, (484) 250-5920.

09-0124B: Fairless Energy, LLC (5000 Dominion Boulevard, Glen Allen, VA 01742) on March 13, 2008, for the natural gas-fired 550 Mw combined cycle electric generating facility at Falls Township, **Bucks County**. This plan approval was modified.

46-0014F: Knoll, Inc. (1235 Water Street, P. O. Box 157, East Greenville, PA 18041) on March 11, 2008, to operate a cyclone dust collector in Upper Hanover Township, **Montgomery County**.

09-0024C: Waste Management Disposal Services of PA, Inc. (1000 New Ford Mill Road, Morrisville, PA 19067) on March 11, 2008, to operate a landfill in Tullytown Borough, **Bucks County**.

09-0110B: Riverside Construction Materials, Inc. (355 Newbold Road, Fairless Hills, PA 19030) on March 11, 2008, to operate a material handling system in Bristol Township, **Bucks County**.

15-0077: Hanson Aggregates PA, Inc. (P. O. Box 231, Easton, PA 18044) On March 11, 2008, to operate a crusher in East Caln Township, **Chester County**.

46-0035D: SmithKline Beecham—d/b/a Glaxo-SmithKline (709 Swedeland Road, King of Prussia, PA 19406) on March 11, 2008, to operate an incinerator in Upper Merion Township, **Montgomery County**.

46-0221: Upper Moreland Hatboro Joint Sewer Authority (P. O. Box 535, 2875 Terwood Road, Willow Grove, PA 19090) on March 11, 2008, to operate a tri-mer odor scrubbers in Upper Moreland Township, **Montgomery County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

06-03134: Dietrich's Specialty Processing, LLC (61 Vanguard Drive, Reading, PA 19606) on March 23, 2008, to install new food processing dryers at their plant in Exeter Township, **Berks County**. This plan approval was extended.

38-05027A: Reading Materials, Inc.—Lebanon Materials Division (P. O. Box 1467, Skippack, PA 19474-1467) on February 12, 2008, to convert the existing rotary dryer burner to be capable of burning No. 2 fuel oil, No. 4 fuel oil and On-Specification Waste Derived Liquid Fuel in addition to natural gas in North Annville Township, **Lebanon County**. This plan approval was extended.

67-02004: P.H. Glatfelter Co. (228 South Main Street, Spring Grove, PA 17362) on February 24, 2008, to operate three power boilers controlled by an electrostatic precipitator, a lime calciner controlled by a Venturi scrubber and a softwood fiber line and causticizing area to be controlled by a regenerative thermal oxidizer in Spring Grove Borough, **York County**. This plan approval was extended.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

18-315-001: First Quality Tissue, LLC (904 Woods Avenue, Lock Haven, PA 17745) on March 14, 2008, to extend the deadline for the performance of VOC stack testing on the Nos. 1 and 2 dryers and glue containment area of a paper machine (paper machine No. 1) while the machine is manufacturing tissue paper, or other light stock paper products and the deadline for the performance of PM, NOx, CO and VOC stack testing on a second paper machine (paper machine No. 2) both while the machine is manufacturing paper towel, or other heavy stock paper products, and while it is manufacturing tissue paper, or other light stock paper products, to July 27, 2008, as well as to extend the authorization to operate the respective two paper machines on a temporary basis to July 12, 2008, in Castanea Township, **Clinton County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, M. Gorog and B. Hatch, Environmental Engineer Managers, (412) 442-4163/5226.

03-00189: Glacial Sand & Gravel Co., Bridgeburg River Plant (P. O. Box 1022, Kittanning, PA, 16201-5022) on March 5, 2008, for an administrative amendment of its operating permit to revise the permit contact name and telephone number at their facility in East Franklin Township, **Armstrong County**.

04-00699F: NGC Industries, Inc., d/b/a/ National Gypsum Co. (2001 Rexford Road, Charlotte, NC 28211) on February 13, 2008, for installation of a 120 ton per hour Cage Mill at Shippingport Plant in Shippingport Borough, **Beaver County**. This is a Plan Approval Extension.

04-00725A: Pennsylvania Biodiesel, Inc. (Northgate Industrial Park, 759 Northgate Circle, New Castle, PA 16105) on March 13, 2008, for an extension of the Plan Approval for the construction and temporary operation of a biodiesel manufacturing plant located in Potter Township, **Beaver County**.

30-00099E: Allegheny Energy Supply Company, 800 Cabin Hill Drive, Greensburg, PA 15601, on March 13, 2008, to allow the combustion of Powder River Basin Coal at the Hatfield Ferry Power Station located in Monongahela Township, **Greene County** has been extended to July 13, 2008, to allow the Department of Environmental Protection time to review the stack test. This is a Plan Approval Extension.

Title V Operating Permits Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Yasmin Neidlinger, Facilities Permitting Chief, (717) 705-4702. **06-05033: Texas Eastern Transmission, LP** (2601 Market Place, Suite 400, Harrisburg, PA 17110-9363) on March 13, 2008, to operate a natural gas transmission compressor station at the Bernville Compressor Station in North Heidelberg Township, **Berks County**. This is a renewal of the Title V operating permit.

21-05003: Carlisle Tire & Wheel Company (621 North College Street, Carlisle, PA 17013-1877) on March 5, 2008, to operate their specialty tire manufacturing facility in Carlisle Borough, **Cumberland County**. This is a renewal of the Title V Operating Permit.

21-05026: Carlisle Syntec, Inc. (P. O. Box 7000, Carlisle, PA 17013-0925) on March 5, 2008, to operate their synthetic rubber roofing manufacturing plant in Carlisle Borough, **Cumberland County**. This is a renewal of the Title V Operating Permit.

36-05024: Bigbee Steel & Tank Company (1 Highland Road, Stoystown, PA 15563) on March 10, 2008, to operate their steel storage tank manufacturing facility in Rapho Township, **Lancaster County**. This is a renewal of the Title V Operating Permit.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.

46-00054: Abington Memorial Hospital (1200 Old York Road, Abington, PA 19001-3720) on March 13, 2008, for operation of a hospital in Abington Township, **Montgomery County**. The permit is for a non-Title V (State-only) facility. The hospital has the potential to emit 24.99 tpy of NOx. There have been no changes since the permit was last issued on March 13, 2007. The permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

46-00150: Montgomery County SPCA (1059 Sweifford Road, Perkiomenville, PA 18074) on March 13, 2008, for a renewal of their State-only (Natural Minor) Operating Permit, in Upper Frederick Township, **Montgomery County**. The Montgomery County SPCA operates and maintains an animal crematorium, from which the main pollutants emitted are NOx and PM. The actual emission rates of NOx and PM from the crematorium are each less than 1 tpy. No changes have occurred at the facility since the permit was originally issued on December 3, 2002. The renewed permit will include the same monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

15-00084: Jane Latta, VMD (725 East Washington Street, West Chester, PA 19380) March 13, 2008, for renewal of the State-only (Natural Minor) Operating Permit in West Goshen Township, Chester County. Jane Latta, VMD, operates and maintains an animal crematorium, from which the main pollutants emitted are NOx and PM. The actual emission rates of NOx and PM from the crematorium are each less than 1 tpy. No changes have occurred since the permit was amended on June 22, 2007. The renewed permit will include the same monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

09-00191: Bucks County Water and Sewer Authority (360 Green Street, Doylestown, PA 18901) on March 13, 2008, for a non-Title V Facility, State-only, Natural Minor Operating Permit in Doylestown Borough, **Bucks County**. The permit is for the operation of a wastewater treatment plant (WWTP) and associated packed bed wet scrubber to control odor (hydrogen sulfide) emissions. The facility's major emission point is an emergency generator that provides backup power for the WWTP. The emergency generator is limited to operating no more than 500 hours per year, such that the facility pollutant potential to emit for NOx (the main pollutant emitted at the facility) is less than 3 tpy. The permit will include monitoring, recordkeeping, reporting and work practice requirements designed to keep the facility operating within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

06-03097: Kore Mart Limited (P. O. Box 175, 7 Hill Drive, Hamburg, PA 19526-0175) on March 10, 2008, to operate their sand mold manufacturing facility in Tilden Township, **Berks County**.

67-03001: Frito Lay, Inc. (3553 Gillespie Drive, York, PA 17404-5803) on March 5, 2008, to operate their snack manufacturing facility in West Manchester Township, **York County**. This is a renewal of the facility's State-only operating permit.

67-05067: Persing Enterprises, Inc. (214 North Franklin Street, Red Lion, PA 17356-1503) on March 12, 2008, to operate their wood furniture manufacturing facility in Red Lion Borough, **York County**. This is a renewal of the State-only operating permit.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Matthew Williams, Facilities Permitting Chief, (814) 332-6940.

10-00234: Karns City Area School District (1446 Kittanning Pike, Karns City, PA 16041) on March 11, 2008, the Department of Environmental Protection reissued the Natural Minor Operating Permit for the operation of the facility's air contamination sources consisting of a two tri-fuel boilers rated at 5.20 mmBtu/hr and an emergency generator located in Fairview Township, Butler County.

20-00005: W. L. Dunn Construction Co. (180 North Franklin Street, Cochranton, PA 16314) on March 11, 2008, the Department of Environmental Protection reissued the Synthetic Minor Operating Permit for the operation of the facility's air contamination sources consisting of: an asphalt batch plant-liquid asphalt storage, natural gas drum dryer and storage piles; concrete mixing plant-unloading/loading sand/aggregate, storage bins, weigh hopper and mixer; and washer/crusher plant-storage, stock piling, screening and unloading/loading located in the East Fairfield Township, **Crawford County**.

42-00111: Ethan Allen Inc.—Eldred Division (3289 Route 446, Eldred, PA 16731) on March 10, 2008, the Department of Environmental Protection reissued the Natural Minor Operating Permit for the facility's air contamination sources consisting of: wood working opera-

tion, six (0.5 mmBtu/hr) ovens, seven spray booths and an emergency generator for the manufacturing of wood household furniture in the Borough of Eldred, **McKean County**.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Neal Elko, New Source Review Chief, (570) 826-2531.

48-00034: Lafayette College (Plant Operations Building, Easton, PA 18042) on March 12, 2008, to administratively amend the operating permit to derate two Nebraska boilers from 37.5 mmBtu/hr each to 29.5 mmBtu/hr.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

01-03017: Premier Chemicals, LLC (300 Barr Harbor Drive, Suite 250, West Conshocken, PA 19428-2998) on March 7, 2008, for their milling facility in Menallen Township, **Adams County**. This State-only operating permit was administratively amended to permit the mill to run a variety of mineral ores at 10 tph. This is Revision No. 2.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Matthew Williams, Facilities Permitting Chief, (814) 332-6940.

10-00300: Spang and Co.—Magnetics Division (796 East Butler Road, East Butler, PA 16002) on March 13, 2008, for an administrative amendment to the facilities Natural Minor Operating Permit in East Butler Borough, Butler County. The facility is permitted to operate product lines which manufacture magnetic components and materials. This amendment was for a change of Responsible Official and Permit Contact Person.

42-004: American Refining Group, Inc. (77 North Kendall Avenue, Bradford, PA 16701) on March 11, 2008, to revise the short-term emission limit for NOx for Boiler No. 5 contained in the RACT Operating Permit at the company's refinery in the City of Bradford, **McKean County**. The short-term emission limit for NOx was increased to 0.65 pound per million Btus. The 12-month rolling emission limit for NOx remains unchanged at 370.11 tpy.

De Minimis Emissions Increases Authorized under 25 Pa. Code § 127.449.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Barbara Hatch, Facilities Permitting Chief, (412) 442-4174.

03-00170: Sylvan America, Inc. (199 Nolte Drive, Kittanning, PA 16201) De Minimis emission increase of 0.876 ton of NOx per year, 0.675 ton of CO per year and lesser amount of other pollutants resulting from the installation of a 2.0 mmBtu/hr gas-fired dryer on or about February 1, 2008, at the West Hills Spawn Plant located in East Franklin Township, **Armstrong County**.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 Water Quality Certification and the NPDES permit application. Mining activity permits issued in response to the applications will also address the application permitting requirements of the following statutes: the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

Coal Permits Actions

California District Office: 25 Technology Drive, Coal Center, PA 15423, (724) 769-1100.

Permit Number: 30831303 and NPDES Permit No. PA0013511, Cumberland Coal Resources, LP, (158 Portal Road, P. O. Box 1020, Waynesburg, PA 15370), to revise the permit for the Cumberland Mine in Whiteley Township, Greene County to install 11 ventilation boreholes. Surface Acres Proposed 2.39. No additional discharges. Application received April 16, 2007. Permit issued March 10, 2008.

Permit Number: 32851601 and NPDES Permit No. PA0095966, P & N Company, (P. O. Box 332, Punxsutawney, PA 15767), to renew the permit for the Hillman Tipple in Banks Township, Indiana County and related NPDES permit. No additional discharges. Application received May 16, 2007. Permit issued March 12, 2008.

Permit Number: 56061301 and NPDES Permit No. PA0235709 and GP12-56061301-R1, RoxCOAL, Inc., (P. O. Box 149, Friedens, PA 15541), to operate the Kimberly Run Mine in Somerset Township, Somerset County a new underground mine and related NPDES permit. In addition, approval is authorized under General Permit BAQ-GAP/GP12 to screen, store and ship coal and is required to meet all applicable limitations, terms and conditions of authorization GP12-56061301-R1. Surface Acres Proposed 66.7, Underground Acres Proposed 2638.0, Subsidence Control Plan Acres Proposed 842.7. Receiving stream: Kimberly Run, classified for the following use: CWF. Application received December 22, 2006. Permit issued March 13, 2008.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

56070102 and NPDES No. PA0262307. Godin Brothers, Inc., 128 Colton Drive, Stoystown, PA 15563, commencement, operation and restoration of a bituminous surface mine in Lincoln Township, Somerset County, affecting 24.8 acres. Receiving stream: Quemahoning Creek classified for the following use: CWF. The first downstream potable water supply intake from the point of discharge is Greater Johnstown Water Authority. This permit application includes a stream variance on Quemahoning Creek. The variance is for pond construc-

tion within 100' of Quemahoning Creek. Application received February 8, 2007. Permit issued March 10, 2008.

56060104 and NPDES No. PA0249963. Fieg Brothers, 3070 Stoystown Road, Stoystown, PA 15563-8184, commencement, operation and restoration of a bituminous surface mine in Shade Township, **Somerset County**, affecting 107.2 acres. Receiving streams: Hinson Run; UNT's to Hinson Run classified for the following use: CWF. The first downstream potable water supply intake from the point of discharge is Cambria-Somerset Authority, Border Dam Intake, on Stonycreek River. The application includes a stream encroachment to construct a haul road within the barrier area of/and across Hinson Run, approximately 1,500' upstream of its junction with Doe Valley Drive. The purpose of the haul road is to provide access to the proposed mine site. Application received March 29, 2006. Permit issued March 11, 2008.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, (724) 925-5500.

26810123 and NPDES Permit No. PA0079740. Shenango, Inc. (200 Neville Road, Pittsburgh, PA 15225). NPDES renewal issued for continued treatment of a mine drainage discharge at a bituminous surface mining site located in Luzerne Township, Fayette County, affecting 793 acres. Receiving stream: UNT to Monongahela River. Application received February 22, 2007. Renewal issued March 10, 2008.

26713049 and NPDES Permit No. PA0119172. Shenango, Inc. (200 Neville Road, Pittsburgh, PA 15225). NPDES renewal issued for continued treatment of a mine drainage discharge at an existing bituminous surface mining site located in Luzerne Township, Fayette County, affecting 359.6 acres. Receiving streams: Minnow Run to the Monongahela River. Application received February 22, 2007. Renewal issued March 10, 2008.

3371BSM42 and NPDES Permit No. PA0251071. Shenango, Inc. (200 Neville Road, Pittsburgh, PA 15225). NPDES renewal issued for continued treatment of a mine drainage discharge at an existing bituminous surface mining site located in Luzerne Township, Fayette County, affecting 1,216.7 acres. Receiving stream: UNT to the Monongahela River. Application received February 22, 2007. Renewal issued March 10, 2008.

3373SM10 and NPDES Permit No. PA0251062. Shenango, Inc. (200 Neville Road, Pittsburgh, PA 15225). NPDES renewal issued for continued treatment of a mine drainage discharge at an existing bituminous surface mining site located in Luzerne Township, **Fayette County**, affecting 99.2 acres. Receiving stream: UNT to the Monongahela River. Application received February 22, 2007. Renewal issued March 10, 2008.

02070103 and NPDES Permit No. PA0251194. Collier Development Co., Inc. (Box 334, Presto, PA 15142). Permit issued for commencement, operation and reclamation of a bituminous surface mining site located in Collier Township, Allegheny County, affecting 9.0 acres. Receiving stream: UNT "A" to Chartiers Creek. Application received November 13, 2007. Permit issued March 12, 2008.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200.

17010114 and NPDES No. PA0243175. Forcey Coal, Inc. (P. O. Box 225, 475 Banian Road, Madera, PA 16661), permit renewal for reclamation only of a bituminous surface mine in Penn Township, Clearfield County,

affecting 128.0 acres. Receiving streams: UNT to Bell Run No. 1 to Bell Run. There are no potable water supply intakes within 10 miles downstream. Application received January 28, 2008. Permit issued March 4, 2008.

Noncoal Permits Actions

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

Permit No. 44070801. Adam K. Russler, 1057 River Road, McVeytown, PA 17051, commencement, operation and restoration of a small noncoal (industrial minerals) operation in Bratton Township, **Mifflin County**, affecting 5 acres, receiving streams: UNT to Juniata River. Application received October 18, 2007. Permit issued March 11, 2008.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

16970307. Glenn O. Hawbaker, Inc. (1952 Waddle Road, State College, PA 16803). Renewal of NPDES Permit No. PA0227609, Beaver, Richland and Licking Townships, **Clarion County**. Receiving stream: UNT to Turkey Run. Application received January 22, 2008. Permit issued March 11, 2008.

25900304. Wroblewski Sand & Gravel, Inc. (12907 Half Moon Road, Wattsburg, PA 16442). Transfer of an existing sand and gravel operation from Hoover Sand & Gravel Co., Inc. in Venango Township, **Erie County** affecting 49.3 acres. Receiving stream: West Branch of French Creek. Application received September 25, 2007. Permit issued March 7, 2008.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

45880301C and NPDES Permit No. PA0594113. Tarheel Quarry, Inc., (2000 Highway 35, Morgan, NJ 08873), correction to add a new processing plant, stream crossing and mining area to an existing quarry operation in Tobyhanna Township, **Monroe County** affecting 406.0 acres, receiving stream: UNT to Lehigh River. Application received August 13, 2007. Correction issued March 13, 2008.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 (43 P.S. §§ 151—161); and 25 Pa. Code § 211.124 (relating to blasting activity permits). Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Actions

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

21084111. Warrens Excavating & Drilling, Inc., P. O. Box 1022, Honey Brook, PA 19344-0902, blasting activity permit issued for residential development in Silver Spring Township, **Cumberland County**. Blasting activity permit end date is February 1, 2009. Permit issued March 3, 2008.

28084105. David H. Martin Excavating, Inc., 4961 Cumberland Highway, Chambersburg, PA 17201-9655, blasting activity permit issued for commercial development in Greene Township, **Franklin County**. Blasting activity permit end date is March 3, 2009. Permit issued March 3, 2008.

- **28084106. R & M Excavating**, 403 Hilltop Road, Newburg, PA 17240-9202, blasting activity permit issued for residential development in Waynesboro Borough, **Franklin County**. Blasting activity permit end date is February 20, 2009. Permit issued March 6, 2008.
- **21084112. Dyno Nobel, Inc.**, 1320 Galiffa Drive, Donora, PA 15033, blasting activity permit issued for residential development in Silver Spring Township, **Cumberland County**. Blasting activity permit end date is March 30, 2009. Permit issued March 6, 2008.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

- **45084106.** Explosive Services, Inc., (7 Pine Street, Bethany, PA 18431), construction blasting for the Mt. Hollow Development in Stroud Township, **Monroe County** with an expiration date of March 9, 2009. Permit issued March 11, 2008.
- **48084104. Austin Powder Company**, (25800 Science Park Drive, Cleveland, OH 44122), construction blasting for commercial development in Glendon Borough, **Northampton County** with an expiration date of March 10, 2009. Permit issued March 11, 2008.
- **06084108.** Warren's Excavating & Drilling, Inc., (P. O. Box 1022, Honey Brook, PA 19344), construction blasting for Brookfield Manor in Sinking Spring Borough, **Berks County** with an expiration date of March 1, 2009. Permit issued March 13, 2008.
- **06084109. Keystone Blasting Service**, (381 Reifsnyder Road, Lititz, PA 17543), construction blasting for Phoebe Berks Village in Lower Heidelberg Township, **Berks County** with an expiration date of December 30, 2008. Permit issued March 13, 2008.
- **15084105. Austin Powder Company**, (25800 Science Park Drive, Cleveland, OH 44122), construction blasting for Uptown Worthington Project in East Whiteland Township, **Chester County** with an expiration date of January 25, 2009. Permit issued March 13, 2008.
- **22084103. Dyno-Nobel, Inc.**, (567 Main Street, Tremont, PA 17981), construction blasting for Hummelstown Cemetery in Hummelstown Borough, **Dauphin County** with an expiration date of March 30, 2009. Permit issued March 13, 2008.
- **23084101.** American Rock Mechanics, Inc., (7531 Chestnut Street, Zionsville, PA 18092), construction blasting for Riddle Hospital in Middletown Township, **Delaware County** with an expiration date of March 6, 2009. Permit issued March 13, 2008.
- **38084104.** J. Roy's, Inc., (Box 125, Bowmansville, PA 17507), construction blasting for South Annville Sewer Extension in North Cornwall and South Annville Townships, **Lebanon County** with an expiration date of March 10, 2009. Permit issued March 13, 2008.
- **45084107. Explosive Services, Inc.**, (7 Pine Street, Bethany, PA 18431), construction blasting for Pickarski Mt. Hollow Project in Stroud Township, **Monroe County** with an expiration date of March 9, 2009. Permit issued March 13, 2008.
- **46084106. American Rock Mechanics, Inc.**, (7531 Chestnut Street, Zionsville, PA 18092), construction blasting for Upland Square in West Pottsgrove Township, **Montgomery County** with an expiration date of March 8, 2009. Permit issued March 13, 2008.

67084108. Warren's Excavating & Drilling, Inc., (P. O. Box 1022, Honey Brook, PA 19344), construction blasting for Friendship Estates in Warrington Township, **York County** with an expiration date of March 1, 2009. Permit issued March 13, 2008.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and The Clean Streams Law (35 §§ 691.1—691.702) and Notice of Final Action for Certification under section 401 of the FWPCA (33 U.S.C.A. § 1341).

Permits, Environmental Assessments and 401 Water Quality Certifications Issued

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

E46-1020. Lansdale Borough, 1 Vine Street, Lansdale, PA 19446, Lansdale Borough, **Montgomery County**, ACOE Philadelphia District.

To perform the following water obstruction and encroachment activities associated with the proposed construction of the Wissahickon Creek Infiltration Basin and Riparian Corridor Project within and along the Wissahickon Creek (TSF):

- 1. To modify, construct and maintain a 6-foot wide pedestrian trail within the floodplain. The trail will consist of two types of paving: macadam and boardwalk. Boardwalk will be situated in more environmentally sensitive areas to minimize impacts. An observation deck will also be constructed at two locations along the trail.
- 2. To construct and maintain a 7-foot wide by 40-foot long pedestrian bridge across the Wissahickon Creek.
- 3. To construct and maintain two pedestrian bridges along the pedestrian trail and within the floodway.
- 4. To construct and maintain two riprap-lined open channel swales and outfalls located along the Wissahickon Creek. Total length of swales will be approximately 265 linear feet.

The project will directly effect approximately 1,250 feet of the Wissahickon Creek floodway on both the easterly and westerly banks. The site is located along Norway Drive between Lakeview and Sycamore Drives (Lansdale, PA, Quadrangle N: 19.8 inches; W: 2.2 inches) in the Borough of Lansdale, Montgomery County.

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. 1341(a)).

Northeast Regional Office, Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

E58-274. Jens C. Sorensen, R. R. 1, Box 1151, Nicholson, PA 18446. Lenox Township, **Susquehanna County**, United States Army Corps of Engineers Baltimore District.

To expand an existing pond from 0.71 acre to approximately 5 acres for the purpose of stabilizing hydrology and improving water quality within a disturbed wetland complex. The permittee is required to provide 0.58 acre of replacement wetlands. The project will impact 0.58 acre of PFO wetlands and approximately 300 feet of a tributary to Tunkhannock Creek (CWF) and is located on the south side of Township Road T463, approximately 0.6 mile west of SR 2016 (Lenoxville, PA Quadrangle N: 8.0 inches; W: 10.0 inches). (Subbasin: 4F)

E39-479. Eastern Environmental Development, Inc., 7785 Spring Creek Road, Macungie, PA 18062. Abandon Quarry Fill Placement Project in Little Lehigh Creek Watershed, Lower Macungie Township, Lehigh County, ACOE Philadelphia District (Allentown West, PA Quadrangle Latitude: 40° 31′ 23.4″; Longitude: 75° 36′ 06.1″).

The permittee shall place and maintain fill in a 1.34-acre open water abandon quarry pit. All fill being placed within the abandoned quarry shall be deemed clean fill. The permittee and their agents shall perform the necessary due diligence to ensure all fill being placed has been determined clean. The project is located along the northwest right-of-way of Quarry Road approximately 0.7-mile southwest of SR 1011 and Quarry Road intersection. The Department of Environmental Protection has deemed the placement of fill in the 1-34-acre abandon quarry pit as the elimination of a threat to life and safety; as such no additional mitigation shall be required.

E39-481. Macungie Borough. Borough of Macungie Pedestrian Bridge Project across a UNT to Swabia Creek, Macungie Borough, **Lehigh County**, ACOE Philadelphia District (Allentown West, PA Quadrangle Latitude: 40° 31′ 2″; Longitude: 75° 33′ 11″).

This permit authorizes the permittee to construct, operate and maintain a public pedestrian bridge across a UNT to Swabia Creek for improved public pedestrian safety along Lehigh Street. The public pedestrian bridge shall be constructed with a minimum span of 45-feet, width of 4-feet and underclearance of 7-feet. The project is located along the southern right-of-way of SR 2018 (Lehigh Street) approximately 0.4-mile west of SR 2017 (Brookside Road) and SR 2018 intersection.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

E01-273: Franklin Township, Craig Hartley, 55 Scott School Road, Orrtanna, PA 17353, Franklin Township, Adams County, ACOE Baltimore District

To conduct various activities as follows:

- 1. To permanently impact 0.27 acre of a wetland to construct a wastewater treatment plant within the 100-year floodplain of, and to construct and maintain a 10-inch diameter sewer line in a UNT to Marsh Creek (CWF) (Fairfield Quadrangle N: 20.62 inches; W: 9.50 inches, Latitude: 39° 51′ 51″; Longitude: 77° 19′ 03″).
- 2. To construct and maintain an 8-inch diameter sewer line in a UNT to Marsh Creek (CWF) (Fairfield Quadrangle N: 20.93 inches; W: 9.50 inches, Latitude: 39° 51′ 56″; Longitude: 77° 19′ 01″).
- 3. To construct and maintain a 10-inch diameter outfall pipe along a UNT to Marsh Creek (CWF) (Fairfield Quadrangle N: 20.50 inches; W: 9.50 inches, Latitude: $39^{\circ}\ 51'\ 48''$; Longitude: $77^{\circ}\ 19'\ 02''$).
- 4. To construct and maintain a 10-inch diameter sewer line in a UNT to Marsh Creek (CWF) (Fairfield Quadrangle N: 20.75 inches; W: 9.75 inches, Latitude: 39° 51′ 53″; Longitude: 77° 19′ 09″).
- 5. To construct and maintain an 8-inch diameter sewer line in a UNT to Marsh Creek (CWF) (Fairfield Quadrangle N: 21.25 inches; W: 9.87 inches, Latitude: 39° 52′ 03″; Longitude: 77° 19′ 11″).
- 6. To construct and maintain a 10-inch diameter sewer line in a UNT to Marsh Creek (CWF) (Fairfield Quadrangle N: 21.50 inches; W: 10.75 inches, Latitude: 39° 52′ 07″; Longitude: 77° 19′ 34″).
- 7. To construct and maintain a 10-inch diameter sewer line in a UNT to Marsh Creek (CWF) (Arendtsville Quadrangle N: 0.06 inch; W: 12.37 inches, Latitude: 39° 52′ 31″; Longitude: 77° 20′ 15″).
- 8. To construct and maintain a 10-inch diameter sewer line in a UNT to Marsh Creek (CWF) (Arendtsville Quadrangle N: 0.25 inch; W: 12.50 inches, Latitude: 39° 55′ 35″; Longitude: 77° 20′ 19″).
- 9. To construct and maintain an 8-inch diameter sewer line within the 100-year floodplain of and in Muskrat Run (CWF) (Arendtsville Quadrangle N: 1.37 inch, W: 15.12 inch, Latitude: 39° 52′ 57″; Longitude: 77° 21′ 26″).
- 10. To construct and maintain an 8-inch diameter sewer line in a UNT to Muskrat Run (CWF) (Arendtsville Quadrangle N: 1.18 inches; W: 15.31 inches, Latitude: 39° 52′ 53″; Longitude: 77° 21′ 31″).

- 11. To construct and maintain an 8-inch diameter sewer line in a UNT to Muskrat Run (CWF) (Arendtsville Quadrangle N: 1.06 inches; W: 15.31 inches, Latitude: 39° 52′ 52″; Longitude: 77° 21′ 31″).
- 12. To construct and maintain an 8-inch diameter sewer line within the 100-year floodplain of and in a UNT to Muskrat Run (CWF) (Arendtsville Quadrangle N: 2.12 inches; W: 13.37 inches, Latitude: 39° 53′ 13″; Longitude: 77° 20′ 41″).

All for the construction of a new wastewater treatment plant and its associated sewer lines in Franklin Township, Adams County.

E36-835: Marialice Hollinger, 50 College Avenue, P. O. Box 347, Elizabethtown, PA 17022-0347, Elizabethtown Borough, Lancaster County, ACOE Baltimore District.

To construct and maintain a: (1) 15-inch SLCPP pipe outfall and associated rip-rap protection; and (2) terraces and landscaping along and within the floodway of a UNT to Conoy Creek (TSF) (Elizabethtown, PA Quadrangle N: 4.1 inches; W: 14.2 inches, Latitude: 40° 08′ 49.48″; Longitude: 76° 36′ 5.85″) to enhance the aesthetics of the property and improve maintenance of the corridor at a point just west of the intersection of College Avenue and South Hanover Street, off of College Avenue, in Elizabethtown Borough, Lancaster County.

E06-629: The Herman Development Company, **John M. Herman**, 3701 Perkiomen Avenue, Reading, PA 19606, Bethel Township, **Berks County**, ACOE Philadelphia Region.

To construct a 1,000,000.0-square-foot warehouse facility impacting 0.223 acre of PEM wetlands and 0.43 acre of PEM/PSS wetlands. To compensate for wetland impacts, the applicant proposes to construct and maintain 0.66 acre of replacement wetlands onsite. The project is located on the South Side of I-78, between exits 15 (Grimes) and 16 (Midway) (Bethel, PA Quadrangles N: 19.52 inches; W: 0.15 inch, Latitude: 40° 28′ 57″; Longitude: 76° 15′ 04″) in Bethel Township, Berks County.

Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02-584-A2. Hanson Aggregates PMA, Inc., 2200 Springfield Pike, Connellsville, PA 15425, in Harrison Township, Allegheny County; and Allegheny Township, Westmoreland County, Pittsburgh ACOE District (Freeport, PA Quadrangle N: 7.0 inches; W: 9.8 inches). To amend Permit E02-584, which authorizes commercial sand and gravel dredging in select areas of the Allegheny River (WWF) and Ohio River (WWF), subject to review of fish surveys, mussel surveys and prescribed setbacks in Allegheny, Armstrong, Beaver and Westmoreland Counties, to include Allegheny River Mile Points 27.8 to 28.5 right and left descending bank in Harrison Township, Allegheny County; and Allegheny Township, Westmoreland County, with the following restrictions:

- 1. On the left descending bank, between mile points 28.0 to 28.5 (near side to River Forest Drive Residents):
- a. Dredging is prohibited on Saturdays, Sundays and Federal Holidays but emergency maintenance is allowed.
- b. Dredging is prohibited between Memorial Day and Labor Day.
- c. During the times that dredging is authorized, actual dredging hours are restricted to 7 a.m. to 7 p.m. on Monday through Friday.

d. During the times that dredging is authorized, maintenance and daily start-up and shut-down activities are permitted from 6 a.m. to 8 p.m. on Monday through Friday.

- e. Best Management Practices as outlined in the attached January 31, 2008, Hanson Aggregates PMA, Inc. Best Practices to Minimize Noise Levels shall be implemented and maintained.
- 2. On the right descending bank, between mile points 28.0 and 28.5 and between mile points 26.8 and 27.2 (far side from River Forest Residents):
- a. Dredging is prohibited on Saturdays, Sundays and Federal Holidays.
 - b. Seasonal restrictions are not applicable.
- c. During the times that dredging is authorized, actual dredging hours are restricted to 7 a.m. to 9 p.m. on Monday through Friday.
- d. During the times that dredging is authorized, maintenance and daily start-up and shut-down activities are permitted from 6 a.m. to 10 p.m. on Monday through Friday.
- e. Best Management Practices as outlined in the attached January 31, 2008, Hanson Aggregates PMA, Inc. Best Practices to Minimize Noise Levels shall be implemented and maintained.
- 3. On the right and left descending banks, between mile points 27.8 and 28.0 (Cove Area):
- a. Seasonal, day and time restrictions are not applicable.
- b. Best Management Practices as outlined in the attached January 31, 2008, Hanson Aggregates PMA, Inc. Best Practices to Minimize Noise Levels shall be implemented and maintained.

January 31, 2008 Hanson Aggregates PMA, Inc. Hoist Boat Operations while Dredging Adjacent to the Residents of the River Forest Community

Best Practices to Minimize Noise Levels

The following are Best Practices to minimize noise levels from Hoist Boat Operations while dredging adjacent to the residents of the River Forest community (Allegheny Township, Westmoreland County).

In general, these Best Practices shall be followed during normal river flow conditions, which are the vast majority of the time. However, all of these Best Practices are subject to weather and river flow conditions, since the safety of our workers, the public and the equipment are of utmost importance and take precedence over the need to temporarily minimize noise. Hanson stresses marine safety above all other aspects. Weather and river conditions are subject to quickly changing conditions, for example, fog which reduces visibility, high water and high river flow conditions which greatly effect barge and towboat movements, and the like.

Best Practices to Minimize Noise Levels

- 1. New 'hospital grade' mufflers have been installed on the Hoist Boat, the tender boat and the towboat. It is important to maintain these mufflers in good working condition, to minimize noise levels.
- 2. A rebuilt clam-shell dredge bucket has been installed on the Hoist Boat. It is important to maintain this bucket in good working condition, to minimize noise impacts.

3. Instruct Hoist Boat operators and crew members to conduct the dredging operations in such a fashion as to limit impact noises. These include:

Minimizing steel to steel noise impacts, and

Minimize the drop height of aggregate from the bucket to the barge.

- 4. Maintain mooring devices (that is, bumpers and/or fenders) on the sides of the Hoist Boat, to minimize steel to steel noise impacts.
- 5. While traveling between the shoreline and the Hoist Boat in the tender boat, the tender boat shall that the route that is farthest away from the residents. This is subject to safety concerns.
- 6. While performing maintenance activities, limit loud intermittent and constant noises, as much as practical. This is subject to safety concerns.
- 7. While approaching and departing from the Hoist Boat and while making barge switches, the towboat pilot shall limit full engine noise (that is, throttle), as much as possible, to minimize noise levels. This is subject to safety concerns.
- 8. Barge movements shall be made away from the residents, as much as possible when the situation allows, to minimize noise levels. This is subject to safety concerns.
- 9. Keep engine compartment doors closed on the towboat, to minimize noise levels. This is subject to air cooling concerns associated with the efficient and safe operations of the engines.
- 10. Keep audio conversations (that is, loudspeakers) to the minimum allowable to be heard by the intended worker. This is subject to the applicable rules and regulations and safety concerns of the workers.
- E02-919-A2. Tri-State River Products, Inc., P. O. Box 218, Beaver, PA 15009-0218, in Harrison Township, Allegheny County; and Allegheny Township, Westmoreland County, Pittsburgh ACOE District (Freeport, PA Quadrangle N: 7.0 inches; W: 9.8 inches). To amend Permit E02-919, which authorizes commercial sand and gravel dredging in select areas of the Allegheny River (WWF) and Ohio River (WWF), subject to review of fish surveys, mussel surveys and prescribed setbacks in Allegheny, Armstrong, Beaver and Westmoreland Counties, to include Allegheny River Mile Points 27.8 to 28.5 right and left descending bank in Harrison Township, Allegheny County; and Allegheny Township, Westmoreland County, with the following restrictions:
- 1. On the left descending bank, between mile points 28.0 to 28.5 (near side to River Forest Drive Residents):
- a. Dredging is prohibited on Saturdays, Sundays and Federal Holidays but emergency maintenance is allowed.
- b. Dredging is prohibited between Memorial Day and Labor Day.
- c. During the times that dredging is authorized, actual dredging hours are restricted to 7 a.m. to 7 p.m. on Monday through Friday.
- d. During the times that dredging is authorized, maintenance and daily start-up and shut-down activities are permitted from 6 a.m. to 8 p.m. on Monday through Friday.

- e. Best Management Practices as outlined in the attached January 31, 2008, Hanson Aggregates PMA, Inc. Best Practices to Minimize Noise Levels shall be implemented and maintained.
- 2. On the right descending bank, between mile points 28.0 and 28.5 and between mile points 26.8 and 27.2 (far side from River Forest Residents):
- a. Dredging is prohibited on Saturdays, Sundays and Federal Holidays.
 - b. Seasonal restrictions are not applicable.
- c. During the times that dredging is authorized, actual dredging hours are restricted to 7 a.m. to 9 p.m. on Monday through Friday.
- d. During the times that dredging is authorized, maintenance and daily start-up and shut-down activities are permitted from 6 a.m. to 10 p.m. on Monday through Friday.
- e. Best Management Practices as outlined in the attached January 31, 2008, Hanson Aggregates PMA, Inc. Best Practices to Minimize Noise Levels shall be implemented and maintained.
- 3. On the right and left descending banks, between mile points 27.8 and 28.0 (Cove Area):
- a. Seasonal, day and time restrictions are not applicable.
- b. Best Management Practices as outlined in the attached January 31, 2008, Hanson Aggregates PMA, Inc. Best Practices to Minimize Noise Levels shall be implemented and maintained.

January 31, 2008 Hanson Aggregates PMA, Inc. Hoist Boat Operations while Dredging Adjacent to the Residents of the River Forest Community

Best Practices to Minimize Noise Levels

The following are Best Practices to minimize noise levels from Hoist Boat Operations while dredging adjacent to the residents of the River Forest community (Allegheny Township, Westmoreland County).

In general, these Best Practices shall be followed during normal river flow conditions, which are the vast majority of the time. However, all of these Best Practices are subject to weather and river flow conditions, since the safety of our workers, the public and the equipment are of utmost importance and take precedence over the need to temporarily minimize noise. Hanson stresses marine safety above all other aspects. Weather and river conditions are subject to quickly changing conditions, for example, fog which reduces visibility, high water and high river flow conditions which greatly effect barge and towboat movements, and the like.

Best Practices to Minimize Noise Levels

1. New 'hospital grade' mufflers have been installed on the Hoist Boat, the tender boat and the towboat. It is important to maintain these mufflers in good working condition, to minimize noise levels.

- 2. A rebuilt clam-shell dredge bucket has been installed on the Hoist Boat. It is important to maintain this bucket in good working condition, to minimize noise impacts.
- 3. Instruct Hoist Boat operators and crew members to conduct the dredging operations in such a fashion as to limit impact noises. These include:

Minimizing steel to steel noise impacts, and

Minimize the drop height of aggregate from the bucket to the barge.

- 4. Maintain mooring devices (that is, bumpers and/or fenders) on the sides of the Hoist Boat, to minimize steel to steel noise impacts.
- 5. While traveling between the shoreline and the Hoist Boat in the tender boat, the tender boat shall that the route that is farthest away from the residents. This is subject to safety concerns.
- 6. While performing maintenance activities, limit loud intermittent and constant noises, as much as practical. This is subject to safety concerns.
- 7. While approaching and departing from the Hoist Boat and while making barge switches, the towboat pilot shall limit full engine noise (that is, throttle), as much as possible, to minimize noise levels. This is subject to safety concerns.
- 8. Barge movements shall be made away from the residents, as much as possible when the situation allows, to minimize noise levels. This is subject to safety concerns.
- 9. Keep engine compartment doors closed on the towboat, to minimize noise levels. This is subject to air cooling concerns associated with the efficient and safe operations of the engines.
- 10. Keep audio conversations (that is loudspeakers) to the minimum allowable to be heard by the intended worker. This is subject to the applicable rules and regulations and safety concerns of the workers.
- E02-1326-A2. Glacial Sand and Gravel Co., P. O. Box 1022, Kittanning, PA 16201, in Harrison Township, Allegheny County; and Allegheny Township, Westmoreland County, Pittsburgh ACOE District (Freeport, PA Quadrangle N: 7.0 inches; W: 9.8 inches). To amend Permit E02-1326, which authorizes commercial sand and gravel dredging in select areas of the Allegheny River (WWF) and Ohio River (WWF), subject to review of fish surveys, mussel surveys and prescribed setbacks in Allegheny, Armstrong, Beaver and Westmoreland Counties, to include Allegheny River Mile Points 27.8 to 28.5 right and left descending bank in Harrison Township, Allegheny County; and Allegheny Township, Westmoreland County, with the following restrictions:
- 1. On the left descending bank, between mile points 28.0 to 28.5 (near side to River Forest Drive Residents):
- a. Dredging is prohibited on Saturdays, Sundays and Federal Holidays but emergency maintenance is allowed.
- b. Dredging is prohibited between Memorial Day and Labor Day.
- c. During the times that dredging is authorized, actual dredging hours are restricted to 7 a.m. to 7 p.m. on Monday through Friday.
- d. During the times that dredging is authorized, maintenance and daily start-up and shut-down activities are permitted from 6 a.m. to 8 p.m. on Monday through Friday.

e. Best Management Practices as outlined in the attached January 31, 2008, Hanson Aggregates PMA, Inc. Best Practices to Minimize Noise Levels shall be implemented and maintained.

- 2. On the right descending bank, between mile points 28.0 and 28.5 and between mile points 26.8 and 27.2 (far side from River Forest Residents):
- a. Dredging is prohibited on Saturdays, Sundays and Federal Holidays.
 - b. Seasonal restrictions are not applicable.
- c. During the times that dredging is authorized, actual dredging hours are restricted to 7~a.m. to 9~p.m. on Monday through Friday.
- d. During the times that dredging is authorized, maintenance and daily start-up and shut-down activities are permitted from 6 a.m. to 10 p.m. on Monday through Friday.
- e. Best Management Practices as outlined in the attached January 31, 2008, Hanson Aggregates PMA, Inc. Best Practices to Minimize Noise Levels shall be implemented and maintained.
- 3. On the right and left descending banks, between mile points 27.8 and 28.0 (Cove Area):
- a. Seasonal, day and time restrictions are not applicable.
- b. Best Management Practices as outlined in the attached January 31, 2008, Hanson Aggregates PMA, Inc. Best Practices to Minimize Noise Levels shall be implemented and maintained.

January 31, 2008 Hanson Aggregates PMA, Inc. Hoist Boat Operations while Dredging Adjacent to the Residents of the River Forest Community

Best Practices to Minimize Noise Levels

The following are Best Practices to minimize noise levels from Hoist Boat Operations while dredging adjacent to the residents of the River Forest community (Allegheny Township, Westmoreland County).

In general, these Best Practices shall be followed during normal river flow conditions, which are the vast majority of the time. However, all of these Best Practices are subject to weather and river flow conditions, since the safety of our workers, the public and the equipment are of utmost importance and take precedence over the need to temporarily minimize noise. Hanson stresses marine safety above all other aspects. Weather and river conditions are subject to quickly changing conditions, for example, fog which reduces visibility, high water and high river flow conditions which greatly effect barge and towboat movements, etc.

Best Practices to Minimize Noise Levels

- 1. New 'hospital grade' mufflers have been installed on the Hoist Boat, the tender boat and the towboat. It is important to maintain these mufflers in good working condition, to minimize noise levels.
- 2. A rebuilt clam-shell dredge bucket has been installed on the Hoist Boat. It is important to maintain this bucket in good working condition, to minimize noise impacts.
- 3. Instruct Hoist Boat operators and crew members to conduct the dredging operations in such a fashion as to limit impact noises. These include:

Minimizing steel to steel noise impacts, and

Minimize the drop height of aggregate from the bucket to the barge.

- 4. Maintain mooring devices (that is, bumpers and/or fenders) on the sides of the Hoist Boat, to minimize steel to steel noise impacts.
- 5. While traveling between the shoreline and the Hoist Boat in the tender boat, the tender boat shall that the route that is farthest away from the residents. This is subject to safety concerns.
- 6. While performing maintenance activities, limit loud intermittent and constant noises, as much as practical. This is subject to safety concerns.
- 7. While approaching and departing from the Hoist Boat and while making barge switches, the towboat pilot shall limit full engine noise (that is, throttle), as much as possible, to minimize noise levels. This is subject to safety concerns.
- 8. Barge movements shall be made away from the residents, as much as possible when the situation allows, to minimize noise levels. This is subject to safety concerns.
- 9. Keep engine compartment doors closed on the towboat, to minimize noise levels. This is subject to air cooling concerns associated with the efficient and safe operations of the engines.
- 10. Keep audio conversations (that is, loudspeakers) to the minimum allowable to be heard by the intended worker. This is subject to the applicable rules and regulations and safety concerns of the workers.
- **E63-601.** Borough of Burgettstown, 1509 Main Street, Burgettstown, PA 15021. To construct a bridge in Burgettstown Borough, Washington County, Pittsburgh ACOE District (Burgettstown, PA Quadrangle N: 0.8 inch; W: 2.5 inches, Latitude: 40° 22′ 46″; Longitude: 80° 23′ 35″). To remove the existing structures and to construct and maintain a bridge having a normal clear span of 40 feet and an underclearance of 9.88 feet across Burgetts Fork of Raccoon Creek (WWF) located on Shady Avenue.

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

E20-565, Department of Transportation, District 1-0, 255 Elm Street, Oil City, PA 16301. SR 0089, Segment 0060, Offset 1165 over Church Run, in Oil Creek Township, **Crawford County**, ACOE Pittsburgh District (Titusville North, PA Quadrangle N: 41° 39′ 2.69″; W: 79° 39′ 20.5″).

To remove the existing 96-inch by 55-foot-long CMP and to construct and maintain a 100-foot-long, 121-inch by 77-inch elliptical reinforced concrete culvert, to relocate 280 feet of Church Run (CWF) and to place and maintain fill in 0.037 acre of PEM/PSS wetlands all as part of a realignment of approximately 0.5 mile of SR 0089 approximately 1.5 miles NE of Titusville.

0.037 acre of wetland impacts will be deducted from the Department of Transportation District 1-0 wetland banking site at the Polk Wetland Replacement Area.

E33-229, P C Exploration, Inc., 502 Keystone Drive, Warrendale, PA 15086. Calvin Shaffer Road Across Rose Run in Perry Township, **Jefferson County**, ACOE Pittsburgh District (Valier, PA Quadrangle N: 40° 57′ 17″; W: 79° 02′ 42.6″).

To install and maintain a 30-foot-long, 48-inch-arch culvert and a natural gas pipeline across Rose Run and de minimis impact to adjacent wetland on a driveway to serve as access for well plugging and a private access to property extending east from Harper Road approximately 0.4 mile south of SR 536.

SPECIAL NOTICES

Applicability for Beneficial Use of Coal Refuse Ash

Waroquier Coal Company, GFCC No. 17-07-03, Knox Township, Clearfield County (Lost Run to Clearfield Creek-Upper West Branch Watershed): The Department of Environmental Protection has received an application for a determination of applicability for beneficial use of coal refuse ash from Waroquier Coal Company proposing to beneficially use coal refuse ash in conjunction with baghouse waste lime to neutralize acidic overburden/spoil encountered during reclamation of abandoned mine lands at the Durandetta site located in Knox Township, Clearfield County. A copy of the application is available for review at the Moshannon District Office. Interested persons or municipalities may submit comments within 60-days recommending revisions to, approval of or disapproval of the application. Comments should be addressed to the Moshannon District Mining Office, 186 Enterprise Drive, Philipsburg, PA 16866. Contact John Varner, (814) 342-8200, DMO.

[Pa.B. Doc. No. 08-583. Filed for public inspection March 28, 2008, 9:00 a.m.]

Availability of Technical Guidance

Technical guidance documents are available on the Department of Environmental Protection's (Department) web site at www.depweb.state.pa.us (DEP Keywords: "Technical Guidance"). The "Final Documents" heading is the link to a menu of the various Department bureaus where each bureau's final technical guidance documents are posted. The "Draft Technical Guidance" heading is the link to the Department's draft technical guidance documents.

The Department will continue to revise its nonregulatory documents, as necessary, throughout 2008.

Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to view and download technical guidance documents. When this option is not available, persons can order a paper copy of any of the Department's draft or final technical guidance documents by contacting the Department at (717) 783-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to Technical Guidance Documents

Following is the current list of recent changes. Persons who have questions or comments about a particular document should call the contact person whose name and phone number is listed with each document.

Draft Technical Guidance—Substantive Revision:

DEP ID: 257-3120-001. Title: Evaluation of Underground Storage Tank Liners. Description: Both State and Federal regulations require that internally-lined underground storage tanks with no other means of corrosion protection, be inspected 10 years after the lining installation and re-evaluated every 5 years thereafter. This guidance addresses regulatory requirements and industry procedures for documenting each lining evaluation, certifying evaluation results or findings, recordkeeping and reporting. Written Comments: The Department is seeking comments on draft technical guidance No. 257-3120-001. Interested persons may submit written comments on this draft technical guidance document by April 28, 2008. Comments submitted by facsimile will not be accepted. The Department will accept comments submitted by e-mail. A return name and address must be included in each e-mail transmission. Written comments can be submitted to Charles Swokel, Department of Environmental Protection, Bureau of Waste Management, Rachel Carson State Office Building, P.O. Box 8763, Harrisburg, PA 17105-8763; cswokel@state.pa.us. Contact: Questions regarding the draft technical guidance document should be directed to Charles Swokel at (717) 772-5599 or cswokel@ state.pa.us. Effective Date: Upon publication of notice as final in the Pennsylvania Bulletin.

> KATHLEEN A. MCGINTY, Secretary

 $[Pa.B.\ Doc.\ No.\ 08\text{-}584.\ Filed\ for\ public\ inspection\ March\ 28,\ 2008,\ 9\text{:}00\ a.m.]$

Availability of Technical Guidance

Draft Technical Guidance-Substantive Revision

DEP ID: 562-2000-703. Title: Changes to Licenses, Bonds and Permits. Description: This document provides guidance to both Department of Environmental Protection (Department) personnel and mine operators concerning what documents or information need to be submitted and the necessary actions to be taken in the event of changes to a mining company's type of business organization, its ownership or its officers. The Bureau of Mining and Reclamation and the District Mining Office will coordinate bond change, license change and permit revision activities when initiated either by the operator or when required by the Department, and the Department will systematically require various types of information to assure that licenses, permits and bonds are properly revised following organizational, ownership or officer changes undergone by a mining company. Written Comments: The Department is seeking comments on the draft technical guidance No. 562-2000-703. Interested parties may submit written comments on this draft technical guidance document by April 28, 2008. Comments submitted by facsimile will not be accepted. The Department will accept comments submitted by regular mail or e-mail. A return name and address must be included in each regular mail or e-mail transmission. Written comments should be submitted to Bruce Carl, Department of Environmental Protection, Mineral Resources Management, Bureau of Mining and Reclamation, Rachel Carson State Office Building, 5th Floor, P. O. Box 8461, Harrisburg, PA 17105, (717) 787-5103, brcarl@state.pa.us. Contact: Questions regarding the draft technical guidance document should be directed to Bruce Carl, at (717) 787-5103 or brcarl@state.pa.us. Effective Date: Upon publication of notice as final in the Pennsylvania Bulletin.

KATHLEEN A. MCGINTY,

Secretary

[Pa.B. Doc. No. 08-585. Filed for public inspection March 28, 2008, 9:00 a.m.]

Bituminous Underground Mine Openings and Boreholes; Notice of Proposed Bond Rate Guidelines for Sealing

The Department of Environmental Protection (Department) seeks comments on proposed revisions to its bond rate guidelines for sealing openings and boreholes at bituminous underground coal mining operations. The revisions will affect the amount of bond set aside to cover the costs of sealing of drifts, shafts, slopes and boreholes at underground coal mining operations, and the bond calculation procedures described in Technical Guidance Document "Conventional Bonding for Land Reclamation—Coal" (563) 2504-001.

Background

The proposed changes are necessary to bring bond amounts in line with the actual costs the Department would incur in sealing bituminous underground mine openings if an underground mine operator were to default on its reclamation obligations. In recent years, the Department has encountered several bond forfeiture cases, in which the bond amount set aside to complete sealing work was insufficient. More recently, the Department completed an evaluation, in which it compared engineers' estimates of the costs of sealing individual mine openings with the existing bond rate guidelines. The results of this evaluation indicated that the costs derived from engineers' estimates were significantly higher than the costs derived from the existing bond rate guidelines. One reason for this disparity is that the existing bond rate guidelines fail to account for variations in the depth of mine openings or the dimensions of seals. Another reason is that existing bond rate guidelines have not been updated recently to account for the effects of inflation.

Proposed Changes

Under this proposal the option to use the existing bond rate guidelines, described in the following table, will be eliminated.

Existing Bitumir	g Bond Rate Guidelines for Sealing nous Underground Mine Openings	
	10 ft. or less diameter	\$1,400
	11 to 15 ft. diameter	\$3,000
Nonhydraulic shaft seal—inert fill	16 to 20 ft. diameter	\$4,500
	21 to 25 ft. diameter	\$8,000
Hydraulic shaft seal w/bulkhead	10 ft. or less diameter	\$7,600
	11 to 15 ft. diameter	\$9,200
	16 to 20 ft. diameter	\$10,700
	21 to 25 ft. diameter	\$14,200
Nonhydraulic drift/slope seal	Any dimension	\$3,900
Hydraulic drift/slope seal w/bulkhead	Any dimension	\$6,200
	12 in. or less diameter	\$1,500
Borehole	Larger than 12 in. diameter	\$2,000

Under the proposed approach, bond amounts for sealing drifts, shafts and slopes will be determined based on the actual amount of labor and materials required to complete the sealing of a bituminous underground opening and the units costs ascribed to performing individual components of that work. This approach is expected to bring the projected costs of sealing an individual mine opening more in line with the actual costs the Department would incur if it had to complete the work.

In developing the proposed approach, the Department reviewed sealing plans and cost estimates included in bituminous underground mine permit applications and contracts awarded for sealing abandoned mine openings. Based on this information, the Department identified five components that effectively describe the work performed during the course of sealing a drift or slope opening and five similar components that effectively describe all work involved in sealing a shaft opening. In the case of a drift or slope opening, the basic components of sealing work include mobilization, installation of security fencing, concrete work, masonry work and placement of fill and earthwork. In the case of a shaft opening, the basic components of sealing work include mobilization, installation of security fencing, placement of concrete, placement of aggregate and placement of fill and earthwork. Differences in work components reflect differences in the nature of mine openings and methods of seal installation (drifts and slope openings are horizontal to slightly inclined; shafts openings are vertical).

After establishing the basic components of the work, the Department gathered information needed to establish unit costs for each of the components. This information was obtained from sealing cost estimates submitted with recent permit applications, reclamation contracts, Walker's Building Estimator's Reference Book, the Means Estimating Book and labor rates maintained by the Department of Labor and Industry. As the final step, the Department adjusted the unit cost of each component to current dollars using labor rates compiled by the United States Department of Labor's Bureau of Labor Statistics (http://www.bls.gov/cpi/) and material cost indices, published in the Engineering News Record.

Using this approach, the Department developed the proposed bond rate guidelines presented in the following tables. The first table presents guidelines applicable to sealing of drift and slope openings and the second table presents guidelines applicable to sealing shaft openings. Except for mobilization costs, all guidelines are estab-

lished based on cost per unit length, cost per unit area or cost per unit volume. On this basis, the cost of performing each component of the work may be determined by multiplying the applicable unit cost times the dimensions of the opening or seal. The total cost of sealing a mine opening may then be determined by adding the costs of performing each of the individual components of the work.

Proposed Unit Costs for Sealing Bituminous Underground Mine Drift and Slope Openings		
Concrete Work	\$128.00/cy	
Masonry Work	\$11.00 sq. ft.	
Fill Material and Earthwork [*]	\$23.00/cy	
Security Fencing	\$29.00/lf	
Mobilization Cost	5% of total amount	

Proposed Unit Costs for Sealing Bituminous Underground Mine Shaft Openings		
Concrete Material	\$96.00/cy	
Aggregate Material	\$27.00/cy	
Fill Material and Earthwork [*]	\$4.00/cy	
Security Fencing	\$29.00/lf	
Mobilization Cost	5% of total amount	

* The difference in the final unit costs for the fill and earthwork of a slope or drift opening compared to the fill and earthwork of a shaft is due to differences in methods of fill placement (end dumping the fill material into a shaft versus equipment pushing the fill material into a drift or slope opening).

The Department followed a similar approach in developing revised bond rate guidelines for boreholes. Recent cost information was derived from sealing estimates included in permit applications and contracts for mine site reclamation. The compiled information included costs for sealing boreholes with diameters ranging from 2 inches to 24 inches and depths ranging from 378 to 980 feet. This information was subsequently evaluated to determine the optimal basis for establishing unit costs. Based on the results of this evaluation, the Department determined that bond rate guidelines for borehole sealing should be based on cost per foot of depth with a minimum

total cost per borehole. The unit cost figures derived from the analysis were subsequently adjusted to account for inflation. For purposes of establishing a minimum total amount per borehole, the Department decided to maintain the current guideline amounts of \$1,500 for boreholes 12 inches or less in diameter and \$2,000 for boreholes larger than 12 inches in diameter, which have been in use since 1983. The Department has analyzed these costs and has determined that they are still sufficient for establishing minimum amounts for sealing boreholes. The proposed bond rate guidelines for sealing boreholes are as follows:

Proposed Unit Costs for Sealing Boreholes at Bituminous Underground Mines			
	Dimension	Unit Cost	Min. Cost per Hole
Borehole	12 in. or less diameter	\$5.50/foot	\$1,500
	Larger than 12 in. diameter	\$5.50/foot	\$2,000

The changes to bond rate guidelines in this proposal will necessitate changes to Appendix D of Technical Guidance 563-2504-001. Those changes will be made the next time the technical guidance is opened for revision.

For background information and supporting documentation regarding the proposed bond rate guidelines, contact the Bureau of Mining and Reclamation, Division of Monitoring and Compliance, P. O. Box 8461, Harrisburg, PA 17105-8461, (717) 787-5103.

Effective Date

Final revisions to the bond rate guidelines for sealing mine openings will become effective upon publication in the *Pennsylvania Bulletin*.

Written Comments

Interested persons may submit written comments on the rates to be used for calculating the sealing costs for boreholes, shafts and mine openings by April 28, 2008. Comments submitted by facsimile will not be accepted. The Department will accept comments submitted by e-mail. A return name and address must be included in each e-mail transmission. Written comments should be submitted to Gregory Shuler, P. G., Bureau of Mining and Reclamation, P. O. Box 8461, Harrisburg, PA 17105-8461 or by e-mail at gshuler@state.pa.us. Questions regarding the proposed bond rates should be directed to Gregory Shuler at (717) 783-1199 or gshuler@state.pa.us.

KATHLEEN A. MCGINTY,

Secretary

 $[Pa.B.\ Doc.\ No.\ 08\text{-}586.\ Filed\ for\ public\ inspection\ March\ 28,\ 2008,\ 9\text{:}00\ a.m.]$

NOx Budget Trading Program; New Source Set-Aside 2008 NOx Allocations

Under 25 Pa. Code § 145.41(d) (relating to timing requirements for NOx allowance allocations), the Department of Environmental Protection (Department) is publishing the NOx allowance allocations from the new source set-aside for the 2008 control period (May 1, 2008, through September 30, 2008). The new source set-aside contains 2,542 NOx allowances, 1,920 of which are available for new sources after allocation corrections. For each NOx budget unit, Table 1 lists: 1) the NOx allowances applied for under the "request" column; 2) the maximum potential number of NOx allowances authorized by the regulation under the "maximum" column; and 3) the final NOx allocation under the "allocation" column.

New source operators are advised that this allocation is for one control period only.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501-508 and 701-704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the Pennsylvania Bulletin, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days of the publication of this notice. A lawyer in not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. The Secretary to the Board should be contacted at (717) 787-3483 for additional information.

Questions concerning this notice should be directed to Jane Mahinske, Bureau of Air Quality, Division of Air Resource Management, 400 Market Street, P.O. Box 8468, Harrisburg, PA 17105-8468, (717) 783-8949, jmahinske@state.pa.us.

Table 1—2008 New Source Set-Aside Allocations

Facility	ORIS	Point ID	Request	Maximum	Allocation
Reliant Energy (Seward)	313	CFB1	697	697	697
Reliant Energy (Seward)	313	CFB2	697	697	697
FPL Energy (Marcus Hook)	55801	CT1	54	54	54
FPL Energy (Marcus Hook)	55801	CT2	54	54	54
FPL Energy (Marcus Hook)	55801	CT3	54	54	54

Facility	ORIS	Point ID	Request	Maximum	Allocation
FPL Energy (Marcus Hook)	55801	AB1	43	43	43
FPL Energy (Marcus Hook)	55801	AB2	43	43	43
FPL Energy (Marcus Hook)	55801	AB3	43	43	43
FPL Energy (Marcus Hook)	55801	AB4	43	43	43
		Totals:	1,728	1,728	1,728

[Pa.B. Doc. No. 08-587, Filed for public inspection March 28, 2008, 9:00 a.m.]

Proposed Revision to the State Implementation Plan for the Greene County 8-Hour Ozone Nonattainment Area; Notice of Revised Hearing **Date and Public Comment Period**

The Department of Environmental Protection (Department) is amending its proposed revision to the State Implementation Plan (SIP) published at 38 Pa.B. 1216 (March 8, 2008) to revise dates for the public comment period and public hearing for the Greene County 8-Hour Ozone Nonattainment Area.

The Department has reexamined the methodology used to predict future emissions from stationary point sources and found that the methodology used for the SIP revision for Greene County submitted January 25, 2007, to the United States Environmental Protection Agency (EPA) over-predicted future emissions of NOx from electric generating units. The Department is proposing a SIP revision that explains why the methodology was changed, what new methodology is being used for evaluation, and what the revised emission predictions are.

Public Hearing

The Department will hold a public hearing to receive comments on the proposed SIP revision only if a request for a public hearing is received from a member of the public. A request for a public hearing must be received by 4 p.m. on Monday, April 28, 2008. If a request for a public hearing is received by 4 p.m. on Monday, April 28, 2008, the public hearing will be held on Wednesday, April 30, 2008, at 1 p.m. at the Greene County Office Building, 93 East High Street, Waynesburg, PA 15370. If no request for public hearing is received by 4 p.m. on Monday, April 28, 2008, the hearing will be cancelled, and notice of the cancellation will be published on Tuesday, April 29, 2008, at 12 p.m., on the Department's web site at www.depweb. state.pa.us (DEP Keywords: Air Plans). Interested parties may also call (717) 787-9495 to find out if the hearing has been cancelled.

Public Comments

Persons interested in this proposed SIP revision are invited to submit written comments on the proposed SIP revision. The proposed SIP revision is available on the Department's web site at www.depweb.state.pa.us (choose Air Plans) or through the contact persons listed. Written comments must be received by the Department no later than May 2, 2008. Written comments should be sent to the attention of Arleen Shulman, Division of Air Resource Management, Bureau of Air Quality, P.O. Box 8468, Harrisburg, PA 17105-8468, ashulman@state.pa.us. Please use "Greene County Ozone SIP Revision" as the mail addressee or in the subject line.

Persons wishing to request a hearing or who wish to present testimony at a scheduled hearing should contact

Yvette House, P. O. Box 8468, Harrisburg, PA 17105, (717) 787-9495, yhouse@state.pa.us to reserve a time. The Department will consider a request to present testimony at a scheduled hearing to be a request for a public hearing. Persons who do not reserve a time will be able to testify as time allows. Witnesses should keep testimony to 10 minutes and should provide two written copies of their statement at the hearing.

Persons with a disability who wish to attend the hearing and who require an auxiliary aid, service or other accommodation to participate in the proceeding should contact Yvette House by e-mail at yhouse@state.pa.us or by telephone at (717) 787-9495. TDD users may contact the AT&T Relay Service at (800) 654-5984 to discuss how the Department can best accommodate their needs.

> KATHLEEN A. MCGINTY, Secretary

KATHLEEN A. MCGINTY,

Secretary

[Pa.B. Doc. No. 08-588. Filed for public inspection March 28, 2008, 9:00 a.m.]

Water Resources Advisory Committee; Meeting Cancellation

The Water Resources Advisory Committee (WRAC) meeting scheduled for April 9, 2008, has been cancelled. The next meeting is scheduled for July 9, 2008, at 9:30 a.m., Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

Questions concerning the cancellation of the April 9, 2008, meeting or the July 9, 2008, meeting may be directed to Phil Consonery, Bureau of Water Standards and Facility Regulation, (717) 772-2184, pconsonery@state. pa.us. The agenda and meeting materials for the July 9, 2008, meeting will be available through the Public Participation Center on the Department of Environmental Protection's (Department) web site at www.depweb.state. pa.us (DEP Keyword: Public Participation).

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact the Department at (717) 772-6744 or through the AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

> KATHLEEN A. MCGINTY, Secretary

[Pa.B. Doc. No. 08-589. Filed for public inspection March 28, 2008, 9:00 a.m.]

DEPARTMENT OF HEALTH

Application of Abington Memorial Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Abington Memorial Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospital and Healthcare Facilities*. The facility specifically requests exception from the following standards contained in this publication: 2.3.1.3(1), 2.5.1.8, 2.6.2(2), 5.2.2.2(2), 5.2.2.3(3) and 7.1.4 (relating to OR suite); 2.4.1.1 (4), 2.4.1.2(2) and 2.4.1.3(1) (relating to the PACU); 2.4.2.2 (relating to Phase II recovery area).

These requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@state.pa.us.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,

Secretary

 $[Pa.B.\ Doc.\ No.\ 08\text{-}590.\ Filed for public inspection March 28, 2008, 9:00\ a.m.]$

Application of Heritage Valley Health System for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Heritage Valley Health System has requested an exception to the requirements of 28 Pa. Code § 107.62 (relating to oral orders).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

CALVIN B. JOHNSON, M. D., M.P.H.,

Secretary

[Pa.B. Doc. No. 08-591. Filed for public inspection March 28, 2008, 9:00 a.m.]

Application of Pennsylvania Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Pennsylvania Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospital and Healthcare Facilities.* The facility specifically requests exception from the following standards contained in this publication: 7.2.1.14 (relating to horizontal doors).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@state.pa.us.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,

Secretary

[Pa.B. Doc. No. 08-592. Filed for public inspection March 28, 2008, 9:00 a.m.]

Application of St. Luke's Miners Memorial Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that St. Luke's Miners Memorial Hospital has requested an exception to the requirements of 28 Pa. Code § 107.2 (relating to medical staff membership).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

CALVIN B. JOHNSON, M. D., M.P.H.,

Secretary

[Pa.B. Doc. No. 08-593. Filed for public inspection March 28, 2008, 9:00 a.m.]

Application of Southwest Regional Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Southwest Regional Medical Center has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospital and Healthcare Facilities*. The facility specifically requests exception from the following standards contained in this publication: 5.1.2.5(1)a (relating to treatment rooms in the emergency department).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@state.pa.us.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H., Secretary

[Pa.B. Doc. No. 08-594. Filed for public inspection March 28, 2008, 9:00 a.m.]

Application of UPMC St. Margaret for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that UPMC St. Margaret has requested an exception to the requirements of 28 Pa. Code § 107.12 (relating to content of bylaws, rules and regulations).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

CALVIN B. JOHNSON, M. D., M.P.H., Secretary

 $[Pa.B.\ Doc.\ No.\ 08-595.\ Filed\ for\ public\ inspection\ March\ 28,\ 2008,\ 9:00\ a.m.]$

Decisions on Requests for Exceptions to Health Care Facility Regulations

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), effective June 6, 1998, the Department of Health (Department) has published in the *Pennsylvania Bulletin* all requests by entities licensed under the Health Care Facilities Act (35 P. S. §§ 448.101—448.904b), for exceptions to regulations contained in 28 Pa. Code Part IV, Subparts B.—C.

Section 51.33(d) provides that the Department will publish notice of all approved exceptions on a periodic basis. The Department has determined that it will publish notice of all exceptions, both approved and denied. The following list contains the decisions made on exception requests published in the *Pennsylvania Bulletin* from October, 2007 through February, 2008. Future publications of decisions on exception requests will appear on a quarterly basis.

Requests for additional information on the exception requests and the Department's decision should be made to the relevant division of the Department. Inquiries regarding hospitals and ambulatory surgical facilities shall be addressed to the Division of Acute and Ambulatory Care, Susan Legros, Acting Director, Room 532, Health and Welfare Building, Harrisburg, PA 17120. Inquiries regarding long-term care facilities shall be addressed to the Division of Nursing Care Facilities, William Bordner, Director, Room 526, Health and Welfare Building, Harrisburg, PA 17120. Those persons requiring special assistance for speech and/or hearing impairment should call V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Services at (800) 654-5984 (TT).

Hospitals

Facility Name	Regulation	Relating to	Request Published	Decision
Chambersburg Hospital	28 Pa. Code § 51.6(c)	staff I.D.	01/12/08	granted
Montgomery Hospital	28 Pa. Code § 51.23	PET scanner	10/20/07	granted
Robert Packer Hospital	28 Pa. Code § 51.23	PET scanning services	12/01/07	granted
Chestnut Hill Hospital	28 Pa. Code § 51.23	PET scanning services	01/12/08	granted
Butler Memorial Hospital	28 Pa. Code § 51.23	PET scanning services	01/12/08	granted
Jefferson Regional Medical Center	28 Pa. Code § 51.23	mobile PET scanning service	02/09/08	granted
Easton Hospital For the care of patients 24/7	28 Pa. Code § 101.31(7)	permanent on-site facilities	10/20/07	granted
Alle-Kiski Medical Center	28 Pa. Code § 101.31(7)	hospital requirements	12/01/07	granted
DSI of Bucks County	28 Pa. Code § 101.172	patient limits	10/20/07	denied
Magee-Womens Hospital	28 Pa. Code § 101.172	patient Limits	02/09/08	denied
Allegheny General Hospital	28 Pa. Code § 103.1	governing body-principle	12/01/07	granted
The Western Pennsylvania Hospital West Penn Campus	28 Pa. Code § 103.1	governing body-principle	12/01/07	granted
Western Pennsylvania Hospital—Forbes Regional Campus (The)	28 Pa. Code § 103.1	governing body-principle	12/01/07	granted
Allegheny General Hospital	28 Pa. Code § 103.3	governing body-bylaws	12/01/07	granted
The Western Pennsylvania Hospital West Penn Campus	28 Pa. Code § 103.3	governing body-bylaws	12/01/07	granted
Western Pennsylvania Hospital—Forbes Regional Campus (The)	28 Pa. Code § 103.3	GB bylaws	12/01/07	granted
Allegheny General Hospital	28 Pa. Code § 103.4	functions	12/01/07	granted
The Western Pennsylvania Hospital West Penn Campus	28 Pa. Code § 103.4	functions	12/01/07	granted
Western Pennsylvania Hospital—Forbes Regional Campus (The)	28 Pa. Code § 103.4	functions	12/01/07	granted
Highlands Hospital	28 Pa. Code § 103.4(3)	governance and management	01/12/08	DOH may not consider request
Allegheny General Hospital	28 Pa. Code § 103.5	other functions	12/01/07	granted
The Western Pennsylvania Hospital West Penn Campus	28 Pa. Code § 103.5	other functions	12/01/07	granted
Western Pennsylvania Hospital—Forbes Regional Campus (The)	28 Pa. Code § 103.5	other functions	12/01/07	granted
Allegheny General Hospital	28 Pa. Code § 103.8	conflicts of interest	12/01/07	granted
The Western Pennsylvania Hospital West Penn Campus	28 Pa. Code § 103.8	conflicts of interest	12/01/07	granted
Western Pennsylvania Hospital—Forbes Regional Campus (The)	28 Pa. Code § 103.8	conflicts of interest	12/01/07	granted

Facility Name	Regulation	Relating to	Request Published	Decision
Western Pennsylvania Hospital—Forbes Regional Campus (The)	28 Pa. Code § 103.9	self-dealing prohibition	12/01/07	granted
Allegheny General Hospital	28 Pa. Code § 103.9	self-dealing prohibition	12/01/07	granted
The Western Pennsylvania Hospital West Penn Campus	28 Pa. Code § 103.9	self-dealing prohibition	12/01/07	granted
Allegheny General Hospital	28 Pa. Code § 103.10	disclosure requirements	12/01/07	granted
The Western Pennsylvania Hospital West Penn Campus	28 Pa. Code § 103.10	disclosure requirements	12/01/07	granted
Western Pennsylvania Hospital—Forbes Regional Campus (The)	28 Pa. Code § 103.10	disclosure requirements	12/01/07	granted
Western Pennsylvania Hospital—Forbes Regional Campus (The)	28 Pa. Code § 103.31	CEO	12/01/07	granted
Western Pennsylvania Hospital—Forbes Regional Campus (The)	28 Pa. Code § 103.32	qualifications of CEO	12/01/07	granted
Western Pennsylvania Hospital—Forbes Regional Campus (The)	28 Pa. Code § 103.33	responsibilities	12/01/07	granted
Western Pennsylvania Hospital—Forbes Regional Campus (The)	28 Pa. Code § 103.34	personnel policies and practices	12/01/07	granted
Western Pennsylvania Hospital—Forbes Regional Campus (The)	28 Pa. Code § 103.35	job descriptions	12/01/07	granted
The Western Pennsylvania Hospital West Penn Campus	28 Pa. Code § 107.1	medical staff—principle	12/01/07	granted
Western Pennsylvania Hospital—Forbes Regional Campus (The)	28 Pa. Code § 107.1	medical staff principle	12/01/07	granted
St. Catherine Medical Center	28 Pa. Code § 107.2	medical staff membership— chiropractors	12/01/07	denied
The Western Pennsylvania Hospital West Penn Campus	28 Pa. Code § 107.11	medical staff bylaws	12/01/07	granted
Western Pennsylvania Hospital—Forbes Regional Campus (The)	28 Pa. Code § 107.11	medical staff bylaws	12/01/07	granted
The Western Pennsylvania Hospital West Penn Campus	28 Pa. Code § 107.23	one chair/vice chair	12/01/07	granted
Western Pennsylvania Hospital—Forbes Regional Campus (The)	28 Pa. Code § 107.23	one chair/vice chair	12/01/07	granted
The Western Pennsylvania Hospital West Penn Campus	28 Pa. Code § 107.25	MS executive committee	12/01/07	granted
Western Pennsylvania Hospital—Forbes Regional Campus (The)	28 Pa. Code § 107.25	MS executive committee	12/01/07	granted
The Western Pennsylvania Hospital West Penn Campus	28 Pa. Code § 107.26	additional committees	12/01/07	granted
Western Pennsylvania Hospital—Forbes Regional Campus (The)	28 Pa. Code § 107.26	additional committees	12/01/07	granted
Select Specialty— Pittsburgh/UPMC	28 Pa. Code § 107.26(b)(2	tissue committee	01/12/08	denied

Facility Name	Regulation	Relating to	Request Published	Decision
Geisinger Healthsouth Rehabilitation Hospital	28 Pa. Code § 107.26(b)(6)	radiation safety committee	10/20/07	not necessary
Select Specialty Hospital— Pittsburgh UPMC Inc.	28 Pa. Code § 107.32	medical staff meetings	02/09/08	granted
Geisinger Medical Center	28 Pa. Code § 107.65	automatic stop drug orders	10/20/07	not necessary
Jefferson Regional Medical Center	28 Pa. Code § 123.25(2)	regulations for control of anesthetic explosion hazards	04/14/07	granted
Meadville Medical Center	28 Pa. Code § 123.25(2)	regulations for control of anesthetic explosion hazards	04/14/07	granted
UPMC Presbyterian Shadyside	28 Pa. Code § 123.25(2)	regulations for control of anesthetic explosion hazards	04/14/07	granted
UPMC St. Margaret	28 Pa. Code § 123.25(2)	regulations for control of anesthetic explosion hazards	05/05/07	granted
Windber Hospital	28 Pa. Code § 123.25(2)	regulations for control of anesthetic explosion hazards	05/12/07	granted
Northeastern Hospital (Temple East)	28 Pa. Code § 123.25(2)	regulations for control of anesthetic explosion hazards	05/26/07/	granted
Altoona Regional Medical Center	28 Pa. Code § 123.25(2)	regulations for control of anesthetic explosion hazards	07/07/07	granted
Armstrong County Memorial Hospital	28 Pa. Code § 123.25(2)	regulations for control of anesthetic explosion hazards	10/06/07	granted
Chambersburg Hospital	28 Pa. Code § 123.25(2)	regulations for control of anesthetic explosion hazards	10/06/07	granted
Muncy Valley Hospital	28 Pa. Code § 123.25(2)	regulations for control of anesthetic explosion hazards	10/06/07	granted
Reading Hospital and Medical Center	28 Pa. Code § 123.25(2)	regulations for control of anesthetic explosion hazards	10/20/07	granted
Williamsport Hospital and Medical Center	28 Pa. Code § 123.25(2)	regulations for control of anesthetic explosion hazards	10/27/07	granted
St. Mary Medical Center	28 Pa. Code § 123.25(2)	regulations for control of anesthetic explosion hazards	11/03/07	granted
St. Luke's Hospital	28 Pa. Code § 123.25(2)	regulations for control of anesthetic explosion hazards	11/17/07	granted
Chester County Hospital	28 Pa. Code § 123.25(2)	regulations for control of anesthetic explosion hazards	12/15/07	granted
Kane Community Hospital	28 Pa. Code § 123.25(2)	regulations for control of anesthetic explosion hazards	12/15/07	granted
Moses Taylor Hospital	28 Pa. Code § 123.25(2)	regulations for control of anesthetic explosion hazards	12/29/07	granted
Abington Memorial Hospital	28 Pa. Code § 123.25(2)	regulations for control of anesthetic explosion hazards	12/29/07	granted
Montgomery Hospital	28 Pa. Code § 123.25(2)	regulations for control of anesthetic explosion hazards	01/26/08	granted
Hospital of the University of Pennsylvania	28 Pa. Code § 123.25(2)	regulations for control of anesthetic explosion hazards	02/02/08	granted
Main Line Hospital Bryn Mawr	28 Pa. Code § 123.25(2)	regulations for control of anesthetic explosion hazards	02/09/08	granted
St. Luke's Quakertown Hospital	28 Pa. Code § 123.25(2)	regulations for control of anesthetic explosion hazards	02/09/08	granted
Lower Bucks Hospital	28 Pa. Code § 123.25(2)	regulations for control of anesthetic explosion hazards	02/09/08	granted
Gettysburg Hospital	28 Pa. Code § 127.31(b)	P/P—procedures at an outpt site for inpts	10/20/07	granted
Cannonsburg General Hospital	28 Pa. Code § 127.32	radiology—written orders	10/20/07	denied

Facility Name	Regulation	Relating to	Request Published	Decision
Magee-Womens Hospital	28 Pa. Code § 137.11	facilities and equipment	02/09/08	denied
Somerset Hospital	28 Pa. Code § 138.15	high risk cardiac cath	12/01/07	granted
Somerset Hospital	28 Pa. Code § 138.18(b)	EPS studies	12/01/07	granted
Clearfield Hospital	28 Pa. Code § 153.1	5.2.1.1 corridor width	09/08/07	granted
DuBois Regional Medical Center	28 Pa. Code § 153.1	2.1.3.1 treatment room square footage	05/12/07	granted
Jameson Memorial Hospital	28 Pa. Code § 153.1	3.1.1.2 dining room square footage	10/06/07	granted
Sewickley Valley Hospital	28 Pa. Code § 153.1	numerous requests	10/20/07	granted in part/not necessary
Edgewood Surgical Hospital	28 Pa. Code § 153.1	5.5.8.5 patient holding; 5.5.5.4 patient holding; 5.5.8.11 clean storage	10/20/07	granted in part/not necessary in part
Evangelical Community Hospital	28 Pa. Code § 153.1	5.4.1.2(2) patient prep and recovery	10/27/07	denied
Brownsville Tri-County Hospital	28 Pa. Code § 153.1	3.1.1.1(1) max number of Beds per room; 3.1.1.5(1) handwashing in toilet room; 3.1.5.9(3) special bathing facilities; 5.1.3.7(1)(a) exam room space requirements; 5.1.3.7(5)(e) decontamination capability; 5.1.3.9(4) scrub stations; 5.1.3.9(9) housekeeping room; 5.5.3.4 patient toilet; 5.5.8.3(1) handwashing stations in procedure room; 5.11.2.5 support areas for staff; 6.2.2.11 vending devices; 2.1.1.5(3) toilet room	12/01/07	granted in part/ not necessary in part
Williamsport Hospital and Medical Center	28 Pa. Code § 153.1	3.7—5.2.1.1 corridor width	12/01/07	not needed
Healthsouth Hospital of Pittsburgh	28 Pa. Code § 153.1	5.7.2.4(1) hand washing	12/01/07	granted
Altoona Hospital	28 Pa. Code § 153.1	5.1.3.8(1) airborne isolation; 5.1.3.8(3)(a—d) secured holding area	12/01/07	granted
Alle-Kiski Medical Center	28 Pa. Code § 153.1	3.9—2.3.1.1(1)(2) square footage; 2.3.1.3 vacuum; 2.3.2 patient holding; 2.3.3.3 patient toilet	12/01/07	granted
Alle-Kiski Medical Center	28 Pa. Code § 153.1	3.9—2.5 support areas for patients	12/01/07	granted
Robert Packer Hospital	28 Pa. Code § 153.1	5.3.3.2 post anesthetic care units	12/01/07	granted
Select Specialty Hospital of Johnstown	28 Pa. Code § 153.1	3.1.1.5(2) hand washing in patient rooms; 3.1.5.9(2) central bathing rooms-toilets	12/01/07	granted
DuBois Regional Medical Center	28 Pa. Code § 153.1	3.1—2.1.1.1 treatment rooms; 3.1-5.2.11 corridor width; 3.1-5.2.14 door width	12/08/07	granted

Facility Name	Regulation	Relating to	Request Published	Decision
Delaware Valley Nephrology and Hypertension Associates,		3.1-2 vacuum outlets for PACU bays 3.7-2.3.3 image viewer in OR; 3.7-2.4.2.1(1) Phase II recovery 3.7-2.5.1 restricted corridor control station 3.7-2.5.7.4 stretcher storage 3.7-2.6.2(2) one way traffic out of locker room 3.7-2.6.3 staff shower	12/29/07	withdrawn
Hypertension Nephrology Associates, P.C.	28 Pa. Code § 153.1	3.1-2 vacuum outlets for PAUC bays 3.7-2.3.3 image viewer in OR; 3.7-2.4.2.1(1) Phase II recovery 3.7-2.5.1 restricted corridor control station 3.7-2.5.7.4 stretcher storage; 3.7-2.6.2(2) one way traffic out of locker room 3.7-2.6.3 staff shower	12/29/07	withdrawn
Children's Hospital of Philadelphia	28 Pa. Code § 153.1	2.1.3.4.6.1(2) NICU Space requirements	12/29/07	granted
Best Impression Surgical Center	28 Pa. Code § 153.1	9.5 OR outlets	01/12/08	granted
SAM Surgery Center	28 Pa. Code § 153.1	3.7-2.4.2.1(1) Phase II recovery 3.7-2.5.7.4 sretcher storage; 3.7-2.4.1.1(4) pediatric recovery area	01/12/08	granted
Valley Square Plastic Surgery Center	28 Pa. Code § 153.1	3.7-2.4.2.1 Phase II recovery	01/12/08	denied
Clearfield Hospital	28 Pa. Code § 153.1	2.1.3.1 space requirement	01/26/08	granted
St. Luke's Hospital	28 Pa. Code § 153.1	3.1-2.3.1 laboratory work	02/16/08	granted
Dubois Regional Medical Center	28 Pa. Code § 153.1	3.1-2.1.3.1 (minimum floor area)	01/26/08	granted
The Children's Institute	28 Pa. Code § 153.1	2.1.1.2 hand washing station 2.1.1.3 documentation space 2.1.7.5 soiled holding 2.2 and 2.3 imaging and laboratory services 4.1.4 public toilets 4.2.3. medical record storage	01/26/08	granted /denied/not necessary in part
Muncy Valley Hospital	28 Pa. Code § 153.1	5.6.4.3 (handwashing stats) 5.6.4.4 (dose administration area) 5.6.4.5(1) (consultation area) 5.6.4.5(2) (patient holding area) 5.6.4.5(3) (medical staff offices) 5.6.4.5(5) (computer room) 5.6.4.5(6) (soiled workroom)	02/16/08	granted
	Ambulatory Su	ırgical Facilities		
Main Line Endoscopy Center West	28 Pa. Code § 551.3	PS3 patients	10/20/07	granted
South Hills Endoscopy Center	28 Pa. Code § 551.3	PS3 patients	10/20/07	granted
Zitelli and Broadland A.S.F. South	28 Pa. Code § 551.3	PS3 and PS4 patients	10/20/07	granted/ denied
Hypertension—Nephrology Associates, PC	28 Pa. Code § 551.3	PS3 and PS4 patients	12/01/07	granted
Valley View Surgical Center	28 Pa. Code § 551.3	PS3 patients	12/01/07	granted
Endoscopy Center of Bucks County	28 Pa. Code § 551.3	PS3 patients	12/01/07	granted
Eynon Surgery Center	28 Pa. Code § 551.3	PS3 patients	12/01/07	granted
Regional Gastroenterology Associates of Lancaster, LTD	28 Pa. Code § 551.3(ii)	PS3 patients	01/12/08	granted

T 410 M	D 1.4	D. 7	Request	D
Facility Name	Regulation	Relating to	Published	Decision
Three Rivers Endoscopy Center	28 Pa. Code § 551.3	PS3 patients	01/12/08	granted
Delaware Valley Nephrology and Hypertension Associates, PC	28 Pa. Code § 551.3	PS3 and PS4 patients	12/01/07	granted
Brandywine Valley Endoscopy Center	28 Pa. Code § 551.3	PS3 patients	01/12/08	granted
Reading Endoscopy Center, LLC	28 Pa. Code § 551.3	PS3 patients	02/16/08	granted
Memorial Hospital Outpatient Endoscopy Center	28 Pa. Code § 551.3	PS3 patients	01/19/08	granted
PGC Endoscopy Center, Inc.	28 Pa. Code § 551.3	PS3 patients	01/26/08	granted
Abington Memorial Hospital	28 Pa. Code § 551.3	anesthesia limitations	02/09/08	withdrawn
Apple Hill Surgical Center	28 Pa. Code § 551.21(d)	criteria for surgery— laparoscopic procedures	09/15/07	granted
Carlisle Outpatient Surgery Center	28 Pa. Code § 551.21(d)	criteria for surgery— laparoscopic procedures	02/16/08	granted
The Reading Hospital SurgiCenter Spring Ridge	28 Pa. Code § 551.21(d)	criteria for surgery— laparoscopic procedures	01/12/08	denied
The Pain and Surgical Center of Langhorne	28 Pa. Code § 551.31(a)	Class B facility/propofol	01/19/08	granted
Surgery Center of Pennsylvania Hospital	28 Pa. Code § 553.1	governing body	10/20/07	granted
Abington Memorial Hospital	28 Pa. Code § 553.1	governing body	12/01/07	granted
Heritage Valley Surgery Center	28 Pa. Code § 553.1	governing body	02/16/08	granted
Heritage Valley Surgery Center	28 Pa. Code § 553.3	responsibilities	02/16/08	not necessary
Heritage Valley Surgery Center	28 Pa. Code § 553.4	other functions	02/16/08	not necessary
Bux-Mont Endoscopy Center	28 Pa. Code § 553.31	administrative policies	01/26/08	granted
Lowry Surgicenter	28 Pa. Code § 553.31	administrative policies	01/26/08	granted
Bux-Mont Endoscopy Center	28 Pa. Code § 553.31	administrative policies	01/26/08	granted
Heritage Valley Surgery Center	28 Pa. Code § 553.31	administrative policies	02/16/08	not necessary
Surgery Center at Edgeworth Commons	28 Pa. Code § 553.31(a)	full time administrator	10/20/07	granted
Penn Medicine At Radnor Endoscopy Facility	28 Pa. Code § 553.31(a)	full-time administrator	01/26/08	denied
Carlisle Outpatient Surgery Center	28 Pa. Code § 553.31(a)	full-time administrator	02/09/08	granted
Abington Memorial Hospital	28 Pa. Code § 553.31(b)	administrative policies/ procedure	12/01/07	granted
Surgery Center of Pennsylvania Hospital	28 Pa. Code § 553.31(a)(b)	full person in charge— administrative policies	10/20/07	granted/ denied
Abington Memorial Hospital	28 Pa. Code § 555.1	medical staff	12/01/07	granted
Heritage Valley Surgery Center	28 Pa. Code § 555.1	medical staff	03/01/08	granted
Surgery Center of Pennsylvania Hospital	28 Pa. Code § 555.1—555.4	medical staff	10/20/07	granted/ denied
Hertiage Valley Surgery Center	28 Pa. Code § 555.3	requirements for membership and privileges	02/16/08	not necessary
Heritage Valley Surgery Center	28 Pa. Code § 555.4	clinical activities and duties of physican assistants and certified registered nurse practitioners	02/16/08	not necessary
Center for Reproductive Surgery Center	28 Pa. Code § 555.25(d)	anesthesia	02/16/08	denied

Facility Name	Regulation	Polating to	Request Published	Decision
Facility Name Northeast Regional Surgery	28 Pa. Code § 555.31(a)	Relating to anesthesia services—	12/01/07	granted
Center Center	20 1 a. Code 3 333.31(a)	propofol	12/01/07	granteu
Temple University School of	28 Pa. Code § 555.31(a)	anesthesia services— propofol	07/21/07	granted
Heritage Valley Surgery Center	28 Pa. Code § 557.1	quality assurance	05/16/08	denied
Abington Memorial Hospital	28 Pa. Code § 557.1	quality assurance	12/01/07	granted
Heritage Valley Surgery Center	28 Pa. Code § 557.1	quality assurance	03/08/08	granted
Abington Memorial Hospital	28 Pa. Code § 557.2	quality assurance	12/01/07	granted
Surgery Center of Pennsylvania Hospital	28 Pa. Code § 557.2	quality assurance	10/20/07	granted
SmartHealth Norwin Hills Outpatient Center	28 Pa. Code § 557.3(f)	quality assurance committee	09/29/07	granted
Lowry Surgicenter	28 Pa. Code § 559.2	director of nursing	01/26/08	granted
Reading Endoscopy Center, LLC	28 Pa. Code § 559.2	director of nursing	01/12/08	granted
Surgery Center of Pennsylvania Hospital	28 Pa. Code § 563.1	medical records	10/20/07	granted
SmartHealth Norwin Hills Outpatient Center	28 Pa. Code § 563.2(a)	medical records service	09/29/07	granted
Heritage Valley Surgery Center	28 Pa. Code § 567.2(2)	infection control	02/16/08	granted
Southwestern Pennsylvania Eye Surgery Center	28 Pa. Code § 569.1	fire, safety and disaster	02/16/08	granted
Saint Vincent Surgery Center	28 Pa. Code § 569.1	fire, safety and disaster	02/16/08	granted
Center for the Surgical Arts	28 Pa. Code § 569.1	fire, safety and disaster	02/16/08	granted
PRISM Center for Spine and Pain Care	28 Pa. Code § 569.1	fire, safety and disaster	02/16/08	granted
Heritage Valley Surgery Center	28 Pa. Code § 569.1	fire, safety and disaster	02/16/08	granted
Turk's Head Surgery Center	28 Pa. Code § 569.1	fire, safety and disaster	02/16/08	granted
Reading Hospital SurgiCenter at Spring Ridge, The	28 Pa. Code § 569.35	general safety precautions	09/29/07	granted
Hamot Surgery Center	28 Pa. Code § 569.35	general safety precautions	10/06/07	granted
North East Surgery Center	28 Pa. Code § 569.35	general safety precautions	10/06/07	granted
Foot and Ankle Surgical Center, LLC	28 Pa. Code § 569.35	general safety precautions	10/06/07	granted
Huntingdon Valley Surgery Center	28 Pa. Code § 569.35	general safety precautions	10/20/07	granted
Susquehanna Surgery Center	28 Pa. Code § 569.35	general safety precautions	10/27/07	granted
Fairgrounds Surgical Center	28 Pa. Code § 569.35	general safety precautions	10/27/07	granted
OSS Ambulatory Surgery Center	28 Pa. Code § 569.35	general safety precautions	11/03/07	granted
Philadelphia Surgi-Center, Inc.	28 Pa. Code § 569.35	general safety precautions	11/03/07	granted
York Adams Pain Specialists, P.C.	28 Pa. Code § 569.35	general safety precautions	12/08/07	granted
Abington Surgical Center	28 Pa. Code § 569.35	general safety precautions	12/29/07	granted
Hazleton Ambulatory Surgical Center, LLC	28 Pa. Code § 569.35	general safety precautions	12/29/07	granted
Hanover SurgiCenter	28 Pa. Code § 569.35	general safety precautions	01/12/08	granted
Ridley Crossing Surgical Center	28 Pa. Code § 569.35	general safety precautions	01/12/08	granted
Carlisle Outpatient Surgery Center	28 Pa. Code § 569.35	fire, safety and disaster	02/16/08	granted
Mount Nittany Surgical Center	28 Pa. Code § 569.35	fire, safety and disaster	02/23/08	granted
Plastic Surgical Associates of Johnstown, Inc	28 Pa. Code § 569.35	fire, safety and disaster	03/08/08	granted

			Request	
Facility Name	Regulation	Relating to	Published	Decision
Opthamology Surgery Institute of Central PA	28 Pa. Code § 569.35	fire, safety and disaster	03/08/08	granted
Northwood Surgery Center	28 Pa. Code § 569.35	fire, safety and disaster	03/15/08	granted
UPMC St. Margaret Harmar Outpatient Center	28 Pa. Code § 569.35	general safety precautions	05/05/07	granted
Surgical Center of York	28 Pa. Code § 569.35	general safety precautions	08/04/07	granted
RMS Lifeline Interventional Access Center	28 Pa. Code § 571.1	3.7-2.4.2.1(1) Phase II recovery 3.7-2.5.1 restricted corridor control station; 3.7-2.5.7.4 stretcher storage	01/19/08	granted
Surgery Center of Pennsylvania Hospital	28 Pa. Code § 571.1	2.3.1.3(a) OR size	12/01/07	granted
GSH Outpatient Surgery Center	28 Pa. Code numerous	for hospital-based ASF	10/20/07	granted/not necessary/ denied
	Nursing Car	e Facilities		uemeu
Menno Haven, Inc.	28 Pa. Code § 201.3	definitions	12/07/07	granted
Bethlen Home of the	28 Pa. Code § 201.3	definitions	12/08/07	granted
Elm Terrace Garden	28 Pa. Code § 201.3	definitions	02/16/08	granted
Maple Winds Care Center	28 Pa. Code § 201.18(e)	management	10/20/07	granted- temp
Longwood at Oakmont	28 Pa. Code § 205.6(a)	function of building	10/13/07	granted
Reformed Presbyterian	28 Pa. Code § 205.6(a)	function of building	10/20/07	granted
Wellington Terrace	28 Pa. Code § 205.6(a)	function of building	10/20/07	granted
Baldock Health Care Center	28 Pa. Code § 205.6(a)	function of building	12/01/07	granted
LaFayette Manor, Inc.	28 Pa. Code § 205.6(a)	function of building	12/07/07	granted
Harston Hall	28 Pa. Code § 205.6(a)	function of building	01/12/08	granted
Lakeside at Willow Valley	28 Pa. Code § 205.6(a)	function of building	01/12/08	granted
Kinkora Pythian Home	28 Pa. Code § 205.6(a)	function of building	01/12/08	granted
Beaumont at Bryn Mawr	28 Pa. Code § 205.6(a)	function of building	02/02/08	granted
Saint Mary's East	28 Pa. Code § 205.6(a)	function of building	02/16/08	granted
Hanover Hall	28 Pa. Code § 205.6(a)	function of building	02/23/08	granted
Sherwood Oaks	28 Pa. Code § 205.10(c)	doors	02/02/08	granted
Moravian Manor	28 Pa. Code § 205.10(d)	doors	02/09/08	granted
The Pavilion at BRMC	28 Pa. Code § 205.19(b)	windows and windowsills	12/08/07	granted
Sacred Heart Hospital	28 Pa. Code§ 205.21(a)	special care room	12/22/07	granted
Sacred Heart Hospital	28 Pa. Code § 205.24(a)	dining room	12/22/07	granted
Sacred Heart Hospital	28 Pa. Code § 205.25(b)	kitchen	12/22/07	granted
Misericordia Convalescent	28 Pa. Code § 205.26(e)	laundry	02/09/08	granted
Sacred Heart Hospital	28 Pa. Code § 205.27	lounge and rec. rooms	12/22/07	granted
Sacred Heart Hospital	28 Pa. Code § 205.31	storage	12/22/07	granted
John Heinz, Sr. Rehab Care	28 Pa. Code § 205.31	storage	02/16/08	granted
Sacred Heart Hospital	28 Pa. Code § 205.32(a)	janitor closet	12/22/07	granted
Sacred Heart Hospital	28 Pa. Code § 205.33(a)	utility room	12/22/07	granted
Evangelical Manor	28 Pa. Code § 205.33(a)	utility room	01/12/08	granted- temp
Sacred Heart Hospital	28 Pa. Code § 205.36(h)	bathing facilities	12/22/07	granted
Fair Winds Manor	28 Pa. Code § 205.36(h)	bathing facilities	02/02/08	granted
Moravian Manor	28 Pa. Code § 205.36(h)	bathing facilities	02/09/08	granted

Request Facility Name Regulation Relating to Published Decision Sacred Heart Hospital 28 Pa. Code § 205.66(a) special ventilation 12/22/07 granted 28 Pa. Code § 205.67(j)(k) The Mennonite Home electrical requirements 01/12/08 granted CALVIN B. JOHNSON, M. D., M.P.H., Secretary

[Pa.B. Doc. No. 08-596. Filed for public inspection March 28, 2008, 9:00 a.m.]

Long-Term Care Nursing Facilities; Request for Exception

The following long-term care nursing facility is seeking an exception to 28 Pa. Code §§ 205.6(a) and 205.36(h) (relating to function of building; and bathing facilities).

The Inn at Freedom Village 35 Freedom Boulevard West Brandywine, PA 19320 FAC ID 105502

The following long-term care nursing facility is seeking an exception to 28 Pa. Code §§ 205.25(a) and 205.31 (relating to kitchen; and storage).

The Hollinger Group Shepherdstown Road Mechanicsburg, PA 17055

These requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@state.pa.us.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address listed previously.

Comments received by the Department within 15 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who require an alternative format of this document or who desire to comment in an alternative format (for example, large print, audiotape, Braille), should contact the Division of Nursing Care Facilities at the address listed previously or for speech and/or hearing impaired persons V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H., Secretary

[Pa.B. Doc. No. 08-597. Filed for public inspection March 28, 2008, 9:00 a.m.]

Special Supplemental Nutrition Program for Women, Infants and Children (WIC Program); Maximum Allowable Prices and Competitive Prices

Maximum Allowable Prices and Competitive Prices for Type 1 Stores in Regular Cost Counties

Under 28 Pa. Code §§ 1103.4(5) and 1105.3(a)(1) (relating to selection criteria for authorization and reauthoriza-

tion; and terms and conditions of participation) and 7 CFR 246.12, the WIC Program hereby publishes notice of the Maximum Allowable Prices and Competitive Prices for Type 1 Stores in Regular Cost Counties.

Maximum Allowable Prices

Effective April 1, 2008, through June 30, 2008, the maximum allowable prices the Department of Health (Department) will pay Type 1 Stores in Regular Cost Counties for WIC Allowable Foods are as follows:

counties for wife i mowable i dous are as follows.	
	<i>[aximum]</i>
A	llowable
Description	Price
1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or	
Skim	\$2.55
12 oz. Evaporated Milk	\$1.17
16 oz. Dry Milk	\$6.01
1 qt. Lactose Reduced Milk	\$2.11
1/2 gal. Kosher Milk	\$2.81
4 oz. Kosher Infant Juice	\$0.67
8 oz. Kosher Infant Cereal	\$1.89
1 doz. Grade A Eggs	\$2.22
1 lb. Fresh Carrots	\$1.03
14 to 16 oz. Canned Carrots	\$1.03
1 lb. Cheese	\$7.58
1 lb. Kosher Cheese	\$7.80
1 lb. Dry Beans or Peas	\$1.68
1 oz. Adult WIC Cereal	\$0.31
8 oz. Gerber Infant Cereal	\$1.89
15 to 18 oz. Peanut Butter	\$3.04
46 oz. Single Strength Juice or 11.5 or 12 oz.	Ų0.UT
Juice Concentrate	\$2.97
6 oz. Cans Juice	\$1.53
6 to 6.5 oz. Chunk Light Tuna Packed in Water	\$1.00
4 oz. Gerber Infant Juice	\$0.67
32 oz. Alimentum Advance Ready-to-Feed	ŞU.U1
Formula	\$8.49
16 oz. Alimentum Advance Powder Formula	\$24.07
12.8 oz. EnfaCare LIPIL w/ Iron Powder	324.07
	010 00
Formula Consentants Formula	\$13.20
13 oz. Isomil Advance Concentrate Formula	\$4.59
32 oz. Isomil Advance Ready-to-Feed Formula	\$5.69
12.9 oz. Isomil Advance Powder Formula	\$13.79
12.9 oz. Isomil Go & Grow Soy	\$12.01
24 oz. Isomil Go & Grow Soy	\$21.50
13 oz. Isomil with Iron Concentrate Formula	\$4.34
12.9 oz. Isomil with Iron Powder Formula	\$12.41
32 oz. Isomil DF Ready-to-Feed Formula	\$5.91
13 oz. Nutramigen Lipil Concentrate Formula	\$6.68
32 oz. Nutramigen Lipil Ready-to-Feed Formula .	\$8.55
16 oz. Nutramigen Lipil Powder Formula	\$24.06
8 oz. Pediasure Ready-to-Feed Formula	\$1.71
8 oz. Pediasure with Fiber Ready-to-Feed	
Formula	\$1.75
13 oz. Similac Advance Concentrate Formula	\$4.11
32 oz. Similac Advance Ready-to-Feed Formula	\$5.95
12.9 oz. Similac Advance Powder Formula	\$12.57

M	aximum
A	llowable
Description	Price
12.9 oz. Similac Go & Grow Milk	\$11.85
24 oz. Similac Go & Grow Milk	\$21.21
13 oz. Similac with Iron Concentrate Formula	\$3.99
32 oz. Similac with Iron Ready-to-Feed Formula .	\$5.33
12.9 oz. Similac with Iron Powder Formula	\$12.14
13 oz. Similac Sensitive Concentrate Formula	\$4.60
32 oz. Similac Sensitive Ready-to-Feed Formula .	\$5.66
32 oz. Similac Sensitive RS Ready-to-Feed	
Formula	\$5.68
12.9 oz. Similac Sensitive Powder	\$13.92
12.8 oz. Similac Neosure Advance Powder	
Formula	\$14.31
32 oz. Similac Neosure Advance RTF Formula	\$7.05

A store must permit purchase of WIC allowable foods that exceed the maximum allowable price to WIC participants using a WIC check; however, the amounts that exceed the maximum allowable price of any WIC allowable foods sold to WIC participants will be billed to the store on a quarterly basis in accordance with 28 Pa. Code § 1105.2 (relating to price adjustment).

Competitive Prices

To remain WIC Authorized, each store must maintain the minimum inventory of the following WIC food items at, or below, the Competitive Prices listed for the store's peer group. Effective April 1, 2008, through June 30, 2008, the Competitive Prices for WIC Authorization for Type 1 Stores in Regular Cost Counties are as follows:

Com	petitive
Description	Prices
1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or	
Skim	\$2.36
1/2 gal. of Kosher Milk: Whole, Reduced Fat, Low	
Fat or Skim	\$2.41
12 oz. Evaporated Milk	\$1.10
16 oz. Dry Milk	\$5.69
1 doz. Grade A Eggs	\$2.11
1 lb. Fresh Carrots	\$0.98
14 to 16 oz. Canned Carrots	\$0.91
1 lb. Cheese	\$6.69
1 lb. Kosher Cheese	\$7.73
1 lb. Dry Beans or Peas	\$1.47
1 oz. Adult WIC Cereal	\$0.27
8 oz. Gerber Infant Cereal	\$1.89
15 to 18 oz. Peanut Butter	\$2.70
46 oz. Single Strength Juice or 11.5 or 12 oz.	
Juice Concentrate	\$2.71
6 to 6.5 oz. Chunk Light Tuna Packed in Water	\$0.93
4 oz. Gerber Infant Juice	\$0.67
13 oz. Isomil Advance Concentrate Formula	\$4.59
32 oz. Isomil Advance Ready-to-Feed Formula	\$5.69
12.9 oz. Isomil Advance Powder Formula	\$13.79
13 oz. Similac Advance Concentrate Formula	\$4.11
32 oz. Similac Advance Ready-to-Feed Formula	\$5.95
12.9 oz. Similac Advance Powder Formula	\$12.57

Maximum Allowable Prices and Competitive Prices for Type 2 Stores in Regular Cost Counties

Under 28 Pa. Code §§ 1103.4(5) and 1105.3(a)(1) and 7 CFR 246.12, the WIC Program hereby publishes notice of the Maximum Allowable Prices and Competitive Prices for Type 2 Stores in Regular Cost Counties.

Maximum Allowable Prices

Effective April 1, 2008, through June 30, 2008, the maximum allowable prices the Department will pay Type 2 Stores in Regular Cost Counties for WIC Allowable Foods are as follows:

	Maximum
	Allowable
Description	Price
1/2 gal. of Milk: Whole, Reduced Fat, Low Fat of	r
Skim	
12 oz. Evaporated Milk	\$1.33
16 oz. Dry Milk	\$6.01
1 qt. Lactose Reduced Milk	\$2.17
1/2 gal. Kosher Milk	\$2.81
4 oz. Kosher Infant Juice	\$0.70
8 oz. Kosher Infant Cereal	\$1.95
1 doz. Grade A Eggs	
1 lb. Fresh Carrots	
14 to 16 oz. Canned Carrots	\$1.05
1 lb. Cheese	
1 lb. Kosher Cheese	
1 lb. Dry Beans or Peas	
1 oz. Adult WIC Cereal	\$0.34
8 oz. Gerber Infant Cereal	\$1.95
15 to 18 oz. Peanut Butter	\$3.04
46 og Single Strongth Ivide on 11 5 on 19 og	33.04
46 oz. Single Strength Juice or 11.5 or 12 oz. Juice Concentrate	02.15
Juice Concentrate	\$3.15
6 oz. Cans Juice	\$1.53
6 to 6.5 oz. Chunk Light Tuna Packed in Water	
4 oz. Gerber Infant Juice	\$0.70
32 oz. Alimentum Advance Ready-to-Feed	00.00
Formula	
16 oz. Alimentum Advance Powder Formula	\$25.58
12.8 oz. EnfaCare LIPIL w/ Iron Powder	010 77
Formula	
13 oz. Isomil Advance Concentrate Formula	
32 oz. Isomil Advance Ready-to-Feed Formula.	\$5.87
12.9 oz. Isomil Advance Powder Formula	
12.9 oz. Isomil Go & Grow Soy	
24 oz. Isomil Go & Grow Soy	\$21.59
13 oz. Isomil with Iron Concentrate Formula	\$4.58
12.9 oz. Isomil with Iron Powder Formula	
32 oz. Isomil DF Ready-to-Feed Formula	
13 oz. Nutramigen Lipil Concentrate Formula .	
32 oz. Nutramigen Lipil Ready-to-Feed Formula	. \$8.76
16 oz. Nutramigen Lipil Powder Formula	
8 oz. Pediasure Ready-to-Feed Formula	\$1.96
8 oz. Pediasure with Fiber Ready-to-Feed	
Formula	\$1.99
13 oz. Similac Advance Concentrate Formula	
32 oz. Similac Advance Ready-to-Feed Formula	\$6.08
12.9 oz. Similac Advance Powder Formula	\$13.07
12.9 oz. Similac Go & Grow Milk	
24 oz. Similac Go & Grow Milk	\$21.21
13 oz. Similac with Iron Concentrate Formula .	
32 oz. Similac with Iron Ready-to-Feed Formula	
12.9 oz. Similac with Iron Powder Formula	\$12.57
13 oz. Similac Sensitive Concentrate Formula .	
32 oz. Similac Sensitive Ready-to-Feed Formula	
32 oz. Similac Sensitive RS Ready-to-Feed	
Formula	\$6.02
12.9 oz. Similac Sensitive Powder	
12.8 oz. Similac Neosure Advance Powder	
Formula	\$15.13
32 oz. Similac Neosure Advance RTF Formula .	\$7.29
	,

A store must permit purchase of WIC allowable foods that exceed the maximum allowable price to WIC participants using a WIC check; however, the amounts that

exceed the maximum allowable price of any WIC allowable foods sold to WIC participants will be billed to the store on a quarterly basis in accordance with 28 Pa. Code § 1105.2.

Competitive Prices

To remain WIC Authorized, each store must maintain the minimum inventory of the following WIC food items at, or below, the Competitive Prices listed for the store's peer group. Effective April 1, 2008, through June 30, 2008, the Competitive Prices for WIC Authorization for Type 2 Stores in Regular Cost Counties are as follows:

Con	npetitive
Description	Prices
1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or	
Skim	\$2.36
1/2 gal. of Kosher Milk: Whole, Reduced Fat, Low	
Fat or Skim	\$2.41
12 oz. Evaporated Milk	\$1.24
16 oz. Dry Milk	\$5.69
1 doz. Grade A Eggs	\$2.18
1 lb. Fresh Carrots	\$1.00
14 to 16 oz. Canned Carrots	\$0.95
1 lb. Cheese	\$6.69
1 lb. Kosher Cheese	\$8.67
1 lb. Dry Beans or Peas	\$1.65
1 oz. Adult WIC Cereal	\$0.31
8 oz. Gerber Infant Cereal	\$1.95
15 to 18 oz. Peanut Butter	\$2.70
46 oz. Single Strength Juice or 11.5 or 12 oz.	
Juice Concentrate	\$2.84
6 to 6.5 oz. Chunk Light Tuna Packed in Water	\$0.99
4 oz. Gerber Infant Juice	\$0.70
13 oz. Isomil Advance Concentrate Formula	\$4.71
32 oz. Isomil Advance Ready-to-Feed Formula	\$5.87
12.9 oz. Isomil Advance Powder Formula	\$14.12
13 oz. Similac Advance Concentrate Formula	\$4.28
32 oz. Similac Advance Ready-to-Feed Formula	\$6.08
12.9 oz. Similac Advance Powder Formula	\$13.07

Maximum Allowable Prices and Competitive Prices for Type 3 Stores in Regular Cost Counties

Under 28 Pa. Code §§ 1103.4(5) and 1105.3(a)(1) and 7 CFR 246.12, the WIC Program hereby publishes notice of the Maximum Allowable Prices and Competitive Prices for Type 3 Stores in Regular Cost Counties.

Maximum Allowable Prices

Effective April 1, 2008, through June 30, 2008, the maximum allowable prices the Department will pay Type 3 Stores in Regular Cost Counties for WIC allowable foods are as follows:

	aximum lowable
Description	Price
1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or	
Skim	\$2.55
12 oz. Evaporated Milk	\$1.33
16 oz. Dry Milk	\$6.01
1 qt. Lactose Reduced Milk	\$2.17
1/2 gal. Kosher Milk	\$2.81
4 oz. Kosher Infant Juice	\$0.73
8 oz. Kosher Infant Cereal	\$2.08
1 doz. Grade A Eggs	\$2.29
1 lb. Fresh Carrots	\$1.04
14 to 16 oz. Canned Carrots	\$1.05
1 lb. Cheese	\$7.58
1 lb. Kosher Cheese	\$8.78

	Maximum
	Allowable
Description	Price
1 lb. Dry Beans or Peas	\$1.87
1 oz. Adult WIC Cereal	
8 oz. Gerber Infant Cereal	\$2.08
15 to 18 oz. Peanut Butter	\$3.04
46 oz. Single Strength Juice or 11.5 or 12 oz.	00.01
Juice Concentrate	\$3.15
6 oz. Cans Juice	
6 to 6.5 oz. Chunk Light Tuna Packed in Water	\$1.06
4 oz. Gerber Infant Juice	
32 oz. Alimentum Advance Ready-to-Feed	00.75
Formula	\$8.98
16 oz. Alimentum Advance Powder Formula	
12.8 oz. EnfaCare LIPIL w/ Iron Powder	
Formula	
13 oz. Isomil Advance Concentrate Formula	\$5.19
32 oz. Isomil Advance Ready-to-Feed Formula .	\$7.04
12.9 oz. Isomil Advance Powder Formula	\$15.32
12.9 oz. Isomil Go & Grow Soy	\$12.06
24 oz. Isomil Go & Grow Soy	\$21.59
13 oz. Isomil with Iron Concentrate Formula	\$5.15
12.9 oz. Isomil with Iron Powder Formula	
32 oz. Isomil DF Ready-to-Feed Formula	
13 oz. Nutramigen Lipil Concentrate Formula .	
32 oz. Nutramigen Lipil Ready-to-Feed Formula	
16 oz. Nutramigen Lipil Powder Formula	
8 oz. Pediasure Ready-to-Feed Formula	\$27.01
8 oz. Pediasure with Fiber Ready-to-Feed	32.40
Formula	\$2.50
13 oz. Similac Advance Concentrate Formula	
32 oz. Similac Advance Ready-to-Feed Formula	\$6.84
12.9 oz. Similac Advance Powder Formula	
12.9 oz. Similac Go & Grow Milk	\$11.85
24 oz. Similac Go & Grow Milk	\$21.21
13 oz. Similac with Iron Concentrate Formula .	
32 oz. Similac with Iron Ready-to-Feed Formula	
12.9 oz. Similac with Iron Powder Formula	
13 oz. Similac Sensitive Concentrate Formula	
32 oz. Similac Sensitive Ready-to-Feed Formula 32 oz. Similac Sensitive RS Ready-to-Feed	30.31
Formula	\$7.14
12.9 oz. Similac Sensitive Powder	
12.8 oz. Similac Neosure Advance Powder	
Formula	\$15.13
32 oz. Similac Neosure Advance RTF Formula .	

A store must permit purchase of WIC allowable foods that exceed the maximum allowable price to WIC participants using a WIC check; however, the amounts that exceed the maximum allowable price of any WIC allowable foods sold to WIC participants will be billed to the store on a quarterly basis in accordance with 28 Pa. Code § 1105.2.

Competitive Prices

To remain WIC Authorized, each store must maintain the minimum inventory of the following WIC food items at, or below, the Competitive Prices listed for the store's peer group. Effective April 1, 2008, through June 30, 2008, the Competitive Prices for WIC Authorization for Type 3 Stores in Regular Cost Counties are as follows:

Con	apetitive
Description	Prices
1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or	
Skim	\$2.36
1/2 gal. of Kosher Milk: Whole, Reduced Fat, Low	
Fat or Skim	\$2.41

	petitive		aximum
Description	Prices		llowable
12 oz. Evaporated Milk	\$1.25 \$5.69	Description 12.9 oz. Isomil Advance Powder Formula	<i>Price</i> \$13.98
1 doz. Grade A Eggs	\$2.18 \$1.03	12.9 oz. Isomil Go & Grow Soy	\$12.20 \$21.84
14 to 16 oz. Canned Carrots	\$1.03 \$0.95	13 oz. Isomil with Iron Concentrate Formula	\$4.39
1 lb. Cheese	\$6.69	12.9 oz. Isomil with Iron Powder Formula	\$12.65
1 lb. Kosher Cheese	\$8.67 \$1.65	32 oz. Isomil DF Ready-to-Feed Formula	\$6.02 \$6.83
1 lb. Dry Beans or Peas	\$1.03 \$0.32	13 oz. Nutramigen Lipil Concentrate Formula 32 oz. Nutramigen Lipil Ready-to-Feed Formula .	\$8.59
8 oz. Gerber Infant Cereal	\$2.08	16 oz. Nutramigen Lipil Powder Formula	\$24.78
15 to 18 oz. Peanut Butter	\$2.70	8 oz. Pediasure Ready-to-Feed Formula	\$1.76
46 oz. Single Strength Juice or 11.5 or 12 oz. Juice Concentrate	\$2.85	8 oz. Pediasure with Fiber Ready-to-Feed Formula	\$1.83
6 to 6.5 oz. Chunk Light Tuna Packed in Water	\$0.99	13 oz. Similac Advance Concentrate Formula	\$4.22
4 oz. Gerber Infant Juice	\$0.73	32 oz. Similac Advance Ready-to-Feed Formula	\$6.04
13 oz. Isomil Advance Concentrate Formula 32 oz. Isomil Advance Ready-to-Feed Formula	\$5.19 \$7.04	12.9 oz. Similac Advance Powder Formula	\$12.95 \$12.02
12.9 oz. Isomil Advance Powder Formula	\$15.32	24 oz. Similac Go & Grow Milk	\$21.51
13 oz. Similac Advance Concentrate Formula	\$4.92	13 oz. Similac with Iron Concentrate Formula	\$4.03
32 oz. Similac Advance Ready-to-Feed Formula	\$6.84 \$14.30	32 oz. Similac with Iron Ready-to-Feed Formula	\$5.35 \$12.37
		13 oz. Similac Sensitive Concentrate Formula	\$4.70
Maximum Allowable Prices and Competitive for Type 1 Stores in High Cost Counties		32 oz. Similac Sensitive Ready-to-Feed Formula.32 oz. Similac Sensitive RS Ready-to-Feed	\$5.81
Under 28 Pa. Code §§ 1103.4(5) and 1105.3(a)(1		Formula Paradan	\$5.85
CFR 246.12, the WIC Program hereby publishes in		12.9 oz. Similac Sensitive Powder	\$14.15
the Maximum Allowable Prices and Competitive for Type 1 Stores in High Cost Counties.	rrices	Formula	\$14.86
Maximum Allowable Prices		32 oz. Similac Neosure Advance RTF Formula	\$7.26
	00 1	A store must permit purchase of WIC allowab	le foods
Effective April 1, 2008, through June 30, 20 maximum allowable prices the Department will pa		that exceed the maximum allowable price to WIC	
		pants using a WIC check; however, the amoun	
1 Stores in Fight Cost Counties for WIC allowable	le toods	exceed the maximum allowable price of any WIC	🕽 allow-
1 Stores in High Cost Counties for WIC allowable are as follows:	le foods	exceed the maximum allowable price of any WIC able foods sold to WIC participants will be billed	d to the
are as follows:	aximum	able foods sold to WIC participants will be billed store on a quarterly basis in accordance with 28 F	d to the
are as follows: Ma	aximum Ilowable	able foods sold to WIC participants will be billed store on a quarterly basis in accordance with 28 F § 1105.2.	d to the
are as follows: Ma Al Description	aximum	able foods sold to WIC participants will be billed store on a quarterly basis in accordance with 28 F § 1105.2. Competitive Prices	d to the Pa. Code
are as follows: Ma Al Description 1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or	aximum llowable Price	able foods sold to WIC participants will be billed store on a quarterly basis in accordance with 28 F § 1105.2. Competitive Prices To remain WIC Authorized, each store must m	d to the Pa. Code naintain
are as follows: Ma Al Description 1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim	aximum Ilowable	able foods sold to WIC participants will be billed store on a quarterly basis in accordance with 28 F § 1105.2. Competitive Prices To remain WIC Authorized, each store must me the minimum inventory of the following WIC foo	d to the Pa. Code naintain od items
are as follows: Ma Al Description 1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim	aximum llowable Price \$2.55 \$1.27 \$6.01	able foods sold to WIC participants will be billed store on a quarterly basis in accordance with 28 F § 1105.2. Competitive Prices To remain WIC Authorized, each store must me the minimum inventory of the following WIC food at, or below, the Competitive Prices listed for the peer group. Effective April 1, 2008, through Jones and the price of the peer group.	d to the Pa. Code maintain od items e store's une 30,
are as follows: Ma Al Description 1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim	aximum llowable Price \$2.55 \$1.27 \$6.01 \$2.15	able foods sold to WIC participants will be billed store on a quarterly basis in accordance with 28 F § 1105.2. Competitive Prices To remain WIC Authorized, each store must me the minimum inventory of the following WIC foo at, or below, the Competitive Prices listed for the peer group. Effective April 1, 2008, through J 2008, the Competitive Prices for WIC Authoriza	d to the Pa. Code maintain od items e store's une 30, ttion for
are as follows: Ma Al Description 1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim	aximum flowable Price \$2.55 \$1.27 \$6.01 \$2.15 \$2.81	able foods sold to WIC participants will be billed store on a quarterly basis in accordance with 28 F § 1105.2. Competitive Prices To remain WIC Authorized, each store must me the minimum inventory of the following WIC foo at, or below, the Competitive Prices listed for the peer group. Effective April 1, 2008, through Jacobs, the Competitive Prices for WIC Authoriza Type 1 Stores in High Cost Counties are as follows.	naintain od items e store's une 30, ition for s:
are as follows: Manage All Description 1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim	sz.mum Price \$2.55 \$1.27 \$6.01 \$2.15 \$2.81 \$0.70 \$1.93	able foods sold to WIC participants will be billed store on a quarterly basis in accordance with 28 F § 1105.2. Competitive Prices To remain WIC Authorized, each store must me the minimum inventory of the following WIC foo at, or below, the Competitive Prices listed for the peer group. Effective April 1, 2008, through John 2008, the Competitive Prices for WIC Authoriza Type 1 Stores in High Cost Counties are as follow. Con	d to the Pa. Code maintain od items e store's une 30, ition for is:
are as follows: Manage Description 1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim	szimum Price \$2.55 \$1.27 \$6.01 \$2.15 \$2.81 \$0.70 \$1.93 \$2.40	able foods sold to WIC participants will be billed store on a quarterly basis in accordance with 28 F § 1105.2. Competitive Prices To remain WIC Authorized, each store must in the minimum inventory of the following WIC foo at, or below, the Competitive Prices listed for the peer group. Effective April 1, 2008, through J 2008, the Competitive Prices for WIC Authoriza Type 1 Stores in High Cost Counties are as follow. Con Description	naintain od items e store's une 30, ition for s:
are as follows: Manage Description 1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim	sz.mum Price \$2.55 \$1.27 \$6.01 \$2.15 \$2.81 \$0.70 \$1.93	able foods sold to WIC participants will be billed store on a quarterly basis in accordance with 28 F § 1105.2. Competitive Prices To remain WIC Authorized, each store must me the minimum inventory of the following WIC foo at, or below, the Competitive Prices listed for the peer group. Effective April 1, 2008, through Jacobs, the Competitive Prices for WIC Authorizat Type 1 Stores in High Cost Counties are as follow Con Description 1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or	d to the Pa. Code maintain od items e store's une 30, ition for is:
are as follows: Manage Description 1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim	szimum Frice \$2.55 \$1.27 \$6.01 \$2.15 \$2.81 \$0.70 \$1.93 \$2.40 \$1.04 \$1.04 \$7.84	able foods sold to WIC participants will be billed store on a quarterly basis in accordance with 28 F § 1105.2. Competitive Prices To remain WIC Authorized, each store must in the minimum inventory of the following WIC foo at, or below, the Competitive Prices listed for the peer group. Effective April 1, 2008, through Jr 2008, the Competitive Prices for WIC Authoriza Type 1 Stores in High Cost Counties are as follow. Con Description 1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim	naintain od items e store's une 30, ition for s: **precitive Prices** \$2.40
are as follows: Manage Description 1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim	szimum Frice \$2.55 \$1.27 \$6.01 \$2.15 \$2.81 \$0.70 \$1.93 \$2.40 \$1.04 \$7.84 \$7.80	able foods sold to WIC participants will be billed store on a quarterly basis in accordance with 28 F § 1105.2. Competitive Prices To remain WIC Authorized, each store must me the minimum inventory of the following WIC foo at, or below, the Competitive Prices listed for the peer group. Effective April 1, 2008, through Journal of the Competitive Prices for WIC Authorizated Type 1 Stores in High Cost Counties are as follow. Con Description 1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim	naintain od items e store's une 30, ition for s: **precipital Control of the store of the store's une 30, ition for s: **precipital of the store o
are as follows: Manage Description 1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim 12 oz. Evaporated Milk 16 oz. Dry Milk 1 qt. Lactose Reduced Milk 1/2 gal. Kosher Milk 4 oz. Kosher Infant Juice 8 oz. Kosher Infant Cereal 1 doz. Grade A Eggs 1 lb. Fresh Carrots 14 to 16 oz. Canned Carrots 1 lb. Cheese 1 lb. Kosher Cheese 1 lb. Dry Beans or Peas	seximum Frice \$2.55 \$1.27 \$6.01 \$2.15 \$2.81 \$0.70 \$1.93 \$2.40 \$1.04 \$1.04 \$7.84 \$7.80 \$1.82	able foods sold to WIC participants will be billed store on a quarterly basis in accordance with 28 F § 1105.2. Competitive Prices To remain WIC Authorized, each store must me the minimum inventory of the following WIC foo at, or below, the Competitive Prices listed for the peer group. Effective April 1, 2008, through Jo 2008, the Competitive Prices for WIC Authoriza Type 1 Stores in High Cost Counties are as follow Con Description 1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim	naintain od items e store's une 30, tion for s: **Example 1.17**
are as follows: Manage All Description 1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim	szimum Frice \$2.55 \$1.27 \$6.01 \$2.15 \$2.81 \$0.70 \$1.93 \$2.40 \$1.04 \$7.84 \$7.80	able foods sold to WIC participants will be billed store on a quarterly basis in accordance with 28 F § 1105.2. Competitive Prices To remain WIC Authorized, each store must me the minimum inventory of the following WIC foo at, or below, the Competitive Prices listed for the peer group. Effective April 1, 2008, through Jo 2008, the Competitive Prices for WIC Authoriza Type 1 Stores in High Cost Counties are as follow Con Description 1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim	naintain od items e store's une 30, ition for s: **precipital Control of the store of the store's une 30, ition for s: **precipital of the store o
are as follows: Manage All Description 1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim	szimum Price \$2.55 \$1.27 \$6.01 \$2.15 \$2.81 \$0.70 \$1.93 \$2.40 \$1.04 \$1.04 \$7.84 \$7.80 \$1.82 \$0.31	able foods sold to WIC participants will be billed store on a quarterly basis in accordance with 28 F § 1105.2. Competitive Prices To remain WIC Authorized, each store must me the minimum inventory of the following WIC foo at, or below, the Competitive Prices listed for the peer group. Effective April 1, 2008, through Jt 2008, the Competitive Prices for WIC Authoriza Type 1 Stores in High Cost Counties are as follow Con Description 1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim 1/2 gal. of Kosher Milk: Whole, Reduced Fat, Low Fat or Skim 12 oz. Evaporated Milk 16 oz. Dry Milk 1 doz. Grade A Eggs 1 lb. Fresh Carrots	naintain od items e store's une 30, tition for s: mpetitive Prices \$2.40 \$2.41 \$1.17 \$5.69 \$2.29 \$1.01
are as follows: Manage All Description 1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim	sz.mum Price \$2.55 \$1.27 \$6.01 \$2.15 \$2.81 \$0.70 \$1.93 \$2.40 \$1.04 \$7.84 \$7.84 \$7.80 \$1.82 \$0.31 \$1.93 \$3.22	able foods sold to WIC participants will be billed store on a quarterly basis in accordance with 28 F § 1105.2. Competitive Prices To remain WIC Authorized, each store must me the minimum inventory of the following WIC foo at, or below, the Competitive Prices listed for the peer group. Effective April 1, 2008, through Jt 2008, the Competitive Prices for WIC Authorizat Type 1 Stores in High Cost Counties are as follow Con Description 1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim	naintain od items e store's une 30, tition for s: mpetitive Prices \$2.40 \$2.41 \$1.17 \$5.69 \$2.29 \$1.01 \$0.95
are as follows: Manage All Description 1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim	sz.mum Price \$2.55 \$1.27 \$6.01 \$2.15 \$2.81 \$0.70 \$1.93 \$2.40 \$1.04 \$1.04 \$7.84 \$7.84 \$7.80 \$1.82 \$0.31 \$1.93 \$3.22	able foods sold to WIC participants will be billed store on a quarterly basis in accordance with 28 F § 1105.2. Competitive Prices To remain WIC Authorized, each store must me the minimum inventory of the following WIC foo at, or below, the Competitive Prices listed for the peer group. Effective April 1, 2008, through J 2008, the Competitive Prices for WIC Authorizatype 1 Stores in High Cost Counties are as follow Con Description 1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim 1/2 gal. of Kosher Milk: Whole, Reduced Fat, Low Fat or Skim 12 oz. Evaporated Milk 16 oz. Dry Milk 1 doz. Grade A Eggs 1 lb. Fresh Carrots 14 to 16 oz. Canned Carrots 1 lb. Cheese	naintain od items e store's une 30, tition for s: mpetitive Prices \$2.40 \$2.41 \$1.17 \$5.69 \$2.29 \$1.01 \$0.95 \$6.69
are as follows: Manuel Description 1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim 12 oz. Evaporated Milk 16 oz. Dry Milk 1 qt. Lactose Reduced Milk 1/2 gal. Kosher Milk 4 oz. Kosher Infant Juice 8 oz. Kosher Infant Cereal 1 doz. Grade A Eggs 1 lb. Fresh Carrots 14 to 16 oz. Canned Carrots 1 lb. Cheese 1 lb. Cheese 1 lb. Dry Beans or Peas 1 oz. Adult WIC Cereal 8 oz. Gerber Infant Cereal 15 to 18 oz. Peanut Butter 46 oz. Single Strength Juice or 11.5 or 12 oz. Juice Concentrate 6 oz. Cans Juice 6 to 6.5 oz. Chunk Light Tuna Packed in Water	sz.mum Price \$2.55 \$1.27 \$6.01 \$2.15 \$2.81 \$0.70 \$1.93 \$2.40 \$1.04 \$7.84 \$7.84 \$7.80 \$1.82 \$0.31 \$1.93 \$3.22	able foods sold to WIC participants will be billed store on a quarterly basis in accordance with 28 F § 1105.2. Competitive Prices To remain WIC Authorized, each store must me the minimum inventory of the following WIC food at, or below, the Competitive Prices listed for the peer group. Effective April 1, 2008, through Journal 2008, the Competitive Prices for WIC Authorizatory Type 1 Stores in High Cost Counties are as follow Con Description 1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim 1/2 gal. of Kosher Milk: Whole, Reduced Fat, Low Fat or Skim 1/2 oz. Evaporated Milk 1 doz. Grade A Eggs 1 lb. Fresh Carrots 1 to 16 oz. Canned Carrots 1 lb. Cheese 1 lb. Kosher Cheese 1 lb. Dry Beans or Peas	naintain od items e store's une 30, tition for s: mpetitive Prices \$2.40 \$2.41 \$1.17 \$5.69 \$2.29 \$1.01 \$0.95
are as follows: Manuel Description 1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim 12 oz. Evaporated Milk 16 oz. Dry Milk 1 qt. Lactose Reduced Milk 1/2 gal. Kosher Milk 4 oz. Kosher Infant Juice 8 oz. Kosher Infant Cereal 1 doz. Grade A Eggs 1 lb. Fresh Carrots 14 to 16 oz. Canned Carrots 1 lb. Cheese 1 lb. Cheese 1 lb. Dry Beans or Peas 1 oz. Adult WIC Cereal 8 oz. Gerber Infant Cereal 15 to 18 oz. Peanut Butter 46 oz. Single Strength Juice or 11.5 or 12 oz. Juice Concentrate 6 oz. Cans Juice 6 to 6.5 oz. Chunk Light Tuna Packed in Water 4 oz. Gerber Infant Juice	\$2.55 \$1.27 \$6.01 \$2.15 \$2.81 \$0.70 \$1.93 \$2.40 \$1.04 \$7.84 \$7.80 \$1.82 \$0.31 \$1.93 \$3.22	able foods sold to WIC participants will be billed store on a quarterly basis in accordance with 28 F § 1105.2. Competitive Prices To remain WIC Authorized, each store must me the minimum inventory of the following WIC food at, or below, the Competitive Prices listed for the peer group. Effective April 1, 2008, through Journal 2008, the Competitive Prices for WIC Authorizated Type 1 Stores in High Cost Counties are as follow Con Description 1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim 1/2 gal. of Kosher Milk: Whole, Reduced Fat, Low Fat or Skim 12 oz. Evaporated Milk 16 oz. Dry Milk 1 doz. Grade A Eggs 1 lb. Fresh Carrots 14 to 16 oz. Canned Carrots 1 lb. Cheese 1 lb. Kosher Cheese 1 lb. Dry Beans or Peas 1 oz. Adult WIC Cereal	d to the Pa. Code naintain od items e store's une 30, tion for s: **s:** **mpetitive Prices** \$2.40 \$2.41 \$1.17 \$5.69 \$2.29 \$1.01 \$0.95 \$6.69 \$7.73 \$1.58 \$0.28
are as follows: Manage Description 1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim	\$2.55 \$1.27 \$6.01 \$2.15 \$2.81 \$0.70 \$1.93 \$2.40 \$1.04 \$1.04 \$7.80 \$1.82 \$0.31 \$1.93 \$3.22 \$3.14 \$1.53 \$1.18 \$0.70	able foods sold to WIC participants will be billed store on a quarterly basis in accordance with 28 F § 1105.2. Competitive Prices To remain WIC Authorized, each store must me the minimum inventory of the following WIC food at, or below, the Competitive Prices listed for the peer group. Effective April 1, 2008, through Journal of Journal of WIC Authorizar Type 1 Stores in High Cost Counties are as follow Con Description 1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim 1/2 gal. of Kosher Milk: Whole, Reduced Fat, Low Fat or Skim 1/2 oz. Evaporated Milk 1 doz. Grade A Eggs 1 lb. Fresh Carrots 1 lb. Cheese 1 lb. Kosher Cheese 1 lb. Kosher Cheese 1 lb. Dry Beans or Peas 1 oz. Adult WIC Cereal 8 oz. Gerber Infant Cereal	d to the Pa. Code naintain od items e store's une 30, tion for s: npetitive Prices \$2.40 \$2.41 \$1.17 \$5.69 \$2.29 \$1.01 \$0.95 \$6.69 \$7.73 \$1.58 \$0.28 \$1.93
are as follows: Manuel Description 1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim 12 oz. Evaporated Milk 16 oz. Dry Milk 1 qt. Lactose Reduced Milk 1/2 gal. Kosher Milk 4 oz. Kosher Infant Juice 8 oz. Kosher Infant Cereal 1 doz. Grade A Eggs 1 lb. Fresh Carrots 14 to 16 oz. Canned Carrots 1 lb. Cheese 1 lb. Cheese 1 lb. Dry Beans or Peas 1 oz. Adult WIC Cereal 8 oz. Gerber Infant Cereal 15 to 18 oz. Peanut Butter 46 oz. Single Strength Juice or 11.5 or 12 oz. Juice Concentrate 6 oz. Cans Juice 6 to 6.5 oz. Chunk Light Tuna Packed in Water 4 oz. Gerber Infant Juice	\$2.55 \$1.27 \$6.01 \$2.15 \$2.81 \$0.70 \$1.93 \$2.40 \$1.04 \$7.84 \$7.80 \$1.82 \$0.31 \$1.93 \$3.22 \$3.14 \$1.53 \$1.18	able foods sold to WIC participants will be billed store on a quarterly basis in accordance with 28 F § 1105.2. Competitive Prices To remain WIC Authorized, each store must me the minimum inventory of the following WIC foo at, or below, the Competitive Prices listed for the peer group. Effective April 1, 2008, through Jo 2008, the Competitive Prices for WIC Authoriza Type 1 Stores in High Cost Counties are as follow Con Description 1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim	d to the Pa. Code naintain od items e store's une 30, tion for s: **s:** **mpetitive Prices** \$2.40 \$2.41 \$1.17 \$5.69 \$2.29 \$1.01 \$0.95 \$6.69 \$7.73 \$1.58 \$0.28
are as follows: Manage Description 1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim	\$2.55 \$1.27 \$6.01 \$2.15 \$2.81 \$0.70 \$1.93 \$2.40 \$1.04 \$7.84 \$7.80 \$1.82 \$0.31 \$1.93 \$3.22 \$3.14 \$1.53 \$1.18 \$0.70 \$8.74 \$24.95	able foods sold to WIC participants will be billed store on a quarterly basis in accordance with 28 F § 1105.2. Competitive Prices To remain WIC Authorized, each store must me the minimum inventory of the following WIC foo at, or below, the Competitive Prices listed for the peer group. Effective April 1, 2008, through Journal 2008, the Competitive Prices for WIC Authoriza Type 1 Stores in High Cost Counties are as follow Con Description 1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim 1/2 gal. of Kosher Milk: Whole, Reduced Fat, Low Fat or Skim 12 oz. Evaporated Milk 16 oz. Dry Milk 1 doz. Grade A Eggs 1 lb. Fresh Carrots 1 lb. Cheese 1 lb. Cheese 1 lb. Kosher Cheese 1 lb. Dry Beans or Peas 1 oz. Adult WIC Cereal 8 oz. Gerber Infant Cereal 15 to 18 oz. Peanut Butter 46 oz. Single Strength Juice or 11.5 or 12 oz. Juice Concentrate	d to the Pa. Code naintain od items e store's une 30, tion for rs: npetitive Prices \$2.40 \$2.41 \$1.17 \$5.69 \$2.29 \$1.01 \$0.95 \$6.69 \$7.73 \$1.58 \$0.28 \$1.93 \$2.85
are as follows: Manage Description 1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim	sximum flowable Price \$2.55 \$1.27 \$6.01 \$2.15 \$2.81 \$0.70 \$1.93 \$2.40 \$1.04 \$7.80 \$1.04 \$7.80 \$1.82 \$0.31 \$1.93 \$3.22 \$3.14 \$1.53 \$1.18 \$0.70 \$8.74 \$24.95	able foods sold to WIC participants will be billed store on a quarterly basis in accordance with 28 F § 1105.2. Competitive Prices To remain WIC Authorized, each store must me the minimum inventory of the following WIC foo at, or below, the Competitive Prices listed for the peer group. Effective April 1, 2008, through Journal 2008, the Competitive Prices for WIC Authoriza Type 1 Stores in High Cost Counties are as follow Con Description 1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim 1/2 gal. of Kosher Milk: Whole, Reduced Fat, Low Fat or Skim 12 oz. Evaporated Milk 16 oz. Dry Milk 1 doz. Grade A Eggs 1 lb. Fresh Carrots 1 lb. Cheese 1 lb. Cheese 1 lb. Kosher Cheese 1 lb. Dry Beans or Peas 1 oz. Adult WIC Cereal 8 oz. Gerber Infant Cereal 15 to 18 oz. Peanut Butter 46 oz. Single Strength Juice or 11.5 or 12 oz. Juice Concentrate 6 to 6.5 oz. Chunk Light Tuna Packed in Water	d to the Pa. Code naintain od items e store's une 30, tion for s: npetitive Prices \$2.40 \$2.41 \$1.17 \$5.69 \$2.29 \$1.01 \$0.95 \$6.69 \$7.73 \$1.58 \$0.28 \$1.93 \$2.85 \$2.83 \$1.06
are as follows: Manage Description 1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim	\$2.55 \$1.27 \$6.01 \$2.15 \$2.81 \$0.70 \$1.93 \$2.40 \$1.04 \$7.84 \$7.80 \$1.82 \$0.31 \$1.93 \$3.22 \$3.14 \$1.53 \$1.18 \$0.70 \$8.74 \$24.95	able foods sold to WIC participants will be billed store on a quarterly basis in accordance with 28 F § 1105.2. Competitive Prices To remain WIC Authorized, each store must me the minimum inventory of the following WIC foo at, or below, the Competitive Prices listed for the peer group. Effective April 1, 2008, through Journal 2008, the Competitive Prices for WIC Authoriza Type 1 Stores in High Cost Counties are as follow Con Description 1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim 1/2 gal. of Kosher Milk: Whole, Reduced Fat, Low Fat or Skim 12 oz. Evaporated Milk 16 oz. Dry Milk 1 doz. Grade A Eggs 1 lb. Fresh Carrots 1 lb. Cheese 1 lb. Cheese 1 lb. Kosher Cheese 1 lb. Dry Beans or Peas 1 oz. Adult WIC Cereal 8 oz. Gerber Infant Cereal 15 to 18 oz. Peanut Butter 46 oz. Single Strength Juice or 11.5 or 12 oz. Juice Concentrate	d to the Pa. Code naintain od items e store's une 30, tion for rs: npetitive Prices \$2.40 \$2.41 \$1.17 \$5.69 \$2.29 \$1.01 \$0.95 \$6.69 \$7.73 \$1.58 \$0.28 \$1.93 \$2.85

прешиче
Prices
\$5.71
\$13.98
\$4.22
\$6.04
\$12.95

Maximum Allowable Prices and Competitive Prices for Type 2 Stores in High Cost Counties

Under 28 Pa. Code §§ 1103.4(5) and 1105.3(a)(1) and 7 CFR 246.12, the WIC Program hereby publishes notice of the Maximum Allowable Prices and Competitive Prices for Type 2 Stores in High Cost Counties.

Maximum Allowable Prices

Effective April 1, 2008, through June 30, 2008, the maximum allowable prices the Department will pay Type 2 Stores in High Cost Counties for WIC allowable foods are as follows:

ure us follows.	
Λ	<i>laximum</i>
A	llowable
Description	Price
1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or	
Skim	\$2.55
12 oz. Evaporated Milk	\$1.35
16 oz. Dry Milk	\$6.01
1 qt. Lactose Reduced Milk	\$2.21
1/2 gal. Kosher Milk	\$3.05
4 oz. Kosher Infant Juice	\$0.74
8 oz. Kosher Infant Cereal	\$2.08
1 doz. Grade A Eggs	\$2.40
1 lb. Fresh Carrots	\$1.09
14 to 16 oz. Canned Carrots	\$1.09
1 lb. Cheese	\$7.84
1 lb. Kosher Cheese	\$8.78
1 lb. Dry Beans or Peas	\$1.87
1 oz. Adult WIC Cereal	\$0.34
8 oz. Gerber Infant Cereal	\$2.08
15 to 18 oz. Peanut Butter	\$3.22
46 oz. Single Strength Juice or 11.5 or 12 oz.	
Juice Concentrate	\$3.16
6 oz. Cans Juice	\$1.53
6 to 6.5 oz. Chunk Light Tuna Packed in Water	\$1.18
4 oz. Gerber Infant Juice	\$0.74
32 oz. Alimentum Advance Ready-to-Feed	
Formula	\$9.28
16 oz. Alimentum Advance Powder Formula	\$26.20
12.8 oz. EnfaCare LIPIL w/ Iron Powder	
Formula	\$14.40
13 oz. Isomil Advance Concentrate Formula	\$4.99
32 oz. Isomil Advance Ready-to-Feed Formula	\$6.16
12.9 oz. Isomil Advance Powder Formula	\$14.74
12.9 oz. Isomil Go & Grow Soy	\$12.58
24 oz. Isomil Go & Grow Soy	\$22.46
13 oz. Isomil with Iron Concentrate Formula	\$4.76
12.9 oz. Isomil with Iron Powder Formula	\$13.61
32 oz. Isomil DF Ready-to-Feed Formula	\$6.04
13 oz. Nutramigen Lipil Concentrate Formula	\$7.15
32 oz. Nutramigen Lipil Ready-to-Feed Formula .	\$8.76
16 oz. Nutramigen Lipil Powder Formula	\$26.09
8 oz. Pediasure Ready-to-Feed Formula	\$2.07
8 oz. Pediasure with Fiber Ready-to-Feed	
Formula	\$2.11
13 oz. Similac Advance Concentrate Formula	\$4.48
32 oz. Similac Advance Ready-to-Feed Formula	\$6.39
12.9 oz. Similac Advance Powder Formula	\$13.75

	ximum owable Price
12.9 oz. Similac Go & Grow Milk	\$12.42
24 oz. Similac Go & Grow Milk	\$22.16
13 oz. Similac with Iron Concentrate Formula	\$4.14
32 oz. Similac with Iron Ready-to-Feed Formula .	\$5.53
	\$12.96
13 oz. Similac Sensitive Concentrate Formula	\$4.96
32 oz. Similac Sensitive Ready-to-Feed Formula	\$6.20
32 oz. Similac Sensitive RS Ready-to-Feed	
Formula	\$6.25
12.9 oz. Similac Sensitive Powder	\$14.84
12.8 oz. Similac Neosure Advance Powder	
Formula	\$15.89
32 oz. Similac Neosure Advance RTF Formula	\$7.55

A store must permit purchase of WIC allowable foods that exceed the maximum allowable price to WIC participants using a WIC check; however, the amounts that exceed the maximum allowable price of any WIC allowable foods sold to WIC participants will be billed to the store on a quarterly basis in accordance with 28 Pa. Code § 1105.2.

Competitive Prices

To remain WIC Authorized, each store must maintain the minimum inventory of the following WIC food items at, or below, the Competitive Prices listed for the store's peer group. Effective April 1, 2008, through June 30, 2008, the Competitive Prices for WIC Authorization for Type 2 Stores in High Cost Counties are as follows:

Con Description Con	npetitive Prices
1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim	\$2.40
Fat or Skim	\$2.64 \$1.27
16 oz. Dry Milk	\$5.79
1 doz. Grade A Eggs	\$2.29 \$1.07
14 to 16 oz. Canned Carrots	\$0.97 \$6.69
1 lb. Kosher Cheese 1 lb. Dry Beans or Peas	\$8.67 \$1.61
1 oz. Aďult WIC Cereal	\$0.32 \$2.08
15 to 18 oz. Peanut Butter	\$2.85
Juice Concentrate	\$2.92
6 to 6.5 oz. Chunk Light Tuna Packed in Water 4 oz. Gerber Infant Juice	\$1.06 \$0.74
13 oz. Isomil Advance Concentrate Formula 32 oz. Isomil Advance Ready-to-Feed Formula	\$4.99 \$6.16
12.9 oz. Isomil Advance Powder Formula	\$14.74 \$4.48
32 oz. Similac Advance Ready-to-Feed Formula	\$6.39 \$13.75

Maximum Allowable Prices and Competitive Prices for Type 3 Stores in High Cost Counties

Under 28 Pa. Code §§ 1103.4(5) and 1105.3(a)(1) and 7 CFR 246.12, the WIC Program hereby publishes notice of the Maximum Allowable Prices and Competitive Prices for Type 3 Stores in High Cost Counties.

Maximum Allowable Prices

Effective April 1, 2008, through June 30, 2008, the maximum allowable prices the Department will pay Type 3 Stores in High Cost Counties for WIC allowable foods are as follows:

Λ	<i>laximum</i>
A	Allowable
Description	Price
1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or	00.55
Skim	\$2.55
12 oz. Evaporated Milk	\$1.35
16 oz. Dry Milk	\$6.01
1 qt. Lactose Reduced Milk	\$2.28
1/2 gal. Kosher Milk	\$3.27
4 oz. Kosher Infant Juice	\$0.78
8 oz. Kosher Infant Cereal	
1 doz. Grade A Eggs	
1 lb. Fresh Carrots	
14 to 16 oz. Canned Carrots	
1 lb. Cheese	
1 lb. Kosher Cheese	
1 lb. Dry Beans or Peas	
1 oz. Adult WIC Cereal	
8 oz. Gerber Infant Cereal	\$2.23
15 to 18 oz. Peanut Butter	\$3.22
46 oz. Single Strength Juice or 11.5 or 12 oz.	
Juice Concentrate	
6 oz. Cans Juice	\$1.53
6 to 6.5 oz. Chunk Light Tuna Packed in Water	\$1.18
4 oz. Gerber Infant Juice	\$0.78
32 oz. Alimentum Advance Ready-to-Feed	
Formula	\$9.79
16 oz. Alimentum Advance Powder Formula	\$28.68
12.8 oz. EnfaCare LIPIL w/ Iron Powder	
Formula	\$16.44
13 oz. Isomil Advance Concentrate Formula	
32 oz. Isomil Advance Ready-to-Feed Formula	\$7.84
12.9 oz. Isomil Advance Powder Formula	
12.9 oz. Isomil Go & Grow Soy	
24 oz. Isomil Go & Grow Soy	
13 oz. Isomil with Iron Concentrate Formula	\$5.79
12.9 oz. Isomil with Iron Powder Formula	\$15.31
32 oz. Isomil DF Ready-to-Feed Formula	\$7.83
13 oz. Nutramigen Lipil Concentrate Formula	\$8.22
32 oz. Nutramigen Lipil Ready-to-Feed Formula .	\$10.42
16 oz. Nutramigen Lipil Powder Formula	
8 oz. Pediasure Ready-to-Feed Formula	\$2.51
8 oz. Pediasure with Fiber Ready-to-Feed	
Formula	\$2.50
13 oz. Similac Advance Concentrate Formula	
32 oz. Similac Advance Ready-to-Feed Formula	\$7.66
12.9 oz. Similac Advance Powder Formula	\$15.72
12.9 oz. Similac Go & Grow Milk	\$14.35
24 oz. Similac Go & Grow Milk	\$25.49
13 oz. Similac with Iron Concentrate Formula	\$5.31
32 oz. Similac with Iron Ready-to-Feed Formula .	\$7.53
12.9 oz. Similac with Iron Powder Formula	\$15.41
13 oz. Similac Sensitive Concentrate Formula	\$5.74
32 oz. Similac Sensitive Ready-to-Feed Formula	\$8.02
32 oz. Similac Sensitive RS Ready-to-Feed	
Formula	\$8.03
12.9 oz. Similac Sensitive Powder	\$16.55
12.8 oz. Similac Neosure Advance Powder	
Formula	\$18.28
32 oz. Similac Neosure Advance RTF Formula	\$9.51

A store must permit purchase of WIC allowable foods that exceed the maximum allowable price to WIC participants using a WIC check; however, the amounts that exceed the maximum allowable price of any WIC allowable foods sold to WIC participants will be billed to the store on a quarterly basis in accordance with 28 Pa. Code § 1105.2.

Competitive Prices

To remain WIC Authorized, each store must maintain the minimum inventory of the following WIC food items at, or below, the Competitive Prices listed for the store's peer group. Effective April 1, 2008, through June 30, 2008, the Competitive Prices for WIC Authorization for Type 3 Stores in High Cost Counties are as follows:

Co	mpetitive
Description	Prices
1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or	
Skim	\$2.53
1/2 gal. of Kosher Milk: Whole, Reduced Fat, Low	7
Fat or Skim	. \$2.88
12 oz. Evaporated Milk	\$1.27
16 oz. Dry Milk	. \$5.91
1 doz. Grade A Eggs	. \$2.29
1 lb. Fresh Carrots	. \$1.07
14 to 16 oz. Canned Carrots	\$1.03
1 lb. Cheese	. \$6.69
1 lb. Kosher Cheese	. \$8.67
1 lb. Dry Beans or Peas	\$1.61
1 oz. Adult WIC Cereal	\$0.34
8 oz. Gerber Infant Cereal	. \$2.23
15 to 18 oz. Peanut Butter	\$2.85
46 oz. Single Strength Juice or 11.5 or 12 oz.	
Juice Concentrate	
6 to 6.5 oz. Chunk Light Tuna Packed in Water .	\$1.06
4 oz. Gerber Infant Juice	\$0.78
13 oz. Isomil Advance Concentrate Formula	\$5.74
32 oz. Isomil Advance Ready-to-Feed Formula	\$7.84
12.9 oz. Isomil Advance Powder Formula	
13 oz. Similac Advance Concentrate Formula	\$5.32
32 oz. Similac Advance Ready-to-Feed Formula .	
12.9 oz. Similac Advance Powder Formula	\$15.72

Persons with a disability who require an alternative format of this listing (for example, large print, audiotape, Braille), should contact Chris Harr, Department of Health, Division of WIC, 2150 Herr Street, 1st Floor, Harrisburg, PA 17105, (717) 783-1289 or for speech and/or hearing impaired persons V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984.

CALVIN B. JOHNSON, M. D., M.P.H., Secretary

[Pa.B. Doc. No. 08-598. Filed for public inspection March 28, 2008, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Cash On The Spot Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. Name: The name of the game is Pennsylvania Cash On The Spot.

- 2. *Price:* The price of a Pennsylvania Cash On The Spot instant lottery game ticket is \$1.
- 3. Play Symbols: Each Pennsylvania Cash On The Spot instant lottery game ticket will contain one play area. The play symbols and their captions, located in the play area are: Money Bag symbol (MNYBAG), Bell symbol (BELL), Chest symbol (CHEST), Clover symbol (CLOVER), Coins symbol (COINS), Diamond symbol (DMND), Piggy Bank symbol (PIGBNK), Pot symbol (POT), Rainbow symbol (RAINBW), Safe symbol (SAFE), Horse Shoe symbol (SHOE), 7 symbol (SVN), Wallet symbol (WALLET) and a Cash symbol (CASH).
- 4. *Prize Symbols:* The prize symbols and their captions, located in the play area are: FREE (TICKET), \$1.00 (ONE DOL), \$2.00 (TWO DOL), \$5.00 (FIV DOL), \$10.00 (TEN DOL), \$20\$ (TWENTY), \$40\$ (FORTY), \$50\$ (FIFTY), \$100 (ONE HUN) and \$500 (FIV HUN).
- 5. *Prizes:* The prizes that can be won in this game are: Free \$1 Ticket, \$1, \$2, \$5, \$10, \$20, \$40, \$50, \$100 and \$500. The player can win up to 6 times on the ticket.
- 6. Approximate Number of Tickets Printed For the Game: Approximately 12,000,000 tickets will be printed for the Pennsylvania Cash On The Spot instant lottery game.
 - 7. Determination of Prize Winners:
- (a) Holders of tickets with a play symbol of Cash (CASH), and a prize symbol of \$500 (FIV HUN) appearing in the prize area under that Cash (CASH) play symbol, on a single ticket, shall be entitled to a prize of \$500.
- (b) Holders of tickets with a play symbol of Cash (CASH), and a prize symbol of \$100 (ONE HUN) appearing in the prize area under that Cash (CASH) play symbol, on a single ticket, shall be entitled to a prize of \$100.
- (c) Holders of tickets with a play symbol of Cash (CASH), and a prize symbol of \$50\$ (FIFTY) appearing in the prize area under that Cash (CASH) play symbol, on a single ticket, shall be entitled to a prize of \$50.

- (d) Holders of tickets with a play symbol of Cash (CASH), and a prize symbol of \$40\$ (FORTY) appearing in the prize area under that Cash (CASH) play symbol, on a single ticket, shall be entitled to a prize of \$40.
- (e) Holders of tickets with a play symbol of Cash (CASH), and a prize symbol of \$20\$ (TWENTY) appearing in the prize area under that Cash (CASH) play symbol, on a single ticket, shall be entitled to a prize of \$20.
- (f) Holders of tickets with a play symbol of Cash (CASH), and a prize symbol of $\$10^{.00}$ (TEN DOL) appearing in the prize area under that Cash (CASH) play symbol, on a single ticket, shall be entitled to a prize of \$10
- (g) Holders of tickets with a play symbol of Cash (CASH), and a prize symbol of $\$5^{.00}$ (FIV DOL) appearing in the prize area under that Cash (CASH) play symbol, on a single ticket, shall be entitled to a prize of \$5.
- (h) Holders of tickets with a play symbol of Cash (CASH), and a prize symbol of \$2.00 (TWO DOL) appearing in the prize area under that Cash (CASH) play symbol, on a single ticket, shall be entitled to a prize of \$2.
- (i) Holders of tickets with a play symbol of Cash (CASH), and a prize symbol of $\$1^{.00}$ (ONE DOL) appearing in the prize area under that Cash (CASH) play symbol, on a single ticket, shall be entitled to a prize of \$1
- (j) Holders of tickets with a play symbol of Cash (CASH), and a prize symbol of FREE (TICKET) appearing in the prize area under that Cash (CASH) play symbol, on a single ticket, shall be entitled to a prize of one Pennsylvania Cash On The Spot instant game ticket or one Pennsylvania Lottery instant game ticket of equivalent sale price which is currently on sale.
- 8. Number and Description of Prizes and Approximate Odds: The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

Get A "Cash" Symbol Win With Prize(s) Of:	Win	Approximate Odds Are 1 In:	Approximate No. Of Winners Per 12,000,000 Tickets
FREE	FREE \$1 TICKET	11.54	1,040,000
\$1	\$1	75	160,000
$\$1 \times 2$	\$2	33.33	360,000
\$2	\$2	33.33	360,000
\$1 × 5	\$5	75	160,000
\$5	\$5	75	160,000
$\$2 \times 5$	\$10	300	40,000
\$5 imes 2	\$10	300	40,000
\$10	\$10	300	40,000
$(\$2 \times 5) + \10	\$20	1,500	8,000
\$5 imes 4	\$20	1,500	8,000
$$10 \times 2$	\$20	1,500	8,000
\$20	\$20	750	16,000
$$10 \times 4$	\$40	2,400	5,000
$\$20 \times 2$	\$40	2,400	5,000
\$40	\$40	2,400	5,000
$(\$10 \times 5) + \50	\$100	12,000	1,000
$\$50 \times 2$	\$100	12,000	1,000
\$100	\$100	10,909	1,100
\$500	\$500	24,000	500

Prizes, including top prizes, are subject to availability at the time of purchase.

- 9. Retailer Incentive Awards: The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Cash On The Spot instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentive).
- 10. Unclaimed Prize Money: For a period of 1 year from the announced close of Pennsylvania Cash On The Spot, prize money from winning Pennsylvania Cash On The Spot instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Cash On The Spot instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

11. Governing Law: In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P. S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

12. Termination of the Game: The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Cash On The Spot or through normal communications methods.

THOMAS W. WOLF,

Secretary

[Pa.B. Doc. No. 08-599. Filed for public inspection March 28, 2008, 9:00 a.m.]

ENVIRONMENTAL HEARING BOARD

Borough of Elizabethtown v. DEP; EHB Doc. No. 2008-068-L

Borough of Elizabethtown has appealed the issuance by the Department of Environmental Protection of an NPDES permit to Borough of Elizabethtown for a facility in Donegal Township, Lancaster County.

A date for the hearing on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board (Board) at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457 and may be reviewed by any interested party on request during normal business hours. If information concerning this notice is required in an alternative form, contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the AT&T Pennsylvania Relay Center at (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.81 (relating to intervention). Copies of the Board's rules of practice and procedure are available upon request from the Board.

THOMAS W. RENWAND,

Acting Chairman

[Pa.B. Doc. No. 08-600. Filed for public inspection March 28, 2008, 9:00 a.m.]

Hampden Township v. DEP; EHB Doc. No. 2008-075-L

Hampden Township has appealed the issuance by the Department of Environmental Protection of an NPDES permit to Hampden Township for a facility in Hampden Township, Cumberland County.

A date for the hearing on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board (Board) at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457 and may be reviewed by any interested party on request during normal business hours. If information concerning this notice is required in an alternative form, contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the AT&T Pennsylvania Relay Center at (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.81 (relating to intervention). Copies of the Board's rules of practice and procedure are available upon request from the Board.

> THOMAS W. RENWAND, Acting Chairperson

[Pa.B. Doc. No. 08-601. Filed for public inspection March 28, 2008, 9:00 a.m.]

University Area Joint Authority v. DEP; EHB Doc. No. 2008-077-L

University Area Joint Authority has appealed the issuance by the Department of Environmental Protection of an NPDES permit to University Area Joint Authority for a facility in Beaver and College Townships, Centre County.

A date for the hearing on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board (Board) at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, and may be reviewed by any interested party on request during normal business hours. If information concerning this notice is required in an alternative form, contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the AT&T Pennsylvania Relay Center at (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.81 (relating to intervention). Copies of the Board's rules of practice and procedure are available upon request from the Board.

THOMAS W. RENWAND, *Acting Chairperson*

 $[Pa.B.\ Doc.\ No.\ 08-602.\ Filed\ for\ public\ inspection\ March\ 28,\ 2008,\ 9:00\ a.m.]$

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Filing of Final Rulemaking

The Independent Regulatory Review Commission (Commission) received the following regulation. It is scheduled to be considered on the date noted. The Commission's public meetings are held at 333 Market Street, 14th Floor, in Harrisburg, PA at 10:30 a.m. To obtain a copy of the regulation, interested parties should first contact the promulgating agency. If a copy cannot be obtained from the promulgating agency, the Commission will provide a copy or you can obtain a copy from their web site, www.irrc.state.pa.us.

Final-Form

Reg. No. Agency/Title Received Meeting
7-408 Environmental Quality 3/14/08 4/17/08
Board Permit Streamlining

ARTHUR COCCODRILLI, Chairperson

[Pa.B. Doc. No. 08-603. Filed for public inspection March 28, 2008, 9:00 a.m.]

INSURANCE DEPARTMENT

Application for Approval to Acquire Control

KnightBrook, LLC has filed an application to acquire control of Northwestern Insurance Company, a Pennsylvania domiciled stock casualty insurance company. The filing was made under the requirements set forth under the Insurance Holding Companies Act (40 P.S. §§ 991.1401—991.1413). Persons wishing to comment on the acquisition are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the Pennsylvania Bulletin. Each written statement must include name, address and telephone number of the interested party, identification of the application to which the statement is addressed and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Robert Brackbill, Company Licensing Division, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557 or rbrackbill@ state.pa.us.

> JOEL SCOTT ARIO, Acting Insurance Commissioner

[Pa.B. Doc. No. 08-604. Filed for public inspection March 28, 2008, 9:00 a.m.]

Farmington Casualty Company, The Automobile Insurance Company of Hartford, CT, The Charter Oak Fire Insurance Company, The Phoenix Insurance Company, The Travelers Indemnity Company, The Travelers Indemnity Company of America; Homeowners; Rate and Rule Revision; Rate Filing

On March 14, 2008, the Insurance Department (Department) received from Farmington Casualty Company, The Automobile Insurance Company of Hartford, CT, The Charter Oak Fire Insurance Company, The Phoenix Insurance Company, The Travelers Indemnity Company and The Travelers Indemnity Company of America a filing for a rate level and rule change for homeowners insurance.

The companies request an overall 2.9% increase amounting to \$4,842,682 annually, to be effective August 19, 2008, for renewal business only.

Unless formal administrative action is taken prior to April 13, 2008, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Department's web site at www.ins.state.pa.us. To access the filing, under "Quick Links" click on "Rate Filings Published in the PA Bulletin."

A copy of the filing is also available for public inspection, by appointment, during normal working hours at the Department's regional office in Harrisburg.

Interested parties are invited to submit written comments, suggestions or objections to Michael P. McKenney, Insurance Department, Insurance Product Regulation and Market Enforcement, 1311 Strawberry Square, Harrisburg, PA 17120, mmckenney@state.pa.us within 30 days after publication of this notice in the *Pennsylvania Bulletin*

JOEL SCOTT ARIO, Acting Insurance Commissioner

 $[Pa.B.\ Doc.\ No.\ 08\text{-}605.\ Filed\ for\ public\ inspection\ March\ 28,\ 2008,\ 9\text{:}00\ a.m.]$

PATIENT SAFETY AUTHORITY

Public Meeting

The Patient Safety Authority (Authority), established by section 303 of the Medical Care Availability and Reduction of Error (MCARE) Act (40 P. S. § 1303.303), enacted on March 20, 2002, announces a meeting of the Authority's Board on Tuesday, April 8, 2008, 10:30 a.m. to be held at the Wildwood Conference Center, Harrisburg Area Community College, One HAAC Drive, Harrisburg, PA.

Individuals having questions regarding this meeting, which is open to the public, should contact the Authority at (717) 346-0469.

MICHAEL C. DOERING, Executive Director

 $[Pa.B.\ Doc.\ No.\ 08\text{-}606.\ Filed\ for\ public\ inspection\ March\ 28,\ 2008,\ 9\text{:}00\ a.m.]$

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Default Order

Public Meeting held March 13, 2008

Commissioners Present: Wendell F. Holland, Chairperson; James H. Cawley, Vice-Chairperson; Tyrone J. Christy; Kim Pizzingrilli

Pennsylvania Public Utility Commission Law Bureau Prosecutory Staff v. Exergy Group, LLC (2006.0295.00); C-20077664; A-311246

Default Order

On April 23, 2007, the Law Bureau Prosecutory Staff filed a Formal Complaint against Exergy Group, LLC (the Respondent), a reseller of toll services carrier certificated at A-311246. In the Complaint, Prosecutory Staff alleged that the Commission sent by certified mail prior written notices to the Respondent that pursuant to 66 Pa.C.S. § 504 its 2005 Annual Report was due. The Complaint charged that the Respondent violated 66 Pa.C.S. § 504 by failing to file its 2005 Annual Report. The Complaint requested that the Commission issue an order cancelling the Respondent's certificate of public convenience for failure to file its 2005 Annual Report.

According to the U.S. Postal Service return receipt, the Complaint was not served because it was unclaimed. To date, more than 20 days later, no answer has been filed to the Complaint and the 2005 Annual Report has not been filed. In addition, we are not aware that Respondent has any current customers in Pennsylvania, and Respondent was never assigned any NXX codes.

The Commission puts the industry on notice that we will not hesitate to invoke our authority under the Public Utility Code to ensure timely compliance with our regulations and orders including the ordering of such other remedy as the Commission may deem appropriate. 66 Pa.C.S. §§ 504, 505, 506, and 3301. Based on Respondent's failure to file its 2005 Annual Report and upon our inability to serve the Complaint, we conclude that revocation of Exergy Group, LLC's certificate of public convenience is in the public interest. Furthermore, the Commission may take other appropriate action, including the imposition of penalties under section 3301, in lieu of cancellation, if Respondent seeks relief from this Default Order; *Therefore*,

It Is Ordered That:

- 1. The allegations in the Law Bureau Prosecutory Staff's Complaint are deemed admitted and the Complaint is thereby sustained.
- 2. The Secretary serve a copy of this Default Order upon the Office of Consumer Advocate, the Office of Small Business Advocate, the Office of Trial Staff, and the Attorney General's Bureau of Consumer Protection, and also cause a copy of this Default Order to be published in the *Pennsylvania Bulletin* with a 20-day comment period.
- 3. Exergy Group, LLC immediately cease providing service to any new customers and, within 10 days of the entry date of this Order, provide written notice to any existing customers directing each to select an alternative service provider within 30 days of the date of the notice. Such notice must include a statement of the Commission's intent to cancel the company's certificate of public convenience absent adverse public comment within the 20-day comment period established pursuant to Ordering Paragraph No. 2, above.
- 4. Absent the filing of adverse public comment, 30 days after publication in the *Pennsylvania Bulletin* and without further action by the Commission, the certificate of public convenience held by Exergy Group, LLC at A-311246 shall be cancelled, and the company's name stricken from all active-utility lists maintained by the Tariff and Annual Report Section of the Commission's Bureau of Fixed Utility Services and the Assessment Section of the Bureau of Administrative Services.

JAMES J. MCNULTY, Secretary

[Pa.B. Doc. No. 08-607. Filed for public inspection March 28, 2008, 9:00 a.m.]

Gas Service

A-2008-2029743. Allegheny Land and Exploration, Inc. Application of Allegheny Land and Exploration, Inc., for approval of the right to begin to supply Gas Transporting or Conveying Service by Pipeline to the public in Elk, Pleasant, Sheffield and Cherry Grove Townships, Warren County, PA.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before April 14, 2008. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the applicant's business address.

Applicant: Allegheny Land and Exploration, Inc.

Through and By Counsel: Norman J. Kennard, Esquire, Kennard Law Offices, LLC, 116 Pine Street, 5th Floor, Harrisburg, PA 17101

JAMES J. MCNULTY, Secretary

[Pa.B. Doc. No. 08-608. Filed for public inspection March 28, 2008, 9:00 a.m.]

Rescission Orders

Public Meeting held March 13, 2008

Commissioners Present: Wendell F. Holland, Chairperson; James H. Cawley, Vice-Chairperson; Tyrone J. Christy; Kim Pizzingrilli

Pennsylvania Public Utility Commission Law Bureau Prosecutory Staff v. Budget Phone, Inc. (2006.0295.00); C-20077742; A-311159

Rescission Order

On December 3, 2007, the Commission entered a Default Order at this docket against Budget Phone, Inc. (Budget), a competitive local exchange carrier certificated at A-311159, for failure to file its 2005 Telecommunications Relay Service Annual Access Line Summary Report and Annual Tracking Report. The Default Order was published December 22, 2007, at 37 Pa.B. 6886. On December 18, 2007, however, Budget had submitted its 2005 Telecommunications Relay Service Annual Access Line Summary Report and Annual Tracking Report.

By letter dated February 25, 2008, Budget's new consultant, Technologies Management, Inc., submitted a check in the amount of \$250 payable to the Commonwealth of Pennsylvania to satisfy Budget's late fee for failure to file its 2005 Annual Report in a timely manner. The new consultant also advised that it will now be handling Budget's compliance reporting and assured the Commission that this will not occur again; *Therefore*,

It Is Ordered That:

- 1. The Default Order entered December 3, 2007, is hereby rescinded.
- 2. A copy of this Order be published in the *Pennsylva-* nia Bulletin.

Public Meeting held March 13, 2008

Commissioners Present: Wendell F. Holland, Chairperson; James H. Cawley, Vice-Chairperson; Tyrone J. Christy; Kim Pizzingrilli

Pennsylvania Public Utility Commission Law Bureau Prosecutory Staff v. Business Discount Plan, Inc. (2006.0295.00); C-20077684; A-310262

Rescission Order

On November 30, 2007, the Commission entered a Default Order at this docket against Business Discount Plan, Inc. (Business Discount), a reseller of toll services certificated at A-310262, for failure to file its 2005 Annual Report. The Default Order was published December 22, 2007, at 37 Pa.B. 6872. On December 12, 2007, however, Business Discount submitted its 2005 Annual Report and subsequently on February 22, 2008, submitted a check in the amount of \$250 payable to the Commonwealth of Pennsylvania to satisfy its late fee for failure to file its 2005 Annual Report in a timely manner; *Therefore*,

It Is Ordered That:

1. The Default Order entered November 30, 2007, is hereby rescinded.

2. A copy of this Order be published in the *Pennsylvania Bulletin*.

JAMES J. MCNULTY, Secretary

[Pa.B. Doc. No. 08-609. Filed for public inspection March 28, 2008, 9:00 a.m.]

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by April 14, 2008. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Applications of the following for approval to *begin* operating as *common carriers* for transportation of *persons* as described under each application.

A-2008-2024337. Keith Solomon, t/a Solomon's Chariot (106 East Hortter Street, Philadelphia PA 19119)—persons, in paratransit service, from points in the City and County of Philadelphia, to all State and Federal Correctional Institutions, located in Pennsylvania, and return

A-2008-2024530. Premier Luxury Rentals, Inc. (790 East Market Street, Suite 380, West Chester, Chester County, PA 19382)—a corporation of the Commonwealth, to begin to transport, as a common carrier, by motor vehicle, persons, in limousine service, from points in the Counties of Bucks, Chester, Montgomery and Berks, to points in Pennsylvania, and return; excluding service that is under the jurisdiction of the Philadelphia Parking Authority.

A-2008-2025138. James Richard Diven (9 Wagon Wheel Lane, Mifflintown, Juniata County, PA 17059)—persons, in paratransit service, limited to those persons whose personal convictions prevent them from owning or operating motor vehicles, from points within an airline distance of 100 statute miles from the city limits of Mifflintown, Juniata County, to points in Pennsylvania, and return.

A-2008-2025280. Richard A. Topper (1031 Elwood Street, Narvon, Lancaster County, PA 17155)—persons, in paratransit service, whose personal convictions prevent them from owning or operating motor vehicles, from points in the County of Lancaster, to points in Pennsylvania and return.

Applications of the following for approval to *begin* operating as *contract carriers* for transportation of persons as described under each application.

A-2008-2024161. Sarah Car Care, Inc. (7147 Lynford Street, Philadelphia, Philadelphia County, PA 19149), a corporation of the Commonwealth—contract carrier—

persons, for Logisticare Solutions, LLC, from points in the City and County of Philadelphia, to points in Pennsylvania, and return.

A-002008-2024551. Robina Shafqat (800 West Olney Avenue, Suite A, Philadelphia, PA 19111)—certificate of public convenience to begin to transport, as a contract carrier for LogistiCare Solutions, LLC (A-00123240), persons in paratransit service, from points in the City and County of Philadelphia, to points in Pennsylvania, and return.

Application of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods as described under each application.

A-2008-2020886. Always Moving, LLC (1618 South Broad Street, Philadelphia, PA 19145)—household goods in use, from points in the Townships of Abington, Cheltenham, East Norriton, Horsham, Lower Merion, Lower Moreland, Plymouth, Springfield, Upper Dublin, Upper Merion, Upper Moreland, West Norriton, Whitmarsh and Whitpain, all in Montgomery County; the Townships of Bensalem, Bristol, Buckingham, Doylestown, Falls, Lower Southhampton, Northampton, Solebury, Upper Southampton, Warminster, Warrington and Warwick, all in Bucks County; the Townships of Aston, Bethel, Chadds Ford, Chester, Concord, Darby, Edgmont, Haverford, Lower Chichester, Marple, Middletown, Nether Providence, Newtown, Radnor, Ridley, Springfield, Thornbury, Tinicum, Upper Chichester, Upper Darby and Upper Providence, all in Delaware County, and the County of Philadelphia, to points in Pennsylvania.

Application of the following for the approval of the right and privilege to discontinue/abandon operating as common carriers by motor vehicle and for cancellation of the certificate of public convenience as described under the application.

A-00118059. Judith A. Bleecher, t/a Bleecher's Amish Taxi (921 Mt. Pleasant Road, Quarryville, Lancaster County, PA 17566)—for the discontinuance of service and cancellation of her certificate, as a common carrier, by motor vehicle, authorizing the transportation of persons in paratransit service, between points in the Borough of Quarryville, Lancaster County, and within an airline distance of 35 statute miles of the limits of said Borough, and from points in said territory, to points in Pennsylvania, and return, limited to the transportation of persons whose personal convictions prevent them from owning or operating motor vehicles.

JAMES J. MCNULTY, Secretary

 $[Pa.B.\ Doc.\ No.\ 08\text{-}610.\ Filed\ for\ public\ inspection\ March\ 28,\ 2008,\ 9\text{:}00\ a.m.]$

Telecommunications

A-2008-2029124. Verizon North, Inc. and MetroPCS Pennsylvania, LLC. Joint petition of Verizon North, Inc. and MetroPCS Pennsylvania, LLC for approval of an interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon North, Inc. and MetroPCS Pennsylvania, LLC, by its counsel, filed on March 3, 2008, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Verizon North, Inc. and MetroPCS Pennsylvania, LLC joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY, Secretary

[Pa.B. Doc. No. 08-611. Filed for public inspection March 28, 2008, 9:00 a.m.]

Telecommunications

A-2008-2029152. Verizon Pennsylvania, Inc. and MetroPCS Pennsylvania, LLC. Joint petition of Verizon Pennsylvania, Inc. and MetroPCS Pennsylvania, LLC for approval of an interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon Pennsylvania, Inc. and MetroPCS Pennsylvania, LLC, by its counsel, filed on February 29, 2008, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Verizon Pennsylvania, Inc. and MetroPCS Pennsylvania, LLC joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY, Secretary

[Pa.B. Doc. No. 08-612. Filed for public inspection March 28, 2008, 9:00 a.m.]

Telecommunications

A-310018F7000. Verizon Pennsylvania, Inc. and Talk America, Inc. Joint petition of Verizon Pennsylvania, Inc. and Talk America, Inc. for approval of amendment No. 1 to the interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon Pennsylvania, Inc. and Talk America, Inc., by its counsel, filed on March 10, 2008, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of amendment No. 1 to the interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Verizon Pennsylvania, Inc. and Talk America, Inc. joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY, Secretary

[Pa.B. Doc. No. 08-613. Filed for public inspection March 28, 2008, 9:00 a.m.]

Telecommunications

A-310922F7001. Verizon North, Inc. and Core Communications, Inc. Joint petition of Verizon North, Inc. and Core Communications, Inc. for approval of amendment No. 1 to the interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon North, Inc. and Core Communications, Inc., by its counsel, filed on March 3, 2008, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of amendment No. 1 to the interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Verizon North, Inc. and Core Communications, Inc. joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY, Secretary

[Pa.B. Doc. No. 08-614. Filed for public inspection March 28, 2008, 9:00 a.m.]

Telecommunications

A-2008-2029661. Verizon North, Inc. and Wholesale Carrier Services, Inc. Joint petition of Verizon North, Inc. and Wholesale Carrier Services, Inc. for approval of an interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon North, Inc. and Wholesale Carrier Services, Inc., by its counsel, filed on March 8, 2008, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg,

PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Verizon North, Inc. and Wholesale Carrier Services, Inc. joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY, Secretary

[Pa.B. Doc. No. 08-615. Filed for public inspection March 28, 2008, 9:00 a.m.]

Wastewater Service

A-2008-2029736. 3 R Development. Application of 3 R Development for approval of the abandonment or discontinuance of wastewater service to the public in this Commonwealth.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before April 14, 2008. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the applicant's business address.

Applicant: 3 R Development

Through and By Counsel: Timothy M. Maatta, Esquire, 513 Schoonmaker Avenue, Monessen, PA 15062

JAMES J. MCNULTY, Secretary

[Pa.B. Doc. No. 08-616. Filed for public inspection March 28, 2008, 9:00 a.m.]

PHILADELPHIA REGIONAL PORT AUTHORITY

Request for Bid

The Philadelphia Regional Port Authority (PRPA) will accept faxed bids for Project No. 08-028.P, Roofing Supplies, until 2 p.m. on Monday, March 31, 2008. The bid documents can be obtained from the Director of Procurement, PRPA, 3460 North Delaware Avenue, 2nd Floor, Philadelphia, PA 19134, (215) 426-2600 and will be available March 24, 2008. PRPA is an equal opportunity employer. Contractor must comply with all applicable equal employment opportunity laws and regulations.

JAMES T. MCDERMOTT, Jr., Executive Director

[Pa.B. Doc. No. 08-617. Filed for public inspection March 28, 2008, 9:00 a.m.]

PUBLIC SCHOOL EMPLOYEES' RETIREMENT BOARD

Hearing Scheduled

A hearing has been scheduled, as authorized by 24 Pa.C.S. Part IV (relating to Public School Employees' Retirement Code), in connection with the Public School Employees' Retirement System's (System) denial of claimant's requests concerning the indicated accounts.

The hearing will be held before a hearing examiner at the Public School Employees' Retirement System, 5 North Fifth Street, Harrisburg, PA 17101:

April 23, 2008

Cathy J. Hing (Purchase of Service)

1 p.m.

Persons with a disability, who wish to attend the previously-listed hearings, and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact Marilyn Fuller-Smith, Assistant to the Executive Director, (717) 720-4921 to discuss how the System may best accommodate their needs.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearings will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Under 22 Pa. Code § 201.1 (relating to applicability of general rules), procedural matters will be in conformance with 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure), unless specific exemption is granted.

JEFFREY B. CLAY, Executive Director

[Pa.B. Doc. No. 08-618. Filed for public inspection March 28, 2008, 9:00 a.m.]