

NOTICES

DEPARTMENT OF BANKING

Actions on Applications

The Department of Banking (Department), under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 9, 2002 (P. L. 1572, No. 207), known as the Credit Union Code, has taken the following action on applications received for the week ending April 1, 2008.

BANKING INSTITUTIONS

Section 112 Applications

<i>Date</i>	<i>Name of Corporation</i>	<i>Location</i>	<i>Action</i>
3-31-2008	Susquehanna Bancshares, Inc., Lititz, to acquire 100% of Stratton Holding Company, Plymouth Meeting, and thereby indirectly acquire Stratton Management Company, Plymouth Meeting, and Semper Trust Company, Plymouth Meeting	Lititz	Approved

Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
3-26-2008	PeoplesBank, A Codorus Valley Company York York County	65 Eisenhower Drive Hanover York County	Filed
3-27-2008	Affinity Bank of Pennsylvania Wyomissing Berks County	South Temple Boulevard and 5th Street Highway Muhlenberg Berks County	Approved
3-27-2008	Northwest Savings Bank Warren Warren County	125 Emeryville Drive Suite 100 Cranberry Township Butler County	Approved
3-27-2008	Susquehanna Bank DV Bryn Mawr Montgomery County	One Market Street Camden Camden County, NJ	Approved

Branch Discontinuances

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
3-27-2008	Peoples State Bank of Wyalusing Wyalusing Bradford County	75 Front Street New Albany Bradford	Approved

SAVINGS INSTITUTIONS

No activity.

CREDIT UNIONS

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name of Credit Union</i>	<i>Location</i>	<i>Action</i>
4-1-2008	Riverset Credit Union, Pittsburgh, and Duke Federal Credit Union, Pittsburgh Surviving Institution: Riverset Credit Union, Pittsburgh	Pittsburgh	Effective
4-1-2008	Schuylkill County School Employees Credit Union, Pottsville, and PFP Federal Credit Union, Marlin Surviving Institution: Schuylkill County School Employees Credit Union, Pottsville	Pottsville	Effective

Branch Applications

<i>Date</i>	<i>Name of Credit Union</i>	<i>Location</i>	<i>Action</i>
3-27-2008	TruMark Financial Credit Union Trevose Bucks County	5th and Berks Streets Philadelphia Philadelphia County	Filed

Articles of Amendment

<i>Date</i>	<i>Name of Credit Union</i>	<i>Purpose</i>	<i>Action</i>
4-1-2008	Riverset Credit Union Pittsburgh Allegheny County	Amendment to the 8th Article of the Articles of Incorporation provides for service to the underserved/ low-income area served by Duke Federal Credit Union (Duke), subsequent to merger between Riverset Credit Union and Duke.	Effective

The Department's web site at www.banking.state.pa.us includes public notices for more recently filed applications.

STEVEN KAPLAN,
Secretary

[Pa.B. Doc. No. 08-670. Filed for public inspection April 11, 2008, 9:00 a.m.]

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

Conservation and Natural Resources Advisory Council Meeting

The Conservation and Natural Resources Advisory Council to the Department of Conservation and Natural Resources will hold a meeting on Wednesday, April 23, 2008, at 10 a.m. in Room 105, Lobby Level, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

Questions concerning this meeting or agenda items can be directed to Kurt Leitholf at (717) 705-0031.

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact Joan Dupes directly at (717) 705-0031 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

MICHAEL F. DIBERARDINIS,
Secretary

[Pa.B. Doc. No. 08-671. Filed for public inspection April 11, 2008, 9:00 a.m.]

Revisions to Schedule of Prices for State Parks

A. *Summary and Background*

Under section 314 of the Conservation and Natural Resources Act (71 P.S. § 1340.314) and 17 Pa. Code § 11.224 (relating to prices), the Department of Conservation and Natural Resources (Department) adds a Senior Citizen/ADA weekly camping discount to its price schedule for State Park activities, uses and privileges. This discount was omitted from the schedule of prices, published at 37 Pa.B. 6133 (November 17, 2007), that became effective January 1, 2008.

The discount is posted on the DCNR—State Parks web site, www.dcnr.state.pa.us/stateparks/findinfo/prices.aspx. Persons who are planning a visit to a State Park may also go online to the State Parks reservation page, www.pa.reserveworld.com, or call Pennsylvania State Parks Reservations and Information at (888) PA-PARKS to get specific price information.

B. *Contact Person*

Any questions may be directed to David Sariano, Assistant Director, Bureau of State Parks, Department of Conservation and Natural Resources, Rachel Carson State Office Building, P. O. Box 8551, Harrisburg, PA 17105-8551, (717) 787-6640 or dsariano@state.pa.us. Persons with a disability may use the AT&T Relay Service by calling (800) 654-5984 (TDD users).

C. *Effective Date*

The Senior Citizen/ADA weekly camping discount is effective on the date of publication of this notice in the *Pennsylvania Bulletin*.

D. Fee Schedule

Price Title	Unit	2008 Resident	2009 Resident	2008 Nonresident	2009 Nonresident
CAMPING—DISCOUNTS					
Senior Citizen/ADA Discount	Weekly	\$24.00	\$27.00	\$24.00	\$27.00

MICHAEL F. DIBERARDINIS,
Secretary

[Pa.B. Doc. No. 08-672. Filed for public inspection April 11, 2008. 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

**THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT
APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION
SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM)
PERMITS**

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a general permit. The applications concern, but are not limited to, discharges related to industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFOs). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

Location	Permit Authority	Application Type or Category
Section I	NPDES	Renewals
Section II	NPDES	New or amendment
Section III	WQM	Industrial, sewage or animal waste; discharge into groundwater
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 individual permits and individual stormwater construction permits in Sections IV and VI, the Department, based upon preliminary reviews, has made a tentative determination of proposed effluent limitations and other terms and conditions for the permit applications. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the EPA Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on an NPDES application are invited to submit a statement to the regional office noted before an application within 30 days from the date of this public notice. Persons wishing to comment on a WQM permit application are invited to submit a statement to the regional office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for a public hearing on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0029157	Keystone College One College Green La Plume, PA 18440	Wyoming County Factoryville Borough	South Branch Tunkhannock Creek 4F	Y
PA0024015 (Minor Sewage)	Cressona Borough Authority 58 South Sillyman Street Cressona, PA 17929	Cressona Borough Schuylkill County	West Branch Schuylkill River 03A	Y

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0051900 (Sew)	Robeson Township Municipal Authority 2689 Main Street Birdsboro, PA 19508	Berks County Robeson Township	3-C Schuylkill River	Y
PA0081817 (Sew)	Juniata County School District East Juniata High School R. R. 2 Box 2411 McAlisterville, PA 17049	Juniata County Fayette Township	12-B Cocolamus Creek	Y
PA0087912 Amendment No. 1 (IW)	Arnold Fuel Oil Company P. O. Box 2621 900 Eisenhower Boulevard Harrisburg, PA 17105	Cumberland County Silver Spring Township	7-B Trindle Spring Run	Y

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Applications

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

PA0058637, IW, SIC 5999, **Moyer's Chicks, Inc.**, 266 East Paletown Road, Quakertown, PA 18951. This proposed facility is located in Richland Township, **Bucks County**.

Description of Proposed Activity: Renewal of an NPDES permit to discharge 15,000 gpd of noncontact cooling water into a UNT to Morgan Creek.

The receiving stream, a UNT to Morgan Creek, is in the State Water Plan Watershed 2D and is classified for CWF. The nearest downstream public water supply intake for PA Water Company is located on Delaware River and is 29.5 miles below the point of discharge.

The proposed effluent limits for Outfall 001 are based on a design flow of 15,000 gpd.

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Temperature			110° F
pH	Within limits of 6.0 to 9.0 Standard Units at all times		

In addition to the effluent limits, the permit contains the following major special conditions:

1. Discharge to Special Protection Waters.

PA0030848, Sewage, **Unionville Chadds Ford School District**, 740 Unionville Road, Kennett Square, PA 19348. This existing facility is located in Pennsbury Township, **Chester County**.

Description of Proposed Activity: This NPDES application is for renewal of the NPDES permit to discharge treated sewage from the Chadds Ford Elementary School sewage treatment plant.

The receiving stream, Ring Run, is in the State Water Plan Watershed 3H Brandywine Creek, and is classified for WWF, aquatic life, water supply and recreation. There are no public water supply intakes located downstream in Pennsylvania. Brandywine Creek crosses the State Line into Delaware approximately 4.5 miles downstream from the point of discharge. The City of Wilmington, DE has water supply intakes approximately 7 miles downstream of the State Line on Brandywine Creek.

The proposed effluent limits for Outfall 001, based on an annual average flow of 6,300 gpd are as follows:

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		<i>Instantaneous Maximum (mg/l)</i>
	<i>Monthly Average</i>	<i>Weekly Average</i>	<i>Monthly Average</i>	<i>Weekly Average</i>	
CBOD ₅			25		50
Total Suspended Solids			30		60
Total Residual Chlorine			0.5		1.2
Fecal Coliform			200/100 ml		1,000/100 ml
Dissolved Oxygen			3.0 (minimum)		
pH (Standard Units)			6.0 (minimum)		9.0

In addition to the effluent limits, the permit contains the following major special conditions:

1. Notification of Designation of Operator.
2. Abandon STP When Municipal Sewers Available.
3. Remedial Measures if Unsatisfactory Effluent.
4. No Stormwater.
5. Acquire Necessary Property Rights.
6. Small Stream Discharge.
7. Change of Ownership.
8. Total Residual Chlorine Requirement.
9. Sludge Disposal Requirement.
10. 2/Month Sampling.
11. Instantaneous Max Requirements.
12. Fecal Coliform I-max Reporting.
13. Laboratory Certification.

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

PA0036463, Industrial, **OMNOVA Solutions, Inc.**, 95 Hickory Drive, Auburn, PA 17922-0429. This facility is located in West Brunswick Township, **Schuylkill County**.

Description of Proposed Activity: Renewal of NPDES Permit to discharge treated sewage, boiler blowdown, noncontact cooling water and stormwater.

The receiving streams, wet weather channel tributary to the Schuylkill River and UNT to the Schuylkill River, are in the State Water Plan Watershed 03A and are classified for CWF. The nearest downstream public water supply intake for Pottstown Water Authority is located on the Schuylkill River approximately 40 miles below the point of discharge.

The proposed effluent limits for Outfall 001 based on a design flow of 0.006 mgd are as follows:

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>	
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>
pH			6.0 to 9.0 Standard Units at all times	
Dissolved Oxygen			Minimum of 2.0 at all times	
Oil and Grease			15	30

The proposed effluent limits for Internal Monitoring Point 101 (treated sewage) based on a design flow of 0.0018 mgd are as follows:

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>	
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>
CBOD ₅			25	50
TSS			30	60
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)			200/100 ml Geometric Average 2,000/100 ml Geometric Average	
pH			6.0 to 9.0 Standard Units at all times	
TRC			1.2	2.8

The proposed effluent limits for Outfall 002 (uncontaminated stormwater) are as follows:

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>	
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>
CBOD ₅				Report
Chemical Oxygen Demand				Report
Oil and Grease				Report
pH				Report

NOTICES

Parameter	Mass (lb/day)		Concentration (mg/l)	
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily
Total Suspended Solids (TSS)				Report
Total Kjeldahl Nitrogen (TKN)				Report
Total Phosphorus				Report
Iron (dissolved)				Report

In addition to the effluent limits, the permit contains the following major special conditions:

1. Requirements applicable to stormwater outfalls along with identified best management practices.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

Application No. PA 0080756, Sewage, **Hershey Farm, Inc.**, P. O. Box 157, Strasburg, PA 17579. This facility is located in Strasburg Township, **Lancaster County**.

Description of activity: The application is for issuance of an NPDES permit for a new discharge of treated sewage.

The receiving stream, Pequea Creek, is in Watershed 7-K, and classified for WWF, water supply, recreation and fish consumption. The nearest downstream public water supply intake for the Holtwood Power Plant is located on the Susquehanna River, approximately 31 miles downstream. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.16 mgd are:

Parameter	Average Monthly (mg/l)	Average Weekly (mg/l)	Instantaneous Maximum (mg/l)
CBOD ₅	25		50
Total Suspended Solids	30		60
Oil and Grease	15		30
Total Residual Chlorine	0.5		1.6
Total Phosphorus	2.0		4.0
Total Phosphorus		852 lbs per year annual	
Total Nitrogen		7,306 lbs per year annual	
TKN		Monitor	
NO ₂ + NO ₃ -N		Monitor	
Dissolved Oxygen		Minimum of 5.0 at all times	
pH		From 6.0 to 9.0 inclusive	
Fecal Coliform			
(5-1 to 9-30)		200/100 ml as a Geometric Average	
(10-1 to 4-30)		2,000/100 ml as a Geometric Average	

In addition to the effluent limits, the permit contains the following major special condition:

- ° Schedule for compliance with Chesapeake Bay Tributary Strategy.

Persons may make an appointment to review the Department of Environmental Protection's files on this case by calling the file review coordinator at (717) 705-4732.

The EPA waiver is not in effect.

Application No. PA 0080837, Sewage, **John D. Walter**, P. O. Box 175, Newville, PA 17241. This facility is located in Lower Mifflin Township, **Cumberland County**.

Description of activity: The application is for renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, Conodoguinet Creek, is in Watershed 7-B, and classified for WWF, water supply, recreation and fish consumption. The nearest downstream public water supply intake for Carlisle Borough is located on the Conodoguinet Creek, approximately 35.95 miles downstream. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.030 mgd are:

Parameter	Average Monthly (mg/l)	Average Weekly (mg/l)	Instantaneous Maximum (mg/l)
CBOD ₅	25		40
Total Suspended Solids	30		60
Total Phosphorus	2.0		4.0
Total Residual Chlorine	1.0		2.0
Dissolved Oxygen		Minimum of 5.0 at all times	
pH		From 6.0 to 9.0 inclusive	
Fecal Coliform			
(5-1 to 9-30)		200/100 ml as a Geometric Average	
(10-1 to 4-30)		2,000/100 ml as a Geometric Average	

Persons may make an appointment to review the Department of Environmental Protection's files on this case by calling the file review coordinator at (717) 705-4732.

The EPA waiver is in effect.

Application No. PA 0027197, Sewage, **The Harrisburg Authority**, One Keystone Plaza, Front and Market Streets, Harrisburg, PA 17101. This facility is located in Harrisburg City, **Dauphin County**.

Description of activity: The application is for renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, Susquehanna River, is in Watershed 7-C, and classified for WWF, water supply, recreation and fish consumption. The nearest downstream public water supply intake for Steelton Municipal Waterworks is located on the Susquehanna River, approximately 0.73 mile downstream. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfall 001 for a design flow of 37.7 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
Total Suspended Solids	30	45	60
NH ₃ -N (Interim) (5-1 to 10-31) (11-1 to 4-30)	17 Monitor and Report		34
NH ₃ -N (Final) (5-1 to 10-31) (11-1 to 4-30)	13 Monitor and Report		26
Total Residual Chlorine	0.5		1.6
Total Phosphorus	2.0		4.0
Dissolved Oxygen	Minimum of 5.0 at all times		
pH	From 6.0 to 9.0 inclusive		
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)	200/100 ml as a Geometric Average 2,000/100 ml as a Geometric Average		

Chesapeake Bay Requirements

	<i>Concentration (mg/l)</i>		<i>Mass (lbs)</i>
	<i>Monthly Average</i>	<i>Monthly</i>	<i>Annual</i>
Ammonia-N	Report	Report	Report**
Kjeldahl-N	Report	Report	XXX
Nitrate-Nitrite as N	Report	Report	XXX
Total Nitrogen	Report	Report	Report
Total Phosphorus	Report	Report	Report
Net Total Nitrogen	XXX	Report	688,575*
Net Total Phosphorus	XXX	Report	91,810*

* The permit contains conditions which authorize the permittee to apply nutrient reduction credits, to meet the Net Total Nitrogen and Net Total Phosphorus effluent limits, under the Department of Environmental Protection's (Department) Trading of Nutrient and Sediment Reduction Credits Policy and Guidelines (392-0900-001, December 30, 2006). The conditions include the requirement to report application of these credits in Supplemental DMRs submitted to the Department.

* Net Total Nitrogen and Net Total Phosphorus limits compliance date will begin on October 1, 2012. Since these reporting requirements are annual loads, reporting on compliance with the annual limitations will be required on the Supplemental Discharge Monitoring Report—Annual Nutrient Summary by November 28, 2013. The facility is required to monitor and report for Net Total Nitrogen and Net Total Phosphorus from the effective date of the permit until September 30, 2012.

** Total Annual Ammonia Load will be required to be reported on the Supplemental DMR—Annual Nutrient Summary by November 28, 2013.

Persons may make an appointment to review the Department's files on this case by calling the file review coordinator at (717) 705-4732.

The EPA waiver is not in effect.

Application No. PA 0261050, Sewage, **Quail Creek Homeowners Association**, 2856 Pinch Road, Manheim, PA 17545. This facility is located in Rapho Township, **Lancaster County**.

Description of activity: The application is for issuance of an NPDES permit for a new discharge of treated sewage.

The receiving stream, UNT to Chickies Creek, is in Watershed 7-G, and classified for WWF, water supply, recreation and fish consumption. The nearest downstream public water supply intake for Columbia Water Company is located on the Susquehanna River, approximately 30 miles downstream. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.0076 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25		50
Total Suspended Solids	30		0
NH ₃ -N			
(5-1 to 10-31)	3.0		6.0
(11-1 to 4-30)	9.0		18
Total Residual Chlorine	0.28		0.92
Total Phosphorus	2.0		4.0
Dissolved Oxygen		Minimum of 5.0 at all times	
pH		From 6.0 to 9.0 inclusive	
Fecal Coliform			
(5-1 to 9-30)		200/100 ml as a Geometric Average	
(10-1 to 4-30)		2,000/100 ml as a Geometric Average	

Chesapeake Bay Requirements

	<i>Concentration (mg/l)</i>		<i>Mass (lbs)</i>
	<i>Monthly Average</i>	<i>Monthly</i>	<i>Annual</i>
Ammonia-N	Report	Report	Report
Kjeldahl-N	Report	Report	XXX
Nitrate-Nitrite as N	Report	Report	XXX
Total Nitrogen	Report	Report	Report
Total Phosphorus	Report	Report	Report
Net Total Nitrogen	XXX	Report	0*
Net Total Phosphorus	XXX	Report	-3.5*

* The permit contains conditions which authorize the permittee to apply nutrient reduction credits, to meet the Net Total Nitrogen and Net Total Phosphorus effluent limits, under the Department of Environmental Protection's (Department) Trading of Nutrient and Sediment Reduction Credits Policy and Guidelines (392-0900-001, December 30, 2006). The conditions include the requirement to report application of these credits in Supplemental DMRs submitted to the Department.

Persons may make an appointment to review the Department's files on this case by calling the file review coordinator at (717) 705-4732.

The EPA waiver is not in effect.

Application No. PA 0247111, CAFO, **Star Rock Farms**, 37 Chestnutt Grove Road, Conestoga, PA 17516.

Star Rock Dairy, Inc. has submitted an NPDES permit renewal application for Star Rock Farms, an existing beef and dairy operation located in Manor Township, **Lancaster County**. The overall operation consists of a heifer operation, a steer operation and a dairy operation. The heifer operation is situated near Witmer Run (Watershed 07-J), which is classified as a WWF. The steer operation is situated near Fisherman Run (Watershed 07-J), which is classified as a WWF. The dairy operation is situated near Fry's Run (Watershed 07-J), which is classified as a WWF. The CAFO has a target animal population of approximately 3,089 animal equivalent units consisting of 350 small steers, 60 medium steers, 550 large steers, 1,100 milk cows, 190 dry cows, 30 large heifers and 616 small heifers. There are five liquid manure storage facilities utilized by the operation. Liquid dairy and steer manure is stored in high-density, polyethylene-lined impoundments. Liquid heifer manure is stored in a concrete manure storage structure. The dairy operation also uses a concrete holding tank. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 25-year, 24-hour storm event.

The Department of Environmental Protection (Department) has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

The permit application and draft permit are on file at the Southcentral Regional Office of the Department.

Persons may make an appointment to review the Department's files by calling the file review coordinator at (717) 705-4732.

Persons wishing to comment on the proposed permit are invited to submit written comments to the previous address within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in formulating the Department's final determination regarding the application. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the basis of the comment and the relevant facts upon which it is based.

Following the 30-day comment period, the Watershed Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time the determination may be appealed to the Environmental Hearing Board.

The Environmental Protection Agency permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

Southwest Regional Office: Regional Manager, Water Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

PA0095176, Industrial Waste, SIC 3511, **Elliott Turbomachinery Company, Inc.**, North Fourth Street, Jeannette, PA 15644-0800. This application is for the renewal of an NPDES permit to discharge treated process wastewater, cooling water and stormwater from the Jeannette Machine Plant in Jeannette, **Westmoreland County**.

The following effluent limitations are proposed for discharge to receiving waters, UNT of Brush Creek, classified as a TSF with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply is PA American Water Company, located at 401 Cooke Lane, Pittsburgh, PA 15234, 29.6 miles below the discharge point.

Outfall 003: existing discharge, design flow of 0.1752 mgd. Interim limits.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	Monitor and Report				
Temperature (° F)	110				
Suspended solids	31			60	78
Oil and grease	15				30
Cadmium	0.0056			0.0112	0.014
Chromium	1.71			2.77	4.28
Copper	0.033			0.066	0.083
Lead	0.019			0.038	0.048
Nickel	0.099			0.198	0.248
Silver	0.0073			0.0146	0.0183
Zinc	0.262			0.524	0.655
Iron	Monitor and Report				
Cyanide	0.65			1.2	1.63
TTO				2.13	
pH	not less than 6.0 nor greater than 9.0				

Outfall 003: existing discharge, design flow of 0.1752 mgd. Final limits.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	Monitor and Report				
Temperature (° F)	110				
Suspended solids	31			60	78
Oil and grease	15				30
Cadmium	0.00045			0.0009	0.0011
Chromium	1.71			2.77	4.28
Copper	0.017			0.034	0.0425
Lead	0.0073			0.0146	0.0183
Nickel	0.092			0.184	0.23
Silver	0.0073			0.0146	0.0183
Zinc	0.136			0.272	0.34
Iron	1.57			3.14	3.93
Cyanide	0.65			1.2	1.63
TTO				2.13	
pH	not less than 6.0 nor greater than 9.0				

Outfall 008: existing discharge, design flow of 0.012 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	Monitor and Report				
Suspended solids	30				60
Aluminum	4				8
Iron	2				4
Manganese	1				2
pH	not less than 6.0 nor greater than 9.0				

Outfalls 001, 002, 004 and 027: existing stormwater discharges.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Average Monthly</i>	<i>Concentration (mg/l)</i>	
	<i>Average Monthly</i>	<i>Maximum Daily</i>		<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Iron					Monitor and Report

Outfalls 019, 020, 022, 033 and 041: existing stormwater discharges.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Average Monthly</i>	<i>Concentration (mg/l)</i>	
	<i>Average Monthly</i>	<i>Maximum Daily</i>		<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Zinc					Monitor and Report

Outfalls 007, 009, 011—014, 030, 031, 039 and 040: existing stormwater discharges.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Average Monthly</i>	<i>Concentration (mg/l)</i>	
	<i>Average Monthly</i>	<i>Maximum Daily</i>		<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Iron					Monitor and Report
Zinc					Monitor and Report
Nitrate + Nitrite – N					Monitor and Report

Outfall 021: existing stormwater discharge.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Average Monthly</i>	<i>Concentration (mg/l)</i>	
	<i>Average Monthly</i>	<i>Maximum Daily</i>		<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
BOD					Monitor and Report
COD					Monitor and Report
Nitrate + Nitrite – N					Monitor and Report

Outfall 015: existing discharge, design flow of 0.016 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Average Monthly</i>	<i>Concentration (mg/l)</i>	
	<i>Average Monthly</i>	<i>Maximum Daily</i>		<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	Monitor and Report				
Temperature (° F)				110	
Oil and grease			15		30
Fecal coliforms					Monitor and Report
Zinc					Monitor and Report
pH					not less than 6.0 nor greater than 9.0

Outfall 018: existing discharge.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Average Monthly</i>	<i>Concentration (mg/l)</i>	
	<i>Average Monthly</i>	<i>Maximum Daily</i>		<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	Monitor and Report				
Temperature (° F)				110	
Oil and grease			15		30
Fecal coliforms					Monitor and Report
Zinc					Monitor and Report
pH					not less than 6.0 nor greater than 9.0

Other Conditions:

The EPA waiver is in effect.

PA0030287, Sewage, **Allegheny Country Club**, Country Club Road, Sewickley, PA 15143. This application is for renewal of an NPDES permit to discharge treated sewage from Allegheny Country Club STP in Sewickley Heights Borough, **Allegheny County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as UNT of Little Sewickley Creek, which are classified as a HQ-TSF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Midland Borough Water Authority.

Outfall 001: existing discharge, design flow of 0.02 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	10			20
Suspended Solids	25			50
Ammonia Nitrogen				
(5-1 to 10-31)	1.5			3.0
(11-1 to 4-30)	4.5			9.0
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a Geometric Mean			
(10-1 to 4-30)	2,000/100 ml as a Geometric Mean			
Total Residual Chlorine	0.5			1.0
Dissolved Oxygen	not less than 5.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA0092533, Sewage, **Indiana County Municipal Services Authority**, 602 Kolter Drive, Indiana, PA 15701. This application is for renewal of an NPDES permit to discharge treated sewage from Iselin STP in Young Township, **Indiana County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Harpers Run, which are classified as a CWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Buffalo Township Municipal Authority.

Outfall 001: existing discharge, design flow of 0.035 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25			50
Suspended Solids	30			60
Ammonia Nitrogen				
(5-1 to 10-31)	3.0			6.0
(11-1 to 4-30)	8.0			16.0
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a Geometric Mean			
(10-1 to 4-30)	2,000/100 ml as a Geometric Mean			
Dissolved Oxygen	not less than 6.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

WQM Permit No. 0608401, Sewerage, **Richmond Township**, P. O. Box 474, Fleetwood, PA 19522. This proposed facility is located in Richmond Township, **Berks County**.

Description of Proposed Action/Activity: Application for construction/operation of the Virginville collection and sewage treatment system.

WQM Permit No. 2208404, Sewerage, **Lower Paxton Township Authority**, 425 Prince Street, Suite 139, Harrisburg, PA 17109. This proposed facility is located in Lower Paxton Township, **Dauphin County**.

Description of Proposed Action/Activity: Application for a force main and sanitary sewer replacement project.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WQM Permit No. 9134S-A1, Sewerage, **West Leechburg Borough**, 1015 Plazak Street, West Leechburg, PA 15656. This existing facility is located in West Leechburg Borough, **Westmoreland County**.

Description of Proposed Action/Activity: Application for permit amendment for separation of combined sewers.

The Pennsylvania Infrastructure Investment Authority which administers Pennsylvania's State Revolving Fund has been identified as a possible funding source. The Department of Environmental Protection's review of the sewage facilities plan revision has not identified any significant environmental impacts resulting from this proposal.

WQM Permit No. 3796401, **New Castle City Sanitary Authority Lawrence County**, 110 East Washington Street, New Castle, PA 16101. This proposed facility is located in the City of New Castle, **Lawrence County**.

Description of Proposed Action/Activity: Installation of a rotary drum thickener that will take in waste activated sludge and output to the digesters.

IV. NPDES Applications for Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

V. Applications for NPDES Wavier Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI010908005	1550 SHR Associates, LP 1630 South Crescent Boulevard Yardley, PA 19067	Bucks	Milford Township	Unami Creek HQ-TSF
PAI011508020	Chesterbrook II Landowners, LP One Pitcairn Place 165 Township Line Road Suite 1500 Jenkintown, PA 19046-3579	Chester	Tredyffrin Township	Valley Creek EV
PAI011508021	West Gate Lane Developers 1002 Plymouth Road Plymouth Meeting, PA 19462	Chester	East Coventry Township	Pigeon Creek HQ
PAI011508022	Cathie Whitlock 2737 Coventryville Road Pottstown, PA 19465	Chester	South Coventry Township	Pigeon Creek HQ-TSF

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Pike County Conservation District: HC 6, Box 6770, Hawley, PA 18428, (570) 226-8220.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI025208002	Department of Transportation 400 North Street 5th Floor Harrisburg, PA 17120-0041	Pike	Blooming Grove Township	Shohola Creek HQ-CWF

Monroe County Conservation District: 8050 Running Valley Road, Stroudsburg, PA 18360, (570) 629-3060.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI024508004	Penn Regional Business Center, LLC Seven Bridges Road Route 209 East Stroudsburg, PA 18301	Monroe	Smithfield Township	Marshalls Creek HQ-CWF

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI032108006	Parkview at Boiling Springs, LP 2020 Good Hope Road Suite 200 Enola, PA 17025	Cumberland	South Middleton Township	Yellow Breeches Creek HQ-CWF
PAI034408001	Granville Township 100 Helen Street Lewistown, PA 17044	Mifflin	Granville Township	UNT to Juniata River HQ-CWF

VII. List of NOIs for NPDES and/or Other General Permit Types

PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

**PUBLIC WATER SUPPLY (PWS)
PERMIT**

Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17), the following parties have applied for a PWS permit to construct or substantially modify a public water system.

Persons wishing to comment on a permit application are invited to submit a statement to the office listed before the application within 30 days of this public notice. Comments received within the 30-day comment period will be considered in the formulation of the final determinations regarding the application. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (Department) of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and any related documents are on file at the office listed before the application and are available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability who require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received under the Pennsylvania Safe Drinking Water Act

Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401.

Application No. 2308501, Public Water Supply.

Applicant	Chester Water Authority P. O. Box 467 Chester, PA 19016-0467
Township	Concord
County	Delaware
Responsible Official	Brian McEwen Chester Water Authority P. O. Box 467 Chester, PA 19016-0467
Type of Facility	PWS

Consulting Engineer	Mr. Farney Chester Water Authority P. O. Box 467 Chester, PA 19016-0467
Application Received Date	March 25, 2008
Description of Action	Construction of a booster pump consisting of two 600 gpm pumps to be known as the Temple Road Pump Station.

Application No. 0908504, Public Water Supply.
Applicant **Newtown Artesian Water Company**

201 North Lincoln Avenue P. O. Box 217 Newtown, PA 18940	
Township	Newtown
County	Bucks
Responsible Official	George A. Forsyth, Jr. General Manager Newtown Artesian Water Company 201 North Lincoln Avenue P. O. Box 217 Newtown, PA 18940

Type of Facility	PWS
Consulting Engineer	Gannett Fleming, Inc. 650 Park Avenue King of Prussia, PA 19406

Application Received Date	March 19, 2008
Description of Action	For the development of Well No. 7.

Application No. 2308502, Public Water Supply.

Applicant	Chester Water Authority 415 Welsh Street P. O. Box 467 Chester, PA 19016-0467
-----------	---

Township	Little Britain
County	Lancaster
Responsible Official	Brian MacEwen Chester Water Authority 415 Welsh Street P. O. Box 467 Chester, PA 19016-0467

Type of Facility	PWS
Consulting Engineer	CET Engineering Services 1240 North Mountain Road Harrisburg, PA 17112

Application Received Date	March 19, 2008
Description of Action	Upgrade filters and backwash recovery system at the Octoraro Water Treatment Plant.

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 2807503, Public Water Supply.

Applicant **Arden Diller**
 Municipality Antrim Township
 County **Franklin**
 Responsible Official Arden Diller, Owner
 2081 Hykes Road
 Greencastle, PA 17225

Type of Facility Public Water Supply
 Consulting Engineer Joseph M. McDowell, P. E.
 Martin & Martin, Inc.
 37 South Main Street
 Chambersburg, PA 17201

Application Received: September 19, 2007
 Description of Action New Well No. 1 and chlorination.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit No. 0408501, Public Water Supply.

Applicant **S-2 Properties, Inc.**
 P. O. Box 24509
 Pittsburgh, PA 15234

Township or Borough Hanover Township
 Responsible Official Dan Hall, Partner
 S-2 Properties, Inc.
 P. O. Box 24509
 Pittsburgh, PA 15234

Type of Facility Harshbarger's Mobile Home Park
 Consulting Engineer George Wagner, Jr.
 P. O. Box 419
 Sturgeon, PA 15082

Application Received Date February 20, 2008
 Description of Action Construction of slow sand filtration at the existing spring No. 1 source.

WATER ALLOCATIONS

Applications received under the Act of June 24, 1939 (P. L. 842, No. 365) (35 P. S. § 631—641) relating to the Acquisition of Rights to Divert Waters of the Commonwealth

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

WA48-1006A, Water Allocation, **Utilities, Inc. Westgate**, 503 Hallet Road, East Stroudsburg, PA 18301, Hanover Township, Northampton County. The applicant is requesting a change in its water allocation permit purchase from 200,000 gpd to 250,000 gpd, based on a 30-day average of water from the City of Bethlehem/Bethlehem Authority.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WA4-1010, Water Allocations. Creswell Heights Joint Authority, 101 South Jordan Street, Box 301, South Heights, PA 15081, **Beaver County**. The applicant is requesting the right withdraw 3,608,640 gallons of water per day, average day, from river wells Nos. 4—7.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the Background Standard, Statewide Health Standard, the Site-Specific Standard or who intend to remediate a site as a special industrial area must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one, a combination of the cleanup standards or who receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a Site-Specific Standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified, proposed for remediation to a Site-Specific Standard or as a special industrial area, the municipality within which the site is located may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office before which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator

at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Northeast Region: Ronald S. Brezinski, Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Joseph Lopez Residence, Tamaqua Borough, **Schuylkill County**. Richard Trimpi, P. G., Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073 has submitted a Notice of Intent to Remediate (on behalf of his client, Joseph Lopez, 312 West Broad Street, Tamaqua, PA 18252), concerning the remediation of soils found or suspected to have been impacted by No. 2 home heating oil as the result of a release from two flood water damaged ASTs. The applicant proposes to remediate the site to meet the Residential Statewide Health Standard. Future use of the site will remain residential and commercial. A Final Report was simultaneously submitted.

Former Banko Beverage Property, Bethlehem City, **Northampton County**. Donald Rood, J. Rockwood & Associates, Inc., 718 North Quincy Street, Allentown, PA 18109 has submitted a Notice of Intent to Remediate (on behalf of his client, Anthony G. Stellar, P. O. Box 52, Route 309 and Lowhill Road, Schnecksville, PA 18078), concerning the remediation of soils found or suspected to have been impacted by leaded/unleaded gasoline and diesel fuel as the result of the removal of two underground storage tanks. The applicant proposes to remediate the site to meet the Statewide Health Standard. The future use of the site has not been identified at this time.

Johnson Property, Smithfield Township, **Monroe County**. Daryl Valley, Alternative Environmental Solutions, Inc., 480 New Holland Avenue, Lancaster, PA 17602, has submitted a Notice of Intent to Remediate on March 14, 2008 (on behalf of his client, A. J. Johnson, DJ Service Center, P. O. Box 623, Greentown, PA 18426), concerning the remediation of soils and groundwater found or suspected to have been impacted by contaminants associated with the operation and maintenance of an automobile service and repair garage. The applicant proposes to remediate the site to meet the Statewide Health Standard for soils and groundwater. The proposed future use of the property will be commercial.

Synthetic Thread Facility, City of Bethlehem, **Lehigh County**. Thomas Martinelli, JMT Environmental Technologies, Inc., P. O. Box 22044, Lehigh Valley, PA 18002-2044 has submitted a Notice of Intent to Remediate (on behalf of his client, Alan France, 903 Chestnut Street, Emmaus, PA 18049), concerning the remediation of soils found or suspected to have been impacted by petroleum related compounds as the result of releases from three underground storage tanks containing No. 2 heating oil. The applicant proposes to meet the residential Statewide Health Standard for soils. A summary of the Notice of Intent to Remediate was published in *The Express-Times* on January 31, 2008. A Final Report was simultaneously submitted.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Village at Laurel Run, Franklin Township, **Adams County**. Coventry Environmental Associates, Inc., 991 Ridge Road, Bucktown, PA 19465, on behalf of Village at Laurel Run, 6375 Chambersburg Road, Fayetteville, PA 17222, submitted a Notice of Intent to Remediate site soils and groundwater contaminated with No. 2 fuel oil.

The site will be remediated to the Statewide Health Standard and will continue as a long-term care and assisted living facility.

Former York International Corporation, Grantley Plant, Spring Garden Township, **York County**. GZA GeoEnvironmental, Inc., 20900 Swenson Drive, Suite 150, Waukesha, WI 53188, on behalf of Johnson Controls, Inc., 507 East Michigan Street, Milwaukee, WI 53202, and Patriot Richland Associates, LP, 1200 Liberty Ridge Drive, Suite 115, Wayne, PA 19087, submitted a Notice of Intent to Remediate site soils and groundwater contaminated with VOCs, PAHs, PCBs and metals resulting from past industrial activities. The future use of the site will be a combination of commercial and industrial activity. The site will be remediated to the Statewide Health and Site-Specific Standards.

Tyco Electronics/Former AMP Elizabethtown Facility, Elizabethtown Borough, **Lancaster County**. Earth Tech, Inc., 2 Market Plaza Way, Mechanicsburg, PA 17055, on behalf of PLF Properties, LLC, 1593 South Mount Joy Street, Suite A, Elizabethtown, PA 17022; CEM Properties, LLC, 1595 South Mount Joy Street, Elizabethtown, PA 17022; and Tyco Electronics Corporation, P. O. Box 3608, MS 140-42, Harrisburg, PA 17105, submitted a Notice of Intent to Remediate site soils and groundwater contaminated with chlorinated solvents. Planned future use of the site will be for industrial and nonresidential activities. The applicants seek to remediate the site to a combination of Statewide Health and Site-Specific Standards.

Former Hershey Garage, Derry Township, **Dauphin County**. Earth Tech, Inc., 2 Market Plaza Way, Mechanicsburg, PA 17055, on behalf of Hershey Entertainment & Resorts, 27 West Chocolate Avenue, Hershey, PA 17033, submitted a Notice of Intent to Remediate site soils and groundwater contaminated by leaded gasoline. Site structures have been demolished and redevelopment of the site is being considered. The applicant will remediate the site to a Site-Specific Standard.

Schmoyer Trust Property, Boyertown Borough, **Berks County**. Spotts, Stevens, & McCoy, Inc., 1047 North Park Road, Reading, PA 19610-0307, on behalf of Thrivent Financial Bank, 2000 East Milestone Drive, Appleton, WI 54919-0006, submitted a Notice of Intent to Remediate site soils and groundwater contaminated by No. 2 fuel oil from a leaking underground storage tank. The site will be remediated to the Statewide Health Standard and be used for residential and commercial purposes.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

Clearfield Former MGP Site, Clearfield Borough, **Clearfield County**. The Mahfood Group LLC, 260 Millers Run Road, Bridgeville, PA 15017 on behalf of PPL Electric Utilities, Corp., 2 North 9th Street, GENTW17, Allentown, PA 18101-1179 has submitted a Notice of Intent to Remediate soil and groundwater contaminated with polycyclic aromatic hydrocarbons and benzene, toluene, ethylbenzene and xylenes. The applicant proposes to remediate the site to meet the Site-Specific Standard. The site will continue to be used to support natural gas operations. A summary of the Notice of Intent to Remediate was reported to have been published in the Clearfield Progress on March 25, 2008.

Lowe's Home Centers, Inc., Monroe Township, **Snyder County**, UNT Consulting & Engineering, LLC, on behalf of Lowe's Home Centers, Inc., 1605 Curtis Bridge Road, Wilkesboro, NC 28697 has submitted a Notice of Intent to Remediate soil and groundwater contaminated with leaded gasoline and diesel fuel. The applicant proposes to remediate the site to meet the Statewide Health Standard. The site is a parking lot for Lowe's. A summary of the Notice of Intent to Remediate was reported to have been published in *The Daily Item* on December 28, 2007.

Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

North American Wire, LLC, Summit Township, **Butler County**. CORE Environmental Services, Inc., 4068 Mount Royal Boulevard, Allison Park, PA 15101 on behalf of North American Wire, LLC, 629 East Butler Road, Butler, PA 16002 has submitted a Notice of Intent to Remediate. Groundwater contamination shows elevated levels of 1,1,1-trichloroethane, 1,1-dichloroethane, 1,1-dichloroethene, methyl ethyl ketone, chloroethane and associated break-down products as vinyl chloride, cis-1,2-dichloroethene, and trans-1,2-dichloroethene and soil contamination contains elevated concentrations of 1,1,1-trichloroethane. The Notice of Intent to Remediate was published in *The Butler Eagle* on February 18, 2008.

DETERMINATION FOR APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Application received for Determination of Applicability under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

General Permit Application No. WMGR082SW001. Jigging Technologies, LLC (d/b/a Atoll), 1008 Club Drive, Johnstown, PA 15905. Riders Slag Processing Plant, 950 Riders Road, Johnstown, PA 15906. An application of Determination of Applicability for a general permit for processing and beneficial use of steel slag, iron slag and refractory bricks that were co-disposed with slag as a construction material, was received in the Regional Office on March 21, 2008.

Comments concerning the application should be directed to David Eberle, Facilities Manager, Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Persons interested in obtaining more information about the general permit application may contact the Department of Environmental Protection (Department) Southwest Regional Office at (412) 442-4000. TDD users may contact the Department through the Pennsylvania Relay Service at (800) 654-5984. Public comments must be submitted within 30 days of this notice and may recommend revisions to and approval or denial of the application.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Application received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Northwest Region: Regional Solid Waste Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Permit Application No. 300995. Sonneborn Inc., 100 Sonneborn Lane, Petrolia, PA 16050, Fairview Township, **Butler County**. The application is a permit renewal for a captive residual waste landfill. The application was found to be administratively complete by Northwest Regional Office on January 24, 2008. Comments concerning the application should be directed to Todd Carlson, Program Manager, Northwest Regional Office, 230 Chestnut Street, Meadville, PA 16335. Persons interested in obtaining more information about the general permit application may contact the Northwest Regional Office, (814) 332-6848. TDD users may contact the Department of Environmental Protection through the Pennsylvania Relay Service at (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

Application deemed administratively complete under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Northcentral Region: Regional Solid Waste Manager, 208 West Third Street, Williamsport, PA 17701.

Permit Application No. 301306. Sunbury Generation, LP, P. O. Box 517, Old Susquehanna Trail, Shamokin Dam, PA 17876, located in Monroe Township, **Snyder County**. The application for a major permit modification for the Residual Waste Impoundment was deemed administratively complete by the Williamsport Regional Office on March 28, 2008.

Comments concerning the application should be directed to David Garg, P. E., Facilities Manager, Williamsport Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Persons interested in obtaining more information about the permit application may contact the Williamsport Regional Office, (570) 327-3740. TDD users may contact the Department of Environmental Protection through the Pennsylvania Relay Service at (800) 654-5984.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

NEW SOURCES AND MODIFICATIONS

The Department of Environmental Protection (Department) has developed an "integrated" plan approval, State operating permit and Title V operating permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all

the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department has received applications for plan approvals and/or operating permits from the following facilities.

Copies of the applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the regional office identified in this notice. Persons interested in reviewing the application files should contact the appropriate regional office to schedule an appointment.

Persons wishing to receive a copy of a proposed plan approval or operating permit must indicate their interest to the Department regional office within 30 days of the date of this notice and must file protests or comments on a proposed plan approval or operating permit within 30 days of the Department providing a copy of the proposed document to that person or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Comments or protests filed with the Department regional offices must include a concise statement of the objections to the issuance of the Plan approval or operating permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office identified before the application. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984. Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121–143, the Federal Clean Air Act (act) and regulations adopted under the act.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001–4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Ray Kempa, New Source Review Chief, (570) 826-2531.

48-307-063: Effort Foundry, Inc. (P. O. Box 158, Bath, PA 18014) for modification to their existing sand handling/reclamation system at their facility in East Allen Township, **Northampton County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

06-05007H: Carpenter Technology Corp. (P. O. Box 14662, Reading, PA 19612-4662) for installation of a new fabric collector to control PM emissions from an existing steel grinding operation in the City of Reading, **Berks County**.

06-05037G: McConway & Torley, LLC (109 Forty-Eighth Street, Pittsburgh, PA 15021-2755) for installation of ladle metallurgy furnace operations and vacuum degassing operations in its steel making facility at 230 Railroad Street in Kutztown Borough, **Berks County**.

06-050690: East Penn Manufacturing Co., Inc. (P. O. Box 147, Lyon Station, PA 19537-0147) for construction of a third surface coating line controlled by either low VOC/HAP coatings or a carbon adsorption unit at the Assembly Plant in Richmond Township, **Berks County**. The coating line will be subject to 40 CFR Part 63, Subpart M, National Emission Standards for HAPs from Miscellaneous Metal Coating.

67-03149A: Boxwood Manufacturing Corp. (2206 Pennsylvania Avenue, York, PA 17404) for construction of surface coating operations including two coating booths, automated plating operations and abrasive blasting equipment at the facility located in the City of York, **York County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

17-00023A: Mill Creek Mining Company, owner, and Energy Resources, Inc., operator, (P. O. Box 259, Brockway, PA 15824) for the reactivation of a wet coal preparation plant (Bigler Coal Preparation Plant) in Bradford Township, **Clearfield County**.

17-00060A: Penfield Collieries, LLC (301 Market Street, Kittanning, PA 16201) for the modification of a coal preparation facility in Huston Township, **Clearfield County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.

10-021R: INDSPEC Chemical Corp. (133 Main Street, Petrolia, PA 16050-0307) for installation of a venturi scrubber with a cyclonic mist eliminator to further control Sources 163 and 191 in Petrolia Borough, **Butler County**. This is a Title V facility.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001–4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Ray Kempa, New Source Review Chief, (570) 826-2531.

48-313-100A: Ecopax, LLC (3600 Glover Road, Easton, PA 18040) for construction and operation of an additional polystyrene foam extrusion line at their facility in Forks Township, **Northampton County**. The operation of the new line, including the sources covered by the issued Plan Approval No. 48-313-100, will result in a facility-wide total VOC emission rate not to exceed 49.9 tpy. The plan approval will contain operating restrictions, testing, monitoring, reporting, recordkeeping and work practice requirements designed to keep the facility operating within all applicable air quality requirements.

48-317-021: Stroehmann Bakeries, LC (2400 Northampton Street, Easton, PA 18042) for installation of a catalytic oxidizer to control VOC emissions from an existing bakery oven at their facility in Palmer Township, **Northampton County**. The facility is a non-Title V facility. The operation of the catalytic oxidizer will result

in 6.1 tpy of VOC emissions from the existing bakery oven. The plan approval will contain operating restrictions, testing, monitoring, reporting, recordkeeping and work practice requirements designed to keep the facility operating within all applicable air quality requirements.

54-310-045: Reading Materials, Inc. (P. O. Box 1467, Shippack, PA 19474) for construction of a nonmetallic mineral processing plant in New Castle Township, **Schuylkill County**. PM emissions from the operation will be reduced through the use of a water spray dust suppression system. This facility is a non-Title V facility. The facility will be subject to NSPS Subpart OOO. The company will operate the facility and maintain the system in accordance with the good engineering practices to assure proper operation of the system.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

21-05035A: Hempt Brothers, Inc. (P. O. Box 278, Camp Hill, PA 17001) for construction of recycled asphalt pavement processing equipment at the Locust Point Asphalt Plant in Silver Spring Township, **Cumberland County**. The resultant increase in annual PM10 emissions will be less than 1 ton. The plan approval and amended State-only operating permit will include emission restrictions, work practice standards and testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

36-05123C: Corixa Corporation—d/b/a Glaxo-SmithKline Biologicals (325 North Bridge Street, Marietta, PA 17547-0304) for installation of an emergency generator at their biological manufacturing facility in East Donegal Township, **Lancaster County**. Due to the limited use of the emergency generator, the emissions will be minimal and retained within the current facility State-only operating permit No. 36-05123 limits. The plan approval will contain emission limits along with monitoring, recordkeeping and reporting conditions to ensure the facility complies with the applicable air quality requirements. The source will be subject to 40 CFR Part 60, Subpart IIII—New Source Performance Standards for Stationary Compression Ignition Internal Combustion Engines.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

55-00002B: Department of Public Welfare (1401 North 7th Street, Harrisburg, PA 17105-2675) for installation of three flue gas recirculation systems that include three independent multiclone collectors (IDs C031, C032 and C033) to control PM emissions from three existing coal-fired boilers (Source IDs 031, 032 and 033) at the Selinsgrove Center facility located in Penn Township, **Snyder County**. The respective facility is a major facility for which a Title V operating permit 55-00002 has been issued.

The Department of Environmental Protection's (Department) review of the information contained in the application indicates that the three independent flue gas recirculation systems will control PM emissions from the three existing coal-fired boilers to meet all applicable air quality regulatory requirements pertaining to air contamination sources and the emission of air contaminants, including PM Emissions requirements specified in 25 Pa. Code § 123.11. Based on these findings, the Department intends to issue a plan approval for the installation of the

three flue gas recirculation systems that include three independent multiclone collectors. Additionally, if the Department determines that the flue gas recirculation systems are operating in compliance with all plan approval conditions, the conditions established in the plan approval will be incorporated into Title V operating permit 55-00002 by means of an administrative amendment under 25 Pa. Code § 127.450.

The following is a summary of the conditions that the Department proposes to place in the plan approval to ensure compliance with all applicable regulatory requirements:

1. Under 25 Pa. Code § 123.11(a), no person may permit emission into the outdoor atmosphere of PM from the exhaust of IDs C031, C032 and C033 associated with Source IDs 031, 032 and 033 in excess of the following:

(1) the rate of 0.4 pound per million Btu of heat input, when the heat input to the combustion units in millions of Btu/hr is greater than 2.5 but less than 50,

(2) the rate determined by the following formula: $A = 3.6E^{(-0.56)}$ where:

A = Allowable emissions in pounds per million Btus of heat input, and

E = Heat input to the combustion unit in millions of Btus per hour, when E is equal to or greater than 50 but less than 60.

2. IDs C031, C032 and C033 shall be equipped with instrumentation to monitor the pressure drop across the multi-clone collectors on a continuous basis.

IDs C031, C032 and C033 shall be equipped with instrumentation to continuously monitor the inlet and outlet flue gas temperature across the multiclone collectors.

IDs C031, C032 and C033 shall be equipped with instrumentation to continuously monitor and record the temperature and percentage of flue gas exhausted from the hopper outlet of the multiclone collectors.

3. The permittee shall perform PM stack tests upon IDs C031, C032 and C033 associated with Source IDs 031, 032 and 033 within 180 days from commencement of operation of IDs C031, C032 and C033 to demonstrate compliance with the applicable PM emission limitation specified in 25 Pa. Code § 123.11. The permittee shall perform an opacity test upon the exhaust of IDs C031, C032 and C033 by utilizing the Method 9 reference test method to verify compliance with the opacity limitation specified in 25 Pa. Code § 123.41.

The testing is to be done using EPA reference method test procedures acceptable to the Department. The testing is to be performed while Source IDs 031, 032 and 033 are operating at maximum routine rate.

The pressure drop, inlet and outlet flue gas temperature across the multiclone collectors associated with IDs C031, C032 and C033 shall be recorded on a continuous basis during the tests. The pressure drop and inlet and outlet flue gas temperature ranges will be established based upon the recorded data and stack test report.

The flue gas temperature exhausted from hopper outlet of the multiclone collectors associated with IDs C031, C032 and C033 shall be recorded on a continuous basis during the tests. The hopper evacuation flue gas temperature range will be established based upon the recorded data and stack test report.

The percentage of flue gas exhausted from the hopper outlet of the multiclone collectors associated with IDs C031, C032 and C033 shall be recorded on a continuous basis during the tests. The percentage of flue gas recirculation range will be established based upon the recorded data, stack test report and the parameter listed in part (d) of this condition.

4. The permittee shall keep, at minimum, records of the following for Source IDs 031, 032 and 033: the stack test reports,

the hourly averages for differential pressure, inlet flue gas temperature and outlet flue gas temperature of the multiclone collectors associated with IDs C031, C032 and C033 using the data acquisition system,

the hourly averages for temperature and percentage of flue gas exhausted from the multiclone collectors associated with IDs C031, C032 and C033 using the data acquisition system.

These records shall be kept for a minimum of 5 years and shall be made available to the Department upon request.

5. The permittee shall not operate Source IDs 031, 032 and 033 without simultaneous operation of IDs C031, C032 and C033.

A copy of the plan approval application and the Department's review are available for public review between 8 a.m. and 4 p.m. at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review may be made by calling the Department at (570) 327-3693. Written comments or requests for a public hearing should be directed to Muhammad Q. Zaman, Manager, Facilities Permitting Section, Department of Environmental Protection, Air Quality Program, Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-0512.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.

10-281M: II—VI, Inc. (375 Saxonburg Boulevard, Saxonburg, PA 16056) for construction of an additional Hydrogen Selenide production process in their existing DH building in Saxonburg, **Butler County**. This is a State-only V facility. The public notice is required for sources required to obtain a Plan Approval in accordance with 25 Pa. Code § 127.44. This plan approval will, in accordance with 25 Pa. Code § 127.450, be incorporated into the State-only operating permit through an administrative amendment at a later date. The source shall comply with the following conditions, which will satisfy the requirements of 25 Pa. Code § 127.12b (pertaining to plan approval terms and conditions) and will demonstrate BAT for the source:

- The source use subject to the following:
- Subject to 25 Pa. Code § 123.13 for PM Emissions.
- The air pollution control devices (C120A) used shall be designed to reduce process outlet concentrations to atmospheric emissions of 25 ppb or less of hydrogen selenide. The emergency vent scrubber (C103C) shall be designed to reduce process outlet concentrations to atmospheric emissions of 500 ppb or less of hydrogen selenide. The source shall be operated under the conditions stated

in the application. All deviations of operations shall be documented and records kept by the facility for at least 2 years and forwarded to the Department of Environmental Protection (Department) upon request.

- The facility shall monitor the pH for the scrubber solution and the pressure drop across each of the scrubbers on a weekly basis (at a minimum). This condition refers to the H2SE No. 3 A and B Scrubber and Carbon Bed System (C120A).

- The facility shall monitor the pH for the scrubber solution and the pressure drop across the scrubber, daily, whenever it is in operation. This condition refers to the emergency vent scrubber (C103C).

- The company shall monitor and record on a quarterly basis, the concentration of Hydrogen Selenide in the stack exhaust gases while the sources are operating at maximum rated capacity as stated in the application. A Hydrogen Selenide length of stain detector tube (Type S direct reading type or equivalent) shall be utilized to monitor the emission concentrations. The minimum sensing limit for this method is 0.500 ppm (500 ppb). The actual detector tubes shall be kept by the facility for at least 2 years and made available to representatives of the Department upon request. Results in excess of the minimum sensing limit shall be reported to the Department on a quarterly basis. The report shall include the date of the excess emissions and the reason for the excess emissions.

- The company shall maintain a log of all preventative maintenance inspections of the sources and control devices. The inspection logs, at a minimum, shall contain the dates of the inspections, any potential problems or defects that were encountered, and the steps taken to correct them.

- The company shall maintain a log of the following, at a minimum, from the operational inspections:

- Pressure drop across the scrubbers
- pH of the scrubber solution
- The permittee shall perform a weekly operational inspection of the control devices (C120A).
- The permittee shall perform a daily operational inspection of the control device (C103C) when it is being used for emergency venting purposes.

- The control device (C103C) shall be automatically activated upon detection of hydrogen selenide gas leak inside the hoods enclosing the existing DH process trains (Hoods Nos. 1—3), the proposed DH process trains (Hoods No. 4), the existing Cold Vault Storage room (Hood No. 6), and the existing Gas Transfer Process (Hood No. 5).

- A magnehelic gauge or equivalent shall be permanently installed and maintained at a conveniently readable location to indicate the pressure drop across the scrubbers.

- The permittee shall operate the control devices at all times that the source is in operation.

- The company shall maintain and operate the sources and control devices in accordance with the manufacturer's specifications and in accordance with good air pollution control practices.

24-083N: Carbone of America Ind. Corp. (215 Stackpole Street, St. Marys, PA 15857) for installation of a regenerative thermal oxidizer (C1101A) and SO₂ scrubber (C1101B) to replace existing oxidizers (C129 and C129A) for the control of sources 129, 129A and 404 in St.

Marys City, **Elk County**. This is a Title V facility. The public notice is required for sources required to obtain a Plan Approval at Title V facilities in accordance with 25 Pa. Code § 127.44. This plan approval will, in accordance with 25 Pa. Code § 127.450, be incorporated into the Title V operating permit through an administrative amendment at a later date. The source shall comply with the following conditions, which will satisfy the requirements of 25 Pa. Code § 127.12b (pertaining to plan approval terms and conditions) and will demonstrate BAT for the source:

- Emissions shall with 25 Pa. Code §§ 123.1, 123.31 and 123.41 for fugitive, odor and visible emissions respectively.
- No person may permit the emission into the outdoor atmosphere of PM in a manner that the concentration of PM in the effluent gas exceeds 0.02 grain per dry standard cubic foot.
- No person may permit the emission into the outdoor atmosphere of VOC in a manner that the emission rate exceeds 3.6 lbs/hr.
- No person may permit the emission into the outdoor atmosphere of SO₂ in a manner that the emission rate exceeds 6.9 lbs/hr.
- A person may not permit the emission into the outdoor atmosphere of visible air contaminants in such a manner that the opacity of the emission is either of the following:
 - Equal to or greater than 10% for a period or periods aggregating more than 3 minutes in any hour.
 - Equal to or greater than 30% at any time.
- The permittee shall stack test for PM, VOC and SO₂ at the outlet of the SO₂ scrubber (C1101B) initially and within 12 to 18 months of Operating Permit renewal.
- The facility shall monitor the following for the RTO:
 - Combustion Chamber temperature.
- The facility shall monitor the following for the SO₂ Scrubber:
 - Scrubber gas flow rate.
 - Liquid pressure and liquid flow rate.
 - Scrubbing liquid pH.
 - Pressure drop across scrubber.
 - Outlet gas temperature.
- The permittee shall maintain a record of all preventative maintenance inspections of the control device. These records shall, at a minimum, contain the dates of the inspections, any problems or defects, the actions taken to correct the problems or defects, and any routine maintenance performed.
- The permittee shall record the following operational data from the control devices (these records may be done with strip charts recorders, data acquisition systems or manual log entries):
 - RTO combustion chamber temperature—continuously.
 - Scrubber gas flow rate—daily.
 - Scrubber liquid pressure or scrubber liquid flow rate—daily.
 - Scrubber liquid pH—continuously.

- Scrubber pressure drop—daily.
- Scrubber outlet gas temperature—daily.
- The permittee shall report all excursions and corrective actions taken, the dates, times, durations and probable causes, every 6 months.
- The permittee shall perform a daily operational inspection of the control device.
- All gauges employed by the permittee to monitor the required RTO and SO₂ Scrubber operating parameters shall have a scale such that the expected normal reading shall be no less than 20% of full scale and be accurate within +/- 2% of full scale reading. All monitored gauges shall be mounted in accessible areas, and shall be maintained in good operating conditions at all times.
- The permittee shall operate the control devices at all times that the source is in operation.
- The permittee shall maintain and operate the source and control device in accordance with the manufacturer's specifications and in accordance with good air pollution control practices.
- The permittee shall adhere to the approved indicator range for the RTO and SO₂ Scrubber so that operation within the range shall provide reasonable assurance of compliance. A departure from the specified indicator range over a specified averaging period shall be defined as an excursion. The approved indicator range for the following shall be determined during the initial performance test or any subsequently approved performance tests unless otherwise stated:
 - Minimum RTO combustion chamber temperature of 1,500° F.
 - Minimum Scrubber gas flow rate.
 - Minimum Scrubber liquid pressure or minimum scrubber liquid flow rate.
 - Scrubber liquid pH range.
 - Scrubber pressure drop range.
 - Minimum Scrubber outlet gas temperature.
- The permittee shall perform monthly external inspections of the control system and annual internal inspections of the RTO and SO₂ Scrubber. An excursion is defined as a failure to perform and record the monthly external or annual internal inspections.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Ray Kempa, New Source Review Chief, (570) 826-2531.

24-00120: Dominion Transmission, Inc. (625 Liberty Avenue, Pittsburgh, PA 15222-3199) for re-issuance of a Title V Operating Permit to operate a natural gas compressor station in Benezette Township, **Elk County**. The primary emission sources include two natural gas fueled boilers, a combustion turbine, an natural gas fueled auxiliary generator, five microturbines, two natural gas fueled engines and miscellaneous storage tanks.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

21-05009: PPL Martins Creek, LLC (Two North Ninth Street, Allentown, PA 18101-1179) for operation of a combustion turbine site in Lower Allen Township, **Cumberland County**. The facility's major source of emissions is attributed to the operation of two combustion turbines firing No. 2 fuel oil, which primarily emit NOx. This is a renewal of the Title V operating permit issued in 2003.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19428, Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.

46-00132: Lansdale Crematory, Inc. (701 Derstine Avenue, Lansdale, PA 19446-0646) for operation of three units of human crematoriums in Lansdale Borough, **Montgomery County**. This is a renewal of their State-only operating permit issued in 2003. The renewal contains all applicable requirements including monitoring, recordkeeping and reporting.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

01-05018: McClarin Plastics, Inc. (P. O. Box 486, Hanover, PA 17331) for operation of their reinforced plastic composites (fiberglass) product manufacturing facility in Conewago Township, **Adams County**. This is a renewal of the State-only operating permit issued in 2003.

06-05106: SFS Intec, Inc. (P. O. Box 6326, Wyomissing, PA 19540) for operation of the metal screw coating facility in Exeter Township, **Berks County**. The facility is a non-Title V (State-only) facility. The facility will be required to limit the emissions to less than 100 tons each of PM, SOx, CO and NOx, 50 tons of VOC and 10/25 tons of HAPs, during any consecutive 12-month period. The coatings will have limits on their VOC content and usage. The E-coating line will additionally be controlled by a wet scrubber. The spray line will be controlled by a dry filter system. Records of the VOC emissions and coating usage will be required. Coating sampling will be required. The permit will include monitoring, work practices, recordkeeping and report requirements designed to keep the facility operating within all applicable air quality requirements.

36-05007: McNeil-PPC, Inc. (400 West Lincoln Avenue, Lititz, PA, 17543) for operation of a pharmaceutical manufacturing facility in Lititz Borough, **Lancaster County**. This is a renewal of the State-only operating permit issued in April 2003.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

41-00049: David R. Webb Co., Inc. (240 North Reach Road, Williamsport, PA 17701) for their veneer mill facility in the City of Williamsport, **Lycoming County**. The facility's main sources include two wood fired boilers, one natural gas fired boiler, one space heater, one parts

washer and various veneer mill operations. The facility has the potential to emit PM10, NOx, CO, VOCs, HAPs and SOx below the major emission thresholds. The proposed operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Barbara Hatch, Facilities Permitting Chief, (412) 442-4174.

30-00166: Greene Team Pellet Fuel Co. (P. O. Box 74, Garards Fort, PA 15334) for wood pellet manufacturing at their Garards Fort Facility in Greene Township, **Greene County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Matthew Williams, New Source Review Chief, (814) 332-6940.

10-00337: Cellco Partnership—d/b/a Verizon Wireless (700 Cranberry Woods Drive, Cranberry Township, PA 16066) for issuance of a Natural Minor Operating Permit to operate a Verizon Wireless Call Center in Cranberry Township, **Butler County**. The facility's primary emission source is a diesel fueled emergency generator.

24-00124: PIHT, LLC (118 Access Road, St. Marys, PA 15857-3370) for re-issuance of a Natural Minor Permit to operate a metal heat-treating facility in **Elk County**. Emissions sources associated with this facility include 11 draw furnaces, eight heat treating furnaces and 14 control devices smog hog electrostatic precipitators. This facility is natural minor because the emission of pollutants from all sources is less than Title V emission threshold.

24-00162: Rebco, Inc. (650 Brandy Camp Road, Kersey, PA 15846-1904) for issuance of a Natural Minor Operating Permit to operate a facility that manufactures powdered metal components and performs specialty machining in Fox Township, **Elk County**. The facility's primary emission sources include a dip tank, dip operations and parts washers.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of an application is available for inspection at the district mining office indicated before an application. Where a 401 Water Quality Certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for certification.

Written comments, objections or requests for informal conferences on applications may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the district mining office indicated before an application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Where any of the mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. NPDES permits will contain, at a minimum, technology-based effluent limitations as identified in this notice for the respective coal and noncoal applications. In addition, more restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit, when necessary, for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies who have

requested review of NPDES permit requirements for a particular mining activity within the previously mentioned public comment period will be provided with a 30-day period to review and submit comments on the requirements.

Written comments or objections should contain the name, address and telephone number of the person submitting comments or objections; the application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor wishes to have the conference conducted in the locality of the proposed mining activities.

Coal Applications Received

Effluent Limits—The following coal mining applications that include an NPDES permit application will be subject to, at a minimum, the following technology-based effluent limitations for discharges of wastewater to streams:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH ¹		greater than 6.0; less than 9.0	
Alkalinity greater than acidity ¹			

¹ The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: (1) surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; and mined areas backfilled and revegetated; and (2) drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

56663098, NPDES Permit No. PA0607932 and General Permit GP12-56663098. PBS Coals, Inc., P. O. Box 260, Friedens, PA 15541. Revision to an existing bituminous surface mine operation to add a refuse reprocessing facility in Shade Township, **Somerset County** affecting 412.3 acres. Receiving streams: Dark Shade and Little Dark Shade Creeks classified for the following use: CWF. There are no potable surface water intakes within 10 miles downstream. The refuse reprocessing facility on this site is authorized to operate under General Permit BAQ-GPA/GP12 and is required to meet all applicable limitations, terms and conditions of authorization GP12-56663098. Application received March 13, 2008.

32020104 and NPDES No. PA0249033. Thomas J. Smith, Inc., 2340 Smith Road, Shelocta, PA 15774, permit renewal for the continued operation and restoration of a bituminous surface and auger mine in South Mahoning Township, **Indiana County**, affecting 78.5 acres. Receiving streams: UNTs to Ross Run and Ross Run; UNTs to Little Mahoning Creek classified for the

following uses: HQ; HQ. There are no potable water supply intakes within 10 miles downstream. Application received March 26, 2008.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, (724) 925-5500.

26-06-04 and NPDES Permit No. PA0251356. TEDCO, Inc. (117 West Peach Street, Connellsville, PA 15425). Application for commencement, operation and reclamation of a government financed construction contract, located in Lower Tyrone Township, **Fayette County**, affecting 24.8 acres. Receiving stream: UNTs to Hickman Run, classified for the following use: WWF. Potable water supplies with intakes within 10 miles downstream from the point of discharge: North Fayette County Municipal Authority and Municipal Authority of Westmoreland County, Yough Plant. Application received March 21, 2008.

03990102 and NPDES Permit No. PA0202444. Thomas J. Smith, Inc. (2340 Smith Road, Shelocta, PA 15774). Application received to change the postmining land use from forestland to pasture/land occasionally cut for hay at an existing bituminous surface mining site located in South Bend Township, **Armstrong County**, affecting 58 acres. Receiving streams: Fagley Run to Crooked Creek to the Allegheny River, classified for the following use: WWF. There is no downstream potable water supply intake within 10 miles downstream from the point of discharge. Application received March 21, 2008.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

16080102 and NPDES Permit No. PA0258563. Amerikohl Mining, Inc. (202 Sunset Drive, Butler, PA 16001). Commencement, operation and restoration of a bituminous surface strip operation in Redbank Township, **Clarion County** affecting 73.5 acres. Receiving streams: Two UNTs to Town Run, classified for the following use: CWF. The first downstream potable water supply intake from the point of discharge is Redbank Valley Municipal Authority. Application received March 21, 2008.

24970104 and NPDES Permit No. PA0227552. TDK Coal Sales, Incorporated (P. O. Box 259, Brockway, PA 15824). Renewal of an existing bituminous surface strip operation, auger, clay and shale removal operation in Jay Township, **Elk County** affecting 294.5 acres. Receiving streams: Wolf Lick Run to Spring Run; UNTs of Spring Run and Spring Run; all to Trout Run, classified for the following use: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received March 25, 2008.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (Department). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the State to certify that the involved projects will not violate the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA or to the issuance of a Dam Permit, Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment must submit comments, suggestions or objections within 30 days of the date of this notice, as well as questions, to the regional office noted before the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Individuals will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on each working day at the regional office noted before the application.

Persons with a disability who wish to attend a hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401(a) of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

E45-518. Stroud Township, 1211 North Fifth Street, Stroudsburg, PA 18360, in Stroud Township, **Monroe County**, United States Army Corps of Engineers, Philadelphia District.

To construct and maintain a 1-foot high diversion berm in a tributary to Brodhead Creek HQ-CWF, MF and a stormwater outfall structure consisting of two 36-inch diameter pipes in the floodway of Brodhead Creek. The project is located west of the intersection of SR 0447 and Brushy Mountain Road (East Stroudsburg, PA Quadrangle N: 5.0 inches; W: 6.9 inches).

E48-397. Brian Vadino, 3701 Orchid Place, Emmaus, PA 18049, in **Lower Saucon/Upper Saucon Counties, Northampton/Lehigh County**, United States Army Corps of Engineers, Philadelphia District.

To construct and maintain a channel change to 900 feet of Saucon Creek and 100 feet of a UNT to Saucon Creek (CWF) to include riparian buffers and flood plain restoration. The project is located along Saucon Creek on the northeast side of Green Acres Drive (Hellertown, PA Quadrangle N: 10.59 inches; W: 15.3 inches).

E40-686. Butler Township, Attention: Steve Hahn, 415 West Butler Drive, Drums, PA 18222, in Dennison Township, **Luzerne County**, United States Army Corps of Engineers, Baltimore District.

To construct and maintain a nonjurisdictional dam and excavation of 0.24 PEM wetlands and 350 feet of a tributary to Oley Creek for reservoir storage capacity for settling of sediment impacting Oley Creek and Beach Mountain Lake. The project is located 0.4 mile east and 0.3 mile north of the intersection of Four Seasons and Shingle Mill Drives (Freeland, PA Quadrangle N: 9.2 inches; W: 5.0 inches).

E40-685. Equalibrium Equities, Inc., Attention: Adam P. Meinstein, 15 South Franklin Street, Suite 210, Wilkes-Barre, PA 18701, in Hazle Township, **Luzerne County**, United States Army Corps of Engineers, Baltimore District.

To place fill in 0.7 acre of PESS wetlands and 0.5 acre of open water for the purpose of developing lots 103 and 104 of the Humboldt Industrial Park. The project is located 0.9 mile south and 0.3 mile west of the intersection of SR 0924 and SR 0081 (Conyngham, PA Quadrangle N: 10.3 inches; W: 4.1 inches).

Southcentral Region: Watershed Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

E05-345: Yellow Creek Coalition, Gerald F. Sherlock, 132 McElwee Drive, Hopewell, PA 16650-7900, Hopewell Township, **Bedford County**, ACOE Baltimore District.

To construct and maintain a 20.0-foot wide single span bridge of 54.0 feet with an underclearance of 7.0 feet across the Maple Run (TSF) and associated improvements in order to provide access to a proposed parking lot of the Yellow Creek Coalition located along Jacks Corner Road (T-555) 1.13 miles north of Cottles Corner Village (Hopewell, PA Quadrangle N: 5.17 inches; W: 12.20 inches, Latitude: 40° 09' 12.4"; Longitude: 78° 20' 12.7") in Hopewell Township, Bedford County.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701, (570) 327-3636.

E14-507. G. Stephen Snyder, 185 Stauffer Road, Bellefonte, PA 16823. Water Obstruction and Encroachment Joint Permit Application in Boggs Township, **Centre County**, ACOE Susquehanna River Basin District (Bellefonte, PA Quadrangle N: 40° 58' 46"; W: 77° 50' 58").

To construct and maintain a 70-foot long by 12-foot wide stabilized agricultural crossing on a skew of 90° in Wallace Run (Exceptional Value Fishery). The project is located along Gum Stump Road approximately 0.2 mile north of intersection with SR 0144 in Boggs Township, Centre County. This project does not propose to impact any jurisdictional wetlands.

Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E04-322. Dominion Transmission, Inc., 445 Main Street, Clarksburg, WV 26307. To construct concrete matting in the channel of several tributaries in North Sewickley Township, **Beaver County**, Pittsburgh ACOE District (Beaver Falls, PA Quadrangle N: 11.0 inches; W: 2.5 inches, Latitude: 40° 48' 29"; Longitude: 80° 16' 45"). The applicant proposes to construct and maintain concrete matting in the channel of several UNTs to Brush Run (WWF) for the purpose of protecting the exposed pipe lines LN 25 and LN 35 located along Collins and Harpers Ferry Roads. Collins Road Crossing 1 (LN 35) is located approximately 4,000.0 feet southeast from the intersection of Collins Road and SR 65. Collins Road Crossing 2 (LN 25) is located approximately 2,000.0 feet southeast from the intersection of Collins Road and SR 65. Harpers Ferry Road Crossing LN 25 and LN 35) is located approximately 6,000.0 feet west from the intersection of Harpers Ferry Road and SR 65 in Beaver County and will impact approximately 124.0 linear feet of stream channel. The applicant also proposes to construct and maintain a temporary road crossing consisting of a Bailey or Timber Mat Bridge across a UNT to Brush Run to provide access to the exposed pipelines.

E26-349. James L. Delansky, 2 Main Street, Point Marion, PA 15474. To construct a boat dock in Point Marion Borough, and Spring Hill Township, **Fayette County**, Pittsburgh ACOE District (Morgantown North, West Virginia, PA Quadrangle N: 20.95 inches; W: 3.9 inches, Latitude: 39° 44' 25"; Longitude: 79° 54' 10"). The applicant proposes to construct and maintain a commercial boat dock facility 700 feet along the river and 46 feet riverward including 10 inch pipe pilings on 106 feet centers in the right bank of the Monongahela River (WWF) in two phases located at Mile Post 89.9.

E63-604. Peters Township Sanitary Authority, 3244 Washington Road, McMurray, PA 15317. To construct three sanitary sewer stream crossings in Peters Township, **Washington County**, Pittsburgh ACOE District (Bridgeville, PA Quadrangle N: 6.2 inches; W: 13.7

inches; Crossing A: Latitude: 40° 16' 57.2"; Longitude: 80° 5' 44.4"; Crossing B: Latitude: 40° 16' 54.7"; Longitude: 80° 5' 38.9"; Crossing C: Latitude: 40° 16' 52.6"; Longitude: 80° 5' 35.9"). The applicant proposes to construct and maintain three sanitary sewer stream crossings at the channel bed and one foot above the channel bed, across Brush Creek (WWF) for the purpose of replacement of 1,500 LF of sanitary sewer interceptor pipe located in Washington County.

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

E25-718. Laughlin Stream Enclosure Project. Jerry and Elizabeth Laughlin, 9058 Paula Way, McKean, PA 16426, in McKean Borough, **Erie County**, ACOE Pittsburgh District (Edinboro North, PA Quadrangle N: 41° 59' 42"; W: 80° 8' 49").

The applicant proposes to construct and maintain a 160-foot long, 4.5-foot diameter HDPE plastic stream enclosure in a UNT Lamson Run on the property at 9058 Paula Way to protect an existing home adjacent to the stream. Lamson Run is a perennial stream classified as a MF and CWF. This project proposes to impact approximately 170 feet of stream.

ENVIRONMENTAL ASSESSMENTS

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

EA10 08 601—Request for Waiver under Section 105.12(a) (16), Stream Restoration Incorporated (PA Nonprofit Organization) 3016 Unionville Road, Cranberry Township, PA 16066. Black's Creek: BC16 Remediation Project, Marion Township, **Butler County**, ACOE Pittsburgh District (Barkeyville, PA Quadrangle N: 41° 9' 1"; W: 79° 55' 8").

The applicant proposes to construct and maintain a passive treatment system to collect and treat the discharge from an abandoned oil well. The passive treatment system will consist of a 1-acre aerobic wetland and a 5,000 sq. ft. horizontal flow limestone bed. The project is expected to improve 3 1/2 miles of Black's Creek and a UNT to Black's Creek. Proposed impacts to the aquatic resources necessary for the project include a 0.08-acre impact to an existing PEM wetland. Black's Creek and the UNT to Black's Creek are perennial streams classified as CWF.

EA43 08 602—Request for Waiver under Section 105.12(a) (16), Stream Restoration Incorporated (PA Nonprofit Organization) 3016 Unionville Road, Cranberry Township, PA 16066 Fox Run Restoration Area—Phase II, Jackson and Lake Townships, **Mercer County**, ACOE Pittsburgh District (Jackson Center, PA and Sandy Lake Quadrangles N: 41° 18' 6"; W: 80° 7' 20").

The applicant proposes to construct and maintain a passive treatment system to collect and treat abandoned mine drainage from three perennial discharges. The passive treatment system will consist of a collection system that will convey the discharge beneath Fox Run to a 0.75-acre aerobic wetland. The project is expected to improve 2 1/2 miles of Fox Run. Proposed impacts to the aquatic resources necessary for the project include a 0.09-acre impact to an existing PEM and 0.10-acre impact to a second PEM wetland. Fox Run is a perennial streams classified as a CWF.

ACTIONS

**THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT
FINAL ACTIONS TAKEN FOR NATIONAL POLLUTION DISCHARGE
ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY
MANAGEMENT (WQM) PERMITS**

The Department of Environmental Protection (Department) has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and Notices of Intent (NOI) for coverage under general permits. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or amendment
Section III	WQM	Industrial, sewage or animal wastes; discharges to groundwater
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

Sections I—VI contain actions related to industrial, animal or sewage wastes discharges, discharges to groundwater and discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities and concentrated animal feeding operations (CAFOs). Section VII contains notices for parties who have submitted NOIs for coverage under general NPDES permits. The approval for coverage under general NPDES permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions set forth in each general permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective permit. Permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0061468 (Minor Sewage)	Liberty Mobile Home Park R. R. 5 Box 54 Montrose, PA 18801-9318	Liberty Township Susquehanna Township	UNT to Snake Creek 4E	Y
PAS902202	Lehigh County Authority 1053 Spruce Street P. O. Box 3348 Allentown, PA 18106	Lehigh County Upper Macungie Township	Little Lehigh Creek 2C	Y
PA0030996 (Minor Sewage)	Bangor Area School District 123 Five Points Richmond Road Bangor, PA 18013	Upper Mt. Bethel Township Northampton County	UNT to Jacoby Creek 1F	Y

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0085332 (Sew)	Delta Borough 208 Bunkerhill Avenue Delta, PA 17314	York County Delta Borough	Scott Creek 7-I	Y
PA0246565 (IW)	Kinsley Concrete 629 Loucks Mill Road York, PA 17403	York County Spring Garden Township	UNT Codorus Creek 7-H	Y
PA0080608 (Sew)	Fellowship of Bible Churches, Inc. Camp Tohiglo 10670 Fort Loudon Road Mercersburg, PA 17236	Franklin County Montgomery Township	Licking Creek 12-B	Y
PA0083674 (Sew)	Rainworth, Inc. 1979 Biglerville Road Gettysburg, PA 17325	Adams County Straban Township	UNT to White Run 13-D	Y

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0220965	Jeffrey P. Leri 21160 Phelps Road Meadville, PA 16335	West Mead Township Crawford County	UNT to Tamarack Lake 16-D	Y
PA0006238	NAPCO, Inc. 125 McFann Road Valencia, PA 16059-1917	Middlesex Township Butler County	Glade Run 20-C	Y

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

WQM Permit No. 4808401, Sewerage, **River Road Utilities, Inc.**, 3300 River Road, Mt. Bethel, PA 18343. This proposed facility is located in Upper Mt. Bethel Township, **Northampton County**.

Description of Proposed Action/Activity: Issuance of Water Quality Management Permit for an upgraded sewage treatment plant—0.066 mgd.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

Public Notice of Permit Issuance

Permit for National Pollutant Discharge Elimination System (NPDES) to Discharge to State Waters

Final Notice is hereby given that the Department of Environmental Protection (Department), after public notice, has on March 31, 2008, issued a National Pollutant Discharge Elimination System Permit to:

Permit No. PA 0026077

Borough of Carlisle
53 West South Street
Carlisle, PA 17013

This notice reflects changes from the notice published in the *Pennsylvania Bulletin*.

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25		70
NH ₃ -N			
(5-1 to 10-31)	3.3		9.2
(11-1 to 4-30)	9.9		27

Persons may make an appointment to review the Department files on this case by calling the file review coordinator at (717) 705-4732.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

NPDES Permit No. PA00027481-A1, Industrial Waste, **FirstEnergy Generation Corporation**, P. O. Box 128, Shippingport, PA 15077. This existing facility is located in Shippingport Borough, **Beaver County**.

Description of Proposed Action/Activity: Permit issuance for the discharge of cooling tower blowdown.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

WQM Permit No. 6705408, Sewage, **Delta Borough**, 208 Bunkerhill Avenue, Delta, PA 17314. This proposed facility is located in Delta Township, Borough, **York County**.

Description of Proposed Action/Activity: Permit approval for the construction of sewerage facilities consisting of an expansion of the existing wastewater treatment plant from 0.24 mgd to 0.48 mgd.

WQM Permit No. WQG02060801, Sewage, **Ruscombmanor Township**, 204 Oak Lane, Fleetwood, PA 19522. This proposed facility is located in Ruscombmanor Township, **Berks County**.

Description of Proposed Action/Activity: Submitted application for the construction/operation of the Pricetown Road Sanitary Sewer Extension project.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. WQG028314, **Evans City Borough**, 204-B South Jackson Street, Evans City, PA 16033. This proposed facility is located in Evans City Borough, **Butler County**.

Description of Proposed Action/Activity: Construction consists of the extension of gravity sanitary sewers on sections of Mahan Road, North Maple Avenue, Washington Street and White Oak Drive. A pressure sewer extension is planned for parts of Van Buren and Center Streets. The extensions will extend sewer service to a total of 32 existing residential homes. The sanitary sewage will be treated at the Evans City Borough Sewage Treatment Plant.

WQM Permit No. WQG018609, Sewerage, **Shirley A. Hammett and Kathleen S. Moreira**, 10000 US Route 6N, Albion, PA 16401. This proposed facility is located in Elk Creek Township, **Erie County**.

Description of Proposed Action/Activity: A single Residence Sewage Treatment Plant.

WQM Permit No. WQG018606, Sewerage, **Kenneth A. and Vickie L. Yovich**, 5426 Gorman Road, Union City, PA 16438-8523. This proposed facility is located in Mill Village Borough, **Erie County**.

Description of Proposed Action/Activity: A single Residence Sewage Treatment Plant.

WQM Permit No. 16004107, Sewerage, Amendment No. 1, **Emlenton Area Municipal Authority**, P. O. Box 448, Emlenton, PA 16373. This proposed facility is located in Salem Township, **Clarion County**.

Description of Proposed Action/Activity: This project is to rehabilitate two elevated sand mounds into open access sand mounds located at the Lamartine Wastewater Treatment Facility.

WQM Permit No. 4304414, Sewerage, **Amendment No. 1, Reynolds Disposal Company**, 301 Arlington Drive, Greenville, PA 16125. This proposed facility is located in Pymatuning Township, **Mercer County**.

Description of Proposed Action/Activity: This project approves the modification/operation of sewerage wastewater facilities consisting of: The addition of a sludge holding tank with a capacity of 56,520 cubic feet.

IV. NPDES Stormwater Discharges from MS4 Permit Actions**V. NPDES Waiver Stormwater Discharges from MS4 Actions****VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions**

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI011506013	BK Campbell, Inc. 402 Bayard Road Kennett Square, PA 19348	Chester	Elk Township	Tributary Big Elk Creek HQ
PAI011508005	Morphotek, Inc. 210 Welsh Pool Road Exton, PA 19341	Chester	Uwchlan Township	Pine Creek HQ
PAI011508008	Immaculata University 1145 King Road Immaculata, PA 19345	Chester	East Whiteland Township	Ridley Creek HQ

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI023507007	Jefferson Township Sewage Authority 487 Cortez Road Lake Ariel, PA 18436	Lackawanna	Jefferson Township	West Branch Wallenpaupack Creek HQ-CWF

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI023506006	Department of Transportation Engineering District 4-0 55 Keystone Industrial Park Dunmore, PA 18512	Lackawanna	Borough of Jessup	Grassy Island Creek HQ-CWF

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI033607001	E. Nelson Martin 416 Linden Street Terre Hill, PA 17581	Lancaster	Terre Hill Borough East Earl Township	UNT to Black Creek HQ-CWF
PAI035008001	Michael P. and Linda M. Olmstead 332 Diomair Path Elliottsburg, PA 17024	Perry	Tuscarora, Saville and Juniata Townships	UNT to Buffalo Creek HQ-CWF

Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Beaver County Conservation District, 156 Cowpath Road, Aliquippa, PA 15001, (724) 378-1701.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI050408001	E.C. Lincoln Holdings, LLC 120 Brian Drive Beaver, PA 15009	Beaver	Darlington Township	Dilworth Run Watershed HQ-CWF

Somerset County Conservation District, 6024 Glades Pike, Suite 103, Somerset, PA 15501, (814) 445-4652.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI055607002 (Phase 2)	The Buncher Company 5600 Forward Avenue Pittsburgh, PA 15217	Somerset	Jefferson Township	Laurel Hill Creek HQ-CWF

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges From Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities (PAR)
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges From Small Flow Treatment Facilities
PAG-5	General Permit for Discharges From Gasoline Contaminated Groundwater Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges From Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Nonexceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

NOTICES

1757

General Permit Type—PAG-2

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Falls Township Bucks County	PAG2000907141	International Salt Company 850 Northern Boulevard Clarks Summit, PA 18411-0540	Delaware River WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Franklin Township Chester County	PAR10G514R	Robert K. Weaver Creek, LLC 227 Granite Run Drive Suite 100 Lancaster, PA 17601	Middle Branch White Clay Creek TSF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Valley Township Chester County	PAG2001507061	Coatesville Area School District 345 East Lincoln Highway Coatesville, PA 19320-5404	Rock Run TSF, MF Sucker Run WWF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
New Garden Township Chester County	PAR10G393R	Orleans Homebuilders, Inc. 3333 Street Road Suite 101 Bensalem, PA 19020	Bucktoe Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Concord Township Delaware County	PAG2002308004	Garnet Valley School District 80 Station Mill Road Glen Mills, PA 19342	UNT Green and Chester Creeks CWF, TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Towamencin Township Montgomery County	PAG2004607175	Upper Gwynedd-Towamencin MA 2225 Kriebel Road Lansdale, PA 19446	Towamencin Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Upper Hanover Township Montgomery County	PAG20046051431	Hills at Perkiomen, LP 345 Main Street Harleysville, PA 19438	Macoby Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Montgomery Township Montgomery County	PAG2004608020	The Christmas Tree Shops 650 Liberty Avenue Union, NJ 07083	Tributary Neshaminy Creek WWF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Limerick Township Montgomery County	PAG2004607102	Limerick Partners I, LP 120 West Germantown Pike Suite 12 Plymouth Meeting, PA 19462	Mingo Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Douglass Township Montgomery County	PAG2004607180	Hollenbach Construction P. O. Box 507 166 Holly Road Boyertown, PA 19512	UNT Swamp Creek TSF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
East Norriton Township Montgomery County	PAG2004608013	Swede Square Associates, LP 44 South Bayles Avenue Fort Washington, NY 11050	Schuylkill River CWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Limerick Township Montgomery County	PAG2004607177	West Mont United Soccer P. O. Box 26143 250 Betcher Road Collegeville, PA 19426	UNT Mingo Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
East Norriton Township Montgomery County	PAG20046040481	40 Scully Company 801 Old York Road Noble Plaza Jenkintown, PA 19046	UNT Stony Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Springfield Township Montgomery County	PAG2004608013	Springfield Township School District 1801 Paper Mill Road Edenheim, PA 19038	Oreland Run TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Franconia Township Montgomery County	PAG2004608014	Reformed Baptist Church 644 Allentown Road Telford, PA 18969	Indian Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Plymouth Township Montgomery County	PAG2004607108	Blue Bell Associates 650 Sentry Parkway Suite 1 Blue Bell, PA 19422	Tributary Plymouth Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Upper Hanover Township Montgomery County	PAG2004607074	DeMeno Properties, LTD 2136 Squirrel Hill Road Skippack, PA 19474	Tributary Macoby Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Whitpain Township Montgomery County	PAG2004607186	Dekalb Pinnacle 1597 DeKalb Street Suite 300 Blue Bell, PA 19422	UNT Stony Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
City of Philadelphia Philadelphia County	PAG2015107048	Mansion at Bala, LP 1919 Post Oak Park Drive No. 3101 Houston, TX 77027	Schuylkill River WWF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Hanover Township Luzerne County	PAG2004007037	John K. Kahiu Kahiu Shelter Investments, LLC 102 Hibernation Hollow Drums, PA 18222	Warrior Creek CWF	Luzerne County Conservation District (570) 674-7991
Salem Township Luzerne County	PAG2004007038	Steven Fraind Salem Township 38 Bomboy Lane Berwick, PA 18603	Susquehanna River WWF	Luzerne County Conservation District (570) 674-7991
Kingston Township Luzerne County	PAG2004007043	Center Company 185 Ferguson Avenue Shavertown, PA 18708	Toby Creek CWF	Luzerne County Conservation District (570) 674-7991
Upper Mt. Bethel Township Northampton County	PAG2004807007	Custom Laminating Corp. P. O. Box 37 Bartley-Chester Road Flanders, NJ 07836	Tributaries to Delaware River CWF	Northampton County Conservation District (610) 746-1971
Lower Saucon Township Northampton County	PAG2004807031	Pierpont Slater Properties Attn: Andrew Warner P. O. Box 160 Center Valley, PA 18034	Black River CWF	Northampton County Conservation District (610) 746-1971
West Penn Township Schuylkill County	PAG2005408007	Doris Lusch 579 Cold Spring Road Andreas, PA 18211	Lizard Creek CWF	Schuylkill County Conservation District (570) 622-3742
Mayfield Borough Lackawanna County	PAG2003508006	Mayfield Borough 739 Penn Avenue Mayfield, PA 18433	Hosie Creek CWF	Lackawanna County Conservation District (570) 281-9495

NOTICES

1759

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Wayne Township Schuylkill County	PAG2005408005	CPE Development, LLC 120 West Drehersville Road Orwigsburg, PA 17961	Upper Little Swatara Creek CWF	Schuylkill County Conservation District (570) 622-3742
Washington Township Schuylkill County	PAG2005407016	James L. Miller Edgewood Farms, LP 950 East Main Street P. O. Box 472 Schuylkill Haven, PA 17972	Tributary to Lower Little Swatara Creek CWF	Schuylkill County Conservation District (570) 622-3742
Upper Allen Township Cumberland County	PAG2002103013R	Upper Allen Partners, LP Glaize Orchards 4075 Market Street Camp Hill, PA 17011	UNT Yellow Breeches Creek CWF	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013 (717) 240-7812
South Hanover Township Dauphin County	PAG2002203003R	Dan Jorich Jorich Land Development 1620 Mountain Road Dauphin, PA 17018	Swatara Creek WWF	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 (717) 921-8100
Lower Paxton Township Dauphin County	PAG2002208004	Julie Trogner and Greg Denk 3 Lemoyne Drive Lemoyne, PA 17043	Paxton Creek WWF	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 (717) 921-8100
Lower Paxton Township Dauphin County	PAG2002207008	Martin L. Schoffstall Children's Trust 1818 Signal Hill Mechanicsburg, PA 17050	Beaver Creek WWF	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 (717) 921-8100
Susquehanna Township Dauphin County	PAG2002208011	Pamela Winters Susquehanna Township Authority 1900 Linglestown Road Harrisburg, PA 17110	Paxton Creek WWF	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 (717) 921-8100
East Donegal Township Lancaster County	PAG20036061121	Corixa Corporation 325 North Bridge South Marietta, PA 17547	Susquehanna River-Evans Run WWF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 (717) 299-5361, Ext. 5
Mount Joy Township Lancaster County	PAG2003607084	Franklin Greiner, Jr. 1650 Steel Way Drive Mount Joy, PA 17552	UNT to Little Chickies Creek CWF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 (717) 299-5361, Ext. 5
West Lampeter Township Lancaster County	PAG2003608005	Creative Construction Solutions 100 Willow Valley Lakes Drive Willow Street, PA 17584	Mill Creek WWF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 (717) 299-5361, Ext. 5
Mount Joy Borough Lancaster County	PAG2003608010	The Janus School 205 Lefever Road Mount Joy, PA 17552	Little Chickies Creek TSF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 (717) 299-5361, Ext. 5

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Clay Township Lancaster County	PAG2003608013	Carl Z. Musser 420 West Girlscout Road Stevens, PA 17578	Indian Run TSF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 (717) 299-5361, Ext. 5
East Lampeter Township Lancaster County	PAG2003608014	D & E Property Management, LLC Box 97 3220 East Gordonville Road Gordonville, PA 17529	Pequea Creek WWF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 (717) 299-5361, Ext. 5
Caernarvon Township Berks County	PAG2000606044	Robert D. Smiley GenTerra Corporation 65 Dowlin Forge Road Exton, PA 19341-1548	East Branch Conestoga River WWF	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 (610) 372-4657, Ext. 201
Cumru Township Berks County	PAG2000607085	David C. Paul D.C.P. Investment Properties, LLC 1060 Morgantown Road Reading, PA 19607	UNT to Schuylkill River WWF	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 (610) 372-4657, Ext. 201
Amity Township Berks County	PAG2000608002	David Hope American Crane & Equipment Corporation 531 Old Swede Road Douglassville, PA 19518	Leaf Creek WWF	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 (610) 372-4657, Ext. 201
Upper Allen Township Cumberland County	PAG2002108006	Winding Hill, LLP Winding Hill Corporate Center 401 East Winding Hill Road Mechanicsburg, PA 17055	Cedar Run CWF	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle PA 17013 (717) 240-7812
Centre County College Township	PAG2001408005	Tom Mertz KIA Auto Dealership L.C. Trio 8 Fairway Drive Selinsgrove, PA 17670	UNT to Spring Creek CWF	Centre County Conservation District 414 Holmes Avenue, Suite 4 Bellefonte, PA 16823 (814) 355-6817
Northumberland County Turbotville Borough	PAG2004908001	Wellington Estates Intersection of Pine and Main Streets Sunbury, PA 17801	UNT to Warrior Run	Northumberland County Conservation District R. R. 3 Box 238-C Sunbury, PA 17801 (570) 286-7114, Ext. 4
Beaver County Brighton Township	PAG2000403007R	Ronald W. Wolf Maronda Homes 202 Park West Drive Pittsburgh, PA 15108	Fourmile Run WWF	Beaver County CD (724) 378-1701

NOTICES

1761

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Indiana County White Township	PAG2003207003	GVH & Associates 1008 Executive Drive Suite 102 Hixson, TN 37343	UNT to McCarthy Run and UNT to Two Lick Creek CWF	Indiana County Conservation District (724) 463-8547
Indiana County Brush Valley, Center and Buffington Townships	PAG2003208005	Highbridge Water Authority 17 Maple Avenue Blairsville, PA 15717	Brush Creek CWF Black Lick Creek and UNT TSF	Indiana County Conservation District (724) 463-8547
Somerset County Stonycreek Township	PAG2005608001	Mountain Ridge Trails Resort, LLC P. O. Box 2 Somerset, PA 15501	Boone Run CWF Clear Run CWF Rhoades Creek WWF Little Dark Shade Creek CWF	Somerset County Conservation District (814) 445-4652

General Permit Type—PAG-3

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Washington Township Clarion County	PAR228304	Allegheny Wood Products, Inc. P. O. Box 30 Marble, PA 16334	UNT to East Sandy Creek	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
City of Warren Warren County	PAR808366	Buffalo & Pittsburgh Railroad, Inc. 1110 Fourth Avenue Warren, PA 16365	Allegheny River	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
City of Hermitage Mercer County	PAR808302	Falcon Transport County 4944 Belmont Avenue Youngstown, OH 44505	Bobby Run	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Franklin Township Greene County	PAR216176	Hoy's Construction Company, Inc. P. O. Box 957 Waynesburg, PA 15370	Laurel Run	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000

General Permit Type—PAG-4

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Lycoming County Loyalsock Township	PAG045249	Loyalsock Township Board of Supervisors 2501 East Third Street Williamsport, PA 17701-4096	UNT to Grafius Run WWF	Northcentral Regional Office Water Management Program 208 West Third Street Suite 101 Williamsport, PA 17701 (570) 327-3664

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Elk Creek Township Erie County	PAG049417	Shirley A. Hammett and Kathleen S. Moreira 10000 US Route 6N Albion, PA 16401	Temple Creek 15-CC	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Mill Village Borough Erie County	PAG049413	Kenneth A. and Vickie L. Yovich 5426 Gorman Road Union City, PA 16438-8523	UNT to French Creek 16-A	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Hayfield Township Crawford County	PAG049408	Evan Hasko 133 Belmont Drive Meadville, PA 16335	UNT to Cussewago Creek 16-D	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Knox Township Clarion County	PAG049410	Pattie Schmader 1997 Corvette Drive P. O. Box 24 Lucinda, PA 16235	UNT to Step Creek 17-B	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Sugar Grove Township Mercer County	PAG049423	New Horizons Recycling, Inc. Route 18 Box 19A Adamsville, PA 16110	UNT to Crooked Creek 20-A	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
<i>Permit Type—PAG-5</i>				
<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
York County Springettsbury Township	PAG053545	Hess Corporation (Hess Station No. 38305) One Hess Plaza Woodbridge, NJ 07095-0962	UNT to Mill Creek WWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Mifflin County Lewistown Borough	PAG053521	Nittany Oil Company, Inc. (Minit Mart No. 232) 321 North Front Street Pittsburgh, PA 16866	UNT to Kishacoquillas Creek TSF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Mifflin County Lewistown Borough	PAG053587	Sheetz, Inc. (Sheetz Convenience Store No. 158) 5700 Sixth Avenue Altoona, PA 16602	Juniata River WWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
York County Fairview Township	PAG053576	Hess Corporation (Hess Station No. 38420) One Hess Plaza Woodbridge, NJ 07095-0961	Yellow Breeches Creek CWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
York County Carroll Township	PAG053556	Shillito Oil, Inc. (Shillito Oil Bulk Facility) 1014 York Road Dillsburg, PA 17019	UNT to Dogwood Run CWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Lebanon County West Cornwall Township	PAG053522	Sunoco, Inc. Automotive Lab (Former Cornwall Pump Station) P. O. Box 1135 Marcus Hook, PA 19061	Beck Creek TSF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707

NOTICES

1763

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Lancaster County Paradise Township	PAG053575	Getty Properties Corporation (Getty Station No. 67596) 125 Jericho Turnpike Jericho, NY 11753	Landonland Run CWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Lancaster County Manheim Township	PAG053532	Sunoco, Inc. (Former Sunoco 0003-7077) 1735 Market Street Suite LL Philadelphia, PA 19103-7583	UNT Conestoga River WWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Lancaster County Adamstown Borough	PAG053546	Getty Properties Corporation (Getty Station No. 69497) 125 Jericho Turnpike Jericho, NJ 11753	Little Muddy Run TSF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Lancaster County Mountville Borough	PAG053580	Hyway, Inc. (Hyway No. 57) 534 Kansas Avenue Suite 1200 Topeka, KS 66603	West Branch Little Conestoga Creek TSF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Berks County Bethel Township	PAG053542	Bressler Service, Inc. P. O. Box 97 Bethel, PA 19507	UNT Little Swatara Creek CWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Bedford County Kimmel Township	PAG053579	Wright Milling Company 1581 Beaverdam Road Claysburg, PA 16625	UNT Beaverdam Creek CWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Fulton County Ayr Township	PAG053560	Getty Service Station (Getty Service Station No. 69690) 125 Jericho Turnpike Jericho, NY 11753	UNT Big Cove Creek CWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Bedford County Bedford Borough	PAG053523	Bedford Farm Bureau Cooperative Association 102 Industrial Avenue Bedford, PA 15522-0333	Raystown Branch Juniata River TSF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Adams County Arendtsville Borough	PAG053551	Getty Service Station (Getty Service Station No. 69682) 2 High Street Arendtsville, PA 17303	Conewago Creek CWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Blair County Woodbury Township	PAG053565	Blair County Oil & Supply, Inc. (BCO Mart) 426 Bedford Street Hollidaysburg, PA 16648	UNT Plum Creek WWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Bedford County Snake Spring Township	PAG053572	Bedford Valley Petro Corporation (Five Gables Amoco and RG's Convenience Store) 10228 Lincoln Highway Everett, PA 15537	UNT Dunning Creek WWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Dauphin County West Hanover Township	PAG053573	TravelCenters of America (TA Travel Centers) 24601 Center Ridge Road Suite 200 Westlake, OH 44145-5634	UNT Manada Creek WWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Huntingdon County Tell Township	PAG053527	Laurel Pipeline Company, LP (Richvale) P. O. Box 368 Emmaus, PA 18049-0368	George Creek CWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Juniata County Milford Township	PAG053557	Shaner Energy, Inc. (Horning Bulk Oil Company) 10787 Station Road Huntingdon, PA 16652	East Licking Creek CWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Berks County Exeter Township	PAG053567	Exeter Township School District (Bus Garage) 3650 Perkiomen Avenue Reading, PA 19606	UNT Antietam Creek CWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Huntingdon County Huntingdon Borough	PAG053591	Sheetz, Inc. (Sheetz Store No. 10) 5700 Sixth Avenue Altoona, PA 16602	UNT Juniata River WWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Lancaster County Manheim Township	PAG053574	Buckeye Partners, LP (Lancaster Pipeline Junction) 9999 Hamilton Boulevard Five Tek Park Breinigsville, PA 18031	Trindle Spring Run CWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Dauphin County West Hanover Township	PAG053584	Ray Funck (Funck's Manada Hill Mobil-Valero) 1805 North Route 934 Annville, PA 17003	Manada Creek WWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Adams County Mount Joy Township	PAG053581	Patrick Flinn (former Flinn's Mobil—Gettysburg Cigarette Cellar) 1660 Fairfield Road Gettysburg, PA 17325	Rock Creek WWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Berks County Muhlenberg Township	PAG053550	Robert S. Lewis, Project Manager (former Exxon Tuckerton Terminal No. 2046) 1545 Route 22 East RM CCM15 Annandale, NJ 08801	Laurel Run WWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Adams County Conewago Township	PAG053558	Terry L. Lawrence (Terry & Laverne Motors, Inc.) 1726 Carlisle Pike Hanover, PA 17331	UNT South Branch Conewago Creek WWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707

General Permit Type—PAG-8

<i>Facility Location & County/Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Site Name & Location</i>	<i>Contact Office & Phone No.</i>
West Hanover Township Dauphin County	PAG083519	West Hanover Township Water and Sewer Authority 7901 Jonestown Road Harrisburg, PA 17112	West Hanover Township WWTP 7901 Jonestown Road Harrisburg, PA 17112	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110-8200 (717) 705-4707
Waynesboro Borough Authority	PAG083579	Waynesboro Borough Authority 57 East Main Street Waynesboro, PA 17268	Waynesboro Borough Authority WWTP 57 East Main Street Waynesboro, PA 17268	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110-8200 (717) 705-4707

NOTICES

1765

<i>Facility Location & County/Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Site Name & Location</i>	<i>Contact Office & Phone No.</i>
Shrewsbury Township York County	PAG083578	GlenRock Sewer Authority 11714 North Main Street Ext. P. O. Box 205 Glen Rock, PA 17327-0205	Glen Rock Sewer Authority WWTP 11714 North Main Street Ext. Glen Rock, PA 17327-0205	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110-8200 (717) 705-4707
Snake Spring Township Bedford County	PAG083516	Snake Spring Township Municipal Authority 624 Penn Knoll Road Everett, PA 15537	Snake Spring Township WWTP 624 Penn Knoll Road Everett, PA 15537	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110-8200 (717) 705-4707

General Permit Type—PAG-8 (SSN)

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Site Name & Location</i>	<i>Contact Office & Phone No.</i>
Salisbury Township Lancaster County	PAG080004	Philadelphia Water Department 1101 Market Street Philadelphia, PA 19153	Jonathan Lapp Farm	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110-8200 (717) 705-4707
Derry Township Westmoreland County		Synagro 3239 Route 981 New Alexandria, PA 15670	Steele Farm	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh PA 15222-4745 (412) 442-4000

General Permit Type—PAG-9

<i>Facility Location & County/Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Site Name & Location</i>	<i>Contact Office & Phone No.</i>
Bethel Township Berks County	PAG093514	Peterman Brother's Septic Service 141 Salem Road Bethel, PA 19507	Peterman Brother's Septic Service 141 Salem Road Bethel, PA 19507	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110-8200 (717) 705-4707

General Permit Type—PAG-9 (SSN)

<i>Facility Location & County/Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Site Name & Location</i>	<i>Contact Office & Phone No.</i>
Snyder County Perry Township	PAG094801	Wendt Excavating 724 Brosius Hill Road Mt. Pleasant Mills, PA 17853	Wendt Excavating— Fields 4 and 5N Snyder County Perry Township	Northcentral Regional Office Water Management Program 208 West Third Street Suite 101 Williamsport, PA 17701 (570) 327-3664

General Permit Type—PAG-12

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Perry County Southwest Madison Township	PAG123642	Wonder Why Farm 1140 Bernheisel Road Loysville, PA 17047	Bixler Run CWF	DEP—SCRO Watershed Management 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4802

PUBLIC WATER SUPPLY (PWS) PERMITS

The Department of Environmental Protection has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act

Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401.

Permit No. 4607509, Public Water Supply.

Applicant	Manufacturers Golf and Country Club 511 Dreshertown Road Oreland, PA 19075
Township	Upper Dublin
County	Montgomery
Type of Facility	PWS
Consulting Engineer	Ebert Engineering P. O. Box 540 Skippack, PA 19474
Permit to Construct Issued	March 31, 2008

Operations Permit issued to **Plumstead Township**, 5119 Stump Road, Pipersville, PA 18949 (PWSID No. 1090136) Plumstead Township, **Bucks County** on March 31, 2008, for the operation of an arsenic removal system, the replaced liquid chlorination approved under construction permit No. 0908505.

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Permit No. 3396420, Operations Permit, Public Water Supply.

Applicant	Nestle Waters North America, Inc. 405 Nestle Way Breinigsville, PA Upper Macungie Township
County	Lehigh
Type of Facility	Bottling Plant (Lines 14 and 15)
Consulting Engineer	Edward Davis, P. E. Forino Company, LP 555 Mountain Home Road Sinking Spring, PA
Permit to Operate Issued	March 6, 2008

Permit No. 1307503, Public Water Supply.

Applicant	Big Boulder Corp. Route 940 and Moseywood Road P. O. Box 707 Blakeslee, PA Kidder Township
County	Carbon
Type of Facility	Public Water System
Consulting Engineer	David D. Klepadlo, P. E. Malcolm Pirnie, Inc. 932 Springbrook Avenue Moosic, PA
Permit to Construct Issued	March 12, 2008

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 0606517, Public Water Supply.

Applicant	Wissahickon Spring Water, Inc.
Municipality	Hamburg Borough
County	Berks
Type of Facility	Application to add two well sources located on the same property as the Hamburg bottling plant.
Consulting Engineer	Kenneth M. Justice, P. E. AEON Geosciences, Inc. 2120 Bellemead Avenue Havertown, PA 190823-2250
Permit to Construct Issued	March 28, 2008

Permit No. 6707510 MA, Minor Amendment, Public Water Supply.

Applicant	The York Water Company
Municipality	Oxford Mt. Pleasant Union Township
County	York
Type of Facility	West Manheim Main Extension

Consulting Engineer Mark S. Snyder, P. E.
The York Water Company
130 East Market Street
P. O. Box 15089
York, PA 17405-7089

Permit to Construct March 24, 2008
Issued

Permit No. 3608502 MA, Minor Amendment, Public Water Supply.

Applicant **Columbia Water Company**
Municipality Columbia Borough
County **Lancaster**

Type of Facility
Consulting Engineer David T. Lewis, P. E.
Columbia Water Company
220 Locust Street
Columbia, PA 17512

Permit to Construct March 31, 2008
Issued

Permit No. 3108501 E, Public Water Supply.

Applicant **Grier School**
Municipality Warriors Mark Township
County **Huntingdon**
Type of Facility Construction of Well No. 2 with
disinfection.

Consulting Engineer Daniel J. Carbaugh, P. E.
Keller Engineers, Inc.
420 Allegheny Street
Hollidaysburg, PA 16648

Permit to Construct March 24, 2008
Issued

Operations Permit issued to The Carlyle Group, 7010023, Mount Pleasant Township, Adams County on March 17, 2008, for the operation of facilities approved under Construction Permit No. 0107501 MA.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Operations Permit issued to Pennsylvania-American Water Company, 800 West Hersheypark Drive, Hershey, PA 17033, (PWSID No. 5020039) Jefferson Township, Washington County on March 20, 2008, for the operation of facilities approved under Construction Permit No. 6306502MA.

Permit No. 6507510MA, Minor Amendment. Public Water Supply.

Applicant **Municipal Authority of Westmoreland County**
124 Park and Pool Road
New Stanton, PA 15672

Borough or Township Allegheny Township
County **Westmoreland**
Type of Facility Vandergrift water storage tank

Consulting Engineer
Permit to Construct March 20, 2008
Issued

Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Transfer of Special Permit By Rule issued to Culligan Store Solutions, LLC, 1030 Lone Oak Road, Suite 110, Egan, MN 55121-2251. Permit Number 6616480-T1, issued March 25, 2008, for each existing vending machine located within the Northwest Region. This action reflects an entity conversion from Culligan Store Solutions, Inc., to Culligan Store Solutions, LLC.

Permit No. 6107502, Public Water Supply.

Applicant **Clintonville Borough Sewer & Water Authority**

Township or Borough Clintonville Borough
County **Venango County**

Type of Facility Public Water Supply
Consulting Engineer Dennis J. Duryea, P. E.
Herbert, Rowland & Grubic, Inc.
200 West Kensingers Drice
Suite 44
Cranberry Township, PA 16066

Permit to Construct March 28, 2008
Issued

Permit No. 1007505, Public Water Supply.

Applicant **Concordia Lutheran Ministries**

Township or Borough Jefferson Township
County **Butler County**

Type of Facility Public Water Supply
Consulting Engineer Kurt H. Todd, P. E.
The Gateway Engineers, Inc.
201 South Main Street
Suite 200
Butler, PA 16001

Permit to Construct March 28, 2008
Issued

Permit No. 6207503, Public Water Supply.

Applicant **Eastern Management Associates, Inc.**
Mason Mobile City

Township or Borough Conewango Township
County **Warren County**

Type of Facility Public Water Supply
Consulting Engineer Catherine Lee, Project Manager
TranSystems/Stone Consulting & Design
324 Pennsylvania Avenue West
Warren, PA 16365

Permit to Construct March 31, 2008
Issued

STORMWATER MANAGEMENT

Action on plans submitted under the Stormwater Management Act of October 4, 1978 (32 P. S. § 680.9)

Bureau of Watershed Management, P. O. Box 8555, Harrisburg, PA 17105-8555.

The Update of the Act 167 Stormwater Management Plan for **Pine Creek, Girtys Run, Deer Creek and Squaw Run Designated Watersheds**, submitted to the

Department of Environmental Protection by **Allegheny County** on January 15, 2008, was approved on March 28, 2008.

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted under section 5 of the Pennsylvania Sewage Facilities Act (35 P. S. § 750.5)

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

Plan Location:

Borough or Township	Borough or Township Address	County
Felton Borough	88 Main Street Felton, PA 17322	York

Plan Description: The approved Special Study provides for the implementation of an onlot sewage disposal system management program. The Department of Environmental Protection's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

Plan Location:

Borough or Township	Borough or Township Address	County
Warwick Township	315 Clay Road Lititz, PA 17543	Lancaster

Plan Description: The approved Official Plan Update Revision provides for the construction of a public sewer system to serve the Millway area within 10 years. The Plan also provides information documenting areas of carbonate bedrock and well samples in excess of 5 ppm nitrate-nitrogen. Preliminary hydrogeologic studies will be required in areas of carbonate geology and within 1/4 mile of a well sample in excess of ppm nitrate-nitrogen. The Department of Environmental Protection's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

Plan Location:

Borough or Township	Borough or Township Address	County
Saxton Borough	P. O. Box 173 Saxton, PA 16678	Bedford

Plan Description: The Plan provides for the upgrade of the Saxton Borough Municipal Authority's wastewater treatment facility to address nutrient reduction requirements of the Chesapeake Bay Tributary Strategy. The capacity of the treatment facility will remain at 0.6 mgd. The Plan also provides for the addition of new conveyance lines to the WWTF, deletion of the Shoup Street Pump Station and construction of a new main pump station that will convey all flow to the WWTF. The Department of Environmental Protection's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

Plan Location:

Borough or Township	Borough or Township Address	County
Hanover Borough	44 Frederick Street Hanover, PA 17331	York

Plan Description: The approved Plan provides for the construction of interceptor relief sewers placed vertically on top of the existing sewers to convey peak wet weather flows for the west side, north side and Carlisle Street Trunk and Plum Creek Interceptors. The Plan also proposed improvements at the Borough's regional wastewater treatment plant to provide hydraulic capacity for all peak wet weather flow conditions. The objective of these proposed facilities is to accommodate peak design flows without surcharge, bypass or overflow. Interceptors shall be designed for free-flowing, open channel conditions to serve the needs of Hanover and its tributary municipal systems for at least a 20-year period. Hanover Borough's treatment plant will be expanded and also be able to satisfy the nutrient reduction requirements of the Chesapeake Bay Tributary Strategy. The Department of Environmental Protection's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, shall also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a Site-Specific Standard remediation. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media; benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the Environmental Cleanup Program manager in the Department regional office after which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Ronald S. Brezinski, Regional Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Joseph Lopez Residence, Tamaqua Borough, **Schuylkill County**. Richard Trimpi, P. G., Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073 has submitted a Final Report (on behalf of his client, Joseph Lopez, 312 West Broad Street, Tamaqua, PA 18252), concerning the remediation of soils found to have been impacted by No. 2 home heating oil as the result of a release from two flood water damaged ASTs. The Final Report was submitted to document attainment of a Residential Statewide Health Standard. Future use of the site will remain residential and commercial. A public notice regarding the submittal of the Final Report was published in the *Pottsville Republican & Herald* on March 13, 2008. A Notice of Intent to Remediate was simultaneously submitted.

S & L Plastics, Inc., Upper Nazareth Township, **Northampton County**. Samuel Kucia, Environmental Consulting, Inc., 500 East Washington Street, Norristown, PA 19401 has submitted a Final Report (on behalf of his client, Nazareth Realty, LLC, 2860 Bath Pike, Nazareth, PA 18064), concerning the remediation of site groundwater impacted by historical releases of chlorinated solvents. The Final Report was submitted to document attainment of the Statewide Health Standard. The intended future use of the site will be nonresidential. A public notice regarding the submittal of the Final Report was published in *The Morning Call* on March 1, 2008.

Synthetic Thread Facility, City of Bethlehem, **Lehigh County**. Thomas Martinelli, JMT Environmental Technologies, Inc., P. O. Box 22044, Lehigh Valley, PA 18002-2044 has submitted a Final Report (on behalf of his client, Alan France, 903 Chestnut Street, Emmaus, PA 18049), concerning the remediation of site soils found to have been impacted by petroleum related compounds as the result of releases from three underground storage tanks containing No. 2 heating oil. The report was submitted to document attainment of the Residential Statewide Health Standard for soils. A public notice regarding the submittal of the Final Report was published in *The Express-Times* on January 31, 2008. The future use of the property may include residential or commercial uses. A Notice of Intent to Remediate was simultaneously submitted.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Standard Steel, LLC, Machine Shop #1, Burnham Borough, **Mifflin County**. Mountain Research, LLC, 825 25th Street, Altoona, PA 16601, on behalf of Standard Steel, LLC, 500 North Walnut Street, Burnham, PA 17009, submitted a Remedial Investigation and Final Report concerning remediation of site soils and groundwater contaminated with petroleum products and PAHs. The

reports are intended to document remediation of the site to a combination of the Statewide Health and Site-Specific Standards.

Standard Steel, LLC, Residual Waste Landfill, Derry Township, **Mifflin County**. Mountain Research, LLC, 825 25th Street, Altoona, PA 16601, on behalf of Standard Steel, LLC, 500 North Walnut Street, Burnham, PA 17009, submitted a Remedial Investigation, Risk Assessment and Final Report concerning remediation of site soils and groundwater contaminated with petroleum products, VOCs and Chromium. The reports are intended to document remediation of the site to a combination of the Statewide Health and Site-Specific Standards.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

Lowe's Home Centers, Inc., Monroe Township, **Snyder County**, UNT Consulting & Engineering, LLC, on behalf of Lowe's Home Centers, Inc., 1605 Curtis Bridge Road, Wilkesboro, NC 28697 has submitted a Final Report concerning remediation of site soil and groundwater contaminated with leaded gasoline and diesel fuel. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Burning Well Crude Oil Gathering Facility, Sergeant Township, **McKean County**. ATC Associates, Inc., 103 North Meadows Drive, Suite 215, Wexford, PA 15090 on behalf of SOPUS, Inc., 203 Steepleview Drive, Clarion, PA 16214 has submitted a Final Report concerning remediation of site soil contaminated with 1,3,5-trimethybenzene. The report is intended to document remediation of the site to meet the Statewide Health Standard.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Determination of Applicability for General Permit Approval under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit No. WMGR081D006. TBS Industries, Inc., 4211 Van Kirk Street, Philadelphia, PA 19135-3925. For the recycling of various uncontaminated and source-separated electronic equipment and components electronics equipment by sorting, disassembling and mechanical processing (by sizing, shaping, separating and volume reduction only). The Department of Environmental Protection (Department) approved the determination of applicability on March 4, 2008

Persons interested in reviewing the general permit should contact the Division of Municipal and Residual Waste, General Permits/Beneficial Use Section, Rachel Carson State Office Building, P. O. Box 8472, Harrisburg, PA 17105-8472, (717) 787-7381. TDD users should contact the Department through the Pennsylvania Relay Service, (800) 654-5984.

**OPERATE WASTE PROCESSING OR DISPOSAL
AREA OR SITE**

Permit issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit ID No. 101571. Mostoller Landfill, Inc., 7095 Glades Pike, Somerset, PA 15501. Operation of a Municipal Waste Landfill in Somerset and Brothersvalley Townships, **Somerset County**. Permit issued in the Regional Office on March 26, 2008.

**DETERMINATION OF APPLICABILITY FOR
RESIDUAL WASTE GENERAL PERMITS**

Determination of Applicability for General Permit issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); and Residual Waste Regulations for a General Permit To Operate Residual Waste Processing Facilities (25 Pa. Code § 287.611 relating to authorization for general permit).

Southcentral Regional Office: Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200.

General Permit No. WMGR028-SC01A and WMGR028-SC01B. Kinsley Construction, Incorporated, 2700 Water Street, York, PA 17405. The Department of Environmental Protection (Department) has issued two Determinations of Applicability under General Permit WMGR028 to Kinsley Construction for the use of baghouse fines and scrubber pond precipitates for use as an aggregate in roadway construction, a soil additive, a soil conditioner, or a component or ingredient in the manufacturing of construction products. These Determinations of Applicability are for two of their plants; one located at their Codorus Facility, 135 Mundis Race Road, Manchester Township, York, PA 17404 and the other located at their O-N Minerals Plant, 2305 Lemon Street, West Manchester Township, York, PA 17404.

Persons interested in reviewing the general permit should contact John Oren, Facilities Manager, Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4706. TDD users should contact the Department through the Pennsylvania Relay Service, (800) 654-5984.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Sachin Shankar, New Source Review Chief, (484) 250-5920.

46-310-072GP: Haines & Kibblehouse, Inc. (2052 Lucon Road, Skippack, PA 19474) on March 26, 2008, to operate a portable nonmetallic mineral in West Pottsgrove Township, **Montgomery County**.

46-329-027GP: Haines & Kibblehouse, Inc. (2052 Lucon Road, Skippack, PA 19474) on March 26, 2008, to operate a diesel/No. 2 fuel-fired internal in West Pottsgrove Township, **Montgomery County**.

23-302-147: Crozer-Chester Medical Center (One Medical Center Boulevard, Upland, PA 19013-3995) on March 31, 2008, to operate one 31.51 mmBtu/hr combustion unit in Upland Borough, **Delaware County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

GP1-28-3010: Ventura Foods, LLC (501 Orchard Drive, Chambersburg, PA 17201) on March 25, 2008, for Small Gas and No. 2 Oil Fired Combustion Units under GP1 in Chambersburg Borough, **Franklin County**. This is a renewal of the GP1 permit.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Mark Gorog and Barb Hatch, Environmental Engineer Managers, (412) 442-4163/5226.

GP5-30-00172: Equitable Gathering, LP (1710 Pennsylvania Avenue, Charleston, WV 25302) on March 31, 2008, to allow for the operation of one 945 Horsepower Caterpillar Engine equipped with a catalytic converter along with a dehydrator controlled by a thermal oxidizer in Morris Township, **Greene County**. In addition to this are two pressurized natural gas liquid tanks, two condensate tanks and a couple of water tanks. Authorization to operate under this GP will expire on March 31, 2013.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.

GP-16-154A: Texas Keystone, Inc.—Shaffer Station (Snyder Road, Brookville, PA 15825) on March 31, 2008, to operate a natural gas fired compressor engine (BAQ-GPA/GP-5) in Limestone Township, **Clarion County**.

GP-20-253A: Range Resources-Appalachia, LLC—Miller Station (SR 1020, Carlton, PA 16311) on March 31, 2008, to operate a natural gas fired compressor engine (BAQ-GPA/GP-5) in Rome Township, **Crawford County**. This permit was previously permitted under Great Lakes Energy Partners, LLC.

GP-20-254A: Range Resources-Appalachia, LLC—Hasbrouck Station (Bethel Road, Titusville, PA 16354) on March 31, 2008, to operate a natural gas fired compressor engine (BAQ-GPA/GP-5) in Rome Township, **Crawford County**. This permit was previously permitted under Great Lakes Energy Partners, LLC.

GP-20-257A: Range Resources-Appalachia, LLC—Lippert Station (Pettis Road, Cochran, PA 16314) on March 31, 2008, to operate a natural gas fired compressor engine (BAQ-GPA/GP-5) in East Fairfield Township, **Crawford County**. This permit was previously permitted under Great Lakes Energy Partners, LLC.

GP-20-273A: Range Resources-Appalachia, LLC—Izbicki Station (SR 1024, Canadota Road, Union City, PA 16438) on March 31, 2008, to operate a natural gas fired compressor engine (BAQ-GPA/GP-5) in Bloomfield Township, **Crawford County**. This permit was previously permitted under Great Lakes Energy Partners, LLC.

GP-43-271A: Range Resources-Appalachia, LLC—Wallace Station (1369 Cochran Road, Carlton, PA 16311) on March 31, 2008, to operate a natural gas fired compressor engine (BAQ-GPA/GP-5) in French Creek Township, **Mercer County**. This permit was previously permitted under Great Lakes Energy Partners, LLC.

GP-61-194A: Range Resources-Appalachia, LLC—Toonerville Station (Petroleum Center Road, Carlton, PA 16311) on March 31, 2008, to operate a natural gas fired compressor engine (BAQ-GPA/GP-5) in Cherrytree Township, **Venango County**. This permit was previously permitted under Great Lakes Energy Partners, LLC.

GP-61-195A: Range Resources-Appalachia, LLC—Haslett Station (Bethel Church Road, Carlton, PA 16311) on March 31, 2008, to operate a natural gas fired compressor engine (BAQ-GPA/GP-5) in Jackson Township, **Venango County**. This permit was previously permitted under Great Lakes Energy Partners, LLC.

GP-61-202A: Range Resources-Appalachia, LLC—Cook Station (Goodwin Road, Dempseytown, PA 16317) on March 31, 2008, to operate a natural gas fired compressor engine (BAQ-GPA/GP-5) in Plum Township, **Venango County**. This permit was previously permitted under Great Lakes Energy Partners, LLC.

GP-62-155A: Belden & Blake Corp.—Lamoree Compressor Station (SR 27, Grand Valley, PA 16354) on March 26, 2008, to operate a natural gas fired compressor engine (BAQ-GPA/GP-5) in Eldred Township, **Warren County**.

GP-62-159A: Range Resources-Appalachia, LLC—Spring Creek Station (Collins and Gleason Hollow Roads, Springcreek Township, PA 16317) on March 31, 2008, to operate a natural gas fired compressor engine (BAQ-GPA/GP-5) in Spring Creek Township, **Warren County**. This permit was previously permitted under Great Lakes Energy Partners, LLC.

Plan Approvals Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Sachin Shankar, New Source Review Chief, (484) 250-5920.

09-0200: Burton Imaging Group (625 Winks Lane, Bensalem, PA, 19020) on March 25, 2008, to install five digital printers with a regenerative thermal oxidizer as a control and a digital coater in Bensalem Township, **Bucks County**. This facility is a Synthetic Minor for VOC. Emissions from these sources are 13.95 tons of VOC. The Plan approval will contain recordkeeping and operating restriction designed to keep the facility operating within the allowable emissions and all applicable air quality requirements.

15-0037D: Oberthur Card Systems, Inc. (523 James Hance Court, Exton, PA 19341) on March 27, 2008, to install an SPS Rehms Screen Press at their existing facility in West Whiteland Township, **Chester County**. The potential increase of VOC emissions from this new press is 6.61 tpy. In addition, the Plan Approval will establish a Plantwide Applicability Limit of 47.895 tpy of VOCs. The Plan Approval will contain recordkeeping and operating conditions designed to keep the facility operating within all applicable air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Ray Kempa, New Source Review Chief, (570) 826-2531.

54-302-074: Guilford Mills Inc. (P. O. Box 19366, Greensboro, NC 27419) on April 1, 2008, to install a new boiler and modification to an existing boiler at their facility in Pine Grove Borough, **Schuylkill County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

36-05120A: Nessco Enterprises, LLC (124 Earland Drive, New Holland, PA 17557-1503) on March 27, 2008, to construct two spray booths with filters for control of PM emissions and two drying tunnels at their wood working facility in East Earl Township, **Lancaster County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.

62-181A: Ellwood National Forge—Warren Division (One Front Street, Irvine, PA 16329) on March 25, 2008, to install a Turbine Shaft Shotblaster and Paint Booth at their facility in the City of Warren, **Warren County**. This is a Title V facility which was originally given a plan approval identification of 62-032C. and was corrected to correctly identify the facility location.

Title V Operating Permits Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Yasmin Neidlinger, Facilities Permitting Chief, (717) 705-4702.

21-05002: PPG Industries, Inc. (400 Park Drive, Carlisle, PA 17013-9271) on March 24, 2008, for use of a VOC-containing cutting fluid lubricant for glass cutting at the Works No. 6 plant in South Middleton Township, **Cumberland County**. This Title V operating permit was administratively amended to incorporate the glass cutting lubricant authorized by the recent plan approval. This is Revision No. 1.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Barbara Hatch, Facilities Permitting Chief, (412) 442-4174.

56-00262: Mostoller Landfill, Inc. (7095 Glades Pike, Somerset, PA 15501) on March 25, 2008, to operate landfill, gas control system and soil processing system at there site for their municipal solid waste landfill in Brothers Valley and Somerset Township, **Somerset County**. The Title V Operating Permit contains applicable emission limits, as well as testing, monitoring, recordkeeping and reporting requirements. This is a Title V Renewal.

32-00059: Reliant Energy Northeast Management Co. (121 Champion Way, Suite 200, Canonsburg, PA 15317-5817) on March 28, 2008, to renew their operating permit renewal for their Conemaugh Plant, in West Wheatfield Township, **Indiana County**. The facility's major sources of emissions include two coal-fired boilers, each rated at 8,060 mmBtu/hr, that emit major quantities of CO, NO_x, PM and SO_x. The permit contains all applicable requirements including Commonwealth and Federal regulations, as well as monitoring, recordkeeping and reporting requirements to ensure compliance.

32-00059: Reliant Energy Northeast Management Co. (121 Champion Way, Suite 200, Canonsburg, PA 15317-5817) on March 28, 2008, to operate two coal-fired boilers in West Wheatfield Township, **Indiana County**. This is a renewal of the Title IV (Acid Rain) operating permit.

63-00642: Equitrans, LP (100 Allegheny Center Mall, Pittsburgh, PA 15222) on March 27, 2008, to operate at Hartson Compressor Station in Finleyville, **Washington County**. The facility is a Title V facility and is primarily used for the storage and distribution of natural gas. The facility's major sources include three internal combustion engines which emit quantities of potential NOx emissions greater than 100 tpy.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

36-03139: Ross Technology Corp. (104 North Maple Avenue, Leola, PA 17540-9799) on March 24, 2008, to operate a sandblasting operation at their 98 East Main Street, Leola facility in Upper Leacock Township, **Lancaster County**. This is a renewal of the State-only operating permit.

67-05096: Blockhouse Co., Inc. (3285 Farmtrail Road, York, PA 17406) on March 27, 2008, to operate their wood furniture manufacturing facility in Manchester Township, **York County**. This is a renewal of the State-only operating permit.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Barbara Hatch, Facilities Permitting Chief, (412) 442-4174.

56-00261: Gilmore Manufacturing Co. (429 Drum Ave., Somerset, PA 15501) on March 21, 2008, to renew a Natural Minor Permit to operate a garden tool manufacturing facility in Somerset Borough, **Somerset County**. Emissions from this facility shall not exceed 100 tons SO₂, 100 tons NOx, 100 tons PM10, 50 tons VOC, 10 tons of a single HAP and 25 tons of all HAP combined. The permit contains all applicable requirements including Commonwealth and Federal regulations, as well as monitoring, recordkeeping and reporting requirements to ensure compliance.

11-00412: Fuel Recovery, Inc. (2591 Wexford-Bayne Road, Sewickley, PA 15143) on March 28, 2008, for a Natural Minor Permit to operate a coal refuse reprocessing facility at the Sonman Refuse Site in Portage Township, **Cambria County**. Emissions from this facility shall not exceed 100 tons SO₂, 100 tons NOx, 100 tons PM10, 50 tons VOC, 10 tons of a single HAP and 25 tons of all HAP combined. The permit contains all applicable requirements including Commonwealth and Federal regulations, as well as monitoring, recordkeeping and reporting requirements to ensure compliance.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Matthew Williams, Facilities Permitting Chief, (814) 332-6940.

10-00303: C.U.E., Inc. (11 Leonberg Road, Cranberry Township, PA 16066) on April 1, 2008, to re-issue a Synthetic Minor permit to operate a polyurethane plastic casting facility in Township of Cranberry, **Butler County**. The significant sources included combustion

sources, casting (11), adhesive application, mold cleaning (polyol) and safety klean degreaser unit. The facility has taken restriction on VOC and HAPs emission to qualify as synthetic minor.

25-00928: Zurn Industries, Inc.—Specification Drainage Operations (1801 Pittsburgh Avenue, Erie, PA 16514) on March 31, 2008, the Department re-issued a Natural Minor Operating Permit for this plumbing fixture, fittings and trim manufacturing facility in the City of Erie, **Erie County**. Emissions of criteria pollutants are low enough to qualify for a Natural Minor Operating Permit.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

41-00010: Andritz, Inc. (35 Sherman Street, Muncy, PA 17756) on March 28, 2008, in accordance with the administrative amendment requirements of 25 Pa. Code § 127.450, to incorporate conditions from Plan Approval 41-00010E for two 1,000 pound capacity iron and steel foundry electric induction melting furnaces and an associated air cleaning device (a cartridge collector) as well as conditions from Plan Approval 41-00010F for a shot blasting system, an arc welding station, four grinding stations and four plasma arc cutting/welding stations and an associated air cleaning device (a fabric collector) in Muncy Borough, **Lycoming County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Barbara Hatch, Facilities Permitting Chief, (412) 442-4174.

32-00196: United School District—United Jr.-Sr. High School (10780 Route 56 Highway East, Armagh, PA, 15920) on March 26, 2008, for an administrative amendment of their operating permit to revise the responsible official and permit contact information as well as the mailing address in East Wheatfield Township, **Indiana County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Matthew Williams, Facilities Permitting Chief, (814) 332-6940.

33-00085: Symmco, Inc. (101 South Park Street, Sykesville, PA 15865-0039) on March 31, 2008, for an administrative amendment of their Natural Minor Operating Permit, to incorporate the applicable conditions of plan approval No. 33-085A in Sykesville Borough, **Jefferson County**. The conditions are applicable to Sources No. 189, No. 197, No. 232, No. 242.

De Minimis Emissions Increases Authorized under 25 Pa. Code § 127.449.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Barbara Hatch, Facilities Permitting Chief, (412) 442-4174.

56-00298: Garrett Limestone Co., Inc., (451 Stoystown Road, Suite 104, Stoystown, PA 15501) on March 28, 2008, to increase site emissions of PM10 by 0.25 tpy at their Romesburg Quarry in Summit Township, **Somerset County**. The emission increase is due to the construction of a new tertiary stone crusher and associ-

ated conveyors. The Department has approved these emissions as de minimis increases in accordance with 25 Pa. Code § 127.449.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 Water Quality Certification and the NPDES permit application. Mining activity permits issued in response to the applications will also address the application permitting requirements of the following statutes: the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

Coal Permits Actions

California District Office: 25 Technology Drive, Coal Center, PA 15423, (724) 769-1100.

Permit Number: 30743704 and NPDES Permit No. NA, Duquesne Light Company, (P. O. Box 457, Greensboro, PA 15338), to renew the permit for the Warwick No. 2 Coal Refuse Disposal Area in Monongahela Township, **Greene County** for reclamation only. No additional discharges. Application received November 1, 2006. Permit issued March 27, 2008.

Permit Number: 30010701 and NPDES Permit No. PA0235440, Cumberland Coal Resources, LP, (855 Kirby Road, P. O. Box 1020, Waynesburg, PA 15370), to renew the permit for the Cumberland Mine No. 2 Coal Refuse Disposal Area in Whiteley Township, **Greene County** and related NPDES permit. No additional discharges. Application received May 7, 2007. Permit issued March 28, 2008.

Noncoal Permits Actions

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

Permit No. 40A76SM9 and NPDES Permit No. PA0212491, Keystone Lime Company, P. O. Box 278, Springs, PA 15562, renewal of NPDES Permit, Elk Lick Township, **Somerset County**. Receiving streams: Glade Run classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. NPDES renewal application received January 23, 2008. Permit issued March 24, 2008.

21070802. Warren M. Nolt, 34 Clugston Road, Newville, PA 17241, commencement, operation and restoration of a small noncoal (industrial minerals) operation in North Newton Township, **Cumberland County**, affecting 5.0 acres, receiving stream: UNT to Green Spring Creek. Application received July 25, 2007. Permit issued March 24, 2008.

Permit No. 32082801. Ridge Limestone, Inc., 1094 Lantz Road, Avonmore, PA 15618, commencement, operation and restoration of a small noncoal (industrial minerals) operation in Young Township, **Indiana County**,

affecting 5.0 acres. Receiving stream: Nesbit Run. Application received January 25, 2008. Permit issued March 27, 2008.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

20900302. Frank Tucci (25000 PA Route 99, Cambridge Springs, PA 16403) Revision to an existing sand and gravel operation to add 2.0 acres in Rockdale Township, **Crawford County**. Total SMP acreage is now 24.0 acres. Receiving stream: Kelly Run. Application received October 9, 2007. Permit issued March 25, 2008.

16082801. Ron Nick Excavating (420 Nick Lane, Lucinda, PA 16235) Commencement, operation and restoration of a small noncoal sandstone operation in Elk Township, **Clarion County** affecting 5.0 acres. Receiving stream: Little Paint Creek. Application received January 2, 2008. Permit issued March 20, 2008.

42080801. Robert J. Ostrom (P. O. Box 201, Port Allegany, PA 16743) Commencement, operation and restoration of a small noncoal bluestone operation in Liberty Township, **McKean County** affecting 5.0 acres. Receiving stream: Lillibridge Creek. Application received January 3, 2008. Permit issued March 27, 2008.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

64070818. Rob Flynn, (755 Preston Road, Lakewood, PA 18439), commencement, operation and restoration of a quarry operation in Preston Township, **Wayne County** affecting 5.0 acres, receiving stream: none. Application received August 21, 2007. Permit issued March 25, 2008.

58070858. Scott William George, (R. R. 1, Box 59, New Milford, PA 18834), commencement, operation and restoration of a quarry operation in Lanesboro Borough, **Susquehanna County** affecting 5.0 acres, receiving stream: none. Application received October 11, 2007. Permit issued March 25, 2008.

66072802. Meshoppen Stone Incorporated, (P. O. Box 127, Meshoppen, PA 18630), commencement, operation and restoration of a quarry operation in Meshoppen Township, **Wyoming County** affecting 5.0 acres, receiving stream: none. Application received December 3, 2007. Permit issued March 26, 2008.

52070804. Sunnylands, Inc., (3000 Sunrise Lake, Milford, PA 18337), commencement, operation and restoration of a quarry operation in Dingman Township, **Pike County** affecting 5.0 acres, receiving stream: none. Application received December 4, 2007. Permit issued March 26, 2008.

52070805. Sunnylands, Inc., (3000 Sunrise Lake, Milford, PA 18337), commencement, operation and restoration of a quarry operation in Dingman Township, **Pike County** affecting 5.0 acres, receiving stream: none. Application received December 4, 2007. Permit issued March 26, 2008.

45080801. Bruce George Paving & Excavating, Inc., (R. R. 2, Box 331, Kunkletown, PA 18058), commencement, operation and restoration of a quarry operation in Eldred Township, **Monroe County** affecting 5.0 acres, receiving stream: none. Application received January 25, 2008. Permit issued March 27, 2008.

15810401C. Martin Limestone, Inc., (P. O. Box 550, Blue Ball, PA 17506), depth correction for an existing quarry operation in Honey Brook Township, **Chester**

County affecting 75.5 acres, receiving stream: none. Application received July 12, 2007. Correction issued March 27, 2008.

7974SM1C5 and NPDES Permit No. PA0594121. Hanson Aggregates Pennsylvania, Inc., (P. O. Box 231, Easton, PA 18044), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in East Rockhill Township, **Bucks County**, receiving stream: UNT to Tohickon Creek. Application received June 30, 2008. Renewal issued March 28, 2008.

58070863. Kevin Millard, (R. R. 2, Box 2128, Montrose, PA 18801), commencement, operation and restoration of a quarry operation in Silver Lake Township, **Susquehanna County** affecting 5.0 acres, receiving stream: none. Application received October 26, 2007. Permit issued March 28, 2008.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 (43 P. S. §§ 151—161); and 25 Pa. Code § 211.124 (relating to blasting activity permits). Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Actions

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

31084101. Dyno Nobel, Inc., 1320 Galiffa Drive, Donora, PA 15033, blasting activity permit issued for pipeline development in Jackson Township, **Huntingdon County**. Blasting activity permit end date is March 30, 2009. Permit issued March 20, 2008.

44084101. Dyno Nobel, Inc., 1320 Galiffa Drive, Donora, PA 15033, blasting activity permit issued for pipeline development in Bratton, Granville and Oliver Townships, **Mifflin County**. Blasting activity permit end date is March 30, 2009. Permit issued March 20, 2008.

34084101. Dyno Nobel, Inc., 1320 Galiffa Drive, Donora, PA 15033, blasting activity permit issued for pipeline development in Lack and Tuscarora Townships, **Juniata County**. Blasting activity permit end date is March 30, 2009. Permit issued March 30, 2008.

01084105. J. Roys, Inc., P. O. Box 125, Bowmansville, PA 17507-0125, blasting activity permit issued for utility development in Cumberland Township, **Adams County**. Blasting activity permit end date is March 18, 2009. Permit issued March 20, 2008.

28084107. Jemco, Inc., 3338b Prices Distillery Road, Ijamsville, MD 21754-9315, blasting activity permit issued for residential development in Washington Township, **Franklin County**. Blasting activity permit end date is April 1, 2009. Permit issued March 21, 2008.

44084102. Newville Construction Services, Inc., 408 Mohawk Road, Newville, PA 17241-9424, blasting activity permit issued for residential development in Armagh Township, **Mifflin County**. Blasting activity permit end date is March 18, 2009. Permit issued March 21, 2008.

21084115. M & J Explosives, Inc., P. O. Box 608, Carlisle, PA 17013-0608, blasting activity permit issued for residential development in Middlesex Township, **Cumberland County**. Blasting activity permit end date is March 31, 2009. Permit issued March 21, 2008.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200.

14084002. Douglas Explosives, Inc. (P. O. Box 77, Philipsburg, PA 16866), blasting for Centre County SR 6220 (A-12) I-99 located in Patton Township, **Centre County**. Permit issued March 13, 2008. Permit expires September 30, 2008.

17084002. Swisher Contracting, Inc. (P. O. Box 1223, Clearfield, PA 16830), blasting for Woolridge GFCC located in Bradford Township, **Clearfield County**. Permit issued March 3, 2008. Permit expires in September 2010.

14084101. Dyno Nobel, Inc. (1320 Galiffa Drive, Donora, PA 15033), blasting for a pipeline, Dominion Cove Point Expansion, located in Boggs, Curtin and Harris Townships, **Centre County**. Permit issued March 13, 2008. Permit expires March 30, 2009.

18084101. Dyno Nobel, Inc. (1320 Galiffa Drive, Donora, PA 15033), blasting for a pipeline, Dominion Cove Point Expansion, located in Beech Creek and Noyes Townships, **Clinton County**. Permit issued March 13, 2008. Permit expires March 30, 2009.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

36084132. Keystone Blasting Service, (381 Reifsnyder Road, Lititz, PA 17543), construction blasting for a single dwelling in Salisbury Township, **Lancaster County** with an expiration date of June 30, 2008. Permit issued March 24, 2008.

36084133. Keystone Blasting Service, (381 Reifsnyder Road, Lititz, PA 17543), construction blasting for a manure pit in Earl Township, **Lancaster County** with an expiration date of June 30, 2008. Permit issued March 24, 2008.

36084134. Keystone Blasting Service, (381 Reifsnyder Road, Lititz, PA 17543), construction blasting for Laurel Field Development in Manheim Township, **Lancaster County** with an expiration date of December 30, 2008. Permit issued March 24, 2008.

36084135. Keystone Blasting Service, (381 Reifsnyder Road, Lititz, PA 17543), construction blasting for a chicken house in Leacock Township, **Lancaster County** with an expiration date of December 30, 2008. Permit issued March 24, 2008.

66084103. Hayduk Enterprises, Inc., (257 Riverside Drive, Factoryville, PA 18419), construction blasting for a single dwelling in Exeter Township, **Wyoming County** with an expiration date of December 31, 2008. Permit issued March 25, 2008.

06084110. Warren's Excavating & Drilling, Inc., (P. O. Box 1022, Honey Brook, PA 19344), construction blasting for Candlewood Suites in West Reading Borough, **Berks County** with an expiration date of March 15, 2009. Permit issued March 26, 2008.

35084109. Hayduk Enterprises, Inc., (257 Riverside Drive, Factoryville, PA 18419), construction blasting for reclamation of an old quarry in South Abington Township, **Lackawanna County** with an expiration date of April 30, 2009. Permit issued March 26, 2008.

36084136. Gerlach's Drilling & Blasting, (172 Bender Mill Road, Lancaster, PA 17603), construction blasting for Brethren Village in Manheim Township, **Lancaster County** with expiration date of April 1, 2009. Permit issued March 26, 2008.

36084137. Gerlach's Drilling & Blasting, (172 Bender Mill Road, Lancaster, PA 17603), construction blasting for Country Club Apartments in East Lampeter Township, **Lancaster County** with expiration date of April 1, 2009. Permit issued March 26, 2008.

40084105. Holbert Explosives, Inc., (237 Mast Hope Plank Road, Lackawaxen, PA 18435), construction blasting for Price Chopper in Wilkes-Barre Township, **Luzerne County** with an expiration date of July 30, 2008. Permit issued March 26, 2008.

40084106. Holbert Explosives, Inc., (237 Mast Hope Plank Road, Lackawaxen, PA 18435), construction blasting for Laurel Brook Estates in Bear Creek Village and Bear Creek Township, **Luzerne County** with an expiration date of August 31, 2008. Permit issued March 26, 2008.

06084001. Joao & Bradley Construction, (P. O. Box 20345, Lehigh Valley, PA 18002) and AJT Blasting, LLC, (P. O. Box 20412, Bethlehem, PA 18002), construction blasting for the Village of Frystown Sanitary Sewer in Bethel Township, **Berks County** with an expiration date of November 30, 2008. Permit issued March 31, 2008.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and The Clean Streams Law (35 §§ 691.1—691.702) and Notice of Final Action for Certification under section 401 of the FWPCA (33 U.S.C.A. § 1341).

Permits, Environmental Assessments and 401 Water Quality Certifications Issued

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

E29-094: Department of Conservation and Natural Resources, Bureau of Forestry, James S. Smith, 440 Buchanan Trail, McConnellsburg, PA 17233-8204, Ayr Township, **Fulton County**, ACOE Baltimore District

To construct and maintain a 4.0-foot wide single span footbridge having a normal span of 69.0 feet and a minimum underclearance of 5.70 feet across Big Cove Creek (CWF) (Big Cove Tannery, PA Quadrangle N: 15.8 inches; W: 6.9 inches, Latitude: 39° 50' 13"; Longitude: 78° 02' 57") for the purpose of improving a trail in Buchanan State Forest located in Big Cove Tannery Village, about 1 mile south of the PA 928 and PA 522 intersection in Ayr Township, Fulton County.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E11-331. Department of Transportation, District 9-0, 1620 North Juniata Street, Hollidaysburg, PA 16648. To construct a bridge in Clearfield Township, **Cambria County**, Baltimore ACOE District (Ashville, PA Quadrangle N: 17.9 inches; W: 2.7 inches, Latitude: 40° 35' 55"; Longitude: 78° 31' 10"). To construct and maintain a 98.5 ft. long by 29.4 ft. wide, 22.6 ft. minimum underclearance, single span replacement of the failed SR 1012, 100 ft. long by 20 ft. wide, single span bridge over Clearfield Creek (WWF, TSF) with a drainage area of 57 sq. miles, a 239 ft. long relocation of a UNT to Clearfield Creek (CWF) with a drainage area of 20 acres; and a road stormwater outfall to Clearfield Creek. In addition, a total of 0.001 acre of de minimis Exceptional Value wetland fill will be replaced at the Department of Transportation's Cambria County wetland bank. This project provides for minor road realignment and replacement of the failed Clearfield Creek Bridge that was removed January 2, 2008, under Emergency Permit 1107203. The project is located approximately 0.2 mile west of the Village of Dysart in Clearfield Township.

E65-915. Department of Transportation, District 12-0, P. O. Box 459, Uniontown, PA 15401. To construct culverts and impact a wetland in Derry Township, **Westmoreland County**, Pittsburgh ACOE District. This project, Section B10 of the phased S22 widening, improvement work starts approximately 0.2 mile west of Blairsville and extends west approximately 2.3 miles and is located in Derry Township (Blairsville, PA Quadrangle N: 9.3 inches; W: 8.7 inches, Latitude: 40° 25' 33"; Longitude: 79° 18' 40" to N: 11.1 inches; W: 3.8 inches, Latitude: 40° 26' 10"; Longitude: 79° 16' 24").

1. A 315 ft. long by 100 ft. wide, 50 ft. underclearance, three span replacement of the existing SR 22, 280 ft. long by 65 ft. wide, three span bridge over Stoney Run (CWF) and associated temporary stream crossings;

2. A 38 ft. 7 inch long extension with 6 inch depression to an existing 65 ft. long 5 ft. by 5 ft. concrete box culvert under the widened SR 22 in a UNT to the Conemaugh River (WWF);

3. An 85 ft. long 7 ft. by 5 ft. concrete box culvert with 6 inch depression located approximately 250 ft. downstream of item 2 and under the proposed Jonnett Connector North;

4. Improvements to an existing 3 ft. by 5 ft. concrete elliptical culvert located approximately 250 ft. upstream of item 2;

5. An 88 ft. long 7 ft. wide by 4 ft. deep concrete box culvert with 6 inch depression located upstream 100 ft. of item 2 and under a proposed eastbound access road;

6. A 35 ft. long 48 inch diameter rcp culvert, two approximately 50 ft. long 36 inch culverts and approximately 675 ft. of channel relocation in drainage areas of less than 100 acres in UNTs to Stoney Run (CWF) and the Conemaugh River (WWF);

7. Road construction associated temporary crossings and stormwater outfalls;

8. In addition, a total of 0.42 acre of PEM wetland temporary impacts and 0.48 acre of permanent fill and maintenance of PEM wetlands;

Wetland mitigation is provided at the Sanderson property wetland mitigation site for SR 22 Sections B07—B10. Stream mitigation for the permanent loss of approximately 352 feet of stream is provided by improvements to a car-top boat access to the Conemaugh River Lake, Conemaugh Township, Indiana County.

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

E42-337, Tuna Valley Trail Association, 300 Campus Drive, Bradford, PA 16701. South Trail, in Bradford Township, **McKean County**, ACOE Pittsburgh District.

To conduct the following activities associated with the construction of Tuna Valley Trail Association South Trail following approximately 3.4 miles of an existing abandoned railroad grade extending south from Owens Way south of Bradford to the Main Street in Lewis Run Borough:

1. To rehabilitate and maintain the existing Browntown Bridge having a span of 80 feet across East

Branch Tunungwant Creek just north of T-331 (Bradford, PA Quadrangle N: 41° 53' 13.5"; W: 78° 39' 14.0")

2. To construct and maintain a steel beam bridge having a clear span of 23 feet, 8 inches and an underclearance of 6.4 feet across Sheppard Run approximately 250 feet north of East Warren Road (Bradford, PA Quadrangle N: 41° 54' 22.7"; W: 78° 39' 0.5")

3. To repair, modify or replace and maintain various cross culverts on smaller tributaries to East Branch Tunungwant Creek along the 3.4 mile trail.

SPECIAL NOTICES

Notice of Planning Grant Awards under section 901 of the Municipal Waste Planning Recycling and Waste Reduction Act of 1988, Act 101

The Department of Environmental Protection hereby announces the following grants to counties under the Municipal Waste Planning, Recycling and Waste Reduction Act (act) (53 P. S. § 4000.901) and section 208 of the Waste Tire Recycling Act/Small Business and Household Pollution Prevention Act (35 P. S. § 6029.208).

Planning grants are awarded to counties for 80% of approved costs for preparing municipal waste management plans as required by the act 101, for carrying out related studies, surveys, investigations, inquiries, research and analysis, including those related to siting, environmental mediation, education programs on pollution prevention and household hazardous waste and providing technical assistance to small businesses for pollution prevention. Grants may be awarded for feasibility studies and project development for municipal waste processing or disposal facilities, except for facilities for the combustion of municipal waste that are not proposed to be operated for the recovery of energy. All grant awards are predicated on the receipt of recycling fees required by sections 701 and 702 of the act (53 P. S. §§ 4000.701 and 4000.702) and the availability of monies in the Recycling Fund.

Inquiries regarding the grant offerings should be directed to Sally Lohman, Chief, Waste Planning Section, Department of Environmental Protection, Bureau of Waste Management, Division of Waste Minimization and Planning, P. O. Box 8472, Harrisburg, PA 17105-8472.

KATHLEEN A. MCGINTY,
Secretary

Act 101, Section 901 Planning Grant

<i>Region</i>	<i>County</i>	<i>Applicant</i>	<i>Project Description</i>	<i>Grant Award</i>
Southeast				
Northeast	Susquehanna	Susquehanna County	Plan Revision	\$14,721
Southcentral				
Northcentral				
Southwest				
Northwest				

Notice of Certification to Perform Radon-Related Activities in Pennsylvania

In the month of March 2008, the Department of Environmental Protection of the Commonwealth of Pennsylvania, under the authority contained in the Radon Certification Act, (63 P. S. §§ 2001—2014) and regulations promulgated thereunder at 25 Pa. Code Chapter 240, has certified the persons listed to perform radon-related activities in Pennsylvania. The period of certification is 2 years. For a complete list of persons currently certified to perform radon-related activities in this Commonwealth and for information as to the specific testing devices that persons certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P. O. Box 8469,

Harrisburg, PA 17105-8469, (800) 23RADON.

<i>Name</i>	<i>Address</i>	<i>Type of Certification</i>
Terry Amsley	74 Derbyshire Drive Carlisle, PA 17013	Testing
Michael Baltrush	179 West Broad Street Suite 2 Telford, PA 18969	Testing
Richard Barto	139 Railroad Street Evans City, PA 16033	Testing
Thomas Berardelli	770 Route 307 Spring Brook, PA 18444	Testing
Frederick Buck	P. O. Box 63 Saylorsburg, PA 18353	Testing
Paul Bukeavich	1207 Beech Road White Haven, PA 18661	Testing
Terry Campbell	6192 Boxer Drive Bethel Park, PA 15102	Testing
Daniel Cribbs	321 Basin Street Saltsburg, PA 15681	Testing
David DeMar	P. O. Box 296 Green Lane, PA 18054	Testing
David DeMar Accurate Radon Control, Inc.	P. O. Box 296 Green Lane, PA 18054	Mitigation
David Dziak	R. R. 3, Box 161 Harveys Lake, PA 18618	Testing
Tracy Fawley	61 Bear Tree Road Lake Ariel, PA 18437	Testing
Sheldon Fleming	32 Hanover Street P. O. Box 279 Codorus, PA 17311	Testing and Mitigation
Ahmad Gilliard	8311 Forrest Avenue Philadelphia, PA 19150	Testing
Robert Hannabery	P. O. Box 1582 Bethlehem, PA 18016	Testing
Steven Hunn	1341 North Delaware Avenue Suite 205 Philadelphia, PA 19125	Testing
Phil Houck	677 Jacobsburg Road Nazareth, PA 18064	Testing
Daniel Linski	100 North Wilkes-Barre Boulevard Wilkes-Barre, PA 18702	Testing
Joseph Liotta, IV	2909 Keenwood Road Norristown, PA 19403	Mitigation
Andrew Luzetski	7 Woodside Drive Dallas, PA 18612	Testing
Greg Mathias	66 Wedgewood Gardens Lewisburg, PA 17837	Testing
Troy Mickle	2122 Valley Road Schellsburg, PA 15559	Testing
David Morgan, III	44 Crestview Road Phoenixville, PA 19460	Testing
Joseph Peake	110 Lakeview Trail Sugarloaf, PA 18249	Testing
Richard Saylor	555 Hammerstone Drive	Testing

<i>Name</i>	<i>Address</i>	<i>Type of Certification</i>
	Westminster, MD 21157	
Ronald Skovira	61 Sunset Drive Carlisle, PA 17013	Mitigation
Matthew Stabinski	723 South State Street Clarks Summit, PA 18411	Testing
Timothy Stewart	1341 North Delaware Avenue Suite 205 Philadelphia, PA 19125	Testing
Richard Stump, II Suburban Water Testing Labs, Inc.	4600 Kutztown Road Temple, PA 19560	Testing
Barbara Sykes	88 Cherry Lane Doylestown, PA 18901	Testing
John Sykes	88 Cherry Lane Doylestown, PA 18901	Testing and Mitigation
William Thacker	33 Cherry Road Airville, PA 17302	Testing
Stanley J. Watras S.J. Watras, Inc.	32 Indian Lane Boyertown, PA 19512	Testing and Mitigation
Ronald Zimmerman	P. O. Box 179 Kutztown, PA 19530	Testing

Bureau of Mine Safety

Approval of Request for Variance

The Department of Environmental Protection (Department), Bureau of Mine Safety (Bureau) has approved Penn View Mining Company's request for a variance from the requirements of section 242(c) of the Pennsylvania Bituminous Coal Mine Act (act) (53 P. S. §§ 701-101—701-706) at the TJS No. 6 Mine. This notification contains a summary of this request and the basis for the Department's approval. A complete copy of the variance request may be obtained from Cathy Dunn by calling (724) 439-7469 or from the Bureau web site at www.depweb.state.pa.us/deepminesafety/site/default.asp.

Summary of the Request: Penn View Mining Company requested a variance from the act to allow for the common ventilation of belt conveyor entry with other entries at the TJS No. 6 Mine. The proposal accords protections to persons and property substantially equal to or greater than the requirements set forth in the act.

The basis for the Bureau's approval is summarized as follows:

1. The Pyott-Boone 9500 CO Monitoring System will provide advance warning of a developing mine fire originating in the conveyor belt entry. When maintained and operating correctly, this system provides warnings much earlier than the point type heat sensors.

2. Common entries would permit the larger section mantrip and scoops access to belt entry for transportation of personnel and supplies.

3. The operator will maintain a separate isolated intake escapeway that is at a higher air pressure than the belt and common entries.

4. The plan provides for the common entries to serve as an alternate intake escapeway. There will be a total of three separate, isolated escape routes.

This approval is limited to a variance from the requirements in section 242(c) requiring that the belt entry is

isolated from other entries. All other terms and requirements of section 242(c) shall remain in effect. Continued authorization for operation under the approval is contingent upon compliance with the measures described in the plan and the following conditions:

1. All mine employees shall be task trained in the Pyott Boone CO monitoring system alert and alarm response procedures. These procedures shall also be included in the 8-hour annual retraining.

2. A test button shall be installed to allow a daily function check of the outside surface alarm system. A competent person shall make this daily function test and a record of this test maintained.

3. As part of the requirements of section 228, all belt entries, common entries and unfenced roadways shall be preshifted in their entirety.

4. A preshift date board should be placed at each CO sensor location.

5. Designated areas shall be established (with approval from the District Inspector) at strategic locations along the belt entry and common entries to determine whether the air is traveling in the proper course and normal volume. This air reading shall be taken by a scientific means (anemometer, chemical smoke tube, velometer) and recorded in the preshift examination record book.

6. The investigative committee shall conduct an underground ventilation survey when the belt and common entries are established to verify pressure differential between the intake escapeway and the common entries.

7. The investigative committee shall evaluate the visual and audible alarms during the installation process.

8. A list of designated surface personnel shall be forwarded to the District Inspector upon activation of the CO Monitoring System. Copies of the task training records shall also be forwarded to the District Inspector.

9. Both the visual and audible alarm signals must automatically be provided at all working sections.

10. If the common entries cannot be maintained at a lower pressure condition, the mine operator shall notify the Bureau of the condition, the specific cause, areas affected and steps that will be taken to maintain the pressure in the belt and common entries at the lowest attainable level.

11. The operator must ascertain whether or not the belt compounds used in the mine produce CO when burnt. Should the operator use a non-CO producing compound in the mine, additional sensors must be used in conjunction with the CO detectors to provide the early warning benefits of the monitoring system.

12. The CO sensor spacing must be adjusted to provide a reasonable alarm time should a fire occur in the belt entry or the common entries. The currently accepted standard is to provide an alarm within 20 minutes of the initiation of a fire. However, the Bureau of Mines Report of Investigation 9380 states that the CO monitoring system must detect a small, flaming coal fire within a time, measured from the moment of ignition of the coal fire, of 14.25 minutes or less. The belt entry air velocity will determine sensor spacing. The adjustments will be made during the onsite inspection.

13. The operator shall comply with the Federal Fire Defense and Evacuation Plan and the following Federal standards

- a. 30 CFR 75.350(7)(c)(d)
- b. 30 CFR 75.351
- c. 30 CFR 75.380
- d. 30 CFR 75.1100

14. If any changes are made in the approved plan or if the District Mine Inspector finds any deficiencies, a revised program shall be sent to the Bureau for approval of the revision.

15. In main entries, submain entries and butt entries, the operator will maintain as many intakes as belt common entries.

[Pa.B. Doc. No. 08-673. Filed for public inspection April 11, 2008, 9:00 a.m.]

Air Quality Technical Advisory Committee Ad-Hoc Subcommittee on Monitoring Technical Workgroup Meeting

The Air Quality Technical Advisory Committee Ad-hoc Subcommittee on Monitoring Technical Workgroup will hold meetings on the following dates and locations in the Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

<i>Date</i>	<i>Location</i>
April 23, 2008	2nd Floor Training Room
May 14, 2008	12th Floor Large Conference Room
May 28, 2008	12th Floor Large Conference Room
June 10, 2008	10th Floor Training Room

Additional guidance to the Continuous Source Monitoring Manual, Revision No. 8 (Manual, 274-0300-001) to support the Pennsylvania Mercury Rule contained at 25 Pa. Code §§ 123.201—123.215 (relating to standards for contaminants mercury emissions) and other minor admin-

istrative corrections to the Manual will be discussed at the meetings. The meetings are scheduled to take place from 9 a.m.—2 p.m.

Questions concerning the previous meetings can be directed to Tony A. Pitts at (717) 772-3973 or tpitts@state.pa.us. The agenda and meeting materials will be available through the Public Participation Center on the Department of Environmental Protection's (Department) web site at www.depweb.state.pa.us (DEP Keywords: Public Participation, Participate).

Persons with a disability who require accommodations to attend the meetings listed previously should contact the Department at (717) 783-7816 or through the Pennsylvania AT&T Relay Services at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 08-674. Filed for public inspection April 11, 2008, 9:00 a.m.]

Availability for Public Comment; 2008 Draft Integrated Water Quality Monitoring and Assessment Report

The Department of Environmental Protection (Department) is providing for public comment its draft 2008 Integrated Water Quality Monitoring and Assessment Report (Integrated Report). The Integrated Report includes both a narrative description of the Commonwealth's water quality management programs (formerly the 305(b) Report) and various lists depicting the status of Commonwealth surface waters as required by section 303(d) of the Federal Clean Water Act. The report is comprised of four parts and also includes a five-part list that collectively summarizes the designated use attainment status of Commonwealth surface waters.

Section 303(d) of the Federal Clean Water Act and 40 CFR Part 130 require states to identify waters which would still be impaired, even after the appropriate technology has been applied to point sources and requires best management practices are in place for nonpoint sources. Waterbodies that do not meet water quality standards after this evaluation are placed on List 5 of the Integrated Waterbody List.

For each waterbody in Category 5, the state or the United States Environmental Protection Agency must develop Total Maximum Daily Load (TMDL) allocations. A TMDL is a calculation of the assimilative capacity of a waterbody to handle point and nonpoint pollutant loads without violating water quality standards. TMDLs also describe the conditions necessary to improve water quality. TMDLs are used to set limits in NPDES water quality permits and identify where best management practices for nonpoint sources are necessary to improve and protect water quality. When a TMDL is approved for a waterbody, that waterbody listing is moved to List 4a.

Waterbody assessment and compilation of the Integrated Report is an ongoing process. The Department will continue to verify the quality of data used in this process and, as needed, will publish supplements to the Integrated Report for public review and comment.

The draft 2008 Integrated Report is available on the Department's web site at www.depweb.state.pa.us (under "Water Topics," select "Water Quality," then "2008 Integrated List"). Due to the volume of the draft Integrated Report, it will not be available in hardcopy.

The Department invites public comments on the draft Integrated Report. The Department must receive comments on the draft Integrated Report by May 27, 2008. Written comments should be submitted to Amy Williams, Division of Water Quality Standards, Bureau of Water Standards and Facility Regulation, P. O. Box 8467, Harrisburg, PA 17105-8467, amywilli@state.pa.us. Comments received by facsimile will not be accepted.

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact Amy Williams directly at (717) 772-4045 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TTD) to discuss how the Department may accommodate their needs.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 08-675. Filed for public inspection April 11, 2008, 9:00 a.m.]

Availability of Technical Guidance

Technical guidance documents are available on the Department of Environmental Protection's (Department) web site at www.depweb.state.pa.us (DEP Keywords: "Technical Guidance"). The "Final Documents" heading is the link to a menu of the various Department bureaus where each bureau's final technical guidance documents are posted. The "Draft Technical Guidance" heading is the link to the Department's draft technical guidance documents.

The Department will continue to revise its nonregulatory documents, as necessary, throughout 2008.

Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to view and download technical guidance documents. When this option is not available, persons can order a paper copy of any of the Department's draft or final technical guidance documents by contacting the Department at (717) 783-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to Technical Guidance Documents

Following is the current list of recent changes. Persons who have questions or comments about a particular document should call the contact person whose name and phone number is listed with each document.

Final Technical Guidance:

DEP ID: 391-2000-014. Title: Policy and Procedure for Evaluating Wastewater Discharges to Intermittent and Ephemeral Streams, Drainage Channels and Swales and Storm Sewers. Description: This document provides guidance on the Department's process for evaluating and permitting wastewater discharges to intermittent and ephemeral streams, drainage channels and swales and storm sewers. Substantive changes were made to the

guidance to incorporate requirements into the planning and permitting process activities associated with the above wastewater discharges. Major revisions to the guidance include the following:

- For any new discharge that does not meet the definition of a Small Flow Treatment Facility (SFTF), easements from affected property owners will be required when the treated wastewater will flow over land that is not owned by the permittee.

- Flow Equalization and technology-based treatment requirements equivalent to tertiary treatment will apply, except for SFTFs.

- A demonstration that the receiving channel can convey the additional flow (channel conveyance analysis) will be required, except for SFTFs.

Notice of the substantive revisions to the technical guidance document was published at 37 Pa.B. (July 28, 2007), edition of the *Pennsylvania Bulletin* at 37 Pa.B. 4142, with provision for a 30-day public comment period that concluded on August 27, 2007. The Department did not receive any public comments during the comment period, however, the Department made changes to the final document to enhance its clarity. Specifically, references to "dry streams" were removed or identified as an inappropriate term. Clarity was added to the Avoidance Criteria section on page 5 of the technical guidance document to identify that the feasibility of moving a discharge point should be evaluated by the applicant. Contact: Questions regarding the technical guidance document should be directed to Thomas Starosta, Department of Environmental Protection, Bureau of Water Standards and Facility Regulation, Rachel Carson State Office Building, 11th Floor, P. O. Box 8774, Harrisburg, PA 17105-8774, (717) 787-4317, tstarosta@state.pa.us. Effective Date: April 12, 2008.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 08-676. Filed for public inspection April 11, 2008, 9:00 a.m.]

Clean Air Interstate Rule (CAIR) NOx Trading Programs; Request for Applications for Allocation to Renewable Energy and Energy Efficiency Qualifying Resources under Pennsylvania's CAIR Rule

The Department of Environmental Protection (Department) is providing notice to the generator owners of renewable energy qualifying resources and demand side management energy efficiency qualifying resources (qualifying resources) that application for Clean Air Interstate Rule (CAIR) NOx and CAIR NOx Ozone Season allowances are due, as follows:

For vintage year 2011 and 2012 allowances: Applications for vintage year 2011 and 2012 allowances, using baseline year 2005 and 2006 data, are due by May 12, 2008.

For vintage year 2013 allowances: Applications for vintage year 2013 allowances, using baseline year 2007 data, are due by June 30, 2008.

This notice is being provided concurrently with the publication of the Commonwealth's CAIR, on page 1705 of this publication. In order for these qualifying resources to receive allocations under Pennsylvania's CAIR, the applicant must send a written application for an allocation to the address provided at the end of this notice. An application must state the certified quantity of electric energy production, useful thermal energy, and energy equivalent value of the Pennsylvania Alternative Energy Portfolio Standard (AEPS) credits realized as a result of operating or implementing the qualifying resource. The Department will make allocations in accordance with 25 Pa. Code §§ 145.212 and 145.222 (relating to CAIR NOx allowance allocations; and CAIR NOx ozone season allowance allocations) and all other applicable requirements of Pennsylvania's CAIR.

The applicant and the written application must meet the requirements of 25 Pa. Code §§ 145.212(f)(1) and 145.222(f)(1). The application should include the name, owner and location of the qualifying resource that generated the AEPS credit and the name of the aggregator. The application must include the serial number identifying each AEPS certificate. The application should also contain the name of the authorized account representative appointed by the owner of the qualifying resource under 25 Pa. Code §§ 145.212(f)(1)(i) and 145.222(f)(1)(i), and the CAIR general account number to which the transfer of CAIR NOx allowances will be made. Qualifying resources must be located within the Commonwealth and must have commenced operation after January 1, 2005, in order to receive CAIR NOx allowances or CAIR NOx Ozone Season allowances. The Department will convert the output, verified by the AEPS credit serial numbers, to heat input using a conversion rate of 3,413 Btu/kWh. The Department will allocate allowances to qualifying resources as if they are electric generating units (EGU) regulated under CAIR.

Questions concerning the allocation of CAIR NOx allowances and CAIR NOx Ozone Season allowances to qualifying resources may be directed to the Department of Environmental Protection, Bureau of Air Quality, Division of Air Resource Management, 400 Market Street, P. O. Box 8468, Harrisburg, PA 17105-8468. Questions concerning this notice should be directed to Randy Bordner, Division of Air Resource Management at (717) 772-3423.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 08-677. Filed for public inspection April 11, 2008, 9:00 a.m.]

Erosion and Sediment Control General Permit for Earth Disturbance Associated With Oil and Gas Exploration, Production, Processing or Treatment Operations or Transmission Facilities

The Department of Environmental Protection (Department) announces the availability of the Erosion and Sediment Control General Permit for Earth Disturbance Associated With Oil and Gas Exploration, Production, Processing or Treatment Operations or Transmission Facilities (ESCGP-1). This General Permit is issued un-

der the authority of The Clean Streams Law (35 P. S. §§ 691.1—691.1001), the Oil and Gas Act (58 P. S. §§ 601.101—601.605) and sections 1905-A, 1917-A and 1920-A of the Administrative Code of 1929 (71 P. S. §§ 510-5, 510-17 and 510-20). This general permit will be effective beginning April 12, 2008, and will expire on April 12, 2013.

The final General Permit package, including the comment and response document, is available on the Department's web site at www.depweb.state.pa.us (DEP Keyword: "Oil and Gas;" then select Forms).

The General Permit package is also available upon request by contacting the Department at the Bureau of Watershed Management, P. O. Box 8775, Harrisburg, PA 17105-8765, (717) 772-2199.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 08-678. Filed for public inspection April 11, 2008, 9:00 a.m.]

State Water Plan; Statewide Water Resources Committee Meeting

The Statewide Water Resources Committee (Committee) will hold a meeting on April 18, 2008, at 9:30 a.m. in Room 105 of the Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

The agenda and materials for the April 18, 2008, meeting will be available through the Public Participation Center on the Department of Environmental Protection's (Department) web site at www.depweb.state.pa.us (DEP Keywords: Public Participation, Participate). Questions concerning this meeting should be directed to Susan Weaver, Division of Water Use Planning, P. O. Box 8555, Harrisburg, PA 17105-8555, (717) 783-8055, suweaver@state.pa.us.

Persons with a disability who require accommodations to attend the April 18, 2008, meeting of the Committee should contact the Department at (717) 783-6118 or through the Pennsylvania AT&T Relay Services at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 08-679. Filed for public inspection April 11, 2008, 9:00 a.m.]

DEPARTMENT OF GENERAL SERVICES

Real Estate for Sale Allegheny County

The Department of General Services (Department) has State owned real estate for sale in the City of Pittsburgh, Allegheny County, PA. The Department through its Broker, GVA Oxford, will accept bids for the purchase of 1.258-acres +/- of improved land zoned "GT-D" Golden Triangle Subdistrict D located at 300 Liberty Avenue in the City of Pittsburgh. Bids are due May 14, 2008.

Interested parties wishing to receive a copy of Solicitation No. 94185 should call Randall G. McCombs, GVA Oxford at (412) 261-0200 or RMcCombs@gvaoxford.com.

JAMES P. CREEDON,
Secretary

[Pa.B. Doc. No. 08-680. Filed for public inspection April 11, 2008, 9:00 a.m.]

DEPARTMENT OF HEALTH

Application of Carlisle Outpatient Surgery Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Carlisle Outpatient Surgery Center has requested an exception to the requirements of 28 Pa. Code § 569.35 (relating to general safety precautions).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

The facility is requesting a waiver of the comment period, as set forth in 28 Pa. Code § 51.33(c).

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 08-681. Filed for public inspection April 11, 2008, 9:00 a.m.]

Application of Geisinger Wyoming Valley Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Geisinger Wyoming Valley Medical Center has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospital and Healthcare Facilities*. The facility specifically requests exception from the following standards contained in this publication: 5.3.3.1(2) (relating to stretcher clearance in pre-operative holding area bays).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@state.pa.us.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 08-682. Filed for public inspection April 11, 2008, 9:00 a.m.]

Application of Ophthalmic Associates Surgery and Laser Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Ophthalmic Associates Surgery and Laser Center has requested an exception to the requirements of 28 Pa. Code § 551.3 (relating to definitions).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 08-683. Filed for public inspection April 11, 2008, 9:00 a.m.]

Application of Riddle Memorial Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Riddle Memorial Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following

publication: *Guidelines for Design and Construction of Hospital and Healthcare Facilities*. The facility specifically requests exception from the following standards contained in this publication: 2.1-5.1.2.5 (relating to hand-washing station and medical gas outlets).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@state.pa.us.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 08-684. Filed for public inspection April 11, 2008, 9:00 a.m.]

Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.6(a) (relating to function of building).

Green Ridge Health Care Center
2741 Boulevard Avenue
Scranton, PA 18509

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.36(h) (relating to bathing facilities).

Mary Evans Extended Care Center
724 Pershing Street
Ellwood City, PA 16117

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@state.pa.us.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address listed previously.

Comments received by the Department within 15 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact V/TT (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 08-685. Filed for public inspection April 11, 2008, 9:00 a.m.]

Reporting a Patient Identification Number

The act of July 20, 2007 (act) (40 P. S. §§ 1303.401—1303.411), establishes certain requirements relating to the surveillance, reporting, control and prevention of health care-associated infections. Under the reporting requirements for hospitals established in section 404(b)(2) of act (40 P. S. § 1303.404(b)(2)), a hospital is required to report health care-associated infection data to the United States Department of Health and Human Services, Centers for Disease Control and Prevention (CDC), and its National Health Safety Network (NHSN), including the following:

Report[ing] patient-specific data to include, at a minimum, patient identification number, gender and date of birth. The patient identification number must be compatible with the patient identifier on the uniform billing forms submitted to the [Pennsylvania Health Care Cost Containment Council].

In a letter from Stacy A. Mitchell, Acting Deputy Secretary for Quality Assurance, dated December 5, 2007, the Department of Health (Department) clarified that reporting of the “patient identification number” referenced in section 404(b)(2) of the act required the completion of three patient identifier fields as follows:

- **Patient ID No.**—this is the primary field and should be completed with the patient identifier most useful to the facility’s infection control efforts.
- **Secondary ID No.**—this should be completed with the Patient Control Number. This is the patient’s account billing number reported in Field 3a of the Universal Billing Form-04 (UB-04).
- **SSN**—facilities must include the patient’s social security number.

Although the act does not require NHSN reporting until February 14, 2008, some hospitals began reporting as early as January 1, 2008. Early NHSN reporting has revealed that reporting the Patient Control Number (the patient’s account billing number reported in Field 3a of the Universal Billing Form-04 (UB-04)) in NHSN’s “Secondary ID” field overrides Patient Control Numbers entered previously in other events for that patient, and results in health care-associated infection reporting which does not comply with the requirements of the act. Unfortunately, the CDC was not aware of this override issue until it was brought to their attention by the Department in response to comments from hospitals conducting early reporting.

To appropriately report patient identification numbers and allow for effective tracking of health care-associated infections in compliance with the act, a hospital is to report patient identification numbers as required under section 404(b)(2) of the act and Acting Deputy Secretary Mitchell's December 5, 2007, letter, with the exception that the information previously reported under the "Secondary ID" field is now to be reported in the "Comments" field.

Only the Patient Control Number should be included in the "Comments" field. A hospital should not include any other data, text or information in the "Comments" field. To ensure data entered as part of early reporting complies with the requirements of the act, a hospital should edit data previously reported to NHSN under these requirements to move the Patient Control Number previously reported under the "Secondary ID" field to the "Comments" field. Hospitals should be aware that the Patient Safety Authority will establish similar requirements for the reporting of patient identification numbers under the provisions of section 405 of the act.

The Department, the Health Care Cost Containment Council and the Patient Safety Authority will work with the CDC to create modifications to NHSN to allow reporting of the Patient Control Number in a separate patient ID field, and allow other data, text or information to be included in the "Comments" field.

Pending the implementation of these modifications to NHSN, and in recognition of the fact that hospitals may have desired to use the "Comments" field to include information explaining why health care-associated infection data may not have been reported to NHSN in a timely manner as required by sections 404 and 405 of the act, the Department will not take action against a hospital under section 411 or the Health Care Facilities Act (35 P. S. § 448.411), as long as health care-associated infection data is reported in accordance with the act within 30 days of confirmation of the event. Any other noncompliance with the reporting requirements of sections 404 and 405 of the act may result in penalties as authorized in under section 411.

Nothing in this notice shall relieve a hospital of timely complying with other requirements of the Medical Care Availability and Reduction of Error (MCARE) Act (40 P. S. § 1303.101—1030.910), including the reporting and notification requirements of sections 308 and 311 of the MCARE Act (40 P. S. §§ 1303.308 and 1303.311), except as those requirements may have been superseded, amended, or altered by Act 52.

The Department will provide separate notice to hospitals when the necessary modifications to NHSN have been completed to allow reporting of the Patient Control Number in a separate patient ID field and release the "Comments" field for use by hospitals in including other data, text or information which they may desire to report.

Persons with a disability who require an alternative format of this Notice (for example, large print, audiotope, Braille) should contact Will Cramer, Chief, Healthcare Associated Infection Prevention Section, Bureau of Managed Care, Room 912, Health and Welfare Building, 7th and Forster Streets, Harrisburg, PA 17120, (717) 787-5193 or for speech and/or hearing impaired persons V/TT

(717) 783-6514 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 08-686. Filed for public inspection April 11, 2008, 9:00 a.m.]

ENVIRONMENTAL HEARING BOARD

**Reliant Energy Northeast Management Company v.
DEP; EHB Doc. No. 2008-089-R**

Reliant Energy Northeast Management Company has appealed the issuance by the Department of Environmental Protection of an NPDES permit to same for a facility in Plumcreek Township, Armstrong County, PA.

A date for the trial on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board (Board) at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, and may be reviewed by any interested party on request during normal business hours. If information concerning this notice is required in an alternative form, contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the AT&T Pennsylvania Relay Center at (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.81 (relating to intervention). Copies of the Board's rules of practice and procedure are available upon request from the Board.

THOMAS W. RENWAND,
Acting Chairperson

[Pa.B. Doc. No. 08-687. Filed for public inspection April 11, 2008, 9:00 a.m.]

FISH AND BOAT COMMISSION

**Criteria for Courses of Instruction in Boating
Safety Education**

Under 58 Pa. Code § 91.7 (relating to criteria for courses of instruction in boating safety education), the Executive Director of the Fish and Boat Commission (Commission) shall establish criteria for courses of instruction in boating safety education, and the Executive Director shall publish the criteria in the *Pennsylvania Bulletin*.

The Executive Director has established the following Criteria for Internet, Correspondence and Classroom Boating Safety Education Courses. In the future, the Executive Director will approve, by separate notice, boat-

ing safety education courses that meet these criteria and will publish a list of approved boating safety education courses in the *Pennsylvania Bulletin*.

DOUGLAS J. AUSTEN, Ph.D.,
Executive Director

Criteria for Internet Boating Safety Education Courses

The Commission will use the following criteria to approve Internet boating safety education courses. The Commission will only issue Pennsylvania Boating Safety Education Certificates to Commonwealth residents who have successfully completed an approved course.

Overview

The Internet boating safety education course allows students to study boating and boating safety information and take a certification examination online in a secure Internet environment. The Internet course will consist of a complete educational curriculum covering the basics of boating safety, regulations and accepted best practices. The course will be presented in lesson format with in-depth coverage of the various topics listed in following sections. The information will be presented in a narrative fashion followed by review questions and discussion points. Courses that consist solely of questions with a correct answer description will not be deemed to meet the criteria contained in this document.

Providers

Approved Internet courses shall be offered by providers that meet the requirements of the Commission. Individuals or organizations that desire to provide an Internet boating safety education course that is approved for Pennsylvania boaters shall be willing to enter into an agreement with the Commission containing the Commonwealth's standard terms and conditions and the additional terms set forth in Exhibit A. Prior to entering into an agreement with the Commission, providers shall submit a request in writing to the Commission's Director of Boating and Access or designee and shall demonstrate to the Commission's satisfaction that the provider is capable of performing its obligations under the agreement. Providers shall demonstrate their capability by submitting the following documentation along with their request to the Commission:

1. A description of the provider and its capabilities, including a description of type and number of staff and their responsibilities.
2. Proof of ability to manage certification data securely and digitally. This will be demonstrated by providing either:
 - An existing computer-based database management system designed to manage certification data, or
 - Detailed specifications and a project plan to deliver such a computer-based system.
3. Copies of certification by the Payment Card Industry (PCI) to demonstrate provider's secure handling of students' credit card data.
4. Proof that provider's courses have been approved by the National Association of State Boating Law Administrators (NASBLA).
5. The web address (URL) of the Internet course.

Course Content

1. The course must be approved by NASBLA. Information on NASBLA approval is available on the NASBLA web site at www.nasbla.org/ or by calling the NASBLA office at (859) 225-9487.

2. In addition to NASBLA requirements, course content will include:

- A description of boating in this Commonwealth.
- Commission regulatory responsibilities.
- Types of boats, boat motors and boat hulls.
- Boat terminology including, but not limited, to: hull, bow, forward, aft, stern, port, starboard, transom, keel, freeboard, draft, beam, gunwale, bilge, waterline.
- Long distance communication on the water.
- Boat handling.
- Process for passage through river locks.

Organization

1. Internet course contents will be organized in chapters or lessons.
2. Internet course will include chapter/lesson review exercises.
3. Internet course will have a comprehensive final examination.

Animation quality

1. Internet course will include animations or video clips where appropriate to illustrate concepts.
2. Animations will be developed using vector-based graphics for viewing on a variety of screen resolutions.
3. Animations and/or video clips will be of reasonable file size for quick download and delivery on a wide variety of user platforms and connection speeds.
4. Animations and/or video clips will allow student-paced instruction, where the student controls the pacing of the instructional segment and can replay the instructional segment.
5. Animations and/or video clips will be created in a contemporary design to engage all age groups, particularly the youth segment of the boating education market.

Internet course design quality

1. Internet course web page design will have an attractive, easy-to-read, and contemporary look and feel.
2. Internet course web page design will support all common user environments (various operating systems, web browsers and connection speeds).
3. Boating terms used in the Internet course will be hyperlinked to their definitions the first time they appear in the course material.
4. Internet course will include hyperlinks to locations within the Commission's web site from all appropriate locations within the Internet course.

ADA version of Internet course design quality

1. Standard Internet course design will be developed so that it complies with all Priority 1 checkpoints within the Web Content Accessibility Guidelines 1.0 (WCAG) developed by the World Wide Web Consortium (W3C).
2. Internet course design will be compliant with the Americans With Disabilities Act. Course provider will schedule annual reviews of its course material to verify continuing ADA-compliance and implement any changes needed as a result in its development of new course material.

Internet Course Chapter Review Quiz, Pretest and Online Certification Examination

1. The Internet course must be organized into at least six chapters with a chapter review quiz at the end of each chapter.

2. The Internet course must be designed so that the student actively participates.

3. Students will not be able to access the certification examination without first successfully completing the chapter review quiz for each chapter.

4. Students will not be permitted to take the chapter review quiz without spending the minimum study time assigned to that chapter. The minimum study time assigned to each chapter must be approved by the Commission. The minimum time for the Internet course to be completed by the student, not including the certification examination, is 3 hours.

5. There must be at least 10 review questions for each chapter.

6. Students must successfully complete each chapter review quiz before progressing to the next chapter. Students may proceed once they have achieved at least a 70% on the chapter review quiz.

7. Students failing the chapter review quiz will be directed to study the material again and may not retake the quiz until they have again spent the minimum study time assigned to that chapter.

8. The testing portion of the Internet course will include a Pennsylvania-specific pretest and certification examinations. The Commission will review and approve all questions that are included in the examination question pool.

9. Internet course will have a testing algorithm for the pretest and certification examinations.

10. The pretest and final examination will contain at least 50 questions randomly drawn from a pool of questions written to NASBLA Education Standard 9.

11. The pretest and final examination will also include, at least, an additional 10 Pennsylvania-specific questions drawn from the pool of at least 30 questions developed by course provider and written to NASBLA Education Standard 9.

12. The randomization algorithm for online testing will create examinations that meet NASBLA Education Standard 9.2: Testing Standard 3.

13. Examination presentation will allow for the questions to be presented with color graphics or photos in order to test knowledge of aids-to-navigation, navigation rules, boating at night, and other subjects.

14. Testing questions will be grouped into the number of categories requested or approved by the Commission. Each category will be defined by the Commission in terms of the category description and the number of questions from that category that should appear on each randomly-generated pretest or examination.

15. Each occurrence of the pretest or certification examinations will be generated individually and uniquely for every student. The questions on each pretest or examination will be chosen randomly from each of the defined categories according to the number of questions specified for that category included in NASBLA Education Standard 9.2: Test Standard 3 to ensure that each important topic is tested. The course certification exami-

nation process and design will not provide for or promote the use of reference materials during the examination process.

16. The pool of examination questions and associated graphics, the number and description of categories, the number of questions per category and the total number of questions on the pretest and certification examination will be changed at any time upon request of the Commission.

17. The pretest and certification examinations will be graded automatically and the student given their score online.

18. A test critique will be generated and presented to the student each time a chapter/lesson review exercise, pretest or certification examination is completed.

19. Students completing the pretest will be presented with only the topics (categories) of questions for which they gave incorrect answers. The pretest will not show students specifically which questions they missed.

20. Students completing the certification examination will be presented with the questions, the correct answers for those questions, explanations of the correct answers, and hyperlinks back to the relevant course material where those questions are covered.

21. The passing grade for the final examination will be 80%.

Certification

1. The course certification examination registration process will contain Commission defined personal data fields to be collected from student applicants.

2. The online registration process will validate the data fields to ensure data integrity.

3. The registration process will check that all required data fields have been supplied by the student, and the process will allow data for fields such as hair color or race to be selected from a Commission-specified list of allowed values.

4. Students passing the course certification examination with a minimum grade of 80% will be issued a temporary boating safety education certificate. Provider will not allow the downloading of the form to the student's computer in a form that can be edited by the recipient. This will be accomplished by a locked PDF file or other secure method. The provider will arrange for resolution of any printing problems and provide for the mailing of the original or duplicate temporary certificate. The temporary boating safety education certificate will display a code (character string) that is tied uniquely to that student's personal data, so that the Commission can decode it easily to determine if the temporary certificate was generated fraudulently.

5. The temporary boating safety certificate expires 60 days after the date of issue. The temporary boating safety certificate used by the provider must be approved by the Commission and will contain the following information: date of issue, date of expiration, name and address, type of course, hair color, eye color, sex, date of birth, NASBLA approval, electronic signature of instructor and date, signature of student and date, instructions on how to obtain a permanent boating safety education certificate at a later date.

Exhibit A**Internet course promotion and advertising**

1. All promotion of the Internet course will be done ethically and honestly and will not mislead the public in any way. Promotions will not include contests or give-away promotions. Course provider will not advertise the Internet course from within other web sites where the other web sites are designed in a way that misleads the public.

2. Course provider will not collect names or e-mail addresses of other potential students from the online students. Any direct solicitation of potential students via e-mail, mail or telephone will be approved in advance in writing by the Commission.

3. Course provider will not provide an advertisement or link to another web site from within the Internet course unless approved in advance in writing by the Commission.

General Course Provider Tasks and Qualifications

The course provider will:

1. Employ sufficient staff to develop, maintain, operate and manage the course.

2. Secure an Internet Domain (URL address) to host the course and publish the course on the Internet.

3. Issue temporary boating safety education certificates approved by the Commission to students successfully completing the Internet course.

4. Generate any reports on the student data and financial transactions that are requested by the Commission including, but not limited to, year to date and monthly reports showing student demographics and fees collected.

5. Handle the purchase of the Commission boating safety education certificates by successful students as part of the course certification process and transfer the associated fees and certificate-purchaser data to the Commission, electronically or in any agreed upon format by the course provider and the Commission, on at least a monthly basis.

6. Pay the Commission's fees by check or electronic fund transfer.

7. Update the Internet course to reflect changes in Federal or State regulations or laws and make any other changes or corrections to the Internet course that are requested by the Commission at any time.

8. Provide an email link that allows users to contact the course provider and respond to all inquiries within 48 hours. (Automated responses merely stating that the user's e-mail has been received will not satisfy this requirement.)

9. Respond to the Commission queries promptly.

10. Provide daily (including weekend) service for the Internet course.

11. Answer all technical questions related to using the Internet course, and also any questions related to boating safety, laws, and the like, that can be answered from the course material.

12. Forward any questions that cannot be answered with confidence to a designated Commission contact.

13. Maintain a complete backup of the student data for a period of 5 years and make available to the Commission, upon request, a complete copy of the digital files of the student data.

14. Provide a bond in the amount of \$20,000 in the form approved by the Commission to indemnify the Commission against any loss or damage of monies that course provider collects on behalf of the Commission (for example, fees collected for purchases of the Commission-required boating safety education certificates) upon execution of the agreement between the course provider and the Commission.

15. Collect all student data fields required by the Commission.

16. Adhere strictly to a privacy policy that ensures that student data will not be transferred to any party other than the Commission and will not be used by course provider for any purpose except to issue students' certification cards. In the event course provider fails to adhere to this privacy policy, course provider agrees to pay the Commission the sum of \$100 for each name or other piece of student data transferred or used in violation hereof. The course provider will state this privacy policy clearly on its web page that is accessible from every web page in the Internet course material and examination.

Adherence to Payment Card Industry Security Standards

Course provider will obtain and maintain certification by the Payment Card Industry (PCI) to ensure course provider's secure handling of students' credit card data. Course provider will provide the Commission with a copy of the PCI certification upon request. The PCI audits will cover course provider's web server, data management system and associated networks. Additionally, course provider will meet those same payment card security standards with respect to course provider's handling of students' personal data. Detailed requirements are found in the document titled "Payment Card Industry (PCI) Data Security Standard" and can be downloaded from www.pcisecuritystandards.org.

Course Fees

Course providers may charge users a reasonable fee not to exceed \$35 to take the Internet course and online certification examination.

Boating Safety Education Certification Fee

Students who take the Internet boating safety education course will be given the option by the course provider of paying the \$10 fee required to obtain Pennsylvania boating safety education certification as follows:

1. The course provider will establish and administrative procedure to allow students to purchase a Pennsylvania boating safety education certificate as part of the Internet course certification process.

2. The course provider will collect the \$10 fee from the student in addition to the charge (if any) for the Internet boating education course examination.

3. The course provider will provide instruction to students who choose to not pay the \$10 fee at the time of passing the online examination on how to obtain a permanent boating safety education certificate at a later date. The instructions will appear on the notes displayed on the temporary certification card and on the instructions page for the online examination.

Administrative Fee to the Commission

The course providers will pay the Commission an administrative fee of \$5 for each boating safety education certification examination.

Transfer of Data, Fees and Reports

The course provider will:

1. Pay all certification fees and administrative fees by check or electronic fund transfer on a monthly basis or other term as required by the Commission.
2. Transfer student data to the Commission digitally and securely in the form and format established by the Commission.
3. Generate any reports on the student data and financial transactions that are requested by the Commission including, but not limited to, year to date and monthly reports showing student demographics and fees collected.

Criteria for Correspondence Boating Safety Education Courses

The Commission will use the following criteria to approve correspondence boating safety education courses. The Commission will only issue Pennsylvania Boating Safety Education Certificates to Commonwealth residents who have successfully completed an approved course.

Overview

1. The correspondence boating education course is a video and/or DVD-based course that allows students to study boating and boating safety and take a certification examination at home.
2. The correspondence course includes:
 - A printed or digital boater education student manual.
 - A boater education video and/or DVD.
 - A certification examination to take at home, or at any remote location, or online.

Providers

Approved correspondence courses shall be offered by providers that meet the requirements of the Commission. Individuals or organizations that desire to provide a correspondence course that is approved for Pennsylvania boaters shall be willing to enter into an agreement with the Commission containing the Commonwealth's standard terms and conditions and the additional terms set forth in Exhibit A. Prior to entering into an agreement with the Commission, providers shall submit a request in writing to the Commission's Director of Boating and Access or designee, and shall demonstrate to the Commission's satisfaction that the provider is capable of performing its obligations under the agreement. Providers shall demonstrate their capability by submitting the following documentation along with their request to the Commission:

1. A description of the provider and its capabilities including a description of type and number of staff and their responsibilities.
2. Proof of ability to manage certification data securely and digitally. This will be demonstrated by providing either:
 - An existing computer-based database management system designed to manage certification data, or
 - Detailed specifications and a project plan to deliver a computer-based system.
3. Copies of certification by the Payment Card Industry (PCI) to demonstrate provider's secure handling of students' credit card data.
4. Proof that provider's courses have been approved by the National Association of State Boating Law Administrators (NASBLA).

5. A sample of the completed correspondence course, the completed student manual and a sample of the completed boater education video or DVD.

Course Content

1. The course must be approved by NASBLA. Information on NASBLA approval is available on the NASBLA web site at www.nasbla.org/ or by calling the NASBLA office at (859) 225-9487.
2. In addition to NASBLA requirements, course content will include:
 - A description of boating in Pennsylvania.
 - Commission regulatory responsibilities.
 - Types of boats, boat motors and boat hulls.
 - Boat terminology including, but not limited, to: hull, bow, forward, aft, stern, port, starboard, transom, keel, freeboard, draft, beam, gunwale, bilge, waterline.
 - Long distance communication on the water.
 - Boat handling.
 - Process for passage through river locks.

Student Manual

Overview

The digital and/or printed student manual will be a four-color student text, tailored to the Commonwealth of Pennsylvania, covering all of the Pennsylvania State-specific boating laws and regulations, navigational rules and aids, risk management, and responsibilities of boat operators. Course provider will:

1. Write all text used in the student manual.
2. Provide all graphics used in the student manual.
3. Procure any photographs needed for the student manual.
4. Design the cover and page layout of the student manual.
5. Make any and all revisions requested by the Commission to any State-specific pages of the student manual.
6. Provide a complete color proof of the student manual to the Commission for approval prior to distribution.
7. Update the student manual to reflect changes in Pennsylvania laws and information as requested by the Commission with each subsequent edition.

Text quality and content

1. Text will be written in a clear, reader-friendly and consistent style.
2. Boating terms will be defined.
3. The student manual will have additional pages available for Pennsylvania-specific information, which may include a quick reference chart of Pennsylvania-specific required equipment, an in-manual certification examination (see "certification examination"), an examination response form, or any other information desired by the Commission. The Pennsylvania-specific information may be contained in a separate publication.
4. The student manual will include chapter review exercises to aid students in retention of the material.

Graphics quality

1. The student manual will contain graphics to illustrate important information. All graphics will be full-color and realistic.

2. The student manual will, in addition, contain photographs to illustrate important information. All photographs will be high-resolution color photographs.

3. All graphics and photographs illustrating persons in boats will show the persons properly wearing United States Coast Guard approved PFDs, unless the graphic or photograph is marked clearly as a prohibited situation.

Cover design and page layout quality

1. The student manual cover will be designed to give an attractive, and contemporary look.

2. Layout of the student manual's text pages will be consistent throughout and have an attractive, easy-to-read and contemporary look.

Video and/or DVD

Overview

1. The video and/or DVD must be a companion to the student manual. It must be available in VHS or DVD formats. The boater education video and/or DVD must contain up-to-date legal requirements, be at least 60-minutes in length and closed-captioned. It will cover, at a minimum, Federal boating laws, required equipment, navigational rules and aids, and how to handle boating emergencies. The boater education video and/or DVD will follow the chapters in the student manual.

Video quality

1. Video will be contemporary and professionally presented.

2. Audio and video tracks on the boater education video will be of good quality.

3. Video will be produced with professional equipment.

4. DVD version will have a menu allowing play of each chapter.

Certification Examination

1. The correspondence course will include a comprehensive certification examination written to NASBLA Education Standard 9.

2. Correspondence course will include at least one examination response form.

3. Correspondence course will be designed to meet NASBLA requirements for examination security.

4. Course provider will provide grading of the certification examination and notify students of their scores.

Certification

1. The correspondence course registration process will contain Commission defined personal data fields to be collected from student applicants.

2. The registration process will check that all required data fields have been supplied by the student, and the process will allow data for fields such as hair color or race to be selected from a Commission-specified list of allowed values.

3. Students passing the course certification examination with a minimum grade of 80% will be issued a temporary boating safety education certificate. The temporary boating safety certificate expires 60 days after the date of issue. The temporary boating safety certificate used by the provider must be approved by the Commission and will contain the following information: date of issue, date of expiration, name and address, type of course, hair color, eye color, sex, date of birth, NASBLA approval, signature of instructor and date, a student

signature and date section, instructions on how to obtain a permanent boating safety education certificate at a later date.

Exhibit A

Correspondence course promotion and advertising

1. All promotion of the correspondence course will be done ethically and honestly and will not mislead the public in any way. Promotions will not include contests or give-away promotions.

General Course Provider Tasks and Qualifications

The course provider will:

1. Employ sufficient staff to develop, maintain, operate and manage the course.

2. Issue temporary boating safety education certificates approved by the Commission to students successfully completing the correspondence course.

3. Generate any reports on the student data and financial transactions that are requested by the Commission including, but not limited to, year to date and monthly reports showing student demographics and fees collected.

4. Handle the purchase of the Commission boating safety education certificates by successful students as part of the correspondence course certification process and transfer the associated fees and certificate-purchaser data to the Commission, electronically or in any agreed upon format by the course provider and the Commission, on at least a monthly basis.

5. Pay the Commission fees by check or electronic fund transfer.

6. Provide an e-mail address that allows users to contact the course provider and respond to all inquiries within 48 hours. (Automated responses merely stating that the user's e-mail has been received will not satisfy this requirement.)

7. Respond to the Commission queries promptly.

8. Answer all technical questions related to using the correspondence course, and also any questions related to boating safety, laws or other information that can be answered from the course material.

9. Forward any questions that cannot be answered with confidence to a designated Commission contact.

10. Maintain a complete backup of the student data for a period of 5 years and make available to the Commission, upon request, a complete copy of the digital files of the student data.

11. Provide a bond in the amount of \$20,000 in the form specified by the Commission to indemnify the Commission against any loss or damage of monies that course provider collects on behalf of the Commission (for example, fees collected for purchases of the Commission-required boating safety education certificates) upon execution of the agreement between the course provider and the Commission.

12. Collect all student data fields required by the Commission.

13. Adhere strictly to a privacy policy that ensures that student data will not be transferred to any party other than the Commission and will not be used by course provider for any purpose except to issue students' certification cards. In the event course provider fails to adhere to this privacy policy, course provider agrees to pay the

Commission the sum of \$100 for each name or other piece of student data transferred or used in violation hereof. The course provider will state this privacy policy clearly in the correspondence course material.

Transfer of Data, Fees and Reports

The course provider will:

1. Pay all certification fees and administrative fees by check or electronic fund transfer on a monthly basis or other term as required by the Commission.
2. Transfer student data to the Commission digitally and securely in the form and format established by the Commission.
3. Generate any reports on the student data and financial transactions that are requested by the Commission including, but not limited to, year to date and monthly reports showing student demographics and fees collected.

Course Ordering and Fulfillment

The course provider will:

1. Fulfill orders of the correspondence course and mail them to purchasers within 5 business days of receipt of an order.
2. Provide a toll-free telephone service for the public to order the correspondence course.
3. Set up the correspondence course registration process to collect the student data fields requested by the Commission.

Adherence to Payment Card Industry Security Standards

Course provider will obtain and maintain certification by the Payment Card Industry (PCI) to ensure course provider's secure handling of students' credit card data. Course provider will provide the Commission with a copy of the PCI certification upon request. The PCI audits will cover course provider's web server, data management system, and associated networks. Additionally, course provider will meet those same payment card security standards with respect to course provider's handling of students' personal data. Detailed requirements are found in the document titled "Payment Card Industry (PCI) Data Security Standard" and can be downloaded from www.pcisecuritystandards.org.

Course Fees

Course provider may charge users a fee not to exceed \$50 (not including shipping and handling) for the correspondence course materials and to take the first certification examination. Additional examination fees for correspondence course with more than one examination may not exceed \$10 per examination.

Boating Safety Education Certification Fee

Students who take the correspondence course must be given the option by the course provider of paying the \$10 fee required to obtain Pennsylvania boating safety education certification as follows:

1. Some students who purchase the correspondence course may choose to never send in their certification examination, and therefore, the \$10 fee cannot be collected at the time of purchase. However, the fee can be collected at the time the student mails in his/her certification examination for grading to the course provider.

2. The course provider will allow students to pay the Commission's boating safety education certification fee by indicating this on the examination response form. The student, at his/her option, may pay the \$10 fee to the course provider for the boating safety education certificate, in addition to the existing (if any) examination processing fee. The course provider will process the \$10 fee as follows:

- If the student passes the examination, the course provider will transfer the \$10 fee to the Commission on a monthly basis.
- If the student fails his/her first or second examination, the course provider will send the student a failure notice and a new examination response form, which the student may return at no additional charge (if applicable). The course provider will hold the \$10 fee awaiting the next attempt. If the student passes on his/her next try, the course provider will transfer the \$10 fee to the Commission.
- If the student fails his/her third attempt at the examination, the course provider will send the student a final failure notice and refund the \$10 fee to the student.

Administrative Fee to the Commission

The course providers will pay the Commission an administrative fee of \$5 for each correspondence course certification examination submitted by a student to the course provider.

Criteria for Classroom Boating Safety Education Courses

The Commission will use the following criteria to approve classroom boating safety education courses. The Commission will only issue Pennsylvania Boating Safety Education Certificates to Commonwealth residents who have successfully completed an approved course.

Overview

The boating education classroom course (classroom course) is an instructor-based course that allows students to study boating and boating safety and take a certification examination. The classroom course will consist of a complete educational curriculum covering the basics of boating safety, regulations and accepted best practices. The course will be presented in lesson format with in-depth coverage of the various topics listed in following sections. The classroom course is supported by a video and/or DVD and is taught by one or more instructors to one or more students. Once instruction of the course is complete, students take a proctored certification examination in a classroom environment.

The classroom course includes:

1. A lesson plan for instructors.
2. A printed boating education student manual.
3. Boating education videos or DVDs that support the lecture parts of the course.
4. A proctored certification examination to take at the course location or at another monitored location.

Providers

Approved classroom courses shall be offered by providers that meet the requirements of the Commission. Individuals or organizations that desire to provide a classroom course that is approved for Pennsylvania boaters shall be willing to enter into an agreement with the Commission containing the Commonwealth's standard terms and conditions and the additional terms set forth in

Exhibit A. This does not apply to the United States Coast Guard Auxiliary or to the United States Power Squadrons who are excluded from this requirement. Prior to entering into an agreement with the Commission, providers shall submit a request in writing to the Commission's Director of Boating and Access or designee and shall demonstrate to the Commission's satisfaction that the provider is capable of performing its obligations under the agreement. Providers shall demonstrate their capability by submitting the following documentation along with their request to the Commission:

1. A description of the company and its capabilities including a description of type and number of staff and their responsibilities.
2. Proof that its courses have been approved by the National Association of State Boating Law Administrators (NASBLA).
3. The web address (if any) for their classroom course.
4. A complete copy of the lesson plan, including the certification examination for teaching the classroom course.
5. A sample of the video/DVD or PowerPoint presentation used to support the course.
6. A sample of the student manual or textbook used to teach the course.

Course Content

1. The course must be approved by NASBLA. Information on NASBLA approval is available on the NASBLA web site at www.nasbla.org/ or by calling the NASBLA office at (859) 225-9487.
2. In addition to NASBLA requirements, course content will include:
 - A description of boating in Pennsylvania.
 - Commission regulatory responsibilities.
 - Types of boats, boat motors and boat hulls.
 - Boat terminology including, but not limited, to: hull, bow, forward, aft, stern, port, starboard, transom, keel, freeboard, draft, beam, gunwale, bilge, waterline.
 - Long distance communication on the water.
 - Boat handling.
 - Process for passage through river locks.

Student Manual

Overview

The printed student manual will be a four-color student text, tailored to the Commonwealth of Pennsylvania, covering all of the Pennsylvania State-specific boating laws and regulations, navigational rules and aids, risk management, and responsibilities of boat operators. Pennsylvania state-specific information may, as an option, be provided in a separate text such as the *PA Boating Handbook*.

Course provider will:

1. Write all text used in the student manual.
2. Provide all graphics used in the student manual.
3. Procure any photographs needed for the student manual.
4. Design the cover and page layout of the student manual.

5. Make any and all revisions requested by the Commission to any State-specific pages (if applicable) of the student manual.

6. Provide a complete color proof of the student manual to the Commission for approval prior to teaching the classroom course.

7. Update the student manual to reflect changes in Federal and Pennsylvania laws and information.

Text quality and content

1. Text will be written in a clear, reader-friendly and consistent style.
2. Boating terms will be defined.
3. The student manual will include chapter review exercises to aid students in retention of the material.

Graphics quality

1. The student manual will contain graphics to illustrate important information. All graphics will be full-color and realistic.
2. The student manual will, in addition, contain photographs to illustrate important information. All photographs will be high-resolution color photographs showing only current model boats.
3. All graphics and photographs illustrating persons in boats will show the persons properly wearing United States Coast Guard approved PFDs, unless the graphic or photograph is marked clearly as a prohibited situation.

Page layout quality

Layout of the student manual's text pages will be consistent throughout and have an attractive, easy-to-read, and contemporary look.

Boating Education Video and/or DVD

Overview

The boating education video and/or DVD must support the information being taught in the classroom course and may not conflict with the information being taught by the course instructors from the lesson plan, or the content of the student manual.

Video quality

1. Will be contemporary and professionally presented.
2. Audio and video tracks on the boater education video will be of good quality.

Certification Examination

1. The classroom course will include a comprehensive certification examination written to NASBLA Education Standard 9. The Commission may choose 10 State-specific questions from the pool of at least 20 questions developed by course provider and written to NASBLA Education Standard 9.

2. Classroom course examination will be designed to meet NASBLA requirements for examination security.

3. Course provider will provide grading of the certification examination and notify students of their scores.

4. All answers to the examination will be written on the Application for Boating Safety Certificate (available on written request from the Commission).

5. Students with reading problems may have the test read to them at their request. This option should be explained well in advance of starting the testing procedure to allow for preparation.

6. The classroom course provider is responsible for maintaining the integrity of the certification examination. The course provider must take special care to prevent examination fraud or cheating.

7. Upon completion of the exam, each student's Application for Boating Safety Certificate is collected and graded by the course provider. Students are advised by the instructor of their grade.

Application for Boating Safety Education Certification

1. After grading the answer sheet part of the application, the course provider prints their name, instructor number (assigned by the Commission in Harrisburg), signs each sheet of the application form and returns the application to the students. The course provider must not allow the student to retain the completed answer sheet of the application form or any blank Application for Boating Safety Education Certificate forms.

2. The course provider is responsible to make certain that Applications for Boating Safety Certificate forms are properly completed and legible before students submit them by means of mail to the Commission using the provided envelope. Course providers should never collect the certificate fee from the student.

3. Students should be advised to mail the completed applications immediately after the completion of the course to avoid a delay in receiving their certificates.

4. The applications are data entered at the Commission in Harrisburg. Students will receive a Boating Safety Education Certificate in the mail (within 30 days after receipt in Harrisburg).

5. Students passing the course certification examination with a minimum grade of 80% may be issued a temporary boating safety education certificate (available on written request from the Commission) by the course provider.

6. The temporary boating safety certificate expires 60 days after the date of issue. The temporary boating safety certificate used by the provider must be approved by the Commission and will contain the following information: date of issue, date of expiration, name and address, type of course, hair color, eye color, sex, date of birth, NASBLA approval, signature of instructor and date, signature of student and date, instructions on how to obtain a permanent boating safety education certificate at a later date.

Boating Education Course Summary Sheet

1. Classroom courses must be documented to the Commission using a boating education course summary sheet form (available on written request from the Commission). Both sides (A and B) must be completed by the course provider.

2. At the completion of the course, the summary sheet must be mailed by the course provider to the Commission in Harrisburg. The summary sheet documents the course to the Commission and is used to cross-reference applications received by students.

3. The answer sheet part of the Application for Boating Safety Education Certification is not mailed to the Commission. It is to be retained as part of the course provider's record and must not be returned to the student.

4. The instructor number for the course provider must be listed.

5. Student names must be listed in the spaces provided on the back of the form. Additional copies of the form may be used for large classes.

Exhibit A

Classroom Course Promotion and Advertising

All promotion of the classroom course will be done ethically and honestly and will not mislead the public in any way.

General Course Provider Tasks and Qualifications

The course provider will:

1. Be responsible for the ethical conduct of the classroom course instructors.

2. Be responsible for all development required for the classroom course.

3. Update the classroom course to reflect changes in Federal or State boating regulations or laws.

4. Issue temporary boating safety education certificates approved by the Commission to students successfully completing the classroom course.

5. Respond to the Commission and public queries promptly.

6. Answer all technical questions related to using the classroom course, and any questions related to boating safety, laws, or other information that can be answered from the course material.

7. Forward any questions that cannot be answered with confidence to a designated Commission contact.

8. Document to the Commission using a boating education course summary sheet form.

Course Fees

Course providers may charge users a reasonable fee (not to exceed \$60) to take the classroom course.

[Pa.B. Doc. No. 08-688. Filed for public inspection April 11, 2008, 9:00 a.m.]

HEALTH CARE COST CONTAINMENT COUNCIL

Request for Proposal

The Health Care Cost Containment Council (Council), an independent State agency that collects, analyzes and disseminates health care cost and quality-related information, seeks to obtain legal services on a retainer basis. Interested parties are requested to contact the Council Office by writing the Health Care Cost Containment Council, Suite 400, 225 Market Street, Harrisburg, PA 17101, or Cherie Elias at (717) 232-6787, celias@phc4.org for copies of the Request for Proposal. Proposals are due to the Council office no later than 5 p.m. on May 14, 2008. The Council will make the award at the public Council meeting on July 3, 2008, at 10 a.m. at the Council office.

DAVID WILDERMAN,
Acting Executive Director

[Pa.B. Doc. No. 08-689. Filed for public inspection April 11, 2008, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Comments Issued

Section 5(g) of the Regulatory Review Act (71 P. S. § 745.5(g)) provides that the Independent Regulatory Review Commission (Commission) may issue comments within 30 days of the close of the public comment period. The Commission comments are based upon the criteria contained in section 5.2 of the Regulatory Review Act (71 P. S. § 745.5b).

The Commission has issued comments on the following proposed regulations. The agency must consider these comments in preparing the final-form regulation. The final-form regulation must be submitted within 2 years of the close of the public comment period or it will be deemed withdrawn.

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Close of the Public Comment Period</i>	<i>IRRC Comments Issued</i>
31-11	State Employees' Retirement Board Death Benefits 38 Pa.B. 612 (February 2, 2008)	3/3/08	4/2/08
31-9	State Employees' Retirement Board Electronic Submission of Documents and Electronic Transactions 38 Pa.B. 614 (February 2, 2008)	3/3/08	4/2/08

State Employees' Retirement Board Regulation #31-11 (IRRC #2668)

Death Benefits

April 2, 2008

We submit for your consideration the following comments on the proposed rulemaking published in the February 2, 2008 *Pennsylvania Bulletin*. Our comments are based on criteria in section 5.2 of the Regulatory Review Act (71 P. S. § 745.5b). Section 5.1(a) of the Regulatory Review Act (71 P. S. § 745.5a(a)) directs the State Employees' Retirement Board (Board) to respond to all comments received from us or any other source.

§ 247.7. Death benefits.—Clarity.

The Board is adding Subsection (c) to provide additional guidance on what must be contained on the Board's nomination of beneficiary form. The new language does not create a binding requirement because all provisions include the word "should." The term "should" is nonregulatory language which indicates that the provisions are optional. It is inappropriate to include optional provisions in a regulation. If the Board wants the new language to be binding, the word "should" must be changed to "shall." If the new language is intended to be a recommendation and not a requirement, the Board should withdraw the regulation and place the language in a policy statement or guidance document.

State Employees' Retirement Board Regulation #31-9 (IRRC #2670)

Electronic Submission of Documents and Electronic Transactions

April 2, 2008

We submit for your consideration the following comments on the proposed rulemaking published in the

February 2, 2008 *Pennsylvania Bulletin*. Our comments are based on criteria in section 5.2 of the Regulatory Review Act (71 P. S. § 745.5b). Section 5.1(a) of the Regulatory Review Act (71 P. S. § 745.5a(a)) directs the State Employees' Retirement Board (Board) to respond to all comments received from us or any other source.

1. General.—Need; Reasonableness.

Through this proposed regulation, the Board intends to allow members to submit documents or conduct benefit transactions using electronic media. However, the Electronic Transactions Act already provides governmental agencies, including the Board, the latitude to decide whether or not to accept electronic records. (73 P. S. § 2260.502). Therefore, we question the need for this regulation and recommend that it be withdrawn.

Further, the purpose of a regulation is to set forth language that guides the regulated community in complying with existing statutes. Therefore, if the Board intends to promulgate a regulation pertaining to the electronic filing of documents, the requirements of such filings should be included in the regulation. To give the regulated community the opportunity to provide input on these provisions, as required by the Regulatory Review Act (71 P. S. §§ 745.1 et seq.), the Board should propose a new regulation that includes the specific requirements for electronic filing.

2. § 241.2. Electronic submission of documents and electronic transactions.—Clarity.

The language in this proposed regulation uses the terms "System" and "SERS" interchangeably. For clarity, the Board should use one term consistently throughout the regulation.

ARTHUR COCCODRILLI,
Chairperson

[Pa.B. Doc. No. 08-690. Filed for public inspection April 11, 2008, 9:00 a.m.]

Notice of Filing of Final Rulemakings

The Independent Regulatory Review Commission (Commission) received the following regulations. They are scheduled to be considered on the dates noted. The Commission's public meetings are held at 333 Market Street, 14th Floor, in Harrisburg, PA at 10:30 a.m. To obtain a copy of the regulation, interested parties should first contact the promulgating agency. If a copy cannot be obtained from the promulgating agency, the Commission will provide a copy or you can obtain a copy from the Commission's web site, www.irrc.state.pa.us.

Final-Form

Reg. No.	Agency/Title	Received	Public Meeting
16A-4813	State Board of Funeral Directors Forms Review	3/31/08	5/15/08
16A-5128	State Board of Nursing Continuing Education Fee for Certified Registered Nurse Practitioners	3/31/08	5/15/08

ARTHUR COCCODRILLI,
Chairperson

[Pa.B. Doc. No. 08-691. Filed for public inspection April 11, 2008, 9:00 a.m.]

INSURANCE DEPARTMENT

Application and Request for Plan Approval of a Mutual-to-Stock Conversion

Lebanon Mutual Insurance Company, a Pennsylvania domiciled mutual property insurance company, has submitted a Plan of Mutual-to-Stock Conversion, whereby it proposes to convert from a mutual insurance company to an insurer organized as a stock company. The initial filing was made under requirements set forth under the Insurance Company Mutual-to-Stock Conversion Act (40 P.S. §§ 911-A—929-A).

Persons wishing to comment on the grounds of public or private interest to the issuance of the Insurance Department's (Department) order approving of this conversion is invited to submit a written statement to the Department within 60 days from the date of this issue of the *Pennsylvania Bulletin*. Written statements must include name, address and telephone number of the author, identification of the application to which the statement is addressed, and a concise statement with sufficient detail to inform the Department of the exact basis of the statement and the relevant facts upon which it is based. Written statements should be directed to Robert Brackbill, Company Licensing Division, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, rbrackbill@state.pa.us.

JOEL SCOTT ARIO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 08-692. Filed for public inspection April 11, 2008, 9:00 a.m.]

Sudha Babra, M. D.; Prehearing

Appeal of Sudha Babra, M. D. under the Medical Care Availability and Reduction of Error (MCARE) Act (40 P. S. §§ 1303.101—1303.910); Doc. No. MM08-03-031

The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law); 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code Chapter 56 (relating to special rules of administrative practice and procedure).

On or before April 23, 2008, the appellant shall file a concise statement setting forth the factual and/or legal basis for the disagreement with MCARE's February 13, 2008, determination. The statement may be in narrative form or in numbered paragraphs, but in either event shall not exceed two pages. A prehearing telephone conference initiated by this office is scheduled for May 14, 2008, at 10 a.m. Each party shall provide a telephone number to be used for the telephone conference to the Hearings Administrator on or before April 10, 2008. A hearing date shall be determined, if necessary, at the prehearing telephone conference.

Motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed on or before April 30, 2008, with the Hearings Administrator, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102. Answer to petitions to intervene, if any shall be filed on or before May 7, 2008.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Joel Cortes, Human Resources Analyst at (717) 783-2168.

JOEL SCOTT ARIO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 08-693. Filed for public inspection April 11, 2008, 9:00 a.m.]

Yvonne H. Chia, M. D.; Prehearing

Appeal of Yvonne H. Chia, M. D. under the Medical Care Availability and Reduction of Error (MCARE) Act (40 P. S. §§ 1303.101—1303.910); Doc. No. MM08-03-035

The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law); 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code Chapter 56 (relating to special rules of administrative practice and procedure).

On or before April 24, 2008, the appellant shall file a concise statement setting forth the factual and/or legal basis for the disagreement with MCARE's February 12, 2008, determination. The statement may be in narrative form or in numbered paragraphs, but in either event shall not exceed two pages. A prehearing telephone conference initiated by this office is scheduled for May 15, 2008, at 1 p.m. Each party shall provide a telephone number to be used for the telephone conference to the Hearings Administrator on or before April 15, 2008. A hearing date shall be determined, if necessary, at the prehearing telephone conference.

Motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed on or before May 1, 2008, with the Hearings Administrator, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102. Answer to petitions to intervene, if any shall be filed on or before May 8, 2008.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Joel Cortes, Human Resources Analyst at (717) 783-2168.

JOEL SCOTT ARIO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 08-694. Filed for public inspection April 11, 2008, 9:00 a.m.]

Genesis Medical Associates, Inc.; Prehearing

**Appeal of Genesis Medical Associates, Inc.
under the Medical Care Availability and
Reduction of Error (MCARE) Act
(40 P. S. §§ 1303.101—1303.910);
Doc. No. MM08-03-034**

The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law); 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code Chapter 56 (relating to special rules of administrative practice and procedure).

On or before April 24, 2008, the appellant shall file a concise statement setting forth the factual and/or legal basis for the disagreement with MCARE's February 12, 2008, determination. The statement may be in narrative form or in numbered paragraphs, but in either event shall not exceed two pages. A prehearing telephone conference initiated by this office is scheduled for May 15, 2008, at 1:15 p.m. Each party shall provide a telephone number to be used for the telephone conference to the Hearings Administrator on or before April 15, 2008. A hearing date shall be determined, if necessary, at the prehearing telephone conference.

Motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed on or before May 1, 2008, with the Hearings Administrator, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102. Answer to petitions to intervene, if any shall be filed on or before May 8, 2008.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Joel Cortes, Human Resources Analyst at (717) 783-2168.

JOEL SCOTT ARIO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 08-695. Filed for public inspection April 11, 2008, 9:00 a.m.]

Genesis Medical Associates, Inc.; Prehearing

**Appeal of Genesis Medical Associates, Inc.
under the Medical Care Availability and
Reduction of Error (MCARE) Act
(40 P. S. §§ 1303.101—1303.910);
Doc. No. MM08-03-029**

The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law); 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code Chapter 56 (relating to special rules of administrative practice and procedure).

On or before April 16, 2008, the appellant shall file a concise statement setting forth the factual and/or legal basis for the disagreement with MCARE's February 12, 2008, determination. The statement may be in narrative form or in numbered paragraphs, but in either event shall not exceed two pages. A prehearing telephone conference initiated by this office is scheduled for May 7, 2008, at 10 a.m. Each party shall provide a telephone number to be used for the telephone conference to the Hearings Administrator on or before April 16, 2008. A hearing date shall be determined, if necessary, at the prehearing telephone conference.

Motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed on or before May 23, 2008, with the Hearings Administrator, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102. Answer to petitions to intervene, if any shall be filed on or before May 30, 2008.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Joel Cortes, Human Resources Analyst at (717) 783-2168.

JOEL SCOTT ARIO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 08-696. Filed for public inspection April 11, 2008, 9:00 a.m.]

Golden Living Center—Shippenville; Prehearing

**Appeal of Golden Living Center—Shippenville
under the Medical Care Availability and
Reduction of Error (MCARE) Act
(40 P. S. §§ 1303.101—1303.910);
Doc. No. MM08-03-032**

The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law); 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code Chapter 56 (relating to special rules of administrative practice and procedure).

On or before April 22, 2008, the appellant shall file a concise statement setting forth the factual and/or legal basis for the disagreement with MCARE's February 1, 2008, determination. The statement may be in narrative form or in numbered paragraphs, but in either event shall not exceed two pages. A prehearing telephone conference initiated by this office is scheduled for May 13, 2008, at 10 a.m. Each party shall provide a telephone number to be used for the telephone conference to the

Hearings Administrator on or before April 9, 2008. A hearing date shall be determined, if necessary, at the prehearing telephone conference.

Motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed on or before April 29, 2008, with the Hearings Administrator, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102. Answer to petitions to intervene, if any shall be filed on or before May 6, 2008.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Joel Cortes, Human Resources Analyst at (717) 783-2168.

JOEL SCOTT ARIO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 08-697. Filed for public inspection April 11, 2008, 9:00 a.m.]

Kurt M. Heil, M. D.; Prehearing

**Appeal of Kurt M. Heil, M. D.
under the Medical Care Availability and
Reduction of Error (MCARE) Act
(40 P. S. §§ 1303.101—1303.910);
Doc. No. MM08-03-036**

The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law); 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code Chapter 56 (relating to special rules of administrative practice and procedure).

On or before April 24, 2008, the appellant shall file a concise statement setting forth the factual and/or legal basis for the disagreement with MCARE's February 12, 2008, determination. The statement may be in narrative form or in numbered paragraphs, but in either event shall not exceed two pages. A prehearing telephone conference initiated by this office is scheduled for May 15, 2008, at 2 p.m. Each party shall provide a telephone number to be used for the telephone conference to the Hearings Administrator on or before April 15, 2008. A hearing date shall be determined, if necessary, at the prehearing telephone conference.

Motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed on or before May 1, 2008, with the Hearings Administrator, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102. Answer to petitions to intervene, if any shall be filed on or before May 8, 2008.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Joel Cortes, Human Resources Analyst at (717) 783-2168.

JOEL SCOTT ARIO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 08-698. Filed for public inspection April 11, 2008, 9:00 a.m.]

Robert H. Potter, Jr., M. D.; Prehearing

**Appeal of Robert H. Potter, Jr., M. D.
under the Medical Care Availability and
Reduction of Error (MCARE) Act
(40 P. S. §§ 1303.101—1303.910);
Doc. No. MM08-03-037**

The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law); 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code Chapter 56 (relating to special rules of administrative practice and procedure).

On or before April 24, 2008, the appellant shall file a concise statement setting forth the factual and/or legal basis for the disagreement with MCARE's February 12, 2008, determination. The statement may be in narrative form or in numbered paragraphs, but in either event shall not exceed two pages. A prehearing telephone conference initiated by this office is scheduled for May 15, 2008, at 1:45 p.m. Each party shall provide a telephone number to be used for the telephone conference to the Hearings Administrator on or before April 15, 2008. A hearing date shall be determined, if necessary, at the prehearing telephone conference.

Motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed on or before May 1, 2008, with the Hearings Administrator, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102. Answer to petitions to intervene, if any shall be filed on or before May 8, 2008.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Joel Cortes, Human Resources Analyst at (717) 783-2168.

JOEL SCOTT ARIO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 08-699. Filed for public inspection April 11, 2008, 9:00 a.m.]

Warren S. Smith, M. D.; Prehearing

**Appeal of Warren S. Smith, M. D.
under the Medical Care Availability and
Reduction of Error (MCARE) Act
(40 P. S. §§ 1303.101—1303.910);
Doc. No. MM08-03-030**

The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law); 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code Chapter 56 (relating to special rules of administrative practice and procedure).

On or before April 24, 2008, the appellant shall file a concise statement setting forth the factual and/or legal basis for the disagreement with MCARE's February 27, 2008, determination. The statement may be in narrative form or in numbered paragraphs, but in either event shall not exceed two pages. A prehearing telephone conference initiated by this office is scheduled for May 15, 2008, at 2:15 p.m. Each party shall provide a telephone number to be used for the telephone conference to the

Hearings Administrator on or before April 15, 2008. A hearing date shall be determined, if necessary, at the prehearing telephone conference.

Motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed on or before May 1, 2008, with the Hearings Administrator, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102. Answer to petitions to intervene, if any shall be filed on or before May 8, 2008.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Joel Cortes, Human Resources Analyst at (717) 783-2168.

JOEL SCOTT ARIO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 08-700. Filed for public inspection April 11, 2008, 9:00 a.m.]

Warren S. Smith, M. D.; Prehearing

**Appeal of Warren S. Smith, M. D.
under the Medical Care Availability and
Reduction of Error (MCARE) Act
(40 P. S. §§ 1303.101—1303.910);
Doc. No. MM08-03-038**

The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law); 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code Chapter 56 (relating to special rules of administrative practice and procedure).

On or before April 24, 2008, the appellant shall file a concise statement setting forth the factual and/or legal basis for the disagreement with MCARE's February 27, 2008, determination. The statement may be in narrative form or in numbered paragraphs, but in either event shall not exceed two pages. A prehearing telephone conference initiated by this office is scheduled for May 15, 2008, at 2:15 p.m. Each party shall provide a telephone number to be used for the telephone conference to the Hearings Administrator on or before April 15, 2008. A hearing date shall be determined, if necessary, at the prehearing telephone conference.

Motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed on or before May 1, 2008, with the Hearings Administrator, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102. Answer to petitions to intervene, if any shall be filed on or before May 8, 2008.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Joel Cortes, Human Resources Analyst at (717) 783-2168.

JOEL SCOTT ARIO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 08-701. Filed for public inspection April 11, 2008, 9:00 a.m.]

Shang-Chi Wang, M. D.; Prehearing

**Appeal of Shang-Chi Wang, M. D.
under the Medical Care Availability and
Reduction of Error (MCARE) Act
(40 P. S. §§ 1303.101—1303.910);
Doc. No. MM08-03-033**

The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law); 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code Chapter 56 (relating to special rules of administrative practice and procedure).

On or before April 22, 2008, the appellant shall file a concise statement setting forth the factual and/or legal basis for the disagreement with MCARE's February 22, 2008, determination. The statement may be in narrative form or in numbered paragraphs, but in either event shall not exceed two pages. A prehearing telephone conference initiated by this office is scheduled for May 13, 2008, at 1 p.m. Each party shall provide a telephone number to be used for the telephone conference to the Hearings Administrator on or before April 9, 2008. A hearing date shall be determined, if necessary, at the prehearing telephone conference.

Motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed on or before April 29, 2008, with the Hearings Administrator, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102. Answer to petitions to intervene, if any shall be filed on or before May 6, 2008.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Joel Cortes, Human Resources Analyst at (717) 783-2168.

JOEL SCOTT ARIO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 08-702. Filed for public inspection April 11, 2008, 9:00 a.m.]

LIQUOR CONTROL BOARD

Expiration of Leases

The Liquor Control Board seeks the following new site:

Philadelphia County, Wine & Spirits Shoppe #9117, Philadelphia, PA.

Lease retail commercial space to the Commonwealth. Proposals are invited to provide the Liquor Control Board with approximately 1,000 to 1,500 net useable square feet of new or existing retail commercial space within a .50 mile radius of Main and Gay Streets in Philadelphia.

Proposals due: May 2, 2008, at 12 p.m.

Department: Liquor Control Board
Location: Real Estate Division, 8305 Ridge Avenue, Philadelphia, PA 19128-2113
Contact: Robert Jolly, (215) 482-9670

PATRICK J. STAPLETON, III,
Chairperson

[Pa.B. Doc. No. 08-703. Filed for public inspection April 11, 2008, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Default Order

Public Meeting held
March 27, 2008

Commissioners Present: Wendell F. Holland, Chairperson;
James H. Cawley, Vice Chairperson; Tyrone J. Christy;
Kim Pizzingrilli

*Pennsylvania Public Utility Commission Law Bureau
Prosecutory Staff v. New Rochelle Telephone Corp.
C-20077900; A-311228; A-311228F0002*

Default Order

On June 29, 2007, the Law Bureau Prosecutory Staff ("Prosecutory Staff") filed a formal complaint against New Rochelle Telephone Corp. ("New Rochelle" or "Respondent") at Docket No. C-20077900. Respondent was issued a Certificate of Public Convenience by the Commission on July 12, 2003 at Docket Nos. A-311228 and A-311228F0002 to provide, respectively, local and long distance telecommunications services in the Commonwealth of Pennsylvania. Respondent provides services to approximately 1,650 customers in 16 counties.

In the complaint, Prosecutory Staff alleged that Respondent failed to comply with the Commission's annual reporting requirements pursuant to 52 Pa. Code § 64.201, failed to pay its monthly Universal Service Fund ("USF") assessments pursuant to 52 Pa. Code §§ 63.161—63.171 and 66 Pa.C.S. §§ 3001—3009, and violated 52 Pa. Code § 64.153(b)(1) by failing to respond within 30 days to 32 informal complaints that were filed with the Bureau of Consumer Services from January 1, 2004 up to and including May 6, 2006. The complaint requested that the Commission order Respondent to file its § 64.201 local exchange carrier ("LEC") annual report for 2006, and pay its outstanding USF assessment total of \$6,957.54 plus late fees. Furthermore, the Complaint also requested that the Commission impose a civil penalty of \$1,000 for each violation alleged and for each day's continuance of such violation, and/or cancel the New Rochelle's certificate of public convenience.

On October 4, 2007, the Commission entered a default order sustaining the complaint and ordering New Rochelle to file its LEC annual report for 2006, pay its outstanding USF assessment total of \$16,234.26 plus late fees, agree to comply with § 64.153(b)(1) by responding to all informal complaints within 30 days and pay a civil penalty of \$32,000 for the violations alleged in the complaint.

Since the issuance of the default order, Respondent has filed its LEC annual report for 2006. In addition, Respondent also paid a substantial amount of its outstanding USF assessment totaling \$12,215.11. However, \$4,019.15 of the USF assessment plus late fees is still outstanding. Moreover, Respondent failed to pay the civil penalty of \$32,000 for the violations established herein.

Again, New Rochelle's failure to pay the civil penalty of \$32,000 or formally seek rescission of the order is unacceptable and will not be tolerated. We indicated in the first default order that we will not hesitate to invoke our authority under the Public Utility Code to ensure timely compliance with our regulations and orders including the ordering of such other remedy as the Commission may deem appropriate. 66 Pa.C.S. §§ 504, 505, 506, and 3301.

Based on Respondent's failure to pay \$1,000 for each of the 32 violations of § 64.153(b)(1), or file any responsive pleading, the Commission shall seek cancellation of Respondent's certificate of public convenience,¹ *Therefore;*

It Is Ordered That:

1. Respondent is hereby required to pay its outstanding Universal Service Fund assessment total of \$4,019.15 plus late fees, and agree to comply with § 64.153(b)(1) by responding to all informal complaints within 30 days, and pay a civil penalty of \$32,000 for the violations established in the order entered October 4, 2007 at this docket.

2. The Secretary serve a copy of this default order upon the Respondent, the Office of Consumer Advocate, the Office of Small Business Advocate, the Office of Trial Staff, and the Attorney General's Bureau of Consumer Protection, and also cause a copy of this default order to be published in the *Pennsylvania Bulletin* with a 20-day comment period.

3. Respondent shall immediately cease acquiring any new customers and, within 10 days of the entry date of this order, shall provide a written notice to its existing customers informing them that the Commission intends to cancel its certificate of public convenience absent the filing of any adverse public comments within the 20-day time period set forth in Ordering Paragraph No. 2.

4. The Respondent shall file an abandonment plan as established in our Local Service Provider Abandonment Process regulations at 52 Pa. Code § 63.306, absent the filing of any adverse public comments within the 20-day time period set forth in Ordering Paragraph No. 2.

5. This default order shall become final without further order of this Commission and the certificates of public convenience held by New Rochelle Telephone Corp. at A-311228 and A-311228F0002 shall be cancelled, and the Company's name stricken from all active utility lists maintained by the Tariff and Annual Report Section of the Commission's Bureau of Fixed Utility Services and the Assessment Section of the Bureau of Administrative Services, absent the filing of a written response by the Respondent within the 20-day comment period as set forth in Ordering Paragraph No. 2.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 08-704. Filed for public inspection April 11, 2008, 9:00 a.m.]

Finding of Necessity

A-2008-2033601. PECO Energy Company. Application of PECO Energy Company for a Finding of Necessity, under section 619 of the Pennsylvania Municipalities Planning Code (53 P. S. § 10619), for the situation of one building on a site containing approximately 10 acres, located near the intersection of Wentz Church and Fisher Roads in Worcester Township, Montgomery County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the

¹ Cancellation of the Respondent's certificates shall occur 55 days after publication in the *Pennsylvania Bulletin*. This period of time covers the 20 day comment period and contemplates the filing of an abandonment plan 35 days in advance of abandoning services pursuant to § 63.306(b), on day 20, and assuming no meritorious response is filed.

applicant, on or before April 28, 2008. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the applicant's business address.

Applicant: Peco Energy Company

Through and By Counsel: Ward L. Smith, Esquire, Exelon Business Services Company, 2301 Market Street/S23-1, Philadelphia, PA 19101-8699

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 08-705. Filed for public inspection April 11, 2008, 9:00 a.m.]

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by April 28, 2008. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Application of the following for approval to *begin operating as common carriers* for transportation of *persons* as described under the application.

A-2008-2025521. Jerry M. and Margaret E. Allen (566 Bowser Road, Blairsville, Indiana County, PA 15717), to begin to transport, as a common carrier, by motor vehicle, persons in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, from points in Brush Valley Township, Indiana County, to points in Pennsylvania, and return.

Application of the following for approval of the *beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of persons by transfer of rights* as described under the application.

A-2008-2029569. Crown Limousine, Inc. (15 Joshua Drive, Richboro, Bucks County, PA 18954)—a corporation of the Commonwealth, for the transfer of all of the operating rights of Crown Royal Limousine and Transportation, Inc., A-00120859, subject to the same limitations and conditions. *Attorney:* David P. Temple, Esquire, 1760 Market Street, Suite 1100, Philadelphia, PA 19103.

Application of the following for the approval of the *transfer of stock* as described under the application.

A-00109011, F.5000. Armen Limousine Corporation (12524 Torrey Avenue, Philadelphia, Philadelphia County, PA 19154)—a corporation of the Commonwealth, for the

approval of the transfer of 100 shares of issued and outstanding shares held by Armen Carapetian to Michael Schmidt.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 08-706. Filed for public inspection April 11, 2008, 9:00 a.m.]

Telecommunications

A-2008-2032619. Verizon North, Inc. and Bandwidth.com CLEC, LLC. Joint petition of Verizon North, Inc. and Bandwidth.com CLEC, LLC for approval of an interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon North, Inc. and Bandwidth.com CLEC, LLC, by its counsel, filed on March 24, 2008, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Verizon North, Inc. and Bandwidth.com CLEC, LLC joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 08-707. Filed for public inspection April 11, 2008, 9:00 a.m.]

Telecommunications

A-2008-2032337. Verizon Pennsylvania, Inc. and Bandwidth.com CLEC, LLC. Joint petition of Verizon Pennsylvania, Inc. and Bandwidth.com CLEC, LLC for approval of an interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon Pennsylvania, Inc. and Bandwidth.com CLEC, LLC, by its counsel, filed on March 21, 2008, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Verizon Pennsylvania, Inc. and Bandwidth.com CLEC, LLC joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 08-708. Filed for public inspection April 11, 2008, 9:00 a.m.]

Transfer by Sale

A-2008-2034045 and A-2008-2034047. UGI Utilities, Inc. and PPL Gas Utilities Corporation. Application of UGI Utilities, Inc. and PPL Gas Utilities Corporation for approval of the Transfer by Sale of 100% of the Issued and Outstanding Stock of PPL Gas Utilities Corporation to UGI Utilities, Inc.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before April 22, 2008. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the applicant's business address.

Applicant: UGI Utilities, Inc. and PPL Gas Utilities Corporation

Through and By Counsel: Thomas J. Sniscak, Esquire, Kevin J. McKeon, Esquire, Hawke, McKeon and Sniscak, LLP, 100 North Tenth Street, P. O. Box 1778, Harrisburg, PA 17101

John H. Isom, Esquire, Post & Schell, PC, 17 North Second Street, 12th Floor, Harrisburg, PA 17101-1601

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 08-709. Filed for public inspection April 11, 2008, 9:00 a.m.]

PHILADELPHIA REGIONAL PORT AUTHORITY

Request for Bid; Cancelled

The Philadelphia Regional Port Authority published a notice at 38 Pa.B. 1573 (March 29, 2008) seeking bids for Project No. 08-028.P, Roofing Supplies. The project has been cancelled.

JAMES T. MCDERMOTT, Jr.,
Executive Director

[Pa.B. Doc. No. 08-710. Filed for public inspection April 11, 2008, 9:00 a.m.]

PUBLIC SCHOOL EMPLOYEES' RETIREMENT BOARD

Hearings Scheduled

Hearings have been scheduled, as authorized by 24 Pa.C.S. Part IV (relating to Public School Employees' Retirement Code), in connection with the Public School Employees' Retirement System's (System) denial of claimants' requests concerning the indicated accounts.

The hearings will be held before a hearing examiner at the Public School Employees' Retirement System, 5 North Fifth Street, Harrisburg, PA 17101:

May 7, 2008	Alison E. Brady (Disability)	1 p.m.
May 14, 2008	Joanne M. Keglovits (Purchase of Service)	1 p.m.
July 9, 2008	Gretchen H. Nelson (Frozen Present Value)	1 p.m.
July 23, 2008	Dr. John K. Baillie (Retirement Covered Compensation)	1 p.m.
August 6, 2008	David M. Zula (Class T-D)	1 p.m.
August 20, 2008	Regina G. Marsilio (Purchase of Service)	1 p.m.
September 24, 2008	Lois B. Roney (Purchase of Service)	1 p.m.
October 8, 2008	Janice M. Segal (Waiver of Repayment)	1 p.m.

Persons with a disability, who wish to attend the previously-listed hearings, and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact Marilyn Fuller-Smith, Assistant to the Executive Director, (717) 720-4921 to discuss how the System may best accommodate their needs.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearings will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Under 22 Pa. Code § 201.1 (relating to applicability of general rules), procedural matters will be in conformance with 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure), unless specific exemption is granted.

JEFFREY B. CLAY,
Executive Director

[Pa.B. Doc. No. 08-711. Filed for public inspection April 11, 2008, 9:00 a.m.]

STATE BOARD OF BARBER EXAMINERS

Bureau of Professional and Occupational Affairs v. Martin Rodriguez; Doc. No. 0308-42-2008

On February 15, 2008, Martin Rodriguez, of Philadelphia, Philadelphia County, had his license suspended, based on his failure to comply with a previously issued State Board of Barber Examiners (Board) order.

Individuals may obtain a copy of the adjudication by writing to C. William Fritz, II, Board Counsel, State Board of Barber Examiners, P. O. Box 2649, Harrisburg, PA 17105-2649.

This adjudication and order represents the final Board decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a

petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review. The Board contact for receiving service of the appeals is the previously-named Board counsel.

VINCENT IACONO,
Chairperson

[Pa.B. Doc. No. 08-712. Filed for public inspection April 11, 2008, 9:00 a.m.]

petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review. The Board contact for receiving service of the appeals is the previously-named Board counsel.

SUSAN E. RINEER,
Chairperson

[Pa.B. Doc. No. 08-714. Filed for public inspection April 11, 2008, 9:00 a.m.]

STATE BOARD OF COSMETOLOGY

Bureau of Professional and Occupational Affairs v. Joy Abdul Aleem, f/k/a Freda Joy Coates; Doc. No. 0058-45-2008

On January 9, 2008, Joy Abdul Aleem, f/k/a Freda Joy Coates, of Philadelphia, Philadelphia County, had her license suspended, based on her nonpayment of a civil penalty issued by the State Board of Cosmetology (Board).

Individuals may obtain a copy of the adjudication by writing to C. William Fritz, II, Board Counsel, State Board of Cosmetology, P. O. Box 2649, Harrisburg, PA 17105-2649.

This adjudication and order represents the final Board decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review. The Board contact for receiving service of the appeals is the previously-named Board counsel.

SUSAN E. RINEER,
Chairperson

[Pa.B. Doc. No. 08-713. Filed for public inspection April 11, 2008, 9:00 a.m.]

Bureau of Professional and Occupational Affairs v. Pamela J. Bazzoli; Doc. No. 0060-45-2008

On January 9, 2008, Pamela J. Bazzoli, of Kennett Square, Chester County, had her license suspended, based on her nonpayment of a civil penalty issued by the State Board of Cosmetology (Board).

Individuals may obtain a copy of the adjudication by writing to C. William Fritz, II, Board Counsel, State Board of Cosmetology, P. O. Box 2649, Harrisburg, PA 17105-2649.

This adjudication and order represents the final Board decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a

Bureau of Professional and Occupational Affairs v. Mary McMillan Harris; Doc. No. 0315-45-2008

On February 19, 2008, Mary McMillan Harris, of San Luis Rey, CA, had her Pennsylvania license to practice cosmetology suspended, based on her failure to comply with a previously issued State Board of Cosmetology (Board) order.

Individuals may obtain a copy of the adjudication by writing to C. William Fritz, II, Board Counsel, State Board of Cosmetology, P. O. Box 2649, Harrisburg, PA 17105-2649.

This adjudication and order represents the final Board decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review. The Board contact for receiving service of the appeals is the previously-named Board counsel.

SUSAN E. RINEER,
Chairperson

[Pa.B. Doc. No. 08-715. Filed for public inspection April 11, 2008, 9:00 a.m.]

Bureau of Professional and Occupational Affairs v. Jennifer Osborne, t/d/b/a Satin Touch; Doc. No. 0316-45-2008

On February 19, 2008, Jennifer Osborne, t/d/b/a Satin Touch, of Philadelphia, Philadelphia County, had her license to practice cosmetology suspended, based on her failure to comply with a previously issued State Board of Cosmetology (Board) order.

Individuals may obtain a copy of the adjudication by writing to C. William Fritz, II, Board Counsel, State Board of Cosmetology, P. O. Box 2649, Harrisburg, PA 17105-2649.

This adjudication and order represents the final Board decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review.

The Board contact for receiving service of the appeals is the previously-named Board counsel.

SUSAN E. RINEER,
Chairperson

[Pa.B. Doc. No. 08-716. Filed for public inspection April 11, 2008, 9:00 a.m.]

Bureau of Professional and Occupational Affairs v. Nichole Price; Doc. No. 0319-45-2008

On February 19, 2008, Nichole Price, of Levittown, Bucks County, had her license to practice cosmetology suspended, based on her failure to comply with a previously issued State Board of Cosmetology (Board) order.

Individuals may obtain a copy of the adjudication by writing to C. William Fritz, II, Board Counsel, State Board of Cosmetology, P. O. Box 2649, Harrisburg, PA 17105-2649.

This adjudication and order represents the final Board decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review. The Board contact for receiving service of the appeals is the previously-named Board counsel.

SUSAN E. RINEER,
Chairperson

[Pa.B. Doc. No. 08-717. Filed for public inspection April 11, 2008, 9:00 a.m.]

STATE BOARD OF VEHICLE MANUFACTURERS, DEALERS AND SALESPERSONS

Bureau of Professional and Occupational Affairs v. Kenneth H. Cathcart; Doc. No. 0361-60-2008

On February 26, 2008, Kenneth H. Cathcart, of Jenkintown, Montgomery County, had his application for licensure as a vehicle salesperson provisionally denied, based on his criminal history.

Individuals may obtain a copy of the adjudication by writing to C. William Fritz, II, Board Counsel, State Board of Vehicle Manufacturers, Dealers and Salespersons, P. O. Box 2649, Harrisburg, PA 17105-2649.

This adjudication and order represents the final State Board of Vehicle Manufacturers, Dealers and Salespersons (Board) decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of your petition for review. The Board contact for receiving service of the appeals is the previously-named Board counsel.

GARY M. BARBERA,
Chairperson

[Pa.B. Doc. No. 08-718. Filed for public inspection April 11, 2008, 9:00 a.m.]

