

NOTICES

DEPARTMENT OF BANKING

Actions on Applications

The Department of Banking (Department), under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending September 27, 2011.

Under section 503.E of the Department of Banking Code (71 P. S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file their comments in writing with the Department of Banking, Corporate Applications Division, 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Section 112 Acquisitions

| <i>Date</i> | <i>Name and Location of Applicant</i> | <i>Action</i> |
|-------------|--|---------------|
| 5-10-2011 | Edward S. Crooks and Brian D. Selby Application for approval to collectively acquire up to 84.0% of the voting shares of Counsel Trust Company, York. | Effective |

Branch Applications

De Novo Branches

| <i>Date</i> | <i>Name and Location of Applicant</i> | <i>Location of Branch</i> | <i>Action</i> |
|-------------|--|--|---------------|
| 9-19-2011 | Ambler Savings Bank Ambler Montgomery County | 1120 Meetinghouse Road Gwynedd Montgomery County (Limited Service Facility) | Opened |
| 9-19-2011 | Ambler Savings Bank Ambler Montgomery County | 9000 Twin Silo Drive Blue Bell Montgomery County (Limited Service Facility) | Opened |
| 9-20-2011 | Ambler Savings Bank Ambler Montgomery County | 3205 Skippack Pike Worcester Montgomery County (Limited Service Facility) | Opened |

Branch Discontinuances

| <i>Date</i> | <i>Name and Location of Applicant</i> | <i>Location of Branch</i> | <i>Action</i> |
|-------------|--|---|---------------|
| 9-22-2011 | Firsttrust Savings Bank Conshohocken Montgomery County | 701 Hamilton Mall Allentown Lehigh County | Approved |

SAVINGS INSTITUTIONS

No activity.

CREDIT UNIONS

No activity.

The Department's web site at www.banking.state.pa.us includes public notices for more recently filed applications.

GLENN E. MOYER,
Secretary

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, actions and special notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

| <i>Location</i> | <i>Permit Authority</i> | <i>Application Type or Category</i> |
|-----------------|-------------------------|--|
| Section I | NPDES | Renewals |
| Section II | NPDES | New or Amendment |
| Section III | WQM | Industrial, Sewage or Animal Waste; Discharge into Groundwater |
| Section IV | NPDES | MS4 Individual Permit |
| Section V | NPDES | MS4 Permit Waiver |
| Section VI | NPDES | Individual Permit Stormwater Construction |
| Section VII | NPDES | NOI for Coverage under NPDES General Permits |

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

| <i>NPDES No. (Type)</i> | <i>Facility Name & Address</i> | <i>County & Municipality</i> | <i>Stream Name (Watershed #)</i> | <i>EPA Waived Y/N?</i> |
|---------------------------------|--|---|--------------------------------------|----------------------------|
| PA0026646 Amendment No. 1 | Antietam Valley Municipal Authority 502 Butter Lane Reading, PA 19606-1604 | Berks County St. Lawrence Borough Exeter Township | Antietam Creek/ 3-C | Y |

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

| <i>NPDES No. (Type)</i> | <i>Facility Name & Address</i> | <i>County & Municipality</i> | <i>Stream Name (Watershed#)</i> | <i>EPA Waived Y/N?</i> |
|-----------------------------|--|--|-------------------------------------|----------------------------|
| PA0104108 | Hickory View Terrace WWTP 169 Terrace Drive New Castle, PA 16102 | Lawrence County North Beaver Township | 20-B | Y |

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401

PA0058378, Sewage, SIC Code 4952, **Upper Uwchlan Township Municipal Authority**, 140 Pottstown Pike, Chester Springs, PA 19425-9516. Facility Name: St Andrews Brae STP. This existing facility is located in Upper Uwchlan Township, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream, Black Horse Creek, is located in State Water Plan watershed 3-H and is classified for High Quality Waters—Trout Stocking and Migratory fishery, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0036 MGD.

| <i>Parameters</i> | <i>Mass (lb/day)</i> | | | <i>Concentration (mg/l)</i> | | |
|-------------------------------------|----------------------------|---------------------------|-----------------------------|-----------------------------|---------------------------|-----------------------------|
| | <i>Average Monthly</i> | <i>Weekly Average</i> | <i>Instant. Minimum</i> | <i>Average Monthly</i> | <i>Weekly Average</i> | <i>Instant. Maximum</i> |
| Flow (MGD) | Report | Report Daily Max | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 | XXX | XXX | 9.0 |
| Dissolved Oxygen | XXX | XXX | 6.0 | XXX | XXX | XXX |
| Total Residual Chlorine | XXX | XXX | XXX | 0.5 | XXX | 1.2 |
| CBOD ₅ May 1 - Oct 31 | 0.30 | 0.45 | XXX | 10 | 15 | 20 |
| CBOD ₅ Nov 1 - Apr 30 | 0.60 | 0.90 | XXX | 20 | 30 | 40 |
| Total Suspended Solids | 0.30 | 0.45 | XXX | 10 | 15 | 20 |
| Fecal Coliform (CFU/100 ml) | XXX | XXX | XXX | 200 | XXX | 1000 |
| Total Nitrogen | Report | XXX | XXX | Geo Mean Report | XXX | XXX |
| Ammonia-Nitrogen May 1 - Oct 31 | 0.05 | XXX | XXX | 1.5 | XXX | 3.0 |
| Nov 1 - Apr 30 | 0.14 | XXX | XXX | 4.5 | XXX | 9.0 |
| Total Phosphorus May 1 - Oct 31 | 0.03 | XXX | XXX | 1.0 | XXX | 2.0 |
| Nov 1 - Apr 30 | 0.06 | XXX | XXX | 2.0 | XXX | 4.0 |

In addition, the permit contains the following major special conditions:

- A. Operator Notification
- B. Average Weekly Reporting
- C. Remedial Measures if Unsatisfactory Effluent
- D. No Stormwater
- E. Necessary Property Rights
- F. Change in Ownership
- G. Chlorine Minimization
- H. Proper Sludge Disposal
- I. Certified Operator
- J. 2/Month Sampling
- K. Laboratory Certification
- L. Fecal Coliform Reporting
- M. TMDL revision

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

PA0083712, Industrial Waste, SIC Code 4941, 221310, **Bear Valley Franklin County Pennsylvania Joint Authority**, PO Box 308, Saint Thomas, PA 17252-0294. Facility Name: Bear Valley Water Plant. This existing facility is located in Saint Thomas Township, **Franklin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Waste.

The receiving stream(s), Broad Run, is located in State Water Plan watershed 13-C and is classified for High Quality Waters—Cold Water Fishes, Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.05 MGD.

| <i>Parameters</i> | <i>Mass (lb/day)</i> | | | <i>Concentration (mg/l)</i> | | |
|-------------------------|------------------------|----------------------|----------------|-----------------------------|----------------------|-------------------------|
| | <i>Average Monthly</i> | <i>Daily Maximum</i> | <i>Minimum</i> | <i>Average Monthly</i> | <i>Daily Maximum</i> | <i>Instant. Maximum</i> |
| Flow (MGD) | Report | Report | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 | XXX | XXX | 9.0 |
| Total Residual Chlorine | XXX | XXX | 0.5 | XXX | XXX | 1.6 |
| Total Suspended Solids | Report | Report | XXX | 30 | 60 | 75 |
| Total Aluminum | 1.1 | 2.3 | XXX | 2.8 | 5.6 | 7.0 |
| Total Iron | Report | Report | XXX | 2.0 | 4.0 | 5.0 |
| Total Manganese | Report | Report | XXX | 1.0 | 2.0 | 2.5 |

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

| <i>Parameters</i> | <i>Mass (lbs)</i> | | <i>Minimum</i> | <i>Concentration (mg/l)</i> | |
|----------------------|-------------------|---------------|----------------|-----------------------------|----------------|
| | <i>Monthly</i> | <i>Annual</i> | | <i>Monthly Average</i> | <i>Maximum</i> |
| Kjeldahl—N | Report | | | Report | |
| Nitrate-Nitrite as N | Report | | | Report | |
| Total Nitrogen | Report | Report | | Report | |
| Total Phosphorus | Report | Report | | Report | |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0081043, Sewage, SIC Code 8052, **Guardian Elder Care Inc.**, 2 Manor Boulevard, Mifflintown, PA 17059-8757. Facility Name: Bridges at Brookline STP. This existing facility is located in Fermanagh Township, **Juniata County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Big Run, is located in State Water Plan watershed 12-A and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.024 MGD.

| <i>Parameters</i> | <i>Mass (lb/day)</i> | | | <i>Concentration (mg/l)</i> | | |
|-----------------------------|------------------------|----------------------|----------------|-----------------------------|-----|-------------------------|
| | <i>Average Monthly</i> | <i>Daily Maximum</i> | <i>Minimum</i> | <i>Average Monthly</i> | | <i>Instant. Maximum</i> |
| Flow (MGD) | Report | Report | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 | XXX | XXX | 9.0 |
| Dissolved Oxygen | XXX | XXX | 5.0 | XXX | XXX | XXX |
| Total Residual Chlorine | XXX | XXX | XXX | 0.5 | XXX | 1.6 |
| CBOD ₅ | XXX | XXX | XXX | 25 | XXX | 50 |
| Total Suspended Solids | XXX | XXX | XXX | 30 | XXX | 60 |
| Fecal Coliform (CFU/100 ml) | | | | | | |
| May 1 - Sep 30 | XXX | XXX | XXX | 200 | XXX | 1,000 |
| Oct 1 - Apr 30 | XXX | XXX | XXX | Geo Mean 2000 | XXX | 10,000 |
| | | | | Geo Mean | | |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0046302, SIC Code 4941, **PA American Water**, 800 West Hersheypark Drive, Hummelstown, PA 17033. Facility Name: PA American Water Hershey. This existing facility is located in South Hanover Township, **Dauphin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated.

The receiving streams, Swatara Creek and Manada Creek, is located in State Water Plan watershed 7-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.2 MGD.

| Parameters | Mass (lb/day) | | | Concentration (mg/l) | | |
|-------------------------|---------------|---------------|------------|----------------------|------------|------------------|
| | Average | Daily | Minimum | Average | Daily | Instant. Maximum |
| | Monthly | Maximum | | Monthly | Maximum | |
| Flow (MGD) | Report XXX | Report XXX | XXX 6.0 | XXX XXX | XXX XXX | XXX 9.0 |
| Total Residual Chlorine | XXX | XXX | XXX | 0.5 | XXX | 1.6 |
| Total Suspended Solids | Report | Report | XXX | 30 | 60 | 75 |
| Total Aluminum | Report | Report | XXX | 4.0 | 8.0 | 10 |
| Total Iron | Report | Report | XXX | 2.0 | 4.0 | 5.0 |
| Total Manganese | Report | Report | XXX | 1.0 | 2.0 | 2.5 |

The proposed effluent limits for Outfall 002 are based on a design flow of 0.2 MGD.

| Parameters | Mass (lb/day) | | | Concentration (mg/l) | | |
|-------------------------|---------------|---------|---------|----------------------|---------|------------------|
| | Average | Daily | Minimum | Average | Daily | Instant. Maximum |
| | Monthly | Maximum | | Monthly | Maximum | |
| Flow (MGD) | Report | Report | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 | XXX | XXX | 9.0 |
| Total Residual Chlorine | XXX | XXX | XXX | 0.37 | XXX | 1.22 |
| Total Suspended Solids | Report | Report | XXX | 30 | 60 | 75 |
| Total Aluminum | Report | Report | XXX | 4.0 | 8.0 | 10 |
| Total Iron | Report | Report | XXX | 2.0 | 4.0 | 5.0 |
| Total Manganese | Report | Report | XXX | 1.0 | 2.0 | 2.5 |

The proposed effluent limits for Outfall 003 are based on a design flow of 0.00 MGD.

| Parameters | Mass (lb/day) | | | Concentration (mg/l) | | |
|-------------------------|---------------|---------|---------|----------------------|---------|------------------|
| | Average | Daily | Minimum | Average | Daily | Instant. Maximum |
| | Monthly | Maximum | | Monthly | Maximum | |
| Flow (MGD) | XXX | Report | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 | XXX | XXX | 9.0 |
| Total Residual Chlorine | XXX | XXX | XXX | XXX | Report | XXX |

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 002.

| Parameters | Mass (lbs) | | | Concentration (mg/l) | | |
|----------------------|------------|--------|---------|----------------------|---------|--|
| | Monthly | Annual | Minimum | Monthly | | |
| | | | | Average | Maximum | |
| Kjeldahl—N | Report | XXX | XXX | Report | XXX | |
| Nitrate-Nitrite as N | Report | XXX | XXX | Report | XXX | |
| Total Nitrogen | Report | Report | XXX | Report | XXX | |
| Total Phosphorus | Report | Report | XXX | Report | XXX | |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Northcentral Regional Office: Regional Water Management Program Manager, 208 W Third Street Suite 101, Williamsport, PA 17701-6448, Telephone: 570.327.3664.

PA0111759, Industrial Waste, SIC Code 2011, **Cargill Meat Solutions Corp**, PO Box 188, Wyalusing, PA 18853-0188. Facility Name: Cargill Meat Solutions Corp. This existing facility is located in Wyalusing Township, **Bradford County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Waste.

The receiving stream(s), Wyalusing Creek, is located in State Water Plan watershed 4-D and is classified for, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.528 MGD.

| <i>Parameters</i> | <i>Mass (lb/day)</i> | | | <i>Concentration (mg/l)</i> | | |
|---|------------------------|------------------------|----------------|-----------------------------|----------------------|-------------------------|
| | <i>Average Monthly</i> | <i>Daily Maximum</i> | <i>Minimum</i> | <i>Average Monthly</i> | <i>Daily Maximum</i> | <i>Instant. Maximum</i> |
| Flow (MGD) | Report | Report | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 | XXX | XXX | 9.0 |
| Total Residual Halogens | XXX | XXX | XXX | 0.5 | XXX | 1.6 |
| BOD ₅ | 368 | 737 | XXX | Report | Report | XXX |
| Total Suspended Solids | 439 | 877 | XXX | Report | Report | XXX |
| Total Dissolved Solids | Report | Report | XXX | Report | Report | XXX |
| Oil and Grease | 74 | 148 | XXX | 15 | 30 | 30 |
| Fecal Coliform (CFU/100 ml) | XXX | XXX | XXX | XXX | XXX | 400 |
| Nitrate-Nitrite as N | XXX | XXX | XXX | Report | XXX | XXX |
| Nitrate-Nitrite as N | Report | XXX | XXX | XXX | XXX | XXX |
| Total Nitrogen | Total Mo XXX | XXX | XXX | 134 | 194 | XXX |
| Total Nitrogen Effluent Net | Report Total Mo | XXX | XXX | XXX | XXX | XXX |
| Total Nitrogen | Report Total Mo | XXX | XXX | 134 | 194 | XXX |
| Total Nitrogen | XXX | Report Total Annual | XXX | XXX | XXX | XXX |
| Total Nitrogen Effluent Net (Interim) | XXX | Report Total Annual | XXX | XXX | XXX | XXX |
| Total Nitrogen Effluent Net (Final) | XXX | 19483 Total Annual | XXX | XXX | XXX | XXX |
| Ammonia-Nitrogen | XXX | XXX | XXX | 4.0 | 8.0 | XXX |
| Ammonia-Nitrogen | Report Total Mo | XXX | XXX | XXX | XXX | XXX |
| Ammonia-Nitrogen | XXX | Report Total Annual | XXX | XXX | XXX | XXX |
| Total Kjeldahl Nitrogen | XXX | XXX | XXX | Report | XXX | XXX |
| Total Kjeldahl Nitrogen | Report Total Mo | XXX | XXX | XXX | XXX | XXX |
| Total Phosphorus | XXX | XXX | XXX | Report | XXX | XXX |
| Total Phosphorus Effluent Net | Report Total Mo | XXX | XXX | XXX | XXX | XXX |
| Total Phosphorus | Report Total Mo | XXX | XXX | XXX | XXX | XXX |
| Total Phosphorus | XXX | Report Total Annual | XXX | XXX | XXX | XXX |
| Total Phosphorus Effluent Net (Interim) | XXX | Report Total Annual | XXX | XXX | XXX | XXX |
| Total Phosphorus Effluent Net (Final) | XXX | 1218 Total Annual | XXX | XXX | XXX | XXX |

In addition, the permit contains the following major special conditions:

- Chesapeake Bay Nutrient Requirements
- Chemical Additives Usage

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is not in effect.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Permit No. 1011401, Sewage, **Evans City Water & Sewer Authority**, 204 B. South Jackson St., Evans City, PA 16033. Facility Name: Evans City STP. This facility is located in Jackson Township, **Butler County**.

Description of Existing Activity: The applicant is proposing to replace the existing activated sludge/extended aeration treatment process with an SBR treatment process.

The improvements project will consist of the following major elements:

- The construction of a new plant headworks equipped with an automated bar screen and a grit removal unit.
- The installation of two extended aeration SBR tanks

- The installation of a UV disinfection unit
- The installation of an aerated sludge holding tank

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

WQM Permit No. 6675059 Amendment 11-1, Sewerage, Antietam Valley Municipal Authority, 502 Butter Lane, Reading, PA 19606-1604.

This proposed facility is located in St. Lawrence Borough and Exeter Township, **Berks County**.

Description of Proposed Action/Activity: Re-rate of existing sewage treatment hydraulic capacity to 2.45 mgd.

IV. NPDES Applications for Stormwater Discharges from MS4

V. Applications for NPDES Waiver Stormwater Discharges from MS4

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790

Monroe County Conservation District: 8050 Running Valley Road, Stroudsburg, PA 18360, 570-629-3060.

| <i>NPDES Permit No.</i> | <i>Applicant Name & Address</i> | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i> |
|-------------------------|--|---------------|---------------------|----------------------------|
| PAI024511006 | Arcadia North Land, LLC 101 E. Erie St. Suite 810 Chicago, IL 60611 | Monroe | Coolbaugh Township | Hawkey Run, HQ-CWF, MF |

Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701

Clearfield County Conservation District: 650 Leonard Street, Clearfield, PA 16830, (814) 765-2629

| <i>NPDES Permit No.</i> | <i>Applicant Name & Address</i> | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i> |
|-------------------------|---|---------------|---------------------|--|
| PAI041711003 | Eagle Environmental II LP 354 Alexander Spring Rd Ste 3 Carlisle PA 17015 | Clearfield | Chest Township | Pine Run EV, MF Chest Creek CWF, MF |

VII. List of NOIs for NPDES and/or Other General Permit Types

| | |
|--------|--------------------------------|
| PAG-12 | CAFOs |
| PAG-13 | Stormwater Discharges from MS4 |

STATE CONSERVATION COMMISSION

NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

NUTRIENT MANAGEMENT PLAN—PUBLIC NOTICE SPREADSHEET

| <i>Agricultural Operation Name and Address</i> | <i>County</i> | <i>Total Acres</i> | <i>Animal Equivalent Units</i> | <i>Animal Type</i> | <i>Special Protection Waters (HQ or EV or NA)</i> | <i>Renewal/ New</i> |
|--|---------------|--------------------|--------------------------------|-------------------------|---|---------------------|
| Noah W. Kreider & Sons LLP 1461 Lancaster Rd Manheim, PA 17545 | Lancaster | 1600 | 10986.76 | Layers/ Pullet/Dairy | NA | Renewal |
| Leshner's Poultry 1153 Swamp Fox Rd. Chambersburg, PA 17202 | Franklin | 2304.1 | 1001.6 | Poultry | NA | Renewal |

PUBLIC WATER SUPPLY (PWS) PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water

Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401

Application No. 4611520 Public Water Supply

Applicant **Oak Grove and Sales, Inc.**
 Township Hatfield
 County **Montgomery**
 Responsible Official William Forst
 2985 Cowpath Road
 Hatfield, PA 19440
 Type of Facility PWS

Application Received Date August 18, 2011
 Description of Action Installing one (1) 264 gal. storage in Pump House #1 and two (2) 264 gal. storage tanks in Pump House #2, modifying existing piping and installing new piping as necessary to accommodate the proposed storage tanks.

Application No. 1511521 Public Water Supply

Applicant **Aqua Pennsylvania, Inc.**
 Townships Tredyffrin and Schuylkill
 County **Chester**
 Responsible Official Mr. Thomas M. Kiely, P.E.
 P. O. Box 80794
 Valley Forge, PA 19484-0794

Type of Facility PWS
 Application Received Date August 1, 2011

Description of Action Construction of a new 2.0 MG storage tank at the Diamond Rock tank site in Chester County, PA.

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790

Permit No. 3911507, Public Water Supply.

Applicant **Nestle Waters North America Inc.**
 305 Nestle Way
 Breinigsville, Pa
 [Township or Borough] Upper Macungie Twp, **Lehigh Co.**

Responsible Official Michael Franceschetti, Plant Manager

Type of Facility Bottling plant
 Consulting Engineer Forino Edward Davis P.E.
 555 Mountain Home Rd
 Sinking Spring, Pa

Application Received Date 9/26/2011

Description of Action The installation of log 4 disinfection, UV unit, on the city water supply line at the Breinigsville Bottling Plant.

Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Williamsport, PA 17701

Application No. 4111503—Construction Public Water Supply.

Applicant **Lycoming County Water & Sewer Authority**
 [Township or Borough] Muncy Township
 County **Lycoming**
 Responsible Official Christine Weigle, Executive Director
 Lycoming County Water and Sewer Authority
 P. O. Box 186
 216 Old Cement Road
 Montoursville, PA 17754
 Type of Facility Public Water Supply
 Consulting Engineer David M. Swisher, P.E.
 HRG, Inc.
 474 Windmere Drive
 State College, PA 16801
 Application Received September 30, 2011
 Description of Action The interconnection of a 12" main with the proposed high service pump station and the existing water system around Lycoming Mall Circle.

Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Permit No. 4311503, Public Water Supply

Applicant **Sunnyview Mobile Home Park**
 Township Pymatuning Township
 County **Mercer**
 Responsible Official John Hamelly
 Type of Facility Public Water Supply
 Consulting Engineer Joseph Pacchioni, P.E.
 Herbert, Rowland, & Grubic, Inc.
 3755 East State Street
 Hermitage, PA 16148
 Application Received September 27, 2011
 Date
 Description of Action Installation of chlorine contact reactor to meet 4-Log disinfection requirements.

Central Office: Bureau Director, Water Standards and Facility Regulation, PO Box 8467, Harrisburg, PA 17105-8467

Permit No. [9996588], Public Water Supply.

Applicant **[Johnson's Pools and Spas]**
 [Township or Borough] [Owego, New York]
 Responsible Official [Eric A. Johnson, Owner]
 Type of Facility [Out of State Bulk Water Hauling System]
 Application Received [September 15, 2011]
 Date

Description of Action [Applicant requesting Department approval to sell bulk water in Pennsylvania. Drinking Water will be hauled from Town of Owego, New York using 6000-gallon tanker trucks.]

MINOR AMENDMENT

Applications Received Under the Pennsylvania Safe Drinking Water Act

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790

Application No. 4011511MA

Applicant **Aqua Pennsylvania, Inc.**
 [Township or Borough] Conyngham Township
Luzerne County
 Responsible Official Patrick R. Burke, Regional Manager
 Northeast & Central Operations
 Aqua Pennsylvania, Inc.
 1 Aqua Way
 White Haven, PA 18661
 Type of Facility Community Water System
 Consulting Engineer William A. LaDieu, PE
 CET Engineering Services
 1240 North Mountain Road
 Harrisburg, PA 17112
 717-541-0622
 Application Received September 26, 2011
 Date
 Description of Action Application for modification of the Wapwallopen well station facility to provide additional chlorine contact time.

Application No. 4011512MA, Minor Amendment.

Applicant **Crestwood School District**
 281 S. Mountain Blvd
 Mountain Top, Pa 18707
 [Township or Borough] Rice Twp. **Luzerne County**
 Responsible Official John Capasso
 Type of Facility Public Water System (NTNC)
 Consulting Engineer Harry E. Garman, P.E.
 Barry Isett & Associates
 PO Box 147
 Trexlertown, Pa
 Application Received 9/28/2011
 Date
 Description of Action The change of a corrosion control chemical at the Rice Elementary School.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, Pa 15222-4745

Application No. 5611516MA, Minor Amendment.

Applicant **Borough of Somerset**
 340 West Union Street
 Somerset, PA 15501

[Township or Borough] Somerset Borough
 Responsible Official Benedict Vinzani, Jr., Borough Manager
 Borough of Somerset
 340 West Union Street
 Somerset, PA 15501
 Type of Facility Water system
 Consulting Engineer The EADS Group, Inc.
 450 Aberdeen Drive
 Somerset, PA 15501
 Application Received Date September 30, 2011
 Description of Action Installation of approximately 3500 LF of 12" distribution line.

Application No. 5611517GWR, Minor Amendment.

Applicant **Garrett Borough**
 307 Municipal Drive
 Garrett, PA 15542
 [Township or Borough] Garrett Borough
 Responsible Official Ron Duerring, President
 Garrett Borough
 307 Municipal Drive
 Garrett, PA 15542
 Type of Facility Water system
 Consulting Engineer
 Application Received Date September 29, 2011
 Description of Action Demonstration for 4-log removal of viruses for groundwater sources.

Application No. 5020024, Minor Amendment.

Applicant **Hampton Shaler Water Authority**,
 3101 McCully Road,
 PO Box 66,
 Allison Park, PA 15101
 [Township or Borough] Hampton Township, Shaler Borough
 Responsible Official Samuel Scarfone, Executive Director
 Hampton Shaler Water Authority,
 3101 McCully Road,
 PO Box 66,
 Allison Park, PA 15101
 Type of Facility New water system
 Consulting Engineer
 Application Received Date September 26, 2011
 Description of Action Transfer of the Hampton Township Water Authority and Shaler Township Water System to the new Hampton Shaler Water Authority.

Application No. 1111508MA, Minor Amendment.
 Applicant **Municipal Authority of the Borough of Portage**,
 606 Cambria Street,
 Portage, PA 15946
 [Township or Borough] Portage Township
 Responsible Official Raymond Vandzura, Chairman
 Municipal Authority of the Borough of Portage,
 606 Cambria Street,
 Portage, PA 15946
 Type of Facility water system
 Consulting Engineer The EADS Group, Inc.
 450 Aberdeen Drive
 Somerset, PA 15501
 Application Received Date September 19, 2011
 Description of Action Installation of new filter media.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907)

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P. S. §§ 6026.302—6026.305) require the Department to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. A person intending to use the background standard, Statewide health standard, the site-specific standard or intend to remediate a site as a special industrial area shall file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of cleanup standards or receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the following site, proposed for remediation to a site-specific standard or as a special industrial area,

the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified as follows. During this comment period, the municipality may request that the person identified as the mediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the mediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office listed before the notice. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Northeast Region: Eric Supey, Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Green Acres MHP/Szoke Residence, 8989 Breinigs Run Circle, Upper Macungie Township, **Lehigh County**. Christopher A. Jacangelo, J. Rockwood & Associates, Inc., P. O. Box 1006, Easton, PA 18044 has submitted a Notice of Intent to Remediate (on behalf of his client, MHC Green Acres, LP, c/o Equity Lifestyle Properties, Inc., Two North Riverside Plaza, Suite 800, Chicago, IL 60606), concerning the remediation of soil found to have been impacted by No. 2 fuel oil/kerosene as a result of an accidental release occurring from an aboveground storage tank, which is located outside the residential dwelling. A summary of the Notice of Intent to Remediate is expected to be published in a local newspaper serving the general area sometime in the near future.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

FedEx Freight, Inc., 2030 North Union Street, Middletown, PA 17057, Lower Swatara Township, **Dauphin County**. Bureau Veritas North America, Inc., 110 Fieldcrest Avenue, Edison, NJ 08837, on behalf of FedEx, Freight, Inc., 3405 Victor Street, Santa Clara, CA 95054, submitted a Notice of Intent to Remediate site soils contaminated with petroleum hydrocarbons from an oil/water separator. The site will be remediated to the non-residential Statewide Health Standard, and will continue operating as a trucking terminal or commercial/industrial site.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS NEW SOURCES AND MODIFICATIONS

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities.

Copies of these applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the regional office listed before the applications. Persons interested in reviewing the application files should contact the appropriate regional office to schedule appointments.

Persons wishing to receive a copy of a proposed Plan Approval or Operating Permit shall indicate interests to the Department regional office within 30 days of the date of this notice and shall file protests or comments on a proposed Plan Approval or Operating Permit within 30 days of the Department providing a copy of the proposed documents to persons or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that hearings be held concerning a proposed Plan Approval or Operating Permit. A comment or protest filed with the Department regional office shall include a concise statement of the objections to the issuance of the Plan Approval or Operating Permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121—143, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: M. Gorog & B. Hatch, Environmental Engineer Managers—Telephone: 412-442-4163/5226

63-00955B: National Fuel Gas Supply Corp. (1100 State Street, Erie, PA 16512) for installation of two new turbines at their Buffalo Compressor Station in Buffalo Township, **Washington County**.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Chief, East Permitting Section—Telephone: 717-705-4862 or Daniel Husted, Chief, West Permitting Section—Telephone: 717-705-4862

36-03186A: Kline's Services, Inc. (5 Holland Street, Salunga, PA 17538) for installation of an anaerobic waste

digester process to produce electricity at their Kline's Services, Inc. facility in East Hempfield Township, **Lancaster County**.

In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to the abovementioned company for the abovementioned project.

Plan Approval #36-03186A is for the construction of an anaerobic waste digester process to generate electricity. The process will include the construction of one (1) digester, one (1) 1,057 bhp biogas fired IC engine and one (1) 852 kwe generator. The air contaminant emissions from the operation of the biogas fired engine will be controlled by an H₂S biogas scrubber. The company shall be subject to and comply with 40 CFR 63 Subpart ZZZZ—National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines and 40 CFR 60 Subpart JJJJ—Standards of Performance for Stationary Spark Ignition Internal Combustion Engines. CO, NO_x and VOCs will be controlled by a lean burn engine combustion system with automatic air/fuel ratio control. PM will be controlled with a gas particulate filter. SO_x will be controlled by an H₂S biogas scrubber. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements. The expected actual air emissions from the proposed project are 1.53 tpy of PM₁₀, 20.41 tpy of NO_x, 22.45 tpy of CO and 10.21 tpy of VOCs.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

A person may oppose the proposed plan approval, or may provide the Department with additional information to consider in its review, by filing a written protest with the Department at the address listed above. Each written comment must contain the following:

- Name, address and telephone number of the person submitting the comments.
- Identification of the proposed permit by the permit number listed above.
- A concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period, from the date of publication of this notice in the *Pennsylvania Bulletin*, will exist for the submission of comments or protests.

Mr. Thomas Hanlon, East Permitting Section Chief, may be contacted at 717-705-4862, or at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments or protests.

Plan approvals issued to sources identified in 25 Pa. Code § 127.44(b)(1)–(4) or plan approvals issued to sources with limitations on the potential to emit may become part of the SIP, and will be submitted to EPA for review and approval.

06-03029C: Yuasa Battery, Inc. (2901 Montrose Ave., Laureldale, PA 19605) for upgrading equipment at their Laureldale facility in Laureldale Borough, **Berks County**.

In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to the abovementioned company for the abovementioned project. This plan approval may be incorporated into the company's facility-wide permit via an administrative amendment at a later date.

Plan Approval 06-03029C is for replacing the existing remelt pot and small parts caster with a new melt pot and a new lead cylinder casting operation controlled by a baghouse followed by a HEPA filter; installing a new ball mill for making lead oxide controlled by a baghouse followed by a HEPA filter; and installing three new silos for storage of lead oxide controlled by bin vent filters with HEPA filters. The company shall be subject to and comply with 40 CFR 60, Subpart KK; 40 CFR 63, Subpart P P P P P P; and Best Available Technology (BAT). The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements. The proposed project will increase the facility's potential-to-emit by 0.022 ton/yr of lead oxide.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110. A person may oppose the proposed plan approval, or may provide the Department with additional information to consider in its review, by filing a written protest with the Department at the address listed above. Each written comment must contain the following:

- Name, address and telephone number of the person submitting the comments.
- Identification of the proposed permit by the permit number listed above.
- A concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period, from the date of publication of this notice in the *Pennsylvania Bulletin*, will exist for the submission of comments or protests.

Mr. Thomas Hanlon may be contacted at 717-705-4862, or at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments or protests.

Plan approvals issued to sources identified in 25 Pa. Code § 127.44(b)(1)–(4) or plan approvals issued to sources with limitations on the potential to emit may become part of the SIP, and will be submitted to EPA for review and approval.

06-03117F: Custom Processing Services, Inc. (2 Birchmont Drive, Reading, PA 19606) for construction of an additional micro milling unit and associated collection system at their facility in Exeter Township, **Berks County**.

In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to the above mentioned company for the above mentioned project. This plan approval may be incorporated into the company's facility-wide permit via an administrative amendment at a later date.

This plan approval is for the authorization to construct an additional micronizer grinder. Particulate matter (PM) emissions are not expected to increase beyond 3.94 tons per year. The Plan Approval and Operating permit will

contain additional testing, recordkeeping, and operating restrictions designed to keep the facility operating within all applicable air quality requirements. The project will not trigger PSD or NSR requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

A person may oppose the proposed plan approval, or may provide the Department with additional information to consider in its review, by filing a written protest with the Department at the address listed above. Each written comment must contain the following:

- Name, address and telephone number of the person submitting the comments.
- Identification of the proposed permit by the permit number listed above.
- A concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period, from the date of publication of this notice in the *Pennsylvania Bulletin*, will exist for the submission of comments or protests, or for requests for a public hearing. A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received.

Tom Hanlon, East Permitting Section Chief, may be contacted at 717-705-4862, or at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments, protests, or requests for a public hearing.

Plan approvals issues to sources identified in 25 Pa. Code § 127.44(b)(1)–(4) or plan approvals issued to sources with limitations on the potential to emit may become part of the SIP, and will be submitted to EPA for review and approval.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636

37-332A: Amerikohl Aggregates, Inc.—McMillin Mine (1384 State Route 711, Stahlstown, PA 15687) for construction of a limestone processing plant at their facility in Wayne Township, **Lawrence County**.

Pursuant to 25 Pa. Code §§ 127.44(b) and 127.424(b), the Pennsylvania Department of Environmental Protection (DEP) intends to issue Plan Approval 37-332A to Amerikohl Aggregates, Inc. for the construction of a limestone processing plant at their McMillin Mine facility located on Chewton-Wurtemberg Rd., Wayne Township, Lawrence County. The Plan Approval will subsequently be incorporated into the facility's Operating Permit through an administrative amendment in accordance with 25 Pa. Code § 127.450.

Plan Approval No. 37-332A is for the construction of a 500 ton/hour capacity limestone processing plant, which will consist of sixteen (16) conveyors, two (2) crushers, two (2) screens, a 440 bhp diesel-fired generator, and associated stockpiles and paved and unpaved roadways. Based on the information provided by the applicant and DEP's own analysis, the proposed source will emit a maximum of 37.2 tons of particulate matter, 11.5 tons of which will be particulate matter less than 10 microns (PM-10), 2.7 tons of carbon monoxide, 3.1 tons combined

of nitrogen oxides and volatile organic compounds (VOC), and 0.98 ton of sulfur oxides per year.

The proposed facility will be limited to an annual throughput not to exceed 650,000 tons per year of material processed, and will be subject to the applicable requirements of 40 CFR Subparts 000 (Standards of Performance for Nonmetallic Mineral Processing Plants) and IIII (Standards of Performance for Stationary Compression Ignition Internal Combustion Engines). The Plan Approval will contain testing, monitoring, recordkeeping, and work practice requirements designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis, and other documents used in the evaluation are available for public inspection between the hours of 8 a.m. and 4 p.m. weekdays at the address shown below. To make an appointment, contact Records Management at 814-332-6340.

Anyone wishing to provide DEP with additional information they believe should be considered may submit the information to the address shown below. Comments must be received by the Department within 30 days of the last day of publication. Written comments should include the following:

1. Name, address, and telephone number of the person submitting comments.
2. Identification of the proposed Plan Approval; No. 37-332A.
3. Concise statement regarding the relevancy of the information or any objections to issuance of the Plan Approval.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted on the comments received during the public comment period. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in a local newspaper of general circulation or the *Pennsylvania Bulletin* or by telephone, where the Department determines such notification is sufficient. Written comments or requests for a public hearing should be directed to John Guth, Regional Air Quality Manager, Department of Environmental Protection, Northwest Regional Office, 230 Chestnut St., Meadville, PA 16335, 814-332-6940.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104

Contact: Edward Wiener, Chief—Telephone: 215-685-9426

AMS 11004: Southeastern Pennsylvania Transportation Authority—Comly Bus Shop (Penn and Comly Streets, Philadelphia, PA 19149) for installation of the following: two (2) 10.5 MMBtu/hr boiler, each firing natural gas or #2 fuel oil; one (1) 5.25 MMBtu/hr boiler firing natural gas or #2 fuel oil; one (1) 0.56 MMBtu/, one 65 kilowatt emergency generator firing natural gas, and stage 2 vapor recovery unit in the City of Philadelphia, **Philadelphia County**. After the installation, there will be a potential emission increase of the following pollutants: 17.8 tpy of NO_x; 0.7 tpy of VOC, and 2.0 tpy of PM, 9.7 tpy of CO, and 23.9 tpy of SO_x. The Plan Approval will contain operating, monitoring, testing, recordkeeping, and reporting requirements to ensure operation within all applicable requirements.

AMS 11002: Southeastern Pennsylvania Transportation Authority—Fern Rock Subway Shop (11th and

Grange Street, Philadelphia, PA 19141) for installation of the following: two (2) 10.461 MMBtu/hr boiler to be derated to less than 9.9 MMBtu/hr, each firing natural gas or No. 2 fuel oil; three (3) pressure washers firing natural gas; one (1) 80 kilowatt diesel emergency generator; eight (8) parts washers, and one spray booth in the City of Philadelphia, **Philadelphia County**. After the installation, there will be a potential emission increase of the following pollutants: 15.4 tpy of NO_x; 2.1 tpy of VOC, and 1.7 tpy of PM, 8.3 tpy of CO, and 19.1 tpy of SO_x. The Plan Approval will contain operating, monitoring, testing, recordkeeping, and reporting requirements to ensure operation within all applicable requirements.

AMS 11044: SunGard Availability Services, Inc. (401 N Broad Street, Philadelphia, PA 19108) for installation, replacement, and modification of the following sources in the City of Philadelphia, **Philadelphia County**:

1. Replacement one (1) 2036 kilowatt (kW) Emergency Generator with a 2000 kW Emergency Generator with Selective Catalytic Reductive (SCR) control device for Nitrogen Oxides (NO_x),

2. Installation of two (2) 2000 kW emergency generators, each equipped with NO_x SCR Control Device.

3. Modify the requirement under Plan Approval No. 10135 for an annual catalytic activities test to be conducted on each NO_x SCR to at least every two (2) years.

4. Modify the requirement under Plan Approval No. 10135 for continuous temperature monitors and recorders to be installed on each of the SCR for Emergency Generator Nos. 2 thru 9 with the following requirements:

(a) NO_x portable analyzer test or NO_x stack test at least every five (5) years.

(b) Tuning of the SCR injection control panel at least every five (5) years

After the replacement, installation, and modification there will be a potential decrease of 8.8 tpy of NO_x; and a potential increase of 4.5 tpy for Sulfur Oxides, 21.4 tpy for Carbon Monoxide, and 6.8 tpy for Particulate Matter. The Plan Approval will contain operating, testing, monitoring, recordkeeping, and reporting requirements to ensure operation within all applicable requirements.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Chief, East Permitting Section—Telephone: 717-705-4862 or Daniel Husted, Chief, West Permitting Section—Telephone: 717-705-4862

01-05009: Raven Rock Mountain Complex (201 Beasley Drive, Suite 100, Fort Detrick, MD 21702) for operation of their communication facility in Liberty Township, **Adams County**. This is a renewal of the Title V Operating permit issued in January 2007.

In accordance with 25 Pa. Code §§ 127.424, 127.425 and 127.521, the Department of Environmental Protection (DEP) has received an application and intends to issue an Air Quality Operating Permit for the above-mentioned facility. Actual emissions for calendar year 2010 included 9.7 tons of NO_x and 2.5 tons of CO. The Operating Permit will include emission limits and work

practice standards along with monitoring, recordkeeping, and reporting requirements to ensure the facility complies with the applicable air quality regulations.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the PA DEP Southcentral Regional Office at 909 Elmerton Avenue, Harrisburg, PA 17110.

A person may oppose the proposed operating permit, or may provide the Department with additional information to consider in its review, by filing a written protest with the Department at the address listed above. Each written comment must contain the following:

- Name, address and telephone number of the person submitting the comments.
- Identification of the proposed permit by the permit number listed above.
- A concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period, from the date of publication of this notice in the *Pennsylvania Bulletin*, will exist for the submission of comments or protests.

Daniel C. Husted, PE, Chief, West Permitting Section, may be contacted at 717-705-4863, or at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments or protests.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6131

62-00012: Pittsburgh Glass Works, LLC—Meadville Works 8 (PO Box 800, Kebert Industrial Park, Meadville, PA 16335-6600) to modify the Title V Operating Permit for this glass manufacturing facility, in Greenwood Township, **Crawford County**. The modification was at the request of the permittee and incorporates the requirements from 25 Pa. Code 129.301—129.310, Control of NO_x Emissions from Glass Melting Furnaces. The permittee has requested an alternative compliance schedule for Source ID: 102—Furnace 8-2 as permitted under the PA Glass Melting Furnace NO_x Rule. The language contained in 25 Pa. Code 129.304(c)(2) allows the permittee to submit a petition, in writing, requesting an alternative compliance schedule. Their petition is requesting that Source ID: 102—Furnace 8-2 be exempted from the PA Glass Melting Furnace NO_x Rule until after the next scheduled cold shutdown which is currently projected to be in the year 2024.

Intent to Issue Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19428

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920

23-00015: BMR-145 King of Prussia Road LP, (145 King of Prussia Road, Radnor, PA 19087) for a Non-Title V Facility, State-Only, Synthetic Minor Permit in Radnor Township, **Delaware County**. The sources of emissions include boilers and emergency generators. The facility has a potential to emit less than 25 tons per year of Nitrogen

Oxides (NO_x). Monitoring, record keeping and reporting requirements have been added to the permit to address applicable limitations.

23-00099: Haven Memorial Park (2500 Concord Road, Chester, PA 19013) for operation of a human crematory in Chester Township, **Delaware County**. The renewal permit is for a non-Title V (State only) facility. The sources of air emissions are 2 two-stage human crematory units, both firing on natural gas. The permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Chief, East Permitting Section—Telephone: 717-705-4862 or Daniel Husted, Chief, West Permitting Section—Telephone: 717-705-4862

06-05115: Granger Energy of Morgantown, LLC (16980 Wood Road, Lansing, MI 48906-1044) for operation of a landfill gas treatment plant in Caernarvon Township, **Berks County**.

In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) has received an application and intends to issue an Air Quality Operating Permit for the abovementioned facility.

The facility has minor fugitive emissions of volatile organic compounds from the various gas handling and treatment equipment at the plant. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR Part 60, Subpart WWW—Standards of Performance for Municipal Solid Waste Landfills and 40 CFR Part 63, Subpart AAAA—National Emission Standards for Hazardous Air Pollutants: Municipal Solid Waste Landfills.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the PA DEP Southcentral Regional Office, at 909 Elmerton Avenue, Harrisburg, PA 17110.

A person may oppose the proposed operating permit, or may provide the Department with additional information to consider in its review, or may request a public hearing, by filing a written protest with the Department at the address listed above. Each written comment must contain the following:

- Name, address and telephone number of the person submitting the comments.
- Identification of the proposed permit by the permit number listed above.
- A concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period, from the date of publication of this notice in the *Pennsylvania Bulletin*, will exist for the submission of comments or protests.

Tom Hanlon, Chief, East Permitting Section, may be contacted at 717-705-4862, or at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments or protests

38-03016: PA Precision Cast Parts, Inc. (521 North 3rd Avenue, Lebanon, PA 17042) for their steel foundry in Lebanon City, **Lebanon County**.

In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) has received an application and intends to issue an Air Quality Operating Permit for the abovementioned facility.

The subject facility has potential emissions of 1.49 tpy of NO_x, 2.51 tpy of CO and 3.66 tpy of VOCs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR Part 63 Subpart ZZZZZ—National Emission Standards for Hazardous Air Pollutants for Iron and Steel Foundries Area Sources.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the PA DEP Southcentral Regional Office, at 909 Elmerton Avenue, Harrisburg, PA 17110.

A person may oppose the proposed plan approval, or may provide the Department with additional information to consider in its review, or may request a public hearing, by filing a written protest with the Department at the address listed above. Each written comment must contain the following:

- Name, address and telephone number of the person submitting the comments.
- Identification of the proposed permit by the permit number listed above.
- A concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period, from the date of publication of this notice in the *Pennsylvania Bulletin*, will exist for the submission of comments or protests.

Mr. Thomas Hanlon, Chief, East Permitting Section may be contacted at 717-705-4862, or at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments or protests.

01-05019: Colonial Fiberglass Industries, Inc. (262 Church Street, Hanover, PA 17331) for operation of their fiberglass automotive after-market accessories manufacturing facility in Conewago Township, **Adams County**.

In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) has received an application and intends to issue a renewal of an Air Quality Operating Permit for the abovementioned facility.

The subject facility has actual emissions of 3 TPY of VOC and 3 TPY of styrene. The Operating Permit will include emission limits and work practice standards along with testing, monitoring, record keeping and reporting requirements to ensure the facility complies with all applicable air quality regulations.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the PA DEP Southcentral Regional Office at 909 Elmerton Avenue, Harrisburg, PA 17110.

A person may oppose the proposed operating permit, or may provide the Department with additional information to consider in its review, or may request a public hearing, by filing a written protest with the Department at the address listed above. Each written comment must contain the following:

- Name, address and telephone number of the person submitting the comments.

- Identification of the proposed permit by the permit number listed above.

- A concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period from the date of publication of this notice in the *Pennsylvania Bulletin* will exist for the submission of comments or protests.

Daniel C. Husted, P.E., Chief, West Permitting Section, may be contacted at 717-705-4863, or at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments or protests.

67-05117: York Building Products Co., Inc. (5952 Lincoln Highway West, Thomasville, PA 17362) for operation of their quarry and sand processing facility in Jackson Township, **York County**.

In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) has received an application and intends to issue an Air Quality Operating Permit renewal for the abovementioned facility.

The facility has the following potential annual emissions: 0.2 tons SO_x, 1.13 tons NO_x, 2.7 tons PM, 2.05 tons PM-10, and 17.8 tons CO. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the PA DEP Southcentral Regional Office, at 909 Elmerton Avenue, Harrisburg, PA 17110.

A person may oppose the proposed operating permit, or may provide the Department with additional information to consider in its review, or may request a public hearing, by filing a written protest with the Department at the address listed above. Each written comment must contain the following:

- Name, address and telephone number of the person submitting the comments.

- Identification of the proposed permit by the permit number listed above.

- A concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period, from the date of publication of this notice in the *Pennsylvania Bulletin*, will exist for the submission of comments or protests. A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received.

Daniel C. Husted, Chief, West Permitting Section may be contacted at 717-705-4863, or at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments or protests.

06-03134: SEPS Reading LLC (231 Rock Industrial Park Drive, Bridgeton, MO 63044) for their spray drying facility at 61 Vanguard Drive in Exeter Township, **Berks County**.

In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) has received an application and intends to issue an Air Quality Operating Permit for the abovementioned facility.

The subject facility has potential emissions of 4 tpy of NO_x, 7 tpy of CO and 13 tpy of PM. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the PA DEP Southcentral Regional Office, at 909 Elmerton Avenue, Harrisburg, PA 17110.

A person may oppose the proposed operating permit, or may provide the Department with additional information to consider in its review, or may request a public hearing, by filing a written protest with the Department at the address listed above. Each written comment must contain the following:

- Name, address and telephone number of the person submitting the comments.

- Identification of the proposed permit by the permit number listed above.

- A concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period, from the date of publication of this notice in the *Pennsylvania Bulletin*, will exist for the submission of comments or protests.

Mr. Thomas Hanlon, Chief, East Permitting Section may be contacted at 717-705-4862, or at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments or protests.

06-05073: Dyer Quarry, Inc. (P. O. Box 188, Rock Hollow Road, Birdsboro, PA 19508) for operation of their quarry and stone crushing facility in Robeson Township, **Berks County**. This is a renewal of their State-only Operating Permit issued in 2006.

In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) has received an application and intends to issue an Air Quality Operating Permit for the abovementioned facility.

The subject facility has actual emissions of 19.7 tpy of CO, 5.0 tpy NO_x, 56.8 tpy PM₁₀, 0.6 tpy, & SO_x. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR 60, Subpart OOO—Standards of Performance for Nonmetallic Mineral Processing Plants.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the PA DEP Southcentral Regional Office, at 909 Elmerton Avenue, Harrisburg, PA 17110.

A person may oppose the proposed operating permit, or may provide the Department with additional information to consider in its review, or may request a public hearing, by filing a written protest with the Department at the address listed above. Each written comment must contain the following:

- Name, address and telephone number of the person submitting the comments.
- Identification of the proposed permit by the permit number listed above.
- A concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period, from the date of publication of this notice in the *Pennsylvania Bulletin*, will exist for the submission of comments or protests.

Tom Hanlon, Chief, East Permitting Section, may be contacted at 717-705-4862, or at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments or protests.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Barbara Hatch, Facilities Permitting Chief—Telephone: 412-442-4174

56-00155: Somerset Area School District (645 S Columbia Avenue, Somerset, PA 15501-2513) for an operating permit renewal for the Somerset Area Junior—Senior High School in Somerset Borough, **Somerset County**. Equipment at this facility includes two 14.9 mmbtu/hr tri-fuel boilers and a 55 kW natural gas-fired emergency generator. Potential emissions from the adjacent facilities are based on a limit of burning 2,150 tons of coal per consecutive 12 month period and are estimated to be 10.2 tons NO_x, 1.4 tons VOCs, 11.8 tons CO, 16.1 tons particulate matter and 99.4 tons SO_x. Actual emissions from the facility are much lower. The facility is subject to the applicable requirements of 25 Pa. Code Chapters 121—145. The proposed Operating Permit contains applicable emission limits, as well as testing, monitoring, recordkeeping, reporting and work practice requirements.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6131

10-00346: Scrap Salvage & Surplus—Butler Plant (690 Glenwood Way, Butler, PA 16001-8422) to renew the State Only Operating Permit for the scrap and waste material facility in Center Township, **Butler County**. The facility is a Natural Minor. The primary sources at the facility include scrap cutting under a metal hood exhausted to a control device, an emergency diesel generator, scrap cutting in the yard, and fugitive emissions from the roadways. The applicable requirements of 40 CFR 60 Subpart IIII were added to the permit during this renewal. The renewal permit also contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.20a). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes:

the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department. A copy of the application is available for inspection at the district mining office indicated before each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application and request for Section 401 water quality certification application may be submitted by any person or any officer or head of any Federal, state or local government agency or authority to the Department at the address of the district mining office indicated before each application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Written comments or objections regarding a mining permit application should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

A request for an informal conference or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 or § 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

When an NPDES number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Received

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

56010101 and NPDES No. PA0248924. Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, permit renewal for the continued operation and restoration of a bituminous surface mine in Elk Lick Township, **Somerset County**, affecting 81.0 acres. Receiving stream(s): UTS to Casselman River and UTS to Elk Lick Creek classified for the following use(s): cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: August 25, 2011.

32850114 and NPDES No. PA0597457. Beilchick Brothers, P.O. Box 7, Heilwood, PA 15745, permit renewal for reclamation only of a bituminous surface mine in Pine Township, **Indiana County**, affecting 147.5 acres. Receiving stream(s): UTS of Little Yellow Creek classified for the following use(s): high quality cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: September 21, 2011.

56960106 and NPDES No. PA0234192. AMFIRE Mining Company, LLC, One Energy Place, Latrobe, PA 15650, permit renewal for the continued operation and

restoration of a bituminous surface mine in Lincoln Township, **Somerset County**, affecting 352.6 acres. Receiving stream(s): North Branch Quemahoning Creek and Horner Run classified for the following use(s): cold water fishery. The first downstream potable water supply intake from the point of discharge is Cambria Somerset Authority Quemahoning SWI. Application received: September 21, 2011.

56960107 and NPDES No. PA0234231, PBS Coals, Inc., P. O. Box 260, Friedens, PA 15541, permit renewal for the continued operation and restoration of a bituminous surface mine in Jenner Township, **Somerset County**, affecting 125.4 acres. Receiving stream(s): unnamed tributaries to/and Quemahoning Creek classified for the following use(s): cold water fishery. The first downstream potable water supply intake from the point of discharge is Cambria Somerset Authority Quemahoning SWI. Application received: September 22, 2011.

56100105 and NPDES No. PA0263079. Wilson Creek Energy, LLC, 140 West Union Street, Somerset, PA 15501, revision of an existing bituminous surface and auger mine to add construction of a temporary raw coal stockpile area and add 8.3 acres to the permit for the purpose of constructing a new and permanent haul road in Black Township, **Somerset County**, affecting 141.0 acres. Receiving stream(s): Wilson Creek and Coxes Creek classified for the following use(s): warm water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: September 20, 2011.

56663069 and NPDES No. PA0120944. Rosebud Mining Company, 1117 Shaw Mines Road, Meyersdale, PA 15552, revision of an existing bituminous surface and auger mine to add 251 acres of additional mining area in Elk Lick and Summit Townships, **Somerset County**, affecting 3040.0 acres. Receiving stream(s): UTS to/and Casselman River and UTS to/and Elk Lick Creek classified for the following use(s): cold water fisheries. There are no potable water supply intakes within 10 miles downstream. Application received: September 26, 2011.

56970301 and NPDES No. PA0234362. Garrett Limestone Company, Inc., 451 Stoystown Road, Suite 104, Somerset, PA 15501, revision of an existing bituminous surface mine to add 8.7 acres to the existing permit for surface support in Black and Summit Townships, **Somerset County**, affecting 174.4 acres. Receiving stream(s): Casselman River classified for the following use(s): warm water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: September 26, 2011.

56100105. NPDES No. PA0263079 and General Permit GP-12-56100105, Wilson Creek Energy, LLC, 140 West Union Street, Somerset, PA 15501, revision of an existing bituminous coal mining site to obtain coverage for coal processing under air quality general permit GP-12 in Black Township, **Somerset County**, affecting 140.3 acres. Receiving stream(s): Wilson Creek and Coxes Creek classified for the following use(s): warm water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: September 20, 2011.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

61110102 and NPDES Permit No. PA0259187. Ben Hal Mining Company, (389 Irishtown Road, Grove City, PA 16127). Commencement, operation and restoration of a bituminous surface mine in Clinton Township, **Venango County** affecting 47.0 acres. Receiving streams: unnamed tributary to Scrubgrass Creek, classified for the following uses: CWF. The first downstream potable water supply intake from the point of discharge is Clintonville Water & Sewer. Application received: September 23, 2011.

61970101 and NPDES Permit No. PA0227358. Bedrock Mines, LP (111 Freeport Road, Aspinwall, PA 15215) Renewal of an existing bituminous surface mine in Irwin Township, **Venango County** affecting 71.5 acres. Receiving streams: Four unnamed tributaries to Scrubgrass Creek, classified for the following uses: CWF. There are no surface water supply intakes within 10 miles downstream. Application received: September 30, 2011.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

54960201R3. Northeastern Power Co., (P. O. Box 7, McAdoo, PA 18237), renewal of an existing anthracite coal refuse reprocessing operation in Kline, Hazle and Banks Townships, **Schuylkill, Luzerne and Carbon Counties** affecting 429.7 acres, receiving stream: Catawissa Creek, classified for the following use: cold water fishes. Application received: September 22, 2011.

54110101 and NPDES Permit No. PA0225096. KK Coal, LLC, (P. O. Box 8, Cumbola, PA 17930), commencement, operation and restoration of an anthracite surface mine, coal refuse reprocessing and refuse disposal operation and NPDES Permit for discharge of treated mine drainage in Blythe Township, **Schuylkill County** affecting 236.0 acres, receiving streams: Bushey Creek and unnamed tributary to Schuylkill River, classified for the following uses: cold water and migratory fishes. Application received: September 26, 2011.

Noncoal Applications Received

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

01740401C2 and NPDES Permit No. PA0613045. New Enterprise Stone & Lime Company, Inc., P. O. Box 2009, Chambersburg, PA 17201, renewal of NPDES Permit, Hamiltonban Township, **Adams County**. Receiving stream(s): Muddy Run classified for the following use(s): cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: September 6, 2011.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

24112802 and NPDES Permit No. PA0259179. North Star Aggregates, Inc. (P. O. Box 51, Penfield, PA 15849) Commencement, operation and restoration of a small industrial minerals operation in Ridgway Township, **Elk County** affecting 10.6 acres. Receiving streams: Little Mill Creek, classified for the following uses: HQ-CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: September 23, 2011.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

54110301 and NPDES Permit No. PA0225100. Pierson-Middleport, LLC, (P. O. Box 430, Woodstown, NJ 08098), commencement, operation and restoration of a sandstone, siltstone, clay and topsoil quarry operation

and NPDES Permit for discharge of treated mine drainage in Walker and Blythe Townships, **Schuylkill County** affecting 139.92 acres, receiving stream: unnamed tributary to Schuylkill River, classified for the following use: cold water fishes. Application received: September 21, 2011.

58110304 and NPDES Permit No. PA0225088. Powers Stone, Inc., (15324 SR 3001, Montrose, PA 18801), commencement, operation and restoration of a sandstone, shale and bluestone quarry operation and NPDES Permit for discharge of treated mine drainage in Auburn Township, **Susquehanna County** affecting 41.47 acres, receiving streams: tributary to Nick Creek and unnamed tributary to Riley Creek, classified for the following uses: cold water and migratory fishes. Application received: September 23, 2011.

38870301C11 and NPDES Permit No. PA0595543. Pennsy Supply, Inc., (P. O. Box 3331, Harrisburg, PA 17105), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in North Londonderry, North Annville, South Annville and Annville Townships, **Lebanon County**, receiving streams: Killinger Creek and Quittapahilla Creek, classified for the following use: trout stock fishery. Application received: September 27, 2011.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

| <i>Parameter</i> | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instantaneous Maximum</i> |
|----------------------------------|-----------------------|---------------------------------|------------------------------|
| Iron (Total) | 3.0 mg/l | 6.0 mg/l | 7.0 mg/l |
| Manganese (Total) | 2.0 mg/l | 4.0 mg/l | 5.0 mg/l |
| Suspended solids | 35 mg/l | 70 mg/l | 90 mg/l |
| pH* | | greater than 6.0; less than 9.0 | |
| Alkalinity greater than acidity* | | | |

* The parameter is applicable at all times.

In addition, the Department imposes a technology-based aluminum limit of 2.0 mg/l (30 day average) to protect stream uses. A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges

and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The BAT limits for noncoal mining activities as provided in 40 CFR Part 436 and 25 Pa. Code Chapter 77 are as follows:

| <i>Parameter</i> | <i>30-day Average</i> | <i>Daily Maximum</i> | <i>Instantaneous Maximum</i> |
|-------------------------------|-----------------------|---------------------------------|------------------------------|
| Suspended solids | 35 mg/l | 70 mg/l | 90 mg/l |
| Alkalinity exceeding acidity* | | | |
| pH* | | greater than 6.0; less than 9.0 | |

* The parameter is applicable at all times.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associ-

ated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 362-0600-001, NPDES Program Implementation—Memorandum of Understanding (MOU) Concerning Water Quality Management, NPDES Program Implementation, and Related Matters. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department

at the address of the district mining office indicated before each draft permit within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30 days of this public notice and contain the name, address, telephone number and the interest of the party filing the request, and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100

NPDES No. PA0235989 (Mining Permit No. 56100701), Wilson Creek Energy, LLC, (140 West Union Street, Suite 102, Somerset, PA 15501). A new NPDES and mining activity permit for the Milford #3 CRDA in Milford Township, **Somerset County** for a new coal refuse disposal site. Surface Acres Affected 89.4. The application was considered administratively complete on February 16, 2011. Application received September 2, 2010.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The facility location of the non-discharge alternatives are listed below:

| | |
|---|---|
| <i>Facility Identification:</i> | <i>New Facility:</i> |
| Sedimentation Ponds B & C and Treatment Ponds TP-1 through TP-7 | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No |

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

NPDES No. PA0597112 (Mining permit no. 11850103), L & J Energy Company, Inc., P. O. Box J, Grampian, PA 16838, renewal of an NPDES permit for bituminous surface/auger mine in Susquehanna Township, **Cambria County**, affecting 98.0 acres. Receiving stream(s): West Branch Susquehanna River, classified for the following use(s): warm water fishery. This receiving stream is included in the West Branch Susquehanna TMDL. Application received: September 6, 2011.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The outfall(s) listed below discharge to West Branch Susquehanna River:

| | |
|-----------------------|--------------------------|
| <i>Outfall Nos.</i> | <i>New Outfall (Y/N)</i> |
| 003 (Sediment Pond A) | N |
| 004 (Sediment Pond B) | N |

NPDES No. PA0263303 (Mining permit no. 32110104), Simpson Coal Company, 1003 Bush Road, New Alexandria, PA 15670, new NPDES permit for bituminous surface mine in Young Township, **Indiana County**, affecting 38 acres. Receiving stream(s): Nesbit Run and unnamed tributary to Whiskey Run, classified for the following use(s): cold water fishery. The receiving streams are included in the Kiski-Conemaugh TMDL. Application received: July 20, 2011.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The treated wastewater outfalls listed below discharge to unnamed tributary to Whiskey Run:

| | |
|---------------------|--------------------------|
| <i>Outfall Nos.</i> | <i>New Outfall (Y/N)</i> |
| 001 | Y |

The treated wastewater outfalls listed below discharge to Nesbit Run:

| <i>Outfall Nos.</i> | <i>New Outfall (Y/N)</i> |
|---------------------|--------------------------|
| 002 | Y |

The proposed effluent limits for the above listed outfall(s) are as follows:

| <i>Outfalls: 001 and 002</i> <i>Parameter</i> | <i>30-Day</i> <i>Average</i> | <i>Daily</i> <i>Maximum</i> | <i>Instant.</i> <i>Maximum</i> |
|--|---------------------------------|--------------------------------|-----------------------------------|
| Iron (mg/l) | 1.5 | 3.0 | 3.5 |
| Manganese (mg/l) | 1.0 | 2.0 | 2.5 |
| Aluminum (mg/l) | 0.75 | 1.5 | 1.9 |
| Total Suspended Solids (mg/l) | 35.0 | 70.0 | 90.0 |
| Osmotic Pressure (milliosmoles/kg) | | | 50.0 |
| pH (S.U.): Must be between 6.0 and 9.0 standard units at all times | | | |
| Alkalinity must exceed acidity at all times | | | |

The stormwater outfalls listed below discharge to unnamed tributary to Whiskey Run:

| <i>Outfall Nos.</i> | <i>New Outfall (Y/N)</i> |
|---------------------|--------------------------|
| 003 | Y |
| 004 | Y |

The stormwater outfalls listed below discharge to Nesbit Run:

| <i>Outfall Nos.</i> | <i>New Outfall (Y/N)</i> |
|---------------------|--------------------------|
| 005 | Y |

The proposed effluent limits for the above listed outfall(s) are as follows:

| <i>Outfalls: 003, 004, 005</i> <i>Parameter</i> | <i>30-Day</i> <i>Average</i> | <i>Daily</i> <i>Maximum</i> | <i>Instant.</i> <i>Maximum</i> |
|--|---------------------------------|--------------------------------|-----------------------------------|
| Iron (mg/l) | 1.5 | 3.0 | 3.5 |
| Manganese (mg/l) | 1.0 | 2.0 | 2.5 |
| Aluminum (mg/l) | 0.75 | 1.5 | 1.9 |
| Total Suspended Solids (mg/l) | 35.0 | 70.0 | 90.0 |
| pH (S.U.): Must be between 6.0 and 9.0 standard units at all times | | | |
| Alkalinity must exceed acidity at all times | | | |

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

NPDES No. PA0263150 (Mining permit no. 32110101), Amerikohl Mining, Inc., 1384 State Route 711, Stahlstown, PA 15687, new NPDES permit for coal surface mining in Brushvalley Township, **Indiana County**, affecting 70.9 acres. Receiving stream(s): unnamed tributaries to/and Ferrier Run, classified for the following use(s): cold water fishery. This receiving stream is included in the Kiskiminetas-Conemaugh TMDL. Application received: February 3, 2011.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The outfall(s) listed below discharge to unnamed tributaries to/and Ferrier Run.

| <i>Outfall Nos.</i> | <i>New Outfall (Y/N)</i> |
|----------------------|--------------------------|
| 004—Treatment Pond 1 | Y |
| 005—Treatment Pond 2 | Y |
| 006—Treatment Pond 3 | Y |

The proposed effluent limits for the above listed outfall(s) are as follows:

| <i>Outfalls:</i> <i>Parameter</i> | <i>30-Day</i> <i>Average</i> | <i>Daily</i> <i>Maximum</i> | <i>Instant.</i> <i>Maximum</i> |
|--|---------------------------------|--------------------------------|-----------------------------------|
| Iron (mg/l) | 1.5 | 3.0 | 3.5 |
| Manganese (mg/l) | 1.0 | 2.0 | 2.5 |
| Aluminum (mg/l) | 0.75 | 1.5 | 1.9 |
| Total Suspended Solids (mg/l) | 35.0 | 50.0 | 70.0 |
| *Osmotic Pressure (milliosmoles/kg) | 50.0 | 90.0 | 50.0 |
| *Osmotic Pressure applies to Treatment Ponds 2 and 3 only. | | | |
| pH (S.U.): Must be between 6.0 and 9.0 standard units at all times | | | |
| Alkalinity must exceed acidity at all times | | | |

| <i>Outfall Nos.</i> | <i>New Outfall (Y/N)</i> |
|--------------------------|--------------------------|
| 001—Sedimentation Pond A | Y |
| 002—Sedimentation Pond B | Y |
| 003—Sedimentation Pond C | Y |

The proposed effluent limits for the above listed outfall(s) are as follows:

| <i>Outfalls: Parameter</i> | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instant. Maximum</i> |
|--------------------------------|---------------------------|--------------------------|-----------------------------|
| Iron (mg/l) | 1.5 | 3.0 | 3.5 |
| Manganese (mg/l) | 1.0 | 2.0 | 2.5 |
| Aluminum (mg/l) | 0.75 | 1.5 | 1.9 |
| Total Suspended Solids (mg/l) | 35.0 | 70.0 | 90.0 |

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times

Alkalinity must exceed acidity at all times

NPDES No. PA0263257 (Mining permit no. 56110105), Fieg Brothers, 3070 Stoystown Road, Stoystown, PA 15563, new NPDES permit for surface mining including blasting and augering in Southampton Township, **Somerset County**, affecting 318.4 acres. Receiving stream(s): Unnamed Tributaries to Rush Run and Unnamed Tributaries to the North Branch of Jennings Run, classified for the following use(s): High Quality Cold Water Fishery and Cold Water Fishery. These receiving streams are not the subject of a TMDL. Application received: June 2, 2011.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The treated wastewater outfalls listed below discharge to: Unnamed Tributaries to the North Branch of Jennings Run (Cold Water Fishery).

| <i>Outfall Nos.</i> | <i>New Outfall (Y/N)</i> |
|-------------------------------|--------------------------|
| 001, 002, 003, 004, 005 & 006 | Y |

The proposed effluent limits for the above listed outfall(s) are as follows:

| <i>Outfalls: Parameter</i> | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instant. Maximum</i> |
|------------------------------------|---------------------------|--------------------------|-----------------------------|
| Iron (mg/l) | 3.0 | 6.0 | 7.0 |
| Manganese (mg/l) | 2.0 | 4.0 | 5.0 |
| Aluminum (mg/l) | 2.0 | 4.0 | 5.0 |
| Total Suspended Solids (mg/l) | 35.0 | 70.0 | 90.0 |
| Osmotic Pressure (milliosmoles/kg) | 50.0 | 50.0 | 50.0 |

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times

Alkalinity must exceed acidity at all times

The stormwater outfalls listed below discharge to: Unnamed Tributaries to the North Branch of Jennings Run (Cold Water Fishery)

| <i>Outfall Nos.</i> | <i>New Outfall (Y/N)</i> |
|-------------------------|--------------------------|
| 007, 008, 009, 011, 012 | Y |

The proposed effluent limits for the above listed outfall(s) are as follows:

| <i>Outfalls: Parameter</i> | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instant. Maximum</i> |
|--------------------------------|---------------------------|--------------------------|-----------------------------|
| Iron (mg/l) | | | 7.0 |
| Total Settleable Solids (ml/l) | | | 0.5 |

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times

Alkalinity must exceed acidity at all times

The stormwater outfall listed below discharge to: Unnamed Tributaries to Rush Run (High Quality Cold Water Fishery)

| <i>Outfall Nos.</i> | <i>New Outfall (Y/N)</i> |
|---------------------|--------------------------|
| 010 | Y |

The proposed effluent limits for the above listed outfall(s) are as follows:

| <i>Outfalls: Parameter</i> | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instant. Maximum</i> |
|--------------------------------|---------------------------|--------------------------|-----------------------------|
| Iron (mg/l) | | | 7.0 |
| Total Settleable Solids (ml/l) | | | 0.5 |

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times

Alkalinity must exceed acidity at all times

NPDES No. PA0263206 (Mining permit no. 56110104), Wilson Creek Energy, LLC, 140 West Union Street, Suite 102, Somerset, PA 15501, new NPDES permit for surface and auger/highwall mine, including blasting, in Jenner Township, **Somerset County**, affecting 132.5 acres. Receiving stream(s): Unnamed Tributary to/and Hoffman Run, classified for the following use(s): cold water fishery. This receiving stream is included in the Kiskiminetas-Conemaugh River TMDL. Application received: March 18, 2011.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The stormwater outfall listed below discharges to an Unnamed Tributary to Hoffman Run.

| <i>Outfall Nos.</i> | <i>New Outfall (Y/N)</i> |
|---------------------|--------------------------|
| 001 | Y |

The proposed effluent limits for the above listed outfall(s) are as follows:

| <i>Outfalls: Parameter</i> | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instant. Maximum</i> |
|--|---------------------------|--------------------------|-----------------------------|
| Iron (mg/l) | 1.5 | 3.0 | 3.5 |
| Manganese (mg/l) | 1.0 | 2.0 | 2.5 |
| Aluminum (mg/l) | 0.75 | 1.5 | 1.9 |
| Total Suspended Solids (mg/l) | 35.0 | 70.0 | 90.0 |
| pH (S.U.): Must be between 6.0 and 9.0 standard units at all times | | | |
| Alkalinity must exceed acidity at all times | | | |

The stormwater outfall listed below discharges to Hoffman Run:

| <i>Outfall Nos.</i> | <i>New Outfall (Y/N)</i> |
|---------------------|--------------------------|
| 002 | Y |

The proposed effluent limits for the above listed outfall(s) are as follows:

| <i>Outfalls: Parameter</i> | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instant. Maximum</i> |
|--|---------------------------|--------------------------|-----------------------------|
| Iron (mg/l) | 1.5 | 3.0 | 3.5 |
| Manganese (mg/l) | 1.0 | 2.0 | 2.5 |
| Aluminum, (mg/l) | 0.75 | 1.5 | 1.9 |
| Total Suspended Solids (mg/l) | 35.0 | 70.0 | 90.0 |
| pH (S.U.): Must be between 6.0 and 9.0 standard units at all times | | | |
| Alkalinity must exceed acidity at all times | | | |

The treated wastewater outfall listed below discharges to Hoffman Run:

| <i>Outfall Nos.</i> | <i>New Outfall (Y/N)</i> |
|---------------------|--------------------------|
| 003 | Y |

The proposed effluent limits for the above listed outfall(s) are as follows:

| <i>Outfalls: Parameter</i> | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instant. Maximum</i> |
|--|---------------------------|--------------------------|-----------------------------|
| Iron (mg/l) | 1.5 | 3.0 | 3.5 |
| Manganese (mg/l) | 1.0 | 2.0 | 2.5 |
| Aluminum, (mg/l) | 0.75 | 1.5 | 1.9 |
| Total Suspended Solids (mg/l) | 35.0 | 70.0 | 90.0 |
| pH (S.U.): Must be between 6.0 and 9.0 standard units at all times | | | |
| Alkalinity must exceed acidity at all times | | | |

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before an application. Comments should contain the

name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on working days at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the

Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications Received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southcentral Region: Watershed Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707.

E05-361: Kathryn Kunkel, Pennsylvania Electric Company, BNB Aerial Electric Distribution Line Construction, 2800 Pottsville Pike, Reading, Pennsylvania 19612-6001, in Bedford Borough and Bedford Township, **Bedford County**, ACOE Baltimore District

To install two single poles in wetlands, a temporary crossing of wetland approximately 760.0 feet long by 15.0 feet wide (0.26 acre), and a Chapter 105 General Permit GP-5 (Utility line Stream crossing) for each of the four aerial crossings of the Raystown Branch of the Juniata River (TSF), for the purpose of a new electrical distribution line in the Bedford, Pennsylvania area to improve electrical reliability and to support the electrical load growth. The project is located between Bedford area and Bedford North Substations (Bedford and Everett West, PA Quadrangle; N: 9.30 inches, W: 0.68 inch; Latitude: 40°03'4.36", Longitude: -78°30'17.40") in Bedford Borough and Bedford Township, Bedford County.

E28-371: W. D. Mills, Bridge Construction, 8402 Path Valley Road, Fort Loudon, Pennsylvania 17224, in Metal Township, **Franklin County**, ACOE Baltimore District

To construct and maintain a 14.5-foot wide, single span steel I-beam open grate iron deck bridge, having a normal span of 60.0 feet and a minimum underclearance of 5.25 feet across West Branch Conococheague Creek (CWF, MF). The project is located at 8402 Path Valley Road (SR 0075) (Fannettsburg, PA Quadrangle; N: 5.36 inches, W: 15.84 inches; Latitude: 40°01'46.31", Longitude: -77°51'47.34") in Metal Township, Franklin County. The purpose of the project is to provide access to adjoining fields for agriculture.

E31-223: Alexandria Borough Porter Township Joint Sewer Authority, Grange Hall Road, PO Box 113, Alexandria, Pennsylvania 16611, in Alexandria Borough and Porter Township, **Huntingdon County**, ACOE Baltimore District

To: 1) construct and maintain an 8.0-inch PVC sewer line in and across an unnamed tributary to Frankstown Branch Juniata River (TSF) in two locations impacting 20 linear feet of stream channel and bored under nine wetlands temporarily impacting 0.09 acre of wetland from Latitude: 40°34'38", Longitude: -78°06'20" to Latitude: 40°33'08", Longitude: -78°05'49", 2) construct and maintain an 8.0-inch PVC sewer line in and across an unnamed tributary to Frankstown Branch Juniata River (TSF) in eleven locations impacting 68.0 linear feet of stream channel and bored under three wetlands temporarily impacting 0.05 acre of wetland from Latitude: 40°32'17", Longitude: -78°07'18" to Latitude: 40°33'08", Longitude: -78°05'49", and 3) place and maintain 10,000

cubic yards of fill in the 100-year floodplain of Frankstown Branch Juniata River (TSF) (Latitude: 40°33'08", Longitude: -78°05'49") to construct a new office building, control building, pump station, UV channel, reactor tanks, clarifier, and digesters. The purpose of the project is to expand and upgrade the existing Alexandria Borough Porter Township Joint Sewer Authority wastewater treatment plant, located on Grange Hall Road in Alexandria Borough and Porter Township, Huntingdon County.

E34-130: Robert Barton, Lost Creek Community Park Revitalization, 181 Bunkertown Road, PO Box 68, McAlisterville, Pennsylvania 17049, in Fayette Township, **Juniata County**, ACOE Baltimore District

To revitalize the existing Lost Creek Community Park. The proposed improvements consist of a new paved parking lot which is outside of the existing floodplain. Other improvements include paved walking trails by the pavilions and tot lots, renovating existing pavilions, and buffer restoration. The proposed work within the 100-year floodway of Little Lost Creek (TSF) for the project includes a proposed walking path at the existing grade and the riparian buffer restoration. There will be no fill in the 100-year floodway and flood plain and no wetlands impact. The project is located northwest of the intersection between State Routes 35 and 1004 (McClure, PA Quadrangle; N: 2.05 inches, W: 3.90 inches; Latitude: 40°38'10.6", Longitude: -77°16'41.2") in Fayette Township, Juniata County.

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

E37-187, New Castle Area School District, 420 Fern Street, New Castle, PA 16101-2220. Harry W Lockley Elementary School Expansion, in the City of New Castle, **Lawrence County**, ACOE Pittsburgh District (New Castle North, PA Quadrangle N: 41°, 0', 10.1"; W: -80°, 19', 39.3";).

To permanently fill 0.4636 acres of wetlands in the watershed of Neshannock Creek (TSF) as part of the expansion of the Harry W Lockley Elementary School and to mitigate for the wetland impacts by constructing 0.92 acres of onsite replacement wetlands all at a point approximately 1000 feet southeast of the State Route 108 and North Scott Street intersection.

E62-427, Ellwood National Forge Co. One Front Street, Irvine, PA 16329. Existing Levee Upgrade, in Brokenstraw Township, **Warren County**, ACOE Pittsburgh District (Youngsville, PA Quadrangle N: 41°, 50', 228"; W: -79°, 16', 10").

To upgrade an existing flood protection levee along the right bank of Brokenstraw Creek (CWF) around the Ellwood National Forge—Irvine Facility approximately 1500 feet north of the National Forge Road and Althom Road intersection consisting of:

1. Placement of additional embankment material up to approximately 1 foot above existing grade along approximately 200 feet of the northwest reach of the levee

2. Placement of additional embankment material up to approximately 3 feet above existing grade along approximately 600 feet of the southwest reach of the levee

Installation of sheet piling to a height of up to approximately 3 feet above existing grade along approximately 750 feet of the south reach of the levee.

ACTIONS

**THE PENNSYLVANIA CLEAN STREAMS LAW AND
THE FEDERAL CLEAN WATER ACT**
FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.101) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

| <i>Location</i> | <i>Permit Authority</i> | <i>Application Type or Category</i> |
|-----------------|-------------------------|--|
| Section I | NPDES | Renewals |
| Section II | NPDES | New or Amendment |
| Section III | WQM | Industrial, Sewage or Animal Wastes; Discharges to Groundwater |
| Section IV | NPDES | MS4 Individual Permit |
| Section V | NPDES | MS4 Permit Waiver |
| Section VI | NPDES | Individual Permit Stormwater Construction |
| Section VII | NPDES | NOI for Coverage under NPDES General Permits |

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701

| <i>NPDES No. (Type)</i> | <i>Facility Name & Address</i> | <i>County & Municipality</i> | <i>Stream Name (Watershed No.)</i> | <i>EPA Waived Y/N?</i> |
|-----------------------------|---|--------------------------------------|--|----------------------------|
| PA0114472 (Sewage) | Cherry Township Board Of Supervisors Wastewater Treatment Plant 11961 Route 87 Dushore, PA 18614-7440 | Sullivan County Cherry Township | Birch Creek (10-B) | Y |
| PA0036820 (Sewage) | Galeton Borough Authority 4 Sherman Street Galeton, PA 16922-1318 | Potter County Galeton Borough | Pine Creek (9-A) | N |

****Renewal individuals

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

| <i>NPDES No. (Type)</i> | <i>Facility Name & Address</i> | <i>County & Municipality</i> | <i>Stream Name (Watershed #)</i> | <i>EPA Waived Y/N ?</i> |
|-----------------------------|--|--------------------------------------|--------------------------------------|-----------------------------|
| PA0223131 (Sewage) | Living Church International 59 W Penn Street Summerville, PA 15864 | Redbank Township Clarion County | 17-C | Y |
| PA0023167 (Sewage) | Kane Borough Authority 112 Baynard Street Kane, PA 16735 | Kane Borough McKean County | 16-F | N |
| PA0263842 (Sewage) | Keating Township P. O. Box 103 East Smethport, PA 16730 | Keating Township McKean County | Potato Creek 16-C | Y |

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401

NPDES Permit No. PA0027103 A3, Sewage, **DELCORA**, 100 East Fifth Street, PO Box 999, Chester, PA 19016-0999, City of Chester, **Delaware County**.

The following notice reflects changes to the notice published in the July 9, 2011, *Pennsylvania Bulletin*:

The parameter CBOD 5 percent removal is changed to CBOD 20 percent removal.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

NPDES Permit No. PA0038385, Sewage, **Larry Dollinger, DLA Installation Support at Susquehanna**, 2001 Mission Drive, Suite 1, New Cumberland, PA 17070-5002.

This proposed facility is located in Fairview Township, **York County**.

Description of Proposed Action/Activity: Authorization to discharge to Susquehanna River in Watershed 7-E.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA

WQM Permit No. WQG02151110, Sewage, **Country Fresh Mushroom Company**, P. O. Box 489, 8990 Gap Newport Pike, Avondale, PA 19311.

This proposed facility is located in New Garden Township, **Chester County**.

Description of Action/Activity: Construction and operation of a sewage pump station for a proposed mushroom packaging facility.

WQM Permit No. 0993408, Sewage, Renewal, **Little Washington Wastewater Company**, 762 West Lancaster Avenue, Bryn Mawr, PA 19010-3489.

This proposed facility is located in Solebury Township, **Bucks County**.

Description of Action/Activity: Renewal to continue operation of existing WQM Permit of a gravity collection system, pump station, package SBR plant rated at 0.06 mgd, effluent storage lagoon and spray irrigation system.

WQM Permit No. 1595409, Sewage, Renewal, **White Manor Country Club**, 831 Providence Road, Malvern, PA 19355-3407.

This proposed facility is located in Willistown Township, **Chester County**.

Description of Action/Activity: Permit renewal of existing treatment plant.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

WQM Permit No. 6711401, Sewage, **Genevieve E. and Stephen J. Moore**, 4350 Old Orchard Road, York, PA 17402.

This proposed facility is located in Springettsbury Township, **York County**.

Description of Proposed Action/Activity: Permit approval for the construction of sewage facilities consisting of 1500 gallon dual compartment septic tank w/ Zabel A-300 Filter → Ecoflo STB 500-650 Biofilter → Tablet Chlorinator → 200 gallon Chlorine Contact Tank w/ Three Corrugated Plastic Baffles and 24" diameter manhole → 4" PVC discharge pipe to UNT to Kreutz Creek.

WQM Permit No. 4472401 Amendment 11-1, Sewage, **McVeytown Borough Authority**, 10 North Queen Street, PO Box 321, McVeytown, PA 17051-7436.

This proposed facility is located in McVeytown Borough, **Mifflin County**.

Description of Proposed Action/Activity: Permit approving the construction of sewerage facilities consisting of a new disinfection system, aeration system changes and equipment repairs and replacements. The aerobic digester will have the capability to act as an aeration tank back up to allow maintenance to the aeration tank.

IV. NPDES Stormwater Discharges from MS4 Permit Actions**V. NPDES Waiver Stormwater Discharges from MS4 Actions****VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions**

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790

| <i>NPDES Permit No.</i> | <i>Applicant Name & Address</i> | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i> |
|-------------------------|---|---------------|---------------------|----------------------------|
| PAI024505001R | Jim A. Schlier P. O. Box 471 Tannersville, PA 18372 | Monroe | Pocono Township | Scot Run, HQ-CWF, MF |

Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Somerset County Conservation District, 6024 Glades Pike, Suite 103, Somerset, PA 15501

| <i>NPDES Permit No.</i> | <i>Applicant Name & Address</i> | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i> |
|-------------------------|---|---------------|---------------------------|----------------------------|
| PAI055610002 | CSX Transportation, Inc. (CSXT) 500 Water Street, J-275 Jacksonville, FL 32202 | Somerset | Lower Turkeyfoot Township | Casselman River (WWF) |
| PAI055610003 | CSX Transportation, Inc. (CSXT) 500 Water Street, J-275 Jacksonville, FL 32202 | Somerset | Upper Turkeyfoot Township | Casselman River (WWF) |
| PAI055611004 | CSX Transportation, Inc. (CSXT) 500 Water Street, J-275 Jacksonville, FL 32202 | Somerset | Upper Turkeyfoot Township | Casselman River (WWF) |

Armstrong County Conservation District, Armsdale Administration Building, 134 Armsdale Road, Kittanning, PA 16201. (724.548.3435)

| <i>Permit No.</i> | <i>Applicant & Address</i> | <i>County</i> | <i>Municipality</i> | <i>Stream Name</i> |
|-------------------|--|---------------|---------------------|--|
| PAI050311001 | PennDOT District 10-0 2550 Oakland Avenue P. O. Box 429 Indiana, PA 15701 Prj: SR0028; Section 164 Slabtown Bridge/Baum Curve | Armstrong | Boggs Township | North Fork of Pine Creek (HQ-CWF) Naturally Producing Trout |

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Erie Conservation District: 1927 Wagner Road, Erie Pa 16509

| <i>NPDES Permit No.</i> | <i>Applicant Name & Address</i> | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i> |
|-------------------------|---|---------------|---------------------|----------------------------|
| PAI062511002 | Wallace Family Enterprises PO Box 430 Fairview PA 16415 | Erie | McKean Township | Bear Run CWF; MF |

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision in 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

| | |
|-------|--|
| PAG-1 | General Permit for Discharges from Stripper Oil Well Facilities |
| PAG-2 | General Permit for Discharges of Stormwater Associated with Construction Activities (PAR) |
| PAG-3 | General Permit for Discharges of Stormwater from Industrial Activities |
| PAG-4 | General Permit for Discharges from Small Flow Treatment Facilities |
| PAG-5 | General Permit for Discharges from Gasoline Contaminated Ground Water Remediation Systems |
| PAG-6 | General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems |
| PAG-7 | General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application |

| | |
|-------------|--|
| PAG-8 | General Permit for Beneficial Use of Nonexceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site |
| PAG-8 (SSN) | Site Suitability Notice for Land Application under Approved PAG-8 General Permit Coverage |
| PAG-9 | General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest or a Land Reclamation Site |
| PAG-9 (SSN) | Site Suitability Notice for Land Application under Approved PAG-9 General Permit Coverage |
| PAG-10 | General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines |
| PAG-11 | (To Be Announced) |
| PAG-12 | CAFOs |
| PAG-13 | Stormwater Discharges from MS4 |

*General Permit Type—PAG-02**Facility Location:*

| <i>Municipality & County</i> | <i>Permit No.</i> | <i>Applicant Name & Address</i> | <i>Receiving Water/Use</i> | <i>Contact Office & Phone No.</i> |
|---|-------------------|--|-------------------------------|---|
| Lower Nazareth Twp., Northampton Co. | PAG02004811008 | Raymond Mamone Ray's Auto Restoration, LLC 3307 Julia Ct. Bethlehem, PA 18017 | Schoeneck Creek, WWF, MF | Northampton Co. Cons. Dist. 610-746-1971 |
| Schuylkill Haven Borough - and - North Manheim Twp. | PAG02005411001 | PA Department of Transportation District 5-0 Attn: Michael C. Keiser 1002 Hamilton St. Allentown, PA 18101 | Schuylkill River, CWF, MF | Schuylkill Co. Cons. Dist. 570-622-3742 |
| Cumberland Township Adams County | PAG02000111008 | Todd J. Williams Cumberland Township Authority 1370 Fairfield Road Gettysburg, PA 17325 | Willoughby Run (WWF) | Adams Co. Conservation District 670 Old Harrisburg Rd, Suite 201 Gettysburg, PA 17325 717-334-0636 |
| Southampton Township Franklin County | PAG02002811029 | Will Carn US Xpress Shippensburg 2034 Hamilton Place Blvd Chattanooga, TN 37421 | Furnace Run/Gum Run (CWF) | Franklin Co Conservation District 185 Franklin Farm Lane Chambersburg PA 17201 717-264-5499 |
| Montgomery Township Franklin County | PAG02002811028 | Amos Rowland Rowland-On Properties 12019 Kemp Mill Rd Williamsport MD 21795 | UNT to Conococheague (TSF/MF) | Franklin Co Conservation District 185 Franklin Farm Lane Chambersburg PA 17201 717-264-5499 |

*Northcentral Region: Watershed Management Program Manager, 208 W Third Street, Williamsport, Pa 17701**Facility Location:*

| <i>Municipality & County</i> | <i>Permit No.</i> | <i>Applicant Name & Address</i> | <i>Receiving Water/Use</i> | <i>Contact Office & Phone No.</i> |
|-------------------------------------|-------------------|--|----------------------------|--|
| Athens Borough Bradford County | PAG02000811013 | Dr Patrick Musto Valley Joint Sewer Auth One S River St Athens PA 18810 | Susquehanna River WWF | Bradford County Conservation District Stoll Natural Resource Center 200 Lake Rd Ste E Towanda PA 18848 (570) 265-5539 X 120 |
| Sheshequin Township Bradford County | PAG02000811014 | Andy Bishop Bishop Brothers Partnership PO Box 289 Ulster PA 18850 | Susquehanna River WWF | Bradford County Conservation District Stoll Natural Resource Center 200 Lake Rd Ste E Towanda PA 18848 (570) 265-5539 X 120 |

*Facility Location:
Municipality &
County*

| <i>Facility Location: Municipality & County</i> | <i>Permit No.</i> | <i>Applicant Name & Address</i> | <i>Receiving Water / Use</i> | <i>Contact Office & Phone No.</i> |
|---|-------------------|---|------------------------------------|---|
| Troy Township Bradford County | PAG02000811015 | Wes Blauvelt Arnot Ogden Medical Center 600 Roe Ave Elmira NY 14905 | South Branch of Sugar Creek TSF | Bradford County Conservation District Stoll Natural Resource Center 200 Lake Rd Ste E Towanda PA 18848 (570) 265-5539 X 120 |
| Blossburg Borough Tioga County | PAG02005911013 | Keith Yarger 241 Main St Blossburg PA 16912 | Tioga River CWF, MF | Tioga County Conservation District 50 Plaza Ln Wellsboro PA 16901 (570) 724-1801 Ext. 5 |

Southwest Region: Regional Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

*Facility Location:
Municipality &
County*

| <i>Facility Location: Municipality & County</i> | <i>Permit No.</i> | <i>Applicant Name & Address</i> | <i>Receiving Water / Use</i> | <i>Contact Office & Phone No.</i> |
|---|--------------------------|---|----------------------------------|--|
| Somerset County Brothersvalley Township | PAG02005611007 | Tom McClintock 161 Samuels Road Somerset, PA 15501 | Laurel Run (WWF) | Somerset County CD 6024 Glades Pike, Suite 103 Somerset, PA 15501 |
| Slippery Rock Township Butler County | PAG02 0010 05 005R(3) | Slippery Rock University Attn: Herbert Carlson 1 Morrow Way Slippery Rock PA 16057 | Slippery Rock Creek CWF | Butler Conservation District 724-284-5270 |

*General Permit Type—PAG-3**Facility Location:
Municipality &
County*

| <i>Facility Location: Municipality & County</i> | <i>Permit No.</i> | <i>Applicant Name & Address</i> | <i>Receiving Water / Use</i> | <i>Contact Office & Phone No.</i> |
|---|-------------------|---|--|--|
| Royersford Borough Montgomery County | PAR230063 | Specialty Chemical Systems 400 First Avenue Royersford, PA 19468 | Schuylkill River -3-D | Southeast Region Water Management 484.250.5970 |
| York County / Manchester Township | PAR803652 | Federal Express Corporation (THVA Station) 3620 Hacks Cross Road Building B, 2nd Floor Memphis, TN 38125 | UNT Little Conewago Creek / TSF / 7-F | DEP—SCRO—WQ 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707 |

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

*Facility Location:
Municipality &
County*

| <i>Facility Location: Municipality & County</i> | <i>Permit No.</i> | <i>Applicant Name & Address</i> | <i>Receiving Water / Use</i> | <i>Contact Office & Phone No.</i> |
|---|-------------------|--|--|---|
| Erie City Erie County | PAR808335 | Con-Way Freight 2211 Old Earhart Road Suite 100 Ann Arbor, MI 48105 | Municipal storm sewers to Lake Erie | DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 814/332-6942 |

*General Permit Type—PAG-4**Facility Location:
Municipality &
County*

| <i>Facility Location: Municipality & County</i> | <i>Permit No.</i> | <i>Applicant Name & Address</i> | <i>Receiving Water / Use</i> | <i>Contact Office & Phone No.</i> |
|---|-------------------|---|----------------------------------|---|
| New Hanover Township Montgomery County | PAG040159 | Kleintop Nathan 627 Kulp Road Perkiomenville, PA 18074 | Deep Creek—3-E | Southeast Region Water Management 484-250-5970 |
| Berks County / Exeter Township | PAG043918 | Neighborhood Home Owners Associations 6350 Daniel Boone Road Birdsboro, PA 19508 | Owatin Creek / 3D | DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707 |

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Facility Location:

| <i>Municipality & County</i> | <i>Permit No.</i> | <i>Applicant Name & Address</i> | <i>Receiving Water/Use</i> | <i>Contact Office & Phone No.</i> |
|--------------------------------------|-------------------|-------------------------------------|------------------------------------|---|
| Cranberry Township Venango County | PA041054 | Heckathorne United Methodist Church | Unnamed Tributary to Halls Run 16G | DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 814/332-6942 |

General Permit Type—PAG-10

Facility Location:

| <i>Municipality & County</i> | <i>Permit No.</i> | <i>Applicant Name & Address</i> | <i>Receiving Water/Use</i> | <i>Contact Office & Phone No.</i> |
|----------------------------------|-------------------|--|----------------------------|--|
| Bristol Township Bucks County | PAR800072 | FedEx Corp. 3620 Hacks Cross Road, Building B, Second Floor Memphis, TN 38125 | Neshaminy Creek—2F | Southeast Region Water Management 484-250-5970 |

General Permit Type—PAG-12

Facility Location:

| <i>Municipality & County</i> | <i>Permit No.</i> | <i>Applicant Name & Address</i> | <i>Receiving Water/Use</i> | <i>Contact Office & Phone No.</i> |
|---|-------------------|--|---------------------------------------|---|
| Franklin County / Lurgan Township | PAG123542 | Mark Wagner (McClays Farm) 6397 High Street East Petersburg, PA 17520-1113 | UNT Paxton Run / WWF / 7B | DEP—SCRO— Watershed Mgmt. 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4802 |
| Lancaster County / Pequea Township | PAG123623 | Future View Farm, LLC 13 Radcliff Road Willow Street, PA 17584 | UNT Pequea Creek / WWF / 7K | DEP—SCRO— Watershed Mgmt. 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4802 |
| Mifflin County / Decatur Township | PAG123507 | Kenneth K. Loht Loht Farm CAFO 250 Road Apple Drive McClure, PA 17841 | UNT Jacks Creek / CWF / 12-A | DEP—SCRO— Watershed Mgmt. 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4802 |
| Lancaster County / Conoy Township | PAG123710 | Dale Frank Dale Frank Farm 3167 Bossler Road Elizabethtown, PA 17022 | Conoy Creek / TSF / 7-G | DEP—SCRO— Watershed Mgmt. 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4802 |
| Perry County / Northeast Madison Township | PAG123527 | Jonathan Miller Miller Hog Farm 1334 Valentine Road Ickesburg, PA 17037 | UNT Bixler Run / CWF / 7-A | DEP—SCRO— Watershed Mgmt. 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4802 |
| Franklin County / Warren Township | PAG123539 | Greystone Pork Edwin Martin 12950 Forge Road Mercersburg, PA 17236 | UNT Little Cove Creek / CWF / 13-B | DEP—SCRO— Watershed Mgmt. 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4802 |

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor,

Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to

the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act

Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Williamsport, PA 17701

Permit No. Minor Amendment—Operation Public Water Supply.

| | |
|-----------------------|---|
| Applicant | Ridge Crest Community |
| [Township or Borough] | Liberty Township |
| County | Centre |
| Responsible Official | Mr. Curt Willar Ridge Crest Community 119 Office Lane Howard, PA 16841 |
| Type of Facility | Public Water Supply |
| Consulting Engineer | N/A |
| Permit Issued | September 28, 2011 |
| Description of Action | 4-log inactivation of viruses at Entry Point 100 (Well Nos. 1 and 2). |

Permit No. MA (1483501)—Operation Public Water Supply.

| | |
|-----------------------|--|
| Applicant | Howard Water System |
| [Township or Borough] | Howard Borough |
| County | Centre |
| Responsible Official | Mr. Dan Brownson Borough of Howard P. O. Box 378 Howard, PA 16841 |
| Type of Facility | Public Water Supply |
| Consulting Engineer | Eric Lundy, P.E. Nittany Engineering & Assoc., Inc. 2836 Earlstown Road Centre Hall, PA 16828 |
| Permit Issued | September 30, 2011 |
| Description of Action | Operation of the rehabilitated Well No. 2. |

Permit No. MA (1499501-T1)—Operation Public Water Supply.

| | |
|-----------------------|--|
| Applicant | Pennsylvania American Water Company |
| [Township or Borough] | Boggs Township |
| County | Centre |

| | |
|-----------------------|---|
| Responsible Official | Mr. David R. Kaufman Vice President—Engineering Pennsylvania American Water Company 800 West Hershey Park Drive Hershey, PA 17033 |
| Type of Facility | Public Water Supply |
| Consulting Engineer | Joel A. Mitchell, P.E. PA American Water Co. 852 Wesley Drive Mechanicsburg, PA 17055 |
| Permit Issued | September 30, 2011 |
| Description of Action | Operation of the chlorine contact time piping adjacent to the water treatment plant. |

Permit No. 0895501-T3—Transfer Public Water Supply.

| | |
|-----------------------|---|
| Applicant | Hillside Acres MHP |
| [Township or Borough] | Ridgebury Township |
| County | Bradford |
| Responsible Official | Mr. Marvin L. Slomowitz General Partner Mark Ridgebury Assoc., L.P. 17 Hillside Acres Gillett, PA 16925 |
| Type of Facility | Public Water Supply |
| Consulting Engineer | N/A |
| Permit Issued | September 30, 2011 |
| Description of Action | Transfer of ownership and operation of the well source known as Well #1 and the facilities of distribution, disinfection, pump station, transmission lines and sequestration. |

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Operations Permit issued to **Knox Borough**, PWSID #6160005, Knox Borough, **Clarion County**. Permit Number 1694502-MA2 issued September 30, 2011 for the operation of water treatment facilities located at Sharp Shopper. This permit is issued in response to an operation inspection conducted by Department personnel on September 15, 2011.

Operations Permit issued to **Knox Borough**, PWSID #6160005, Knox Borough, **Clarion County**. Permit Number 1694502-MA3 issued September 30, 2011 for the operation of water treatment facilities located at Swartfager Welding. This permit is issued in response to an operation inspection conducted by Department personnel on September 15, 2011.

HAZARDOUS SITES CLEAN-UP UNDER THE ACT OF OCTOBER 18, 1988

Proposed Consent Order and Agreement

Superior Tube Co., Collegeville, Montgomery County

The Department of Environmental Protection ("Department"), under the authority of the Pennsylvania Hazardous Sites Cleanup Act ("HSCA"), 35 P. S. § 6020.1113, has

entered into a Consent Order and Agreement with Superior Tube Co. and Superior Tube Co., Inc. ("Superior Tubes"), sister corporations with plant operations located in a portion of the Lower Providence DCE HSCA Site in Montgomery County, PA ("the site"). This site consists of commercial and residential properties impacted by groundwater contamination.

The contaminants of concern impacting the site include: 1,1-dichloroethene (DCE), trichloroethene (TCE), cis-1,2-dichloroethene, 1,1,1-trichloroethane, tetrachloroethene (PCE), chloromethane, chloroform, methyl ethyl ketone (MEK), trichlorofluoromethane, xylene and toluene. Superior is responsible for a portion of the TCE released and threatened to be release on certain properties within the site area. Superior presently operates a groundwater pump and treat system to address certain contamination released from its plant. The Department shall install a public waterline to deliver potable water to affected residents and businesses within the site area.

In a Consent Order and Agreement, Superior and the Department agreed that Superior would reimburse the Department for response costs incurred and to be incurred by the Department for the public waterline project. Additionally, Superior agreed to remediate a portion of the site where TCE has been released and Superior agreed to attain an Act 2 (Land Recycling and Environmental Remediation Standards Act, 35 P. S. § 6026.101 et seq.) standard on this portion of the site. Superior's Notice of Intent to Remediate, its Remedial Investigation Report and its Cleanup Plan filed pursuant to Act 2, are retained in the Department's Regional Office Files.

This notice is provided under Section 1113 of HSCA, 35 P. S. § 6020.1113, which states that, "settlement shall become final upon the filing of the Department's response to significant written comments". The Consent Order and Agreement, which contains the specific terms of the agreement is available for public review and comment. The agreement can be examined from 8 a.m. to 4 p.m. at the Department's Southeast Regional Office, located at 2 East Main Street in Norristown, PA by contacting either Timothy Cherry or Gina M. Thomas, Esquire at (484) 250-5930. Mr. Cherry and Ms. Thomas may also be contacted electronically at tcherry@pa.gov and githomas@pa.gov, respectively. A public comment period on the Consent Order and Agreement will extend for 60 days from today's date. Persons may submit written comments regarding the agreement within 60 days from today's date, by submitting them to Mr. Cherry at the above address.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P. S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to

document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Eric Supey, Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Green Acres MHP/Szoke Residence, 8989 Breinigs Run Circle, Upper Macungie Township, **Lehigh County**. Christopher A. Jacangelo, J. Rockwood & Associates, Inc., P. O. Box 1006, Easton, PA 18044 has submitted a Final Report (on behalf of his client, MHC Green Acres, LP, c/o Equity Lifestyle Properties, Inc., Two North Riverside Plaza, Suite 800, Chicago, IL 60606), concerning the remediation of soil found to have been impacted by No. 2 fuel oil/kerosene as a result of an accidental release occurring from an aboveground storage tank, which is located outside the residential dwelling. A public notice regarding the submission of the Final Report was to have been published in *The Morning Call* on September 21, 2011.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110

PSECU Elmerton Avenue Site, Elmerton Avenue, Harrisburg, PA 17110, Susquehanna Township, **Dauphin County**. Advantage Engineers, LLC, 910 Century Drive, Mechanicsburg, PA 17055, on behalf of PA State Employees Credit Union, PO Box 67013, Harrisburg, PA 17106-7013, submitted a Risk Assessment Report and Cleanup Plan concerning remediation of site soils and groundwater contaminated with arsenic and barium. The report and plan are intended to document remediation of the site to meet the Site-Specific Standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the Pennsylvania Bulletin a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401

Delaware County Emergency Services Training Center, Delaware Township and Folcroft Borough, **Delaware County**. Frank Aceto, Stantec Consulting Corporation, 1060 Andrew Drive Suite 140, West Chester, PA 19380 on behalf of Marianne Grace, County of Delaware,

201 West Front Street, Media, PA 19063 has submitted a Final Report concerning the remediation of site groundwater contaminated with undetermined contaminant. The Final report did not demonstrate attainment of the Site Specific Standard and was disapproved by the Department on August 25, 2011.

Bishop Tube, East Whiteland Township **Chester County**. Gerald Kirkpatrick, Environmental Standards, Inc. 1140 Valley Forge Road, Valley Forge, PA 19483 on behalf of Richard Heany, Constitution Drive Partners, 2701 Renaissance Boulevard, 4th floor, King of Prussia, PA 19406 has submitted a 90 day Final Report concerning the remediation of site soil contaminated with pcb. The 90 day Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on July 29, 2011.

Superior Tube, Lower Providence Township **Montgomery County**. Paul Miller, P.E. Environmental Alliance, Inc., 5441 Limestone Road, Wilmington, DE 19808 on behalf of Rich Warden, Superior Tube Company, 100 Front Street, Suite 525, West Conshohocken, PA 19428 has submitted a Cleanup Plan/Remedial Investigation Report concerning the remediation of site groundwater and soil contaminated with chlorinated solvents. The Cleanup Plan/Remedial Investigation Report was approved by the Department on August 19, 2011.

Columbia Lighting, Bristol Borough **Bucks County**. Steven Tanen, AMEC Earth & Environmental, 502 West Germantown Pike, Suite 850, Plymouth Meeting, PA 19462, Bonnie Barnett, Esq, JUSI Holdings; USI Canada, Inc. and Jacuzzi Brands Corporation, c/o Drinker Biddle & Reath, LLP, One Logan Square, Suite 2000, Philadelphia, PA 19103-6996 on behalf of Michael Scott Feeley, Esp. Hubbell Lighting, Inc. c/o Latham & Watkins, LLP 2555 South Grand Avenue, Los Angeles, CA 910071-1560 has submitted a Remedial Investigation/Final Report concerning the remediation of site soil and groundwater contaminated with pcb. The Remedial Investigation/Final Report was place on hold by the Department on August 19, 2011.

Evelyn Sander Towns homes Phase II, City of Philadelphia. **Philadelphia County**. Michael Christie, Penn Environmental & remediation, 2755 Bergey Road, Hatfield, PA 19440 on behalf of Paul Aylesworth, Evelyn Sanders 2, LP, 407 Fairmount Avenue, Philadelphia, PA 19123 has submitted a Final Report concerning the remediation of site soil contaminated with pahs, metals, lead and mercury. The Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on August 24, 2011.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permit(s) issued under the Solid Waste Management Act, of July 7, 1980, P.L. 380, 35 P.S. §§ 6018.101—6018.1003, the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southwest Regional Office, Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Telephone 412.442.4000.

Permit ID No.100281. Greenridge Reclamation Landfill, Greenridge Reclamation Landfill, LLC, 234 Landfill Road, Scottdale, PA 15683. Operation of a municipal waste landfill in East Huntingdon Township,

Westmoreland County. Permit renewal issued in the Regional Office on September 29, 2011.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Ray Kempa, New Source Review Chief—Telephone: 570-826-2507

58-310-047GP3: Meshoppen Stone, Inc. (PO BOX 127, Frantz Road, Meshoppen, PA 18630) on September 29, 2011, to construct and operate a Portable Crushing Operation with watersprays in Liberty Township, **Susquehanna County.**

58-329-040GP9: Meshoppen Stone, Inc. (PO BOX 127, Frantz Road, Meshoppen, PA 18630) on September 29, 2011, to install and operate a Diesel I/C engine in Liberty Twp., **Susquehanna County.**

Plan Approvals Issued under the Air Pollution Control Act and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: Sachin Shankar, New Source Review Chief—Telephone: 484-250-5920

46-0169D: Constantia Colmar, Inc. (92 County Line Road, Colmar, PA 18915) on September 26, 2011, to install a new flexographic press and the removal of an existing flexographic press and an existing rotogravure press at an existing facility in Hatfield Township, **Montgomery County.** The facility is a non-Title V facility. Volatile organic compound (VOC) emissions from the facility will be captured by an existing permanent total enclosure and controlled by an existing regenerative thermal oxidizer. The VOC emission restriction for the facility, as currently indicated in State Only Operating Permit No. 46-00169, will remain at 24.7 tons/yr. The plan approval will include monitoring, recordkeeping, reporting, and work practice requirements designed to keep the facility operating within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Chief, East Permitting Section—Telephone: 717-705-4862 or Daniel Husted, Chief, West Permitting Section—Telephone: 717-705-4862

28-05002C: US Army Letterkenny Army Depot (AMLD-EN, Chambersburg, PA 17201-4150) on September 23, 2011, for construction and temporary operation of two new surface coating booths at their military facility Letterkenny Township, **Franklin County.**

28-05002G: US Army Letterkenny Army Depot (AMLD-EN, Chambersburg, PA 17201-4150) on September 27, 2011, for a revision to the Metal Pretreatment Acid Wash VOC emission limit contained in Letterkenny's Title-V Operating Permit and Reasonably Available Con-

trol Technology (RACT) Plan. The revision involves increasing allowable Metal Pretreatment Acid Wash VOC emissions under Source ID 148 in the Title V permit by 5.3 tons for a maximum total of 8.0 tons per each 12-month consecutive period at the facility. The proposed project will incorporate Reasonably Available Control Technology (RACT) with the use of High Volume Low Pressure (HVLP) coating application equipment and other work practices designed to minimize VOC emissions. The conditions in the plan approval are expected to be submitted to EPA as a SIP revision. The Letterkenny Army Depot is in Letterkenny Township, **Franklin County.**

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104

Contact: Edward Wiener, Chief—Telephone: 215-685-9426

AMS 11210: Allied Tube & Conduit (11350 Norcom Rd., Philadelphia, PA 19154) on September 28, 2011, to install an Acid Scrubber (Air Control Device) in the City of Philadelphia, **Philadelphia County.** The scrubber is used to control Hydrochloric Acid emissions from their 1P & 2P Mills. The scrubber has an emission limit of removal efficiency rated at 50%. The scrubber uses a Sodium Hydroxide scrubbing liquid. The total HCL emission limit after the scrubber are 0.22 tons per year. The plan approval will contain operating, monitoring, recordkeeping, and reporting requirements to ensure operation within all applicable requirements.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: Sachin Shankar, New Source Review Chief—Telephone: 484-250-5920

09-0007C: Waste Management Disposal Services of PA, Inc. (1000 New Ford Mill Road, Morrisville, PA 19067) on September 23, 2011, to operate a landfill gas collection & control system in Fall Township, **Bucks County.**

23-0100A: Pyramid Materials (2052 Lucon Road, Skippack, PA 19474) on September 23, 2011, to operate a generator in Aston Township, **Delaware County.**

46-313-146: Penn Color, Inc. (2755 Bergey Road, Hatfield, PA 19440) on September 23, 2011, to operate a (2) two dust collectors in Hatfield Township, **Montgomery County.**

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Chief, East Permitting Section—Telephone: 717-705-4862 or Daniel Husted, Chief, West Permitting Section—Telephone: 717-705-4862

06-05002H: Lehigh Cement Co. (537 Evansville Road, Fleetwood, Pennsylvania 19522) on September 23, 2011, to install SNCR NOx controls on the two cement kilns at their cement manufacturing facility in Maidencreek Township, **Berks County.** The Plan Approval was extended.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: M. Gorog & B. Hatch, Environmental Engineer Managers—Telephone: 412-442-4163/5226

56-00257B: PA Department of Corrections (P. O. Box 631, 5706 Glades Pike, Somerset, PA 15501) on August 8, 2011, as a result of equipment startup, to establish the 180-day period of temporary operation of the cogeneration facility including two natural gas-fired boilers, one dual fuel boiler, one landfill gas-fired turbine, and two landfill gas-fired engines authorized under plan approval PA-56-00257B, until February 8, 2012, at SCI Laurel Highlands in Somerset Township, **Somerset County**. The plan approval has been extended.

63-00958: MarkWest Liberty Midstream and Resources, LLC (1515 Arapahoe Street Tower 2, Suite 700, Denver, CO 80202-2126) on September 7, 2011, as a result of equipment startup, to establish the 180-day period of temporary operation of the four Waukesha rich burn natural gas-fired compressor engines authorized under plan approval PA-63-00958, until March 7, 2012, at Welling Compressor Station in Buffalo Township, **Washington County**. The plan approval has been extended.

26-00579A: Tri-State Bio Fuels, LLC (Thompson Recovery Road, Lemont Furnace, PA 15456) on October 1, 2011, for a plan approval extension with an expiration date of April 1, 2012, for the Lemont Pellet Plant, a wood pellet manufacturing plant in North Union Township, **Fayette County**. The plan approval has been extended.

03-00215A: Allegheny Mineral Corp. (PO Box 1022, One Glade Park East, Kittanning, PA 16201) on September 30, 2011, for a Plan Approval extension for the Worthington Plant located in West Franklin Township, **Armstrong County**. The plan approval has been extended.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636

10-265B: Iron Mountain Information Management—The Underground (1137 Branchton Road, Boyers, PA 16020) on September 30, 2011, to install ten (10) emergency generators at their facility in Cherry Township, **Butler County**.

25-1024A: PHB, Inc. (8150 West Ridge Road, Fairview, PA 16415) on September 30, 2011, to install three (3) paint booths at their facility in Fairview Township, **Erie County**.

Title V Operating Permits Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Chief, East Permitting Section—Telephone: 717-705-4862 or Daniel Husted, Chief, West Permitting Section—Telephone: 717-705-4862

07-05008: Team Ten LLC (1600 Pennsylvania Avenue, PO Box 99, Tyrone, PA 16686) on September 27, 2011 for their paper mill in Tyrone Borough, **Blair County**. The Title V permit was renewed.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19428

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920

09-00075: Dunmore Corp. (145 Wharton Road, Bristol, PA 19007) on September 26, 2011, for operation of a plastic and film sheet coating facility in Bristol Township, **Bucks County**. The permit is for a non-Title V (State only) facility. Sources of air emissions are three (3) gravure printing presses, one mixing room and an oxidizer for VOC control. The renewal permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Ray Kempa, New Source Review Chief—Telephone: 570-826-2507

54-00076: Pottsville Materials, LLC (P. O. Box 1467, Skippack, PA 19474) on August 31, 2011, to operate a quarry/stone crushing plant in New Castle Township, **Schuylkill County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Chief, East Permitting Section—Telephone: 717-705-4862 or Daniel Husted, Chief, West Permitting Section—Telephone: 717-705-4862

67-03028: Dentsply Prosthetics US LLC (PO Box 872, York, PA 17405-0872) on September 27, 2011, for their dental appliance manufacturing facility in **York City**, York County. The State-only permit was renewed.

38-03047: PA Department of Military & Veterans Affairs (Environmental Office, Bldg 0-11, Annville, PA 17003-5002) on September 26, 2011, for their Fort Indiantown Gap Military support facility in Union Township, **Lebanon County**. The State-only permit was renewed.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Barbara Hatch, Facilities Permitting Chief—Telephone: 412-442-4174

11-00527: Phoenix Services, LLC (1717 West Doe Run Road, Unionville, PA 19375) on September 27, 2011, to issue a state only operating permit to authorize the operation of a slag processing and handling facility at their Johnstown Slag Preparation Facility in Franklin Borough, **Cambria County**. Sources at this facility include front end loaders, vibrating grizzly feeder, jaw crusher, screens, conveyors, stackers, stockpiles, and roadways. Emissions from this site will not exceed 10 tons of particulate matter per year. Testing of the slag pile has indicated an 11.5% moisture content, so dust should be minimal. Fugitive emissions from this site are controlled through the use of water sprays; pressurized water truck; and road sweeper. Operating Permit contains conditions relating to monitoring, recordkeeping and work practice standards.

30-00087: Emerald Coal Resources, L.P. (158 Portal Road, Waynesburg, PA 15370) on September 27, 2011, to issue state only operating permit to operate the Emerald

Mine Coal Preparation Plant and rail loading facility in Franklin Township, **Greene County**. The operation of the 10 Million ton per year facility's air contamination sources, consisting of a breaker, conveyers, chemical froth flotation system, and storage piles emit 7.28 tons per year of PM10 and 31.84 tons per year of VOC. The facility is limited to a maximum opacity from any processing equipment of 20 percent. The facility is subject to the applicable requirements of Pa. Code Title 25, Chapters 121—145, and 40 CFR 60, Subpart Y. The permit also includes emission limitations, operational requirements, monitoring requirements, and recordkeeping requirements for the facility.

56-00149: Somerset Area School District (645 S Columbia Ave, Somerset, PA 15501-2513) on September 29, 2011, for a non-Title V, State Only, Synthetic Minor Operating Permit renewal for the Maple Ridge & Eagle View Elementary Schools in Somerset Borough, **Somerset County**. The permit is for the operation of two 4.3 mmbtu/hr tri-fuel boilers at each school. Maple Ridge Elementary School also has a 35 kW natural gas fired emergency generator and Eagle View Elementary School has a 55 kW natural gas fired emergency generator. The permit will include monitoring, recordkeeping, reporting, and work practice requirements designed to keep the facility operating within all applicable air quality requirements.

63-00131: Avella Area School District (1000 Avella Rd., Avella, PA 15312-2109) on September 30, 2011, for a non-Title V, State Only, Synthetic Minor Operating Permit renewal for the Avella Area Elementary & Senior High Schools in Cross Creek Township, **Washington County**. The permit is for the operation of two tri-fuel boilers burning anthracite coal and two natural gas-fired boilers as well as two small hot water heaters and emergency generators. The permit will include monitoring, recordkeeping, reporting, and work practice requirements designed to keep the facility operating within all applicable air quality requirement

63-00494: Fort Cherry School District (110 Fort Cherry Rd., McDonald, PA 15057-2927) on September 30, 2011, for a non-Title V, State Only, Synthetic Minor Operating Permit renewal for the Fort Cherry Jr - Sr High School in Mt. Pleasant Township, **Washington County**. The permit is for the operation of one coal or natural gas-fired tri-fuel boiler and one natural gas only fired tri-fuel boiler. Additional minor sources include a small dust collector, hot water heaters, gas ovens, and steam kettles. The permit will include monitoring, recordkeeping, reporting, and work practice requirements designed to keep the facility operating within all applicable air quality requirements.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-616636

37-00304: Heraeus Electro-Nite Co. (3 Fountain Avenue, Ellwood City, PA 16117) on September 26, 2011, to issue a State Only Operating Permit renewal for their facility in the Borough of Ellwood City, **Lawrence County**. The facility is a Natural Minor. The primary sources at the facility include skiving machines, shell core molding machines, and curing ovens. The renewal permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law; the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.20a). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to applications will also address the application permitting requirements of the following statutes: the Air Quality Pollution Act (35 P. S. §§ 4001—4014); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1002).

Coal Permits Actions

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

56090110 and NPDES No. PA0262862. Wilson Creek Energy, LLC, 140 West Union Street, Suite 102, Somerset, PA 15501, revision of an existing bituminous surface mine to add the Middle Kittanning coal seam in Jenner Township, **Somerset County**, affecting 91.9 acres. Receiving stream(s): UTS to Quemahoning Creek classified for the following use(s): cold water fishery. The first downstream potable water supply intake from the point of discharge is Cambria Somerset Authority. Application received: March 28, 2011. Permit issued: September 23, 2011.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, 724-925-5500

03060101 and NPDES Permit No. PA0250848. State Industries, Inc. (P. O. Box 1022, Kittanning, PA 16201). Renewal permit for reclamation only of an existing bituminous surface mine, located in South Buffalo Township, **Armstrong County**, affecting 175.9 acres. Receiving streams: unnamed tributaries to the Allegheny River and Nicholson Run. Renewal application received: May 4, 2011. Renewal permit issued: September 23, 2011

30100101 and NPDES Permit No. PA0251950. Border Energy, LLC (308 Dents Run Road, Morgantown, WV 26501). Permit issued for commencement, operation and reclamation of a bituminous surface mine, located in Monongahela Township, **Greene County**, affecting 188.5 acres. Receiving streams: unnamed tributaries to Whiteley Creek. Application received: April 30, 2010. Permit issued: September 27, 2011.

63090103 and NPDES Permit No. PA0251747. Amerikohl Mining, Inc. (1384 State Route 711, Stahlstown, PA 15687). Revision permit to increase mining area and revise operations plan to an existing bituminous surface mine, located in Fallowfield & Somerset Townships, **Washington County**, affecting 222.2 acres. Receiving streams: Sawmill Creek and unnamed tributaries to Sawmill Creek. Application received: April 8, 2011. Permit issued: September 27, 2011.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

33010101. Sky Haven Coal, Inc. (5510 State Park Road, Penfield, PA 15849) Renewal of an existing bituminous surface mine in Winslow & Sandy Townships, **Jefferson & Clearfield Counties** affecting 66.5 acres. Receiving streams: Unnamed tributary to Sandy Lick Creek. This renewal is issued for reclamation only. Application received: August 5, 2011. Permit Issued: September 20, 2011.

10070101. Ben Hal Mining Company (389 Irishtown Road, Grove City, PA 16127) Renewal of an existing bituminous surface mine in Clay Township, **Butler County** affecting 7.7 acres. Receiving streams: Unnamed tributaries to Muddy Creek. This renewal is issued for reclamation only. Application received: July 1, 2011. Permit Issued: September 28, 2011.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

54803019R4 and NPDES Permit No. PA0224995. Rausch Creek Land, LP, (978 Gap Street, Valley View, PA 17983), renewal of an existing anthracite surface mine operation for reclamation activities only and the addition of NPDES Permit for stormwater discharges associated with mining activities in Hegins and Porter Townships, **Schuylkill County** affecting 1313.0 acres, receiving stream: East Branch Rausch Creek. Application received: October 21, 2010. Renewal issued: September 28, 2011.

54850207R5 and NPDES Permit No. PA0592901. Rausch Creek Land, LP, (978 Gap Street, Valley View, PA 17983), renewal of an existing anthracite coal refuse reprocessing and preparation plant operation in Hegins Township, **Schuylkill County** affecting 39.08 acres, receiving stream: East Branch Rausch Creek. Application received: March 21, 2011. Renewal issued: September 28, 2011.

PA0224081R3. Stouidt's Ferry Preparation Co., Inc., (P. O. Box 279, St. Clair, PA 17970) and DEP, Bureau of Abandon Mine Reclamation, (2 Public Square, 5th Floor, Wilkes-Barre, PA 18711), renewal of NPDES Permit for removal and recovery of coal and other saleable waste materials from the Seyfert Impounding Basins in Exeter Township, **Berks County**, receiving stream: Schuylkill River. Application received: July 15, 2011. Renewal issued: September 28, 2011.

35111101GP104. Silverbrook Anthracite, Inc., (1 Market Street, Lafin, PA 18702), General NPDES Permit for stormwater discharges associated with mining activities on Exploration No. 35111101 in the City of Carbondale, **Lackawanna County**, receiving stream: Powderly Creek. Application received: June 7, 2011. Permit issued: September 28, 2011.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Actions

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

52114001. Northeast Blasting, (403 Middle Creek Road, Honesdale, PA 18431), construction blasting for the Ryan Edwards House Foundation in Palmyra Township,

Pike County with an expiration date of September 21, 2012. Permit issued: September 29, 2011.

58114030. John Brainard, (3978 SR 2073, Kingsley, PA 18826), construction blasting for the FF Well Gas Pad in Lenox Township, **Susquehanna County** with an expiration date of December 31, 2011. Permit issued: September 29, 2011.

58114031. John Brainard, (3978 SR 2073, Kingsley, PA 18826), construction blasting for the Range Unit 17 Gas Pad in New Milford Township, **Susquehanna County** with an expiration date of December 31, 2011. Permit issued: September 29, 2011.

58114035. Doug Wathen LLC, (11934 Fairway Lakes Drive, Suite 1, Fort Myers, FL 33913), construction blasting for the Heitz & Rodder Gas Pad & Tank Farm Location in Springville Township, **Susquehanna County** with an expiration date of September 22, 2012. Permit issued: September 29, 2011.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Permits, Environmental Assessments and 401 Water Quality Certifications Issued:

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707.

E22-569: Pennsylvania State Employees Credit Union, One Credit Union Place, Harrisburg, Pennsylvania 17110, in Susquehanna Township, **Dauphin County**, ACOE Baltimore District

To: 1) construct and maintain a 17.0-foot long, 6.0-inch minimum uniformly depressed, 48.0-inch RCP culvert extension on the upstream end and a 12.0-foot long, 6.0-inch minimum uniformly depressed, 48.0-inch RCP culvert extension on the downstream end of an existing 62.0-foot long RCP culvert for a total length of 91.0 lineal feet, and to place and maintain approximately 325.0 cubic yards of fill in the floodway of an unnamed tributary to Asylum Run (WWF, MF) permanently impacting 0.02 acre of PEM wetland; 2) install and maintain a 4.0-inch gas line in and across an unnamed tributary to Asylum Run (WWF, MF); 3) construct and maintain three stormwater channels discharging to an unnamed tributary to Asylum Run (WWF, MF); and 4) construct and maintain a 95.0-foot long, 6.0-inch minimum uniformly depressed, 24.0-inch diameter HDPE culvert pipe in an unnamed tributary to Asylum Run (WWF, MF). The purpose of the project is to construct a new corporate headquarters building for The Pennsylvania State Employees Credit Union and to widen and create turning lanes at the intersection of Elmerton Avenue and Kohn Road (Harrisburg East, PA Quadrangle, N: 8.15 inches, W: 16.01 inches; Latitude: 40°17'41.5", Longitude: -76°51'53.3") in Susquehanna Township, Dauphin County.

ENVIRONMENTAL ASSESSMENTS

Central Office: Bureau of Waterways Engineering, Rachel Carson State Office Building, Floor 3, 400 Market Street, Harrisburg, PA 17105

D45-148EA. CCP Property Owners Association South, 1 Big Ridge Drive, East Stroudsburg, PA 18302. Middle Smithfield Township, **Luzerne County**, ACOE Philadelphia District.

Project proposes to breach and remove Rakes Dam across Pond Creek (HQ-CWF) for the purpose of eliminating a threat to public safety and restoring the stream to a free flowing condition. The dam is located approximately 1400 feet north of the intersection of US209 and Primrose Lane (T540) (Bushkill, PA Quadrangle; Latitude: 41° 03' 24", Longitude: -75° 06' 09").

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor,

Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Southwest Region: Oil & Gas Program Manager, 400 Waterfront Drive, Pittsburgh, PA

5/18/2011

ESCGP-1 No: ESX11-059-0033 Phase 1&2

Applicant Name: Alpha Shale Resources LP

Contact Person Toby Rice

Address: 171 Hillpointe Drive Suite 301

City: Canonsburg State: PA Zip Code: 15317

County: Greene Township: Jackson

Receiving Stream (s) And Classifications: UNT to House Run/S Fork Tenmile Creek, HQ

7/28/11

ESCGP-1 No.: ESX11-125-0032

Applicant Name: Range Resources—Appalachia LLC

Contact Person: Carla Suszkowski

Address: 380 Southpointe Boulevard

City: Canonsburg State: PA Zip Code: 15317

County: Washington Township(s): Cross Creek

Receiving Stream(s) and Classifications: UNTs to Cross Creek/Raccoon Creek Watershed

8/10/11

ESCGP-1 No.: ESX11-125-0071

Applicant Name: Range Resources—Appalachia LLC

Contact Person: Carla Suszkowski

Address: 380 Southpointe Boulevard

City: Canonsburg State: PA Zip Code: 15317

County: Washington Township(s): Morris

Receiving Stream(s) and Classifications: UNT 40901 to Tenmile Creek/Tenmile Creek Watershed, Other

8/31/11

ESCGP-1 No.: ESX11-125-0046 Major Revision

Applicant Name: Rice Drilling B LLC

Contact Person: Toby Rice

Address: 171 Hillpointe Dr Suite 301

City: Canonsburg State: PA Zip Code: 15317

County: Washington Township(s): West Pike Run

Receiving Stream(s) and Classifications: UNTs to Pike Run TSF, Other

8/15/2011

ESCGP-1 No.: ESX11-007-0007

Applicant Name: Appalachia Midstream Services LLC

Contact Person: Eric Stewart

Address: 179 Chesapeake Drive

City: Jane Lew State: WV Zip Code: 26378

COUNTY Beaver Township(s): Ohioville and South
Beaver
Receiving Stream(s) and Classifications: Pine Run/Ohio
River Basin, HQ, Other WWF

8/8/11

ESCGP-1 No.: ESX11-059-0045
Applicant Name: Energy Corporation of America
Contact Person: Mark Fry
Address: 1380 Route 286 Highway East, Suite 221
City: Indiana State: PA Zip Code: 15701
County: Greene Township(s): Cumberland
Receiving Stream(s) and Classifications: UNTs to South
Branch Muddy Creek/Muddy Creek WWF, Other

9/15/2011

ESCGP-1 No.: ESX11-125-0009 Major Revision
Applicant Name: Range Resources—Appalachia LLC
Contact Person: Joseph Frantz
Address: 380 Southpointe Boulevard
City: Canonsburg State: PA Zip Code 15317
County: Washington Township(s): Jefferson
Receiving Stream(s) and Classifications: UNT to North
Fork Cross Creek and North Fork Cross Creek /Raccoon
Creek Watershed, Other

9/9/2011

ESCGP-1 No.: ESX11-125-0017 Major Revision
Applicant Name: MarkWest Liberty Midstream &
Resources LLC
Contact Person: Robert McHale
Address: 601 Technology Drive, Suite 130
City: Canonsburg State: PA Zip Code: 15137
County: Washington Township(s): Blaine, Buffalo
Hopewell
Receiving Stream(s) and Classifications: UNTs to Brush
Run HQ-WWF, Brush Run HQ-WWF, UNTs to Buffalo
Creek HQ-WWF, UNTs to Cross Creek HQ-WWF/Brush
Run and Buffalo Creek Watersheds, HQ

6/2/2011

ESCGP-1 No.: ESX11-125-0045
Applicant Name: Range Resources—Appalachia LLC
Contact Person: Carla Suszkowski
Address: 380 Southpointe Boulevard
City: Canonsburg State: PA Zip Code: 15317
County: Washington Township(s): Buffalo & Hopewell
Receiving Stream(s) and Classifications: UNTs and Brush
Run, Buffalo Creek WWF Watershed

8/31/2011

ESCGP-1 NO.: ESX10-125-0048 Major Revision
Applicant Name: Range Resources Appalachia LLC
CONTACT PERSON: Carla Suszkowski
ADDRESS: 380 Southpointe Boulevard
City: Canonsburg State: PA Zip Code: 15317
County: Washington Township(s): Chartiers
Receiving Stream(s) and Classifications: UNT to Allison
Hollow/Chartiers Creek Watershed, Other

09/13/2011

ESCGP-1 NO.: ESX11-059-0057
Applicant Name: Chevron Appalachia LLC
CONTACT: Jeremy Hirtz
ADDRESS: 800 Mountain View Drive
City: Smithfield State: PA Zip Code: 15478
County: Greene Township(s): Dunkard
Receiving Stream(s) and Classifications: UNT to Meadow
Run/Dunkard Creek, Other

*Northwest Region: Oil and Gas Program Manager, 230
Chestnut St., Meadville, PA 16335*

ESCGP-1 #ESX11-019-0089 Alwine Unit No. 2H

Applicant XTO Energy
Contact Melissa Breitenbach
Address 502 Keystone Drive
City Warrendale State PA Zip Code 15086
County Butler Township(s) Jefferson(s)
Receiving Stream(s) and Classification(s) UNT of Thorn
Creek—CWF

SPECIAL NOTICES

Notice of Certification to Perform Radon-Related Activities in Pennsylvania

In the month of September, 2011 Department of Environmental Protection of the Commonwealth of Pennsylvania, under the authority contained in the Radon Certification Act, act of July 9, 1987, P. L. 238, No. 43 (63 P. S. Sections 2001—2014) and regulations promulgated thereunder at 25 Pa. Code Chapter 240, has certified the persons listed below to perform radon-related activities in Pennsylvania. The period of certification is two years. (For a complete list of persons currently certified to perform radon-related activities in Pennsylvania and for information as to the specific testing devices that persons certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P. O. Box 8469, Harrisburg, PA 17105-8469, (1-800-23RADON).

| <i>Name</i> | <i>Address</i> | <i>Type of Certification</i> |
|----------------------------------|---|------------------------------|
| Accredited Radon Mitigation | 130 W. Main Street Suite 144-186 Collegeville, PA 19426 | Mitigation |
| Justin Ake | 2309 13th Street Altoona, PA 16601 | Testing |
| Dr. Joseph Baicker | 403 Skillman Road Skillman, NJ 08558 | Laboratory Analysis |
| George Basista | 7501 E. Parkside Drive Boardman, OH 44512 | Testing |
| Bill Brodhead WPB Enterprises | 2844 Slifer Valley Road Riegelsville, PA 18077 | Mitigation |
| John Denison | P. O. Box 4 Crescent, PA 15046 | Testing |
| David Gunselman | 4 Theresa Drive Conestoga, PA 17516 | Testing |

| <i>Name</i> | <i>Address</i> | <i>Type of Certification</i> |
|--|--|------------------------------|
| Travis Hammond | 84 Becker Hill Road Williamsport, PA 17701 | Testing |
| Fred Hohman | 26 Windhill Drive Greensburg, PA 15601 | Testing |
| Rick Hynes | 1037 Carnes School Road Seneca, PA 16346 | Testing |
| Darryl Jamison | 125 N. 42nd Street Erie, PA 16504 | Testing |
| Robert Johnson | 340 Freed Road Harleysville, PA 19438 | Testing |
| David Kapturowski AccuStar Labs | 11 Awl Street Medford, MA 02053 | Laboratory Analysis |
| Matthew Kennedy | 3920 Market Street Camp Hill, PA 17011 | Testing |
| Fred Klein | 702 Manchester Drive Maple Glen, PA 19002 | Testing |
| Thomas Murray | 24 S. Pearl Street North East, PA 16428 | Testing |
| Wayne Murray | 63 Bethesda Church Road East Holtwood, PA 17532 | Testing |
| Timothy Musser | 213 N. 14th Street Allentown, PA 18102 | Mitigation |
| Prosser Laboratories, Inc. | P. O. Box 118 Effort, PA 18330 | Laboratory Analysis |
| Jerry Reed | 456 Avoy Road Lake Ariel, PA 18436 | Testing |
| Brian Reuss Radon Control Services, LLC | 200 Ravencroft Court Cranberry Township, PA 16066 | Mitigation |
| Joik Ro | 30 Sunset Drive Carlisle, PA 17013 | Testing |
| David Scott | 417 Pikeland Avenue Spring City, PA 19475 | Testing & Mitigation |
| Jacob Troost | P. O. Box 163 Brodheadsville, PA 18322 | Testing |

**Request for Comments on the Proposed Total Maximum Daily Loads (TMDLs) Developed
for the Limestone Run Watershed in Northumberland County**

The Department of Environmental Protection will accept comments on the proposed TMDLs developed for the Limestone Run Watershed in Northumberland County. These TMDLs were established in accordance with the requirements of Section 303(d) of the Clean Water Act. The Pennsylvania Integrated Water Quality Monitoring and Assessment Report included impaired stream segments in this watershed. The listings of these waterbodies were due to use impairments caused by excessive siltation.

There currently are no state or federal instream numerical water quality criteria for siltation. Therefore, the Department utilized a reference watershed approach to implement the applicable narrative criteria. These proposed TMDLs set allowable loadings of sediment in the Limestone Run Watershed. The sediment loading was allocated among cropland, hay/pasture land, transitional land and streambank categories present in the watershed. Data used in establishing these TMDLs was generated using a water quality analysis model (AVGWLF) designed by the Pennsylvania State University.

The following table shows the estimated current sediment loading for the watershed. Overall load reductions necessary in order to meet the TMDLs are also identified.

| <i>Summary of TMDL Based Load Reductions in the Limestone Run</i> | | | | | |
|---|-------------------------------------|-------------------------------------|----------------------------|----------------------------|------------------------------|
| <i>POLLUTANT</i> | <i>EXISTING LOAD (lbs./yr.)</i> | <i>EXISTING LOAD (lbs./day)</i> | <i>TMDL (lbs./yr.)</i> | <i>TMDL (lbs./day)</i> | <i>PERCENT REDUCTION</i> |
| Sediment | 3,352,600 | 9,185 | 2,632,702 | 7,213 | 21.5% |

The data and all supporting documentation used to develop the proposed TMDLs are available from the Department. The proposed TMDLs and information on the TMDL program can be viewed on the Department's website (www.dep.state.pa.us/watermanagement_apps/tmdl/). To request a copy of any of the proposed TMDLs contact:

Sean Kilmartin, Civil Engineer Hydraulic
 Watershed Protection Division, Central Office
 Pennsylvania Department of Environmental Protection
 Rachel Carson State Office Building
 Harrisburg, PA 17105
 Phone: 717-772-3922, e-mail: sekilmarti@pa.gov

The Department will consider all comments in developing the final TMDLs, which will be submitted to EPA for approval. Written comments will be accepted at the above address and must be postmarked by 45 days after publication in the *PA Bulletin*. A public meeting to discuss the technical merits of the TMDLs will be held upon request.

[Pa.B. Doc. No. 11-1767. Filed for public inspection October 14, 2011, 9:00 a.m.]

Pennsylvania State Clean Diesel Grant Program; Opening of the Grant Application Acceptance Period

The Department of Environmental Protection (Department) announces an opportunity to apply for \$561,946 that has been made available through the United States Environmental Protection Agency (EPA) and the Federal Diesel Emission Reduction Act (42 U.S.C.A. §§ 16131—16137). This funding is available through the Pennsylvania State Clean Diesel Grant Program for eligible diesel emission reduction projects that will improve air quality and protect public health and the environment in this Commonwealth by reducing emissions from diesel-powered vehicles.

The Department is seeking applications for projects that will replace, repower or retrofit fleet diesel-powered school or transit buses. Funding is available for public and private entities that operate diesel-powered fleets throughout this Commonwealth. These entities may include school districts, municipal authorities, political subdivisions, other State agencies, nonprofit entities, corporations, limited liability companies or partnerships incorporated or registered in this Commonwealth. Projects must use technologies certified or verified by the EPA or the California Air Resources Board to lower diesel emissions. The technology may be a single technology or a combination of available technologies. The majority of the fleet's annual operation time must occur within this Commonwealth.

The Department will not reimburse grant recipients for project costs incurred prior to the grant performance period set forth in the applicable grant agreement.

The application package including guidance, instructions and application forms is available by contacting Martin T. Felion, Department of Environmental Protection, Bureau of Air Quality, Air Resource Management Division, 12th Floor, 400 Market Street, Harrisburg, PA 17101, (717) 787-9702. The application package is also available electronically on the Department's web site at www.depweb.state.pa.us (DEP Keywords "Clean Diesel").

The Department will begin accepting applications on October 17, 2011. Applications must be postmarked or hand delivered by 4 p.m. on December 15, 2011. Faxes and electronic copies will not be accepted.

MICHAEL L. KRANCER,
Secretary

[Pa.B. Doc. No. 11-1768. Filed for public inspection October 14, 2011, 9:00 a.m.]

DEPARTMENT OF HEALTH

Health Policy Board Meeting

The Health Policy Board is scheduled to hold a meeting on Wednesday, October 19, 2011, at 10 a.m. in Room 812, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120.

For additional information or for persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so should contact Katrina Kyle, Bureau of Health Planning, Room 1033, Health and Welfare Building, Harrisburg, PA 17120, (717) 772-5298, or V/TT (717) 783-6514 for speech and/or hearing impaired persons, or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

This meeting is subject to cancellation without notice.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 11-1769. Filed for public inspection October 14, 2011, 9:00 a.m.]

Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facilities are seeking an exception to 28 Pa. Code § 205.6(a) (relating to function of building):

Conestoga View
 900 East King Street
 Lancaster, PA 17602
 FAC ID 035302

Mon Valley Care Center
 200 Stoops Drive
 Monongahela, PA 15063

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.67(k) (relating to electric requirements for existing and new construction):

Beacon Ridge, A Choice Community
 1515 Wayne Avenue
 Indiana, PA 15701

The following long-term care nursing facilities are seeking an exception to 28 Pa. Code § 211.9(g) (relating to pharmacy services):

John J Kane Regional Center—Glen Hazel
 955 Rivermont Drive
 Pittsburgh, PA 15207

John J Kane Regional Center—McKeesport
 100 Ninth Street
 Pittsburgh, PA 15132

John J Kane Regional Center—Ross Township
110 McIntyre Road
Pittsburgh, PA 15237

John J Kane Regional Center—Scott Township
300 Kane Boulevard
Pittsburgh, PA 15243

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 15 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact V/TT (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 11-1770. Filed for public inspection October 14, 2011, 9:00 a.m.]

DEPARTMENT OF LABOR AND INDUSTRY

Current Prevailing Wage Act Debarments

The following contractors have been determined to have intentionally violated the Pennsylvania Prevailing Wage Act (act) (43 P. S. §§ 165-1—165-17). This notice is published for the information and convenience of public bodies subject to the act. Under section 11(e) of the act (43 P. S. § 165-11(e)), these contractors, or either one of them, or any firms, corporations or partnerships in which either one of these contractors has an interest, shall be awarded no contract for 3 years after the date listed.

| <i>Contractor</i> | <i>Address</i> | <i>Date of Debarment</i> |
|---|--|--------------------------|
| Sterling Construction Specialists, Inc. Samuel Landis, individually and Robert Steven Livesay, individually EIN (27-0193211) | 20323 Valley Forge Circle King of Prussia, PA 19406 | 09/16/2011 |

JULIA K. HEARTHWAY,
Secretary

[Pa.B. Doc. No. 11-1771. Filed for public inspection October 14, 2011, 9:00 a.m.]

DEPARTMENT OF PUBLIC WELFARE

Pharmacy Prior Authorization

The Department of Public Welfare (Department) announces it will add stimulants and related agents designated as preferred on the Department's Preferred Drug List when prescribed for recipients 18 years of age and older to the Medical Assistance (MA) Program's list of services and items requiring prior authorization.

Section 443.6(b)(7) of the Public Welfare Code (62 P. S. § 443.6(b)(7)) authorizes the Department to add items and services to the list of services requiring prior authorization by publication of notice in the *Pennsylvania Bulletin*.

The Department will phase-in implementation of prior authorization of preferred stimulants and related agents and will issue MA Bulletins to providers enrolled in the MA Program specifying each age group of recipients, the effective date of implementation and the procedures for obtaining prior authorization of prescriptions. The first phase of implementation will be for preferred stimulants and related agents dispensed on or after October 17, 2011, to recipients 18 years of age or older but under 27 years of age. The second phase of implementation will be for preferred stimulants and related agents dispensed on and after November 14, 2011, to recipients 27 years of age and older.

Fiscal Impact

These changes are estimated to result in savings totaling \$0.399 million (\$0.181 million in State funds) in the MA Outpatient Program in Fiscal Year (FY) 2011-2012. Savings are estimated \$ 0.685 million (\$0.312 million in State funds) in FY 2012-2013.

Public Comment

Interested persons are invited to submit written comments regarding this notice to the Department of Public Welfare, Office of Medical Assistance Programs, c/o Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. Comments received within 30 days will be reviewed and considered for any subsequent revisions to these prior authorization requirements.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

GARY D. ALEXANDER,
Secretary

Fiscal Note: 14-NOT-722. No fiscal impact; (8) recommends adoption.

[Pa.B. Doc. No. 11-1772. Filed for public inspection October 14, 2011, 9:00 a.m.]

Pharmacy Prior Authorization

The Department of Public Welfare (Department) announces it will add Xyrem to the Medical Assistance (MA) Program's list of services and items requiring prior authorization.

Section 443.6(b)(7) of the Public Welfare Code (62 P. S. § 443.6(b)(7)) authorizes the Department to add items and services to the list of services requiring prior authorization by publication of notice in the *Pennsylvania Bulletin*.

The MA Program will require prior authorization of all prescriptions for Xyrem dispensed on or after October 17, 2011.

The Department will issue an MA Bulletin to providers enrolled in the MA Program specifying the procedures for obtaining prior authorization of prescriptions for the medication listed previously.

Fiscal Impact

These changes are estimated to result in savings totaling \$0.042 million (\$0.019 million in State funds) in the MA Outpatient Program in Fiscal Year (FY) 2011-2012. Savings are estimated \$0.073 million (\$0.033 million in State funds) in FY 2012-2013.

Public Comment

Interested persons are invited to submit written comments regarding this notice to the Department of Public Welfare, Office of Medical Assistance Programs, c/o Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. Comments received within 30 days will be reviewed and considered for any subsequent revisions to these prior authorization requirements.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

GARY D. ALEXANDER,
Secretary

Fiscal Note: 14-NOT-723. No fiscal impact; (8) recommends adoption.

[Pa.B. Doc. No. 11-1773. Filed for public inspection October 14, 2011, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Bureau of Maintenance and Operations; Access Route Approval

Under 75 Pa.C.S. § 4908 (relating to operation of certain combinations on interstate and certain other highways), the Department of Transportation approved on June 1, 2011, the following access route for use by the types of truck combinations as indicated:

1. (x) 102" wide up to 53' long trailer.
2. () 102" wide twin trailers (28-1/2 feet maximum length each)
3. () 102" wide maxi-cube.

| <i>Route Identification</i> | <i>Route Description</i> | <i>Length Miles</i> |
|---------------------------------|------------------------------|-------------------------|
| SR 1030 | From SR 1051 to SR 1045 | 1.5 |

Questions should be directed to Matt Hedge, (717) 772-5462.

BARRY J. SCHOCH, P.E.,
Secretary

[Pa.B. Doc. No. 11-1774. Filed for public inspection October 14, 2011, 9:00 a.m.]

ENVIRONMENTAL QUALITY BOARD

Meeting Cancellation

The October 18, 2011, meeting of the Environmental Quality Board (Board) is cancelled. The next regularly scheduled meeting of the Board is scheduled for Tuesday, November 15, 2011, at 9 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17105. An agenda and meeting materials for the November 15, 2011, meeting will be available on the Department of Environmental Protection's web site at <http://www.depweb.state.pa.us> (Select "Public Participation"; "Public Participation Center").

Questions concerning the Board's next scheduled meeting may be directed to Michele Tate at (717) 783-8727 or mtate@pa.gov.

MICHAEL L. KRANCER,
Chairperson

[Pa.B. Doc. No. 11-1775. Filed for public inspection October 14, 2011, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Filing of Final Rulemakings

The Independent Regulatory Review Commission (Commission) received the following regulation. It is scheduled to be considered on the date noted. The Commission's public meetings are held at 333 Market Street, 14th Floor, Harrisburg, PA at 10 a.m. To obtain a copy of the regulation, interested parties should first contact the promulgating agency. If a copy cannot be obtained from the promulgating agency, the Commission will provide a copy or a copy can be obtained from the web site, www.irrc.state.pa.us.

Final-Form

| <i>Reg. No.</i> | <i>Agency/Title</i> | <i>Received</i> | <i>Public Meeting</i> |
|-----------------|--|-----------------|-----------------------|
| 15-449 | Department of Revenue Return and Payment of Tax | 10/04/11 | 11/17/11 |

SILVAN B. LUTKEWITTE, III,
Chairperson

[Pa.B. Doc. No. 11-1776. Filed for public inspection October 14, 2011, 9:00 a.m.]

INSURANCE DEPARTMENT

AF&L Insurance Company; Rate Increase Filing for Home Health LTC Forms

AF&L Insurance Company is requesting approval to increase the premium an aggregate 5.6% on 961 policyholders with the following individual home health LTC policy form: HHC-4.

Unless formal administrative action is taken prior to December 28, 2011, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's web site at www.insurance.pa.gov. Under the tab "How to Find . . ." click on the link "Current Rate Filings."

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation and Market Enforcement, Room 1311, Strawberry Square, Harrisburg, PA 17120, jlaverty@state.pa.us within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

MICHAEL F. CONSEDINE,
Insurance Commissioner

[Pa.B. Doc. No. 11-1777. Filed for public inspection October 14, 2011, 9:00 a.m.]

Application for Approval to Acquire Control of Manito Title Insurance Company

General Title Insurance Company has filed an application for approval to acquire control of Manito Title Insurance Company, a domestic title insurance company. The filing was made under Article XIV of The Insurance Company Law of 1921 (40 P. S. §§ 991.1401—991.1413).

Persons wishing to comment on the acquisition are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Cressinda Bybee, Company Licensing Division, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557 or cbybee@pa.gov.

MICHAEL F. CONSEDINE,
Insurance Commissioner

[Pa.B. Doc. No. 11-1778. Filed for public inspection October 14, 2011, 9:00 a.m.]

Application for Approval to Acquire Control of Penn Millers Insurance Company and American Millers Insurance Company

ACE American Insurance Company has filed an application for approval to acquire control of Penn Millers Insurance Company, a domestic property insurance company, and American Millers Insurance Company, a domestic casualty insurance company. The filing was made under Article XIV of The Insurance Company Law of 1921 (40 P. S. §§ 991.1401—991.1413).

Persons wishing to comment on the acquisition are invited to submit a written statement to the Insurance Department (Department) within 21 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Robert Brackbill, Company Licensing Division, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557 or rbrackbill@pa.gov.

MICHAEL F. CONSEDINE,
Insurance Commissioner

[Pa.B. Doc. No. 11-1779. Filed for public inspection October 14, 2011, 9:00 a.m.]

The Prudential Insurance Company of America; Rate Increase Filing for Several LTC Forms

The Prudential Insurance Company of America is requesting approval to increase the premium 19% on 3,544 policyholders with the following individual LTC forms: GRP 98720, GRP 98721, GRP 98722, GRP 112687 and GRP 112685.

Unless formal administrative action is taken prior to December 29, 2011, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's web site at www.insurance.pa.gov. Under the tab "How to Find . . ." click on the link "Current Rate Filings."

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation and Market Enforcement, Room 1311, Strawberry Square, Harrisburg, PA 17120, jlaverty@state.pa.us within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

MICHAEL F. CONSEDINE,
Insurance Commissioner

[Pa.B. Doc. No. 11-1780. Filed for public inspection October 14, 2011, 9:00 a.m.]

LEGISLATIVE REFERENCE BUREAU

Documents Filed But Not Published

The Legislative Reference Bureau (Bureau) accepted the following documents during the preceding calendar month for filing without publication under 1 Pa. Code § 3.13(b) (relating to contents of *Bulletin*). The Bureau will continue to publish on a monthly basis either a summary table identifying the documents accepted during the preceding calendar month under this subsection or a statement that no documents have been received. For questions concerning or copies of documents filed, but not published, call (717) 783-1530.

Executive Board

Resolution No. CB-11-002, Dated August 19, 2011. Collective Bargaining—Authorizing the 2011-2014 PSCOA Corrections Officers/Forensic Security Employees (H1) Interest Arbitration Award.

Governor's Office

Management Directive No. 315.9—Withholding of Delinquent Local Taxes from Employees' Paychecks, Amended August 30, 2011.

Management Directive No. 315.15—Withholding of Pennsylvania Higher Education Assistance Agency Loans from Employee Pay, Amended August 30, 2011.

Management Directive No. 580.13—Report of Personnel Transactions for Non-State Employees, Amended September 16, 2011.

Management Directive No. 580.18—Pennsylvania Residency Requirements for the Classified Service, Amended August 31, 2011.

Management Directive No. 580.35—Employees Placed in the Classified Service by Position Reallocation, Amended August 29, 2011.

Administrative Circular No. 11-13—Availability—2011 Commonwealth Telephone Directory, Dated September 21, 2011.

MARY JANE PHELPS,
Director
Pennsylvania Code and Bulletin

[Pa.B. Doc. No. 11-1781. Filed for public inspection October 14, 2011, 9:00 a.m.]

MILK MARKETING BOARD

Hearing and Presubmission Schedule for All Milk Marketing Areas; Official General Order A-875

Under the Milk Marketing Law (31 P.S. §§ 700j-101—700j-1302), the Milk Marketing Board (Board) will conduct a public hearing for Milk Marketing Areas 1—6 on February 8, 2012, at 11:30 a.m. in Room 202, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA.

The purpose of the hearing is to receive testimony and exhibits concerning whether to remove the service contract initial fee and renewal fee from Official General Order A-875.

The staff of the Board is deemed to be a party to this hearing, and the attorney representing staff is deemed to have entered his appearance. Other persons who wish to present evidence may be included on the Board's list of parties by: (1) having their attorney file with the Board on or before 3 p.m. on January 6, 2012, a notice of appearance substantially in the form prescribed by 1 Pa. Code § 31.25 (relating to form of notice of appearance); or (2) if unrepresented by counsel, filing with the Board on or before 3 p.m. on January 6, 2012, notification of their desire to be included as a party. Parties shall indicate in their notices of appearance if alternate means of service, that is, e-mail or fax, are acceptable. Notices of appearance filed electronically should be directed to deberly@state.pa.us.

The parties shall observe the following requirements for advance filing of witness information and exhibits. The Board may exclude witnesses or exhibits of a party that fails to comply with these requirements. In addition, the parties shall have available in the hearing room at least 20 additional copies made available for the use of non-parties attending the hearing.

1. By 3 p.m. on January 12, 2012, Board staff shall file with the Board, in person or by mail, one original and five copies and ensure receipt by all other parties of one copy of:

a. A list of witnesses who will testify for the petitioner, along with a statement of the subjects concerning which each witness will testify. A witness who will be offered as an expert shall be so identified, along with the witness's area or areas of proposed expertise. For expert witnesses there shall also be filed a statement of the substance of the facts and opinions to which the expert is expected to testify and a summary of the grounds for each opinion.

b. Each exhibit to be presented, including testimony to be offered in written form.

2. By 3 p.m. on January 26, 2012, each responding party shall file and serve as set forth in paragraph 1 information concerning rebuttal witnesses and copies of rebuttal exhibits.

3. By 3 p.m. on February 2, 2012, parties shall file and serve as set forth in paragraph 1 information concerning surrebuttal witnesses and copies of surrebuttal exhibits.

Parties that wish to offer in evidence documents on file with the Board, public documents or records in other proceedings before the Board or wish the Board to take official notice of facts, shall comply with, respectively, 1 Pa. Code § 35.164, § 35.165, § 35.167 or § 35.173. Whenever these rules require production of a document as an exhibit, copies shall be provided to each Board member and to all other parties; in addition, at least 20 copies shall be available for distribution to nonparties attending the hearing.

Requests by parties for Board staff to provide data pertinent to the hearing shall be made in writing and received in the Board office by 12 p.m. on January 30, 2012.

The filing address for the Board is Milk Marketing Board, Room 110, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA 17110.

TIM MOYER,
Acting Secretary

[Pa.B. Doc. No. 11-1782. Filed for public inspection October 14, 2011, 9:00 a.m.]

Hearing and Presubmission Schedule for All Milk Marketing Areas; Over-Order Premium

Under the Milk Marketing Law (31 P. S. §§ 700j-101—700j-1302), the Milk Marketing Board (Board) will conduct a public hearing for Milk Marketing Areas 1—6 on November 9, 2011, at 10:30 a.m. in Room 202, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA.

The purpose of the hearing is to receive testimony and exhibits concerning the level and duration of the Class I over-order premium to be effective January 1, 2012.

The staff of the Board is deemed to be a party to this hearing, and the attorney representing staff is deemed to have entered his appearance. Other persons who wish to present evidence may be included on the Board's list of parties by: (1) having their attorney file with the Board on or before 3 p.m. on October 19, 2011, a notice of appearance substantially in the form prescribed by 1 Pa. Code § 31.25 (relating to form of notice of appearance); or (2) if unrepresented by counsel, filing with the Board on or before 3 p.m. on October 19, 2011, notification of their desire to be included as a party. Parties shall indicate in their notices of appearance if alternate means of service, that is, e-mail or fax, are acceptable. Notices of appearance filed electronically should be directed to deberly@state.pa.us.

The parties shall observe the following requirements for advance filing of witness information and exhibits. The Board may exclude witnesses or exhibits of a party that fails to comply with these requirements. In addition, the parties shall have available in the hearing room at least 20 additional copies made available for the use of nonparties attending the hearing.

1. By 3 p.m. on October 21, 2011, the petitioner shall file with the Board, in person or by mail, one original and five copies and ensure receipt by all other parties of one copy of:

a. A list of witnesses who will testify for the petitioner, along with a statement of the subjects concerning which each witness will testify. A witness who will be offered as an expert shall be so identified, along with the witness's area or areas of proposed expertise. For expert witnesses there shall also be filed a statement of the substance of the facts and opinions to which the expert is expected to testify and a summary of the grounds for each opinion.

b. Each exhibit to be presented, including testimony to be offered in written form.

2. By 3 p.m. on October 28, 2011, each responding party shall file and serve as set forth in paragraph 1 information concerning rebuttal witnesses and copies of rebuttal exhibits.

3. By 3 p.m. on November 4, 2011, parties shall file and serve as set forth in paragraph 1 information concerning surrebuttal witnesses and copies of surrebuttal exhibits.

Parties that wish to offer in evidence documents on file with the Board, public documents, or records in other proceedings before the Board, or wish the Board to take official notice of facts, shall comply with, respectively, 1 Pa. Code § 35.164, § 35.165, § 35.167 or § 35.173. Whenever these rules require production of a document as an exhibit, copies shall be provided to each Board member and to all other parties; in addition, at least 20 copies shall be available for distribution to nonparties attending the hearing.

Requests by parties for Board staff to provide data pertinent to the hearing shall be made in writing and received in the Board office by 12 p.m. on October 31, 2011.

The filing address for the Board is Milk Marketing Board, Room 110, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA 17110.

TIM MOYER,
Acting Secretary

[Pa.B. Doc. No. 11-1783. Filed for public inspection October 14, 2011, 9:00 a.m.]

PATIENT SAFETY AUTHORITY

Public Meeting

The Patient Safety Authority (Authority), established by section 303 of the Medical Care Availability and Reduction of Error (MCARE) Act (40 P. S. § 1303.303), announces a meeting of the Authority's Board to be held at the Harrisburg Area Community College, One HACC Drive, Harrisburg, PA at 10 a.m. on Tuesday, October 25, 2011.

Individuals having questions regarding this meeting, which is open to the public, should contact the Authority at (717) 346-0469.

MICHAEL C. DOERING,
Executive Director

[Pa.B. Doc. No. 11-1784. Filed for public inspection October 14, 2011, 9:00 a.m.]

SUSQUEHANNA RIVER BASIN COMMISSION

Public Hearing and Meeting

As part of its regular business meeting held on September 15, 2011, in Milford, NY, the Susquehanna River Basin Commission (Commission) convened a public hearing, at which it took the following actions: 1) approved settlements involving two water resources projects; 2) approved or tabled the applications of certain water resources projects, including two involving diversions of water into the Susquehanna River Basin and one involving a diversion of water out of the Susquehanna River Basin; and 3) rescinded approval for one water resources project.

For further information contact Richard A. Cairo, General Counsel, (717) 238-0423, Ext. 306, fax (717) 238-2436, rcairo@srbc.net; or Stephanie L. Richardson, Secretary to the Commission, (717) 238-0423, Ext. 304, fax (717) 238-2436, srichardson@srbc.net; or regular mail inquiries may be sent to the Susquehanna River Basin Commission, 1721 North Front Street, Harrisburg, PA 17102-2391. See also Commission web site at www.srbc.net.

Supplementary Information

In addition to the public hearing and its related actions on projects identified in the summary and the listings as

follows, the following items were also presented or acted on at the business meeting: 1) presentation of the Commission's Maurice K. Goddard Award for Excellence by a Water Management Professional to Dr. Willard Harman, Director of the SUNY Oneonta Biological Field Station in Cooperstown, NY; 2) a report on expansion of the Commission Remote Water Quality Monitoring Network in New York State; 3) a report on hydrologic conditions in the Susquehanna River Basin, including a review of the August-September 2011 flood events caused by Tropical Storms Irene and Lee; 4) extension of the comment period to November 10, 2011, for the proposed rules that appeared in 76 FR 41154—41157, July 13, 2011; 5) a preliminary introduction to dockets; 6) adoption of a Fiscal Year 2012 capital budget for the acquisition of a new headquarters building for the Commission, including authority to execute an agreement of sale and related documents; 7) adoption of a resolution recognizing the Commission on the occasion of its 50th Anniversary; and 8) ratification of grants/contracts. The Commission also heard counsel's report on legal matters affecting the Commission. The Commission convened a public hearing and took the following specific actions:

Public Hearing—Compliance Matter

The Commission approved settlements in lieu of civil penalties for the following projects:

1. Energy Corporation of America; Coldstream Affiliates No. 1MH and Whitetail No. 1-5MH; Goshen and Girard Townships, Clearfield County, PA.—\$17,500

2. Keister Miller Investments, LLC; West Branch Susquehanna River; Mahaffey Borough, Clearfield County, PA.—\$1,000

Public Hearing—Rescission of Project Approval

The Commission rescinded approval for the following project:

1. Project Sponsor and Facility: Lake Meade Municipal Authority (Docket No. 19911102), Reading Township, Adams County, PA.

Public Hearing—Projects Approved

The Commission approved the following projects not involving diversions:

1. Project Sponsor: Borough of Ephrata. Project Facility: Ephrata Area Joint Authority, Ephrata Borough, Lancaster County, PA. Groundwater withdrawal of up to 1.210 mgd from Well 1.

2. Project Sponsor and Facility: Chesapeake Appalachia, LLC (Susquehanna River), Athens Township, Bradford County, PA. Modification to increase surface water withdrawal by an additional 0.441 mgd, for a total of 1.440 mgd (Docket No. 20080906).

3. Project Sponsor and Facility: Chesapeake Appalachia, LLC (Susquehanna River), Terry Township, Bradford County, PA. Modification to increase surface water withdrawal by an additional 0.441 mgd, for a total of 1.440 mgd (Docket No. 20090605).

4. Project Sponsor and Facility: EXCO Resources (PA), LLC (Pine Creek), Porter Township, Lycoming County, PA. Surface water withdrawal of up to 1.000 mgd.

5. Project Sponsor: Hazelton Creek Properties, LLC. Project Facility: Hazelton Mine Reclamation, Hazelton City, Luzerne County, PA. Modification to increase consumptive water use approval by 0.145 mgd, for a total of 0.200 mgd (Docket No. 20110307).

6. Project Sponsor and Facility: J-W Operating Company (Sterling Run), Lumber Township, Cameron County, PA. Modification to conditions of the surface water withdrawal approval (Docket No. 20090330).

7. Project Sponsor and Facility: M & P Energy Services Inc. (Susquehanna River), Briar Creek Borough, Columbia County, PA. Surface water withdrawal of up to 0.999 mgd.

8. Project Sponsor: Mayor and City Council of Baltimore. Project Facility: Maryland Water Supply System, Halls Cross Roads District, Harford County, MD. Modification to conditions of the surface water withdrawal and consumptive water use approvals (Docket No. 20010801).

9. Project Sponsor: Milton Regional Sewer Authority. Project Facility: Wastewater Treatment Plant, Milton Borough and West Chillisquaque Township, Northumberland County, PA. Withdrawal of treated wastewater effluent of up to 0.100 mgd.

10. Project Sponsor and Facility: Pennsylvania General Energy Company, LLC (West Branch Susquehanna River), Pine Creek Township, Clinton County, PA. Surface water withdrawal of up to 0.400 mgd.

11. Project Sponsor and Facility: Seneca Resources Corporation (Marsh Creek), Delmar Township, Tioga County, PA. Surface water withdrawal of up to 0.499 mgd.

12. Project Sponsor and Facility: Southwestern Energy Production Company, Herrick Township, Bradford County, PA. Groundwater withdrawal of up to 0.101 mgd from the Fields Supply Well.

13. Project Sponsor and Facility: Susquehanna Gas Field Services, LLC (Meshoppen Creek), Meshoppen Borough, Wyoming County, PA. Modification to project features and conditions of the surface water withdrawal approval (Docket No. 20090628).

14. Project Sponsor: Susquehanna Gas Field Services, LLC. Project Facility: Meshoppen Pizza Well, Meshoppen Borough, Wyoming County, PA. Modification to project features and conditions of the groundwater withdrawal approval (Docket No. 20100612).

15. Project Sponsor and Facility: William C. Wingo (Wingo Ponds), Ulysses Township, Potter County, PA. Surface water withdrawal of up to 0.099 mgd.

16. Project Sponsor and Facility: XTO Energy, Inc. (West Branch Susquehanna River), Chapman Township, Clinton County, PA. Surface water withdrawal of up to 2.000 mgd.

Public Hearing—Projects Approved Involving Diversions

The Commission approved the following projects involving diversions:

1. Project Sponsor: Mayor and City Council of Baltimore. Project Facility: Maryland Water Supply System, Halls Cross Roads District, Harford County, MD. Modification to conditions of the diversion approval (Docket No. 20010801).

2. Project Sponsor: SWEPI, LP. Project Facility: Pennsylvania American Water Company—Warren District, Warren City, Warren County, PA. Into-basin diversion of up to 3.000 mgd from the Ohio River Basin.

3. Project Sponsor: EQT Production Company. Project Facility: Frano Freshwater Impoundment, Washington Township, Jefferson County, PA. Into-basin diversion of up to 0.482 mgd from the Ohio River Basin.

Public Hearing—Project Withdrawn

The following project application was withdrawn by the project sponsor:

1. Project Sponsor: Graymont (PA), Inc. Project Facility: Pleasant Gap Facility, Spring Township, Centre County, PA. Application for groundwater withdrawal of up to 0.660 mgd from Well I-5 (McJunkin Well Field).

Public Hearing—Projects Tabled

The following projects were tabled by the Commission:

1. Project Sponsor: Anadarko E&P Company, LP. Project Facility: Sproul State Forest—Council Run, Snow Shoe Township, Centre County, PA. Application for groundwater withdrawal of up to 0.715 mgd from Well PW-11.

2. Project Sponsor and Facility: Stanley S. Karp, Sr. (Tunkhannock Creek), Nicholson Township, Wyoming County, PA. Application for surface water withdrawal of up to 0.510 mgd.

Authority: Pub. L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806—808.

Dated: September 28, 2011.

PAUL O. SWARTZ,
Executive Director

[Pa.B. Doc. No. 11-1785. Filed for public inspection October 14, 2011, 9:00 a.m.]

