

NOTICES

DEPARTMENT OF BANKING

Actions on Applications

The Department of Banking (Department), under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending December 13, 2011.

Under section 503.E of the Department of Banking Code (71 P. S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file their comments in writing with the Department of Banking, Corporate Applications Division, 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Section 112 Acquisitions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
12-13-2011	John M. Ortenzio Application for approval to acquire up to 10% of the common stock of Select Asset Management and Trust Company, Mechanicsburg.	Filed

Branch Applications

Branch Relocations

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
12-8-2011	Citizens Bank of Pennsylvania Philadelphia Philadelphia County	<i>To:</i> 101 West Main Street Norristown Montgomery County <i>From:</i> 2 West Lafayette Street Norristown Montgomery County	Approved
12-8-2011	Union Bank and Trust Company Pottsville Schuylkill County	<i>To:</i> 1168 Centre Turnpike Route 61 Orwigsburg Schuylkill County <i>From:</i> 300 Pinebrook Place Route 61 Orwigsburg Schuylkill County	Filed
12-9-2011	F&M Trust Co. of Chambersburg Chambersburg Franklin County	<i>To:</i> 51 South High Street Newville Cumberland County <i>From:</i> 9 West Big Spring Avenue Newville Cumberland County	Filed

Branch Discontinuances

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
12-2-2011	Northwest Savings Bank Warren Warren County	117 North Allegheny Street Bellefonte Centre County	Closed
12-8-2011	Luzerne Bank Luzerne Luzerne County	1492 Highway 315 Plains Luzerne County	Approved

SAVINGS INSTITUTIONS

No activity.

CREDIT UNIONS

No activity.

The Department's web site at www.banking.state.pa.us includes public notices for more recently filed applications.

GLENN E. MOYER,
Secretary

[Pa.B. Doc. No. 11-2224. Filed for public inspection December 30, 2011, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION**Applications, actions and special notices****APPLICATIONS**

**THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT
APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION
SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM)
PERMITS**

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PAS122204 (Storm Water)	Samuel Adams PA Brewing Co. Lehigh Valley Facility 7880 Penn Drive Breinigsville, PA 18031	Lehigh County Upper Macungie Township	Iron Run High Quality-Cold Water Fishes (2-C)	Y
PAS802224 (Storm Water)	Waste Management of PA, Inc. Beach Lake Transfer Station Rosencranse Road Beach Lake, PA 18405	Wayne County Berlin Township	Unnamed Tributary of Beach Lake Creek (1-A)	Y

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0111350 (Sew)	Petersburg Borough Sewer Authority PO Box 6 Petersburg, PA 16669	Huntingdon County / Logan Township	11-B / Shaver Creek	Y
PA0087190 (Sew)	St. Thomas Township Municipal Authority (Edenville Plant) 175 St. Thomas-Edenville Road St. Thomas, PA 17252	Franklin County / St. Thomas Township	13-C / unt Wilson Run	Y
PA0008150 (IW)	Mount Holly Springs Specialty Paper, Inc. 1 Mountain Street Mt. Holly Springs, PA 17065-1406	Cumberland County Mount Holly Springs Borough	7-E / UNT Mountain Creek	Y

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0060305	Mt Pisgah State Park IW Treatment Plant 28 Entrance Rd. Troy, PA 16947-8448	Bradford County West Burlington Township	Unnamed Tributary to Mill Creek (04C)	Y

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401

PA0012637, Industrial Waste, SIC Code 2911, **Conocophillips Co.**, 4101 Post Road, Trainer, PA 19061-5052. Facility Name: Conocophillips Trainer Refinery. This existing facility is located in Trainer Borough, **Delaware County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Waste.

The receiving stream(s), Delaware River, Marcus Hook Creek and Stony Creek, are located in State Water Plan watershed 3-G and is classified for Warm Water Fishes, Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 002 are based on a design flow of 36.17 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine	XXX	XXX	XXX	0.16	XXX	0.5
Temperature (°F)	XXX	XXX	XXX	XXX	XXX	110
Heat Rejection Rate (MBTUs/day)	XXX	43,200	XXX	XXX	XXX	XXX
Total Suspended Solids Effluent Net	9,050	18,100	XXX	30	60	75

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Dissolved Solids						
Effluent Net	XXX	XXX	XXX	Report	Report	Report
Oil and Grease	4,525	XXX	XXX	15	XXX	30
Total Aluminum	XXX	XXX	XXX	Report	Report	Report
Total Organic Carbon						
Effluent Net	XXX	XXX	XXX	XXX	XXX	5.0

The proposed effluent limits for Outfall 003 are based on an average flow of storm water.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
CBOD ₅	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Dissolved Iron	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 005 are based on an average flow of storm water.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
CBOD ₅	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Dissolved Iron	XXX	XXX	XXX	XXX	Report	XXX
Total Zinc	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 006 are based on an average flow of storm water.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
CBOD ₅	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Dissolved Iron	XXX	XXX	XXX	XXX	Report	XXX
PCBs (Wet Weather) (pg/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 007 are based on an average flow of storm water.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
CBOD ₅	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Total Copper	XXX	XXX	XXX	XXX	Report	XXX
Dissolved Iron	XXX	XXX	XXX	XXX	Report	XXX
Total Lead	XXX	XXX	XXX	XXX	Report	XXX

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Zinc	XXX	XXX	XXX	XXX	Report	XXX
PCBs (Wet Weather) (pg/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 008 are based on an average flow of storm water.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
CBOD ₅	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Dissolved Iron	XXX	XXX	XXX	XXX	Report	XXX
Total Zinc	XXX	XXX	XXX	XXX	Report	XXX
PCBs (Wet Weather) (pg/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 011 are based on an average flow of storm water.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
CBOD ₅	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Dissolved Iron	XXX	XXX	XXX	XXX	Report	XXX
Total Zinc	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 012 are based on an average flow of storm water.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
CBOD ₅	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Dissolved Iron	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 013 are based on an average flow of storm water.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
CBOD ₅	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Dissolved Iron	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 101 are based on a design flow of 65.77 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine	XXX	XXX	XXX	0.16	XXX	0.5
Temperature (°F)	XXX	XXX	XXX	XXX	XXX	110
Heat Rejection Rate (MBTUs/day)	XXX	67,470	XXX	XXX	XXX	XXX
Total Suspended Solids						
Effluent Net	16,460	32,920	XXX	30	60	75
Oil and Grease	8,230	XXX	XXX	15	XXX	30
Total Aluminum	XXX	XXX	XXX	Report	Report	Report
Total Iron	XXX	XXX	XXX	Report	Report	Report
Total Lead	XXX	XXX	XXX	Report	Report	Report
Total Organic Carbon						
Effluent Net	XXX	XXX	XXX	XXX	XXX	5.0

The proposed effluent limits for Outfall 201 are based on a design flow of 3.5 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine	XXX	XXX	XXX	0.16	XXX	0.5
BOD ₅	1,236	2,472	XXX	42	84	105
CBOD ₂₀	1,800	XXX	XXX	XXX	XXX	XXX
CBOD ₂₀ % Removal (%)	89.25	XXX	XXX	XXX	XXX	XXX
Chemical Oxygen Demand	17,608	33,130	XXX	603	1,135	1508
Total Suspended Solids	875	1,750	XXX	30	60	75
Total Dissolved Solids						
Effluent Net	29,190	58,380	XXX	1,000	2,000	2500
Oil and Grease	438	876	XXX	15	30	30
Ammonia-Nitrogen	1,020	2,040	XXX	35	70	87
Total Aluminum	XXX	XXX	XXX	Report	Report	Report
Hexavalent Chromium	1.1	2.4	XXX	0.04	0.08	0.1
Total Chromium	13	37	XXX	0.45	1.27	1.27
Total Copper	XXX	XXX	XXX	Report	Report	Report
Free Available Cyanide	XXX	XXX	XXX	Report	Report	Report
Total Cyanide	XXX	XXX	XXX	Report	Report	Report
Total Lead	XXX	XXX	XXX	Report	Report	Report
Total Magnesium	XXX	XXX	XXX	Report	Report	Report
Total Selenium	XXX	XXX	XXX	Report	Report	Report
Total Sulfide	13	30	XXX	0.45	1.03	1.13
Total Zinc	XXX	XXX	XXX	Report	Report	Report
Total Phenolics	11	34	XXX	0.38	1.16	1.16
PCBs (Dry Weather) (pg/L)	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

1. Remedial Measures
2. CBOD₂₀ percent Removal
3. Thermal Requirements for 101 and 002
4. Approved Test Methods
5. Change in Ownership
6. Chlorine Minimization
7. Proper Sludge Disposal
8. Analysis of TMDL/WLA
9. Laboratory Certification
10. 316 (a) Modification
11. PCB Requirement
12. Intake Sampling
13. Stormwater Credits

14. Nutrient Monitoring
15. WQM Permits
16. Chemical Additives
17. Hydrostatic Discharge
18. Cooling Water Intake
19. WETT Requirement
20. Stormwater Condition

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect.

Southwest Regional Office: Regional Manager, Water Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; 412-442-4000

PA0097799, Sewage, **Lauderdale Laurel Highlands LLC**, PO Box 359, Stuart, FL 34995. Facility Name: Lauderdale Laurel Highlands STP. This existing facility is located in Donegal Township, **Westmoreland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Minnow Run, is located in State Water Plan watershed 19-E and is classified for, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.043 MGD.

<i>Parameters</i>	<i>Mass (lbs/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>XXX</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>XXX</i>	
Flow (MGD)	0.043	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	.02	XXX	.05
CBOD ₅	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 2000	XXX	10000
Ammonia-Nitrogen				Geo Mean		
May 1 - Oct 31	XXX	XXX	XXX	2.0	XXX	4.0
Nov 1 - Apr 30	XXX	XXX	XXX	3.5	XXX	7.0

The EPA Waiver is in effect.

PA0096334, Sewage, **Clelian Heights School for Exceptional Children**, 135 Clelian Heights Lane, Greensburg, PA 15601-6665. Facility Name: Clelian Heights School for Exceptional Children STP. This existing facility is located in Hempfield Township, **Westmoreland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream, Unnamed Tributary to Beaver Run, is located in State Water Plan watershed 18-B and is classified for High Quality Cold Water Fishery, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.009 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>XXX</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>XXX</i>	
Flow (MGD)	0.009	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	7.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	1.4	XXX	3.3
CBOD ₅	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>		<i>Minimum</i>	<i>Average Monthly</i>		<i>Instant. Maximum</i>
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1000
Oct 1 - Apr 30	XXX	XXX	XXX	2000 Geo Mean	XXX	10000
Ammonia-Nitrogen						
May 1 - Oct 31	XXX	XXX	XXX	4.2	XXX	8.4
Nov 1 - Apr 30	XXX	XXX	XXX	10.0	XXX	20.0
Total Phosphorus	XXX	XXX	XXX	2.0	XXX	4.0

The EPA Waiver is in effect.

PA0044431, Sewage, **Fairfield Manor Inc.**, PO Box 17039, Pittsburgh, PA 15235-0039. Facility Name: Fairfield Manor Inc. MHP. This existing facility is located in Fairfield Township, **Westmoreland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Unnamed Tributary to Hendricks Creek, is located in State Water Plan watershed 18-D and is classified for, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.030 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>		<i>Minimum</i>	<i>Average Monthly</i>		<i>Instant. Maximum</i>
Flow (MGD)	0.03	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.2	XXX	0.5
CBOD ₅	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1000
Oct 1 - Apr 30	XXX	XXX	XXX	2000 Geo Mean	XXX	10000
Ammonia-Nitrogen						
May 1 - Oct 31	XXX	XXX	XXX	2.0	XXX	4.0
Nov 1 - Apr 30	XXX	XXX	XXX	4.5	XXX	9.0

The EPA Waiver is in effect.

PA0218774, **Beka House**, 5977 Somerset Pike, Boswell, PA 15531-1807. Facility Name: Beka House STP. This existing facility is located in Jenner Township, **Somerset County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage from the Beka House STP.

The receiving stream, Bens Creek, is located in State Water Plan watershed 18-E and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.00106 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>		<i>Minimum</i>	<i>Average Monthly</i>		<i>Instant. Maximum</i>
Flow (MGD)	0.00106	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine	XXX	XXX	XXX	1.4	XXX	3.3
CBOD ₅	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1000
Oct 1 - Apr 30	XXX	XXX	XXX	2000 Geo Mean	XXX	10000

The EPA Waiver is in effect.

PA0218600, **Leonard Arthur J.**, 310 Spang Road, Baden, PA 15005-2540. Facility Name: Leonard SR STP. This existing facility is located in Middlecreek Township, **Somerset County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage from the Leonard Single Residence STP.

The receiving stream, Laurel Hill Creek, is located in State Water Plan watershed 19-E and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly		Minimum	Average Monthly	Daily Maximum	
Flow (MGD)	0.0004	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine	XXX	XXX	XXX	0.5	Report	1.0
CBOD ₅	XXX	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10	XXX	20
Fecal Coliform (CFU/100 ml)				200		
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean	XXX	1000
Oct 1 - Apr 30	XXX	XXX	XXX	2000 Geo Mean	XXX	10000
Ammonia-Nitrogen						
May 1 - Oct 31	XXX	XXX	XXX	1.5	XXX	3.0
Nov 1 - Apr 30	XXX	XXX	XXX	3.0	XXX	6.0

The EPA Waiver is in effect.

PA0096938, Sewage, **Lewis Mackay Enterprises Inc.**, 8755 Cloud Leap Court, Columbia, MD 21045. Facility Name: Silver Dolphin MHP. This existing facility is located in Hempfield Township, **Westmoreland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Unnamed Tributary to Little Sewickley Creek, is located in State Water Plan watershed 19-D and is classified for, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.01065 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly		Minimum	Average Monthly		
Flow (MGD)	0.01065	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.25	XXX	0.58
CBOD ₅	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (CFU/100 ml)				200		
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean	XXX	1000
Oct 1 - Apr 30	XXX	XXX	XXX	2000 Geo Mean	XXX	10000
Ammonia-Nitrogen						
May 1 - Oct 31	XXX	XXX	XXX	2.4	XXX	4.8
Nov 1 - Apr 30	XXX	XXX	XXX	5.0	XXX	10.0

The EPA Waiver is in effect.

PA0046906, Sewage, **Moon Township Municipal Authority**, 1700 Beaver Grade Road, Moon Township, PA 15108-3109. Facility Name: Flaugherty Run STP. This existing facility is located in Moon Township, **Allegheny County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Unnamed Tributary to Ohio River, is located in State Water Plan watershed 20-G and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 2.0 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Weekly Average	Minimum	Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
CBOD ₅	417	626	XXX	25	38	50

Parameters	Mass (lb/day)		Minimum	Concentration (mg/l)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Total Suspended Solids	501	751	XXX	30	45	60
Fecal Coliform (CFU/100 ml)				200		
May 1 - Oct 30	XXX	XXX	XXX	Geo Mean	XXX	400
Nov 1 - Apr 30	XXX	XXX	XXX	2000 Geo Mean	XXX	10000

In addition, the permit contains the following major special conditions:

The Authority will be allowed to discharge uncontaminated storm water from the STP site through Outfalls 101 and 102.

The first three years of the renewal permit include quarterly monitoring requirements for certain nutrients (nitrogen and phosphorus components) for Outfall 001. This is in accordance with Ohio River Valley Water Sanitation Commissions (ORSANCO's) recent meeting in which the Commission states, and Pennsylvania agreed to, include said monitoring in the NPDES permits for all major discharges of 1 million gallons per day (mgd) or greater to the Ohio River.

The EPA Waiver is not in effect.

PA0203793, Sewage, **William Debevec**, 4418 Rostosky Ridge Road, Monongahela, PA 15063-4319. Facility Name: Debevec Single Residence STP. This existing facility is located in Forward Township, **Allegheny County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Perry Mill Run, is located in State Water Plan Watershed 19-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.

Parameters	Mass (lb/day)		Minimum	Concentration (mg/l)		Instant. Maximum
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	0.0004	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine	XXX	XXX	XXX	Report	XXX	Report
COD ₅	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (CFU/100 ml)				200		
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean	XXX	1000
Oct 1 - Apr 30	XXX	XXX	XXX	2000 Geo Mean	XXX	10000

The EPA Waiver is in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

WQM Permit No. 1511407, Sewage, **Comprehensive Addition Programs, Inc.**, 608 Chadds Ford Lane, Suite 304, Chadds Ford, PA 19317.

This proposed facility is located in New Garden Township, **Chester County**.

Description of Action/Activity: Construction and operation of a new wastewater treatment plant.

WQM Permit No. WQG02461116, Sewage, **Lower Gwynedd Township Municipal Authority**, 1130 N. Bethlehem Pike, Spring House, PA 19477.

This proposed facility is located in Lower Gwynedd Township, **Montgomery County**.

Description of Action/Activity: Construction of a combination of low pressure and gravity sewers in 3 area of Lower Gwynedd Township to service a total of 29 EDU's.

IV. NPDES Applications for Stormwater Discharges from MS4

V. Applications for NPDES Waiver Stormwater Discharges from MS4

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI01 1508069A-1	FSP—Willistown, LP 150 North Radnor-Chester Road Suite A-220 Radnor, PA 19087	Chester	Willistown Township	Ridley Creek (HQ-TSF)

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790

Luzerne County Conservation District: 325 Smiths Pond Road, Shavertown, PA 18708, 570-674-7991.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI024011003	Apple Alley Associates, LP William Leandri 372 Center Ave. PMB 114 Schuylkill Haven, PA 17972	Luzerne	Lehman Twp.	UNT to East Fork Harvey's Creek, CWF, MF

Monroe County Conservation District: 8050 Running Valley Road, Stroudsburg, PA 18360, 570-629-3060.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI024511012	New Glenbrook East, LP P. O. Box 240 Wynnewood, PA 19096	Monroe	Borough of Stroudsburg	Pocono Creek, HQ-CWF, MF

Lehigh County Conservation District: Lehigh Ag. Ctr., Ste. 102, 4184 Dorney Park Road, Allentown, PA 18104, 610-391-9583.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI023911016	Dale R. Koller 1870 Waldheim Rd. Bethlehem, PA 18015	Lehigh	Weisenberg Twp.	Lyon Creek, HQ-CWF, MF

Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701

Tioga County Conservation District: 50 Plaza Lane, Wellsboro, PA 16901, (570) 724-1801, X 3

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI045911002	Robert DeCamp 34 Fellows Ave Wellsboro PA 16901	Tioga	Delmar Township	UNT to Baldwin Run/West Branch HQ-CWF, MF

VII. List of NOIs for NPDES and/or Other General Permit Types

PAG-12	CAFOs
PAG-13	Stormwater Discharges from MS4

PUBLIC WATER SUPPLY (PWS) PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, Pa 15222-4745

Permit No. 0211516, Public Water Supply.

Applicant **Municipal Authority of the Borough of Oakmont**
721 Allegheny Avenue
Oakmont, PA 15139

[Township or Borough] Penn Hills Township

Responsible Official John Dunlap, General Manager
Municipal Authority of the Borough of Oakmont
721 Allegheny Avenue
Oakmont, PA 15139

Type of Facility Water system

Consulting Engineer NIRA Consulting Engineers, Inc.
950 Fifth Avenue
Coraopolis, PA 15108

Application Received Date December 9, 2011

Description of Action Painting and repairing the 0.2 MG welded steel water storage tank and raw water intake catwalk; and adding a PAX mixing system to the water storage tank.

Permit No. 0411504, Public Water Supply.

Applicant **Beaver Falls Municipal Authority**
1425 8th Avenue
PO Box 400
Beaver Falls, PA 15010

[Township or Borough] Eastvale Borough

Responsible Official James Riggio, General Manager
Beaver Falls
Municipal Authority
1425 8th Avenue
PO Box 400
Beaver Falls, PA 15010

Type of Facility Water system

Consulting Engineer KLH Engineers, Inc.
5173 Campbells Run Road
Pittsburgh, PA 15205

Application Received Date December 5, 2011

Description of Action Rehabilitation of the existing flocculation/primary clarifier basins.

MINOR AMENDMENT

Applications Received Under the Pennsylvania Safe Drinking Water Act

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, Pa 15222-4745

Application No. 0211515MA, Minor Amendment.

Applicant **Samuel Scarfone, General Manager Hampton Township Municipal Authority**
3101 McCully Road
Allison Park, PA 15101

[Township or Borough] Hampton Township

Responsible Official Samuel Scarfone, General Manager
Hampton Township
Municipal Authority
3101 McCully Road
Allison Park, PA 15101

Type of Facility Water system

Consulting Engineer Widmer Engineering, Inc.
806 Lincoln Place
Beaver Falls, PA 15010

Application Received Date December 15, 2011

Description of Action Installation of approximately 480 feet of 16-inch waterline for the Middle Road/Turnpike project.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS NEW SOURCES AND MODIFICATIONS

The Department has developed an “integrated” plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities.

Copies of these applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the regional office listed before the applications. Persons interested in reviewing the application files should contact the appropriate regional office to schedule appointments.

Persons wishing to receive a copy of a proposed Plan Approval or Operating Permit shall indicate interests to the Department regional office within 30 days of the date of this notice and shall file protests or comments on a proposed Plan Approval or Operating Permit within 30 days of the Department providing a copy of the proposed documents to persons or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that hearings be held concerning a proposed Plan Approval or Operating Permit. A comment or protest filed with the Department regional office shall include a concise statement of the objections to the issuance of the Plan Approval or Operating Permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation

to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121—143, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

08-313-004L: Global Tungsten & Powders, Corp. (Hawes Street, Towanda, PA 18848-0504) for the proposed installation and operation of a new Severn Trent Services EST Packed Tower Type 955 Wet Gas Scrubber System to control volatile organic compound (VOC) and hydrogen sulfide (H₂S) emissions from the sulfide treatment/tungsten refining process (Source ID P212) located in their department 046 at their facility, located in North Towanda Township, **Bradford County**. This is a state only facility. The facility has taken a synthetic minor restriction to limit the carbon monoxide, nitrogen oxides, volatile organic compounds, and greenhouse gas emissions below the major thresholds.

The Department's review of the information contained in the application submitted by GTP indicates that the proposed scrubber will comply with applicable air quality requirements pertaining to air contamination sources and the emission of air contaminants. Based on this finding, the Department proposes to issue a plan approval for the proposed installation.

The emissions from the existing sources will not exceed 0.25 tons of hydrogen sulfide per year and 26.2 tons of volatile organic compounds per year. The following is a summary of the types of conditions the Department intends to place in the plan approval to ensure compliance with applicable regulatory requirements.

Work practice requirements to install and operate control device in accordance with manufacturer's recommendations and good air pollution control practices.

Monitoring and Recordkeeping conditions to verify compliance with the applicable requirements and good air pollution control practices.

Testing requirements to verify the proposed emissions and verify compliance with control efficiency requirements

A copy of the plan approval application and the Department's review is available for public review between 8 a.m. and 4 p.m. at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review may be made by calling the Department at 570-327-3693. Written comments or requests for a public hearing should be directed to Muhammad Q. Zaman, Environmental Program Manager, Department of Environmental Protec-

tion, Air Quality Program, Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, 570 327 3648.

08-00044B: Barefoot Pellets Company (PO Box 96, Troy, PA 16947) has submitted to the Pennsylvania Department of Environmental Protection a plan approval application for the construction of an 8.1 ton per hour natural gas fired biomass triple pass rotary dryer and associated multi-clone control system. The facility would be categorized as a Natural Minor source since the facility's emissions do not exceed any major thresholds.

The Department's review of the information submitted by Barefoot Pellets Company indicates that the rotary dryer will meet all applicable air quality regulatory requirements pertaining to air contamination sources and the emission of air contaminants, including the fugitive particulate matter emission limitation of 25 Pa. Code § 123.1, the particulate matter emission limitation of 25 Pa. Code § 123.13, the sulfur oxides emission limitation of 25 Pa. Code § 123.21 and the Best Available Technology requirements of 25 Pa. Code §§ 127.1 and 127.12. Based on these findings, the Department intends to issue a plan approval for the proposed construction and operation of the source and air cleaning device. Additionally, if the Department determines that the sources are operating in compliance with all plan approval conditions, the conditions established in the plan approval will be incorporated into a state only operating permit via an administrative amendment pursuant to 25 Pa. Code § 127.450.

The following is a summary of the conditions the Department proposes to place in the plan approval to ensure compliance with all applicable regulatory requirements:

1. Pursuant to the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12, Source ID P110 is a 20 MMBTU/hr Heil Company model 10532-T natural gas fired three pass rotary dryer. The particulate matter emissions from which shall be controlled by a Kice Industries model CHS40 multi-clone collector.

2. Pursuant to the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12, the rotary dryer shall only be fired on natural gas.

3. Pursuant to the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12, the rotary dryer shall not be operated in excess of 7,200 hours in any 12 consecutive month period.

4. Pursuant to the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12, the total particulate matter emission from the exhaust of the multi-clone collector shall not exceed 0.02 grains per dry standard cubic foot.

5. Pursuant to the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12, the nitrogen oxides (NO_x) emissions from the rotary dryer shall not exceed 4.2 pounds per hour and 15.12 tons in any 12 consecutive month period.

6. Pursuant to the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12, the carbon monoxide (CO) emissions from the rotary dryer shall not exceed 7.0 lbs/hr and 25.2 tons in any 12 consecutive month period.

7. Pursuant to the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12, the multi-clone collector shall be equipped with instrumentation which continuously monitors the pressure drop across the collector.

8. The permittee shall record the pressure drop reading across the multi-clone collector at least once per day in a log book or other acceptable recording device. These records shall be retained for a minimum of five years and be presented to the Department upon request.

9. Within 180 days of startup of operation the rotary dryer the permittee shall perform stack testing upon the exhaust for nitrogen oxides, carbon monoxide and particulate matter in order to verify compliance with the emission limitations established in this plan approval.

10. The permittee shall maintain monthly records of the amount of hours the rotary dryer is operated, the amount of wood processed and the amount of natural gas burned. These records shall be retained for a minimum of five years and be presented to the Department upon request.

A copy of the plan approval application is available for public review between 8 a.m. and 4 p.m. at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review may be made by calling the Department at 570-327-3693. Written comments or requests for a public hearing should be directed to Muhammad Q. Zaman, Manager, Facilities Permitting Section, Department of Environmental Protection, Air Quality Program, Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, 570-327-0512.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: B. Hatch, Environmental Engineer Manager—Telephone: 412-442-4163/5226

03-00093: Keystone Coal Mining Corp. (1000 Consol Energy Drive, Canonsburg, PA 15317) for installation, modification, and initial temporary operation of equipment at their Keystone Coal Preparation Plant in Plumcreek Township, **Armstrong County**.

In accordance with 25 Pa. Code §§ 127.44—127.46, the Department of Environmental Protection (DEP) intends to issue Air Quality Plan Approval: PA-03-00093 to allow the installation, modification, and initial temporary operation of equipment at the Keystone Coal Preparation Plant located in Plumcreek Township, Armstrong County. The installation and operation of additional material transfer equipment will allow the processing of metallurgical coal at the existing facility. Throughput at the facility will remain 1,200,000 tons per year.

Potential emissions from the facility are estimated to be 7.47 tons of particulate matter (PM) and 2.63 tons of particulate matter less than 10 microns in diameter (PM₁₀) per year. Best available technology (BAT) for the proposed sources will include but is not limited to the use of a water sprays on all transfer points; paving, sweeping and watering of roadways; enclosures and covers at transfer points; an automatic telescoping chute to the clean coal stockpile; maintaining a coal moisture content greater than or equal to 5%; use of existing wind barriers; use of a water truck with pressurized spray gun; tarping of all trucks plus a posted notice of tarping requirement; upwind/downwind dustfall monitoring at the request of the Department; and a posted speed limit of 15 mph on all in plant roads.

The authorization is subject to State regulations and Federal New Source Performance Standards (NSPS) including 40 CFR Part 60 Subpart Y. Plan Approval has been conditioned to ensure compliance with all applicable rules. This includes work practice, monitoring, record-

keeping, and reporting conditions. Once all compliance with the Plan Approval is demonstrated, the applicant will subsequently apply for a State Only Operating Permit in accordance with 25 Pa. Code Subchapter F.

Those who wish to provide the Department with additional written information that they believe should be considered prior to the issuance of the Plan Approval may submit the information to Alexander Sandy, Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA, 15222. Each written comment must contain the following:

Name, address and telephone number of the person submitting the comments.

Identification of the proposed Plan Approval (PA-03-00093).

Concise statements regarding the relevancy of the information or objections to issuance of the Plan Approval.

All comments must be received prior to the close of business 30 days after the date of this publication.

For additional information you may contact Alexander Sandy at 412-442-4028.

*Department of Public Health, Air Management Services:
321 University Avenue, Philadelphia, PA 19104*

Contact: Edward Wiener, Chief—Telephone: 215-685-9426

AMS 11035: SEPTA—Roberts Complex (341-342 Roberts Avenue, 4301 Wissahickon Avenue, 4400 Clarissa Street, Philadelphia, PA 19140) for installation of a 4.184 MMBTU/hr, two each 8.369 MMBTU/hr, one 0.522 MMBTU/hr, two each 0.72 MMBTU/hr, two each 11.716 MMBTU/hr and two each 0.359 MMBTU/hr boilers firing #2 fuel oil and natural gas, and a pressure washer, six space heaters each 0.400MMBTU/hr firing natural gas, and one stage II vapor recovery unit, one spray Paint Booth, an air compressor, a 10MMBTU/hr emergency generator, a sand blaster, and five parts washer. There will be a potential emission increase of 21.5 tons of Nitrogen Oxides (NO_x) and 19 tons of Sulfur Oxide (SO_x) per year for the facility. The plan approval will contain operating, monitoring and recordkeeping requirements to ensure operation within all applicable requirements.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6131

37-00023: GenOn Power Midwest LP.—previously Orion Power Midwest LP (Route 168 South, West Pittsburgh, PA 16160) for renewal of the Title V Operating Permit in Taylor Township, **Lawrence County**. The facility is a fossil fuel electric power station. The facility's major emission sources include 1) Babcock & Wilcox Boiler 3, 2) Babcock & Wilcox Boiler 4, 3) Babcock & Wilcox Boiler 5, 4) Electromotive diesel A, 5) Electromotive diesel B, 6) Coal Stockpile, 7) Bottom / Flyash disposal, 8) Plant Roadways, 9) Flash storage silos, 10) Auxiliary Boiler, 11) Two diesel emergency generators, and 12) Pars washer. The facility is a major facility due to its potential to emit of Oxides of Nitrogen, Sulfur Diox-

ides, Carbon Monoxide and Particulate Emissions less than 10 microns. Therefore, the facility is subject to the Title V Operating Permit requirements adopted in 25 Pa. Code Chapter 127, Subchapter G. The facility is also subject to the Compliance Assurance Monitoring Rule (CAM) found in 40 C.F.R. Part 64. Appropriate permit conditions to address the applicable CAM requirements have been included in the permit. The diesel generators and emergency generators are subject to 40 CFR Part 60, Subpart ZZZZ.

The acid rain permit will be issued along with the renewal permit. The initial Acid Rain permit was issued on December 24, 1997, and revised on January 13, 1999, was reissued on January 23, 2003. The permit expires on December 31, 2007. The facility applied for a modification of the existing Title V Operating permit to include an Acid Rain permit for January 1, 2008 through December 31, 2012. The renewal acid rain permit will be valid from January 2011 to December 2016. GenOn Power Midwest LP—New Castle Power Plant air emission sources are three coal-fired boilers. The facility, because the boilers are listed in Table 2 (Phase II Allowance Allocations) of 40 CFR 73.10, is a Title IV facility and is therefore subject to the Acid Rain requirements adopted in 25 Pa. Code Chapter 127, Subchapter G.

Intent to Issue Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Chief, East Permitting Section—Telephone: 717-705-4862 or Daniel Husted, Chief, West Permitting Section—Telephone: 717-705-4863

06-03053: Hamburg Manufacturing, Inc. (221 South Fourth Street, P. O. Box 147, Hamburg, PA 19526) for their Plant 2 at 1021 South Fourth Street in Hamburg Borough, Berks County. Plant 2 is a castings finishing facility for casting produced in their Plant 1 also located Hamburg Borough, **Berks County**.

In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) has received an application and intends to issue an Air Quality Operating Permit for the abovementioned facility.

Hamburg Manufacturing Plant #2 has actual emissions of twelve tons per year of particulate matter. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the PA DEP Southcentral Regional Office, at 909 Elmerton Avenue, Harrisburg, PA 17110.

A person may oppose the proposed operating permit, or may provide the Department with additional information to consider in its review, or may request a public hearing, by filing a written protest with the Department at the address listed above. Each written comment must contain the following:

- Name, address and telephone number of the person submitting the comments.
- Identification of the proposed permit by the permit number listed above.

- A concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period, from the date of publication of this notice in the *Pennsylvania Bulletin*, will exist for the submission of comments or protests.

Mr. Thomas Hanlon, Chief, East Permitting Section may be contacted at 717-705-4862, or at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments or protests.

36-05008: Tyson Foods, Inc. (403 South Custer Avenue, New Holland, PA 19557) for operation of a poultry processing plant in Earl Township, **Lancaster County**.

In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) has received an application and intends to issue an Air Quality Operating Permit renewal for the above mentioned facility.

The subject facility has the potential-to-emit NOx in the amount of 53.5 tpy, CO in the amount of 43.3 tpy, PM10 in the amount of 20.0 tpy, and VOCs in the amount of 5.69 tpy. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the permit includes provisions derived from 40 CFR Part 60, Subpart Dc—Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units, and 40 CFR Part 63, Subpart ZZZZ—National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the PA DEP Southcentral Regional Office, at 909 Elmerton Avenue, Harrisburg, PA 17110.

A person may oppose the proposed plan approval, or may provide the Department with additional information to consider in its review, or may request a public hearing, by filing a written protest with the Department at the address listed above. Each written comment must contain the following:

- Name, address and telephone number of the person submitting the comments.
- Identification of the proposed permit by the permit number listed above.
- A concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period, from the date of publication of this notice in the *Pennsylvania Bulletin*, will exist for the submission of comments or protests.

Mr. Thomas Hanlon, Chief, East Permitting Section may be contacted at 717-705-4862, or at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments or protests.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Barbara Hatch, Facilities Permitting Chief—Telephone: 412-442-4174

OP-65-00627: Seton Hill University (1 Seton Hill Dr., Greensburg, PA, 15601-1548) Operating Permit renewal for the Greensburg Campus in the city of Greensburg,

Westmoreland County. Equipment at this facility includes one CNB, 600 horsepower tri-fuel boiler burning primarily coal, two Burnham, 300 horsepower (each) boilers burning primarily natural gas, and an Onan 250 kVA emergency generator at the university's boiler house. There are a number of miscellaneous combustion sources scattered throughout the campus but these are small and considered trivial on an emissions basis. These units are however listed in the Miscellaneous Section of the permit. Potential emissions from the facility are based on a limit of burning 2,160 tons of coal per consecutive 12 month period in the CNB Boiler and natural gas in the other three boiler house sources. Emissions are estimated to be 10.2 tons NO_x, 1.4 tons VOCs, 11.8 tons CO, 4.8 tons particulate matter and 63.6 tons SO_x. Actual emissions from the facility are much lower. The facility is subject to the applicable requirements of 25 Pa. Code Chapters 121—145. The proposed Operating Permit contains applicable emission limits, as well as testing, monitoring, recordkeeping, reporting and work practice requirements.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.20a). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department. A copy of the application is available for inspection at the district mining office indicated before each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application and request for Section 401 water quality certification application may be submitted by any person or any officer or head of any Federal, state or local government agency or authority to the Department at the address of the district mining office indicated before each application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Written comments or objections regarding a mining permit application should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

A request for an informal conference or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 or § 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and

a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

When an NPDES number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Received

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

56110110 and NPDES No. PA0263389. Coal Loaders, Inc., 210 East Main Street, Ligonier, PA 15658 commencement, operation and restoration of a bituminous surface mine in Quemahoning Township, **Somerset County**, affecting 86.2 acres. Receiving stream(s): UT to/and Higgins Run classified for the following use(s): high quality cold water fishery. The first downstream potable water supply intake from the point of discharge is Greater Johnstown Water Authority and Cambria Somerset Authority. Application received: December 1, 2011.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, 724-925-5500

26060104 and NPDES Permit No. PA0250929. Amerikohl Mining, Inc. (1384 State Route 711, Stahlstown, PA 15687). Renewal permit for reclamation only to an existing bituminous surface mining site located in Luzerne and German Townships, **Fayette County**, affecting 90.0 acres. Receiving streams: Antram Run and the Monongahela River, classified for the following uses: warm water fishes. The first public water supply intake within ten miles downstream from the point of discharge is Southwestern PA Water Authority and Tri-County Joint Municipal Authority. Renewal application received: December 2, 2011.

30010102 and NPDES Permit No. PA0203017. Coresco, LLC (308 Dents Run Road, Morgantown, WV 26501-2006. Renewal permit for reclamation only to an existing bituminous surface mining site located in Dunkard Township, **Greene County**, affecting 169 acres. Receiving streams: Dunkard Creek and the Monongahela River, classified for the following uses: warm water fishes. There are no public water supply intakes within ten miles downstream from the point of discharge. Renewal application received: December 8, 2011.

26100101 and NPDES Permit No. PA0251879. Neiswonger Construction, Inc. (17592 Route 322, Strattanville, PA 16258). Application received to revise permit to add acreage and allow mining within 100 feet of a portion of North Road at an existing bituminous surface mining site located in Nicholson Township, **Fayette County**, currently affecting 36.4 acres. Receiving streams: unnamed tributary to Georges Creek to Monongahela River to Ohio River, classified for the following uses: warm water fishes. The first public water supply intake within ten miles downstream from the point of discharge is Masontown Borough and Carmichaels Municipal Water Authority. Revision application received: December 9, 2011.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

54-305-022GP12. Reading Anthracite Company, (P. O. Box 1200, Pottsville, PA 17901), application to operate a coal preparation plant whose pollution control equipment is required to meet all applicable limitations,

terms and conditions of General Permit, BAQ-GPA/GP-12 on Surface Mining Permit No. 54663021 in New Castle Township, **Schuylkill County**. Application received: December 8, 2011.

54851317R4. Blackwood Mining, (504 East Center Street, Ashland, PA 17921), renewal of an existing anthracite underground mine operation in Hegins township, **Schuylkill County** affecting 2.5 acres, receiving stream: Swatara Creek, classified for the following use: cold water fishes. Application received: December 9, 2011.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated

with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	
Alkalinity greater than acidity*			

* The parameter is applicable at all times.

In addition, the Department imposes a technology-based aluminum limit of 2.0 mg/l (30 day average) to protect stream uses.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The BAT limits for noncoal mining activities as provided in 40 CFR Part 436 and 25 Pa. Code Chapter 77 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	35 mg/l	70 mg/l	90 mg/l
Alkalinity exceeding acidity*		greater than 6.0; less than 9.0	
pH*			

* The parameter is applicable at all times.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 362-0600-001, NPDES Program Implementation—Memorandum of Understanding (MOU) Concerning Water Quality Management, NPDES Program Implementation, and Related Matters. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30 days of this public notice and contain the name, address, telephone number and the interest of the party filing the request, and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

NPDES No. PA0249718 (Mining permit no. 11050101), E. P. Bender Coal Company, Inc., P. O. Box 594, Carrolltown, PA 15722, renewal of an NPDES permit for bituminous surface/auger mine in Cresson Township, **Cambria County**, affecting 197.7 acres. Receiving stream(s): UNT to Bear Rock Run and Burgoon Run, classified for the following use(s): cold water fishery. This receiving stream is included in the Kiski-Conemaugh TMDL. Application received: October 19, 2011.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The outfall(s) listed below discharge to UNT to Bear Rock Run and Burgoon Run.

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
001	N
002	N
003	N
004	N
005	N
006	N
007	N
008	N
009	N

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Outfalls: 001, 002, 003, 004, 005, 006, 007, 008, 009</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instantaneous</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/l)	1.5	3.0	3.5
Manganese (mg/l)	1.0	2.0	2.5
Aluminum (mg/l)	0.75	1.5	1.9
Total Suspended Solids (mg/l)	35.0	70.0	90.0
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times			
Alkalinity must exceed acidity at all times			

Noncoal NPDES Draft Permits

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

NPDES No. PA0595276 on Surface Mining Permit No. 45900303. Middle Smithfield Materials, Inc., (P. O. Box 674, Bushkill, PA 18324), renewal of an NPDES Permit for a topsoil, sand and gravel quarry operation in Middle Smithfield Township, **Monroe County**, affecting 29.0 acres. Receiving stream: Suise Creek, classified for the following use: HQ-cold water fishes. Application received: December 1, 2011.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are BAT limits described above for noncoal mining activities.

The outfall(s) listed below discharge to Suise.

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
1	No	E&S

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before an application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on working days at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications Received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northcentral Region: Oil and Gas Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701

E0829-030: Appalachia Midstream, LLC, 100 IST Center, Horseheads, NY 14845, Terry and Wilmot Township, Bradford County, ACOE Baltimore District.

To construct, operate and maintain:

1. a 16 inch natural gas line and a timber mat bridge across a Palustrine Emergent Wetland. Impacted Area: 1,180 square feet; (Colley, PA Quadrangle, Latitude: 41°36'31", Longitude: -76°22'03"),
2. a 16 inch natural gas line and a timber mat bridge across a Palustrine Emergent Wetland. Impacted Area: 6,448 square feet; (Colley, PA Quadrangle, Latitude: 41°36'32", Longitude: -76°21'32"),
3. a 16 inch natural gas line and a timber mat bridge across a Palustrine Emergent Wetland. Impacted Area: 469 square feet; (Colley, PA Quadrangle, Latitude: 41°36'33", Longitude: -76°21'25"),

4. a 16 inch diameter natural gas line impacting 28 linear feet of an unnamed tributary to Sugar Run (CWF, MF) (Colley, PA Latitude: 41°36'35", Longitude: -76°21'18"),

5. a 16 inch natural gas line and a timber mat bridge across a Palustrine Forested Wetland. Impacted Area: 1,807 square feet; (Colley, PA Quadrangle, Latitude: 41°36'36", Longitude: -76°20'59"),

6. a 16 inch natural gas line and a timber mat bridge across a Palustrine Scrub-Shrub Wetland. Impacted Area: 4,415 square feet; (Colley, PA Quadrangle, Latitude: 41°36'37", Longitude: -76°20'39"),

7. a 16 inch natural gas line and a timber mat bridge across a Palustrine Emergent Wetland. Impacted Area: 5,796 square feet; (Colley, PA Quadrangle, Latitude: 41°34'40", Longitude: -76°21'31"),

8. a 16 inch natural gas line across a Palustrine Forested Wetland. Impacted Area: 414 square feet; (Colley, PA Quadrangle, Latitude: 41°36'55", Longitude: -76°19'45"),

9. a 16 inch natural gas line across a Palustrine Scrub-Shrub Wetland. Impacted Area: 165 square feet; (Colley, PA Quadrangle, Latitude: 41°36'45", Longitude: -76°19'14"),

10. a 16 inch natural gas line across a Palustrine Emergent, Palustrine Scrub-Shrub and Palustrine Forested Wetland. Impacted Area: 360 square feet; (Colley, PA Quadrangle, Latitude: 41°36'43", Longitude: -76°19'11"),

11. a 16 inch diameter natural gas line impacting 20 linear feet of an unnamed tributary to Foster Branch (CWF, MF) and adjacent Palustrine Forested Wetland impacting 1,152 square feet (Colley, PA Latitude: 41°36'42", Longitude: -76°19'10"),

12. a 16 inch diameter natural gas line impacting 11 linear feet of an unnamed tributary to Foster Branch (CWF, MF) (Colley, PA Latitude: 41°36'39", Longitude: -76°19'05"),

13. a 16 inch natural gas line and a timber mat bridge across a Palustrine Emergent Wetland. Impacted Area: 226 square feet; (Colley, PA Quadrangle, Latitude: 41°36'30", Longitude: -76°18'47"),

14. a 16 inch natural gas line and a timber mat bridge across a Palustrine Emergent Wetland. Impacted Area: 576 square feet; (Colley, PA Quadrangle, Latitude: 41°36'40", Longitude: -76°18'23"),

15. a 16 inch diameter natural gas line and a timber mat bridge impacting 150 linear feet of Foster Branch (CWF, MF) and adjacent Palustrine Emergent, Palustrine Scrub-Shrub, and Palustrine Forested Wetland impacting 10,030 square feet (Colley, PA Latitude: 41°36'41", Longitude: -76°18'16"),

16. a 16 inch diameter natural gas line and a timber mat bridge impacting 16 linear feet of an unnamed tributary to Foster Branch (CWF, MF) and adjacent Palustrine Emergent and Palustrine Scrub-Shrub Wetland impacting 757 square feet (Colley, PA Latitude: 41°36'42", Longitude: -76°18'13"),

17. a 16 inch natural gas line and a permanent access road across a Palustrine Emergent and Palustrine Scrub-Shrub Wetland. Impacted Area: 6,279 square feet; (Colley, PA Quadrangle, Latitude: 41°36'38", Longitude: -76°17'42"),

18. a 16 inch natural gas line and a timber mat bridge across a Palustrine Emergent Wetland. Impacted Area:

817 square feet; (Colley, PA Quadrangle, Latitude: 41°36'33", Longitude: -76°17'12"),

19. a 16 inch natural gas line and a timber mat bridge across a Palustrine Emergent Wetland. Impacted Area: 7,039 square feet; (Colley, PA Quadrangle, Latitude: 41°36'36", Longitude: -76°17'12"),

20. a 16 inch natural gas line and a timber mat bridge across a Palustrine Emergent Wetland. Impacted Area: 3,852 square feet; (Colley, PA Quadrangle, Latitude: 41°36'33", Longitude: -76°16'34"),

21. a 16 inch natural gas line across a Palustrine Emergent and Palustrine Forested Wetland. Impacted Area: 1,185 square feet; (Colley, PA Quadrangle, Latitude: 41°36'34", Longitude: -76°16'11"),

22. a 16 inch natural gas line across a Palustrine Emergent and Palustrine Forested Wetland. Impacted Area: 282 square feet; (Colley, PA Quadrangle, Latitude: 41°36'37", Longitude: -76°15'40"),

23. a 16 inch natural gas line and a timber mat bridge across a Palustrine Forested Wetland. Impacted Area: 22,631 square feet; (Colley, PA Quadrangle, Latitude: 41°36'54", Longitude: -76°15'30"),

24. a 16 inch diameter natural gas line impacting 4 linear feet of an unnamed tributary to Sugar Run (CWF, MF) (Colley, PA Latitude: 41°37'03", Longitude: -76°15'32"),

25. a 16 inch diameter natural gas line impacting 22 linear feet of an unnamed tributary to Sugar Run (CWF, MF) (Colley, PA Latitude: 41°37'06", Longitude: -76°15'33"),

26. a 16 inch diameter natural gas line impacting 32 linear feet of Sugar Run Creek (CWF, MF) and adjacent Palustrine Forested Wetland impacting 33 square feet (Colley, PA Latitude: 41°37'08", Longitude: -76°15'33"),

27. a 16 inch natural gas line and a timber mat bridge across a Palustrine Emergent Wetland. Impacted Area: 353 square feet; (Laceyville, PA Quadrangle, Latitude: 41°37'31", Longitude: -76°14'54"),

28. a 16 inch diameter natural gas line and a timber mat bridge impacting 150 linear feet of an unnamed tributary to Sugar Run Creek (CWF, MF) and adjacent Palustrine Emergent Wetland impacting 3,898 square feet (Jenningsville, PA Latitude: 41°37'27", Longitude: -76°14'41"),

29. a 16 inch diameter natural gas line and a timber mat bridge impacting 150 linear feet of Sugar Run Creek (CWF, MF) (Jenningsville, PA Latitude: 41°37'19", Longitude: -76°14'05"),

30. a 16 inch natural gas line and a timber mat bridge across a Palustrine Emergent Wetland. Impacted Area: 4,145 square feet; (Jenningsville, PA Quadrangle, Latitude: 41°37'27", Longitude: -76°12'49"),

31. a 16 inch diameter natural gas line impacting 20 linear feet of an unnamed tributary to Rocky Forest Creek (CWF, MF) and adjacent Palustrine Emergent Wetland impacting 198 square feet (Jenningsville, PA Latitude: 41°37'27", Longitude: -76°12'27"),

32. 16 inch diameter natural gas line impacting 73 linear feet of Rocky Forest Creek (CWF, MF) (Jenningsville, PA Latitude: 41°37'27", Longitude: -76°12'21"),

33. 16 inch diameter natural gas line impacting 12 linear feet of an unnamed tributary to Rocky Forest Creek (CWF, MF) (Jenningsville, PA Latitude: 41°37'26", Longitude: -76°12'14"),

34. a 16 inch natural gas line and a timber mat bridge across a Palustrine Emergent Wetland. Impacted Area: 978 square feet; (Colley, PA Quadrangle, Latitude: 41°36'50", Longitude: -76°17'47"),

35. a permanent access road across a Palustrine Emergent and Palustrine Scrub-Shrub Wetland. Impacted Area: 1,019 square feet; (Colley, PA Quadrangle, Latitude: 41°37'39", Longitude: -76°15'17"),

36. a timber mat bridge across a Palustrine Emergent Wetland. Impacted Area: 296 square feet; (Colley, PA Quadrangle, Latitude: 41°36'45", Longitude: -76°20'42"),

The project will result in 697 linear feet and 16,020 square feet of temporary stream impacts, 55,484 square feet (1.27 acres) of PEM, PFO, PSS temporary wetland impacts and 25,520 square feet (0.60 acres) of PFO permanent wetland impacts all for the purpose of installing a natural gas line with associated access roadways.

E0829-031: Appalachia Midstream, LLC, 100 IST Center, Horseheads, NY 14845, Overton Township, **Bradford County**, ACOE Baltimore District.

To construct, operate and maintain:

1. a 16 inch diameter natural gas line and a timber mat bridge impacting 124 linear feet of an unnamed tributary to Black Creek (EV, MF) (Overton, PA Latitude: 41°34'29", Longitude: -76°30'28"),

2. a 16 inch diameter natural gas line and a timber mat bridge impacting 200 linear feet of an unnamed tributary to Black Creek (EV, MF) (Overton, PA Latitude: 41°34'15", Longitude: -76°30'45"),

3. a 16 inch diameter natural gas line and a timber mat bridge impacting 125 linear feet of an unnamed tributary to Black Creek (EV, MF) (Overton, PA Latitude: 41°34'06", Longitude: -76°30'50"),

The project will result in 449 linear feet and 4,254 square feet of temporary stream impacts all for the purpose of installing a natural gas line with associated access roadways.

E5729-020: Appalachia Midstream, LLC, 100 IST Center, Horseheads, NY 14845, Forks Township, **Sullivan County**, ACOE Baltimore District.

To construct, operate and maintain:

1. a 16 inch diameter natural gas line impacting 5 linear feet of Streby Run (EV, MF) (Overton, PA Latitude: 41°33'24", Longitude: -76°31'02"),

2. a 16 inch diameter natural gas line and a timber mat bridge impacting 126 linear feet of an unnamed tributary to Streby Run (EV, MF) (Overton, PA Latitude: 41°33'09", Longitude: -76°31'14"),

The project will result in 131 linear feet and 887 square feet of temporary stream impacts all for the purpose of installing a natural gas line with associated access roadways.

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.101) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570.826.2553.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0070114 (Sewage)	Melanie Manor MHP 2600 Melanie Manor Ringtown, PA 17967-9727	Schuylkill County Union Township	Unnamed Tributary to Dark Run (5-E)	Y

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0082465 (Sew)	David Hykes Susquehanna Conference the U.M Church PO Box 511 Waynesboro, PA 17268	Franklin County / Quincy Township	East Branch Antietam Creek / 3-C	Y

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0081043 (Sew)	Guardian Elder Care, Inc. 2 Manor Blvd. Mifflintown, PA 17059-8757	Juniata County / Fermanagh Township	Big Run / 12-A	Y
PA0085103 (IW)	Dorma Door Controls, Inc. Dorma Drive Reamstown, PA 17567	Lancaster County / East Cocalico Township	Stony Run / 7-J	Y
PA0086533 (IW)	General Cable Industries, Inc. 3101 Pleasant Valley Blvd. Altoona, PA 16602-4317	Blair County / Altoona City	Mill Run / 11-A	Y
PA0247561 (Sew)	Noah Lee Stoltzfus 1651 Mountain Road Newburg, PA 17240	Cumberland County / Upper Mifflin Township	Three Square Hollow Run / 7-B	Y
PA0247839 (Sew)	Larry W. & Marilyn King Kings River Haven MHP/Campsite STP 2379 River Road Bainbridge, PA 17502	Lancaster County / Conoy Township	Snitz Creek / 7-G	Y

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401

NPDES Permit No. PA0052451, SEW, **Landenberg Village, LLC**, 104 Landenberg Road, Suite 3, Landenberg, PA 19350-9301.

This proposed facility is located in New Garden Township, **Chester County**.

Description of Proposed Action/Activity: Approval for the renewal of an NPDES permit to discharge up to 0.0012 MGD of treated sewage from a facility known as Wool House STP to East Branch White Clay Creek in Watershed 3-I.

NPDES Permit No. PA0056944, SW, **Sunoco Pipeline LP**, 1818 Market Street, Suite 1500, Philadelphia, PA 19103-3136.

This proposed facility is located in Upper Chichester Township, **Delaware County**.

Description of Proposed Action/Activity: Approval for the renewal of an NPDES permit to discharge Stormwater from a facility known as Sunoco Twin Oaks Pump Station to Unnamed Tributary to Marcus Hook Creek in Watershed 3-G.

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790

NPDES Permit No. PA0060518-A1, Sewage, SIC Code 4952, **Hallstead Great Bend Joint Sewer Authority**, P O Box 747, Great Bend, PA 18821-0747.

This existing facility is located in Great Bend Borough, **Susquehanna County**.

Description of Existing Action: Issuance of an NPDES Permit to revise the Chesapeake Bay compliance schedule: Certificate of Substantial Completion (Plant Fully Operational) and Compliance with Effluent Limitations.

NPDES Permit No. PA0029017, Sewage, SIC Code 4952, **Schuylkill Haven Borough Municipal Authority**, 12 W Main Street, Schuylkill Haven, PA 17972-1904.

This existing facility is located in Schuylkill Haven Borough, **Schuylkill County**.

Description of Existing Action/Activity: Issuance of an NPDES Permit for an existing discharge of treated Sewage.

NPDES Permit No. PA0023736, Sewage, SIC Code 4952, **Tri-Boro Municipal Authority Susquehanna County**, 83 Erie Boulevard, Susquehanna, PA 18847.

This existing facility is located in Susquehanna Depot Borough, **Susquehanna County**.

Description of Existing Action/Activity: Issuance of an NPDES Permit for an existing discharge of treated Sewage.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

NPDES Permit No. PA0261661, Amendment No. 1, Sewage, **Pravin & Mangla Patel**, 2845 Lebanon Road, Manheim, PA 17545.

This proposed facility is located in Rapho Township, **Lancaster County**.

Description of Proposed Action/Activity: Authorization to discharge to Shearer's Creek in Watershed 7-G.

NPDES Permit No. PA0081001, Amendment No. 1, Sewage, **Saint Thomas Municipal Authority**, 6442 Lincoln Way West, St. Thomas, PA 17252.

This proposed facility is located in Saint Thomas Township, **Franklin County**.

Description of Proposed Action/Activity: Authorization to discharge to Back Creek in Watershed 13-C.

NPDES Permit No. PA0111422, Amendment No. 1, Sewerage, Thompsontown Borough Municipal Authority, PO Box 154, Thompsontown, PA 17094.

This proposed facility is located in Delaware Township, **Juniata County**.

Description of Proposed Action/Activity: Authorization to discharge to Delaware Creek in Watershed 12-B.

NPDES Permit No. PA0020214, Amendment No. 1, Sewerage, Mount Union Borough Municipal Authority, 400 North Duke Street, Mount Union, PA 17066.

This proposed facility is located in Mount Union Borough, **Huntingdon County**.

Description of Size and Scope of Proposed Operation/Activity: Authorization to discharge to Juniata River in Watershed 12-C.

NPDES Permit No. PAS203505, Storm Water, Lane Enterprises, Inc. 1244 Claremont Road, Carlisle, PA 17015.

This proposed facility is located in Middlesex Township, **Cumberland County**.

Description of Size and Scope of Proposed Operation/Activity: Authorization to discharge to unt Letort Spring Run in Watershed 7-B.

NPDES Permit No. PAS603503, Storm Water, Royal Green, LLC, PO Box 9, Temple, PA 19560.

This proposed facility is located in Ontelaunee Township, **Berks County**.

Description of Size and Scope of Proposed Operation/Activity: Authorization to discharge to Schuylkill River in Watershed 3-C.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA

WQM Permit No. 1511404, Sewage, East Whiteland Township, 209 Conestoga Road, Frazer, PA 19355-1699.

This proposed facility is located in East Whiteland Township, **Chester County**.

Description of Action/Activity: Replacement of pump station and upgrade of force main.

WQM Permit No. 1584404, Sewage, Renewal & Transfer, Nottingham Property Management LLC, 1207 Delaware Avenue, Wilmington, DE 19806.

This proposed facility is located in West Nottingham Township, **Delaware County**.

Description of Action/Activity: Permit renewal for the existing land application spray system along with transfer of ownership from W.R. Reid to Nottingham Property Management LLC.

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790

WQM Permit No. 5411403, Industrial Waste, Commonwealth Environmental Systems, L.P., P. O. Box 322, Hegins, PA 17938.

This proposed facility is located in Foster Township, **Schuylkill County**.

Description of Proposed Action/Activity: Construction and operation of a wastewater treatment plant to treat landfill leachate.

WQM Permit No. 5211403, SIC Code 4952, Municipal Authority of the Township of Westfall, P. O. Box 235, 155 Westfall Town Drive, Matamoras, PA 18336.

This proposed facility is located in Westfall Township, **Pike County**.

Description of Proposed Action/Activity: Issuance of a WQM Permit for the construction/modification/operation of the Rose Lane Sewer Extension Project and the River's Edge Pump Station Upgrade.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

WQM Permit No. 0611201, CAFO, Jeff and Tracy Rohrer, 275 Naftzingertown Road, Mohrsville, PA 19541.

This proposed facility is located in Upper Bern Township, **Berks County**.

Description of Proposed Action/Activity: Permit approval for the construction, modification, and operation of manure storage facilities consisting of a new 77' x 224' swine barn with four shallow pit underneath storages, containing 75,062 gallons effective storage. Solids separator unit including an 18' diameter, 14' deep concrete circular clarifier tank. The renovation of the existing earthen manure storage pond with an HDPE liner and leak detection system.

IV. NPDES Stormwater Discharges from MS4 Permit Actions

V. NPDES Waiver Stormwater Discharges from MS4 Actions

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI01 1505069-R	Pulte Homes of PA, Limited Partnership 1100 Northbrook Drive Trevose, PA 19053	Chester	East Brandywine Township	Beaver Creek & Culbertson Run (TSF-MF-HQ-TSF-MF)
PAI01 151122	PA Turnpike Commission PO Box 67676 Harrisburg, PA 17106-7676	Chester	Charlestown Township	Unnamed Tributary Pigeon Run (HQ-TSF)

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI021311004	Pennsylvania Department of Transportation Engineering District 5-0 1002 Hamilton St. Allentown, PA 18101	Carbon	Nesquehoning Borough	Nesquehoning Creek, HQ-WWF, MF
PAI024010004(1)	PPL Electric Utilities Corp. Two North Ninth St. Allentown, PA 18101	Lackawanna	Ransom Township Newton Township South Abington Township Scott Township Jefferson Township Dickson City Borough Blakely Borough Archbald Borough City of Scranton	Unnamed Tributary to Susquehanna River, CWF, MF; Gardner Creek, CWF, MF; St. John's Creek, CWF, MF; Keyser Creek, CWF, MF; Leggetts Creek, TSF, MF; Unnamed Tributary to Lackawanna River, CWF, MF; Hull Creek, CWF, MF; Wildcat Creek, CWF, MF; Lackawanna River, HQ-CWF, MF; Laurel Run, CWF, MF; Middle Creek, HQ-CWF, MF; White Oak Run, CWF, MF
PAI024805020(1)	Trio Farms PA, LLC 559 Main Street Suite 300 Bethlehem, PA 18018	Northampton	Lower Nazareth Twp.	East Branch of Monocacy Creek, HQ-CWF, MF

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision in 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges from Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated with Construction Activities (PAR)
PAG-3	General Permit for Discharges of Stormwater from Industrial Activities
PAG-4	General Permit for Discharges from Small Flow Treatment Facilities
PAG-5	General Permit for Discharges from Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application

PAG-8	General Permit for Beneficial Use of Nonexceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	CAFOs
PAG-13	Stormwater Discharges from MS4

*General Permit Type—PAG-02**Facility Location:*

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Bedminster Township Bucks County	PAG0200 0911029	Bucks County District Attorney's Office 55 East Court Street Doylestown, PA 18901	Deep Run (WWF-MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Bensalem Township Bucks County	PAG0200 0903046-6	Keystone Turf Club and Bensalem Racing Association 3001 Street Road Bensalem, PA 19020-2006	Neshaminy Creek (WWF-MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Radnor Township Delaware County	PAG0200 2311010	Estate of George R. Atterbury 30 Valley Stream Parkway Malvern, PA 19335-1481	Ithan Creek, Darby Creek (CWF-MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Haverford Township Delaware County	PAG0200 2306055-R	Township of Haverford 2325 Darby Road Haverford, PA 19083	Darby Creek (CWF-MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Chadds Ford Township Delaware County	PAG0200 2311013	Rocco D'Antonio 116 Martins Run Media, PA 19063	Tributary No 1 to Harvey Run (WWF-MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Ridley Township Delaware County	PAG0200 2311015	MGM Ridley Parking, LP 760 Parkers Run Lane Villanova, PA 19085	Stoney Creek (WWF-MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

*Northcentral Region: Watershed Management Program Manager, 208 W Third Street, Williamsport, Pa 17701**Facility Location:*

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Brady Township Clearfield County	PAG02001711009	Dominion Transmission Inc 654 Carson Hill Rd Luthersburg PA 18848	Little Anderson Creek CWF	Clearfield County Conservation District 511 Spruce St Ste 6 Clearfield PA 16830 Phone: (814) 765-2629

NOTICES

7019

*Facility Location:
Municipality &
County*

Mifflin & South
Centre Townships
Columbia County

Permit No.
PAG02001909010R

*Applicant Name &
Address*
PA Dept of Transportation 3-0
PO Box 218
Montoursville PA 17754

*Receiving
Water / Use*
Susquehanna River
WWF

*Contact Office &
Phone No.*
Columbia County
Conservation
District
702 Sawmill Rd Ste
204
Bloomsburg PA
17815
(570) 784-1310 X
102

General Permit Type—PAG-03

*Facility Location:
Municipality &
County*

Coatesville Scrap
Iron & Metal, Inc.
Chester County

Permit No.
PAR800142

*Applicant's Name &
Address*
Coatesville Scrap Iron & Metal,
Inc.
1000 South First Avenue
P. O. Box 751
Coatesville, PA 19320

*Receiving
Water / Use*
West Branch
Brandywine Creek

*Contact Office &
Telephone No.*
Southeast Region
Water Management
484.250.5970

Warminster
Township
Bucks County

PAR200017

Greif Industrial Packaging &
Services LLC
695 Louis Drive
Warminster, PA 18974

UNT to Little
Neshaminy Creek /
WWF—2F

Southeast Region
Water Management
484.250.5970

York County
Penn Township

PAR113523

ESAB Welding & Cutting
Products
801 Wilson Avenue
Hanover, PA 17331

Oil Creek / WWF

DEP / SCRO
909 Elmerton
Avenue
Harrisburg, PA
17110
717-705-4707

City of Williamsport,
Lycoming County

PAR314804
(Stormwater)

Frac Tech Services LLC
215 Reading Avenue
Williamsport, PA 17701

UNT to West
Branch
Susquehanna River,
Warm Water Fishes
(WWF)

Northcentral
Regional Office
Water Management
Program
208 West Third
Street, Suite 101
Williamsport, PA
17701
(570) 327-3666

General Permit Type—PAG-10

*Facility Location:
Municipality &
County*

Asylum, Wyalusing
and Tuscarora
Townships
Bradford County

Permit No.
PAG104827

*Applicant Name &
Address*
Tennessee Gas Pipeline Co.
1001 Louisiana Street
Houston, TX 77002

*Receiving
Water / Use*
Susquehanna River
Wyalusing
Creek—4-D, WWF

*Contact Office &
Phone No.*
DEP Northcentral
Regional Office
Water Management
208 W Third Street
Suite 101,
Williamsport, PA
17701-6448
570.327.3664

General Permit Type—PAG-12

*Facility Location:
Municipality &
County*

York County
Manheim Township

Permit No.
PAG123611

*Applicant Name &
Address*
Roy Diem
3409 Smoketown Road
Spring Grove, PA 17362

*Receiving
Water / Use*
UNT of Lake
Marburg / WWF

*Contact Office &
Phone No.*
DEP / SCRO
909 Elmerton
Avenue
Harrisburg, PA
17110
717-705-4707

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Lancaster County Warwick Township	PAG123639	Mark Will Lexington Farm, LLC 306 East Lexington Road Lititz, PA 17543	UNT to Lititz Run / WWF	DEP / SCRO 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act

Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Williamsport, PA 17701

Permit No. Minor Amendment—Construction Public Water Supply.

Applicant	Orograin Bakery Manufacturing, Inc.
[Township or Borough]	Old Lycoming Township
County	Lycoming
Responsible Official	Ms. Tina Rook Orograin Bakery Manufacturing, Inc. 3375 Lycoming Creek Road Williamsport, PA 17701

Type of Facility	Public Water Supply
Consulting Engineer	Robert Weir, P.E. Entech Engineering, Inc. 4 South Fourth Street Reading, PA 19602
Permit Issued	December 14, 2011
Description of Action	Installation of a sodium hypochlorite feed system, replacement of Well No. 1 pump, and construction of 103 feet of 16-inch and 50 feet of 6-inch detention piping to provide 4-log inactivation of viruses.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Innovative Technology Operations Permit issued to **Brookville Municipal Authority**, PWSID #6330004, Rose Township and Brookville Borough, **Jefferson County**. Permit Number 3309501 issued December 6, 2011 for the operation of the membrane microfiltration water treatment facilities. This permit is issued in response to an operation inspection conducted by Department of Environmental Protection personnel on September 22, 2011 with a follow-up inspection conducted on October 31, 2011.

Operations Permit issued to **Pennsylvania American Water Company, Wetmore Township, McKean County**. Permit Number 8798W-T1-MA1 issued December 7, 2011 for the requested modifications to the fluoride permit.

Operations Permit issued to **Keystone Senior Care, LLC**, PWSID #5100133, Penn Township, **Butler County**. Permit Number 1010501 issued December 7, 2011 for the operation of your Public Water Supply. This permit is issued in response to an operation inspection conducted by Department of Environmental Protection personnel on October 14, 2011.

Operations Permit issued to **Kennerdell Community North Water System, Inc.**, PWSID #6610859, Kennerdell, **Venango County**. Permit Number 6103502-MA1, issued December 7, 2011 for the operation of 4-Log treatment of viruses for Entry Point 100. This action is taken under the requirements of the Groundwater Rule.

Permit No. 2511505	Public Water Supply
Applicant	Girard Borough
Township or Borough	Girard Borough
County	Erie
Type of Facility	Public Water Supply

Consulting Engineer Mark J. Corey, P.E.
Mark J. Corey & Associates
P. O. Box 268
Harborcreek, PA 16421

Permit to Construct December 14, 2011
Issued

Permit No. 4311501 Public Water Supply

Applicant **Reynolds Water Company**

Township or Borough Pymatuning Township

County **Mercer**

Type of Facility Public Water Supply

Consulting Engineer Tom Thompson, P.E.
Gannett Fleming, Inc.
554 South Erie Street
Mercer, PA 16137

Permit to Construct December 15, 2011
Issued

Operations Permit issued to **Bradford City Water Authority**, PWSID #6420014, Foster Township, **McKean County**. Permit Number 4211502 issued December 16, 2011 for the operation of the Lafferty Hollow Industrial Park Booster Pumping Station consisting of two (2) 25 gallon per minute (GPM) jockey booster pumps and one (1) 322 gallon per minute fire pump. This permit is issued in response to a pre-operation permit inspection conducted by Department personnel on December 14, 2011.

HAZARDOUS SITES CLEAN-UP UNDER THE ACT OF OCTOBER 18, 1988

Notice of Proposed Settlement Under HSCA/CERCLA

AIW Frank/Mid-County West Whiteland Township, Chester County

The Department of Environmental Protection (Department), under the authority of the Hazardous Sites Cleanup Act (HSCA), 35 P. S. Section 6020.101 et seq., and the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA), 42 U.S.C. Section 9601 et seq., has entered into a proposed Consent Order and Agreement with the CDS Investment Company, Angelo Joseph D'Ambrosio and Cordine Scartozzi ("Settling Parties") related to the AIW Frank/Mid-County Mustang Superfund Site in West Whiteland Township, Chester County, Pennsylvania.

The AIW Frank/Mid-County Mustang National Priority List ("NPL") Site consists of two properties which had been used at various times for manufacturing styrofoam products, refrigerators, freezers and warming cabinets for institutional and food service industries. Various wastes and contaminated soils were excavated from the Site as part of response actions conducted by the USEPA and the Department. In addition, the Site contains groundwater contamination for which the USEPA and the Department installed a public water line and constructed an on-site groundwater pump and treat system.

The proposed Consent Order and Agreement is a companion settlement with a concurrent agreement between the Settling Parties and the USEPA. Pursuant to both agreements, the Settling Parties will make payments to both the USEPA and the Department and will assign the rights to certain insurance policies over to the USEPA for potential collection and split sharing between

the federal government and the Department. Both the Department and the USEPA have determined that these agreements constitute a reasonable ability-to-pay settlement between the government entities and the Settling Parties.

The Department is also proposing to enter into a companion Prospective Purchaser Agreement ("PPA") with the E. Kahn Development Corporation ("EKDC"), which intends to purchase the property and to use it in a manner consistent with existing uses on the property. Under the terms of the proposed PPA, EKDC agrees not to exacerbate any of the conditions at the property, provide access and right of entry to the Department for continued response actions, and make a contribution to the Department's response costs for the Site.

This notice is provided pursuant to Section 1113 of HSCA, 35 P. S. § 6020.1113. The proposed Consent Order and Agreement and PPA may be examined from 8 AM to 4 PM at the Department's offices at 2 East Main Street, Norristown, PA by contacting Mr. Ragesh Patel at 484-250-5719 or Mr. Anderson Lee Hartzell at 484-250-5866. A public comment period on the proposed Consent Order and Agreement and PPA will extend for a period of 60 days from the date of this notice. Interested persons may submit written comments regarding these agreements to the Department by submitting them to Mr. Patel at the above address.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P. S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in

the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Eric Supey, Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Cricket Hill Golf Course, RR 2, Cricket Hill Road, Berlin Township, **Wayne County**. Martin P. Gilgallon, Pennsylvania Tectonics, Inc., 826 Main Street, Peckville, PA 18452 has submitted a Final Report (on behalf of his client, FNB Holding Corp., 4866 State Route 52, Jeffersonville, NY 12748), concerning the remediation of soil and groundwater found to have been impacted by leaded and unleaded gasoline and diesel fuel as a result of the disposal of these contaminants into an on-lot septic system. The report was submitted to document attainment of the Residential Statewide Health Standard for soil and groundwater. A public notice regarding the submission of the Final Report was published in the *Wayne Independent* on November 26, 2011.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110

Brickstone Development-Wyomissing Square, 200 North Park Road, Wyomissing, PA 19610, Borough of Wyomissing, **Berks County**. Ransom Environmental, 2127 Hamilton Avenue, Hamilton, NJ 08619, on behalf of JMH, Inc., 200 North Park Road, Suite 400, Wyomissing, PA 19610; Wyomissing Square Condominiums, 200 North Park Road, Suite 400, Wyomissing, PA 19610; Wyomissing Square Apartments, LP, 7850 Walker Drive, Suite 400, Greenbelt, MD 20770; Wyona Retail, Inc., 701 Market Street, Philadelphia, PA 19106; and 3D Reading Hotel Partners, LLC, 3460 Olney-Laytonsville Road, Suite 222, Olney, MD 20832, submitted a Final Report concerning remediation of site soils contaminated with arsenic. The report is intended to document remediation of the site to meet the background standard.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701

Keister Miller Investments, LLC, Bell Township, **Clearfield County**. KMI Inc., 204 Miller Road, Mahaffey, PA 15757 on behalf of Keister Miller Investments 15757 has submitted a Final Report concerning remediation of site soil contaminated with frac fluid. The report is intended to document remediation of the site to meet the Statewide Health Standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans

and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

River Chase Property, 4431 North Front Street, Harrisburg, PA 17110, Susquehanna Township **Dauphin County**. Herbert, Rowland & Grubic, Inc., 369 East Park Drive, Harrisburg, PA 17111, on behalf of River Chase Associates, c/o Vision Properties, LLC, 633 West Germantown Pike, Suite 104, Plymouth Meeting, PA 19462, submitted a Final Report concerning remediation of site soils contaminated with waste oil. The Final Report demonstrated attainment of the Residential Statewide Health standard, and was approved by the Department on December 13, 2011.

Handelman Residence, 534 Windsor Road, Harrisburg, PA 17112, Lower Paxton Township, **Dauphin County**. Marshall Miller and Associates, Inc., 3913 Hartzdale Drive, Camp Hill, PA 17011, on behalf of Jarad Handelman, 5340 Windsor Road, Harrisburg, PA 17112; Nationwide Agribusiness Insurance, 1100 Locust Street, Dept. 3010, Des Moines, IA 50391-3010; and ABC Fuel Oil Company, 25 North Lockwillow Avenue, Harrisburg, PA 17112, submitted a Final Report concerning remediation

tion of site soils and groundwater contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the Residential Statewide Health standard, and was approved by the Department on December 15, 2011.

PSECU Elmerton Avenue Site, northwest corner of intersection of Elmerton Avenue and Kohn Road, Harrisburg, PA 17110, Susquehanna Township, **Dauphin County**. Advantage Engineers, LLC, 910 Century Drive, Mechanicsburg, PA 17055, on behalf of PA State Employees Credit Union, PO Box 67013, Harrisburg, PA 17106-7013, submitted a Risk Assessment Report and Cleanup Plan concerning remediation of site soils and groundwater contaminated with arsenic and barium. The report and plan were approved by the Department on December 16, 2011. The site is being remediated to the Site-Specific Standard.

RESIDUAL WASTE GENERAL PERMITS

Application Received Under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit Application No. WMGR135. Delaware County Solid Waste Authority, 583 Longview Road, Boyertown, PA 19512-7955; site: Rolling Hills Landfill. This general permit application is for beneficial use of leachate as a substitute for potable water in flue gas air pollution control devices. This leachate would be used in developing the lime slurry employed in wet scrubber systems for these air pollution control devices. The application proposes to provide approximately 50,000 gallons per day of leachate to resource recovery facilities and other interested industries for beneficial use purposes. The application was determined to be administratively complete by Central Office on November 21, 2011.

Written comments concerning the application should be directed to Scott E. Walters, Chief, General Permits/Beneficial Use Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P. O. Box 8472, Harrisburg, PA 17105-8472. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984. Comments may also be submitted via e-mail at ra-epbenuseall@pa.gov. When submitting comment via e-mail, place "Comments on WMGR135" in the subject line. Faxed comments will not be accepted. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application. For more information, contact the Division of Municipal and Residual Waste at 717-787-7381.

General Permit Application No. WMGR136. Delaware County Solid Waste Authority, 583 Longview Road, Boyertown, PA 19512-7955; site: Rolling Hills Landfill. This general permit application is for beneficial use of pretreated leachate as alternate supply water for use in hydraulic fracturing associated with deep shale natural gas drilling. The application proposes to provide up to 100,000 gallons per day of pretreated leachate for beneficial use purposes. The pretreatment of the leachate would occur at Rolling Hills Landfill Wastewater Treatment

Facility. The application was determined to be administratively complete by Central Office on November 21, 2011.

Written comments concerning the application should be directed to Scott E. Walters, Chief, General Permits/Beneficial Use Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P. O. Box 8472, Harrisburg, PA 17105-8472. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984. Comments may also be submitted via e-mail at ra-epbenuseall@pa.gov. When submitting comment via e-mail, place "Comments on WMGR136" in the subject line. Faxed comments will not be accepted. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application. For more information, contact the Division of Municipal and Residual Waste at 717-787-7381.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: Sachin Shankar, New Source Review Chief—Telephone: 484-250-5920

GP3-46-0098: Harleysville Materials, Inc. (427 South White Horse Pike, Berlin, NJ 08009) on December 16, 2011, was authorized to operate a terex-pegson crusher in Lower Salford Township, **Montgomery County**.

GP9-46-0053: Harleysville Materials, Inc. (427 South White Horse Pike, Berlin, NJ 08009) on December 16, 2011, was authorized to operate a caterpillar C-9 engine generator in Lower Salford Township, **Montgomery County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Ray Kempa, New Source Review Chief—Telephone: 570-826-2507

54-301-043GP14: Riverside Cremation Services LLC (25 East Main Street, Schuylkill Haven, PA 17972) on December 8, 2011, to install and operate a human remains crematory at their site in Schuylkill Haven Borough, **Schuylkill County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

GP3-14-338: New Enterprise Stone & Lime Co., Inc. (P. O. Box 77, New Enterprise, PA 16664) on December 15, 2011, to construct and operate a portable non-metallic mineral crusher with associated water spray dust suppression systems pursuant to the General Plan Approval And/Or General Operating Permit For Portable Nonmetallic Mineral Processing Plants (BAQ-PGPA/GP-3) at their Confer Quarry located in Burnside Township, **Centre County**.

GP9-14-338: New Enterprise Stone & Lime Co., Inc. (P. O. Box 77, New Enterprise, PA 16664) on Decem-

ber 15, 2011, to construct and operate one Caterpillar Model C-9 diesel-fired engine with a rating of 350 brake horsepower (bhp) pursuant to the General Plan Approval and/or General Operating Permit BAQ-GPA/GP-9: Diesel or No. 2 fuel-fired Internal Combustion Engines at their Confer Quarry located in Burnside Township, **Centre County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Mark Gorog and Barb Hatch, Environmental Engineer Managers—Telephone: 412-442-4163/5226

GP5-30-00213: CNX Gas Co., LLC (200 Evergreen Drive, Waynesburg, PA 15370) on December 14, 2011, to install and operate two (2) natural gas-fired compressor engines, Caterpillar model G3516B rated at 1,380 brake horsepower, each controlled by an oxidation catalyst at the proposed GH2 Compressor Station in Center Township, **Greene County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636

GP9-10-377A: Westinghouse Electric Company, LLC (1000 Westinghouse Drive, Cranberry Township, PA 16066) on December 12, 2011, for five (5) diesel-fired engines (BAQ-GPA/GP-9) in Cranberry Township, **Butler County**.

Plan Approvals Issued under the Air Pollution Control Act and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: Sachin Shankar, New Source Review Chief—Telephone: 484-250-5920

46-0124B: Montgomery Chemicals, LLC (901 Conshohocken Road, Conshohocken, PA 19428) on December 16, 2011, for the transfer and use of 40.0 tons of VOC Emission Reduction Credits in Plymouth Township, **Montgomery County** from Minnesota Mining & Manufacturing Co. in Bristol Township, Bucks County. Note that this plan approval was issued prior to the end of the comment period because the credits were due to expire on December 17, 2011.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Chief, East Permitting Section—Telephone: 717-705-4862 or Daniel Husted, Chief, West Permitting Section—Telephone: 717-705-4863

01-05018A: McClarin Plastics, Inc. (15 Industrial Drive, Hanover, PA 17331-9530) on December 13, 2011, for construction and temporary operation of two paint spray booths at the thermoformed plastic and fiberglass reinforced plastic products manufacturing facility in Conewago Township, **Adams County**.

Title V Operating Permits Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Chief, East Permitting Section—Telephone: 717-705-4862 or Daniel Husted, Chief, West Permitting Section—Telephone: 717-705-4863

31-05014: AGY Huntingdon LLC (1200 Susquehanna Avenue, Huntingdon, PA 16652-1946) on December 9, 2011, for their fiberglass yarn and mat manufacturing facility in Huntingdon Borough, **Huntingdon County**. The Title V permit was renewed.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Ray Kempa, New Source Review Chief—Telephone: 570-826-2507

48-00046: Eastern Affiliated Services, Inc. (2111 Butler Street, Easton, PA 18042) on December 16, 2011, to operate a fuel oil fired boiler at an industrial launderer in Wilson Borough, **Northampton County**. This is a renewal of a State-Only Operating Permit.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Chief, East Permitting Section—Telephone: 717-705-4862 or Daniel Husted, Chief, West Permitting Section—Telephone: 717-705-4863

06-03077: FM Brown's Sons, Inc. (205 Woodrow Avenue, Sinking Spring, PA 19608) on December 12, 2011, for their bird feed manufacturing facility in Sinking Spring Borough, **Berks County**. The State-only permit was renewed.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104

Contact: Edward Wiener, Chief—Telephone: 215-685-9426

S05-018: Ashland Performance Materials (2801 Christopher Columbus Boulevard, Philadelphia, PA 19148) administratively amended on December 15, 2011 to change contact information. The Synthetic Minor Operating Permit was originally issued on June 27, 2007.

S09-012: Philadelphian Condominiums (2401 Pennsylvania Avenue, Philadelphia, PA 19138) administratively amended on December 14, 2011 to change contact information. The Synthetic Minor Operating Permit was originally issued on October 5, 2009.

S09-002: RockTenn CP, LLC (9820 Blue Grass Rd, Philadelphia, PA 19114) administratively amended on December 16, 2011 to incorporate a change of ownership from Smurfit Stone Container Corporation and contact information. The Synthetic Minor Operating Permit was originally issued on March 30, 2009.

Operating Permits Denied, Terminated, Suspended or Revoked under the Air Pollution Control Act and 25 Pa. Code §§ 127.431 and 127.461.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—
Telephone: 814-332-6636

25-00268: Steris Corporation (1880 Industrial Drive, Libertyville, IL 60048), on December 15, 2011, for revocation of their State Operating Permit for their facility in Millcreek Township, **Erie County**. The plant removed the boiler which previously was approved under a plan approval. The facility has removed the remaining sources prior to the permit renewal on September 14, 2010. The facility no longer requires an operating permit and the operating permit was therefore revoked.

37-00293: Cemex Wampum Quarry (920 Memorial City Way, Houston, TX 77024), on December 15, 2011, for revocation of their State Operating Permit for their Wampum Quarry in Wampum Borough, **Lawrence County**. On August 27, 2010, the Department of Environmental Protection conducted a compliance inspection for the Cemex Wampum Quarry. Based on the inspection report and as verified during the December 14, 2011 renewal inspection of the cement plant, the crushing operations at the quarry were last operated on February 19, 2010. Since it has been greater than one year from the date that the affected sources were operated and a deactivation plan / maintenance plan was not submitted, the sources cannot be reactivated in accordance with 25 Pa. Code § 127.11a and § 127.215. Instead, a plan approval will be required if the facility wishes to re-start any of the crushing equipment. Therefore, the Department hereby revokes Natural Minor Operating Permit No: 37-00293.

43-00348: American Cap Company LLC (15 Church Street, PO Box 107, Wheatland, PA 16161), on December 15, 2011, for revocation of their State Operating Permit for their facility in Wheatland Borough, **Mercer County**. The plant indicated the facility no longer requires an operating permit because the processes have been deactivated and the equipment is in the process of being removed from the location. The facility no longer requires an operating permit and the operating permit was therefore revoked.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law; the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.20a). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to applications will also address the application permitting requirements of the following statutes: the Air Quality Pollution Act (35 P. S. §§ 4001—4014); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1002).

COAL PERMITS ACTIONS

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

56100201, Alverda Enterprises, Inc., P. O. Box 245, Alverda, PA 15710, commencement, operation and resto-

ration of a bituminous surface and coal refuse reprocessing mine in Conemaugh Township, **Somerset County**, affecting 11.8 acres. Receiving stream(s): Stonycreek River, classified for the following use(s): warm water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: June 29, 2010. Permit issued: December 9, 2011.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, 724-925-5500

03090201 and NPDES Permit No. PA0251798. Coal Valley Sales, LLC (111 Freepoint Road, Pittsburgh, PA 15215). Revision permit issued for 7.0 additional acres to add a haul road to an existing bituminous surface mine, located in Cadogan Township, **Armstrong County**, affecting 79.6 acres. Receiving streams: unnamed tributary to Allegheny River. Revision application received: October 24, 2011. Revision permit issued: December 15, 2011.

NONCOAL PERMITS ACTIONS

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200

08090806. David E. Davis (RR 1 Box 3422, Monroeton, PA 18832) Commencement, operation, and restoration of small noncoal (Bluestone) permit located in Orwell, Township, **Bradford County**, affecting 5.0 total acre(s). Receiving stream(s): Unnamed Tributary to Johnson Creek. Application received: June 19, 2009. Application returned: December 6, 2011.

53110801. Kelly Crosby (307 E. Oak Street, Coudersport, PA 16915), commencement, operation and restoration of a Bluestone operation in Roulette Township, **Potter County** affecting 5.0 acres. Receiving stream(s): Fishing Creek and Allegheny River. Application received: August 22, 2011. Permit issued: December 5, 2011.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

39880302GP104. Coplay Aggregates, Inc., (PO Box 143, Orefield, PA 18069), General NPDES Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 39880302 in Whitehall Township, **Lehigh County**, receiving stream: Coplay Creek. Application received: May 9, 2011. Permit issued: December 12, 2011.

58100304 and NPDES Permit No. PA0224880. Daniel S. Warner, (2615 Babcock Road, Montrose, PA 18801), commencement, operation and restoration of a quarry operation and NPDES Permit for discharge of treated mine drainage in Jessup Township, **Susquehanna County** affecting 53.44 acres, receiving stream: unnamed tributary to Big Elk Lake. Application received: December 6, 2010. Permit issued: December 13, 2011.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

BLASTING PERMITS ACTIONS

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

11114002. Douglas Explosives, P. O. Box 77, Philipsburg, PA 16866, blasting activity permit issued for construction of sewage treatment plant in White Township, **Cambria County**. Blasting activity permit end date is December 1, 2012. Permit issued: December 12, 2011.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

58114141. Doug Wathen, LLC, (16282 State Highway 13, Suite J, Branson West, MO 65737), construction blasting for R Casey Gas Pad in Harford Township, **Susquehanna County** with an expiration date of November 30, 2012. Permit issued: December 14, 2011.

58114142. Doug Wathen, LLC, (16282 State Highway 13, Suite J, Branson West, MO 65737), construction blasting for R Macdowall Gas Pad in Harford Township, **Susquehanna** with an expiration date of December 7, 2012. Permit issued: December 14, 2011.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Permits, Environmental Assessments and 401 Water Quality Certifications Issued:

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northcentral Region: Oil and Gas Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701

E5929-021: SWEPI LP, 190 Thorn Hill Road, Warrendale, PA 15086, Charleston and Delmar Townships, **Tioga County**, ACOE Baltimore District.

To construct, operate, and maintain:

1) a temporary road crossing using a mat bridge, 8 inch and 20 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 50 linear feet of an unnamed tributary to East Branch Stony Fork (CWF) (Tiadaghton, PA Quadrangle 41°40'44"N 77°23'08"W);

2) a temporary road crossing using a mat bridge, 8 inch and 20 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 50 linear feet of an unnamed tributary to East Branch Stony Fork (CWF) (Antrim, PA Quadrangle 41°40'39"N 77°22'08"W);

3) 8 inch and 20 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 28 linear feet of East Branch Stony Fork (CWF) (Antrim, PA Quadrangle 41°40'41"N 77°21'35"W);

4) 8 inch and 20 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 25 linear square feet of East Branch Stony Fork (CWF) (Antrim, PA Quadrangle 41°40'41"N 77°21'34"W);

5) 8 inch and 20 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 25 linear feet of an unnamed tributary to Wilson Creek (CWF) (Antrim, PA Quadrangle 41°41'07"N 77°20'01"W);

6) a temporary road crossing using a mat bridge, 8 inch and 20 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 50 linear feet of an unnamed tributary to Wilson Creek (CWF) (Antrim, PA Quadrangle 41°41'17"N 77°19'49"W);

7) a temporary road crossing using a mat bridge, 8 inch and 20 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 50 linear feet of an unnamed tributary to Wilson Creek (CWF) (Antrim, PA Quadrangle 41°41'25"N 77°19'40"W);

8) a temporary road crossing using mat bridge impacting 16 linear feet of an unnamed tributary to Wilson Creek (CWF) (Antrim, PA Quadrangle 41°41'40"N 77°19'00"W);

9) a temporary road crossing using a mat bridge, 8 inch and 20 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 50 linear feet of Wilson Creek (CWF) (Antrim, PA Quadrangle 41°42'05"N 77°18'27"W);

10) a temporary road crossing using a mat bridge, 8 inch and 20 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 50 linear

feet of an unnamed tributary to Wilson Creek (CWF) (Antrim, PA Quadrangle 41°42'06"N 77°14'54"W);

11) a temporary road crossing using a mat bridge, 8 inch and 20 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 50 linear feet of an unnamed tributary to Wilson Creek (CWF) (Antrim, PA Quadrangle 41°42'04"N 77°17'18"W);

12) a temporary road crossing using a mat bridge, 8 inch and 20 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 50 linear feet of an unnamed tributary to Charleston Creek (WWF) (Antrim, PA Quadrangle 41°42'27"N 77°16'08"W);

13) a temporary road crossing using a mat bridge, 8 inch and 20 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 50 linear feet of an unnamed tributary to Charleston Creek (WWF) (Antrim, PA Quadrangle 41°42'29"N 77°15'35"W);

14) a temporary road crossing using a mat bridge, 8 inch and 20 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 50 linear feet of Charleston Creek (WWF) (Antrim, PA Quadrangle 41°42'32"N 77°15'09"W);

15) a temporary road crossing using a mat bridge impacting 16 linear feet of an unnamed tributary to Charleston Creek (WWF) (Cherry Flats, PA Quadrangle 41°42'32"N 77°14'52"W);

16) 8 inch and 20 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 25 linear feet of an unnamed tributary to Babb Creek (EV) (Cherry Flats, PA Quadrangle 41°43'05"N 77°14'12"W);

17) a temporary road crossing using mat bridge, impacting 16 linear feet of an unnamed tributary to Babb Creek (EV) (Cherry Flats, PA Quadrangle 41°43'27"N 77°13'50"W);

18) a temporary road crossing using a mat bridge, 8 inch and 20 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 50 linear feet of an unnamed tributary to Babb Creek (EV) (Cherry Flats, PA Quadrangle 41°43'36"N 77°14'08"W);

19) a temporary road crossing using a mat bridge, 8 inch and 20 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 50 linear feet of an unnamed tributary to Babb Creek (EV) (Cherry Flats, PA Quadrangle 41°43'48"N 77°13'59"W);

20) a temporary road crossing using a mat bridge, 8 inch and 20 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 50 linear feet of an unnamed tributary to Catlin Hollow (TSF) (Cherry Flats, PA Quadrangle 41°44'53"N 77°13'03"W);

21) a temporary road crossing using a mat bridge, 8 inch and 20 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 50 linear feet of an unnamed tributary to Catlin Hollow (TSF) (Cherry Flats, PA Quadrangle 41°44'53"N 77°13'03"W);

22) a temporary road crossing using a mat bridge, a 6 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 50 linear feet of an unnamed tributary to East Branch Stony Fork (CWF) (Antrim, PA Quadrangle 41°41'51"N 77°21'58"W);

23) a temporary road crossing using a mat bridge, a 6 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 50 square feet of an unnamed tributary to East Branch Stony Fork (CWF) (Antrim, PA Quadrangle 41°42'00"N 77°21'46"W);

24) a temporary road crossing using a mat bridge, a 6 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 50 linear feet of an unnamed tributary to East Branch Stony Fork (CWF) (Antrim, PA Quadrangle 41°42'08"N 77°21'37"W);

25) a temporary road crossing using a mat bridge, a 6 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 66 linear feet of an unnamed tributary to East Branch Stony Fork (CWF) (Antrim, PA Quadrangle 41°42'11"N 77°21'20"W);

26) a temporary road crossing using a mat bridge, a 6 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 50 linear feet of an unnamed tributary to East Branch Stony Fork (CWF) (Antrim, PA Quadrangle 41°42'55"N 77°20'51"W);

27) a temporary road crossing using a mat bridge, a 6 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 738 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Tiadoghton, PA Quadrangle 41°40'48"N 77°23'02"W);

28) a temporary road crossing using a mat bridge, a 6 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 967 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Tiadoghton, PA Quadrangle 41°40'52"N 77°22'56"W);

29) a temporary road crossing using a mat bridge, 8 inch and 20 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 1,241 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Tiadoghton, PA Quadrangle 41°40'42"N 77°22'56"W);

30) a temporary road crossing using a mat bridge, 8 inch and 20 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 1,046 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Tiadoghton, PA Quadrangle 41°40'40"N 77°22'51"W);

31) a temporary road crossing using a mat bridge, 8 inch and 20 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 609 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Tiadoghton, PA Quadrangle 41°40'39"N 77°22'47"W);

32) a temporary road crossing using a mat bridge, 8 inch and 20 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 4,821 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Antrim, PA Quadrangle 41°40'39"N 77°22'06"W);

33) a temporary road crossing using a mat bridge, 8 inch and 20 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 614 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Antrim, PA Quadrangle 41°40'40"N 77°22'05"W);

34) a temporary road crossing using a mat bridge, 8 inch and 20 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 6,053 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Antrim, PA Quadrangle 41°40'42"N 77°21'44"W);

35) a temporary road crossing using a mat bridge, 8 inch and 20 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 18,315

square feet of a ten acre exceptional value palustrine emergent (EV-PEM) wetland (Antrim, PA Quadrangle 41°40'42"N 77°21'40"W);

36) a temporary road crossing using a mat bridge impacting 2,744 square feet of a palustrine emergent (PEM) wetland (Antrim, PA Quadrangle 41°40'45"N 77°21'21"W);

37) a temporary road crossing using a mat bridge, 8 inch and 20 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 7,515 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Antrim, PA Quadrangle 41°40'37"N 77°20'33"W);

38) a temporary road crossing using a mat bridge, a 6 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 4,062 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Antrim, PA Quadrangle 41°41'11"N 77°20'14"W);

39) 8 inch and 20 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 36 square feet of an exceptional value palustrine emergent / palustrine scrub-shrub (EV-PEM/PSS) wetland (Antrim, PA Quadrangle 41°41'07"N 77°20'01"W);

40) a temporary road crossing using a mat bridge, 8 inch and 20 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 316 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Antrim, PA Quadrangle 41°41'17"N 77°19'49"W);

41) a temporary road crossing using a mat bridge, 8 inch and 20 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 474 square feet of an exceptional value palustrine forested (EV-PFO) wetland (Antrim, PA Quadrangle 41°41'21"N 77°19'44"W);

42) a temporary road crossing using a mat bridge, 8 inch and 20 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 2,362 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Antrim, PA Quadrangle 41°41'39"N 77°19'23"W);

43) a temporary road crossing using a mat bridge, 8 inch and 20 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 2,728 square feet of a palustrine emergent (EV-PEM) wetland (Antrim, PA Quadrangle 41°41'43"N 77°19'15"W);

44) a temporary road crossings using mat bridge, 8 inch and 20 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 5,029 square feet of an exceptional value palustrine emergent / palustrine scrub-shrub (EV-PEM/PSS) wetland (Antrim, PA Quadrangle 41°41'49"N 77°19'07"W);

45) a temporary road crossing using a mat bridge, 8 inch and 20 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 3,354 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Antrim, PA Quadrangle 41°41'50"N 77°19'05"W);

46) a temporary road crossing using a mat bridge, 8 inch and 20 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 886 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Antrim, PA Quadrangle 41°41'51"N 77°19'04"W);

47) a temporary road crossing using a mat bridge, 8 inch and 20 inch diameter natural gas gathering lines

and a 10 inch diameter water line impacting 16 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Antrim, PA Quadrangle 41°41'52"N 77°19'04"W);

48) a temporary road crossing using a mat bridge, 8 inch and 20 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 316 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Antrim, PA Quadrangle 41°41'53"N 77°19'01"W);

49) a temporary road crossing using a mat bridge, 8 inch and 20 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 6,303 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Antrim, PA Quadrangle 41°42'05"N 77°18'27"W);

50) a temporary road crossing using a mat bridge, 8 inch and 20 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 320 square feet an exceptional value palustrine forested (EV-PFO) wetland (Antrim, PA Quadrangle 41°42'06"N 77°18'11"W);

51) a temporary road crossing using a mat bridge, 8 inch and 20 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 7,505 square feet of an exceptional value palustrine forested / palustrine scrub-shrub (EV-PFO/PSS) wetland (Antrim, PA Quadrangle 41°42'06"N 77°17'55"W);

52) a temporary road crossing using a mat bridge, 8 inch and 20 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 6,498 square feet of an exceptional value palustrine emergent / palustrine scrub-shrub (EV-PEM/PSS) wetland (Antrim, PA Quadrangle 41°42'04"N 77°17'18"W);

53) a temporary road crossing using a mat bridge, 8 inch and 20 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 5,140 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Antrim, PA Quadrangle 41°42'08"N 77°17'08"W);

54) a temporary road crossing using a mat bridge, 8 inch and 20 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 1,786 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Antrim, PA Quadrangle 41°42'06"N 77°17'06"W);

55) a temporary road crossing using a mat bridge, 8 inch and 20 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 863 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Antrim, PA Quadrangle 41°42'27"N 77°16'23"W);

56) a temporary road crossing using a mat bridge, 8 inch and 20 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 1,250 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Antrim, PA Quadrangle 41°42'29"N 77°15'36"W);

57) a temporary road crossing using a mat bridge, 8 inch and 20 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 450 square feet of a palustrine emergent (PEM) wetland (Antrim, PA Quadrangle 41°42'30"N 77°15'19"W);

58) a temporary road crossing using a mat bridge, 8 inch and 20 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 4,034 square

feet of a palustrine emergent (PEM) wetland (Antrim, PA Quadrangle 41°42'30"N 77°15'17"W);

59) a temporary road crossing using a mat bridge, 8 inch and 20 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 14,282 square feet of a ten acre exceptional value palustrine scrub-shrub (PSS) wetland (Antrim, PA Quadrangle 41°42'32"N 77°15'15"W);

60) a temporary road crossing using a mat bridge, 8 inch and 20 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 18,987 square feet of a ten acre exceptional value palustrine scrub-shrub (EV-PSS) wetland (Antrim, PA Quadrangle 41°42'32"N 77°15'09"W);

61) a temporary road crossing using a mat bridge, 8 inch and 20 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 442 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Cherry Flats, PA Quadrangle 41°42'32"N 77°14'52"W);

62) a temporary road crossing using a mat bridge, 8 inch and 20 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 1,578 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Cherry Flats, PA Quadrangle 41°42'47"N 77°14'14"W);

63) a temporary road crossing using a mat bridge, 8 inch and 20 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 690 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Cherry Flats, PA Quadrangle 41°42'53"N 77°14'14"W);

64) 8 inch and 20 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 1600 square feet of a ten acre exceptional value palustrine forested (EV-PFO) wetland (Cherry Flats, PA Quadrangle 41°43'06"N 77°14'12"W);

65) a temporary road crossing using a mat bridge, 8 inch and 20 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 790 square feet of an exceptional value palustrine emergent / palustrine scrub-shrub (EV-PEM/PSS) wetland (Cherry Flats, PA Quadrangle 41°43'24"N 77°14'08"W);

66) a temporary road crossing using a mat bridge, 8 inch and 20 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 6,655 square feet of an exceptional value palustrine scrub-shrub (EV-PSS) wetland (Cherry Flats, PA Quadrangle 41°43'36"N 77°14'08"W);

67) a temporary road crossing using a mat bridge, 8 inch and 20 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 4,676 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Cherry Flats, PA Quadrangle 41°44'14"N 77°13'58"W);

68) a temporary road crossing using a mat bridge, 8 inch and 20 inch diameter natural gas gathering lines and a 10 inch diameter water line impacting 9,614 square feet of a palustrine emergent / palustrine forested (PEM/PFO) wetland (Cherry Flats, PA Quadrangle 41°44'51"N 77°13'05"W);

69) a temporary road crossing using a mat bridge, a 6 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 1,029 square feet of a

palustrine emergent (PEM) wetland (Antrim, PA Quadrangle 41°41'45"N 77°22'00"W);

70) a temporary road crossing using a mat bridge, a 6 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 426 square feet of a palustrine emergent / palustrine scrub-shrub (PEM/PSS) wetland (Antrim, PA Quadrangle 41°41'44"N 77°21'43"W);

71) a temporary road crossing using a mat bridge, a 6 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 1,187 square feet of a palustrine forested (PFO) wetland (Antrim, PA Quadrangle 41°42'04"N 77°21'41"W);

72) a temporary road crossing using a mat bridge, a 6 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 1,505 square feet of a palustrine forested (PFO) wetland (Antrim, PA Quadrangle 41°42'05"N 77°21'40"W);

73) a temporary road crossing using a mat bridge, a 6 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 274 square feet of a palustrine forested (PFO) wetland (Antrim, PA Quadrangle 41°42'05"N 77°21'40"W);

74) a temporary road crossing using a mat bridge, a 6 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 9,095 square feet of a ten acre exceptional value palustrine forested (EV-PFO) wetland (Antrim, PA Quadrangle 41°42'07"N 77°21'38"W);

75) a temporary road crossing using a mat bridge, a 6 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 1,239 square feet of a palustrine forested (PFO) wetland (Antrim, PA Quadrangle 41°42'08"N 77°21'35"W);

76) a temporary road crossing using a mat bridge, a 6 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 4,628 square feet of a palustrine forested (PFO) wetland (Antrim, PA Quadrangle 41°42'08"N 77°21'32"W);

77) a temporary road crossing using a mat bridge, a 6 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 1,516 square feet of a palustrine emergent (PEM) wetland (Antrim, PA Quadrangle 41°42'07"N 77°21'26"W);

78) a temporary road crossing using a mat bridge, a 6 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 7,753 square feet of an exceptional value palustrine emergent / palustrine scrub-shrub (EV-PEM/PSS) wetland (Antrim, PA Quadrangle 41°42'11"N 77°21'20"W);

79) a temporary road crossing using a mat bridge, a 6 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 4,403 square feet of a palustrine scrub-shrub (PSS) wetland (Antrim, PA Quadrangle 41°42'31"N 77°21'01"W);

80) a temporary road crossing using a mat bridge, a 6 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 1,251 square feet of an exceptional value palustrine emergent / palustrine scrub-shrub (EV-PEM/PSS) wetland (Antrim, PA Quadrangle 41°42'48"N 77°20'48"W);

81) a temporary road crossing using a mat bridge, a 6 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 1,641 square feet of an exceptional value palustrine emergent / palustrine scrub-shrub (EV-PEM/PSS) wetland (Antrim, PA Quadrangle 41°42'49"N 77°20'47"W);

82) a temporary road crossing using a mat bridge, a 6 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 4,300 square feet of an exceptional value palustrine emergent / palustrine scrubshrub (EV-PEM/PSS) wetland (Antrim, PA Quadrangle 41°42'52"N 77°20'49"W);

83) a temporary road crossing using a mat bridge, a 6 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 5,529 square feet of an exceptional value palustrine emergent / palustrine scrubshrub (EV-PEM/PSS) wetland (Antrim, PA Quadrangle 41°42'49"N 77°20'46"W);

84) a temporary road crossing using a mat bridge, a 6 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 1,380 square feet of a palustrine emergent (PEM) wetland (Antrim, PA Quadrangle 41°42'51"N 77°20'41"W);

85) a temporary road crossing using a mat bridge, a 6 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 1,459 square feet of a palustrine emergent (PEM) wetland (Antrim, PA Quadrangle 41°42'53"N 77°20'38"W);

86) a temporary road crossing using a mat bridge, a 6 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 2,423 square feet of a palustrine forested (PFO) wetland (Antrim, PA Quadrangle 41°42'59"N 77°20'32"W);

87) a temporary road crossing using a mat bridge, a 6 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 48 square feet of a palustrine forested (PFO) wetland (Antrim, PA Quadrangle 41°43'01"N 77°20'30"W);

88) a temporary road crossing using a mat bridge, a 6 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 203 square feet of a palustrine forested (PFO) wetland (Antrim, PA Quadrangle 41°43'03"N 77°20'28"W).

The project will result in 1,117 linear feet of temporary stream impacts, a total of 190,587 square feet (4.4 acres) of temporary wetland impacts, and 28,900 square feet (0.66 acre) of permanent wetland impacts all for the purpose of installing a natural gas gathering line, fresh waterline, and associated access roadways.

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, Telephone 570-826-251.

E40-717. William E. & Victoria H. Cannon, 52 Owl Hole Road, White Haven, PA 18661. Foster Township, **Luzerne County**, Army Corps of Engineers Philadelphia District.

To construct and maintain a 20-foot wide driveway across 285 feet of EV wetlands with cross pipes spaced 10 feet on center. The driveway will impact 0.13 acre of wetlands. The permittee is required to provide for 0.13 acre(s) of replacement wetlands by participating in the Pennsylvania Wetland Replacement Project. The project is located on the north side of SR 0940 approximately 1.7 miles southwest of its intersection with Interstate 80 (White Haven, PA Quadrangle Latitude: 41° 02' 38"; Longitude: -75° 48' 01") in Foster Township, Luzerne County.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Northcentral Region: Oil & Gas Management Program Manager, 208 West Third Street, Williamsport, PA 17701

ESCGP-1 # ESX11-115-0133

Applicant Name Williams Marcellus Gathering, LLC

Contact Person David Freudenrich

Address 1000 Town Center, Suite 130

City, State, Zip Canonsburg, PA 15317

County Susquehanna County

Township(s) Liberty and Franklin Townships

Receiving Stream(s) and Classification(s) UNT to DuBois

Creek, UNT to Jones Creek, UNT to Snake Creek,

Snake Creek;

Secondary: Susquehanna River

ESCGP-1 # ESX11-027-0009

Applicant Name Carrizo Marcellus, LLC

Contact Person Gary Byron

Address 251 Drain Lick Road

City, State, Zip Drifting, PA 16834

County Centre County

Township(s) Rush Township

Receiving Stream(s) and Classification(s) Moshannon

Creek—TSF, Mountain Branch—CWF;

Secondary: West Branch Susquehanna River

ESCGP-1 # ESX11-081-0126

Applicant Name Anadarko Marcellus Midstream LLC

Contact Person Nathan Bennett

Address 33 W. 3rd Street, Suite 200

City, State, Zip Williamsport, PA 17701

County Lycoming County

Township(s) Cummings Township

Receiving Stream(s) and Classification(s) UNT Dam Run,

Dam Run (EV) Ramsey Run (HQ-CWF, MF);

Secondary: Dam Run, Little Pine Creek (EV) Pine

Creek (HQ-TSF, MF)

ESCGP-1 # ESX11-081-0154

Applicant Name Anadarko Marcellus Midstream LLC

Contact Person Nathan Bennett
 Address 33 W. 3rd Street, Suite 200
 City, State, Zip Williamsport, PA 17701
 County Lycoming County
 Township(s) Gamble Township
 Receiving Stream(s) and Classification(s) West Branch
 Murray Run (EV)

ESCGP-1 # ESX11-015-0168 (01)
 Applicant Name Talisman Energy USA, Inc.
 Contact Person Tracy Gregory
 Address 337 Daniel Zenker Drive
 City, State, Zip Horseheads, NY 14845
 County Bradford County
 Township(s) Columbia Township
 Receiving Stream(s) and Classification(s) Wolfe Creek,
 North Branch of Sugar Creek, and UNTs to North
 Branch Sugar Creek (all TSF-MF)

ESCGP-1 # ESX11-113-0023
 Applicant Name Chief Oil & Gas, LLC
 Contact Person Michael Hritz
 Address 6051 Wallace Road, Ext., Suite 210
 City, State, Zip Wexford, PA 15090
 County Sullivan County
 Township(s) Cherry Township
 Receiving Stream(s) and Classification(s) 2 UNTs to
 Marsh Run; Marsh Run (both EV);
 Secondary: Little Loyalsock Creek (EV)

ESCGP-1 # ESX11-081-0074 (01)
 Applicant Name Southwestern Energy Production Com-
 pany
 Contact Person Dave Sweeley
 Address 917 State Route 92 North
 City, State, Zip Tunkhannock, PA 18657
 County Lycoming County
 Township(s) Cogan House Township
 Receiving Stream(s) and Classification(s) UNT to Flicks
 Run & Flicks Run (both EV)

ESCGP-1 # ESX11-015-0279
 Applicant Name Chief Oil & Gas, LLC
 Contact Person Michael Hritz
 Address 6051 Wallace Road, Ext., Suite 210
 City, State, Zip Wexford, PA 15090
 County Bradford County
 Township(s) Canton Township
 Receiving Stream(s) and Classification(s) 2 UNTs to
 Beech Flats Creek (TSF, MF);
 Secondary: Towanda Creek (TSF, MF)

ESCGP-1 # ESX11-015-0256
 Applicant Name Chesapeake Appalachia, LLC
 Contact Person Eric Haskins
 Address 101 North Main Street
 City, State, Zip Athens, PA 18810
 County Bradford County
 Township(s) Ulster Township
 Receiving Stream(s) and Classification(s) Cash Creek
 (WWF);
 Secondary: Susquehanna River (WWF)

ESCGP-1 # ESX11-117-0131
 Applicant Name SWEPI LP
 Contact Person James Sewell
 Address 190 Thorn Hill Road
 City, State, Zip Warrendale, PA 15086
 County Tioga County
 Township(s) Richmond Township
 Receiving Stream(s) and Classification(s) Kelly Creek to
 Tioga River/Susquehanna River Basin in PA—Tioga
 River (List H); Mad Run to Mill Creek/Susquehanna

River Basin in PA-Tioga River (List H);
 Secondary: Tioga River/Susquehanna River Basin in
 PA-Tioga River (List H); Mill Creek/Susquehanna River
 Basin in PA-Tioga River (List H)

ESCGP-1 # ESX11-131-0040
 Applicant Name Appalachia Midstream Services, LLC
 Contact Person Patrick Myers, Jr.
 Address 100 Ist Center
 City, State, Zip Horseheads, NY 14845
 County Wyoming County
 Township(s) Meshoppen Township
 Receiving Stream(s) and Classification(s) Little Meshop-
 pen Creek; Black Walnut Creek; Tributaries 29454,
 29455, and 29456 to Susquehanna River; Susquehanna
 River (WWF, MF)

ESCGP-1 # ESX11-131-0038
 Applicant Name Appalachia Midstream Services, LLC
 Contact Person Patrick Myers, Jr.
 Address 100 Ist Center
 City, State, Zip Horseheads, NY 14845
 County Wyoming County
 Township(s) Meshoppen and Washington Townships
 Receiving Stream(s) and Classification(s) Meshoppen
 Creek, West Branch Meshoppen Creek (CWF, MF)

ESCGP-1 # ESX11-115-0152
 Applicant Name Southwestern Energy Production Com-
 pany
 Contact Person Dave Sweeley
 Address 917 State Route 92 North
 City, State, Zip Tunkhannock, PA 18657
 County Susquehanna County
 Township(s) Lenox Township
 Receiving Stream(s) and Classification(s) UNT to the East
 Branch of the Tunkhannock Creek (CWF, MF);
 Secondary: Tunkhannock Creek (TSF)

ESCGP-1 # ESX11-115-0149
 Applicant Name Kristy Flavin
 Contact Person Williams Field Services Company, LLC
 Address 1605 Coraopolis Heights Road
 City, State, Zip Moon Township, PA 15108-4310
 County Susquehanna County
 Township(s) Forest Lake Township
 Receiving Stream(s) and Classification(s) UNT to Middle
 Branch-Wyalusing Creek and Forest Lake Creek/Upper
 Susquehanna—Tunkhannock Watershed

ESCGP-1 # ESX11-081-0155
 Applicant Name Anadarko Marcellus Midstream
 Contact Person Nathan S. Bennett
 Address 33 W. 3rd Street, Suite 200
 City, State, Zip Williamsport, PA 17701
 County Lycoming County
 Township(s) Cogan House Township
 Receiving Stream(s) and Classification(s) Larry's Creek,
 Steam Valley Run, Wolf Run (HQ, EV)

ESCGP-1 # ESX11-081-0029
 Applicant Name Anadarko Marcellus Midstream
 Contact Person Nathan S. Bennett
 Address 33 W. 3rd Street, Suite 200
 City, State, Zip Williamsport, PA 17701
 County Lycoming County
 Township(s) Cummings Township
 Receiving Stream(s) and Classification(s) Little Pine
 Creek (HQ-TSF, MF), Dam Run (EV), UNT Dam Run
 (Sunny Hollow) (EV) UNT to Little Pine Creek (Parker
 Hollow) (EV);
 Secondary: Pine Creek (HQ-TSF, MF), Little Pine
 Creek (HQ-TSF, MF) UNT to Dam Run (EV) Little Pine
 Creek (HA-TSF, MF)

ESCGP-1 # ESX11-015-0262

Applicant Name Talisman Energy USA, Inc.

Contact Person Tracy Gregory

Address 337 Daniel Zenker Drive

City, State, Zip Horseheads, NY 14845

County Bradford County

Township(s) Warren Township

Receiving Stream(s) and Classification(s) UNT to Wap-
pasening Creek, Wappasening Creek (CWF, MF);

Secondary: Wappasening Creek (CWF-MF)

*Northwest Region: Oil and Gas Program Manager 230
Chestnut St. Meadville, PA 16335*

ESCGP-1 #ESX11-065-0040, Dobson Marcellus Well
Project

Applicant EQT Production Company

Contact Jonathan Cherry

Address 455 Racetrack Road, Suite 101

City Washington State PA Zip Code 15301

County Jefferson Township(s) Oliver & Ringgold(s)

Receiving Stream(s) and Classification(s) Little Sandy
Creek/Redbank Creek; Trib to Big Run/Big Run; Big
Run/Little Sandy Creek CWF

SPECIAL NOTICES

Request for Proposals for Municipal Solid Waste Disposal and Processing Capacity

The Cumberland County Board of Commissioners and the Cumberland County Recycling & Waste Authority Carlisle, Pennsylvania

In accordance with 25 Pa. Code § 272.225 Municipal Waste Planning Recycling and Waste Reduction (as amended December 22, 2000), the Cumberland County Board of Commissioners has determined that additional waste disposal or processing capacity for municipal solid waste (MSW), including construction/demolition (C/D) waste and sewage sludge generated within the County is required for a period covering the next ten years. The Cumberland County Recycling & Waste Authority and the Cumberland County Board of Commissioners are hereby soliciting proposals for disposal and processing capacity for Cumberland County generated MSW, to begin in 2012.

Solicitation for Municipal Solid Waste Disposal and Processing Capacity

The Cumberland County Recycling & Waste Authority will receive sealed proposals until 4:30 p.m., EST on February 21, 2012. On the same day, received proposals will be opened during a 7:00 PM, EST, Cumberland County Recycling & Waste Authority meeting at 18 N. Hanover, St., Suite 105, Carlisle, PA 17013. Printed copies of the Request for Proposals (R.F.P.) may be purchased on or after December 27, 2011 from the Cumberland County Recycling & Waste Authority, 7 Irvine Row, Carlisle, PA 17013 by pre-payment of a non-refundable amount of \$50.00 per proposal. Proposers should make checks payable to Cumberland County. All proposals must contain all required forms and signatures and be organized and formatted in accordance with the Requirements for Submitting Proposals contained in the Request for Proposals. The Proposer is required to submit three (3) originals and three (3) copies of the Proposal to Cumberland County Recycling & Waste Authority at the address listed below. Envelopes or packages containing the proposals must be sealed and clearly labeled to show the name and address of the Proposer and the statement "Proposal Disposal Capacity" and be addressed to: Cumberland County Recycling & Waste Authority, 7 Irvine Row, Carlisle, PA 17013

Attention: Mr. Thomas Imphong, Executive Director. Proposers may withdraw their proposal at any time prior to the scheduled closing time for receipt of proposals. The Cumberland County Recycling & Waste Authority and the Board of County Commissioners reserve the right to reject any or all proposals, to waive any irregularities and/or information in any proposal and to make an award in any manner, consistent with applicable laws, which is deemed to be in the best interest of the County

SEWAGE FACILITIES ACT SPECIAL NOTICE

Special Notice Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P. L. 1535, as amended, 35 P. S. § 750.5

CATEGORICAL EXCLUSION

*Southeast Region: Water Management Program Man-
ager, 2 East Main Street, Norristown, PA 19401*

Project Location:

<i>Project Applicant</i>	<i>Project Applicant's Address</i>	<i>Project Location (Municipality)</i>	<i>Project Location (County)</i>
Southern Delaware County Authority (SDCA)	101 Beech Street Boothwyn, PA 19061-4062	Upper Chichester Township	Delaware

Description: The Pennsylvania Infrastructure Invest-
ment Authority, which administers the Commonwealth's
State Revolving Fund, is intended to be the funding
source for this project. The Southern Delaware County
Authority (SDCA) owns the Sanitary Sewer collection
system which is subject to excessive Inflow/Infiltration
(I/I) and results in SSO at various manholes. This project
will abate the I/I with the following projects: 292 Bolt
Down Frame & Cover; 40 Manhole Liners; 946 LF of 8
inch pipe lining, 1,308 LF of 8 inch Pre/Post clean/video;
875 LF of root treatment. The net result will mitigate/
eliminate the likelihood of future sanitary sewer over-
flows during storm events. The Department's review of
the project and the information received has not identi-
fied any significant, adverse environmental impact result-
ing from this proposal. The Department hereby categori-
cally excludes this project from the State Environmental
Review Process.

[Pa.B. Doc. No. 11-2225. Filed for public inspection December 30, 2011, 9:00 a.m.]

Availability of Technical Guidance

Technical guidance documents are available on the
Department of Environmental Protection's (Department)
web site at <http://www.depweb.state.pa.us> (DEP Key-
words: "eLibrary"). The "Final Documents" heading is the
link to a menu of the various Department bureaus where
each bureau's final technical guidance documents are
posted. The "Draft Technical Guidance" heading is the
link to the Department's draft technical guidance docu-
ments.

The Department will continue to revise its nonregula-
tory documents, as necessary, throughout 2011.

Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to
view and download technical guidance documents. When

this option is not available, persons can order a paper copy of any of the Department's draft or final technical guidance documents by contacting the Department at (717) 783-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to Technical Guidance Documents

Following is the current list of recent changes. Persons who have questions or comments about a particular document should call the contact person whose name and phone number is listed with each document.

Final Technical Guidance—Minor Revision

DEP ID: 563-2112-656. Title: Liners—Impoundments, Stockpiles, and Coal Refuse Disposal Areas. Description: Pages 1 and 2 of the previously listed technical guidance document referenced 25 Pa. Code Chapters 101, 101.3 and 101.4, which were moved to Chapters 91, 91.34 and 91.35 in 2000. These references have been changed to reflect this update of 25 Pa. Code. Contact: Questions regarding this technical guidance document should be directed to Michele Hamlin at (717) 787-8320 or mhamlin@pa.gov.

Effective Date: Upon publication of notice as final in the *Pennsylvania Bulletin*.

MICHAEL L. KRANCER,
Secretary

[Pa.B. Doc. No. 11-2226. Filed for public inspection December 30, 2011, 9:00 a.m.]

Submission Deadline for Application for Reimbursement for Certified Host Municipality Inspectors under Act 101 (Section 1102), the Municipal Waste Planning, Recycling and Waste Reduction Act of 1988 and Act 108 (Section 304), the Hazardous Sites Cleanup Act of 1988

The Department of Environmental Protection (Department) announces the submission deadline for 2011 Host Municipality Inspector Program Reimbursement Applications as March 31, 2012. Reimbursements are available to municipalities under the Municipal Waste Planning, Recycling and Waste Reduction Act (Act 101) (53 P. S. §§ 4000.101—4000.1904) and the Hazardous Sites Cleanup Act (Act 108) (35 P. S. §§ 6020.101—6020.1305). Municipalities include cities, boroughs, incorporated towns, townships and home-rule municipalities.

Reimbursements are allocated from the Recycling Fund authorized under Act 101 for municipal waste facilities or from the Hazardous Sites Cleanup Fund under Act 108 for hazardous waste facilities. Reimbursements are available to any municipality that has a municipal waste landfill, resource recovery facility, or commercial hazardous waste storage, treatment and disposal facility located within its geographic borders. Upon application from any host municipality, the Department shall award reimbursements for authorized costs incurred for the salary and expenses of up to two certified Host Municipality Inspectors. The reimbursement may not exceed 50% of the approved costs of salaries and expenses. Reimbursement is available only for Host Municipality Inspectors trained and certified by the Department.

The application for reimbursement contains tables for specifying the itemized expenses for certified inspectors

and for calculating the total reimbursement request. Complete instructions are included with the application, which is being distributed to all municipalities that have participated in the program. If a municipality does not receive but requires an application, or for persons with any questions about this Program, contact the Program Development Section, Department of Environmental Protection, Bureau of Waste Management, Rachel Carson State Office Building, P. O. Box 8471, Harrisburg, PA 17105-8471, (717) 787-9870 or visit the Department's web site at www.depweb.state.pa.us (PA Keyword: "Host Municipality Inspector").

The deadline for submitting applications is 4:30 p.m. on March 31, 2012. Applications post marked after the deadline will not be considered.

MICHAEL L. KRANCER,
Secretary

[Pa.B. Doc. No. 11-2227. Filed for public inspection December 30, 2011, 9:00 a.m.]

DEPARTMENT OF HEALTH

Application of Berks Urologic Surgery Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Berks Urologic Surgery Center has requested an exception to the requirements of 28 Pa. Code § 553.31 (relating to administrative responsibilities).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 11-2228. Filed for public inspection December 30, 2011, 9:00 a.m.]

Application of Bloomsburg Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Bloomsburg Hospital has requested an exception to the requirements of 28 Pa. Code § 51.6(b) (relating to identification of personnel).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 11-2229. Filed for public inspection December 30, 2011, 9:00 a.m.]

Application of Bradford Regional Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Bradford Regional Medical Center has requested an exception to the requirements of 28 Pa. Code §§ 51.23 and 107.62 (relating to positron emission tomography; and oral orders).

This facility is also requesting an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standard contained in this publication: 5.4.1.1 (relating to location of the catheterization lab).

These requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously

listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 11-2230. Filed for public inspection December 30, 2011, 9:00 a.m.]

Application of Bradford Regional Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Bradford Regional Medical Center has requested an exception to the requirements of 28 Pa. Code § 127.32 (relating to written orders).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

The facility is requesting a waiver of the comment period, as set forth in 28 Pa. Code § 51.33(c).

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 11-2231. Filed for public inspection December 30, 2011, 9:00 a.m.]

Application of Bucks County GI Endoscopic Surgical Center, LLC for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Bucks County GI Endoscopic Surgical Center, LLC has requested an exception to the requirements of 28 Pa. Code §§ 551.3(ii) and 555.31 (relating to definitions; and principle).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation

to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 11-2232. Filed for public inspection December 30, 2011, 9:00 a.m.]

Application of Carlisle Regional Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Carlisle Regional Medical Center has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standards contained in this publication: 3.6-3.6.10.1, 3.6-3.7.1 and 3.6-3.8.1 (relating to flushing rim clinical sink; hand washing station; and drinking water fountain).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 11-2233. Filed for public inspection December 30, 2011, 9:00 a.m.]

Application of Chestnut Hill Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Chestnut Hill Hospital has requested an exception to the requirements of 28 Pa. Code § 107.2 (relating to medical staff membership).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 11-2234. Filed for public inspection December 30, 2011, 9:00 a.m.]

Application of Crozer Endoscopy Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Crozer Endoscopy Center has requested an exception to the requirements of 28 Pa. Code §§ 551.3, 555.3, 555.31, 557.3, 567.2 and 567.3.

These requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 11-2235. Filed for public inspection December 30, 2011, 9:00 a.m.]

Application of Easton Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Easton Hospital has requested an exception to the requirements of 28 Pa. Code § 107.2 (relating to medical staff membership).

This request is on file with the Department. Persons may receive a copy of a request for exception by request-

ing a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 11-2236. Filed for public inspection December 30, 2011, 9:00 a.m.]

Application for Exception to 28 Pa. Code § 123.25(2)

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that the following facilities have requested an exception to the requirements of 28 Pa. Code § 123.25(2) (relating to regulations for control of anesthetic explosion hazards):

Bradford Regional Medical Center
Lower Bucks Hospital
Saint Josephs Hospital

These requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

The facilities are requesting a waiver of the comment period, as set forth in 28 Pa. Code § 51.33(c).

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 11-2237. Filed for public inspection December 30, 2011, 9:00 a.m.]

Application of Fairgrounds Surgical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Fairgrounds Surgical Center has requested an exception to the requirements of 28 Pa. Code

§§ 551.21(d)(2) and 561.1 (relating to criteria for ambulatory surgery; and drugs and biologicals).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 11-2238. Filed for public inspection December 30, 2011, 9:00 a.m.]

Application of Fairgrounds Surgical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Fairgrounds Surgical Center has requested an exception to the requirement of 28 Pa. Code § 569.35 (relating to general safety precautions).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

The facility is requesting a waiver of the comment period, as set forth in 28 Pa. Code § 51.33(c).

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 11-2239. Filed for public inspection December 30, 2011, 9:00 a.m.]

Application of Geisinger Foss Clinic for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Geisinger Foss Clinic has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating

to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standard contained in this publication: 2.2-3.4.5.3 (relating to patient toilet).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 11-2240. Filed for public inspection December 30, 2011, 9:00 a.m.]

Application of Hanover Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Hanover Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standard contained in this publication: 2.2-2.2.2.7 (relating to central bathing facilities).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and

Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 11-2241. Filed for public inspection December 30, 2011, 9:00 a.m.]

Application of Jameson Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Jameson Hospital has requested an exception to the requirements of 28 Pa. Code § 107.62 (relating to oral orders).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 11-2242. Filed for public inspection December 30, 2011, 9:00 a.m.]

Application of Magee Womens Hospital of UPMC for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Magee Womens Hospital of UPMC has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standards contained in this publication: 2.2-2.12.6.4 and 2.2-2.12.6.5 (relating to soiled workroom; and environmental services room).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 11-2243. Filed for public inspection December 30, 2011, 9:00 a.m.]

Application of Memorial Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Memorial Hospital has requested an exception to the requirements of 28 Pa. Code §§ 138.15 and 138.18(b) (relating to high-risk cardiac catheterizations; and EPS studies).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 11-2244. Filed for public inspection December 30, 2011, 9:00 a.m.]

Application of Plaza Surgical, Inc. for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Plaza Surgical, Inc. has requested an exception to the requirements of 28 Pa. Code § 567.33 (relating to waste disposal).

This request is on file with the Department. Persons may receive a copy of a request for exception by request-

ing a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 11-2245. Filed for public inspection December 30, 2011, 9:00 a.m.]

Application of Regional Hospital of Scranton for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Regional Hospital of Scranton has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standard contained in this publication: 3.2-5.5.7 (relating to cardiac catheterization lab).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 11-2246. Filed for public inspection December 30, 2011, 9:00 a.m.]

Application of Riddle Memorial Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Riddle Memorial Hospital has requested an exception to the requirements of 28 Pa. Chapter 107 (relating to medical staff).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 11-2247. Filed for public inspection December 30, 2011, 9:00 a.m.]

Application of South Hills Surgery Center, LLC for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that South Hills Surgery Center, LLC has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standards contained in this publication: 3.7-3.4.2 and 3.7-3.4.2.1 (relating to recovery area; and pediatric stations).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation

to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 11-2248. Filed for public inspection December 30, 2011, 9:00 a.m.]

Application of St. Luke's Quakertown Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that St. Luke's Quakertown Hospital has requested an exception to the requirements of 28 Pa. Code § 107.32 (relating to meetings and attendance).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 11-2249. Filed for public inspection December 30, 2011, 9:00 a.m.]

Application of Tri State Surgery Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Tri State Surgery Center has requested an exception to the requirements of 28 Pa. Code § 551.21(d) (relating to criteria for ambulatory surgery).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be

reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 11-2250. Filed for public inspection December 30, 2011, 9:00 a.m.]

Application of UPMC East for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that UPMC East has requested an exception to the requirements of 28 Pa. Code § 138.15 (relating to high-risk cardiac catheterizations).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 11-2251. Filed for public inspection December 30, 2011, 9:00 a.m.]

Application of UPMC Horizon for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that UPMC Horizon has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standards contained in this publication: 2.2-3.10.2.5, 2.2-3.10.2.6, 2.2-3.10.8.1 and 2.6-2.2.2(1).

This request is on file with the Department. Persons may receive a copy of a request for exception by request-

ing a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 11-2252. Filed for public inspection December 30, 2011, 9:00 a.m.]

Application of The Western Pennsylvania Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that The Western Pennsylvania Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standards contained in this publication: 2.2-3.1.3.7 and 2.3-2.2.2.5 (relating to patient toilet room; and hand washing station).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 11-2253. Filed for public inspection December 30, 2011, 9:00 a.m.]

DEPARTMENT OF HEALTH INSURANCE DEPARTMENT

External Review under the Affordable Care Act

To Health Insurance Entities, Including Managed Care Plans:

On July 29, 2011, the Federal Department of Health and Human Services issued its determination that the Commonwealth of Pennsylvania does not meet federal requirements for external review under the Affordable Care Act (ACA). In addition, on November 22, 2011, the Director of the Appeals and Grievances Division in the Centers for Consumer Information and Insurance Oversight of the Centers for Medicare and Medicaid Services issued a letter to issuers of health insurance in the Commonwealth, requiring them to make good faith efforts to come into compliance with Federal law and to be fully participating in a Federally-administered external review process on January 1, 2012. Both of those communications are available on the Insurance Department's web site under "Federal Health Care Reform." In light of those communications, we issue this notification.

The Pennsylvania Department of Health and Insurance Department (hereinafter "the Departments") hereby remind managed care plans that, while they are required to follow federal law as set out in those communications, the requirements of Article XXI of the Insurance Company Law of 1921, commonly referred to as Act 68, remain in effect after January 1, 2012, except to the extent that federal law has replaced those requirements. Thus, issues of network adequacy, contract review, credentialing, which are dealt with by the Department of Health, and prompt pay, which is dealt with by the Insurance Department, among other matters, will still be reviewed by the relevant department. The Departments will also continue to review as complaints matters that are not considered adverse benefit determinations as defined by the ACA and its regulations¹, in the same manner as before the passage of the ACA. (Examples of the type of complaints that should continue coming to the PA Departments, and not go to HHS, are complaints relating to contract exclusions, and issues relating to co-payments, formulary changes, out-of-network benefits, and services beyond the contractual limitation.) However, adverse benefit determinations, as defined by the ACA, will be subject to Federal review. As more fully described in the ACA and the accompanying regulations, adverse benefit determinations include issues that relate to denials, reductions, terminations or failures to provide or make payment in whole or in part for a benefit.

It is the hope of the Departments that this transition may be effectuated with the least possible disruption to enrollees. In order to facilitate the upcoming transition, the Departments are requesting that each insurer, including each managed care plan, (1) provide to the Depart-

ments the name, mailing and e-mail addresses, telephone number, and fax number of the individual or individuals who will be the point persons for both internal and external reviews; and (2) inform the Departments of which Federally-administered external review process the plan has selected. Please provide this information in writing by mail or email (a copy of your response to HHS's November 22, 2011 letter will suffice) to Carolyn Morris, Director, Pennsylvania Insurance Department, Bureau of Consumer Services, 1209 Strawberry Square, Harrisburg, PA 17120 or camorris@pa.gov and to Melanie Waters, Director, Pennsylvania Department of Health, Bureau of Managed Care, Room 912, Health and Welfare Building, 7th & Forester Streets, Harrisburg, PA 17120 or melwaters@pa.gov as soon as possible but no later than January 31, 2012.

To the extent the implementation of an ACA compliant internal review process or a Federally-administered external review process requires revised language in any of the insurer's policy forms relating to the review process only, please submit a certification to the Accident & Health Bureau of the Insurance Department, executed by an authorized representative, that the policy form has been modified to bring it into compliance with Federal law. To accommodate the immediate nature of this implementation requirement, filing of the certification will exempt the form from the prior filing requirements of Act 159 of 1996 (40 P. S. §§ 3801—3815). (The form published by the Insurance Department relating to the PPACA immediate insurance reforms, at 40 Pa.B. 3754, July 3, 2010, may be modified for this purpose.) Subsequent policy form filings, or policy form filings containing changes beyond this one issue, must comply with the filing requirements of Act 159 of 1996 (40 P. S. §§ 3801—3815).

The Departments are attempting to obtain information regarding to whom consumer inquiries may be made on a Federal level, and when that information is obtained, will provide it to insurers for their use.

The Departments thank you in advance for your attention to this notice and for your prompt response. The new HHS requirements require careful consideration of the review process and the Departments pledge to work with you through this transition.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

MICHAEL F. CONSEDINE,
Insurance Commissioner

[Pa.B. Doc. No. 11-2254. Filed for public inspection December 30, 2011, 9:00 a.m.]

DEPARTMENT OF REVENUE

Interest Rate Notice

Under sections 806 and 806.1 of The Fiscal Code (72 P. S. §§ 806 and 806.1), the Secretary of Revenue announces that, for the year beginning January 1, 2012, all underpayments of tax which became due and payable to the Commonwealth on and after January 1, 1982, shall bear interest at the rate of 3% per annum. All overpayments of the tax imposed under Article III of the Tax Reform Code of 1971 (72 P. S. §§ 7301—7361), which became due and payable to the Commonwealth on and

¹ 42 U.S.C. § 300gg-19 and 45 C.F.R. Part 147 (health insurance reform requirements for the group and individual health insurance markets). An adverse benefit determination is defined in federal law as "a denial, reduction, or termination of, or a failure to provide or make payment (in whole or in part) for, a benefit, including any such denial, reduction, termination, or failure to provide or make payment that is based on a determination of a participant's or beneficiary's eligibility to participate in a plan, and including, with respect to group health plans, a denial, reduction, or termination of, or a failure to provide or make payment (in whole or in part) for, a benefit resulting from the application of any utilization review, as well as a failure to cover an item or service for which benefits are otherwise provided because it is determined to be experimental or investigational or not medically necessary or appropriate." The term also includes a rescission, "whether or not, in connection with the rescission, there is an adverse effect on any particular benefit at that time." See 45 C.F.R. § 147.136(a)(2)(i), incorporating 29 C.F.R. § 2560.503-1(m)(4) (definition of "adverse benefit determination").

after January 1, 1982, shall bear interest at the rate of 3% per annum. All other overpayments of tax which became due and payable to the Commonwealth on and after January 1, 1982, shall bear interest at the rate of 1% per annum. These rates will remain constant until December 31, 2012. These rates will be codified under 61 Pa. Code § 4.2(a) (relating to rate of interest).

These rates have been established based upon the rate established by the Secretary of the Treasury of the United States under section 6621(a)(2) of the Internal Revenue Code to be effective January 1, 2012.

Although the Tax Reform Act of 1986 amended section 6621 of the Internal Revenue Code, by requiring that the Secretary of the Treasury of the United States establish quarterly rates of interest to become effective for Federal purposes on the first month of each calendar quarter, these amendments do not affect Commonwealth law. The Fiscal Code requires that the interest rate be established effective January 1 of each calendar year without regard to any change in the Federal interest rate during the calendar year.

DANIEL MEUSER,
Secretary

[Pa.B. Doc. No. 11-2255. Filed for public inspection December 30, 2011, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Approved Speed-Timing Devices and Appointment of Maintenance and Calibration Stations

The Department of Transportation (Department), Bureau of Motor Vehicles (Bureau), under 75 Pa.C.S. § 3368 (relating to speed timing devices), has approved for use, until the next comprehensive list is published, subject to interim amendment, the following electronic speed-timing devices (radar); electronic speed-timing devices (nonradar), which measure elapsed time between measured road surface points by using two sensors; and electronic speed-timing devices (nonradar), which calculate average speed between any two points.

Under 75 Pa.C.S. § 3368(c)(2), the Department has approved, for use only by members of the State Police, the following electronic speed-timing devices (radar) when used in the stationary mode only:

(1) Falcon Radar (identified on the radar housing as FALCON). Manufactured by Kustom Signals, Incorporated, 9325 Pflumm, Lenexa, KS 66215.

(2) Falcon HR—Hand-held model. Manufactured by Kustom Signals, Incorporated, 9325 Pflumm, Lenexa, KS 66215.

(3) KR-10, Stationary Radar (identified on the radar housing as KR-10). Manufactured by Kustom Signals, Incorporated, 9325 Pflumm, Lenexa, KS 66215.

(4) KR-10, Stationary Radar (identified on the radar housing as KR-10). Manufactured by Kustom Electronics, Incorporated, 8320 Nieman Road, Lenexa, KS 66214.

(5) KR-10SP, Stationary Radar (identified on the radar housing as KR-10SP). Manufactured by Kustom Signals, Incorporated, 9325 Pflumm, Lenexa, KS 66215.

(6) KR-10SP, Stationary Radar (identified on the radar housing as KR-10). Manufactured by Kustom Electronics, Incorporated, 8320 Nieman Road, Lenexa, KS 66214.

(7) Pro 1000(DS), Manufactured by Kustom Signals, Incorporated, 1010 West Chestnut, Post Office Box 947, Chanute, KS 66720.

(8) Genesis-I. Manufactured by Decatur Electronics, Incorporated/a Soncell NA Company 3433 East Wood Street, Phoenix, AZ 85040.

(9) Genesis-II Select. Manufactured by Decatur Electronics, Incorporated/a Soncell NA Company, 3433 East Wood Street, Phoenix, AZ 85040.

(10) Genesis Handheld (GHS). Manufactured by Decatur Electronics, Incorporated/a Soncell NA Company 3433 East Wood Street, Phoenix, AZ 85040.

(11) Genesis GHD Hand-held model. Manufactured by Decatur Electronics, Incorporated/a Soncell NA Company 3433 East Wood Street, Phoenix, AZ 85040.

(12) Genesis GVP-D battery operated model. Manufactured by Decatur Electronics, Incorporated/a Soncell NA Company 3433 East Wood Street, Phoenix, AZ 85040.

(13) Raptor RP-1. Manufactured by Kustom Signals Incorporated, 9652 Loiret Boulevard, Lenexa, KS 66219.

(14) Scout Handheld. Manufactured by Decatur Electronics, Incorporated/a Soncell NA Company, 3433 East Wood Street, Phoenix, AZ 85040.

(15) Stalker Dual. Manufactured by Applied Concepts, Incorporated, 2609 Technology Drive, Plano, TX 75074.

(16) Stalker Dual SL. Manufactured by Applied Concepts, Incorporated, 2609 Technology Drive, Plano, TX 75074.

(17) Stalker Dual DSR. Manufactured by Applied Concepts, Incorporated, 2609 Technology Drive, Plano, TX 75074.

(18) Stalker. Manufactured by Applied Concepts, Incorporated, 2609 Technology Drive, Plano, TX 75074.

(19) Eagle Plus. Manufactured by Kustom Signals, Incorporated, 9325 Pflumm, Lenexa, KS 66215-3347.

Under 75 Pa.C.S. § 3368(c)(3), the Department has approved, for use by any police officer, the following electronic speed-timing devices (nonradar) which measure elapsed time between measured road surface points by using two sensors:

(1) Electrical Speed Timing System. Manufactured by Richard Hageman, 98 South Penn Dixie Road, Nazareth, PA 18064.

(2) Model TK 100, Excessive Speed Preventor. Manufactured by Systems Innovation, Incorporated, Steam Hollow Road, R. D. 2, Hallstead, PA 18822.

(3) Model TK 100, Excessive Speed Preventor. Manufactured by Targetron, Incorporated, 190 Angletown Road, Muncy, PA 17756.

(4) Speed Chek (identified on the housing as Speed Chek model one, Mfd. for: The Union Agency, Unionville, PA. 19375). Manufactured by Sterner Lighting Systems, Incorporated, 351 Lewis Avenue, Winsted, MN 55395.

(5) Model TK 100, Excessive Speed Preventor Infrared. Manufactured by Systems Innovation, Incorporated, Steam Hollow Road, R.D. 2, Hallstead, PA 18822.

(6) Model TK 100, Excessive Speed Preventor Infrared. Manufactured by Targetron, Incorporated, 190 Angletown Road, Muncy, PA 17756.

(7) Enradd, Model EJU-91. Manufactured by Y.I.S. Incorporated, 1049 Hartley Street, Post Office Box 3044, York, PA 17404.

(8) Enradd, Model EJU-91 with Non-Contact Road Switch System. Manufactured by Y.I.S. Incorporated, 1049 Hartley Street, Post Office Box 3044, York, PA 17404.

(9) Enradd, Model EJU-91 Wireless System. Manufactured by Y.I.S. Incorporated, 1049 Hartley Street, Post Office Box 3044, York, PA 17404.

Under 75 Pa.C.S. § 3368(c)(1) and (3), the Department has approved the use of electronic and mechanical stopwatches as speed-timing devices for use by any police officer. The Department has approved these speed-timing devices upon submission of a certificate of stopwatch accuracy indicating that a stopwatch has been successfully tested in accordance with the requirements of 67 Pa. Code Chapter 105 (relating to mechanical, electrical and electronic speed-timing devices). The Department issues an approved speed-timing device certificate for the device, as required by 67 Pa. Code § 105.72 (relating to equipment approval procedure). The Department does not publish a listing of these approved speed-timing devices because they are approved individually by serial number and police department. Therefore, if a citation is contested, it is necessary for the police department to show both the certificate of stopwatch accuracy, which was issued within 60 days of the citation, and an approved speed-timing device certificate issued by the Bureau.

Under 75 Pa.C.S. § 3368(c)(3), the Department has approved, for use by any police officer, the following electronic speed-timing device (nonradar) which calculates average speed between any two points:

(1) VASCAR-plus. Manufactured by Traffic Safety Systems, a division of Power Systems & Controls, Incorporated, 3206 Lanvale Avenue, Richmond, VA 23230.

(2) VASCAR-plus II. Manufactured by Traffic Safety Systems, a division of Power Systems & Controls, Incorporated, 3206 Lanvale Avenue, Richmond, VA 23230.

(3) VASCAR-plus III. Manufactured by Traffic Safety Systems a division of Power Systems & Controls, Incorporated, 3206 Lanvale Avenue, Richmond, VA 23230.

(4) VASCAR-plus IIIc. Manufactured by Traffic Safety Systems a division of Power Systems & Controls, Incorporated, 3206 Lanvale Avenue, Richmond, VA 23230.

(5) V-SPEC—Manufactured by Y.I.S. Incorporated, 1049 Hartley Street, Post Office Box 3044, York, PA 17404.

(6) Tracker by Patco. Manufactured by Kustom Signals, Incorporated, 9325 Pflumm, Lenexa, KS 66215.

The Department, under 75 Pa.C.S. § 3368(d), has appointed the following stations for calibrating and testing speed-timing devices until the next comprehensive list is published, subject to interim amendment.

The Department has appointed, under 75 Pa.C.S. § 3368(d), the following official Electronic Device Testing Stations for radar devices, which may only be used by members of the State Police:

Davidheiser's Speedometer Repair, Incorporated, 181 Ridge Road, Telford, Montgomery County, PA 18969. (Appointed: 12/22/01, Station R8).

Guth Laboratories, Incorporated, 590 North 67th Street, Harrisburg, Dauphin County, PA 17111-4511 (Appointed: 01/27/97, Station R2).

S & D Calibration Services, 29 Prosperity Street, Monongahela, Washington County, PA 15063. (Appointed: 08/15/03, Station R11).

Simco Electronics, 2125 South West 28th Street, Allentown, Lehigh County, PA 18103. (Appointed: 09/19/96, Station R9).

Wisco Calibration Services, Inc., 820 Washington Boulevard, Pittsburgh, Allegheny County, PA 15206. (Appointed: 07/14/99, Station R10).

Y.I.S., Inc., 1049 North Hartley Street, York, York County, PA 17402. (Appointed: 01/14/75, Station R3).

Y.I.S./Cowden Group, Inc., 1049 North Hartley Street, York, York County, PA 17404. (Appointed: 8/20/04 Station R12).

The Department has appointed, under 75 Pa.C.S. § 3368(b), the following Official Speedometer Testing Stations:

Auto Electric & Speedometer Service, 7019 Beaver Dam Road, Levittown, Bucks County, PA 19057. (Appointed: 03/14/74, Station S54).

Briggs-Hagenlocher, 1110 Chestnut Street, Erie, Erie County, PA 16501. (Appointed: 03/25/93, Station S39).

Davidheiser's Speedometer Repair, Incorporated, 181 Ridge Road, Telford, Montgomery County, PA 18969—Also authorized to use mobile units. (Appointed: 11/25/63, Station S19).

George's Garage, 868 Providence Road, Scranton, Lackawanna County, PA 18508. (Appointed: 04/15/98, Station S8).

K & M Automotive Electric Service, 1004-24th Street, Beaver Falls, Beaver County, PA 15010. (Appointed: 11/13/67, Station S23).

Mahramus Specialty Auto Service, 286 Muse Bishop Road, Canonsburg, Washington County, PA 15317. (Appointed: 01/03/84, Station S7).

Maruti Auto Service, Inc., 4030 New Falls Road, Bristol, Bucks County, PA 19007. (Appointed 11/4/2008, Station S11).

Powl's Speedometer Service, Incorporated, 2340 Dairy Road, Lancaster, Lancaster County, PA 17601—Also authorized to use mobile units. (Appointed: 06/09/97, Station S82).

Rabold's Services, 2034 Boas Street, Harrisburg, Dauphin County, PA 17103—Also authorized to use mobile units. (Appointed: 06/29/62, Station S67).

S & D Calibration Services, 1963 Route 837, Monongahela, Washington County, PA 15063—Also authorized to use mobile units. (Appointed: 03/22/83, Station S35).

Y.I.S./Cowden Group, Inc., 1049 North Hartley Street, York, York County, PA 17404—Also authorized to use mobile units. (Appointed: 8/20/04, Station S9).

The Department has appointed, under 75 Pa.C.S. § 3368(d), the following official Electronic Device Testing Stations for nonradar devices, which measure elapsed time between measured road surface points by using two sensors:

Davidheiser's Speedometer Repair, Incorporated, 181 Ridge Road, Telford, Montgomery County, PA 18969—Also authorized to use mobile units. (Appointed: 04/07/93, Station EL3).

Rabolds Services, 2034 Boas Street, Harrisburg, Dauphin County, PA 17103—Also authorized to use mobile units. (Appointed: 02/27/92, Station EL22).

S & D Calibration Services, 29 Prosperity Street, Monongahela, Washington County, PA 15063—Also authorized to use mobile units. (Appointed: 03/14/02, Station EL1).

S & D Calibration Services, 115 Joyce Drive, McMurray, Washington County, PA 15317—Also authorized to use mobile units. (Appointed: 09/14/82, Station EL11).

Targetron, Incorporated, 190 Angletown Road, Muncy, Lycoming County, PA 17756—Also authorized to use mobile units (Appointed: 05/07/91, Station EL21).

Mahramus Specialty Auto Service, 286 Muse Bishop Road, Cannonsburg, Washington County, PA 15317. (Appointed: 07/31/97, Station EL18).

Y.I.S/Cowden Group, 1049 North Hartley Street, York, York County, PA 17404—Also authorized to use mobile units. (Appointed: 02/20/80, Station EL7).

The Department has appointed, under 75 Pa.C.S. § 3368(d), the following Official Stopwatch Testing Stations:

Beerbower Incorporated, 315 Allegheny Street, Holidaysburg, Blair County, 16648. (Appointed: 09/02/77, Station W14).

Cal Tech Labs, 501 Mansfield Avenue, Pittsburgh, Allegheny County, PA 15205. (Appointed: 12/22/07, Station W70).

Department of General Services, Bureau of Procurement, 2221 Forster Street Harrisburg, Dauphin County, PA 17125. (Appointed: 03/09/79, Station W18).

Davidheiser's Speedometer Repair, Incorporated, 181 Ridge Road, Telford, Montgomery County, PA 18969—Also authorized to use mobile units. (Appointed: 10/28/77, Station W29).

Leitzel's Jewelry, 607 East Lincoln Avenue, Myerstown, Lebanon County, PA 17067. (Appointed: 09/01/87, Station W58).

Mountz Jewelers, 1160 Walnut Bottom Road, Carlisle, Cumberland County, PA 17013. (Appointed: 09/21/87, Station W59).

Precision Watch Repair Company, 1015 Chestnut Street, Room 1010, Philadelphia, Philadelphia County, PA 19107. (Appointed: 09/24/80, Station W54).

Rabold's Services, 2034 Boas Street, Harrisburg, Dauphin County, PA 17103—Also authorized to use mobile units. (Appointed: 09/15/86, Station W56).

R & R Timing, 203 Shuster Hollow Road, Leechburg, Westmoreland County, PA 15656. (Appointed: 6/16/04 Station W10).

S & D Calibration Services, 29 Prosperity Street, Monongahela, Washington County, PA 15063—Also authorized to use mobile units. (Appointed: 03/14/02, Station W1).

S & D Calibration Services, 115 Joyce Drive, McMurray, Washington County, PA 15317—Also authorized to use mobile units. (Appointed: 10/10/89, Station W61).

Servinsky Jewelers, 610 Second Street, Cresson, Cambria County, PA 16630. (Appointed: 05/18/78, Station W40).

Targetron, Incorporated, 190 Angletown Road, Muncy, Lycoming County, PA 17756—Also authorized to use mobile units. (Appointed: 05/07/91, Station W64).

Y.I.S/Cowden Group, 1049 North Hartley Street, York, York County, PA 17404—Also authorized to use mobile units. (Appointed: 08/30/89, Station W60).

The Department has appointed, under 75 Pa.C.S. § 3368(d), the following official Electronic Device Testing Stations for non-radar devices which calculates average speed between any two points:

Davidheiser's Speedometer Repair, Incorporated, 181 Ridge Road, Telford, Montgomery County, PA 18969—Also authorized to use mobile units. (Appointed: 02/11/93, Station EM23).

Rabolds Services, 2034 Boas Street, Harrisburg, Dauphin County, PA 17103—Also authorized to use mobile units. (Appointed: 02/27/92, Station EM22).

S & D Calibration Services, 29 Prosperity Street, Monongahela, Washington County, PA 15063—Also authorized to use mobile units. (Appointed: 03/14/02, Station EM1).

S & D Calibration Services, 115 Joyce Drive, McMurray, Washington County, PA 15317—Also authorized to use mobile units. (Appointed: 09/14/82, Station EM6).

Mahramus Specialty Auto Service, 286 Muse Bishop Road, Canonsburg, Washington County, PA 15317 (Appointed: 08/13/97, Station EM12).

Targetron, Incorporated, 190 Angletown Road, Muncy, Lycoming County, PA 17756—Also authorized to use mobile units. (Appointed: 05/07/91, Station EM21).

Y.I.S/Cowden Group, 1049 North Hartley Street, York, York County, PA 17404—Also authorized to use mobile units. (Appointed: 12/20/80, Station EM5).

Comments, suggestions or questions may be directed to Michael Smith, Manager, Administrative and Technical Support Section, Vehicle Inspection Division, Bureau of Motor Vehicles, Riverfront Office Center, 1101 South Front Street, Harrisburg, PA 17104, (717) 783-7016.

BARRY J. SCHOCH, P. E.,
Secretary

[Pa.B. Doc. No. 11-2256. Filed for public inspection December 30, 2011, 9:00 a.m.]

Bureau of Highway Safety and Traffic Engineering; Access Route Approval

Under the provisions of 75 Pa.C.S. § 4908 (relating to operation of certain combinations on interstate and certain other highways), the Department of Transportation approved on November 7, 2011, the following access routes for use by the types of truck combinations as indicated:

1. (x) 102" wide 53' long trailer.
2. (x) 102" wide 48' long trailer.
3. (x) 102" wide twin trailers (28-1/2' maximum length each)
4. (x) 102" wide maxi-cube.

<i>Route Identification</i>	<i>Route Description</i>	<i>Length Miles</i>
SR 3024	from SR 10 to SR 3026	2.36
SR 3026	from SR 3024 to T-328	.932
T-328	from SR 3026 to Gate No. 4	.274

The following municipality approved the access routes within their jurisdiction.

Municipality

Brecknock Township

<i>Route Identification</i>	<i>Route Description</i>	<i>Length Miles</i>
SR 3024	from SR 10 to SR 3026	2.36
SR 3026	from SR 3024 to T-328	.932
T-328	from SR 3026 to Gate No. 4	.274

Questions should be directed to Matthew Hedge at (717) 772-5462.

BARRY J. SCHOCH, P.E.,
Secretary

[Pa.B. Doc. No. 11-2257. Filed for public inspection December 30, 2011, 9:00 a.m.]

Inspection Advisory Board Meeting

The Transportation Inspection Advisory Board (Board) will meet on Friday, January 20, 2012. The meeting will begin at 10 a.m. and is open to the public at the Riverfront Office Center, Transportation University, 1101 South Front Street, Harrisburg, PA. Chairperson Anita M. Wasko will preside.

Members of the public interested in addressing the Board with a concern relating to inspection regulations must contact Troy Roadcap at (717) 783-6823 by Friday, January 13, 2012. These concerns will be discussed during "Items from the Floor" on the Agenda, which will open at 1:30 p.m.

The meeting location is accessible to persons with disabilities. Persons with special needs or who require special aids are also requested to contact Troy Roadcap at (717) 783-6823 prior to the meeting so that disability needs may be accommodated.

BARRY J. SCHOCH, P. E.,
Secretary

[Pa.B. Doc. No. 11-2258. Filed for public inspection December 30, 2011, 9:00 a.m.]

ENVIRONMENTAL QUALITY BOARD

Meeting Cancellation

The January 17, 2012, meeting of the Environmental Quality Board (Board) is cancelled. The next regularly scheduled meeting of the Board will occur on Tuesday, February 21, 2012, at 9 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17105. An agenda and meeting materials for the February 21, 2012, meeting will be available on the Department of Environmental Protection's web site at

<http://www.depweb.state.pa.us> (Select "Public Participation;" "Public Participation Center").

Questions concerning the Board's next scheduled meeting may be directed to Michele Tate at (717) 783-8727 or mtate@pa.gov.

MICHAEL L. KRANCER,
Chairperson

[Pa.B. Doc. No. 11-2259. Filed for public inspection December 30, 2011, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Action Taken by the Commission

The Independent Regulatory Review Commission met publicly at 10 a.m., Thursday, December 15, 2011, and announced the following:

Action Taken—Regulations Approved:

State Board of Dentistry #16A-4616: EFDA Program Approval (amends 49 Pa. Code Chapter 33)

Department of Transportation #18-426: Intrastate Motor Carrier Safety Requirements (amends 67 Pa. Code Chapter 231)

Pennsylvania Liquor Control Board #54-67: Connection With Other Business (amends 40 Pa. Code § 3.52)

Approval Order

Public Meeting held
December 15, 2011

Commissioners Voting: Silvan B. Lutkewitte, III, Chairperson; George D. Bedwick, Vice Chairperson; Arthur Coccodrilli; John F. Mizner, Esq.; Lawrence J. Tabas, Esq., Dissenting

*State Board of Dentistry—
EFDA Program Approval;
Regulation No. 16A-4616 (#2795)*

On September 16, 2009, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the State Board of Dentistry (Board). This rulemaking amends 49 Pa. Code Chapter 33. The proposed regulation was published in the October 10, 2009 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on November 9, 2011.

This final-form regulation establishes standards for the education of expanded function dental assistants (EFDAs). It will require EFDA programs to be approved by the Board and establishes criteria for program approval.

We have determined this regulation is consistent with the statutory authority of the Board (63 P. S. § 122(o)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Approval Order

Public Meeting held
December 15, 2011

Commissioners Voting: Silvan B. Lutkewitte, III, Chairperson; George D. Bedwick, Vice Chairperson; Arthur Coccodrilli; John F. Mizner, Esq.; Lawrence J. Tabas, Esq.

*Department of Transportation—
Intrastate Motor Carrier Safety Requirements;
Regulation No. 18-426 (#2918)*

On October 21, 2011, the Independent Regulatory Review Commission (Commission) received this regulation from the Department of Transportation (Department). This rulemaking amends 67 Pa. Code Chapter 231. Notice of proposed rulemaking was omitted for this regulation; it will become effective upon publication in the *Pennsylvania Bulletin*.

This regulation amends the Intrastate Motor Carrier Safety Requirements in order to extend the hours of operation for various types of snow removal.

We have determined this regulation is consistent with the statutory authority of the Department (75 Pa.C.S.A. §§ 4704(d) and 6103) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Approval Order

Public Meeting held
December 15, 2011

Commissioners Voting: Silvan B. Lutkewitte, III, Chairperson; George D. Bedwick, Vice Chairperson; Arthur Coccodrilli; John F. Mizner, Esq.; Lawrence J. Tabas, Esq.

*Pennsylvania Liquor Control Board—
Connection With Other Business;
Regulation No. 54-67 (#2912)*

On September 7, 2011, the Independent Regulatory Review Commission (Commission) received this regulation from the Pennsylvania Liquor Control Board (Board). This rulemaking amends 40 Pa. Code § 3.52. Notice of proposed rulemaking was omitted for this regulation; it will become effective upon publication in the *Pennsylvania Bulletin*. At its October 20, 2011 public meeting, the Commission voted to disapprove the final-omitted regulation. On November 29, 2011, the revised final-omitted regulation was submitted to the Commission.

The purpose of this final-omitted rulemaking is to amend the Board's existing regulations to allow certain businesses, namely casinos, licensed by both the Board and the Pennsylvania Gaming Control Board, to keep their liquor licenses and their gaming licenses in different subsidiaries of the same parent company.

We have determined this regulation is consistent with the statutory authority of the Board (47 P. S. § 2-207(i)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

SILVAN B. LUTKEWITTE, III,
Chairperson

[Pa.B. Doc. No. 11-2260. Filed for public inspection December 30, 2011, 9:00 a.m.]

INSURANCE DEPARTMENT**Review Procedure Hearings; Cancellation or Refusal of Insurance**

The following insureds have requested a hearing as authorized by the act of June 17, 1998 (P. L. 464, No. 68) (Act 68) in connection with the termination of the insureds' automobile insurance policy. The hearing will be held in accordance with the requirements of Act 68; 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). The administrative hearing will be held in the Insurance Department's regional office in Harrisburg, PA. Failure by an appellant to appear at the scheduled hearing may result in dismissal with prejudice.

The following hearing will be held in the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102.

Appeal of Hayden and Marva Snyder; file no. 11-183-110410; Erie Insurance Exchange; Doc. No. P11-12-006; January 24, 2012, 9:30 a.m.

Parties may appear with or without counsel and offer relevant testimony or other relevant evidence. Each party must bring documents, photographs, drawings, claims files, witnesses, and the like, necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

In some cases, the Insurance Commissioner (Commissioner) may order that the company reimburse an insured for the higher cost of replacement insurance coverage obtained while the appeal is pending. Reimbursement is available only when the insured is successful on appeal, and may not be ordered in all instances. If an insured wishes to seek reimbursement for the higher cost of replacement insurance, the insured must produce documentation at the hearing which will allow comparison of coverages and costs between the original policy and the replacement policy.

Following the hearing and receipt of the stenographic transcript, the Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require

an auxiliary aid, service or other accommodation to participate in the hearing should contact Donna R. Fleischauer, Human Resources Director at (717) 705-4194.

MICHAEL F. CONSEDINE,
Insurance Commissioner

[Pa.B. Doc. No. 11-2261. Filed for public inspection December 30, 2011, 9:00 a.m.]

Review Procedure Hearings under the Unfair Insurance Practices Act

The following insureds have requested a hearing as authorized by section 8 of the Unfair Insurance Practices Act (40 P. S. § 1171.8) in connection with their companies' termination of the insureds' homeowners policies. The hearings will be held in accordance with the requirements of the act; 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). The administrative hearings will be held in the Insurance Department's regional office in Harrisburg, PA. Failure by an appellant to appear at a scheduled hearing may result in dismissal with prejudice.

The following hearings will be held in the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102.

Appeal of Maria E. Parra; file no. 11-188-110711; Nazareth Mutual Insurance Company; Doc. No. P11-12-007; January 26, 2012, 9:30 a.m.

Appeal of David and Janet Vilke; file no. 11-130-109992; Donegal Mutual Insurance Company; Doc. No. P11-12-008; January 25, 2012, 10 a.m.

Parties may appear with or without counsel and offer relevant testimony and/or other relevant evidence. Each party must bring documents, photographs, drawings, claims files, witnesses, and the like, necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner (Commissioner) will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Donna R. Fleischauer, Human Resources Director at (717) 705-4194.

MICHAEL F. CONSEDINE,
Insurance Commissioner

[Pa.B. Doc. No. 11-2262. Filed for public inspection December 30, 2011, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Eligible Telecommunications Carriers; Universal Low Income Support

The Pennsylvania Public Utility Commission (Commission) invites comment on the following pending wireless carrier's petition for designation as eligible telecommunications carriers (ETC) for purposes of Federal universal service low income support:

Cintex Wireless, LLC, Petition for Limited Designation as Eligible Telecommunications Carrier, Doc. No. P-2011-2273320

The Commission, at its July 29, 2010, public meeting adopted a final policy statement on ETC designation and ETC annual recertification and reporting requirements for all telecommunications carriers. This notice informs telecommunications providers and interested parties that the Commission intends to act on the previously-referenced ETC petition pending before the Commission.

Interested parties are invited to file comments at the relevant docket numbers within 20 days of publication of this notice. Reply comments of the carrier are due within 10 days thereafter. Interested parties may review the pending petitions at the Commission web site www.puc.state.pa.us or hard copies are available for a fee by written request to the Secretary of the Commission, Pennsylvania Public Utility Commission, Rosemary Chiavetta, Secretary, P. O. Box 3265, Harrisburg, PA 17105-3265.

The contact person for questions regarding this notice is Rhonda L. Daviston, Assistant Counsel, Law Bureau (717) 787-6166.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 11-2263. Filed for public inspection December 30, 2011, 9:00 a.m.]

Gas Service

A-2011-2278280. C. E. Dunmire Gas Company, Inc. Application of C. E. Dunmire Gas Company, Inc. for approval of the abandonment of gas service to a single customer in North Buffalo Township, Armstrong County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities), on or before January 17, 2012. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.state.pa.us, and at the applicant's business address.

Applicant: C. E. Dunmire Gas Company, Inc.

Through and By Counsel: Todd S. Stewart, Esquire, Hawke, McKeon and Sniscak, LLP, 100 North 10th Street, P. O. Box 1778, Harrisburg, PA 17105

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 11-2264. Filed for public inspection December 30, 2011, 9:00 a.m.]

Implementation of the Alternative Energy Portfolio Standards Act of 2004: Standards for the Participation of Demand Side Management Resources—Technical Reference Manual 2011 Update; Doc. No. M-00051865

Implementation Order

The Pennsylvania Public Utility Commission (“Commission”) adopted an Order, at its December 15, 2011 public meeting, that adopted the 2012 version of the Energy-Efficiency and DSM Rules for Pennsylvania’s Alternative Energy Portfolio Standard, Technical Reference Manual (“TRM”). A copy of the Order can be found on the Commission’s website at <http://www.puc.state.pa.us/pcdocs/1158183.docx>. A copy of the 2012 version of the TRM and its appendices can be found on the Commission’s website at <http://www.puc.state.pa.us/pcdocs/1158402.docx>, <http://www.puc.state.pa.us/pcdocs/1158407.xls> and <http://www.puc.state.pa.us/pcdocs/1158407.xls>.

In implementing the Alternative Energy Portfolio Standards Act, 73 P. S. §§ 1648.1—1648.8, the Commission had previously adopted an Energy-Efficiency and DSM Rules for Pennsylvania’s Alternative Energy Portfolio Standard, Technical Reference Manual (“TRM”), entered October 3, 2005. Subsequently, in the Energy Efficiency and Conservation (“EE&C”) Program Implementation Order, entered on January 16, 2009 at Docket No. M-2008-2069887, the Commission adopted the TRM as a compo-

ment of the EE&C Program evaluation process. In that Implementation Order, the Commission also noted that the TRM will need to be updated and expanded to fulfill the requirements of the EE&C Program.

In the Order entered June 1, 2009 at Docket No. M-00051865, the Commission directed that the TRM be updated on an annual basis. The Commission’s adoption of the 2012 TRM concludes the current annual update to the TRM.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 11-2265. Filed for public inspection December 30, 2011, 9:00 a.m.]

**STATE BOARD OF VEHICLE
MANUFACTURERS,
DEALERS AND
SALESPERSONS**

**Bureau of Professional and Occupational Affairs v.
Sean M. Casey; Doc. No. 0505-60-11**

On November 14, 2011, Sean M. Casey, license no. MV111668L, of Philadelphia, Philadelphia County, had his license revoked based upon his criminal convictions of crimes of moral turpitude.

Individuals may obtain a copy of the adjudication by writing to C. William Fritz, II, Board Counsel, State Board of Vehicle Manufacturers, Dealers and Salespersons, P. O. Box 2649, Harrisburg, PA 17105-2649.

KENNETH GLOTFELTY,
Chairperson

[Pa.B. Doc. No. 11-2266. Filed for public inspection December 30, 2011, 9:00 a.m.]