

PENNSYLVANIA BULLETIN

Volume 44

Number 48

Saturday, November 29, 2014 • Harrisburg, PA

Pages 7429—7504

Agencies in this issue

The General Assembly

The Courts

Department of Agriculture

Department of Banking and Securities

Department of Environmental Protection

Department of General Services

Department of Health

Department of Human Services

Department of Labor and Industry

Department of Transportation

Environmental Hearing Board

Fish and Boat Commission

Independent Regulatory Review Commission

Insurance Department

Patient Safety Authority

Pennsylvania Public Utility Commission

Philadelphia Parking Authority

Philadelphia Regional Port Authority

Public School Employee's Retirement Board

State Board of Education

State Conservation Commission

Detailed list of contents appears inside.



**Latest Pennsylvania Code Reporter
(Master Transmittal Sheet):**

No. 480, November 2014

CUT ON DOTTED LINES AND ENCLOSE IN AN ENVELOPE

CHANGE NOTICE/NEW SUBSCRIPTION

If information on mailing label is incorrect, please email changes to info@pabulletin.com or mail to:

FRY COMMUNICATIONS, INC.
Attn: *Pennsylvania Bulletin*
800 W. Church Rd.
Mechanicsburg, PA 17055-3198

CUSTOMER NUMBER (6 digit number above name on mailing label)

NAME OF INDIVIDUAL

OFFICE NAME—TITLE

ADDRESS (Number and Street)

(City) (State) (Zip Code)

TYPE OR PRINT LEGIBLY

PENNSYLVANIA



BULLETIN

(ISSN 0162-2137)

The *Pennsylvania Bulletin* is published weekly by Fry Communications, Inc. for the Commonwealth of Pennsylvania, Legislative Reference Bureau, 641 Main Capitol Building, Harrisburg, Pennsylvania 17120, under the policy supervision and direction of the Joint Committee on Documents under 4 Pa.C.S. Part II (relating to publication and effectiveness of Commonwealth documents). The subscription rate is \$82.00 per year, postpaid to points in the United States. Individual copies are \$2.50. Checks for subscriptions and individual copies should be made payable to "*Fry Communications, Inc.*" Periodicals postage paid at Harrisburg, Pennsylvania.

Postmaster send address changes to:

FRY COMMUNICATIONS, Inc.
Attn: *Pennsylvania Bulletin*
800 West Church Road
Mechanicsburg, Pennsylvania 17055-3198
(717) 766-0211 ext. 2340
(800) 334-1429 ext. 2340 (toll free, out-of-State)
(800) 524-3232 ext. 2340 (toll free, in State)

Orders for subscriptions and other circulation matters should be sent to:

Fry Communications, Inc.
Attn: *Pennsylvania Bulletin*
800 West Church Road
Mechanicsburg, Pennsylvania 17055-3198

Copyright © 2014 Commonwealth of Pennsylvania

Editorial preparation, composition, printing and distribution of the *Pennsylvania Bulletin* is effected on behalf of the Commonwealth of Pennsylvania by FRY COMMUNICATIONS, Inc., 800 West Church Road, Mechanicsburg, Pennsylvania 17055-3198.

CONTENTS

THE GENERAL ASSEMBLY

Cost-of-living factor under the Public Official Compensation Law	7438
--	------

THE COURTS

LOCAL COURT RULES

Huntingdon County

Adoption of local rule Hunt.Co.R.C.P. 205; No. CP-31-MD-214-2014; AO No. 6-2014	7439
Adoption of local rule Hunt.Co.R.C.P. 307; No. CP-31-MD-215-2014; AO No. 7-2014	7440

Lehigh County

Establishing uniform costs for the Batterers Intervention Education Program administered by the Adult Probation Office of Lehigh County; No. AD-5-2014	7441
--	------

Washington County

Local criminal rule L-717—substance abuse education and demand reduction fund; No. 2014-1	7441
---	------

EXECUTIVE AND INDEPENDENT AGENCIES

DEPARTMENT OF AGRICULTURE

Notices

Standards for automotive fuel	7443
-------------------------------------	------

DEPARTMENT OF BANKING AND SECURITIES

Notices

Actions on applications	7443
-------------------------------	------

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices

Air Quality Technical Advisory Committee meeting cancellation	7483
Applications, actions and special notices	7444
Proposed request for delegation of authority to implement the Federal Hospital/Medical/Infectious Waste Incinerators Plan; public comment period extended; public hearing	7483
Sewage Advisory Committee workgroup meeting	7484

DEPARTMENT OF GENERAL SERVICES

Notices

Lease office space to the Commonwealth	7484
Lease retail space to the Commonwealth	7484

DEPARTMENT OF HEALTH

Notices

Applications for exception:	
Crozer-Keystone Surgery Center at Brinton Lake ..	7484
Jameson Memorial Hospital	7485
Lehigh Valley Hospital (2 documents)	7485
Reading Hospital (2 documents)	7485, 7486
The Reading Hospital SurgiCenter at Spring Ridge, LLC	7486

Long-term care nursing facilities; request for exception	7486
Recognized lifeguard certifying authorities for 2015 ..	7487
Scope of practice for emergency medical service providers	7487

DEPARTMENT OF HUMAN SERVICES

Rules and Regulations

Redesignation of Department	7442
-----------------------------------	------

Notices

Availability of amendments to the Office of Long-Term Living's Aging, Attendant Care and Independence waivers; renewal of the waiver for persons with AIDS or symptomatic HIV disease (AIDS waiver); and accompanying home and community-based settings transition plans	7492
--	------

DEPARTMENT OF LABOR AND INDUSTRY

Notices

Uniform Construction Code Review and Advisory Council meeting	7493
---	------

DEPARTMENT OF TRANSPORTATION

Rules and Regulations

Corrective amendment to 67 Pa. Code § 175.51	7442
--	------

Notices

Availability of local real estate tax reimbursement grants for taxes paid in 2014	7493
Findings	7494
Transportation Advisory Committee meeting	7497

ENVIRONMENTAL HEARING BOARD

Notices

Penn Coal Land, Inc. v. DEP; EHB Doc. No. 2014-157-M	7498
Penn Coal Land, Inc. v. DEP; EHB Doc. No. 2014-158-M	7498
Penn Coal Land, Inc. v. DEP; EHB Doc. No. 2014-159-M	7498

FISH AND BOAT COMMISSION

Notices

Alcohol prohibition	7498
---------------------------	------

INDEPENDENT REGULATORY REVIEW COMMISSION

Notices

2015 public meeting schedule	7499
------------------------------------	------

INSURANCE DEPARTMENT

Notices

Application for approval to redomesticate to the Commonwealth of Pennsylvania by Stonington Insurance Company	7499
Geisinger Health Plan non-group HMO rate filing; for grandfathered members	7500
Review procedure hearings under the Unfair Insurance Practices Act	7500

PATIENT SAFETY AUTHORITY

Notices

Public meeting	7500
----------------------	------

Available Online at <http://www.pabulletin.com>

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Notices

Service of notice of motor carrier applications. 7500

PHILADELPHIA PARKING AUTHORITY

Notices

Notice of rescheduling of sales of wheelchair accessible taxicab medallions 7501

PHILADELPHIA REGIONAL PORT AUTHORITY

Notices

Request for bids 7501

PUBLIC SCHOOL EMPLOYEE’S RETIREMENT BOARD

Notices

Hearings scheduled 7501

STATE BOARD OF EDUCATION

Notices

Application of the Washington Township Independent School District for transfer from the Dover Area School District to the Northern York County School District. 7502

STATE CONSERVATION COMMISSION

Notices

Action on odor management plans for concentrated animal operations and concentrated animal feeding operations and volunteers complying with the Commonwealth’s Facility Odor Management Program. 7502

READER'S GUIDE TO THE PENNSYLVANIA BULLETIN AND THE PENNSYLVANIA CODE

Pennsylvania Bulletin

The *Pennsylvania Bulletin* is the official gazette of the Commonwealth of Pennsylvania. It is published every week and includes a table of contents. A cumulative subject matter index is published quarterly.

The *Pennsylvania Bulletin* serves several purposes. First, it is the temporary supplement to the *Pennsylvania Code*, which is the official codification of agency rules and regulations and other statutorily authorized documents. Changes in the codified text, whether by adoption, amendment, repeal or emergency action must be published in the *Pennsylvania Bulletin*. Further, agencies proposing changes to the codified text do so in the *Pennsylvania Bulletin*.

Second, the *Pennsylvania Bulletin* also publishes: Governor's Executive Orders; State Contract Notices; Summaries of Enacted Statutes; Statewide and Local Court Rules; Attorney General Opinions; Motor Carrier Applications before the Pennsylvania Public Utility Commission; Applications and Actions before the Department of Environmental Protection; Orders of the Independent Regulatory Review Commission; and other documents authorized by law.

The text of certain documents published in the *Pennsylvania Bulletin* is the only valid and enforceable text. Courts are required to take judicial notice of the *Pennsylvania Bulletin*.

Adoption, Amendment or Repeal of Regulations

Generally an agency wishing to adopt, amend or repeal regulations must first publish in the *Pennsylvania Bulletin* a Notice of Proposed Rulemaking. There are limited instances when the agency may omit the proposal step; it still must publish the adopted version.

The Notice of Proposed Rulemaking contains the full text of the change, the agency contact person, a fiscal note required by law and background for the action.

The agency then allows sufficient time for public comment before taking final action. An adopted proposal must be published in the *Pennsylvania Bulletin* before it can take effect. If the agency

wishes to adopt changes to the Notice of Proposed Rulemaking to enlarge the scope, it must repropose.

Citation to the *Pennsylvania Bulletin*

Cite material in the *Pennsylvania Bulletin* by volume number, a page number and date. Example: Volume 1, *Pennsylvania Bulletin*, page 801, January 9, 1971 (short form: 1 Pa.B. 801 (January 9, 1971)).

Pennsylvania Code

The *Pennsylvania Code* is the official codification of rules and regulations issued by Commonwealth agencies and other statutorily authorized documents. The *Pennsylvania Bulletin* is the temporary supplement to the *Pennsylvania Code*, printing changes as soon as they occur. These changes are then permanently codified by the *Pennsylvania Code Reporter*, a monthly, loose-leaf supplement.

The *Pennsylvania Code* is cited by title number and section number. Example: Title 10 *Pennsylvania Code*, § 1.1 (short form: 10 Pa. Code § 1.1).

Under the *Pennsylvania Code* codification system, each regulation is assigned a unique number by title and section. Titles roughly parallel the organization of Commonwealth government. Title 1 *Pennsylvania Code* lists every agency and its corresponding *Code* title location.

How to Find Documents

Search for your area of interest in the *Pennsylvania Code*. The *Pennsylvania Code* is available at www.pacode.com.

Source Notes give the history of regulations. To see if there have been recent changes, not yet codified, check the List of *Pennsylvania Code* Chapters Affected in the most recent issue of the *Pennsylvania Bulletin*.

A chronological table of the history of *Pennsylvania Code* sections may be found at www.legis.state.pa.us/cfdocs/legis/CH/Public/pcde_index.cfm.

The *Pennsylvania Bulletin* also publishes a quarterly List of Pennsylvania Code Sections Affected which lists the regulations in numerical order, followed by the citation to the *Pennsylvania Bulletin* in which the change occurred. The *Pennsylvania Bulletin* is available at www.pabulletin.com.

**SUBSCRIPTION INFORMATION: (717) 766-0211
GENERAL INFORMATION AND FINDING AIDS: (717) 783-1530**

Printing Format

Material proposed to be added to an existing rule or regulation is printed in **bold face** and material proposed to be deleted from a rule or regulation is enclosed in brackets [] and printed in **bold face**. Asterisks indicate ellipsis of *Pennsylvania Code* text retained without change. Proposed new or additional regulations are printed in ordinary style face.

Fiscal Notes

Section 612 of The Administrative Code of 1929 (71 P. S. § 232) requires that the Office of Budget prepare a fiscal note for regulatory actions and administrative procedures of the administrative departments, boards, commissions or authorities receiving money from the State Treasury stating whether the proposed action or procedure causes a loss of revenue or an increase in the cost of programs for the Commonwealth or its political subdivisions; that the fiscal note be published in the *Pennsylvania Bulletin* at the same time as the proposed change is advertised. A fiscal note provides the following information: (1) the designation of the fund out of which the appropriation providing for expenditures under the action or procedure shall be made; (2) the probable cost for the fiscal year the program is implemented; (3) projected cost estimate of the program for each of the 5 succeeding fiscal years; (4) fiscal history of the program for which expenditures are to be made; (5) probable loss of revenue for the fiscal year of its implementation; (6) projected loss of revenue from the program for each of the 5 succeeding fiscal years; (7) line item, if any, of the General Appropriation Act or other appropriation act out of which expenditures or losses of Commonwealth funds shall occur as a result of the action or procedures; (8) recommendation, if any, of the Secretary of the Budget and the reasons therefor.

The required information is published in the foregoing order immediately following the proposed change to which it relates; the omission of an item indicates that the agency text of the fiscal note states that there is no information available with respect thereto. In items (3) and (6) information is set forth for the first through fifth fiscal years; in that order, following the year the program is implemented, which is stated. In item (4) information is set forth for the current and two immediately preceding years, in that order. In item (8) the recommendation, if any, made by the Secretary of Budget is published with the fiscal note. See 4 Pa. Code § 7.231 *et seq.* Where “no fiscal impact” is published, the statement means no additional cost or revenue loss to the Commonwealth or its local political subdivision is intended.

Reproduction, Dissemination or Publication of Information

Third parties may not take information from the *Pennsylvania Code* and *Pennsylvania Bulletin* and reproduce, disseminate or publish such information except as provided by 1 Pa. Code § 3.44. 1 Pa. Code § 3.44 reads as follows:

§ 3.44. General permission to reproduce content of *Code* and *Bulletin*.

Information published under this part, which information includes, but is not limited to, cross references, tables of cases, notes of decisions, tables of contents, indexes, source notes, authority notes, numerical lists and codification guides, other than the actual text of rules or regulations may be reproduced only with the written consent of the Bureau. The information which appears on the same leaf with the text of a rule or regulation, however, may be incidentally reproduced in connection with the reproduction of the rule or regulation, if the reproduction is for the private use of a subscriber and not for resale. There are no other restrictions on the reproduction of information published under this part, and the Commonwealth hereby consents to a reproduction.

List of Pa. Code Chapters Affected

The following numerical guide is a list of the chapters of each title of the *Pennsylvania Code* affected by documents published in the *Pennsylvania Bulletin* during 2014.

4 Pa. Code (Administration)		901	2849, 2850
Adopted Rules		1021	5328, 7365, 7368
1	3924	Proposed Rules	
6	2505, 2617	77	6781
113	888	78	648
405	485	86	6781
Statements of Policy		87	6781
1	5046	88	6781
9	32, 783, 1005, 1241, 1451, 2060, 2758, 3237, 3572, 3965, 5061, 5766, 5876, 6096, 6230, 6794, 7078, 7181	89	6781
7 Pa. Code (Agriculture)		90	6781
Adopted Rules		121	2392
46	2220	129	2392, 4502
76	2220	208	5191
Proposed Rules		211	6781
128	2058	250	2980
10 Pa. Code (Banking and Securities)		806	6931
Adopted Rules		28 Pa. Code (Health and Safety)	
5	5010, 5463	Adopted Rules	
Proposed Rules		157	6658
57	2751	701	6658
Statements of Policy		709	6660
5	6098	710	6658
12 Pa. Code (Commerce, Trade and Local Government)		Proposed Rules	
Adopted Rules		709	1317
149	488	31 Pa. Code (Insurance)	
Proposed Rules		Adopted Rules	
145	5026	25	2851
17 Pa. Code (Conservation and Natural Resources)		34 Pa. Code (Labor and Industry)	
Proposed Rules		Adopted Rules	
21	5757	14	1233
23	5757	14a	1233
22 Pa. Code (Education)		225	4483
Adopted Rules		Proposed Rules	
4	1131, 1754	111	996
19	3497	131	996
Proposed Rules		37 Pa. Code (Law)	
18	4514	Adopted Rules	
25 Pa. Code (Environmental Protection)		11	1233
Adopted Rules		13	1233
78	3517	79	328
121	2236, 3929	431	1313
129	3929	Proposed Rules	
130	3929	41	6933
139	2236	40 Pa. Code (Liquor)	
208	3962	Adopted Rules	
250	2975, 3235	11	1233, 2056
271	7021	Proposed Rules	
272	7021	3	7075
273	7021	49 Pa. Code (Professional and Vocational Standards)	
284	7021	Adopted Rules	
285	7021	3	2242
287	7021	6	5566
288	7021	7	2244
299	7021	15	993
806	2640	16	583, 6923
		18	583, 6923

25 589
 37 888
 43b 597
 47 2863, 6557
 48 6557
 49 6557

Proposed Rules

5 5214
 16 4364
 18 4364
 21 648, 6934
 39 5490
 40 7178
 43b 2247, 5487, 7173

52 Pa. Code (Public Utilities)

Adopted Rules

1 249
 3 249
 5 249
 23 249
 29 249
 32 249
 53 249
 54 249, 3522
 57 249, 3539
 59 249, 5835
 62 249, 3551
 1001 5662, 6665
 1011 5662, 5867, 6665
 1013 5017
 1015 5867
 1017 3764, 5662, 5867, 6769
 1019 5662, 6769
 1021 5662, 5867
 1027 5867
 1051 5867, 6665
 1053 5867
 1055 3764
 1057 5867
 1059 5867

Proposed Rules

5 2868
 57 1321, 1771
 75 4179
 1001 2753
 1011 2753
 1017 252, 1323, 7176
 1019 1323
 1021 7176
 1051 2753

Statements of Policy

69 2405

55 Pa. Code (Public Welfare)

Adopted Rules

1187 3322, 3565, 4498
 1189 3565, 4498

58 Pa. Code (Recreation)

Adopted Rules

51 1762
 61 4177, 5336, 5969
 63 250, 1762, 4177, 5970
 65 1764, 5969
 69 1766, 4177, 5336
 71 4177
 73 4177
 93 1767
 131 3091

133 1429, 5190
 135 1429, 1883
 139 3091
 141 3091, 3098, 3099, 3100, 3101, 7055
 143 1430, 1768
 147 1432, 3098, 3102, 7056
 421a 7057
 421b 7057
 439a 7057
 461a 599, 619
 463a 599
 464a 599, 7057
 465a 599, 619, 7057
 481a 7057
 501a 7057
 503a 7057
 503b 7057
 513a 7057
 525 619
 575 619
 577 619
 579 619
 581 1234
 590 26
 591 1234
 592 4354
 593 6773
 603a 619, 7057
 605a 5463
 607a 599
 609a 619
 623a 619
 627a 599, 619
 629a 599, 619
 631a 599, 619
 633a 599, 619, 7057
 635a 619
 637a 619
 639a 5463
 641a 5463
 643a 5463
 647a 5463
 649a 619
 653a 5463
 655a 5463
 657a 5463
 659a 619
 661a 619
 663a 619
 665a 619

Proposed Rules

61 901
 63 901, 1769
 65 5972
 69 901
 71 901
 73 901
 95 4360
 109 4360
 111 4360
 131 1440, 7072
 133 3103, 7074
 139 1442
 141 1435, 1436, 1438, 1440, 5212
 143 7071
 147 1438, 1448, 5213, 7073, 7074

Statements of Policy

57 1772

61 Pa. Code (Revenue)

Adopted Rules
 5 1432

67 Pa. Code (Transportation)

Adopted Rules
 175 7442
 427 2384
 443 6777

Proposed Rules

15 6780
 47 2642
 101 7069
 105 4500
 511 5674

201 Pa. Code (Rules of Judicial Administration)

Adopted Rules
 2 319, 1419
 19 454, 1428, 3053

204 Pa. Code (Judicial System General Provisions)

Adopted Rules
 29 5180, 6914, 6915
 81 2847
 82 768
 83 768, 1749, 2847
 91 3927
 303 4071

Proposed Rules

81 6070
 83 1865, 2199, 6070
 303 1967, 1969

207 Pa. Code (Judicial Conduct)

Adopted Rules
 33 455, 4338, 6083, 6204, 7168
 51 6205, 7169

210 Pa. Code (Appellate Procedure)

Adopted Rules
 1 8, 3493
 3 3493
 9 3493
 11 3493
 19 2053, 6223
 21 2510, 3493
 65 6223

Proposed Rules

1 471
 3 319
 5 5324
 9 319, 471
 11 471, 3054
 13 471
 15 2052
 33 471

225 Pa. Code (Rules of Evidence)

Adopted Rules
 Article VI 6225
 Article VIII 1309

231 Pa. Code (Rules of Civil Procedure)

Adopted Rules
 200 323, 2747
 1000 8
 1910 3233, 4476, 6553
 1915 3233, 4477
 1930 1749, 4168
 2220 8

3000 1750
 4000 4996

Proposed Rules

200 323, 324, 475, 5563
 1000 5182
 1900 2199
 1910 4338, 4340
 1915 4338, 5828
 1920 4165, 4338, 4341
 1930 4338
 3000 4996

234 Pa. Code (Rules of Criminal Procedure)

Adopted Rules
 1 3056
 4 3056, 4168
 5 239, 477, 1309
 7 4168
 10 3056

Proposed Rules

1 769
 4 475, 577, 769, 2369
 5 778
 7 475, 2369
 9 4170
 10 769

237 Pa. Code (Juvenile Rules)

Adopted Rules
 1 781, 1868, 5447, 6087
 3 5447
 4 5447
 11 781, 5447, 6087

Proposed Rules

4 246, 3306
 11 9
 13 3307
 15 3307
 16 3307

246 Pa. Code (Minor Court Civil Rules)

Adopted Rules
 100 5564
 300 13, 3310, 5183
 500 13, 14
 800 14
 1000 14

Proposed Rules

300 10, 479
 800 4477
 1000 4342

249 Pa. Code (Philadelphia Rules)

Unclassified 883, 3066, 3067, 3311, 3313, 3747, 6657, 7170, 7350

252 Pa. Code (Allegheny County Rules)

Unclassified 5830, 6554, 7018

255 Pa. Code (Local Court Rules)

Unclassified 16, 17, 18, 19, 20, 21, 23, 24, 25, 247, 324, 325, 480, 481, 581, 991, 1123, 1124, 1428, 1752, 1753, 1868, 1870, 1871, 1872, 1873, 1874, 1875, 1876, 1877, 1878, 1879, 2054, 2200, 2201, 2216, 2372, 2510, 2511, 2513, 2515, 2620, 2638, 2639, 2747, 2749, 2750, 2847, 2848, 3086, 3088, 3089, 3319, 3321, 3495, 3759, 3927, 4175, 4347, 4352, 4997, 4998, 5008, 5185, 5187, 5188, 5326, 5456, 5457, 5458, 5459, 5461, 5462, 5564, 5656, 5657, 5755, 5830, 5832, 5833, 5834, 5963, 6089, 6091, 6093, 6094, 6226, 6227, 6228, 6229, 6555, 6750, 6766, 6767, 6915, 6916, 6917, 6919, 7018, 7171, 7354, 7355, 7364, 7439, 7440, 7441

THE GENERAL ASSEMBLY

Cost-of-Living Factor under the Public Official Compensation Law

Under Section 4(d) of the Public Official Compensation Law (Act 72 of 2005), for the 12-month period beginning December 1, 2014 through November 30, 2015, the salary of the members of the General Assembly shall be increased by a cost-of-living factor which is determined by increasing the amount of the salary by the percentage change in the Consumer Price Index for all Urban Consumers (CPI-U) for the Pennsylvania, New Jersey, Delaware and Maryland area, officially reported by the United States Department of Labor, Bureau of Labor Statistics for the period of November 1, 2013 through October 31, 2014.

The percentage increase and the new salary amount have been determined jointly by the Chief Clerk of the Senate and the Chief Clerk of the House of Representatives as follows:

The CPI-U for the period November 1, 2013 through October 31, 2014 increased by 1.578%. Therefore, the salary for legislators for the period beginning December 1, 2014 through November 30, 2015 will be \$85,338.65.

Under section 4(d.1) of the Public Official Compensation Law (Act 72 of 2005), for the 12-month period beginning December 1, 2014 through November 30, 2015, the additional compensation of the officers and leaders of the General Assembly shall be increased by a cost-of-living factor which is determined by increasing the amount of the salary by the percentage change in the Consumer Price Index for all Urban Consumers (CPI-U) for the Pennsylvania, New Jersey, Delaware and Maryland area, officially reported by the United States Department of Labor, Bureau of Labor Statistics for the period from November 1, 2013, through October 31, 2014.

The percentage change and the new compensation amounts have been determined jointly by the Chief Clerk of the Senate and the Chief Clerk of the House of Representatives as follows:

<i>Leadership Position</i>	<i>% Increase</i>	<i>New Compensation</i>
President pro tempore/Speaker	1.5787%	\$133,219.09
Majority Floor Leader	1.5787%	\$123,644.82
Minority Floor Leader	1.5787%	\$123,644.82
Majority Whip	1.5787%	\$114,410.08
Minority Whip	1.5787%	\$114,410.08
Majority Caucus Chairman	1.5787%	\$103,464.95
Minority Caucus Chairman	1.5787%	\$103,464.95
Majority Appropriations Chairman	1.5787%	\$114,410.08
Minority Appropriations Chairman	1.5787%	\$114,410.08
Majority Caucus Secretary	1.5787%	\$97,309.67
Minority Caucus Secretary	1.5787%	\$97,309.67
Majority Caucus Policy Chairman	1.5787%	\$97,309.67
Minority Caucus Policy Chairman	1.5787%	\$97,309.67
Majority Caucus Administrator	1.5787%	\$97,309.67
Minority Caucus Administrator	1.5787%	\$97,309.67

DONETTA M. D'INNOCENZO,
Chief Clerk
Senate of Pennsylvania

ANTHONY FRANK BARBUSH,
Chief Clerk
House of Representatives

[Pa.B. Doc. No. 14-2455. Filed for public inspection November 26, 2014, 9:00 a.m.]

THE COURTS

Title 255—LOCAL COURT RULES

HUNTINGDON COUNTY

Adoption of Local Rule Hunt.Co.R.C.P. 205; No. CP-31-MD-214-2014; AO No. 6-2014

Administrative Order of Court

And Now, this 7th day of November, 2014, Local Civil Rule of Court 205 is hereby *Adopted* and shall be referenced as Hunt.Co.R.C.P. 205. It is *Ordered* that in compliance with Pa.R.C.P. 239:

1. The Huntingdon County District Court Administrator shall file one certified copy of the Rule with the Administrative Office of Pennsylvania Courts;

2. The Huntingdon County District Court Administrator shall distribute two certified copies and a computer diskette containing the text of the Rule to the Legislative Reference for publication in the *Pennsylvania Bulletin*.

3. The Huntingdon County District Court Administrator shall file one certified copy of the Rule with the Civil Procedural Rules Committee.

4. The Huntingdon County Prothonotary shall ensure that the Rule is continuously available for public inspection in the office of Prothonotary.

5. This rule shall become effective not less than 30 days after the date of publication in the *Pennsylvania Bulletin*.

By the Court

GEORGE N. ZANIC,
President Judge

Hunt.Co.R.C.P. 205. Civil Case Management.

1. *The Huntingdon County Civil Case Management Plan.*

(a) *Cases Subject to the Plan.*

The plan outlined in this rule will govern the progress of all civil cases from the initiation of the case until the termination of said case. Family Court cases are not covered by this plan.

(b) *Case Tracks.*

Utilizing the criteria set forth below, all civil cases shall be assigned to one of the following case tracks: Expedited, Standard or Complex. The case management rules that govern each track are as follows:

(i) *Expedited Case Track.*

A case will be assigned to the Expedited track, unless otherwise requested by counsel, if, by its nature, it appears it is a case that can be promptly tried. The following case types are examples: mortgage foreclosures; writ of replevin cases; and arbitration appeals. Except in extraordinary circumstances, the Court will schedule a trial of all Expedited cases within six (6) months after the initial Date of Service. The trial date shall be set by the Court at the first status conference.

(ii) *Standard Case Track.*

All cases not designated Expedited or Complex will be assigned to the Standard case track. Except in extraordinary circumstances, the Court will schedule a trial of all Standard cases within twelve (12) months after the initial Date of Service. The trial date shall be set at the first status conference.

(iii) *Complex Case Track.*

A case will be assigned to the Complex track, unless otherwise requested by counsel, if it appears likely to require a disproportionate expenditure of court and litigant resources before and during trial by reason of the number of parties involved, the number of claims and defenses raised, the legal difficulty of the issue(s) presented, the factual difficulty of the subject matter or a combination of these or other factors. Except in extraordinary circumstances, the Court shall schedule a trial date for all Complex cases within twenty-four (24) months after the initial Date of Service. The trial date shall be set at the initial status conference.

(c) *Initial Scheduling Order.*

(i) The Plaintiff/Plaintiff's attorney shall complete and file an Initial Case Monitoring Notice and Order, attached hereto as Exhibit Hunt.Co.R.C.P. 205, within five (5) days after service of the complaint. A copy shall be served on the DCA.

(ii) The case will be scheduled by the DCA for a status conference.

(d) *Status and Pre-Trial Conferences.*

(i) *Status Conferences.*

A Status Conference shall be scheduled in every case. The date on which the conference is scheduled will be dependent on the track the case is assigned. At a Status Conference, the Court will issue any Order that it deems necessary to address the following issues: status of the case; discovery; pre-trial motions; possible alternative dispute resolution; possible trial dates; any other relevant matters, and the date for a pre-trial Conference.

(ii) *Pre-trial Conferences.*

A pre-trial Conference shall be scheduled in every case. The purpose of the conference shall be to address the matters set forth in Pa.R.C.P. 212.3. The parties shall file not later than ten days before the conference a pre-trial statement in accord with Pa.R.C.P. 212.2. The order scheduling the conference shall indicate the parties who are to attend including an insurance or similar representative who has authority to negotiate and settle the case. At the conclusion of the conference the Court may enter an order that recites the action taken at conference, schedules a date for trial, or schedules a settlement conference in accord with Pa.R.C.P. 212.5.

(e) *Arbitration.*

(i) *Referral of Cases.*

If, after an initial review of the case, the case is identified as appropriate for compulsory arbitration, a panel of arbitrators shall be appointed.

(ii) *Arbitration Appeals.*

The Court Administrator shall monitor all Arbitration appeals, and shall report to the President Judge all cases pending for more than six (6) months.

(f) *Incarcerated Plaintiffs.*

Complaints initiated by pro se Plaintiffs who are incarcerated in a state correctional institution shall be exempt from Hunt.Co.R.C.P. 205.

2. *Inactive Cases.*

Cases that are eligible for dismissal under Rule of Judicial Administration No. 1901 as well as cases that have come to the termination date of their case track, shall be reviewed by the President Judge. The Court will take action to dismiss or schedule additional proceedings in an attempt to resolve the case.

Plaintiff

vs.

Defendant

: IN THE COURT OF COMMON PLEAS
HUNTINGDON COUNTY, PENNSYLVANIA

: DOCKET NO:

: CIVIL ACTION—[LAW] [EQUITY]

INITIAL CASE MONITORING NOTICE AND ORDER

1. Plaintiff (s) by _____ hereby gives notice that this matter was commenced on the date of _____ by complaint writ of summons other (specify): _____ .

Plaintiff further certifies that service was made on ____ day of _____ 20____ .

2. Plaintiff requests the case be processed under the Court's civil case management rules as follows (choose one):

- _____ Arbitration (Damages of \$50,000 or less)
- _____ Standard Track
- _____ Complex Track
- _____ Expedited Track

ORDER

AND NOW this _____ day of _____ 20____ a Status conference is scheduled for _____ , at _____ (a.m./p.m.) in Courtroom No. ____ of the Huntingdon County Courthouse, 223 Penn Street, Huntingdon, PA. All parties shall attend. Items No. 1 and 2 shall be completed by Plaintiff. This document shall be presented to District Court Administrator within five (5) days after proof of service of the original process is received.

PLAINTIFF SHALL IMMEDIATELY SERVE A COPY OF THIS ORDER UPON ALL OTHER PARTIES OR THEIR ATTORNEYS AND FILE PROOF OF TIMELY SERVICE.

Date: _____
_____ J.

cc: District Court Administrator
_____, Esquire
_____, Esquire

[Pa.B. Doc. No. 14-2456. Filed for public inspection November 26, 2014, 9:00 a.m.]

HUNTINGDON COUNTY

Adoption of Local Rule Hunt.Co.R.C.P. 307; No. CP-31-MD-215-2014; AO No. 7-2014

Administrative Order of Court

And Now, this 7th day of November, 2014, Local Civil Rule of Court 307 is hereby *Adopted* and shall be referenced as Hunt.Co.R.C.P. 307. It is *Ordered* that in compliance with Pa.R.C.P. 239:

1. The Huntingdon County District Court Administrator shall file one certified copy of the Rule with the Administrative Office of Pennsylvania Courts;
2. The Huntingdon County District Court Administrator shall distribute two certified copies and a computer diskette containing the text of the Rule to the Legislative Reference for publication in the *Pennsylvania Bulletin*.
3. The Huntingdon County District Court Administrator shall file one certified copy of the Rule with the Civil Procedural Rules Committee.

4. The Huntingdon County Prothonotary shall ensure that the Rule is continuously available for public inspection in the office of Prothonotary.

5. This rule shall become effective not less than 30 days after the date of publication in the *Pennsylvania Bulletin*.

By the Court

GEORGE N. ZANIC,
President Judge

Hunt.Co.R.C.P. 307. Prothonotary.

(a) The Prothonotary shall endorse all documents filed with the date of such filing, and shall enter into them into an appropriate document docket.

(b) The Prothonotary shall be responsible for the safe keeping of all records and papers belonging to the office. No paper may be taken from the files of the Prothonotary without the consent of the Prothonotary or one authorized by the Prothonotary to give such consent. A record shall be made of any paper removed from the Prothonotary's

office and the person who receipts for such paper shall be responsible for return of the same and for any financial loss occasioned by failure to return the paper.

(c) Only the Prothonotary, her clerks, attorneys registered in Huntingdon County and such other persons as the Prothonotary shall specially authorize shall be permitted direct access to the Prothonotary's files.

(d) No entries shall be made in any Prothonotary's docket except at the direction of the Prothonotary or by order of the Court.

(e) All papers filed with the Prothonotary shall be designated numerically starting with the number one for each calendar year and with the appropriate alphabetical symbols to differentiate between the various proceedings filed.

(f) The Prothonotary shall not provide legal assistance or give legal advice.

(g) The Prothonotary shall only provide copies of documents to litigants and or attorneys for litigants as required by the respective Pennsylvania Rules of Court. Requested documents in addition to those required by rule will not be provided without a search and copying fee of \$25.00 to be paid prior to the reproduction of said documents. The Prothonotary shall have the discretion to require additional payment if the reproduction costs are extensive.

(h) The Prothonotary shall not forward any matter to the Sheriff for service of original process unless service copies are received for each named Defendant.

[Pa.B. Doc. No. 14-2457. Filed for public inspection November 26, 2014, 9:00 a.m.]

LEHIGH COUNTY

Establishing Uniform Costs for the Batterers Intervention Education Program Administered by the Adult Probation Office of Lehigh County; No. AD-5-2014

Administrative Order

And Now, this 7th day of November, 2014, *It Is Hereby Ordered* that the following procedures be put into place and become effective as of January 1, 2015:

1. Every person placed on probation, parole, accelerated rehabilitative disposition, probation without verdict, or intermediate punishment, and ordered to the Prevention Through Anti-Violence Education (PAVE) Program shall pay, in addition to the costs of prosecution, fines and restitution, and other costs, a fee of \$240.00 for completion of the Batterers Intervention Education Program administered by the Lehigh County Adult Probation Department.

It Is Further Ordered that one (1) certified copy of this Order shall be filed by the Court Administrator of Lehigh County with the Administrative Office of the Pennsylvania Courts; that two (2) certified copies and a CD-ROM copy that complies with the requirement of Pa. Code

§ 13.11(b) shall be filed with the Legislative Reference Bureau for publication in the *Pennsylvania Bulletin*; that one (1) certified copy shall be file with the Criminal Procedure Rules Committee, which Committee has certified to this court that this Administrative Order is not inconsistent with any general rule of the Supreme Court. Finally, it is ordered that the Court Administrator of Lehigh County publish a copy of this Order on the Unified Judicial System's web site at <http://ujportal.pacourts.us/localrules/ruleselection.aspx>.

By the Court

KELLY L. BANACH,
Administrative Judge

[Pa.B. Doc. No. 14-2458. Filed for public inspection November 26, 2014, 9:00 a.m.]

WASHINGTON COUNTY

Local Criminal Rule L-717—Substance Abuse Education and Demand Reduction Fund; No. 2014-1

Order

And Now, this 10th day of November, 2014; *It Is Hereby Ordered* that the previously-stated Washington County Local Criminal Rule be adopted as follows.

These rules will become effective thirty days after publication in the *Pennsylvania Bulletin*.

By the Court

JOSEPH M. JAMES,
Administrative Judge

L-717. Substance Abuse Education and Demand Reduction Fund.

(A) A substance abuse fee as set forth in Act 198 of 2002, as amended by Act 24 of 2003 and Act 36 of 2006, shall be assessed on any individual in Washington County convicted, adjudicated delinquent, or granted Accelerated Rehabilitative Disposition (ARD), or any individual who pleads guilty or nolo contendere for a violation of the Act of April 14, 1972 (P. L. 233, No. 64), known as The Controlled Substance, Drug, Device and Cosmetic Act, or a violation of 75 Pa.C.S. § 3802 (relating to driving under the influence of alcohol or controlled substance).

(B) The Washington County Clerk of Courts shall assess and collect the fee, and the Washington County Treasurer shall establish and administer a County Substance Abuse Education and Demand Reduction Fund (County SAEDRF) consisting of the county portion of fees collected.

(C) Disbursements from the County SAEDRF shall be made only at the direction of the President Judge. Requests for funds from the County SAEDRF shall be made to the Criminal Justice Advisory Board Subcommittee established to review such requests. The subcommittee shall review requests for funds and make recommendations to the President Judge for disbursement.

[Pa.B. Doc. No. 14-2459. Filed for public inspection November 26, 2014, 9:00 a.m.]

RULES AND REGULATIONS

Title 55—PUBLIC WELFARE

**DEPARTMENT OF HUMAN SERVICES
[55 PA. CODE]**

Redesignation of Department

The act of September 24, 2014 (P. L. 2458, No. 132) (Act 132) designated the Department of Public Welfare as the Department of Human Services. Act 132 became effective November 24, 2014.

Act 132 deems a reference to the Department of Public Welfare in a regulation as a reference to the Department

of Human Services. Accordingly, throughout the regulations in 55 Pa. Code (relating to public welfare) and additional titles of the *Pennsylvania Code*, references to the Department of Public Welfare will be updated, as appropriate, to the Department of Human Services.

BEVERLY D. MACKERETH,
Secretary

[Pa.B. Doc. No. 14-2460. Filed for public inspection November 26, 2014, 9:00 a.m.]

Title 67—TRANSPORTATION

**DEPARTMENT OF TRANSPORTATION
[67 PA. CODE CH. 175]**

Corrective Amendment to 67 Pa. Code § 175.51

The Department of Transportation has discovered a discrepancy between the agency text of 67 Pa. Code § 175.51 (relating to cause for suspension) as deposited with the Legislative Reference Bureau and the official text published in the *Pennsylvania Code Reporter* (Master Transmittal Sheet No. 470, January 2014). When amendments to 67 Pa. Code § 175.51(a)(4) published at 43 Pa.B. 6349 (October 26, 2013) were codified, the durations of suspension in 67 Pa. Code § 175.51(a)(3)(iii) were inadvertently deleted.

Therefore, under 45 Pa.C.S. § 901 (relating to official text of published documents), the Department of Transportation has deposited with the Legislative Reference Bureau a corrective amendment to 67 Pa. Code § 175.51. The corrective amendment to 67 Pa. Code § 175.51 is effective as of January 4, 2014, the date the defective official text was announced in the *Pennsylvania Bulletin*.

The correct version of 67 Pa. Code § 175.51 appears in Annex A, with ellipses referring to the existing text of the regulation.

Annex A

TITLE 67. TRANSPORTATION

PART I. DEPARTMENT OF TRANSPORTATION

Subpart A. VEHICLE CODE PROVISIONS

ARTICLE VII. VEHICLE CHARACTERISTICS

CHAPTER 175. VEHICLE EQUIPMENT AND INSPECTION

Subchapter D. SCHEDULE OF PENALTIES AND SUSPENSIONS: OFFICIAL INSPECTION STATIONS AND CERTIFIED MECHANICS

§ 175.51. Cause for suspension.

(a) *Schedule.* The complete operation of an official inspection station is the responsibility of the owner. Failure to comply with the appropriate provisions of 75 Pa.C.S. (relating to Vehicle Code) will be considered sufficient cause for suspension of inspection privileges. A violator is also subject to criminal prosecution.

<i>Type of Violation</i>	<i>Duration of Suspension</i>				
	<i>1st Violation</i>	<i>2nd Violation</i>	<i>3rd and Subsequent Violation</i>		
	*	*	*	*	*
(3) <i>Category 3</i>					
(i) Inspection by mechanic with suspended, revoked, cancelled or recalled operating privilege	2 months	6 months	1 year		
(ii) Inspecting more than three motorcycles or two other vehicles per hour	4 months	6 months	1 year		
(iii) Inspection by uncertified mechanic	4 months	6 months	1 year		
	*	*	*	*	*

[Pa.B. Doc. No. 14-2461. Filed for public inspection November 26, 2014, 9:00 a.m.]

NOTICES

DEPARTMENT OF AGRICULTURE

Standards for Automotive Fuel

Section 4187.4(a) of 3 Pa.C.S. (relating to standards for automotive fuel) requires that the Department of Agriculture (Department): (1) adopt the latest automotive fuel standards for automotive spark ignition engines based on the latest standards of the American Society for Testing and Materials International as determined by the Federal Trade Commission; and (2) publish notice of these standards in the *Pennsylvania Bulletin*.

The standards for automotive fuel adopted by the Department are the most current standards published at

16 CFR Part 306 (relating to automotive fuel ratings, certification and posting).

The referenced standards can be read at www.ecfr.gov.

The Department will provide copies of these standards upon request at (717) 787-9089, or by writing to the Department of Agriculture, Attn: Director, Bureau of Ride and Measurement Standards, 2301 North Cameron Street, Harrisburg, PA 17110-9408.

The referenced standards are adopted by the Department as of the date of publication in the *Pennsylvania Bulletin*.

GEORGE D. GREIG,
Secretary

[Pa.B. Doc. No. 14-2462. Filed for public inspection November 26, 2014, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under to the authority contained in the Act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the Act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending November 18, 2014.

Under section 503.E of the Department of Banking and Securities Code (71 P. S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file their comments in writing with the Department of Banking and Securities, Corporate Applications Division, 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Holding Company Acquisitions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
11-12-2014	Mid Penn Bancorp, Inc. Millersburg Dauphin County	Filed
	Application for approval to acquire 100% of Phoenix Bancorp, Inc., Minersville, and thereby indirectly acquire 100% of Miners Bank, Minersville.	

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
11-12-2014	Mid Penn Bank Millersburg Dauphin County	Filed
	Application for approval to merge Miners Bank, Minersville, with and into Mid Penn Bank, Millersburg.	

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
10-28-2014	PeoplesBank, A Codorus Valley Company York York County	3100 Market Street Camp Hill Cumberland County	Opened
11-14-2014	First Resource Bank Exton Chester County	844 Paoli Pike West Chester Chester County	Filed

CREDIT UNIONS

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
11-13-2014	Butler Armco Employees Credit Union Butler Butler County	Filed
Application for approval to merge Southern Butler County Community Credit Union, Mars, with and into Butler Armco Employees Credit Union, Butler.		

Branch Applications

Branch Relocations

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
4-29-2013	Hidden River Credit Union Pottsville Schuylkill County	<i>To:</i> 629 West Market Street Orwigsburg Schuylkill County <i>From:</i> 705 West Market Street Orwigsburg Schuylkill County	Effective

The Department's web site at www.dobs.state.pa.us includes public notices for more recently filed applications.

GLENN E. MOYER,
Secretary

[Pa.B. Doc. No. 14-2463. Filed for public inspection November 26, 2014, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Northcentral Regional Office: Clean Water Program Manager, 208 W Third Street Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.0530.

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed No.)	EPA Waived Y/N?
PA0113697 (Sewage)	Country Manor WWTP 18 Country Manor Drive Bloomsburg, PA 17815	Columbia County Mount Pleasant Township	Unnamed Tributary to Fishing Creek (5-C)	Y
PA0233871 (Sewage)	Scott Davies Development 112 Whites Church Road Bloomsburg, PA 17815-7155	Columbia County, Mount Pleasant Township	Unnamed Tributary to Fishing Creek (5-C)	Y
PA0233692 (Sewage)	South Creek Township WWTP Villages of Fasset Gillett, PA 16925	Bradford County South Creek Township	South Creek (4-B)	Y
PA0232572 (Storm Water)	Dominion Transmission, Inc. Ellisburg Compressor Station 685 Pump Station Road Genesee, PA 16923	Potter County, Genesee Township	Rose Lake Run (14)	Y
PA0233897 (Sewage)	Wade J. Robbins SFTF 273 Paradise Lane Julian, PA 16844	Centre County, Huston Township	Unnamed Tributary of Bald Eagle Creek (9-C)	Y

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed#)	EPA Waived Y/N?
PAS608301 (Storm Water)	Harsco Minerals of PA 359 North Pike Road Sarver, PA 16055	Butler County Winfield Township	Little Buffalo Creek and Unnamed Tributary to Little Buffalo Creek (18-F)	Y
PA0101176 (Sewage)	Harvey J Wolde SFTF 1547 Rosely Road Saint Marys, PA 15857	Elk County Saint Marys City	Unnamed Tributary to the South Fork West Creek (8-A)	Y

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

PA0265977, Sewage, SIC Code 4952, **Stone Richard R**, 5260 Pinchtown Road, Dover, PA 17315. Facility Name: Stone Res. This proposed facility is located in Dover Township, **York County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Conewago Creek, is located in State Water Plan watershed 7-F and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
CBOD ₅	XXX	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10	XXX	20
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200	XXX	XXX

Geo Mean

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0261769, IW, SIC Code 2672, 2891, **Adhesives Research Inc.**, PO Box 100, Glen Rock, PA 17327-0100. Facility Name: Adhesives Research Inc.. This proposed facility is located in Springfield Township, **York County**.

Description of Proposed Activity: The application is for a new NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Seaks Run, is located in State Water Plan watershed 7-H and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0007 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Aluminum	XXX	XXX	XXX	Report	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0265942, Storm Water, SIC Code 2022, **Schreiber Foods Inc.**, 208 East Dykeman Road, Shippensburg, PA 17257-8700. Facility Name: Schreiber Foods Inc—Shippensburg Plant. This facility is located in Shippensburg Borough, **Cumberland County**.

Description of Proposed Activity: The application is for a new NPDES permit for an existing discharge of Storm Water Associated with Industrial Activities (currently covered under PAG-03 NPDES Permit No. PAR123560).

The receiving stream(s), Unnamed Tributary to Middle Spring Creek, is located in State Water Plan watershed 7-B and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation with an existing use of High Quality—Cold Water Fishes. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 and 002 are as follows:

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Iron	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Requirements Applicable to Stormwater Outfalls

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0265918, Storm Water, SIC Code 5015, **Yerty Auto Service Inc.**, 8358 Woodbury Pike, Roaring Spring, PA 16673. Facility Name: Yerty Auto Wreckers. This existing facility is located in Taylor Township, **Blair County**.

Description of Proposed Activity: The application is for a new NPDES permit for an existing discharge of Storm Water Associated with Industrial Activities (currently covered under PAG-03 NPDES Permit No. PAR603570).

The receiving stream(s), Halter Creek, is located in State Water Plan watershed 11-A and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation with an existing use of High Quality—Cold Water Fishes. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfalls 001, 002 and 003 are as follows:

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Iron	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Requirements Applicable to Stormwater Outfalls

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0084166, SIC Code 4941, **Lebanon City Authority Lebanon County**, 2321 Ridgeview Road, Lebanon, PA 17042-9431. Facility Name: Lebanon City Water System. This existing facility is located in Swatara Township, **Lebanon County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated filter backwash.

The receiving stream(s), Unnamed Tributary of Swatara Creek, is located in State Water Plan watershed 7-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.568 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6	XXX	XXX	9
Total Suspended Solids	Report	Report	XXX	30	60	75
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Annl Avg Report	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Annl Avg Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Annl Avg Report	XXX	XXX
Total Aluminum	Report	Report	XXX	0.4	0.8	1.0
Dissolved Iron	Report	Report	XXX	0.31	0.62	0.78
Total Iron	Report	Report	XXX	1.2	2.4	3.0
Total Manganese	Report	Report	XXX	1.0	2.0	2.5

In addition, the permit contains the following major special conditions:

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Northcentral Regional Office: Regional Clean Water Program Manager, 208 W Third Street Suite 101, Williamsport, PA 17701-6448, Telephone: 570.327.0530.

PA0228061, Sewage, SIC Code 4952, **Aqua Pennsylvania Wastewater, Inc.**, 762 W Lancaster Avenue, Bryn Mawr, PA 19010. Facility Name: Treasure Lake West WWTP. This existing facility is located in Sandy Township, **Clearfield County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Sandy Lick Creek, is located in State Water Plan watershed 17-C and is classified for Cold Water Fishes, Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.0 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0	XXX	XXX	XXX
CBOD ₅	100	150	XXX	12	18	24
Total Suspended Solids	100	Wkly Avg 150	XXX	12	Wkly Avg 18	24
Fecal Coliform (No./100 ml)		Wkly Avg			Wkly Avg	
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
May 1 - Oct 31	12	18 Wkly Avg	XXX	1.5	2.0 Wkly Avg	3.0
Nov 1 - Apr 30	37	56 Wkly Avg	XXX	4.5	6.0 Wkly Avg	9.0
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX
Total Aluminum	Report	XXX	XXX	Report	XXX	XXX
Total Cadmium (µg/L)	0.002	0.004	XXX	0.35	0.54	0.87
Hexavalent Chromium (µg/L)	0.11	0.17	XXX	13.44	20.98	33.62
Total Copper (µg/L)	0.09	0.15	XXX	11.60	18.11	29.02
Free Available Cyanide (µg/L)	0.05	0.08	XXX	6.72	10.49	16.81
Total Iron	Report	XXX	XXX	Report	XXX	XXX
Total Manganese	Report	XXX	XXX	Report	XXX	XXX
Total Mercury (µg/L)	0.0005	0.0008	XXX	0.06	0.10	0.16
Total Silver (µg/L)	0.02	0.04	XXX	3.13	4.89	7.84
UV Dosage (mWsec/cm ²)	XXX	XXX	XXX	Report	XXX	XXX

In addition, the permit contains the following major special conditions:

- Solids Management
- Whole Effluent Toxicity
- WQBELs Below Quantitation Limits

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is not in effect.

PA0232556, Concentrated Animal Feeding Operation (CAFO), **Country View Family Farms, LLC. (Smiling Porker Farm)**, 676 Granger Lane, Morris, PA 16938.

Country View Family Farms, LLC. has submitted an application for an Individual NPDES permit for a new CAFO known as Smiling Porker Farm, located in Pine Township, **Lycoming County**.

The CAFO is situated near Unnamed Tributary to Hughes Run in Watershed 9-A, which is classified for High Quality Waters—Cold Water Fishes and. The CAFO will be designed to maintain an animal population of approximately 2,978.55 animal equivalent units (AEUs) consisting of 5,387 sows, 2,363 gilts, 470 sows with litter, and 15 boars. Manure will be collected within proposed barns that are comprised of a 160'-8" by 767' gestation barn with a 9' deep under barn manure storage pit (7,282,626 gallon capacity), a 71' by 338' gilt grower barn with a 6' under barn manure storage pit (934,619 gallon capacity), and a 120' by 506' farrowing barn with a 2' deep reception pit that drains into the gestation barn. The total storage capacity will be approximately 8,172,321 million gallons. Prior to operation of the manure storage facilities, the design engineer will be required to submit certification that the facilities were constructed in accordance with appropriate PA Technical Guide Standards. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 100-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The Environmental Protection Agency (EPA) permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

PA0020583, Sewage, SIC Code 4952, **Middleburg Municipal Authority**, 13 North Main Street, Middleburg, PA 17842. Facility Name: Middleburg Municipal Authority Wastewater Treatment Plant. This existing facility is located in Middleburg Borough, **Snyder County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Middle Creek, is located in State Water Plan watershed 6-A and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.45 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Weekly Average	Instant. Maximum
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
CBOD ₅	90	150	XXX	25	40	50
		Wkly Avg				
BOD ₅						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	110	165	XXX	30	45	60
		Wkly Avg				
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Oct 1 - Apr 30	XXX	XXX	XXX	2000	XXX	10,000
				Geo Mean		
UV Transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	XXX

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

Parameters	Mass (lbs)			Concentration (mg/l)	
	Monthly	Annual	Minimum	Monthly Average	Maximum
Ammonia—N	Report	Report		Report	
Kjeldahl—N	Report			Report	
Nitrate-Nitrite as N	Report			Report	
Total Nitrogen	Report	Report		Report	
Total Phosphorus	Report	Report		Report	
Net Total Nitrogen	Report	8,219			
Net Total Phosphorus	Report	1,096			

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is not in effect.

Northwest Regional Office: Regional Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, Telephone: 814.332.6942.

PA0102784, SIC Code 4953, **Waste Treatment Corp**, PO Box 558, Washington, PA 15301-0558. Facility Name: Waste Treatment Corporation. This existing facility is located in Warren City, **Warren County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated oil and gas wastewater and contaminated stormwater (after treatment).

The receiving stream(s), Allegheny River, is located in State Water Plan watershed 16-B and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.213 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum
Flow (MGD)	Report	0.213	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
*Total Dissolved Solids	Report	712	XXX	Report	401	1002
*Conductivity (umhos/cm)	XXX	XXX	XXX	Report	Report	XXX
Osmotic Pressure (mOs/kg)	XXX	XXX	XXX	Report	Report	XXX
Oil and Grease	XXX	XXX	XXX	15	XXX	30
Ammonia-Nitrogen	XXX	XXX	XXX	Report	Report	XXX
Total Mercury	Report	Report	XXX	Report	Report	XXX
Total Strontium	XXX	XXX	XXX	Report	Report	XXX
Sulfate	XXX	XXX	XXX	Report	Report	XXX
Acrylamide	XXX	XXX	XXX	0.022	0.044	0.055
Chloride	Report	155	XXX	Report	87	218
Bromide	Report	Report	XXX	Report	Report	XXX
Gross Alpha (pCi/L)	XXX	XXX	XXX	Report	Report	XXX
Radium 226/228, Total (pCi/L)	XXX	XXX	XXX	Report	Report	XXX

* either TDS or Conductivity is to be continuously monitored; permittee shall choose one or the other. Refer to Part C, Special Condition III.

The proposed effluent limits for Outfall 101 are for treated "low TDS" oil and gas wastewater ["low TDS" means raw wastewater with a TDS <401 mg/l]

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
BOD ₅	XXX	XXX	XXX	53	163	163
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Total Dissolved Solids	Report	Report	XXX	Report	Report	XXX
Osmotic Pressure (mOs/kg)	XXX	XXX	XXX	Report	Report	XXX
Oil and Grease	XXX	XXX	XXX	15	XXX	30
Total Antimony	XXX	XXX	XXX	0.679	0.928	0.928
Total Barium	XXX	XXX	XXX	Report	Report	XXX
Total Copper	XXX	XXX	XXX	0.757	0.865	1.893
Total Zinc	XXX	XXX	XXX	0.42	0.497	1.05
o-Cresol	XXX	XXX	XXX	0.561	1.92	1.92
2,4,6-Trichlorophenol	XXX	XXX	XXX	0.106	0.155	0.155
Phenol	XXX	XXX	XXX	1.08	3.65	3.65
Acetone	XXX	XXX	XXX	7.97	30.2	30.2
Acetophenone	XXX	XXX	XXX	0.0562	0.114	0.114
Aniline	XXX	XXX	XXX	0.0164	0.0333	0.0333
Chloride	Report	Report	XXX	Report	Report	XXX
2-Butanone	XXX	XXX	XXX	1.85	4.81	4.81
p-Cresol	XXX	XXX	XXX	0.205	0.698	0.698
Pyridine	XXX	XXX	XXX	0.182	0.37	0.37

The proposed effluent limits for Outfall 201 are for treated "high TDS" oil and gas wastewater from the AVARA treatment unit ["high TDS" means raw wastewater with TDS >401 mg/l].

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
BOD ₅	XXX	XXX	XXX	53	163	163
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Total Dissolved Solids	Report	Report	XXX	Report	Report	XXX
Osmotic Pressure (mOs/kg)	XXX	XXX	XXX	Report	Report	XXX
Oil and Grease	XXX	XXX	XXX	15	XXX	30
Total Antimony	XXX	XXX	XXX	0.679	0.928	0.928
Total Barium	XXX	XXX	XXX	Report	Report	XXX
Total Copper	XXX	XXX	XXX	0.757	0.865	1.893
Total Zinc	XXX	XXX	XXX	0.42	0.497	1.05
o-Cresol	XXX	XXX	XXX	0.561	1.92	1.92
2,4,6-Trichlorophenol	XXX	XXX	XXX	0.106	0.155	0.155
Phenol	XXX	XXX	XXX	1.08	3.65	3.65
Acetone	XXX	XXX	XXX	7.97	30.2	30.2
Acetophenone	XXX	XXX	XXX	0.0562	0.114	0.114

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Aniline Chloride	XXX Report	XXX Report	XXX	0.0164 Report	0.0333 Report	0.0333 XXX
2-Butanone	XXX	XXX	XXX	1.85	4.81	4.81
p-Cresol	XXX	XXX	XXX	0.205	0.698	0.698
Pyridine	XXX	XXX	XXX	0.182	0.37	0.37

In addition, the permit contains the following major special conditions:

- Requirement to Develop Radiation Protection Action Plan
- Requirement to Develop an Effluent TDS to Chlorides correlation
- Requirement to Cease Discharge at Preset Conductivity and/or TDS levels
- Whole Effluent Toxicity Testing Requirement after Treatment Upgrades Complete
- Chemical Additives
- Requirement to Conduct Benthic Macroinvertebrate and Radiologic Sediment Sampling & Reporting

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is not in effect.

PA0222836, Sewage, SIC Code 4952, 8800, **Wendy L Davis**, 106 Bend Road, New Wilmington, PA 16142-1806. Facility Name: Wendy L Davis SFTF. This proposed facility is located in Wilmington Township, **Mercer County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated sewage from an existing facility.

The receiving stream is an un-named tributary of the West Branch Little Neshannock Creek, located in State Water Plan watershed 20-A and is classified for trout stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Instant. Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine	XXX	XXX	Report	XXX	XXX
CBOD ₅	XXX	XXX	10	10	20
Total Suspended Solids	XXX	XXX	10	10	20
Fecal Coliform (CFU/100 ml)	XXX	XXX	200 as a Geo Mean	200 as a Geo Mean	1,000

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

PA0239925, Sewage, SIC Code 4952, **Jennifer A & Paul M Mohtashemi**, 7867 Mercer Pike, Meadville, PA 16335. Facility Name: Jennifer A & Paul M Mohtashemi SRSTP. This existing facility is located in Richmond Township, **Crawford County**.

Description of Existing Activity: The application is for a new NPDES permit for an existing discharge of treated sewage.

The receiving stream is an unnamed tributary to Woodcock Creek, located in State Water Plan watershed 16-A and classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine	XXX	XXX	XXX	Report	XXX	XXX
CBOD ₅	XXX	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10	XXX	20
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200 Geo Mean	XXX	1,000

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Carbon County Conservation District, 5664 Interchange Road, Lehighton, PA 18235-5114

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI021314002	Blue Ridge Real Estate: Lake Shore P. O. Box 707 Blakeslee, PA 18610	Carbon	Kidder Township	UNT to Tunkhannock Creek (HQ-CWF, MF)

Monroe County Conservation District, 8050 Running Valley Rd., Stroudsburg PA 18360-0917

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI024514011	Modern Gas Sales, Inc. P. O. Box 5001 Avoca, PA 18641	Monroe	Jackson Township	Pocono Creek (HQ-CWF, MF)

Pike County Conservation District, 556 Route 402, Hawley PA 18428

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI025214005	Jeffrey S. Bader East Stroudsburg Area School District Business Manager 50 East Vine Street East Stroudsburg, PA 18301	Pike	Lehman Township	UNT to Saw Creek (HQ-CWF, MF)

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701

Tioga County Conservation District: 50 Plaza Lane, Wellsboro, PA 16901, (570) 724-1801, X 3

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI045914002	Clean Earth Inc 208 Colvin Rd Williamsport PA 17701	Tioga	Delmar & Shippen Twps	UNT to Darling Run HQ-CWF UNT to Pine Creek HQ-CWF

Southwest Region: Waterways & Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. (412) 442.4315

<i>Permit No.</i>	<i>Applicant & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Stream Name</i>
PAI050214003	Regional Industrial Development Corporation 210 Sixth Avenue, Suite 3620 Pittsburgh, PA 15222	Allegheny	City of Pittsburgh	Monongahela River (WWF-N)
PAI050214004	CSX Transportation, Inc. 500 Water Street, J275 Jacksonville, FL 32202	Allegheny	McKees Rocks Borough and Stowe Township	Ohio River (WWF-N) and Chartiers Creek (WWF)
PAI055614003	Verizon Wireless 18 Abele Road Bridgeville, PA 15017	Somerset	Southampton Township	UNT to Gladdens Run (HQ-CWF)
PAI056314009	First Pennsylvania Resources, LLC. 380 Southpoint Blvd. Canonsburg, PA 15317	Washington	Cross Creek Township	UNT to Cross Creek (HQ-WWF)

STATE CONSERVATION COMMISSION

PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed

NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Service at (800) 654-5984.

APPLICATIONS

NUTRIENT MANAGEMENT PLAN—PUBLIC NOTICE SPREADSHEET

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/New</i>
Zack Akers 339 Akers Rd. Clearville PA 15535	Bedford	115	146	Ducks Beef	NA	New
Gerald & Mike Long 39 Reeds Creek Road Annville, PA 17003	Lebanon	330.6	490.52	Swine	NA	Renewal
Four Winds Dairy, LLC Rick VanEtten 400 VanEtten Road Ulysses, PA 16948	Potter	2,077.1	1.07	Dairy	Lehman Hollow (HQ) Swartz Hollow (HQ)	Renewal

PUBLIC WATER SUPPLY (PWS) PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act

Southeast Region: Safe Drinking Water Program Manager, 2 East Main Street, Norristown, PA 19401

Permit No. 1514526	Public Water Supply
Applicant	Chester Water Authority
City	Lancaster
Township	New Britain
Responsible Official	Brian MacEvan 415 Welsh Street P. O. Box 467 Chester, PA 19016
Type of Facility	PWS
Consulting Engineer	GHD 1240 North Mountain Road Harrisburg, PA 17112
Application Received Date	September 29, 2014

Description of Action	Construction of new carbon slurry factor and conversion of the existing tools to line slurry tank at the Octoraro Water Treatment Plant.
	<i>Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110</i>
	Permit No. 3814505 , Public Water Supply.
Applicant	Annville-Cleona School District
Municipality	Annville Township
County	Lebanon
Responsible Official	Jason Hill, Director of Building & Grounds 520 South White Oak Street Anville, PA 17003
Type of Facility	Public Water Supply
Consulting Engineer	Harry E. Garman, P.E. Barry Isett & Associates 85 South Route 100 Allentown, PA 18106
Application Received:	9/18/2014
Description of Action	Installation of a multi-media filter, softening system, GAC system and cartridge filter.
	Permit No. 0613519 , Public Water Supply.
Applicant	New Morgan Borough Utilities Authority
Municipality	New Morgan Borough
County	Berks
Responsible Official	Jill Greene, Secretary/Treasurer 75 Grace Boulevard Morgantown, PA 19543
Type of Facility	Public Water Supply
Consulting Engineer	Frederick E. Ebert, P.E. Ebert Engineering, Inc. 4092 Skippack Pike Skippack, PA 19474
Application Received:	12/27/2013
Description of Action	Groundwater sources Well Nos. 1 & 3.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907)

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P. S. §§ 6026.302—6026.305) require the Department to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. A person intending to

use the background standard, Statewide health standard, the site-specific standard or intend to remediate a site as a special industrial area shall file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of cleanup standards or receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the following site, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified as follows. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office listed before the notice. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Southwest Region: Environmental Cleanup & Brownfield Development Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

XTO Energy—Robert George #3 Well Site, Laurel Road, Armstrong Township, **Indiana County**. Groundwater & Environmental Services, Inc., 301 Commerce Park Drive, Cranberry, PA 16066 on behalf of XTO Energy, Inc., 395 Airport Road, Indiana, PA 15701 has submitted a Notice of Intent to Remediate to meet a combination of the residential Statewide Health and Site Specific Standards concerning site soils contaminated with aluminum, antimony, arsenic, barium, beryllium boron, cadmium chromium, cobalt, copper, iron, lead, manganese, mercury, nickel, selenium, silver, thallium, vanadium, zinc and chloride from a release of brine. The NIR indicated future use of the property is to remain a natural gas production well. Notice of the NIR was published in the *Indiana Gazette* on October 30, 2014.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities.

Copies of the application, the Department's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P. S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Barbara Hatch, Facilities Permitting Chief—Telephone: 412-442-5226

30-00110B: Equitrans, LP (EQT Plaza, 625 Liberty Avenue, Suite 1700, Pittsburgh, PA 15222) to revise permit limits for formaldehyde (HCHO) and the related total hazardous air pollutant (HAP) emission limits, and emission limits for filterable and total particulate matter at the non-major Title V facility Pratt Compressor Station in Waynesburg Borough, **Greene County**. This is an initial Plan Approval application submittal.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636

10-079E: BNZ Materials (191 Front Street, Zelienople, PA 16063), for the modification of emission limits associated with Kiln #3 from plan approval 10-079D in Zelienople Borough, **Butler County**. This is a Title V facility.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920

46-0027D: Janssen Research & Development, LLC (1400 McKean Road, Spring House, PA 19477) for the replacement of burners in two (2) existing 15.0 MMBtu/hr boilers (Source ID 036 and Source ID 037) at the pharmaceutical plant located in Lower Gwynedd Township, **Montgomery County**. Janssen is a major source of Nitrogen Oxide (NO_x) and Carbon Monoxide (CO) emissions, currently operating under Title V Operating Permit No. 46-00027. The installation will not trigger New Source Review or Prevention of Severe Deterioration for any criteria pollutant, including Greenhouse Gases. The sources are not subject to Compliance Assurance Monitoring pursuant to 40 CFR Part 64. The plan approval will include monitoring, testing, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4762, Lisa Dorman, New Source Review Permitting Chief—Telephone: 717-705-4863 or William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702

67-05004R: P.H. Glatfelter Co. (228 South Main Street, Spring Grove, PA 17362) for construction of two (2) Babcock & Wilcox (B&W), or equivalent, 405.8 MMBtu per hour each, natural gas fired boilers and installation of a hydrated lime injection system to reduce HCl emissions from Power Boiler No. 5, with associated equipment including, but not limited to, a storage silo and pneumatic conveying system at the P.H. Glatfelter Co.'s Spring Grove facility located in Spring Grove Borough, **York County**. As part of the project, three (3) coal fired power boilers will also be decommissioned. The expected changes in facility emissions as a result of the changes proposed are approximately: +60 tpy carbon monoxide, -1,020 tpy NO_x, -2.7 tpy PM₁₀, -5,694 tpy SO₂ and +11 tpy VOC. The plan approval will include Emission Reduction Credits (ERC) related to the decommissioning of the three (3) coal fired power boilers. The facility is a Title V facility. DEP's review of the information submitted by the applicant indicates that the air contamination sources as constructed or modified will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12, and 40 CFR Part 60, Subpart Db—Standards of Performance for Industrial-Commercial-Institutional Steam Generating Units and 40 CFR, Part 63, Subpart DDDDD—National Emission Standards for Hazardous Air Pollutants for Major Sources: Industrial, Commercial, and Institutional Boilers and Process Heaters, and 25 Pa. Code Chapter 145—Interstate Pollutant Transport Reduction Requirements, NO_x Budget Trading Program. Based on these findings, the Department proposes to issue a plan approval for the proposed construction. If, after the project has been implemented, the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specification of the application for plan approval, the requirements established in the plan approval will be incorporated into an Operating Permit pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636

42-028F: Ardagh Glass—Port Allegany Facility (One Glass Place, Port Allegany, PA 16743), for establishing CO and VOC emission limits for Furnace 1 as a result of plan approval 42-004B in Port Allegany Borough, **McKean County**. This is a Title V facility. The public notice is required for sources required to obtain a Plan Approval in accordance with 25 Pa. Code § 127.44. This plan approval will, in accordance with 25 Pa. Code § 127.450 or § 127.505, be incorporated into the facility operating permit at a later date.

Plan approval No 42-028F is for the proposed VOC and CO emission limits required for Furnace 1 from plan approval 42-028B issued on August 10, 2010. This project will result in emission limits of 3.4 #/hr and 14.8 tpy for VOC and 55.2 #/hr and 242.0 tpy for CO for Furnace 1.

This Plan Approval will contain emission restriction, testing, recordkeeping, work practice standard and additional requirement conditions, which will satisfy the requirements of 25 Pa. Code § 127.12b (pertaining to plan approval terms and conditions) and will demonstrate Best Available Technology (BAT) for the source including, but are not limited to, the following:

- The emissions shall not exceed the following:
 - VOC: 3.4 #/hr
 - VOC: 14.8 tpy based on a rolling 12-month total
 - CO: 55.2 #/hr
 - CO: 242.0 tpy based on a rolling 12-month total
- The permittee shall conduct an annual test for VOC, CO, Total PM, Filterable particulate.
- The permittee shall keep records of 12-month rolling total for NO_x, SO_x, Total PM, VOC, and CO emissions from Furnace No. 1 on site and make available to the Department upon request.
- [40 CFR 52.21(r)(6)(iii)] The owner or operator shall monitor the emissions of any regulated NSR pollutant that could increase as a result of the project and that is emitted by any emissions unit identified in paragraph (r)(6)(i)(b) of this section; and calculate and maintain a record of the annual emissions, in tons per year on a calendar year basis, for a period of 5 years following resumption of regular operations after the change, or for a period of 10 years following resumption of regular operations after the change if the project increases the design capacity or potential to emit that regulated NSR pollutant at such emissions unit.
- [40 CFR 52.21(r)(6)(v)] If the unit is an existing unit other than an electric utility steam generating unit, the owner or operator shall submit a report to the Administrator if the annual emissions, in tons per year, from the project identified in paragraph (r)(6)(i) of this section, exceed the baseline actual emissions (as documented and maintained pursuant to paragraph (r)(6)(i)(c) of this section), by a significant amount (as defined in paragraph (b)(23) of this section) for that regulated NSR pollutant, and if such emissions differ from the preconstruction projection as documented and maintained pursuant to paragraph (r)(6)(i)(c) of this section. Such report shall be submitted to the Administrator within 60 days after the end of such year. The report shall contain the following:
 - The name, address and telephone number of the major stationary source;
 - The annual emissions as calculated pursuant to paragraph (r)(6)(iii) of this section; and
 - Any other information that the owner or operator wishes to include in the report (e.g., an explanation as to why the emissions differ from the preconstruction projection).
- [25 Pa. Code 127.203a(a)(5)(iii)(B)] Projected actual emissions is the maximum annual rate, in TPY, at which an existing emissions unit is projected to emit a regulated NSR pollutant in any one of the 5 years (12-month period) following the date the unit resumes regular operation after the project, or in any one of the 10 years following that date, if the project involves increasing the emissions unit's design capac-

ity or its potential to emit of that regulated NSR pollutant and full utilization of the unit would result in a significant emissions increase or a significant net emissions increase at the major facility. The following procedures apply in determining the projected actual emissions of a regulated NSR pollutant for an emissions unit, before beginning actual construction on the project:

- If the projected actual emissions for a regulated NSR pollutant are in excess of the baseline actual emissions, the following apply:
 - The projected actual emissions for the regulated NSR pollutant must be incorporated into the required plan approval or the operating permit as an emission limit.
 - The owner or operator shall monitor the emissions of the regulated NSR pollutant for which a limit is established in clause (A) and calculate and maintain a record of emissions, in TPY on a calendar year basis, for 5 years following resumption of regular operations after the change, or for 10 years following resumption of regular operations after the change if the project increases the design capacity or potential to emit of that regulated NSR pollutant at the emissions unit.
 - The owner or operator shall record sufficient information to identify for all emission units in the approved project their total actual annual emissions and their actual annual emissions increase due to the project.
 - The owner or operator shall submit a report to the Department, within 60 days after the end of each calendar year, which contains the emissions data required by clauses (B) and (C). This report must also contain a demonstration of how these emissions were determined if the determination was not by direct measurement with a Department-certified CEMS system.
- All conditions from the facility operating permit revised on May 19, 2014, remain in effect unless modified in this plan approval.

In accordance with 25 Pa. Code § 127.44(f)(1), all the pertinent documents regarding this application (applications, review memos, and draft approvals) are also available for review from 8:00 a.m. to 4:00 p.m. at the Meadville Regional DEP office (Air Quality). Appointments for scheduling a review must be made by calling the DEP (814) 332-6340.

In accordance with 25 Pa. Code § 127.44(f)(2), a 30-day comment period, from the date of publication, will exist for the submission of comments. Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to Regional Air Quality Program Manager, Pennsylvania Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335-3494 and must contain the name, address and telephone number of the person submitting the comments, identification of the proposed plan approval [42-028F] and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments

received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Regional Air Quality Program Manager, 230 Chestnut St., Meadville, PA 16335; Phone (814) 332-6940.

In accordance with 25 Pa. Code § 127.45, a person may oppose the proposed plan approval by filing a written protest with the Department's Northwest Region Air Quality Program Manager.

If a plan approval has not undergone the above public notice process, the change to an operating permit must be treated as a significant modification. In these situations the Department should follow the procedures described in §§ 127.421 to 127.431 for state only operating permits or §§ 127.521 to 127.524 for Title V operating permits.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19428

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920

09-00024: Waste Management of Pennsylvania, Inc. (1000 New Ford Mill Rd., Morrisville, PA 19067) for renewal of the Title V Operating Permit for its Tullytown Resource Recovery Facility, a landfill located in Tullytown Borough, **Bucks County**. The renewal includes minor changes in standard conditions in accordance with current Department of Environmental Protection (DEP) guidelines. The listing of insignificant sources at the facility is updated. Concomitant to the renewal, a minor modification to remove a testing condition for NO_x emissions from a flare (Source ID CO₂) at elevated temperature is processed. DEP found no significant change in NO_x emissions at elevated temperature vs standard operating temperatures with review of testing for the flares at the facility since 1998. With the renewal, the applicable requirements of 40 CFR Part 63 Subpart ZZZZ, as amended January 30, 2013, for an emergency generator (Source ID 115) are incorporated. The renewal does not authorize any increase in air emissions of regulated pollutants above previously approved levels. The renewal contains all applicable requirements including monitoring, recordkeeping and reporting.

Intent to Issue Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507

35-00010: MACtac, Inc./Scranton (802 Corey Street, Scranton, PA 18505-3595) for coated and laminated manufacturing in Moosic Borough, **Lackawanna County**. The primary sources consist of three (3) boilers and Coater lines. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), particulate matter (PM₁₀), and

volatile organic compounds (VOC) emissions. This is a State-Only Synthetic Minor Operating Permit. The State-Only operating permit includes emissions, work practice standards and testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4762, Lisa Dorman, New Source Review Permitting Chief—Telephone: 717-705-4863 or William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702

36-03094: Snavely's Mill, Inc. (333 Snavely Mill Road, Lititz, PA 17543-9624) to issue a State Only Operating Permit for their flour mill in Warwick Township, **Lancaster County**. The primary emissions from the facility are particulate matter (PM) (i.e., approximately 3 tons per year (tpy) actual emissions and 7 tpy potential emissions). Included in the permit will be conditions referencing emission limits and work practice standards, monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

57-00004: Central New York Oil & Gas Company, LLC (800 Robinson Road, Owego, NY 13827-6801) to issue a state only operating permit for their M1-S Compressor Station located in Davidson Township, **Sullivan County**. The facility is currently operating under Plan Approval 57-00004A. The facility's sources include twenty-two (22) 0.072 million Btu per hour, natural gas-fired infrared heaters, an 8,180 horsepower, 4SLB, natural gas-fired compressor engine equipped with an oxidation catalyst, a 6,135 horsepower, 4SLB, natural gas-fired compressor engine equipped with an oxidation catalyst, a 770 kilowatt, natural gas-fired emergency generator, three (3) storage tanks and a remote reservoir parts washer.

The facility has potential emissions of 70.94 tons per year of nitrogen oxides, 35.56 tons per year of carbon monoxide, 22.10 tons per year of volatile organic compounds, 4.23 tons per year of particulate matter, 0.29 ton per year of sulfur oxides, 8.79 tons per year of hazardous air pollutants and 73,434 tons per year of carbon dioxide equivalent emissions (greenhouse gases). No emission or equipment changes are being proposed by this action.

The emission limits, throughput limitations and work practice standards along with testing, monitoring, record keeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 25 Pa. Code Chapters 121—145.

All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Barbara Hatch, Facilities Permitting Chief—Telephone: 412-442-5226

30-00040: Cumberland Coal Resources, LP (158 Portal Road, Waynesburg, PA 15370), for a renewed facility-wide Natural Minor Operating Permit for the operation of a coal preparation plant, known as the Cumberland Coal Preparation Plant, located in Whitley Township, **Greene County**. The facility contains air contamination sources consisting of coal stockpiles, conveyers, breakers, screens, gravimetric and froth flotation separation equipment, loadout, and roadways. Air pollution prevention equipment at the facility includes enclosures, a water truck, and tarping of truck loads. Processed coal throughput is a maximum of 15,800,000 tons per year. Facility emissions are 64.4 tons of PM, 41.8 tons of VOC, 11.8 tons of NO_x, and 2.6 tons of CO per year. The facility is limited to a maximum opacity from any processing equipment of 20 percent. The facility is subject to 40 CFR 60, Subpart Y, 40 CFR 63, Subpart IIII, and 25 Pa. Code Chapters 121—145. The permit includes emission limitations, and operational, monitoring, testing, reporting and recordkeeping requirements for the facility.

11-00423A: Johnstown Wire Technologies, Inc. (124 Laurel Avenue Johnstown, PA 15906) In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) gives notice that they intend to issue a State Only Operating Permit (SOOP) renewal to Johnstown Wire Technologies, Inc. (JWT) to authorize the continued operation of their Steel Wire Processing Plant located in Johnstown Township, **Cambria County**.

JWT performs various rod and wire finishing and heat treating operations which includes acid cleaning, wire drawing, annealing, electroplating, and aluminum coating. Primary processing includes wire drawing and stacking. The facility consists of various natural gas fired heat treat furnaces, automatic wire cleaning house, boiler house, aluminizing line, zinc electroplating, coating lines, and new cleaning house. There are couple scrubbers to control emissions. The facility wide estimated emissions are 17.99 tons per year of NO_x, 15.1 tons per year of CO, 1 ton per year of VOC, and 2.04 tons of HAPs. The emission restriction, testing, monitoring, recordkeeping, reporting and work practice conditions of the proposed permit have been derived from the applicable requirements of 25 Pa. Code Chapters 121—145 (and Federal rules if applicable).

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6131

16-00002: RFI Energy, Inc. (PO Box 162, 1513 Shannon Tipple Road, Sligo, PA 16255-0162) for renewal of the Natural Minor Operating Permit for their Shannon coal preparation facility in Toby and Piney Townships, **Clarion County**. The primary sources at the facility include raw coal unloading, primary crusher (dry process), secondary crusher (wet process), conveying system, coal piles, truck loading, on-site truck traffic, gasoline storage tank, and a Grayson crush & screen unit. The facility must comply with 40 CFR 60 Subpart Y—Standards of Performance for Coal Preparation Plants. The gasoline storage tank is subject to the work practice requirements in 40 CFR 63 Subpart CCCCC Section 63.11116 pertaining to minimizing vapors from tanks less

than 10,000 gallons capacity. The 2013 actual emissions from the facility were: PM₁₀—13.63 TPY and VOC —0.09 TPY. The permit contains the requirements of the previous plan approval 16-002A.

42-00172: Momentive Specialty Chemicals, Inc. (P. O. Box 7227, Mount Jewett, PA 16740) for the reissuance of a Natural Minor Operating Permit to produce urea-formaldehyde resins in Sergeant Township, **McKean County**. The facility's primary emission sources include storage tanks and a resin kettle. The potential emissions from this facility are as follows. Formaldehyde: 8.56 tons per year (TPY), Methanol: 0.29 TPY, Dimethyl Ether: 0.12 TPY, Total HAPs: 8.85 TPY, Total VOCs: 9.42 TPY, CO: 3.0 TPY, NO_x: 11.5 TPY, PM_{2.5}: 1.2 TPY, and SO_x: .05 TPY.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.20a). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department. A copy of the application is available for inspection at the district mining office indicated before each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application and request for Section 401 water quality certification application may be submitted by any person or any officer or head of any Federal, state or local government agency or authority to the Department at the address of the district mining office indicated before each application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Written comments or objections regarding a mining permit application should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

A request for an informal conference or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 or § 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

When an NPDES number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Received

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

Permit No. 32940105 and NPDES No. PA0212806. CONSOL Mining Co., LLC, 1000 Consol Energy Drive, Canonsburg, PA 15317, permit renewal for the continued operation and restoration of a bituminous surface and auger mine in Center Township, **Indiana County**, affecting 180.0 acres. Receiving stream: unnamed tributary to Yellow Creek classified for the following use: cold water fishery. The first downstream potable water supply intake from the point of discharge is Edison Mission Energy Homer City Generating Station, PWS ID No. 5320802. Application received: October 31, 2014.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200

17080117 and NPDES PA0257010. Frantz Brothers Resources, LLC (24 Wilgus Road, P. O. Box 145, Hillsdale, PA 15746). Permit renewal to continue operation and restoration of a bituminous surface mine located in Burnside Township, **Clearfield County** affecting 148.0 acres. Receiving stream(s): Rock Run and West Branch Susquehanna River classified for the following use(s): CWF and WWF, respectively. There are no potable water supply intakes within 10 miles downstream. Application received: October 28, 2014.

17090101 and NPDES PA0257044. Fair Coal Company, LLC (360 Peaceful Endings Lane, Irvona, PA 16656). Permit renewal to continue operation and restoration of a bituminous surface mine located in Beccaria Township and Glen Hope Borough, **Clearfield County** affecting 143.8 acres. Receiving stream(s): Unnamed Tributary to Clearfield Creek classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received on November 4, 2014.

Noncoal Applications Received

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

Permit No. 58930809. Albert H. Stickney, (2028 Briggs Road, Mt. Laurel, NJ 08054), Stage I & II bond release of a quarry operation in Choconut Township, **Susquehanna County** affecting 2.0 acres on property owned by Doris Stickney. Application received: October 23, 2014.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or

Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	
Alkalinity greater than acidity*			

* The parameter is applicable at all times.

In addition, the Department imposes a technology-based aluminum limit of 2.0 mg/l (30 day average) to protect stream uses.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The BAT limits for noncoal mining activities as provided in 40 CFR Part 436 and 25 Pa. Code Chapter 77 are as follows:

<i>Parameter</i>	<i>30-day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	35 mg/l	70 mg/l	90 mg/l
Alkalinity exceeding acidity*		greater than 6.0; less than 9.0	
pH*			

* The parameter is applicable at all times.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 362-0600-001, NPDES Program Implementation-Memorandum of Understanding (MOU) Concerning Water Quality Management, NPDES Program Implementation, and Related Matters. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30 days of this public notice and contain the name, address, telephone number and the interest of the party filing the request, and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania*

Bulletin and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

NPDES No. PA0269344 (Mining Permit No. 32130106), Amerikohl Mining, Inc., 202 Sunset Drive, Butler, PA 16001, new NPDES permit for surface mining activities in Montgomery Township, **Indiana County**, affecting 61.9 acres. Receiving streams: Kilns Run and unnamed tributaries to Cush Cushion Creek, classified for the following uses: cold water fishes and high quality-cold water fishes. Discharges from the proposed mine site are not permitted to enter the unnamed tributaries to Cush Cushion Creek. These receiving streams are included in the West Branch Susquehanna River TMDL. Application received: January 21, 2014.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The treated wastewater outfall listed below discharges to Kilns Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
001 (TP-1)	Y

The proposed effluent limits for the above listed outfalls are as follows:

<i>Outfalls: 001 Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	1.5	3.0	3.7
Manganese (mg/l)	1.0	2.0	2.5
Aluminum (mg/l)	0.75	1.5	1.8
Total Suspended Solids (mg/l)	35.0	70.0	90.0
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times			
Alkalinity must exceed acidity at all times			

The stormwater outfalls listed below discharge to Kilns Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
002 (SP-1)	Y
003 (ST-1)	Y

The proposed effluent limits for the above listed outfalls are as follows:

<i>Outfalls: 002 and 003 Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	1.5	3.0	3.7
Manganese (mg/l)	1.0	2.0	1.8
Aluminum (mg/l)	2.0	4.0	5.0
Total Suspended Solids (mg/l)	35.0	70.0	90.0
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times			
Alkalinity must exceed acidity at all times			

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before an application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on working days at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications Received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ed Muzic, Section Chief, 717.705.4802.

F22-608: Hummelstown Borough, 136 South Hanover Street, Hummelstown, PA 17036 in Hummelstown Borough, **Dauphin County**, U.S. Army Corps of Engineers, Baltimore District.

To remove structures from the floodplain at the locations listed. The projects propose to temporarily affect approximately 0.45 acre of floodplains. The issuance of this permit will not constitute approval of Water Quality Certification under Section 401 of the Federal Clean Water Act (33 U.S.C.A. § 1341).

	<i>Address</i>	<i>Waterway</i>	<i>Chapter 93 Designation</i>	<i>USGS Quadrangle</i>	<i>Latitude</i>	<i>Longitude</i>
1	36 Village Rd. Hummelstown, PA 17036	Swatara Creek	WWF	Hershey, PA	40.2624	-76.724
2	38 Village Rd. Hummelstown, PA 17036	Swatara Creek	WWF	Hershey, PA	40.2623	-76.724

F22-607: Middletown Borough, 60 West Emaus Street, Middletown, PA 17057 in Middletown Borough, **Dauphin County**, U.S. Army Corps of Engineers, Baltimore District.

To remove structures from the floodplain at the locations listed. The projects propose to temporarily affect approximately 0.74 acre of floodplains. The issuance of this permit will not constitute approval of Water Quality Certification under Section 401 of the Federal Clean Water Act (33 U.S.C.A. § 1341).

	<i>Address</i>	<i>Waterway</i>	<i>Chapter 93 Designation</i>	<i>USGS Quadrangle</i>	<i>Latitude</i>	<i>Longitude</i>
1	810 Hoffer St. Middletown, PA 17057	Swatara Creek	WWF	Middletown, PA	40.205	-76.7184
2	750 Few Ave. Middletown, PA 17057	Swatara Creek	WWF	Middletown, PA	40.204	-76.7176
3	725 Few Ave. Middletown, PA 17057	Swatara Creek	WWF	Middletown, PA	40.204	-76.718

Southwest Region: Waterways & Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

E04-250-A1. Horsehead Corporation, 300 Frankford Road, Monaca, PA 15061; Potter and Center Townships, **Beaver County**; ACOE Pittsburgh District.

The applicant is proposing the following:

1. remove several, existing culverts and pipes from Poorhouse Run (WWF) and Rag Run (WWF);
2. remove two (2) existing barge unloading structures (existing foundations will remain in place), five (5) dolphins and one (1) ice breaker from in or along the Ohio River (WWF, N);
3. to operate and maintain six (6) existing mooring dolphins, a raw water intake structure and building, and six (6) existing outfall structures within the Ohio River and/or its floodway;
4. to construct and maintain a stream enclosure in approximately 2,820 lf of Poorhouse Run;
5. to construct and maintain a stream enclosure in approximately 1,618 lf of Rag Run;
6. to construct and maintain an approximately 71,000 ft² dock (aka East RORO dock) in and along the Ohio River; approximately 33,100 ft² of the Ohio River will be dredged to construct this dock;
7. to construct and maintain an approximately 22,700 ft² dock (aka West LOLO dock) in and along the Ohio River; approximately 5,400 ft² of the Ohio River will be dredged to construct this dock
8. to construct and maintain twenty-four (24) mooring dolphins in the Ohio River, and six (6) tie-back dolphins;
9. to construct and maintain geo-grid structures and to plant vegetation, to stabilize shoreline areas, at select areas, along the Ohio River;
10. to place and maintain fill in, or encroach upon, multiple watercourses, and to place and maintain fill in, or encroach upon, forty-nine (49) wetland areas (0.08 acre—PFO; 0.59 acre—PSS and 3.66 acres—PEM); for the purpose of preparing approximately 375 acres for the potential construction of an ethane cracker and associated derivative plants, and to relocate a portion of SR 18, in an approximately 665 acre project area, of which approximately 543 acres will be disturbed. The project will cumulatively impact approximately 14,766 lf of forty-nine (49) watercourses and 4.33 acres of wetland. The project will also impact approximately 1.95 acre of the Ohio River from maintenance dredging, and will temporarily impact approximately 1,733 ft² of regulated waters of the Commonwealth. The project is located at 300 Frankford Road, Monaca, PA 15061 (USGS Quadrangle: Beaver, PA; Latitude: 40° 40' 20"; Longitude: -80° 20' 20"), in Potter and Center Townships, Beaver County. To mitigate for these impacts, approximately 18,001 lf of watercourses within the watersheds of three (3) unnamed tributaries to the South Fork of Cross Creek (HQ-WWF) will be restored or

enhanced, and approximately 5.93 acres of wetland will be re-established or restored, at off-site locations, which are located near 905 Avella Road, Avella PA 15312 (USGS Quadrangle: Avella, PA Latitude: 40° 16' 19.47" and Longitude: -80° 25' 40.04"; Latitude: 40° 16' 25.63" and Longitude: -80° 25' 21.81"; Latitude: 40° 16' 29.73" and Longitude: -80° 24' 58.19"), in Cross Creek Township, Washington County.

Northwest Region: Oil and Gas Management Program Manager, 230 Chestnut Street, Meadville, PA 16335

E42-08-014, NFG Midstream Clermont, LLC, 6363 Main Street, Williamsville, NY 14221-5855. Clermont Phase 2 North Central Pipeline in Norwich & Sergeant Townships, **McKean County**, Army Corps of Engineers Pittsburgh District (Crosby, Wildwood Fire Tower, PA Quadrangle 41.62940556N; -78.42878333W.)

The applicant proposes to construct and maintain approximately 6.4 miles of either one (1) or two (2), eight (8) inch natural gas gathering pipelines located in Norwich and Sergeant Townships, McKean County. The proposed pipelines will connect existing and proposed Well Pads. The water obstructions and encroachments are described below:

To construct and maintain:

<i>Impact No.</i>	<i>Description of Impact</i>	<i>Latitude / Longitude</i>
1	One (1) 8" natural gas pipeline with associated right-of-way and a temporary road crossing to cross Murdock Branch (CWF) having 50 linear feet of temporary stream impact.	41.637065N -78.392026W
2	Two (2) 8" diameter natural gas pipelines with associated right-of-way and a temporary road crossing to cross UNT South Fork West Branch Potato Creek (HQ-CWF) having 90 linear feet of temporary stream impact.	41.634621N -78.439393W
3	Two (2) 8" diameter natural gas pipelines with associated right-of-way and a temporary road crossing to cross South Fork West Branch Potato Creek (HQ-CWF) having 68 linear feet of temporary stream impact.	41.634797N -78.439889W
4	Two (2) 8" diameter natural gas pipelines with associated right-of-way and a temporary road crossing to cross an UNT South Fork West Branch Potato Creek (HQ-CWF) having 65 linear feet of temporary stream impact.	41.641485N -78.447962W
5	One (1) 8" diameter natural gas pipeline with associated right-of-way and a temporary road crossing to cross a palustrine emergent (PSS) wetland having 1,352 square feet of permanent wetland impact.	41.649474N -78.443154W
6	One (1) 8" diameter natural gas pipeline with associated right-of-way and a temporary road crossing to cross a palustrine emergent (PEM) wetland having 629 square feet of temporary wetland impact.	41.64904N -78.443105W
7	One (1) 8" diameter natural gas pipeline with associated right-of-way and a temporary road crossing to cross West Fork West Branch Potato Creek (HQ-CWF) having 62 linear feet of temporary stream impact and associated palustrine emergent (PEM) wetland having 86 square feet of temporary wetland impact.	41.64884N -78.44323W

The project will result in a total of 335 linear feet of temporary stream impacts and 0.03 acre of permanent wetland impacts due to conversions from Scrub Shrub (PSS) to Emergent (PEM) within a maintained Right of Way. There will also be 0.02 acre of temporary impacts to emergent wetlands.

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.101) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed #)	EPA Waived Y/N ?
PA0102610 (Sewage)	Villa Vista Estates 159 Terra Drive Valencia, PA 16059-2637	Butler County Middlesex Township	Unnamed Tributary to Glade Run (20-C)	Y
PA0101087 (Sewage)	Twilight MHP Route 551 Edinburg, PA 16116	Lawrence County Mahoning Township	Unnamed Tributary of Shenango River (20-A)	Y
PA0101931 (Sewage)	Marienville STP Loleta Road Marienville, PA 16239	Forest County Jenks Township	West Branch Millstone Creek (17-B)	Y

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Actions

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

PA0006343, Industrial Waste, SIC Code 3312, **AK Steel Corp**, 9227 Centre Point Drive, West Chester, OH 45069.

Facility Name: AK Steel Main Facility.

This existing facility is located in the City of Butler & Butler Township, **Butler County**.

Description of Existing Activity: Renewal of an NPDES permit for an existing discharge of treated industrial waste, non-contact cooling water, miscellaneous wastewaters and stormwater.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

WQM Permit No. WQG01421401, Sewage, **Steven Avery**, 42 Trudy Drive, Sykesville, MD 21784.

This proposed facility is located in Eldred Township, **McKean County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant to replace a malfunctioning on-lot system.

WQM Permit No. WQG01251410, Sewage, **Matthew W. Kuffer**, 6741 Route 6 N, Edinboro, PA 16412.

This proposed facility is located in Washington Township, **Erie County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant to replace a malfunctioning on-lot system.

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges From Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges From Small Flow Treatment Facilities
PAG-5	General Permit for Discharges From Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges From Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
PAG-14	(To Be Announced)
PAG-15	General Permit for Discharges From the Application of Pesticides

General Permit Type—PAG-02

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915

Facility Location:

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
City of Allentown Lehigh County	PAG02003914012	Tamara Dolan Allentown Parking Authority 110 N. 6th Street Allentown, PA 18101	Jordan Creek (TSF, MF)	Lehigh County Conservation District 610-391-9583

Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Crawford, Section Chief, 717.705.4802

Facility Location:

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Franklin Township York County	PAG02006714041	Cellco Partnership d/b/a Verizon Wireless 4642 Jonestown Road Suite 200 Harrisburg, PA 17019	North Branch Bermudian Creek/WWF, MF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717.840.7430
West Manheim Township York County	PAG02006714035	Stone Ridge Development Corporation 330 Dubs Church Road Hanover, PA 17331	West Branch Codus Creek/WWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717.840.7430
Dover Township York County	PAG02006714031	Thornton Investments, LLC 180 South Main Street Manchester, PA 17345	UNT to Fox Run/TSF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717.840.7430

*Facility Location:
Municipality &
County**Permit No.**Applicant Name &
Address**Receiving
Water / Use**Contact Office &
Phone No.*

Conewago Township York County	PAG02006705063R	Canal Road Associates, LLC 474 Mt. Sidney Road Lancaster, PA 17602	Locust Run/TSF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717.840.7430
Peach Bottom Township York County	PAG02006704030R	Bob Ward Companies 2700 Philadelphia Road Edgewood, MD 20040	Scott Creek/CWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717.840.7430

*General Permit Type-PAG-03**Facility Location
Municipality &
County**Permit No.**Applicant Name &
Address**Receiving
Water / Use**Contact Office &
Phone No.*

Emporium Borough Cameron County (Industrial Stormwater)	PAR204811	Pro America Manufacturing Corp. P.O. Box 391 Emporium, PA 15834	Driftwood Branch— Sinnemahoning Creek-8-A	DEP Northcentral Regional Office Clean Water Program 208 W. Third Street Suite 101, Williamsport, PA 17701-6448 570.327.0530
Berwick Borough Columbia County	PAR214808	Central Builders Supply Co. PO Box 152 Sunbury, PA 17801	Susquehanna River—5-D	DEP Northcentral Regional Office Clean Water Program 208 W Third Street Suite 101, Williamsport, PA 17701-6448 570.327.0530
Point Township Northumberland County	PAR214810	Central Builders Supply Co. PO Box 152, Island Park Sunbury, PA 17801	Susquehanna River—5-E	DEP Northcentral Regional Office Clean Water Program 208 W Third Street Suite 101, Williamsport, PA 17701-6448 570.327.0530
Lewisburg Borough Union County	PAR214811	Central Builders Supply Co. PO Box 152 Island Park Sunbury, PA 17801	Limestone Run—10-C	DEP Northcentral Regional Office Clean Water Program 208 W Third Street Suite 101, Williamsport, PA 17701-6448 570.327.0530
Penn Township Snyder County	PAR214823	Central Builders Supply Co. PO Box 152, Island Park Sunbury, PA 17801	Unnamed Tributary to Middle Creek—6-A	DEP Northcentral Regional Office Clean Water Program 208 W Third Street Suite 101, Williamsport, PA 17701-6448 570.327.0530
Delaware Township Northumberland County	PAR214809	Central Builders Supply Co. PO Box 152, Island Park Sunbury, PA 17801	Unnamed Tributary to Muddy Run—10-D	DEP Northcentral Regional Office Clean Water Program 208 W Third Street Suite 101, Williamsport, PA 17701-6448 570.327.0530

NOTICES

7467

<i>Facility Location Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Upper Augusta Township Northumberland County	PAR214812	Central Builders Supply Co. PO Box 152, Island Park Sunbury, PA 17801	Susquehanna River—5-E	DEP Northcentral Regional Office Clean Water Program 208 W Third Street Suite 101, Williamsport, PA 17701-6448 570.327.0530
Coal Township Northumberland County	PAR214807	Central Builders Supply Co. PO Box 152 Island Park Sunbury, PA 17801	Shamokin Creek—6-B	DEP Northcentral Regional Office Clean Water Program 208 W Third Street Suite 101, Williamsport, PA 17701-6448 570.327.0530
Sheshequin Township Bradford County	PAG034815	Bishop Brothers Construction Company, Inc. PO Box 289 Ulster, PA 18850-0289	Susquehanna River—4-B	DEP Northcentral Regional Office Clean Water Program 208 W Third Street Suite 101, Williamsport, PA 17701-6448 570.327.0530
Mount Carmel Township, Northumberland County	PAR234811	Pactiv Packaging, Inc. 1900 West Field Court Lake Forest, IL 60075	Locust Creek—6-B	DEP Northcentral Regional Office Clean Water Program 208 W Third Street Suite 101, Williamsport, PA 17701-6448 570.327.0530
Millcreek Township Erie County	PAR608306	Lincoln Recycling, Inc. 1602 Selinger Road, Millcreek, PA 16505	West Branch Cascade Creek—15	DEP NWRO Clean Water Program 230 Chestnut Street Meadville, PA 16335-3481 814/332-6942
Shippenville Borough Clarion County	PAG038309	Advanced Drainage Systems, Inc. P.O. Box 10 22793 Route 66 Shippenville, PA 16254	Unnamed Tributary to the Paint Creek—17-B	DEP NWRO Clean Water Program 230 Chestnut Street Meadville, PA 16335-3481 814/332-6942
Ridgway Township Elk County	PAR208352	ARC Metals Corporation 224 River Road P.O. Box 372 Ridgway, PA 15853	Clarion River—17-A	DEP NWRO Clean Water Program 230 Chestnut Street Meadville, PA 16335-3481 814/332-6942

General Permit Type—PAG-4

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Pine Grove Township Warren County	PAG048492	David W. & Marcia J. Johnson 780 Swede Hill Road, Russell, PA 16345	Unnamed Tributary to the Johnny Run—16-B	DEP NWRO Clean Water Program 230 Chestnut Street Meadville, PA 16335-3481 814/332-6942

*Facility Location:
Municipality &
County*

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Eldred Township McKean County	PAG041173	Steven Avery 42 Trudy Drive Sykesville, MD 21784	North Branch Indian Creek—16-C	DEP NWRO Clean Water Program 230 Chestnut Street Meadville, PA 16335-3481 814/332-6942
Washington Township Erie County	PAG041175	Matthew W. Kuffer 6741 Route 6 N Edinboro, PA 16412	Unnamed Tributary to the Cussewago Creek—16-D	DEP NWRO Clean Water Program 230 Chestnut Street Meadville, PA 16335-3481 814/332-6942

*General Permit Type—PAG-10**Facility Location:
Municipality &
County*

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No. Pine</i>
Statewide	PAG109621	Mathew L Gordon Sunoco Pipeline LP 535 Fritztown Rd. Sinking Springs, PA 16908	Statewide	Division of Planning and Permits Bureau of Point and Non-Point Source Management 400 Market Street, RCSOB Harrisburg, PA 17101-8774 717.787.8184

STATE CONSERVATION COMMISSION**NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs**

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

**NUTRIENT MANAGEMENT PLAN
PUBLIC NOTICE SPREADSHEET—ACTIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Snider Swine Operation Tyler Snider 22357 Mountain Foot Road Neelyton, PA 17239	Huntingdon	82.5 acres owned for manure application	466.23 AEU's 5.65 AEU's/ac	Swine Beef	Not Applicable	Approved

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Chickies Creek Farm, LLC Dustin Ginder 2537 Risser Mill Road Mount Joy, PA 17552	Lancaster	91.2	1190.16	Layers	NA	Approved
Graywood Farms, LLC Byron Graybeal 225 Mason Dixon Road Peach Bottom, PA 17563	Lancaster	854.2	1643.82	Dairy	HQ	Approved
Joel Rutt 1178 White Oak Road Manheim, PA 17545	Lancaster	194	410.44	Swine / Broiler / Beef	NA	Approved
David Sweigart III 189 Ridge View Road Elizabethtown, PA 17022	Lancaster	465.2	1015.25	Dairy / Swine	NA	Approved
Steven R. Hershey 2024 Donegal Springs Road Mount Joy, PA 17552	Lancaster	192.6	524.13	Pullet / Steer / Swine	HQ	Approved
Mark Rohrer 505A Paradise Lane Strasburg, PA 17562	Lancaster	34	109.26	Broiler	NA	Approved
Melvin Bricker 8310 Ft. McCord Road Chambersburg, PA 17202	Franklin	5.9	447.89	Turkey	NA	Approved

CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Garrett & Darren Moyer 1200 Red Bank Road Middleburg, PA 17842	Snyder	145.4	780.8	Swine & Dairy	NA	Approved 11-5-2014

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act

Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401

Permit No.1514523, Minor Amendment. Public Water Supply.

Applicant	Londonderry Court MHP P.O. Drawer S North East, MD 21901
Township	Londonderry
County	Chester
Type of Facility	PWS
Consulting Engineer	Keystone Engineering Group 590 E. Lancaster Avenue Frazer, PA 19355
Permit to Construct Issued	November 5, 2014

Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915

Permit No. 2400079, Operations Permit Public Water Supply.

Applicant **Aqua Pennsylvania, Inc.**
1 Aqua Way
White Haven, PA 18661

[Borough or Township] Penn Lake Park Borough

County **Luzerne**

Type of Facility PWS

Consulting Engineer Jonathan Morris, PE
GHD
326 E. 2nd St.
Bloomsburg, PA 17815

Permit to Operate Issued 10/29/2014

Permit No. 3130004, Operations Permit Public Water Supply.

Applicant **Landsford Coaldale Joint Water Authority**
1 East Ridge St.
Lansford, PA 18232

[Borough or Township] Nesquehoning Borough

County **Carbon**

Type of Facility PWS

Consulting Engineer Mr. Keith R. Showalter, PE
SDE
1032 James Dr.
Leesport, PA 19533

Permit to Operate Issued 10/30/2014

Permit No. 4813513MA-2, Public Water Supply.

Applicant **Bethlehem Authority**
10 East Church Street
Bethlehem, PA 18018-6028

[Borough or Township] East Allen Township

County **Northampton**

Type of Facility PWS

Consulting Engineer J. Bradley Youst, P.E.
Hanover Engineering Associates,
Inc.
5920 Hamilton Blvd., Suite 108
Allentown, PA 18106-8942

Permit to Construct Issued November 18, 2014

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110

Permit No. 2214503, Public Water Supply.

Applicant **Royalton Borough Authority**

Municipality Royalton Borough

County **Dauphin**

Responsible Official John Hulsberg, Authority
Chairman
110 Northumberland Street
Royalton, PA 17057

Type of Facility Installation of individual residential water booster pumps for fifteen customers in the Upper Ward of Royalton Borough.

Consulting Engineer Joshua T. Fox, P.E.
Herbert, Rowland & Grubic, Inc.
369 East Park Drive
Harrisburg, PA 17111

Permit to Construct Issued 11/7/2014

Permit No. 3414502 MA, Minor Amendment, Public Water Supply.

Applicant **Port Royal Municipal Authority**

Municipality Turbett Township

County **Juniata**

Responsible Official John B. Henderson,
Vice-Chairman
804 Eighth Street
PO Box 236
Port Royal, PA 17082

Type of Facility This permit is for the installation of pitless adapters on seven of the existing groundwater wells used as sources of supply for the Port Royal Municipal Authority.

Consulting Engineer Karl Shellenberger, P.E.
Buchart Horn, Inc.
1975 Waddle Road
State College, PA 16803

Permit to Construct Issued 11/3/2014

Permit No. 3614515 MA, Minor Amendment, Public Water Supply.

Applicant **Columbia Water Company**

Municipality Lancaster

County **Lancaster**

Responsible Official David T. Lewis, General
Manager
220 Locust Street
Columbia, PA 17512

Type of Facility New bulk water loading station at the Walnut Street Treatment Plant.

Consulting Engineer David T. Lewis, P.E.
Columbia Water Company
220 Locust Street
Columbia, PA 17512

Permit to Construct Issued 11/7/2014

Comprehensive Operation Permit No. 3613514 issued to: **Tamarack & Spread Eagle MHP (PWS ID No. 7360109)**, Providence Township, **Lancaster County** on 11/3/2014 for the operation of facilities approved under Construction Permit No. 7360109.

Operation Permit No. 3066215 issued to: **Great Oaks Spring Water Company (PWS ID No. 3066215)**, Fleetwood Borough, **Berks County** on 10/29/2014 for facilities submitted under Application No. 3066215.

Comprehensive Operation Permit No. 4310331 issued to: **Stone Valley Community Charter School (PWS ID No. 4310331)**, Jackson Township, **Huntingdon County** on 11/12/2014 for the operation of facilities approved under Construction Permit No. 3114501.

SEWAGE FACILITIES ACT PLAN DISAPPROVAL

Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act (35 P. S. § 750.5)

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. 717-705-4707.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Fawn Grove Borough	PO Box 131, Fawn Grove, PA 17321	York

Plan Description: The Act 537 Plan (DEP CODE NO. A2-67920-ACT) chosen alternative to meet the long term wastewater disposal needs of the residents of Fawn Grove Borough by the continued use of on-lot sewage disposal systems within the Borough is disapproved. The chosen alternative does not adequately address the long term sewage disposal needs of the Borough as required by Chapter 71, Section 71.21(a)(6). The Borough failed to designate the portion of Fawn Grove Borough that would have the greatest need as a future (10 year) public sewer service area.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
McVeytown Borough	PO Box 321, McVeytown, PA 17051	Mifflin

Plan Description: The planning module for Spring Run Church, DEP Code No. A3-44910-003-3, APS Id 856832, consisting of one single family residential lot using sewer service provided by McVeytown Borough Authority, is disapproved. The proposed development is located on the west side of Dull Street. This plan is disapproved because Component 3, Section J—Chapter 94 Consistency Determination was not completed.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P. S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors,

a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

Gulf Oil Limited Partnership Altoona Terminal, 6033 6th Avenue, Altoona, PA 16602, Allegheny Township, **Blair County**. Groundwater & Environmental Services, Inc., 440 Creamery Way, Suite 500, Exton, PA 19341, on behalf of Cumberland Gulf Group of Companies, 100 Crossing Boulevard, Framingham, MA 01702-5401 and Gulf Oil Limited Partnership, 6033 6th Avenue, Altoona, PA 16602, submitted a Remedial Investigation Report and Final Report concerning remediation of site soils and groundwater contaminated with petroleum hydrocarbons. The report is intended to document remediation of the site to meet a combination of Nonresidential Statewide Health and Site Specific Standards.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of

sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Eric Supey, Environmental Cleanup and Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Former Union Metal Site, 830 Crowe Road, Stroud Township, **Monroe County**, Dana J Wagner, Liesch Associates Inc., 13400 15th North, Minneapolis, MN 55441, has submitted a Final Report on behalf of his client, Northwoods Commercial Properties Inc., 230 Corporate Drive, Beaver Dam, WI 53916, concerning the background determination of groundwater found to have been impacted by VOCs (TCE-PCE). The applicant proposes to remediate the site to meet the Background Standard for groundwater. The current and future use of the property is non-residential-commercial/light industrial. The report was approved on November 10, 2014.

Southwest Region: Environmental Cleanup & Brownfield Development Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Norfolk Southern Derailment, Norfolk Southern Mile Post 12.9 (between Ferry St. & Hazel Ln. & south of Chadwick St.), Sewickley Borough, **Allegheny County**, WSP, 750 Holiday Drive, Suite 400, Pittsburgh, PA 15220 on behalf of Norfolk Southern, Corporation, 1200 Peachtree St., NE Box 13, Atlanta GA 30309 submitted a Final Report concerning the remediation of site soils contaminated with diesel fuel. The Final Report demonstrated attainment of the non-residential Statewide Health standard for soils and was approved by the department on November 11, 2014.

Southeast Regional Office: Regional Manager, Environmental Cleanup and Brownfields, 2 East Main Street, Norristown, PA 19401, Telephone 484.250.5960. Charline Bass 484-250-5787

Heebner Park, 1721 Valley Forge Road, Worcester Township, **Montgomery County**. Jeremy W. Bolyn, Environmental Maintenance, 1420 East Mermaid Lane, Glenside, PA 19038 on behalf of Eustice Kriebel, 1721 Valley Forge Road, Worcester, PA 194920 has submitted a 90 day Final Report concerning the remediation of site soil contaminated with no. 2 fuel oil. The Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on September 8, 2014. PF778920

Crozer Pub, 350 West 15th Street, City of Chester, **Chester County**. Kenneth Rebechi, Crozer-Chester Medical Center, One Medical Center, Upland, PA 19013-3995 on behalf of Bill Kunsch, J&J Environmental, Inc., P. O Box 370, Blue Bell, PA 19422, Richard Sacks, P.G., IES Engineers, Inc., 1730n Walton Road, Blue Bell, PA 19422 has submitted a Final Report concerning the remediation of site soil contaminated with no. 2 fuel oil. The Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on September 18, 2014. PF760594

Lonza Inc., 900 River Road, Upper Merion Township, **Montgomery County**. Michael Gonshor, P.G., Roux Associates, Inc., 1222 Forest Parkway, Suite 190, West Deptford, NJ 08066, Paul Sieracki, Lonza Inc., 90 Boroline Road, Allendale, NJ 07401 on behalf of Peter McGinnis, Johnson Matthey, 900 River Road, Conshohocken, PA 19428 has submitted a Final Report concerning the remediation of site groundwater and soil contaminated with in organics. The Final report demonstrated attainment of the Site Specific Standard and was approved by the Department on July 31, 2012. PF722393

MNM Group Inc., 2421-A Wyandotte Road, Upper Moreland Township, **Montgomery County**. Scott Smith, PR LEED, AP, EnviroSure, Inc., 103 South High Street, 1 West Chester, PA 19382 on behalf of Greg Carson, MNM Group, Inc., 2421-A Wyandotte Road, Willow Grove, PA 19090 has submitted a Remedial Investigation/ Final Report concerning the remediation of site soil and groundwater contaminated with leaded and unleaded gasoline. The Remedial Investigation and Final Report were approved by the Department on April 16, 2014. PF769585

Gorman Residence, 522 McFarlan Road, Kennett Township, **Chester County**. Charles Metzger, ECC, Inc., 135F Gaither Drive, Mount Laurel, NJ 08054, Kristen Baiocco, Americal Petroleum Home Heat Inc., 1704 Chichester Avenue Boothwyn, PA 19061 on behalf of James Gorman, 522 McFarlan Road, Kennett Square, PA 19348 has submitted a Final Report concerning the remediation of site groundwater and soil contaminated with no. 2 fuel oil. The Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on February 15, 2013

Gas Station, 5300 West Baltimore Avenue, Upper Darby Township, **Delaware County**. Josh Sarett, ALC Environmental, 121 West 27th Street, Suite 402, New York, NY 10001, Dennis Liberson, Synergy Environmental Inc., 1008 Astoria Boulevard, Suite A, Cherry Hill, NJ 08003 on behalf of Valerie Chuse, Kravitz Properties, Inc., 25 Washington Lane, Suite 4A, Wyncote, PA 19095 has submitted a Remedial Investigation/Final Report concern-

ing the remediation of site soil and groundwater contaminated with leaded gasoline constituents. The Remedial Investigation/Final Report was disapproved by the Department on September 4, 2014. PF 773528

Frank Residence, 44 Linwood Avenue, Lower Merion Township, **Montgomery County**. Jeremy W. Bolyn, Environmental Maintenance, 1420 East Mermaid Lane, Glenside, PA 19038 on behalf of Hans Frank, 44 Linwood Avenue, Ardmore, PA 19003 has submitted a Final Report concerning the remediation of site soil contaminated with petroleum. The Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on March 28, 2014. PF759879

Giorgio Residence, 2455 Hillcrest Road, Upper Darby Township, **Delaware County**. Staci Cottone, J&J Environmental, P. O. Box 370, Blue Bell, PA 19422 on behalf of Quentin ad Barbara Giorgio, 2455 Hillcrest Road, Drexel Hill, PA 19026 has submitted a Final Report concerning the remediation of site soil contaminated with no. 2 fuel oil. The Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on March 8, 2014. PF759412

5026 City Line Avenue, 5026 City Line Avenue, City of Philadelphia, **Philadelphia County**. Keith T. D'Ambrosio, PE, Whitestone Associates, Inc., 160 Manor Drive, Suite 220, Chalfont, PA 18914 on behalf of Lous Lincoln Muchnick, Esquire, 5026 City Line Associates, L.P., 822 Montgomery Avenue, Suite 209, Narberth, PA 19072 has submitted a Remedial Investigation/Final Report concerning the remediation of site soil contaminated with leaded gasoline. The Remedial Investigation/Final Report was approved by the Department on October 8, 2014. PF770630

Sandmeyer Steel Company, One Sandmeyer Lane, City of Philadelphia, **Philadelphia County**. Eric Lindhurt, Whitman, 7 Pleasant Hill Road, Cranbury, NY 08512, Lorna Velardi, Environmental Strategy Consultants, 1528 Walnut Street, Suite 500, Philadelphia, PA 19102 on behalf of Christopher W. Duffy, Sandmeyer Steel Company, One Sadmeyer Steel Company, One Sandmeyer Lane, Philadelphia, PA 19116 has submitted a Final Report concerning the remediation of site groundwater contaminated with no. 2 fuel oil. The Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on October 9, 2014. PF766172

Foamex Property, 1500 East Second Street, Ed-dystone Borough, **Delaware County**. Michael Christie, Penn Environmental & Remediation Inc., 2755 Bergey Road, Hatfield, PA 19440 on behalf of Cynthia McKeown, Camden Iron & Metal, LLC. 143 Harding Avenue, Bellmawr, NJ 08031 has submitted a Final Report concerning the remediation of site soil contaminated with no. 2 fuel oil. The Final report did not demonstrate attainment of the Site Specific Standard and was disapproved by the Department on September 16, 2014. PF733023

Village Center Shopping Center, 1-29 Quaker Way, Richland Township, **Bucks County**. Jim LaRegina, PG.HRG, Inc., 369 East Park Drive, Harrisburg, PA 17111 on behalf of Michael Weaver, DePaul Management Company, 1750 Walton Road, Blue Bell, PA 19422 has submitted remedial Investigation/Final Report concerning the remediation of site soil contaminated with perchloroethylene and trichloroethylene. The Remedial Investigation /Final Report were approved by the Department on July 28, 2014. PF705297

Gray Brothers Farm, 1025 Worthington Roads, Uwchlan Township, **Chester County**. Thomas Lloyd, EnviroSure, 103 South High Street, Suite 1, West Chester, PA 19382, Scott Smith, PE, LEEP AP, EnviroSure, Inc., 103 South High Street, Suite 1, West Chester, PA 19382 on behalf of Gary Gray, Gray Brother's Partnership, 1696 East Lancaster Avenue, Paoli, PA 19301 has submitted a Final Report concerning the remediation of site soil and groundwater contaminated with inorganics. The Final report did not demonstrate attainment of the Statewide Health Standard and was by the Department on September 18, 2014. PF77087

Gray Brothers Farm, 1025 Worthington Roads, Uwchlan Township, **Chester County**. Thomas Lloyd, EnviroSure, 103 South High Street, Suite 1, West Chester, PA 19382, Scott Smith, PE, LEEP AP, EnviroSure, Inc., 103 South High Street, Suite 1, West Chester, PA 19382 on behalf of Gary Gray, Gray Brother's Partnership, 1696 East Lancaster Avenue, Paoli, PA 19301 has submitted a Remedial Investigation Report concerning the remediation of site soil and groundwater contaminated with inorganics. The Remedial Investigation Report was disapproved by the Department on September 29, 2014. PF77087

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Application for Determination of Applicability Withdrawn Under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit Application No. WMGR019D012. Beyond Corp LLC, 2905 Hillsville Road, Edinburg, PA 16116-3409. The application for determination of applicability was withdrawn by Central Office on November 14, 2014 at the request of the applicant.

Persons interested in reviewing the application may contact Scott E. Walters, Chief, Permits Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170, 717-787-7381. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920

GP14-23-0127: Donohue Funeral Home (8401 West Chester Pike, Upper Darby, PA 19082) On November 12,

2014, was authorized to operate a human crematory in Upper Darby Township, **Delaware County**.

GP7-46-0045: Gemalto, Inc. (101 Park Drive, Montgomeryville, PA 18963) On November 13, 2014, was authorized to operate a (7)-color Heidelberg XL 75-7-X2-F press Montgomery Township, **Montgomery County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

GP14-60-127A: White Springs Crematory Organization, LLC (568 White Springs Road, Mifflinburg, PA 17844) on November 11, 2014, for the construction and operation of an Armil CFS, model CFR-2300 animal crematory incinerator under the General Plan Approval and/or General Operating Permit for Human or Animal Crematories (BAQ-GPA/GP-14) at a site in Limestone Township, **Union County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Barbara Hatch, Facilities Permitting Chief—Telephone: 412-442-5226

GP5-63-00987A: MarkWest Liberty Midstream & Resources, LLC (1515 Arapahoe Street, Tower 1, Suite 1600, Denver, CO 80202) on November 10, 2014, received authorization under GP-5 for construction and/or operation of sources and controls associated with a natural gas compression facility at its Carpenter Compressor Station located in Donegal Township, **Washington County**.

GP5-30-00230: Energy Corporation of America (101 Heritage Run Road, Suite 1, Indiana, PA 15701) on November 14, 2014, to authorize the construction and operation of Five (5) Caterpillar, Model # G3606, 4SLB, natural gas fired compressor engines, each rated at 1,775 bhp, equipped with oxidation catalysts, and regulated by air fuel ratio controllers; two (2) TEG dehydrators, each rated at 50 MMsctf/day, attached to two reboilers each rated at 1.0 MMBtu/hr, and controlled by one (1) Thermal Oxidizer rated at 2.0 MMBtu/hr; two (2) Flash Tanks 40 gallon capacity each; and two (2) Storage tanks 400 bbl capacity each at their Veres Compressor Station located in Greene Township, **Greene County**.

GP9-30-00230: Energy Corporation of America (101 Heritage Run Road, Suite 1, Indiana, PA 15701) on November 14, 2014, to authorize the construction and operation of One (1) Caterpillar, Model # C7.1, four stroke diesel fired emergency generator, rated at 200 bhp at their Veres Compressor Station located in Greene Township, **Greene County**.

Plan Approvals Issued under the Air Pollution Control Act and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636

43-152C: JMC Steel Group—Wheatland Tube Mill Street Facility (134 Mill Street, Sharon, PA 16146) on

November 3, 2014, has issued a plan approval for the reactivation of a coating line at their facility in the City of Sharon, **Mercer County**.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4762, Lisa Dorman, New Source Review Permitting Chief—Telephone: 717-705-4863 or William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702

22-05047C: Dura-Bond Pipe, LLC (2716 South Front Street, Steelton, PA 17113), on November 6, 2014, for replacement of the two (2) baghouses controlling emissions from the outside diameter shot blast operations with a single baghouse and replacement of the existing outside blowout baghouse with a baghouse removed from the shot blast operations, at the metal pipe manufacturing facility in Steelton Borough, **Dauphin County**. The plan approval was extended.

38-03014D: Pennsy Supply Inc. (PO Box 3331, 1001 Paxton Street, Harrisburg, PA 17105) on November 6, 2014, for relocation of some of the existing equipment at their Hummelstown Quarry to their Millard Quarry in North Londonderry Township, **Lebanon County**. The relocated plant will consist of five (5) belt conveyors, five (5) vibrating pan reclaim feeders, dryer burner, rotary dryer, bucket elevator, vibrating screen, surge bin, grinding mill, screw conveyors, pneumatic conveyors and six (6) product storage silos. The controls include a mill cyclone, three (3) fabric collectors, five (5) bin vents and six (6) truck loading spouts. The following equipment will be located inside an enclosed building: bucket elevator, vibrating screen, feed bin, grinding mill, cyclone, two (2) fabric collectors—exhausted outside, air classifier and various conveyors. The plan approval was extended.

44-05001D: Standard Steel, LLC (500 N. Walnut St., Burnham, PA 17009) on November 7, 2014, for a melt shop upgrade at the steel manufacturing facility in Burnham Borough, **Mifflin County**. The original Plan Approval No. 44-05001D was for installation of a ladle melting furnace (LMF) to replace the #3 electric arc furnace (EAF), and modification to #4 EAF with the melt shop upgrade for better quality steel, including switching the existing two baghouses between the furnaces. This plan approval is also for construction of two (2) ladle heaters (5 mmbtu/hr each), and a vacuum tank degasser (VTD), and a new recirculated water cooling system, including a mechanical draft cooling tower. The plan approval was extended.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Barbara Hatch, Facilities Permitting Chief—Telephone: 412-442-5226

32-00393B: Prime Metals & Alloys, Inc. (101 Innovation Drive, P.O. Box 194, Lucernemines, PA 15754) On November 12, 2014, to extend the period of temporary operation of four electric induction furnaces, one argon-oxygen decarburization (AOD) vessel, four natural gas-fired annealing boxes, two natural gas-fired ladle pre-heaters, ingot and pig pouring, slag handling, and a parts

washer covered under plan approval PA-32-00393B until May 25, 2015, at its Homer City Plant in Center Township, **Indiana County**.

26-00588: Laurel Mountain Midstream, LLC (1550 Coraopolis Heights Road, Suite 140, Moon Township, PA 15108) On November 10, 2014, to extend the period of temporary operation of the three new ultra lean burn natural gas-fired compressor engines rated at 1,380 bhp each and controlled by oxidation catalysts, and the natural gas-fired turbine rated at 15,525 bhp covered under plan approval PA-26-00588 until May 16, 2015, at Shamrock Compressor Station located in German Township, **Fayette County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636

10-001N: AK Steel Butler Works (P.O. Box 832, Butler, PA 16003), on November 8, 2014, effective November 30, 2014 will issue a plan approval extension for the modification of the #26 Carlite Furnace which includes increasing the line speed of the unit from 440 fpm to 580 and installation of new low NO_x burners (increasing the fire rate from 24.4 mmbtu/hr to 26.8 mmbtu/hr). This is a Title V facility.

Title V Operating Permits Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Barbara Hatch, Facilities Permitting Chief—Telephone: 412-442-5226

04-00227: IPSCO Koppel Tubulars LLC (P.O. Box 410, Ambridge, PA 15003) on November 10, 2014 a Title V Operating Permit renewal to IPSCO Koppel Tubulars LLC for the operation of a seamless steel tube manufacturing facility located in Ambridge, Harmony Township, **Beaver County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636

43-00142: Salem Tube Incorporated (951 4th Street, Reynolds Industrial Park, Greenville, PA 16125-8253) on November 12, 2014, issued the renewal of a Title V Permit to operate a process steel tube manufacturing facility. The facility is located in Pymatuning Township, **Mercer County**. The facility's emitting sources included 1) Degreaser system boiler, 2) Miscellaneous natural gas usage, 3) Boiler for pickling tank, 4) TCE degreasing system, 5) Annealing furnaces (3) [#2, #7, and #5 Standby], 6) General solvent cleaning, 7) Lubricating operation, 8) TCE Storage tank, 9) Solvent cleaning degreaser, 10) Batch pickling tank, 11) Vacuum cleaning and degreasing machine, 12) TCE storage tank and, 13) Groundwater TCE Clean-Up. The facility is a Title V facility due to its potential to emit Trichloroethylene, a hazardous air pollutant (HAP). The facility provided the following emission inventory for the 2013 calendar year: Ammonia: 0.0076 tons per year, CO: 0.1991 TPY, Methane: 0.0184 TPY, Carbon Di Oxide: 974.60 TPY, Nitrous Oxide: 0.002 TPY, HAP (TCE): 12.4 TPY VOC (Non-HAP):

5.839 TPY, VOC (including HAP): 18.34 TPY, NO_x: 0.84 TPY, SO_x: 0.0049 TPY, PM₁₀: 0.0071 TPY. The facility shall maintain the RACT permit #43-172, condition #8, emission restriction of 68.4 tons per year.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19428

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920

09-00213: DeNucci Excavating, Inc. (2807 Old Rodgers Road, Bristol, PA 19007) On November 13, 2014, for an initial State Only Operating Permit located in Bristol Township, **Bucks County**. DeNucci Excavating operates a portable crusher and screener that are each powered by diesel-fired engines and controlled by a water spray dust suppression system. These sources were previously approved under Plan Approval 09-0213A in April 2012. The primary pollutant of concern is particulate matter due to the processing of aggregate materials. The facility is categorized as a natural minor facility. The permit includes monitoring, recordkeeping and reporting requirements designed to address all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4762, Lisa Dorman, New Source Review Permitting Chief—Telephone: 717-705-4863 or William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702

21-05036: Hempt Bros., Inc. (205 Creek Road, Camp Hill, PA 17011-7418) on November 5, 2014, for their batch asphalt processing operations located in Lower Allen Township, **Cumberland County**. The State-only permit was renewed.

67-03071: PA State Pet Memorial & Cemetery (210 Andersontown Road, Mechanicsburg, PA 17055-6023) on November 10, 2014, for three animal crematory units at their facility in Monaghan Township, **York County**. The State-only permit was renewed.

67-03143: ESAB Group, Inc. (1500 Karen Lane, Hanover, PA 17331-7948) on November 12, 2014, for their flux coated welding rod manufacturing facility in Hanover Borough, **York County**. The State-only permit was renewed.

07-03046: Penn Mag, Inc. (719 Tarrtown Road, Adrian, PA 16210-1219) on November 12, 2014, for their ball mill classifier operation in Greenfield Township, **Blair County**. The State-only permit was renewed.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Barbara Hatch, Facilities Permitting Chief—Telephone: 412-442-5226

32-00151: Rosebud Mining Company (301 Market Street, 435, Kittanning, PA 16201), On November 10, 2014, the Department issued an initial facility-wide Natural Minor Operating Permit for the operation of a coal preparation plant, known as the Dutch Run Coal Preparation Plant, DARMAC #2, located in Plumcreek Township, **Armstrong County**.

The facility contains air contamination sources consisting of coal stockpiles, conveyers, one breaker, one crusher, screens, froth flotation, loadout, and roadways. Air pollution prevention equipment at the Facility includes covers, enclosures, a water truck, and tarping of truck loads. The facility is limited to a maximum opacity from any processing equipment of 20 percent. The facility is subject to applicable requirements of 40 CFR 60, Subpart Y, and 40 CFR 63, Subpart ZZZZ.

No emission or equipment changes have been approved by this action. The emission restriction, testing, monitoring, recordkeeping, reporting and work practice conditions of the SOOP have been derived from the applicable requirements of 40 CFR Parts 52, 60, and 63 and PA Code Title 25, Article III, Chapters 121 through 145.

03-00224: McVile Mining Company (301 Market Street, 435, Kittanning, PA 16201), On November 10, 2014, the Department issued an initial facility-wide Natural Minor Operating Permit for the operation of a coal preparation plant, known as the Clementine Mine Coal Preparation Plant, located in South Buffalo Township, **Armstrong County**.

The facility contains air contamination sources consisting of coal stockpiles, conveyers, crusher, screens, gravimetric separation, froth flotation, loadout, and roadways. Air pollution prevention equipment at the Facility includes covers, enclosures, a water truck, and tarping of truck loads. The facility is limited to a maximum opacity from any processing equipment of 20 percent. The facility is subject to applicable requirements of 40 CFR 60, Subpart Y, and 40 CFR 63, Subpart ZZZZ.

No emission or equipment changes have been approved by this action. The emission restriction, testing, monitoring, recordkeeping, reporting and work practice conditions of the SOOP have been derived from the applicable requirements of 40 CFR Parts 52, 60, and 63 and PA Code Title 25, Article III, Chapters 121 through 145.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-616636

24-00134: Contact Technologies Incorporated (229 West Creek Road, Saint Marys, PA 15857-0149) on November 12, 2014, issued the renewal of the Natural Minor Permit to operate an electric current carrying device manufacturing facility located in the City of Saint Marys, **Elk County**. The significant sources are ceramic production, machine shop operations, mixing/molding operations, a Safety Kleen degreaser, and machining operations. The actual emissions from the sources provided in the permit application from all the processes combined are: PM₁₀-1.31 Tons per year (TPY), VOC-0.04 TPY, and HAP-0.03 TPY.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4762, Lisa Dorman, New Source Review Permit-

ting Chief—Telephone: 717-705-4863 or William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702

06-05077: Can Corp of America (326 June Avenue, Blandon, PA 19510-0170) on November 12, 2014, for their metal can manufacturing facility Maiden Creek Township, **Berks County**. The State-only permit was administratively amended to incorporate the requirements of Plan Approval No. 06-05077C.

67-05042: Hanover Foods Corp. (PO Box 334, 1550 York Street, Hanover, PA 17331) on November 3, 2014, for their vegetable processing and canning facility in Penn Township, **York County**. The Title V permit was administratively amended to incorporate the requirements of Plan Approval 67-05042A.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Barbara Hatch, Facilities Permitting Chief—Telephone: 412-442-5226

65-00630: Mine Safety Appliances (MSA) Company (P.O. Box 426 Pittsburgh, PA 15230-0426). On November 12, 2014, the Pennsylvania Department of Environmental Protection (DEP) administratively amended State Only Operating Permit SOOP-65-00630 previously issued on February 8, 2012 to authorize the continued operation safety product manufacturing at the MSA Murrysville facility, located at 3880 Meadowbrook Road, Murrysville, **Westmoreland County**. SOOP was amended to change the Responsible Official and to change the name of the company from MSA Company to MSA Company, LLC.

De Minimis Emissions Increases Authorized under 25 Pa. Code § 127.449.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Barbara Hatch, Facilities Permitting Chief—Telephone: 412-442-5226

04-00059: IPSCO Koppel Tubulars, LLC, (PO Box 750, Beaver Falls, PA 15010) Cutting of one ladle skull, commencing on or about November 10, 2014, using the de minimis provisions of 25 Pa. Code § 127.449. Cutting operation will not take longer than 30 hours and will result in a particulate matter emission increase of 9 pounds total, at the Koppel Plant located in Koppel Borough, **Beaver County**.

Operating Permits Denied, Terminated, Suspended or Revoked under the Air Pollution Control Act and 25 Pa. Code §§ 127.431 and 127.461.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-616636

37-00241: Laurel School District (2497 Harlansburg Road, New Castle, PA 16101-9705) on November 13, 2014, for the Laurel High School in Hickory Township, **Lawrence County**. This State Operating Permit was revoked due to the replacement of the coal fired boiler with 3 two million btu/hr natural gas boilers. Based on the actual emissions from all the sources combined, the facility is not required to have an operating permit.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law; the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.20a). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to applications will also address the application permitting requirements of the following statutes: the Air Quality Pollution Act (35 P. S. §§ 4001—4014); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1002).

Coal Permits Issued

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200

17110106 and NPDES No. PA0257672. Black Cat Coal, LLC (446 Wm. Cemetery Road, Curwensville, PA 16833). Revision to an existing bituminous surface and auger mine for an incidental boundary revision and modification to the NPDES permit located in Brady Township, **Clearfield County** affecting 119.0 acres. Receiving streams: Unnamed Tributaries to East Branch Mahoning Creek classified for the following use(s): High Quality CWF and Stump Creek classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: June 16, 2014. Permit issued: November 4, 2014.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

Permit No. 54850104R6. Bell Corporation, (PO Box 131, Tuscarora, PA 17982), renewal of an existing anthracite surface mine operation in Schuylkill Township, **Schuylkill County** affecting 102.5 acres, receiving stream: Schuylkill River. Application received: July 23, 2014. Renewal issued: November 13, 2014.

Permit No. 54850104RC. Bell Corporation, (PO Box 131, Tuscarora, PA 17982), correction to an existing anthracite surface mine operation to update the post-mining land use in Schuylkill Township, **Schuylkill County** affecting 102.5 acres, receiving stream: Schuylkill River. Application received: July 23, 2014. Correction issued: November 13, 2014.

Permit No. 54850104GP104. Bell Corporation, (PO Box 131, Tuscarora, PA 17982), General NPDES Stormwater Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 54850104 in Schuylkill Township, **Schuylkill County**, receiving stream: Schuylkill River. Application received: July 23, 2014. Permit issued: November 13, 2014.

Noncoal Permits Issued

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

20870304-GP-104. Heritage Excavating & Stone (P.O. Box 462, Wampum, PA 16157) General NPDES Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 20870304 in

South Shenango Township, **Crawford County**. Receiving streams: Unnamed tributary to Shenango River. Application received: September 8, 2014. Permit Issued: November 13, 2014.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200

41110301 and NPDES PA0257591. Glenn O. Hawbaker, Inc. (1952 Waddle Road, Suite 203, State College, PA 16803). Transfer of an existing large industrial minerals surface mine (sandstone, shale and bluestone) from E&J Construction LLC located in McNett Township, **Lycoming County** affecting 25.0 acres. Receiving streams: Unnamed Tributary to North Pleasant Stream and North Pleasant Stream classified for the following use(s): High Quality CWF. Application received: May 5, 2014. Permit issued: October 20, 2014.

08120303. Insinger Excavating, Inc. (3046 DuShore-Overtown Road, Dushore, PA 18614). Transfer of an existing large industrial minerals mine from Keystone Rock & Excavation, LLC located in West Burlington Township, **Bradford County** affecting 83.9 acres. Receiving streams: Unnamed Tributary 1 and 2 to Sugar Creek classified for the following use(s): TSF-MF. Application received: January 16, 2014. Permit issued: November 3, 2014.

53140801 and NPDES PA0269603. Donald R. Reed (392 Ridge Road, Genesee, PA 16923). Commencement, operation, and restoration of a small noncoal (sand and gravel) mining permit located in Genesee Township, **Potter County** affecting 5.0 acres. Receiving stream: West Branch Genesee River classified for the following use(s): High Quality CWF. Application received: April 21, 2014. Permit issued: November 6, 2014.

New Stanton District Mining Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500

Industrial Minerals:

65100401 and NPDES Permit No. PA0252051. Hanson Aggregates BMC, Inc. (2200 Springfield Pike, Connellsville, PA 15425). Permit transfer from Amerikohl Aggregates, Inc. issued for commencement, operation and restoration of a large noncoal surface mine, located in Fairfield Township, **Westmoreland County**, affecting 173.9 acres. Receiving streams: unnamed tributaries to Freeman Run. Transfer application received: February 10, 2014. Permit issued: November 12, 2014.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

Permit No. 58122514. Douglas G. Kilmer, (4847 SR 106, Clifford Township, PA 18470), commencement, operation and restoration of a GP105 General Permit for Bluestone in Harford Township, **Susquehanna County** affecting 10.0 acres, receiving stream: Nine Partners Creek. Application received: September 10, 2012. Permit issued: November 12, 2014.

Permit No. 58122514GP104. Douglas G. Kilmer, (4847 SR 106, Clifford Township, PA 18470), General NPDES Stormwater Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 58122514 in Harford Township, **Susquehanna County**, receiving stream: Nine Partners Creek. Application received: September 10, 2012. Permit issued: November 12, 2014.

Permit No. 35910301T and NPDES Permit No. PA0595209. Scranton Materials, LLC, (PO Box 127, Meshoppen, PA 18630), transfer of an existing quarry operation and NPDES Permit for discharge of treated mine drainage in Newton and Ransom Townships,

Lackawanna County affecting 249.0 acres, receiving stream: Keyser Creek. Application received: March 13, 2014. Transfer issued: November 13, 2014.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Issued

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200

14144104. Douglas Explosives Inc. (P.O. Box 77, Philipsburg, PA 16866). Blasting for commercial development located in State College Borough, **Centre County** with an expiration date of October 30, 2015. Permit issued on November 4, 2014.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

Permit No. 58144180. Meshoppen Blasting, Inc., (P.O. Box 127, Meshoppen, PA 18630), construction blasting for SWN NR 16 Haley Pad and access road in Great Bend Township, **Susquehanna County** with an expiration date of October 30, 2015. Permit issued: November 12, 2014.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	
Alkalinity greater than acidity*			

* The parameter is applicable at all times.

In addition, the Department imposes a technology-based aluminum limit of 2.0 mg/l (30 day average) to protect stream uses.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The BAT limits for noncoal mining activities as provided in 40 CFR Part 436 and 25 Pa. Code Chapter 77 are as follows:

<i>Parameter</i>	<i>30-day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	35 mg/l	70 mg/l	90 mg/l
Alkalinity exceeding acidity*			
pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 362-0600-001, NPDES Program Implementation—Memorandum of Understanding (MOU) Concerning Water Quality Management, NPDES Program Implementation, and Related Matters. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30 days of this public notice and contain the name, address, telephone number and the interest of the party filing the request, and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

NPDES No. PA0269344 (Mining Permit No. 32130106), Amerikohl Mining, Inc., 202 Sunset Drive, Butler, PA 16001, new NPDES permit for surface mining activities in Montgomery Township, **Indiana County**, affecting 61.9 acres. Receiving streams: Kilns Run and unnamed tributaries to Cush Cushion Creek, classified for the following uses: cold water fishes and high quality-cold water fishes. Discharges from the proposed mine site are not permitted to enter the unnamed tributaries to Cush Cushion Creek. These receiving streams are included in the West Branch Susquehanna River TMDL. Application received: January 21, 2014.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The treated wastewater outfall listed below discharges to Kilns Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
001 (TP-1)	Y

The proposed effluent limits for the above listed outfalls are as follows:

<i>Outfalls: 001</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/l)	1.5	3.0	3.7
Manganese (mg/l)	1.0	2.0	2.5
Aluminum (mg/l)	0.75	1.5	1.8
Total Suspended Solids (mg/l)	35.0	70.0	90.0
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times			
Alkalinity must exceed acidity at all times			

The stormwater outfalls listed below discharge to Kilns Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
002 (SP-1)	Y
003 (ST-1)	Y

The proposed effluent limits for the above listed outfalls are as follows:

<i>Outfalls: 002 and 003</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/l)	1.5	3.0	3.7
Manganese (mg/l)	1.0	2.0	1.8
Aluminum (mg/l)	2.0	4.0	5.0
Total Suspended Solids (mg/l)	35.0	70.0	90.0
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times			
Alkalinity must exceed acidity at all times			

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Permits, Environmental Assessments and 401 Water Quality Certifications Issued:

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southwest Region: Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02-1689. Jim Graham Corporation, P.O. Box 107, Cheswick, PA 15024; Harmar Township, **Allegheny County**; ACOE Pittsburgh District.

Has been given consent to construct and maintain a sheet pile wall approximately 460.0 feet long, backfilled with topsoil in the channel and along the left bank of the Allegheny River Back Channel (north bank of Twelve Mile Island) and to place and maintain 745.0 linear feet of riprap along the left bank of the Allegheny River Back Channel (north bank and at the downstream end of Twelve Mile Island), and 729.0 linear feet of riprap along the right bank of the Allegheny River (south bank and at the downstream end of Twelve Mile Island) for the purpose of stabilizing the banks of Twelve Mile Island located at River Mile 13.5 of the Allegheny River (WWF, N), approximately 2,000.0 feet upstream from the Hulton Bridge (New Kensington West, PA Quadrangle; N:6.2 inches; W:12.3 inches; Latitude: 40°32'4.46"; Longitude: -79°50'17.51") in Harmar Township, Allegheny County.

Northwest Region: Oil and Gas Program Manager, 230 Chestnut Street, Meadville, PA 16335 814-332-6860

E37-08-002, Hilcorp Energy Company, 1201 Louisiana Street, Suite 1400, Houston, TX 77002-5600, Siegel to Phillips Tapsite Pipeline Project, in Mahoning Township, **Lawrence County**, Army Corps of Engineers Pittsburgh District (Edinburg, Pa, Quadrangle N: 41° 1' 27.25"; W: -80° 25' 47.38").

The applicant proposes to construct and maintain approximately 4 miles of two (2), 8 inch diameter natural gas pipelines, one (1), 6 inch diameter natural gas pipeline, and a 16 inch diameter temporary water line in Mahoning, Township, Lawrence County, PA. The proposed pipeline will connect several of Hilcorp Energy Company's well pads to a Central Processing Facility and end at Pennant Midstream, LLC's Hickory Bend Gathering System. The water obstructions and encroachments associated with the project are described below:

The water obstructions and encroachments for the purposes of installing the pipeline are described below:

<i>Impact No.</i>	<i>Description of Impact</i>	<i>Latitude / Longitude</i>
RC-1	An 8" diameter natural gas pipeline, to be bored under a palustrine scrub-shrub/palustrine emergent (PSS/PEM) wetland.	41.023934° N -80.432221° W
RC-2	An 8" diameter natural gas pipeline to be bored under a UNT to Mahoning River (WWF) and its associated floodway.	41.024279° N -80.432902° W
RC-3	Two (2) 8" diameter natural gas pipelines with associated right-of-way and a temporary equipment crossing to cross a palustrine scrub-shrub/palustrine emergent (PSS/PEM) wetland, having .05 of temporary wetland impact with .001 acre of permanent conversion of PSS wetland to palustrine emergent (PEM) wetland.	41.023323° N -80.435502° W

<i>Impact No.</i>	<i>Description of Impact</i>	<i>Latitude / Longitude</i>
RC-4	Two (2) 8" diameter natural gas pipelines and one (1) 16" diameter water line with associated right-of-way and a temporary equipment crossing to cross a UNT to Mahoning River (WWF) and its associated floodway, having 50 linear feet of temporary stream impact.	41.023287° N -80.435418° W
RC-5	Two (2) 8" diameter natural gas pipelines, one (1) 6" diameter natural gas pipeline, and one (1) 16" diameter temporary water line to be bored under a palustrine emergent (PEM) wetland.	41.025102° N -80.43449° W
RC-6	Two (2) 8" diameter natural gas pipelines, one (1) 6" diameter natural gas pipeline, and one (1) 16" diameter temporary water line to be bored under a UNT to Mahoning River (WWF) and its associated floodway.	41.025068° N -80.434542° W
RC-7	Two (2) 8" diameter natural gas pipelines, one (1) 6" diameter natural gas pipeline, and one (1) 16" diameter temporary water line to be bored under a palustrine scrub-shrub/palustrine forested (PSS/PFO) wetland.	41.026499° N -80.439707° W
RC-8	Two (2) 8" diameter natural gas pipeline, a 6" diameter natural gas pipeline, and an 8" diameter temporary water line with associated right-of-way and a temporary equipment crossing to cross a palustrine emergent (PEM) wetland, having .02 of temporary wetland impact	41.028313° N -80.447755° W
RC-9	Two (2) 8" diameter natural gas pipelines, one (1) 6" diameter natural gas pipeline, and one (1) 16" diameter temporary water line with associated right-of-way and a temporary equipment crossing to cross a UNT to Mahoning River (WWF) and its associated floodway, having 50 linear feet of temporary stream impact.	41.026629° N -80.450215° W
RC-10	Two (2) 8" diameter natural gas pipelines, one (1) 6" diameter natural gas pipeline, and one (1) 16" diameter temporary water line with associated right-of-way and a temporary equipment crossing to cross a UNT to Mahoning River (WWF) and its associated floodway, having 50 linear feet of temporary stream impact.	41.025792° N -80.451694° W
RC-11	Two (2) 8" diameter natural gas pipelines, one (1) 6" diameter natural gas pipeline, and one (1) 16" diameter temporary water line with associated right-of-way and a temporary equipment crossing to cross a UNT to Mahoning River (WWF) and its associated floodway, having 85 linear feet of temporary stream impact.	41.025631° N -80.454743° W
RC-12	Two (2) 8" diameter natural gas pipelines, one (1) 6" diameter natural gas pipeline, and one (1) 16" diameter temporary water line with associated right-of-way and a temporary equipment crossing to cross a UNT to Mahoning River (WWF) and its associated floodway, having 55 linear feet of temporary stream impact.	41.02567° N -80.454948° W
RC-13	Two (2) 8" diameter natural gas pipelines, one (1) 6" diameter natural gas pipeline, and one (1) 16" diameter temporary water line with associated right-of-way and a temporary equipment crossing to cross a palustrine forested (PFO) wetland, having .04 acre of permanent conversion of PFO wetland to palustrine emergent (PEM) wetland.	41.025684° N -80.455064° W
RC-14	Two (2) 8" diameter natural gas pipelines, one (1) 6" diameter natural gas pipeline, and one (1) 16" diameter temporary water line with associated right-of-way and a temporary equipment crossing to cross Marshall Run (WWF) and its associated floodway, having 50 linear feet of temporary stream impact.	41.027157° N -80.459277° W
RC-15	Two (2) 8" diameter natural gas pipelines, one (1) 6" diameter natural gas pipeline, and one (1) 16" diameter temporary water line with associated right-of-way and a temporary equipment crossing to cross a palustrine emergent (PEM) wetland, having .001 acre of temporary wetland impact.	41.0434598° N -80.469521° W
RC-16	Two (2) 8" diameter natural gas pipelines, one (1) 6" diameter natural gas pipeline, and one (1) 16" diameter temporary water line with associated right-of-way and a temporary equipment crossing to cross a UNT to Mahoning River (WWF) and its associated floodway, having 50 linear feet of temporary stream impact.	41.03489° N -80.469551° W

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under sec-

tion 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483.

TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Northwest Region: Oil and Gas Program Manager, 230 Chestnut St., Meadville, PA 16335

ESCGP-2 #ESX14-019-0048—Pajer Well to Pajer Meter Pipeline

Applicant Mountain Gathering LLC
Contact Dewey Chalos
Address 810 Houston Street
City Fort Worth State TX Zip Code 76102
County Butler Township(s) Buffalo(s)
Receiving Stream(s) and Classification(s) UNT to McDowell Run/Bull Creek-TSF

ESCGP-2 #ESG14-019-0031A—Constellation Pipeline Project-Major Modification

Applicant EM Energy Pipeline PA LLC
Contact Hugh Caperton
Address 601 Technology Drive, Suite 300
City Canonsburg State PA Zip Code 15317
County Butler Township(s) Jackson, Forward, Connoquenessing, Butler, Center, Oakland, and Concord
Receiving Stream(s) and Classification(s) Connoquenessing Creek, UNT's to Connoquenessing Creek, Little Connoquenessing Creek, UNT's to Little Connoquenessing Creek, Crooked Run, UNT to Crooked Run, Stony Run, UNT to Stony Run, Sullivan Run, Pine Run, UNT to Pine Run

ESCGP-2 #ESG14-019-0044—Mourer Well Pad

Applicant XTO Energy, Inc.
Contact Melissa Breitenbach
Address 502 Keystone Drive
City Warrendale State PA Zip Code 15086
County Butler Township(s) Donegal(s)
Receiving Stream(s) and Classification(s) UNT to Buffalo Creek & Buffalo Creek / Buffalo Creek Watershed HQ-CWF

ESCGP-2 #ESX14-085-0028—Delaware-Ferguson Well Pad

Applicant Hilcorp Energy Company
Contact Stephanie McMurray
Address 1200 Louisiana Street, Suite 1400
City Houston State TX Zip Code 77002
County Mercer Township(s) Delaware(s)
Receiving Stream(s) and Classification(s) UNT to Mill Run TSF

Eastern Region: Oil & Gas Management Program Manager, 208 West Third Street, Williamsport, PA 17701

ESCGP-2 # ESX10-015-0079 (01)
Applicant Name Talisman Energy USA, Inc.

Contact Person Joseph Katruska
Address 50 Pennwood Place
City, State, Zip Warrendale, PA 15086
County Bradford County
Township(s) Wells Township
Receiving Stream(s) and Classification(s) UNT to Mills Creek (TSF/MF)

ESCGP-2 # ESX10-015-0291 (01)

Applicant Name Talisman Energy USA, Inc.
Contact Person Joseph Katruska
Address 50 Pennwood Place
City, State, Zip Warrendale, PA 15086
County Bradford County
Township(s) Warren Township
Receiving Stream(s) and Classification(s) UNT to Wap-pasening Creek (CWF)

ESCGP-2 # ESX10-117-0149 (01)

Applicant Name Talisman Energy USA, Inc.
Contact Person Joseph Katruska
Address 50 Pennwood Place
City, State, Zip Warrendale, PA 15086
County Tioga County
Township(s) Covington Township
Receiving Stream(s) and Classification(s)

ESCGP-2 # ESX29-117-14-0015

Applicant Name SWEPI LP
Contact Person Jason Shoemaker
Address 2100 Georgetown Drive, Suite 400
City, State, Zip Sewickley, PA 15143
County Tioga County
Township(s) Sullivan Township
Receiving Stream(s) and Classification(s) Trib to Elk Run (TSF/MF);
Secondary: Mill Creek (TSF/MF)

ESCGP-2 # ESX29-115-14-0016

Applicant Name Williams Field Services Company, LLC
Contact Person Sandra Lojek
Address Park Place Corporate Center 2, 2000 Commerce Drive
City, State, Zip Pittsburgh, PA 15275
County Susquehanna County
Township(s) Middletown Township
Receiving Stream(s) and Classification(s) UNT to North Branch Wyalusing Creek (CWF/MF) and UNT to Middle Branch Wyalusing Creek (CWF/MF)

ESCGP-2 # ESX29-015-14-0079

Applicant Name Chesapeake Appalachia, LLC
Contact Person Eric Haskins
Address 14 Chesapeake Lane
City, State, Zip Sayre, PA 18840
County Bradford County
Township(s) Wyalusing Township
Receiving Stream(s) and Classification(s) UNTs to Susquehanna River (WWF/MF);
Secondary: Susquehanna River (WWF/MF)

ESCGP-2 # ESX12-081-0130 (01)

Applicant Name Anadarko E & P Onshore, LLC
Contact Person Rane Wilson
Address 33 West Third Street, Suite 200
City, State, Zip Williamsport, PA 17701
County Lycoming County
Township(s) Pine Township
Receiving Stream(s) and Classification(s) UNT Bonnell Run, Bonnell Run, Formile Run (EV/MF), English Run, Bannan Run (CWF/MF);
Secondary: Bonnell Run, Little Pine Creek, Texas Creek (EV/MF), English Run (CWF/MF)

ESCGP-2 # ESX11-115-0138 (01)
 Applicant Name Gary Byron
 Contact Person Carrizo Marcellus, LLC
 Address 251 Drain Lick Road
 City, State, Zip Drifting, PA 16834
 County Susquehanna County
 Township(s) Jessup Township
 Receiving Stream(s) and Classification(s) East Branch
 Wyalusing Creek (CWF/MF)

ESCGP-2 # ESX11-015-0063 (01)
 Applicant Name Talisman Energy USA, Inc.
 Contact Person Joseph Katruska
 Address 50 Pennwood Place
 City, State, Zip Warrendale, PA 15086
 County Bradford and Susquehanna Counties
 Township(s) Stevens and Rush Townships
 Receiving Stream(s) and Classification(s) UNT to Wyalusing
 Creek (WWF/MF)

ESCGP-2 # ESX10-015-0244 (01)
 Applicant Name Talisman Energy USA, Inc.
 Contact Person Joseph Katruska
 Address 50 Pennwood Place
 City, State, Zip Warrendale, PA 15086
 County Bradford County
 Township(s) Orwell Township
 Receiving Stream(s) and Classification(s) UNT to Wysox
 Creek (CWF/MF), Trout Stream-CWF/MF)

ESCGP-2 # ESX10-015-0097 (01)
 Applicant Name Talisman Energy USA, Inc.
 Contact Person Joseph Katruska
 Address 50 Pennwood Place
 City, State, Zip Warrendale, PA 15086
 County Bradford County
 Township(s) Wells Township
 Receiving Stream(s) and Classification(s) UNT South
 Creek (CWF/MF)

ESCGP-2 # ESX12-015-0001 (01)
 Applicant Name Talisman Energy USA, Inc.
 Contact Person Joseph Katruska
 Address 50 Pennwood Place
 City, State, Zip Warrendale, PA 15086
 County Bradford County
 Township(s) Warren Township
 Receiving Stream(s) and Classification(s) Dewing Creek
 (CWF/MF), UNT to Apalachin Creek (CWF/MF)

ESCGP-2 # ESX10-015-0381 (01)
 Applicant Name Talisman Energy USA, Inc.
 Contact Person Joseph Katruska
 Address 50 Pennwood Place
 City, State, Zip Warrendale, PA 15086
 County Bradford County
 Township(s) Warren Township
 Receiving Stream(s) and Classification(s) UNT to
 Pendleton Creek (CWF)

ESCGP-2 # ESX11-117-0048 (01)
 Applicant Name Talisman Energy USA, Inc.
 Contact Person Joseph Katruska
 Address 50 Pennwood Place
 City, State, Zip Warrendale, PA 15086
 County Tioga County
 Township(s) Ward Township
 Receiving Stream(s) and Classification(s) Morris Run
 (CWF), Fall Brook (CWF)

ESCGP-2 # ESX10-015-0350 (01)
 Applicant Name Talisman Energy USA, Inc.
 Contact Person Joseph Katruska
 Address 50 Pennwood Place

City, State, Zip Warrendale, PA 15086
 County Bradford County
 Township(s) Windham Township
 Receiving Stream(s) and Classification(s) UNT to Cold
 Brook (CWF/MF), UNT to Russell Run (CWF/MF)
 [Pa.B. Doc. No. 14-2464. Filed for public inspection November 26, 2014, 9:00 a.m.]

Air Quality Technical Advisory Committee Meeting Cancellation

The Air Quality Technical Advisory Committee (Committee) meeting scheduled for Thursday, December 11, 2014, has been cancelled. The next Committee meeting is scheduled for Thursday, February 12, 2015, at 9:15 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101.

For additional information, contact Alex Haas, (717) 772-9495, alehaas@pa.gov. The agenda and materials for the meeting will be available through the Public Participation Center on the Department of Environmental Protection's (Department) web site at www.dep.state.pa.us (select "Public Participation").

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Alex Haas at (717) 722-9495 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

DANA K. AUNKST,
Acting Secretary

[Pa.B. Doc. No. 14-2465. Filed for public inspection November 26, 2014, 9:00 a.m.]

Proposed Request for Delegation of Authority to Implement the Federal Hospital/Medical/Infectious Waste Incinerators Plan; Public Comment Period Extended; Public Hearing

The Department of Environmental Protection (Department) is requesting delegation of authority to implement the Federal Hospital/Medical/Infectious Waste Incinerators (HMIWI) Plan. Section 129 of the Clean Air Act (CAA) (42 U.S.C.A. § 7429) required the United States Environmental Protection Agency (EPA) to establish performance standards for HMIWI under section 111 of the CAA (42 U.S.C.A. § 7411). On September 15, 1997, the EPA promulgated New Source Performance Standards for "new" HMIWI units and Emission Guidelines (EG) for "existing" HMIWI units and updated the standards on October 6, 2009, and April 4, 2011. Under section 129 of the CAA, states must submit a plan to implement and enforce the requirements of the EGs to EPA. EGs, promulgated under section 111(d) of the CAA, establish criteria for state and local agencies to develop control strategies for "existing" HMIWI units.

Subpart HHH of 40 CFR Part 62 (relating to Federal plan requirements for hospital/medical/infectious waste incinerators constructed on or before December 1, 2008) was promulgated at 78 FR 28052 (May 13, 2013). The Department is proposing to request delegation of authority to implement the HMIWI Federal Plan. Copies of the Delegation Request may be examined on the Department web site at www.dep.state.pa.us (click "Air").

The Department has extended the public comment period for the request for delegation of the Federal HMIWI Plan and will hold a public hearing on Tuesday, January 6, 2015, at 1:30 p.m. in the Rachel Carson State Office Building, 12th Floor Conference Room, 400 Market Street, Harrisburg, PA 17105-2301.

Persons wishing to present testimony should contact the Department no less than 24 hours in advance of the public hearing to reserve a time. Reservation requests should be directed to Maisha Webb, Bureau of Air Quality, P. O. Box 8468, Harrisburg, PA 17105, (717) 787-9702, maiwebb@pa.gov. Speakers will be limited to 10 minutes and should bring a written copy of their comments.

Written comments may be submitted to the Department no later than January 9, 2015, and should be sent to the attention of Craig Evans, Department of Environmental Protection, P. O. Box 8468, Harrisburg, PA 17105-8468, craevans@pa.gov. Comments received by facsimile will not be accepted.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceeding should contact Maisha Webb, (717) 787-9702, maiwebb@pa.gov. TDD users may contact the Pennsylvania AT&T Relay Service at (800) 654-5984 to discuss how the Department can best accommodate their needs.

DANA K. AUNKST,
Acting Secretary

[Pa.B. Doc. No. 14-2466. Filed for public inspection November 26, 2014, 9:00 a.m.]

Sewage Advisory Committee Workgroup Meeting

The Sewage Advisory Committee will hold a workgroup meeting at 9 a.m. on December 3, 2014, in the 12th Floor Conference Room, Rachel Carson State Office Building, 400 Market Street, Harrisburg. The purpose of the meeting is to discuss surgical regulation amendments to 25 Pa. Code Chapters 71—73 (relating to administration of Sewage Facilities Planning Program; administration of Sewage Facilities Permitting Program; and standards for onlot sewage treatment facilities).

Questions concerning the workgroup may be directed to John Diehl, Bureau of Point and Non-Point Source Management, P. O. Box 8774, Harrisburg, PA 17105-8774, (717) 783-2941, jdiehl@pa.gov.

DANA K. AUNKST,
Acting Secretary

[Pa.B. Doc. No. 14-2467. Filed for public inspection November 26, 2014, 9:00 a.m.]

DEPARTMENT OF GENERAL SERVICES

Lease Office Space to the Commonwealth Lawrence County

Proposals are invited to provide the Department of General Services with 7,907 usable square feet of space for the Department of Health in Lawrence County. Down-

town locations will be considered. For more information on SFP No. 94669, which is due on Friday, January 2, 2015, visit www.dgs.state.pa.us or contact the Bureau of Real Estate, (717) 787-4394.

SHERI PHILLIPS,
Secretary

[Pa.B. Doc. No. 14-2468. Filed for public inspection November 26, 2014, 9:00 a.m.]

Lease Retail Space to the Commonwealth Westmoreland County

Proposals are invited to provide the Department of General Services with 5,000 to 6,000 usable square feet of retail space for the Liquor Control Board in Irwin, Westmoreland County within a 1-mile radius of Route 30 and Lincoln Way. For more information on SFP No. 94673, which is due on January 9, 2015, visit www.dgs.state.pa.us or contact the Bureau of Real Estate, (717) 787-4394.

SHERI PHILLIPS,
Secretary

[Pa.B. Doc. No. 14-2469. Filed for public inspection November 26, 2014, 9:00 a.m.]

DEPARTMENT OF HEALTH

Application of Crozer-Keystone Surgery Center at Brinton Lake for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Crozer-Keystone Surgery Center at Brinton Lake has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Health Care Facilities 2014*. The facility specifically requests exemptions from the following standards contained in this publication: Table 3.1-3 Station Outlets for Oxygen, Vacuum and Medical Air Systems in Outpatient Facilities (relating to outpatient operating room vacuum requirements).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or

hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 14-2470. Filed for public inspection November 26, 2014, 9:00 a.m.]

Application of Jameson Memorial Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Jameson Memorial Hospital has requested an exception to the requirements of 28 Pa. Code § 138.15 (relating to high-risk cardiac catheterizations).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 14-2471. Filed for public inspection November 26, 2014, 9:00 a.m.]

Application of Lehigh Valley Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Lehigh Valley Hospital has requested exceptions to the requirements of 28 Pa. Code § 51.23 (relating to positron emission tomography), regarding positron emission tomography services on inpatients in an outpatient facility.

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be

reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 14-2472. Filed for public inspection November 26, 2014, 9:00 a.m.]

Application of Lehigh Valley Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Lehigh Valley Hospital has requested exceptions to the requirements of 28 Pa. Code § 51.23 (relating to positron emission tomography), regarding temporary 8-week basis for CT simulations.

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 14-2473. Filed for public inspection November 26, 2014, 9:00 a.m.]

Application of Reading Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Reading Hospital has requested an exception to the neonatal services requirements of 28 Pa. Code § 139.28(1)—(16) (relating to patient medical records).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 14-2474. Filed for public inspection November 26, 2014, 9:00 a.m.]

Application of Reading Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Reading Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Health Care Facilities 2010*. The facility specifically requests exemptions from the following standards contained in this publication: 3.1-3.2.2.2(2), 3.1-7.2.2.1, 3.1-7.2.2.3(1)(b), 3.1-8.2.1 and 3.2-6.1.3.2.

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 14-2475. Filed for public inspection November 26, 2014, 9:00 a.m.]

Application of The Reading Hospital SurgiCenter at Spring Ridge, LLC for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that The Reading Hospital SurgiCenter at Spring Ridge, LLC has requested an exception to the requirements of 28 Pa. Code § 551.21(d) (relating to criteria for ambulatory surgery).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 14-2476. Filed for public inspection November 26, 2014, 9:00 a.m.]

Long-Term Care Nursing Facilities; Request for Exception

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 211.9(g) (relating to pharmacy services):

Abramson Residence
1425 Horsham Road
North Wales, PA 19454
FAC ID # 09130200

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.36(h) (relating to bathing facilities):

Philadelphia Protestant Home
6500 Tabor Road
Philadelphia, PA 19111
FAC ID # 681002

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail, or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be

reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the address or phone number listed previously, or for speech and/or hearing impaired persons V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 14-2477. Filed for public inspection November 26, 2014, 9:00 a.m.]

Recognized Lifeguard Certifying Authorities for 2015

The Department of Health has determined that the following lifeguard certifying authorities meet the requirements in 28 Pa. Code § 18.42 (relating to certified lifeguards) and are recognized as lifeguard certifying authorities for 2015: The American Red Cross; Jeff Ellis and Associates; YMCA; The Boy Scouts of America; Starfish Aquatics Institute; and National Aquatic Safety Company.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact the Department of Health, Bureau of Community Health Systems, Room 628, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-4366, or for speech and/or hearing impaired persons V/TT (717) 783-6514, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 14-2478. Filed for public inspection November 26, 2014, 9:00 a.m.]

Scope of Practice for Emergency Medical Service Providers

Under 28 Pa. Code §§ 1023.24(d)(1), 1023.25(d)(1), 1023.26(d)(1), 1023.27(d)(1), 1023.28(d), 1023.29(d) and 1023.30(e), the Department of Health (Department) is publishing the scope of practice for emergency medical responders (EMR), emergency medical technicians (EMT), advanced emergency medical technicians (AEMT), paramedics (P), prehospital registered nurses (PHRN), prehospital physician extenders (PHPE) and prehospital physicians (PHP) under 35 Pa.C.S. §§ 8101—8157 (relating to Emergency Medical Services System Act).

Skills identified may be performed by an emergency medical service (EMS) provider at the provider's level of certification or registration only if the provider has successfully completed the approved education (cognitive, affective and psychomotor) on the specified skill, which includes training to perform the skill on adults, children and infants, as appropriate. EMRs, EMTs, AEMTs and Ps may only perform the skills identified, through either Statewide or other Department-approved protocols, or skills that may be ordered online by a medical command physician.

As the following chart indicates, a PHRN, PHPE and PHP may perform all skills identified as within a paramedic's scope of practice. Each of these EMS providers may perform additional skills as outlined as follows.

A PHRN who is appropriately credentialed by the EMS agency medical director may perform other services authorized by The Professional Nursing Law (63 P. S. §§ 211—225.5), when authorized by a medical command physician through either online medical command or through the applicable Statewide or Department-approved EMS protocols.

A PHPE who is appropriately credentialed by the EMS agency medical director may perform services within the scope of practice of a physician assistant under the Medical Practice Act of 1985 (63 P. S. §§ 422.1—422.51a) or the Osteopathic Medical Practice Act (63 P. S. §§ 271.1—271.18), when authorized by a medical command physician through either online medical command or through applicable Statewide or Department-approved EMS protocols. When a PHPE functions as an EMS provider, the physician supervision requirements applicable to a physician assistant under the Medical Practice Act of 1985 and the Osteopathic Medical Practice Act do not apply.

A PHP who is appropriately credentialed by the EMS agency medical director may perform skills within a paramedic's scope of practice and other skills within the practice of medicine or osteopathic medicine. A PHP may not perform a skill that the PHP has not been educated and trained to perform.

Under 28 Pa. Code § 1023.1(a)(1)(vi) and (vii) (relating to EMS agency medical director), the EMS agency medical director must make an initial assessment of each EMS provider at or above the AEMT level, and then within 12 months of each prior assessment, to determine whether the EMS provider has the knowledge and skills to competently perform the skills within the EMS provider's scope of practice, and a commitment to adequately perform other functions relevant to the EMS provider providing EMS at that level. EMS providers at or above the AEMT level may only perform skills that the EMS agency medical director has credentialed them to perform.

The Department wishes to highlight the following change to the scope of practice for all EMS providers: Effective November 29, 2014, administration of Naloxone in intranasal or auto-injector form is approved for all levels of EMS providers and is listed under the "Medications" category of this notice. This change is made under the act of September 30, 2014 (P. L. 2487, No. 139) (35 P. S. §§ 780-113.7 and 780-113.8), which requires the Department, by December 31, 2014, to amend the scope of practice for EMS providers to include the administration of Naloxone. Prior to this change, Naloxone was listed on the approved drug list only for advanced life support ambulance services and for advanced-level EMS providers published at 42 Pa.B. 4229 (July 7, 2012).

Persons with a disability who require an alternate format of this notice (for example, large print, audiotape, Braille) should contact Richard Gibbons, Department of Health, Bureau of Emergency Medical Services, Room 606, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120-0710, (717) 787-8740. Speech or hearing impaired persons may call by using V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

MICHAEL WOLF,
Secretary

	Category	Skill	EMR	EMT	AEMT	P*
1	Airway/Ventilation/Oxygenation	Airway—Nonsurgical Alternative/Rescue Airway—CombiTube™, King LT-D Airway™, or King LTS-D Airway™	No	No	Yes	Yes
2	Airway/Ventilation/Oxygenation	Airway—Oropharyngeal (OPA) & Nasopharyngeal (NPA)	Yes	Yes	Yes	Yes
3	Airway/Ventilation/Oxygenation	Airway—Pharyngeal tracheal lumen (PTL)	No	No	No	No
4	Airway/Ventilation/Oxygenation	Bag-valve-ETT/Nonsurgical alternative airway ventilation	Yes ²	Yes ²	Yes	Yes
5	Airway/Ventilation/Oxygenation	Bag-valve-ventilation—with in-line small-volume nebulizer	No	Yes ²	Yes	Yes
6	Airway/Ventilation/Oxygenation	Bag-valve-mask (BVM) ventilation	Yes	Yes	Yes	Yes
7	Airway/Ventilation/Oxygenation	Chest decompression—needle	No	No	No	Yes
8	Airway/Ventilation/Oxygenation	Chest tube thoracostomy, monitoring of existing tube	No	No	No	No
9	Airway/Ventilation/Oxygenation	Chest tube thoracostomy, acute insertion	No	No	No	No
10	Airway/Ventilation/Oxygenation	Continuous positive airway pressure (CPAP)	No	Yes ¹	Yes	Yes
11	Airway/Ventilation/Oxygenation	Biphasic positive airway pressure (BiPAP)	No	No	No	No
12	Airway/Ventilation/Oxygenation	Cricothyrotomy—needle	No	No	No	Yes
13	Airway/Ventilation/Oxygenation	Cricothyrotomy—open/surgical	No	No	No	Yes
14	Airway/Ventilation/Oxygenation	Cricothyrotomy—overwire (Seldinger) technique	No	No	No	Yes
15	Airway/Ventilation/Oxygenation	End tidal CO ₂ monitoring/capnography	No	No	Yes	Yes
16	Airway/Ventilation/Oxygenation	Esophageal obturator airway (EOA)/esophageal gastric tube airway (EGTA)	No	No	No	No
17	Airway/Ventilation/Oxygenation	Extubation—removal of ETT	No	No	No	Yes
18	Airway/Ventilation/Oxygenation	Gastric decompressions—Orogastric or nasogastric tube insertion	No	No	No	Yes
19	Airway/Ventilation/Oxygenation	Gastric decompression by means of alternative/rescue airway (CombiTube™ or King LTS-D™)	No	No	Yes	Yes
20	Airway/Ventilation/Oxygenation	Head-tilt/chin lift	Yes	Yes	Yes	Yes
21	Airway/Ventilation/Oxygenation	Inspiratory Impedance Threshold Device (ITD)	No	No	Yes ¹	Yes
22	Airway/Ventilation/Oxygenation	Endotracheal Intubation—by direct laryngoscopy (including video intubation devices), nasotracheal, digital, and transillumination/lighted stylet techniques	No	No	No	Yes
23	Airway/Ventilation/Oxygenation	Endotracheal Intubation—paralytic assisted, rapid sequence induction (RSI)	No	No	No	No
24	Airway/Ventilation/Oxygenation	Ventilation—maintenance of previously initiated neuromuscular blockade	No	No	No	No
25	Airway/Ventilation/Oxygenation	Endotracheal Intubation—retrograde technique	No	No	No	No
26	Airway/Ventilation/Oxygenation	Jaw thrust & modified jaw thrust (trauma)	Yes	Yes	Yes	Yes
27	Airway/Ventilation/Oxygenation	Laryngeal mask airway (LMA)	No	No	No	No
28	Airway/Ventilation/Oxygenation	Mouth-to-mouth, nose, stoma, barrier & pocket mask	Yes	Yes	Yes	Yes
29	Airway/Ventilation/Oxygenation	Obstruction—direct laryngoscopy (remove with forceps)	No	No	No	Yes

	Category	Skill	EMR	EMT	AEMT	P*
30	Airway/Ventilation/Oxygenation	Obstruction—manual (abdominal thrusts, finger sweep, chest thrusts) upper airway	Yes	Yes	Yes	Yes
31	Airway/Ventilation/Oxygenation	Oxygen therapy—blow-by delivery	Yes	Yes	Yes	Yes
32	Airway/Ventilation/Oxygenation	Oxygen therapy—humidifiers	No	Yes	Yes	Yes
33	Airway/Ventilation/Oxygenation	Oxygen therapy—nasal cannula	Yes	Yes	Yes	Yes
34	Airway/Ventilation/Oxygenation	Oxygen therapy—non-rebreather	Yes	Yes	Yes	Yes
35	Airway/Ventilation/Oxygenation	Oxygen therapy—partial rebreather	No	Yes	Yes	Yes
36	Airway/Ventilation/Oxygenation	Oxygen therapy—regulators	Yes	Yes	Yes	Yes
37	Airway/Ventilation/Oxygenation	Oxygen therapy—simple face mask	No	Yes	Yes	Yes
38	Airway/Ventilation/Oxygenation	Oxygen therapy—Venturi mask	No	Yes	Yes	Yes
39	Airway/Ventilation/Oxygenation	Peak expiratory flow assessment	No	No	Yes	Yes
40	Airway/Ventilation/Oxygenation	Suctioning—meconium aspiration	No	No	No	Yes
41	Airway/Ventilation/Oxygenation	Suctioning—stoma/tracheostomy	Yes	Yes	Yes	Yes
42	Airway/Ventilation/Oxygenation	Suctioning—tracheobronchial by means of advanced airway	No	Yes ²	Yes	Yes
43	Airway/Ventilation/Oxygenation	Suctioning—upper airway (nasal)	Yes	Yes	Yes	Yes
44	Airway/Ventilation/Oxygenation	Suctioning—upper airway (oral)	Yes	Yes	Yes	Yes
45	Airway/Ventilation/Oxygenation	Transtracheal jet ventilation	No	No	No	Yes
46	Airway/Ventilation/Oxygenation	Single mode, volume controlled automated ventilator (w/o blender)	No	Yes	Yes	Yes
47	Airway/Ventilation/Oxygenation	Ventilators—multi-modal, blended gas transport ventilator on patients >1 year of age and ventilated >48 hours and no anticipated need to actively titrate ventilator settings	No	No	No	No
48	Airway/Ventilation/Oxygenation	Ventilators—multi-modal, blended gas transport ventilator on patients ventilated <48 hours or anticipated need to actively titrate ventilator settings	No	No	No	No
49	Cardiovascular/Circulation	Blood pressure—auscultation	Yes	Yes	Yes	Yes
50	Cardiovascular/Circulation	Blood pressure—electronic non-invasive	Yes	Yes	Yes	Yes
51	Cardiovascular/Circulation	Blood pressure—palpation	Yes	Yes	Yes	Yes
52	Cardiovascular/Circulation	Electrocardiogram (ECG) monitoring—apply electrodes for single leads	No	Yes ²	Yes ²	Yes
53	Cardiovascular/Circulation	Electrocardiogram (ECG) monitoring—obtain and transmit 12-lead ECG	No	No	Yes	Yes
54	Cardiovascular/Circulation	Electrocardiogram (ECG) monitoring—12-lead (interpret)	No	No	No	Yes
55	Cardiovascular/Circulation	Cardiac monitoring—single lead (interpret)	No	No	No	Yes
56	Cardiovascular/Circulation	Manual chest compressions—adult, child, infant	Yes	Yes	Yes	Yes
57	Cardiovascular/Circulation	Cardioversion—synchronized	No	No	No	Yes
58	Cardiovascular/Circulation	Carotid massage (vagal maneuvers)	No	No	No	Yes
59	Cardiovascular/Circulation	Defibrillation—counter shock—manual	No	No	No	Yes
60	Cardiovascular/Circulation	Transcutaneous cardiac pacing	No	No	No	Yes
61	Cardiovascular/Circulation	Transvenous or Epicardial pacing, Management of	No	No	No	No
62	Cardiovascular/Circulation	Defibrillation—automated external defibrillator (AED)	Yes	Yes	Yes	Yes
63	Cardiovascular/Circulation	Hemodynamic monitoring/assist (Swan Ganz, central venous pressure)	No	No	No	No

	Category	Skill	EMR	EMT	AEMT	P*
64	Cardiovascular/Circulation	Intra-aortic balloon pump or invasive cardiac assist device monitoring/assist	No	No	No	No
65	Cardiovascular/Circulation	Mechanical chest compression device use	No	Yes ¹	Yes ¹	Yes ¹
66	Cardiovascular/Circulation	Thrombolytic therapy—initiation	No	No	No	No
67	Cardiovascular/Circulation	Thrombolytic therapy—monitoring	No	No	No	No
68	IV Initiation / Maintenance / Fluids	Central venous cannulation/insertion	No	No	No	No
69	IV Initiation / Maintenance / Fluids	Central venous line—access of existing catheters with external ports	No	No	No	Yes
70	IV Initiation / Maintenance / Fluids	External jugular vein cannulation	No	No	No	Yes
71	IV Initiation / Maintenance / Fluids	Saline lock insertions as no-flow IV	No	No	Yes	Yes
72	IV Initiation / Maintenance / Fluids	Intraosseous—needle placement & infusion—tibia, femur, and humerus	No	No	Yes ³	Yes
73	IV Initiation / Maintenance / Fluids	IV insertion, peripheral venous—initiation (cannulation)	No	No	Yes	Yes
74	IV Initiation / Maintenance / Fluids	Sub-cutaneous indwelling catheters—access of existing catheters	No	No	No	No
75	IV Initiation / Maintenance / Fluids	Venous blood sampling, peripheral—for clinical diagnostic purposes only, not for legal purposes	No	No	Yes ³	Yes
76	IV Initiation / Maintenance / Fluids	Venous central line (blood sampling)—obtaining	No	No	No	No
77	IV Initiation / Maintenance / Fluids	Arterial line—capped—transport	No	Yes	Yes	Yes
78	IV Initiation / Maintenance / Fluids	Arterial line—monitoring/assist	No	No	No	No
79	IV Initiation / Maintenance / Fluids	Blood/Blood-by-products administration (initiation and continuation)	No	No	No	No
80	Lifting & Moving	Patient lifting, moving & transfers	Yes	Yes	Yes	Yes
81	Lifting & Moving	Patient restraints on transport devices	Yes	Yes	Yes	Yes
82	Medication administration routes	Endotracheal (ET)	No	No	No	Yes
83	Medication administration routes	Inhalation (aerosolized/nebulized)	No	No	Yes	Yes
84	Medication administration routes	Intramuscular (IM)	No	No	Yes	Yes
85	Medication administration routes	Intranasal	No	No	Yes	Yes
86	Medication administration routes	Intraosseous—tibia, humerus, or femur	No	No	No	Yes
87	Medication administration routes	Intravenous (IV)—fluid bolus	No	No	Yes	Yes
88	Medication administration routes	Intravenous (IV)—monitoring or maintaining existing intravenous infusion (crystalloid fluid as published in the EMS medication list in the <i>Pennsylvania Bulletin</i>) during interfacility transport	No	No	Yes	Yes
89	Medication administration routes	Intravenous (IV) infusion, with added medication, including by intravenous pump	No	No	No	Yes
90	Medication administration routes	Nasogastric	No	No	No	Yes
91	Medication administration routes	Enteral feeding devices, management of	No	No	No	No
92	Medication administration routes	Oral—glucose and aspirin (other medications addressed elsewhere)	No	Yes	Yes	Yes
93	Medication administration routes	Rectal	No	No	No	Yes
94	Medication administration routes	Subcutaneous	No	No	Yes	Yes

	Category	Skill	EMR	EMT	AEMT	P*
95	Medication administration routes	Sublingual (<i>Note: EMT may only assist patient with his/her prescribed Nitroglycerin (NTG)</i>)	No	Yes	Yes	Yes
96	Medication administration routes	Topical	No	No	No	Yes
97	Medications	Auto-injector benzodiazepine for seizure	No	No	No	Yes
98	Medications	Auto-injector epinephrine (assist patient with his/her prescribed medication)	No	Yes	Yes	Yes
99	Medications	Auto-injected epinephrine—primary use—not patient's own prescription	No	Yes ¹	Yes	Yes
100	Medications	Medications as published in <i>Pennsylvania Bulletin</i> by the Department	No	No	Yes	Yes
101	Medications	Immunizations as published in the <i>Pennsylvania Bulletin</i> by the Department	No	No	Yes	Yes
102	Medications	Over-the-counter (OTC) medications (<i>Note: aspirin and glucose covered elsewhere</i>)	No	No	No	No
103	Medications	Oxygen	Yes ¹	Yes	Yes	Yes
104	Medications	Auto-injector nerve agent antidote—self rescue treatment	No	Yes ³	Yes ³	Yes
105	Medications	Metered-dose inhaler (MDI) bronchodilator (<i>Note: EMT may only assist patient with his/her own prescribed medication</i>)	No	Yes	Yes	Yes
106	Medications	Naloxone—Intranasal or auto-injector	Yes ¹	Yes ¹	Yes	Yes
107	Patient assessment /management	Behavioral—Restrain violent patient	Yes ¹	Yes	Yes	Yes
108	Patient assessment /management	Blood glucose assessment	No	No	Yes	Yes
109	Patient assessment /management	Portable blood analysis devices, use of (glucometer covered elsewhere)	No	No	No	No
110	Patient assessment /management	Childbirth—umbilical cord cutting	Yes	Yes	Yes	Yes
111	Patient assessment /management	Childbirth (abnormal/complications)	No	Yes	Yes	Yes
112	Patient assessment /management	Childbirth (normal)—cephalic delivery	Yes	Yes	Yes	Yes
113	Patient assessment /management	Carbon Monoxide CO-oximetry monitoring	No	Yes ¹	Yes ¹	Yes ¹
114	Patient assessment /management	Carbon Monoxide monitoring, with environmental surveillance devices	Yes	Yes	Yes	Yes
115	Patient assessment /management	Hemodynamic monitoring/assist (Swan Ganz, central venous pressure)	No	No	No	No
116	Patient assessment /management	Dislocation reduction	No	No	No	No
117	Patient assessment /management	Eye irrigation (<i>Note: irrigation through corneal contact device limited to AEMT and Paramedic</i>)	Yes	Yes	Yes	Yes
118	Patient assessment /management	Intracranial monitoring/assist	No	No	No	No
119	Patient assessment /management	Patient management per Statewide EMS Protocols and Department approved protocols	Yes	Yes	Yes	Yes
120	Patient assessment /management	Pulse oximetry monitoring	No	Yes	Yes	Yes
121	Patient assessment /management	Splinting, extremity—manual, rigid, soft, vacuum	No	Yes	Yes	Yes
122	Patient assessment /management	Splinting, femur—traction	No	Yes	Yes	Yes
123	Patient assessment /management	Urinary catheterization	No	No	No	No
124	Patient assessment /management	Wound care, dressing, bandaging	Yes	Yes	Yes	Yes
125	Patient assessment /management	Wound care, removal of Taser probe/barb	No	No	No	No

Category	Skill	EMR	EMT	AEMT	P*
126 Patient assessment /management	Wound drainage vacuum devices, monitoring	No	Yes	Yes	Yes
127 Patient assessment /management	Wound care, hemorrhage control—direct pressure, tourniquet, bandaging, hemostatic agents	Yes	Yes	Yes	Yes
128 Patient assessment /management	Wound care, irrigation and skin closure with tape or adhesive glue	No	No	No	No
129 Spine Care	Restrict spinal motion—Cervical collar application	No	Yes	Yes	Yes
130 Spine Care	Restrict spinal motion—Helmet removal or stabilization	No	Yes	Yes	Yes
131 Spine Care	Restrict spinal motion—manual cervical spine stabilization	Yes	Yes	Yes	Yes
132 Spine Care	Restrict spinal motion—rapid extrication with precautions to restrict spinal movement	No	Yes	Yes	Yes
133 Spine Care	Devices to restrict spinal motion—for example—vacuum mattress, extrication devices, scoop stretcher and spine board)	No	Yes	Yes	Yes

EMR—Emergency Medical Responder;

EMT—Emergency Medical Technician;

AEMT—Advanced Emergency Medical Technician;

P*—Paramedic (*includes—PHRN/PHPE/PHP)

No—The skill is not in the scope of practice for the level of certification.

Yes—The skill is in the scope of practice for the level of certification.

1. Additional training and authorization by EMS agency medical director is required, and this skill may only be used when functioning with a licensed EMS agency that complies with Department requirements for providing this skill.

2. May assist a P, PHRN, PHPE or PHP with this skill only when in the physical presence of and under the direct supervision of the higher level provider.

3. May perform this skill only in the physical presence of and under the direct supervision of a P, PHRN, PHPE or PHP.

[Pa.B. Doc. No. 14-2479. Filed for public inspection November 26, 2014, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Availability of Amendments to the Office of Long-Term Living's Aging, Attendant Care and Independence Waivers; Renewal of the Waiver for Persons with AIDS or Symptomatic HIV Disease (AIDS Waiver); and Accompanying Home and Community-Based Settings Transition Plans

The Department of Human Services (Department) is making available for public review and comment the Office of Long-Term Living's proposed Aging, Attendant Care and Independence waiver amendments, the proposed AIDS waiver renewal and accompanying transition plans.

Aging, Attendant Care and Independence Waivers

To receive Federal matching funds for home and community-based services (HCBS) Aging, Attendant Care and Independence waiver services, the Department must receive approval from the Centers for Medicare and Medicaid Services (CMS) for the unduplicated number of participants to be served during each year of the ap-

proved waiver. The number of unduplicated recipients is estimated for each year of the waivers and, with Federal approval, can be adjusted as actual experience within the waivers is monitored. The Aging, Attendant Care and Independence waiver amendments propose to increase the number of unduplicated recipients served in each waiver during the 2013-2014 State Fiscal Year (SFY), as well as to add transition plans for home and community-based settings that are specific to each waiver.

Based on experience in SFY 2013-2014, the Department has determined the need to increase the maximum number of unduplicated recipients it intends to serve in the waivers. The Department intends to submit amendments to CMS to increase the maximum number of unduplicated recipients as follows:

- Aging Waiver—increase the number of unduplicated recipients from 28,500 to 29,000.
- Attendant Care Waiver—increase the number of unduplicated recipients from 10,250 to 10,700.
- Independence Waiver—increase the number of unduplicated recipients from 8,600 to 10,500.

AIDS Waiver

Under 42 CFR 430.25(h)(2)(i) (relating to waivers of State plan requirements) to continue receiving Federal

matching funds for HCBS AIDS waiver services, CMS requires that existing HCBS waivers be renewed every 5 years. The AIDS Waiver was last renewed by CMS effective January 1, 2010.

Transition Plans

The CMS published a final rule for HCBS at 79 FR 2948 (January 16, 2014), with an effective date of March 17, 2014. This final rule amends the Medicaid regulation for HCBS waivers under section 1915(c) of the Social Security Act (42 U.S.C.A. § 1396n(c)) to provide requirements regarding characteristics of settings that are home and community-based as well as settings that may not be home and community-based. See 42 CFR Parts 430, 431, 435, 436, 440, 441 and 447. These requirements reflect CMS' intent that individuals receiving services and supports through Medicaid waivers receive services in settings that are integrated in and support full access to the greater community. For more details about the HCBS Final Rule, refer to the CMS HCBS webpage at <http://www.medicaid.gov/Medicaid-CHIP-Program-Information/By-Topics/Long-Term-Services-and-Supports/Home-and-Community-Based-Services/Home-and-Community-Based-Services.html>.

The final rule requires that a waiver-specific transition plan be submitted with each waiver amendment or waiver renewal. The proposed transition plans for the Aging, Attendant Care, Independence and AIDS waivers include the steps that the Department anticipates taking to achieve compliance in the following areas: Assessment, Remediation Strategies and Outreach and Engagement of Stakeholders.

The proposed Aging, Attendant Care and Independence waiver amendments, the proposed AIDS waiver renewal and accompanying transition plans are available at <http://www.dpw.state.pa.us/dpworganization/officeoflongtermliving/index.htm> or by contacting the Department of Human Services, Office of Long-Term Living at (717) 783-8412.

Fiscal Impact

For Fiscal Year 2014-2015, the fiscal impact of the Aging, Attendant Care and Independence waiver amendments is \$59.527 million (\$28.603 million in State funds). The renewal of the AIDS waiver is anticipated to be budget neutral; therefore, there is no anticipated fiscal impact.

Public Comment

Interested persons are invited to submit written comments regarding this notice to the Department of Human Services, Office of Long-Term Living, Bureau of Policy and Regulatory Management, Attention: Jennifer Hale, P. O. Box 8025, Harrisburg, PA 17105-8025. Comments may also be submitted to the Department at RA-waiver.standard@pa.gov. Comments received within 30 days will be reviewed and considered for revisions to the proposed waiver amendments, waiver renewal and the proposed transition plans.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

BEVERLY D. MACKERETH,
Secretary

Fiscal Note: 14-NOT-919. (1) General Fund;

(7) Home and Community-Based Services; (2) Implementing Year 2013-14 is \$0; (3) 1st Succeeding Year

2014-15 through 5th Succeeding Year 2018-19 are \$3,559,000; (4) 2012-13 Program—\$184,500,000; 2011-12 Program—\$175,162,000; 2010-11 Program—\$0;

(7) Attendant Care; (2) Implementing Year 2013-14 is \$0; (3) 1st Succeeding Year 2014-15 through 5th Succeeding Year 2018-19 are \$3,097,000; (4) 2012-13 Program—\$107,830,000; 2011-12 Program—\$102,704,000; 2010-11 Program—\$97,869,000;

(7) Services to Persons with Disabilities; (2) Implementing Year 2013-14 is \$6,208,000; (3) 1st Succeeding Year 2014-15 through 5th Succeeding Year 2018-19 are \$21,947,000; (4) 2012-13 Program—\$195,135,000; 2011-12 Program—\$163,987,000; 2010-11 Program—\$115,635,000;

(8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 14-2480. Filed for public inspection November 26, 2014, 9:00 a.m.]

DEPARTMENT OF LABOR AND INDUSTRY

Uniform Construction Code Review and Advisory Council Meeting

The Uniform Construction Code Review and Advisory Council will hold a meeting on Wednesday, December 10, 2014, at 10 a.m. at the Labor and Industry Building, E-100, 651 Boas Street, Harrisburg, PA 17121.

Additional information concerning the meeting may be found on the Department of Labor and Industry web site at www.dli.state.pa.us. Scroll down and click on the link for "Uniform Construction Code" then "UCC Review and Advisory Council."

Questions concerning this may be directed to Joseph P. Marchioni, Jr. at (717) 783-6304.

JULIA K. HEARTHWAY,
Secretary

[Pa.B. Doc. No. 14-2481. Filed for public inspection November 26, 2014, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Availability of Local Real Estate Tax Reimbursement Grants for Taxes Paid in 2014

The Department of Transportation (Department), Bureau of Aviation, is accepting applications for Local Real Estate Tax Reimbursement Grants from qualifying owners of public airports who have paid local real estate taxes for the calendar year ending December 31, 2014.

Each year, under 74 Pa.C.S. Chapter 61, Subchapter B (relating to reimbursement of local real estate taxes for public airports) and 67 Pa. Code Chapter 477 (relating to local real estate tax reimbursement grants), the owner of a public airport shall be eligible for a grant from the local real estate tax reimbursement portion of the Aviation Restricted Account. These grants are available to reimburse airport owners for local real estate taxes paid on

those portions of an airport which are aviation-related areas as defined in 74 Pa.C.S. § 5102 (relating to definitions). Prior to receiving a grant, each public airport owner shall enter into an agreement with the Department. This agreement shall specify that the owner shall continue, for not less than 10 years, to maintain the property, for which the grant will be sought, as an airport at least equal in size and capacity as indicated in the owner's initial grant application. This agreement shall be a covenant which runs with the land and shall apply to any subsequent purchases of land. Upon acceptance of any grant, the covenant shall be deemed extended for 1 additional year. Any violation of the agreement shall make the owner liable for the repayment of the total appropriation for the year plus a penalty of two times the grant. In any action wherein the owner is found to have violated the agreement, the Department shall receive all costs of prosecution.

The final date for submission of applications for reimbursement of local real estate taxes paid in the calendar year ending December 31, 2014, is the close of business on February 1, 2015. Applications shall be filed with the Bureau of Aviation using dotGrants, the Department's web based grants administration program. For more detailed information, review the information on the Department's web site at <http://www.dot.state.pa.us/Internet/Bureaus/pdBOA.nsf/AviationHomepage?openframeset>.

Interested persons may direct their request for online participation, inquiries or comments regarding the Local Real Estate Tax Reimbursement Grant Program for eastern region airports to Catherine Green, Grant Specialist East, Bureau of Aviation, 400 North Street, 6th Floor, Harrisburg, PA 17120, (717) 705-1222, catgreen@pa.gov or for western region airports to Marcia Scott-Williams, Grant Specialist West, Bureau of Aviation, 400 North Street, 6th Floor, Harrisburg, PA 17120, (717) 705-1205, msscottwil@pa.gov.

BARRY J. SCHOCH, PE,
Secretary

[Pa.B. Doc. No. 14-2482. Filed for public inspection November 26, 2014, 9:00 a.m.]

Findings

Under section 2002 of The Administrative Code of 1929 (71 P.S. § 512) establishing the Department of Transportation (Department), the Director of the Bureau of Project Delivery, as delegated by the Secretary of Transportation, makes the following written findings:

The Department is planning the following projects. Environmental and Section 4(f) documentation have been developed for these projects to evaluate the potential environmental impacts caused by these projects. The Section 4(f) documents also serve as the Section 2002 Evaluation. The approved documents are available in the CE/EA Expert System <http://www.dotdom2.state.pa.us/ceea/ceemain.nsf>. The environmental, economic social and other effects of the proposed projects have been considered. Based upon studies, there is no feasible and prudent alternative to the use of the Section 2002 resources for the following proposed projects and all reasonable steps have been taken to minimize the effects.

• SR 0000, Section L00—City of Meadville, Crawford County.

Project Description: The project consists of replacing the Mead Avenue Bridge, which carries Mead Avenue over (SR) French Creek, and performing minor approach reconstruction to accommodate the grade adjustments along Mead Avenue and through the intersection of Mead Avenue with State Route (SR) 0102 (Cussewago Road).

Environmental Documents: Level 2 CEE, approved on May 1, 2014, and a Nationwide/Programmatic Section 4(f) Evaluation for Projects that Necessitate the Use of Historic Bridges approved on October 15, 2010, and a Determination of Section 4(f) Applicability Involving Temporary Use (Occupancy) approved on March 26, 2014.

Proposed Use of Section 4(f)/2002 Resource: The replacement of the Mead Avenue Bridge required the dismantling and removal of the current structure, which is eligible for listing on the National Register of Historic Places resulting in an adverse impact on the resource. Bicentennial Park is a 3-acre public park owned by the City of Meadville and located adjacent to the south side of Mead Avenue. A temporary construction easement (TCE) of 0.3 acre is required from the park during construction. A temporary pad will be constructed along the bank of French Creek to provide access and staging for equipment. This area will be fully restored resulting in no adverse impact. French Creek is an approved water trail. No boat launch or other access point exists in the project area. The project will have no adverse effect on the French Creek water trail.

• SR 0000, Section LOC—Allegheny County.

Project Description: The project consists of the procurement and installation of bicycles, bicycle racks, hardware, pay stations and related appurtenances in 50 select locations throughout the City of Pittsburgh.

Environmental Documents: Level 1a CEE, approved on May 29, 2014, and a Determination of Section 4(f) DeMinimis Use document and a Section 4(f) Non-Applicability/No Use, all approved on July 22, 2013.

Proposed Use of Section 4(f)/2002 Resource: There are five proposed bike share stations that will be within four recreational Section 4(f) properties but will not result in permanent acquisition of property: Mellon Park; Morrow Park; Schenley Park; and North Shore Park. Fifteen proposed bike share stations will be within eight historic 4(f) properties: Pittsburgh Renaissance Historic District; Pittsburgh Central Downtown Historic District; Schenley Park Historic District, East Carson Street Historic District; Strip Historic District; Lawrenceville Historic District; Schenley Farm Historic District; and East Liberty Historic District. The construction of these bike share stations will not require right-of-way (ROW) takes or impacts to these historic properties, and the project does not constitute a "use" within the meaning of 4(f) in respect to historic resources. None of the 4(f) properties will have adverse effects as a result of the project.

• SR 0006, Section 620—Coudersport Borough, Potter County.

Project Description: The project consists of full depth reconstruction in specific areas, base replacements, drainage improvements, bituminous overlay, bridge rehabilitation, traffic signal upgrades and possible water, sewer and gas line relocations along SR 0006 in Coudersport Borough, Potter County. Minor reconstruction of curb and sidewalk sections may be required where drainage upgrades are constructed.

Environmental Documents: BRPA CEE, approved on May 16, 2014, and a Determination of Section 4(f) DeMinimis Use document, approved on May 6, 2014.

Proposed Use of Section 4(f)/2002 Resource: As part of the proposed betterment project, the Department will be upgrading the existing drainage within the project area. Included with these upgrades will be the replacement of an existing outfall pipe extending from SR 0006 to the Allegheny River. This outfall pipe currently extends across the Mary C. Freysinger property. This is a contributing property to the Coudersport Historic District, listed on the National Register of Historic Places. For the proposed pipe replacement, a permanent drainage easement is required at the southwest corner of the Mary C. Freysinger property consisting of approximately 0.02 acre. This easement and the work associated with the project will result in no adverse effect to the property or the historic district.

• **SR 0030, Section 085—Jackson Township, York County.**

Project Description: The project consists of the replacement of the SR 0030 bridge over Little Conewago Creek in Jackson Township.

Environmental Documents: Level 1b CEE, approved on June 26, 2014, and a Determination of Section 4(f) DeMinimis Use document, approved on July 25, 2013.

Proposed Use of Section 4(f)/2002 Resource: The replacement of the SR 0030 bridge over Little Conewago Creek requires permanent ROW acquisition and temporary impacts to the John Spangler Farm. The John Spangler Farm is eligible for the National Register of Historic Places. Approximately 0.431 acre of permanent ROW is necessary for the widening of the bridge. Approximately 0.477 acre of temporary impacts will occur during construction. The permanent acquisitions and temporary impacts will result in no adverse effect to the John Spangler Farm.

• **SR 0066, Section A01—Highland Township, Elk County.**

Project Description: The project consists of the removal of the existing structure that carries SR 0066 over an unnamed tributary to Wolf Run and the installation of a single cell box culvert. Minor roadway paving and guiderail updates are also included with this project.

Environmental Documents: BRPA CEE, approved on March 31, 2014, and a Determination of Section 4(f) DeMinimis Use document, approved on March 31, 2014.

Proposed Use of Section 4(f)/2002 Resource: This project will require minor sliver takes of the Allegheny National Forest. The work itself will not result in any adverse effects to the resource.

• **SR 0092, Section 04D—Various Municipalities, Susquehanna and Wyoming County.**

Project Description: The project consists of the resurfacing of 15 miles of bituminous roadways on SRs in various municipalities. Also included in the project are milling, base repair, design-build curb ramps, guiderail updates and pavement markings.

Environmental Documents: BRPA CEE, approved on May 12, 2014, and a Determination of Nationwide/Programmatic Section 4(f) Evaluation for Minor Involvements with Historic Sites, approved on April 24, 2014.

Proposed Use of Section 4(f)/2002 Resource: The project goes through the Susquehanna Depot Historic District, eligible for the National Register of Historic Places. The project will have no effect to the qualities that make the Susquehanna Historic District eligible for listing in the National Register of Historic Places.

• **SR 0268, Section 251—Parker Township, Butler County.**

Project Description: The project consists of structural improvements to the existing arch culvert carrying SR 0268 over North Branch Bear Creek.

Environmental Documents: Level 1b CEE, approved on June 19, 2014, and a Determination of Section 4(f) DeMinimis Use document, approved on June 9, 2014.

Proposed Use of Section 4(f)/2002 Resource: The rehabilitation of the arch culvert will require approximately 0.031 acre of permanent ROW and 0.526 acre of TCE. The project is located in State Game Lands 95, a Section 4(f) resource. The TCE area will be restored to the greatest extent possible following construction. The project will not affect the activities, features or attributes that qualify the resource for protection as a 4(f) resource and will have no adverse effect to the resource.

• **SR 0309, Section 02D—Various Municipalities, Luzerne County.**

Project Description: The project consists of surface treatment along SR 0309 from Mountain Top to Hazleton City. Work includes milling, bituminous wearing and scratch course, base repair, ADA ramps, drainage upgrades and restoring of pavement markings.

Environmental Documents: BRPA CEE, approved on April 30, 2014, and a Determination of Nationwide/Programmatic Section 4(f) Evaluation for Minor Involvements with Historic Sites, approved on April 24, 2014.

Proposed Use of Section 4(f)/2002 Resource: The limits of the work are within the Church Street Historic District and Hazleton City Hall. This project will have no effect to the qualities that make these locations eligible for listing on the National Register of Historic Places resulting in no adverse effect.

• **SR 0403, Section 10B—City of Johnstown, Cambria County.**

Project Description: The project consists of the replacement of the existing Moxham Bridge in Johnstown, Cambria County. The structure carries four lanes of SR 0403 and two pedestrian sidewalks over the Stonycreek River. The proposed work consists of replacing the existing structure with a two-span, steel multigirder bridge on the existing horizontal and vertical alignments.

Environmental Documents: BRPA CEE, approved on August 4, 2014, and a (1) Determination of Section 4(f) DeMinimis Use/Section 2002 for Public Parks, Recreation Area, Wildlife and/or Waterfowl Refuges, State Forest land, and State Game Land was approved on July 30, 2014, and a (2) Determination of Section 4(f) DeMinimis Use/Section 2002 for Historic Properties was approved on July 30, 2014.

Proposed Use of Section 4(f)/2002 Resource: The proposed project would include:

(1) Approximately 548 square feet of property from the two parcels on the east and west of SR 0403 south of the bridge will be obtained as required ROW for the project. The roadway reconstruction to the south of the bridge is

needed to tie the profile grade of the proposed structure back to the existing profile, as well as to maintain vehicular and pedestrian traffic throughout the corridor during the phased bridge replacement.

(2) A 2,100 square foot portion of the National Register of Historic Places eligible Johnstown Local Flood Protection Project flood wall, adjacent to the causeway, will need to be temporarily removed and reconstructed to access the causeway. The causeway is required for demolition and bridge erection activities. Additionally, impacts to the National Register of Historic Places-eligible Cochran Junior High School (currently the Johnstown High School) will be limited to ground disturbance in an area measuring approximately 2,000 square feet and 4,000 square feet of TCE.

• **SR 0412, Section CRD—City of Bethlehem, Northampton County.**

Project Description: The project consists of the construction of a new one-lane roadway (Union Station Plaza) to connect West Second Street and West Third Street in the City of Bethlehem. The new roadwork includes construction of a new one-lane curbed roadway, drainage and 8-foot sidewalk, three on-street parking spaces and miscellaneous construction.

Environmental Documents: Level 2 CEE, approved on May 23, 2014, and a Determination of Section 4(f) DeMinimis Use document, approved on February 10, 2014.

Proposed Use of Section 4(f)/2002 Resource: The project is located adjacent to the northwest boundary of the South Bethlehem Downtown Historic District. The historic district was listed on the National Register of Historic Places in 2006. There will be 2 square feet of direct impact for the required sidewalk easement and one parking space will be lost within the historic district boundary. The project will also require 0.013 acre from within the historic district for TCE and 0.026 acre for a required sight distance easement. There will be no adverse effects as a result of this project. This project's information is not available electronically in the CEE System.

• **SR 0436, Section 552—Punxsutawney Borough, Jefferson County.**

Project Description: The project consists of a replacement and realignment of the SR 0436 bridge over Mahoning Creek (Margiotti Bridge). The proposed bridge will be constructed adjacent to and downstream of the existing structure.

Environmental Document: Level 1b CEE, approved on May 16, 2014, and a Determination of Section 4(f) DeMinimis Use document, approved on March 25, 2014.

Proposed Use of Section 4(f)/2002 Resource: The Mahoning Shadow Trail, Punxsutawney Area Rails to Trails Association, Inc. is located along the south bank of Mahoning Creek. The new bridge will require a permanent aerial easement where the bridge crosses over the trail. Access will be maintained during most of construction and, upon completion, the trail and the surrounding property will be landscaped and the trail restored to preconstruction condition. Short-term (less than 24 hours) closures are anticipated during several major construction events. The aerial easement and new pier will not impede the future use of the Mahoning Shadow Trail resulting in no adverse effects.

• **SR 0522, Section P10—Bratton Township, Mifflin County.**

Project Description: The project consists of the bridge preservation of SR 3014 over Juniata River in Bratton Township, Mifflin County.

Environmental Description: BRPA CEE, approved on March 31, 2013, and a Determination of Section 4(f) Applicability Involving Temporary Use (Occupancy), approved on March 28, 2013.

Proposed Use of Section 4(f)/2002 Resource: Tasks included in this bridge preservation are possible instream scaffolding installation during the 2 months of anticipated construction. No land acquisition is needed for this project. The water tail is to remain open for boating and fishing throughout project construction and an Aid to Navigation Plan is expected to assist water trail users throughout construction. No adverse effects are anticipated for this resource.

• **SR 0533, Section 004—Letterkenny Township, Franklin County.**

Project Description: The project consists of the replacement of the existing SR 0533 bridge over Lehman Run located in Letterkenny Township, Franklin County.

Environmental Documents: Level 1b CEE, approved on August 6, 2014, and a Determination of Section 4(f) DeMinimis Use document, approved on April 8, 2014.

Proposed Use of Section 4(f)/2002 Resource: The Letterkenny Army Depot owns lands adjacent to the project area. The Letterkenny Army Depot is eligible for listing on the National Register of Historic Places. A permanent ROW acquisition totaling 0.028 acre is required from the property. A sliver impact of 0.0009 acre will occur to the Letterkenny Army Depot's property not within the historic boundary. Both takes will result in no adverse effect to the property.

• **SR 0885, Section A35—West Mifflin Borough, Allegheny County.**

Project Description: The project consists of a bridge replacement on SR 0885, installation of approach slabs, updating of the guide rail connections at the new parapets, paving the new approaches and relocation of a gravel access drive for the Allegheny County Airport. The new structure and approach roadway will be slightly widened to accommodate future widening of SR 0885 to four lanes.

Environmental Documents: Level 1b CEE, approved on May 22, 2014, and a Determination of Section 4(f) DeMinimis use document, approved on April 25, 2012, and a Determination of Section 4(f) Applicability Involving Temporary Use (Occupancy), approved on April 25, 2012.

Proposed Use of Section 4(f)/2002 Resource: The structure to be replaced crosses over the Union Railroad line. The widening of the structure will require sliver ROW takes totaling 0.03 acre (1,378 square feet) from the Union Railroad line. The Union Railroad line is eligible for the National Register of Historic Places and has historical significance (Criterion A). The relocation of a gravel access drive for the Allegheny County Airport will require TCE. The airport is eligible for the National Register of Historic Places. The required ROW and TCE taken from these properties will result in no adverse effects on the historic resources.

• **SR 2008, Section 009—Hellam Township, York County.**

Project Description: The project consists of the replacement of SR 2008 over Kreutz Creek, locally known as Liebhart Mill Road. In addition, Owl Valley Road will be relocated to the west of its current location to allow for additional sight distance at the intersection of Owl Valley Road and Liebhart Mill Road (SR 2008).

Environmental Documents: Level 1b CEE, approved on May 13, 2014, and a Determination of Section 4(f) DeMinimis Use document, approved on April 7, 2014.

Proposed Use of Section 4(f)/2002 Resource: Two properties adjacent to the project are eligible for listing on the National Register of Historic Places—the Rudy House and the Hursh Crist House. The TCE totaling 0.004 acre will serve as an access point to the temporary construction staging area. Upon completion of the project, this area will be reclaimed and landscaped to the landowner's satisfaction. A permanent drainage easement totaling 0.019 acre is required for minor channel grading to enhance flow conditions for the unnamed tributary to Kreutz Creek. The drainage easement will allow the property owner to make use of the area in any manner which is not detrimental to the necessary flow of water. The TCE and drainage easement will result in no adverse effects to the historical resources.

• **SR 2010, Section 252—Winfield Township, Butler County.**

Project Description: The project consists of the replacement of the structure (Cabot Bridge) carrying SR 2010 over Little Buffalo Creek, as well as a realignment of SR 2010 to improve approach roadway geometry.

Environmental Documents: Level 1b CEE, approved on May 22, 2014, and a Determination of Section 4(f) Applicability Involving Temporary Use (Occupancy), approved on May 22, 2014.

Proposed Use of Section 4(f)/2002 Resource: The Butler-Freeport Community Trail crosses over SR 2010 in the project area. A potential short-term closure of the trail during construction will be necessary for roadway tie-in work. It is anticipated that this work will take less than 1 week, and the contractor will be required to maintain access to the trail at all times. Approximately 40 feet of the trail on either side of the realigned SR 2010 will be regraded and resurfaced. There are no anticipated temporary or permanent ROW takes and no adverse effects are anticipated.

• **SR 3041, Section 03B, Cooper Avenue Bridge over Laurel Run—West Taylor Township, Cambria County.**

Project Description: The project will involve the replacement of the existing Cooper Avenue Bridge, which carries Cooper Avenue (SR 3041) over Laurel Run. The proposed structure will be a single span, prestressed concrete spread box beam bridge with full height abutments.

Environmental Documents: BRPA CEE, approved on May 1, 2014, and a Determination of Section 4(f) DeMinimis Use/Section 2002 No Adverse Use Checklist, approved on April 18, 2014.

Proposed Use of Section 4(f)/2002 Resource: The West Taylor Township Park (Gibson Field) is located in the southeast quadrant of the existing Cooper Avenue Bridge location. The project requires 0.054 acre of permanent

ROW from the 5.15-acre park property. There will be no adverse effects on the property.

• **SR 4022, Section 009—Fox Township, Sullivan County.**

Project Description: The project consists of the replacement of the existing bridge carrying SR 4002 (Ellenton Mountain Road) over Fall Run. The project will include minor approach roadway work. The bridge is currently closed and a detour is in place.

Environmental Documents: Level 2 CEE, approved on May 7, 2014, and a Nationwide/Programmatic Section 4(f) Evaluation for Projects that Necessitate the Use of Historic Bridges approved on May 6, 2014.

Proposed Use of Section 4(f)/2002 Resource: This project will replace the existing bridge conveying Fall Run underneath SR 4002 (Ellenton Mountain Road) in Fox Township, Sullivan County with a new structure. The current bridge is eligible for the National Register of Historic Places.

• **SR 9900, Section BR, Duke Street Bridge Replacement—Hummelstown Borough and South Hanover Township, Dauphin County.**

Project Description: The project consists of the replacement of the Duke Street Bridge over Swatara Creek. The existing five-span stone arch bridge will be replaced with a three-span prestressed concrete bridge with improved alignment and intersection upgrades at Railroad Street.

Environmental Documents: Level 2 CEE, approved on April 2, 2014, a Determination of Section 4(f) DeMinimis Use Section 2002 No Adverse use, approved on November 18, 2013, and Nationwide/Programmatic Section 4(f) Evaluation for Projects that Necessitate the Use of Historic Bridges approved on October 30, 2013.

Proposed Use of Section 4(f)/2002 Resource: The project includes replacement of the Duke Street Bridge, a resource determined eligible for the National Register of Historic Places and will require 0.035 acre of permanent ROW from the parking area for the Hummelstown Borough Trail.

R. SCOTT CHRISTIE, PE,
Deputy Secretary
Highway Administration

[Pa.B. Doc. No. 14-2483. Filed for public inspection November 26, 2014, 9:00 a.m.]

Transportation Advisory Committee Meeting

The Transportation Advisory Committee will hold a meeting on Thursday, December 4, 2014, from 10 a.m. to 12 p.m. in Conference Room 8N1 of the Commonwealth Keystone Building, Harrisburg, PA. For more information, contact Julie Harmantzis at (717) 787-2913, jharmantzi@pa.gov.

BARRY J. SCHOCH, PE,
Secretary

[Pa.B. Doc. No. 14-2484. Filed for public inspection November 26, 2014, 9:00 a.m.]

ENVIRONMENTAL HEARING BOARD

Penn Coal Land, Inc. v. DEP; EHB Doc. No. 2014-157-M

Penn Coal Land, Inc. has appealed the issuance by the Department of Environmental Protection of an NPDES permit to Penn Coal Land, Inc. for a facility in Summit Township, Somerset County.

A date for the hearing on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board (Board) at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, and may be reviewed by any interested party on request during normal business hours. If information concerning this notice is required in an alternative form, contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the Pennsylvania AT&T Relay Center at (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.81 (relating to intervention). Copies of the Board's rules of practice and procedure are available upon request from the Board.

THOMAS W. RENWAND,
Chairperson

[Pa.B. Doc. No. 14-2485. Filed for public inspection November 26, 2014, 9:00 a.m.]

Penn Coal Land, Inc. v. DEP; EHB Doc. No. 2014-158-M

Penn Coal Land, Inc. has appealed the issuance by the Department of Environmental Protection of an NPDES permit to Penn Coal Land, Inc. for a facility in Summit Township, Somerset County.

A date for the hearing on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board (Board) at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, and may be reviewed by any interested party on request during normal business hours. If information concerning this notice is required in an alternative form, contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the Pennsylvania AT&T Relay Center at (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.81 (relating to intervention). Copies of the Board's rules of practice and procedure are available upon request from the Board.

THOMAS W. RENWAND,
Chairperson

[Pa.B. Doc. No. 14-2486. Filed for public inspection November 26, 2014, 9:00 a.m.]

Penn Coal Land, Inc. v. DEP; EHB Doc. No. 2014-159-M

Penn Coal Land, Inc. has appealed the issuance by the Department of Environmental Protection of an NPDES permit to Penn Coal Land, Inc. for a facility in Summit Township, Somerset County.

A date for the hearing on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board (Board) at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, and may be reviewed by any interested party on request during normal business hours. If information concerning this notice is required in an alternative form, contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the Pennsylvania AT&T Relay Center at (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.81 (relating to intervention). Copies of the Board's rules of practice and procedure are available upon request from the Board.

THOMAS W. RENWAND,
Chairperson

[Pa.B. Doc. No. 14-2487. Filed for public inspection November 26, 2014, 9:00 a.m.]

FISH AND BOAT COMMISSION

Alcohol Prohibition

The Executive Director of the Fish and Boat Commission (Commission), acting under the authority of 58 Pa. Code § 53.4(c) (relating to limiting access to Commission property and other restrictions), has prohibited the use and possession of beer and alcoholic beverages on the following Commission-controlled properties: Chambers Lake, Chester County; Meadow Grounds Lake, Fulton County; Hoovers Island, Snyder County; and Great Bend Access, Susquehanna County. The Executive Director deems this prohibition to be appropriate for the protection and management of Commission property. The prohibition is effective on January 1, 2015, when posted at the site. It is unlawful to violate restrictions imposed by the Executive Director on the Commission's behalf under 58 Pa. Code § 53.4(c).

JOHN A. ARWAY,
Executive Director

[Pa.B. Doc. No. 14-2488. Filed for public inspection November 26, 2014, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

2015 Public Meeting Schedule

The Independent Regulatory Review Commission (Commission) will hold public meetings in 2015 as follows:

February 26, 2015	10 a.m.	14th Floor Conference Room 333 Market Street
March 19, 2015	10 a.m.	14th Floor Conference Room 333 Market Street
April 16, 2015	10 a.m.	14th Floor Conference Room 333 Market Street
May 14, 2015	10 a.m.	14th Floor Conference Room 333 Market Street
May 28, 2015	10 a.m.	14th Floor Conference Room 333 Market Street
June 18, 2015	10 a.m.	14th Floor Conference Room 333 Market Street
July 9, 2015	10 a.m.	14th Floor Conference Room 333 Market Street
July 30, 2015	10 a.m.	14th Floor Conference Room 333 Market Street
August 13, 2015	10 a.m.	14th Floor Conference Room 333 Market Street
September 17, 2015	10 a.m.	14th Floor Conference Room 333 Market Street
October 8, 2015	10 a.m.	14th Floor Conference Room 333 Market Street
October 22, 2015	10 a.m.	14th Floor Conference Room 333 Market Street
November 12, 2015	10 a.m.	14th Floor Conference Room 333 Market Street
December 10, 2015	10 a.m.	14th Floor Conference Room 333 Market Street

Individuals planning on attending or speaking at a public meeting should notify the Commission no later than 72 hours prior to the date of the meeting. For any changes to the meeting schedule, refer to the Commission web site at www.irrc.state.pa.us. If an executive session is deemed necessary, it shall be held immediately following the close of the public meeting in the 14th Floor Conference Room, 333 Market Street, Harrisburg, PA. Persons in need of special accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Cheryl Yohn at (717) 772-3455.

JOHN F. MIZNER, Esq.,
Chairperson

[Pa.B. Doc. No. 14-2489. Filed for public inspection November 26, 2014, 9:00 a.m.]

INSURANCE DEPARTMENT

Application for Approval to Redomesticate to the Commonwealth of Pennsylvania by Stonington Insurance Company

Stonington Insurance Company, a stock casualty insurance company, has submitted an application for redomestication, whereby it proposes to redomesticate from the State of Texas to the Commonwealth of Pennsylvania. The filing was made under section 357 of The Insurance Company Law of 1921 (40 P. S. § 477e).

Persons wishing to comment on the redomestication are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date

of this issue of the *Pennsylvania Bulletin*. Each written statement must include the name, address and telephone number of the interested party, identification of the application to which the statement is addressed and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Cressinda Bybee, Company Licensing Division, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, cbybee@pa.gov.

MICHAEL F. CONSEDINE,
Insurance Commissioner

[Pa.B. Doc. No. 14-2490. Filed for public inspection November 26, 2014, 9:00 a.m.]

Geisinger Health Plan Non-Group HMO Rate Filing; for Grandfathered Members

Geisinger Health Plan requests approval to increase the rates for the Non-Group HMO Medical Product and the Rx Rider for grandfathered members. The requested rate increases are 14.7% for Medical HMO without Rx and 14.8% for Medical HMO with Rx Rider. The proposed rate increase would affect approximately 3,180 members (of which 2,065 members have Rx rider), and would produce additional annual income of about \$1.6 million. The requested effective date of the change is April 1, 2015.

Unless formal administrative action is taken prior to February 12, 2015, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) web site at www.insurance.pa.gov. Under the tab "How to Find . . ." click on the link "PA Bulletin."

A copy of the filing is also available for public inspection, by appointment, during normal working hours at the Department's Harrisburg office.

Interested parties are invited to submit written or e-mail comments, suggestions or objections to Rashmi Mathur, Insurance Department, Insurance Product Regulation, 1311 Strawberry Square, Harrisburg, PA 17120, rmathur@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

MICHAEL F. CONSEDINE,
Insurance Commissioner

[Pa.B. Doc. No. 14-2491. Filed for public inspection November 26, 2014, 9:00 a.m.]

Review Procedure Hearings under the Unfair Insurance Practices Act

The following insured has requested a hearing as authorized by section 8 of the Unfair Insurance Practices Act (act) (40 P.S. § 1171.8) in connection with the company's termination of the insured's homeowners policy. The hearing will be held in accordance with the requirements of the act; 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). The administrative hearing will be held in the Insurance Department's regional office in Harrisburg, PA. Failure by the appellant to appear at a scheduled hearing may result in dismissal with prejudice.

The following hearing will be held in the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102.

Appeal of Timothy Wales; file no. 14-119-175065; Erie Insurance Exchange; Doc. No. P14-11-005; December 16, 2014, 9:30 a.m.

Parties may appear with or without counsel and offer relevant testimony or other relevant evidence, or both. Each party must bring documents, photographs, drawings, claims files, witnesses, and the like, necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner (Commissioner) will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Donna R. Fleischauer, Human Resources Director at (717) 705-4194.

MICHAEL F. CONSEDINE,
Insurance Commissioner

[Pa.B. Doc. No. 14-2492. Filed for public inspection November 26, 2014, 9:00 a.m.]

PATIENT SAFETY AUTHORITY

Public Meeting

The Patient Safety Authority (Authority), established by section 303 of the Medical Care Availability and Reduction of Error (MCARE) Act (40 P.S. § 1303.303), announces a meeting of the Authority's Board to be held at the Conference Center, Central Penn College, 600 Valley Road, Summerdale, PA 17093 at 10 a.m. on Tuesday, December 9, 2014.

Individuals with questions regarding this meeting, which is open to the public, should contact the Authority at (717) 346-0469.

MICHAEL C. DOERING,
Executive Director

[Pa.B. Doc. No. 14-2493. Filed for public inspection November 26, 2014, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by December 15, 2014. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Applications of the following for approval to begin operating as common carriers for transportation of persons as described under each application.

A-2014-2441479. Dennis R. Plastino, Sr. (252 Peach Bottom Road, Willow Street, Lancaster County, PA 17584) for the right to begin to transport, as a common carrier, by motor vehicle, persons in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, from points in Lancaster County, to points in Pennsylvania, and return.

A-2014-2445903. Anthony Transportation Group, LLC t/a Anthony Limousine (206 North 10th Street, Allentown, Lehigh County, PA 18102) for the right to transport as a common carrier, by motor vehicle, persons in group and party service, in vehicles seating 11 to 15 passengers, including the driver, from points in the Counties of Berks, Lehigh and Northampton, to points in Pennsylvania, and return. *Attorney:* Craig A. Doll, Esquire, 25 West Second Street, P. O. Box 403, Hummels-town, PA 17036-0403.

Application of the following for amendment to the certificate of public convenience approving the operation of motor vehicles as common carriers for transportation of persons by transfer of rights as described under the application.

A-2014-2443863. B.M. Enterprises, Inc. t/a A.G. Taxi (8125B Frankford Avenue, Philadelphia, PA 19136) to amend its authority by the transfer of the call or demand operating right(s) authorized under the certificate issued at A-6311317 to Quakertown Taxi, LLC, subject to the same limitations and conditions. *Attorney:* Heather C. Winett, Esquire, 1515 Market Street, Suite 1200, Philadelphia, PA 19102-1932.

A-2014-2444235. B.M. Enterprises, Inc. t/a A.G. Taxi (8125B Frankford Avenue, Philadelphia, PA 19136) for temporary authority, to amend the authority by the transfer of call or demand operating right(s) authorized under the certificate issued at A-6311317 to Quakertown Taxi, LLC, subject to the same limitations and conditions. *Attorney:* Heather C. Winett, Esquire, 1515 Market Street, Suite 1200, Philadelphia, PA 19102-1932.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 14-2494. Filed for public inspection November 26, 2014, 9:00 a.m.]

PHILADELPHIA PARKING AUTHORITY

Notice of Rescheduling of Sales of Wheelchair Accessible Taxicab Medallions

The Philadelphia Parking Authority's Board Order 14-003, published at 44 Pa.B. 5550 (August 16, 2014), directing the Taxicab and Limousine Division (TLD) to administer the sale of 46 Philadelphia taxicab medallions, each of which are designated as wheelchair accessible vehicle taxicab medallions. This notice included the date, time and location of the bid openings for each of these medallions.

Bid openings were scheduled at 11 a.m. at the TLD headquarters at 2415 South Swanson Street, Philadelphia, PA 19148 for Medallions WP-1607, WP-1608, WP-

1609 and WP-1610 on Thursday, November 13, 2014. However, under Paragraph No. 10 of the Board Order, TLD Director James R. Ney exercised his discretion to reschedule the sale of these medallions due to lack of participation.

Therefore, the sealed bids for Medallions WP-1607, WP-1608, WP-1609 and WP-1610 will be opened by the Director at the TLD's headquarters on February 4, 2015, at 11 a.m. at the address previously listed.

Refer to Board Order 14-003, published at 44 Pa.B. 5550, for all ordered instructions and other information concerning the sale of these medallions. See also 52 Pa. Code §§ 1013.31—1013.37 (relating to medallion sales by the Authority).

VINCENT J. FENERTY, Jr.,
Executive Director

[Pa.B. Doc. No. 14-2495. Filed for public inspection November 26, 2014, 9:00 a.m.]

PHILADELPHIA REGIONAL PORT AUTHORITY

Request for Bids

The Philadelphia Regional Port Authority will accept sealed bids for Project No. 14-098.4, Power Factor Capacitor Bank Repairs at PAMT, until 2 p.m. on Tuesday, December 30, 2014. Information (including mandatory prebid information) can be obtained from the web site www.philaport.com under Procurement or call (215) 426-2600.

JAMES T. McDERMOTT, Jr.,
Executive Director

[Pa.B. Doc. No. 14-2496. Filed for public inspection November 26, 2014, 9:00 a.m.]

PUBLIC SCHOOL EMPLOYEES' RETIREMENT BOARD

Hearings Scheduled

Hearings have been scheduled, as authorized by 24 Pa.C.S. Part IV (relating to Public School Employees' Retirement Code), in connection with the Public School Employees' Retirement System's (System) denial of Claimant's request concerning the indicated account.

The hearings will be held before a hearing officer at the Public School Employees' Retirement System, 5 North Fifth Street, Harrisburg, PA 17101:

February 11, 2015	Mattie D. Perkins (Return to Service)	1 p.m.
February 18, 2015	Gwendolyn A. Porter (Return to Service)	1 p.m.
March 18, 2015	Janice L. Jones (Return to Service)	1 p.m.
March 25, 2015	Louis V. Volpe (Return to Service)	1 p.m.

April 29, 2015	Olivia V. Dreibelbis (Return to Service)	1 p.m.
May 13, 2015	Richard D. Cecchine (Return to Service)	1 p.m.
May 27, 2015	Marcia S. Schulman (Return to Service)	1 p.m.

Persons with a disability who wish to attend the previously listed hearings and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact Barb Book, Assistant to the Executive Director at (717) 720-4617 to discuss how the System may best accommodate their needs.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearings will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). Under 22 Pa. Code § 201.1 (relating to applicability of general rules), procedural matters will be in conformance with 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) unless specific exemption is granted.

JEFFREY B. CLAY,
Executive Director

[Pa.B. Doc. No. 14-2497. Filed for public inspection November 26, 2014, 9:00 a.m.]

STATE BOARD OF EDUCATION

Application of the Washington Township Independent School District for Transfer from the Dover Area School District to the Northern York County School District

Notice of Application and Opportunity for Hearing

On November 12, 2014, the State Board of Education (Board) received a copy of a decree of the Court of Common Pleas of York County creating the Washington Township Independent School District (WTISD) as an independent school district for the sole purpose of its transfer from the Dover Area School District (Dover) to the Northern York County School District (Northern York). Entered at Doc. No. 2012-SU-03036-39, the decree was issued under section 242.1 of the Public School Code (School Code) of 1949 (24 P. S. § 2-242.1) and represents an application to the Board for approval of the creation of the WTISD and its transfer from Dover to Northern York.

In accordance with the regulations of the Board in 22 Pa. Code § 1.5 (relating to applicability of general rules before the Board), the application for transfer will be considered by the Board in accordance with 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure). A committee, appointed by the Board Chairperson, will conduct all necessary proceedings under 1 Pa. Code Part II and to recommend action by the Board under section 293.1 of the School Code (24 P. S. § 2-293.1).

Unless a written petition to intervene, notice of intervention or protest, along with a written request for public hearing, is received by the Board no later than 4 p.m. on December 29, 2014, the Board may determine the application for transfer without hearing. Filings must be received by the deadline at the State Board of Education, 333 Market Street, 1st Floor, Harrisburg, PA 17126-0333.

Copies of the court decree related to this matter are available from the Board and can be viewed at http://www.education.state.pa.us/portal/server.pt/community/state_board_of_education/8830. The Board may be reached at (717) 787-3787.

JOHN H. JEWETT,
Acting Executive Director

[Pa.B. Doc. No. 14-2498. Filed for public inspection November 26, 2014, 9:00 a.m.]

STATE CONSERVATION COMMISSION

Action on Odor Management Plans for Concentrated Animal Operations and Concentrated Animal Feeding Operations and Volunteers Complying with the Commonwealth's Facility Odor Management Program

The State Conservation Commission has taken the following actions on previously received applications for Odor Management Plans under 3 Pa.C.S. §§ 501—522 (relating to nutrient management and odor management).

Persons aggrieved by any action may appeal under 3 Pa.C.S. § 517 (relating to appealable actions), section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, so individuals interested in challenging this action should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

Odor Management Plan—Public Notice Spreadsheet—Actions

<i>Ag Operation Name, Address</i>	<i>County/Township</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>New, Amended, or Existing</i>	<i>Action Taken</i>
Irwin Martin 231 Brosious Hill Road Mount Pleasant Mills, PA 17853	Snyder County/ Perry Township	0	Turkey	New	Approved
Garrett Moyer 1200 Red Bank Road Middleburg, PA 17842	Snyder County/ Washington Township	682.85	Swine	New	Approved
Matthew and Peggy Heisler 70 Bordnersville Road Jonestown, PA 17038	Lebanon County/ Union Township	171.55	Broilers	New	Approved
Lamar Zimmerman 138 Hentzels Church Road Pine Grove, PA 17963	Schuylkill County/ Washington Township	148.8	Layers	New	Approved
Esbenshade, Inc.— North Farm 2036 Mount Pleasant Road Mount Joy, PA 17552	Lancaster County/ Mount Joy Township	1,747.39	Layers	Amended	Approved
Ryan Rutt 524 North Garfield Road Bernville, PA 19506	Berks County/ Penn Township	178.64	Broilers	New	Approved
David L. Lapp 541 Cains Road Gap, PA 17527	Lancaster County/ Salisbury Township	153.7	Broilers	Amended	Approved

DANA K. AUNKST,
Acting Chairperson

[Pa.B. Doc. No. 14-2499. Filed for public inspection November 26, 2014, 9:00 a.m.]

