

NOTICES

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending October 20, 2015.

Under section 503.E of the Department of Banking and Securities Code (71 P. S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file their comments in writing with the Department of Banking and Securities, Corporate Applications Division, 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Holding Company Acquisitions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
10-9-2015	WSFS Financial Corporation Wilmington New Castle County, DE Application for approval to acquire 100% of Alliance Bancorp, Inc. of Pennsylvania, Broomall, and thereby indirectly acquire 100% of Greater Delaware Valley Savings Bank d/b/a Alliance Bank, Broomall.	Effective

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
10-20-2015	Covenant Bank Doylestown Bucks County	60 North Main Street Doylestown Bucks County	Filed
10-20-2015	PeoplesBank, A Codorus Valley Company York York County	One Masonic Drive Elizabethtown Lancaster County	Filed

CREDIT UNIONS

No activity.

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

ROBIN L. WIESSMANN,
Secretary

[Pa.B. Doc. No. 15-1927. Filed for public inspection October 30, 2015, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage

waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0010294— IW	Tyco Electronics Corporation (Williamstown Facility) PO Box 3608 MS 038-034 Harrisburg, PA 17105-3608	Dauphin County/ Williamstown Borough	Wiconisco Creek/6C	Y
PA0070149— SEW	Leesport Borough Authority 10 East Wall Street PO Box 710 Leesport, PA 19533-0710	Berks County/ Leesport Borough & Ontelaunee Township	Schuylkill River/3B	Y
PA0080195— IW	Anvil International LLC 1411 Lancaster Avenue Columbia, PA 17512-1939	Lancaster County/ Columbia Borough	UNT Shawnee Run/7G	Y
PA0010677— IW	Veeder-Root Company 2709 Route 764 Duncansville, PA 16635	Blair County/ Allegheny Township	Spencer Run/ Beaverdam Run/11-A	Y

Northcentral Regional Office: Clean Water Program Manager, 208 W Third Street Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.0530.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0100161 (IW)	Triangle Suspension Systems Dubois Spring Plant Maloney Road Dubois, PA 15801	Clearfield County Sandy Township	Pentz Run (17-C)	Y

Southwest Regional Office: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0218120	O'Hara SR STP 126 Walker Road Apollo, PA 15613	Westmoreland County Washington Township	Unnamed Tributary to Beaver Run (18-B)	Y
PA0030864 (Sewage)	Fairview Elementary School STP 343 Ridgmont Drive Midland, PA 15059-2219	Beaver County Ohioville Borough	Swale to Island Run (20-B)	Y
PA0093980 (Sewage)	Kimberly Estates MHP 102 Kimberlin Drive Irwin, PA 15642	Westmoreland County Sewickley Township	Unnamed Tributary to Little Sewickley Creek (19-D)	Y
PA0216208 (Sewage)	Superior MHP STP Superior Lane Aliquippa, PA 15001	Beaver County Raccoon Township	Unnamed Tributary to Service Creek (20-D)	Y
PA0204609 (Sewage)	Rosa SR STP 156 Shannon Lane Ligonier, PA 15658	Westmoreland County Ligonier Township	Fourmile Run (18-C)	Y

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0239763 (Sewage)	Collins Reffner SFTF 406 Keck Road Butler, PA 16001	Butler County Summit Township	Unnamed Tributary to the Bonnie Brook (20-C)	Y
PA0239542 (IW)	Impact PA Geothermal Well Clark Street & Libert Street Warren, PA 16365	Warren County Warren City	Allegheny River (16-B)	Y
PA0263583 (Sewage)	Heron Ridge STP 240—247 Burnside Road Portersville, PA 16051	Butler County Muddycreek Township	Unnamed Tributary to the Muddy Creek (20-C)	Y

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5970

PA0050423, Sewage, SIC Code 4952, **Sisters Servants of the Immaculate Heart of Mary**, 1140 King Road, Immaculata, PA 19345-0200. Facility Name: Villa Maria STP. This existing facility is located in East Whiteland Township, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Unnamed Tributary of Ridley Creek, is located in State Water Plan watershed 3-G and is classified for High Quality Waters—Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.04 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Daily Maximum	Instant. Minimum	Average Monthly	Daily Maximum	Instant. Maximum
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.14	XXX	0.32
CBOD ₅						
May 1 - Oct 31	XXX	XXX	XXX	20	XXX	40
Nov 1 - Apr 30	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Total Dissolved Solids	XXX	XXX	XXX	XXX	Report	XXX
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000*
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
May 1 - Oct 31	XXX	XXX	XXX	2.0	XXX	4.0
Nov 1 - Apr 30	XXX	XXX	XXX	6.0	XXX	12.0
Total Phosphorus						
(Interim)	XXX	XXX	XXX	Report	XXX	Report
(Final)	XXX	XXX	XXX	2.0	XXX	4.0

* Shall not exceed in more than 10% of samples.

In addition, the permit contains the following major special conditions:

- A. No Stormwater
- B. Acquire Necessary Property Rights
- C. Proper Sludge Disposal
- D. Abandon STP When Municipal Sewers Available
- E. Chlorine Minimization
- F. Operator Notification
- G. Fecal Coliform Requirement

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

PA0026166, Sewage, SIC Code 4952, **Warminster Municipal Authority**, 415 Gibson Avenue, Warminster, PA 18974. Facility Name: Log College STP. This existing facility is located in Warminster Township, **Bucks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage from Log College STP.

The receiving stream(s), Little Neshaminy Creek, is located in State Water Plan watershed 2-F and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The nearest downstream public water supply is for Aqua Pa located on Neshaminy Creek. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 8.18 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Weekly Average	Minimum	Average Monthly	Weekly Average	Instant. Maximum
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0	XXX	XXX	XXX
CBOD ₅						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
May 1 - Oct 31	1,022	1,567	XXX	15	23	30
Nov 1 - Apr 30	1,703	2,726	XXX	25	40	50
BOD ₅						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	2,044	3,066	XXX	30	45	60
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Dissolved Solids	68,221	XXX	XXX	1,000	XXX	1500
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200 Geo Mean	XXX	1,000 (*)

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Minimum</i>	<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
UV Transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Nitrate-Nitrite as N						
Jul 1 - Oct 31	681	XXX	XXX	10.0	XXX	20.0
Nov 1 - Jun 30	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
May 1 - Oct 31	68	XXX	XXX	1.0	XXX	2.0
Nov 1 - Apr 30	204	XXX	XXX	3.0	XXX	6.0
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus						
Apr 1 - Oct 31	88	XXX	XXX	1.3	XXX	2.6
Nov 1 - Mar 31	136	XXX	XXX	2.0	XXX	4.0
Total Aluminum	XXX	XXX	XXX	Report	XXX	XXX
Total Copper	XXX	XXX	XXX	Report	XXX	XXX
Dissolved Iron	XXX	XXX	XXX	Report	XXX	XXX
Total Iron	XXX	XXX	XXX	Report	XXX	XXX
Sulfate	XXX	XXX	XXX	Report	XXX	XXX
Chloride	XXX	XXX	XXX	Report	XXX	XXX
Bromide	XXX	XXX	XXX	Report	XXX	XXX
Hardness, Total (as CaCO ₃)	XXX	XXX	XXX	Report	XXX	XXX
Chronic Toxicity—	XXX	XXX	XXX	1.14	XXX	XXX
Ceriodaphnia Survival (TUc)				Daily Max		
Ceriodaphnia Reproduction (TUc)	XXX	XXX	XXX	1.14	XXX	XXX
				Daily Max		
Pimephales Survival (TUc)	XXX	XXX	XXX	1.14	XXX	XXX
				Daily Max		
Pimephales Growth (TUc)	XXX	XXX	XXX	1.14	XXX	XXX
				Daily Max		

Note: (*) See Part C Permit Requirement for instructions regarding October thru April reporting of maximum fecal coliform values.

The proposed effluent limits for Outfall 002 are based on a design flow of 0.75 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Minimum</i>	<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
		Daily Max				
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0	XXX	XXX	XXX
CBOD ₅						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
May 1 - Oct 31	94	144	XXX	15	23	30
Nov 1 - Apr 30	156	250	XXX	25	40	50
BOD ₅						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	188	281	XXX	30	45	60
Total Dissolved Solids	6,255	XXX	XXX	1,000	XXX	1,500
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200	XXX	1,000 (*)
				Geo Mean		
UV Transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Nitrate-Nitrite as N						
Jul 1 - Oct 31	63	XXX	XXX	10.0	XXX	20.0
Nov 1 - Jun 30	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
May 1 - Oct 31	6	XXX	XXX	1.0	XXX	2.0
Nov 1 - Apr 30	19	XXX	XXX	3.0	XXX	6.0
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus						
Apr 1 - Oct 31	8	XXX	XXX	1.3	XXX	2.6
Nov 1 - Mar 31	13	XXX	XXX	2.0	XXX	4.0
Total Aluminum	XXX	XXX	XXX	Report	XXX	XXX
Total Copper	XXX	XXX	XXX	Report	XXX	XXX

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Weekly Average	Minimum	Average Monthly	Weekly Average	Instant. Maximum
Dissolved Iron	XXX	XXX	XXX	Report	XXX	XXX
Total Iron	XXX	XXX	XXX	Report	XXX	XXX
Sulfate	XXX	XXX	XXX	Report	XXX	XXX
Chloride	XXX	XXX	XXX	Report	XXX	XXX
Bromide	XXX	XXX	XXX	Report	XXX	XXX
Hardness, Total (as CaCO ₃)	XXX	XXX	XXX	Report	XXX	XXX

Note: (*) See Part C Permit Requirement for instructions regarding October thru April reporting of maximum fecal coliform values.

The proposed effluent limits for Outfall 003-007 are based on a storm event.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly		Minimum	Annual Average		Instant. Maximum
pH (S.U.)	XXX	XXX	XXX	Report	XXX	XXX
CBOD ₅	XXX	XXX	XXX	Report	XXX	XXX
Chemical Oxygen Demand	XXX	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	XXX
Oil and Grease	XXX	XXX	XXX	Report	XXX	XXX
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Dissolved Iron	XXX	XXX	XXX	Report	XXX	XXX

In addition, the permit contains the following major special conditions:

- No Stormwater in Sewers
- Obtain Necessary Property Rights
- Proper Sludge Disposal
- Chlorine Minimization
- Small Stream Discharge
- Notification of Responsible Owner
- Develop O&M Manual
- Fecal Coliform Reporting
- POTW Pretreatment Program Implementation
- Whole Effluent Toxicity (WET)
- Requirements Applicable to Stormwater Outfalls
- Site-Specific Copper Criteria

Log College STP has site-specific copper criteria based on a water effects ratio (WER) of 5.6 (*Pennsylvania Bulletin*, November 20, 1999), a chemical translator of 0.944 (*Pennsylvania Bulletin*, January 17, 1998). These values are used as modifications to the Statewide copper criteria equation in order to determine site-specific copper criteria.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

PA0275735, Storm Water, SIC Code 3479, **Prior Coated Metals Inc.**, 2233 26th Street Sw, Allentown, PA 18103. Facility Name: Prior Coated Metals Plant. This proposed facility is located in Allentown City, **Lehigh County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated Storm Water.

The receiving stream(s), Unnamed Tributary to Trout Creek, is located in State Water Plan watershed 2-C and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.000000 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Iron	XXX	XXX	XXX	Report	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northcentral Regional Office: Regional Clean Water Program Manager, 208 W Third Street Suite 101, Williamsport, PA 17701-6448, Telephone: 570.327.0530.

PA0027171, Sewage, SIC Code 4952, **Municipal Authority of the Town of Bloomsburg**, 301 E 2nd Street, Bloomsburg, PA 17815-1963. Facility Name: Bloomsburg Municipal Authority Wastewater Treatment Plant. This existing facility is located in the Town of Bloomsburg, **Columbia County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Susquehanna River, is located in State Water Plan watershed 5-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 4.29 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Report	XXX	XXX	XXX
Total Residual Chlorine (Interim)	XXX	XXX	XXX	0.78	XXX	4.0
(Final)	XXX	XXX	XXX	0.24	XXX	0.78
CBOD ₅	890	1,430	XXX	25	40	50
		Wkly Avg			Wkly Avg	
BOD ₅						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	1,070	1,610	XXX	30	45	60
		Wkly Avg			Wkly Avg	
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
				Geo Mean		
Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Antimony (µg/L)	Report	Report	XXX	Report	Report	XXX
Total Cobalt	5.36	10.73	XXX	0.15	0.30	0.37
Total Copper (µg/L)	0.97	1.94	XXX	27.24	54.48	68.1
Acrolein (µg/L)	Report	Report	XXX	Report	Report	XXX
Acrylonitrile (µg/L)	Report	Report	XXX	Report	Report	XXX
3,4-Benzofluoranthene (µg/L)	Report	Report	XXX	Report	Report	XXX
Vinyl Chloride (µg/L)	Report	Report	XXX	Report	Report	XXX

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

<i>Parameters</i>	<i>Mass (lbs)</i>		<i>Minimum</i>	<i>Concentration (mg/l)</i>	
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>
Ammonia—N	Report	Report		Report	
Kjeldahl—N	Report			Report	
Nitrate-Nitrite as N	Report			Report	
Total Nitrogen	Report	Report		Report	
Total Phosphorus	Report	Report		Report	
Net Total Nitrogen	Report	78,355			
Net Total Phosphorus	Report	10,447			

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

In addition, the permit contains the following major special conditions:

- Requirements for Total Residual Chlorine (TRC)
- Total Copper Compliance Schedule

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is not in effect.

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Telephone: 412.442.4000.

PA0264172, Sewage, SIC Code 8800, **Joyce Chverchko**, 146 Water Plant Road, Nicktown, PA 15762. Facility Name: Joyce Chverchko SRSTP. This proposed facility is located in Barr Township, **Cambria County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated sanitary sewage.

The receiving stream, Teakettle Run, is located in State Water Plan watershed 18-D and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly		Minimum	Average Monthly		
Flow (MGD)	0.0004	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
CBOD ₅	XXX	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10	XXX	20
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
				Geo Mean		

The EPA Waiver is in effect.

PA0205869, Sewage, **West Branch Sewer Authority**, 901 Maple Avenue, Northern Cambria, PA 15714-1337. Facility Name: West Branch Sewer Authority STP. This existing facility is located in Susquehanna Township, **Cambria County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream, West Branch Susquehanna River, is located in State Water Plan watershed 8-B and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.9 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	4.0	XXX	XXX	XXX
CBOD ₅	187.8	281.6	XXX	25	37.5	50
		Wkly Avg			Wkly Avg	
BOD ₅						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	225.3	338.0	XXX	30	45	60
		Wkly Avg			Wkly Avg	
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
				Geo Mean		

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum
UV Transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Aluminum	XXX	XXX	XXX	XXX	Report	XXX
Total Iron	XXX	XXX	XXX	XXX	Report	XXX
Total Manganese	XXX	XXX	XXX	XXX	Report	XXX

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

Parameters	Mass (lbs)		Minimum	Concentration (mg/l)	
	Monthly	Annual		Average	Maximum
Ammonia—N	Report	Report		Report	
Kjeldahl—N	Report			Report	
Nitrate-Nitrite as N	Report			Report	
Total Nitrogen	Report	Report		Report	
Total Phosphorus	Report	Report		Report	
Net Total Nitrogen	Report	16,438			
Net Total Phosphorus	Report	2,192			

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is not in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, 484.250.5900

WQM Permit No. 1515405, Sewage, **East Whiteland Township**, 209 Conestoga Road, Frazer, PA 19355.

This proposed facility is located in East Whiteland Township, **Chester County**.

Description of Action/Activity: Construction and operation of 2 new on-site sanitary sewer pump stations, collection system, and conveyance system.

WQM Permit No. 1515406, Sewage, **RLD Atwater JV, LLC**, 124 Cedar Avenue, Conshohocken, PA 19428.

This proposed facility is located in East Whiteland Township, **Chester County**.

Description of Action/Activity: Construction and operation of 2 new on-site sanitary sewer pump stations, collection system, and conveyance system.

WQM Permit No. 1500414, Sewage, **Aqua Pennsylvania Wastewater Inc.**, 762 W. Lancaster Avenue, Bryn Mawr, PA 19010.

This proposed facility is located in East Bradford Township, **Chester County**.

Description of Action/Activity: Permit renewal.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

WQM Permit No. 0606405, Amendment No. 1, Sewerage, **Birdsboro Municipal Authority**, 202 East Main Street, Birdsboro, PA 19508.

This proposed facility is located in Birdsboro Borough, **Berks County**.

Description of Proposed Action/Activity: Seeking permit approval for the installation of a new mechanical bar screen system at the Birdsboro WWTP. The new mechanical bar screen will consist of 1/4-inch slot opening providing better screening removal against incoming rags and debris. A screenings' washer and compactor will also be installed as part of the system. The new mechanical bar screen system will be designed for a flow capacity of 6.0 MGD.

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Dr., Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

WQM Permit No. 1115411, Sewage, **Joyce Chverchko**, 146 Water Plant Rd, Nicktown, PA 15762.

This proposed facility is located in Barr Township, **Cambria County**.

Description of Proposed Action/Activity: Construction of single residence sewage treatment plant.

WQM Permit No. 0215409, Sewage, **Findlay Township Municipal Authority Allegheny County**, 1271 Route 30, Clinton, PA 15026.

This existing facility is located in Moon Township, **Allegheny County**.

Description of Proposed Action/Activity: Construction of a pump station and sewer extension.

Northwest Region: Clean Water Program Manager; 230 Chestnut Street, Meadville, PA 16335-3481

WQM Permit No. WQG01251507, Sewage, **Helen C. Kent**, 13906 Doolittle Road, Wattsburg, PA 16442.

This proposed facility is located in Venango Township, **Erie County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 1615401, Sewage, **Michael Piper**, P. O. Box 21, Sligo, PA 16255.

This proposed facility is located in Monroe Township, **Clarion County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Southeast Region: Waterways & Wetlands Program Manager; 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI015115007	Brown's Super Stores, Inc. 700 Delsea Drive Westville, NJ 08093	Philadelphia	City of Philadelphia	Lower Schuylkill River WWF-MF
PAI011515027	Exeter, 8 Lee, L.P., c/o Exeter Property Group 140 West Germantown Pike Plymouth Meeting, PA 19462	Chester	East Whiteland Township	Valley Creek EV-MF

Northeast Region: Waterways and Wetlands Program Manager; 2 Public Square, Wilkes-Barre, PA 18701-1915.

Lehigh County Conservation District, Lehigh Ag Center, Suite 102, 4184 Dorney Park Rd., Allentown, PA 18104

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI023913015R(8)	Brad Nesland Dorney Park & Wildwater Kingdom 3830 Dorney Park Rd. Allentown, PA 18104	Lehigh	South Whitehall Township	Cedar Creek (HQ-CWF, MF)
PAI023915018	Robert Kiel Liberty Property Limited Partnership 74 W. Broad St. Bethlehem, PA 18018	Lehigh	Lower Macungie Township	Little Lehigh Creek (HQ-CWF, MF)

Monroe County Conservation District, 8050 Running Valley Rd., Stroudsburg, PA 18360-0917

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI024509015R	Richard Iadevaio 5348 Spruce Lane East Stroudsburg, PA 18302	Monroe	Middle Smithfield Township	UNT to Bushkill Creek (HQ-CWF, MF) Bushkill Creek (HQ-CWF, MF)
PAI024515008	Sanofi Pasteur, Inc. Discovery Drive Swiftwater, PA 18370	Monroe	Pocono Township	Swiftwater Creek (HQ-CWF, MF)

Northampton County Conservation District, 14 Gracedale Avenue, Greystone Bldg., Nazareth, PA 18064-9211

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI024815013	Mark Stein Bethlehem Area School District 250 E. Fairview St. Bethlehem, PA 18018-4138	Northampton	City of Bethlehem Bethlehem Township	Monocacy Creek (HQ-CWF, MF)

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Crawford, Section Chief, 717.705.4802.

<i>Permit #</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI032115005	Restaurant Management Corporation 22 East King Street, Shippensburg, PA 17257	Cumberland	Middlesex Township	LeTort Spring Run HQ/CWF

Southwest Region: Waterways & Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. (412) 442.4315

<i>Permit No.</i>	<i>Applicant & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Stream Name</i>
PAI050215002	Joseph A. Ciccone Pittsburgh Field Club 121 Field Club Road Pittsburgh, PA 15238	Allegheny County	Fox Chapel Borough	Squaw Run (HQ-WWF)
PAI051115004	Department of Conservation and Natural Resources, 400 Market Street, Harrisburg, PA 17101	Cambria County	Jackson Township	Laurel Run (CWF)
PAI051115005	Gap Vax, Inc. 575 Central Avenue Johnstown, PA 15902	Cambria County	City of Johnstown	Stonycreek River (WWF)

Northwest Region: Waterways and Wetlands Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Elk County Conservation District, Elk Co. Courthouse Annex, 300 Center Street, P. O. Box 448, Ridgway, PA 15853

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI062415002	PADOT District 2-0 70 PennDOT Drive P. O. Box 342 Clearfield, PA 16830	Elk	Highland Township	East Branch of Spring Creek HQ; CWF

STATE CONSERVATION COMMISSION

PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**APPLICATIONS
NUTRIENT MANAGEMENT PLAN—PUBLIC NOTICE SPREADSHEET**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/New</i>
Evergreen Farms Inc. Andy Harpster 3102 Evergreen Lane Spruce Creek, PA 16683	Huntingdon	5,159.1 acres	6,888 AEUs	Dairy	HQ	Renewal

PUBLIC WATER SUPPLY (PWS) PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act

Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915

Application No. 4515505, Public Water Supply.

Applicant	Lakewood Retreat c/o Milestone Community Health Care 1482 Cherry Lane Road East Stroudsburg, PA 18301
[Township or Borough]	Stroud Township, Monroe County
Responsible Official	William Chupcavich, Supt. 1150 Wyoming Avenue, Wyoming, PA 18644

Type of Facility	PWS
Consulting Engineer	Charles H. Niclaus, PE Niclaus Engineering Corporation 804 Sarah Street, Suite 201 Stroudsburg, PA 18360
Application Received Date	09/17/2015
Description of Action	Corrosion control treatment with caustic soda for pH adjustment and ortho/poly phosphate for corrosion control.

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110

Permit No. 2115512, Public Water Supply.

Applicant	Filson Water LLC
Municipality	Middlesex Township
County	Cumberland
Responsible Official	Rob Filson, Chief Financial Officer 11 Roadway Drive Carlisle, PA 17015
Type of Facility	Public Water Supply
Consulting Engineer	Stephen B. Fulton, PE ARM Group Inc. 1129 West Governor Road Hershey, PA 17033-0797
Application Received:	9/11/2015
Description of Action	Upgrade of facility treatment equipment and installation of 16 oz. bottling equipment.

Permit No. 6715509, Public Water Supply.

Applicant	Mount Zion Evangelical Lutheran Church
Municipality	Fairview Township
County	York
Responsible Official	Timothy Hoffman 863 Lewisberry Road Lewisberry, PA 17339
Type of Facility	Public Water Supply
Consulting Engineer	Max E. Stoner, PE Glance Associates, Inc. 3705 Trindle Rd Camp Hill, PA 17011
Application Received:	10/2/2015
Description of Action	Anion exchange nitrate treatment

Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448

Application No. 1915503—Operation Public Water Supply.

Applicant **Tom Bowman Trucking, Inc.**
 Township/Borough Orangeville Borough
 County **Columbia**
 Responsible Official Kelly Bowman
 Tom Bowman Trucking, Inc.
 281 Bowmans Mill Road
 Orangeville, PA 17859

Type of Facility Public Water Supply
 Consulting Engineer Brett D. Shamory, PE
 DMS Environmental Services,
 LLC
 103 South Spring Street
 Bellefonte, PA 16823

Application Received October 15, 2015
 Description of Action Bulk water hauling permit major amendment. Withdrawing water from the Bradford City Water Authority, McKean County.

Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Permit No. 4215503, Public Water Supply

Applicant **Aqua Pennsylvania**
 Township or Borough Mt. Jewett Borough
 County **McKean**
 Responsible Official James S. Willard, PE
 Type of Facility Public Water Supply
 Consulting Engineer Joseph M. Gianvito, PE
 KLH Engineers, Inc.
 5173 Campbells Run Road
 Pittsburgh, PA 15205

Application Received Date October 9, 2015
 Description of Action Disinfection contact pipe improvements.

WATER ALLOCATIONS

Applications received under the act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) relating to the Acquisition of Rights to Divert Waters of the Commonwealth

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

WA4-1016, Water Allocations. **Center Township Water Authority**, 224 Center Grange Road, Aliquippa, PA 15001, **Beaver County**. The applicant is requesting the right to withdraw 5,000,000 gpd from an intake along the Ohio River.

WA2-858B, Water Allocations. **Oakdale Borough**, 6115 Noblestown Road, Oakdale, PA 15071, **Allegheny County**. The applicant is requesting the right to purchase 271,000 gallons of water, peak month, from Pennsylvania American Water Company.

WA2-858C, Water Allocations. **Oakdale Borough**, 6115 Noblestown Road, Oakdale, PA 15071, **Allegheny**

County. The applicant is requesting the right to purchase 271,000 gallons of water, peak month, from Western Allegheny County Municipal Authority.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995
 PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907)

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.302—6026.305) require the Department to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. A person intending to use the background standard, Statewide health standard, the site-specific standard or intend to remediate a site as a special industrial area shall file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of cleanup standards or receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the following site, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified as follows. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office listed before the notice. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Northcentral Region: Environmental Cleanup & Brownfields Program Manager, 208 West Third Street, Williamsport, PA 17701

Ingersoll Rand Industrial Technologies, 101 North Main Street, Athens Borough, **Bradford County**. ARCADIS, 10 Friends Lane, Suite 200, Newtown, PA 18940, on behalf of Ingersoll Rand Company, 800-E Beaty Street, Davidson, NC 28036 submitted a Notice of Intent to Remediate. A release of volatile organics to soil and groundwater and metals to soil occurred at this non-residential property. The proposed cleanup standard for the site is a Combination of the Statewide Health and Site-Specific Standards. The Notice of Intent to Remediate was published in *Morning Times* on September 12, 2015.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

RTV Trucking/Dorward Property, 560 Grings Hill Road, Sinking Spring, PA 19608, Spring Township, **Berks County**. REPSG, Inc., 6901 Kingsessing Avenue, 2nd Floor, Philadelphia, PA 19142, on behalf of RTV Trucking, Inc., 1821 Powder Mill Road, Silver Spring, MD 20903; Dennis Dorward, 560 Grings Hill Road, Sinking Spring, PA 19608, and Erie Insurance, PO Box 4158, Hagerstown, MD 21740, submitted a Notice of Intent to Remediate site soils contaminated with diesel fuel released from a delivery truck's saddle tank. The site will be remediated to the Residential Statewide Health Standard and remain residential. The Notice of Intent to Remediate was published in the *Reading Eagle* on July 15, 2015.

Southwest Region: Environmental Cleanup & Brownfield Development Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

XTO Energy—Mary Lou Joseph fmly. M.E. Mitchell #4 Well Site, Deckers Point Road, Marion Center, East Mahoning Township, **Indiana County**. Groundwater & Environmental Services, Inc., 301 Commerce Park Drive, Cranberry Twp., PA 16066 on behalf of XTO Energy Inc., 395 Airport Road, Indiana, PA 15701 has submitted a Notice of Intent to Remediate to meet a combination of Statewide Health and Site Specific Standards concerning site soils contaminated with aluminum, barium, boron, iron, lithium, manganese, selenium, strontium, vanadium, zinc and chloride from a release of brine. The NIR indicated future use of the property is to remain a natural gas production well. Notice of the NIR was published in the *Indiana Gazette* on September 24, 2015.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a

facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities.

Copies of the application, the Department's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P. S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702

28-03045A: Dominion Transmission, Inc. (5000 Dominion Blvd, Glen Allen, VA 23060) for a gas turbine project, as described below, at the Chambersburg Compressor Station in Hamilton Township, **Franklin County**. Plan Approval No. 28-03045A will authorize the installation of a new natural gas fired Solar Mars gas turbine, rated at 13,220 hp. The potential emissions from the turbine are: NO_x 29 tpy, CO 3 tpy, VOC 2 tpy, SO_x 1.8 tpy, PM_{10/2.5} 8 tpy, and HAPs 0.4 tpy. Review by DEP of the information submitted by the applicant indicates that the air contamination sources as constructed or modified will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12, and will be subject to 40 CFR Part 60 Subpart KKKK—Standards of Performance for Stationary Combustion Turbines. Based on these findings, the Department proposes to issue a plan approval for the proposed construction. If, after the project has been implemented, the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specification of the application for plan approval, the requirements established in the plan approval will be incorporated into a State Only Operating Permit pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Dave Balog, New Source Review Chief—Telephone: 814-332-6328

42-028G: Ardagh Glass—Port Allegany Facility (One Glass Place, Port Allegany, PA 16743), for establishing SO₂ emission limits for both furnaces due to the Global Consent Decree with EPA in Port Allegany Borough, **McKean County**. This is a Title V facility. The public notice is required for sources required to obtain a Plan Approval in accordance with 25 Pa. Code § 127.44. This plan approval will, in accordance with 25 Pa. Code § 127.450 or § 127.505, be incorporated into the facility operating permit at a later date.

Plan approval No 42-028G is for the proposed SO₂ emission limits required for Furnaces 1 & 3 from Global Consent Decree (GCD) with EPA. This modification will not result in an emission increase at the facility. This Plan Approval will contain emission restriction, testing, recordkeeping, work practice standard and additional requirement conditions, which will satisfy the requirements of 25 Pa. Code § 127.12b (pertaining to plan approval terms and conditions) and will demonstrate Best Available Technology (BAT) for the source including, but are not limited to, the following:

- Source 101 (Furnace 1)
 - Normal Operation (Flint): Furnace No. 1 shall not emit more than 2.4 # SO₂ per ton of glass produced on a 30-day Rolling Average as measured using an SO₂ CEMS, except during the following periods: Abnormally Low Production Rate Days; Color Transition; Furnace Startup; Malfunction of the Furnace; and Maintenance of the Furnace. [This condition replaces Section D Condition #009 from facility operating permit 42-00028 revised on May 19, 2014.]
 - Normal Operation (Colored): Furnace No. 1 shall not emit more than 2.4 # SO₂ per ton of glass produced on a 30-day Rolling Average as measured using an SO₂ CEMS, except during the following periods: Abnormally Low Production Rate Days; Color Transition; Furnace Startup; Malfunction of the Furnace; and Maintenance of the Furnace. [This condition replaces Section D Condition #009 from facility operating permit 42-00028 revised on May 19, 2014.]
 - Abnormally Low Production Day (Flint): Furnace No. 1 SO₂ Limit during Abnormally Low Production Rate Days the facility may elect to exclude—all Abnormally Low Production Rate Days from the Emission Rate 30-day Rolling Average when Furnace No. 1 is operating at an Abnormally Low Production Rate. During these days, a CEMS shall be used to demonstrate compliance on a 24-hour Block Average with the following pound per day limit for the Furnace(s) operating at an Abnormally Low Production Rate: 501 #/day of SO₂ as calculated by (2.4 # SO₂/ton glass) x (P/0.35) where P = 73. [This condition replaces Section D Condition #010 from facility operating permit 42-00028 revised on May 19, 2014.]
 - Abnormally Low Production Day (Colored): Furnace No. 1 SO₂ Limit during Abnormally Low Production Rate Days the facility may elect to exclude—all Abnormally Low Production Rate Days from the Emission Rate 30-day Rolling Average when Furnace No. 1 is operating at an Abnormally Low Production Rate. During these days, a CEMS shall be used to demonstrate compliance on a 24-hour Block Average with the following pound per day limit for the Furnace(s) operating at an Abnormally Low Production Rate: 501 #/day of SO₂ as calculated by (2.4 # SO₂/ton glass) x (P/0.35) where P = 73. [This condition replaces Section D Condition #010 from facility operating permit 42-00028 revised on May 19, 2014.]
 - Color Transition: Furnace No. 1 SO₂ Limit during Color Transition the facility may elect to exclude Operating Days during which a Color Transition is occurring from the Emission Rate 30-day Rolling Average when Furnace No. 1 has a Color Transition. During these days, a CEMS shall be used to demonstrate compliance on a 24-hour Block Average with the following pound per day limit when Furnace No. 1 has a Color Transition: 1,042 #/day of SO₂ as calculated by 2 x (2.5 # SO₂/ton glass) x (P/0.35) where P = 73. [This condition replaces Section D Condition #011 from facility operating permit 42-00028 revised on May 19, 2014.]
 - Furnace Malfunction: For any Operating Day where a Malfunction of the Furnace No. 1 system occurs for any period of time, the facility may elect

to exclude the emissions generated during that Operating Day (or Operating Days if the event covers more than one Operating Day) from the Emission Rate 30-day Rolling Average. During the Malfunction Days excluded from the Emission Rate 30-day Rolling Average, a CEMS shall be used to demonstrate compliance on a 24-hour Block Average with the following pound per day limit: 1,563 #/day SO₂ as calculated by $3 \times (2.5 \text{ # SO}_2/\text{ton glass}) \times (P/0.35)$ where $P = 73$. [This condition replaces Section D Condition #012 from facility operating permit 42-00028 revised on May 19, 2014.]

- Furnace Maintenance (Flint): For any Operating Day where Maintenance activities on Furnace No. 1 are performed, the facility may elect to exclude the Maintenance Day from the Emission Rate 30-day Rolling Average. For any Day which is excluded from the 30-day Rolling Average, a CEMS shall be used to demonstrate compliance on a 24-hour Block Average with the following pound per day limit:
 - $\text{SO}_2 \text{ Maint Flint} = [\text{MH} \times (3 \times (2.5 \text{ # SO}_2/\text{ton glass}) \times (P/0.35)) + \text{NH} \times ((2.4 \text{ # SO}_2/\text{ton glass}) \times (P/0.35))] / 24$
 - Where:
 - SO₂ Maint Flint = SO₂ emission limit for Furnace No. 1 during a Maintenance Day (Flint), in pounds per day.
 - P = Furnace-specific production threshold (73)
 - MH = Hours of Maintenance
 - NH = Normal Hours = 24 – MH
 - [This condition replaces Section D Condition #014 from facility operating permit 42-00028 revised on May 19, 2014.]
- Furnace Maintenance (Colored): For any Operating Day where Maintenance activities on Furnace No. 1 are performed, the facility may elect to exclude the Maintenance Day from the Emission Rate 30-day Rolling Average. For any Day which is excluded from the 30-day Rolling Average, a CEMS shall be used to demonstrate compliance on a 24-hour Block Average with the following pound per day limit:
 - $\text{SO}_2 \text{ Maint Colored} = [\text{MH} \times (3 \times (2.5 \text{ # SO}_2/\text{ton glass}) \times (P/0.35)) + \text{NH} \times ((2.4 \text{ # SO}_2/\text{ton glass}) \times (P/0.35))] / 24$
 - Where:
 - SO₂ Maint Colored = SO₂ emission limit for Furnace No. 1 during a Maintenance Day (Colored), in pounds per day.
 - P = Furnace-specific production threshold (73)
 - MH = Hours of Maintenance
 - NH = Normal Hours = 24 – MH
 - [This condition replaces Section D Condition #014 from facility operating permit 42-00028 revised on May 19, 2014.]
- All conditions from the facility operating permit revised on May 19, 2014, for this source remain in effect unless modified in this plan approval.
- Source 103 (Furnace 3)
 - Normal Operation (Flint): Furnace No. 3 shall not emit more than 2.4 # SO₂ per ton of glass produced on a 30-day Rolling Average as measured using an SO₂ CEMS, except during the following periods: Abnormally Low Production Rate Days; Color Transition; Furnace Startup; Malfunction of the Furnace; and Maintenance of the Furnace. [This condition replaces Section D Condition #003(b)(1) & #003(c) from facility operating permit 42-00028 revised on May 19, 2014.]
 - Normal Operation (Colored): Furnace No. 3 shall not emit more than 2.4 # SO₂ per ton of glass produced on a 30-day Rolling Average as measured using an SO₂ CEMS, except during the following periods: Abnormally Low Production Rate Days; Color Transition; Furnace Startup; Malfunction of the Furnace; and Maintenance of the Furnace. [This condition replaces Section D Condition #003(b)(1) & #003(c) from facility operating permit 42-00028 revised on May 19, 2014.]
 - Abnormally Low Production Day (Flint): Furnace No. 3 SO₂ Limit during Abnormally Low Production Rate Days the facility may elect to exclude— all Abnormally Low Production Rate Days from the Emission Rate 30-day Rolling Average when Furnace No. 3 is operating at an Abnormally Low Production Rate. During these days, a CEMS shall be used to demonstrate compliance on a 24-hour Block Average with the following pound per day limit for the Furnace(s) operating at an Abnormally Low Production Rate: 679 #/day of SO₂ as calculated by $(2.4 \text{ # SO}_2/\text{ton glass}) \times (P/0.35)$ where $P = 99$. [This condition replaces Section D Condition #003(b)(1)(a) & #003(c)(1) from facility operating permit 42-00028 revised on May 19, 2014.]
 - Abnormally Low Production Day (Colored): Furnace No. 3 SO₂ Limit during Abnormally Low Production Rate Days the facility may elect to exclude— all Abnormally Low Production Rate Days from the Emission Rate 30-day Rolling Average when Furnace No. 3 is operating at an Abnormally Low Production Rate. During these days, a CEMS shall be used to demonstrate compliance on a 24-hour Block Average with the following pound per day limit for the Furnace(s) operating at an Abnormally Low Production Rate: 679 #/day of SO₂ as calculated by $(2.4 \text{ # SO}_2/\text{ton glass}) \times (P/0.35)$ where $P = 99$. [This condition replaces Section D Condition #003(b)(1)(a) & #003(c)(1) from facility operating permit 42-00028 revised on May 19, 2014.]
 - Color Transition: Furnace No. 3 SO₂ Limit during Color Transition the facility may elect to exclude Operating Days during which a Color Transition is occurring from the Emission Rate 30-day Rolling Average when Furnace No. 3 has a Color Transition. During these days, a CEMS shall be used to demonstrate compliance on a 24-hour Block Average with the following pound per day limit when Furnace No. 3 has a Color Transition: 1,414 #/day of SO₂ as calculated by $2 \times (2.5 \text{ # SO}_2/\text{ton glass}) \times (P/0.35)$ where $P = 99$. [This condition replaces Section D Condition #003(b)(1)(e) & #003(c)(5) from facility operating permit 42-00028 revised on May 19, 2014.]
 - Furnace Malfunction: For any Operating Day where a Malfunction of the Furnace No. 3 system occurs for any period of time, the facility may elect to exclude the emissions generated during that Operating Day (or Operating Days if the event covers more than one Operating Day) from the

Emission Rate 30-day Rolling Average. During the Malfunction Days excluded from the Emission Rate 30-day Rolling Average, a CEMS shall be used to demonstrate compliance on a 24-hour Block Average with the following pound per day limit: $2,121 \text{ #/day SO}_2$ as calculated by $3 \times (2.5 \text{ # SO}_2/\text{ton glass}) \times (P/0.35)$ where $P = 99$. [This condition replaces Section D Condition #003(b)(1)(c) & #003(c)(3) from facility operating permit 42-00028 revised on May 19, 2014.]

- Furnace Maintenance (Flint): For any Operating Day where Maintenance activities on Furnace No. 3 are performed, the facility may elect to exclude the Maintenance Day from the Emission Rate 30-day Rolling Average. For any Day which is excluded from the 30-day Rolling Average, a CEMS shall be used to demonstrate compliance on a 24-hour Block Average with the following pound per day limit:

- $\text{SO}_2 \text{ Maint Flint} = [\text{MH} \times (3 \times (2.5 \text{ # SO}_2/\text{ton glass}) \times (P/0.35)) + \text{NH} \times ((2.4 \text{ # SO}_2/\text{ton glass}) \times (P/0.35))] / 24$

- Where:

- $\text{SO}_2 \text{ Maint Flint} = \text{SO}_2 \text{ emission limit for Furnace No. 3 during a Maintenance Day (Flint), in pounds per day.}$

- $P = \text{Furnace-specific production threshold (99)}$

- $\text{MH} = \text{Hours of Maintenance}$

- $\text{NH} = \text{Normal Hours} = 24 - \text{MH}$

- [This condition replaces Section D Condition #003(b)(1)(d) & #003(c)(4) from facility operating permit 42-00028 revised on May 19, 2014.]

- Furnace Maintenance (Colored): For any Operating Day where Maintenance activities on Furnace No. 3 are performed, the facility may elect to exclude the Maintenance Day from the Emission Rate 30-day Rolling Average. For any Day which is excluded from the 30-day Rolling Average, a CEMS shall be used to demonstrate compliance on a 24-hour Block Average with the following pound per day limit:

- $\text{SO}_2 \text{ Maint Colored} = [\text{MH} \times (3 \times (2.5 \text{ # SO}_2/\text{ton glass}) \times (P/0.35)) + \text{NH} \times ((2.4 \text{ # SO}_2/\text{ton glass}) \times (P/0.35))] / 24$

- Where:

- $\text{SO}_2 \text{ Maint Colored} = \text{SO}_2 \text{ emission limit for Furnace No. 3 during a Maintenance Day (Colored), in pounds per day.}$

- $P = \text{Furnace-specific production threshold (99)}$

- $\text{MH} = \text{Hours of Maintenance}$

- $\text{NH} = \text{Normal Hours} = 24 - \text{MH}$

- [This condition replaces Section D Condition #003(b)(1)(d) & #003(c)(4) from facility operating permit 42-00028 revised on May 19, 2014.]

- All conditions from the facility operating permit revised on May 19, 2014, for this source remain in effect unless modified in this plan approval.

In accordance with 25 Pa. Code § 127.44(f)(1), all the pertinent documents regarding this application (applications, review memos, and draft approvals) are also available for review from 8 a.m. to 4 p.m. at the Meadville

Regional DEP office (Air Quality). Appointments for scheduling a review must be made by calling the DEP (814) 332-6340.

In accordance with 25 Pa. Code § 127.44(f)(2), a 30-day comment period, from the date of publication, will exist for the submission of comments. Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to Regional Air Quality Program Manager, Pennsylvania Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335-3494 and must contain the name, address and telephone number of the person submitting the comments, identification of the proposed plan approval [42-028G] and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Regional Air Quality Program Manager, 230 Chestnut St., Meadville, PA 16335; Phone (814) 332-6940.

In accordance with 25 Pa. Code § 127.45, a person may oppose the proposed plan approval by filing a written protest with the Department's Northwest Region Air Quality Program Manager.

If a plan approval has not undergone the above public notice process, the change to an operating permit must be treated as a significant modification. In these situations the Department should follow the procedures described in §§ 127.421—127.431 for state only operating permits or §§ 127.521—127.524 for Title V operating permits.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702

28-05040: INGenco Wholesale Power, LLC (811 Main Street, Suite 3500, Houston, Texas 77002) to issue a Title V Permit renewal for the electric generating facility in Peters Township, **Franklin County**. Reported plant emissions for 2014 included 47.5 tons of nitrogen oxides (NO_x), 7.6 tons of particulate matter (PM), and 10.5 tons of volatile organic compounds (VOC). The Title V Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the permit renewal will include provisions derived from 40 CFR Part 63, Subpart ZZZZ—National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines.

Intent to Issue Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920

09-00022: Cleveland Steel Container Corporation (350 Mill Street, Quakertown, PA 18951), located in Quakertown Borough, **Bucks County**. This action is a renewal of a Synthetic Minor Operating Permit. The facility's emission points include a pail line spray coating line, a roller coater, two (2) curing ovens, and one (1) lithographic printing press. Volatile Organic Compound (VOC) emissions from the pail line coating process are controlled by a Regenerative Thermal Oxidizer and VOC emissions from the roller coating process are controlled by a Catalytic Incinerator. The facility elects to limit facility-wide VOC emissions to less than 25 tons per year; therefore, the facility is considered a Synthetic Minor for criteria pollutants and an area source of Hazardous Air Pollutant (HAP) emissions. There are no new sources at the facility; however, the requirements of 25 Pa. Code § 129.77 apply to adhesives used when gluing a rubber gasket onto pail lids which has been addressed with this renewal permit in Source ID 109 (Adhesives). The renewal permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702

67-05013: York City Sewer Authority (1701 Black Bridge Road, York, PA 17402) to issue a State Only Operating Permit for a waste water treatment plant and heating sources located in Manchester Township, **York County**. The primary emissions from the facility is VOC, the actual 2014 emissions from the facility was 18 tons. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions for the source derived from 25 Pa. Code §§ 127.441, 127.444, and 135.3 for monitoring, recordkeeping, and reporting.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

41-00017: Gulf Oil, L.P. (100 Crossing Blvd, Framingham, MA 01702-5401) to issue a renewal State Only Synthetic Minor Operating Permit for their South Williamsport Terminal facility located in Armstrong Township, **Lycoming County**. The facility is currently operating under State Only Synthetic Minor Operating Permit 41-00017. The facility's main sources include gasoline storage tanks, diesel storage tank, and gasoline and distillate loading operations. The facility has poten-

tial annual emissions of 0.07 ton of carbon monoxide, 0.02 ton of nitrogen oxides, 0.01 ton of sulfur oxides, 0.02 ton of particulate matter (including particulate matter less than 10 microns in size and particulate matter less than 2.5 microns in size), 49.71 tons of volatile organic compounds, 11.08 tons of hazardous air pollutants, and 72 tons of carbon dioxide equivalent. The tanks are subject to Subpart BBBBBB of the National Emission Standards for Hazardous Air Pollutants for Source Categories, 40 CFR 63.11080—63.11100 (National Emission Standards for Hazardous Air Pollutants for Source Category: Gasoline Distribution Bulk Terminals, Bulk Plants, and Pipeline Facilities) and the loadout operations are subject to Subpart XX of the Standards of Performance for New Stationary Sources, 40 CFR 60.500—60.506 (Standards of Performance for Bulk Gasoline Terminals). The emission limits, throughput limitations and work practice standards along with testing, monitoring, record keeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 25 Pa. Code Chapters 121—145 as well as 40 CFR Parts 60 and 63. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

41-00059: Bimbo Bakeries USA, Inc. (3375 Lycoming Creek Road, Williamsport, PA 17701) to issue a renewal State Only Synthetic Minor Operating Permit for their Williamsport Plant facility located in Old Lycoming Township, **Lycoming County**. The facility is currently operating under State Only Synthetic Minor Operating Permit 41-00059. The facility's main sources include a 5.25 MMBtu/hr natural gas-fired boiler, a 2.86 MMBtu/hr natural gas-fired boiler, a 1.25 MMBtu/hr natural gas-fired heater, a 2.1 and a 1.0 MMBtu/hr natural gas-fired heaters, a 1.12 MMBtu/hr natural gas-fired boiler, one 4.389 MMBtu/hr natural gas-fired bake oven, and one 3.388 MMBtu/hr natural gas-fired roll oven, and 10 natural gas fired space heaters with a combined heat input rating of 1.125 MMBtus/hr. The facility has potential annual emissions of 24.30 tons of carbon monoxide, 11.03 tons of nitrogen oxides, 0.05 ton of sulfur oxides, 0.81 ton of particulate matter (including particulate matter less than 10 microns in size and particulate matter less than 2.5 microns in size), 31.57 tons of volatile organic compounds, 0.90 ton of hazardous air pollutants, and 12,883 tons of carbon dioxide equivalent. The emission limits, throughput limitations and work practice standards along with testing, monitoring, record keeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 25 Pa. Code Chapters 121—145. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6131

10-00277: Wiest Asphalt Products & Paving Inc. (310 Mitchell Hill Road, Butler, PA 16001) for a renewal of Synthetic Minor Permit to operate a hot mix asphalt plant located in Summit Township, **Butler County**. The Emitting Sources included: 1) Natural gas Boiler for Asphalt Tank, 2) Batch Mix Asphalt Plant, 3) Fugitives from Asphalt Plant and, 4) Asphalt Tank. Based on Asphalt production in 2014, 98,911 Tons and AP-42 emission factors, the emission statement: CO: 19.78 Tons Per Year (TPY) [Emission factor: 0.40 lb./Ton], CO₂: 1,829.85 TPY [AP-42, Emission Factor: 37 lbs./ton], NO_x: 1.23 TPY [AP-42, Emission Factor: 0.025 lb./ton], SO_x: 0.227 TPY [AP-42, Emission Factor: 0.0046 lb./ton], VOC: 0.40 TPY [AP-42, Emission Factor: 0.0082 lb./ton], PM₋₁₀: 1.33 TPY (Controlled) [AP-42, Emission Factor: 0.027 lb./ton]. The facility took a restriction on production not exceeding 495,000 tons per year to qualify as a Synthetic Minor facility.

10-00340: Eagle Printing Company (P. O. Box 271, Butler, PA 16003) for the renewal of a State Only operating permit for the newsprint facility located in the City of Butler, **Butler County**. The sources at the facility include 2 printing presses. The facility is a Synthetic Minor. The potential emissions from the facility are as follows: VOCs, 46.4 tpy; CO, < 1 tpy; NO_x, < 1 tpy; SO₂, < 1 tpy; PM, < 1 tpy; any single HAP < 1 tpy; and all combined HAPs < 1 tpy. The permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

16-00043: J. M. Smucker, Inc., (300 Kleck Avenue, New Bethlehem, PA 16242) for the renewal of a State Only operating permit for the peanut processing facility located in the Borough of New Bethlehem, **Clarion County**. The sources at the facility include peanut processing equipment, 2 natural gas fueled peanut roasters, peanut skin transfer, and natural gas fueled heaters for comfort heating. The facility is a Natural Minor. Emissions from the facility are as follows: VOCs, < 1 tpy; CO, < 1 tpy; NO_x, < 1 tpy; SO₂, < 1 tpy; PM, < 1 tpy; and all combined HAPs < 1 tpy. The permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

PLAN APPROVALS

Receipt of Plan Approval Applications and Intent to Issue Plan Approvals, and Intent to Issue Amended Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter B And Subchapter F. These actions may include the administrative amendments of an associated operating permit.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507

45-00026A: Hanson Aggregates PA LLC (7660 Imperial Way, Allentown, PA 18195) for their facility in Hamilton Township, **Monroe County**.

In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to Hanson Aggregates PA LLC (7660 Imperial Way, Allentown, PA 18195) for their facility in Hamilton Township, Monroe County. This Plan Approval No. 45-00026A will be incorporated into a Synthetic Minor Permit through an administrative amendment at a later date.

Plan Approval No.45-00026A is for the replacement of the current particulate matter control devices, one (1) baghouse and knock out box, with one (1) new baghouse and knock out box. Particulate Matter (PM) emissions from the plant will remain under their 100 TPY threshold limit, 12-month rolling sum. The company shall be subject to and comply with 25 Pa. Code § 123.13 for PM emissions. These limits will meet BAT requirements for this source. The company shall also be subject to and comply with 25 Pa. Code § 123.31 for malodorous emissions. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No.: 45-00026A and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Environmental Group Manager, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711, Phone 570-826-2511 within 30 days after publication date.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.20a). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department. A copy of the application is available for inspection at the district mining office indicated before each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application and request for Section 401 water quality certification application may be submitted by any person or any officer or head of any Federal, state or local government agency or authority to the Department at the address of the district mining office indicated before each application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Written comments or objections regarding a mining permit application should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

A request for an informal conference or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 or § 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

When an NPDES number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Received

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100

02141301 (formerly 02891701) and NPDES No. PA0215571. Consol Mining Company LLC, (CNX Center, 1000 Consol Energy Drive, Canonsburg, PA 15317). To renew the permit for the Harmar Mine in Harmar, Indiana Townships and Fox Chapel Borough, **Allegheny County** and related NPDES permit. No additional discharges. The application was considered administratively complete on October 9, 2015. Application received March 31, 2015.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

Permit No. 07100101 and NPDES No. PA0262943. Heritage Mining Co., Inc., P. O. Box 126, Cresson, PA 16630, permit renewal for the continued operation and restoration of a bituminous surface mine in Logan and Gallitzin Townships, **Blair and Cambria Counties**, affecting 116.0 acres. Receiving streams: Kittanning Run and Glenwhite Run to Burgoon Run to Beaverdam classified for the following use: cold water fishes. The first downstream potable water supply intake from the point of discharge is located approximately 2 miles downstream

from the site where Glenwhite Run flows into the Altoona City Authority's Kittanning Reservoir. Application received: September 24, 2015.

Permit No. 56090106 and NPDES No. PA0262765. Mountaineer Mining Corp., 1010 Garrett Shortcut Road, Berlin, PA 15530 transfer of an existing bituminous and auger mine from Hardrock Coal Co., 275 Saddle Ridge Road, Berlin, PA 15530 located Brothersvalley Township, **Somerset County**, affecting 105.5 acres. Receiving streams: unnamed tributaries to/and Buffalo Creek classified for the following use: cold water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: September 30, 2015.

Permit No. 32130102 and NPDES No. PA0279293. Frantz Brothers Resources, LLC, 24 Wilgus Road, P. O. Box 135, Hillsdale, PA 15746, transfer of an existing bituminous surface mine from Forcey Coal, Inc., 475 Banion Road, Madera, PA 16661 located in Green Township, **Indiana County**, affecting 10.7 acres. Receiving streams: unnamed tributary to/and Little Mahoning Creek classified for the following use: high quality cold water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: October 2, 2015.

Permit No. 56140105 and NPDES No. PA0269506. Fieg Brothers, 3070 Stoystown Road, Stoystown, PA 15563, commencement, operation and restoration of a bituminous surface mine in Brothersvalley Township, **Somerset County**, affecting 41.5 acres. Receiving streams: unnamed tributaries to/and Tubs Run to Buffalo Creek classified for the following use: cold water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: October 6, 2015.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

10100101. Amerikohl Mining, Inc. (202 Sunset Drive, Butler, PA 16001). Renewal of an existing bituminous surface and auger mine in Karns City Borough and Fairview Township, **Butler County** affecting 47.1 acres. This renewal is issued for reclamation only. Receiving streams: Unnamed tributary to South Branch Bear Creek, classified for the following uses: WWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: October 15, 2015.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200

17080109 and NPDES PA0256838. Corey L. Shawver DBA Hilltop Coal Company (12 Dutchtown Road, Houtzdale, PA 16651). Permit renewal for continued operation and restoration of a bituminous surface mine located in Bigler Township, **Clearfield County** affecting 164.9 acres. Receiving stream(s): Unnamed Tributary to Beaver Run and Japling Run classified for the following use(s): CWF and MF. There are no potable water supply intakes within 10 miles downstream. Application received: September 30, 2015.

Noncoal Applications Received

Effluent Limits—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

<i>Parameter</i>	<i>30-day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

Permit No. 58050809. Michael Kirchmeier, (8120 Laurel Lake Road, Montrose, PA 18801), Stage I & II bond release of a quarry operation in Silver Lake Township, **Susquehanna County** affecting 1.0 acre on property owned by Michael Kirchmeier. Application received: October 13, 2015.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	

Alkalinity greater than acidity*

*The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30 days of this public notice and contain the name, address, telephone number and the interest of the party filing the request, and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100

NPDES No. PA0236225 (Mining Permit No. 56131302), AK Coal Resources, Inc., (1134 Stoystown Road, Friedens, PA 15541). A new NPDES and mining activity permit for the Polaris Mine in Jenner and Quemahoning Townships, **Somerset County**. Surface Acres Affected 65.5, Underground Acres Affected 2,830.2. Receiving stream: Two Mile Run, classified for the following use: CWF. Kiskiminetas-Conemaugh River Watersheds TMDL. The application was considered administratively complete on July 29, 2014. Application received February 14, 2014.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The facility location of the non-discharge alternatives are listed below:

Outfall 001 discharges to: Two Mile Run

The proposed effluent limits for *Outfall 001* (Lat: 40° 07' 33.0" Long: 79° 01' 19.0") are:

Parameter	Minimum	30-Day Average	Daily Maximum	Instant. Maximum
Flow (mgd)		-	-	-
Iron (mg/l)		1.5	3.0	3.8
Manganese (mg/l)		1.0	2.0	2.5
Aluminum (mg/l)		0.75	0.75	0.75
Suspended Solids (mg/l)		35	70	90
Sulfates (mg/l)			Monitor and Report	
Osmotic Pressure (mos/kg)			Monitor and Report	
Total Dissolved Solids (mg/l)			Monitor and Report	

Outfall 002 discharges to: Two Mile Run

The proposed effluent limits for *Outfall 002* (Lat: 40° 07' 36.0" Long: 79° 01' 05.0") are:

Parameter	Minimum	30-Day Average	Daily Maximum	Instant. Maximum
Flow (mgd)		-	-	-
Iron (mg/l)		1.5	3.0	3.8
Manganese (mg/l)		1.0	2.0	2.5
Aluminum (mg/l)		0.75	0.75	0.75
Suspended Solids (mg/l)		35	70	90
Sulfates (mg/l)			Monitor and Report	
Osmotic Pressure (mos/kg)			Monitor and Report	
Total Dissolved Solids (mg/l)			Monitor and Report	

Outfall 003 discharges to: Two Mile Run

The proposed effluent limits for *Outfall 003* (Lat: 40° 07' 33.0" Long: 79° 01' 20.0") are:

Parameter	Minimum	30-Day Average	Daily Maximum	Instant. Maximum
Flow (mgd)		-	-	-
Iron (mg/l)		1.5	3.0	3.8
Manganese (mg/l)		1.0	2.0	2.5
Aluminum (mg/l)		0.75	0.75	0.75
Suspended Solids (mg/l)		35	70	90

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Sulfates (mg/l)			Monitor and Report	
Osmotic Pressure (mos/kg)			Monitor and Report	
Total Dissolved Solids (mg/l)			Monitor and Report	

Outfall 004 discharges to: Two Mile Run

The proposed effluent limits for *Outfall 004* (Lat: 40° 07' 35.0" Long: 79° 01' 26.0") are:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (mgd)		-	-	-
Iron (mg/l)		1.5	3.0	3.8
Manganese (mg/l)		1.0	2.0	2.5
Aluminum (mg/l)		0.75	0.75	0.75
Suspended Solids (mg/l)		35	70	90
Sulfates (mg/l)			Monitor and Report	
Osmotic Pressure (mos/kg)			Monitor and Report	
Total Dissolved Solids (mg/l)			Monitor and Report	

NPDES No. PA0236152 (Mining Permit No. 56121301), AK Coal Resources, Inc., (1134 Stoystown Road, Friedens, PA 15541). A revision to the NPDES and mining activity permit for the North Fork Mine in Quemahoning Township, **Somerset County** to install the North Fork Dewatering—Site and add NPDES Outfall 003. Surface Acres Affected 9.7. Receiving stream: Two Mile Run, classified for the following use: CWF. Kiskiminetas-Conemaugh River Watershed TMDL. The application was considered administratively complete on February 10, 2015. Application received September 18, 2014.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The facility location of the non-discharge alternatives are listed below:

Outfall 003 discharges to: Two Mile Run

The proposed effluent limits for *Outfall 003* (Lat: 40° 06' 51.4" Long: 79° 01' 18.1") are:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (mgd)		-	-	-
Iron (mg/l)		1.5	3.0	3.8
Manganese (mg/l)		1.0	2.0	2.5
Aluminum (mg/l)		0.75	0.75	0.75
Suspended Solids (mg/l)		35	70	90
Sulfates (mg/l)			Monitor and Report	
Osmotic Pressure (mos/kg)			Monitor and Report	
Total Dissolved Solids (mg/l)			Monitor and Report	

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200

NPDES No. PA 0256722 (Mining permit no. 17080103), Corey L. Shawver DBA Hilltop Coal Company, 12 Dutchtown Road, Houtzdale, PA 16651, renewal of an NPDES permit for surface and auger mining in Bigler Township, **Clearfield County**, affecting 320.7 acres. Receiving stream(s): Unnamed Tributaries to Muddy Run and Unnamed Tributaries to and Little Muddy Run, classified for the following use(s): CWF. Clearfield Creek TMDL. Application received: December 12, 2014.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The outfall(s) listed below discharge to Unnamed Tributaries to Muddy Run and Unnamed Tributaries to and Little Muddy Run

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
TP1	N
TP2	N
TP3	N
TP4	N

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)		3.0	6.0	7
Manganese (mg/l)		1.92	3.84	4.8

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Aluminum (mg/l)		0.75	1.5	1.9
Alkalinity greater than acidity ¹				
Total Suspended Solids (mg/l)		35	70	90

Noncoal NPDES Draft Permits

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

NPDES Permit No. PA0224898 on Surface Mining Permit No. 06100301. Berks Products Corp., (167 Berks Products Drive, Leesport, PA 19533), new NPDES Permit for a limestone quarry operation in Ontelaunee Township, **Berks County**, affecting 351.2 acres. Receiving streams: Maiden Creek and Schuylkill River, classified for the following uses: cold water and migratory fishes; warm water fishes and migratory fishes. Application received: December 10, 2010.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are BAT limits described above for noncoal mining activities.

The outfalls listed below discharge to Maiden Creek and Schuylkill River.

<i>Outfall No.</i>	<i>New Outfall Y/N</i>	<i>Type</i>
001	No	SW—Schuylkill River
002	No	SW—Schuylkill River
003	No	SW—Schuylkill River
004	No	SW—Maiden Creek
005	No	O—Maiden Creek

The proposed effluent limits for the above listed outfall are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Total Suspended Solids		35.0	70.0	90.0

¹ The parameter is applicable at all times.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before an application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on working days at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should

contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications Received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone 570-826-2511.

E40-771. Sunoco Logistics Partners, L.P., 525 Fritz Road, Sinking Springs, PA 19608, in Plymouth Township, **Luzerne County**, U.S. Army Corps of Engineers, Baltimore District.

To maintain an existing 6-inch diameter petroleum gas pipeline crossing of Harveys Creek (CWF, MF) consisting of a 75-ft wide X 45-ft long articulating block matting and a 12-ft high X 35-ft long concrete revetment wall. The project is located approximately 200 feet southeast of the intersection of S.R. 11 and S.R. 29 (Nanticoke, PA Quadrangle, Latitude: 41°13'14"; Longitude: -76°0'55.08").

E40-770. Pennsylvania Department of Transportation, Engineering District 4-0, 55 Keystone Industrial Park, Dunmore, PA 18512, in Hunlock Township, **Luzerne County**, U.S. Army Corps of Engineers, Baltimore District.

To remove the existing structure; and to construct and maintain 50-foot wide road crossing of a tributary to Roaring Brook (CWF, MF) consisting of an aluminum open bottom box culvert with a normal clear span of 15.5 feet and an underclearance of 6.92 feet. The project is

located along S.R. 4026, Section 574, Segment 0020, Offset 1355 (Harveys Lake, PA Quadrangle, Latitude: 41°15'21.3"; Longitude: -76°07'10.5").

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ed Muzic, Section Chief, 717.705.4802.

E22-613: Lykens Borough, 200 Main Street, Lykens, PA 17048 in Lykens Borough, **Dauphin County**, U.S. Army Corps of Engineers, Baltimore District.

To install a Type M inlet with a sump at the intersection of North and Spruce Streets in order to reduce the backwater flooding effects from Wiconisco Creek (WWF, MF) and provide easier access for the use of pumps, and to install a new endwall accompanying the replacement of an inlet and a broken 24-inch stormwater discharge pipe that inlets at the intersection of North and Municipal Streets. This Lykens Borough project is located in Dauphin County (Lykens, PA Quadrangle, Latitude: 40°34'6.3", Longitude: -76°42'1.1"). The permit was issued on October 14, 2015.

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636

E18-495. Transcontinental (Transco) Gas Pipe Line Company, LLC, 2800 Post Oak Blvd., Level 6. Atlantic Sunrise Project—Chapman Loop, in Chapman Township, **Clinton County**, ACOE Baltimore District (Renovo East and Tamarack, PA Quadrangles N: Start: 41.377066°, End: 41.400937°; W: -77.714737°, End: -77.760120°).

To install and maintain a 36-inch-diameter pipeline under and/or through the below listed floodways, streams and wetlands as part of the Atlantic Sunrise Project. The new 2.9 mile long pipe will be installed adjacent to an existing pipeline as a loop. The project is an expansion of the existing Transco natural gas transmission system that will enable Transco to provide transportation of natural gas from the Marcellus Shale production areas in northern Pennsylvania to its existing market areas, extending as far south as Choctaw County, Alabama.

This project proposes to have the following impacts:

<i>Floodway</i>			<i>Temporary Impact area (Acres)</i>	<i>Permanent Impact area (Acres)</i>	<i>Latitude</i>	<i>Longitude</i>
Floodway to Gregs Run			0.0666	0.0000	41.40170	-77.76256
Floodway to Post Hollow			0.3031	0.0164	41.38005	-77.71983
Floodway to UNT to Mudlick Run			0.2009	0.0116	41.38646	-77.73393
Floodway to Young Womans Creek			0.2300	0.0000	41.35409	-77.70113
Floodway to UNT to Mudlick Run			0.2496	0.0120	41.38873	-77.73801
Total Floodway Impacts			1.0502	0.0400		
<i>ID</i>	<i>Chapter 105.17 Wetland Class</i>	<i>Wetland Cowardin Classification</i>	<i>Temporary Impact area (acres)</i>	<i>Permanent Impact area (acres)</i>	<i>Latitude</i>	<i>Longitude</i>
W-T30-27001	EV	PEM	0.0061	0.0001	41.38849	-77.73836
Total Wetland Impacts			0.0061	0.0001		
<i>ID</i>	<i>Stream Name</i>	<i>Stream Class</i>	<i>Temporary Impact area (Acres)</i>	<i>Permanent Impact area (Acres)</i>	<i>Latitude</i>	<i>Longitude</i>
WW-T30-27001	UNT Mudlick Run	EV-WT	0.0192	0.0009	41.38873	-77.73801
Perennial Stream Impacts			0.0192	0.0009		
WW-T21-27001	UNT Mudlick Run	EV-WT	0.0210	0.0016	41.38646	-77.73393
WW-T21-27002	Post Hollow	EV-WT	0.0176	0.0007	41.38005	-77.71983
Ephemeral/Intermittent Impacts			0.0386	0.0023		

Southwest Region: Waterways & Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

E02-1720, Township of Hampton, 3101 McCully Road, Allison Park, PA 15101, Hampton Township, **Allegheny County**, ACOE Pittsburgh District.

The applicant is proposing to:

1. Construct and maintain stream bank protection along approximately 500' of Gourdhead Run (TSF);
2. Excavate material from the floodway and floodplain, and to reduce the height and slope of both stream banks, along this same reach of Gourdhead Run;
3. Construct and maintain 3' high berms on both sides of Gourdhead Run, in the floodway and floodplain, perpendicular to this watercourse, and at the downstream limit of this same reach of Gourdhead Run;

4. Construct and maintain pedestrian bridges across Gourdhead Run, at the upstream and downstream limits of this same reach of Gourdhead Run;

For the purpose of creating a pedestrian walking trail and the Gourdhead Run floodplain detention project, near the intersection of Duncan Avenue and State Route 8 (Glenshaw, PA USGS topographic quadrangle; Latitude: 40° 33' 35"; Longitude: -79° 57' 36"; Sub-basin: 18A, Pittsburgh Corps District) in the Township of Hampton, Allegheny County.

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.101) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Northeast Regional Office: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570.826.2511.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0063142 (Industrial Wastewater)	Chrin Brothers, Inc. Sanitary Landfill 1225 Industrial Drive Easton, PA 18042	Northampton County Williams Township	UNT to the Lehigh River (02C)	Y

Northcentral Regional Office: Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.0530.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0024627 (Sewage)	McClure Municipal Authority STP Ulsh Gap Road McClure, PA 17841	Snyder County McClure Borough	South Branch Middle Creek (6-A)	Y
PA0114596 (Industrial Waste)	Avery Dennison Performance Polymers 171 Draketown Road Mill Hall, PA 17751	Clinton County Bald Eagle Township	Unnamed Tributary to Bald Eagle Creek (9-C)	Y

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401

NPDES Permit No. PA0244791, Sewage, **Mr. Nathan & Mrs. Jessica Skelton**, 313 Thousand Acre Road, Sellersville, PA 18960-1037.

This proposed facility is located in West Rockhill Township, **Bucks County**.

Description of Action/Activity: To discharge from a facility known as Skelton SRSTP to unnamed Tributary to Ridge Valley Creek in Watershed(s) 3-E.

NPDES Permit No. PA0024376, Sewage, **Boyertown Borough**, 100 S Washington Street, Boyertown, PA 19512-1521.

This proposed facility is located in Douglass Township, **Montgomery County**.

Description of Action/Activity: To discharge from a facility known as Boyertown STP to Swamp Creek in Watershed(s) 3-E.

Northcentral Region: Clean Water Program Manager, 208 West Third Street, Williamsport, PA 17701

NPDES Permit No. PA0232670, Sewage, SIC Code 4952, **Harry Proud Estate**, 1307 Crescent Drive, Clearfield, PA 16830-1111.

This proposed facility is located in Lawrence Township, **Clearfield County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

NPDES Permit No. PA0037991, Sewage, SIC Code 6515, **Mainlines Manholes & Wastewater Treatment Inc.**, 9208 Tannery Road, Girard, PA 16417-7846.

This existing facility is located in Girard Township, **Erie County**.

Description of Existing Action/Activity: Issuance of an NPDES Permit for an existing discharge of treated Sewage. Changes made to permit after the draft comment period include changing the stream name and reducing the monitoring frequency of dissolved oxygen, pH, and Total Residual Chlorine from 1/day to 4/week.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, 484.250.5900

WQM Permit No. 4600431, Sewage, Transfer, **Elizabeth Greenhalgh**, 1426 Rose Glen Road, Gladwyne, PA 19035.

This proposed facility is located in Lower Merion Township, **Montgomery County**.

Description of Action/Activity: Permit transferred ownership to Elizabeth Greenhalgh.

WQM Permit No. 0996401, Sewage, Renewal, **Solebury School**, 6832 Phillips Mill Road, New Hope, PA 18938-9682.

This proposed facility is located in Solebury Township, **Bucks County**.

Description of Action/Activity: Permit renewal to allow continued operation of a sewage treatment plant with spray irrigation.

WQM Permit No. 1598412, Sewage, Renewal, **Green Hill Sewer Association**, 1000 Mill Road, West Chester, PA 19380.

This proposed facility is located in East Goshen Township, **Chester County**.

Description of Action/Activity: Permit renewal to allow continued operation of a WQM Permit.

WQM Permit No. 2314401, Sewage, Transfer, **99th Regional Support Command**, 5231 South Scott Plaza, Joint Base McGuire-Dix-Lakehurst, NJ 08640.

This proposed facility is located in Edgmont Township, **Delaware County**.

Description of Action/Activity: Permit transfer from US Army Corps of Engineers to 99th Regional Support Command.

Northcentral Region: Clean Water Program Manager, 208 West Third Street, Williamsport, PA 17701

WQM Permit No. 1715403, Sewage, SIC Code 4952, **Harry Proud Estate**, 1307 Crescent Drive, Clearfield, PA 16830-1111.

This proposed facility is located in Lawrence Township, **Clearfield County**.

Description of Proposed Action/Activity: Construction of a new single residence sewage treatment facility to replace a malfunctioning onlot system.

WQM Permit No. 5515201, CAFO, SIC Code 0213, **James W. Stahl**, 4089 Produce Road, Selinsgrove, PA 17870-8161.

This proposed facility is located in Union Township, **Snyder County**.

Description of Proposed Action/Activity: Construction of a new swine finishing barn with under-house manure storage.

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

WQM Permit No. 6312404, SIC Code, **Mon Valley Sewage Authority**, 20 South Washington Avenue, Donora, PA 15033.

This proposed facility is located in City of Monessen, **Westmoreland County**.

Description of Proposed Action/Activity: Primary treatment Facility for CSO Outfall 007.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

WQM Permit No. 4286201 A-2, Industrial Waste, **American Refinery Group Inc.**, 77 North Kendall Ave, Bradford, PA 16701-1726.

This existing facility is located in Bradford City, **McKean County**.

Description of Proposed Action/Activity: Amendment to reroute groundwater treatment system discharge to existing NPDES industrial WWTP.

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI010915008	Scott Emerson 407 East Lancaster Avenue Wayne, PA 19087	Bucks	Milford Township	Tributary of Unami Creek HQ-TSF-MF
PAI011515015	John H. Reilly, III P.O. Box 529 Glenside, PA 19038	Chester	Willistown Township	Crum Creek HQ-CWF
PAI011515002	Traditions Development Corporation P.O. Box 6311 Harrisburg, PA 17112	Chester	West Goshen Township	Boot Road Run (Ridley Creek) HQ-TSF
PAI011515008	IHM Villa Maria 1140 King Road Immaculata, PA 19345	Chester	East Whiteland Township	Ridley Creek HQ-TSF-MF
PAI011505075R	Southdown Properties, Inc. 55 Country Club Drive, Suite 200 Downingtown, PA 19335	Chester	Caln Township	Unnamed Tributary to Valley Run CWF
PAI011509030-R	Stillwaters Presbyterian Church P.O. Box 8034 West Chester, PA 19390	Chester	London Grove Township	Unnamed Tributary to East Branch White Clay EV
PAI012313007-3	City of Philadelphia, Division of Aviation Terminal D-E Philadelphia International Airport Philadelphia, PA 19153	Philadelphia	City of Philadelphia	SEPD to Delaware River WWF-MF Mingo Creek WWF-MF
PAI015115003	Philadelphia Housing Authority 3100 Penrose Ferry Road Philadelphia, PA 19145	Philadelphia	City of Philadelphia	Schuylkill River WWF
PAI015114011-5A	Liberty Property/Synterra Limited Partnership 1628 John F. Kennedy Boulevard Philadelphia, PA 19103	Philadelphia	City of Philadelphia	Delaware River WWF-MF

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI023914033	KRE South Whitehall, L.P. c/o Mr. Thomas Gough 520 US Highway 22 P.O. Box 6872 Bridgewater, NJ 08807	Lehigh	South Whitehall Township and Upper Macungie Township	UNT to Cedar Creek (HQ-CWF, MF)

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570.327.3574

Centre County Conservation District: 414 Holmes Avenue, Suite 4, Bellefonte, PA 16823, (814) 355-6817

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI041415012	Mr. Nick Loutsik Logistics Group, Inc 450 West Broad Street Falls Church, VA 22046	Centre	Patton Township	UNT to Buffalo Run HQ-CWF

Southwest Region: Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI056315006	Pennsylvania American Water 300 Galley Road McMurray, PA 15317	Washington County	North Strabane Township and Somerset Township	Little Chartiers Creek (HQ-WWF)
PAI055615002	Pittsburgh Zoo and PPG Aquarium One Wild Place Pittsburgh, PA 15206	Somerset County	Allegheny Township	UNT to Brush Creek (HQ-CWF)

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges from Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges from Small Flow Treatment Facilities
PAG-5	General Permit for Discharges from Petroleum Product Contaminated Groundwater Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines
PAG-11	General Permit for Discharges from Aquatic Animal Production Facilities
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
PAG-14	(To Be Announced)
PAG-15	General Permit for Discharges from the Application of Pesticides

*General Permit Type—PAG-02**Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.*

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Warminster Township Bucks County	PAG02000915025	Havis, Inc. 75 Jacksonville Road Warminster, PA 18974	Unnamed Tributary to Pennypack Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
New Britain Township Bucks County	PAG02000915052	Greenway Development, L.P. 3625 Welsh Road Willow Grove, PA 19090	West Branch Neshaminy Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Falls Township Bucks County	PAG02000915043	Abington Reldan Metals, LLC 550 Old Bordentown Road Fairless Hills, PA 19030	Biles Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
New Britain Township Bucks County	PAG02000915059	Colebrook Properties, L.P. 404 Sumneytown Pike, Suite 200 North Wales, PA 19454	West Branch Neshaminy WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
New Garden Township Chester County	PAG02001515035	Pennsylvania Department of Transportation 7000 Geerdes Boulevard King of Prussia, PA 19406-1525	Unnamed Tributary to East Branch White Clay Creek CWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
East Pikeland Township Chester County	PAG02001515028	Longview Property Group, Inc. 1055 Westlake Drive, Suite 170 Berwyn, PA 19312	French Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
West Bradford Township Chester County	PAG02001515018	StanAb, LP 433 West Market Street West Chester, PA 19382	Unnamed Tributary to Beaver Creek CWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
London Grove Township Chester County	PAG02001515041	SCCP, LP 1020 Brad Run Road Landenberg, PA 19350	White Clay Creek (Chatham Run) CWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Sadsbury Township Chester County	PAG02001515003	Summit Realty Advisors, LLC 201 South Maple Avenue, Suite 100 Ambler, PA 19002	Buck Run TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Upper Darby Township Delaware County	PAG02002315006	Southeastern Pennsylvania Transportation Authority 1234 Market Street, 13th Floor Philadelphia, PA 19107	Muckinipattis Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Swarthmore Borough Delaware County	PAG02002315021	Swarthmore College 500 College Avenue Swarthmore, PA 19081-1306	Crum Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Hatfield Borough Montgomery County	PAG02004615042	D & V Associates Inc 2775 Street Road Warrington, PA 1876	North Hatfield Tributary to West Branch Neshaminy Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Abington Township Montgomery County	PAG02004615077	Crest Manor Housing LP One Brewery Park 1301 North 31st Street Philadelphia, PA 19121	Sandy Run TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
City of Philadelphia Philadelphia County	PAG0201511518	Philadelphia Regional Port Authority 5001 League Island Boulevard Philadelphia, PA 19112	Delaware River WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
City of Philadelphia Philadelphia County	PAG0201511510-2	PennDot 6-0 7000 Geerdes Boulevard King of Prussia, PA 19406	Schuylkill and Delaware Rivers Byberry and Poquessing Creeks WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
City of Philadelphia Philadelphia County	PAG0201511512	Temple University 1009 West Montgomery Avenue Philadelphia, PA 19122	Delaware River WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
City of Philadelphia Philadelphia County	PAG0201511517	Temple University 1009 West Montgomery Avenue Philadelphia, PA 19122	Delaware River WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Whitehall Township And City of Allentown Lehigh County	PAG02003915004	Edward Hozza Whitehall Township 3219 MacArthur Rd. Whitehall, PA 18052	Jordan Creek (TSF, MF)	Lehigh County Conservation District 610-391-9583
Hanover Township Luzerne County	PAG02004015018	1 Great Valley, LLC Lewis Sebia 100 Baltimore Drive Wilkes-Barre, PA 18702	Garringers Creek (CWF, MF)	Luzerne Conservation District 570-674-7991
Lehigh Township Northampton County	PAG02004815012	Lehigh Township ATTN: Alice Rehrig 1069 Municipal Road Walnutport, PA 18088	Hokendauqua Creek (CWF, MF)	Northampton County Conservation District 610-746-1971

Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Crawford, Section Chief, 717.705.4802.

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Woodbury Township Blair County	PAG02000714007(1) Issued	Christian & Missionary Alliance 216 East 3rd Street Williamsburg, PA 16693	UNT to Frankstown Branch Juniata River/WWF	Blair County Conservation District 1407 Blair Street Hollidaysburg, PA 16648 814-696-0877 ext. 5
Allegheny Township Blair County	PAG02000715010 Issued	J & G Realty, LLC 7356 Kettle Road Tyrone, PA 16686	Beaverdam Branch/TSF	Blair County Conservation District 1407 Blair Street Hollidaysburg, PA 16648 814-696-0877 ext. 5
Southampton Township and Shippensburg Township Cumberland County	PAG02002115026 Issued	Triple Crown Corp. Zack Yearich 5351 Jaycee Avenue Harrisburg, PA 17712	Middle Spring/CWF	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013
Ayr Township Fulton County	PAG02002915001 Issued	Tractor Supply Co. 360 S. 2nd Street McConnellsburg, PA 17233	UNT to Big Cove Creek/CWF	Fulton County Conservation District 216 North 2nd Street Suite 115 McConnellsburg, PA 17233-1170

Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Bradford County Canton Township	PAG02000814013(2)	Beaver Dam Energy LLC 6051 Wallace Rd Ext, Ste 100 Wexford, PA 15090		Bradford County Conservation District Stoll Natural Resource Ctr 200 Lake Rd, Ste E Towanda, PA 18848 (570) 265-5539, X 6
Clearfield County Lawrence Township	PAG02001715010	Hydro-Spray Wash Systems, Inc. 511 Spruce St Clearfield, PA 16830	Moose Creek, CWF	Clearfield County Conservation District 511 Spruce St, Ste 6 Clearfield, PA 16830 (814) 765-2629
Clinton County Avis Borough Pine Creek Township	PAG02001815003	Timothy J Longnecker/George C. Grossman Walnut St Baptist Church 201 West Highland St Avis, PA 17721	UNT to West Branch Susquehanna CWF, WWF West Branch Susquehanna, WWF	Clinton County Conservation District 45 Cooperation Ln Mill Hall, PA 17751 (570) 726-3798
Lycoming County Anthony Township	PAG02004115009	Brian Waltz 5012 Quenshukeny Rd Jersey Shore, PA 17740	Quenshukeny Run, WWF	Lycoming County Conservation District 542 County Farm Rd, Ste 202 Montoursville, PA 17754 (570) 433-3003
Montour County Mayberry Township	PAG02004715003	Michael Haak & Alison Hummel 140 West Mahoning St, Danville, PA 17821	Little Roaring Creek, CWF	Montour County Conservation District 14 E Mahoning St Danville, PA 17821 (570) 271-1140

Southwest Region: Regional Waterways & Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office and Phone No.</i>
Somerset Township Somerset County	PAG02005615016	CNG Motor Fuels of Somerset County, LLC 5349 Route 36 Coolspring, PA 15730	UNTB to the East Branch of Coxes Creek (CWF)	Somerset County Conservation District, Somerset County Ag Center, 6024 Glades Pike, Suite 103, Somerset, PA 15501 (814) 445-4652
Somerset Township Washington County	PAG02006314031	J. R. Contracting 810 State Route 519 Eighty Four, PA 15330	North Branch— Pigeon Creek (WWF)	Washington County Conservation District, 2800 North Main Street, Suite 105, Washington, PA 15301 (724) 705-7098
Union Township Washington County	PAG02006314035	Carmen Paliotta 1550 Connor Road South Park, PA 15129	UNT to Peters Creek (TSF)	Washington County Conservation District, 2800 North Main Street, Suite 105, Washington, PA 15301 (724) 705-7098
Cecil Township Washington County	PAG02006315002	U. S. Department of Veterans Affairs Suite 6W.417C 425 I Street NW Washington, DC 20001	Chartiers Creek (WWF); McPherson Creek (WWF)	Washington County Conservation District, 2800 North Main Street, Suite 105, Washington, PA 15301 (724) 705-7098

NOTICES

6437

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Phone No.</i>
Robinson Township Washington County	PAG02006315024	West Penn Power 76 South Main Street Akron, OH 44308	UNT Raccoon Creek (WWF)	Washington County Conservation District, 2800 North Main Street, Suite 105, Washington, PA 15301 (724) 705-7098
<i>General Permit Type—PAG-03</i>				
<i>Facility Location Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Hunlock Township Luzerne County	PAR602240	ABC Auto Parts, Inc. 158 Route 11 Hunlock Creek, PA 18621	Susquehanna River—5-B WWF/MF	DEP Northeast Regional Office Clean Water Program 2 Public Square, Wilkes-Barre, PA 18701-1915 570.826.2511
Cumberland County/ Camp Hill Borough	PAR213510	Atlas Roofing Corporation 817 Spangler Road Camp Hill, PA 17011	UNT Cedar Run/ CWF & MF	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
York County/ York City	PAR603520	Consolidated Scrap Resources, Inc.—Princess Street Facility 120 Hokes Mill Road PO Box 389 York, PA 17405	Codorus Creek/ WWF & MF	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
York County/ Conewago Township	PAG033527	United Natural Foods, Inc. 225 Cross Farm Lane York, PA 17406-6201	UNT Little Conewago Creek/ TSF & MF	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
New Sewickley Township Beaver County	PAR606169	Novak Auto Parts, Inc. 1640 Route 68 New Brighton, PA 15066-4214	Unnamed Tributary of Brush Creek—20-C	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive, Pittsburgh, PA 15222-4745 412.442.4000
Hempfield Township Westmoreland County	PAR116138	Baker Petrolite Corp 17021 Aldine Westfield Road Houston, TX 77073	Unnamed Tributary to Wilson Run—19-D	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive, Pittsburgh, PA 15222-4745 412.442.4000

General Permit Type—PAG-4

<i>Facility Location Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Sadsbury Township Bucks	PAG040102 A-1	Kathleen P. Mann 289 Compass Road Parkesburg, PA 19365-2126	Buck Run Watershed 3-H	DEP Southeast Regional Office Clean Water Program 2 E Main Street, Norristown, PA 19401 484.250.5970

General Permit Type—PAG-9

<i>Facility Location & County/Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Site Name & Location</i>	<i>Contact Office & Phone No.</i>
Ridgewood Manor Mobile Home Park 98 Breneman Road Manheim, PA 17545	PAG093533	Ridgewood Manor, Inc. 98 Breneman Road Manheim, PA 17545	Same as Facility	DEP—SCRO— Clean Water 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Rapho Township, Lancaster County				

General Permit Type—PAG-12

<i>Facility Location Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Union Township Snyder County	PAG124851	James W. Stahl 4089 Produce Road Selinsgrove, PA 17870-8161	Unnamed Tributary to Silver Creek—6A/WWF	DEP Northcentral Regional Office Clean Water Program 208 W Third Street Suite 101, Williamsport, PA 17701-6448 570.327.0530

STATE CONSERVATION COMMISSION**NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs**

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

**NUTRIENT MANAGEMENT PLAN
PUBLIC NOTICE SPREADSHEET—ACTIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Meadow Run Farm 4270 Harvest Road Manheim, PA 17545	Lebanon	0	982.5	Swine	NA	Approved
Penn England Farm 10341 Fox Run Road Williamsburg, PA 16693	Blair, Huntington	3,062.9	3,822.03	Dairy	Clover Creek—HQ Piney Creek—HQ Fox Run—HQ New Creek—HQ	Approved

**CAFO NMP
PUBLIC NOTICE SPREADSHEET—ACTIONS (Approval/Disapproval)**

<i>Agricultural Operation (Name and Address)</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units (AEUs)</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproval</i>
Paul Dotterer & Sons, Inc 410 Kryder Rd Mill Hall, PA 17751	Clinton	3,030	2,030.5	Dairy	HQ	Approved

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act

Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401

Permit No. WA-09-1007, Public Water Supply.

Applicant	Township of Falls Authority 225 Lincoln Highway, Suite 213 Fairless Hills, PA 19030
Township	Falls
County	Bucks
Type of Facility	PWS
Consulting Engineer	Remington, Vernick, & Beach Engineers 5010 East Tindle Road, #203 Mechanicsburg, PA 17050
Permit to Construct Issued	September 28, 2015

Permit No. 0915522, Public Water Supply.

Applicant	New Britain Inn 376 West Butler Avenue New Britain, PA 18901
Borough	New Britain
County	Bucks
Type of Facility	PWS
Consulting Engineer	HILBEC Engineering & Geosciences, LLC 26 Beaver Run Road Downingtown, PA 19335
Permit to Construct Issued	October 14, 2015

Operations Permit #1512533 issued to: **Maplewood Mobile Home Park**, P.O. Box 292, Thorndale, PA 19372, [(PWSID)] West Brandywine Township, **Chester County** on October 14, 2015 for the operation of chlorine contact piping and 4-lot certification at entry point 101.

Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915

Permit No. 5415504MA, Public Water Supply.

Applicant	Schuylkill County Municipal Authority 221 South Centre Street Pottsville, PA 17901
[Borough or Township]	City of Pottsville & New Castle Township
County	Schuylkill
Type of Facility	PWS
Consulting Engineer	Samuel Wood, P.E. Gannett Fleming, Inc. P.O. Box 67100 Harrisburg, PA 17106
Permit to Construct Issued	October 13, 2015

Permit No. 3480038, **Operations Permit** Public Water Supply.

Applicant	Pennsylvania American Water Company 800 West Hershey Park Dr. Hershey, PA 17033
[Borough or Township]	Upper Mt. Bethel Township
County	Northampton
Type of Facility	PWS

Consulting Engineer Craig Darosh, PE
 Pennsylvania American Water
 Company
 4 Wellington Blvd., Suite 2
 Wyomissing, PA 19610

Permit to Operate 9/25/15
 Issued

Permit No. 3390024, Public Water Supply.

Applicant **City Of Allentown**

[Township or Borough] Allentown City,
Lehigh County

Responsible Official Craig W. Messinger
 Interim Public Works Director
 641 South 10th Street, 3rd Floor
 Allentown, PA 18103

Type of Facility Public Water Supply

Consulting Engineer Jason G. Saylor, P.E.
 Utility Service Company, Inc.
 53 Courteny Hodges Blvd.
 Perry, GA 31069

Permit to Operate 10/09/2015
 Issued

Permit. 4015510MA, Public Water Supply.

Applicant **PA American Water**
 800 W. Hershey Park Drive
 Hershey, PA. 17033

[Township or Borough] Pittston Township
 Luzerne County

Responsible Official Mr. David Kaufman
 Vice President-Engineering

Type of Facility Public Water Supply

Consulting Engineer Mr. Timothy J. Glessner, PE
 Gennett Fleming, Inc.
 P. O. Box 67100
 Harrisburg, PA 17106-7100

Permit Issued October 6, 2015

Permit. 6415507MA, Public Water Supply.

Applicant **Woodland Hills Association**
 c/o Paul Creteau, Vice President
 7 Pine Tree Court
 Lakeville, PA 18438

[Township or Borough] Paupack Township
Wayne County

Responsible Official Mr. Paul Creteau, Vice President

Type of Facility Public Water Supply

Construction Permit September 10, 2015
 Issued

*Southcentral Region: Safe Drinking Water Program
 Manager, 909 Elmerton Avenue, Harrisburg, PA 17110*

Permit No. 0715501, Public Water Supply.

Applicant **Williamsburg Municipal
 Authority**

Municipality Woodbury Township

County **Blair**

Responsible Official Edgar C. Pattercon, Chairman
 305 East 2nd St.
 Williamsburg, PA 16693

Type of Facility Installation of a booster pump
 station to serve the existitng
 customers in the Akes Hill are of
 the distirbution system.

Consulting Engineer John C. Clabaugh, P.E.
 Stiffler, McGraw and Associates,
 Inc.
 1731 N. Juniata Street
 Hollidaysburg, PA 16648

Permit to Construct 10/15/2015
 Issued

Permit No. 0615504, Public Water Supply.

Applicant **The Caernarvon Township
 Authority**

Municipality Caernarvon Township

County **Berks**

Responsible Official Robert L. Weaver, Chairman
 P O Box 188
 Morgantown, PA 19543

Type of Facility New source Well No. 7,
 treatment building, booster
 pumps and storage tank.

Consulting Engineer Holly C. Cinkutis, P.E.
 Great Valley Consultants
 75 Commerce Drive
 Wyomissing, PA 19610

Permit to Construct 10/15/2015
 Issued

Comprehensive Operation Permit No. 7220045 is-
 sued to: **Royalton Borough Authority (PWS ID No.
 7220045)**, Royalton Borough, **Dauphin County** on 10/15/
 2015 for the operation of facilities approved under Con-
 struction Permit No. 2214503.

Operation Permit No. 3815503 issued to: **Philhaven**
(PWS ID No. 7381023), West Cornwall Township, **Leba-
 non County** on 10/13/2015 for facilities at Philhaven
 Hospital approved under Construction Permit No.
 3815503.

Operation Permit No. 0613519 issued to: **New Mor-
 gan Borough Utilites Authority (PWS ID No.
 3060803)**, New Morgan Borough, **Berks County** on
 10/16/2015 for facilities approved under Construction
 Permit No. 0613519.

Operation Permit No. 0515503 MA issued to:
**Fishertown Water Association (PWS ID No.
 4050029)**, East St. Clair Township, **Bedford County** on
 10/14/2015 for facilities approved under Construction
 Permit No. 0515503 MA.

Operation Permit No. 0515501 MA issued to: **Hynd-
 man Borough (PWS ID No. 4050003)**, Hyndman Bor-
 ough, **Bedford County** on 10/16/2015 for facilities ap-
 proved under Construction Permit No. 0515501 MA.

Operation Permit No. 3061047 issued to: **Original
 Paolo's Pizza (PWS ID No. 3061047)**, Robeson Town-
 ship, **Berks County** on 10/15/2015 for facilities submit-
 ted under Application No. 3061047.

Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

Permit No 4113506-MA—Operation—Public Water Supply.

Applicant **Hughesville Borough Water Authority**
 Township/Borough Sandy Township
 County **Clearfield**
 Responsible Official Clifford Hoffman, Chairman
 Hughesville Borough Water Authority
 147 South Fifth Street
 Hughesville, PA 17737
 Type of Facility Public Water Supply
 Consulting Engineer David M. Weiller, P.E.
 Borton-Lawson Engineering
 3897 Adler Place
 Bethlehem, PA 18017
 Permit Issued October 14, 2015
 Description of Action Authorizes operation of the Bulk Water Loading Station at Well 101

Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Transfer of Operation Permit issued to **Hardwood Estates Resident Association, PWSID No. 6200010**, Summit Township, **Crawford County** on October 13, 2015. Action is for change in ownership; the potable water supplier will do business as Hardwood Estates Mobile Home Community. The new permit number is 2090502-T2.

Permit No., 1615501 Public Water Supply
 Applicant **Corner Water Supply & Service Corporation**
 Township or Borough Elk and Paint Townships
 County **Clarion**
 Type of Facility Public Water Supply
 Consulting Engineer Mark Urbassik, P.E.
 KU Resources, Inc.
 22 South Linden Street
 Duquesne, PA 15110
 Permit to Construct Issued October 16, 2015

Operation Permit issued to **Pennsylvania American Water Company, PWSID No. 6420019**, Wetmore Township, **McKean County**. Permit Number 4294501-MA3 issued October 16, 2015 for the operation of the 400,000 gallon standpipe known as the “Clay Street Tank”. This permit is issued in response to the submitted Certificate of Construction Completion/Modification Form and subsequent acceptable Bacteriological and VOC test results on September 21, 2015.

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act (35 P. S. § 750.5)

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. 717-705-4707.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Freedom Township	131 Municipal Street, East Freedom, PA 16637	Blair

Plan Description: The approved plan (C1-07912-ACT) provides for the retention of the temporary auxiliary effluent outfall as a permanent auxiliary effluent outfall for the Freedom Township Wastewater Treatment Plant. This outfall will provide continued protection of the ultraviolet disinfection system during extreme weather and subsequent flooding and/or high flow conditions at the treatment facility. The plan also provides for the replacement of the existing primary outfall line (Outfall 001) and headwall with an 18” PVC gravity discharge line and new outfall headwall in the same alignment as the existing Outfall 001 line. The Department’s review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority, as appropriate.

Southeast Region: Clean Water Program Manager, 2 E. Main Street, Norristown, PA 19401. Telephone 484-250-5970

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Richland Township	1328 California Road, Suite A Quakertown, PA 18951	Bucks

On October 7, 2015, the Southeast Regional office approved an update to Richland Township (Township), Bucks County’s official Plan under the Pennsylvania Sewage Facilities Act, 35 P. S. § 750.1 et seq. (“537 Plan”) (APS ID 22532 AUTH ID 799171).

The 537 Plan provides for:

- 1) The expansion of the Township’s sewer service area, as shown on Figure 11, the map titled Proposed 5 & 10 Year Sewage Facilities Service Areas, dated November 2, 2009. Areas not shaded on this map are designated as being served by on-lot septic systems.
- 2) The replacement and upgrade of portions of the Licking Run Interceptor.
- 3) Expansion of the Erie Road Pump Station (ERPS), a.k.a PS #1, to accommodate total average annual flows of 0.527 million gallon of sewage per day (mgd), which accounts for the existing flows to the pump station and the projected flows identified in the 537 Plan for the pump station’s service area.
- 4) Expansion of the Morgan Creek Pump Station (MCPS), a.k.a PS #3, to accommodate total average annual flows of 0.479 million gallon of sewage per day (mgd), which accounts for the existing flows to the pump station and the projected flows identified in the Plan the pump station’s service area.
- 5) The replacement and upgrade of the Beaver Run Interceptor from Cedar Lane to the Quakertown Borough Wastewater Treatment Plant.
- 6) The Summary of Anticipated Conveyance Improvements located within Table 45 found on Page 6-54(R) of the 537 Plan lists conveyance improvements to occur within the Township within 5 years or when needed. The

Township has committed to conduct additional sewage facilities planning for these "when needed" improvements, if required. These recommended upgrades could occur within 5 years or after 5 years, based on development needs. Flow monitoring would occur where development is proposed and existing flows are not known, but believed to be at or near capacity with the future project. DEP should be contacted prior to the implementation of any conveyance improvements listed as when needed in order to determine if additional sewage facilities planning will be required for these improvements.

The Township will implement the 537 Plan, consistent with the Table 45 found on Pages 6-54(R) of the 537 Plan and the Implementation Schedule found on Pages 7-1(R) and 7-2(R) of the 537 Plan.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P. S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northcentral Region: Environmental Cleanup & Brownfields Program Manager, 208 West Third Street, Williamsport, PA 17701

American Transport Accident, Interstate 80 at MM227E, West Hemlock Township, **Montour County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857 on behalf of American Transport Solutions, Inc., 625 Plainfield Road, Suite 236, Willowbrook, IL 60427, submitted a Final Report concerning remediation of site soil contaminated with 75-gallons of Diesel Fuel, 15-gallons of Motor Oil and 10-gallons of Antifreeze. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Barr Nunn Transportation Motor Oil Release, Interstate 80 at MM190E, Greene Township, **Clinton County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of Barr Nunn Transportation, 1803 Burr-Oak Blvd, P.O. Box 518, Granger, IA 50109 submitted a Final Report concerning remediation of site soil contaminated with Motor Oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Former Knight-Celotex Facility, 1400 Susquehanna Avenue, Sunbury City, **Northumberland County**. Apex Companies, LLC, 20 Valley Stream Parkway, Suite 270, Malvern, PA 19355, on behalf of Northumberland County Commissioners, 399 South Fifth Street, Sunbury, PA 17801 submitted a Remedial Investigation Report concerning remediation at a historical manufacturing facility area contaminated with benzo (a) pyrene, benzo (b) fluorathene, arsenic, cadmium and lead. The report is intended to document remediation of the site to meet the Site-Specific Standard.

Hollywood Trucking, Interstate 80 at MM213W, Turbot Township, **Northumberland County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of Hollywood Trucking, 4379 Brandley Brownlee Road, Cortland, OH 44410, submitted a Final Report concerning remediation of site soils contaminated with 182-gallons of Diesel Fuel. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Milton Former MGP Site, 153 Filbert Street, Borough of Milton, **Northumberland County**. The Mahfood Group LLC, 1061 Waterdam Plaza Drive, Suite 201, McMurray, PA 15317, on behalf of PPL Electric Utilities Corporation, 2 N 9th Street—GENPLG, Allentown, PA 18101 submitted a Remedial Investigation/Risk Assessment/Cleanup Plan concerning remediation of site soil contaminated with Coal Tar, Polycyclic Aromatic Hydrocarbons (PAHs) and Benzene, Toluene, Ethylbenzene, and Xylenes (BTEX). The report is intended to document remediation of the site to meet the Site-Specific Standard.

Sheau Property, 245 Upland Road, City of Williamsport, **Lycoming County**. Brickhouse Environmental, 515 South Franklin Street, West Chester, PA 19382 on behalf of Nittany Oil, 321 North Front Street, Philipsburg, PA 16866, submitted a Final Report concerning remediation of soil contaminated with heating oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

RTV Trucking/Dorward Property, 560 Grings Hill Road, Sinking Spring, PA 19608, Spring Township, **Berks County**. REPSG, Inc., 6901 Kingsessing Avenue, 2nd Floor, Philadelphia, PA 19142, on behalf of RTV Trucking, Inc., 1821 Powder Mill Road, Silver Spring, MD 20903; Dennis Dorward, 560 Grings Hill Road, Sinking Spring,

PA 19608, and Erie Insurance, PO Box 4158, Hagerstown, MD 21740, submitted a Final Report for the remediation of site soils contaminated with diesel fuel. The report is intended to document remediation of the site to meet the Residential Statewide Health Standard.

Suburban Heating Oil Partners, 540 Fifth Avenue, Chambersburg, PA Chambersburg Borough, **Franklin County**. Groundwater Sciences Corporation, 2601 Market Place Street, Suite 310, Harrisburg, PA 17110, on behalf of Suburban Heating Oil Partners, LLC, P.O. Box 4833, Syracuse, NY 13221-4833, submitted a Final Report concerning remediation of site soils and groundwater contaminated by petroleum products. The report is intended to document remediation of the site to meet the Site Specific Standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information

concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northcentral Region: Environmental Cleanup & Brownfields Program Manager, 208 West Third Street, Williamsport, PA 17701

American Transport Solutions, Inc., Interstate 89 at MM227E, West Hemlock Township, **Montour County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857 on behalf of American Transport Solutions, Inc., 625 Plainfield Road, Suite 236, Willowbrook, IL 60527 submitted a Final Report concerning the remediation of site soils contaminated with 75-gallons of diesel fuel, 15-gallons of motor oil and 10-gallons of antifreeze. The Final Report demonstrated attainment of the Statewide Health Standard, and was approved by the Department on October 13, 2015.

Barr Nunn Transportation, Interstate 80 at MM190E, Greene Township, **Clinton County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of Barr Nunn Transportation, 1803 Burr-Oak Blvd., P.O. 518, Granger, IA 50109 submitted a Final Report concerning the remediation of site soils contaminated with Motor Oil. The Final Report demonstrated attainment of the Statewide Health Standard, and was approved by the Department on October 7, 2015.

Dillon Floral Corporation Property, 1005 Scott Town Center, Town of Bloomsburg & Scott Township, **Columbia County**. Earth Res Group, Inc., 6912 Old Easton Road, Pipersville, PA 18947 on behalf of Dillon Center, LLC., P.O. Box 180, Bloomsburg, PA 17815 submitted a Remedial Investigation Report and Final Report concerning the remediation of site soils contaminated with dieldrin. The Final Report and Remedial Investigation Report demonstrated attainment of the Site-Specific Standard, and were approved by the Department on October 6, 2015.

Milton Former MGP Site, 153 Filbert Street, Borough of Milton, **Northumberland County**. The Mahfood Group LLC, 1061 Waterdam Plaza Drive, Suite 201, McMurray, PA 15317, on behalf of PPL Electric Utilities Corporation, 2N 9th Street, GENPL6, Allentown, PA 18101 submitted a Remedial Investigation/Risk Assessment/Cleanup Plan concerning the remediation of site soil contaminated with Coal Tar, Polycyclic Aromatic Hydrocarbons (PAHs) and Benzene, Toluene, Ethylbenzene, and Xylenes (BTEX). The report was approved by the Department on September 16, 2015.

HAZARDOUS WASTE TRANSPORTER LICENSE

Actions on applications for Hazardous Waste Transporter License received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to transport hazardous waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, PO Box 69170, Harrisburg, PA 17106-9170

Hazardous Waste Transporter License Voluntarily Terminated

American Transportation Solutions, LLC, 2100 Georgetowne Dr., Sewickley, PA 15143. License No. PA-AH 0779. Effective Sep 21, 2015.

Hazardous Waste Transporter License Issued

Willow Creek Stonework and Supply LLC DBA Willow Creek Environmental, 74 Willow Creek Road, Reading, PA 19605. License No. PA-AH 0830. Effective Oct 05, 2015.

Hazardous Waste Transporter License Reissued

Care Environmental Corp., 429A East Blackwell Street, Dover, NJ 07801. License No. PA-AH 0735. Effective Sep 10, 2015.

CETCO, LLC, 3091 Rockefeller Avenue, Cleveland, OH 44115. License No. PA-AH 0790. Effective Oct 14, 2015.

Dirt Excavating, LLC, 114 Route 660, Mansfield, PA 16933. License No. PA-AH 0808. Effective Sep 09, 2015.

Emerald Environmental Services, Inc., 1621 St. Clair Avenue, Kent, OH 44240. License No. PA-AH 0641. Effective Oct 06, 2015.

Environmental Management Specialist, Inc., 2055 Grief Road, Zanesville, OH 43701. License No. PA-AH 0806. Effective Sep 17, 2015.

Manage Direct Systems/Environmental, LLC, PO Box 471, Douglassville, PA 19518. License No. PA-AH 0810. Effective Oct 05, 2015.

Midwest Environmental Transport, Inc., 10163 Cincinnati-Dayton Rd., Cincinnati, OH 45241. License No. PA-AH 0368. Effective Sep 03, 2015.

Miller Environmental Group Inc., 538 Edwards Ave., Calverton, NY 11933. License No. PA-AH 0501. Effective Oct 05, 2015.

Turn-Key Environmental Services, Inc., PO Box 519, Blairstown, NJ 07825. License No. PA-AH 0738. Effective Oct 15, 2015.

New Applications Received

Mountain Energy Services Inc., 205 West Tioga Street, Tunkhannock, PA 18657. License No. PA-AH 0832. Effective Sep 16, 2015.

SWS Environmental Services, 901 McClosky Boulevard, Tampa, FL 36605. License No. PA-AH 0831. Effective Sep 04, 2015.

Renewal Applications Received

Care Environmental Corp., 429A East Blackwell Street, Dover, NJ 07801. License No. PA-AH 0735. Effective Sep 03, 2015.

Dirt Excavating, LLC, 114 Route 660, Mansfield, PA 16933. License No. PA-AH 0808. Effective Sep 01, 2015.

Emerald Environmental Services, Inc., 1621 St. Clair Avenue, Kent, OH 44240. License No. PA-AH 0641. Effective Sep 08, 2015.

Manage Direct Systems/Environmental, LLC, PO Box 471, Douglassville, PA 19518. License No. PA-AH 0810. Effective Oct 01, 2015.

Willow Creek Stonework and Supply LLC dba Willow Creek Environmental, 74 Willow Creek Road, Reading, PA 19605. License No. PA-AH 0830. Effective Sep 03, 2015.

**REGULATED MEDICAL AND
CHEMOTHERAPEUTIC WASTE TRANSPORTER
LICENSE**

Actions on applications for Regulated Medical and Chemotherapeutic Waste Transporter License received under the Solid Waste Management Act and the act of June 28, 1988 (P. L. 525, No. 93) and regulations to transport regulated medical and chemotherapeutic waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, PO Box 69170, Harrisburg, PA 17106-9170

Regulated Medical and Chemotherapeutic Waste Transporter Reissued

Med Assure of Indiana, LLC, 1013 S Girls School Rd., Indianapolis, IN 46231. License No. PA-HC 0248. Effective Oct 06, 2015.

University of Pittsburgh of The Commonwealth System of Higher Education, Jerome Cochran Public Safety Building, 4th Floor, Pittsburgh, PA 15260. License No. PA-HC 0183. Effective Oct 05, 2015.

Renewal Applications Received

University of Pittsburgh of The Commonwealth System of Higher Education, Jerome Cochran Public Safety Building, 4th Floor, Pittsburgh, PA 15260. License No. PA-HC 0183. Effective Sep 25, 2015.

BOND RELEASED

Bond released under the Solid Waste Management Act, the Act of July 7, 1980, P. L. 380, 35 P. S. §§ 6018.101—6018.1003 and regulations to operate a municipal or residual waste facility.

Regional Office: Regional Manager, Waste Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Permit ID No. 101683: Boyd Roll-Off Services, Inc., 1107 Thompson Avenue, Pittsburgh, PA 15136. Boyd Roll-Off Services Construction and Demolition Waste Transfer facility, 1200 Railroad Place, Pittsburgh, PA 15136. The Department is releasing \$12,464.00 in bond liability for clean closure and bond release of its Transfer Station in Stowe Township, **Allegheny County**. The permit was voided and the bond release was approved by the Regional Office on October 20, 2015.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permit(s) issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Regional Solid Waste Manager, 400 Waterfront Drive, Southwest Region: Pittsburgh, PA 15222-4745. Telephone 412-442-4000.

Permit ID No. 101700. Penn Waste Systems, 149 Nichol Avenue, McKees Rocks, PA 15136. A major modification for revisions to the waste acceptance rate and hours of operation for the Construction and Demolition Waste Transfer Station located in Stowe Township, **Allegheny County**, was issued in the Regional Office on October 15, 2015.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920

GP11-46-0075: Harleyville Material LLC, (P.O. Box, 587, Berlin, NJ 08009) On October 20, 2015 for a one caterpillar C9 ACERT diesel-fired non-road engine, rated at 275 bhp, in Lower Salford Township, **Montgomery County**.

GP3-46-0125: Harleyville Material LLC, (P.O. Box 587, Berlin, NJ 08009) On October 20, 2015 for a Portable Jaw Crusher-Terex-Pegson XR-400 in Lower Salford Township, **Montgomery County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648

GP2-41-653B: NALCO Company (3200 Southwest Frwy, Suite 2700 Houston, TX 77027) on October 9, 2015, for the operation of sixteen (14) 6,500 gallons fixed roof tanks pursuant to the General Plan Approval and General Operating Permit for Storage Tanks for Volatile Organic Liquids (BAQ-GPA/GP-2) at their Hughesville facility located in Wolf Township, **Lycoming County**.

GP9-14-00003C: Pennsylvania State University (101P Physical Plant Bldg, University Park, PA 16802) on October 7, 2015, to authorize the construction of one 750 kW emergency generator powered by a Caterpillar C27ARAAC diesel-fired engine rated at 1,141 brake-horsepower at the Housing and Food Services Warehouse pursuant to the General Plan Approval and/or General Operating Permit for Diesel or No. 2 Fuel-fired Internal Combustion Engines (BAQ-GPA/GP9) at their facility located in College Township and State College Borough, **Centre County**.

GP5-08-302C: HEP Pennsylvania Gathering, LLC (512 Towne Plaza, Suite 120, Route 6 Tunkhannock, PA 18657) on October 19, 2015, for the operation of four 1,775 bhp Caterpillar model G3606 compressor engines with oxidation catalysts, two 60 MMscfs/day dehyds with 1.5 MMBtu/hr reboilers, one 1,775 bhp Caterpillar model G3606 compressor engine with an oxidation catalyst, and two 1,380 bhp Caterpillar model G3516ULB natural-gas-fired compressor engines with oxidation catalysts under the General Plan Approval and/or General Operating Permit for Natural Gas Compression and/or Processing Facilities (BAQ-GPA/GP-5) at the Greenzweig Compressor Station in Herrick Township, **Bradford County**.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: James A. Beach, New Source Review Chief—Telephone: 484-250-5920

09-0225: Forest Park Water: (P.O. Box 317, 144 Park Ave, Chalfont, PA 18914-0317) On October 15, 2015, for business services in Chalfont Borough, **Bucks County**.

46-0005AO: Merck, Sharp & Dohme Corp (770 Summeytown Pike, West Point, PA 19486-8000 to construct and installation of two (20 IDETICAL 2014 MODEL YEAR, Tier 4i diesel-fired IC engine generator sets in Upper Gwynedd Township, **Montgomery County**.

15-0143: Phoenixville Crematory Inc. (610 Main Street, Phoenixville, PA 19460-3822) On October 19, 2015 for the construction and installation of a human crematory in Phoenixville Borough, **Chester County**.

15-0009C: AFG Chemicals America Inc: (255 S. Bailey Rd, Downingtown, PA 19335-2003) On October 19, 2015, manufacturing of custom compound purchased resins in Caln Township, **Chester County**.

09-0221A: Bucks County Courier Times; (2 Geoffrey Dr. Fairless Hills, PA 19030-4310) for use of offset lithographic press, degreasers and emergency generators in Falls Township, **Bucks County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702

05-05014B: WSI Sandy Run Landfill, Inc. (995 Landfill Road, Hopewell, PA 16650-8653) on October 8, 2015, for the construction of an enclosed ground flare to control landfill gas emissions from the landfill expansion at the Sandy Run Landfill located in Broad Top Township, **Bedford County**. The plan approval was extended.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

17-00063C: Pennsylvania Grain Processing, LLC (250 Technology Drive, Clearfield, PA 16830) on October 2, 2015, to extend the authorization an additional 180 days from October 3, 2015 to April 1, 2016, in order to continue the compliance evaluation and permit operation pending issuance of an operating permit for the sources. The extension authorization allows continued operation of the ethanol production plant located in Clearfield Borough, **Clearfield County**. The plan approval has been extended.

08-00001A: Tennessee Gas Pipeline Company, LLC (PO Box 2511, Houston, TX 77252-2511) on October 7, 2015, extended the authorization an additional 180 days from October 10, 2015 to April 7, 2016, to allow the evaluation for compliance with the plan approval conditions. Additionally, the extension allows continued operation of the new natural gas compression process, including the associated combustion turbine, located at their Station 319 Compression facility in Wyalusing Township, **Bradford County** pending issuance of operating permit. The plan approval has been extended.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Mark R. Gorog, P.E., Environmental Engineer Manager—Telephone: 412-442-4150

65-00983A: Dominion Transmission, Inc. (5000 Dominion Boulevard, Glenn Allen, VA 23060) plan approval

extension effective October 20, 2015, with expiration date of April 20, 2016, for continued temporary operation of air contamination sources and controls its Rock Springs Compressor Station located in Salem Township, **Westmoreland County**.

32-00230B: Texas Eastern Transmission, L.P. (PO Box 1642, Houston, TX 77251) plan approval extension effective October 20, 2015, with expiration date of April 20, 2016, for continued temporary operation of air contamination sources and controls at its Armagh Compressor Station located in West Wheatfield Township, **Indiana County**.

Title V Operating Permits Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920

23-00037: Sunoco Partners Marketing & Terminals, LP—Fort Mifflin Terminal (4 Hog Island Road, Fort Mifflin, PA) On October 15, 2015, located in Tinticum Township, **Delaware County**. This action is a renewal of the Title V Operating Permit; the current permit expires October 31, 2015. The facility is a marine terminal for loading and unloading tankers and barges containing various petroleum products. As a result of potential emissions of VOCs and HAPs, the facility is a major stationary source as defined in Title I, Part D of the Clean Air Act Amendments, and is therefore subject to the Title V permitting requirements adopted in 25 Pa. Code Chapter 127, Subchapter G. No sources have been installed at this facility since the last permit was issued. This renewal addresses the following newly applicable Federal regulations: 40 CFR 60, Subpart Dc, and 40 CFR 63, Subparts ZZZZ and DDDDD. The renewal permit contains all applicable requirements including monitoring, recordkeeping and reporting for all sources at the facility.

15-00037: Oberthur Technologies (523 James Hance Court, Exton, PA 19341; Attn: Mr. Chris Simone), On October 20, 2015 located in West Whiteland Township, **Chester County**. This action is a renewal of the Title V Operating Permit. The initial permit was issued on December 10, 1999. Oberthur Technologies operates a credit and security card manufacturing facility. The facility is currently subject to a Plantwide Applicability Limit (PAL) of 47.895 tons per 12-month rolling period for VOC. The facility shall continue to remain subject to this PAL. All other pollutants are below major source thresholds. The facility is not subject to Compliance Assurance Monitoring (CAM) pursuant to 40 CFR Part 64. The newly promulgated requirements of 25 Pa. Code § 129.67b have been incorporated into the operating permit. Per this permit renewal: (1) The Heat Exchange Boiler (Source ID 031) was decommissioned and removed from the operating permit; (2) Source ID 032 has been renamed to Roof Heaters, as the number of roof heaters at the facility has increased and the exact number of units can change periodically; (3) The permittee installed two natural gas fired boilers, each rated at 450,000 Btus/hr, manufactured by Honeywell, Model No. F450-W-G1, and designated Source ID 033; (4) The Source ID No. for the 34 hp Emergency Generator has been changed from 104 to 700 to better group like sources at the facility; (5) The permittee installed a 50-kW diesel powered emergency generator, manufactured approximately

in 1996 by Katolight/Perkins, Model D50FRP4, which has been designated Source ID 701; (6) The Solvent Degreasers (Source ID 108) were decommissioned and removed from the operating permit; (7) The newly promulgated requirements of 25 Pa. Code § 129.67b have been incorporated into the operating permit; and (8) This operating permit incorporates Request for Determination (RFD) No. 2495, for the installation of a decapsulation process. The operating permit will continue to contain requirements to keep the facility operating within all applicable air quality requirements for this source.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507

40-00002: Transcontinental Gas Pipe Line Co. LLC (2800 Post Oak Blvd., Houston, TX 77056) The Department issued a renewal Title V Operating Permit on August 28, 2015, for a gas transmission station in Buck Township, **Luzerne County**.

48-00076: Calpine Bethlehem, LLC, (2254 Applebuter Road, Bethlehem, PA 18015-6000) The Department issued a renewal Title V Operating Permit on June 30, 2015, for a power generating facility in the City of Bethlehem, **Northampton County**.

48-00017: C.F. Martins Guitar Company, Inc., Nazareth Plant (510 Sycamore Street, Nazareth, PA 18064) on October 14, 2015 to operate a guitar manufacturing facility in Upper Nazareth Township, **Northampton County**. This is a renewal of the Title V Operating Permit. As a major source, the facility is subject to the Title V permitting requirements of the Clean Air Act Amendments as adopted by the Commonwealth under 25 Pa. Code, Chapter 127, Subchapter G.

The major sources of emission at this facility are nine (9) spray paint booths, which primarily emit VOC's, and two (2) drying ovens. The control devices are panel filters. The Title V Operating Permit includes emission restrictions, work practice standards and testing, monitoring, recordkeeping, and reporting requirements to ensure compliance with all applicable Federal and State air quality regulations.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920

09-00175: Hanson Aggregates BMC Inc. (7660 Imperial Way, Allentown, PA 18195) On October 15, 2015 for renewal of a State-Only Operating Permit for a nonmetallic mineral processing plant in Wrightstown Township, **Bucks County**. This Operating Permit contains all applicable state and Federal regulations applicable to the facility including emission limitations, operating restrictions, work practice, monitoring, and recordkeeping requirements designed to keep the facility operating within all applicable air quality requirements.

46-00261: U.S. Tape Company, Inc. (2452 Quakertown Road, Pennsburg, PA 18073) On October 15, 2015, for a renewal of the State Only Operating Permit in Upper Hanover Township, **Montgomery County**. The company has a nickel plating operation and a special printing operation to print on measuring tapes. The

facility is limited to VOC emissions of 24.9 tons per year on a 12-month rolling basis. The permit will include monitoring, record keeping and reporting requirements designed to address all applicable air quality requirements.

46-00157: DANA Driveshaft Products, LLC. (1040 Center Avenue, Pottstown, PA 19464-6007) On October 15, 2015, for operation of a metal machining operation in Pottstown Borough, **Montgomery County**. The renewal permit is for a non-Title V (State only) facility. The major source of air emissions are: spray and dip coating operations, and parts washers. New applicable regulations are 40 CFR 63, Subpart ZZZZ and 25 Pa. Code Chapter 130, Subchapter C (Architectural and Maintenance Coatings). The renewal permit will include monitoring, recordkeeping, and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507

39-00025: LeoTaur Technology Group, Inc. (111 Lehigh Street, Macungie, PA 18062-1302) The Department issued a renewal Synthetic Minor operating permit on July 15, 2015, for a plastics manufacturing facility in Macungie Borough, **Lehigh County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

49-00048: Blank Funeral Home (395 State Street, Sunbury, PA 17801) for their funeral home located in Upper Augusta Township, **Northumberland County**. The operating permit renewal includes emission limits and work practice standards along with monitoring, record keeping and reporting requirements to ensure the facility complies with all applicable state and federal air quality regulations.

08-00044: Barefoot Pellets Company (PO Box 96, Troy, PA 16947) for their heating pellet manufacturing facility in Troy Township, **Bradford County**. The operating permit includes emission limits and work practice standards along with monitoring, record keeping and reporting requirements to ensure the facility complies with all applicable state and federal air quality regulations.

49-00030: Sunbury Textile Mills, Inc. (1200 Miller Street, PO Box 768, Sunbury, PA 17801), issued State Only operating permit on October 16, 2015, for their broadwoven cotton textile mills facility located in City of Sunbury, Northumberland County. The facility's main sources include two natural gas/#2 fuel oil fired boilers, and two liquid petroleum gas fired emergency generators. The State Only operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

41-00021: Buckeye Energy Services LLC (Five TEK Park, 9999 Hamilton Boulevard, Breinigsville, PA 18031), issued State Only operating permit on October 16, 2015, for their petroleum bulk storage and distribution (Williamsport Terminal) facility located in Armstrong Township, **Lycoming County**. The facility's main sources include a seven (8) storage tanks and a distillate loading rack. The State Only operating permit contains all appli-

cable regulatory requirements including monitoring, recordkeeping and reporting conditions.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Tom Joseph, Permitting Chief—Telephone: 412-442-5226

65-00549: Comptec, Inc./Irwin Plant (8291 Pennsylvania Ave., Irwin, PA 15642) on October 16, 2015, the Department issued a renewal Natural Minor Operating Permit for the manufacturing of fiberglass impregnated electric insulators. The operation of the facility's air contamination source consisting of 3 grinding booths, 6 machining lathes, 3 mixers, 2 resin mixers, sander, paint booth, and 2 parts washers. The permit includes emission, restrictions, operation requirements, monitoring requirements, and recordkeeping requirements for the facility located in North Huntingdon Township, **Westmoreland County**.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920

46-00278: TierPoint Pennsylvania Two, LLC (1000 Adams Ave, Audubon, PA) On October 15, 2015 for operation of an electrical power back-up facility in Upper Providence Township, **Montgomery County**. This amendment is to address a change in ownership from Data Based Systems International, LLC to TierPoint Pennsylvania Two, LLC and to incorporate plan approval number 46-0278A into this operating permit. Administrative Amendment of State-Only Operating Permit issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code § 127.450.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

18-00005: Dominion Transmission, Inc. (445 West main Street, Clarksburg, WV 26301-2843), issued a revised Title V operating permit on October 6, 2015, through a minor modification application for the removal of Source 038, the addition of Source 044 and the revision to language for Sources P101 through P106 at the Finnefrock Compressor Station located in Leidy Township, **Clinton County**. This revised Title V operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

41-00019: VT Hackney, Inc. (914 Saegers Station Road, Montgomery, PA 17752-8501) on October 13, 2015, issued a revised State Only (Synthetic Minor) operating permit. The revised operating permit is for the significant modification to the State Only (Synthetic Minor) operating permit SMOP 41-00019 to incorporate terms and conditions contained in the previously issued Plan Approval 41-00019A. The proposed significant modification authorizes for the construction and operation of a spray booth equipped with an 11 million Btu per hour, natural gas-fired drying area (Source P321) at the Montgomery facility located in Clinton Township, **Lycoming County**.

This revised State only (Synthetic Minor) operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Tom Joseph, Permitting Chief—Telephone: 412-442-5226

65-00857: Saint-Gobain Corporation/Ceramics Plant (4702 Route 982 Latrobe, PA 15650) on October 19, 2015, the Department issued a Minor Operating Permit Modification to the State Only Operating Permit for the manufacturing of advanced ceramic materials for wear and corrosion resistant application located in Derry Township, **Westmoreland County**. The MOPM incorporates the de minimis emission increase authorized on September 9, 2015 for the operation of the existing natural gas-fired Kiln F (Source 105).

De Minimis Emissions Increases Authorized under 25 Pa. Code § 127.449.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Mark R. Gorog, P.E., Environmental Engineer Manager—Telephone: 412-442-4150

30-00072: Consol PA Coal Company, LLC (1000 Consol Energy Drive, Canonsburg, PA 15317) on October 7, 2015, received a conditioned approval for a de minimis emissions increase pursuant to 25 Pa. Code § 127.449 of 0.89 ton of PM, 0.42 ton of PM₁₀, and 0.13 ton of PM_{2.5}, resulting from installation and operation of additional coal refuse conveyors (939, 940, and 941), an additional coal refuse storage bin (941-Bin), and a physical change to an existing refuse conveyor (902) at its Bailey Prep Plant/Refuse Area #8 located in Richhill Township, **Greene County**. To date, no other de minimis emissions increases have occurred at the facility during the term of its Title V Operating Permit (TV-30-00072).

Operating Permits Denied, Terminated, Suspended or Revoked under the Air Pollution Control Act and 25 Pa. Code §§ 127.431 and 127.461.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

19-00008: Bloomsburg Hospital (549 Fair Street, Bloomsburg, PA 17815), terminated State Only (Natural Minor) operating permit on October 14, 2015, for their hospital campus located in the Town of Bloomsburg, **Columbia County**. The facility's air contaminant emissions are below all Air Quality Program permitting limits.

GP5-08-302B: HEP Pennsylvania Gathering, LLC. (17806 1H-10W, Suite 210, San Antonio, TX 78257) on October 19, 2015, terminated the General Plan Approval and/or General Operating Permit for Natural Gas Compression and/or Processing Facilities (BAQ-GPA/GP-5), issued for two 1,380 bhp Caterpillar model G3516B compressor engines with oxidation catalysts at the Greenzweig facility located in Herrick Township, **Bradford County**, due to incorporating all of the air contaminant sources from GP5-08-302B into GP5-08-302C.

08-00030A: HEP Pennsylvania Gathering, LLC. (17806 1H-10W, Suite 210, San Antonio, TX 78257) on October 19, 2015, terminated the Plan Approval, issued

for four 1,775 bhp Caterpillar model G3606 compressor engines with oxidation catalysts, and two 60 MMBtu/day dehyds with 1.5 MMBtu/hr reboilers at the Greenzweig facility located in Herrick Township, **Bradford County**, due to incorporating all of the air contaminant sources from Plan Approval 08-00030A into GP5-08-302C.

08-00030B: HEP Pennsylvania Gathering, LLC. (17806 1H-10W, Suite 210, San Antonio, TX 78257) on October 19, 2015, terminated the Plan Approval, issued for one 1,775 bhp Caterpillar model G3606 compressor engine with an oxidation catalyst at the Greenzweig Compressor Station facility located in Herrick Township, **Bradford County**, due to incorporating all of the air contaminant sources from Plan Approval 08-00030B into GP5-08-302C.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law; the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.20a). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to applications will also address the application permitting requirements of the following statutes: the Air Quality Pollution Act (35 P. S. §§ 4001—4014); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1002).

Coal Permits Issued

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100

11040701 and NPDES No. PA0235717. Rosebud Mining Company, (301 Market Street, Kittanning, PA 16201). To transfer the permit for the Refuse Area No. 1 in Portage Township, **Cambria County** and related NPDES permit from AMFIRE Mining Company, LLC to Rosebud Mining Company. No additional discharges. The application was considered administratively complete on March 4, 2015. Application received December 31, 2014. Permit issued October 13, 2015.

56851303 and NPDES No. PA0215350. RoxCOAL, Inc., (PO Box 149, Friedens, PA 15541). To renew the permit for the Barbara No. 1 and No. 2 Mines in Stonycreek and Brothersvalley Townships, **Somerset County**. No additional discharges. The application was considered administratively complete on May 22, 2012. Application received January 31, 2012. Permit issued October 13, 2015.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

Permit No. 32100102 and NPDES No. PA0263044. Britt Energies, Inc., P.O. Box 515, Indiana, PA 15701, permit renewal for reclamation only of a bituminous surface mine in Burrell Township, **Indiana County**, affecting 110.3 acres. Receiving streams: unnamed tributaries to/and Conemaugh River classified for the following use: cold water fishes and warm water fishes. There are

no potable water supply intakes within 10 miles downstream. Application received: August 5, 2015. Permit issued: September 30, 2015.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200

17090103 and NPDES PA0257079. Bell Resource Inc. (1340 Hoyt Road, Curwensville, PA 16833). Permit renewal for continued operation and restoration of a bituminous surface mine located in Boggs and Knox Townships, **Clearfield County** affecting 311.9 acres. Receiving stream(s): Unnamed Tributary #1 and #2 to Clearfield Creek classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: July 13, 2015. Permit issued: October 7, 2015.

New Stanton District Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500

03130102 and NPDES Permit No. PA0278084. Reichard Contracting, Inc. (212 Olean Trail, New Bethlehem, PA 16242). Permit issued for commencement, operation and restoration of a bituminous surface mine, located in Boggs and Wayne Townships, **Armstrong County**, affecting 112 acres. Receiving streams: Scrubgrass Creek and unnamed tributaries to Scrubgrass Creek. Application received: August 27, 2014. Permit issued: October 14, 2015.

30140101 and NPDES Permit No. PA0278106. Stash Mining LLC (675 Old Route 51 Road, Waltersburg, PA 15488). Permit issued for commencement, operation and restoration of a bituminous surface mine, located in Monongahela Township, **Greene County**, affecting 150 acres. Receiving streams: unnamed tributaries to Monongahela River and unnamed tributaries to Whiteley Creek. Application received: November 11, 2014. Permit issued: October 16, 2016.

03980101 and NPDES Permit No. PA0202541. Walter L. Houser Coal Co., Inc. (37 Copper Valley Road, Creekside, PA 15732). Permit renewal issued for reclamation only to an existing bituminous surface mine, located in Kittanning Township, **Armstrong County**, affecting 207 acres. Receiving streams: Mill Run and unnamed tributaries to Mill Run. Application received: August 6, 2015. Renewal permit issued: October 16, 2015.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

Permit No. 40110201C2. Mineral Reclamation, LLC, (100 N. Wilkes-Barre Boulevard, PA 18702), correction to an existing anthracite coal refuse reprocessing, surface mine and refuse disposal operation to include blasting in Dupont and Avoca Boroughs, **Luzerne County** affecting 25.3 acres, receiving stream: Mill Creek. Application received: April 10, 2015. Correction issued: October 15, 2015.

Permit No. 40940203T. Newport Aggregate, Inc., (76 Main Road, Glen Lyon, PA 18617), transfer of an existing anthracite coal refuse reprocessing, surface mine, refuse disposal and preparation plant operation in Jenkins Township, **Luzerne County** affecting 174.1 acres, receiving stream: Susquehanna River. Application received: June 10, 2014. Transfer issued: October 16, 2015.

Permit No. 40940203R4. Newport Aggregate, Inc., (76 Main Road, Glen Lyon, PA 18617), renewal of an existing anthracite coal refuse reprocessing, surface mine, refuse disposal and preparation plant operation in Jenkins Township, **Luzerne County** affecting 174.1 acres,

receiving stream: Susquehanna River. Application received: October 28, 2014. Renewal issued: October 16, 2015.

Permit No. 40940203GP104. Newport Aggregate, Inc., (76 Main Road, Glen Lyon, PA 18617), General NPDES Stormwater Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 40940203 in Jenkins Township, **Luzerne County**, receiving stream: Susquehanna River. Application received: October 28, 2014. Permit issued: October 16, 2015.

Noncoal Permits Issued

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

Permit No. 29150801. TMS Excavating, LLC, 226 Reservoir Road, McConnellsburg, PA 17233, commencement, operation and restoration of a small noncoal operation in Ayr Township, **Fulton County** affecting 1.0 acre. Receiving stream: unnamed intermittent stream to Kendall Run to Big Cove Creek. Application received: February 9, 2015. Permit Issued: October 13, 2015.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Issued

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

Permit No. 15154108. American Rock Mechanics, Inc., (7531 Chestnut Street, Zionsville, PA 18092), construction blasting for Phoenixville Early Learning Center in Schuylkill Township, **Chester County** with an expiration date of October 6, 2016. Permit issued: October 14, 2015.

Permit No. 35154106. Hayduk Enterprises, Inc., (257 Riverside Drive, Factoryville, PA 18419), construction blasting for Mount Margaret Development in Roaring Brook Township, **Lackawanna County** with an expiration date of October 31, 2016. Permit issued: October 14, 2015.

Permit No. 46154112. Rock Work, Inc., (1257 DeKalb Pike, Blue Bell, PA 19422), construction blasting for Regency at Dublin in Upper Dublin Township, **Montgomery County** with an expiration date of October 31, 2016. Permit issued: October 14, 2015.

Permit No. 36154144. Maine Drilling & Blasting, Inc., (PO Box 1140, Gardiner, ME 04345), construction blasting for house foundation in Manor Township, **Lancaster County** with an expiration date of December 15, 2015. Permit issued: October 15, 2015.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Permits, Environmental Assessments and 401 Water Quality Certifications Issued:

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northeast Regional Office, Waterways and Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone 570-826-2511

E52-246. PPL Electric Utilities Corporation, 2 North 9th Street, Allentown, PA 18101. Blooming Grove Township, **Pike County**, Army Corps of Engineers Philadelphia District.

To maintain an existing 20-foot wide road crossing of Notch Brook (EV, MF), consisting of a 36-inch diameter reinforced concrete pipe and concrete headwalls, for the purpose of providing access to the PPL Susquehanna Roseland 500kV Transmission Line. The project is located on the west side of State Route 402 approximately 3.9 miles south of the intersection with Interstate 84 (Promise Land, PA Quadrangle Latitude: 41°19'2"; Longitude: -75°7'55"). Subbasin: 1D.

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636

E19-308. SEDA-COG Joint Rail Authority, 201 Furnace Road, Lewisburg, PA 17837. Unnamed Tributary to

Susquehanna River Stabilization/Restoration/Bridge Replacement, in Montour Township, **Columbia County**, ACOE Baltimore District (Catawissa, PA Quadrangle Latitude: 40-57-8.; Longitude: 76-29-1.0).

To construct, operate and maintain a stream restoration project and bridge replacement project. To restore a more natural pattern, profile and dimension to the Unnamed Tributary to the Susquehanna River which carries a water quality designation of Cold Water Fishery with Migratory Fish. The restorative efforts will begin at the culvert outlet of the SR 4002 (Legion Road) and extend 175 linear feet downstream to the proposed single span steel thru-girder bridge structure. To correct a severe scour and steep slope directly below the outlet of the SR 4002 culvert, this permit authorizes the installation of four rock vein weirs spaced 25 feet apart for 100 linear feet. Each structure will not exceed a 1 foot 3 inch plunge on the downstream end to enable aquatic passage. The remaining 75 linear feet will establish a slight meander bend in the stream channel to mimic a more natural stream pattern. This meander will increase the length of stream in this reach than the existing conditions allowing the slope to be reduced slightly. Toe rock protection will be included along both sides of the stream to assist in stability. A pre-cast box culvert having a rise of 4.8 feet and a width of 14.5 feet will replace the steel thru-girder. Baffles measuring 8 inches high by 1 foot wide are placed within the culvert and on the upstream and downstream end sections of the aprons. Stream bed material is to be placed within the structure to an elevation of 1 foot in depth in order to offset flow through the structure along with retention of natural stream bed material. This permit also authorizes stability work in the stream channel 150 linear feet downstream of the box culvert to include natural material rock bank revetment along the outside or left bank. The natural material rock bank revetment incorporates footer logs, root wads, rock riprap, and live stakes. Upon completion of the construction work the project shall be planted with shrub and tree species for shading and bank stability. This project is located 0.6 mile west along SR 4002 (Legion Road) from the intersection with SR 0042 (Catawissa, PA Quadrangle, Latitude: 40-57-12.3; Longitude: 76-28-59.9) Montour Township, Columbia County. This permit also includes 401 Water Quality Certification.

Southwest Region: Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E63-670, Borough of California, 225 Third Street, California, PA 15419, California Borough, Washington, County, ACOE Pittsburgh District.

Has been given consent to:

1. Construct and maintain a 28.68' x 30.23', L-shaped, floating, wooden, public boater's deck and pier, with three (3) pilings, in the Monongahela River (WWF),
2. Rehabilitate and maintain an existing boat launch by repaving it, and extending it with a 22' x 24.5' concrete mattress, within the river, and
3. Construct approximately 280 square feet of gabion wall structures, and necessary erosion control facilities within the floodplain of the Monongahela River.

For the purpose of providing adequate river access for the Borough's recreational and economic aspirations. The project will permanently impact 54 LF of the Monongahela River, and is located at the terminus of Union Street (California, PA USGS Topographic Quad-

rangle; Latitude: 40° 4' 9"; Longitude: -79° 53' 32"; Sub-basin: 19C; Chapter 93 Type: WWF), in California Borough, Washington County.

ENVIRONMENTAL ASSESSMENTS

Southcentral Region: Watershed Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Ed Muzic, Section Chief, 717.705.4802.

EA67-037: PA DCNR Bureau of State Parks, Gifford Pinchot State Park, 2200 Rosstown Road, Lewisberry, PA 17264 in Warrington Township, **York County**, U.S. Army Corps of Engineers Baltimore District.

To restore five isolated vernal pools which fail to hold water by excavation, temporarily impacting a total of 0.3 acre of wetland, all in the watershed of Beaver Creek (WWF-MF) at Gifford Pinchot State Park property (Wellsville, PA Quadrangle; 40° 5' 18.4", -76° 52' 51.5"; 40° 4' 54.0", -76° 53' 15.3"; 40° 3' 42.5", -76° 53' 31.0"; 40° 3' 40.4", -76° 53' 29.6"; and 40° 4' 23.7", -76° 52' 53.8") in Warrington Township, York County. Approval was granted on October 8, 2015.

EA36-039: Manheim Borough, 15 East High Street, Manheim, PA 17545 in Manheim Borough, **Lancaster County**, U.S. Army Corps of Engineers, Baltimore District.

To remove 2,500 cubic yards of sediment along 900 feet of a floodplain bench located on the right bank of Chiques Creek (TSF, MF) for the purposes of reducing the frequency of flooding in Manheim Borough, and re-establishing riparian wetlands. The project is located near the intersection of SR 772 and SR 72 (Latitude: 40° 09' 28"N; Longitude: 76° 23' 17"W) in Manheim Borough, Lancaster County. No existing wetlands will be impacted by this project. Approval was granted on October 8, 2015.

Cambria District: Contact Person: Patrick M. Webb, 286 Industrial Park Road, Ebensburg, PA 15931-4119.

EA0409-002(R)1. Pennsylvania Department of Environmental Protection, Bureau of Abandoned Mine Reclamation, Cambria Office, 286 Industrial Park Road, Ebensburg, PA 15931. Abandoned Mine Land Reclamation Project in South Beaver Township, **Beaver County**, Pittsburgh ACOE District.

The applicant proposes to backfill an abandoned surface mine, which includes a total of 5,000 linear feet of dangerous highwall with adjacent spoil material. The project will backfill and mitigate 1.266 acre of wetlands and construct a 0.5 acre of open water body.

(New Galilee Quadrangle 40° 45' 35" N, 80° 29' 39" W).

Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 3, 400 Market Street, P.O. Box 8460, Harrisburg, PA 17105-8460

D37-024EA. Foster Schaffer, Pennsylvania Game Commission, 2001 Elmerton Avenue, Harrisburg, PA 17110. Pulaski Township, **Lawrence County**, USACOE Pittsburgh District.

Project proposes to remove the remains of the breached Pulaski Mill Dam for the purpose of restoring approximately 100 feet of stream channel. The proposed restoration project includes partial removal of a small island and construction of a channel block at the upstream end of a side channel to control stream bank erosion and eliminate a source of sediment. The project is located across the Shenango River (WWF) (Edinburg, PA Quadrangle, Latitude: 41.1110; Longitude: -80.4372).

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Northwest Region: Oil and Gas Program Manager, 230 Chestnut St., Meadville, PA 16335

ESCGP-2 #ESX15-073-0006—Wolf Well Pad Phase 1 Applicant R.E. Gas Development, LLC

Contact Michael Endler

Address 600 Cranberry Woods Drive

City Cranberry Township State PA Zip Code 16066

County Lawrence Township(s) Perry

Receiving Stream(s) and Classification(s) UNTs to Camp

Run WWF, UNTs to Slippery Rock Creek CWF, Camp

Run WWF, Slippery Rock Creek CWF

Eastern Region: Oil & Gas Management Program Manager, 208 West Third Street, Williamsport, PA 17701

ESCGP-2 # ESG29-023-15-0009

Applicant Name NFG Midstream Clermont, LLC

Contact Person Duane Wassum

Address 6363 Main Street

City, State, Zip Williamsville, NY 14221

County Cameron & McKean

Township(s) Shippen & Norwich Twps

Receiving Stream(s) and Classification(s) Primary

Watershed(s)—(1) Elk Fork (EV), (2) Oviatt Branch

(EV), (3) Brewer Fork (EV), (4) Havens Run (CWF), (5)

Left Branch Cooks Run (EV), and (6) Right Branch

Cooks Run (EV)

Secondary—(1) Driftwood Branch Sinnemahoning

Creek (EV), (2) Elk Fork (EV), (3) Elk Fork (EV), (4)

Potato Creek (TSF), (5) Cooks Run (EV), and (6) Cooks

Run (EV)

ESCGP-2 # ESG29-023-15-0002

Applicant Name Seneca Resources Corporation

Contact Person Doug Kepler

Address 5800 Corporate Drive, Suite 300

City, State, Zip Pittsburgh, PA 15237

County Cameron

Township(s) Shippen Twp

Receiving Stream(s) and Classification(s) Nichols Run,
Elk Fork & UNT Elk Fork (CWF, HQ, EV)
Secondary—Driftwood Branch Sinnemahoning Creek

ESCGP-2 # ESG10-117-0017(01)

Applicant Name SWEPI LP

Contact Person Jason Shoemaker

Address 2100 Georgetown Drive, Suite 400

City, State, Zip Sewickley, PA 15143

County Tioga

Township(s) Union Twp

Receiving Stream(s) and Classification(s) UNT to Roaring
Branch (HQ-CWF-EV), UNT to Salt Spring Run
(HQ-CWF-EV)

Secondary—Roaring Branch

*Southwest Region: Oil & Gas Program Mgr., 400 Water-
front Dr., Pittsburgh, PA*

ESCGP-2 No: ESX15-125-0020

Applicant Name: Rice Poseidon Midstream LLC

Contact Person Kyle Shirey

Address: 400 Woodcliff Drive

City: Canonsburg State: PA Zip Code: 15317

County: Washington Township: North Bethlehem

Receiving Stream(s) and Classifications: UNTs to Daniels
Run, UNTs to South Branch Pigeon Creek, and South
Branch Pigeon Creek; Other WWF, TSF; Siltation-
Impaired

ESCGP-2 No.: ESX13-125-0009 Major Revision

Applicant Name: CNX Gas Company LLC

Contact Person: Carol Phillips

Address: 200 Evergreene Drive

City: Waynesburg State: PA Zip Code: 15370

County: Washington Township(s): Morris

Receiving Stream(s) and Classifications: UNT to Tenmile
Creek (TSF)/Monongahela River, Tenmile Creek (TSF)/
Monongahela River, UNT to Crafts Creek(TSF)/
Monongahela River, and Crafts Creek (TSF)/
Monongahela; Other TSF

ESCGP-2 No.: ESG15-125-0001

Applicant Name: Range Resources Appalachia LLC

Contact Person: Glenn D Truzzi

Address: 3000 Town Center Boulevard

City: Canonsburg State: PA Zip Code: 15317

County: Washington Township(s): Buffalo

Receiving Stream(s) and Classifications: UNTs to Buffalo
Creek/Wheeling-Buffalo Creeks Watershed; HQ

ESCGP-2 No.: ESX15-125-0031

Applicant Name: EQT Production Company

Contact Person: Todd Klaner

Address: 2400 Zenith Ridge Road Suite 200

City: Canonsburg State: PA Zip Code: 15317

County: Washington Township(s): East Finley

Receiving Stream(s) and Classifications: UNT to
Templeton Fork/(Wheeling-Buffalo Creeks); Other TSF

ESCGP-2 No.: ESX15-007-0007 Major Revision

Applicant Name: Cardinal PA Midstream LLC

Contact Person: Tommy D Baskin

Address: 8150 North Central Expressway Suite 1725

City: Dallas State: TX Zip Code: 75206

County Beaver Township(s): New Sewickley/Marion

Receiving Stream(s) and Classifications: Trib 34799 to
Brush Creek; UNTs to Brush Creek; Other WWF

ESCGP-2 No.: ESX14-125-0093

Applicant Name: Range Resources Appalachia LLC

Contact Person: Glenn D Truzzi

Address: 3000 Town Center Boulevard

City: Canonsburg State: PA Zip Code: 15317

County: Washington Township(s): Smith

Receiving Stream(s) and Classifications: UNT to Raccoon
Creek (WWF)/Raccoon Creek Watershed; Other WWF;
Siltation-Impaired

ESCGP-2 No.: ESX13-125-0063 Major Revision

Applicant Name: Rice Drilling B LLC

Contact Person: Kyle A Shirey

Address: 400 Woodcliff Drive

City: Canonsburg State: PA Zip Code 15317

County: Washington Township(s): Somerset

Receiving Stream(s) and Classifications: UNTs to (South
Branch) Pigeon Creek; Other Warm Water Fishes
(WWF)

[Pa.B. Doc. No. 15-1928. Filed for public inspection October 30, 2015, 9:00 a.m.]

Availability of Technical Guidance

Technical guidance documents are available on the Department of Environmental Protection's (Department) web site at <http://www.elibrary.dep.state.pa.us>. The "Technical Guidance Final Documents" heading is the link to a menu of the various Department bureaus where each bureau's final technical guidance documents are posted. The "Technical Guidance Draft Documents" heading is the link to the Department's draft technical guidance documents.

Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to view and download technical guidance documents. When this option is not available, persons can order a paper copy of any of the Department's draft or final technical guidance documents by contacting the Department at (717) 783-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to Technical Guidance Documents

Following is the current list of recent changes. Persons who have questions or comments about a particular document should call the contact person whose name and phone number is listed with each document.

Draft Technical Guidance Document: New Guidance

DEP ID: 394-3000-001. Title: Pennsylvania Improving Waters Program Guidelines: Documenting and Reporting Measurable, Incremental Improvements in Water Quality of Streams, Rivers and Lakes. Description: The purpose of these guidelines is to explain the process for the Department staff, and others involved in water quality monitoring, in documenting and reporting measurable, incremental improvements for water quality in streams, rivers and lakes towards an impairment free condition.

The information collected through the guidelines will be used to develop the Department's biennial *Pennsylvania Improving Waters Report*, which is not meant to replace the biennial *Pennsylvania Integrated Water Quality Monitoring and Assessment Report (Integrated Report)* to the United States Environmental Protection Agency. Instead, the *Pennsylvania Improving Waters Report* will illustrate water quality attainment successes described in the *Integrated Report* and share information about surface waters that show incremental improvement.

Effective Date: Upon publication of notice as final in the *Pennsylvania Bulletin*.

Written Comments: Interested persons may submit written comments on this draft technical guidance document by Monday, November 30, 2015. Comments submitted by facsimile will not be accepted. Comments, including comments submitted by e-mail must include the originator's name and address. Commentators are encouraged to submit comments using the Department's online eComment System at www.ahs.dep.pa.gov/eComment. Written comments should be submitted to the Bureau of Conservation and Restoration, 400 Market Street, Harrisburg, PA 17101, ecomment@pa.gov.

Contact: Diane Wilson, (717) 787-3730, diawilson@pa.gov

JOHN QUIGLEY,
Secretary

[Pa.B. Doc. No. 15-1929. Filed for public inspection October 30, 2015, 9:00 a.m.]

Coastal Resources Management Program; Final Program Assessment and Strategy under Section 309 of the Coastal Zone Management Act

The Commonwealth's Coastal Resources Management Program has developed a final program Assessment and Strategy in accordance with section 309 of the Federal Coastal Zone Management Act of 1972 (16 U.S.C.A. § 1456b), as amended in 1990 and 1996. This assessment is part of a voluntary coastal zone enhancement grants program (program) that encourages states and territories to develop program changes in one or more of the following nine coastal enhancement areas: coastal wetlands; coastal hazards; public access; marine debris; cumulative and secondary impacts; special area management planning; ocean/Great Lakes resources; energy and government facility siting and activities; and aquaculture. Under this program, the United States Secretary of Commerce is authorized to make awards to states and territories to develop and submit for Federal approval program changes that support attainment of the objectives of one or more of the enhancement areas. The National Oceanic and Atmospheric Administration approved the Commonwealth's final Section 309 Assessment and Strategy on September 25, 2015. Implementation of the new strategy will begin October 1, 2016.

The final Section 309 Assessment and Strategy is available on the Department of Environmental Protection's web site at www.dep.state.pa.us (DEP Keywords: Coastal Zone).

JOHN QUIGLEY,
Secretary

[Pa.B. Doc. No. 15-1930. Filed for public inspection October 30, 2015, 9:00 a.m.]

Water Resources Advisory Committee Meeting

The Water Resources Advisory Committee will meet on November 18, 2015. The meeting will begin at 9:30 a.m. in the Conference Room, Susquehanna River Basin Commission, Harrisburg Office, 4423 North Front Street, Harrisburg, PA 17110-1788.

Questions concerning the meeting should be directed to Sean Gimbel, (717) 783-4693, sgimbel@pa.gov. The agenda and materials for the meeting will be available through the Public Participation Center on the Department of Environmental Protection's (Department) web site at www.dep.state.pa.us (DEP Keywords: Public Participation).

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Department at (717) 783-4693 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

JOHN QUIGLEY,
Secretary

[Pa.B. Doc. No. 15-1931. Filed for public inspection October 30, 2015, 9:00 a.m.]

DEPARTMENT OF GENERAL SERVICES

Lease Office Space to the Commonwealth Dauphin County and Surrounding Areas

Proposers are invited to submit proposals to the Department of General Services to provide the Pennsylvania Municipal Retirement System with 12,015 usable square feet of office space within a 5-mile radius of the City of Harrisburg. Downtown locations will be considered. For more information on SFP No. 94775, which is due on November 17, 2015, visit www.dgs.pa.gov or contact Carol Munley, Bureau of Real Estate, (717) 787-7412, cmunley@pa.gov.

CURTIS M. TOPPER,
Secretary

[Pa.B. Doc. No. 15-1932. Filed for public inspection October 30, 2015, 9:00 a.m.]

DEPARTMENT OF HEALTH

Health Policy Board Annual Meeting Schedule for 2016

The Health Policy Board, established under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b), has set its calendar for 2016. The meeting dates are scheduled as follows:

January 13, 2016
April 13, 2016
July 13, 2016
October 12, 2016

All meetings will begin at 10 a.m. in Room 812, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact Lawrence Clark, Director of Policy,

(717) 705-6925, or for speech and/or hearing impaired persons V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984.

These meetings are subject to cancellation without notice.

KAREN M. MURPHY, PhD, RN,
Secretary

[Pa.B. Doc. No. 15-1933. Filed for public inspection October 30, 2015, 9:00 a.m.]

Human Immunodeficiency Virus (HIV) Community Prevention Planning Committee Public Meetings

The Statewide HIV Planning Group, established by the Department of Health (Department) under sections 301(a) and 317 of the Public Health Service Act (42 U.S.C.A. §§ 241(a) and 247b), will hold a public meeting on Wednesday, November 18, 2015, from 9 a.m. to 4 p.m. and Thursday, November 19, 2015, from 9 a.m. to 4 p.m. at the Park Inn Harrisburg West, 5401 Carlisle Pike, Mechanicsburg, PA 17050.

Jurisdictional HIV prevention planning is a required activity of the Department's Federal Centers for Disease Control and Prevention grant for Comprehensive HIV Prevention Programs for Health Departments. In addition, Part B of the Ryan White Comprehensive AIDS Resource Emergency Act of 1990 (42 U.S.C.A. §§ 300ff-21—300ff-38) requires that the Department engage in a public advisory planning process in developing a comprehensive plan. The purpose of these meetings is to conduct an integrated prevention and care HIV planning process by which the Department works in partnership with the community and stakeholders to enhance access to HIV prevention, care and treatment services.

For additional information or persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so should contact Kenneth McGarvey, Director, Department of Health, Division of HIV, Bureau of Communicable Diseases, 625 Forster Street, Room 1010, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-0572, or for speech and/or hearing impaired persons V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department reserves the right to cancel this meeting without prior notice.

KAREN M. MURPHY, PhD, RN,
Secretary

[Pa.B. Doc. No. 15-1934. Filed for public inspection October 30, 2015, 9:00 a.m.]

Infant Hearing Screening Program Technical Advisory Committee Meeting

The Infant Hearing Screening Technical Advisory Committee, established under the Infant Hearing, Education, Assessment, Reporting and Referral (IHEARR) Act (11

P. S. §§ 876-1—876-9), will hold a public meeting on Wednesday, December 9, 2015. The meeting will be held at the Harrisburg PaTTAN Office, 6340 Flank Drive, Harrisburg, PA 17112 from 10 a.m. until 3 p.m. Agenda items will include presentations on cytomegalovirus and hearing impairment, and on outreach activities and educational programs for pediatric audiologists and otolaryngologists.

For additional information or for persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so should contact Joe Wagner, Public Health Program Manager or Arthur Florio, Public Health Program Administrators, Division of Newborn Screening and Genetics, (717) 783-8143. Speech and/or hearing impaired persons use V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

This meeting is subject to cancellation without notice.

KAREN M. MURPHY, PhD, RN,
Secretary

[Pa.B. Doc. No. 15-1935. Filed for public inspection October 30, 2015, 9:00 a.m.]

Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 201.3 (relating to definitions):

Thornwald Home
442 Walnut Bottom Road
Carlisle, PA 17013
FAC ID # 082802

This request is on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the address or phone number listed previously, or for speech and/or hearing impaired persons V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,
Secretary

[Pa.B. Doc. No. 15-1936. Filed for public inspection October 30, 2015, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Medical Assistance Program Fee Schedule Addition

In accordance with 55 Pa. Code § 1150.61(a) (relating to guidelines for fee schedule changes), the Department of Human Services (Department) announces the addition of procedure codes to the Medical Assistance (MA) Program Fee Schedule for three-dimensional (3D) mammography, also known as “digital tomosynthesis,” effective for dates of service on and after December 1, 2015.

Background

On October 5, 2015, Governor Tom Wolf announced that 3D mammograms, a service also known as tomosynthesis, are included under State law as a mammographic exami-

nation and must be covered by insurers in the same manner as traditional two-dimensional (2D) mammograms. Tomosynthesis is becoming more common as many health care facilities in this Commonwealth are replacing 2D mammography technology with 3D mammography technology, offering new opportunities to diagnose breast cancer and providing life-saving treatment earlier than ever.

Discussion

The Department is adding procedure codes 77061, 77062, 77063 and G0279 to the MA Program Fee Schedule to ensure that quality diagnostic testing and preventive breast cancer services are available to individuals enrolled in the MA Program.

The professional component fee (billed with modifier 26), the technical component fee (billed with modifier TC) and the total fee (billed with no modifier), as applicable, are set forth as follows:

<i>Procedure Code</i>	<i>Procedure Code Description</i>	<i>Pricing Modifier 26</i>	<i>Pricing Modifier TC</i>	<i>No Modifier</i>
77061	Digital breast tomosynthesis; unilateral	\$25.68	\$22.51	\$48.19
77062	Digital breast tomosynthesis; bilateral	\$25.68	\$22.51	\$48.19
77063	Screening digital breast tomosynthesis, bilateral	\$23.98	\$20.05	\$44.03
G0279	Diagnostic digital breast tomosynthesis, unilateral or bilateral	\$24.26	\$19.25	\$43.51

The Department will issue an MA Bulletin to providers regarding tomosynthesis.

Fiscal Impact

The estimated cost for Fiscal Year 2015-2016 is \$0.054 million (\$0.026 million in State funds) in the MA Outpatient Program and for Fiscal Year 2016-2017 is \$0.128 million (\$0.062 million in State funds) in the MA Outpatient Program as a result of adding procedure codes to the MA Program Fee Schedule.

Public Comment

Interested persons are invited to submit written comments regarding this notice to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. Comments received within 30 days will be reviewed and considered for any subsequent revision to the MA Program Fee Schedule.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

THEODORE DALLAS,
Secretary

Fiscal Note: 14-NOT-980. (1) General Fund;

(7) MA—Outpatient; (2) Implementing Year 2015-16 is \$260,000; (3) 1st Succeeding Year 2016-17 through 5th Succeeding Year 2020-21 are \$620,000; (4) 2014-15 Program—\$348,741,000; 2013-14 Program—\$264,179,000; 2012-13 Program—\$450,835,000;

(7) MA—Capitation; (2) Implementing Year 2015-16 is \$0; (3) 1st Succeeding Year 2016-17 through 5th Succeeding Year 2020-21 are \$0; (4) 2014-15 Program—

\$4,000,000,000; 2013-14 Program—\$3,900,000,000; 2012-13 Program—\$3,600,000,000;

(8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 15-1937. Filed for public inspection October 30, 2015, 9:00 a.m.]

New Class of Disproportionate Share Hospital Payments

The Department of Human Services (Department) is providing final notice of its establishment of a new class of disproportionate share hospital (DSH) payments for qualifying Medical Assistance (MA) enrolled acute care general hospitals to promote access to hospital services for MA eligible persons in this Commonwealth by providing additional support for the operations of an academic medical program through the medical education of health care professionals needed to treat the MA population.

The Department published notice of its intent to implement this new class of DSH payments at 45 Pa.B. 3425 (June 27, 2015). The Department received no public comments during the comment period and has implemented the qualifying criteria and payment methodology as described in its notice of intent.

Fiscal Impact

The Fiscal Year 2014-2015 impact is \$1.660 million (\$0.800 million in State general funds).

THEODORE DALLAS,
Secretary

Fiscal Note: 14-NOT-977. (1) General Fund; (2) Implementing Year 2014-15 is \$800,000; (3) 1st Succeeding Year

2015-16 through 5th Succeeding Year 2019-20 are \$0; (4) 2013-14 Program—\$16,831,000; 2012-13 Program—\$12,618,000; 2011-12 Program—\$12,618,000; (7) MA—Academic Medical Centers; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 15-1938. Filed for public inspection October 30, 2015, 9:00 a.m.]

DEPARTMENT OF REVENUE

Mega Millions® and Powerball Terminal-Based Lottery Games; Play at the Pump Pilot Program

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314) and 61 Pa. Code § 875.4 (relating to notice of terminal-based lottery game rules), the Secretary of Revenue hereby provides public notice of the “Play at the Pump Pilot Program.”

The Play at the Pump Pilot Program for the terminal-based lottery games referenced below in paragraph (1) will be implemented and effective upon publication. This pilot program provides for a new mechanism (Play at the Pump) by which players may purchase Pennsylvania Lottery terminal-based lottery game plays as follows:

(1) *Eligible terminal-based games.* Players may purchase Pennsylvania Lottery terminal-based lottery game plays for any of the following lottery games: Mega Millions® and Powerball.

(2) *Drawings.* Plays purchased through Play at the Pump are eligible for the regularly scheduled drawings of the above-referenced lottery games. No additional drawings will be held for Play at the Pump purchases.

(3) *Prizes.* Prizes available and determination of prize winners for each respective drawing as set forth in their respective current game rules and shall remain unchanged.

(4) *Authorized credit and debit cards.* Players may only make Play at the Pump purchases using authorized credit and debit cards, subject to age control verification.

(5) *Quick Pick.* Purchases will be limited to “Quick Pick” only.

(6) *Receipt.* For claim purposes, a receipt received by a player as a result of a Play at the Pump purchase, shall not be considered a “terminal-based lottery game ticket” as that term is defined by 61 Pa. Code § 875.3 (relating to definitions) and shall not be considered a “ticket” as the term is defined by 61 Pa. Code § 871.3 (relating to definitions).

(7) *Prize claims.* Prize claims for prizes of \$600 or less will be done automatically by depositing the amount won back to the credit or debit card used to purchase the winning play. Prize claims for prizes of more than \$600 must be made, in person, at the Lottery headquarters or at any Lottery Regional Office. When making a prize claim of more than \$600, the purchaser must bring the credit or debit card used to purchase the winning play to the Lottery headquarters or the Lottery Regional Office.

(8) *Procedures and other information.* Additional procedures and information are set forth on the Lottery’s publicly accessible website.

(9) *Notice of cancellation.* This program shall continue until canceled by the Secretary, said cancellation to be contained on the Lottery’s publicly accessible website.

EILEEN H. McNULTY,
Secretary

[Pa.B. Doc. No. 15-1939. Filed for public inspection October 30, 2015, 9:00 a.m.]

HEALTH CARE COST CONTAINMENT COUNCIL

Meetings Scheduled

The Health Care Cost Containment Council (Council) has scheduled the following meetings: Monday, November 2, 2015—Executive Committee Conference Call at 10 a.m.; Wednesday, November 4, 2015—Data Systems Committee Conference Call at 10 a.m.; and Thursday, November 5, 2015—Council Meeting at 10 a.m.

The meetings will be accessible at 225 Market Street, Suite 400, Harrisburg, PA 17101. The public is invited to attend. Persons who need accommodation due to a disability who wish to attend should contact Reneé Greenawalt, (717) 232-6787 at least 24 hours in advance so that arrangements can be made.

JOE MARTIN,
Executive Director

[Pa.B. Doc. No. 15-1940. Filed for public inspection October 30, 2015, 9:00 a.m.]

INSURANCE DEPARTMENT

Aetna Health, Inc. (AETN-130242320); Small Group Off Exchange HMO and POS Plans; Rate Filing

Aetna Health, Inc. HMO submitted a rate filing to increase the premium rates for its Small Group Off Exchange HMO and POS Plans. The filing proposes an average rate increase of 10.1% (range of -5.0% to 14.8%) and will affect approximately 68,000 members. The proposed rate increase will generate approximately \$20 million of additional annual revenue and will be effective April 1, 2016.

Unless formal administrative action is taken prior to January 13, 2016, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department’s (Department) web site at www.insurance.pa.gov. To view these filing notices, hover the cursor over “Consumers” in the blue bar at the top of the webpage then select “Product Notices” from the drop down menu.

A copy of the filing is also available for public inspection, by appointment, during normal working hours at the Department’s regional office in Harrisburg.

Interested parties are invited to submit written or e-mail comments, suggestions or objections to Cherri Sanders-Jones, Insurance Department, Insurance Product Regulation, 1311 Strawberry Square, Harrisburg, PA 17120, csandersjo@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

TERESA D. MILLER,
Insurance Commissioner

[Pa.B. Doc. No. 15-1941. Filed for public inspection October 30, 2015, 9:00 a.m.]

Aetna Health Insurance Company (AETN-130242341); Small Group Off Exchange Plans; Rate Filing

Aetna Health Insurance Company submitted a rate filing to increase the premium rates for its Small Group Off Exchange Plans. This product supports the Aetna Health, Inc. POS product. The filing proposes an average rate increase of 10.1% (range of -5.0% to 14.8%) and will affect approximately 68,000 members. The proposed rate increase will generate approximately \$20 million of additional annual revenue and will be effective April 1, 2016.

Unless formal administrative action is taken prior to January 13, 2016, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) web site at www.insurance.pa.gov. To view these filing notices, hover the cursor over "Consumers" in the blue bar at the top of the webpage then select "Product Notices" from the drop down menu.

A copy of the filing is also available for public inspection, by appointment, during normal working hours at the Department's regional office in Harrisburg.

Interested parties are invited to submit written or e-mail comments, suggestions or objections to Cherri Sanders-Jones, Insurance Department, Insurance Product Regulation, 1311 Strawberry Square, Harrisburg, PA 17120, csandersjo@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

TERESA D. MILLER,
Insurance Commissioner

[Pa.B. Doc. No. 15-1942. Filed for public inspection October 30, 2015, 9:00 a.m.]

Aetna Life Insurance Company (AETN-130242358); Small Group Off Exchange PPO and Indemnity Plans; Rate Filing

Aetna Life Insurance Company submitted a rate filing to increase the premium rates for its Small Group Off Exchange PPO and Indemnity Plans. The filing proposes an average rate increase of 8.3% (range of -4.1% to 15.0%) and will affect approximately 9,000 members. The proposed rate increase will generate approximately \$1.5 million of additional annual revenue and will be effective April 1, 2016.

Unless formal administrative action is taken prior to January 13, 2016, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) web site at www.insurance.pa.gov. To view these filing notices, hover the cursor over "Consumers" in the blue bar at the top of the webpage then select "Product Notices" from the drop down menu.

A copy of the filing is also available for public inspection, by appointment, during normal working hours at the Department's regional office in Harrisburg.

Interested parties are invited to submit written or e-mail comments, suggestions or objections to Cherri Sanders-Jones, Insurance Department, Insurance Product Regulation, 1311 Strawberry Square, Harrisburg, PA 17120, csandersjo@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

TERESA D. MILLER,
Insurance Commissioner

[Pa.B. Doc. No. 15-1943. Filed for public inspection October 30, 2015, 9:00 a.m.]

Health Maintenance Organization Certificate of Authority Application Filed by Magellan Complete Care of Pennsylvania, Inc.

On March 3, 2014, Magellan Complete Care of Pennsylvania, Inc. filed an application with the Department of Health and the Insurance Department for a certificate of authority to establish, operate and maintain a health maintenance organization (HMO) under the provisions of the Health Maintenance Organization Act (40 P.S. §§ 1551—1567), Department of Health HMO regulations (28 Pa. Code §§ 9.631—9.654) and the Insurance Department HMO regulations and statements of policy (31 Pa. Code §§ 301.1—301.204).

The proposed service areas of the applicant are Lehigh and Northampton Counties.

A copy of the application is available for public inspection, by appointment only, at the following locations:

Department of Health
Bureau of Managed Care
Room 912, Health and Welfare Building
Harrisburg, PA 17109-0900
(717) 787-5193

Insurance Department
Company Licensing Division
1345 Strawberry Square
Harrisburg, PA 17120
(717) 787-2735

Interested parties are invited to submit written comments to William Wiegmann, Department of Health or Cressinda Bybee, Insurance Department at the previously listed addresses. Persons who wish to submit written comments regarding the application may do so within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Persons with disabilities may submit information and comments through alternative formats, such as audio tape, Braille or using the Department of Health TDD (717) 783-6514. Persons with a disability requesting alternative forms may contact William Wiegmann to make the necessary arrangements.

TERESA D. MILLER,
Insurance Commissioner

[Pa.B. Doc. No. 15-1944. Filed for public inspection October 30, 2015, 9:00 a.m.]

Medical Care Availability and Reduction of Error Fund; Notice of and Amount of Assessment Action; Notice 2015-08

The Insurance Department, Medical Care Availability and Reduction of Error Fund (MCARE), by Theodore G. Otto, III, Executive Director, under section 712 of the Medical Care Availability and Reduction of Error (MCARE) Act (40 P.S. § 1303.712) and the Settlement Agreement between MCARE and the Pennsylvania Medical Society, the Hospital and Healthsystem Association of Pennsylvania and the Pennsylvania Podiatric Medical Association, notifies all basic insurance coverage insurers and self-insured participating health care providers that the annual assessment to be levied for calendar year 2016 shall be 17% applied to the prevailing primary premium for each participating health care provider.

This action is subject to 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure).

THEODORE G. OTTO, III,
Executive Director

[Pa.B. Doc. No. 15-1945. Filed for public inspection October 30, 2015, 9:00 a.m.]

Mutual of Omaha Insurance Company (MUTA-130284767); Rate Increase Filing for Several Individual LTC Forms

Mutual of Omaha Insurance Company is requesting approval to increase the premium an aggregate 5.7% on 391 policyholders with the LTC04I Series of policies (LTC04I-TQ, LTC04I-NTQ, LTC04I-AG-TQ and LTC04I-AG-NTQ).

Unless formal administrative action is taken prior to January 14, 2016, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) web site at www.insurance.pa.gov. To view these filing notices, hover the cursor over "Consumers" in the blue bar at the top of the webpage then select "Product Notices" from the drop down menu.

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department's Harrisburg office.

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, jlaverty@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

TERESA D. MILLER,
Insurance Commissioner

[Pa.B. Doc. No. 15-1946. Filed for public inspection October 30, 2015, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

General Rule Purchase Agreement

A-2015-2509131 and A-2015-2509164. IBFA Acquisition Company, LLC and First Choice Technology of Louisiana, LLC. Joint application of IBFA Acquisition Company, LLC and First Choice Technology of Louisiana, LLC for approval of a general rule purchase agreement.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before November 16, 2015. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

Applicants: IBFA Acquisition Company, LLC; First Choice Technology of Louisiana, LLC

Through and By Counsel: Leon Nowalsky, Esquire, Nowalsky & Gothard, APLLC, 1420 Veterans Boulevard, Metairie, LA 70005

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 15-1947. Filed for public inspection October 30, 2015, 9:00 a.m.]

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by November 16, 2015. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Applications of the following for approval to begin operating as common carriers for transportation of persons as described under each application.

A-2015-2508018. Premier Limousine, LLC (106 Anderson Road, Curwensville, Clearfield County, PA 16833) for the right to transport as a common carrier, by motor vehicle, persons in airport transfer service, between points in the Counties of Blair, Bedford, Centre,

Clearfield and Huntingdon, and the Altoona-Blair County Airport; excluding service that is under the jurisdiction of the Philadelphia Parking Authority.

A-2015-2509139. Archangel Adult Daycare Services, LLC (1214 Quincy Avenue, Dunmore, PA 18509) for the right to begin to transport, as a common carrier, by motor vehicle, persons in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, between points in Lackawanna County.

Applications of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of persons by transfer of rights as described under each application.

A-2015-2502958. Tower Limo, LLC (956 East Main Street, Collegeville, PA 19246) a corporation of the Commonwealth of Pennsylvania—for the right to begin to transport, by motor vehicle, persons in limousine service, which is to be a transfer of all rights authorized under the certificate issued at A-2014-2417507 to Barry, LLC, subject to the same rights and limitations.

A-2015-2503700. Pennsylvania Transportation Service, Inc. (5350 Belfield Avenue, Philadelphia, PA 19144) a corporation of the Commonwealth of Pennsylvania—for the right to begin to transport, by motor vehicle, persons upon call or demand, which is to be a transfer of all rights authorized under the certificate issued at A-00113582, F.2, Am-A to Concord Limousine, Inc., t/a Concord Coach Taxi, subject to the same rights and limitations.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 15-1948. Filed for public inspection October 30, 2015, 9:00 a.m.]

Service of Notice of Motor Carrier Formal Complaints

Formal Complaints have been issued by the Pennsylvania Public Utility Commission. Answers must be filed in accordance with 52 Pa. Code (relating to public utilities). Answers are due November 16, 2015, and must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy to the First Deputy Chief Prosecutor, Pennsylvania Public Utility Commission.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Chester County Moving & Storage, LLC; Docket No. C-2015-2490166

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement Prosecutory Staff hereby represents as follows:

1. That Chester County Moving & Storage, LLC, Respondent, maintains its principal place of business at 64 Pottstown Pike, Suite 3, Chester Springs, PA 19425.

2. That Respondent was issued a certificate of public convenience authorizing transportation of household goods by this Commission on March 10, 2011 at Application Docket Number A-2010-2201670.

3. That an informal complaint was received at the Commission on June 29, 2015 for a move contracted by the Respondent in West Chester, Chester County, PA that occurred on June 23, 2015.

4. That on June 30, 2015, PUC Philadelphia District Office Supervisor Anthony Bianco spoke with Jessica Green, the estimator in charge of the above-mentioned move. She confirmed the timeline and activity of the informal complaint described above. As a result of Supervisor Bianco's investigation, the following violations were found:

(a) Bill of lading did not contain the required information.

(b) Shipper was not given the opportunity to verify the articles being delivered and the condition of the articles by being denied a walk-through at the new address.

(c) Failure to respond to reports of damage to property.

5. That Respondent, by failing to include the required information on the bill of lading, violated 52 Pa. Code § 31.132(a). The penalty is \$100.00.

6. That Respondent, by failing to provide the shipper with the opportunity to observe and articles being delivered and the condition of the articles, violated 52 Pa. Code § 31.133(e). The penalty is \$100.00

7. That Respondent, by failing to acknowledge and act promptly upon written or oral communication with respect to insurance claims, violated 52 Pa. Code § 32.16(2). The penalty is \$250.00

Wherefore, the Bureau of Investigation and Enforcement Prosecutory Staff hereby requests that the Commission fine Chester County Moving & Storage, LLC the sum of four hundred fifty dollars (\$450.00) for the illegal activity described in this Complaint and order such other remedy as the Commission may deem to be appropriate.

Respectfully submitted,
David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
P. O. Box 3265
Harrisburg, PA 17105-3265

VERIFICATION

I, David W. Loucks, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 8/4/2015

David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within twenty (20) days of the date of service of this Complaint. The date of service

is the mailing date as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An Answer is a written explanation of circumstances wished to be considered in determining the outcome. The Answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your Answer must be verified and the original shall be mailed to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 P. O. Box 3265
 Harrisburg, PA 17105-3265

Or may be sent by overnight delivery to:

400 North Street, 2nd Floor
 Harrisburg, PA 17120

Additionally, please serve a copy on:

Michael L. Swindler, Deputy Chief Prosecutor
 Bureau of Investigation and Enforcement
 Pennsylvania Public Utility Commission
 P. O. Box 3265
 Harrisburg, PA 17105-3265

Or, e-mail to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this complaint within twenty (20) days, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty. The penalty could include a fine, the suspension or revocation of your certificate of public convenience or other remedy.

C. You may elect not to contest this complaint by paying the fine proposed in this Complaint by certified check or money order. Payment must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 P. O. Box 3265
 Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of your payment, the complaint proceeding shall be closed.

D. If you file an Answer, which admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The judge is not bound by the optional fine set forth above.

F. Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 15-1949. Filed for public inspection October 30, 2015, 9:00 a.m.]

Telecommunications

A-2015-2508468. Commonwealth Telephone Company, LLC, Frontier Communications of Breezewood, LLC, Frontier Communications of Canton, LLC, Frontier Communications of Lakewood, LLC, Frontier Communications of Oswayo River, LLC, Frontier Communications of Pennsylvania, LLC and New Cingular Wireless PCS, LLC on behalf of itself and its commercial mobile radio service operating affiliates. Joint petition of Commonwealth Telephone Company, LLC, Frontier Communications of Breezewood, LLC, Frontier Communications of Canton, LLC, Frontier Communications of Lakewood, LLC, Frontier Communications of Oswayo River, LLC, Frontier Communications of Pennsylvania, LLC and New Cingular Wireless PCS, LLC on behalf of itself and its commercial mobile radio service operating affiliates for approval of an interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Commonwealth Telephone Company, LLC, Frontier Communications of Breezewood, LLC, Frontier Communications of Canton, LLC, Frontier Communications of Lakewood, LLC, Frontier Communications of Oswayo River, LLC, Frontier Communications of Pennsylvania, LLC and New Cingular Wireless PCS, LLC on behalf of itself and its commercial mobile radio service operating affiliates, by their counsel, filed on October 15, 2015, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. The documents filed in support of Commonwealth Telephone Company, LLC, Frontier Communications of Breezewood, LLC, Frontier Communications of Canton, LLC, Frontier Communications of Lakewood, LLC, Frontier Communications of Oswayo River, LLC, Frontier Communications of Pennsylvania, LLC and New Cingular Wireless PCS, LLC on behalf of itself and its commercial mobile radio service operating affiliates joint petition are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, at the Commission's web site at www.puc.pa.gov and at the applicant's business address.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 15-1950. Filed for public inspection October 30, 2015, 9:00 a.m.]

Telecommunications

A-2015-2508866. Verizon North, LLC and Blue Ridge Digital Phone Company. Joint petition of Verizon North, LLC and Blue Ridge Digital Phone Company for approval of an interconnection agreement and Amendment No. 1 to the interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon North, LLC and Blue Ridge Digital Phone Company, by their counsel, filed on October 15, 2015, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement and Amendment No. 1 to the interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. The documents filed in support of Verizon North, LLC and Blue Ridge Digital Phone Company joint petition are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, at the Commission's web site at www.puc.pa.gov and at the applicant's business address.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 15-1951. Filed for public inspection October 30, 2015, 9:00 a.m.]

Telecommunications

A-2015-2508871. Verizon Pennsylvania, LLC and Blue Ridge Digital Phone Company. Joint petition of Verizon Pennsylvania, LLC and Blue Ridge Digital Phone Company for approval of an interconnection agreement and Amendment No. 1 to the interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon Pennsylvania, LLC and Blue Ridge Digital Phone Company, by their counsel, filed on October 15, 2015, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement and Amendment No. 1 to the interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. The documents filed in support of Verizon Pennsylvania, LLC and Blue Ridge Digital Phone Company joint petition are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, at the Commission's web site at www.puc.pa.gov and at the applicant's business address.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 15-1952. Filed for public inspection October 30, 2015, 9:00 a.m.]

Telecommunications

A-2015-2508893. Windstream Pennsylvania, LLC f/k/a Alltel Pennsylvania, Inc. and Granite Telecommunications, LLC. Joint petition of Windstream Pennsylvania, LLC f/k/a Alltel Pennsylvania, Inc. and Granite Telecommunications, LLC for approval of an amendment to an interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Windstream Pennsylvania, LLC f/k/a Alltel Pennsylvania, Inc. and Granite Telecommunications, LLC, by their counsel, filed on October 16, 2015, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an amendment to an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. The documents filed in support of the petition are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, at the Commission's web site at www.puc.pa.gov and at the applicant's business address. Copies of the joint petition of Windstream Pennsylvania, LLC f/k/a Alltel Pennsylvania, Inc. and Granite Telecommunications, LLC are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 15-1953. Filed for public inspection October 30, 2015, 9:00 a.m.]

Telecommunications Services

A-2015-2496222. Barr Tell USA, Inc. Application of Barr Tell USA, Inc. for approval to offer, render, furnish or supply telecommunications services to the public as a competitive local exchange carrier in the service territories of The United Telephone Company of Pennsylvania d/b/a CenturyLink, Commonwealth Telephone Company d/b/a Frontier Communications Commonwealth Telephone Company, Frontier Communications of Oswayo River, Frontier Communications of Lakewood, Frontier Communications of Canton, Frontier Communications of Breezewood, Citizens Telephone Company of Kecksburg, Citizens Telecommunications Company of New York and Windstream Buffalo Valley, Inc.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before November 16, 2015. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

Applicant: Barr Tell USA, Inc.

Through and By Counsel: Elizabeth McKeever, Bevan, Mosca, Giuditta & Zarillo, PC, 222 Mount Airy Road, Suite 200, Basking Ridge, NJ 07920

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 15-1954. Filed for public inspection October 30, 2015, 9:00 a.m.]

Water Service

A-2015-2509383. City of Bethlehem. Application of the City of Bethlehem for approval to begin to offer, render, furnish or supply domestic water service to the public in additional territory in portions of Allen Township, Northampton County and Hanover Township, Lehigh County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before November 16, 2015. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

Applicant: City of Bethlehem

Through and By Counsel: John J. Gallagher, Esquire, 711 Forrest Road, Harrisburg, PA 17112

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 15-1955. Filed for public inspection October 30, 2015, 9:00 a.m.]
