

NOTICES

ADMINISTRATIVE OFFICE OF PENNSYLVANIA COURTS

Request for Bids

The Administrative Office of Pennsylvania Courts is soliciting bids for Statewide Hardware and Network Support. Services include equipment installation, reloca-

tion and/or removal of equipment, as well as hardware, wiring and network support in Court sites throughout this Commonwealth. Bid documents may be obtained from William Holste, Administrative Office of Pennsylvania Courts, P.O. Box 62307, Harrisburg, PA 17106-2307, (717) 795-2000, Ext. 3093, William.Holstepa@courts.us.

THOMAS B. DARR,
Court Administrator of Pennsylvania

[Pa.B. Doc. No. 17-1119. Filed for public inspection July 7, 2017, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority contained in the act of November 30, 1965 (P.L. 847, No. 356), known as the Banking Code of 1965; the act of May 15, 1933 (P.L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P.L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending June 27, 2017.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Corporate Applications Division, 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Conversions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>						
6-26-2017	<p><i>From:</i> Mars National Bank Mars Butler County</p> <p><i>To:</i> Mars Bank Mars Butler County</p> <p>Conversion from a National banking association to a Pennsylvania State-chartered bank. Mars Bank is a wholly-owned subsidiary of Mars National Bancorp, Inc., Mars, an existing bank holding company.</p> <p>Branch offices operated by Mars Bank:</p> <table border="0"> <tr> <td>145 Grand Avenue Mars Butler County</td> <td>20246 Route 19 Cranberry Township Butler County</td> </tr> <tr> <td>5552 William Flynn Highway Gibsonia Allegheny County</td> <td>211 Scharberry Lane Mars Butler County</td> </tr> <tr> <td>600 Pittsburgh Road Butler Butler County</td> <td></td> </tr> </table>	145 Grand Avenue Mars Butler County	20246 Route 19 Cranberry Township Butler County	5552 William Flynn Highway Gibsonia Allegheny County	211 Scharberry Lane Mars Butler County	600 Pittsburgh Road Butler Butler County		Effective
145 Grand Avenue Mars Butler County	20246 Route 19 Cranberry Township Butler County							
5552 William Flynn Highway Gibsonia Allegheny County	211 Scharberry Lane Mars Butler County							
600 Pittsburgh Road Butler Butler County								

Section 112 Acquisitions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
6-22-2017	Charles B. Crawford, Jr. Sandy Spings Fulton County, GA	Filed

Application for approval to acquire more than 5% of the common stock of Hyperion Bank, Philadelphia.

CREDIT UNIONS

No activity.

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

ROBIN L. WIESSMANN,
Secretary

[Pa.B. Doc. No. 17-1120. Filed for public inspection July 7, 2017, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0216151 (Sewage)	Coal Country Campground STP 1183 Executive Drive Glasgow, PA 16644	Cambria County Reade Township	Unnamed Tributary to Clearfield Creek (8-C)	Yes

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PAS802224 (Storm Water)	Beach Lake Transfer Station PO Box 40 Beach Lake, PA 18405	Wayne County Berlin Township	Unnamed Tributary of Beach Lake Creek (1-A)	Yes

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0102580 (Sewage)	Baxter MHP 457 Jamisonville Road Butler, PA 16001	Butler County Center Township	Unnamed Tributary to the Stony Run (20-C)	Yes

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications

Northeast Regional Office: Regional Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone: 570.826.2511.

PA0275981, Pesticides, SIC Code 0782, **Harveys Lake Borough**, 4875 Memorial Highway, Suite 101, Harveys Lake, PA 18618.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge associated with the application of pesticides in Harveys Lake in Harveys Lake Borough, **Luzerne County**.

The receiving stream, Harveys Creek, is located in State Water Plan watershed 05B and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. Applicators are required to follow product labeling instructions of pesticides, which may include provisions to reduce application doses and notify public water suppliers in the event applications are conducted near public water supply intakes. The discharges associated with the pesticide applications are not expected to affect public water supplies.

PA DEP has made a tentative determination to issue the NPDES permit subject to the terms and conditions of the permit. An anti-degradation analysis has been completed to document that pesticide application activities in High Quality (HQ) or Exceptional Value (EV) waters will be conducted in a manner that minimizes adverse environmental effects. The proposed permit contains conditions that require implementation of Pest Management Measures, Recordkeeping and Annual Reporting Requirements, Corrective Action Documentation and Reporting, and a Pesticides Discharge Management Plan.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472. You may submit written comments on the application and draft permit within 30 days to the address above. After the 30-day comment period, PA DEP will make a final determination on the issuance of the permit.

The EPA waiver is not in effect.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

PA0265071, Sewage, SIC Code 8800, **Aridith Knopf**, 1701 Jackson Avenue, Warren, PA 16365. Facility Name: Aridith Knopf SRSTP. This proposed facility is located in Glade Township, **Warren County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated sewage from a single family residence.

The receiving stream, an unnamed tributary to Glade Run, is located in State Water Plan watershed 16-B and is classified for cold water fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200 Geo Mean	XXX	XXX

In addition, the permit contains the following major special conditions:

- Requirement to submit an Annual Maintenance Report and a Discharge Monitoring Report
- No stormwater admitted to the treatment system
- Aerobic tank pumping requirement
- Solids handling
- Abandonment of the treatment system (for public sewage)

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

WQM Permit No. 2817401, Sewerage, **Borough of Chambersburg**, 100 South 2nd Street, Chambersburg, PA 17201.

This proposed facility is located in Chambersburg Borough, **Franklin County**.

Description of Proposed Action/Activity: Seeking permit approval for the construction/operation of replacement of approximately 2,200 linear feet of existing 24-inch diameter interceptor, East Conococheague Interceptor Replacement.

WQM Permit No. 2885409, Amendment No. 1, Sewerage, **Lebanon Valley Mobile Home Community**, 320 Parket Street, Carlisle, PA 17013-3621.

This proposed facility is located in Bethel Township, **Lebanon County**.

Description of Proposed Action/Activity: Seeking permit approval for the construction/operation of the replacement of effluent filters and chlorine/dechlorination system with package tertiary filter system with UV disinfection.

WQM Permit No. 2817402, Sewerage, **Hamilton Township Municipal Authority**, 1270 Crottletown Road, Chambersburg, PA 17201.

This proposed facility is located in Hamilton Township, **Franklin County**.

Description of Proposed Action/Activity: Seeking permit approval for the relocation and repairs to existing mixed use area, Sollenberger Road Sewer Upgrade Project.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 1617403, Sewage, **John Schricker**, 286 Gravel Lick Road, Strattanville, PA 16258.

This proposed facility is located in Washington Township, **Clarion County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. WQG01251702, Sewage, **Kevin Vanhonk**, 10853 State Highway 18 Apt 1, Conneaut Lake, PA 16316-3229.

This proposed facility is located in Springfield Township, **Erie County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 6217408, Sewage, **Michael S Williams**, 810 Old State Road, Russell, PA 16345.

This proposed facility is located in Pine Grove Township, **Warren County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 6217409, Sewage, **Christine Mueller**, 1491 Bimber Run Road, Tidioute, PA 16351.

This proposed facility is located in Limestone Township, **Warren County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Monroe County Conservation District, 8050 Running Valley Rd., Stroudsburg, PA 18360-0917.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD450013	DEPG Mosier Associates, LP 580 W. Germantown Pike Suite 103 Plymouth Meeting, PA 19462	Monroe	Smithfield Township	Brodhead Creek (TSF, MF) Marshalls Creek (HQ-CWF, MF)
PAD450031	Hard Rock Trucking and Excavating, LLC HC 1, Box 519 Brodheads ville, PA 18322	Monroe	Hamilton Township	McMichaels Creek (HQ-CWF)

Susquehanna County Conservation District, 88 Chenango Street, Montrose, PA 18801.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD580004	UGI Penn Natural Gas 2525 North 12th St, Suite 360 Reading, PA 19612	Susquehanna	Union Dale Borough Clifford Township Forest City Borough Fell Township Vandling Borough Carbondale City Clinton Township	Lackawanna River (HQ-CWF, MF) UNT to Lackawanna River (HQ-CWF, MF) Meredith Brook (CWF, MF) Wilson Creek (CWF, MF) Coal Brook (CWF, MF)

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570.327.3574.

Clinton County Conservation District: 45 Cooperation Lane, Mill Hall, PA 17751, (570) 726-3798.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD180009	Abner Fisher 212 Brungard Lane Mill Hall, PA 17751	Clinton	Porter Twp	UNT to Cedar Run HQ-CWF

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Michael Forbeck, Acting Waterways and Wetlands Program Manager, 412-442-4000.

<i>Permit No.</i>	<i>Applicant & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Stream Name</i>
PAD040002	Pike Business Park, LLC 120 Allen Street Beaver Falls, PA 15010	Beaver County	South Beaver Township	UNT to North Fork Little Beaver Creek (HQ-CWF)

VII. List of NOIs for NPDES and/or Other General Permit Types

PAG-12 CAFOs

CAFO Notices of Intent Received

Northcentral Region: Clean Water Program Manager, 208 West Third Street, Williamsport, PA 17701.

NPDES Permit No. PAG124806, CAFO, Jerrel Brubaker, Buffalo Valley Farm, 269 Meeting House Lane, Lewisburg, PA 17837-8862.

This existing facility is located in Buffalo Township, **Union County**.

Description of size and scope of existing operation/activity: Renewal/amendment of a general NPDES permit for an existing finishing swine facility with concrete under-barn manure storage and a proposed broiler operation. The facility will be comprised of approximately 4,100 swine (Grow-Finish) and 68,000 broilers. There will be a total of 673.25 AEUs.

The receiving stream, Unnamed Tributary to Limestone Run, is in watershed 10-C and classified for: Migratory Fishes and Warm Water Fishes.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 100-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no

other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

NPDES Permit No. PAG124860, CAFO, **Meiserville Milling, LLC**, 127 Mill Road, Mount Pleasant Mills, PA 17853-8134.

This proposed facility is located in Chapman Township, **Snyder County**.

Description of size and scope of proposed operation/activity: Application for a general NPDES permit for a new finishing swine operation with a concrete under-barn manure storage facility and an existing beef cattle operation. The facility will be comprised of approximately 4,800 swine (Grow-Finish), 15 calves, and 2 steer. There will be a total of 673.25 AEUs.

The receiving stream, Unnamed Tributary to North Branch Mahantango Creek, is in watershed 6-C and classified for: Trout Stocking, Migratory Fishes.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 100-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

STATE CONSERVATION COMMISSION

PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Service at (800) 654-5984.

CAFO NMP

PUBLIC NOTICE SPREADSHEET—APPLICATIONS (Submission)

<i>Agricultural Operation (Name and Address)</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units (AEUs)</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>New or Renewal</i>
Will-O-Bett Farm— Paul Dagostin 137 Bomboy Lane Berwick, PA 18603	Luzerne	103.2	726.20	Swine/Beef/ Goat/Layer	NA	Renewal

PUBLIC WATER SUPPLY (PWS) PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a

concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available

for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 6717503, Public Water Supply.

Applicant	Northstar Properties Management
Municipality	Franklin Township
County	York
Responsible Official	Keith Shanahan, Certified Water Operator PO Box 396 Mechanicsburg, PA 17055
Type of Facility	Public Water Supply
Consulting Engineer	Kevin L. Little, P.E. Barton & Loguidice DPC 3901 Hartzdale Drive Camp Hill, PA 17013
Application Received:	6/1/2017
Description of Action	A new arsenic treatment system will be installed for the Stoney Run Apartments water system due to a routine sample exceeding the maximum contaminant level of 10 µg/L.

Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Permit No. 6117501, Public Water Supply.

Applicant	Sugarcreek Station
Township or Borough	Sugarcreek Borough
County	Venango
Responsible Official	Steve Romanchik
Type of Facility	Senior Community
Consulting Engineer	Charles Brench/ Chester Engineers 1555 Coraopolis Heights Road Moon Township, PA 15108
Application Received Date	June 21, 2017
Description of Action	Install new chlorine gas feed system

Permit No. 1090503-T1-MA2.

Applicant	PA American Water Company
Township or Borough	Clinton Township
County	Butler
Responsible Official	Bruce Brubaker

Type of Facility	Water Treatment Plant
Consulting Engineer	Bruce Brubaker PA American 800 Hershey Park Drive Hershey, PA 17033
Application Received Date	June 21, 2017
Description of Action	Demolish Saxonburg Standpipe
Permit No. 3789504-T1-MA4.	
Applicant	PA American Water Company
Township or Borough	Mahoning Township
County	Lawrence
Responsible Official	Bruce Brubaker
Type of Facility	Water Treatment Plant
Consulting Engineer	Bruce Brubaker PA American 800 Hershey Park Drive Hershey, PA 17033
Application Received Date	June 21, 2017
Description of Action	Demolish unused Street Tanks

WATER ALLOCATIONS

Applications received under the act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) relating to the Acquisition of Rights to Divert Waters of the Commonwealth

Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

WA45-134E, Water Allocation, **Brodhead Creek Regional Authority (BCRA)**, 410 Mill Creek Road, East Stroudsburg, PA 18301, **Monroe County**. The applicant is requesting a modification to its Water Allocation Permit No. WA45-134D to expand the BCRA water service area into a limited area of Paradise Township, Monroe County. No increases in the approved withdrawals from existing surface water sources (Brodhead Creek and Stokes Mill Spring) are proposed.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907)

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.302—6026.305) require the Department to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. A person intending to use the background standard, Statewide health standard, the site-specific standard or intend to remediate a site as a special industrial area shall file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief

description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of cleanup standards or receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the following site, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified as follows. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office listed before the notice. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Northeast Region: Eric Supey, Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Holiday Inn Express, 1 Corporate Drive, Butler Township, **Luzerne County**. MEA, Inc., 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Sam Patel, 4 Jewel Court, Montville, NJ 07045, submitted a Notice of Intent to Remediate. Contamination at this site was a result from historic operations at a neighboring property. The proposed future use of the property will be commercial. The Notice of Intent to Remediate was published in *The Standard Speaker* on May 25, 2017.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

Miller Chemical & Fertilizer LLC Fire, 120, 150 and 170 Radio Road, Hanover, PA 17331, Conewago Township, **Adams County**. Ramboll Environ US Corporation, 4350 North Fairfax Drive, Suite 300, Arlington, VA 22203, on behalf of Miller Chemical & Fertilizer, LLC, 120 Radio Road, Hanover, PA 17332, submitted a Notice of Intent to Remediate site soil contaminated with inorganics and fertilizers. The site will be remediated to a combination of Background, Site-Specific, and Non-Residential Statewide Health Standards. Future use of

the site is to remain non-residential. The Notice of Intent to Remediate was published in *The Evening Sun* on June 4, 2017.

Allegheny Veterinary Hospital, 110 North Jefferson Street, Mount Union, PA 17066, Mount Union Borough, **Huntingdon County**. McKee Environmental, Inc., 218 Washington Avenue, Bellefonte, PA 16823, on behalf of Allegheny Veterinary Hospital, 110 North Jefferson Street, Mount Union, PA 17066, submitted a Notice of Intent to Remediate site soil and groundwater contaminated with leaded gasoline. The site will be remediated to the Residential Statewide Health Standard. Future use of the site to remain as a commercial property. The Notice of Intent to Remediate was published in *The Daily News* on June 1, 2017.

RESIDUAL WASTE GENERAL PERMITS

Application(s) Received Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Telephone 412-442-4000.

General Permit Application No. WMGR038SW012. Dan's Tire Service, LLC., McCune Street and Willow Way, Braddock, PA 15104. A request for Determination of Applicability for coverage under General Permit WMGR038 to process waste tires for beneficial at a facility to be located in Braddock Borough, **Allegheny County**. The application was deemed to be administratively complete by the Regional Office on May 31, 2017.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Application for Determination of Applicability Received Under the Solid Waste Management Act; the Municipal Waste Planning, Recycling and Waste Reduction Act; and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401.

General Permit Application No. WMGR028SE002A. Naceville Materials—Rushland Quarry, 887 Mill Creek Road, Rushland, PA 18956-0461. This application is for a determination of applicability (DOA) under General Permit No. WMGR028SE002A to renew coverage for the beneficial use of asphalt plant baghouse fines at the Naceville Material—Rushland Quarry located in Wrightstown Township, **Bucks County**. The application for determination of applicability was accepted by the Southeast Regional Office on June 16, 2017.

Comments concerning the application should be directed to the Pennsylvania Department of Environmental Protection ("DEP") Waste Management Program Manager, Southeast Regional Office, 2 East Main Street, Norristown, PA 19401-4915. Persons interested in obtaining more information about the general permit application may contact the Southeast Regional Office by telephone at 484.250.5960. TDD users may contact the DEP

through the Pennsylvania AT&T Relay Service, (800) 654.5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities.

Copies of the application, the Department's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chap-

ters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

16-132M: Clarion Boards, Inc. (143 Fiberboard Road, Shippensburg, PA 16254), for the proposed replacement of 5 existing baghouses (C104, C107, C110, C111, & C112) with new baghouses (C104A, C107A, C110A, C111A, & C112A) for Source 104, Source 107, Source 110, Source 111, & Source 112 and the proposed construction of a new outdoor chip storage area in Paint Township, **Clarion County**. This is a Title V facility.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James A. Beach, New Source Review Chief—Telephone: 484-250-5920.

46-0161E: The H& K Group, Inc. Sanatoga Blacktop (394 South Sanatoga Road, Pottstown, PA 19464-3148), for the increase of Volatile Organic Compound (VOC) emissions from 0.015 lb VOC/ton of production to 0.024 lb VOC/ton of production at their existing Hot Mix Asphalt facility in Lower Pottsgrove Township, **Montgomery County**. The Asphalt plant utilizes a Hauck total air burner firing natural gas which is regulated by an electronic burner control. The burner control is inspected weekly to ensure proper operation and the burner is disassembled for annual maintenance and tune up by a contractor to ensure proper combustion. The BAT for this source will be use of natural gas and existing equipment and work practice standards. The Plan Approval also contains testing, monitoring, and recordkeeping requirements and work practice standards designed to keep the source and facility operating within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

67-05004T P.H. Glatfelter Company (228 South Main Street, PA 17362) for the pulp and paper manufacturing facility located in the Spring Grove Borough, **York County**. The plan approval revises the selected continuous monitoring option in PA67-05004S regarding the 40 CFR Part 63 Subpart DDDDD (Boiler MACT) Hydrogen Chloride (HCL) emission limit for Power Boiler Number 5. The facility's actual emissions are not expected to change as a result of this plan approval. The plan approval will include visible emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Based on these findings, the Department proposes to issue a plan approval for the proposed change. If, after the project has been implemented, the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specification of the application for plan approval, the requirements established in the plan approval will be incorporated into an operating permit pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450.

36-05081B: Lancaster County Solid Waste Management Authority (1299 Harrisburg Pike, Lancaster, PA 17604) for the construction of a vertical expansion to the existing Frey Farm Landfill site located at the Creswell-Frey Farm Landfill in Manor Township, **Lancaster County**. The existing facility is a Title V facility. DEP's review of the information submitted by the applicant indicates that the air contamination sources as constructed or modified will comply with all regulatory requirements including the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12. The vertical expansion will increase the Landfill's overall capacity by approximately 6.4 million cubic yards and will have the potential to increase emissions of Nitrogen Oxides (NO_x) emissions to 21.9 tpy, CO emissions to 44.0 tpy, PM₁₀ emission to 32.7 tpy, SO_x emission to 3.4 tpy, NMOC emissions to 27.7 tpy, VOC emissions to 22.2 tpy, and HAP emissions to 3.5 tpy. The plan approval will include visible emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR Part 60 Subpart WWW—Standards of Performance for Municipal Solid Waste Landfills and 40 CFR Part 63, Subpart AAAA—National Emission Standards for Hazardous Air Pollutants: Municipal Solid Waste Landfills. Based on these findings, the Department proposes to issue a plan approval for the proposed change. If, after the project has been implemented, the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specification of the application for plan approval, the requirements established in the plan approval will be incorporated into an operating permit pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Alan Binder, P.E., Environmental Engineer Manager—Telephone: 412-442-4168.

65-00990D: Tenaska Pennsylvania Partners, LLC (14302 FNB Parkway, Omaha, NE 68154) Notice is hereby given that the Department of Environmental Protection (Department) intends to issue a modification to plan approval no. 65-00990D to Tenaska Pennsylvania Partners, LLC (Tenaska) for authorization of the transfer

and use of nitrogen oxide (NO_x) and volatile organic compound (VOC) emission reduction credits (ERCs) at the Westmoreland Generating Station in South Huntingdon Township, **Westmoreland County**. In accordance with PA-65-00990E and 25 Pa. Code §§ 127.201—127.217, the permittee shall secure 357 tons per year of NO_x ERCs and 256 tons per year of VOC ERCs no later than the date approved by the Department for commencement of operation of the proposed facility.

Tenaska's plan approval modification application, the Department's review memorandum, the proposed plan approval, and other relevant information are available for review by any interested party at the Department's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To request a review, please contact Phil Bouse at 412.442.4000.

A person may oppose the proposed plan approval by filing a written protest with the Department through Alexander Sandy, Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222; asandy@pa.gov; or fax 412.442.4194. Each protest or set of written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval (PA-65-00990D), and concise statement of the objections to the plan approval issuance and the relevant facts upon which the objections are based. All comments must be received prior to the close of business 30 days after the date of this publication.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

34-05001: AC Products, Inc.—Thompstontown (12393 William Penn Highway, Thompstontown, PA 17094) for their cabinet manufacturing facility in Delaware Township, **Juniata County**. The facility 2015 emissions were 2.25 tons of carbon monoxide, 3.95 tons of nitrogen oxide, 1.46 ton of particulate matter, 0.41 ton of sulfur dioxide, 215.51 tons of volatile organic compounds, and 38.36 tons of HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR Part 63 Subpart JJ—National Emission Standards for Wood Furniture Manufacturing Operations, and 40 CFR Part 63 Subpart DDDDD—National Emission Standards for Hazardous Air Pollutants for Major Sources: Industrial, Commercial, and Institutional Boilers and Process Heaters.

36-05003: Carmeuse Lime Inc. (3 Clear Spring Road, Annville, PA 17003) for the operation of the Millard Lime plant in North Londonderry Township, **Lebanon County**. The facility's reported AIMS emissions for 2016 were 315.97 tons of CO, 225.94 tons of NO_x, 191.30 tons of SO_x, 20.85 tons of PM₁₀, 10.32 tons of PM_{2.5}, and 0.9 ton of VOCs. The Title V Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to

ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include applicability to the RACT 2 requirements of 25 Pa. Code §§ 129.96–129.100, 40 CFR Part 63, Subpart ZZZZ—National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines, and 40 CFR Part 63, 40 CFR Part 63, Subpart AAAAA for Lime Manufacturing Plants.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief—Telephone: 412-442-4336.

30-00077: Texas Eastern Transmission LP (258 Bristoria Road, Wind Ridge, PA 15380-1259), In accordance with 25 Pa. Code §§ 127.424, 127.425 and 127.521, the Department of Environmental Protection (DEP) is providing notice that it intends to issue a renewal Title V Operating Permit (TVOP-30-00077) to Texas Eastern Transmission LP (“Texas Eastern”) to authorize the continued operation of gas compression at their Holbrook Compressor Station (“Holbrook CS”) located in Richhill Township, **Greene County**.

The previously installed sources include three (3) natural gas-fired Mars Turbines each rated at 15,000 bhp, twelve (12) natural gas-fired engine; eight rated at 1,350 bhp and four rated at 2,000 bhp, three (3) natural gas-fired emergency generators rated at 400 bhp, 600 bhp, and 675 bhp, storage tanks, parts washer, and space heaters.

Facility-wide potential emissions per plan approval (PA-30-00077D), are 176.0 tpy NO_x, 133.0 tpy CO, 104.0 tpy VOC, 13.0 tpy PM₁₀, 8.0 tpy HCHO, 1.0 tpy Benzene, 18.0 tpy total HAPs, and 24.0 tpy SO_x.

This facility is subject to applicable requirements of RACT II in accordance with 25 Pa. Code § 129.97 requirements for major sources of NO_x and VOC, 40 CFR Part 60 Subpart GG, Part 60 Subpart JJJJ, Part 60 Subpart KKKK, and 25 Pa. Code Chapter 121—145. The facility has limitation on potential emissions, hours of operation, as well as LDAR, monitoring, record keeping, reporting, and work practice, and performance testing requirements.

Texas Eastern Title V Operating Permit (“TVOP”) renewal application, the Department’s Air Quality Review Memorandum, and the proposed Air Quality TVOP for this project are available for review by any interested party at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To request a review of the TVOP renewal application, to receive an electronic copy of the Department’s Air Quality Review Memorandum, or to receive an electronic copy of the Department’s proposed Air Quality Title V Operating Permit for this project, a person may contact Thomas Kaminski at thkaminski@pa.gov or 412.442.4097.

Any person may submit comments, requests for the Department to hold a public hearing, or protests to the operating permit or a proposed condition thereof, by filing such submissions in writing to the Department at the Southwest Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments.

All comments, requests for a public hearing, and protests to a proposed action, shall be filed with the Department within 30 days of the date that notice of the proposed action was published under 25 Pa. Code

§ 127.424 (relating to public notice). Comments, requests for a public hearing, and protests must include the name, address and telephone number of the person filing the protest, identification of the proposed permit issuance being opposed (TVOP-30-00077) and a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based.

A public hearing may be held in accordance with 25 Pa. Code § 127.429, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. If a public hearing is held, all persons who have properly filed a protest under 25 Pa. Code § 127.426 may appear and give testimony. The applicant, the protestant and other participants will be notified of the decision to hold a hearing (and the time, place and purpose of such hearing) by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient.

Comments, protests and requests for a public hearing should be directed to Jesse Parihar, Air Quality Engineering Specialist, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. (jparihar@pa.gov, or 412.442.4030)

Intent to Issue Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

09-00230: Veterinary Crematory Services (387 Nina Way, Warminster, PA 18974) for an initial State Only Operating Permit in Warminster Township, **Bucks County**. Veterinary Crematory Services dba Evercare offers pet crematory services. Sources at the facility consist of five (5) natural gas-fired animal crematory units. The facility is categorized as a natural minor facility based on its potential emissions. The permit includes monitoring, record keeping and reporting requirements to address all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

67-05084: York Wall Coverings Inc. (2075 Loucks Road, PA 17408-9704) to issue a State Only Operating Permit for wallcovering presses at the Loucks Road Plant located in West Manchester Township, **York County**. The primary emissions from the facility is VOC. The actual 2016 emissions from the facility was 11.68 tons. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions for odor, fugitive, and visible emissions derived from 25 Pa. Code Chapter 123.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

43-00324: John Flynn Funeral Home & Crematory, Inc. (2630 East State St., Hermitage, PA 16148-2718), the Department intends to issue the renewal of the Natural Minor Permit to operate a funeral home and crematory in the City of Hermitage, **Mercer County**. The only permitted source at the facility is a cremator equipped with an afterburner as a control device. The cremator at the facility is subject to restrictions and requirements adapted from the permitting criteria recommended by the Department for crematory incinerators (DEP BAQ Doc. No. 275-2101-007). The facility has potential to emit 1.93, 0.53, 0.48, and 0.04 TPY of NO_x, CO, PM, and VOC, respectively. No significant changes in permit requirements are made in this renewal.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.20a). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department. A copy of the application is available for inspection at the district mining office indicated before each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application and request for Section 401 water quality certification application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the district mining office indicated before each application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Written comments or objections regarding a mining permit application should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

A request for an informal conference or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 or § 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

When an NPDES number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Received

New Stanton District Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

65020101, Rosebud Mining Company (301 Market Street, Kittanning, PA 16201-1504). Renewal application for reclamation only to an existing bituminous surface mine, located in Unity Township, **Westmoreland County**, affecting 68 acres. Receiving streams: Unnamed tributary to Nine Mile Run, classified for the following use: WWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Renewal application received: June 16, 2017.

03900112 Canterbury Coal Company, c/o Murray Energy Corp. (46226 National Road, St., Clairsville, OH 43950). Renewal application for reclamation only to an existing bituminous surface mine, located in Kiskiminetas Township, **Armstrong County**, affecting 81.2 acres. Receiving streams: unnamed tributary to Long Run, classified for the following use: WWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Renewal application received: June 19, 2017.

32A77SM5 and NPDES Permit No. PA0278254. Twilight Industries, Division of USNR, LLC (P.O. Box 310, Woodland, WA 98674). Renewal application for reclamation only to an existing bituminous surface mine, located in East Bethlehem Township, **Washington County**, affecting 75 acres. Receiving streams: Unnamed tributary to Tenmile Creek, classified for the following use: WWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Renewal application received: June 16, 2017.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 49060101R2. Last Time Coal Co., (119 Greenwood Street, Trevorton, PA 17881), renewal of an existing anthracite surface mine operation in Zerbe Township, **Northumberland County** affecting 242.1 acres, receiving stream: unnamed tributary to Zerbe Run, classified for the following use: cold water fishes. Application received: June 13, 2017.

Permit No. 54970101R4. Premium Fine Coal, Inc., (P.O. Box 268, Tamaqua, PA 18252), renewal of an existing anthracite surface mine, coal refuse reprocess, refuse disposal and preparation plant operation in Schuylkill Township, **Schuylkill County** affecting 727.0 acres, receiving stream: Schuylkill River, classified for the following use: cold water fishes. Application received: June 15, 2017.

Permit No. 54-305-021GP12R. Premium Fine Coal, Inc., (P.O. Box 268, Tamaqua, PA 18252), renewal application to operate a coal preparation plant whose pollution control equipment is required to meet all applicable limitations, terms and conditions of General Permit, BAQ-GPA/GP-12 on Surface Mining Permit No. 54970101 in Schuylkill Township, **Schuylkill County**. Application received: June 15, 2017.

Noncoal Applications Received

Effluent Limits—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

Parameter	Table 2		
	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

*The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

New Stanton District Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

63920301 and NPDES Permit No. PA0203424. Langeloth Metallurgical Co., LLC (10 Langeloth Plant Drive, Langeloth, PA 15054-0608). NPDES renewal application for continued mining to an existing large noncoal surface mine, located in Smith Township, **Washington County**, affecting 13 acres. Receiving streams: Burgetts Fork, classified for the following use: WWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Renewal application received: June 19, 2017.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 58070835. Donald A. Stanton, Jr., (2163 Pratt Hollow Road, Nicholson, PA 18446), Stage I & II bond release of a quarry operation in Lenox Township, **Susquehanna County** affecting 5.0 acres on property owned by Joseph Bennett. Application received: June 16, 2017.

Permit No. 7776SM1C9 and NPDES PA0611883. Martin Stone Quarries, Inc., (1355 North Reading Avenue, Bechtelsville, PA 19505), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in Colebrookdale Township, **Berks County** affecting 349.35 acres, receiving stream: Swamp Creek, classified for the following uses: trout stocking, cold water fishes and migratory fishes. Application received: June 19, 2017.

Permit No. 5376SM16C10 and NPDES PA0593915. American Asphalt Paving Company, (500 Chase Road, Shavertown, PA 18708), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in Jackson Township, **Luzerne County** affecting 131.75 acres, receiving stream: Brown's Creek, classified for the following uses: cold water fishes. Application received: June 14, 2017.

Permit No. 7373SM3C8 and NPDES PA0593206. Lehigh Asphalt Paving and Construction Company, (1393 West Lizard Creek Road, Lehigh, PA 18253), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in East Penn Township, **Carbon County** affecting 203.6 acres, receiving stream: Lizard Creek, classified for the following uses: trout stocking and migratory fishes. Application received: June 19, 2017.

Permit No. 64122501C and NPDES PA0225240. Tim Kohrs, (115 Beachlake Highway, Honesdale, PA 18431), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in Texas Township, **Wayne County** affecting 10 acres, receiving stream: Indian Orchard Brook, classified for the following uses: high quality—cold water fishes and migratory fishes. Application received: June 6, 2017.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

Parameter	Table 2		
	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	

Alkalinity greater than acidity*

*The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a

precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30 days of this public notice and contain the name, address, telephone number and the interest of the party filing the request, and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

New Stanton District Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

NPDES No. PA0251500 (Mining permit no. 02080102), Cherep's Excavating, LLC, 9742 Saltsburg Road, Pittsburgh, PA 15239. Renewal NPDES permit for a bituminous surface mine in North Fayette and Collier Township, **Allegheny County**, affecting 121.4 acres. Receiving stream(s): Robinson Run, Unnamed Tributary B to Robinson Run, Pinkertons Run, and Unnamed Tributary to Pinkertons Run classified for the following use(s): WWF. The receiving streams are included in the Chartiers Creek Watershed TMDL. Application received: July 3, 2014.

The treated wastewater outfall(s) listed below discharge to Robinson Run, Unnamed Tributary B to Robinson Run, Pinkertons Run, and Unnamed Tributary to Pinkertons Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
TP1	N	MDT
TP2	N	MDT
TP3	N	MDT
TP4	N	MDT
TP5	N	MDT

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/L)	1.5	3.0	3.7
Manganese (mg/L)	1.0	2.0	2.5
Aluminum (mg/L)	0.75	0.75	0.75
Total Suspended Solids (mg/L)	35	70	90
Osmotic Pressure (mOsm/kg)	50	50	50
Sulfate (mg/L)		Monitor and Report	
Total Cadmium (mg/L)		Monitor and Report	

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Copper (mg/L)		Monitor and Report	
Total Lead (mg/L)		Monitor and Report	
Total Mercury (mg/L)		Monitor and Report	
Total Nickel (mg/L)		Monitor and Report	
Total Selenium (mg/L)		Monitor and Report	
Total Cyanide (mg/L)		Monitor and Report	
Total Phenols (mg/L)		Monitor and Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

The stormwater outfall(s) listed below discharge to Robinson Run, Unnamed Tributary B to Robinson Run, Pinkertons Run, and Unnamed Tributary to Pinkertons Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
SP1	N	SW
SP2	N	SW
SP3	N	SW
SP4	N	SW
SP5	N	SW
SP6	N	SW

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/L)	1.5	3.0	3.7
Manganese (mg/L)	1.0	2.0	2.5
Aluminum (mg/L)	0.75	0.75	0.75
Total Suspended Solids (mg/L)	35	70	90
Osmotic Pressure (mOsm/kg)	50	50	50
Sulfate (mg/L)		Monitor and Report	
Total Cadmium (mg/L)		Monitor and Report	
Total Copper (mg/L)		Monitor and Report	
Total Lead (mg/L)		Monitor and Report	
Total Mercury (mg/L)		Monitor and Report	
Total Nickel (mg/L)		Monitor and Report	
Total Selenium (mg/L)		Monitor and Report	
Total Cyanide (mg/L)		Monitor and Report	
Total Phenols (mg/L)		Monitor and Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

Noncoal NPDES Draft Permits

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

NPDES No. PA0257389 (Mining Permit No. 08100302), Johnson Quarries, Inc., P.O. Box 136, Orange Street, LeRaysville, PA 18829, renewal of an NPDES permit for a large industrial minerals operation in Stevens Township, **Bradford County**, affecting 128 acres. Receiving stream(s): Rockwell Creek and Unnamed Tributary (UNT) to Wyalusing Creek, classified for the following use(s): WWF/MF. Application received: March 1, 2017.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for noncoal mining activities.

The outfall(s) listed below discharge to UNT to Wyalusing Creek:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
001 (TF-1)	N
004 (SP-C)	N

The outfall(s) listed below discharge to Rockwell Creek:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
002 (SP-A)	N
003 (SP-B)	N

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH (S.U.)	6.0			9.0
Alkalinity greater than acidity				
Total Suspended Solids (mg/l)		35.0	70.0	90.0
Total Settleable Solids* (ml/l)		N/A	N/A	0.5

* for sediment ponds during storm events

NPDES No. PA0207101 (Mining Permit No. 4773SM2), Hanson Aggregates Pennsylvania LLC, 7660 Imperial Way, Allentown, PA 18195, renewal of an NPDES permit for large industrial mineral surface mine in Limestone Township, **Lycoming County**, affecting 321.7 acres. Receiving stream(s): Antes Creek classified for the following use(s): CWF and MF. Application received: April 11, 2017.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described below for noncoal mining activities.

The industrial treatment facility outfall(s) listed below discharges to Antes Creek:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
MP-2	N

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Benzene (mg/l)	Monitor Only		
Oil & Grease (mg/l)	Monitor Only		
Total Suspended Solids (mg/l)	Monitor Only		
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

The stormwater outfall(s) listed below discharge to Antes Creek:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
001	N
002	N

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	NA	NA	NA
Total Suspended Solids (mg/l) ¹	35.0	70.0	90.0
Total Settleable Solids (ml/l)	NA	NA	0.5
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

¹ Applies during "dry weather flow" conditions

The outfall(s) listed below require a non-discharge alternative:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
MP-1	N

There is no proposed surface discharge from the above listed facilities to the receiving stream due to the implementation of Best Management Practices.

NPDES No. PA0257826 (Mining Permit No. 57112501), Jack L. McClintock, 15222 US Highway 220, Muncy Valley, PA 17758, renewal of an NPDES permit for large industrial mineral surface mine in Shrewsbury Township, **Sullivan County**, affecting 12 acres. Receiving stream(s): Unnamed Tributary to Muncy Creek classified for the following use(s): Exceptional Value. Application received: February 6, 2017.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described below for noncoal mining activities.

The industrial treatment facility outfall(s) listed below discharges to Unnamed Tributary to Muncy Creek:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
TF-1	N

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Aluminum (mg/l)	NA	NA	NA
Total Suspended Solids (mg/l)	35.0	70.0	90.0
Osmotic Pressure (milliosmoles/kg)	NA	NA	NA
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

The outfall(s) listed below require a non-discharge alternative:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
ST-1	N

There is no proposed surface discharge from the above listed facilities to the receiving stream due to the implementation of Best Management Practices.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before an application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on working days at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications Received under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone 570-826-2511.

E40-792. Kenneth M. Pollock, 340 Huntsville Idetown Road, Dallas, PA 18612, in Harveys Lake Borough, **Luzerne County**, U.S. Army Corps of Engineers, Baltimore District.

To construct and maintain the following a 1,240 sq. ft. pile-supported addition to the existing lakehouse/dock in the basin of Harveys Lake (HQ-CWF). The project is located at Pole 247 along Lakeside Drive (Harveys Lake, PA Quadrangle, Latitude: 41°21'34.2"; Longitude: -76°2'22.78").

E40-793. William M. Watkins, 140 Lake Shore Drive, Montrose, PA 18801, in Harveys Lake Borough, **Luzerne County**, U.S. Army Corps of Engineers, Baltimore District.

To remove a damaged 160 sq. ft. dock and to construct and maintain a 2,175 sq. ft. pile-supported dock addition to the existing lakehouse/dock in the basin of Harveys Lake (HQ-CWF). The project is located at Pole 266 along Lakeside Drive in Harveys Lake Borough, Luzerne County (Harveys Lake, PA Quadrangle, Latitude: 41°21'15.57"; Longitude: -76°2'32.59").

E45-608. Pennsylvania Department of Transportation Engineering District 5-0, 1002 Hamilton Street, Allentown, PA 18101, in Tunkhannock Township, **Monroe County**, U.S. Army Corps of Engineers, Philadelphia District.

To authorize the following water obstructions and encroachments associated with roadway improvements along SR 0115:

1. To remove the existing structure and to construct and maintain a road crossing carrying SR 0115 over Keiper Run Creek (HQ-CWF, MF), consisting of a 61-foot long, 13' × 7' box culvert, depressed 12 inches below natural streambed elevation;

2. To relocate approximately 200 linear feet of Keiper Run Creek (HQ-CWF, MF) to better align with the culvert inlet.

The overall improvements will permanently impact 0.126 acre of wetlands, 0.055 acre of stream channel, and 0.505 acres of floodway and temporarily impact 0.006 acre of wetlands, 0.017 acre of stream channel, and 0.368 acre of floodway in Monroe County. The proposed overall project is located along a 1.8-mile section of SR 0115 starting approximately 400 feet west of the intersection with State Route 0903 and moving east 1.8 mile (Blakeslee, PA Quadrangle, Latitude: 41°3'17.35"; Longitude: -75°32'16.42").

E40-796. Chris W. Carver, 116 Wakefield Road, Shavertown, PA 18798, in Harveys Lake Borough, **Luzerne County**, U.S. Army Corps of Engineers, Baltimore District.

To remove a 350 sq. ft. temporary dock and to construct and maintain a 325 sq. ft. pile-supported dock in the basin of Harveys Lake (HQ-CWF). The project is located at Pole 141 along Lakeside Drive (Harveys Lake, PA Quadrangle, Latitude: 41°22'29.8"; Longitude: -76°2'27.3").

E40-794, Michael T. Morris, 256 East Carcas Avenue, Hershey, PA 17033, in Harveys Lake Borough, **Luzerne County**, U.S. Army Corps of Engineers, Baltimore District.

To construct and maintain a 567 sq. ft. pile-supported dock addition to the existing 262 sq. ft. dock, within the basin of Harveys Lake (HQ-CWF). The project is located at Pole 229 along Lakeside Drive (Harveys Lake, PA Quadrangle, Latitude: 41°21'55.9"; Longitude: -76°2'41.2").

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Michael Forbeck, Acting Waterways and Wetlands Program Manager, 412-442-4000.

E02-1767, Rachel Carson Trails Conservancy, Inc., P.O. Box 472; Wexford, PA 15090, Pine Township, **Allegheny County**, Pittsburgh ACOE District.

ACOE: Pittsburgh

The applicant proposes to:

Construct, operate, and maintain a single span bridge using beams mounted on concrete abutments, with a span of 40' and an under clearance of 4'7" over Wexford Run (CWF); streambank stabilization along 19 lf of an Unnamed tributary of Wexford Run (CWF); and a temporary wetland crossing across 0.002 acre of a PEM wetland, for the purpose of creating a walking trail, with permanent impacts to 23 LF of stream, temporary impacts to 40 LF of stream, and temporary impacts to 0.002 acre of wetland. The project is located 0.5 mile Southeast of the intersection of Wexford Bayne Road and Brennon Road (Quadrangle: Emsworth; N: 20.9 inches; W: 8.8 inches; Latitude: 40° 36' 57.5"; Longitude: -80° 3' 42.5") in Pine Township, Allegheny County.

E02-1770, City of Pittsburgh, Department of Public Works, 414 Grant Street, Pittsburgh, PA 15219, City of Pittsburgh, **Allegheny County**, Pittsburgh ACOE District.

The applicant proposes to:

Remove the existing 15.5' single span, 28.5' wide Carnahan Road bridge with a minimum underclearance of 5.58' and a drainage area of 1.25 square mile; and construct and maintain a replacement 72' long, 16' wide box culvert with a minimum underclearance of 6' and depressed 1' on a UNT of Saw Mill Run (WWF), and construct and maintain associated stormwater facilities. Mitigation is provided onsite. These encroachments are located approximately 2.65 miles south of downtown Pittsburgh and adjoins SR 19, Banksville Road (Pittsburgh West, PA Quadrangle; Latitude: 40° 24' 25"; Longitude: -80° 2' 4") in the City of Pittsburgh, Allegheny County.

E04-367, PennDOT District 11-0, 45 Thoms Run Road, Bridgeville, PA 15017, Chippewa Township, **Beaver County**, Pittsburgh ACOE District.

The applicant proposes to:

Remove the existing 10' single span, 18' wide bridge with a minimum underclearance of 1.17' carrying SR 4012 over an unnamed tributary to South Branch Brady Run (TSF) and having a drainage area of 0.603 square mile; construct and maintain a replacement 27.5 long, 12'

wide box culvert with a minimum underclearance of 2.5' and depressed 1'. Place and maintain fill in a de minimis 0.001 acre of PEM wetland. In addition, temporarily impact 0.005 acre of PEM wetland and 59' of stream for the purpose of constructing these encroachments. Mitigation is provided onsite. These encroachments are located approximately 3 miles southwest of Beaver Falls, PA (Midland, PA Quadrangle; Latitude: 40° 43' 27.19"; Longitude: -80° 23' 50.37") in Chippewa Township, Beaver County.

E65-990, Plenary Walsh Keystone Partners, 2000 Cliff Mine Road, Park West Two, 3rd Floor, Pittsburgh, PA 15275, Hempfield Township and Unity Township, **Westmoreland County**, Pittsburgh ACOE District.

The applicant proposes to:

1. Remove an existing, single-span, steel I-Beam bridge (Span: 31'-0", Width: 26'-8", Under-clearance: 5'-7") over Township Line Run (WWF),

2. Construct and maintain a replacement single-span, P/S concrete spread box beam bridge (Span: 43'-0", Width: 28'-0", Under-clearance: 5'-9") over Township Line Run (WWF) which will permanently impact 42 linear feet of perennial, Township Line Run (aka Stream 1) and permanently impact 0.016 acre of floodway,

3. Utilize a temporary stream crossing which will temporarily impact 91 linear feet of Township Line Run (aka Stream 1) and temporarily impact 0.018 acre of floodway,

4. Relocate 32 linear feet of a perennial unnamed tributary to Township Line Run (aka Stream 2) to a new channel that will be 32 linear feet long and temporarily impact 7 linear feet of Stream 2.

Cumulatively, the project proposes to permanently impact 74 linear feet of stream channel, temporary impact 98 linear feet of stream channel, and permanently impact 0.016 acre of floodway. For the purposes of replacing the existing, structurally deficient S.R. 2009 (Brinkerton Road), Section C10 bridge over Township Line Run (WWF).

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street Meadville, PA 16335, Lori Boughton 814.332.6879.

E42-375, Highlands Field Services, 5800 Corporate Dr., Suite 300, Pittsburgh, PA 15237. Mt. Jewett to Clermont Waterline, in Norwich and Sergeant Township, **McKean County**, ACOE Pittsburgh District. The proposed project starts at Mt. Jewett, PA Quadrangle N: 41°, 39', 48.64"; W: -78°, 30', 42.4794" and ends at Crosby, PA Quadrangle N: 41°, 37', 29.52"; W: -78°, 25', 42.69".

The project consists of the installation and maintenance of approximately 10.3 miles, 16-inch dual containment produced fluid waste water pipeline and appurtenant structures. Connecting the Mt. Jewett Storage facility to the Highlands Field Services Facility. The proposed project impacts in McKean County include a total of 1,839 linear feet of temporary impacts to Fivemile Run and tributaries (HQ,CWF), East Branch Clarion River and tributaries (HQ-CWF), County Line Run and tributaries (HQ-CWF), Wellendorf Branch (EV-CWF), tributaries to North Fork Straight Creek (EV-CWF), tributaries to South Fork West Branch Potato Creek (HQ-CWF), tributaries to Elk Fork Creek (EV), tributaries to Little Sicily Run (CWF), Rocky Run and tributaries (CWF), and Sevenmile Run and tributaries (HQ-CWF). A total of 108 linear feet of permanent impacts to Fivemile Run and tributaries (HQ-CWF), East Branch Clarion River and

tributaries (HQ-CWF), County Line Run and tributaries (HQ-CWF), Wellendorf Branch (EV-CWF), tributaries to North Fork Straight Creek (EV-CWF), tributaries to South Fork West Branch Potato Creek (HQ-CWF), tributaries to Elk Fork Creek (EV), tributaries to Little Sicily Run (CWF), Rocky Run and tributaries (CWF), and Sevenmile Run and tributaries (HQ-CWF). 3.39 acres of floodway impacts, 2.236 acres of temporary impacts to wetland(s) and 0.035 acre of permanent impacts to wetland(s). The proposed project impacts in this permit application are associated with joint permit E24-264 a proposed 16 inch dual containment produced fluid waste water pipeline project extending approximately 1.9 mile in Pennsylvania Jones Township, Elk County.

For more detailed information regarding the Elk County Chapter 105 permit application related to this proposed project, which is available in the DEP regional office, please contact Lori Boughton at 814.332.6879 to request a file review.

E24-264, Highlands Field Services, 5800 Corporate Dr., Suite 300, Pittsburgh, PA 15237. Mt. Jewett to Clermont Waterline, in Jones Township, **Elk County**, ACOE Pittsburgh District. The proposed project starts at 41.637175, -78.537284 Hazel Hurst, PA Quadrangle N: 41°, 37', 46.9194"; W: -78°, 30', 42.4794" and ends at Wildwood Fire Tower, PA Quadrangle N: 41°, 36', 32.0394"; W: -78°, 28', 58.8".

The project consists of the installation and maintenance of approximately 1.9 mile, 16-inch dual containment produced fluid waste water pipeline and appurtenant structures. Connecting the Mt. Jewett Storage facility to the Highlands Field Services Facility. The proposed project impacts in Elk County include a total of 256 linear feet of temporary impacts to Wellendorf Branch (EV, HQ-CWF) and UNTs to County Line Run (HQ-CWF), a total of 24 linear feet of permanent impacts to Wellendorf Branch (EV, HQ-CWF) and UNTs' to County Line Run (HQ-CWF) and 0.147 acre of floodway impacts, 1.41 acre of temporary impacts to Palustrine Emergent wetland(s) and 0.036 acre of permanent impacts to Palustrine Emergent wetland(s). The proposed project impacts in this permit application are associated joint permit E42-375 a proposed 16-inch dual containment produced fluid waste water pipeline project extending approximately 10.3 miles in Pennsylvania between Norwich Township, McKean County, PA and Sergeant Township, McKean County, PA.

For more detailed information regarding the McKean County Chapter 105 permit application related to this proposed project, which is available in the DEP regional office, please contact Lori Boughton at 814.332.6879 to request a file review.

E24-265, PA DCNR, 8th Fl., RCSOB, 400 Market Street, PO Box 8451, Harrisburg, PA 17101-8451. Straight Creek Road structure replacement in Jones Township, **Elk County**, ACOE Pittsburgh District (Glen Hazel, PA Quadrangle N: 41°, 35', 37"; W: -78°, 30', 51").

To remove the existing steel I-beam structure and fordway crossing and to construct and maintain a prestressed concrete spread box beam superstructure with an out-to-out width of 21 feet, a skew angle of 60°, a waterway opening of 188 ft², a total structure length of 50 feet 2 3/4 inches, and a minimum underclearance of 3 feet 9 inches across Straight Creek in Jones Township, Elk County.

E42-373, PA DCNR, 8th Fl., RCSOB, 400 Market Street, PO Box 8451 Harrisburg, PA 17101-8451. Buck Run Road over E Branch Clarion River structure replacement, in Sergeant Township, **McKean County**, ACOE Pittsburgh District (Hazel Hurst, PA Quadrangle N: 41°, 38', 38.44"; W: 78°, 31', 52").

To remove the existing I-beam bridge structure and to construct and maintain a spread box beam bridge with reinforced concrete wingwalls, with an out-to-out width of 21 feet, a length of 53.5 feet, an underclearance of 5.33 feet, and a waterway opening of 249.22 ft².

WATER QUALITY CERTIFICATIONS REQUESTS

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQ43-001, USDA—Natural Resource Conservation Service, 359 East Park Drive, Suite 2, Harrisburg, PA 17111. Limber Wetland Reserve Program, in Sugar Grove Township, **Mercer County**, ACOE Pittsburgh District (Meadville, PA Quadrangle N: 41°, 26', 25.11"; W: 80°, 19', 49.00").

Applicant is requesting Clean Water Act Section 401 State Water Quality Certification for a wetland enhancement project proposed under the US Department of Agriculture—Natural Resource Conservation Service Wetland Reserve Program. The overall purpose of this project is to restore and enhance wetlands degraded and manipulated by previous agricultural activities and to increase the amount, habitat diversity, and function/value of wetlands in the easement area. This project proposes installation of 1 ditch plug, and 2 potholes which are anticipated to enhance 0.52 acre of existing wetland and create 0.09 acre of new wetland. Construction of the ditch plug and potholes will result in permanent impact to 0.02 acre of wetland. This project has received Federal authorization under a USACE Nationwide Permit 27.

STORAGE TANKS

SITE-SPECIFIC INSTALLATION PERMITS

The following Storage Tank Site-Specific Installation Permit application has been received by the Department of Environmental Protection (Department) and is currently under review. Persons wishing to comment on the proposed permit are invited to submit a statement to the Bureau of Environmental Cleanup and Brownfields, Division of Storage Tanks, PO Box 8762, Harrisburg, PA 17105-8762, within 30 days from the date of this publication. Comments may also be submitted via email to tanks@pa.gov. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of the comment and the relevant facts upon which it based.

The following applications have been received for Storage Tank Site-Specific Installation Permits under the authority of the Storage Tank Spill Prevention Act (35 P.S. §§ 6021.304, 6021.504, 6021.1101—6021.1102) and under 25 Pa. Code Chapter 245, Subchapter C.

<i>SSIP Application No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Tank Type</i>	<i>Tank Capacity</i>
17009	Select Transport, Inc. 4714 Gettysburg Road Mechanicsburg, PA 17055 Attn: Nick Belfer	Dauphin	Lower Swatara Township	2 ASTs storing Jet A	24,000 gallons total

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.101) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0040843 (Sewage)	Sequanota Camp STP PO Box 245 Jennerstown, PA 15547	Somerset County Jenner Township	Unnamed Tributary to Pickings Run (18-E)	Yes

Northeast Regional Office: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570.826.2511.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0060020 (Sewage)	Milford Sr Care & Rehab Center 264 Route 6 and 209 Milford, PA 18337-9454	Pike County Westfall Township	Delaware River (1-D)	Yes
PA0034517 (Industrial)	East Stroudsburg Borough Water Filtration Plant WWTP PO Box 303 24 Analomink Street East Stroudsburg, PA 18301	Monroe County Smithfield Township	Sambo Creek (1-E)	Yes

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0093360 (Sewage)	Lake Arthur Estates MHP 2925 New Castle Road Portersville, PA 16051	Butler County Muddycreek Township	Muddy Creek (20-C)	Yes

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

NPDES Permit No. PA0002208, Amendment No. 1, Industrial, SIC Codes 2821 & 2869, **Shell Chemical Appalachia LLC**, 300 Frankfort Road, Monaca, PA 15601.

This existing facility is located in Potter Township, **Beaver County**.

Description of Existing Action/Activity: Amendment of an NPDES permit for existing discharges of groundwater and storm water and new discharges of non-contact cooling water, untreated storm water, and treated industrial waste and storm water.

Northcentral Regional Office: Regional Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3636.

NPDES Permit No. PA0232823, Industrial, SIC Code 1389, **Hydro Recovery-Bradford LP**, 1975 Waddle Road, State College, PA 16803-1639.

This proposed facility will be located in Blossburg Borough, **Tioga County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated industrial wastewater.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

WQM Permit No. 6570401 A-6, Industrial, SIC Code 8731, **Arconic Inc.**, 100 Technical Drive, New Kensington, PA 15069.

This existing facility is located in Upper Burrell Township, **Westmoreland County**.

Description of Proposed Action/Activity: Installation of a UV disinfection unit and changes to hydraulic controls to improve treatment performance.

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Nathan Crawford, Section Chief, Telephone 717.705.4802.

<i>Permit #</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD060001	Berks 222, LLC 4122 Apolgen Road Philadelphia, PA 19129	Berks County	Muhlenberg and Ontelaunee Townships	Schuylkill River (WWF, MF) Willow Creek (Designated Use: CWF, MF; Existing Use: HQ-CWF, MF)

<i>Permit #</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD290001	Steve Everhart PO Box 428 Hustontown, PA 17229	Fulton County	Taylor Township	Lamberson Branch (HQ-CWF)
PAI033605009R	Craig Fernsler ECA Holdings, LP PO Box 121 Dresher, PA 19025	Lancaster County	Colerain Township	West Branch Octoraro Creek (HQ-CWF, MF) UNT West Branch Octoraro Creek (HQ-CWF, MF)
PAI033615012	Exelon Generation Corporation, LLC 300 Exelon Way Kennett Square, PA 19348	Lancaster County	Fulton Township	Peters Creek (HQ-WWF, MF)
PAI036716003	Conewago Township Sewer Authority 600 Locust Point Road York, PA 17406	York County	Conewago Township	UNT Little Conewago Creek (TSF, MF) Little Conewago Creek (TSF, MF)

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570.327.3574.

Centre County Conservation District: 414 Holmes Avenue, Suite 4, Bellefonte, PA 16823, (814) 355-6817.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD140011 Previously PAS10F089R	Grays Woods Partnership 1952 Waddle Road Suite 203 State College, PA 16803	Centre	Patton Twp Halfmoon Twp	UNT Buffalo Run HQ-CWF UNT Spruce Creek HQ-CWF

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Michael Forbeck, Acting Waterways and Wetlands Program Manager, 412-442-4000.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI051114001(1)	Pennsylvania Electric Company 341 White Pond Drive Akron, OH 44320	Cambria County	Cambria Township, Munster Township and Washington Township	North Branch Little Conemaugh River (CWF); Howells Run (CWF); Noels Creek (HQ-CWF); Little Conemaugh River (CWF); Bradley Run (CWF)

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges from Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges from Small Flow Treatment Facilities
PAG-5	General Permit for Discharges from Petroleum Product Contaminated Groundwater Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site

PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines
PAG-11	General Permit for Discharges from Aquatic Animal Production Facilities
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
PAG-14	(To Be Announced)
PAG-15	General Permit for Discharges from the Application of Pesticides

General Permit Type—PAG-02

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Facility Location:

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Lehighon Borough Carbon County	PAG02001315004(2)	Blakeslee Commons, LLC 2216 Willow Park Road Bethlehem, PA 18020	Mahoning Creek (CWF, MF)	Carbon County Conservation District 610-377-4894
Lower Nazareth & Palmer Townships Northampton County	PAC480015	Brian S. Hardner Lehigh Valley Health Network Facilities & Const. Dept. 5th Floor 2100 Mack Blvd. P.O. Box 4000 Allentown, PA 18105-4000	Schoeneck Creek (WWF, MF)	Northampton County Conservation District 610-746-1971

Northwest Region: Waterways and Wetlands Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Facility Location:

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Vernon Twp, Crawford County	PAC200006(1)	Palmicro Toyota 16165 Conneaut Lake Road Meadville, PA 16335	Watson Run WWF	Crawford County Conservation District Woodcock Creek Nature Center 21742 German Road Meadville, PA 16335 814-763-5269

*General Permit Type—PAG-03**Facility Location*

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
West Mayfield Borough Beaver County	PAR206156	Beaver Falls Tubular Products LLC Copperleaf Corporate Centre 6051 Wallace Road Ext Suite 200 Wexford, PA 15090	Beaver River and Wallace Run—20-B	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive Pittsburgh, PA 15222-4745 412.442.4000

*General Permit Type—PAG-12**Facility Location*

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Granville Township Bradford County	PAG124842	John Pepper Enterprise, LLC 2642 Granville Road Granville Summit, PA 16926	North Branch Towanda Creek— 4-C	DEP Northcentral Regional Office Clean Water Program 208 W Third Street Suite 101 Williamsport, PA 17701-6448 570.327.3636

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 6717501, Public Water Supply.

Applicant	The York Water Company
Municipality	Springfield Township
County	York
Responsible Official	Mark S. Snyder, Engineering Manager 130 East Market Street PO Box 15089 York, PA 17405-7089
Type of Facility	A new 50-hp pump will be added at the Hametown Booster Station to provide additional pumping capacity.
Consulting Engineer	Mark S. Snyder, P.E. The York Water Company 130 East Market Street PO Box 15089 York, PA 17405-7089
Permit to Construct Issued	6/21/2017

Operation Permit No. 5016504 MA issued to: **Duncannon Borough** (PWS ID No. **7500019**), Duncannon Borough, **Perry County** on 6/20/2017 for facilities approved under Construction Permit No. 5016504 MA.

Operation Permit No. 2117502 MA issued to: **Pennsylvania-American Water Company** (PWS ID No. **7210029**), Silver Spring Township, **Cumberland County** on 6/13/2017 for facilities approved under Construction Permit No. 2117502 MA.

Transferred Comprehensive Operation Permit No. 7500024 issued to: **Skyview Gardens LLC** (PWS ID No. **7500024**), Penn Township, **Perry County** on 6/9/2017. Action is for a Change in Ownership for Skyview Gardens, Perry County for the operation of facilities previously issued to Pfautz Rentals, LP.

Transferred Comprehensive Operation Permit No. 7500030 issued to: **Skyview Gardens LLC** (PWS ID No. **7500030**), Penn Township, **Perry County** on 6/12/2017. Action is for a Change in Ownership for Skyview Heights, Perry County for the operation of facilities previously issued to Pfautz Rentals, LP.

Comprehensive Operation Permit No. 7010034 issued to: **Possum Valley Municipal Authority** (PWS ID No. **7010034**), Menallen Township, **Adams County** on 6/21/2017.

Comprehensive Operation Permit No. 7010400 issued to: **Knouse Foods Cooperative, Inc.** (PWS ID No. **7010400**), Tyrone Township, **Adams County** on 6/12/2017 for the operation of facilities at the Gardners Plant approved under Operation Permit No. 0103503.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of

receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Eric Supey, Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Holiday Inn Express, 1 Corporate Drive, Butler Township, **Luzerne County**. MEA, Inc., 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Sam Patel, 4 Jewel Court, Montville, NJ 07045, submitted a Final Report concerning remediation of site soils and groundwater contaminated with MTBE, Cis 1,2-dichloroethene, Benzene, TCE, Ethylbenzene, m-xylene, p-xylene, o-xylene, Cumene, n-propylbenzene, 1,3,5-TMB, 1,2,4-TMB, Sec-butylbenzene, p-isopropyltoluene, 1,4-dichlorobenzene, Hexachlorobutadiene, naphthalene, and Tert-butylbenzene. The report is intended to document remediation of the site to meet the Statewide Health and Background Standards.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

Former Hanover RUS Facility, 121 North Blettner Avenue, Hanover, PA 17331, Penn Township, **York County**. Arcadis U.S., Inc., 10 Friends Lane, Suite 200, Newtown, PA 18940, on behalf of Cintas Corporation, 27 Whitney Drive, Milford, OH 45150, submitted a Remedial Investigation Report concerning remediation of site soil and groundwater contaminated with chlorinated solvents. The report is intended to document remediation of the site to meet the Site-Specific Standard.

Former Armstrong Environmental Services Facility, 205 Greenfield Road, Lancaster, PA 17601, East Lampeter Township, **Lancaster County**. Reliance Environmental, Inc., 235 North Duke Street, Lancaster, PA 17602, on behalf of 205 Greenfield LP, 5 Holland Street, Salunga, PA 17538, submitted a Final Report concerning remediation of site soil and groundwater contaminated with No. 2 fuel oil. The Report is intended to document remediation of the site to meet the Residential Statewide Health and Site Specific Standards.

Michael Eckstein Property, 948 Old Airport Road, Douglassville, PA 19518, Amity Township, **Berks County**. Patriot Environmental Management, LLC, 21 Unionville Road, PO Box 629, Douglassville, PA 19518, on behalf of Leffler Energy, Inc., 15 Mount Joy Street, Mount Joy, PA 17552, and Michael Eckstein, 948 Old Airport Road, Douglassville, PA 19518 submitted a Final Report concerning remediation of site soil contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Residential Statewide Health Standard.

Southwest Region: Environmental Cleanup & Brownfield Development Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

41st and Foster Street, City of Pittsburgh, **Allegheny County**. KU Resources, Inc., 22 South Linden Street, Duquesne, PA 15110 on behalf of Aiello Development Company, LLC, 123 36th Street, Pittsburgh, PA 15201 has submitted a Final Report concerning the remediation of site soil contaminated with arsenic,

benzo(a)pyrene, ethylbenzene, naphthalene, tetrachloroethene, trichloroethene and groundwater contaminated with cis-1,2-dichloroethene, lead, tetrachloroethane, 1,1,2-trichloroethane, trichloroethene. Public notice was printed in the *Pittsburgh Post Gazette* on May 15, 2017.

CNIG Park Site, Larimer Avenue & Station Street, City of Pittsburgh, **Allegheny County**. KU Resources, Inc., 22 South Linden Street, Duquesne, PA 15110 on behalf of Pittsburgh Urban Redevelopment Authority, 200 Ross Street, Pittsburgh, PA 15219, has submitted a Final Report concerning the remediation of site soil contaminated with VOCs, SVOCs and metals. Public notice was printed in the *Pittsburgh Post Gazette* on February 14, 2017.

Carlson Manufacturing Company, 64, 66a, 66b Arch Street, Carnegie; Rosslyn Farms Borough, **Allegheny County**. Civil & Environmental Consultants, Inc., 333 Baldwin Road, Pittsburgh, PA 15205 on behalf of B&G Rebar and Wire, Inc., 64 Arch Street, Carnegie, PA 15106, has submitted a Final Report concerning the remediation of site soil contaminated with arsenic and lead. Public notice was printed in the *Pittsburgh Post Gazette* on June 7, 2017.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show

existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Eric Supey, Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Eric Bittner Property, 638 8th Avenue, Bethlehem City, **Lehigh County**. JMT Environmental, 3353-C Gun Club Road, Nazareth, PA 18064, on behalf of Szilagyi Fuel Company, 1414 4th Street, Bethlehem, PA 18015 submitted a Final Report concerning the remediation of site soils contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the Statewide Health Standard, and was approved by the Department on June 20, 2017.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

Ohesson Senior Living/Care Facility, 276 Green Avenue, Lewistown, PA 17044, Derry Township, **Mifflin County**. Converse Consultants, 2738 West College Avenue, State College, PA 16801, on behalf of James B. Parsons, Excavating-Hauling, 8229 Mountain Road, Port Royal, PA 17082, and Diakon Lutheran Social Ministries, 276 Green Avenue, Lewistown, PA 17044, submitted a Final Report concerning remediation of site soil contaminated with No. 2 fuel oil. The Final Report was administratively incomplete and was disapproved by the Department on June 20, 2017.

127 South Oak Street Property, 127 South Oak Street, Manheim, PA 17545, Manheim Borough, **Lancaster County**. Liberty Environmental, Inc., 480 New Holland Avenue, Suite 8203, Lancaster, PA 17602, on behalf of Fannie Mae, 14221 Dallas Parkway, Suite 1000, Dallas, TX 75254, submitted a Final Report concerning remediation of site soil and groundwater contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the Residential Statewide Health Standard, and was approved by the Department on June 22, 2017.

Stuckey Ford, 609 Broad Street, Hollidaysburg, PA 16648, Blair Township, **Blair County**. P. Joseph Lehman, Inc., P.O. Box 419, Hollidaysburg, PA 16648, on behalf of Matthew Stuckey, P.O. Box 489, Hollidaysburg, PA 16648, submitted a Final Report concerning remediation of site soil and groundwater contaminated with petroleum hydrocarbons. The Final Report demonstrated attainment of the Non-Residential Site-Specific Standard, and was approved by the Department on June 23, 2017.

MUNICIPAL WASTE GENERAL PERMITS

Permit(s) Issued Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.

Southcentral Regional Office: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200.

General Permit No. WMGM017D020. Wilson College Fulton Farm, 1015 Philadelphia Ave., Chambersburg, PA 17201, located in Greene Township, **Franklin County**. A minor permit modification was issued under General Permit WMGM017D020 to Wilson College for the use of an in-vessel rotary composter to process food wastes into finished compost for beneficial use. This permit modification was issued on June 23, 2017.

Persons interested in reviewing the general permit may contact John Oren, Permits Section Chief, Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4706. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Norman Frederick, P.E., Environmental Engineer Manager—Telephone: 570-826-2409.

GP5-58-041 Williams Field Services LLC (310 State Route 29 North, Tunkhannock, PA 18657-6817) on June 9, 2017 for the construction and operation of compressor engines and dehys/reboilers at the Kane Road FRP site located in Forest Lake Twp., **Susquehanna County**.

GP5-58-042 Williams Field Services LLC (310 State Route 29 North, Tunkhannock, PA 18657-6817) on June 9, 2017 for the construction and operation of compressor engines and dehys/reboilers at the Snake Creek FRP site located in Liberty Twp., **Susquehanna County**.

GP5-58-043 Williams Field Services LLC (310 State Route 29 North, Tunkhannock, PA 18657-6817) on June 9, 2017 for the construction and operation of compressor engines and dehys/reboilers at the Northeast FRP site located in Liberty Twp., **Susquehanna County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

GP1-01-03027C: PCA Corrugated & Display LLC (104 Commerce Street, PO Box 98, New Oxford, PA 17350) on June 16, 2017, for an existing 25.2 MMBTU/hr boiler, fired with natural gas or # 2 oil, under GP1, at the

cardboard box manufacturing facility located in New Oxford Township, **Adams County**. The general permit use at this site was re-authorized due to a change of ownership.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

GP5-41-632B: ARD Operating, LLC (33 West Third Street, Suite 300, Williamsport, PA 17701) on June 20, 2017, for the change of ownership and continued operation of four (4) 1,380 bhp Caterpillar model G3516ULB compressor engines each equipped with an oxidation catalyst, three (3) 87 bhp Capstone model G65 Microturbine generators, two (2) 40 MMscf/day Valerus dehydration units equipped with a 0.75 MMBtu/hr natural-gas fired reboiler and flash tank, two (2) 16,800-gallon produced water tanks, two (2) 500-gallon lube oil tanks, one (1) 500-gallon engine coolant tank and one (1) 500-gallon triethylene glycol tank, one (1) 1,000-gallon waste oil tank under the General Plan Approval and/or General Operating Permit for Natural Gas Compression and/or Processing Facilities (BAQ-GPA/GP-5) at the COP Tract 685 Compressor Station in Cummings Township, **Lycoming County**.

GP5-41-660A: ARD Operating, LLC (33 West Third Street, Suite 300, Williamsport, PA 17701) on June 20, 2017, for the change of ownership and continued operation of one (1) 1,380 bhp Caterpillar model G3516TA-ULB four-stroke ultra-lean-burn natural-gas-fired compressor engine equipped with oxidation catalyst, one (1) 35 MMscf/day J.W. Williams dehydration unit equipped with a 0.75 MMBtu/hr natural-gas fired reboiler and flash tank, one (1) 87 bhp Capstone model C65 Microturbine generator, one (1) 195 bhp Caterpillar model G3306 TA LCR rich-burn emergency generator engine, two (2) 16,800-gallon produced water tanks, two (2) 500-gallon lube oil tanks, one (1) 500-gallon engine coolant tank, one (1) 500-gallon triethylene glycol tank, one (1) 1,000-gallon waste oil tank under the General Plan Approval and/or General Operating Permit for Natural Gas Compression and/or Processing Facilities (BAQ-GPA/GP-5) at the Lycoming Hunt & Fish Club Compressor Station in Cogan House Township, **Lycoming County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

GP3-37-325B: Allegheny Mineral Corp (One Glade Park East, P.O. Box 1022, Kittanning, PA 16201) on June 20, 2017, for the authority to operate portable nonmetallic mineral processing equipment (BAQ-GPS/GP3) located at their facility in Slippery Rock Township, **Lawrence County**.

GP9-37-325C: Allegheny Mineral Corp (One Glade Park East, P.O. Box 1022, Kittanning, PA 16201) on June 20, 2017, for the authority to operate two; No. 2 fuel fired internal combustion engines (BAQ-GPS/GP9) located at their facility in Slippery Rock Township, **Lawrence County**.

Plan Approvals Issued under the Air Pollution Control Act and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

14-00002S: Graymont (PA), Inc. (965 East College Avenue, Pleasant Gap, PA 16823-6823) on June 20, 2017, the Department of Environmental Protection issued plan approval for the modifications to Source IDs P408 and P413 (kilns # 6 & 7), and the NO_x and CO Plant-wide Applicability Limits (PALs) for their facility in Spring and Benner Townships, **Centre County**. If the Department determines that the source is constructed and operated in compliance with the plan approval conditions and the specifications of the application for Plan Approval 14-00002S, the terms and conditions of the plan approval will subsequently be incorporated via administrative amendment into Title V operating permit 14-00002.

17-00071A: Continental Carbonic Products, Inc. (3985 East Harrison Avenue, Decatur, IL 62526) on June 22, 2017, the Department of Environmental Protection issued plan approval for the construction of the CO₂ Recovery/Dry Ice Production plant in Clearfield Borough, **Clearfield County**. If the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specifications of the application for Plan Approval 17-00071A, the applicant will subsequently apply for a State Only operating permit in accordance with 25 Pa. Code Chapter 127 Subchapter F.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Alan Binder, P.E., Environmental Engineer Manager—Telephone: 412-442-4168.

63-00930A: Woodruff Partners, LLP, dba Peaceful Pastures Pet Crematory (2820 Washington Road, McMurray, PA 15317) on June 20, 2017, for the continued operation of one natural gas-fired crematory incinerator for the cremation of animal remains at the above referenced facility located in North Strabane Township, **Washington County**.

26-00575A: Green Ridge Cemeteries, Inc. (2901 Memorial Blvd., Connellsville, PA 15425) on June 21, 2017, for the continued operation of one natural gas-fired crematory incinerator for the cremation of human remains at the above referenced facility located in Bullsken Township, **Fayette County**.

32-00394A: Bowser Minich Pet Crematory (498 Ben Franklin Road South, Indiana, PA 15701) on June 20, 2017, for continued operation of one natural gas-fired crematory incinerator for the cremation of animal remains at the above referenced facility located in White Township, **Indiana County**.

32-00371B: Blairsville Wilbert Vault Co. (100 N.E. Lane, PO Box 7, Blairsville, PA 15717) On June 21, 2017 for continued operation of natural gas-fired crematory incinerator for the cremation of human remains at the above referenced facility located in Blairsville Borough, **Indiana County**.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

36-05076A: Lancaster General Hospital (555 North Duke Street, Lancaster, PA 17604) on June 16, 2017, for the installation of a 3.5 MW Solar Turbines Centaur 40-4700S natural gas fired combustion turbine and two (2) 2,937 bhP Caterpillar 3526C diesel fired emergency engines in the City of Lancaster, **Lancaster County**. The turbine will be equipped with a heat recovery steam generator (HRSG), low NO_x option mode (SoLoNO_x) and a BASF Corporation CAMET oxidation catalyst. The plan approval was extended, with a compliance schedule.

36-05002E: Armstrong World Industries, Inc. (1067 Dillerville Road, Lancaster, PA 17604) on June 16, 2017, for installation of a new luxury vinyl tile line at their flooring plant in the City of Lancaster, **Lancaster County**. The LVT line will consist of raw material storage and handling, blanket forming, lamination, sizing, coating and curing, and edge detailing. The plan approval was extended.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

14-00014A: Compass Natural Gas Partners, LP (1215 Manor Drive, Suite 302, Mechanicsburg, PA 17055) on June 21, 2017, to extend the authorization for the construction of the compressed natural gas truck terminal at their Bald Eagle CNG Truck Terminal located in Boggs Township, **Centre County** to December 18, 2017. The plan approval has been extended.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Alan Binder, P.E., Environmental Engineer Manager—Telephone: 412-442-4168.

03-00246B Bedrock Mines, LP (111 Freeport Rd., Pittsburgh, PA 15215-2943) Extension effective June 28, 2017, to extend the period of temporary operation of a coal processing plant under plan approval PA-03-00246B at its Keyston East Facility located in Plumcreek Township, **Armstrong County**.

04-00699G National Gypsum Company, LLC (PO Box 346, Shippingport, PA 15077-0346) Extension effective June 22, 2017, to extend the period of temporary operation of gypsum wallboard manufacturing equipment under plan approval PA-04-00699G at its Shippingport Facility located in Shippingport Boro, **Beaver County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

24-161D Greentree Landfill (1925 Issac Newton Square, Suite 280, Reston, VA 20190) on June 22, 2017, effective June 30, 2017, has issued a plan approval extension for the operation of two natural gas fired compressor engines in Horton Township, **Elk County**.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Norman Frederick, P.E., Environmental Engineer Manager—Telephone: 570-826-2409.

35-00055: McGregor Industries, Inc. (46 Line Street, Dunmore, PA 18512-1432). The Department issued on 6/21/17 a State-Only Operating Permit renewal for operation of a miscellaneous metals fabrication facility in Dunmore Borough, **Lackawanna County**. The proposed operating permit includes emission limitations, work practice standards, testing, monitoring, recordkeeping and reporting requirements used to verify facility compliance with applicable Federal and State air pollution regulations.

39-00096: Behr Processing Corporation/Allentown (7529 Morris CT, Allentown, PA 18106-9226). On June 23, 2017, the Department issued a renewal State-Only Natural Minor Permit for this paint and coating manufacturing facility located in Upper Macungie Township, **Lehigh County**. The main source at this facility consist of raw material processing. The control devices consist of a baghouse. The source is considered a minor emission source of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. The operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

36-03077: Allan Myers Materials PA, Inc. (638 Lancaster Avenue, Malvern, PA 19355-1898) on June 14, 2017, for the stone crushing operations at the Cedar Hill Quarry located in Fulton Township, **Lancaster County**. The State-only permit was renewed.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

17-00042: Wickett and Craig of America (120 Cooper Rd., Curwensville, PA 16833) on June 15, 2017, issued a renewal State Only operating permit for operation of its Curwensville Tannery facility located in Curwensville Borough, **Clearfield County**. The State only operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matt Williams, Facilities Permitting Chief at Telephone: 814-332-6940.

10-00356: Linde Butler Plant (200 Somerset Corp. Blvd., Bridgewater, NJ 08807) on June 21, 2017, the Department issued a renewal of the State operating permit located in Butler Township, **Butler County**. The facility operates an air separation plant including an oxygen vaporizer with two natural gas burners, each rated at 26 mmBtu/hr, a mole sieve regenerator with a natural gas burner rated at 2.25 mmBtu/hr, three Ajax boilers (each rated at 9.5 mmBtu/hr) for heating the liquid nitrogen, and a parts washer. The potential emissions from the facility are approximated as follows: NO_x—22.3

TPY, CO—17.9 TPY, PM—3.3 TPY, VOC—8.5 TPY, and SO₂—0.3 TPY. The conditions of the previous plan approval were incorporated into the operating permit. The permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

Philadelphia: Air Management Services, 321 University Avenue, Philadelphia, PA 19104-4543, Contact: Edward Wiener, Chief, Source Registration at 215-685-9476.

The City of Philadelphia, Air Management Services (AMS) has intended to issue a Minor State Only Operating Permit for the following facility:

S15-014: Episcopal Hospital (at 100 East Lehigh Avenue, Philadelphia, PA 19125) for the operation of a hospital facility in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include two (2) 475 HP boilers firing No. 6 Fuel Oil and natural gas, two (2) 500 kW emergency generators firing diesel, one 200 kW emergency generator firing diesel, one 160 kW emergency generator firing diesel, and one 19 kW generator firing natural gas.

The operating permit will be issued under the Pennsylvania Code Title 25, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest or comments on the above operating permit must submit the protest or comments within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

The City of Philadelphia, Air Management Services (AMS) intends to issue a Minor State Only Operating Permit for the following facility:

OP16-000028: 401 North Broad Lessee, LLC (401 N. Broad St, Philadelphia, PA 19108) for the operation of a hospital facility in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include three (3) diesel-fired 4,000 kW diesel emergency generators equipped with selective catalytic reduction (SCR).

The operating permit will be issued under the Pennsylvania Code Title 25, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest or comments on the above operating permit must submit the protest or comments within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice

will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

18-00005: Dominion Transmission, Inc. (925 White Oakes Blvd, Bridgeport, WV 26330) on June 15, 2017, for the significant modification to the Title V operating permit TVOP 18-00005 for the incorporation of Reasonable Available Control Technology (RACT II) requirements pursuant to 25 Pa. Code §§ 129.96—129.100 at the Finnefrock Compressor Station located in Leidy Township, **Clinton County**. The revised Title V operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

17-00017: Rescar, Inc. (407 W. Brentwood, Channel, TX 77530) on June 19, 2017, administratively amended their State Only (Synthetic Minor) Operating Permit for the DuBois facility located in Sandy Township and DuBois, **Clearfield County** to incorporate plan approval requirements. All applicable Federal and State regulatory requirements including testing, monitoring, recordkeeping, reporting, and work practice conditions to assure compliance with the applicable requirements have been included in the revised operating permit.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief—Telephone: 412-442-4336.

04-00502: Shasta Services LLC (1155 Business Center Drive, Suite 200, Horsham, PA 19044) on June 15, 2017 an administrative amendment to make minor changes in the current State Only Operating Permit. The facility is in Aliquippa, **Beaver County**.

04-00227: IPSCO Koppel Tubular (PO Box 410, Ambridge, PA 15003) on June 15, 2017 an administrative amendment to change the permit contact information in the current Title V Operating Permit. The facility is in Ambridge, **Beaver County**.

32-00227: Integrated Power Service (4470 Luceme Road, Indiana, PA 15701) on June 15, 2017 an administrative amendment to change the permit contact information in the current State Only Operating Permit. The facility is in Indiana Township, **Indiana County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

43-00273: Metal Litho and Laminating, LLC dba Select Metal Litho Greenville (242 Reynolds Industrial Park Drive, Greenville, PA 16125-8216). On June 20, 2017 the Department issued an administrative amendment to the State Operating Permit to incorporate the change responsible official for the metal surface coating facility located in Pymatuning Township, **Mercer County**.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law; the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.20a). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to applications will also address the application permitting requirements of the following statutes: the Air Quality Pollution Act (35 P.S. §§ 4001—4014); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1002).

Coal Permits Issued

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 40990101R3 and NPDES Permit No. PA0225193. Hazleton Shaft Corp., (P.O. Box 435, Hazleton, PA 18201), renewal of an existing anthracite surface mine, coal refuse reprocessing, refuse disposal and preparation plant operation and NPDES Permit for discharge of treated mine drainage in Hazle Township and Hazleton City, **Luzerne County** affecting 481.0 acres, receiving stream: Hazle Creek. Application received: March 11, 2015. Renewal issued: June 20, 2017.

Permit No. 54940202R4. Dizenzo Coal Co., LLC, (19 Laudemans Lane, Pottsville, PA 17901), renewal of an existing anthracite coal refuse reprocessing, refuse disposal and preparation plant operation in Brand Township, **Schuylkill County** affecting 30.3 acres, receiving stream: West Branch Schuylkill River. Application received: January 12, 2017. Renewal issued: June 20, 2017.

PAM111074R. Dizenzo Coal Co., LLC, (19 Laudemans Lane, Pottsville, PA 17901), renewal of General NPDES Stormwater Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 54940202 in Branch Township, **Schuylkill County**, receiving stream: West Branch Schuylkill River. Application received: January 12, 2017. Renewal issued: June 20, 2017.

Permit No. 22851304R6. S & M Coal Company, (1744 East Grand Avenue, Tower City, PA 17980), renewal for reclamation activities only of an underground mine operation in Wiconisco Township, **Dauphin County** affecting 4.98 acres, receiving stream: Wiconisco Creek. Application received: February 13, 2017. Renewal issued: June 21, 2017.

Noncoal Permits Issued

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

37010301. Allegheny Mineral Corporation (P.O. Box 1022, Kittanning, PA 16201) Renewal of existing NPDES permit No. PA0241881 in Slippery Rock Township, **Lawrence County**. Receiving streams: Unnamed tributaries to Slippery Rock Creek. Application received: March 20, 2017. Permit Issued: June 21, 2017.

PAM617003. Three Rivers Aggregates, LLC (1807 Shenango Road, New Galilee, PA 16141) General NPDES permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 10010306 in Worth Township, **Butler County**. Receiving streams: Slippery Rock Creek. Application received: May 17, 2017. Permit Issued: June 21, 2017.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

60840401 and NPDES PA0614181. New Enterprise Stone & Lime Company, Inc./dba Eastern Industries (3724 Crescent Court West, Suite 200, Whitehall, PA 18052). NPDES renewal for continue operation and reclamation of a large noncoal surface mine site located in Buffalo Township, **Union County** affecting 218.7 acres. Receiving stream(s): Unnamed Tributary to Buffalo Creek. Application received: September 28, 2016. Permit issued: June 12, 2017.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. PAM11230069R, Hanover Nursery, (5 Crystal Street, Hanover Township, PA 18706), renewal of General NPDES Stormwater Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 40960302 in Plymouth Township, **Luzerne County**, receiving stream: Susquehanna River. Application received: May 3, 2017. Renewal issued: June 21, 2017.

PRIMACY BOND FORFEITURE PROJECT

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, Telephone (814) 342-8137.

Primacy Bond	PBF 17100107.1
Forfeiture Project	
Location	Chest Township, Clearfield County Pennsylvania
Description	C.M.T. Energy, Inc. K & J Operation
Contractor	Morgan's Excavating, LLC 15408 Hill Valley Road Mt. Union, PA 17066
Amount	\$217,900.00
Date of Award	June 22, 2017

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Issued

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 06174108. Maine Drilling & Blasting, Inc., (P.O. Box 1140, Gardiner, ME 04345), construction blasting for Ashley Furniture Expansion in Ontelaunee Township, **Berks County** with an expiration date of June 15, 2018. Permit issued: June 20, 2017.

Permit No. 40174109. Newville Construction Services, Inc., (408 Mohawk Road, Newville, PA 17241), construction blasting for Imploding Connectors Susque-

hanna Jenkins Phase 2 in Rice and Slocum Townships, **Luzerne County** with an expiration date of December 31, 2017. Permit issued: June 20, 2017.

Permit No. 40174110. Newville Construction Services, Inc., (408 Mohawk Road, Newville, PA 17241), construction blasting for Imploding Connectors Susquehanna Jenkins Phase 3 in Plains and Bear Creek Townships, **Luzerne County** with an expiration date of December 31, 2017. Permit issued: June 20, 2017.

Permit No. 67174111. Midstream Explosives, LLC, (289 Southside Drive, Newville, PA 17241), construction blasting for Mariner East 2 York Dauphin Pipeline in Lower Swatara Township, Dauphin County and Fairview Township, **York County** with an expiration date of June 15, 2018. Permit issued: June 20, 2017.

Permit No. 06174107. J Roy's, Inc., (P.O. Box 125, Bowmansville, PA 17507), construction blasting for Heidelberg Crossing in Heidelberg Township, **Berks County** with an expiration date of June 16, 2018. Permit issued: June 21, 2017.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Permits, Environmental Assessments and 401 Water Quality Certifications Issued:

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northeast Regional Office, Waterways and Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone 570-826-2511.

E40-786. Pennsylvania Game Commission, 2001 Elmerton Avenue, Harrisburg, PA 17110-9797. Dennison Township, **Luzerne County**, Army Corps of Engineers Baltimore District.

To remove the existing structures and to construct and maintain a 14-foot wide, wooden/steel bridge having a 50-foot span and a 5-foot underclearance across Nescopeck Creek (HQ-CWF) with concrete abutments. The project is located within Nescopeck State Park, approximately 2.3 miles west of the intersection of I-80 and Route 41 (Honey Hole Road) (Freeland Quadrangle Latitude: 41° 04' 35.26"; Longitude: -75° 53' 36.85") in Dennison Township, Luzerne County. Subbasin: 5D.

E40-789. Ann Marie McGrath, 110 Weinmanns Boulevard, Wayne, NJ 07470. Harveys Lake Borough, **Luzerne County**, Army Corps of Engineers Baltimore District.

To construct and maintain a 356 sq. ft. addition to the existing lakehouse, a 134 sq. ft. addition to the existing dock and a new 80 sq. ft. jet ski lift within the basin of Harveys Lake (HQ-CWF). The project is located approximately at Pole 264, Lakeside Drive (Harveys Lake, PA Quadrangle Latitude: 41°21'15.11"; Longitude: -76°2'33.96"). Subbasin: 4G.

E40-784. PPL Electric Utilities, Inc., 1639 Church Road, Allentown, PA 18104-9342. Dennison Township, **Luzerne County**, Army Corps of Engineers Baltimore District.

To remove an existing electric utility line and associated wooden poles and to construct and maintain an overhead electric utility line crossing of Reilly Creek (CWF, MF) and adjacent EV wetlands supported by wooden poles.

The project is located along the eastern shoulder of S.R. 437, approximately 0.1 mile southeast of the intersection of S.R. 437 and Dixon Lane (White Haven, PA Quadrangle, Latitude: 41° 5' 32.55"; Longitude: -75° 49' 0.76"). Subbasin: 5D.

E40-788. Josh Crawford, 2509 Lakeside Drive, Harveys Lake, PA 18618. Harveys Lake Borough, **Luzerne County**, Army Corps of Engineers Baltimore District.

To remove the existing boat dock and to construct and maintain a 910 sq. ft. dock within the basin of Harveys Lake (HQ-CWF). The project is located approximately at Pole 229, Lakeside Drive (Harveys Lake, PA Quadrangle Latitude: 41°21'56.27"; Longitude: -76°2'41.55"). Subbasin: 4G.

E40-785. Transcontinental Gas Pipeline Company, LLC, Park Place Center Two, 2000 Commerce Drive, Pittsburgh, PA 15275. Bear Creek Township, **Luzerne County**, Army Corps of Engineers Philadelphia District.

To construct and maintain the following water obstructions and encroachments to provide temporary access to the existing "Leidy A" natural gas pipeline for the purpose of recoating and maintenance:

1. To place temporary timber matting through 312-LF of PEM/PSS wetlands within the Little Shades Creek (HQ-CWF, MF) watershed (Pleasant View Summit, PA Quadrangle Latitude: 41°12'9.30" Longitude: -75°42'38.58") in Bear Creek Township, Luzerne County.

2. To place temporary timber matting through 175-LF of PEM wetlands within the Meadow Run (HQ-CWF, MF) watershed (Pleasant View Summit, PA Quadrangle Latitude: 41°12'31.71" Longitude: -75°43'11.48") in Bear Creek Township, Luzerne County.

3. To place temporary timber matting through 347-LF of PEM/PSS wetlands within the Meadow Run (HQ-CWF, MF) watershed (Pleasant View Summit, PA Quadrangle Latitude: 41°12'39.5" Longitude: -75°43'23.78") in Bear Creek Township, Luzerne County.

The midpoint of the project is located approximately 2.21 miles east of the intersection of Route 2008 (Meadow Run Road) and Thornhurst Road (Pleasant View Summit, PA Quadrangle Latitude: 41°12'28.88"; Longitude: -75°43'6.25") in Bear Creek Township, Luzerne County. Subbasin: 2A.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ed Muzic, Section Chief, 717.705.4802.

E44-152: Plenary Walsh Keystone Partners, 2000 Cliff Mine Road, Park West Two, 3rd Floor, Pittsburgh, PA 15275 in Armaugh Township, **Mifflin County**, U.S. Army Corps of Engineers, Baltimore District. Issued June 21, 2017.

To remove an existing structure and to install and maintain an 89.0-foot long, 37-foot, 8-inch wide single span adjacent box beam bridge having an under clearance of 5.11 feet over Honey Creek (HQ-CWF, MF), permanently impacting 0.01 acre of exceptional value palustrine scrub shrub wetlands all for the purpose of improving safety standards. The project is located near the intersection of Barefoot Road and Honey Creek Road (Latitude 40°42'18", Longitude -77°32'00") in Armaugh Township, Mifflin County. Wetland impacts are de minimus and replacement is not required.

E36-962: Lancaster Township, 1240 Maple Avenue, Lancaster, PA 17603 in Lancaster Township, **Lancaster County**, U.S. Army Corps of Engineers, Baltimore District. Issued June 21, 2017.

To remove existing structures and to install and maintain the following over and in an unnamed tributary to Little Conestoga Creek (WWF, MF): 1) 100 linear of concrete curb and 5 foot wide concrete sidewalk 2) 22.75 lineal feet of 47 inch high by 71 inch wide corrugated metal pipe, a 10 foot by 10 foot inlet box, 18.25 lineal feet of 44 inches high by 70 inches wide corrugated metal pipe, and 10 lineal feet of 18 inch diameter smooth lined corrugated plastic pipe; linking 2 existing culverts, creating a 192 foot long stream enclosure. Both activities are proposed to increase safety standards. The project is located along Hillcrest Road near its intersection with Hamilton Road (Latitude: 40°03'7.5", Longitude: -76°19'41") in Lancaster Township, Lancaster County. No wetlands will be impacted by this project.

E01-315: Plenary Walsh Keystone Partners, 2000 Cliff Mine Road, Park West Two, 3rd Floor, Pittsburgh, PA 15275 in Gettysburg Borough and Straban Township,

Adams County, U.S. Army Corps of Engineers, Baltimore District. Issued June 21, 2017.

To remove the existing structure and to install and maintain a 111-foot long, 60-foot wide concrete box beam bridge having an under clearance of 9.4 feet over Rock Creek (WWF, MF). All impacts are associated with the SR 0030, Lincoln Highway bridge replacement over Rock Creek (Latitude 39°50'4.54", Longitude -77°13'10.87") for the purpose of improving safety standards.

E38-202: Vision Acquisitions III, LP, 633 West Germantown Pike, Plymouth Meeting, PA 19642 in Union Township, **Lebanon County**, U.S. Army Corps of Engineers, Baltimore District. Issued June 22, 2017.

To 1) construct and maintain a 48" SLCPP culvert crossing permanently impacting 123 linear feet of a UNT to Swatara Creek (WWF, MF); 2) construct and maintain a 6" waterline permanently impacting 1.98 square feet a UNT to Swatara Creek (WWF, MF); 3) construct and maintain a 2" sanitary line permanently impacting 3.33 square feet of a UNT to Swatara Creek (WWF, MF); 4) construct and maintain a 6" gas line permanently impacting square feet a UNT to Swatara Creek (WWF, MF); 5) construct and maintain an 84" RCP culvert permanently impacting 101 linear feet of a UNT to Swatara Creek (WWF, MF) and associated floodway and 309 square feet of PEM wetlands; 6) construct and maintain a 6" waterline permanently impacting 6.67 square feet of a UNT to Swatara Creek (WWF, MF); 7) construct and maintain a 2" sanitary line permanently impacting 6.67 square feet of a UNT to Swatara Creek (WWF, MF); 8) construct and maintain a 6" gas main permanently impacting 6.67 square feet of a UNT to Swatara Creek (WWF, MF); 9) install and maintain a 2" gas line Permanently impacting 971.27 square feet of a UNT to Swatara Creek (WWF, MF); 10) install and maintain a 2" gas line permanently impacting 22 square feet of a UNT to Swatara Creek (WWF, MF), for the purpose of constructing two warehouse buildings and associated infrastructure. The project is located at Bordnersville Road and Cavalry Road (Latitude: 40.433705, Longitude: -76.522565) in Union Township Lebanon County.

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Michael Forbeck, Acting Waterways and Wetlands Program Manager, 412-442-4000.

E02-14025-A1, Lane Construction Corp, 300 Bilmar Drive, Suite 150, Pittsburgh, PA 15205, McKees Rocks Borough, **Allegheny County**, Pittsburgh ACOE District.

Has been given consent to:

Construct and maintain a 130.0 ft. × 100.0 ft. addition on the upstream side of the existing barge docking facility and a 130.0 ft. × 50.0 ft. addition on the downstream side of the existing barge docking facility, and to construct and maintain an additional 40.0 ft. × 20.0 ft. barge, an additional 100.00 ft. × 18.0 ft. barge and a 2.0 ft. diameter spud, and a 50.0 ft. addition and a 2.0 ft. diameter spud to the existing 135.0 ft. × 35.0 ft. barge in the channel and along the left bank of the Ohio River, for the purpose of storing offloaded aggregate from barges as it is being processed. The project is located near Mile Marker 3.0, at the existing Lane Construction barge facility, near the intersection of Robb Street and Shingiss Road (Pittsburgh West PA USGS Topographic Quadrangle; Latitude: 40° 28' 19.73"; Longitude: -80° 02' 55.10"; Sub-basin: 20G; Chapter 93 Type: WWF), in McKees Rocks, Allegheny County. The project will permanently impact 585 linear feet of the Ohio River.

E02-1731, Plenary Walsh Keystone Partners, 2000 Cliff Mine Road, Park West Two, Third Floor, Pittsburgh, PA 15275, City of Pittsburgh, **Allegheny County**, Pittsburgh ACOE District.

Has been given consent to:

1. Remove an existing single span, concrete encased steel, I-beam bridge (Span 10.7-feet, Length 38.9-feet, Under-clearance 6.32-feet), and

2. Construct and maintain a replacement concrete box culvert (Span 12.0-feet, Length 80.57-feet, Height 8.0-feet).

For the purposes of replacing the existing S.R. 3098 (Glass Run Road) bridge, a structurally deficient structure, over Glass Run with permanent impacts of 145 feet and temporary impacts of 10 feet. Mitigation will be through structure baffles and other improvements. The new structure will be placed on the existing alignment, which is located 0.4-miles from the intersection of S.R. 0885 and Glass Run Road (Pittsburgh East, PA USGS topographic quadrangle: Pittsburgh East, N: 2.6 inches, W:9.1 inches; Latitude: 40° 23' 22"; Longitude: -79° 56' 27"; Sub-basin: 19C; Pittsburgh Corps District), in the City of Pittsburgh, Allegheny County.

ENVIRONMENTAL ASSESSMENTS

Southcentral Region: Watershed Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Ed Muzic, Section Chief, 717.705.4802.

EA67-029: Izaak Walton League of America, York Chapter 67, 7131 Ironstone Hill Road, Dallastown, PA 17313 in York and North Hopewell Townships, **York County**, U.S. Army Corps of Engineers, Baltimore District. Issued June 21, 2017.

To relocate and restore 2,000 linear feet of Barshinger Creek (CWF, MF) by use of rock J-hooks, Log J-hooks, toe wood, digger logs, random boulder clusters and bank grading. The project is located upstream of the intersection of Arbor Drive and Dunkard Valley Road (SR 0214) in York and North Hopewell Townships, York County (Latitude: 39.87059, Longitude: -76.661734).

EA36-044: Lancaster County Solid Waste Management Authority, 1299 Harrisburg Pike, Lancaster, PA 17604 in Manor Township, **Lancaster County**, U.S. Army Corps of Engineers, Baltimore District. Issued June 22, 2017.

To 1.) the placement and maintenance of fill in 0.16 acre of palustrine emergent wetlands; and 2.) the placement and maintenance of R-4 rip rap in an unnamed tributary to Mann's Run (WWF, MF) impacting 8 linear feet of stream, all for the purpose of maintaining and enhancing wetlands that were previously impacted by the draining of a manmade on-line pond. To compensate for the impacts, 0.88 acre of palustrine emergent/palustrine scrub shrub wetland shall be re-established, as proposed, onsite. The project is located along River Road (Latitude: 39° 57' 37"N; Longitude: 76° 26' 33.7"W) in Manor Township, Lancaster County.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania

AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Northwest Region: Oil and Gas Program Manager, 230 Chestnut St., Meadville, PA 16335.

ESCGP-2 # ESX14-019-0057—Krendale Well Pad
Applicant R.E. Gas Development, LLC
Contact Mr. Michael Endler

Address 600 Cranberry Woods Drive, Suite 250
City Cranberry Township State PA Zip Code 16066
County Butler Township(s) Butler
Receiving Stream(s) and Classification(s) UNTs to Little Connoquenessing Creek (CWF); UNT to Sawmill Run (WWF), and Slippery Rock Creek Watershed

Eastern Region: Oil & Gas Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

ESCGP-2 # ESX29-115-17-0011
Applicant Name Cabot Oil & Gas Corp
Contact Person Kenneth Marcum
Address 2000 Park Lane, Suite 300
City, State, Zip Pittsburgh, PA 15275
County Susquehanna
Township(s) Lathrop
Receiving Stream(s) and Classification(s) UNT to Horton Ck (CWF-MF)

ESCGP-2 # ESX29-015-17-0026
Applicant Name EOG Resources Inc
Contact Person Jon Jorgenson
Address 2039 S Sixth St
City, State, Zip Indiana, PA 15701
County Bradford
Township(s) Burlington
Receiving Stream(s) and Classification(s) Tomjack Ck (TSF, MF); Wallace Run (WWF, MF)
Secondary—Sugar Ck

ESCGP-2 # ESX29-115-17-0021
Applicant Name Susquehanna Gathering Co LLC
Contact Person Paul Corrigan
Address 333 Technology Dr, Suite 255
City, State, Zip Canonsburg, PA 15317
County Susquehanna
Township(s) Harford & New Milford
Receiving Stream(s) and Classification(s) E Branch Martins Ck (CWF-MF) and tributaries thereto

ESCGP-2 # ESG29-115-16-0041
Applicant Name Bluestone Pipeline Co of PA LLC
Contact Person Michael Spangenberg
Address 1429 Oliver Rd
City, State, Zip New Milford, PA 18834
County Susquehanna
Township(s) Jackson & New Milford

Receiving Stream(s) and Classification(s) Salt Lick Ck (HQ-CWF) and tributaries thereto; UNTs to East Lake Ck (HQ-CWF)

ESCGP-2 # ESX11-081-0057(03)

Applicant Name ARD Operating LLC

Contact Person Stephen Barondeau

Address 33 W Third St, Suite 200

City, State, Zip Williamsport, PA 17701

County Lycoming

Township(s) Cummings & Cogan House

Receiving Stream(s) and Classification(s) UNTs to Second Fork Larrys Ck (EV); UNTs to Long Run (EV); UNTs to Larrys Ck (EV)

Secondary—Second Fork Larrys Ck (EV); Long Run (EV); Larrys Ck (EV)

ESCGP-2 # ESG29-115-16-0049

Applicant Name Williams Field Services Co LLC

Contact Person Kristy Grigas

Address Park Place Corp Center 2, 2000 Commerce Dr

City, State, Zip Pittsburgh, PA 15275

County Susquehanna

Township(s) Gibson & Herrick

Receiving Stream(s) and Classification(s) Rock Ck (HQ-CWF) and unnamed tributaries thereto; Bear Swamp Ck (CWF-MF) and unnamed tributaries thereto; UNTs to Tunkhannock Ck (CWF-MF)

ESCGP-2 # ESX29-115-17-0007

Applicant Name Susquehanna Gathering Co LLC

Contact Person Paul Corrigan

Address 333 Technology Dr, Suite 255

City, State, Zip Canonsburg, PA 15317

County Susquehanna

Township(s) New Milford

Receiving Stream(s) and Classification(s) Smith Ck (HQ-CWF); East Lake Ck (HQ-CWF); Mitchell Ck (CWF-MF); Deacon Brook (CWF-MF)

ESCGP-2 # ESX12-081-0037(01)

Applicant Name EXCO Resources PA LLC

Contact Person Brian Rushe

Address 260 Executive Dr, Suite 100

City, State, Zip Cranberry Twp, PA 16066

County Lycoming

Township(s) Cogan House

Receiving Stream(s) and Classification(s) UNTs to Roaring Run (EV); Little Gap Run (HQ-CWF)

Secondary—Roaring Run (EV); Hoagland Run (HQ-CWF)

ESCGP-2 # ESX29-117-17-0006

Applicant Name SWEPI LP

Contact Person Jason Shoemaker

Address 150 N Dairy Ashford, E1296-E

City, State, Zip Houston, TX 77079

County Tioga

Township(s) Farmington & Osceola

Receiving Stream(s) and Classification(s) Thornbottom Ck (WWF)

ESCGP-2 # ESX29-117-17-0020

Applicant Name SWEPI LP

Contact Person Jason Shoemaker

Address 150 N Dairy Ashford, E1296-E

City, State, Zip Houston, TX 77079

County Tioga

Township(s) Deerfield

Receiving Stream(s) and Classification(s) Cowanesque River (WWF)

[Pa.B. Doc. No. 17-1121. Filed for public inspection July 7, 2017, 9:00 a.m.]

Availability of Technical Guidance

Technical guidance documents are available on the Department of Environmental Protection's (Department) web site at <http://www.elibrary.dep.state.pa.us/dsweb/HomePage>. The "Technical Guidance Final Documents" heading is the link to a menu of the various Department bureaus where each bureau's final technical guidance documents are posted. The "Technical Guidance Draft Documents" heading is the link to the Department's draft technical guidance documents.

Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to view and download technical guidance documents. When this option is not available, persons can order a paper copy of any of the Department's draft or final technical guidance documents by contacting the Department at (717) 787-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to Technical Guidance Documents

Following is the current list of recent changes. Persons who have questions or comments about a particular document should call the contact person whose name and phone number is listed with each document.

Final Technical Guidance Document—Substantive Revision

DEP ID: 263-4200-001. **Title:** Closure Requirements for Aboveground Storage Tank Systems. **Description:** The purpose of this technical guidance document is to establish minimum standards that must be met to comply with the closure requirements for regulated large, aboveground storage tank systems. These procedures include closure notification, tank handling, waste management and disposal, site assessment, sampling requirements, analytical requirements, release reporting and recordkeeping.

This technical guidance document was revised to remove all appendices from the document. In addition, throughout the document, associated regulatory citations have been updated pertaining to the Bureau of Waste Management regulations and the Department of Labor and Industry. Existing language was expanded to provide clarity and outdated terminology was removed. Document sections have been reorganized and additional information is included that would be relevant to the storage tank owner during storage tank closure activities. In response to comments received during the 30-day public comment period, language within the technical guidance document was modified to clarify that water samples are only required if water in the excavation is encountered and either remains or recharges following pump-out activities.

Contact: Questions regarding this technical guidance document should be directed to Alex Eckman at eckman@pa.gov or (717) 772-5827.

Effective Date: July 8, 2017

DEP ID: 263-4500-601. **Title:** Closure Requirements for Underground Storage Tank Systems. **Description:** The purpose of this technical guidance document is to establish minimum standards that must be met to comply with the closure requirements for regulated underground storage tank systems. These procedures include closure notification, tank handling, waste management and disposal,

site assessment, sampling requirements, analytical requirements, release reporting and recordkeeping.

This technical guidance document was revised to remove all appendices from the document. In addition, throughout the document, associated regulatory citations have been updated pertaining to the Bureau of Waste Management regulations and the Department of Labor and Industry. Existing language was expanded to provide clarity and outdated terminology was removed. Document sections have been reorganized and additional information is included that would be relevant to the storage tank owner during storage tank closure activities. In response to comments received during the 30-day public comment period, language within the technical guidance document was modified to clarify that water samples are only required if water in the excavation is encountered and either remains or recharges following pump-out activities.

Contact: Questions regarding this technical guidance document should be directed to Alex Eckman at eckman@pa.gov or (717) 772-5827.

Effective Date: July 8, 2017

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 17-1122. Filed for public inspection July 7, 2017, 9:00 a.m.]

Citizens Advisory Council Meeting Cancellation

The July 18, 2017, meeting of the Citizen Advisory Council (Council) has been cancelled. The next Council meeting is scheduled for Tuesday, September 19, 2017, at 10 a.m. in Room 10, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17105.

Questions concerning the September 19, 2017, meeting should be directed to Lee Ann Murray, Citizens Advisory Council, at leemurray@pa.gov or (717) 787-8171. The agenda and meeting materials will be available through the Public Participation tab on the Department of Environmental Protection's (Department) web site at <http://www.dep.pa.gov>.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Lee Ann Murray at (717) 787-8171, or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users), or (800) 654-5988 (voice users), to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 17-1123. Filed for public inspection July 7, 2017, 9:00 a.m.]

Climate Change Advisory Committee Rescheduled Meeting

The Climate Change Advisory Committee meeting originally scheduled for Tuesday, July 11, 2017, has been rescheduled to Monday, August 7, 2017, at 10 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101.

The agenda and meeting materials for the August 7, 2017, meeting will be available on the Department of

Environmental Protection's (Department) web site at www.dep.pa.gov. Questions concerning the meeting should be directed to Mark Brojakowski, Bureau of Air Quality, Climate Change Section, at mbrojakows@pa.gov or (717) 772-3429.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Mark Brojakowski at (717) 772-3429 or mbrojakows@pa.gov. TDD users may contact the Pennsylvania AT&T Relay Service at (800) 654-5984 to discuss how the Department can best accommodate their needs.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 17-1124. Filed for public inspection July 7, 2017, 9:00 a.m.]

Federal Consistency under the Coastal Zone Management Act; Construction of a Culvert on West Branch Cascade Creek

This notice is published under section 306(d)(14) of the Federal Coastal Zone Management Act of 1972 (16 U.S.C.A. § 1455(d)(14)), regarding public participation during consistency determinations. The Department of Environmental Protection (Department), Coastal Resources Management Program has received notice that VCG Properties, LLC is proposing to construct a culvert to enclose a portion of the West Branch Cascade Creek in the City of Erie, Erie County.

The applicant proposes to enclose approximately 282 feet of West Branch Cascade Creek in the south portion of the West Erie Plaza to accommodate parking and visibility for a proposed new retail structure along 12th Street. The section of the stream proposed to be enclosed presently flows within an open asphalt modified channel.

This project is subject to Department review for Federal consistency because it is a Federal license and permit activity and will have reasonably foreseeable effects on the Commonwealth's coastal resources or uses.

In accordance with National Oceanic and Atmospheric Administration (NOAA) regulations in 15 CFR Part 930, Subpart D (relating to consistency for activities requiring a Federal license or permit), VCG Properties, LLC has certified that the proposed activity will be conducted in a manner consistent with the applicable enforceable policies of the Commonwealth's NOAA-approved Coastal Resources Management Program. Interested parties may request a copy of the Federal Consistency Certification from the Department contact listed as follows.

Questions regarding this review should be directed to Matthew Walderon, Federal Consistency Coordinator, at (717) 772-2196 or RA-Fed_Consistency@pa.gov.

The Department will consider all comments received no later than July 24, 2017, before issuing a final Federal consistency concurrence or objection. Commentators are encouraged to submit comments using the Department's eComment system at www.ahs.dep.pa.gov/eComment or by e-mail to ecomment@pa.gov. Written comments can be submitted to the Policy Office, Department of Environ-

mental Protection, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2063. All comments, including comments submitted by e-mail, must include the originator's name and address. Comments submitted by facsimile will not be accepted.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 17-1125. Filed for public inspection July 7, 2017, 9:00 a.m.]

Mining and Reclamation Advisory Board Meeting Location

The Mining and Reclamation Advisory Board will meet on Thursday, July 20, 2017, at 9 a.m. at the Knox District Mining Office, 310 Best Lane (White Memorial Building), Knox, PA 16232.

Questions concerning the meeting can be directed to Daniel E. Snowden at dsnowden@pa.gov or (717) 783-8846. The agenda and meeting materials will be available through the Public Participation tab on the Department of Environmental Protection's (Department) web site at www.dep.pa.gov (select "Public Participation," then "Advisory Committees," then "Mining Advisory Committees," then "Mining and Reclamation Advisory Board (MRAB)").

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Daniel E. Snowden at (717) 783-8846 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 17-1126. Filed for public inspection July 7, 2017, 9:00 a.m.]

DEPARTMENT OF HEALTH

Ambulatory Surgical Facilities; Requests for Exceptions

The following ambulatory surgical facility (ASF) has filed a request for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license ASFs under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following request for exceptions relate to regulations governing ASF licensure in 28 Pa. Code Chapters 51 and 551—571 (relating to general information; and ambulatory surgical facilities).

Facility Name

St. Luke's Anderson Ambulatory Surgical Center

Regulation

28 Pa. Code § 555.1 (relating to principle)
 28 Pa. Code § 555.2 (relating to medical staff membership)
 28 Pa. Code § 555.3 (relating to requirements for membership and privileges)
 28 Pa. Code § 555.4 (relating to clinical activities and duties of physician assistants and certified registered nurse practitioners)
 28 Pa. Code § 557.2(a)—(d) (relating to plan)
 28 Pa. Code § 557.3(a)—(f) (relating to Quality Assurance and Improvement Program)
 28 Pa. Code § 563.2(a) and (b) (relating to organization and staffing)
 28 Pa. Code § 563.10 (relating to ownership)
 28 Pa. Code § 567.1 (relating to principle)
 28 Pa. Code § 569.1 (relating to principle)
 28 Pa. Code § 569.3 (relating to policies and procedures)

All previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,
Secretary

[Pa.B. Doc. No. 17-1127. Filed for public inspection July 7, 2017, 9:00 a.m.]

Hospitals; Requests for Exceptions

The following hospitals have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license hospitals under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following requests for exceptions relate to regulations governing hospital licensure in 28 Pa. Code Chapters 51 and 101—158 (relating to general information; and general and special hospitals), with the exception of 28 Pa. Code § 153.1 (relating to minimum standards). Exception requests related to 28 Pa. Code § 153.1 are listed separately in this notice.

<i>Facility Name</i>	<i>Regulation</i>
Heritage Valley Beaver	28 Pa. Code § 103.1 (relating to principle)
Heritage Valley Sewickley	28 Pa. Code § 103.1
Kindred Hospital South Philadelphia	28 Pa. Code § 107.61 (relating to written orders)
Soldiers and Sailors Memorial Hospital	28 Pa. Code § 107.61

The following hospital is requesting an exception under 28 Pa. Code § 153.1. Requests for exceptions under this section relate to minimum standards that hospitals must comply with under the *Guidelines for Design and Construction of Hospitals and Outpatient Facilities (Guidelines)*. The following list includes the citation to the section under the *Guidelines* that the hospital is seeking an exception, as well as the publication year of the applicable *Guidelines*.

<i>Facility Name</i>	<i>Guidelines Section</i>	<i>Relating to</i>	<i>Publication Year</i>
Allegheny Valley Hospital	2.1-2.2.5.1(1)	Location (hand-washing station in the patient rooms)	2014

All previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,
Secretary

[Pa.B. Doc. No. 17-1128. Filed for public inspection July 7, 2017, 9:00 a.m.]

Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.20(a) (relating to resident bedrooms):

ManorCare Health Services—Lancaster
100 Abbeyville Road
Lancaster, PA 17603
Facility ID # 231302

This request is on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or

hearing impaired persons V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,
Secretary

[Pa.B. Doc. No. 17-1129. Filed for public inspection July 7, 2017, 9:00 a.m.]

Traumatic Brain Injury Advisory Board Meeting

The Traumatic Brain Injury Advisory Board (Board), established under section 1252 of the Federal Traumatic Brain Injury Act of 1996 (42 U.S.C.A. § 300d-52), will hold a public meeting on Friday, August 4, 2017, from 10 a.m. to 3 p.m. in the large conference room of the Community Center, 2nd Floor, Giant Food Store, 2300 Linglestown Road, Harrisburg, PA 17110.

Currently in this Commonwealth, nearly 250,000 individuals are living with brain injury. On average, 8,600 residents of this Commonwealth sustain long-term disabilities from brain injury. The Department of Health's (Department) Head Injury Program (HIP) strives to ensure that eligible individuals who have a traumatic brain injury receive high quality rehabilitative services aimed at reducing functional limitations and improving quality of life. The Board assists the Department in understanding and meeting the needs of persons living with traumatic brain injury and their families. This quarterly

meeting will provide updates on a variety of topics including the number of people served by HIP. In addition, meeting participants will discuss budgetary and programmatic issues, community programs relating to traumatic brain injury and available advocacy opportunities.

For additional information or for persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so should contact Michael Yakum, Division of Community Systems Development and Outreach, (717) 772-2763, or for speech and/or hearing impaired persons, contact V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984.

This meeting is subject to cancellation without notice.

KAREN M. MURPHY, PhD, RN,
Secretary

[Pa.B. Doc. No. 17-1130. Filed for public inspection July 7, 2017, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Public-Private Partnerships Board Meeting

The Public-Private Partnerships Board will hold a meeting on July 13, 2017, from 1 p.m. to 3 p.m. in PUC Hearing Room No. 1, Keystone Building, Harrisburg, PA. For more information contact Kathryn Tartaglia, (717) 214-7222, katartagli@pa.gov.

LESLIE S. RICHARDS,
Secretary

[Pa.B. Doc. No. 17-1131. Filed for public inspection July 7, 2017, 9:00 a.m.]

HEALTH CARE COST CONTAINMENT COUNCIL

Meetings Scheduled

The Health Care Cost Containment Council (Council) has scheduled the following meetings: Wednesday, July 12, 2017—Executive Committee meeting at 1 p.m. and Thursday, July 13, 2017—Council meeting at 10 a.m.

The meetings will be accessible at 225 Market Street, Suite 400, Harrisburg, PA 17101. The public is invited to attend. Persons who need accommodation due to a disability and want to attend should contact Renee Greenawalt, (717) 232-6787 at least 24 hours in advance so that arrangements can be made.

JOE MARTIN,
Executive Director

[Pa.B. Doc. No. 17-1132. Filed for public inspection July 7, 2017, 9:00 a.m.]

INSURANCE DEPARTMENT

Application for Renewal of Designation as a Certified Reinsurer

Equator Reinsurance Limited has applied for renewal of its designation as a certified reinsurer in this Commonwealth. The application was received on June 26, 2017, and was made under section 319.1(a) of The Insurance Company Law of 1921 (40 P.S. § 442.1(a)) and 31 Pa. Code § 161.3a (relating to requirements for certified reinsurers).

Persons who wish to comment on the application are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Neel Vaidya, Financial Analysis Division, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, nvaidya@pa.gov. Comments received will be forwarded to the applicant for appropriate response.

TERESA D. MILLER,
Insurance Commissioner

[Pa.B. Doc. No. 17-1133. Filed for public inspection July 7, 2017, 9:00 a.m.]

Application and Request for Approval of Medical Professional Liability Reciprocal Exchange-to-Stock Conversion of Professional Casualty Association and Physicians' Insurance Program Exchange; Conclusion of Public Comment Period

The Insurance Department (Department) published notice at 45 Pa.B. 6769 (November 21, 2015) of the receipt of the application of Professional Casualty Association and Physicians' Insurance Program Exchange, both Pennsylvania domiciled reciprocal and inter-insurance exchanges, for the conversion of each to stock form. The notice afforded persons the opportunity to provide written comments on the filing to the Department on the grounds of public or private interest for an indefinite period of time. The purpose of this notice is to announce that the Department will close the public comment period on July 24, 2017.

The filing and related materials, including reports issued by the Department's consultant, are available on the Department's web site at www.insurance.pa.gov.

Persons wishing to comment on the grounds of public or private interest are invited to submit a written statement to the Department on or before July 17, 2017. Each written statement must include the name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Cressinda Bybee, Company Licensing Division, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, cbybee@pa.gov.

Comments received will be part of the public record regarding this filing. Additionally, copies of the comments received will be forwarded to the applicants for appropriate response. The applicants' responses will also be made available on the Department's web site.

TERESA D. MILLER,
Insurance Commissioner

[Pa.B. Doc. No. 17-1134. Filed for public inspection July 7, 2017, 9:00 a.m.]

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insured has requested a hearing as authorized by the act of June 17, 1998 (P.L. 464, No. 68) (Act 68) in connection with the termination of the insured's automobile insurance policy. The hearing will be held in accordance with the requirements of Act 68; 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law); 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). The administrative hearing will be held in the Insurance Department's Administrative Hearings Office in Harrisburg, PA. Failure by the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

The following hearing will be held in the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102.

Appeal of Donald Martin; File No. 17-177-210609; Nationwide Property & Casualty Insurance Company; Doc. No. P17-06-011; August 1, 2017, 10 a.m.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner (Commissioner) will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Human Resources at (717) 705-4194.

TERESA D. MILLER,
Insurance Commissioner

[Pa.B. Doc. No. 17-1135. Filed for public inspection July 7, 2017, 9:00 a.m.]

RiverSource Life Insurance Company; Rate Increase Filing for LTC Form 30160A-PA Issued After September 15, 2002 (AERS-130983718)

RiverSource Life Insurance Company is requesting approval to increase the premium 94% on 243 policy holders of RiverSource LTC form 30160A-PA with Endorsement 32100-PA issued after September 15, 2002.

Unless formal administrative action is taken prior to September 21, 2017, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) web site at www.insurance.pa.gov (hover the cursor over the "Consumers" tab, then select "Long Term Care Rate Filings").

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department's Harrisburg office.

Interested parties are invited to submit written comments, suggestions or objections to James Lavery, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, jlavery@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

TERESA D. MILLER,
Insurance Commissioner

[Pa.B. Doc. No. 17-1136. Filed for public inspection July 7, 2017, 9:00 a.m.]

RiverSource Life Insurance Company; Rate Increase Filing for LTC Form 30160A-PA Issued Before September 16, 2002 (AERS-130983724)

RiverSource Life Insurance Company is requesting approval to increase the premium 15% on 1,430 policy holders of RiverSource LTC form 30160A-PA with Endorsement 32100-PA issued before September 16, 2002.

Unless formal administrative action is taken prior to September 21, 2017, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) web site at www.insurance.pa.gov (hover the cursor over the "Consumers" tab, then select "Long Term Care Rate Filings").

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department's Harrisburg office.

Interested parties are invited to submit written comments, suggestions or objections to James Lavery, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, jlavery@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

TERESA D. MILLER,
Insurance Commissioner

[Pa.B. Doc. No. 17-1137. Filed for public inspection July 7, 2017, 9:00 a.m.]

RiverSource Life Insurance Company; Rate Increase Filing for LTC Form 30240-PA (AERS-130983642)

RiverSource Life Insurance Company is requesting approval to increase the premium 4.4% on 694 policy holders of RiverSource LTC Nursing Home Indemnity Policy 30240-PA.

Unless formal administrative action is taken prior to September 21, 2017, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) web site at www.insurance.pa.gov (hover the cursor over the "Consumers" tab, then select "Long Term Care Rate Filings").

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department's Harrisburg office.

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, jlaverty@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

TERESA D. MILLER,
Insurance Commissioner

[Pa.B. Doc. No. 17-1138. Filed for public inspection July 7, 2017, 9:00 a.m.]

RiverSource Life Insurance Company; Rate Increase Filing for Several LTC Forms (AERS-130983743)

RiverSource Life Insurance Company is requesting approval to increase the premium 25.7% on 2,788 policy holders of RiverSource LTC forms 30225-PA, 30225-PA1 and 30225A-PA1.

Unless formal administrative action is taken prior to September 21, 2017, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) web site at www.insurance.pa.gov (hover the cursor over the "Consumers" tab, then select "Long Term Care Rate Filings").

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department's Harrisburg office.

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, jlaverty@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

TERESA D. MILLER,
Insurance Commissioner

[Pa.B. Doc. No. 17-1139. Filed for public inspection July 7, 2017, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Natural Gas Service

A-2017-2611309. Columbia Gas of Pennsylvania, Inc. Application for approval of abandonment of service by Columbia Gas of Pennsylvania, Inc. of natural gas service to one active customer and one inactive premises located in Washington County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities)

on or before July 24, 2017. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

Applicant: Columbia Gas of Pennsylvania, Inc.

Through and By Counsel: Meagan B. Moore, Esquire, Theodore J. Gallagher, Esquire, NiSource Corporate Services Company, 121 Champion Way, Suite 100, Canonsburg, PA 15317; and Andrew S. Tubbs, Esquire, NiSource Corporate Services Company, 800 North Third Street, Suite 204, Harrisburg, PA 17102

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 17-1140. Filed for public inspection July 7, 2017, 9:00 a.m.]

Pro Forma Asset Transfer Transaction

A-2017-2611316 and A-2017-2611323. Network Billing Systems, LLC and BCN Telecom, Inc. Joint application of Network Billing Systems, LLC and BCN Telecom, Inc. for approval of a pro forma asset transfer transaction.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before July 24, 2017. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

Applicants: Network Billing Systems, LLC; BCN Telecom, Inc.

Through and By Counsel: Michael A. Gruin, Esquire, Stevens & Lee, 17th North 2nd Street, 16th Floor, Harrisburg, PA 17101; Andrew O. Isar, Esquire, Miller Isar Inc., 4304 92nd Avenue, NW, Gig Harbor, WA 98335; and Patrick D. Crocker, Esquire, Crocker & Crocker, The Kalamazoo Building, 107 West Michigan Avenue, 4th Floor, Kalamazoo, MI 49007

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 17-1141. Filed for public inspection July 7, 2017, 9:00 a.m.]

Pro Forma Transaction

A-2017-2611311 and A-2017-2611371. TTI National, Inc. and MCI Communications Services, Inc., d/b/a Verizon Business Services. Joint application for approval of a pro forma transaction of TTI National, Inc. and MCI Communications Services, Inc., d/b/a Verizon Business Services for approval of a transfer of customers from TTI National, Inc. to MCI Communications Services,

Inc., d/b/a Verizon Business Services and for approval of the abandonment of all telecommunications services in this Commonwealth by TTI National, Inc.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before July 24, 2017. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

Applicants: TTI National, Inc.; MCI Communications Services, Inc., d/b/a Verizon Business Services

Through and By Counsel: Suzan D. Paiva, Esquire, Verizon, 1717 Arch Street, 3rd Floor, Philadelphia, PA 19103

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 17-1142. Filed for public inspection July 7, 2017, 9:00 a.m.]

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by July 24, 2017. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Application of the following for approval to *begin operating as common carriers for transportation of persons as described under the application.*

A-2017-2602540. Ride2Care, Inc., t/a Ride2Care (2841 North Opal Street, Philadelphia, PA 19132) for the right to begin to transport, as a common carrier, by motor vehicle, persons in paratransit service, from points in the Counties of Delaware and Philadelphia, to points in Pennsylvania, and return.

Application of the following for approval of the *beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods as described under the application.*

A-2017-2605843. Exceptional Movers, LLC (288 Cumberland Street, Suite 204, Harrisburg, PA 17102) for the right to begin to transport, as a common carrier, by motor vehicle, household goods in use, between points in Pennsylvania.

Application of the following for the approval of the right and privilege to *discontinue/abandon operating as common carriers by motor vehicle and for cancellation of the certificate of public convenience as described under the application.*

A-2017-2610332. E. Hargrove Limited Liability Company, t/a Hargrove Transportation Services (200 Arlene Court, Newark, DE 19702) for the discontinuance of service and cancellation of its certificate, as a common carrier, by motor vehicle, authorizing the transportation of persons, in group and party service, in vehicles seating 11 to 15 passengers, including the driver, from points in the County of Philadelphia to points in Pennsylvania, and return.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 17-1143. Filed for public inspection July 7, 2017, 9:00 a.m.]

Service of Notice of Motor Carrier Formal Complaints

Formal Complaints have been issued by the Pennsylvania Public Utility Commission. Answers must be filed in accordance with 52 Pa. Code (relating to public utilities). Answers are due July 24, 2017, and must be made with the Secretary, Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy to the First Deputy Chief Prosecutor, Pennsylvania Public Utility Commission.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Walker, Brandon P., t/a B.P.W. Transportation; Docket No. C-2017-2604365

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Walker, Brandon P., t/a B.P.W. Transportation, (respondent) is under suspension effective May 02, 2017 for failure to maintain evidence of insurance on file with this Commission.
2. That respondent maintains a principal place of business at 6924 Church Rd, Felton, PA 17322.
3. That respondent was issued a Certificate of Public Convenience by this Commission on July 23, 1999, at A-00113920/702498.
4. That respondent has failed to maintain evidence of Cargo and Liability insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.
5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66

Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-00113920/702498 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
P.O. Box 3265
Harrisburg, PA 17105-3265

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 5/23/2017

David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
P.O. Box 3265
Harrisburg, PA 17105-3265

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility
Services
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Kyle Baumann; Docket No. C-2017-2604605

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Kyle Baumann, (respondent) is under suspension effective May 07, 2017 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at 3519 Brierwood Drive, Erie, PA 16510.

3. That respondent was issued a Certificate of Public Convenience by this Commission on November 25, 2015, at A-8918212.

4. That respondent has failed to maintain evidence of both Cargo insurance and Liability insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-8918212 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
P.O. Box 3265
Harrisburg, PA 17105-3265

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 5/23/2017

David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
P.O. Box 3265
Harrisburg, PA 17105-3265

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility
Services
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this num-

ber if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

**Pennsylvania Public Utility Commission; Bureau of
Investigation and Enforcement v. Linda G. Krein,
t/a We Care Limousine Service;
Docket No. C-2017-2605032**

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Linda G. Krein, t/a We Care Limousine Service, (respondent) is under suspension effective May 09, 2017 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at 259 Richland Dr., Pittsburgh, PA 15235.

3. That respondent was issued a Certificate of Public Convenience by this Commission on November 08, 2001, at A-00117689.

4. That respondent has failed to maintain evidence of Liability insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-00117689 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
P.O. Box 3265
Harrisburg, PA 17105-3265

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I

expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 5/23/2017

David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
P.O. Box 3265
Harrisburg, PA 17105-3265

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility
Services
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of

insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 17-1144. Filed for public inspection July 7, 2017, 9:00 a.m.]

Third Party Electric Vehicle Charging—Resale/ Redistribution of Utility Service; Doc. No. M-2017-2604382

The Public Utility Commission (Commission) issues this letter seeking comments from all interested parties regarding tariff provisions of electric distribution companies (EDC) concerning the resale/redistribution of electric power to third parties. Specifically, the Commission seeks comments with regard to how those provisions may affect the operation of—even the viability of—electric vehicle (EV) charging stations.

Background

According to the Department of Transportation, the number of EVs registered in this Commonwealth has steadily increased from 1,653 in 2013 to an estimated 3,600 in 2016. There are currently 723 EV charging stations in this Commonwealth available to the public for recharging EV batteries. Evidence indicates that the number of EVs purchased throughout the United States will continue to grow, which means the need for EV charging stations will increase as well.

EV charging station owners purchase electric power from an EDC and resell it to EV drivers. As with any other commercial activity, EV charging stations can exist only if the owners are able to earn a profit on the business. However, in this Commonwealth independent owners of EV charging stations may face resale/redistribution restrictions from: (1) 66 Pa.C.S. (relating to Public Utility Code), see 66 Pa.C.S. § 1313 (relating to price upon resale of public utility services); and (2) the EDCs resale/redistribution tariff provisions.

Section 1313 of 66 Pa.C.S. requires that when an entity—such as an EV charging station—purchases power from an EDC and resells it to consumers, the price charged by the entity “to any residential consumer shall not exceed the amount which the [EDC] would bill its

own residential consumers for the same quantity of service” under the EDCs existing tariff. On its face, 66 Pa.C.S. § 1313 would not appear to impact an EV charging station because it is reselling power to EV drivers as opposed to “residential consumers.” However, when viewed in conjunction with the resale/redistribution provisions of some of the EDCs tariffs, 66 Pa.C.S. § 1313 may restrict the ability of EV charging stations to earn a profit, which in turn would serve as a significant barrier to entry into the market.

Resale/redistribution tariff provisions differ among this Commonwealth's EDCs. The tariffs of some EDCs do not include any provisions regarding the resale of power.¹ The tariffs of other EDCs allow power to be resold under limited circumstances, but require that the rates charged be consistent with 66 Pa.C.S. § 1313.² One EDC's tariff broadly permits the resale of power as long as it is done consistently with 66 Pa.C.S. § 1313.³ None of these tariffs expressly consider the resale of power by a third-party EV charging station operator.

The tariff of one EDC, Duquesne Light Company (Duquesne), expressly allows EV charging stations to resell power.⁴ Duquesne does not consider the operation of EV charging stations to fall within the meaning of resale/redistribution, so stations in Duquesne's service territory can operate without restrictions from 66 Pa.C.S. § 1313 or Duquesne's tariff. Duquesne has stated that its resale/redistribution tariff provisions are meant to protect its residential electric customers from being charged rates in excess of those in its tariff (for example, by a landlord in a multiunit building with a single meter), not to prohibit an EV charging station from providing service to third parties.

Request for Comments

The Commission recognizes that each EDC must design a tariff unique to its relevant characteristics and circumstances. However, the Commission believes that it would be beneficial to have each EDC include in its tariff express provisions regarding what restrictions, if any, it intends for the resale/redistribution of power by EV charging station operators. The Commission also believes it would be beneficial to consider the practicality of designing: (1) uniform tariff provisions for EV charging stations to establish regulatory consistency across this Commonwealth; and (2) tariff provisions that do not restrict dynamic pricing by EV charging stations.

Given the steady increase in the number of EVs registered in this Commonwealth and the resulting need for more EV charging stations to power those vehicles, the Commission believes that all stakeholders should take steps to foster increased investment in EV charging infrastructure. To that end, the Commission is requesting comments from all interested parties on the following topics:

- What restrictions, if any, each EDCs existing tariff places on the resale/redistribution of electric power by third-party EV charging.
- The advantages and disadvantages of specific tariff provisions permitting unrestricted resale/redistribution of electric power when done for the purpose of third-party EV charging.
- Whether it is appropriate to encourage EDCs across this Commonwealth to move toward a tariff design, such

¹ Pennsylvania Power Company, Metropolitan Edison Company, Pennsylvania Electric Company and West Penn Power Company (collectively known as FirstEnergy).

² PPL Electric Utilities Corporation and UGI Utilities, Inc.

³ PECO Energy Company.

⁴ Duquesne Light Company Tariff Rule 18 and Rule 18.1.

as that of Duquesne, which includes provisions permitting the resale/redistribution of electric power for third-party EV charging.

- What other resale/redistribution tariff provision designs may aid in establishing clear rules for third-party EV charging stations.
- What other regulatory options may aid in establishing clear resale/redistribution rules for third-party EV charging stations.

Comments referencing Docket No. M-2017-2604382 shall be submitted to the Pennsylvania Public Utility Commission, Attn: Secretary, Commonwealth Keystone Building, 2nd Floor, 400 North Street, Harrisburg, PA 17120 within 45 days of the publication of this Secretarial Letter in the *Pennsylvania Bulletin*.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 17-1145. Filed for public inspection July 7, 2017, 9:00 a.m.]

Transfer by Sale

A-2017-2611325. PECO Energy Company. Application of PECO Energy Company for approval of the transfer by sale to Hatfield Township of street lighting facilities located in Hatfield Township, Montgomery County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before July 24, 2017. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

Applicant: PECO Energy Company

Through and By Counsel: Michael S. Swerling, Esquire, Assistant General Counsel, 2301 Market Street, S23-1, P.O. Box 8699, Philadelphia, PA 19101-8699

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 17-1146. Filed for public inspection July 7, 2017, 9:00 a.m.]

Transfer by Sale

A-2017-2611327. PECO Energy Company. Application of PECO Energy Company for approval of the transfer by sale to Oxford Borough of street lighting facilities located in Chester County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before July 24, 2017. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m.

and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

Applicant: PECO Energy Company

Through and By Counsel: Michael S. Swerling, Esquire, Assistant General Counsel, 2301 Market Street, S23-1, P.O. Box 8699, Philadelphia, PA 19101-8699

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 17-1147. Filed for public inspection July 7, 2017, 9:00 a.m.]

Water Service

A-2017-2611297. Pennsylvania American Water Company. Application of Pennsylvania American Water Company for approval of the right to offer, render, furnish or supply water service to the public in an additional portion of Young Township, Jefferson County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before July 24, 2017. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

Applicant: Pennsylvania American Water Company

Through and By Counsel: Susan Simms Marsh, Esquire, Pennsylvania American Water Company, 800 West Hersheypark Drive, Hershey, PA 17033

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 17-1148. Filed for public inspection July 7, 2017, 9:00 a.m.]

Water Service

A-2017-2611372. The York Water Company. Application of The York Water Company for approval of: 1) the right of The York Water Company to begin to offer or furnish water service to the public in additional portions of Lower Windsor and Hellam Townships, York County; 2) the right of The York Water Company to acquire certain public water facilities from the Wrightsville Borough Municipal Authority; and 3) a municipal contract by and between The York Water Company, the Wrightsville Borough Municipal Authority and the Eastern York School District.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before July 24, 2017. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania

nia Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

Applicant: The York Water Company

Through and By Counsel: Michael W. Hassell, Esquire, Devin T. Ryan, Esquire, Post & Schell, PC, 17 North Second Street, 12th Floor, Harrisburg, PA 17101-1601

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 17-1149. Filed for public inspection July 7, 2017, 9:00 a.m.]

PHILADELPHIA REGIONAL PORT AUTHORITY

Request for Bids

The Philadelphia Regional Port Authority will accept sealed bids for Project No. 17-069.4, On Call Electrical Investigation and Repairs at Philaport Facilities, until Thursday, August 3, 2017, at 2 p.m. The mandatory prebid meeting will be held on Thursday, July 20, 2017, at 10 a.m. Questions are due in writing on Tuesday, July 25, 2017, by 12 p.m. All time extensions and other information for this project can be obtained from www.philaport.com/procurement.

JEFF THEOBALD,
Executive Director

[Pa.B. Doc. No. 17-1150. Filed for public inspection July 7, 2017, 9:00 a.m.]

STATE BOARD OF NURSING

Bureau of Professional and Occupational Affairs v. Carmalla A. Arrington, RN; File No. 14-51-00477; Doc. No. 0871-51-16

On April 26, 2017, Carmalla A. Arrington, RN, Pennsylvania license No. RN329180L, of Buffalo, NY, was indefinitely suspended and assessed a \$500 civil penalty based on disciplinary actions taken by another state, failure to report same to the State Board of Nursing (Board) and having been convicted, or entered a plea of guilty, or entered a plea of nolo contendere, or has been found guilty by a judge or jury of a felony or a crime of moral turpitude, or has received probation without verdict, disposition instead of trial or an Accelerated Rehabilitative Disposition in the disposition of felony charges, in the courts of this Commonwealth, the United States or any other state, territory, possession or country.

Individuals may obtain a copy of the adjudication by writing to Megan E. Castor, Board Counsel, State Board of Nursing, P.O. Box 69523, Harrisburg, PA 17106-9523.

This order represents the final Board decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a

copy of their petition for review. The Board contact for receiving service of appeals is the previously-named Board counsel.

LINDA L. KMETZ, PhD, RN,
Chairperson

[Pa.B. Doc. No. 17-1151. Filed for public inspection July 7, 2017, 9:00 a.m.]

STATE BOARD OF OSTEOPATHIC MEDICINE

Commonwealth of Pennsylvania, Bureau of Professional and Occupational Affairs v. Barry Ira Spiegel, DO, Respondent; File No. 14-53-14261; Doc. No. 1102-53-16

Notice to Barry Ira Spiegel, DO:

On June 8, 2016, the Commonwealth of Pennsylvania, Department of State, Bureau of Professional and Occupational Affairs, instituted a formal administrative action against you by filing an Order to Show Cause, before the State Board of Osteopathic Medicine, alleging that you have violated certain provisions of the Pennsylvania Osteopathic Medical Practice Act, Act of October 5, 1978, P.L. 1109, No. 261, ("Act"). Pursuant to 1 Pa. Code § 33.31 and Rule 430 of the Pennsylvania Rules of Civil Procedure, 231 Pa. Code Rule 430, providing for service of process upon you by publication.

Notice

Formal disciplinary action has been filed against you. You may lose your license, certificate, registration or permit to practice your profession or occupation. You may be subject to civil penalties of up to \$10,000 for each violation, and the imposition of costs of investigation.

If you wish to defend against the charges in the attached Order to Show Cause or to present evidence to mitigate any penalty that may be imposed, the procedures for doing so are explained in the Order to Show Cause. You may obtain a copy of the Order to Show Cause from the Prothonotary for the Department of State, 2601 North Third Street, P.O. Box 2649, Harrisburg, PA 17105, telephone number, (717) 772-2686.

You have the right to retain an attorney. Although you may represent yourself without an attorney, you are advised to seek the help of an attorney. You also have the right to have an interpreter provided should you request one.

All proceedings are conducted under the Administrative Agency Law and the General Rules of Administrative Practice and Procedures.

You are directed to respond to the charges by filing a written answer within thirty (30) days of this NOTICE. IF YOU DO NOT FILE AN ANSWER, DISCIPLINARY ACTION MAY BE TAKEN AGAINST YOU WITHOUT A HEARING. To file your answer, you must bring or send an original and three (3) copies of your answer and any pleadings or other documents related to this matter to the following address:

Prothonotary
Department of State
2601 North Third Street
P.O. Box 2649
Harrisburg, PA 17105

You must also send a separate copy of your answer and any other pleadings or documents related to this case to the prosecuting attorney named in the Order to Show Cause.

FRANK M. TURSI, DO,
Chairperson

[Pa.B. Doc. No. 17-1152. Filed for public inspection July 7, 2017, 9:00 a.m.]

SUSQUEHANNA RIVER BASIN COMMISSION

Projects Approved for Consumptive Uses of Water

The Susquehanna River Basin Commission (Commission) approved by rule the following list of projects from May 1, 2017, through May 31, 2017.

For further information contact Jason E. Oyler, General Counsel, (717) 238-0423, Ext. 1312, joyler@srbc.net. Regular mail inquiries may be sent to the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788.

Supplementary Information

This notice lists the projects, described as follows, receiving approval for the consumptive use of water under the Commission's approval by rule process in 18 CFR 806.22(e) and (f) (relating to standards for consumptive uses of water) for the time period previously specified:

Approvals by Rule Issued Under 18 CFR 806.22(e)

1. Archbald Energy Partners, LLC, ABR-201705001, Archbald Township, Lackawanna County, PA; Consumptive Use of Up to 0.3000 mgd; Approval Date: May 10, 2017.

Approvals by Rule Issued Under 18 CFR 806.22(f)

1. Cabot Oil & Gas Corporation, Pad ID: PetersenH P1, ABR-201205002.R1, Dimock Township, Susquehanna County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: May 8, 2017.

2. Campbell Oil & Gas, Inc., Pad ID: Mid Penn Unit B Well Pad, ABR-201206017.R1, Bigler and Knox Townships, Clearfield County, PA; Consumptive Use of Up to 2.0000 mgd; Approval Date: May 8, 2017.

3. SWEPI, LP, Pad ID: Wilson 286, ABR-201203027.R1, Charleston Township, Tioga County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: May 8, 2017.

4. Cabot Oil & Gas Corporation, Pad ID: Bunnelle P2, ABR-201205001.R1, Bridgewater and Dimock Townships, Susquehanna County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: May 9, 2017.

5. Chief Oil & Gas, LLC, Pad ID: Mehalick Drilling Pad, ABR-201210018.R1, Cherry Township, Sullivan County, PA; Consumptive Use of Up to 2.0000 mgd; Approval Date: May 10, 2017.

6. Chesapeake Appalachia, LLC, Pad ID: Slattery, ABR-201211004.R1, Cherry Township, Sullivan County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: May 15, 2017.

7. Chesapeake Appalachia, LLC, Pad ID: Joeguswa, ABR-201211019.R1, Cherry Township, Sullivan County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: May 15, 2017.

8. Pennsylvania General Energy Company, LLC, Pad ID: COP Tract 293 Pad E, ABR-201207011.R1, Cummings and McHenry Townships, Lycoming County, PA; Consumptive Use of Up to 3.5000 mgd; Approval Date: May 17, 2017.

9. Cabot Oil & Gas Corporation, Pad ID: BusikJ P1, ABR-201206001.R1, Dimock Township, Susquehanna County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: May 23, 2017.

10. Cabot Oil & Gas Corporation, Pad ID: WaldenbergerP P1, ABR-201206002.R1, Dimock Township, Susquehanna County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: May 23, 2017.

11. SWN Production Company, LLC, Pad ID: Blaine Hoyd (M Pad), ABR-201207006.R1, Stevens Township, Bradford County, PA; Consumptive Use of Up to 4.9990 mgd; Approval Date: May 23, 2017.

12. SWN Production Company, LLC, Pad ID: Beaumont Schaunt (GU U), ABR-201207007.R1, Stevens Township, Bradford County, PA; Consumptive Use of Up to 4.9990 mgd; Approval Date: May 23, 2017.

13. SWN Production Company, LLC, Pad ID: Barnhart Well Pad, ABR-201205005.R1, Liberty Township, Susquehanna County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: May 30, 2017.

Authority: Pub.L. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806—808

Dated: June 22, 2017

ANDREW D. DEHOFF,
Executive Director

[Pa.B. Doc. No. 17-1153. Filed for public inspection July 7, 2017, 9:00 a.m.]

