

PENNSYLVANIA BULLETIN

Volume 47

Number 46

Saturday, November 18, 2017 • Harrisburg, PA

Pages 6999—7164

Agencies in this issue

The General Assembly

The Courts

Capitol Preservation Committee

Department of Banking and Securities

Department of Environmental Protection

Department of Health

Department of Human Services

Department of Labor and Industry

Department of Revenue

Department of Transportation

Environmental Quality Board

Fish and Boat Commission

Game Commission

Independent Regulatory Review Commission

Insurance Department

Legislative Reference Bureau

Milk Marketing Board

Pennsylvania Public Utility Commission

Philadelphia Parking Authority

Port of Pittsburgh Commission

Susquehanna River Basin Commission

Detailed list of contents appears inside.



**Latest Pennsylvania Code Reporter
(Master Transmittal Sheet):**

No. 516, November 2017

CUT ON DOTTED LINES AND ENCLOSE IN AN ENVELOPE

CHANGE NOTICE/NEW SUBSCRIPTION

If information on mailing label is incorrect, please email changes to info@pabulletin.com or mail to:

FRY COMMUNICATIONS, INC.
Attn: *Pennsylvania Bulletin*
800 W. Church Rd.
Mechanicsburg, PA 17055-3198

CUSTOMER NUMBER (6 digit number above name on mailing label)

NAME OF INDIVIDUAL

OFFICE NAME—TITLE

ADDRESS (Number and Street)

(City) (State) (Zip Code)

TYPE OR PRINT LEGIBLY

PENNSYLVANIA



BULLETIN

(ISSN 0162-2137)

The *Pennsylvania Bulletin* is published weekly by Fry Communications, Inc. for the Commonwealth of Pennsylvania, Legislative Reference Bureau, 641 Main Capitol Building, Harrisburg, Pennsylvania 17120, under the policy supervision and direction of the Joint Committee on Documents under 4 Pa.C.S. Part II (relating to publication and effectiveness of Commonwealth documents). The subscription rate is \$82.00 per year, postpaid to points in the United States. Individual copies are \$2.50. Checks for subscriptions and individual copies should be made payable to "*Fry Communications, Inc.*" Periodicals postage paid at Harrisburg, Pennsylvania.

Postmaster send address changes to:

FRY COMMUNICATIONS, Inc.
Attn: *Pennsylvania Bulletin*
800 West Church Road
Mechanicsburg, Pennsylvania 17055-3198
(717) 766-0211 ext. 2340
(800) 334-1429 ext. 2340 (toll free, out-of-State)
(800) 524-3232 ext. 2340 (toll free, in State)

Orders for subscriptions and other circulation matters should be sent to:

Fry Communications, Inc.
Attn: *Pennsylvania Bulletin*
800 West Church Road
Mechanicsburg, Pennsylvania 17055-3198

Copyright © 2017 Commonwealth of Pennsylvania

Editorial preparation, composition, printing and distribution of the *Pennsylvania Bulletin* is effected on behalf of the Commonwealth of Pennsylvania by FRY COMMUNICATIONS, Inc., 800 West Church Road, Mechanicsburg, Pennsylvania 17055-3198.

CONTENTS

THE GENERAL ASSEMBLY

Recent actions during the 2017 regular session of the General Assembly 7008

THE COURTS

DISCIPLINARY BOARD OF THE SUPREME COURT

Notice of hearing 7025

JUVENILE RULES

Proposed amendment of Pa.R.J.C.P. 191 7010

Proposed amendment of Pa.R.J.C.P. 407 7011

Proposed amendment of Pa.R.J.C.P. 1140 7016

LOCAL COURT RULES

Clinton County

Adoption of local rule of judicial administration 200 confidential documents; No. AD-1192-2017 7019

Rule 301(A) diversionary programs cyber harassment of child and transmission of sexually explicit images by minor; No. AD-1188-2017 7020

Jefferson County

Order implementing section 7 of the public access policy of the Unified Judicial System of Pennsylvania; CP-33-AD-21-2017 7021

Lancaster County

Revision of local rule of judicial administration 520 governing the case documents public access policy; CPJ No. 7, Page 1357; No. 16 AD 2017 7021

Montgomery County

Prothonotary's office fee schedule; Case No. 2017-00007 7022

Snyder County

Judicial administration; CP-55-AD-0000006-2017 7024

Union County

Judicial administration; CP-60-AD-6-2017 7025

SUPREME COURT

Financial institutions approved as depositories for fiduciary accounts; No. 154 disciplinary rules doc.. 7026

EXECUTIVE AND INDEPENDENT AGENCIES

CAPITOL PRESERVATION COMMITTEE

Notices

Request for proposals 7053

DEPARTMENT OF BANKING AND SECURITIES

Notices

Actions on applications 7053

Adjustment to definition of "base figure" in the Loan Interest and Protection Law 7054

Maximum lawful rate of interest for residential mortgages for the month of December 2017 7054

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices

Applications, actions and special notices 7055

Stream redesignation evaluations of unnamed tributary to Whetstone Run and Marsh Creek; water quality standards review 7126

DEPARTMENT OF HEALTH

Notices

Health Research Advisory Committee meeting 7126

DEPARTMENT OF HUMAN SERVICES

Notices

Proposed Federal Section 1115 application for substance use disorder; public hearing schedule 7127

DEPARTMENT OF LABOR AND INDUSTRY

Notices

Uniform Construction Code Review and Advisory Council 2017 and 2018 meeting schedule 7127

Workers' Compensation Appeal Board 2018 hearing schedule 7128

DEPARTMENT OF REVENUE

Notices

Pennsylvania \$300,000 Bonus Crossword instant lottery game 1312 7130

Pennsylvania \$3 Million Mega Multiplier instant lottery game 1311 7133

Pennsylvania Lucky Numbers instant lottery game 1313 7138

DEPARTMENT OF TRANSPORTATION

Notices

Application for lease of right-of-way 7141

ENVIRONMENTAL QUALITY BOARD

Rules and Regulations

Water quality standards; Class A stream redesignations 7029

FISH AND BOAT COMMISSION

Notices

Classification of wild trout streams; proposed additions and revisions; January 2018 7142

Proposed changes to list of Class A wild trout waters; January 2018 7146

Triploid grass carp permit application 7149

GAME COMMISSION

Rules and Regulations

Hunting and trapping; general 7046

Hunting and trapping; general; small game; big game 7048

Proposed Rulemaking

Special permits; falconry 7052

INDEPENDENT REGULATORY REVIEW COMMISSION

Notices

Notice of filing of final rulemaking 7149

Available Online at <http://www.pabulletin.com>

INSURANCE DEPARTMENT**Notices**

Appeal of Envision Insurance Company; Pennsylvania Life and Health Insurance Guaranty Association; doc. No. 17-10-016	7150
Application for renewal of designation as a certified reinsurer	7150
Application and request for a certificate of authority to provide a continuing care retirement community by Maybrook-C Evergreen Opco, LLC	7150
Application and request for a certificate of authority to provide a continuing care retirement community by Maybrook-C Overlook Opco, LLC	7150
Application and request for a certificate of authority to provide a continuing care retirement community by Maybrook-C Silver Oaks Opco, LLC	7151
Application and request for a certificate of authority to provide a continuing care retirement community by Maybrook-C Whitecliff Opco, LLC	7151
Application and request for a certificate of authority to provide a continuing care retirement community by Maybrook-P Denver Opco, LLC	7151
Application and request for a certificate of authority to provide a continuing care retirement community by Maybrook-P Twin Oaks Opco, LLC	7151
Jackson National Life Insurance Company (SERFF # IASL-131253463); rate increase filing for several individual LTC forms	7152
Review procedure hearings; cancellation or refusal of insurance	7152
United of Omaha Life Insurance Company (SERFF # MUTA-131005145); rate increase filing for several individual LTC forms	7152

LEGISLATIVE REFERENCE BUREAU**Notices**

Documents filed but not published	7152
---	------

MILK MARKETING BOARD**Notices**

Hearing and presubmission schedule; milk marketing area No. 1	7153
Hearing and presubmission schedule; milk marketing area No. 5	7153
Hearing and presubmission schedule; milk marketing area No. 6	7154

PENNSYLVANIA PUBLIC UTILITY COMMISSION**Notices**

General rule transaction (7 documents)	7155, 7156
Natural gas distribution service	7156
Service of notice of motor carrier applications	7156
Service of notice of motor carrier formal complaints	7157
Telecommunications (2 documents)	7162

PHILADELPHIA PARKING AUTHORITY**Notices**

Service of notice of motor carrier applications in the City of Philadelphia	7162
---	------

PORT OF PITTSBURGH COMMISSION**Notices**

Financial statement	7163
---------------------------	------

SUSQUEHANNA RIVER BASIN COMMISSION**Notices**

Commission meeting	7164
--------------------------	------

READER'S GUIDE TO THE *PENNSYLVANIA BULLETIN* AND THE *PENNSYLVANIA CODE*

Pennsylvania Bulletin

The *Pennsylvania Bulletin* is the official gazette of the Commonwealth of Pennsylvania. It is published every week and includes a table of contents. A cumulative subject matter index is published quarterly.

The *Pennsylvania Bulletin* serves several purposes. First, it is the temporary supplement to the *Pennsylvania Code*, which is the official codification of agency rules and regulations and other statutorily authorized documents. Changes in the codified text, whether by adoption, amendment, repeal or emergency action must be published in the *Pennsylvania Bulletin*. Further, agencies proposing changes to the codified text do so in the *Pennsylvania Bulletin*.

Second, the *Pennsylvania Bulletin* also publishes: Governor's Executive Orders; State Contract Notices; Summaries of Enacted Statutes; Statewide and Local Court Rules; Attorney General Opinions; Motor Carrier Applications before the Pennsylvania Public Utility Commission; Applications and Actions before the Department of Environmental Protection; Orders of the Independent Regulatory Review Commission; and other documents authorized by law.

The text of certain documents published in the *Pennsylvania Bulletin* is the only valid and enforceable text. Courts are required to take judicial notice of the *Pennsylvania Bulletin*.

Adoption, Amendment or Repeal of Regulations

Generally an agency wishing to adopt, amend or repeal regulations must first publish in the *Pennsylvania Bulletin* a Notice of Proposed Rulemaking. There are limited instances when the agency may omit the proposal step; it still must publish the adopted version.

The Notice of Proposed Rulemaking contains the full text of the change, the agency contact person, a fiscal note required by law and background for the action.

The agency then allows sufficient time for public comment before taking final action. An adopted proposal must be published in the *Pennsylvania Bulletin* before it can take effect. If the agency

wishes to adopt changes to the Notice of Proposed Rulemaking to enlarge the scope, it must repropose.

Citation to the *Pennsylvania Bulletin*

Cite material in the *Pennsylvania Bulletin* by volume number, a page number and date. Example: Volume 1, *Pennsylvania Bulletin*, page 801, January 9, 1971 (short form: 1 Pa.B. 801 (January 9, 1971)).

Pennsylvania Code

The *Pennsylvania Code* is the official codification of rules and regulations issued by Commonwealth agencies and other statutorily authorized documents. The *Pennsylvania Bulletin* is the temporary supplement to the *Pennsylvania Code*, printing changes as soon as they occur. These changes are then permanently codified by the *Pennsylvania Code Reporter*, a monthly, loose-leaf supplement.

The *Pennsylvania Code* is cited by title number and section number. Example: Title 10 *Pennsylvania Code*, § 1.1 (short form: 10 Pa. Code § 1.1).

Under the *Pennsylvania Code* codification system, each regulation is assigned a unique number by title and section. Titles roughly parallel the organization of Commonwealth government. Title 1 *Pennsylvania Code* lists every agency and its corresponding *Code* title location.

How to Find Documents

Search for your area of interest in the *Pennsylvania Code*. The *Pennsylvania Code* is available at www.pacode.com.

Source Notes give the history of regulations. To see if there have been recent changes, not yet codified, check the List of *Pennsylvania Code* Chapters Affected in the most recent issue of the *Pennsylvania Bulletin*.

A chronological table of the history of *Pennsylvania Code* sections may be found at www.legis.state.pa.us/cfdocs/legis/CH/Public/pcde_index.cfm.

The *Pennsylvania Bulletin* also publishes a quarterly List of Pennsylvania Code Sections Affected which lists the regulations in numerical order, followed by the citation to the *Pennsylvania Bulletin* in which the change occurred. The *Pennsylvania Bulletin* is available at www.pabulletin.com.

**SUBSCRIPTION INFORMATION: (717) 766-0211
GENERAL INFORMATION AND FINDING AIDS: (717) 783-1530**

Printing Format

Material proposed to be added to an existing rule or regulation is printed in **bold face** and material proposed to be deleted from a rule or regulation is enclosed in brackets [] and printed in **bold face**. Asterisks indicate ellipsis of *Pennsylvania Code* text retained without change. Proposed new or additional regulations are printed in ordinary style face.

Fiscal Notes

Section 612 of The Administrative Code of 1929 (71 P. S. § 232) requires that the Office of Budget prepare a fiscal note for regulatory actions and administrative procedures of the administrative departments, boards, commissions or authorities receiving money from the State Treasury stating whether the proposed action or procedure causes a loss of revenue or an increase in the cost of programs for the Commonwealth or its political subdivisions; that the fiscal note be published in the *Pennsylvania Bulletin* at the same time as the proposed change is advertised. A fiscal note provides the following information: (1) the designation of the fund out of which the appropriation providing for expenditures under the action or procedure shall be made; (2) the probable cost for the fiscal year the program is implemented; (3) projected cost estimate of the program for each of the 5 succeeding fiscal years; (4) fiscal history of the program for which expenditures are to be made; (5) probable loss of revenue for the fiscal year of its implementation; (6) projected loss of revenue from the program for each of the 5 succeeding fiscal years; (7) line item, if any, of the General Appropriation Act or other appropriation act out of which expenditures or losses of Commonwealth funds shall occur as a result of the action or procedures; (8) recommendation, if any, of the Secretary of the Budget and the reasons therefor.

The required information is published in the foregoing order immediately following the proposed change to which it relates; the omission of an item indicates that the agency text of the fiscal note states that there is no information available with respect thereto. In items (3) and (6) information is set forth for the first through fifth fiscal years; in that order, following the year the program is implemented, which is stated. In item (4) information is set forth for the current and two immediately preceding years, in that order. In item (8) the recommendation, if any, made by the Secretary of Budget is published with the fiscal note. See 4 Pa. Code § 7.231 *et seq.* Where “no fiscal impact” is published, the statement means no additional cost or revenue loss to the Commonwealth or its local political subdivision is intended.

Reproduction, Dissemination or Publication of Information

Third parties may not take information from the *Pennsylvania Code* and *Pennsylvania Bulletin* and reproduce, disseminate or publish such information except as provided by 1 Pa. Code § 3.44. 1 Pa. Code § 3.44 reads as follows:

§ 3.44. General permission to reproduce content of Code and Bulletin.

Information published under this part, which information includes, but is not limited to, cross references, tables of cases, notes of decisions, tables of contents, indexes, source notes, authority notes, numerical lists and codification guides, other than the actual text of rules or regulations may be reproduced only with the written consent of the Bureau. The information which appears on the same leaf with the text of a rule or regulation, however, may be incidentally reproduced in connection with the reproduction of the rule or regulation, if the reproduction is for the private use of a subscriber and not for resale. There are no other restrictions on the reproduction of information published under this part, and the Commonwealth hereby consents to a reproduction.

List of Pa. Code Chapters Affected

The following numerical guide is a list of the chapters of each title of the *Pennsylvania Code* affected by documents published in the *Pennsylvania Bulletin* during 2017.

4 Pa. Code (Administration)	806	4140
Adopted Rules		
6	6927	
Proposed Rules		
91	2332	
95	2332	
97	2332	
98	2332	
99	2332	
103	2332	
105	2332	
110	2332	
Statements of Policy		
9	832, 1163, 1515, 1855, 2105, 3220, 3372, 3975, 5228, 6212, 6728	
7 Pa. Code (Agriculture)		
Proposed Rules		
28a	5951	
104	6489	
Statements of Policy		
28b	5230	
19 Pa. Code (Corporations and Business Associations)		
Statements of Policy		
71	1165	
22 Pa. Code (Education)		
Adopted Rules		
11	3091	
741	3093	
25 Pa. Code (Environmental Protection)		
Adopted Rules		
93	7029	
218	6482	
240	6482	
252	4085	
806	4107	
901	313	
1021	6205	
Proposed Rules		
93	6609, 6727	
109	4986	
121	1157, 3356	
126	1157	
129	3356	
208	1636	
215	2722	
216	2722	
217	2722	
218	2722	
219	2722	
220	2722	
221	2722	
223	2722	
225	2722	
227	2722	
228	2722	
230	2722	
240	2722	
801	6494	
806		4140
Statements of Policy		
16	6703, 6730	
28 Pa. Code (Health and Safety)		
Adopted Rules		
23	1300	
1141	199	
1151	199	
1161	217	
1181	3096	
1191	6938	
34 Pa. Code (Labor and Industry)		
Statements of Policy		
123	440	
40 Pa. Code (Liquor)		
Adopted Rules		
7	5600	
9	6725	
Proposed Rules		
9	2977	
11	2977	
49 Pa. Code (Professional and Vocational Standards)		
Adopted Rules		
5	3494	
11	5940	
37	6048	
43b	3814, 5948, 6051	
45	3814	
Proposed Rules		
27	1509	
52 Pa. Code (Public Utilities)		
Adopted Rules		
1	3099	
3	3099	
23	3099	
29	429, 3099	
57	4118	
1001	2558	
1002	2558	
1003	2558	
1005	2558	
1011	2558	
1013	2558	
1017	2558	
1019	2558	
1021	2558	
1027	2558	
1029	2558	
1030	2558	
1051	2558	
1053	2558	
1055	2558	
1057	2558	
1059	2558	
1063	2558	

Proposed Rules

56965, 4135
 59 19

55 Pa. Code (Human Services)

Proposed Rules

1153 4689
 5200 4689

58 Pa. Code (Recreation)

Adopted Rules

65 1465, 1466
 131 1467, 2710
 133 1467
 135 2599, 2600, 2715, 4982
 137 2601
 139 2603, 2609, 2717
 141 2610, 2710, 2718, 4983, 7046, 7048
 143 4982
 147 2611, 2612, 2720, 4983, 4984

Proposed Rules

63 6808
 65 1469, 5786
 105 3974
 131 1769
 135 1475, 1477, 1479, 2774
 137 1493
 139 1480, 1486
 141 1472, 1473, 1769, 2774, 4710, 4711
 143 2774
 147 1490, 1492, 2776, 2777, 7052
 423a 3827
 429a 3827
 437a 3827
 439a 3827
 440a 3827
 461a 3827
 465a 3827
 601a 3827
 609a 3827
 617a 3182
 621a 3827
 625a 3182
 635a 3827
 637a 3182
 639a 3182
 641a 3182
 643a 3182
 647a 3182
 649a 3827
 653a 3182
 655a 3182
 657a 3182
 659a 3827
 669a 3827
 670a 3827
 674a 3827
 675a 3827
 677a 3182
 678a 3827
 679a 3182
 680a 3827
 682a 1495
 683a 1495
 684a 3182

61 Pa. Code (Revenue)

Proposed Rules

113 6726

67 Pa. Code (Transportation)

Proposed Rules

175 1748

Statements of Policy

173a 3116

70 Pa. Code (Weights, Measures and Standards)

Proposed Rules

9 5952
 110 2974

201 Pa. Code (Rules of Judicial Administration)

Adopted Rules

1 937

204 Pa. Code (Judicial System General Provisions)

Adopted Rules

29 4830, 6722
 81 4802
 83 1276, 2539
 87 3075, 4519
 89 3075
 93 2539, 3075
 213 291
 215 6036
 303 5141

Proposed Rules

71 2423
 81 1122, 2181, 5926, 5927
 82 3487
 83 3488, 3490
 303 1999, 6466
 305 1999

207 Pa. Code (Judicial Conduct)

Adopted Rules

33 2181

210 Pa. Code (Appellate Procedure)

Adopted Rules

19 6804
 25 1277
 65 6362
 69 2101

Proposed Rules

1 7, 4622
 5 4622, 4810
 7 4622, 4633
 9 4622, 4633, 4811
 11 4622
 13 4622
 15 4622, 4633
 17 4622, 4633
 19 4622, 4633
 21 4622, 4633
 25 4622, 4633
 27 4622
 33 4633

225 Pa. Code (Rules of Evidence)

Adopted Rules

Article VI 1623
 Article VIII 1623
 Article IX 3491

Proposed Rules

Article IX 4658

231 Pa. Code (Rules of Civil Procedure)

Adopted Rules

200 178
 400 178
 1000 178, 937, 3805
 1650 3805
 1910 1123, 3744, 4813

Proposed Rules

200 4662
 1000 3076
 1900 4664
 1910 2540, 4664, 5928
 1915 2181, 3333, 4664
 1920 2540, 4664
 1930 4664
 1950 4664
 2000 3076
 Part II 4671, 4815, 5930

234 Pa. Code (Rules of Criminal Procedure)

Adopted Rules

2 4680
 5 2871, 6173

Proposed Rules

1 179, 1731, 4520, 4674, 4633
 2 182, 3958, 4674
 4 1850, 3959
 5 182, 185, 306, 1731, 4674
 6 4520
 8 4633
 9 4633
 10 186

237 Pa. Code (Juvenile Rules)

Adopted Rules

1 941, 2313
 2 941, 2313, 3078
 4 820
 5 2313, 2969
 6 2969
 8 2313
 11 2313

12 2313, 3078
 13 2313, 3079
 15 2313
 16 2313
 18 2313

Proposed Rules

1 938, 3336, 3342, 7010
 4 942, 7011
 5 942, 3336
 6 942
 11 3336, 3342, 3962, 7016
 12 3962
 13 3962
 14 3342, 3962
 15 3342, 3962
 16 947, 3342, 3962, 3970

246 Pa. Code (Minor Court Civil Rules)

Proposed Rules

200 4682
 300 4082
 500 2324
 1000 2324

249 Pa. Code (Philadelphia Rules)

Unclassified . . . 420, 1628, 1732, 2330, 3492, 3806, 6036, 6364

252 Pa. Code (Allegheny Rules)

Unclassified 3809, 4685, 6932

255 Pa. Code (Local Court Rules)

Unclassified . . . 8, 9, 12, 14, 15, 17, 18, 188, 190, 191, 192, 193, 194, 195, 308, 309, 310, 311, 420, 422, 423, 426, 428, 666, 667, 669, 825, 828, 829, 830, 949, 950, 951, 952, 958, 959, 963, 1278, 1279, 1628, 1630, 1736, 1738, 1741, 1742, 1852, 2101, 2102, 2103, 2187, 2188, 2330, 2424, 2431, 2544, 2874, 2880, 2973, 3081, 3086, 3087, 3088, 3180, 3181, 3348, 3349, 3350, 3352, 3354, 3810, 3972, 4083, 4522, 4523, 4524, 4830, 5227, 5778, 5779, 5780, 5781, 6038, 6043, 6044, 6046, 6175, 6184, 6186, 6187, 6192, 6203, 6478, 6481, 6723, 6805, 6806, 6933, 6934, 7019, 7020, 7021, 7022, 7024, 7025

THE GENERAL ASSEMBLY

Recent Actions during the 2017 Regular Session of the General Assembly

The following is a summary of recent actions of the General Assembly during the 2017 Regular Session:

<i>Doc. No.</i>	<i>Date of Action</i>	<i>Bill Number</i>	<i>Printer's Number</i>	<i>Effective Date</i>	<i>Subject Matter</i>
2017 General Acts of Regular Session Enacted—Act 033 through 054					
033	Oct 11	HB0045	PN2108	60 days	Right-to-Try Act—enactment
034	Oct 11	HB0103	PN0081	60 days	Officer Scott L. Bashioum Memorial Bridge—designation
035	Oct 25	HB0176	PN2222	Immediately	Pennsylvania Construction Code Act—definitions and application
036	Oct 25	HB0409	PN2155	Immediately*	Pennsylvania Construction Code Act—omnibus amendments
037	Oct 25	HB1288	PN1578	60 days	Vehicle Code (75 Pa.C.S.)—person with disability plate and placard
038	Oct 30	HB0016	PN1056	January 1, 2018	Local Tax Collection Law—payment and notices of taxes
039	Oct 30	HB0046	PN1033	60 days	Tax Reform Code of 1971—contributions for pediatric cancer research
040	Oct 30	HB0118	PN2256	Immediately*	Administrative Code of 1929—omnibus amendments
041	Oct 30	HB0203	PN2519	Immediately*	Probate, Estates and Fiduciaries Code (20 Pa.C.S.)—exercise of powers of appointment
042	Oct 30	HB0271	PN2652	Immediately*	Agriculture Code (3 Pa.C.S.) and Amusements (4 Pa.C.S.)—omnibus amendments
043	Oct 30	HB0542	PN2598	Immediately*	Tax Reform Code of 1971—omnibus amendments
044	Oct 30	HB0674	PN2624	Immediately*	Fiscal Code—omnibus amendments
045	Oct 30	HB0785	PN2632	Immediately	Capital Facilities Debt Enabling Act—bonds, issue of bonds and notes, maturity, interest and limitation on redevelopment assistance capital projects and capital budgets
046	Oct 30	HB0790	PN2597	60 days	Agriculture Code (3 Pa.C.S.)—controlled plants and noxious weeds
047	Oct 30	HB1287	PN1562	Immediately	Conveyance—Commonwealth property in Delaware Township, Northumberland County, to the Warrior Run-Fort Freeland Heritage Society
048	Oct 30	SB0181	PN1086	60 days	Performance-based Budgeting and Tax Credit Efficiency Act—enactment
049	Oct 30	SB0222	PN1264	Immediately	Judicial Code (42 Pa.C.S.)—courts of common pleas and Senior Judge Operational Support Grant Program
050	Oct 30	SB0242	PN1227	Immediately*	Underground Utility Line Protection Law—omnibus amendments
051	Oct 30	SB0260	PN1220	60 days	Crime Victims Act—committee
052	Oct 30	SB0651	PN1284	Immediately	Capital Budget Project Itemization Act of 2017-2018—enactment
053	Oct 30	SB0690	PN0848	60 days	Municipalities (53 Pa.C.S.)—procedure for amendment of charter or optional plan
054	Oct 30	SB0691	PN0849	60 days	Municipalities (53 Pa.C.S.)—residency during military service

<i>Doc. No.</i>	<i>Date of Action</i>	<i>Bill Number</i>	<i>Printer's Number</i>	<i>Effective Date</i>	<i>Subject Matter</i>
2017 Appropriation Acts of Regular Session Enacted—Act 011A through 015A					
011A	Oct 27	SB0325	PN1021	Immediately	University of Pennsylvania—veterinary activities and Center for Infectious Diseases
012A	Oct 27	SB0326	PN1059	Immediately	Pennsylvania State University—education, general expenses and Agricultural College Land Scrip Fund
013A	Oct 27	SB0327	PN1060	Immediately	University of Pittsburgh—education, general expenses and rural education outreach
014A	Oct 27	SB0328	PN0522	Immediately	Temple University—education and general expenses
015A	Oct 27	SB0329	PN0523	Immediately	Lincoln University—education and general expenses
2017 Vetoes of Regular Session of Bills—Veto 002					
002	Oct 19	HB0059	PN2255		Human Services Code—omnibus amendments

* denotes an effective date with exceptions

Effective Dates of Statutes

The effective dates specified for laws and appropriation acts were contained in the applicable law or appropriation act. Where no date is specified or where the effective date specified is prior to the date of enactment, the effective date is 60 days after final enactment except for statutes making appropriations or affecting budgets of political subdivisions. See 1 Pa.C.S. §§ 1701—1704 (relating to effective date of statutes).

Advance Copies of Statutes

Section 1106 of 1 Pa.C.S. (relating to prothonotaries to keep files of advance copies of statutes) provides that the prothonotaries of each county shall file advance copies of statutes in their offices for public inspection until the *Laws of Pennsylvania* are generally available.

One-time purchases of the advance copies of statutes can be purchased through the State Bookstore's web site at www.shoppaheritage.com.

VINCENT C. DeLIBERATO, Jr.,
Director
Legislative Reference Bureau

[Pa.B. Doc. No. 17-1865. Filed for public inspection November 17, 2017, 9:00 a.m.]

THE COURTS

Title 237—JUVENILE RULES

PART I. RULES

[237 PA. CODE CH. 1]

Proposed Amendment of Pa.R.J.C.P. 191

The Juvenile Court Procedural Rules Committee proposes the amendment of Rule 191 to require that a juvenile be advised of the right to challenge a hearing officer recommendation and for a colloquy and inquiry of post-dispositional rights when a hearing officer recommends an adjudication of delinquency for the reasons set forth in the accompanying explanatory report. Pursuant to Pa.R.J.A. No. 103(a)(1), the proposal is being published in the *Pennsylvania Bulletin* for comments, suggestions, or objections prior to submission to the Supreme Court.

Any reports, notes, or comments in the proposal have been inserted by the Committee for the convenience of those using the rules. They neither will constitute a part of the rules nor will be officially adopted by the Supreme Court.

Additions to the text of the proposal are bolded; deletions to the text are bolded and bracketed.

The Committee invites all interested persons to submit comments, suggestions, or objections in writing to:

Daniel A. Durst, Chief Counsel
 Juvenile Court Procedural Rules Committee
 Supreme Court of Pennsylvania
 Pennsylvania Judicial Center
 PO Box 62635
 Harrisburg, PA 17106-2635
 FAX: 717-231-9541
 juvenilerules@pacourts.us

All communications in reference to the proposal should be received by January 2, 2018. E-mail is the preferred method for submitting comments, suggestions, or objections; any e-mailed submission need not be reproduced and resubmitted via mail. The Committee will acknowledge receipt of all submissions.

*By the Juvenile Court
 Procedural Rules Committee*

KELLY L. McNANEY, Esq.,
Chair

Annex A

TITLE 237. JUVENILE RULES

PART I. RULES

Subpart A. DELINQUENCY MATTERS

CHAPTER 1. GENERAL PROVISIONS

PART D. JUVENILE COURT HEARING OFFICERS

Rule 191. Juvenile Court Hearing Officer's Findings and Recommendation to the Judge.

A. Announcement of Findings and Recommendation. At the conclusion of the hearing, the juvenile court hearing officer shall announce in open court on the record, the juvenile court hearing officer's findings and recommendation to the judge.

B. Delinquency Recommendation. If a recommendation includes an adjudication of delinquency:

1) the juvenile shall be advised of the right to challenge the recommendation pursuant to Rule 192; and

2) a colloquy and inquiry of post-dispositional rights shall be conducted pursuant to Rule 512(C).

[B.] C. Submission of Papers and Contents of Recommendation. Within one business day, the juvenile court hearing officer shall submit a summary of the recommendation to the juvenile court judge. If requested, a copy of the summary shall be given to the juvenile's attorney, the juvenile, if unrepresented, the attorney for the Commonwealth, and the juvenile probation officer. The summary shall specifically state a recommendation to the judge.

[C.] D. Judicial Action. The judge shall by order:

1) accept the recommendation;

2) reject the recommendation and issue an order with a different disposition;

3) send the recommendation back to the juvenile court hearing officer for more specific findings; or

4) schedule a rehearing under Rule 192 within seven days.

Comment

The juvenile court may promulgate a form for juvenile court hearing officers to use. The summary of the recommendation may take the form of a court order to be adopted by the court.

The requirements of paragraph (B) are intended to ensure the juvenile is advised of the right to challenge the juvenile court hearing officer's recommendation and post-dispositional rights in the event the judge accepts the recommendation. If a party [contests] challenges the juvenile court hearing officer's decision, the copy of the summary may be used as an attachment in a motion for a rehearing in front of the judge.

The juvenile court hearing officer's decision is subject to approval of the judge. When the judge, in rejecting the juvenile court hearing officer's recommendation, modifies a factual determination, a rehearing is to be conducted. The judge may reject the juvenile court hearing officer's findings and enter a new finding or disposition without a rehearing if there is no modification of factual determinations. *See In re Perry*, 459 A.2d 789 (Pa. Super. 1983). The juvenile waives the right to complain of double jeopardy if the Commonwealth requests a rehearing before the judge. *See In re Stephens*, 419 A.2d 1244 (Pa. Super. 1980).

Nothing in this rule prohibits the court from modifying conclusions of law made by the juvenile court hearing officer.

Official Note: Rule 191 adopted April 1, 2005, effective April 1, 2006. Amended April 6, 2017, effective September 1, 2017. Amended , 2017, effective , 2017.

Committee Explanatory Reports:

Final Report explaining the provisions of Rule 191 published with the Court's Order at 35 Pa.B. 2214 (April 16, 2005).

Final Report explaining the amendments to Rule 191 published with the Court's Order at 47 Pa.B. 2313 (April 22, 2017).

Final Report explaining the amendments to Rule 191 published with the Court's Order at Pa.B. ().

**REPORT
Proposed Amendment of Pa.R.J.C.P. 191**

The Juvenile Court Procedural Rules Committee proposes the amendment of Rule 191 to require that a juvenile be advised of the right to challenge a hearing officer recommendation and for a colloquy and inquiry of post-dispositional rights when a hearing officer recommends an adjudication of delinquency.

The Committee observes there is no rule-based requirement that the juvenile be advised of the right to challenge a hearing officer's recommendation pursuant to Rule 192. The Common Pleas Case Management System form being generated contains the following statement:

This Master's recommendation is not final until confirmed by the Court below. A party may challenge the Master's recommendation by filing a motion with the clerk of the courts within three (3) days of receipt of the recommendation.

The Committee proposes adding this requirement to Rule 191 as new subparagraph (B)(1).

With the amendment of Rule 512(C) to require a colloquy and inquiry of post-dispositional rights, the Committee considered whether a post-dispositional rights colloquy and inquiry should be conducted when an adjudication of delinquency arises from a recommendation of a hearing officer. It was not evident from either the text of Rule 512 concerning dispositional hearings or by practice that the requirements set forth in the Rule 512 extend to proceedings before a hearing officer. The Committee found it to procedurally inconsistent for colloquy and inquiry to occur when a juvenile appears before a judge, but not when a juvenile appears before a hearing officer, especially where the judge or hearing officer could hear the same case insofar as only misdemeanors are petitioned. Accordingly, the Committee believes that a colloquy and notice of post-dispositional rights should be conducted for such matters.

The Committee proposes the colloquy and inquiry be conducted at the hearing officer level after the recommendation has been announced. Obviously, a recommendation lacks finality until acted upon by a judge. Further, the Committee realizes that it would be better timed for the juvenile's counsel to review the colloquy after the judge has acted on the recommendation. Yet, an inquiry at that juncture would either require the juvenile re-appear before the hearing officer or appear in front of the judge. It seems inefficient to schedule an appearance before either the hearing officer or the judge solely for the purpose of conducting an inquiry regarding post-dispositional rights.

Therefore, it is proposed that the inquiry be conducted by the hearing officer after the announcement of the recommendation, assuming the recommendation includes an adjudication of delinquency. The Committee acknowledges that the colloquy and inquiry will be prospective in nature until a judge acts upon the hearing officer's recommendation.

The Committee invites all comments, concerns, and suggestions regarding this rulemaking proposal.

[Pa.B. Doc. No. 17-1866. Filed for public inspection November 17, 2017, 9:00 a.m.]

**PART I. RULES
[237 PA. CODE CH. 4]**

Proposed Amendment of Pa.R.J.C.P. 407

The Juvenile Court Procedural Rules Committee proposes the amendment of Rule 407 concerning admission colloquies for the reasons set forth in the accompanying explanatory report. Pursuant to Pa.R.J.A. No. 103(a)(1), the proposal is being published in the *Pennsylvania Bulletin* for comments, suggestions, or objections prior to submission to the Supreme Court.

Any reports, notes, or comments in the proposal have been inserted by the Committee for the convenience of those using the rules. They neither will constitute a part of the rules nor will be officially adopted by the Supreme Court.

Additions to the text of the proposal are bolded; deletions to the text are bolded and bracketed.

The Committee invites all interested persons to submit comments, suggestions, or objections in writing to:

Daniel A. Durst, Chief Counsel
Juvenile Court Procedural Rules Committee
Supreme Court of Pennsylvania
Pennsylvania Judicial Center
PO Box 62635
Harrisburg, PA 17106-2635
FAX: 717-231-9541
juvenilerules@pacourts.us

All communications in reference to the proposal should be received by January 2, 2018. E-mail is the preferred method for submitting comments, suggestions, or objections; any e-mailed submission need not be reproduced and resubmitted via mail. The Committee will acknowledge receipt of all submissions.

*By the Juvenile Court
Procedural Rules Committee*

KELLY L. McNANEY, Esq.,
Chair

Annex A

TITLE 237. JUVENILE RULES

PART I. RULES

Subpart A. DELINQUENCY MATTERS

CHAPTER 4. ADJUDICATORY HEARING

Rule 407. Admissions.

A. *Admissions.* At any time after a petition is filed, the juvenile may tender an admission to some or all of the delinquent acts charged.

1) *Requirements.*

a) Before the court can accept an admission, the court shall determine that the admission is knowingly, intelligently, and voluntarily made.

b) As a part of this determination, the court shall ensure:

i) an attorney has reviewed and completed the admission colloquy with the juvenile pursuant to paragraph (C); and

ii) there is a factual basis for the admission.

c) At the hearing, the court shall conduct an independent inquiry with the juvenile to determine:

i) whether the juvenile understands the nature of the allegations to which he or she is admitting and understands what it means to admit;

ii) whether the juvenile understands that he or she has the right to a hearing before the judge and understands what occurs at a hearing;

iii) whether the juvenile is aware of the dispositions that could be imposed and the consequences of an adjudication of delinquency that can result from an admission;

iv) whether the juvenile has any questions about the admission; and

v) whether there are any other concerns apparent to the court after such inquiry that should be answered.

2) *Agreements.* If the parties agree upon the terms of an admission, the tender shall be presented to the court.

3) *Court Action.* If the court accepts the tender, the court shall enter an order incorporating any agreement. If the court does not accept the tender, the case shall proceed as if no tender had been made.

4) *Limitations on Withdrawals.* An admission may be withdrawn prior to the court entering the dispositional order. After the court has entered the dispositional order, an admission can be withdrawn only upon a demonstration of manifest injustice.

B. *Incriminating Statements.* An incriminating statement made by a juvenile in the discussions or conferences incident to an admission that is not ultimately accepted by the court or otherwise permitted to be withdrawn by the court shall not be used against the juvenile over objection in any criminal proceeding or hearing under the Juvenile Act, 42 Pa.C.S. § 6301 *et seq.*

C. *Written Admission Colloquy.* If a juvenile is making an admission, the colloquy shall be:

- 1) in writing;
- 2) reviewed and completed with the juvenile by an attorney;
- 3) submitted to and reviewed by the court; and
- 4) substantially in the following form:

ADMISSION COLLOQUY FORM

In re	:	_____ JD _____
(Juvenile)	:	
	:	Delinquent Act(s): _____
	:	_____
	:	_____
	:	_____

Answer all of the questions on this form. If you do not understand any question, leave it blank and ask your lawyer or the judge.

I admit that I did the following things (attorney shall list the delinquent acts, grading of acts, and counts): _____

General Information:

- 1) What is your full name? _____
- 2) Do you have any other name or nickname? _____
 If yes, state: _____
- 3) How old are you today? _____
- 4) What grade are you in? _____
- 5) Can you read, write, and understand English? _____ (if yes, go to #6)
- a) If you cannot read, has someone read this form to you? _____
 If so, who? _____ (print name)

 (signature of reader verifies that the form has been read to the juvenile)

- b) If you do not read English, have you been given a translator or a lawyer who speaks your language? _____
- c) Did your translator or lawyer read this form to you and explain it? _____
 If so, who? _____ (print name)

 (signature of reader verifies that the form has been read to the juvenile)

Knowing and Voluntary Admission:

- 6) Are you now a patient in a mental hospital? _____
- a) If yes, where? _____
- b) Are you being treated for a mental illness? _____
- c) If yes, what are you being treated for? _____

7) Have you taken any drugs or alcohol yesterday or today that do not make you think clearly? _____

If yes, specify type of drugs and/or alcohol: _____

8) Has anyone threatened or forced you to sign this form? _____

If yes, explain: _____

9) Have you been promised anything for this admission? _____

If yes, explain: _____

Understanding the Admission:

10) Has your lawyer told you what you did was against the law? _____

11) By admitting what you did, do you understand that you are giving up:

a) the right to be presumed innocent, which means the judge does not think you broke the law until the D.A. (District Attorney) proves beyond a reasonable doubt that you broke the law (a reasonable doubt is a belief that it is very possible you did not break the law); _____

b) the right to a hearing by a fair judge; _____

c) the right to remain silent and your silence cannot be held against you; _____

d) the right to tell the judge your side of the story; _____

e) the right to ask witnesses questions; _____

f) the right to present witnesses or evidence to help tell your side of the story, but you do not have to do anything; _____

g) the right to tell the judge you disagree with something; _____

h) the right to ask the judge to decide if he or she should hear certain things; and _____

i) the right to have a higher court review this judge's decision. _____

12) Do you understand if the judge accepts your admission and believes you need help (finds you delinquent), the judge may make you get help? _____

Possible Consequences of Adjudication of Delinquency:

13) Do you understand that if you are found delinquent, the judge may make you pay money and place you outside of your home or on probation until you turn 21 years old? _____

14) Are you aware that if you are admitting to _____ that your driving license will be suspended now or in the future (which means you will not be able to drive)? (lawyer shall write acts on this line, cross off, or write n/a).

15) Do you understand that this case can be used against you in the future? For example, if you break the law again, you may get a longer sentence in jail. _____

16) Do you understand that if you are found delinquent, other people may find out about it? You may also have to tell people, including colleges, military recruiters, or employers? _____

17) Do you understand that if you are not a U.S. citizen, it may cause problems, which could include being forced to leave the U.S. _____

Admission Agreements:

18) Are you aware that the judge does not have to accept any agreement between you and the District Attorney? _____ (write n/a if no agreement)

19) If you change your mind about admitting to the charges before the judge decides your disposition or consequences, then you can ask the judge to let you take back your admission.

Appeals:

20) If you are found delinquent after this admission, you can have a higher court review your case for only three reasons:

[a) You did not understand this admission or you were forced to admit; _____

b) The court was not the proper court to take your admission; or _____

c) The judge's disposition or consequence is more than the biggest punishment an adult would get for the same crime. _____]

a) whether your admission was voluntary (you made your own decision to admit to a charge. No one forced you to do this. You understood what you were doing, including the consequences.); _____

b) whether the court was the correct court to hear your case (the court had the authority over your case); or _____

c) whether the court abused its responsibility or made any mistakes in the things that were ordered as your consequences. _____

If you do not admit, do you understand you have other rights? _____

Lawyer's Representation and Opportunity to Speak with Guardian

21) Are you okay with what your lawyer did for you and how he or she explained everything? _____

22) Did you talk with your parent or guardian about admitting to the charge(s)? _____

I promise that I have read the whole form or someone has read the form to me. I understand it. I am telling the truth. I am saying that I have done the things on page 1. I believe that this admission is best for me. The signature below and initials on each page of this form are mine.

JUVENILE

DATE

I, _____, lawyer for the juvenile, have reviewed this form with my client. My client has told me and I believe that he or she understands this form.

LAWYER FOR JUVENILE

DATE

D. Admission to an Act of Sexual Violence. If a juvenile is making an admission to an act of sexual violence, see 42 Pa.C.S. § 6358, which may render the juvenile eligible for civil commitment for involuntary treatment upon attaining 20 years of age **and subject to lifelong SORNA requirements**, then the admission colloquy form set forth in paragraph (C) shall be amended to include substantially the following form:

ADDENDUM TO ADMISSION COLLOQUY FORM

In re _____ JD _____
(Juvenile) _____
: _____
: Delinquent Act(s): _____
: _____
: _____
: _____

ELIGIBILITY FOR CIVIL COMMITMENT FOR INVOLUNTARY TREATMENT

Civil Commitment Cases

I did at least one of the crimes (in the box below); AND

If the judge says that I am a delinquent; AND

If I am in placement when I turn age 20,

I can go to a different placement against my will.

See 42 Pa.C.S. § 6401 et seq.

Check all that are true:

<input type="checkbox"/> Rape, 18 Pa.C.S. § 3121	<input type="checkbox"/> Sexual Assault, 18 Pa.C.S. § 3124.1
<input type="checkbox"/> Involuntary Deviate Sexual Intercourse, 18 Pa.C.S. § 3123	<input type="checkbox"/> Indecent Assault, 18 Pa.C.S. § 3126
<input type="checkbox"/> Aggravated Indecent Assault, 18 Pa.C.S. § 3125	<input type="checkbox"/> Incest, 18 Pa.C.S. § 4302

1) If I am in placement when I am age 20, SOAB (State Sexual Offenders Assessment Board) will look at information about me to see if I have mental problems that make it hard for me to stop doing sexual crimes. _____ initials

See 42 Pa.C.S. § 6358.

2) If SOAB thinks that I need treatment, the judge will have a hearing. _____ initials

See 42 Pa.C.S. § 6358.

3) If the judge agrees I need treatment, I will have a second hearing. _____ initials

See 42 Pa.C.S. § 6358.

4) At the hearing, the judge will decide if I have mental problems that make it likely that I will do sexual crimes again. If the judge says yes [,]:

a) I will go to a different placement for at least one year. _____ initials

See 42 Pa.C.S. §§ 6403 & 6404.

b) I must register with the police and report to them every 90 days for the rest of my life. Information about me and my crime will also be available for everyone to see. _____ initials

See 42 Pa.C.S. § 9799.13(9) & § 9799.15(a)(5)

5) The judge will look at my case each year. I will stay in that placement for as long as the judge decides that I have mental problems that make it likely that I will do sexual crimes again. _____ initials

See 42 Pa.C.S. § 6404.

6) If the judge says I can leave placement, I must continue to get treatment when told for my mental problems. The judge will look at my case after one year. _____ initials

See 42 Pa.C.S. §§ 6404.1 & 6404.2.

7) If the judge says I can stop getting treatment after one year, I still must talk to a counselor every month. _____ initials

See 42 Pa.C.S. §§ 6404.1 & 6404.2.

8) If I do not obey these rules or the counselor says I cannot stop my bad actions, I will be sent back to placement. _____ initials

See 42 Pa.C.S. § 6404.2.

Lawyer's Representation and Opportunity to Speak with Guardian

9) Did you talk with your lawyer before you decided to tell the judge you did the crimes (delinquent acts)? Yes No

10) Are you okay with what your lawyer did for you? Yes No

11) Did your lawyer answer all your questions? Yes No

12) Did you talk with your parent or guardian about saying you did the crimes? Yes No

If you answered no, would you like to talk with them now? Yes No

I have read this form or someone has read this form to me.

I understand the form and what I have to do. The signature below and initials on each page of this form are mine.

JUVENILE

DATE

I, _____, lawyer for the juvenile, have reviewed this form with my client. My client has informed me and I believe that he or she understands the rights, consequences, and dispositions outlined in this form. I have completed the foregoing sections with my client. I have explained them. I have no issues with my client admitting to the delinquent acts.

LAWYER FOR JUVENILE

DATE

Comment

Under paragraph (A)(1), the court is to determine if the admission is knowingly, intelligently, and voluntarily made by asking questions to ascertain the juvenile's ability to comprehend the written colloquy and to make an admission.

The written colloquy serves as an aid for the court in making its determination that the admission is knowingly, intelligently, and voluntarily made and it does not supplant the court's responsibility to conduct a sufficient inquiry to support its determination pursuant to paragraph (A)(1).

Nothing in this rule prohibits the judge from reviewing the entire written colloquy with the juvenile on the record or asking more questions than required under paragraph (A)(1)(c).

The admission colloquy is similar to a guilty plea colloquy in criminal court; however, the juvenile court judge has special responsibilities under the Juvenile Act in providing a balanced attention to the protection of the community, the imposition of accountability for delinquent acts committed, and the development of competencies to enable juveniles to become responsible and productive members of the community. See 42 Pa.C.S. § 6301.

If the court finds an admission is not knowingly, intelligently, and voluntarily made, the case is to proceed to a hearing pursuant to Rule 406. The decision whether an admission is knowingly, intelligently, and voluntarily made is not appealable to another common pleas judge; therefore, the admission may not be presented to another judge once this determination has been made.

Under paragraph (A)(3), if the disposition agreed upon by the parties is unavailable or the court does not agree with the terms of the tender, the case is to proceed as if no tender had been made.

The court is not to accept a plea of *nolo contendere*. See *In re B.P.Y.*, 712 A.2d 769 (Pa. Super. 1998).

If the court does not accept an agreement or finds an admission not to be knowingly, intelligently, and voluntarily made, a motion for recusal of the judge may be appropriate for the adjudicatory hearing.

Pursuant to paragraph (C), an attorney is to review the written admission colloquy with the juvenile prior to entering the courtroom. The practice in some judicial districts permitting the juvenile probation officer to review this colloquy with the juvenile is inconsistent with this rule.

Pursuant to paragraph (D), the written admission colloquy in paragraph (C) is to be amended when the

juvenile is admitting to an act that would render the juvenile eligible for court-ordered involuntary treatment upon attaining 20 years of age **and lifelong SORNA registration and reporting requirements.** See 42 Pa.C.S. §§ 6358, 6403, **9799.13(9), and § 9799.15(a)(5).** The court is to conduct a colloquy as to the potential consequences of an admission of this type using the form in paragraph (D).

The colloquy forms use several age-appropriate terms for the juvenile to understand; however, certain legal terms are contained in the form. It is expected that attorneys will explain these forms until their clients understand.

The forms used for admissions are to be substantially in the forms found at paragraphs (C)(4) and (D). The questions set forth are the minimal standard. A judicial district may choose to add requirements to these admission colloquies. Any addition to the required colloquies is considered a local rule and the procedures of Rule 121 are to be followed if a judicial district chooses to make additions. See Rule 121.

The admission colloquies can be downloaded from the Supreme Court's webpage at <http://www.pacourts.us/T/BoardsCommittees/JuvenileCourtProcedural/>. The forms are also available in Spanish.

The Pennsylvania Juvenile Collateral Consequences checklist is also available on the Supreme Court's webpage.

Nothing in this rule precludes the court from entering a consent decree after the acceptance of an admission.

Official Note: Rule 407 adopted April 1, 2005, effective October 1, 2005. Amended January 18, 2012, effective April 1, 2012. Amended January 23, 2017, effective April 3, 2017. **Amended** , 2017, **effective** , 2017.

Committee Explanatory Reports:

Final Report explaining the provisions of Rule 407 published with the Court's Order at 35 Pa.B. 2214 (April 16, 2005).

Final Report explaining the amendments to Rule 407 published with the Courts' Order at 42 Pa.B. 664 (February 4, 2012).

Final Report explaining the amendments to Rule 407 published with the Courts' Order at 47 Pa.B. 820 (February 11, 2017).

Final Report explaining the amendments to Rule 407 published with the Courts' Order at Pa.B. (, 2017).

REPORT

Proposed Amendment of Pa.R.J.C.P. 407

The Juvenile Court Procedural Rules Committee proposes the amendment of Rule 407 to add a provision concerning SORNA registration for a sexually violent delinquent child (SVDC) committed for involuntary treatment and to make language concerning appellate rights after an admission consistent with Rule 512(C).

Effective April 1, 2017, the Court amended Rule 407 to simplify language in the admission colloquy and to add a separate colloquy when a juvenile is making an admission to an act of sexual violence, see 42 Pa.C.S. § 6358. Regarding the latter colloquy, it would advise the juvenile of the possibility of civil commitment after termination of juvenile court supervision when the juvenile turns 21 years of age. The same judicial finding that would trigger the civil commitment would also result in the juvenile being subject to lifelong SORNA registration. See 42

Pa.C.S. § 9799.13(9) (applicability of SORNA to SVDC) and § 9799.15(a)(5) (lifelong registration requirement).

The Committee received a request to amend Rule 407(D) to add a provision regarding the SORNA registration requirement under these circumstances. The Committee considered two approaches to address this matter. The first approach was informational wherein the form would contain a very detailed colloquy including several questions about SORNA requirements. The second approach operated more as a notice using a single question and relying upon the attorney to provide the details and dialogue with the juvenile. The Committee favored the second approach.

Accordingly, the Committee proposes amending the "Addendum to Admission Colloquy Form" to add a new Question 4(b) concerning the SORNA registration requirement, the frequency of reporting, the term of this obligation, and the public availability of registration information. The phrasing contained in the question is intended to reflect a seventh grade reading level.

Additionally, for consistency purposes, the Committee proposes replacing the language of Question 20 in the Admission Colloquy Form in Rule 407(C) with the language contained in Question 9 of the Post Dispositional Rights Colloquy in Rule 512(C). The provisions in both forms discuss a juvenile's appellate rights after an admission; the description of the rights should not vary because the rights themselves do not vary.

The Committee invites all comments, concerns, and suggestions regarding this rulemaking proposal.

[Pa.B. Doc. No. 17-1867. Filed for public inspection November 17, 2017, 9:00 a.m.]

PART I. RULES

[237 PA. CODE CH. 11]

Proposed Amendment of Pa.R.J.C.P. 1140

The Juvenile Court Procedural Rules Committee proposes the amendment of Rule 1140 to clarify that arrest warrants are not to be issued for absconding children for the reasons set forth in the accompanying explanatory report. Pursuant to Pa.R.J.A. No. 103(a)(1), the proposal is being published in the *Pennsylvania Bulletin* for comments, suggestions, or objections prior to submission to the Supreme Court.

Any reports, notes, or comments in the proposal have been inserted by the Committee for the convenience of those using the rules. They neither will constitute a part of the rules nor will be officially adopted by the Supreme Court.

Additions to the text of the proposal are bolded; deletions to the text are bolded and bracketed.

The Committee invites all interested persons to submit comments, suggestions, or objections in writing to:

Daniel A. Durst, Chief Counsel
Juvenile Court Procedural Rules Committee
Supreme Court of Pennsylvania
Pennsylvania Judicial Center
PO Box 62635
Harrisburg, PA 17106-2635
FAX: 717-231-9541
juvenilerules@pacourts.us

All communications in reference to the proposal should be received by January 2, 2018. E-mail is the preferred

method for submitting comments, suggestions, or objections; any e-mailed submission need not be reproduced and resubmitted via mail. The Committee will acknowledge receipt of all submissions.

*By the Juvenile Court
Procedural Rules Committee*

KELLY L. McNANEY, Esq.,
Chair

Annex A

TITLE 237. JUVENILE RULES

PART I. RULES

Subpart B. DEPENDENCY MATTERS

CHAPTER 11. GENERAL PROVISIONS

PART A. BUSINESS OF COURTS

Rule 1140. Bench Warrants for Failure to Appear.

A. Issuance of warrant.

1) Before a bench warrant may be issued by a judge, the judge shall find that the subpoenaed or summoned person received sufficient notice of the hearing and failed to appear.

2) For the purpose of a bench warrant, a judge may not find notice solely based on first-class mail service.

3) An arrest warrant shall not be issued for a dependent child who absconds.

B. Party.

1) Where to take the party.

a) When a party is taken into custody pursuant to a bench warrant, the party shall be taken without unnecessary delay to the judge who issued the warrant or a judge designated by the President Judge to hear bench warrants.

b) If the party is not brought before a judge, the party shall be released unless the warrant specifically orders detention of the party.

c) If the warrant specifically orders detention of a party, the party shall be detained pending a hearing.

i) *Minor*. If the party is a minor, the party shall be detained in a shelter care facility or other placement as deemed appropriate by the judge.

ii) *Adult*. If the party is an adult, the witness shall be detained at the county jail.

2) Prompt hearing.

a) If a party is detained pursuant to a specific order in the bench warrant, the party shall be brought before the judge who issued the warrant, a judge designated by the President Judge to hear bench warrants, or an out-of-county judge pursuant to paragraph (B)(4) within seventy-two hours.

b) If the party is not brought before a judge within this time, the party shall be released.

3) *Notification of guardian*. If a party is a child and is taken into custody pursuant to a bench warrant, the arresting officer shall immediately notify the child's guardian of the child's whereabouts and the reasons for the issuance of the bench warrant.

4) Out-of-county custody.

a) If a party is taken into custody pursuant to a bench warrant in a county other than the county of issuance, the county of issuance shall be notified immediately.

b) Arrangements to transport the party shall be made immediately.

c) If transportation cannot be arranged immediately, then the party shall be taken without unnecessary delay to a judge of the county where the party is found.

d) The judge will identify the party as the subject of the warrant, decide whether detention is warranted, and order that arrangements be made to transport the party to the county of issuance.

5) *Time requirements*. The time requirements of Rules 1242, 1404, 1510, and 1607 shall be followed.

C. Witnesses.

1) Where to take the witness.

a) When a witness is taken into custody pursuant to a bench warrant, the witness shall be taken without unnecessary delay to the judge who issued the warrant or a judge designated by the President Judge to hear bench warrants.

b) If the witness is not brought before a judge, the witness shall be released unless the warrant specifically orders detention of the witness.

c) A motion for detention as a witness may be filed anytime before or after the issuance of a bench warrant. The judge may order detention of the witness pending a hearing.

i) *Minor*. If a detained witness is a minor, the witness shall be detained in a shelter care facility or other placement as deemed appropriate by the judge.

ii) *Adult*. If a detained witness is an adult, the witness shall be detained at the county jail.

2) Prompt hearing.

a) If a witness is detained pursuant to paragraph (C)(1)(c) or brought back to the county of issuance pursuant to paragraph (C)(4)(f), the witness shall be brought before the judge by the next business day.

b) If the witness is not brought before a judge within this time, the witness shall be released.

3) *Notification of guardian*. If a witness who is taken into custody pursuant to a bench warrant is a minor, the arresting officer shall immediately notify the witness's guardian of the witness's whereabouts and the reasons for the issuance of the bench warrant.

4) Out-of-county custody.

a) If a witness is taken into custody pursuant to a bench warrant in a county other than the county of issuance, the county of issuance shall be notified immediately.

b) The witness shall be taken without unnecessary delay and within the next business day to a judge of the county where the witness is found.

c) The judge will identify the witness as the subject of the warrant, decide whether detention as a witness is warranted, and order that arrangements be made to transport the witness to the county of issuance.

d) Arrangements to transport the witness shall be made immediately.

e) If transportation cannot be arranged immediately, the witness shall be released unless the warrant or other order of court specifically orders detention of the witness.

i) *Minor*. If the witness is a minor, the witness may be detained in an out-of-county shelter care facility or other placement as deemed appropriate by the judge.

ii) *Adult*. If the witness is an adult, the witness may be detained in an out-of-county jail.

f) If detention is ordered, the witness shall be brought back to the county of issuance within seventy-two hours from the execution of the warrant.

g) If the time requirements of this paragraph are not met, the witness shall be released.

D. *Advanced Communication Technology*. A court may utilize advanced communication technology pursuant to Rule 1129 unless good cause is shown otherwise.

E. *Return & execution of the warrant for parties and witnesses*.

1) The bench warrant shall be executed without unnecessary delay.

2) The bench warrant shall be returned to the judge who issued the warrant or to the judge designated by the President Judge to hear bench warrants.

3) When the bench warrant is executed, the arresting officer shall immediately execute a return of the warrant with the judge.

4) Upon the return of the warrant, the judge shall vacate the bench warrant.

Comment

Pursuant to paragraph (A), the judge is to ensure that the person received sufficient notice of the hearing and failed to attend. The judge may order that the person be served in-person or by certified mail, return receipt. The judge may rely on first-class mail service if additional evidence of sufficient notice is presented. For example, testimony that the person was told in person about the hearing is sufficient notice. Before issuing a bench warrant, the judge should determine if the guardian was notified.

Under Rule 1800, 42 Pa.C.S. § 6335(c) was suspended only to the extent that it is inconsistent with this rule. Under paragraph (A)(1), the judge is to find a subpoenaed or summoned person failed to appear and sufficient notice was given to issue a bench warrant. The fact that the party or witness may abscond or may not attend or be brought to a hearing is not sufficient evidence for a bench warrant. The normal rules of procedure in these rules are to be followed if a child is detained. *See Chapter Twelve [, Part D]*.

[Pursuant to paragraph (B)(1)(a), the party is to be taken immediately to the judge who issued the bench warrant or a judge designated by the President Judge of that county to hear bench warrants. Pursuant to paragraph (B)(1)(b), if a bench warrant specifically provides that the party may be detained, the party may be detained without having to be brought before the judge until a hearing within seventy-two hours under paragraph (B)(2)(a). Pursuant to this paragraph, if a hearing is not held promptly, the party is to be released. *See* paragraph (B)(2)(b).]

Paragraph (A)(3) is not intended to preclude the issuance of a bench warrant for a shared case in which the child is subject to the jurisdiction of the

dependency and delinquency court, see Rule 141 (Bench Warrants for Absconders), or an order for protective custody.

In paragraphs (B)(1)(c)(i), (C)(1)(c)(i), & (C)(4)(e)(i), “other placement as deemed appropriate by the judge” does not include a detention facility if a child is only alleged to be dependent because the use of detention facilities for dependent children is strictly prohibited. *See* 42 Pa.C.S. §§ 6302 & 6327(e).

Under paragraphs (B)(2) and (B)(4), a party taken into custody pursuant to a bench warrant is to have a hearing within seventy-two hours regardless of where the party is found. *See* Rule 1242(D).

Pursuant to paragraph (B)(4), the party may be detained out-of-county until transportation arrangements can be made.

[Pursuant to paragraph (B)(5), the time requirements of all other rules are to apply to children who are detained. *See, e.g.,* Rules 1242, 1404, 1510, and 1607.

Pursuant to paragraph (C)(1)(a), the witness is to be taken immediately to the judge who issued the bench warrant or a judge designated by the President Judge of that county to hear bench warrants. Pursuant to paragraph (C)(1)(b), if the judge is not available, the witness is to be released immediately unless the warrant specifically orders detention. Pursuant to paragraph (C)(1)(c), a motion for detention as a witness may be filed. If the witness is detained, a prompt hearing pursuant to paragraph (C)(2) is to be held by the next business day or the witness is to be released. *See* paragraph (C)(2)(b).]

Pursuant to paragraph (C)(4)(b), a witness is to be brought before an out-of-county judge by the next business day unless the witness can be brought before the judge who issued the bench warrant within this time. When the witness is transported back to the county of issuance within seventy-two hours of the execution of the bench warrant, the witness is to be brought before the judge who issued the bench warrant by the next business day. *See* paragraph (C)(4)(f).

[Pursuant to paragraph (E)(2), the bench warrant is to be returned to the judge who issued the warrant or to the judge designated by the President Judge to hear warrants by the arresting officer executing a return of warrant. *See* paragraph (E)(3).]

Pursuant to paragraph (E)(4), the bench warrant is to be vacated after the return of the warrant is executed so the party or witness is not taken into custody on the same warrant if the party or witness is released. “Vacated” is to denote that the bench warrant has been served, dissolved, executed, dismissed, canceled, returned, or any other similar language used by the judge to terminate the warrant. The bench warrant is no longer in effect once it has been vacated.

See 42 Pa.C.S. § 4132 for punishment of contempt for children and witnesses.

Throughout these rules, the “child” is the subject of the dependency proceedings. When a witness or another party is under the age of eighteen, the witness or party is referred to as a “minor.” When “minor” is used, it may include a child. This distinction is made to differentiate between children who are alleged dependents and other

minors who are witnesses. See also Rule 1120 for the definitions of “child” and “minor.”

Official Note: Rule 1140 adopted March 19, 2009, effective June 1, 2009. Amended April 21, 2011, effective July 1, 2011. **Amended** , 2017; **effective** , 2017.

Committee Explanatory Reports:

Final Report explaining the provisions of Rule 1140 published with the Court’s Order at 39 Pa.B. 1614 (April 4, 2009).

Final Report explaining the amendments to Rule 1140 published with the Court’s Order at 41 Pa.B. 2319 (May 7, 2011).

Final Report explaining the amendments to Rule 1140 published with the Court’s Order at Pa.B. (, 2017).

REPORT

Proposed Amendment of Pa.R.J.C.P. 1140

The Juvenile Court Procedural Rules Committee proposes the amendment of Rule 1140 to clarify that arrest warrants are not to be issued for absconding children.

The Committee received an inquiry from a Juvenile Court Hearing Officer regarding children who abscond from a dependency placement. It was observed that Rule 141 provides for bench warrants when a juvenile absconds from delinquency court, but there is no corresponding rule for children who abscond from dependency court supervision.

The omission of such a provision in the dependency rules was intentional. Children solely subject to the jurisdiction of the dependency court who abscond should not be subject to arrest and treated as they committed a crime.

To clarify that arrest warrants are not to be issued for absconding children, the Committee proposes to amend Rule 1140(a) to add subparagraph (3) to state that an arrest warrant shall not be issued for a dependent child who absconds. Further, the Comment to Rule 1140 is revised to state that Rule 1140(a)(3) is not intended to preclude the issuance of a warrant for a shared case in which the child is subject to the jurisdiction of the dependency and delinquency court. Additionally, the Comment would clarify that pickup orders for protective custody are not intended to be prohibited.

The opportunity was also taken to eliminate several paragraphs in the Comment that were reiterative of the rule text. Additionally, the reference to “Part D” was removed because there is no “Part D” in Chapter Twelve.

The Committee invites all comments, concerns, and suggestions regarding this rulemaking proposal.

[Pa.B. Doc. No. 17-1868. Filed for public inspection November 17, 2017, 9:00 a.m.]

Title 255—LOCAL COURT RULES

CLINTON COUNTY

Adoption of Local Rule of Judicial Administration 200 Confidential Documents; No. AD-1192-2017

Amended Administrative Order of Court

And Now, this 26th day of September, 2017, pursuant to the Public Access Policy of the Unified Judicial System

of Pennsylvania adopted by the Supreme Court of Pennsylvania and effective January 6, 2018, *It Is Hereby Ordered* as follows:

1. Clinton County Local Rule of Civil Procedure 205.2(a) is rescinded.

2. Clinton County Local Rule of Judicial Administration 200 Confidential Documents that follows is adopted and will be effective thirty (30) days after publication in *The Pennsylvania Bulletin*. The District Court Administration shall:

(a) File with the Legislative Bureau for publication in *The Pennsylvania Bulletin*.

(b) File one (1) copy with Administrative Office of Pennsylvania Courts (AOPC) via email to adminrules@pacourts.us.

(c) Publish a copy of Local Rule 200 on this Court’s website.

(d) Compile Local Rule 200 within the complete set of Local Rules within thirty (30) days of publication in *The Pennsylvania Bulletin*.

By the Court

CRAIG P. MILLER,
President Judge

Local Rule of Judicial Administration 200. Confidential Documents.

A. Unless required by applicable authority the following information is confidential and shall be not included in any document filed with the Court or the Office of the Prothonotary, Clerk of Courts, or Clerk of Orphans’ Court, except on a Confidential Information Form filed contemporaneously with the document:

1. Social Security Numbers;

2. Financial Account Numbers, except on active financial account number may be identified by the last four digits when the financial account is the subject of the case and cannot otherwise be identified;

3. Driver License Numbers;

4. State Identification (SID) Numbers;

5. Minors’ names and dates of birth except when a minor is charged as a defendant in a criminal matter (see 42 Pa.C.S. § 6355); and

6. Abuse victim’s address and other contact information, including Employer’s name, address and work schedule, in family court actions as defined by Pa.R.C.P. No. 1931(a), except for victim’s name.

This section is not applicable to cases that are sealed or exempted from public access pursuant to applicable authority.

B. The Confidential Information Form shall be available on the website of the Court and at the Office of Court Administrator.

C. Parties and their attorneys shall be solely responsible for complying with the provisions of this section and shall certify their compliance to the Court. The certification that shall accompany each filing shall be substantially in the following form: “I certify that this filing complies with the provisions of the Public Access Policy of the Unified Judicial System of Pennsylvania: Case Re-

cords of the Appellate and Trial Courts that require filing confidential information and documents differently than non-confidential information and documents.”

D. The Court or staff of the Office of the Prothonotary, Clerk of Courts, or Clerk of Orphans’ Court is not required to review or redact any filed document for compliance with this section. A party’s or attorney’s failure to comply with this section shall not affect access to case records that are otherwise accessible.

E. If a filed document fails to comply with the requirements of this section, the Court may, upon motion or its own initiative, with or without a hearing order the filed document sealed, redacted, amended or any combination thereof. The Court may impose sanctions, including costs necessary to prepare a compliant document for filing in accordance with applicable authority.

F. This section shall apply to all documents for any case filed with the Court or in the Office of the Prothonotary, Clerk of Courts, or Clerk of Orphans’ Court on or after January 6, 2018.

[Pa.B. Doc. No. 17-1869. Filed for public inspection November 17, 2017, 9:00 a.m.]

CLINTON COUNTY

Rule 301(A) Diversionary Programs Cyber Harassment of Child and Transmission of Sexually Explicit Images by Minor; No. AD-1188-2017

Amended Administrative Order of Court

And Now, this 31st day of October, 2017, the Court hereby adopts the following Rule of Court of Common Pleas of Clinton County, Criminal Court Division, effective thirty (30) days after the publication of same in the *Pennsylvania Bulletin*.

The Clinton County Court Administrator is Ordered and Directed to do the following:

1. File one (1) copy of this Order and Rule with the Administrative Office of the Pennsylvania Courts via email to adminrules@pacourts.us.
2. File with the Legislative Bureau for publication in *The Pennsylvania Bulletin*.
3. Publish a copy of the local rule on the Clinton County Court website.
4. Incorporate the local rule into the set of local rules on www.clintoncountypa.com within thirty (30) days after publication in the *Pennsylvania Bulletin*.

By the Court

CRAIG P. MILLER,
President Judge

Rule 301(A). Diversionary Programs Cyber Harassment of Child and Transmission of Sexually Explicit Images by Minor.

A(1) Pursuant to 18 Pa.C.S. § 2709(a.1)(2) any juvenile charged with a violation of 18 Pa.C.S. § 2709(a.1)(1) graded as summary offense may be placed into a diversionary program as described in subsection (4) below.

(2) Any juvenile charged with a violation of 18 Pa.C.S. § 2709(a)(1), (2), (3), (4), (5), (6), or (7) or (a.1) graded as

misdemeanor of the third degree or higher, the Court may place the juvenile into a diversionary program pursuant to Pa.R.J.C.P. No. 312 (relating to Informal Adjustment) or Pa.R.J.C.P. No. 370 (relating to Consent Decree).

(3) If a juvenile is placed into a diversionary program for a summary offense and violates the requirements of said diversionary program, the juvenile shall be certified to the Office of Juvenile Probation which shall initially consider a recommendation to the Court to process the juvenile pursuant to Pa.R.J.C.P. No. 312 (relating to Informal Adjustment) or Pa.R.J.C.P. No. 370 (relating to Consent Decree).

(4) All diversionary programs utilized for an offense under 18 Pa.C.S. § 2709 will be:

(a) administered by the Office of Juvenile Probation; and

(b) shall include the legal and non-legal consequences of cyber harassment.

(5) If a juvenile completes the diversionary program, the Office of Juvenile Probation shall forward to the Court appropriate documents to expunge the record of the Juvenile.

B(1) Pursuant to 18 Pa.C.S. § 6321(f) any juvenile charged with a violation of 18 Pa.C.S. § 6321 graded as a summary offense may be placed into a diversionary program as described in subsection (4) below.

(2) Pursuant to 18 Pa.C.S. § 6321(f) any juvenile charged with a violation of 18 Pa.C.S. § 6321 graded as a misdemeanor of the third degree or higher, the Court may place the juvenile into a diversionary program pursuant to Pa.R.J.C.P. No. 312 (relating to Informal Adjustment) or Pa.R.J.C.P. No. 370 (relating to Consent Decree).

(3) If a juvenile is placed into a diversionary program for a summary offense and violates the requirements of said diversionary program, the juvenile shall be certified to the Office of Juvenile Probation which shall initially consider a recommendation to the Court to process the juvenile pursuant to Pa.R.J.C.P. No. 312 (relating to Informal Adjustment) or Pa.R.J.C.P. No. 370 (relating to Consent Decree).

(4) All diversionary programs utilized for an offense under 18 Pa.C.S. § 6321 will be:

(1) administered by the Office of Juvenile Probation; and

(2) shall include the legal and non-legal consequences of sharing sexually explicit images.

(5) If a juvenile completes the diversionary program, the Office of Juvenile Probation shall forward to the Court appropriate documents to issue an Order to expunge the record of the juvenile.

C Magisterial District Judges shall use the attached form when referring any juvenile to Office of Juvenile Probation for participation in the above described diversionary programs.

REFERRAL FORM FOR DIVERSIONARY PROGRAM

REFERRED TO: Office of Juvenile Probation

SECTION I (to be completed by referral source)

Referral Source: Magisterial District Judge
Referral Date:
Referral Individual's Name
Address:
Telephone #:
Birth Date:
Violation and Date:
Arresting Police Dept.:
Referral Comments (Optional):
Referred Individual's Signature:

SECTION II (to be completed by Office of Juvenile Probation)

The above named individual has completed all criteria.

DATE

The above named individual has not completed all criteria. Areas of non-compliance are:

DATE

COMMENTS:

[Pa.B. Doc. No. 17-1870. Filed for public inspection November 17, 2017, 9:00 a.m.]

JEFFERSON COUNTY

Order Implementing Section 7 of the Public Access Policy of the Unified Judicial System of Pennsylvania; CP-33-AD-21-2017

Administrative Order

And Now, this 1st day of November 2017, it is hereby Ordered and Decreed that Jefferson County Local Rule of Judicial Administration 510 is hereby adopted. This change is effective 30 days after publication in the Pennsylvania Bulletin.

Rule 510. Rule to Safeguard Confidential Information.

Pursuant to Section 7 of the Public Access Policy of the Unified Judicial System of Pennsylvania, all persons who file documents in Jefferson County that contain confidential information as defined by the policy shall use and file a Confidential Information Form in order to comply with the policy. The policy may be viewed at www.pacourts.us,

and the form shall be available on the county website, www.jeffersoncountypa.com or in the filing office.

By the Court

HONORABLE JOHN HENRY FORADORA, President Judge

[Pa.B. Doc. No. 17-1871. Filed for public inspection November 17, 2017, 9:00 a.m.]

LANCASTER COUNTY

Revision of Local Rule of Judicial Administration 520 Governing the Case Documents Public Access Policy; CPJ. No. 7, Page 1357; No. 16 AD 2017

Administrative Order

And Now, this 30th day of October 2017, it is hereby Ordered, that the Lancaster County Court of Common Pleas adopts this revised Local Rule of Judicial Administration 520 governing the Case Documents Public Access Policy for the 2nd Judicial District to become effective January 6, 2018.

The Lancaster County District Court Administrator is Ordered and Directed to do the following:

1. File one (1) copy to the Administrative Office of Pennsylvania Courts via email to adminrules@pacourts.us.

2. File two (2) paper copies and one (1) electronic copy in a Microsoft Word format only to bulletin@palrb.us with the Legislative Reference Bureau for publication in the *Pennsylvania Bulletin*.

3. Publish these Rules on the Lancaster County Court website at www.court.co.lancaster.pa.us.

4. Incorporation of the local rule into the set of local rules on www.court.co.lancaster.pa.us within thirty (30) days after the publication of the local rule in the *Pennsylvania Bulletin*.

5. File one (1) copy of the local rule in the appropriate filing office for public inspection and copying.

By the Court

DENNIS E. REINAKER,
President Judge

LOCAL RULES OF JUDICIAL ADMINISTRATION

Rule 520. Case Documents Public Access Policy.

A. Establishment

Pursuant to the Public Access Policy of the Unified Judicial System of Pennsylvania: Case Records of the Appellate and Trial Court at Title 204. Chapter 213, this rule is adopted to define the [**policy**] **procedure** to be followed by this Court.

B. Election of [**Policy**] **Procedure**

In compliance with Section 7, this Court elects subsection [C] A. [**Parties will be required to file in all filing offices under its jurisdiction two versions of any document, a "Redacted Version" and an "Unredacted Version."**] As enumerated in the **Public Access Policy, attorneys and self-represented parties shall not include confidential information in any document filed with the appropriate filing office (Clerk of Courts, Prothonotary and Clerk of the Orphans' Court) except on a Confidential Information Form as provided by the Administrative Office of Pennsylvania Courts (<http://www.pacourts.us/public-records/public-records-forms>). The Public Access Policy with forms may also be found at: <http://www.court.co.lancaster.pa.us/>, <http://pa-lancastercountyclerkofcourts.civicplus.com/>, <https://pa-lancastercounty.civicplus.com/155/Prothonotary>, and <http://www.co.lancaster.pa.us/159/Register-of-Wills>.**

[Pa.B. Doc. No. 17-1872. Filed for public inspection November 17, 2017, 9:00 a.m.]

MONTGOMERY COUNTY

Prothonotary's Office Fee Schedule; Case No. 2017-00007

Order

And Now, this 1st day of November, 2017, upon consideration of the within Petition of the Montgomery County Prothonotary's Office, submitted by the Mark Levy, the Montgomery County Prothonotary, and in ac-

cordance with Act 164 of 1998, the Prothonotary Fee Law, it is hereby *Ordered* that the Fee Schedule of the Montgomery County Prothonotary's Office is hereby amended, effective January 1, 2018. It is further *Ordered* that the Fee Schedule of the Montgomery County Prothonotary's Office following the Petition as Exhibit "C" is hereby approved and adopted, effective January 1, 2018.

By the Court

HONORABLE THOMAS M. DELRICCI,
President Judge

Fee Report

Action for Declaratory Judgment	\$285.25
Agreement to Revive Judgment	\$16.25
Amended Custody Complaint	\$0.00
Amended Divorce/Annulment Complaint	\$0.00
Appeal Board of Assessment Govt	\$63.75
Appeal from Award of Arbitrators	\$450.00
Appeal from Board of Assessment	\$289.50
Appeal from Board of Elections	\$63.75
Appeal from District Justice	\$289.75
Appeal from Local/State Agency	\$289.50
Appeal from Suspension/Registration/ Inspection Station	\$289.50
Appeal from Zoning Board Govt	\$63.75
Appeal from Zoning Board Non Govt	\$289.50
Appeal Spot Assessment	\$289.50
AR Copies	\$0.00
Asbestos Case	\$285.25
Auditors Report	\$63.75
Bail Bond	\$71.50
Business Power of Attorney	\$4.75
Certification	\$5.25
Certification from US District Court	\$36.00
Certification of Judgment	\$36.00
Certification of Motor Vehicle Judgment	\$5.25
Clerk of Court Judgment Satisfaction/JFCR Payment	\$36.00
Complaint Civil Action	\$285.25
Complaint Class Action	\$285.25
Complaint Divorce	\$295.25
Complaint Divorce—Subsequent	\$295.25
Complaint for Custody/Visitation	\$293.75
Complaint in Annulment	\$295.25
Complaint in Annulment—Subsequent	\$295.25
Complaint In Confession of Judgment	\$71.50
Complaint In Confession of Judgment Money & Possession	\$143.25
Complaint in Custody/Visitation— Subsequent	\$293.75
Complaint in Ejectment	\$285.25
Complaint In Mandamus	\$285.25
Complaint In Mechanics Lien	\$285.25
Complaint In Mortgage Foreclosure	\$285.25

THE COURTS

7023

<i>Fee Report</i>		<i>Fee Report</i>	
Complaint In Partition	\$285.25	IRS Refiling	\$25.50
Complaint in Quiet Title	\$285.25	IRS Release 1992 & Under	\$9.00
Complaint In Replevin	\$285.25	IRS Revocation 1992 & Under	\$9.00
Complaint to Conform Confession Of Judgment	\$290.00	Judgment Against Garnishee Entered in Favor of	\$16.25
Copy Fee	\$0.25	Judgment Arbitration Entered in Favor of	\$16.25
Copy Fee for Transcripts—Electronic Copy	\$0.50	Judgment by Stipulation Entered In Favor of	\$16.25
Copy Fee for Transcripts—Paper Copy	\$0.75	Judgment Court Order Entered In Favor of	\$16.25
Damages Assessed at on Sec Leg Judgment Fee	\$16.25	Judgment Exemption In State	\$7.50
Declaration of Taking Eminent Domain Govt	\$63.75	Judgment Exemption Out of State	\$18.25
Declaration of Taking Eminent Domain Non Govt	\$290.00	Judgment from District Justice	\$35.75
Default Declaratory Judgment	\$16.25	Judgment Marked or Assigned to	\$9.00
Default Judgment Entered in Favor of	\$16.25	Judgment Non Pros Against	\$16.25
Default Judgment Entered in Favor of Govt	\$12.00	Judgment Non Pros Pursuant to Rule 1042.7	\$16.25
Defendants Appeal from District Justice	\$289.75	Judgment Note	\$36.00
Department of Justice Lien	\$36.00	Judgment on a Fee Dispute	\$36.00
Divorce Extra Counts Alimony	\$63.00	Judgment on Bill of Costs Entered in Favor of	\$16.25
Divorce Extra Counts Custody/Visitation	\$71.50	Judgment Support Arrearages	\$36.00
Divorce Extra Counts Dissipation of Assets	\$63.00	Judgment Support Arrearages (Subsequent)	\$36.00
Divorce Extra Counts Equitable Distribution	\$63.00	Judgment Verdict Entered in Favor of	\$16.25
Divorce Extra Counts Exclusive Possession	\$63.00	Judgment Writ of Revival Entered in Favor of	\$16.25
Divorce Extra Counts Removal	\$63.00	Lien	\$35.50
Divorce Extra Counts Special Relief	\$63.00	Lien Commonwealth of PA	\$35.50
Divorce Extra Counts Spousal/APL/Alimony	\$63.00	Lien Commonwealth of PA Volume	\$35.50
Divorce Extra Counts Support	\$63.00	Lis Pendens	\$63.75
Docket Printout	\$1.75	Mechanics Lien Claim	\$35.50
Document Viewer Pay per page	\$0.10	Misc Custody—Subsequent	\$63.75
Document Viewer Pay per page .50 charge	\$0.50	Misc Divorce Decree—Subsequent	\$63.75
Document Viewer Pay per page Credit Card charge	\$0.50	Miscellaneous	\$63.75
ED/Exceptions	\$63.75	Miscellaneous Custody Order	\$63.75
ED/Exceptions—Subsequent	\$63.75	Miscellaneous Divorce Decree	\$63.75
Emergency Petition for Contempt	\$80.50	Miscellaneous Family Order	\$63.75
Emergency Petition for Special Relief	\$80.50	Miscellaneous Preliminary Objections	\$63.75
Emergency Petition to Intervene	\$80.50	Montgomery County Lien	\$35.50
Emergency Petition to Modify	\$80.50	Motion for Appointment of Master	\$187.00
Exception/Objections to Tax Claim Sale	\$289.50	Motion for Appointment of Master in Divorce Before 6/18/90	\$197.00
Family Petition	\$284.75	Municipal Lien	\$35.50
Family Petition (Subsequent)	\$284.75	Municipal Lien Govt	\$31.00
Financial Statement	\$63.75	Municipal Lien Volume	\$31.00
Foreign Judgment	\$36.00	Notary Registration/Certification	\$3.50
Foreign Subpoena	\$63.75	Notary Registration/Certification No Charge	\$0.00
Government Appeal	\$63.75	Notary Signature Verification	\$3.50
Indexed Writ of Execution with Garnishee	\$47.75	Notary Signature Verification No Charge	\$0.00
Indexed Writ of Execution without Garnishee	\$47.75	Notice of Appeal and Service of Notice to	\$51.25
IRS Federal Lien	\$35.50	Notice of Removal	\$7.25

Fee Report

Notification/Printing Fee Per Party Notified	\$1.00
Objection to Foreign Order	\$63.75
Objections to a Nomination Petition	\$63.75
Objections to Foreign Support Order— Subsequent	\$63.75
On Account Payment	\$1.00
Partial Judgment Non Pros Pursuant to Rule 1042.7	\$16.25
Partial Judgment Non-Pros Against	\$16.25
Passport	\$25.00
Petition	\$284.75
Petition for Change of Name	\$155.50
Petition for Contempt	\$80.50
Petition for Special Relief	\$80.50
Petition to Appeal Nunc Pro Tunc	\$284.75
Petition to Impound Voting Machine(s)	\$63.75
Petition to Intervene	\$80.50
Petition to Modify	\$80.50
Petition to Open/Strike Judgment	\$289.50
Plaintiffs Appeal from District Justice	\$289.75
Post Filing Payment	\$1.00
Prae For Writ of Execution—Money Judgment w/Garnishee	\$28.50
Prae For Writ of Execution—Money Judgment w/o Garnishee	\$28.00
Prae to Transmit Divorce Record Before 6/18/90	\$52.00
Praec & Writ of Scire Facias Govt	\$12.00
Praec for Arbitration	\$29.00
Praec for Civil Trial List Jury	\$29.00
Praec for Civil Trial List Non-Jury	\$29.00
Praec for Possession & Writ Issued	\$28.00
Praec For Possession and Writ Issued	\$28.00
Praec For Possession and Writ Upon a Confessed Judgment	\$28.00
Praec for Revival & Writ Issued	\$28.00
Praec for Seizure & Writ Issued	\$28.00
Praec For Termination of Supersedeas	\$16.25
Praec for Writ of Attachment	\$28.00
Praec for Writ of Execution Money Judgment Govt	\$12.00
Praec to Strike Appeal from District Justice	\$16.25
Praec to Strike Writ of Certiorari	\$16.25
Praec to Strike/Vacate/Open Judgment	\$9.00
Praec to Transmit/2 Certs	\$53.25
Praec to Transmit/Motion for Grounds Order	\$426.00
Praec-Writ Mortgage Foreclosure & 3129 Affidavit	\$28.00
Praec-Writ of Execution Confessed Judgment w/Garnishee	\$28.50

Fee Report

Praec-Writ of Execution Confessed Judgment w/o Garnishee	\$28.00
Praec-Writ of Execution Money Judgment w/ Garnishee	\$28.50
Praec-Writ of Execution Money Judgment w/o Garnishee	\$28.00
Praecepto to Discontinue For Cases Filed 1992 & Under	\$9.00
Print Queue Payment	\$0.25
Release of Judgment	\$9.00
Satisfied—For Cases Filed 1992 & Before	\$9.00
Search for Divorce Decree	\$9.00
Statement of Objection	\$289.75
Subordination Agreement	\$9.00
Subpoena	\$3.50
Suggestion of Non-Payment	\$16.25
Summons Civil Action	\$285.25
Support/Exceptions	\$63.75
Support/Exceptions—Subsequent	\$63.75
Transfer Case (To Another County)	\$7.25
Transfer Case—Custody coming in from another county	\$285.25
Transfer Case—Divorce coming in from another county	\$285.25
Transfer Case from Another County	\$285.25
Transfer Custody—Subsequent	\$285.25
Transfer Divorce—Subsequent	\$285.25
Transfer to Another County/State	\$7.25
UCC Search per Debtor (2001)	\$72.50
Wage Attachment Landlord Tenant	\$1.00
Waiver of Liens	\$28.25
Workmens Compensation Award/Agreement	\$36.00
Writ of Certiorari	\$289.75

[Pa.B. Doc. No. 17-1873. Filed for public inspection November 17, 2017, 9:00 a.m.]

SNYDER COUNTY**Judicial Administration; CP-55-AD-0000006-2017****Order**

And Now, October 27, 2017, the Court *Orders* that a Public Access Policy, Case Records of the Trial Courts, is adopted as a local rule of judicial administration as follows:

The District Court Administrator shall do the following:

1. File one (1) copy to the Administrative Office of Pennsylvania Courts via email to adminrules@pacourts.us.

2. File two (2) paper copies and one (1) electronic copy in a Microsoft Word format only to bulletin@palrb.us with the Legislative Reference Bureau for publication in the *Pennsylvania Bulletin*.

3. Publish these Rules on the Snyder/Union County Court website at www.snydercounty.org and www.unioncountypa.org.

4. Incorporation of the local rule into the set of local rules on www.snydercounty.org and www.unioncountypa.org within thirty (30) days after the publication of the local rule in the *Pennsylvania Bulletin*.

5. File one (1) copy of the local rule in the appropriate filing office for public inspection and copying.

The Public Access Policy: Case Records of Trial Courts shall become effective on January 6, 2018.

By the Court

MICHAEL T. HUDOCK,
President Judge

17-JA-01. Public Access Policy: Case Records of the Trial Courts.

All filings in the Court of Common Pleas of Snyder/Union County shall comply with the Public Access Policy of the Unified Judicial System of Pennsylvania. Persons who file documents that contain confidential information as defined by the Policy shall use and file a Confidential Information Form (Section 7.0) provided by the Administrative Office of Pennsylvania Courts in order to comply with the Policy. The form shall be available in each filing office as well as on each of the county's websites: www.snydercounty.org and www.unioncountypa.org. Additional forms including but not limited to the following:

- Confidential Document Form
- Abuse Victim Addendum
- Request for Clerical Error Correction

are available at www.pacourts.us/public-records.

Failure to comply with the requirements of the Public Access Policy may result in the matter being before the court for hearing or sanctions.

[Pa.B. Doc. No. 17-1874. Filed for public inspection November 17, 2017, 9:00 a.m.]

UNION COUNTY

Judicial Administration; CP-60-AD-6-2017

Order

And Now, October 27, 2017, the Court *Orders* that a Public Access Policy, Case Records of the Trial Courts, is adopted as a local rule of judicial administration as follows:

The District Court Administrator shall do the following:

1. File one (1) copy to the Administrative Office of Pennsylvania Courts via email to adminrules@pacourts.us.

2. File two (2) paper copies and one (1) electronic copy in a Microsoft Word format only to bulletin@palrb.us with the Legislative Reference Bureau for publication in the *Pennsylvania Bulletin*.

3. Publish these Rules on the Snyder/Union County Court website at www.snydercounty.org and www.unioncountypa.org.

4. Incorporation of the local rule into the set of local rules on www.snydercounty.org and www.unioncountypa.org within thirty (30) days after the publication of the local rule in the *Pennsylvania Bulletin*.

5. File one (1) copy of the local rule in the appropriate filing office for public inspection and copying.

The Public Access Policy: Case Records of Trial Courts shall become effective on January 6, 2018.

By the Court

MICHAEL T. HUDOCK,
President Judge

17-JA-01. Public Access Policy: Case Records of the Trial Courts.

All filings in the Court of Common Pleas of Snyder/Union County shall comply with the Public Access Policy of the Unified Judicial System of Pennsylvania. Persons who file documents that contain confidential information as defined by the Policy shall use and file a Confidential Information Form (Section 7.0) provided by the Administrative Office of Pennsylvania Courts in order to comply with the Policy. The form shall be available in each filing office as well as on each of the county's websites: www.snydercounty.org and www.unioncountypa.org. Additional forms including but not limited to the following:

- Confidential Document Form
- Abuse Victim Addendum
- Request for Clerical Error Correction

are available at www.pacourts.us/public-records.

Failure to comply with the requirements of the Public Access Policy may result in the matter being before the court for hearing or sanctions.

[Pa.B. Doc. No. 17-1875. Filed for public inspection November 17, 2017, 9:00 a.m.]

**DISCIPLINARY BOARD OF
THE SUPREME COURT**

Notice of Hearing

A Petition for Reinstatement to the active practice of law has been filed by Mohamed Alamgir and will be the subject of a hearing on January 26, 2018 before a hearing committee designated by the Board. Anyone wishing to be heard in reference to this matter should contact the District III Office of the Disciplinary Board of the Supreme Court of Pennsylvania, 601 Commonwealth Ave., Ste. 5800, Harrisburg, Pennsylvania 17106, phone number (717) 772-8572, on or before January 12, 2018.

MARCEE D. SLOAN,
Board Prothonotary
The Disciplinary Board of the
Supreme Court of Pennsylvania

[Pa.B. Doc. No. 17-1876. Filed for public inspection November 17, 2017, 9:00 a.m.]

SUPREME COURT

Financial Institutions Approved as Depositories for Fiduciary Accounts; No. 154 Disciplinary Rules Doc.

Order

Per Curiam

And Now, this 1st day of November, 2017, it is hereby Ordered that the financial institutions named on the following list are approved as depositories for fiduciary accounts in accordance with Pa.R.D.E. 221.

FINANCIAL INSTITUTIONS APPROVED AS DEPOSITORIES OF TRUST ACCOUNTS OF ATTORNEYS

Bank Code A.

595	Abacus Federal Savings Bank
2	ACNB BANK
613	Allegent Community Federal Credit Union
375	Altoona First Savings Bank
376	Ambler Savings Bank
532	AMERICAN BANK (PA)
615	Americhoice Federal Credit Union
116	AMERISERV FINANCIAL
648	Andover Bank (The)
377	Apollo Trust Company

Bank Code B.

558	Bancorp Bank (The)
485	Bank of America, NA
415	Bank of Landisburg (The)
642	BB & T Company
519	Beaver Valley Federal Credit Union
501	BELCO Community Credit Union
397	Beneficial Bank
652	Berkshire Bank
5	BNY MELLON, NA
392	BRENTWOOD BANK
495	Brown Brothers Harriman Trust Co., NA
161	Bryn Mawr Trust Company (The)
156	Bucks County Bank

Bank Code C.

654	CACL Federal Credit Union
618	Capital Bank, NA
622	Carrollton Bank
16	CBT Bank
136	CENTRIC BANK
394	CFS BANK
623	Chemung Canal Trust Company
649	CHROME FEDERAL CREDIT UNION
599	Citibank, NA
238	Citizens & Northern Bank
561	Citizens Bank (PA)
206	Citizens Savings Bank
602	City National Bank of New Jersey
576	Clarion County Community Bank
591	Clearview Federal Credit Union
23	CNB Bank
354	Coatesville Savings Bank
223	Commercial Bank & Trust of PA
21	Community Bank (PA)
371	Community Bank, NA (NY)
533	Community First Bank
132	Community State Bank of Orbisonia
647	CONGRESSIONAL BANK
380	County Savings Bank

Bank Code C.

617	Covenant Bank
536	Customers Bank

Bank Code D.

339	Dime Bank (The)
239	DNB First, NA
27	Dollar Bank, FSB

Bank Code E.

500	Elderton State Bank
567	Embassy Bank for the Lehigh Valley
541	Enterprise Bank
28	Ephrata National Bank
601	Esquire Bank, NA
340	ESSA Bank & Trust

Bank Code F.

629	1st Colonial Community Bank
158	1st Summit Bank
31	F & M Trust Company—Chambersburg
205	Farmers National Bank of Emlenton (The)
34	Fidelity Deposit & Discount Bank (The)
343	FIDELITY SAVINGS & LOAN ASSOCIATION OF BUCKS COUNTY
	Fifth Third Bank
583	First Bank
643	First Bank
650	First-Citizens Bank & Trust Company
174	First Citizens Community Bank
191	First Columbia Bank & Trust Company
539	First Commonwealth Bank
46	First Community Bank of Mercersburg
504	First Federal S & L Association of Greene County
525	First Heritage Federal Credit Union
42	First Keystone Community Bank
51	First National Bank & Trust Company of Newtown (The)
417	First National Bank of Lilly (The)
48	First National Bank of Pennsylvania
426	First Northern Bank & Trust Company
604	FIRST PRIORITY BANK
592	FIRST RESOURCE BANK
408	First United National Bank
151	Firstrust Savings Bank
416	Fleetwood Bank
493	FNB BANK, NA
175	FNCB Bank
291	Fox Chase Bank
241	Franklin Mint Federal Credit Union
639	Freedom Credit Union
58	FULTON BANK, NA

Bank Code G.

499	Gratz Bank (The)
498	Greenville Savings Bank

Bank Code H.

402	Halifax Branch, of Riverview Bank
244	Hamlin Bank & Trust Company
362	Harleysville Savings Bank
363	Hatboro Federal Savings
463	Haverford Trust Company (The)
655	Home Savings Bank
606	Hometown Bank of Pennsylvania
68	Honesdale National Bank (The)
350	HSBC Bank USA, NA
364	HUNTINGDON VALLEY BANK
605	Huntington National Bank (The)

Bank Code H.

608 Hyperion Bank

Bank Code I.

365 Indiana First Savings Bank

557 Investment Savings Bank

526 Iron Workers Savings Bank

Bank Code J.

70 Jersey Shore State Bank

127 Jim Thorpe Neighborhood Bank

488 Jonestown Bank & Trust Company

72 JUNIATA VALLEY BANK (THE)*Bank Code K.*

651 KeyBank NA

414 Kish Bank

*Bank Code L.***74 LAFAYETTE AMBASSADOR BANK**

554 Landmark Community Bank

418 Liverpool Community Bank

78 Luzerne Bank

Bank Code M.

361 M & T Bank

386 Malvern Federal Savings Bank

510 Marion Center Bank

387 Marquette Savings Bank

81 Mars Bank

43 Marysville Branch, of Riverview Bank

367 Mauch Chunk Trust Company

619 MB Financial Bank, NA

511 MCS (Mifflin County Savings) Bank

641 Members 1st Federal Credit Union

555 Mercer County State Bank

192 Merchants Bank of Bangor

610 Meridian Bank

420 Meyersdale Branch, of Riverview Bank

294 Mid Penn Bank

276 MIFFLINBURG BANK & TRUST COMPANY

457 Milton Savings Bank

614 Monument Bank

596 MOREBANK, A DIVISION OF BANK OF**PRINCETON (THE)****484 MUNCY BANK & TRUST COMPANY (THE)***Bank Code N.*

433 National Bank of Malvern

168 NBT Bank, NA

347 Neffs National Bank (The)

434 NEW TRIPOLI BANK

15 NextTier Bank, NA

636 Noah Bank

638 Norristown Bell Credit Union

439 Northumberland National Bank (The)

93 Northwest Bank

Bank Code O.

653 OceanFirst Bank

489 OMEGA Federal Credit Union

94 Orrstown Bank

*Bank Code P.***598 PARKE BANK**

584 Parkview Community Federal Credit Union

40 Penn Community Bank

540 PennCrest Bank

419 Pennian Bank

447 Peoples Security Bank & Trust Company

Bank Code P.

99 PeoplesBank, a Codorus Valley Company

556 Philadelphia Federal Credit Union

448 Phoenixville Federal Bank & Trust

79 PNC Bank, NA

449 Port Richmond Savings

451 Progressive-Home Federal Savings & Loan Association

637 Provident Bank

456 Prudential Savings Bank

491 PS Bank

Bank Code Q.

107 QNB Bank

560 Quaint Oak Bank

Bank Code R.

452 Reliance Savings Bank

220 Republic First Bank d/b/a Republic Bank

628 Riverview Bank

208 Royal Bank America

Bank Code S.

153 S & T Bank

316 Santander Bank, NA

464 Scottsdale Bank & Trust Co. (The)

460 Second Federal S & L Association of Philadelphia

646 Service 1st Federal Credit Union

458 Sharon Savings Bank

633 Slovak Savings Bank

462 Slovenian Savings & Loan Association of Franklin-Conemaugh

486 SOMERSET TRUST COMPANY**518 STANDARD BANK, PASB**

542 Stonebridge Bank

517 Sun National Bank

440 SunTrust Bank

236 SWINEFORD NATIONAL BANK*Bank Code T.*

143 TD Bank, NA

656 TIOGA FRANKLIN SAVINGS BANK**182 TOMPKINS VIST BANK**

609 Tristate Capital Bank

640 TruMark Financial Credit Union

467 Turbotville National Bank (The)

Bank Code U.

483 UNB Bank

481 Union Building and Loan Savings Bank

133 Union Community Bank

634 United Bank, Inc.

472 United Bank of Philadelphia

475 United Savings Bank

600 Unity Bank

232 Uninvest Bank & Trust Co.

Bank Code V.

611 Victory Bank (The)

*Bank Code W.***119 WASHINGTON FINANCIAL BANK**

121 Wayne Bank

631 Wells Fargo Bank, NA

553 WesBanco Bank, Inc.

122 WEST MILTON STATE BANK

494 West View Savings Bank

473 Westmoreland Federal S & L Association

Bank Code W.

- 476 William Penn Bank
- 272 Woodlands Bank
- 573 **WOORI AMERICA BANK**
- 630 WSFS (Wilmington Savings Fund Society), FSB

Bank Code X.

Bank Code Y.

- 577 York Traditions Bank

Bank Code Z.

Platinum Leader Banks

The **HIGHLIGHTED ELIGIBLE INSTITUTIONS** are Platinum Leader Banks—Institutions that go above and beyond eligibility requirements to foster the IOLTA Program. These Institutions pay a net yield at the higher of 1% or 75 percent of the Federal Funds Target Rate on all PA IOLTA accounts. They are committed to ensuring the success of the IOLTA Program and increased funding for legal aid.

IOLTA Exemption

Exemptions are not automatic. If you believe you qualify, you must apply by sending a written request to the IOLTA Board’s executive director: 601 Commonwealth Avenue, Suite 2400, P.O. Box 62445, Harrisburg, PA 17106-2445. If you have questions concerning IOLTA or exemptions from IOLTA, please visit their website at www.paiolta.org or call the IOLTA Board at (717) 238-2001 or (888) PAIOLTA.

FINANCIAL INSTITUTIONS WHO HAVE FILED AGREEMENTS TO BE APPROVED AS A DEPOSITORY OF TRUST ACCOUNTS AND TO PROVIDE DISHONORED CHECK REPORTS IN ACCORDANCE WITH RULE 221, Pa.R.D.E.

New

- 656 Tioga Franklin Savings Bank

Name Change

- 81 Mars National Bank (The)—Change to Mars Bank
- 419 First National Bank of Mifflintown (The)—Change to Pennian Bank

Platinum Leader Change

- 486 Somerset Trust Company—Add
- 656 Tioga Franklin Savings Bank—Add
- 182 Tompkins VIST Bank—Add

Correction

- 220 Republic First Bank d/b/a Republic Bank

Removal

- 302 Allegheny Valley Bank—Merged into Standard Bank, PASB
- 412 Manor Bank—Acquired by NexTier Bank

[Pa.B. Doc. No. 17-1877. Filed for public inspection November 17, 2017, 9:00 a.m.]

RULES AND REGULATIONS

Title 25—ENVIRONMENTAL PROTECTION

ENVIRONMENTAL QUALITY BOARD

[25 PA. CODE CH. 93]

Water Quality Standards; Class A Stream Redesignations

The Environmental Quality Board (Board) amends §§ 93.9a, 93.9c, 93.9d, 93.9e, 93.9f, 93.9h, 93.9i, 93.9k, 93.9l, 93.9n, 93.9o, 93.9p, 93.9q and 93.9t to read as set forth in Annex A. This final-form rulemaking fulfills the Commonwealth's obligations under State and Federal law to review and revise, as necessary, water quality standards that are protective of surface waters.

This final-form rulemaking is given under Board order at its meeting of June 20, 2017.

A. Effective Date

This final-form rulemaking will be effective upon publication in the *Pennsylvania Bulletin*.

B. Contact Persons

For further information, contact Thomas Barron, Bureau of Clean Water, 11th Floor, Rachel Carson State Office Building, P.O. Box 8774, 400 Market Street, Harrisburg, PA 17105-8774, (717) 787-9637; or Michelle Moses, Assistant Counsel, Bureau of Regulatory Counsel, 9th Floor, Rachel Carson State Office Building, P.O. Box 8464, Harrisburg, PA 17105-8464, (717) 787-7060. Persons with a disability may use the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users). This final-form rulemaking is available on the Department of Environmental Protection's (Department) web site at www.dep.pa.gov (select "Public Participation," then "Environmental Quality Board (EQB)").

C. Statutory Authority

This final-form rulemaking is being made under the authority of sections 5(b)(1) and 402 of The Clean Streams Law (35 P.S. §§ 691.5(b)(1) and 691.402), which authorize the Board to develop and adopt rules and regulations to implement The Clean Streams Law (35 P.S. §§ 691.1—691.1001), and section 1920-A of The Administrative Code of 1929 (71 P.S. § 510-20), which grants to the Board the power and duty to formulate, adopt and promulgate rules and regulations for the proper performance of the work of the Department. In addition, section 303 of the Federal Clean Water Act (33 U.S.C.A. § 1313) sets forth requirements for water quality standards.

D. Background and Purpose

Water quality standards are in-stream water quality goals that are implemented by imposing specific regulatory requirements (such as treatment requirements, effluent limits and best management practices (BMP)) on individual sources of pollution. Section 303(c)(1) of the Federal Clean Water Act requires states to periodically review and revise, as necessary, water quality standards. Water quality standards include designated uses, numeric and narrative criteria, and antidegradation requirements for surface waters. This final-form rulemaking is the result of stream evaluations conducted by the Department.

The Department may identify candidate streams for redesignation of uses during routine waterbody investigations. Requests for consideration may also be initiated by other agencies. Members of the public may submit a rulemaking petition to the Board as well. This final-form rulemaking is the result of stream evaluations conducted by the Department in response to a submittal of data from the Fish and Boat Commission (FBC) under § 93.4c (relating to implementation of antidegradation requirements). Section 93.4c(a)(1) pertains to the process for changing a designated use of a stream. In this final-form rulemaking, redesignations rely on § 93.4b(a)(2)(ii) (relating to qualifying as High Quality or Exceptional Value Waters) to qualify streams for High Quality (HQ) designations based upon their classifications as Class A wild trout streams. A surface water that has been classified a Class A wild trout stream by the FBC, based on species-specific biomass standards, and following public notice and comment, qualifies for HQ designation. The FBC published notice and requested comments on the Class A designation of these streams. The Commissioners of the FBC approved these waters after public notice and comment.

The Department considers candidates for HQ or Exceptional Value (EV) Waters (collectively referred to as special protection waters) and all other designations in its ongoing review of water quality standards. In general, HQ and EV Waters must be maintained at their existing quality, and permitted activities shall ensure the protection of designated and existing uses. The purpose of this final-form rulemaking is to update the designated uses so that the surface waters of the Commonwealth are afforded the appropriate level of protection.

Existing use protection is provided when the Department determines, based on its evaluation of the best available scientific information, that a surface water attains water uses identified in § 93.3 (relating to protected water uses). Examples of water uses protected include Cold Water Fishes (CWF), Warm Water Fishes (WWF), HQ and EV. A final existing use determination is made on a surface water at the time the Department takes a permit or approval action on a request to conduct an activity that may impact surface water. If the determination demonstrates that the existing use is different than the designated use, the water body will immediately receive the best protection identified by either the attained uses or the designated uses. A stream will then be "redesignated" through the rulemaking process to match the existing uses with the designated uses. For example, if the designated use of a stream is listed as protecting WWF but the redesignation evaluation demonstrates that the water attains the use of CWF, the stream would immediately be protected for CWF prior to a rulemaking. After the Department determines the water uses attained by a surface water, the Department will recommend to the Board that the existing uses be made "designated" uses, through rulemaking, and be added to the list of uses identified in § 93.9 (relating to designated water uses and water quality criteria).

Prior to the development of the proposed rulemaking, Department staff conducted an independent review of the trout biomass data in the FBC's fisheries management reports for streams throughout this Commonwealth. This review was conducted to ensure that the HQ criteria were met. The Department gave notice in the *Pennsylvania Bulletin* and on its web site that an evaluation was to be

conducted on all or portions of the subject streams to determine the proper Aquatic Life Use or Special Protection designations in the Commonwealth's Water Quality Standards. Persons who had technical data concerning the water quality, instream habitat or biological conditions of these stream sections were encouraged to make the data available to the Department for consideration in the assessment. Potentially affected municipalities were also notified by letter of the stream evaluations and asked to provide any readily available data. Data was not received in response to these notices. The affected municipalities, county planning commissions, County Conservation Districts and other State agencies were later notified of the availability of a draft stream evaluation report for their review and comment. The draft stream evaluation report was also made available on the Department's web site for public review and comment. All data and comments received in response to these notifications were considered in the determination of the Department's recommendations for the amendments in this final-form rulemaking.

Copies of the Department's stream redesignation evaluation report for these waterbodies are available on the Department's web site or from the contact persons listed in Section B of this preamble. Copies of the FBC fisheries management reports for these streams and the FBC's sampling protocols for Wadeable streams are available on the Department's web site or from Thomas Barron, whose address and telephone number are listed in Section B of this preamble. The data and information collected on these waterbodies support this final-form rulemaking.

E. Summary of Final-Form Rulemaking and Changes from Proposed to Final-Form Rulemaking

Rulemaking summary

During the Department's review of stream data, listing errors were discovered in § 93.9. The Board is correcting an error in § 93.9d (relating to Drainage List D). The listing in § 93.9d for a very short segment of Pohopoco Creek main stem which extends from the mouth of Middle Creek to the US 209 bridge at Kresgeville says that it is HQ-CWF, Migratory Fishes (MF) and it also incorrectly states that the same segment is CWF, MF. The correct designation for this portion of Pohopoco Creek is HQ-CWF, MF based on its current classification by the FBC, and the Department's review of the data, as a Class A Wild Trout Water.

The Board is also correcting an error in § 93.9k (relating to Drainage List K). Portions of Little Nescopeck Creek (above State Route 309) and Creasy Creek were included with the data submittal from the FBC. However, these portions of the upper Nescopeck Creek basin are already designated HQ-CWF, MF; therefore, a change is not necessary. The entire upper Nescopeck Creek basin above the State Route 309 bridge is HQ-CWF, MF according to the first entry for the Nescopeck Creek in § 93.9k. This entry designates the main stem of the Nescopeck Creek and all of its tributaries upstream of SR 309 as HQ-CWF, MF. When reviewing the drainage list, the Department discovered duplicative listings for Creasy Creek, Little Nescopeck Creek and Oley Creek which were improperly in § 93.9k located below the SR 309 bridge. The listing errors for Creasy, Little Nescopeck and Oley Creeks are amended because their mouths are geographically located upstream of the SR 309 bridge and, therefore, already have the HQ designated use.

The Board is correcting some stream names in § 93.9k. The United States Geologic Survey maintains the Na-

tional Hydrography Dataset (NHD) Flowline. The stream nomenclature and the fluvial geomorphology given in the *Pennsylvania Code* are governed by the NHD Flowline. These corrections will maintain consistency between the *Pennsylvania Code* and the NHD Flowline. The NHD Flowline now recognizes some portions of the upper Wapwallopen Creek basin as Balliet Run and some of the lower portions of the Wapwallopen Creek are now Big Wapwallopen Creek.

Finally, the Board is converting all references to river mile indexes (RMI) in this final-form rulemaking to a set of coordinates (latitude and longitude), with the eventual goal to be the conversion of all RMI in the drainage lists in §§ 93.9a—93.9z to the coordinate system. Department staff recognizes the RMI system to be antiquated. When determining the RMI, it is possible to derive differing RMI depending on the technique used. In contrast, it is easy to consistently determine the latitude and longitude along any point of a stream or river while an individual is in the field with a hand-held GPS unit or using a GIS software application (the Department standard projected coordinate system is PA_Albers_Equal_Area_Conic; the geographic coordinate system is North American Datum 1983 or NAD 1983). It is very difficult to determine the RMI while in the field. Referring to the latitude and longitude will make it much easier for the regulated community to apply the zone description in § 93.9 to their particular project and determine whether their project discharges within the referenced stream zone.

Changes from proposed to final-form rulemaking

One minor edit in § 93.9f (relating to Drainage List F) is made to the redesignations recommended in the proposed rulemaking. Department staff noted that this section referenced the T 707 bridge in the zone descriptions for both of the Willow Creek entries. This is actually the T 708 bridge that crosses Willow Creek. Both entries for Willow Creek in this section are corrected in this final-form rulemaking.

F. Summary of Major Comments and Responses

The Board approved the proposed rulemaking for the Class A Stream Redesignation Package at its November 17, 2015, meeting. On February 23, 2016, the Department submitted a copy of the proposed rulemaking to the Independent Regulatory Review Commission (IRRC) and to the Chairpersons of the Senate and House Environmental Resources and Energy Committees for review and comment in accordance with section 5(a) of the Regulatory Review Act (71 P.S. § 745.5(a)). The proposed rulemaking was published at 46 Pa.B. 1205 (March 5, 2016), with a 45-day comment period that closed on April 18, 2016, as corrected at 46 Pa.B. 1324 (March 12, 2016).

The Department received 307 supportive comments for the proposed rulemaking. Commentators provided many reasons for their support of this rulemaking either for specific stream redesignations or for all of the amendments. Commentators highlighted the following: these streams have met the necessary qualification for HQ; citizens support the redesignation of streams to protect all of their uses; redesignations help Pennsylvania meet requirements of the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1388); redesignations preserve Pennsylvanians' constitutionally protected right to "pure water"; the aquatic biota and the recreational opportunities are supported by the redesignations; economic benefit results from maintaining these resources; trout angling opportunities and the community that engages in angling will be additionally supported by the redesignations; protection of

smaller streams promotes the health of the larger watershed; and redesignations protect the water supply. Further, commentators encouraged the Department to continue to be diligent in evaluating other streams that are potential candidates for redesignation and to prioritize the protection of water quality for both those within and outside of this Commonwealth.

All public comments were supportive of the proposed amendments. IRRC also submitted comments requesting amendments to the Regulatory Analysis Form (RAF) for this final-form rulemaking. The RAF was amended accordingly and included as part of this final-form rulemaking package. A more detailed summary of the comments submitted to the Board and the Department's responses to those comments is available in the comment and response document that also accompanies this final-form rulemaking package.

G. Benefits, Costs and Compliance

Benefits

Overall, the Commonwealth, its citizens and natural resources will benefit from this final-form rulemaking because it provides the appropriate level of protection to preserve the integrity of existing and designated uses of surface waters in this Commonwealth. Protecting water quality provides economic value to present and future generations in the form of a clean water supply for human consumption, wildlife, irrigation and industrial use; recreational opportunities such as fishing (also for consumption), water contact sports and boating; and aquatic life protection. It is important to realize these benefits and to ensure opportunities and activities continue in a manner that is environmentally, socially and economically sound. Maintenance of water quality ensures its future availability for all uses.

The Department identified three public water supply facilities with raw water intakes that are no further downstream than 16.5 stream miles of the candidate stream sections for redesignation in this final-form rulemaking. These 3 public water suppliers, which serve over 115,000 citizens, will benefit from this final-form rulemaking because their raw source water will be afforded a higher level of protection. This is an economic benefit because the source water treatment costs for the drinking water may be less costly to customers if less treatment is needed due to the high quality of the water in the stream.

Businesses in the recreation industry will be positively affected by this final-form rulemaking. The maintenance and protection of the water quality will ensure the long-term availability of Class A wild trout fisheries.

Compliance costs

This final-form rulemaking is necessary to maintain existing water quality and effective control of potential pollution in the stream segments being redesignated in Chapter 93 (relating to water quality standards). The amendments to Chapter 93 will not impose new compliance costs on persons engaged in regulated activities under existing permits or approvals from the Department. Additional compliance costs may arise when permits or approvals are necessary for new or expanded regulated activities.

The Department will implement the stream redesignations through permit and approval actions. A person adding or expanding a discharge to a stream may need to provide a higher level of treatment or additional BMPs to meet the designated and existing uses of the stream, which could result in higher engineering, construction or

operating costs. Treatment costs and BMPs are site-specific and depend upon the size of the discharge in relation to the size of the stream and many other factors. The Department cannot accurately estimate these costs because of the variability associated with each discharge. The initial costs resulting from the installation of technologically advanced wastewater treatment processes and BMPs may be offset by potential savings from and increased value of improved water quality through more cost-effective and efficient treatment over time.

Over 7,000 facilities across this Commonwealth hold permits issued under Chapter 92a (relating to National Pollutant Discharge Elimination System permitting, monitoring and compliance). Only 39 of these facilities are known to hold National Pollutant Discharge Elimination System (NPDES) permits within the stream segments redesignated in this final-form rulemaking. The types of NPDES discharges identified include industrial waste, sewage and stormwater. Discharges in existence at the time of the stream survey have been considered in the evaluation of the existing water quality of the stream and the subsequent recommendation for redesignation to special protection. Since the presence of these discharge activities did not preclude the attainment of special protection status, the discharges may continue as long as the discharge characteristics (both quality and quantity) remain the same. Thus, redesignation to special protection does not impose any additional special requirements on the existing discharges from these 39 NPDES permitted entities.

A person proposing a new, additional or increased point source discharge would need to satisfy the requirements in § 93.4c(b)(1). A new, additional or increased point source discharge to special protection waters must evaluate nondischarge alternatives and use an alternative that is environmentally sound and cost-effective when compared with the cost of the proposed discharge. The permit applicant shall demonstrate in the permit application that the new or expanded activities will not lower the existing water quality of special protection streams. If an applicant cannot meet nondegrading discharge requirements, a person who proposes a new, additional or increased discharge to HQ Waters is given an opportunity to demonstrate that there is a social or economic justification (SEJ) for lowering the quality of the stream, rather than maintaining the existing water quality.

Discharge activities to special protection streams typically do not qualify for general permits and, therefore, will require individual permits. Where on-lot sewage systems are planned, compliance with the sewage facilities planning and permitting regulations in Chapters 71, 72 and 73 (relating to administration of sewage facilities planning program; administration of sewage facilities permitting program; and standards for onlot sewage treatment facilities) will continue to satisfy § 93.4c in these redesignated HQ Waters. Proponents of sewage facilities in HQ Waters who demonstrate SEJ at the sewage facilities planning stage need not re-demonstrate SEJ at the discharge permitting stage. The SEJ demonstration process is available to sewage and nonsewage discharge applicants.

When earth disturbance activities occur within the basins of the stream segments redesignated in this final-form rulemaking, additional BMPs may be necessary to protect water quality under Chapter 102 (relating to erosion and sediment control).

Compliance assistance plan

This final-form rulemaking will not impose new compliance requirements on persons engaged in regulated activities under existing permits or approvals from the Department. When applying for permits or approvals for new, additional or increased discharges, the Department will provide compliance assistance.

Paperwork requirements

This final-form rulemaking will not impose new paperwork requirements on persons engaged in regulated activities under existing permits or approvals from the Department. When applying for permits or approvals for new, additional or increased discharges, additional information may need to be submitted to the Department as part of the permit application or approval request to demonstrate how the proposed activity will be conducted to maintain existing water quality. If water quality cannot be maintained, additional paperwork to provide a social and economic justification for the proposed activity would be necessary. NPDES general permits are not currently available for new or expanded discharges to these streams. Thus, an individual permit, and its associated paperwork, would be required.

H. Pollution Prevention

The Federal Pollution Prevention Act of 1990 (42 U.S.C.A. §§ 13101—13109) established a National policy that promotes pollution prevention as the preferred means for achieving state environmental protection goals. The Department encourages pollution prevention, which is the reduction or elimination of pollution at its source, through the substitution of environmentally-friendly materials, more efficient use of raw materials and the incorporation of energy efficiency strategies. Pollution prevention practices can provide greater environmental protection with greater efficiency because they can result in significant cost savings to facilities that permanently achieve or move beyond compliance. This final-form rulemaking has incorporated the following pollution prevention incentives.

The water quality standards and antidegradation program are major pollution prevention tools because the objective is to prevent degradation by maintaining and protecting existing water quality and existing uses. Although the antidegradation program does not prohibit new or expanding wastewater discharges, nondischarge alternatives must be evaluated and are required to be used when environmentally sound and cost effective. Nondischarge alternatives, when implemented, remove impacts to surface water and may reduce the overall level of pollution to the environment by remediation of the effluent through the soil. In addition, if no environmentally sound and cost-effective alternatives are available, discharges must be nondegrading except when in accordance with § 93.4c(b)(1)(iii).

I. Sunset Review

The Board is not establishing a sunset date for these regulations because they are needed for the Department to carry out its statutory authority. The Department will continue to closely monitor these regulations for their effectiveness and recommend updates to the Board as necessary.

J. Regulatory Review

Under section 5(a) of the Regulatory Review Act (71 P.S. § 745.5(a)), on February 23, 2016, the Department submitted a copy of the notice of proposed rulemaking, published at 46 Pa.B. 1205, to IRRC and the Chairper-

sons of the House and Senate Environmental Resources and Energy Committees for review and comment.

Under section 5(c) of the Regulatory Review Act, the Department shall submit to IRRC and the House and Senate Committees copies of comments received during the public comment period, as well as other documents when requested. In preparing this final-form rulemaking, the Department has considered all comments from IRRC and the public.

Under section 5.1(j.2) of the Regulatory Review Act (71 P.S. § 745.5a(j.2)), on August 23, 2017, this final-form rulemaking was deemed approved by the House and Senate Committees. Under section 5.1(e) of the Regulatory Review Act, IRRC met on August 24, 2017, and approved this final-form rulemaking.

K. Findings

The Board finds that:

(1) Public notice of proposed rulemaking was given under sections 201 and 202 of the act of July 31, 1968 (P.L. 769, No. 240) (45 P.S. §§ 1201 and 1202) and regulations promulgated thereunder, 1 Pa. Code §§ 7.1 and 7.2.

(2) A public comment period was provided as required by law, and all comments were considered.

(3) This final-form regulation does not enlarge the purpose of the proposed rulemaking published at 46 Pa.B. 1205.

(4) This final-form rulemaking is necessary and appropriate for administration and enforcement of the authorizing acts identified in Section C of this preamble.

(5) This final-form rulemaking does not contain standards or requirements that exceed requirements of the companion Federal regulations.

L. Order

The Board, acting under the authorizing statutes, orders that:

(a) The regulations of the Department, 25 Pa. Code Chapter 93, are amended by amending §§ 93.9a, 93.9c, 93.9d, 93.9e, 93.9f, 93.9h, 93.9i, 93.9k, 93.9l, 93.9n, 93.9o, 93.9p, 93.9q and 93.9t to read as set forth in Annex A, with ellipses referring to the existing text of the regulations.

(b) The Chairperson of the Board shall submit this order and Annex A to the Office of General Counsel and the Office of Attorney General for approval and review as to legality and form, as required by law.

(c) The Chairperson shall submit this order and Annex A to IRRC and the Senate and House Environmental Resources and Energy Committees, as required under the Regulatory Review Act (71 P.S. §§ 745.1—745.14).

(d) The Chairperson shall certify this order and Annex A, as approved for legality and form, and deposit them with the Legislative Reference Bureau, as required by law.

(e) This order shall take effect immediately upon publication in the *Pennsylvania Bulletin*.

PATRICK McDONNELL,
Chairperson

(*Editor's Note:* See 47 Pa.B. 5761 (September 9, 2017) for IRRC's approval order.)

Fiscal Note: Fiscal Note 7-528 remains valid for the final adoption of the subject regulations.

Annex A
TITLE 25. ENVIRONMENTAL PROTECTION
PART I. DEPARTMENT OF ENVIRONMENTAL PROTECTION
Subpart C. PROTECTION OF NATURAL RESOURCES
ARTICLE II. WATER RESOURCES
CHAPTER 93. WATER QUALITY STANDARDS
DESIGNATED WATER USES AND WATER QUALITY CRITERIA

§ 93.9a. Drainage List A.

Delaware River Basin in Pennsylvania
Delaware River

<i>Stream</i>	<i>Zone</i>	<i>County</i>	<i>Water Uses Protected</i>	<i>Exceptions To Specific Criteria</i>
1—Delaware River				
2—West Branch Delaware River (NY)				
3—Unnamed Tributaries to West Branch Delaware River	Basins (all sections in PA)	Wayne	HQ-CWF, MF	None
3—Sherman Creek	Basin (all sections in PA)	Wayne	HQ-CWF, MF	None
2—West Branch Delaware River	Main Stem, PA-NY State Border to Confluence with East Branch	Wayne	CWF, MF	See DRBC regulations—Water Quality Zone 1A
	* * * * *			

§ 93.9c. Drainage List C.

Delaware River Basin in Pennsylvania
Delaware River

<i>Stream</i>	<i>Zone</i>	<i>County</i>	<i>Water Uses Protected</i>	<i>Exceptions To Specific Criteria</i>
	* * * * *			
3—West Fork Martins Creek	Basin, Source to Confluence with East Fork	Northampton	CWF, MF	None
2—Martins Creek	Main Stem, Confluence of East and West Forks to UNT 63237 at 40°47'36.9"N; 75°11'32.0"W	Northampton	TSF, MF	None
3—UNTs to Martins Creek	Basins, Confluence of East and West Forks to Mouth	Northampton	TSF, MF	None
3—Brushy Meadow Creek (UNT 64106)	Basin, Source to East Bangor Dam	Northampton	TSF, MF	None
3—Brushy Meadow Creek	Main Stem, East Bangor Dam to Mouth	Northampton	CWF, MF	None
4—UNTs to Brushy Meadow Creek	Basins, East Bangor Dam to Mouth	Northampton	TSF, MF	None
3—Waltz Creek	Basin, Source to Greenwalk Creek	Northampton	CWF, MF	None
4—Greenwalk Creek	Basin	Northampton	CWF, MF	None
3—Waltz Creek	Basin, Greenwalk Creek to Mouth	Northampton	HQ-CWF, MF	None
2—Martins Creek	Main Stem, UNT 63237 to Mouth	Northampton	HQ-CWF, MF	None
3—Little Martins Creek	Basin	Northampton	CWF, MF	None
2—Mud Run	Basin	Northampton	CWF, MF	None
2—Bushkill Creek	Main Stem	Northampton	HQ-CWF, MF	None
3—Unnamed Tributaries to Bushkill Creek	Basins	Northampton	HQ-CWF, MF	None

<i>Stream</i>	<i>Zone</i>	<i>County</i>	<i>Water Uses Protected</i>	<i>Exceptions To Specific Criteria</i>
3—Little Bushkill Creek	Basin	Northampton	HQ-CWF, MF	None
3—Shoeneck Creek	Basin	Northampton	WWF, MF	None

§ 93.9d. Drainage List D.

Delaware River Basin in Pennsylvania
Lehigh River

<i>Stream</i>	<i>Zone</i>	<i>County</i>	<i>Water Uses Protected</i>	<i>Exceptions To Specific Criteria</i>
	* * * *	*		
3—Pohopoco Creek	Basin, Source to SR 3016 Bridge at Merwinsburg	Monroe	CWF, MF	None
3—Pohopoco Creek	Main Stem, SR 3016 Bridge to US 209 Bridge at Kresgeville at 40°53'51.0"N; 75°30'8.8"W	Monroe	HQ-CWF, MF	None
4—Unnamed Tributaries to Pohopoco Creek	Basins, SR 3016 Bridge to US 209 Bridge at Kresgeville	Monroe	CWF, MF	None
4—Sugar Hollow Creek	Basin	Monroe	CWF, MF	None
4—Weir Creek	Basin	Monroe	CWF, MF	None
4—Middle Creek	Basin, Source to T 444 Bridge	Monroe	CWF, MF	None
4—Middle Creek	Basin, T 444 Bridge to Mouth	Monroe	HQ-CWF, MF	None
3—Pohopoco Creek	Basin, US 209 Bridge at Kresgeville to Wild Creek	Carbon	CWF, MF	None
4—Wild Creek	Basin	Carbon	EV, MF	None
3—Pohopoco Creek	Basin, Wild Creek to Mouth	Carbon	CWF, MF	None
3—Fireline Creek	Basin	Carbon	CWF, MF	None
3—Lizard Creek	Basin, Source to T-922 Bridge	Schuylkill	CWF, MF	None
3—Lizard Creek	Basin, T-922 Bridge to Confluence of UNT 03876 at RM 7.90	Carbon	TSF, MF	None
4—UNT 03876 at RM 7.90	Basin	Carbon	EV, MF	None
3—Lizard Creek	Basin, UNT 03876 to Mouth	Carbon	TSF, MF	None
3—Aquashicola Creek	Basin, Source to Buckwha Creek	Carbon	HQ-CWF, MF	None
4—Buckwha Creek	Basin, Source to Hunter Creek	Carbon	CWF, MF	None
5—Hunter Creek	Basin	Carbon	HQ-CWF, MF	None
4—Buckwha Creek	Basin, Hunter Creek to Mouth	Carbon	CWF, MF	None
3—Aquashicola Creek	Main Stem, Buckwha Creek to Mouth	Carbon	TSF, MF	None
4—Unnamed Tributaries to Aquashicola Creek	Basins, Buckwha Creek to Mouth	Carbon	CWF, MF	None
4—Mill Creek	Basin	Carbon	CWF, MF	None
3—Trout Creek	Basin	Lehigh	CWF, MF	None
3—Bertsch Creek	Basin	Northampton	CWF, MF	None
3—Rockdale Creek	Basin	Lehigh	CWF, MF	None
3—Fells Creek	Basin	Lehigh	CWF, MF	None
3—Spring Creek	Basin	Lehigh	CWF, MF	None
3—Hokendauqua Creek	Basin	Northampton	CWF, MF	None
3—Dry Run	Basin	Northampton	CWF, MF	None
3—Coplay Creek	Basin	Lehigh	CWF, MF	None
3—Catasauqua Creek	Basin, Source to East Wood Street Bridge at 40°39'13.1"N; 75°28'0.9"W	Lehigh	CWF, MF	None

<i>Stream</i>	<i>Zone</i>	<i>County</i>	<i>Water Uses Protected</i>	<i>Exceptions To Specific Criteria</i>
3—Catasauqua Creek	Main Stem, East Wood Street Bridge to a point downstream of the Lehigh Street Bridge at 40°38'51.8"N; 75°28'6.1"W	Lehigh	HQ-CWF, MF	None
4—Tributaries to Catasauqua Creek	Basins, East Wood Street Bridge to the point downstream of the Lehigh Street Bridge	Lehigh	CWF, MF	None
3—Catasauqua Creek	Basin, from the point downstream of the Lehigh Street Bridge to the Mouth	Lehigh	CWF, MF	None
2—Lehigh River	Main Stem, Allentown Dam to Mouth	Northampton	WWF, MF	None
3—Unnamed Tributaries to Lehigh River	Basins, Allentown Dam to Mouth	Lehigh-Northampton	CWF, MF	None
3—Little Lehigh Creek	Basin, Source to Jordan Creek	Lehigh	HQ-CWF, MF	None
4—Jordan Creek	Main Stem	Lehigh	TSF, MF	None
5—Unnamed Tributaries to Jordan Creek	Basins	Lehigh	HQ-CWF, MF	None
5—Switzer Creek	Basin	Lehigh	HQ-CWF, MF	None
5—Lyon Creek	Basin	Lehigh	HQ-CWF, MF	None
5—Mill Creek	Basin	Lehigh	CWF, MF	None
5—Hassen Creek	Basin	Lehigh	HQ-CWF, MF	None
3—Little Lehigh Creek	Basin, Jordan Creek to Mouth	Lehigh	HQ-CWF, MF	None
3—Monocacy Creek	Basin	Northampton	HQ-CWF, MF	None
3—Saucon Creek	Main Stem, Source to a point downstream of Chestnut Hill Road Bridge at 40°32'21.3"N; 75°26'28.1"W	Lehigh	HQ-CWF, MF	None
4—Tributaries to Saucon Creek	Basins, Source to SR 412 Bridge	Lehigh-Northampton	CWF, MF	None
3—Saucon Creek	Main Stem, from the point downstream of Chestnut Hill Road Bridge to Black River	Lehigh	CWF, MF	None
3—Saucon Creek	Main Stem, Black River to SR 412 Bridge	Northampton	HQ-CWF, MF	None
3—Saucon Creek	Basin, SR 412 Bridge to Mouth	Northampton	CWF, MF	None
3—Nancy Run	Basin, Source to SR 3007 Bridge	Northampton	CWF, MF	None
3—Nancy Run	Basin, SR 3007 Bridge to Mouth	Northampton	HQ-CWF, MF	None
3—Bull Run	Basin	Northampton	CWF, MF	None

§ 93.9e. Drainage List E.

Delaware River Basin in Pennsylvania
Delaware River

<i>Stream</i>	<i>Zone</i>	<i>County</i>	<i>Water Uses Protected</i>	<i>Exceptions To Specific Criteria</i>
1—Delaware River	Main Stem, Lehigh River to Head of Tide	Bucks	WWF, MF	See DRBC regulations—Water Quality Zone 1E
2—Unnamed Tributaries to Delaware River (except UNT 03333 at 40°38'47.0"N; 75°12'6.6"W)	Basins, Lehigh River to Pidcock Creek	Northampton-Bucks	TSF, MF	None
2—UNT 03333 to Delaware River	Basin	Northampton	HQ-CWF, MF	None

<i>Stream</i>	<i>Zone</i>	<i>County</i>	<i>Water Uses Protected</i>	<i>Exceptions To Specific Criteria</i>
2—Frya Run	Basin	Northampton	HQ-CWF, MF	None
	* * * *	*		

§ 93.9f. Drainage List F.

Delaware River Basin in Pennsylvania
Schuylkill River

<i>Stream</i>	<i>Zone</i>	<i>County</i>	<i>Water Uses Protected</i>	<i>Exceptions To Specific Criteria</i>
	* * * *	*		
3—Pine Creek	Basin	Schuylkill	CWF, MF	None
3—Bear Creek	Basin, Source to UNT 02300 at 40°34'15.5"N; 76°11'25.6"W	Schuylkill	HQ-CWF, MF	None
4—UNT 02300 to Bear Creek	Basin	Schuylkill	CWF, MF	None
3—Bear Creek	Basin, UNT 02300 to UNT 02299 at 40°34'43.5"N; 76°9'33.6"W	Schuylkill	CWF, MF	None
4—UNT 02299 to Bear Creek	Basin	Schuylkill	HQ-CWF, MF	None
3—Bear Creek	Basin, UNT 02299 to Mouth	Schuylkill	CWF, MF	None
3—Stony Creek	Basin	Schuylkill	CWF, MF	None
	* * * *	*		
3—Maiden Creek	Basin, Lake Ontelaunee Dam to Willow Creek	Berks	WWF, MF	None
4—Willow Creek	Basin, Source to a point upstream of T 708 Bridge at 40°25'39.2"N; 75°55'26.3"W	Berks	CWF, MF	None
4—Willow Creek	Basin, from the point upstream of T 708 Bridge to Mouth	Berks	HQ-CWF, MF	None
3—Maiden Creek	Basin, Willow Creek to Mouth	Berks	WWF, MF	None
3—Laurel Run	Basin, Source to Upstream Border of Temple Borough	Berks	CWF, MF	None
3—Laurel Run	Basin, Upstream Border of Temple Borough to Mouth	Berks	WWF, MF	None
3—Bernhart Creek	Basin	Berks	WWF, MF	None
3—Tulpehocken Creek	Basin, Source to T 560 near Ramona	Lebanon	CWF, MF	None
3—Tulpehocken Creek	Main Stem, T 560 to Inlet of Blue Marsh Reservoir	Berks	TSF, MF	None
4—Tributaries to Tulpehocken Creek	Basins, T 560 to Owl Creek	Lebanon	TSF, MF	None
4—Owl Creek	Basin	Lebanon	WWF, MF	None
4—Tributaries to Tulpehocken Creek	Basins, Owl Creek to UNT 01950 at 40°22'23"N; 76°10'53.4"W	Lebanon-Berks	TSF, MF	None
4—UNT 01950 to Tulpehocken Creek	Basin, Source to SR 3002	Berks	TSF, MF	None
4—UNT 01950 to Tulpehocken Creek	Main Stem, SR 3002 to Mouth	Berks	HQ-CWF, MF	None
5—Tributaries to UNT 01950	Basins, SR 3002 to Mouth	Berks	TSF, MF	None
4—Tributaries to Tulpehocken Creek	Basins, UNT 01950 to Mill Creek (Stream Code 01936 at 40°25'2"N; 76°9'59.8"W)	Berks	TSF, MF	None

RULES AND REGULATIONS

7037

<i>Stream</i>	<i>Zone</i>	<i>County</i>	<i>Water Uses Protected</i>	<i>Exceptions To Specific Criteria</i>
4—Mill Creek (Stream Code 01936)	Basin	Berks	CWF, MF	None
4—Tributaries to Tulpehocken Creek	Basins, Mill Creek (Stream Code 01936) to Inlet of Blue Marsh Reservoir	Berks	TSF, MF	None
3—Tulpehocken Creek	Blue Marsh Reservoir * * * *	Berks	WWF, MF	None
3—Trout Run	Basin	Berks	WWF, MF	None
3—Allegheny Creek	Basin, Source to Sleepy Hollow Run	Berks	CWF, MF	None
4—Sleepy Hollow Run	Main Stem	Berks	HQ-CWF, MF	None
5—Tributaries to Sleepy Hollow Run	Basins	Berks	CWF, MF	None
3—Allegheny Creek	Basin, Sleepy Hollow Run to Mouth	Berks	CWF, MF	None
3—Seidel Creek	Basin	Berks	WWF, MF	None
3—Antietam Creek	Basin	Berks	CWF, MF	None
3—Indian Corn Creek	Basin	Berks	CWF, MF	None
3—Heisters Creek	Basin	Berks	WWF, MF	None
3—Hay Creek	Basin, Source to UNT 63882 at 40°12'8.5"N; 75°51'49.8"W	Berks	EV, MF	None
4—UNT 63882 to Hay Creek	Basin	Berks	CWF, MF	None
3—Hay Creek	Basin, UNT 63882 to UNT 62990 at 40°12'36.7"N; 75°50'26.4"W	Berks	HQ-CWF, MF	None
4—UNT 62990 to Hay Creek	Basin	Berks	CWF, MF	None
3—Hay Creek	Basin, UNT 62990 to Beaver Run	Berks	CWF, MF	None
4—Beaver Run	Basin	Berks	HQ-CWF, MF	None
3—Hay Creek	Basin, Beaver Run to Birdsboro Boundary at 40°15'17.5"N; 75°48'51.2"W	Berks	EV, MF	None
3—Hay Creek	Basin, Birdsboro Boundary to Mouth	Berks	CWF, MF	None
3—Sixpenny Creek	Basin, Source to UNT 64027 at 40°14'37.2"N; 75°46'40.3"W	Berks	HQ-CWF, MF	None
4—UNT 64027 to Sixpenny Creek	Basin	Berks	HQ-CWF, MF	None
3—Sixpenny Creek	Basin, UNT 64027 to Mouth	Berks	CWF, MF	None
3—Monocacy Creek	Basin, Source to UNT 01762 at 40°22'1.3"N; 75°48'35.3"W	Berks	WWF, MF	None
4—UNT 01762 to Monocacy Creek	Basin, Source to Alsace and Oley Township border at 40°22'18.6"N; 75°48'56.7"W	Berks	WWF, MF	None
4—UNT 01762 to Monocacy Creek	Basin, Alsace and Oley Township border to Mouth	Berks	HQ-CWF, MF	None
3—Monocacy Creek	Basin, UNT 01762 to Mouth	Berks	WWF, MF	None
3—Leaf Creek	Basin * * * *	Berks	WWF, MF	None

§ 93.9h. Drainage List H.

Susquehanna River Basin in Pennsylvania
Tioga River

<i>Stream</i>	<i>Zone</i>	<i>County</i>	<i>Water Uses Protected</i>	<i>Exceptions To Specific Criteria</i>
1—Susquehanna River				
2—Tioga River	Basin, Source to Big Rift Creek	Tioga	CWF, MF	None
3—Big Rift Creek	Basin	Tioga	HQ-CWF, MF	None
2—Tioga River	Basin, Big Rift Creek to Mill Creek	Tioga	CWF, MF	None
3—Mill Creek	Basin	Tioga	TSF, MF	None
	* * * * *			

§ 93.9i. Drainage List I.

Susquehanna River Basin in Pennsylvania
Susquehanna River

<i>Stream</i>	<i>Zone</i>	<i>County</i>	<i>Water Uses Protected</i>	<i>Exceptions To Specific Criteria</i>
	* * * * *			
3—French Run	Basin	Bradford	CWF, MF	None
3—South Branch Towanda Creek	Basin, Source to Satterlee Run	Bradford	CWF, MF	None
4—Satterlee Run	Basin	Bradford	HQ-CWF, MF	None
3—South Branch Towanda Creek	Basin, Satterlee Run to Mouth	Bradford	CWF, MF	None
2—Towanda Creek	Main Stem, South Branch to Mouth	Bradford	WWF, MF	None
	* * * * *			
2—Wyalusing Creek	Basin, Confluence of East and Middle Branches to North Branch	Bradford	WWF, MF	None
3—North Branch Wyalusing Creek	Basin, Source to Gaylord Creek	Susquehanna	CWF, MF	None
4—Gaylord Creek	Basin, Source to Bradford-Susquehanna County line at 41°53'4.6"N; 76°8'6.4"W	Bradford-Susquehanna	HQ-CWF, MF	None
4—Gaylord Creek	Basin, Bradford-Susquehanna County line to Mouth	Susquehanna	CWF, MF	None
3—North Branch Wyalusing Creek	Basin, Gaylord Creek to Mouth	Susquehanna	CWF, MF	None
2—Wyalusing Creek	Basin, North Branch to Mouth	Bradford	WWF, MF	None
2—Unnamed Tributaries to Susquehanna River	Basins, Wyalusing Creek to Lackawanna River	Bradford-Wyoming-Lackawanna-Luzerne	CWF, MF	None
2—Sugar Run Creek	Basin	Bradford	CWF, MF	None
2—Rocky Forest Creek	Basin	Wyoming	CWF, MF	None
2—Little Tuscarora Creek	Basin	Wyoming	CWF, MF	None
2—Tuscarora Creek	Basin	Wyoming	CWF, MF	None
2—Roaring Run	Basin	Wyoming	CWF, MF	None
2—Black Walnut Creek	Basin	Wyoming	CWF, MF	None
2—Meshoppen Creek	Basin	Wyoming	CWF, MF	None
2—Little Mehoopany Creek	Basin	Wyoming	CWF, MF	None
2—Mehoopany Creek	Basin, Source to North Branch Mehoopany Creek	Wyoming	HQ-CWF, MF	None

<i>Stream</i>	<i>Zone</i>	<i>County</i>	<i>Water Uses Protected</i>	<i>Exceptions To Specific Criteria</i>
3—North Branch Mehoopany Creek	Basin, Source to Burgess Brook	Wyoming	CWF, MF	None
4—Burgess Brook	Basin	Wyoming	HQ-CWF, MF	None
3—North Branch Mehoopany Creek	Basin, Burgess Brook to Mouth	Wyoming	CWF, MF	None
2—Mehoopany Creek	Basin, North Branch Mehoopany Creek to Mouth	Wyoming	CWF, MF	None
2—Tagues Creek	Basin	Wyoming	CWF, MF	None
2—Tunkhannock Creek	Basin, Source to UNT 29200 at 41°48'18.8"N; 75°34'50.6"W	Susquehanna	CWF, MF	None
3—UNT 29200 to Tunkhannock Creek	Basin	Susquehanna	EV, MF	None
2—Tunkhannock Creek	Basin, UNT 29200 to Rock Creek	Susquehanna	CWF, MF	None
3—Rock Creek	Basin	Susquehanna	HQ-CWF, MF	None
2—Tunkhannock Creek	Basin, Rock Creek to East Branch Tunkhannock Creek	Susquehanna	CWF, MF	None
3—East Branch Tunkhannock Creek	Basin, Source to Dundaff Creek	Susquehanna	CWF, MF	None
	* * * *			
2—Sutton Creek	Basin	Luzerne	CWF, MF	None
2—Lewis Creek	Basin	Luzerne	HQ-CWF, MF	None
2—Gardner Creek	Basin	Lackawanna	CWF, MF	None
2—Obendorfers Creek	Basin	Luzerne	CWF, MF	None
2—Hicks Creek	Basin	Luzerne	CWF, MF	None

§ 93.9k. Drainage List K.

Susquehanna River Basin in Pennsylvania
Susquehanna River

<i>Stream</i>	<i>Zone</i>	<i>County</i>	<i>Water Uses Protected</i>	<i>Exceptions To Specific Criteria</i>
1—Susquehanna River	Main Stem, Lackawanna River to West Branch Susquehanna River	Northumberland	WWF, MF	None
2—Unnamed Tributaries to Susquehanna River	Basins, Lackawanna River to Mahoning Creek	Luzerne-Columbia-Montour-Northumberland	CWF, MF	None
2—Abrahams Creek	Basin	Luzerne	CWF, MF	None
2—Mill Creek	Basin, Source to Laurel Run	Luzerne	CWF, MF	None
3—Laurel Run	Basin, Source to UNT 62998 at 41°14'14.0"N; 75°48'33.5"W	Luzerne	CWF, MF	None
4—UNT 62998 to Laurel Run	Basin	Luzerne	HQ-CWF, MF	None
3—Laurel Run	Basin, UNT 62998 to Mouth	Luzerne	CWF, MF	None
2—Mill Creek	Basin, Laurel Run to Mouth	Luzerne	CWF, MF	None
2—Toby Creek	Basin, Source to Huntsville Creek	Luzerne	CWF, MF	None
3—Huntsville Creek	Basin	Luzerne	CWF, MF	None
2—Toby Creek	Basin, Huntsville Creek to the point where the stream is piped underground at Pringle	Luzerne	TSF, MF	None
2—Toby Creek	Basin, from the point where the stream is piped underground at Pringle to the Mouth	Luzerne	WWF, MF	None

<i>Stream</i>	<i>Zone</i>	<i>County</i>	<i>Water Uses Protected</i>	<i>Exceptions To Specific Criteria</i>
2—Brown Creek	Basin	Luzerne	CWF, MF	None
2—Wadham Creek	Basin	Luzerne	CWF, MF	None
2—Coal Creek	Basin	Luzerne	CWF, MF	None
2—Solomon Creek	Basin, Source to Pine Creek	Luzerne	HQ-CWF, MF	None
3—Pine Creek	Basin	Luzerne	CWF, MF	None
2—Solomon Creek	Basin, Pine Creek to Mouth	Luzerne	CWF, MF	None
2—Warrior Creek	Basin	Luzerne	CWF, MF	None
2—Nanticoke Creek	Basin	Luzerne	CWF, MF	None
2—Harvey Creek	Basin, Source to Pikes Creek	Luzerne	HQ-CWF, MF	None
3—Pikes Creek	Basin	Luzerne	HQ-CWF, MF	None
2—Harvey Creek	Basin, Pikes Creek to Mouth	Luzerne	CWF, MF	None
2—Hunlock Creek	Basin	Luzerne	CWF, MF	None
2—Shickshinny Creek	Main Stem	Luzerne	CWF, MF	None
3—Unnamed Tributaries to Shickshinny Creek	Basins	Luzerne	CWF, MF	None
3—Culver Creek	Basin	Luzerne	CWF, MF	None
3—Reyburn Creek	Basin	Luzerne	CWF, MF	None
3—Little Schickshinny Creek	Basin	Luzerne	HQ-CWF, MF	None
2—Black Creek	Basin	Luzerne	CWF, MF	None
2—Turtle Creek	Basin	Luzerne	CWF, MF	None
2—Rocky Run	Basin	Luzerne	CWF, MF	None
2—Little Wapwallopen Creek	Basin	Luzerne	CWF, MF	None
2—Big Wapwallopen Creek	Basin, Source to SR 437	Luzerne	CWF, MF	None
2—Big Wapwallopen Creek	Main Stem, SR 437 to a point upstream of Nuangola Road at 41°08'58.7"N; 75°54'48.1"W	Luzerne	HQ-CWF, MF	None
3—Tributaries to Big Wapwallopen Creek	Basins, SR 437 to the point upstream of Nuangola Road	Luzerne	CWF, MF	None
2—Big Wapwallopen Creek	Basin, from the point upstream of Nuangola Road to Bow Creek	Luzerne	CWF, MF	None
3—Bow Creek	Basin, Source to SR 309	Luzerne	CWF, MF	None
3—Bow Creek	Main Stem, SR 309 to Mouth	Luzerne	HQ-CWF, MF	None
4—Tributaries to Bow Creek	Basins, SR 309 to Mouth	Luzerne	CWF, MF	None
2—Big Wapwallopen Creek	Basin, Bow Creek to Balliet Run	Luzerne	CWF, MF	None
3—Balliet Run	Basin	Luzerne	HQ-CWF, MF	None
2—Big Wapwallopen Creek	Main Stem, Balliet Run to a point downstream of SR 3012 at 41°3'42.1"N; 76°5'51.2"W	Luzerne	HQ-CWF, MF	None
3—Tributaries to Big Wapwallopen Creek	Basins, Balliet Run to the point downstream of SR 3012	Luzerne	CWF, MF	None
2—Big Wapwallopen Creek	Basin, from the point downstream of SR 3012 to Mouth	Luzerne	CWF, MF	None
2—Walker Run	Basin	Luzerne	CWF, MF	None
2—Salem Creek	Basin	Luzerne	CWF, MF	None
2—Nescopeck Creek	Basin, Source to PA 309 Bridge	Luzerne	HQ-CWF, MF	None
2—Nescopeck Creek	Main Stem, PA 309 Bridge to Mouth	Luzerne-Columbia	TSF, MF	None
3—Tributaries to Nescopeck Creek	Basins, PA 309 Bridge to Long Run	Luzerne	CWF, MF	None
3—Long Run	Basin	Luzerne	HQ-CWF, MF	None

RULES AND REGULATIONS

7041

<i>Stream</i>	<i>Zone</i>	<i>County</i>	<i>Water Uses Protected</i>	<i>Exceptions To Specific Criteria</i>
3—Tributaries to Nescopeck Creek	Basins, Long Run to UNT 28152 at 41°0'45.8"N; 76°3'38.1"W	Luzerne	CWF, MF	None
3—UNT 28152 to Nescopeck Creek	Basin	Luzerne	HQ-CWF, MF	None
3—Tributaries to Nescopeck Creek	Basins, UNT 28152 to UNT 28138 at 41°0'40"N; 76°6'1.7"W	Luzerne	CWF, MF	None
3—UNT 28138 to Nescopeck Creek	Basin	Luzerne	HQ-CWF, MF	None
3—Tributaries to Nescopeck Creek	Basins, UNT 28138 to Kester Creek	Luzerne	CWF, MF	None
3—Kester Creek	Basin	Luzerne	HQ-CWF, MF	None
3—Tributaries to Nescopeck Creek	Basins, Kester Creek to Mouth	Luzerne	CWF, MF	None
2—Briar Creek	Basin	Columbia	CWF, MF	None
2—Tenmile Run	Basin, Source to UNT 28081 at RM 2.49	Columbia	HQ-CWF, MF	None
3—Unnamed Tributary 28081 to Tenmile Run	Basin	Columbia	CWF, MF	None
2—Tenmile Run	Basin, UNT 28081 to Mouth	Columbia	CWF, MF	None
2—Neals Run	Basin	Columbia	CWF, MF	None
2—Fishing Creek				
3—West Branch Fishing Creek	Basin, Source to Shingle Mill Run	Sullivan	HQ-CWF, MF	None
4—Shingle Mill Run	Basin	Sullivan	EV, MF	None
3—West Branch Fishing Creek	Basin, Shingle Mill Run to Elk Run	Columbia	HQ-CWF, MF	None
4—Elk Run	Basin	Columbia	EV, MF	None
3—West Branch Fishing Creek	Basin, Elk Run to Confluence with East Branch	Columbia	HQ-CWF, MF	None
3—East Branch Fishing Creek	Basin, Source to Confluence with West Branch	Columbia	HQ-CWF, MF	None
2—Fishing Creek	Basin, Confluence of East and West Branches to Coles Creek	Columbia	CWF, MF	None
3—Coles Creek	Basin, Source to Marsh Run	Columbia	HQ-CWF, MF	None
4—Marsh Run	Basin	Columbia	CWF, MF	None
3—Coles Creek	Basin, Marsh Run to UNT 27964 at 41°15'49.0"N; 76°20'28.1"W	Columbia	CWF, MF	None
4—UNT 27964 to Coles Creek (Fallow Hollow)	Basin	Columbia	HQ-CWF, MF	None
3—Coles Creek	Basin, UNT 27964 to UNT 27963 at 41°15'32.5"N; 76°20'50.7"W	Columbia	CWF, MF	None
4—UNT 27963 to Coles Creek (Hess Hollow)	Basin	Columbia	HQ-CWF, MF	None
3—Coles Creek	Basin, UNT 27963 to Mouth	Columbia	CWF, MF	None
2—Fishing Creek	Basin, Coles Creek to Huntingdon Creek	Columbia	CWF, MF	None
3—Huntingdon Creek	Basin, Source to Kitchen Creek	Luzerne	HQ-CWF, MF	None
4—Kitchen Creek	Basin	Luzerne	HQ-CWF, MF	None
3—Huntingdon Creek	Main Stem, Kitchen Creek to Mouth	Columbia	TSF, MF	None
4—Tributaries to Huntingdon Creek	Basins, Kitchen Creek to Pine Creek	Luzerne-Columbia	CWF, MF	None

<i>Stream</i>	<i>Zone</i>	<i>County</i>	<i>Water Uses Protected</i>	<i>Exceptions To Specific Criteria</i>
4—Pine Creek	Basin, Source to Wasp Branch	Luzerne	CWF, MF	None
5—Wasp Branch	Basin	Luzerne	HQ-CWF, MF	None
4—Pine Creek	Basin, Wasp Branch to Mouth	Columbia	CWF, MF	None
4—Tributaries to Huntingdon Creek	Basins, Pine Creek to Mouth	Columbia	CWF, MF	None
2—Fishing Creek	Basin, Huntington Creek to Green Creek	Columbia	TSF, MF	None
3—Green Creek	Basin	Columbia	TSF, MF	None
2—Fishing Creek	Main Stem, Green Creek to Mouth	Columbia	WWF, MF	None
3—Unnamed Tributaries to Fishing Creek	Basins, Green Creek to Mouth	Columbia	CWF, MF	None
3—Stony Brook	Basin	Columbia	EV, MF	None
3—Little Fishing Creek	Basin, Source to Lick Run	Columbia	EV, MF	None
4—Lick Run	Basin, Source to UNT 27727 at 41°11'20.4"N; 76°31'18.0"W	Columbia	HQ-CWF, MF	None
5—UNT 27727 to Lick Run	Basin	Columbia	HQ-CWF, MF	None
4—Lick Run	Basin, UNT 27727 to Mouth	Columbia	CWF, MF	None
3—Little Fishing Creek	Basin, Lick Run to Mouth	Columbia	CWF, MF	None
	* * * * *			

§ 93.91. Drainage List L.

Susquehanna River Basin in Pennsylvania
West Branch Susquehanna River

<i>Stream</i>	<i>Zone</i>	<i>County</i>	<i>Water Uses Protected</i>	<i>Exceptions To Specific Criteria</i>
	* * * * *			
3—Bald Eagle Creek	Basin, Source to Laurel Run (at Port Matilda)	Centre	CWF, MF	None
4—Laurel Run	Basin, Source to a point at 40°49'3.5"N; 78°5'52"W	Centre	HQ-CWF, MF	None
4—Laurel Run	Basin, from the point at 40°49'3.5"N; 78°5'52"W to Mouth	Centre	CWF, MF	None
3—Bald Eagle Creek	Main Stem, Laurel Run to Nittany Creek	Centre	TSF, MF	None
4—Unnamed Tributaries to Bald Eagle Creek	Basins, Laurel Run to Nittany Creek	Centre	CWF, MF	None
4—Mudlick Run	Basin	Centre	CWF, MF	None
4—Laurel Run	Basin	Centre	EV, MF	None
4—Dicks Run	Basin	Centre	CWF, MF	None
4—Dewitt Run	Basin	Centre	CWF, MF	None
4—Wallace Run	Basin, Source to Unnamed Tributary at Gum Stump	Centre	EV, MF	None
5—Unnamed Tributary at Gum Stump	Basin	Centre	EV, MF	None
4—Wallace Run	Basin, Unnamed Tributary at Gum Stump to Mouth	Centre	HQ-CWF, MF	None
4—Moose Run	Basin	Centre	CWF, MF	None
4—Spring Creek	Main Stem, Source to PA 550 Bridge	Centre	HQ-CWF, MF	None
5—Unnamed Tributaries to Spring Creek	Basins, Source to PA 550 Bridge	Centre	CWF, MF	None

<i>Stream</i>	<i>Zone</i>	<i>County</i>	<i>Water Uses Protected</i>	<i>Exceptions To Specific Criteria</i>
5—Galbraith Gap Run	Basin	Centre	HQ-CWF, MF	None
5—Cedar Run	Main Stem	Centre	HQ-CWF, MF	None
6—Tributaries to Cedar Run	Basins	Centre	CWF, MF	None
5—UNT 23057 to Spring Creek at 40°47'41.2"N; 77°48'16.6"W (locally Markles Gap Run)	Basin	Centre	HQ-CWF, MF	None
5—Slab Cabin Run	Basin, Source to SR 26 at 40°43'46"N; 77°52'42.4"W	Centre	HQ-CWF, MF	None
5—Slab Cabin Run	Basin, SR 26 to UNT 23037 at 40°48'50"N; 77°50'8.9"W	Centre	CWF, MF	None
6—Unnamed Tributary 23037 (locally Thompson Run)	Basin	Centre	HQ-CWF, MF	None
	* * * *			
4—Harveys Run	Basin	Clinton	HQ-CWF, MF	None
3—McElhattan Creek	Basin, Source to Keller Reservoir Water Supply Intake	Clinton	HQ-CWF, MF	None
	* * * *			
5—Nickel Run	Basin	Tioga	EV, MF	None
5—Rock Run	Basin, Source to UNT 21760 at 41°38'16.2"N; 77°14'34.7"W	Tioga	HQ-CWF, MF	None
6—UNT 21760 to Rock Run	Basin	Tioga	CWF, MF	None
5—Rock Run	Basin, UNT 21760 to Mouth	Tioga	CWF, MF	None
5—Long Run	Basin, Source to Custard Run	Tioga	EV, MF	None
	* * * *			

§ 93.9n. Drainage List N.

Susquehanna River Basin in Pennsylvania
Juniata River

<i>Stream</i>	<i>Zone</i>	<i>County</i>	<i>Water Uses Protected</i>	<i>Exceptions To Specific Criteria</i>
	* * * *			
4—McDonald Run	Basin	Blair	WWF, MF	None
4—Halter Creek	Basin, Source to Plum Creek	Blair	WWF, MF	None
5—Plum Creek	Basin, Source to SR 164	Blair	WWF, MF	None
5—Plum Creek	Main Stem, SR 164 to Mouth	Blair	HQ-CWF, MF	None
6—Tributaries to Plum Creek	Basins, SR 164 to Mouth	Blair	WWF, MF	None
4—Halter Creek	Main Stem, Plum Creek to Mouth	Blair	HQ-CWF, MF	None
5—Tributaries to Halter Creek	Basins, Plum Creek to Mouth	Blair	WWF, MF	None
3—Frankstown Branch Juniata River	Main Stem, Halter Creek to Piney Creek	Blair	WWF, MF	None
	* * * *			
4—Homer Gap Run	Basin	Blair	WWF, MF	None
4—Sandy Run	Basin, Source to UNT 16026 at 40°32'53.2"N; 78°20'43.9"W	Blair	CWF, MF	None
5—UNT 16026 to Sandy Run	Basin	Blair	CWF, MF	None
4—Sandy Run	Basin, UNT 16026 to Mouth	Blair	HQ-CWF, MF	None
4—Riggles Gap Run	Basin	Blair	CWF, MF	None
4—Sugar Run	Basin	Blair	WWF, MF	None
4—Bells Gap Run	Basin	Blair	TSF, MF	None
4—Tipton Run	Basin	Blair	HQ-CWF, MF	None

<i>Stream</i>	<i>Zone</i>	<i>County</i>	<i>Water Uses Protected</i>	<i>Exceptions To Specific Criteria</i>
4—Hutchinson Run	Basin	Blair	WWF, MF	None
4—Schell Run	Basin	Blair	WWF, MF	None
4—South Bald Eagle Creek	Main Stem	Blair	TSF, MF	None
5—Unnamed Tributaries to South Bald Eagle Creek	Basins	Blair	TSF, MF	None
5—Big Fill Run	Basin, Source to T-606 Bridge	Blair	EV, MF	None
5—Big Fill Run	Basin, T-606 Bridge to Mouth	Blair	HQ-CWF, MF	None
5—Vanscoyoc Run	Basin	Blair	CWF, MF	None
5—Decker Run	Basin	Blair	TSF, MF	None
5—Laurel Run	Basin	Blair	TSF, MF	None
5—Sink Run	Basin	Blair	TSF, MF	None
4—Logan Spring Run	Basin	Blair	WWF, MF	None
3—Little Juniata River	Main Stem, Logan Spring Run to McLain Run	Huntingdon	HQ-CWF, MF	None
3—Little Juniata River	Main Stem, McLain Run to Confluence with Juniata River and Frankstown Branch Juniata River	Huntingdon	CWF, MF	None
4—UNTs to Little Juniata River	Basins, Logan Spring Run to Confluence with Juniata River and Frankstown Branch Juniata River	Huntingdon-Blair	WWF, MF	None
	* * * * *			

§ 93.9o. Drainage List O.

Susquehanna River Basin in Pennsylvania
Susquehanna River

<i>Stream</i>	<i>Zone</i>	<i>County</i>	<i>Water Uses Protected</i>	<i>Exceptions To Specific Criteria</i>
	* * * * *	* * * * *		
3—Muddy Run	Basin, Rowe Run to Mouth	Franklin	WWF, MF	None
3—Middle Spring Creek				
4—Furnace Run	Basin	Franklin-Cumberland	CWF, MF	None
4—Gum Run	Basin	Franklin-Cumberland	CWF, MF	None
3—Middle Spring Creek	Basin, Confluence of Furnace Run and Gum Run to T 303 (Avon Road)	Franklin-Cumberland	HQ-CWF, MF	None
3—Middle Spring Creek	Basin, T 303 (Avon Road) to Mouth	Franklin-Cumberland	CWF, MF	None
3—Paxton Run	Basin	Cumberland	WWF, MF	None
3—Newburg Run	Basin	Cumberland	WWF, MF	None
3—Pebbles Run	Basin	Cumberland	WWF, MF	None
3—Three Square Hollow Run	Basin	Cumberland	WWF, MF	None
3—Green Spring Creek	Basin	Cumberland	CWF, MF	None
3—Brandy Run	Basin	Cumberland	CWF, MF	None
3—Whisky Run	Basin	Cumberland	TSF, MF	None
3—Back Creek	Basin	Cumberland	WWF, MF	None
3—Doubling Gap Creek	Basin, Source to PA 944	Cumberland	HQ-CWF, MF	None
3—Doubling Gap Creek	Basin, PA 944 to Mouth	Cumberland	CWF, MF	None

<i>Stream</i>	<i>Zone</i>	<i>County</i>	<i>Water Uses Protected</i>	<i>Exceptions To Specific Criteria</i>
3—Big Spring Creek	Basin, Source to SR 3007 (T 333)	Cumberland	EV, MF	None
3—Big Spring Creek	Basin, SR 3007 (T 333) to Nealy Road	Cumberland	HQ-CWF, MF	None
3—Big Spring Creek	Basin, Nealy Road to Mouth	Cumberland	CWF, MF	None
3—Rock Run	Basin	Cumberland	WWF, MF	None
3—Bloser Creek	Basin	Cumberland	WWF, MF	None
3—Locust Creek	Basin	Cumberland	WWF, MF	None
3—Mount Rock Spring Creek	Basin	Cumberland	WWF, MF	None
3—Opossum Creek	Basin, Source to PA Fish Commission Dam	Cumberland	HQ-TSF, MF	None
3—Opossum Creek	Basin, PA Fish Commission Dam to Mouth	Cumberland	TSF, MF	None
3—Alexanders Spring Creek	Basin	Cumberland	CWF, MF	None
3—Meetinghouse Run	Basin	Cumberland	WWF, MF	None
3—Wertz Run	Basin	Cumberland	WWF, MF	None
3—Spring Run	Basin	Cumberland	WWF, MF	None
3—Letort Spring Run	Basin, Source to PA 34 Bridge	Cumberland	HQ-CWF, MF	None
3—Letort Spring Run	Basin, PA 34 Bridge to Railroad Bridge at Letort Park	Cumberland	EV, MF	None
3—Letort Spring Run	Basin, Railroad Bridge at Letort Park to Mouth	Cumberland	HQ-CWF, MF	None
3—Simmons Creek	Basin	Cumberland	WWF, MF	None
	* * * * *			

§ 93.9p. Drainage List P.

**Ohio River Basin in Pennsylvania
Allegheny River**

<i>Stream</i>	<i>Zone</i>	<i>County</i>	<i>Water Uses Protected</i>	<i>Exceptions To Specific Criteria</i>
	* * * * *			
3—Reese Hollow	Basin	Potter	CWF	None
3—Mill Creek	Basin	Potter	HQ-CWF	None
3—Dingman Run	Main Stem	Potter	HQ-CWF	None
	* * * * *			

§ 93.9q. Drainage List Q.

**Ohio River Basin in Pennsylvania
Allegheny River**

<i>Stream</i>	<i>Zone</i>	<i>County</i>	<i>Water Uses Protected</i>	<i>Exceptions To Specific Criteria</i>
	* * * * *			
4—Blood Run	Basin	Forest	HQ-CWF	None
4—Logan Run	Basin	Forest	HQ-CWF	None
4—Phelps Run	Basin	Forest	CWF	None
	* * * * *			
4—Sulphur Run	Basin	Venango	WWF	None
4—Little Sandy Creek	Basin, Source to UNT 51398 at 41°22'39.5"N; 79°55'5"W	Venango	HQ-CWF	None
5—UNT 51398 to Little Sandy Creek	Basin	Venango	CWF	None

<i>Stream</i>	<i>Zone</i>	<i>County</i>	<i>Water Uses Protected</i>	<i>Exceptions To Specific Criteria</i>
4—Little Sandy Creek	Basin, UNT 51398 to Mouth	Venango	CWF	None
4—South Sandy Creek	Basin, Source to Bear Run	Venango	CWF	None
5—Bear Run	Basin	Venango	HQ-CWF	None
4—South Sandy Creek	Basin, Bear Run to Mouth	Venango	CWF	None
4—Morrison Run	Basin	Venango	WWF	None
	* * * * *			

§ 93.9t. Drainage List T.

Ohio River Basin in Pennsylvania
Kiskiminetas River

<i>Stream</i>	<i>Zone</i>	<i>County</i>	<i>Water Uses Protected</i>	<i>Exceptions To Specific Criteria</i>
	* * * * *			
7—Twomile Run	Basin	Somerset	CWF	None
7—Higgins Run	Basin, Source to UNT 45416 at 40°6'45.9"N; 78°59'50.6"W	Somerset	CWF	None
8—UNT 45416 to Higgins Run	Basin	Somerset	CWF	None
7—Higgins Run	Main Stem, UNT 45416 to Mouth	Somerset	HQ-CWF	None
8—Tributaries to Higgins Run	Basins, from UNT 45416 to Mouth (including UNTs 45406 and 45405)	Somerset	CWF	None
5—Stony Creek	Main Stem, Quemahoning Creek to Confluence with Little Conemaugh River	Cambria	WWF	None
	* * * * *			
5—Tubmill Creek	Basin, Source to Tubmill Reservoir Dam	Westmoreland	EV	None
5—Tubmill Creek	Basin, Tubmill Reservoir Dam to Freeman Run	Westmoreland	TSF	None
6—Freeman Run	Basin, Source to UNT 44808 at 40°22'14.1"N; 79°10'34.4"W	Westmoreland	TSF	None
7—UNT 44808 to Freeman Run	Basin	Westmoreland	HQ-CWF	None
6—Freeman Run	Basin, UNT 44808 to Mouth	Westmoreland	TSF	None
5—Tubmill Creek	Basin, Freeman Run to Mouth	Westmoreland	TSF	None
5—Roaring Run	Basin	Indiana	CWF	None
	* * * * *			

[Pa.B. Doc. No. 17-1878. Filed for public inspection November 17, 2017, 9:00 a.m.]

Title 58—RECREATION

GAME COMMISSION [58 PA. CODE CH. 141]

Hunting and Trapping; General

To effectively manage the wildlife resources of this Commonwealth, the Game Commission (Commission), at its September 26, 2017, meeting, amended § 141.18 (relating to permitted devices) to authorize the use of electronic decoys used to hunt waterfowl and doves, electronically heated scent or lure dispensers, and electronic devices that generate and distribute ozone gas for scent control purposes.

This final-form rulemaking will not have an adverse impact on the wildlife resources of this Commonwealth.

The authority for this final-form rulemaking is 34 Pa.C.S. (relating to Game and Wildlife Code) (code).

Notice of proposed rulemaking was published at 47 Pa.B. 4710 (August 12, 2017).

1. Purpose and Authority

Each year the Commission is asked to review the prospective use of certain devices for hunting or trapping purposes that are otherwise prohibited by statute or regulation. As part of the review process, the Commission generally reviews to what degree use of a given device might negatively impact principles of resource conserva-

tion, equal opportunity, fair chase or public safety. The Commission has recently been requested to formally review the use of electronic decoys used to hunt waterfowl and dove, electronically heated scent or lure dispensers, and electronic devices that generate and distribute ozone gas for scent control purposes. The Commission reviewed these devices and determined that their use will likely have no or negligible negative impacts to the previously mentioned principles. As a result, the Commission amends § 141.18 to authorize the use of electronic decoys used to hunt waterfowl and dove, electronically heated scent or lure dispensers, and electronic devices that generate and distribute ozone gas for scent control purposes.

Section 2102(a) of the code (relating to regulations) provides that “[t]he commission shall promulgate such regulations as it deems necessary and appropriate concerning game or wildlife and hunting or furtaking in this Commonwealth, including regulations relating to the protection, preservation and management of game or wildlife and game or wildlife habitat, permitting or prohibiting hunting or furtaking, the ways, manner, methods and means of hunting or furtaking, and the health and safety of persons who hunt or take wildlife or may be in the vicinity of persons who hunt or take game or wildlife in this Commonwealth.” Section 2102(b)(1) of the code authorizes the Commission to “promulgate regulations relating to seasons and bag limits for hunting or furtaking, the possession of certain species or parts thereof, the number and types of devices and equipment allowed, the identification of devices and the use and possession of devices.” The amendments to § 141.18 are adopted under these authorities.

2. *Regulatory Requirements*

This final-form rulemaking amends § 141.18 to authorize the use of electronic decoys used to hunt waterfowl and dove, electronically heated scent or lure dispensers, and electronic devices that generate and distribute ozone gas for scent control purposes.

3. *Persons Affected*

Persons wishing to hunt or take wildlife with electronic decoys, electronically heated scent or lure dispensers, and electronic devices that generate and distribute ozone gas for scent control purposes in this Commonwealth will be affected by this final-form rulemaking.

4. *Comment and Response Summary*

There were no official comments received regarding this final-form rulemaking.

5. *Cost and Paperwork Requirements*

This final-form rulemaking should not result in additional cost or paperwork.

6. *Effective Date*

This final-form rulemaking will be effective upon publication in the *Pennsylvania Bulletin* and will remain in effect until changed by the Commission.

7. *Contact Person*

For further information regarding this final-form rulemaking, contact Thomas P. Grohol, Director, Bureau of Wildlife Protection, 2001 Elmerton Avenue, Harrisburg, PA 17110-9797, (717) 783-6526.

Findings

The Commission finds that:

(1) Public notice of intention to adopt the administrative amendments adopted by this order has been given under sections 201 and 202 of the act of July 31, 1968 (P.L. 769, No. 240) (45 P.S. §§ 1201 and 1202) and the regulations thereunder, 1 Pa. Code §§ 7.1 and 7.2.

(2) The adoption of the amendments of the Commission in the manner provided in this order is necessary and appropriate for the administration and enforcement of the authorizing statute.

Order

The Commission, acting under the authorizing statute, orders that:

(a) The regulations of the Commission, 58 Pa. Code Chapter 141, are amended by amending § 141.18 to read as set forth in Annex A.

(b) The Executive Director of the Commission shall certify this order and Annex A and deposit them with the Legislative Reference Bureau as required by law.

(c) This order shall become effective upon publication in the *Pennsylvania Bulletin*.

BRYAN J. BURHANS,
Executive Director

Fiscal Note: Fiscal Note 48-421 remains valid for the final adoption of the subject regulation.

Annex A

TITLE 58. RECREATION

PART III. GAME COMMISSION

CHAPTER 141. HUNTING AND TRAPPING

Subchapter A. GENERAL

§ 141.18. Permitted devices.

Notwithstanding the prohibitions in § 141.6 (relating to illegal devices), the following devices may be used to hunt or take wildlife:

(1) Firearms that use an electronic impulse to initiate discharge of ammunition. This provision is not intended to authorize use of these devices when these firearms are otherwise prohibited devices for the applicable hunting or trapping season.

(2) Electronic sound amplification devices that are incorporated into hearing protection devices and completely contained in or on the hunter’s ear.

(3) Electronic devices used for locating dogs while training or hunting, including devices such as e-collars, radio-telemetry dog tracking systems and beeper collars.

(4) Electronic illuminating devices that are affixed at the aft end of a bolt or arrow and used solely for the purpose of locating or tracking bolt or arrow flight after being launched from a crossbow or bow.

(5) Electronic crow decoys used solely for hunting crows.

(6) Electronic rangefinders, including hand-held devices and those contained within a scope or archery sight. This authorization may not be construed to permit a device that emits a light beam, infrared beam, ultraviolet light beam, radio beam, thermal beam, ultrasonic beam, particle beam or other beam that is visible outside of the device or on the target.

(7) Electronically heated scent or lure dispensers. This provision is not intended to authorize use of scents and lures when use is otherwise prohibited by section 2308 of the act (relating to unlawful devices and methods) or § 137.34 or § 137.35 (relating to Chronic Wasting Disease and emergency authority of Director; and Chronic Wasting Disease restrictions).

(8) Electronic devices that generate and distribute ozone gas for scent control purposes.

(9) Electronic waterfowl decoys used solely for hunting waterfowl.

(10) Electronic dove decoys used solely for hunting dove.

[Pa.B. Doc. No. 17-1879. Filed for public inspection November 17, 2017, 9:00 a.m.]

GAME COMMISSION

[58 PA. CODE CH. 141]

Hunting and Trapping; General; Small Game; Big Game

To effectively manage the wildlife resources of this Commonwealth, the Game Commission (Commission), at its September 26, 2017, meeting, amended §§ 141.1, 141.22, 141.43 and 141.67 to extend the use of air guns and semiautomatic rifles for small game and furbearers to special regulation areas, delete the limiting term “centerfire” from the manually operated or semiautomatic rifle authorization that was erroneously added at 47 Pa.B. 2710 (May 13, 2017), add the term “rimfire” to limit the type of .22 caliber or less firearms that may be used to hunt small game, and relocate and extend the use of air guns and semiautomatic rimfire rifles .22 caliber or less for dispatching legally trapped furbearers caught in a trap during the regular or special firearms deer seasons.

This final-form rulemaking will not have an adverse impact on the wildlife resources of this Commonwealth.

The authority for this final-form rulemaking is 34 Pa.C.S. (relating to Game and Wildlife Code) (code).

Notice of proposed rulemaking was published at 47 Pa.B. 4711 (August 12, 2017).

1. *Purpose and Authority*

In relevant part, the act of November 21, 2016 (P.L. 1317, No. 168) (Act 168) made two significant changes to section 2308 of the code (relating to unlawful devices and methods). Act 168 eliminated the Commonwealth’s historic prohibitions against the use of air guns and semiautomatic rifles for hunting. It is important to note that Act 168 did not authorize the use of semiautomatic handguns or eliminate the two-shell in the shotgun magazine restriction for small game, furbearers, and the like. On March 28, 2017, in an effort to implement Act 168 and expand hunting opportunities in this Commonwealth, the Commission amended §§ 131.2, 141.22, 141.43—141.45, 141.47 and 141.67 to authorize the use of air guns and semiautomatic rifles for small game and furbearers. These amendments became effective on May 13, 2017. See 47 Pa.B. 2710.

The Commission has completed a few housekeeping amendments to address concerns not addressed in the final-form rulemaking published at 47 Pa.B. 2710. First, the Commission amends § 141.1 (relating to special

regulations areas) to extend the use of air guns and semiautomatic rifles for small game and furbearers to special regulation areas. While this extension nearly matches the original Statewide proposal, it is important to note the existing limitation to rimfire ammunition in this section will be carried forward in the special regulations areas in this final-form rulemaking. The Commission also amends § 141.22 (relating to small game seasons) to: 1) delete the limiting term “centerfire” from the manually operated or semiautomatic rifle authorization that was erroneously added at 47 Pa.B. 2710; and 2) add “rimfire” to limit the type of .22 caliber or less firearms that may be used to hunt small game. These corrections will return the text to its intended structure and provide consistency in the regulations addressing these requirements. Lastly, the Commission amends §§ 141.43 and 141.67 (relating to deer seasons; and furbearer seasons) to relocate and extend the use of air guns and semiautomatic rimfire rifles .22 caliber or less for dispatching legally trapped furbearers caught in a trap during the regular or special firearms deer seasons.

Section 2102(d) of the code (relating to regulations) authorizes the Commission to “promulgate regulations stipulating the size and type of traps, the type of firearms and ammunition and other devices which may be used, the manner in which and the location where the devices may be used, the species the devices may be used for and the season when the devices may be used.” The amendments to §§ 141.1, 141.22, 141.43 and 141.67 are adopted under this authority.

2. *Regulatory Requirements*

This final-form rulemaking amends §§ 141.1, 141.22, 141.43 and 141.67 to extend the use of air guns and semiautomatic rifles for small game and furbearers to special regulation areas, delete the limiting term “centerfire” from the manually operated or semiautomatic rifle authorization that was erroneously added at 47 Pa.B. 2710, add “rimfire” to limit the type of .22 caliber or less firearms that may be used to hunt small game, and relocate and extend the use of air guns and semiautomatic rimfire rifles .22 caliber or less for dispatching legally trapped furbearers caught in a trap during the regular or special firearms deer seasons.

3. *Persons Affected*

Persons wishing to hunt or take small game or furbearers with air guns, semiautomatic firearms or other firearms in this Commonwealth will be affected by this final-form rulemaking.

4. *Comment and Response Summary*

There were no official comments received regarding this final-form rulemaking.

5. *Cost and Paperwork Requirements*

This final-form rulemaking should not result in additional cost or paperwork.

6. *Effective Date*

This final-form rulemaking will be effective upon publication in the *Pennsylvania Bulletin* and will remain in effect until changed by the Commission.

7. *Contact Person*

For further information regarding this final-form rulemaking, contact Thomas P. Grohol, Director, Bureau of Wildlife Protection, 2001 Elmerton Avenue, Harrisburg, PA 17110-9797, (717) 783-6526.

Findings

The Commission finds that:

(1) Public notice of intention to adopt the administrative amendments adopted by this order has been given under sections 201 and 202 of the act of July 31, 1968 (P.L. 769, No. 240) (45 P.S. §§ 1201 and 1202) and the regulations thereunder, 1 Pa. Code §§ 7.1 and 7.2.

(2) The adoption of the amendments of the Commission in the manner provided in this order is necessary and appropriate for the administration and enforcement of the authorizing statute.

Order

The Commission, acting under the authorizing statute, orders that:

(a) The regulations of the Commission, 58 Pa. Code Chapter 141, are amended by amending §§ 141.1, 141.22, 141.43 and 141.67 to read as set forth in Annex A, with ellipses referring to the existing text of the regulations.

(b) The Executive Director of the Commission shall certify this order and Annex A and deposit them with the Legislative Reference Bureau as required by law.

(c) This order shall become effective upon publication in the *Pennsylvania Bulletin*.

BRYAN J. BURHANS,
Executive Director

Fiscal Note: Fiscal Note 48-420 remains valid for the final adoption of the subject regulations.

Annex A

TITLE 58. RECREATION

PART III. GAME COMMISSION

CHAPTER 141. HUNTING AND TRAPPING

Subchapter A. GENERAL

§ 141.1. Special regulations areas.

(a) *Name.* The areas shall be known and referred to as special regulations areas.

(b) *Descriptions.*

(1) *Southwest area.* Includes the County of Allegheny.

(2) *Southeast area.* Includes the Counties of Bucks, Montgomery, Chester, Delaware and Philadelphia and also includes Tyler and Ridley Creek State Parks and other publicly-owned lands therein.

(c) *Prohibitions.*

(1) Except as provided in subsection (d), it is unlawful to take, kill or attempt to take or kill wildlife through the use of a firearm of any description which discharges single-projectile ammunition, or, while hunting for wild birds or wild animals, to possess single-projectile ammunition, except for employees of political subdivisions and other persons who have a valid deer control permit issued under the authority of Chapter 29 of the act (relating to special licenses and permits).

(2) It is unlawful to use buckshot in Allegheny or Philadelphia Counties without specific authorization of the Director.

(3) It is unlawful to, except for normal or accepted farming, habitat management practices, oil and gas drilling, mining, forest management activities, or other legitimate commercial or industrial practices, intentionally lay or place food, fruit, hay, grain, chemical, salt or other minerals anywhere in the southeast special regulations

area for the purpose of feeding white-tailed deer, or to intentionally lay or place food, fruit, hay, grain, chemical, salt or other minerals that may cause white-tailed deer to congregate or habituate an area. If otherwise lawful feeding is attracting white-tailed deer, the Commission may provide written notice prohibiting this activity.

(d) *Permitted acts.* It is lawful to:

(1) Except in Philadelphia County, Ridley Creek State Park, Delaware County and Tyler State Park, Bucks County, hunt and kill deer and bear through the use of a muzzleloading long gun or a shotgun, at least .410 gauge (rifled barrels permitted), including semiautomatics which, upon discharge, propel a single projectile.

(2) Take deer with a shotgun 20 gauge or larger—including semiautomatic—using buckshot in the south-east area only.

(3) Take small game, furbearing animals, crows or wildlife with the following devices:

(i) A manually operated or semiautomatic rimfire rifle or manually operated rimfire handgun .22 caliber or less.

(ii) A manually operated or semiautomatic air rifle or manually operated air handgun between .177 and .22 caliber, inclusive, that propels single-projectile pellet or bullet ammunition. BB ammunition is not authorized.

(4) Kill an animal legally caught in a trap with the following devices:

(i) A manually operated or semiautomatic rimfire rifle or manually operated rimfire handgun .22 caliber or less.

(ii) A manually operated or semiautomatic air rifle or manually operated air handgun between .177 and .22 caliber, inclusive, that propels single-projectile pellet or bullet ammunition. BB ammunition is not authorized.

(5) Harvest more than one deer at a time when multiple harvests of deer per day are authorized without first lawfully tagging previous harvests, provided all deer harvested are lawfully tagged immediately thereafter.

(6) Hunt or take deer during any deer season through the use of or by taking advantage of bait on private property currently operating under a valid deer control permit where approval for limited baiting activities has previously been obtained under § 147.552 (relating to application). This limited authorization is valid only to the extent that persons comply with the standards and conditions in § 147.556 (relating to lawful devices and methods).

(7) Hunt or take deer in the southeast special regulations area during regular open hunting seasons for white-tailed deer through the use of or by taking advantage of bait on private, township or municipal property only under a deer attractant permit issued under Chapter 147, Subchapter R (relating to deer control).

Subchapter B. SMALL GAME

§ 141.22. Small game seasons.

(a) *Permitted devices.* It is lawful to hunt small game, except woodchucks, during any small game season with the following devices:

(1) A manually operated or semiautomatic rimfire rifle or manually operated rimfire handgun. The firearm must be .22 caliber or less, that propels single-projectile ammunition.

(2) A manually operated or semiautomatic centerfire shotgun or muzzleloading shotgun. The firearm must be 10 gauge or less, that propels multiple-projectile shotgun

ammunition not larger than # 4 lead, # 2 steel, or # 4 of any other composition or alloy of nontoxic shot approved by the Director of the United States Fish and Wildlife Service or an authorized representative under 50 CFR 20.134 (relating to approval of nontoxic shot types and shot coatings). A centerfire shotgun's magazine capacity may not exceed two rounds. The shotgun's total aggregate ammunition capacity may not exceed three rounds.

(3) A muzzleloading rifle or handgun. The firearm must be .40 caliber or less, that propels single-projectile ammunition.

(4) A bow and arrow.

(5) A crossbow and bolt.

(6) A raptor. The raptor shall be lawfully possessed under a falconry permit under section 2925 of the act (relating to falconry permits).

(7) A manually operated or semiautomatic air rifle or manually operated air handgun between .177 and .22 caliber, inclusive, that propels single-projectile pellet or bullet ammunition. BB ammunition is not authorized.

(b) *Prohibitions.* While hunting small game during any small game season, except woodchucks, it is unlawful to:

(1) Use or possess single-projectile ammunition larger than .22 caliber or multiple-projectile shotgun ammunition larger than # 4 lead, # 2 steel, or # 4 of any other composition or alloy of nontoxic shot approved by the Director of the United States Fish and Wildlife Service or an authorized representative under 50 CFR 20.134, except as authorized under section 2525 of the act (relating to possession of firearm for protection of self or others).

(2) Possess a firearm while hunting with a raptor, except as authorized under section 2525 of the act.

(3) Discharge a firearm within 150 yards of a Commission vehicle releasing pheasants.

(4) Use or possess a device or ammunition not provided for in the act or in this section, except as authorized under section 2525 of the act.

(5) Hunt in a party of more than six persons. This does not apply to waterfowl or dove hunters when hunting from a blind or other stationary position.

(c) *Woodchuck (Groundhog) season.*

(1) *Permitted devices.* It is lawful to hunt woodchucks during woodchuck season with the following devices:

(i) A manually operated or semiautomatic rifle or manually operated handgun that propels single-projectile ammunition.

(ii) A manually operated or semiautomatic centerfire shotgun or muzzleloading shotgun. The firearm must be 10 gauge or less that propels multiple-projectile shotgun ammunition not larger than # 4 lead, # 2 steel, or # 4 of any other composition or alloy of nontoxic shot approved by the Director of the United States Fish and Wildlife Service or an authorized representative under 50 CFR 20.134. A centerfire shotgun's magazine capacity may not exceed two rounds. The shotgun's total aggregate ammunition capacity may not exceed three rounds.

(iii) A muzzleloading rifle or handgun that propels single-projectile ammunition.

(iv) A bow and arrow.

(v) A crossbow and bolt.

(vi) A raptor. The raptor shall be lawfully possessed under a falconry permit under section 2925 of the act.

(vii) A manually operated or semiautomatic air rifle or manually operated air handgun .22 caliber or larger that propels single-projectile pellet or bullet ammunition. BB ammunition is not authorized.

(2) *Prohibitions.* While hunting woodchucks during woodchuck season, it is unlawful to:

(i) Use or possess multiple-projectile shotgun ammunition larger than # 4 lead, # 2 steel, or # 4 of any other composition or alloy of nontoxic shot approved by the Director of the United States Fish and Wildlife Service or an authorized representative under 50 CFR 20.134, except as authorized under section 2525 of the act.

(ii) Possess a firearm while hunting with a raptor, except as authorized under section 2525 of the act.

(iii) Use or possess a device or ammunition not provided for in the act or in this section, except as authorized under section 2525 of the act.

Subchapter C. BIG GAME

§ 141.43. Deer seasons.

* * * * *

(e) *Cooperating while hunting during any deer season.* Holders of any of the appropriate licenses or stamps may cooperate while hunting antlered or antlerless deer if pertinent provisions of the act and this section are met.

Subchapter D. FURBEARERS

§ 141.67. Furbearer seasons.

(a) *Permitted devices.* It is lawful to hunt or take furbearers during any furtaking season with the following devices:

(1) A manually operated or semiautomatic rifle or manually operated handgun that propels single-projectile ammunition.

(2) A manually operated or semiautomatic, centerfire shotgun or muzzleloading shotgun. The firearm must be 10 gauge or less, that propels single-projectile ammunition or multiple-projectile shotgun ammunition not larger than # 4 buckshot. The centerfire shotgun's magazine capacity may not exceed two rounds. The shotgun's total aggregate ammunition capacity may not exceed three rounds.

(3) A muzzleloading rifle or handgun that propels single-projectile ammunition.

(4) A bow and arrow.

(5) A crossbow and bolt.

(6) A manually operated or semiautomatic air rifle or manually operated air handgun .22 caliber or larger that propels single-projectile pellet or bullet ammunition. BB ammunition is not authorized.

(b) *Prohibitions.* While hunting furbearers during any furbearer hunting or trapping season, it is unlawful to:

(1) Use or possess multiple-projectile shotgun ammunition larger than # 4 buckshot, except as authorized under section 2525 of the act (relating to possession of firearm for protection of self or others).

(2) Use or possess a device or ammunition not provided for in the act or in this section, except as authorized under section 2525 of the act.

(3) Use any firearm, other than authorized in this paragraph, to dispatch legally trapped furbearers during the overlap with the regular or special firearms deer seasons:

(i) A manually operated or semiautomatic rimfire rifle or manually operated rimfire handgun .22 caliber or less.

(ii) A manually operated or semiautomatic air rifle or manually operated air handgun between .177 and .22 caliber, inclusive, that propels single-projectile pellet or bullet ammunition. BB ammunition is not authorized.

[Pa.B. Doc. No. 17-1880. Filed for public inspection November 17, 2017, 9:00 a.m.]

PROPOSED RULEMAKING

GAME COMMISSION

[58 PA. CODE CH. 147]
Special Permits; Falconry

To effectively manage the wildlife resources of this Commonwealth, the Game Commission (Commission) proposed at its June 26, 2017, meeting to amend § 147.102 (relating to application, examination and fees) to expand the examination period to year-round testing and to require advance scheduling of examinations.

This proposed rulemaking will not have an adverse impact on the wildlife resources of this Commonwealth.

The authority for this proposed rulemaking is 34 Pa.C.S. (relating to Game and Wildlife Code) (code).

This proposed rulemaking was made public at the September 26, 2017, meeting of the Commission. Comments can be sent until January 26, 2018, to the Director, Information and Education, Game Commission, 2001 Elmerton Avenue, Harrisburg, PA 17110-9797.

1. *Purpose and Authority*

Each year the Commission facilitates the examination of persons seeking falconry permits. Historically, this testing process has only been available from January 1 through June 30 each year. In an effort to provide greater opportunity for falconry applicants, the Commission is proposing to amend § 147.102 to expand the examination period to year-round testing and to require advance scheduling of examinations.

Section 2901(b) of the code (relating to authority to issue permits) provides “the commission may, as deemed necessary to properly manage the game or wildlife resources, promulgate regulations for the issuance of any permit and promulgate regulations to control the activities which may be performed under authority of any permit issued.” The amendments to § 147.102 are proposed under this authority.

2. *Regulatory Requirements*

This proposed rulemaking will amend § 147.102 to expand the examination period to year-round testing and to require advance scheduling of examinations.

3. *Persons Affected*

Persons wishing to apply for a falconry permit in this Commonwealth may be affected by this proposed rulemaking.

4. *Cost and Paperwork Requirements*

The proposed rulemaking should not result in an increase in cost and paperwork.

5. *Effective Date*

This proposed rulemaking will be effective upon final-form publication in the *Pennsylvania Bulletin* and will remain in effect until changed by the Commission.

6. *Contact Person*

For further information regarding this proposed rulemaking, contact Randy S. Shoup, Director, Bureau of Wildlife Protection, 2001 Elmerton Avenue, Harrisburg, PA 17110-9797, (717) 783-6526.

BRYAN J. BURHANS,
Executive Director

Fiscal Note: 48-422. No fiscal impact; (8) recommends adoption.

Annex A
TITLE 58. RECREATION
PART III. GAME COMMISSION
CHAPTER 147. SPECIAL PERMITS
Subchapter F. FALCONRY
§ 147.102. Application, examination and fees.

* * * * *

(b) *Examination.*

* * * * *

(3) Examinations [**are**] will be administered by the Commission at each regional office [**between January 1 and June 30 each**] throughout the permit year. **An applicant shall schedule the examination with regional personnel in advance.**

* * * * *

[Pa.B. Doc. No. 17-1881. Filed for public inspection November 17, 2017, 9:00 a.m.]

NOTICES

CAPITOL PRESERVATION COMMITTEE

Request for Proposals

CPC 17.164.1: North Office Building Restoration of Suite 104. A general description includes: cleaning and repair of travertine wall panels as well as procurement and installation of new travertine to match adjacent; cleaning, spot repair and sealing of marble floor and thresholds; cleaning and polishing of existing marble base; installation of new fabric to cover an existing ceiling; new domed upholstery nails will be applied to the ceiling to recreate a historic pattern; stripping and refinishing of bronze grilles; provision of new bronze grilles; provision and installation of recessed floor closers and new pivot hinges; general cleaning of bronze windows and balcony doors (interior and exterior); stripping, repair and

refinishing of full height wood wall paneling, HVAC enclosures, wood doors, frames, trim, wainscot, cap assemblies and dais paneled ceiling; repair and refinishing of wood flooring; and general painting of walls, ceiling surfaces and trim.

A \$100 deposit is required for issuance of project documents. The issue date of the request for proposals was on November 14, 2017. A mandatory preproposal conference and walk through will be held on November 21, 2017, at 10 a.m. in Room 630, Main Capitol Building, Harrisburg, PA. The proposal receipt date is December 15, 2017, at 2 p.m. Project documents may be obtained in Room 630, Main Capitol Building, Harrisburg, PA or by contacting Tara Pyle at (717) 783-6484.

DAVID L. CRAIG,
Executive Director

[Pa.B. Doc. No. 17-1882. Filed for public inspection November 17, 2017, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority contained in the act of November 30, 1965 (P.L. 847, No. 356), known as the Banking Code of 1965; the act of May 15, 1933 (P.L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P.L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending November 7, 2017.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Corporate Applications Division, 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Conversions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
11-3-2017	<p><i>From:</i> The First National Bank of Lilly Lilly Cambria County</p> <p><i>To:</i> First Bank of Lilly Lilly Cambria County</p> <p>Application for approval to convert from a National bank to a Pennsylvania State-chartered savings bank.</p>	Approved

Holding Company Acquisitions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
11-3-2017	<p>Mid Penn Bancorp, Inc. Millersburg Dauphin County</p> <p>Application for approval to acquire 100% of Lawrence Keister & Company, Scottdale, and thereby indirectly acquire 100% of The Scottdale Bank & Trust Co., Scottdale.</p>	Approved

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
11-3-2017	Mid Penn Bank Millersburg Dauphin County	Approved
Application for approval to merge The Scottsdale Bank & Trust Co., Scottsdale, with and into Mid Penn Bank, Millersburg.		

**Branch Applications
De Novo Branches**

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
10-31-2017	Slovak Savings Bank Pittsburgh Allegheny County	8700 Perry Highway Pittsburgh Allegheny County	Approved
10-30-2017	Republic First Bank Philadelphia Philadelphia County	1400 Blackwood-Clementon Road Clementon Camden County, NJ	Filed
10-30-2017	Univest Bank and Trust Co. Souderton Montgomery County	1135 Georgetown Road Christiana Lancaster County	Opened
11-2-2017	CNB Bank Clearfield Clearfield County	3049 Orchard Park Road Orchard Park Erie County, NY	Opened
11-1-2017	Somerset Trust Company Somerset Somerset County	117 South Walnut Street Ligonier Westmoreland County	Opened

CREDIT UNIONS**Consolidations, Mergers and Absorptions**

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
10-27-2017	TruMark Financial Credit Union Fort Washington Montgomery County	Withdrawn
Application for approval to merge Philadelphia Mint Federal Credit Union, Philadelphia, with and into TruMark Financial Credit Union, Fort Washington.		

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

ROBIN L. WIESSMANN,
Secretary

[Pa.B. Doc. No. 17-1883. Filed for public inspection November 17, 2017, 9:00 a.m.]

**Adjustment to Definition of "Base Figure" in the
Loan Interest and Protection Law**

The Department of Banking and Securities (Department), as required by the definition of "base figure" in section 101 of the act of January 30, 1974 (P.L. 13, No. 6) (41 P.S. § 101), known as the Loan Interest and Protection Law, is publishing the following notice regarding the inflation adjusted base figure for the calendar year 2018. The Department has determined that the current base figure of \$244,856 adjusted for annual inflation using the "Consumer Price Index—All Urban Consumers: U.S. All Items 1982—84 = 100" published by the United States Department of Labor Bureau of Labor Statistics results in a base figure of \$250,324. This new base figure will be effective January 1, 2018, for the calendar year 2018.

ROBIN L. WIESSMANN,
Secretary

[Pa.B. Doc. No. 17-1884. Filed for public inspection November 17, 2017, 9:00 a.m.]

**Maximum Lawful Rate of Interest for Residential
Mortgages for the Month of December 2017**

The Department of Banking and Securities (Department), under the authority contained in section 301 of the act of January 30, 1974 (P.L. 13, No. 6) (41 P.S. § 301), determines that the maximum lawful rate of interest for residential mortgages for the month of December, 2017, is 5 1/4%.

The interest rate limitations under the State's usury statute were preempted to a great extent by Federal law, the Depository Institutions Deregulation and Monetary Control Act of 1980 (Pub.L. No. 96-221). Further preemption was instituted with the signing of Pub.L. No. 96-399, which overrode State interest rate limitations on any individual who finances the sale or exchange of residential real property which such individual owns and which such individual occupies or has occupied as his principal residence.

Each month the Department is required by State law to compute and announce the ceiling rate on residential mortgages in this Commonwealth. This maximum rate is determined by adding 2.50 percentage points to the yield rate on long-term government bonds as published by the Federal Reserve Board and/or the United States Treasury. The latest yield rate on long-term government securities is 2.63 to which was added 2.50 percentage points for a

total of 5.13 that by law is rounded off to the nearest quarter at 5 1/4%.

ROBIN L. WIESSMANN,
Secretary

[Pa.B. Doc. No. 17-1885. Filed for public inspection November 17, 2017, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Phone: 484.250.5970.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0040665 (Sewage)	Stone Barn Rentals STP 100 Stone Barn Drive Kennett Square, PA 19348	Chester County West Marlborough Township	Unnamed Tributary to East Branch White Clay Creek (3-I)	No

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0062472 (Sewage)	Blue Mountain View Estates WWTP 1716 West Lizard Creek Road Lehighon, PA 18235	Carbon County Lower Towamensing Township	Aquashicola Creek (2-B)	Yes
PA0031071-A1 (Sewage)	Northeast American Diocese of the Malankara Orthodox Syrian Church - Holy Transfiguration Retreat Center WWTP 1000 Seminary Road Dalton, PA 18414	Lackawanna County Dalton Borough	Unnamed Tributary to Ackerly Creek (04F)	Yes
PA0053911 (Sewage)	East Bangor Municipal Authority 555 W Central Avenue East Bangor, PA 18013-2123	Northampton County East Bangor Borough	Unnamed Tributary to Martins Creek (1-F)	Yes

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PAS603505—SW	J & K Salvage, Inc. 1099 Kings Mill Road York, PA 17403	York County/Spring Garden Township	7H	Y

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0042561 (Sewage)	Upper Stonycreek JMA WWTP Hooversville, PA 15936-0024	Somerset County Quemahoning Township	Stonycreek River (18-E)	Yes

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

PA0026905, Sewage, SIC Code 4952, **Connellsville Municipal Authority**, PO Box 925, Connellsville, PA 15425-0925. Facility Name: Connellsville Municipal Authority WWTP. This existing facility is in the City of Connellsville, **Fayette County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream Youghiogheny River, is in State Water Plan watershed 19-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 3.24 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Average Weekly</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Daily Max XXX	6.0	XXX	9.0 Max	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Average Weekly</i>	
Dissolved Oxygen	XXX	XXX	4.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	676	1,027	XXX	25.0	38.0	50
Biochemical Oxygen Demand (BOD ₅)						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	811	1,216	XXX	30.0	45.0	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ammonia-Nitrogen	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 3.24 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Average Weekly</i>	
Total Nitrogen	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report Daily Max	XXX

In addition, the permit contains the following major special conditions:

- The Authority is permitted to discharge through various CSOs when flows in combined sewer systems exceed the design capacity of the conveyance or treatment facilities of the system.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is not in effect.

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5970.

PA0051292, Industrial, SIC Code 4952, **Municipal Authority of the Borough of Morrisville**, 35 Union Street, Morrisville, PA 19067. Facility Name: Morrisville Water Treatment Plant. This existing facility is located in Morrisville Borough, **Bucks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Waste.

The receiving stream(s), Delaware River, is located in State Water Plan watershed 2-E and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.15 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	31	50	XXX	25	40	50
Total Suspended Solids	38	56	XXX	30	45	60
Aluminum, Total	5.0	8.0	XXX	4.0	6.0	8
Iron, Total	3.0	4.0	XXX	2.0	3.0	4
Manganese, Total	1.3	2.0	XXX	1.0	1.5	2

In addition, the permit contains the following major special conditions:

- Chlorine Minimization
- Collected screenings, slurries and sludge disposal
- Lab certification

- Chemical Additives
- Sedimentation Basin Cleaning

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

PA0036374, Sewage, SIC Code 4952, **Upper Uwchlan Township Municipal Authority**, 140 Pottstown Pike, Chester Springs, PA 19425-9516. Facility Name: Eaglepointe Development Association STP. This existing facility is located in Upper Uwchlan Township, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Unnamed Tributary to Marsh Creek, is located in State Water Plan watershed 3-H and is classified for Mi and High Quality Waters—Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.015 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.14	XXX	0.34
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)						
Nov 1 - Apr 30	2.5	3.8	XXX	20	30	40
May 1 - Oct 31	1.3	1.9	XXX	10	15	20
Biochemical Oxygen Demand (BOD ₅)						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	3.8	5.6	XXX	30	45	60
Oil and Grease	XXX	XXX	XXX	15	XXX	30
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	Avg Qrtly 200 Geo Mean	XXX	1,000
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	6.255	XXX	XXX	50	XXX	100
Ammonia-Nitrogen						
Nov 1 - Apr 30	0.189	XXX	XXX	1.5	XXX	3
May 1 - Oct 31	0.063	XXX	XXX	0.5	XXX	1
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus						
Nov 1 - Mar 31	0.126	XXX	XXX	1.0	XXX	2
Apr 1 - Oct 31	0.063	XXX	XXX	0.5	XXX	1

In addition, the permit contains the following major special conditions:

Proposed Part C Conditions:

- No Stormwater
- Acquire Necessary Property Rights
- Proper Sludge Disposal
- Chlorine Minimization
- Remedial Measures if Unsatisfactory Effluent
- Notification of Responsible Operator

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect.

Northeast Regional Office: Regional Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone: 570.826.2511.

PA0026042, Sewage, SIC Code 4952, **Bethlehem City Northampton County**, 10 East Church Street, Bethlehem, PA 18018. Facility Name: Bethlehem City Wastewater Treatment Plant (WWTP). This existing facility is located in Bethlehem City, **Northampton County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Saucon Creek and Lehigh River, is located in State Water Plan watershed 2-C and is classified for Migratory Fishes, Cold Water Fishes, and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 20.00 MGD.—Interim Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly	Minimum	Average Monthly	Maximum	
Dissolved Oxygen	XXX	XXX	Report Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.50	XXX	1.20
Copper, Total	Report	XXX	XXX	Report	Report Daily Max	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 20.00 MGD.—Final Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly	Minimum	Average Monthly	Maximum	
Dissolved Oxygen	XXX	XXX	4.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.09	XXX	0.30
Copper, Total (µg/L)	Report	XXX	XXX	9.0	Report Daily Max	18.0

The proposed effluent limits for Outfall 001 are based on a design flow of 20.00 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average	Minimum Monthly Average	Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	4,170	6,672	XXX	25.0	40.0 Wkly Avg	50.0
Biochemical Oxygen Demand (BOD ₅)						
Influent	Report	XXX	XXX	Report	Report	XXX
CBOD ₅ Minimum % Removal (%)	XXX	XXX	85	XXX	XXX	XXX
Total Suspended Solids Influent	Report	XXX	XXX	Report	Report	XXX
Total Suspended Solids	5,004	7,506	XXX	30.0	45.0 Wkly Avg	60.0
Total Suspended Solids Minimum % Removal (%)	XXX	XXX	85	XXX	XXX	XXX
Total Dissolved Solids	Report	XXX	XXX	1,000.0	2,000.0	2,500.0
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	2,502	XXX	XXX	15.0	Report	30.0
May 1 - Oct 31	834	XXX	XXX	5.0	Report	10.0
Nitrate as N	Report	XXX	XXX	Report	XXX	XXX
Nitrite an N	Report	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX
Sulfate, Total	Report	XXX	XXX	Report	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		
	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Minimum Monthly Average</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Chloride	Report	XXX	XXX	Report	XXX	XXX
Bromide	Report	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 003 and Outfall 012 are based on a design flow of 0 MGD (CSO).—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX Daily Max	Report Inst Min	XXX	XXX	Report
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	Report	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	Report	Report	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	Report	XXX	Report
Ammonia-Nitrogen	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 006 are based on a design flow of 0 MGD (Emergency Discharge)—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum</i>	<i>Instant. Maximum</i>
Dissolved Oxygen	XXX	XXX	Report Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.50	XXX	1.20
Copper, Total	Report	XXX	XXX	Report	Report Daily Max	XXX

The proposed effluent limits for Outfall 006 are based on a design flow of 0 MGD (emergency discharge).—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum</i>	<i>Instant. Maximum</i>
Dissolved Oxygen	XXX	XXX	4.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.09	XXX	0.30
Copper, Total	Report	XXX	XXX	0.009	Report Daily Max	0.018

The proposed effluent limits for Outfall 006 are based on a design flow of 0 MGD (emergency discharge).—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		
	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
Duration of Discharge (hours)	Report	XXX Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	4,170	6,672	XXX	25.0	40.0	50.0
Total Suspended Solids	5,004	7,506	XXX	30.0	45.0	60.0
Total Dissolved Solids	Report	XXX	XXX	1,000.0	2,000.0 Daily Max	2,500.0
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	2,502	XXX	XXX	15.0	Report Daily Max	30.0
May 1 - Oct 31	834	XXX	XXX	5.0	Report Daily Max	10.0

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly	Minimum	Average Monthly	Average Weekly	
Nitrate as N	Report	XXX	XXX	Report	XXX	XXX
Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 007, 008, 009, 010, 011 are based on a design flow of 0 MGD (stormwater).—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly	Minimum	Average Monthly	Maximum	
pH (S.U.)	XXX	XXX	Report Inst Min	XXX	XXX	Report
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	Report
Oil and Grease	XXX	XXX	XXX	XXX	XXX	Report
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	XXX	Report
Iron, Total	XXX	XXX	XXX	XXX	XXX	Report

In addition, the permit contains the following major special conditions:

- Stormwater prohibition (separated sewers); Necessary property rights; Residuals management; Chlorine minimization; Operations & Maintenance (O&M) Plan; High Flow Management Plant (HFMP); Changes in Stream/effluent; Prohibited discharges; Weekly Average reporting; Schedule of Compliance (Dissolved Oxygen and Total Residual Chlorine); Schedule of Compliance (Ammonia-N and Collection System SSOs); Maximizing Treatment at Existing POTW; Combined Sewer Overflows; POTW Pretreatment Program Implementation; Solids Management; Toxic Reduction Evaluation (TRE)—Copper; Whole Effluent Toxicity (WET); and Requirements Applicable to Stormwater Outfalls

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is not in effect.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

PA0036790, Sewage, SIC Code 6515, **Paradise MHP Inc.**, PO Box 37, Marysville, PA 17053-0037. Facility Name: Paradise MHP. This existing facility is located in Wheatfield Township, **Perry County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Unnamed Tributary to Dark Run, is located in State Water Plan watershed 7-A and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.04 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly	Minimum	Average Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Daily Min 5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.1	XXX	0.29
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)						
Nov 1 - Apr 30	XXX	XXX	XXX	25.0	XXX	50
May 1 - Oct 31	XXX	XXX	XXX	20.0	XXX	40
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Ammonia-Nitrogen				Geo Mean		
Oct 1 - Apr 30	XXX	XXX	XXX	6.0	XXX	12
May 1 - Sep 30	XXX	XXX	XXX	2.0	XXX	4
Total Phosphorus	XXX	XXX	XXX	2.0	XXX	4

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

Parameter	Effluent Limitations				
	Mass Units (lbs)		Concentrations (mg/L)		
	Monthly	Annual	Monthly Average	Maximum	Instant. Maximum
Ammonia—N	Report	Report	Report	XXX	XXX
Kjeldahl—N	Report	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	Report	XXX	XXX
Total Nitrogen	Report	Report	Report	XXX	XXX
Total Phosphorus	Report	Report	Report	XXX	XXX

In addition, the permit contains the following major special conditions:

- Chesapeake Bay nutrients requirements
- Solids management for non-lagoon system
- Notification of designation of responsible operator

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0026280, Sewage, SIC Code 4952, **Borough of Lewistown**, 2 E 3rd Street, Lewistown, PA 17044-1701. Facility Name: Lewistown STP. This existing facility is located in Lewistown Borough, **Mifflin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Juniata River, is located in State Water Plan watershed 12-A and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 2.818 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average	Minimum	Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	585	940	XXX	25.0	40	50
Biochemical Oxygen Demand (BOD ₅)					Wkly Avg	
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	705	1,055	XXX	30.0	45.0	60
Total Suspended Solids Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ultraviolet light intensity (mW/cm ²)	XXX	XXX	Report	XXX	XXX	XXX

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

Parameter	Effluent Limitations				
	Mass Units (lbs)		Concentrations (mg/L)		
	Monthly	Annual	Monthly Average	Maximum	Instant. Maximum
Ammonia—N	Report	Report	Report	XXX	XXX
Kjeldahl—N	Report	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	Report	XXX	XXX

Effluent Limitations

<i>Parameter</i>	<i>Mass Units (lbs)</i>		<i>Concentrations (mg/L)</i>		
	<i>Monthly</i>	<i>Annual</i>	<i>Monthly Average</i>	<i>Maximum</i>	<i>Instant. Maximum</i>
Total Nitrogen	Report	Report	Report	XXX	XXX
Total Phosphorus	Report	Report	Report	XXX	XXX
Net Total N*	Report	51,964	XXX	XXX	XXX
Net Total P	Report	6,942	XXX	XXX	XXX

* The permittee is authorized to use 8,812.5 lbs./compliance year as Total Nitrogen (TN) Offsets toward compliance with the Annual Net TN mass load limitations (Cap Loads), in accordance with Part C of the permit. The offset was authorized for connecting 352.5 retired on-lot disposal systems after January 1, 2003.

In addition, the permit contains the following major special conditions:

- Chesapeake Bay nutrients requirements
- Solids management for non-lagoon system
- Whole Effluent Toxicity
- Notification of designation of responsible operator
- Hauled-in waste restriction
- TRC reporting

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

Application No. PA0246603, Concentrated Animal Feeding Operation (CAFO), **Hoffman Chris (Lazy Hog Farm CAFO)**, 4390 Mountain Road, McAlisterville, PA 17049-8332.

Hoffman Chris has submitted an application for an Individual NPDES permit for a renewal of an CAFO known as Lazy Hog Farm CAFO, located in Fayette Township, **Juniata County**.

The CAFO is situated near Unnamed Tributary of Cocolamus Creek in Watershed 12-B, which is classified for Trout Stocking. The CAFO is designed to maintain an animal population of approximately 651.9 animal equivalent units (AEUs) consisting of 1,254 sows, 165 sows with litters, 11 board, and 440 gilts. Manure is stored in one of the four storages on site. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 100-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The Environmental Protection Agency (EPA) permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

PA0082643, Sewage, SIC Code 7992, **Flatbush Golf Course Inc.**, 940 Littlestown Road, Littlestown, PA 17340-9441. Facility Name: Flatbush Golf Course. This existing facility is located in Union Township, **Adams County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SFTF Sewage.

The receiving stream(s), Unnamed Tributary to South Branch Conewago Creek, is located in State Water Plan watershed 7-F and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.002 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Total Residual Chlorine (TRC)						
Interim Limit	XXX	XXX	XXX	0.5	XXX	1.0
Final Limit	XXX	XXX	XXX	0.05	XXX	0.16
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200 Geo Mean	XXX	1,000

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0080225, Sewage, SIC Code 4952, **Washington Township Municipal Authority**, 11102 Buchanan Trail East, Waynesboro, PA 17268-9503. Facility Name: Washington Township Municipal Authority WWTP. This existing facility is located in Washington Township, **Franklin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), East Branch Antietam Creek, is located in State Water Plan watershed 13-C and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.85 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Daily Min 5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	385	615	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD ₅)						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	460	Daily Max 690	XXX	30.0	45.0	60
Total Suspended Solids Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
		Daily Max				
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ammonia-Nitrogen						
Nov 1 - Apr 30	194	XXX	XXX	12.6	XXX	25.2
May 1 - Oct 31	64	XXX	XXX	4.2	XXX	8.4
Copper, Total	XXX	XXX	XXX	Report	Report	XXX
					Daily Max	
Toxicity, Chronic—Ceriodaphnia Reproduction (TUc)	XXX	XXX	XXX	5.6 Daily Max	XXX	XXX

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

Effluent Limitations

Parameter	Mass Units (lbs)		Concentrations (mg/L)		Instant. Maximum
	Monthly	Annual	Monthly Average	Maximum	
Ammonia—N	Report	Report	Report	XXX	XXX
Kjeldahl—N	Report	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	Report	XXX	XXX
Total Nitrogen	Report	Report	Report	XXX	XXX
Total Phosphorus	Report	Report	Report	XXX	XXX
Net Total N	Report	35,433 ⁽¹⁾	XXX	XXX	XXX
Net Total P	Report	4,724	XXX	XXX	XXX

⁽¹⁾ In addition, 550 lbs. TN/year was approved as offset for connecting 22 OLDs which can be used towards compliance

In addition, the permit contains the following major special conditions:

- Chesapeake Bay nutrients requirements
- Solids management for non-lagoon system
- Whole Effluent Toxicity
- Chlorine minimization

- Notification of designation of responsible operator
- Hauled-in waste restriction

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

PA0044911, Industrial, SIC Code 2023, **Land O Lakes Inc.**, 405 Park Drive, Carlisle, PA 17015-9270. Facility Name: Land O Lakes Dry Condensed Milk Manufacturing. This existing facility is located in South Middleton Township, **Cumberland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Waste.

The receiving stream(s), Mountain Creek, is located in State Water Plan watershed 7-E and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.95 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Temperature (deg F) (°F)						
Aug 1 - Jun 30	XXX	XXX	XXX	Report	110	XXX
Jul 1 - 31	XXX	XXX	XXX	Report	90	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	79	158	XXX	10.0	20.0	25
Biochemical Oxygen Demand (BOD ₅)						
Influent	Report	Report	XXX	Report	Report	XXX
Total Suspended Solids						
Influent	Report	Report	XXX	Report	Report	XXX
Total Suspended Solids	79	158	XXX	10.0	20.0	25
Nitrate-Nitrite as N	XXX	Report	XXX	XXX	Report	XXX
Total Nitrogen	XXX	Report	XXX	XXX	Report	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	35	71	XXX	4.5	9.0	11
May 1 - Oct 31	11	23	XXX	1.5	3.0	3.7
Total Kjeldahl Nitrogen	XXX	Report	XXX	XXX	Report	XXX
Total Phosphorus	7.5	15	XXX	1.0	2.0	2.5

In addition, the permit contains the following major special conditions:

- Chemical Additives Usage Reporting Requirements
- Total Residual Chlorine (TRC) Testing Requirement

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0055328 A-2, Industrial, SIC Code 4953, **New Morgan Landfill Co. Inc.**, PO Box 128, Morgantown, PA 19543-0128. Facility Name: Conestoga Landfill. This existing facility is located in New Morgan Borough, **Berks County**.

Description of Existing Activity: The application is for an amendment of an NPDES permit for an existing discharge of treated Industrial Waste that only affects outfall 001.

The receiving stream(s), East Branch Conestoga River and Unnamed Tributary to East Branch Conestoga River, is located in State Water Plan watershed 7-J and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.075 MGD.—Interim Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	13.1	26.3	XXX	21	42	53

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	
Total Suspended Solids	16.9	55.0	XXX	27	88	110
Total Dissolved Solids	Report	XXX	XXX	Report	XXX	XXX
Oil and Grease	XXX	XXX	XXX	15	XXX	30
Fecal Coliform						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Nitrogen (Total Load, lbs)	Total Month					
Total Nitrogen (Total Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Nitrogen (Total Load, lbs)	Total Annual					
Total Nitrogen (Total Load, lbs) Effluent Net	Report	XXX	XXX	XXX	XXX	XXX
Total Nitrogen (Total Load, lbs) Effluent Net	Total Month					
	12,500	XXX	XXX	XXX	XXX	XXX
	Total Annual					
Ammonia-Nitrogen	3.1	6.3	XXX	4.9	10	12.5
Ammonia-Nitrogen (Total Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs)	Total Month					
Ammonia-Nitrogen (Total Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs)	Total Annual					
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus (Total Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs)	Total Month					
Total Phosphorus (Total Load, lbs)	64.0	XXX	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) Effluent Net	Total Annual					
Total Phosphorus (Total Load, lbs) Effluent Net	Report	XXX	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) Effluent Net	Total Month					
	64.0	XXX	XXX	XXX	XXX	XXX
	Total Annual					
Antimony, Total	XXX	XXX	XXX	Report	XXX	XXX
Arsenic, Total	XXX	XXX	XXX	Report	XXX	XXX
Cadmium, Total	XXX	XXX	XXX	Report	XXX	XXX
Chromium, Hexavalent	XXX	XXX	XXX	Report	XXX	XXX
Copper, Total	XXX	XXX	XXX	Report	XXX	XXX
Iron, Dissolved	XXX	XXX	XXX	Report	XXX	XXX
Iron, Total	XXX	XXX	XXX	Report	XXX	XXX
Manganese, Total	XXX	XXX	XXX	Report	XXX	XXX
Sulfate, Total	Report	XXX	XXX	Report	XXX	XXX
Zinc, Total	0.069	0.125	XXX	0.11	0.20	0.28
Phenol	0.009	0.016	XXX	0.015	0.026	0.038
a-Terpineol	0.010	0.021	XXX	0.016	0.033	0.041
Benzoic Acid	0.044	0.075	XXX	0.071	0.12	0.18
Chloride	Report	XXX	XXX	Report	XXX	XXX
Bromide	Report	XXX	XXX	Report	XXX	XXX
p-Cresol	0.009	0.016	XXX	0.014	0.025	0.035
1,4-Dioxane	XXX	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.075 MGD.—Final Limits.—same as the previous chart except:

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	
Antimony, Total	0.029	0.044	XXX	0.046	0.071	0.12
Arsenic, Total	0.051	0.079	XXX	0.082	0.127	0.21

No changes were made to the permit conditions.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

PA0266604, Sewage, SIC Code 8811, **Amato Joyce**, 176 Mountain View Drive, Tyrone, PA 16686. Facility Name: Amato Properties. This proposed facility is located in Antis Township, **Blair County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP Sewage.

The receiving stream(s), Sugar Run, is located in State Water Plan watershed 11-A and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly	Minimum	Annual Average	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)	Annl Avg XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Northcentral Region: Clean Water Program Manager, 208 West Third Street, Williamsport, PA 17701.

PA0209228, Sewage, SIC Code 4952, **Lycoming County Water & Sewer Authority**, PO Box 186, Montoursville, PA 17754-0186. Facility Name: Montoursville Region Sewer System STP. This existing facility is located in Fairfield Township, **Lycoming County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), West Branch Susquehanna River, is located in State Water Plan watershed 10-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 2.25 MGD.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Report	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	313	500	XXX	25	40	50
Total Residual Chlorine	XXX	Wkly Avg XXX	XXX	0.5	Wkly Avg XXX	1.6
Biochemical Oxygen Demand (BOD ₅)	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent	375	563	XXX	30	45	60
Total Suspended Solids	Report	Wkly Avg Report	XXX	Report	Wkly Avg XXX	XXX
Raw Sewage Influent	XXX	XXX	XXX	2,000	XXX	10,000
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
May 1 - Sep 30	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	Report	Report	XXX	Report	Report	XXX
Copper, Total (µg/L) (Final)	Report	Report	XXX	Report	Report	XXX

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Monthly	Annual	Monthly	Monthly Average	Maximum	
Ammonia—N	Report	Report	XXX	Report	XXX	XXX

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Monthly	Annual	Monthly	Monthly Average	Maximum	
Kjeldahl—N	Report	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX	XXX
Net Total Nitrogen	Report	34,703	XXX	XXX	XXX	XXX
Net Total Phosphorus	Report	4,627	XXX	XXX	XXX	XXX

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

In addition, the permit contains the following major special conditions:

- Chesapeake Bay Nutrient Requirements
- Solids Management for Non-Lagoon Systems
- C114—Whole Effluent Toxicity—No Permit Limits
- C123—Stormwater Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is not in effect.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

PA0265110, Industrial Waste, SIC Code 4941, **Stoneboro Borough Mercer County**, 59 Lake Street, Stoneboro, PA 16153. Facility Name: Stoneboro Borough WTP. This proposed facility is located in Stoneboro Borough, **Mercer County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated Industrial Waste.

The receiving stream(s), Unnamed tributary to Sawmill Run, is located in State Water Plan watershed 16-G and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.050 MGD.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly	Minimum	Average Monthly	Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Daily Min	XXX	9.0 Daily Max	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

PA0023213, Sewage, SIC Code 4952, **Ridgway Borough**, PO Box 149, Ridgway, PA 15853-0149. Facility Name: Ridgway Borough STP. This existing facility is located in Ridgway Borough, **Elk County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage, industrial wastewater and oil & gas brine wastewater (except from shale gas extraction activities).

The receiving stream, the Clarion River, is located in State Water Plan watershed 17-A and is classified for cold water fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 2.2 MGD.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average	Minimum	Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0 Max	XXX
Dissolved Oxygen	XXX	XXX	4.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	460	735	XXX	25	40	50
Biochemical Oxygen Demand (BOD ₅)						
Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids						
Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	550	825	XXX	30	45	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Fluoride, Total	XXX	XXX	XXX	Report	XXX	XXX
Total Dissolved Solids	79,299	183,826	XXX	Report	Report	XXX
		Daily Max			Daily Max	
Osmotic Pressure (mOs/kg)	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Barium, Total	XXX	XXX	XXX	Report	XXX	XXX
Copper, Total	XXX	XXX	XXX	Report	XXX	XXX
Strontium, Total	XXX	XXX	XXX	Report	XXX	XXX
Sulfate, Total	XXX	XXX	XXX	Report	XXX	XXX
Uranium, Total (µg/L)	XXX	XXX	XXX	Report	XXX	XXX
Chloride	XXX	XXX	XXX	Report	XXX	XXX
Bromide	XXX	XXX	XXX	Report	XXX	XXX
Gross Alpha Radioactivity (pCi/L)	XXX	XXX	XXX	Report	XXX	XXX
Radium-226 and Radium-228, Total (pCi/L)	XXX	XXX	XXX	Report	XXX	XXX

In addition, the permit contains the following major special conditions:

- Chlorine Minimization
- Stormwater Best Management Practices
- Solids Handling/Reporting
- Annual, Chronic WET testing
- Federal Pretreatment Program Implementation
- Limit on the receipt of wastewater associated with natural gas drilling to 25,000 gallons/day

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is not in effect.

PA0265501, Sewage, SIC Code 8800, **Stephanie Weisensee**, 768 Saxonburg Boulevard, Saxonburg, PA 16056. Facility Name: Stephanie Weisensee SRSTP. This proposed facility is located in Clinton Township, **Butler County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP Sewage.

The receiving stream(s), Rocky Run, is located in State Water Plan watershed 18-A and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Minimum</i>	<i>Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law.

South West Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

WQM Permit No. 6374406 A-10, Sewage, **Canonsburg Houston Joint Authority**, 68 E Pike Street, Canonsburg, PA 15317-1375.

This existing facility is located in Cecil Township, **Washington County**.

Description of Proposed Action/Activity: Addition of sodium bisulfite to effluent stream to reduce TRC.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 4317201, Industrial, **Stoneboro Borough Mercer County**, 59 Lake Street, Stoneboro, PA 16153.

This proposed facility is located in Stoneboro Borough, **Mercer County**.

Description of Proposed Action/Activity: Install water reservoir overflow treatment system to new reservoir.

WQM Permit No. 1617406, Sewage, **Jeffrey Barlett**, 3238 Waterson Road, Strattanville, PA 16258.

This proposed facility is located in Clarion Township, **Clarion County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 4217406, Sewage, **Willis Duell**, 874 Route 44, Shinglehouse, PA 16748-3632.

This proposed facility is located in Ceres Township, **McKean County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 4217407, Sewage, **Pam Hollamby**, PO Box 58, Eldred, PA 16731.

This proposed facility is located in Eldred Township, **McKean County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 1017406, Sewage, **Stephanie Weisensee**, 768 Saxonburg Boulevard, Saxonburg, PA 16056.

This proposed facility is located in Clinton Township, **Butler County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities.

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD230014	MIPC, LLC 920 Cherry Tree Road Aston, PA 19014-1570	Delaware	Upper Chichester Township	Boozers Run WWF-MF
PAD510018	Delaware Valley Recycling, Inc. P.O. Box 323 Skipack, PA 19474	Philadelphia	City of Philadelphia	Schuylkill River WWF-MF
PAD460014	Wyndmoor Properties, LLC 8218 Ardmore Avenue Wyndmoor, PA 19038	Montgomery	Springfield Township	Tributary 00854 to Wissahickon Creek TSF-MF

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Monroe County Conservation District, 8050 Running Valley Rd., Stroudsburg, PA 18360-0917.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD450038	Exeter Blakeslee Lot 100 Land LLC 101 West Elm Street Suite 600 Conshohocken, PA 19428	Monroe	Tobyhanna Township	Goose Run, (HQ-CWF, MF), Tobyhanna Creek (HQ-CWF, MF)
PAD450041	Aqua Pennsylvania Inc. 1 Aqua Way White Haven, PA 18661	Monroe	Polk Township	Sterners Run (EV)

Northampton County Conservation District 14 Gracedale Avenue Greystone Bldg., Nazareth, PA 18064-9211.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD480035	Easton Suburban Water Authority PO Box 3819 Easton, PA 18043	Northampton	Lower Nazareth Township	Shoeneck Creek (WWF-MF), UNT to Monocacy Creek (HW-CWF, MF)

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570.327.3574.

Centre County Conservation District: 414 Holmes Avenue, Suite 4, Bellefonte, PA 16823, (814) 355-6817.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD140025	Penn State University 139J Physical Plant Bldg University Park, PA 16802	Centre	State College Boro	Thompson Run—HQ-CWF

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake, Waterways and Wetlands Program Manager, 412-442-4000.

<i>Permit No.</i>	<i>Applicant & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Stream Name</i>
PAD040003	Constitution BLVD Development, LP 425 First Avenue Pittsburgh, PA 15219	Beaver County	Chippewa Township	North Fork Little Beaver Creek (HQ-CWF)
PAD630022	Running Brooke II Associates, LP 3555 Washington Road McMurray, PA 15317	Washington County	Canton Township	Chartier's Creek (WWF)

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD430002	Greenville-Reynolds Development Corp 301 Arlington Drive Greenville, PA 16125	Mercer	Pymatuning Township	Shenango River WWF
PAD240002	Bob Cummins Construction Co. 50 Songbird Road Bradford, PA	Elk	Jones Township	East Branch Clarion River HQ-CWF
PAD240003	US Army Corps of Engineers Pittsburgh District William S. Moorhead Federal Building 1000 Liberty Avenue Pittsburgh, PA 15222	Elk	Jones Township	East Branch Clarion River HQ-CWF

VII. List of NOIs for NPDES and/or Other General Permit Types.

PAG-12 CAFOs

MS4 PAG-13 Notices of Intent Received.

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Waiver Application Submitted (Y/N)</i>	<i>Pollutant Reduction Plan Submitted (Y/N)</i>
PAG130104	Morrisville Borough 35 Union Street Morrisville, PA 19404	Morrisville Borough Bucks County	N	Y
PAG130105	Bristol Borough 250 Pond Street Bristol, PA 19007	Bristol Borough Bucks County	N	Y
PAG130041	Yardley Borough 56 S. Main Street Yardley, PA 19067	Yardley Borough Bucks County	N	N

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Waiver Application Submitted (Y/N)</i>	<i>Pollutant Reduction Plan Submitted (Y/N)</i>
PAG130056	West Conshohocken Borough 112 Ford Street Conshohocken, PA 19428	West Conshohocken Borough Montgomery County	N	Y
PAG130181	Dublin Borough 119 Maple Avenue PO Box 52 Dublin, PA 18917	Dublin Borough Bucks County	Y	N
PAG130020	New Hanover Township 2943 N. Charlotte Street Gilbertsville, PA 19525	New Hanover Township Montgomery County	N	Y
PAG130152	Borough of Rockledge 121 Huntingdon Pike Rockledge, PA 19046	Rockledge Borough Montgomery County	Y	N
PAG130142	Chadds Ford Township 10 Ring Road Chadds Ford, PA 19317	Chadds Ford Township Delaware County	N	Y
PAG130046	West Rockhill Township 1028 Ridge Road Sellersville, PA 18960	West Rockhill Township Bucks County	N	Y
PAG130015	Folcroft Borough 1555 Elmwood Avenue Folcroft, PA 19032	Folcroft Borough Delaware County	N	Y
PAG130088	Darby Township 21 Bartram Avenue Glenolden, PA 19036	Darby Township Delaware	N	Y
PAG130124	East Lansdowne Borough 155 Lexington Avenue East Lansdowne, PA 19050	East Lansdowne Borough Delaware County	N	Y
PAG130176	Bethel Township 1090 Bethel Road Garnet Valley, PA 19060	Bethel Township Delaware County	N	Y
PAG130112	Penn State Abington Office of Physical Plant University Park, PA 16802	Abington Township Montgomery County	Y	N
PAG130077	Haverford Township 2325 Darby Road Havertown, AP 19083	Haverford Township Delaware County	N	Y
PAG130173	Rose Valley Borough PO Box 198 Rose Valley, PA 19065	Rose Valley Borough Delaware County	N	Y
PAG130070	Borough of Spring City 6 S. Church Street Spring City, PA 19475	Spring City Borough Chester County	N	Y
PAG130119	Chester Heights Borough 222 Llewelyn Road PO Box 658 Chester Heights, PA 19017	Chester Heights Borough Delaware County	N	Y
PAG130052	Hatfield Borough 401 S. Main Street PO Box 190 Hatfield, PA 19440	Hatfield Borough Montgomery County	N	Y
PAG130108	Upper Providence Township 1286 Black Rock Road PO Box 406 Oaks, PA 19456	Upper Providence Township Montgomery County	N	Y

NOTICES

7073

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Waiver Application Submitted (Y/N)</i>	<i>Pollutant Reduction Plan Submitted (Y/N)</i>
PAG133653	Yorkana Borough 1 Bluestone Road Yorkana, PA 17406	Yorkana Borough York County	Y	N
PAG133657	Yoe Borough 150 N Maple Street Yoe, PA 17313	Yoe Borough York County	N	Y
PAG133546	South Londonderry Township 20 West Market Street Campbelltown, PA 17010	South Londonderry Township Lebanon County	N	Y
PAG133743	Conoy Township 211 Falmouth Road Bainbridge, PA 17502	Conoy Township Lancaster County	Y	N
PAG133669	Loganville Borough P.O. Box 88 Loganville, PA 17342	Loganville Borough York County	Y	N
PAG133625	Steelton Borough 123 N. Front Street Steelton, PA 17113	Steelton Borough Dauphin County	N	Y
PAG133556	Hummelstown Borough 136 South Hanover Street Hummelstown, PA 17036	Hummelstown Borough Dauphin County	N	Y
PAG133524	Richmond Township 11 Kehl Drive Fleetwood, PA 19522	Richmond Township Berks County	Y	N
PAG133554	Paxtang Borough 3423 Derry Street Harrisburg, PA 17111	Paxtang Borough Dauphin County	N	Y
PAG133563	North Londonderry Township 655 E. Ridge Road Palmrya, PA 17078	North Londonderry Township Lebanon County	N	Y
PAG133562	Monaghan Township 202 South York Road Dillsburg, PA 17019	Monaghan Township York County	N	Y
PAG133568	West Lampeter Township 852 Village Road Lampeter, PA 17537	West Lampeter Township Lancaster County	N	Y
PAG133592	Denver Borough 501 Main Street Denver, PA 17517	Denver Borough Lancaster County	Y	Y
PAG133685	Wrightsville Borough 601 Water Street Wrightsville, PA 17368	Wrightsville Borough York County	Y	N
PAG133596	York City 101 South George Street York, PA 17401	York City York County	N	Y
PAG133537	Manor Township 950 W. Fairway Drive Lancaster, PA 17603	Manor Township Lancaster County	N	Y
PAG133594	Springettsbury Township 1501 Mt. Zion Road York, PA 17401	Springettsbury Township York County	N	Y
PAG133725	Richland Borough 5 Pine Street Richland, PA 17087	Richland Borough Lebanon County	Y	N
PAG133698	North Cornwell Township 320 S. 18th Street Lebanon, PA 17042	North Cornwell Township Lebanon County	N	Y

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Waiver Application Submitted (Y/N)</i>	<i>Pollutant Reduction Plan Submitted (Y/N)</i>
PAG133679	North Lebanon Township 725 Kimmerlings Road Lebanon, PA 17046	North Lebanon Township Lebanon County	N	Y
PAG133692	Cleona Borough Authority 140 W Walnut Street Cleona, PA 17042	Cleona Borough Lebanon County	N	Y

STATE CONSERVATION COMMISSION

PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Service at (800) 654-5984.

CAFO NMP PUBLIC NOTICE SPREADSHEET—APPLICATIONS (Submission)

<i>Agricultural Operation (Name and Address)</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units (AEUs)</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>New or Renewal</i>
Melvin Weaver 359 Timber Road Beaverton, PA 17813	Snyder	152.8 93.2 for manure application	341.35	Swine	NA	New

PUBLIC WATER SUPPLY (PWS) PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published

in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act.

Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401.

Permit No. 4617517, Public Water Supply.

Applicant **Aqua Pennsylvania, Inc.**
762 West Lancaster Avenue
Bryn Mawr, PA 19010

Township Lower Merion

County **Montgomery**

Responsible Official Curt Steffy, VP-Production
Aqua PA, Inc.
762 West Lancaster Avenue
Bryn Mawr, PA 19010

Type of Facility PWS

Consulting Engineer Brennan Kelly, P.E.
762 West Lancaster Avenue
Bryn Mawr, PA 19010

Application Received Date October 17, 2017

Description of Action Application for installation of a PAX Water Mixer and disinfectant injection at the Cynwyd Water Storage Tank.

Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Application No. 3917510, Public Water Supply.

Applicant **Lehigh County Authority**
P.O. Box 3348
Allentown, PA 18106

Municipality Upper Milford Township

County **Lehigh**

Responsible Official Liesel M. Gross, CEO
Lehigh County Authority

Type of Facility PWS

Consulting Engineer Robert A. Koechert, P.E.
Johnson, Mirmiran and
Thompson
121 Continental Drive
Newark, DE 19713

Application Received Date October 26, 2017

Description of Action This application proposes construction of a new pumping station, including chlorine boosting equipment, to convey potable water to the Kohler Tract.

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 0617518 MA, Minor Amendment, Public Water Supply.

Applicant **D & S Enterprises, Inc.**

Municipality Upper Tulpehocken Township

County **Berks**

Responsible Official Scott Powell, Owner
136 Campsite Road
PO Box 337
Shartlesville, PA 19554

Type of Facility Public Water Supply

Consulting Engineer John D. Brady, P.E.
Entech Engineering Inc.
201 Penn Street
Reading, PA 19601

Application Received: 11/1/2017

Description of Action A permit application was submitted on behalf of the PA Dutch Campground for the installment of a new sodium hypochlorite disinfection system and chlorine contact tanks in order to provide 4-log treatment of viruses at Entry Point Nos. 102 (Well No. 2) and 103 (Well No. 3).

Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Permit No. 8551-W-MA1, Public Water Supply.

Applicant **North East Borough Erie County**

Township or Borough North East

County **Erie**

Responsible Official Randy Culver

Type of Facility Water Treatment Plant

Consulting Engineer Jeffrey Kordes, P.E.

Application Received Date October 24, 2017

Description of Action Floridation

Permit No. 2017503, Public Water Supply.

Applicant **Meadville Area Water Authority**

Township or Borough City of Meadville

County **Crawford**

Responsible Official Robert Harrington

Type of Facility Water Treatment Plant

Consulting Engineer Thomas L. Thompson, P.E.
Gannett Fleming
554 South Erie Street
Mercer, PA 16137

Application Received Date October 30, 2017

Description of Action Addition of fluoride feed system into chemical building.

Permit No. 6430054, Public Water Supply.

Applicant **Aqua PA Inc.**

Township or Borough Hermitage

County **Mercer**

Responsible Official Jim Willard

Type of Facility Water Treatment Plant

Consulting Engineer Nicholas O'Hallaron
Entech Engineering
400 Rouser Road
Building 2, Suite 200
Coraopolis, PA 15108

Application Received November 1, 2017
Date

Description of Action Construction of a new booster
station to replace existing one.

WATER ALLOCATIONS

Applications received under the act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) relating to the Acquisition of Rights to Divert Waters of the Commonwealth.

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200.

WA 07-370C, Water Allocations. **Duncansville Municipal Authority (PWS ID No. 4070012), Blair County.** Duncansville Municipal Authority has submitted a water allocation permit application requesting the right to purchase a total of 410,000 gallons per day from Altoona Water Authority, for emergency and backup purposes, through Emergency Interconnection Nos. 1 and 2. Applicant Address: Consulting Engineer: Stuart W. Sibold, P.E., The EADS Group, 1126 Eighth Ave., Altoona, PA 16602. Application Received: 10/5/2017.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WA2-919A, Water Allocations. **Township of Neville, 5050 Grand Avenue, Pittsburgh, PA 15225, Allegheny County.** The applicant is requesting the right to purchase 1,000,000 gallons of water per day peak month, from the West View Municipal Authority.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.302—6026.305) require the Department to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. A person intending to use the background standard, Statewide health standard, the site-specific standard or intend to remediate a site as a special industrial area shall file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of cleanup standards or receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall

not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the following site, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified as follows. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office listed before the notice. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

POCAL Industries-Scranton Facility, 100 Electric Street, Scranton City, **Lackawanna County.** Hocage Consulting, Inc., 987 Haddon Ave, Collingswood, NJ 08108 on behalf of Tamares Real Estate Holdings, Inc., 1500 Broadway, 24th Floor, New York, NY 10036 submitted a Notice of Intent to Remediate. Contamination is due to historical operations at this site. Future use of the site will be non-residential. The Notice of Intent to Remediate was published in *The Scranton Times* on July 30, 2017.

Above & Beyond Senior Living Facility, 5844 Daniel Street, Upper Macungie Township, **Lehigh County.** JMT Environmental Technologies, PO Box 22044, Lehigh Valley, PA 18002-2044, on behalf of Above & Beyond Senior Living Facility, 5844 Daniel Street, Allentown, PA 18104 submitted a Notice of Intent to Remediate. Contamination is due to leaking underground storage tank that stored # 2 fuel oil. Future use of the site will be residential. The Notice of Intent to Remediate was published in the *Morning Call* on September 7, 2017.

Former Solovey Service Station, 274 North River Street, Plains Township, **Luzerne County.** Groundwater Sciences Corporation, 2601 Market Place Street, Suite 310, Harrisburg, PA 17110, on behalf of Roberts Oil Company, 646 Meadows Lane, Dallas, PA 18612 submitted a Notice of Intent to Remediate. Contamination is due to underground storage tanks that stored petroleum. Future use of the site will be non-residential. The Notice of Intent to Remediate was published in *The Citizens Voice* on September 7, 2017.

Former Fuller Sportswear, 215 Quarry Street, Whitehall Township, **Lehigh County.** Moonstone Environmental, 1150 Glenlivet Drive, Suite A-323, Allentown

PA 18106, on behalf of Fullerton Lofts LP, 648 Buena Vista Drive, Kennett Square, PA 19348 submitted a Notice of Intent to Remediate. Contamination is due to historic operations at this site. Future use of the site will be residential. The Notice of Intent to Remediate was published in *The Morning Call* on October 22, 2017.

Alvaro Property, 105 North Railroad Street, Walnutport Borough, **Northampton County**. Mountain Research LLC, 825 25th Street, Altoona, PA 16601, on behalf of Johnna Alvaro, 105 North Railroad Street, Walnutport, PA 18088, submitted a Notice of Intent to Remediate. Soil and groundwater contamination are due to a spill from a malfunctioning heating oil tank located in the basement of the property. Future use of the site will be residential. The Notice of Intent to Remediate was published in *The Morning Call* on October 23, 2017.

Harold Evans Residence, 1915 Hopewell Road, Bethlehem City, **Northampton County**. JMT Environmental Technologies Inc., P.O. Box 22044, Lehigh Valley, PA 18002, on behalf of Harold Evans, 1915 Hopewell Road, Bethlehem, PA 18017, submitted a Notice of Intent to Remediate. Soil contamination was due to a leaking underground heating oil tank located on the property. Future use of the site will be residential. The Notice of Intent to Remediate was published in *The Express Times* on October 6, 2017.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

GlaxoSmithKline/Balmer Brothers Diesel Fuel Release, 325 North Bridge Street, Marietta, PA 17547, East Donegal Township, **Lancaster County**. Reliance Environmental, Inc., 235 North Duke Street, Lancaster, PA 17602, on behalf of Balmer Brothers, 1102 Brenneman Road, Manheim, PA 17545, and GlaxoSmithKline, 325 North Bridge Street, Marietta, PA 17547, submitted a Notice of Intent to Remediate site soil contaminated with diesel fuel. The site will be remediated to the Residential Statewide Health Standard. Future use of the site will continue to be used for nonresidential purposes. The Notice of Intent to Remediate was published in the *LNP* on October 5, 2017.

RESIDUAL WASTE GENERAL PERMITS

Renewal Application(s) Received under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

General Permit Application No. WMGR019D007A. Donsco, Inc. has submitted a general permit renewal application for its facility located at 124 North Front Street, Wrightsville, PA 17368 in Wrightsville Borough, **York County**. This general permit authorizes the beneficial use of waste foundry sand and ferrous metal foundry system dust, slag and refractory for use as roadway construction material, a component or ingredient in the manufacturing of concrete or asphalt products, a soil additive or soil substitute, and non-roadway construction. The application for renewal was determined to be complete on October 30, 2017.

General Permit Application No. WMGR019D007B. Donsco, Inc. has submitted a general permit renewal application for its facility located at 100 South Jacob Street, Mount Joy, PA 17552 in Mount Joy Borough, **Lancaster County**. This general permit authorizes the beneficial use of waste foundry sand and ferrous metal foundry system dust, slag and refractory for use as roadway construction material, a component or ingredient in the manufacturing of concrete or asphalt products, a soil additive or soil substitute, and non-roadway construction. The application for renewal was determined to be complete on October 30, 2017.

Persons interested in obtaining more information about the general permit renewal applications may contact Mr. John Oren, P.E., Permits Section Chief, Southcentral Regional Office, Waste Management Program at 717-705-4706. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Application(s) for Determination of Applicability received under the Solid Waste Management Act; the Municipal Waste Planning, Recycling and Waste Reduction Act; and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

General Permit Application No. WMGR028SC002A. Highway Materials, Inc., 859 Woodcrest Avenue, Lititz, PA 17543 in Warwick Township, **Lancaster County**. This general permit authorizes the beneficial use of baghouse fines and/or scrubber pond precipitates, generated by hot-mix asphalt plants, for use as (i) an aggregate in roadway construction, (ii) a soil additive, (iii) a soil conditioner, or (iv) a component or ingredient in the manufacturing of construction products. The application for Determination of Applicability was determined to be complete on October 30, 2017.

Persons interested in obtaining more information about the general permit application may contact Mr. John Oren, P.E., Permits Section Chief, Southcentral Regional Office, Waste Management Program at 717-705-4706. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

General Permit Application No. WMGR028SC002B. Highway Materials, Inc., 740 South Front Street, Wrightsville, PA 17368 in Hellam Township, **York County**. This general permit authorizes the beneficial use of baghouse fines and/or scrubber pond precipitates, generated by hot-mix asphalt plants, for use as (i) an aggregate in roadway construction, (ii) a soil additive, (iii) a soil conditioner, or (iv) a component or ingredient in the manufacturing of construction products. The application for Determination of Applicability was determined to be complete on November 6, 2017.

Persons interested in obtaining more information about the general permit application may contact Mr. John Oren, P.E., Permits Section Chief, Southcentral Regional Office, Waste Management Program at 717-705-4706. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984. Public

comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

General Permit Application No. WMGR081D017B. EZPC Recycling, LLC, 35 Queen Street, Sinking Spring, PA 19608 in Sinking Spring Borough, **Berks County**. The Department has received an application for the reissuance of General Permit No. WMGR081D017B to EZPC Recycling, LLC from the current permittee, Computer Recycler of Eastern PA, LLC. This general permit authorizes the processing by disassembling, mechanical processing (by sizing, shaping, separating and volume reduction only), and associated storage prior to reuse or recycling at the processing or transfer facility, of uncontaminated and source-separated electronic devices. The application for reissuance was determined to be complete on November 6, 2017.

Persons interested in obtaining more information about the general permit application may contact Mr. John Oren, P.E., Permits Section Chief, Southcentral Regional Office, Waste Management Program at 717-705-4706. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities.

Copies of the application, the Department's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held,

if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

59-00034A: ESC Tioga County Power, LLC (565 5th Ave., 29th Floor, New York, NY 10017). The Department has received a Plan Approval application for the construction and operation of several sources at the proposed ESC Tioga County Power, LLC—635 megawatt combined cycle electric power generation facility to be located in Richmond Township, **Tioga County**. The received date of the application, as entered into the Department's eFACTS system, is October 31, 2017.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James A. Beach, New Source Review Chief—Telephone: 484-250-5920.

46-0031F: GlaxoSmithKline LLC, (1250 South Collegeville Road, Collegeville, PA 19420) submitted to the Department a Plan Approval application for the installa-

tion of a 2,000 kw-emergency generator to provide back-up electrical power to Building No. 7. The generator is subject to 40 CFR 60 Subpart IIII and 40 CFR 63 Subpart ZZZZ. GlaxoSmithKline is a Title V Facility. The Plan Approval will contain monitoring, recordkeeping and operating restrictions designed to minimize emissions and keep the facility operating within all applicable air quality requirements.

09-0196L: Abington Reldan Metals, LLC (ARM) (550 Old Bordentown Rd, Fairless Hills, PA 19330) for the installation and temporary operation of a replacement baghouse in Falls Township, **Bucks County**. ARM is a precious metal refining facility. ARM is an existing facility, and operates under Synthetic Minor operating permit No. 09-00196. The proposed baghouse will replace an existing baghouse approaching the end of its operating life. The baghouse will capture particulate matter emissions with at least 99% efficiency. The plan approval contains monitoring, recordkeeping, reporting, and work practice standards designed to keep the facility operating within all applicable air quality requirements.

23-0122: AQUA Pennsylvania, Inc. (762 West Lancaster Avenue, Bryn Mawr, PA 19010) for installation and operation of two diesel-fired emergency generators at their facility, located in Springfield Township, **Delaware County**. The proposed plan Approval is for a non-Title V facility, and will contain monitoring, recordkeeping, operating requirements designed to keep the facility operating within the allowable emission limitations and all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

67-05140A: Bulk Dried Materials, LLC (900 N. Hartley Street, York, PA 17404) for a Thermal Sand Dryer controlled by a baghouse, located in City of York, **York County**. The potential PM emission from this operation is 9.29 tpy. Review by the Department indicates that the air contamination sources as constructed will comply with all regulatory requirements including the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12. Based on these findings, the Department proposes to issue a plan approval for the proposed construction. If, after the project has been implemented, the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specifications of the application for plan approval, the requirements established in the plan approval may be incorporated into a State Only Operating Permit pursuant to the provisions of 25 Pa. Code Chapter 127.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

37-317C: Ellwood Mill Products Company (712 Moravia Street, New Castle, PA 16101) for the installation of a 32 MMBtu/hr natural gas-fired forge at their facility in the City of New Castle, **Lawrence County**.

Notice is hereby given pursuant to 25 Pa. Code §§ 127.44(b) and 127.424(b), that the Pennsylvania Department of Environmental Protection (DEP) intends to issue Plan Approval 37-317C to Ellwood Mill Products

Company for the installation of a 32 MMBtu/hr natural gas-fired forge at the company's facility located at 712 Moravia St., City of New Castle, Lawrence County. The facility currently has a Synthetic Minor Operating Permit No. 37-00317. The Plan Approval will subsequently be incorporated into the State Only Operating Permit through an administrative amendment in accordance with 25 Pa. Code § 127.450.

Plan Approval No. 37-317C is for the installation of a 32 MMBtu/hr natural gas-fired box forge furnace (Source ID 118), for the heating of steel ingots and forgings. Based on the information provided by the applicant and DEP's own analysis, emissions from the subject source will not exceed 9.8 tons of carbon monoxide, 8.4 tons of nitrogen oxides (NO_x), 1.1 ton of particulate matter, 0.77 ton of volatile organic compounds (VOC), 0.26 ton of total hazardous air pollutants (HAP), and 0.08 ton of sulfur oxides (SO_x) per year. The facility will continue to be subject to its existing facility-wide emission limits of 99 tons of carbon monoxide and 99 tons of nitrogen oxides (NO_x) per year.

The Plan Approval will contain additional testing, monitoring, recordkeeping, reporting and work practice requirements designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis, and other documents used in the evaluation are available for public inspection between the hours of 8 a.m. and 4 p.m. weekdays at the address shown below. To make an appointment, contact Records Management at 814-332-6340.

Anyone wishing to provide DEP with additional information they believe should be considered may submit the information to the address shown below. Comments must be received by the Department within 30 days of the last day of publication. Written comments should include the name, address, and telephone number of the person submitting comments, identification of the proposed Plan Approval; No. 37-317C and a concise statement regarding the relevancy of the information or any objections to issuance of the Plan Approval.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted on the comments received during the public comment period. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in a local newspaper of general circulation or the *Pennsylvania Bulletin* or by telephone, where the Department determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Eric Gustafson, Regional Air Quality Manager, Department of Environmental Protection, Northwest Regional Office, 230 Chestnut St., Meadville, PA 16335, 814-332-6940.

62-032L: Ellwood National Forge Co. (1 Front St., Irvine, PA, 16329) for installation of two (2) natural gas-fired annealing furnaces at their facility in Brokenstraw Township, **Warren County**. This is a Title V facility.

Notice is hereby given pursuant to 25 Pa. Code §§ 127.44(b) and 127.424(b), that the Department of Environmental Protection (DEP) intends to issue Plan Approval 62-032L to Ellwood National Forge Co. for installation of two (2) natural gas-fired annealing furnaces at the company's facility located at 1 Front Street, Brokenstraw Township, Warren County. The facility currently has a Title V permit No. 62-00032. The Plan

Approval will subsequently be incorporated into the Title V Operating Permit through an administrative amendment in accordance with 25 Pa. Code § 127.450.

Plan Approval No. 62-032L is for the installation of two (2) 22 MMBtu/hr natural gas-fired annealing furnaces (Source ID's 103D & 103E). Additionally, the proposed plan approval will revise natural gas throughput limits for the facility's existing annealing furnaces (Source ID's 103, 103A) from 140,000 MCF/yr to 84,000 MCF/yr. The proposed source(s) will be equipped with low-NO_x burners for control of NO_x emissions, and will be limited to 231,000 MCF/yr of natural gas throughput. Based on the information provided by the applicant and DEP's own analysis, emissions from the proposed source(s) will not exceed 9.7 tons of carbon monoxide, 8.7 tons of nitrogen oxides (NO_x), 0.87 ton of particulate matter, all of which will be particulate matter less than 10 microns (PM₁₀), 0.64 ton of volatile organic compounds (VOC), and 0.07 ton of sulfur oxides (SO_x) per year.

The facility will be required to monitor and maintain records of natural gas usage, and to perform annual burner tuneups on the proposed source(s). The Plan Approval will contain additional monitoring, recordkeeping and work practice requirements designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis, and other documents used in the evaluation are available for public inspection between the hours of 8 a.m. and 4 p.m. weekdays at the address shown below. To make an appointment, contact Records Management at 814-332-6340.

Anyone wishing to provide DEP with additional information they believe should be considered may submit the information to the address shown below. Comments must be received by the Department within 30 days of the last day of publication. Written comments should include the name, address, and telephone number of the person submitting comments, identification of the proposed Plan Approval; No. 62-032L and a concise statement regarding the relevancy of the information or any objections to issuance of the Plan Approval.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted on the comments received during the public comment period. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in a local newspaper of general circulation or the *Pennsylvania Bulletin* or by telephone, where the Department determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Eric Gustafson, Regional Air Quality Manager, Department of Environmental Protection, Northwest Regional Office, 230 Chestnut St., Meadville, PA 16335, 814-332-6940.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

49-00007: Cherokee Pharmaceuticals (100 Avenue C, P.O. Box 367, Riverside, PA 17868) has submitted an

application to the Pennsylvania Department of Environmental Protection (Department) for the significant modification to Title V operating permit 49-00007 to renew their volatile organic compound (VOC) Plantwide Applicability Limit (PAL) for their Riverside Borough Plant located in Riverside Borough, **Northumberland County**. This facility's present 82.14 tons per 12-consecutive month period VOC PAL is set to expire December 18, 2017. In accordance with 25 Pa. Code § 127.218(k), Cherokee Pharmaceuticals requests a renewed facility VOC PAL of 61.84 tons per 12-consecutive month period.

The following is a summary of the conditions the Department proposes to place in the Title V operating permit to be issued to ensure compliance with all applicable air quality regulatory requirements:

1. The total combined volatile organic compound (VOC) emissions, including fugitive emissions and emissions from startups, shutdowns and malfunctions, from the facility shall not exceed 61.84 tons in any 12 consecutive month period. The effective date of this VOC PAL is [date of issuance] and the expiration date is [10 years from date of issuance].

2. The permittee shall monitor all VOC emissions at the facility in accordance with 25 Pa. Code § 127.218(m).

3. The permittee shall keep records of the monthly emissions of VOCs from the facility and the supporting calculations/documentation to verify compliance with the VOC PAL (includes total annual emissions in TPY based on a 12-month rolling total for each month in the reporting period), including a determination of the 12-month rolling total emissions from each emissions unit.

4. The permittee shall submit reports of deviations and exceedances of the PAL requirements in accordance with 25 Pa. Code § 127.218(o)(3).

5. The permittee shall submit semiannual reports of the monthly emissions of VOCs from the facility and the supporting calculations/documentation to verify compliance with the VOC PAL (includes total annual emissions in TPY based on a 12-month rolling total for each month in the reporting period); a list of the emissions units modified or added to the major facility during the preceding 6-month period; the number, duration and cause of deviations or monitoring malfunctions, other than the time associated with zero and span calibration checks, and the corrective action taken; a notification of a shutdown of a monitoring system, whether the shutdown was permanent or temporary, the reason for the shutdown, the anticipated date that the monitoring system will be fully operational or replaced with another monitoring system, whether the emissions unit monitored by the monitoring system continued to operate, and the calculation of the emissions of the pollutant or the number determined by the method included in the permit under 25 Pa. Code § 127.218(m)(10); a statement signed by a responsible official of the company that owns or operates the facility certifying the truth, accuracy and completeness of the information provided in the report. The semiannual reports shall be submitted to the Department no later than March 1 and September 1.

6. If the permittee applies to renew the VOC PAL before the end of the PAL effective period, the PAL permit does not expire at the end of the PAL effective period. The PAL permit remains in effect until the Department issues a revised PAL permit. Upon expiration of the PAL permit, the permittee is subject to the requirements of 25 Pa. Code § 127.218(j).

7. The emissions from a new source that requires a plan approval shall be the minimum attainable through the use of BAT. A physical change or change in method of operation at an existing emissions unit will not be subject to BAT requirements of 25 Pa. Code Chapter 127 unless the emissions unit is modified so that the fixed capital cost of new components exceeds 50% of the fixed capital cost that would be required to construct a comparable entirely new emissions unit.

All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3693.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104.

Contact: Edward Wiener, Chief—Telephone: 215-685-9426.

The City of Philadelphia, Air Management Services (AMS) intends to reissue a Title V/State Operating Permit for the following facility:

V14-020: Cardone Industries (5501 Whitaker Ave, Philadelphia, PA 19124 and 5660 Rising Sun Avenue, Philadelphia, PA 19120) for the operation of an automotive parts re-manufacturing facility in the City of Philadelphia, **Philadelphia County**. The Title V facility's air emissions' sources include: five (5) spraybooths, fifty-nine (59) natural gas combustion units each less than 5 MMBtu/hr, five (5) burn out ovens firing natural gas or propane, one (1) 500 kw diesel emergency generator, eight (8) shot blasting units and three (3) dust collectors.

The operating permit will be reissued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Ave., Philadelphia, PA 19104. For further information, contact Mr. Edward Wiener (215) 685-9426.

Persons wishing to file protest or comments on the previously listed operating permit must submit the protest or comments within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

Intent to Issue Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

46-00199: Alcom Printing Group, Inc. (140 Christopher Lane, Harleysville, PA 19438) for operation of six (6) lithographic printing presses at Alcom Printing in Lower Salford Township, **Montgomery County**. The renewal permit is for a non-Title V (State-only), Natural Minor facility. Press 8 and Press 9 (Source IDs 108 and 109), previously operating under General Permit Nos. GP7-46-0046 and GP7-46-0048, will be incorporated into the Operating Permit with this renewal. The facility is

subject to the applicable requirements of 25 Pa. Code § 129.67b. The renewal permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

36-03168: Franklin & Marshall College (415 Harrisburg Avenue, Lancaster, PA 17604-3003) to issue a State-Only Operating Permit for the operation of three (3) natural gas/No. 2 oil fired boilers, one (1) natural gas fired engine equipped with a waste heat recovery boiler, four (4) diesel fired emergency engines, and four (4) natural gas fired emergency engines in the City of Lancaster, **Lancaster County**. Potential emissions from the facility are estimated to be 42.8 tpy CO, 71.9 tpy NO_x, 6.3 tpy PM₁₀/PM_{2.5}, 88.5 tpy SO_x, and 6.4 tpy VOC. The Operating Permit will include emission limits and work practice standards along with performance testing, monitoring, recordkeeping, and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR 60, Subpart III—Standards of Performance for Stationary Compression Ignition Internal Combustion Engines, 40 CFR 60, Subpart JJJJ—Standards of Performance for Stationary Spark Ignition Internal Combustion Engines, and 40 CFR 63, Subpart ZZZZ—National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines.

38-03045: Valspar Corp. (3050 Hanford Drive, Lebanon, PA 17046), to issue a State only operating permit renewal for latex paint manufacturing facility located in North Lebanon Township, **Lebanon County**. The actual 2016 emissions from the facility are 1.335 ton of VOC and 0.98 ton of HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions for Sources derived from 25 Pa. Code Chapters 123 and 127 for restrictions, monitoring, recordkeeping, and reporting.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

41-00043: HRI, Inc. (1750 West College Avenue, State College, PA 16801) for renewal of the State Only (Synthetic Minor) Operating Permit for their Williamsport hot mix asphalt plant in the City of Williamsport, **Lycoming County**. The facility is currently operating under SMOP 41-00043. The facility's main sources include one (1) 300 ton per hour batch mix asphalt plant; one (1) 250 ton capacity electric heated overnight storage silo; and two (2) cold cleaning machines. The facility has potential emissions of 43.63 tons per year of carbon monoxide, 19.41 tons per year of nitrogen oxides, 98.96 tons per year of sulfur oxides, 4.02 tons per year of particulate matter with an aerodynamic diameter of less than 10 microns, 20.97 tons per year of volatile organic compounds, 2.09 tons per year of total hazardous air pollutants (HAPs), and 10,032 tons per year of carbon dioxide equivalents

(greenhouse gases). No emission or equipment changes are being proposed by this action. The emission restriction, testing, monitoring, recordkeeping, reporting and work practice conditions of the SMOP have been derived from the applicable requirements of 40 CFR Parts 60 and 63, and 25 Pa. Code Chapters 121—145. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

14-00027: HRI Inc. (1750 West College Avenue, State College, PA 16801) for renewal of the State Only Operating Permit for their Curtain Gap hot mix asphalt plant in Marion Township, **Centre County**. The facility is currently operating under NMOP 14-00027. The subject facility has the following potential emissions: 49.60 TPY of CO; 6.04 TPY of PM/PM₁₀; 32.72 TPY of NO_x; 24.17 TPY of VOC; 6.56 TPY of total hazardous air pollutants (HAPs) and 32,510 TPY of CO₂e carbon dioxide equivalent (greenhouse gases). No emission or equipment changes are being proposed by this action. The emission restriction, testing, monitoring, recordkeeping, reporting and work practice conditions of the operating permit have been derived from the applicable requirements of 40 CFR Parts 60 and 63, and 25 Pa. Code Chapters 121—145. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

60-00023: Custom Container Solutions, LLC (391 Wolfand Road, Lewisburg, PA 17837) for issuance of the State Only (Natural Minor) Operating Permit for their metal container manufacturing facility in West Buffalo Township, **Union County**. The facility is currently operating pursuant to plan approval 60-00023A, for which the company has demonstrated compliance. The facility's main sources include a surface coating operation consisting of two (2) paint booths; six (6) welding stations; and two (2) small combustion units. The facility has potential emissions of 0.93 ton per year of carbon monoxide, 5.89 tons per year of nitrogen oxides, 0.01 ton per year of sulfur oxides, 17.22 tons per year of particulate matter with an aerodynamic diameter of less than 10 microns, 20.14 tons per year of volatile organic compounds and 1.70 ton per year of total hazardous air pollutants (HAPs). The emission restriction, testing, monitoring, recordkeeping, reporting and work practice conditions of the operating permit have been derived from the applicable requirements of 40 CFR Parts 60 and 63, and 25 Pa. Code Chapters 121—145. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

42-00193: Allegheny Bradford Corporation (1522 South Ave., Lewis Run, PA 16738), the Department intends to issue the renewal of the State-Only Operating Permit of a facility located in Lewis Run Borough,

McKean County that manufactures heat exchangers, filter housings, tanks, pressure vessels, and custom fabrication in stainless steel and high nickel alloys. Working with materials containing metal hazardous air pollutants (HAPs), operations on stainless steel polishing, machining, tungsten inert gas welding, and bead blasting at the facility are all subject to 40 CFR 63 Subpart XXXXXX (6X), which pertains to National Emission Standards for HAPs (NESHAP) Area Source Standards for Nine Metal Fabrication and Finishing Source Categories. With a very low paint usage, hand coating at the facility is exempt from state regulations on surface coating. In this renewal, bead blasting and hand coating are added as permitted sources. Conducted in a vented enclosure equipped with a filtration control device, bead blasting is not subject to visual determination of fugitive emissions, and associated reporting and recordkeeping requirements, of 40 CFR 63 Subpart 6X. With PTE of each regulated pollutant not exceeding 2.00 TPY, the facility is Natural Minor for permitting purposes.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104.

Contact: Edward Wiener, Chief—Telephone: 215-685-9426.

OP16-000008: James Abbott, Inc (2105 E. Wishart St., Philadelphia, PA 19134) for the operation of a chrome plating facility. The facility's air emission sources include two (2) trivalent chrome tanks, three (3) alkaline electro cleaners, one ultrasonic alkaline cleaner, three (3) alkaline soak cleaners, five (5) dilute acid salt baths, seventeen (17) water rinses, three (3) nickel tanks, and four (4) copper tanks.

The operating permit will be issued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest or comments on the previously listed operating permit must submit the protest or comments within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

OP17-000002: Philadelphia College of Osteopathic Medicine (4190 City Avenue, Philadelphia, PA 19131) for the operation of an educational institution in the City of Philadelphia, **Philadelphia County**. The facility's air emissions sources include three (3) each 999,999 BTU/hr boilers firing natural gas, two (2) 725,000 BTU/hr Cleaver Brooks Boilers firing No. 2 fuel oil and natural gas, three (3) York Absorber each 626,000 BTU/hr firing natural gas, two (2) 60 kilowatt (kw) micro generators firing natural gas, one (1) 750 kw peak shaving generator, a Kohler 159 kw, a Caterpillar 150 kw, a Caterpillar 80 kw, and a Kohler 79 kw emergency generator each firing diesel fuel.

The operating permit will be issued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest or comments on the previously listed operating permit must submit the protest or comments within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

OP17-000006: Philadelphia Tramrail Company (2207 East Ontario Street, Philadelphia, PA 19134) for the manufacturing of overhead cranes and hydraulic balers and compactors in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include includes one (1) 1.04 MMBtu/hr natural gas-fired boiler, one (1) 0.9988 MMBtu/hr natural gas-fired heater, one (1) 4.0 MMBtu/hr natural gas-fired heater, one (1) 1.75 MMBtu/hr No. 2 oil-fired space heater and three (3) painting stations with filters.

The operating permit will be issued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest or comments on the previously listed operating permit must submit the protest or comments within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

PLAN APPROVALS

Receipt of Plan Approval Applications and Intent to Issue Plan Approvals, and Intent to Issue Amended Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter B And Subchapter F. These actions may include the administrative amendments of an associated operating permit.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Norman Frederick, P.E., Environmental Engineer Manager—Telephone: 570-826-2409.

40-00092A: RAD Manufacturing, LLC (531 Maple Street, Nescopeck, PA 18635) for their facility in Nescopeck Borough, **Luzerne County**.

In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval for RAD Manufacturing, LLC (531 Maple Street, Nescopeck, PA 18635) for their facility in Nescopeck Borough, Luzerne County. This Plan Approval No. 40-00092A will be incorporated into a State Only Operating Permit through an administrative amendment at a later date.

Plan Approval No. 40-00092A is for the operation of one (1) wood fired boiler which will be controlled by two (2) cyclone dust collectors to control particulate matter (PM).

The main emissions from the source is PM. The source will be required to comply with 25 Pa. Code § 123.13 particulate matter standards. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No.: 40-00092A and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Environmental Group Manager, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711, Phone 570-826-2511 within 30 days after publication date.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.20a). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department. A copy of the application is available for inspection at the district mining office indicated before each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application and request for Section 401 water quality certification application may be submitted by any person or any officer or head of any Federal, state or local government agency or authority to the Department at the address of the district mining office indicated before each application within 30 days of this publication,

or within 30 days after the last publication of the applicant's newspaper advertisement as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Written comments or objections regarding a mining permit application should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

A request for an informal conference or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 or § 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

When an NPDES number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Received

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

30841312 and NPDES No. PA0013790. The Monongalia County Coal Company, (46226 National Road, St. Clairsville, OH 43950). To revise the permit for the Monongalia County Mine in Jackson and Gilmore Townships, **Greene County** and related NPDES Permit for construction of an airshaft and two power boreholes. Surface Acres Proposed 28.3. No additional discharges.

The application was considered administratively complete on November 1, 2017. Application received April 14, 2017.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 54840105T4. Carbon Coal Company, (6370 SR 61, Shamokin, PA 17872), transfer of an existing anthracite surface mine from Olde Buck Run Coal Co., Inc. and correction to update the post-mining land use from forestland to unmanaged natural habitat in Cass Township, **Schuylkill County** affecting 204.7 acres, receiving stream: West Branch Schuylkill River, classified for the following uses: cold water and migratory fishes. Application received: October 19, 2017.

Coal Applications Withdrawn

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

32951301 and NPDES No. PA0215821. Rosebud Mining Company, (301 Market Street, Kittanning, PA 16201). To revise the permit for the Toms Run Mine in Burrell Township, **Indiana County** and related NPDES Permit to add underground permit and subsidence control plan acres, add the Lower Freeport coal seam, eliminate proposed mine shaft at Portal # 2 site, revise the size and location of treatment ponds, and change location of Outfall 005.

Underground Acres Proposed 430.0, Subsidence Control Plan Acres Proposed 1088.4. No additional discharges. The application was considered administratively complete on April 24, 2015. Application received December 31, 2014. Application withdrawn October 25, 2017.

Noncoal Applications Received

Effluent Limits—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

<i>Parameter</i>	<i>Table 2</i>		
	<i>30-day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 4873SM1A1C15 and NPDES Permit No. PA0020451. Magnesita Refractories Co., (425 South Salem Church Road, York, PA 17408), renewal of an existing NPDES Permit for discharge of treated mine drainage from a quarry operation in West Manchester Township, **York County** affecting 457.5 acres, receiving streams: unnamed tributary to Codorus Creek and unnamed tributary to Honey Run, classified for the following use: warm water fishes. Application received: October 5, 2017.

Permit No. 45950301C15 and NPDES Permit No. PA0223506. Bill Barry Excavating, Inc., (174 Quarry Lane, Cresco, PA 18326), renewal of an existing NPDES Permit for discharge of treated mine drainage from a quarry operation in Barrett Township, **Monroe County** affecting 152.0 acres, receiving streams: Cranberry Creek and Mill Creek, classified for the following uses: HQ—cold water and migratory fishes. Application received: October 11, 2017.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	
Alkalinity greater than acidity*			

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30 days of this public notice and contain the name, address, telephone number and the interest of the party filing the request, and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

NPDES No. PA0235717 (Mining Permit No. 11040701), Rosebud Mining Company, (301 Market Street, Kittanning, PA 16201). A revision to the NPDES and mining activity permit for the Refuse Area No. 1 in Portage Township, **Cambria County**. Surface Acres Affected 178.6. Receiving stream: Unnamed Tributary of Spring Run, classified for the following use: CWF. Kiskiminetas-Conemaugh River Watershed TMDL. The application was considered administratively complete on April 4, 2017. Application received August 31, 2016.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits previously described for coal mining activities.

Outfall 001 discharges to: UNT 46071 to Spring Run

The proposed effluent limits for *Outfall 001* (Lat: 40° 23' 19.4" Long: 78° 39' 00.8") are:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	0.75
Suspended Solids	(mg/l)	-	35	70	90
Osmotic Pressure	(mos/kg)	-	50	100	125
Sulfates	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report
Bromide	(mg/l)	-	-	-	Report
pH	(mg/l)	6.0	-	-	9.0
Alkalinity, total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, net	(mg/l)	0.0	-	-	-
Selenium	(mg/l)	-	-	-	Report
Arsenic	(mg/l)	-	-	-	Report

Outfall 007 discharges to: UNT 46071 to Spring Run

The proposed effluent limits for *Outfall 007* (Lat: 40° 23' 33.3" Long: 78° 39' 11.1") are:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	0.75
Suspended Solids	(mg/l)	-	35	70	90
Osmotic Pressure	(mos/kg)	-	50	100	125
Sulfates	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report
Bromide	(mg/l)	-	-	-	Report
pH	(mg/l)	6.0	-	-	9.0
Alkalinity, total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, net	(mg/l)	0.0	-	-	-
Selenium	(mg/l)	-	-	-	Report
Arsenic	(mg/l)	-	-	-	Report

NPDES No. PA0214159 (Mining Permit No. 32733709), Robindale Energy Services, Inc., (224 Grange Hall Road, P.O. Box 228, Armagh, PA 15920). A renewal and revision to the NPDES and mining activity permit for the Dilltown Facility in Brush Valley Township, **Indiana County**. This notice is being republished to reflect corrected Osmotic Pressure limits for outfall 006. Surface Acres Affected 491.2. Receiving stream: Unnamed Tributaries 44463 to Blacklick Creek, classified for the following use: CWF. Receiving stream: Blacklick Creek, classified for the following use: TSF. Receiving stream: Conemaugh River, classified for the following use: WWF. Kiskiminetas-Conemaugh TMDL. The renewal application was considered administratively complete on November 23, 2011. Renewal application received February 28, 2011. The revision application was considered administratively complete on December 10, 2015. Revision application received October 6, 2015.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits previously described for coal mining activities.

Effective period: permit issuance date to 36 months after permit issuance.

Outfall 001 discharges to: Unnamed tributary to Unnamed Tributary 44463 to Blacklick Creek

The proposed effluent limits for *Outfall 001* (Lat: 40° 29' 35" Long: 79° 01' 58") are:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	6.0	7.0
Total Suspended Solids	(mg/l)	-	35	70	90
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	Report	Report	-

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Sulfate	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report
Bromide	(mg/l)	-	-	-	Report
Alkalinity, total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, net	(mg/l)	0.0	-	-	
pH	(S.U.)	6.0	-	-	9.0
Osmotic Pressure	(mg/l)	-	Report	Report	-
Selenium	(mg/l)	-	Report	Report	-

Effective period: 37 months after permit issuance to permit expiration date.

Outfall 001 discharges to: Unnamed tributary to Unnamed Tributary 44463 to Blacklick Creek

The proposed effluent limits for *Outfall 001* (Lat: 40° 29' 35" Long: 79° 01' 58") are:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	6.0	7.0
Total Suspended Solids	(mg/l)	-	35	70	90
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	-
Sulfate	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report
Bromide	(mg/l)	-	-	-	Report
Alkalinity, total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, net	(mg/l)	0.0	-	-	
pH	(S.U.)	6.0	-	-	9.0
Osmotic Pressure	(mg/l)	-	50	100	-
Selenium	(mg/l)	-	Report	Report	-

Effective period: permit issuance date to 36 months after permit issuance.

Outfall 002 discharges to: Unnamed tributary to Unnamed Tributary 44463 to Blacklick Creek

The proposed effluent limits for *Outfall 002* (Lat: 40° 30' 12" Long: 79° 02' 14") are:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	6.0	7.0
Total Suspended Solids	(mg/l)	-	35	70	90
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	Report	Report	-
Sulfate	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report
Bromide	(mg/l)	-	-	-	Report
Alkalinity, total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, net	(mg/l)	0.0	-	-	
pH	(S.U.)	6.0	-	-	9.0
Osmotic Pressure	(mg/l)	-	Report	Report	-
Selenium	(mg/l)	-	Report	Report	-

Effective period: 37 months after permit issuance to permit expiration date.

Outfall 002 discharges to: Unnamed tributary to Unnamed Tributary 44463 to Blacklick Creek

The proposed effluent limits for *Outfall 002* (Lat: 40° 30' 12" Long: 79° 02' 14") are:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	6.0	7.0
Total Suspended Solids	(mg/l)	-	35	70	90
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	-

NOTICES

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Sulfate	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report
Bromide	(mg/l)	-	-	-	Report
Alkalinity, total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, net	(mg/l)	0.0	-	-	-
pH	(S.U.)	6.0	-	-	9.0
Osmotic Pressure	(mg/l)	-	50	100	-
Selenium	(mg/l)	-	Report	Report	-

Outfall 003 discharges to: Unnamed Tributary 44463 to Blacklick Creek

The proposed effluent limits for *Outfall 003* (Lat: 40° 29' 34.28" Long: 79° 1' 4.79") are:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	6.0	7.0
Total Suspended Solids	(mg/l)	-	35	70	90
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	-
Sulfate	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report
Bromide	(mg/l)	-	-	-	Report
Alkalinity, total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, net	(mg/l)	0.0	-	-	-
pH	(S.U.)	6.0	-	-	9.0
Osmotic Pressure	(mg/l)	-	50	100	-

Outfall 004 discharges to: Unnamed Tributary 44463 to Blacklick Creek

The proposed effluent limits for *Outfall 004* (Lat: 40° 29' 37.33" Long: 79° 1' 2.3") are:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	6.0	7.0
Total Suspended Solids	(mg/l)	-	35	70	90
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	-
Sulfate	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report
Bromide	(mg/l)	-	-	-	Report
Alkalinity, total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, net	(mg/l)	0.0	-	-	-
pH	(S.U.)	6.0	-	-	9.0
Osmotic Pressure	(mg/l)	-	50	100	-

Outfall 005 discharges to: Unnamed Tributary 44463 to Blacklick Creek

The proposed effluent limits for *Outfall 005* (Lat: 40° 29' 37.34" Long: 79° 1' 2.24") are:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	6.0	7.0
Total Suspended Solids	(mg/l)	-	35	70	90
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	-
Sulfate	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report
Bromide	(mg/l)	-	-	-	Report
Alkalinity, total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, net	(mg/l)	0.0	-	-	-

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH	(S.U.)	6.0	-	-	9.0
Osmotic Pressure	(mg/l)	-	50	100	-

Outfall 006 discharges to: Unnamed Tributary 44463 to Blacklick Creek

The proposed effluent limits for *Outfall 006* (Lat: 40° 29' 20.5" Long: 79° 1' 14.5") are:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	6.0	7.0
Total Suspended Solids	(mg/l)	-	35	70	90
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	-
Sulfate	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report
Bromide	(mg/l)	-	-	-	Report
Alkalinity, total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, net	(mg/l)	0.0	-	-	-
pH	(S.U.)	6.0	-	-	9.0
Osmotic Pressure	(mg/l)	-	57	114	-

Outfall 007 discharges to: Unnamed Tributary to Unnamed Tributary 44463 to Blacklick Creek

The proposed effluent limits for *Outfall 007* (Lat: 40° 30' 7.1" Long: 79° 2' 3.55") are:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	6.0	7.0
Total Suspended Solids	(mg/l)	-	35	70	90
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	-
Sulfate	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report
Bromide	(mg/l)	-	-	-	Report
Alkalinity, total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, net	(mg/l)	0.0	-	-	-
pH	(S.U.)	6.0	-	-	9.0
Osmotic Pressure	(mg/l)	-	50	100	-

Outfall 008 discharges to: Unnamed Tributary to Unnamed Tributary 44463 to Blacklick Creek

The proposed effluent limits for *Outfall 008* (Lat: 40° 30' 7.1" Long: 79° 2' 3.55") are:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	6.0	7.0
Total Suspended Solids	(mg/l)	-	35	70	90
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	-
Sulfate	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report
Bromide	(mg/l)	-	-	-	Report
Alkalinity, total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, net	(mg/l)	0.0	-	-	-
pH	(S.U.)	6.0	-	-	9.0
Osmotic Pressure	(mg/l)	-	50	100	-

EPA Waiver not in effect.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

NPDES No. PA0256480 (Mining permit no. 17070114), RES Coal LLC, 224 Grange Hall Road, P.O. Box 228, Armagh, PA 15920, renewal of an NPDES permit for bituminous surface mining in Girard Township, Clearfield County,

affecting 119.4 acres. Receiving stream(s): Unnamed Tributaries to Bald Hill Run and Bald Hill Run, classified for the following use(s): CWF. West Branch Susquehanna River TMDL. Application received: August 16, 2017.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits previously described for coal mining activities.

The outfall(s) listed below discharge to: Bald Hill Run

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
001	N
002	N
003	N

The proposed effluent limits for the previously listed outfall(s) are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)		3.0	6.0	7.0
Manganese (mg/l)		2.0	4.0	5.0
Aluminum (mg/l)		2.0	4.0	5.0
Alkalinity greater than acidity ¹				
Total Suspended Solids (mg/l)		35.0	70.0	90.0

¹ The parameter is applicable at all times.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

NPDES Permit No. PA0224341 on Underground Mining Permit No. 54061302. Rausch Creek Land, LP, (978 Gap Street, Valley View, PA 17983), renewal of an NPDES Permit for an anthracite underground mine operation in Porter Township, **Schuylkill County**, affecting 61.3 acres. Receiving stream: Wiconisco Creek, classified for the following uses: warm water and migratory fishes (TMDL for AMD, Metals & pH). Application received: August 7, 2017.

The outfall listed below discharge to Wiconisco Creek:

<i>Outfall</i>	<i>New Outfall (Y/N)</i>
Final	No

The proposed effluent limits for the previously listed outfall.

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
pH ¹ (S.U.)	6.0			9.5
Iron (mg/l)		3.0	6.0	7.0
Manganese (mg/l)		2.0	4.0	5.0
Aluminum (mg/l)		1.4	2.8	3.5
Alkalinity greater than acidity ¹				
Total Suspended Solids		35.0	70.0	90.0
Flow (MGD)		0.94	1.62	

¹ The parameter is applicable at all times.

Noncoal NPDES Draft Permits

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

NPDES No. PA0259756 (Permit No. 4878NC3). Frank Tucci (25000 PA Route 99, Cambridge Springs, PA 16403) New NPDES permit for a large industrial minerals surface mine in Rockdale Township, **Crawford County**, affecting 15.8 acres. Receiving streams: Kelly Run, classified for the following uses: HQ—CWF. TMDL: None. Application received: September 25, 2017.

There is no discharge from this site.

NPDES No. PA0280500 (Permit No. 3075SM14). James J. Hornyak d/b/a West Ridge Gravel (3251 Fairplain Road, Girard, PA 16417) New NPDES permit for a large industrial minerals surface mine in Girard Township, **Erie County**, affecting 257.8 acres. Receiving streams: Unnamed tributary to Godfrey Run, classified for the following uses: HQ—CWF. TMDL: None. Application received: October 20, 2017.

There is no discharge from this site.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

NPDES Permit No. PA0224146 on Surface Mining Permit No. 06010301. New Enterprise Stone & Lime Co., Inc., (P.O. Box 77, New Enterprise, PA 16664), transfer of an NPDES Permit for a limestone and dolomite quarry operation in Maxatawny Township, **Berks County**, affecting 38.4 acres. Receiving stream: Maiden Creek Watershed, classified for the following uses: warm water and migratory fishes. Application received: April 19, 2017.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are BAT limits previously described for noncoal mining activities.

The outfalls listed below discharge to Maiden Creek Watershed.

<i>Outfall No.</i>	<i>New Outfall Y/N</i>	<i>Type</i>
001	No	Groundwater/Pit Sump
002	No	Groundwater/Pit Sump

The proposed effluent limits for the previously listed outfall are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Total Suspended Solids		35.0	70.0	90.0

¹ The parameter is applicable at all times

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before an application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on working days at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications Received under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Waterways and Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5900.

E15-890. Pennsylvania Department of Transportation Engineering District 6-0, 7000 Geerdes Blvd., King of Prussia, East Bradford and West Bradford Townships, Chester County, ACOE Philadelphia District.

The Pennsylvania Department of Transportation (PennDOT) District 6-0 is proposing to remove an existing bridge and to construct and maintain the following activities as detailed below for S.R. 322 Section CDB (Downingtown Pike). Compensatory mitigation for loss of wetland and stream is associated with this project.

1) To construct and maintain a 159-foot two-span, single pier, pre-stressed concrete bulb-T beam bridge over East Branch Brandywine Creek (Channel 1) (WWF/MF) resulting in 285 feet (9,375 square feet) of permanent impact. This activity includes the placement of scour protection for pier and abutments.

2) To remove existing bridge and abutments to facilitate positive stormwater drainage to East Branch Brandywine Creek (Channel 1) (WWF/MF) resulting in 1,935 square feet of permanent impact. This work also includes the construction of a drainage swale and the permanent placement of rock apron upstream of the removed left abutment.

3) To construct two (2) temporary causeways to facilitate the removal of the existing pier and construction of the new pier at the new bridge location.

4) To construct two (2) drainage swales with rock aprons in association with the realignment of left and right roadway approaches upstream of proposed bridge over East Branch Brandywine Creek (Channel 1) (WWF/MF) resulting in 687 square feet of permanent impact.

5) To relocate an unnamed tributary to East Branch Brandywine Creek (Channel 3) (WWF/MF) and place fill within wetland (Wetland B) (PEM/PSS) in association with the realignment of right roadway approach resulting in 472 linear feet (3,867 square feet) of permanent stream impact and 511 square feet (0.012 acre) of permanent wetland impact.

6) To permanently place a rock apron at the outfall of an existing 18-inch RCP culvert and grade channel (Channel 3A) to facilitate positive stormwater drainage to relocated unnamed tributary to East Branch Brandywine Creek (Channel 3).

7) To extend a 42-inch RCP culvert and place fill within an unnamed tributary to East Branch Brandywine Creek (Channel 2) (WWF/MF) and wetland (Wetland C) (PEM/PSS) associated with the realignment of left roadway approach resulting in 71 feet (497 square feet) of permanent stream impact and 8,795 square feet (0.202 acre) of permanent wetland impact.

8) To permanently place fill, grade, construct a rock-lined channel and install compacted impervious material within the 100-year floodway of the East Branch Brandywine Creek (Channel 1) (WWF/MF) to facilitate the construction of a wetland mitigation site resulting in 441 linear feet (13,509 square feet) of permanent stream impact.

The project will have a total permanent watercourse impact of 719 linear feet (12,072 square feet) with 403 linear feet (21,104 square feet) of temporary watercourse impact. A total permanent floodway impact of 38,266 square feet (0.878 acre) with 87,578 square feet (2.011 acres) of temporary floodway impact is proposed. A total permanent wetland impact of 9,306 square feet (0.214 acre) with 4,548 square feet (0.104 acre) of temporary wetland impact is proposed. The applicant is proposing to create 0.263 acre of wetland and restore 420 linear feet of watercourse. Project limits extend from S.R. 322 intersection with Sugars Bridge Road east to the S.R. 322 intersection with Skelp Level Road in West Bradford Township and East Bradford Township, Chester County; (USGS PA Unionville Quadrangle—Latitude 39.968438 N, Longitude 75.672495 W).

E15-888. West Bradford Township, 1385 Campus Drive, Downingtown, PA 19335-3690, West Bradford Township, **Chester County**, ACOE Philadelphia District.

To construct and maintain an 18-inch stormwater outfall along UNT to Broad Run (EV-MF) associated with the improvement of public health and safety by reducing the stormwater flow through the roadside swale.

The site is located along north side of Chestnut lane (Unionville, PA USGS Quadrangle, Latitude: 39.967856; Longitude: -75.748325).

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone 570-826-2511.

E48-446 (Hellertown, PA Quadrangle; Latitude: 40° 36' 23"; Longitude: -75° 20' 34") in the City of Bethlehem, **Northampton County**, U.S. Army Corps of Engineers, Philadelphia District.

To place fill within the floodplain of Saucon Creek (HQ—CWF, MF) for the purpose of connecting an existing Greenway pedestrian trail to Saucon Park. There are no floodway impacts. The project is located along State Route 412 north of the intersection with State Route 78 (Hellertown, PA Quadrangle; Latitude: 40° 36' 23"; Longitude: -75° 20' 34") in the City of Bethlehem, Northampton County, U.S. Army Corps of Engineers, Philadelphia District.

E54-365. PPL Electric Utilities Corp., 2 North Ninth Street, Allentown, PA 18101, in Cressona, **Schuylkill County**, U.S. Army Corps of Engineers, Philadelphia District.

To remove an existing 69 kV electric transmission line and to construct and maintain a 69 kV transmission line. This project is associated with the Pine Grove-Aluminum 69 kV Rebuild project which is approximately 0.3 mile in length. The project will have permanent impacts that include 2 aerial crossings, installation of 2 new structures, replacement of 5 structures and removal of 4 structures from the floodway of the West Branch Schuylkill River (CWF, MF). Temporary impacts include a bridge crossing of a tributary to West Branch Schuylkill River (CWF, MF) and matting within the floodway of West Branch Schuylkill River totaling 27,399 square feet. ((Pottsville, PA Quadrangle, Latitude: 40°37'47.49"; Longitude: -76°11'18.58"), Cressona Borough, Schuylkill County, U.S. Army Corps of Engineers, Philadelphia District.

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636

E41-689. Pennsylvania Department of Transportation, Engineering District 3-0, PO Box 218

Montoursville, PA 17754-0218. S.R. 1006 Section 033, King Run Channel Restoration Project, Plunketts Creek Township, **Lycoming County**, Baltimore ACOE (Barbours, PA Quadrangle N: 41° 25' 13"; W: -76° 48' 28").

PA DOT Engineering District 3-0 proposes to restore the King Run (Engle Run) channel, which was damaged during the October 2016 flooding. The stream channel will be restored to the approximate Pre-Flood location and dimensions. The stream restoration will be approximately 250 Ft. The restoration will include four upstream multi-log stream deflectors, and a 250 L.F. log mudsill. The stream bank behind the log mudsill will be stabilized with R-8 Rip Rap, choked with R-4 Rip Rap. The project will not impact any jurisdictional wetlands. King Run is classified as an Exceptional Value Stream by Title 25, Chapter 93 Water Quality Standards.

E41-688. Pennsylvania Department of Transportation, Engineering District 3-0, PO Box 218 Montoursville, PA 17754-0218. S.R. 1003 Section 039, Wallis Run Slide Repair and Channel Restoration Project, Gamble Township, **Lycoming County**, Baltimore ACOE (Montoursville North, PA Quadrangle N: 41° 21' 16"; W: -76° 54' 44").

PA DOT Engineering District 3-0 proposes to repair a roadway slide and restore the Wallis Run channel, which were damaged during the October 2016 flooding. The roadway slide is located approximately 1,200 L.F. North of the bridge over Wallis Run, near the confluence with Loyalsock Creek. The slope failure will be repaired with R-8 Rip Rap at a 1.5:1 side slope. The Rip Rap will be grouted to approximately the 100 year water surface elevation of Wallis Run. The stream channel will be restored to the approximate Pre-Flood location and dimensions. The stream restoration will be approximately 740 Ft. The channel will be shifted approximately 50-60 Ft. The channel will have a 50 Ft. bottom width and 1.5:1 side slopes. A Rock J Hook will be constructed at the upstream limit of the slide repair for channel stabilization. Tree plantings and floodplain restoration is included with the project. The project will not impact any jurisdictional wetlands. Wallis Run is classified as an Exceptional Value Stream by Title 25, Chapter 93 Water Quality Standards.

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake, Waterways and Wetlands Program Manager, 412-442-4000.

E02-1774. Port Authority of Allegheny County, 345 Sixth Avenue, 3rd Floor, Pittsburgh, PA 15222, Municipality of Bethel Park, **Allegheny County**, Pittsburgh ACOE District.

The applicant proposes to:

1. Remove an existing, 18.75' long by 25.25' wide, two span, steel I-beam bridge, with an underclearance of 7.5';
2. Construct and maintain a replacement, 17.1' long by 26.8' wide, concrete box culvert, with an effective under clearance of 8.5';
3. Maintain the existing upstream Port Authority LRT steel girder abutments; and
4. Construct and maintain rock scour protection around the existing Port Authority LRT steel girder abutments.

For the purpose of replacing the existing, Brookside Blvd. structurally deficient structure over Graesers Run (WWF) and minor repairs to the existing, Port Authority

LRT steel girder bridge over Graesers Run (WWF). This project will permanently impact 115 linear feet of watercourse and 0.025 acre of floodway/floodplain. The project is located approximately 0.22 mile south of the intersection of Fort Couch Road and Bethel Church Road (Bridgeville, USGS topographic quadrangle, Latitude: 40°19'57"; Longitude: -80°3'10"; Sub-basin: 20F; Pittsburgh Corps District), in the Municipality of Bethel Park, Allegheny County.

Central Office: Bureau of Waterways Engineering and Wetlands, 400 Market Street, Floor 3, PO Box 8460, Harrisburg, PA 17105-8460.

MB9915-0002. Evergreen Environmental, LLC, 425 Darby Paoli Road, Wayne, PA 19087. Statewide Coverage, ACOE Baltimore, Philadelphia and Pittsburgh Districts.

The applicant proposes to provide compensatory mitigation to meet third party aquatic resource compensation obligations as established through site specific permits issued pursuant to Chapter 105, to ensure aquatic resource compensatory mitigation obligations are satisfied within the Commonwealth of Pennsylvania. The applicant is requesting the authority to operate compensatory mitigation banking within the Commonwealth.

The application proposes to construct, restore or enhance a specific aquatic resource improvement site known as the Hop Bottom Creek Mitigation Bank. The site is located along Hop Bottom Creek (CWF) in Brooklyn Township Susquehanna County (Latitude: 41° 45' 25"; Longitude: -75° 48' 54"). The site is comprised of 33.27 acres which consists of 28.34 acres of PEM wetlands, 1.08 acre of Riverine channel (2,330 feet of Hop Bottom Creek) and 3.85 acres of upland areas adjacent to the aquatic resources. The project proposes to plug 5 ditches that alter the site hydrology of, plant various shrubs and trees to establish a PSS/FO wetland complex resulting in 29.0 acres of PSS/FO wetlands and plant trees in 3.19 acres of adjacent upland conservation area.

This application is subject to 401 Water Quality Certification for the proposed construction of the Hop Bottom Creek Mitigation Bank.

District Oil & Gas Operations: Eastern Oil & Gas District, 208 West Third Street, Suite 101, Williamsport, PA 17701.

E4129-114: Seneca Resources Corporation, 5800 Corporate Drive, Suite 300, Pittsburgh, PA 15237, 17701, Eldred, Gamble, & Hepburn Townships, **Lycoming County**, ACOE Baltimore District.

To construct, operate, and maintain:

1) A 16-inch water pipeline over an existing culvert impacting 2 linear feet of an unnamed tributary to West Branch Murray Run (EV) (Bodines, PA Quadrangle 41°24'36"N 76°58'00"W);

2) A 16-inch water pipeline and cribbing over an existing culvert impacting 3 linear feet of West Branch Murray Run (EV) (Bodines, PA Quadrangle 41°24'24"N 76°57'59"W);

3) A 16-inch water pipeline and cribbing over an existing culvert impacting 2 linear feet of West Branch Murray Run (EV) (Bodines, PA Quadrangle 41°24'23"N 76°58'00"W);

4) A 16-inch water pipeline and cribbing over an existing culvert impacting 4 linear feet of an unnamed tributary to West Branch Murray Run (EV) (Bodines, PA Quadrangle 41°24'10"N 76°58'00"W);

5) A 16-inch water pipeline over an existing culvert impacting 3 square feet of a palustrine emergent (PEM) wetland (Bodines, PA Quadrangle 41°24'09"N 76°58'00"W);

6) A 16-inch water pipeline impacting 2 linear feet of an unnamed tributary to West Branch Murray Run (EV) (Bodines, PA Quadrangle 41°24'05"N 76°57'57"W);

7) A 16-inch water pipeline through a 20-inch casing impacting 3 linear feet of an unnamed tributary to West Branch Murray Run (EV) (Bodines, PA Quadrangle 41°24'02"N 76°57'58"W);

8) A 16-inch water pipeline through a 20-inch casing and cribbing impacting 7 linear feet of an unnamed tributary to West Branch Murray Run (EV) (Bodines, PA Quadrangle 41°23'59"N 76°57'59"W);

9) A 16-inch water pipeline through a 20-inch casing, cribbing, and a timber mat bridge impacting 25 linear feet of an unnamed tributary to West Branch Murray Run (EV) and 1,425 square feet of palustrine emergent (PEM) wetland (Bodines, PA Quadrangle 41°23'58"N 76°57'58"W);

10) A 16-inch water pipeline over an existing culvert impacting 3 square feet of palustrine emergent (PEM) wetland (Bodines, PA Quadrangle 41°23'45"N 76°58'28"W);

11) A 16-inch water pipeline over an existing culvert impacting 2 linear feet of an unnamed tributary to Miller Run (EV) (Bodines, PA Quadrangle 41°23'43"N 76°58'31"W);

12) A 16-inch water pipeline over an existing culvert impacting 2 linear feet of an unnamed tributary to Miller Run (EV) (Bodines, PA Quadrangle 41°23'40"N 76°58'30"W);

13) A 16-inch water pipeline and cribbing over an existing culvert impacting 3 linear feet of Miller Run (EV) (Bodines, PA Quadrangle 41°23'26"N 76°58'31"W);

14) A 16-inch water pipeline and cribbing over an existing culvert impacting 5 linear feet of an unnamed tributary to Mill Creek (EV) (Bodines, PA Quadrangle 41°23'02"N 76°58'32"W);

15) A 16-inch water pipeline over an existing culvert impacting 6 square feet of palustrine emergent (PEM) wetland (Bodines, PA Quadrangle 41°22'50"N 76°59'03"W);

16) A 16-inch water pipeline over an existing culvert impacting 10 square feet of palustrine emergent (PEM) wetland (Bodines, PA Quadrangle 41°22'46"N 76°59'17"W);

17) A 16-inch water pipeline through a 20-inch casing and cribbing impacting 16 linear feet of Mill Creek (EV) (Trout Run, PA Quadrangle 41°22'42"N 77°00'21"W);

18) A 16-inch water pipeline and a timber mat bridge impacting 1,890 square feet of palustrine emergent (PEM) wetland (Trout Run, PA Quadrangle 41°22'42"N 77°00'25"W);

19) A 16-inch water pipeline and cribbing over an existing culvert impacting 3 linear feet of an unnamed tributary to Mill Creek (EV) and 9,161 square feet of adjacent floodway (Trout Run, PA Quadrangle 41°22'50"N 77°00'36"W);

20) A 16-inch water pipeline through a 20-inch casing, cribbing, and a timber mat bridge impacting 22 linear feet of an unnamed tributary to Mill Creek (EV) and

8,769 square feet of adjacent floodway (Trout Run, PA Quadrangle 41°22'53"N 77°00'43"W);

21) A 16-inch water pipeline through a 20-inch casing and a timber mat bridge impacting 18 linear feet of an unnamed tributary to Mill Creek (EV) (Trout Run, PA Quadrangle 41°22'52"N 77°01'03"W);

22) A 16-inch water pipeline through a 20-inch casing and a timber mat bridge impacting 19 linear feet of an unnamed tributary to Mill Creek (EV) (Trout Run, PA Quadrangle 41°22'41"N 77°01'30"W);

23) A 16-inch water pipeline through a 20-inch casing and a timber mat bridge impacting 16 linear feet of an unnamed tributary to Mill Creek (EV) (Trout Run, PA Quadrangle 41°22'33"N 77°01'41"W);

24) A 16-inch water pipeline and a timber mat bridge impacting 263 square feet of a palustrine emergent (PEM) wetland (Trout Run, PA Quadrangle 41°22'32"N 77°01'43"W);

25) A 16-inch water pipeline and a timber mat bridge impacting 830 square feet of a palustrine emergent (PEM) wetland (Trout Run, PA Quadrangle 41°22'30"N 77°01'46"W);

26) A 16-inch water pipeline through a 20-inch casing, cribbing, and a timber mat bridge impacting 19 linear feet of an unnamed tributary to Mill Creek (EV) (Trout Run, PA Quadrangle 41°22'30"N 77°01'47"W);

27) A 16-inch water pipeline and a timber mat bridge impacting 34 linear feet of an unnamed tributary to Mill Creek (EV) (Cogan Station, PA Quadrangle 41°22'24"N 77°01'42"W);

28) A 16-inch water pipeline and a timber mat bridge impacting 25 linear feet of an unnamed tributary to Mill Creek (EV) (Cogan Station, PA Quadrangle 41°22'16"N 77°01'28"W);

29) A 16-inch water pipeline and a timber mat bridge impacting 32 feet of an unnamed tributary to Mill Creek (EV) and 1,521 square feet of adjacent palustrine emergent (PEM) wetlands (Cogan Station, PA Quadrangle 41°22'14"N 77°01'22"W);

30) A 16-inch water pipeline and a timber mat bridge impacting 32 linear feet of an unnamed tributary to Mill Creek (EV) (Cogan Station, PA Quadrangle 41°22'10"N 77°01'15"W);

31) A 16-inch water pipeline and a timber mat bridge impacting 198 square feet of a palustrine emergent (PEM) wetland (Cogan Station, PA Quadrangle 41°22'06"N 77°01'16"W);

32) A 16-inch water pipeline and a timber mat bridge impacting 35 linear feet of an unnamed tributary to Mill Creek (EV) (Cogan Station, PA Quadrangle 41°22'05"N 77°01'16"W);

33) A 16-inch water pipeline and a timber mat bridge impacting 456 square feet of a palustrine emergent (PEM) wetland (Cogan Station, PA Quadrangle 41°22'02"N 77°01'21"W);

34) A 16-inch water pipeline through a 20-inch casing, cribbing, and a timber mat bridge impacting 16 linear feet of an unnamed tributary to Mill Creek (WWF) (Cogan Station, PA Quadrangle 41°22'34"N 77°02'23"W);

35) A 16-inch water pipeline through a 20-inch casing, cribbing, and a timber mat bridge impacting 25 linear feet of an unnamed tributary to Mill Creek (WWF) (Cogan Station, PA Quadrangle 41°20'18"N 77°01'53"W);

36) A 16-inch water pipeline through a 20-inch steel casing and a timber mat bridge impacting 20 linear feet of an unnamed tributary to Mill Creek (WWF) and 588 square feet of adjacent palustrine emergent (PEM) wetland (Cogan Station, PA Quadrangle 41°20'14"N 77°00'42"W);

37) A 16-inch water pipeline and a timber mat bridge impacting 80 square feet of a palustrine scrub-shrub (PSS) wetland (Cogan Station, PA Quadrangle 41°20'14"N 77°00'41"W);

38) A 16-inch water pipeline through a 20-inch casing, cribbing, and a timber mat bridge impacting 20 linear feet of an unnamed tributary to Mill Creek (WWF) (Cogan Station, PA Quadrangle 41°19'53"N 77°00'06"W).

The project will result in a total of 412 linear feet of stream impacts, 17,930 square feet of additional floodway impacts, and 0.17 acre of wetland impacts all for the purpose of installing a water pipeline and temporary access roadway for Marcellus well development.

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.101) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains

notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Northeast Regional Office: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570.826.2511.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0031071 (Sewage)	Northeast American Diocese of the Malankara Orthodox Syrian Church—Holy Transfiguration Retreat Center WWTP 1000 Seminary Road Dalton, PA 18414	Lackawanna County Dalton Borough	Unnamed Tributary to Ackerly Creek (04F)	Yes
PA0060135 (Sewage)	Shickshinny Sanitary Authority WWTP 1 Main Street Mocanaqua, PA 18655	Luzerne County Shickshinny Borough	Susquehanna River (5-B)	No
PAS802203 (Storm Water)	Mack Trucks Inc. 7000 Alburts Road Macungie, PA 18062-9632	Lehigh County Lower Macungie Township	Swabia Creek (2-C)	Yes

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0038733 SEW	East Providence Township Municipal Authority Bedford County 244 Municipal Road PO Box 83 Breezewood, PA 15533-0083	East Providence Township, Bedford County	UNT to Tub Mill Run in Watershed(s) 11-D	Y
PA0083488 SEW	Stonebridge Health & Rehab Center 102 Chandra Drive Duncannon, PA 17020-9745	Penn Township, Perry County	UNT to Sherman Creek in Watershed(s) 7-A	Y
PA0246620 IW	Norfolk Southern Railway Co. 1200 Peachtree Street NE Box 13 Atlanta, GA 30309-0013	Swatara Township, Dauphin County	UNT to Sherman Creek in Watershed(s) 7-C and 7-D	Y
PA0266400 IW	Newport Borough Water Authority 497 N. Front Street Newport, PA 17074-1609	Howe Township Perry County	UNT to Juniata River in Watershed(s) 12-B	Y

North Central Regional Office: Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3636.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0112631 (Sewage)	Wargo SRSTP 1746 Old Reading Road Catawissa, PA 17820-8058	Columbia County Roaring Creek Township	Unnamed Tributary to Roaring Creek (5-E)	Yes

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0042161 (Sewage)	Green Haven Estates STP E Shaffer Road Aliquippa, PA 15001	Beaver County Raccoon Township	Unnamed Tributary to Raccoon Creek (20-D)	Y
PA0029840 (Sewage)	Armsdale STP PO Box 776 Kittanning, PA 16201-0776	Armstrong County Rayburn Township	Cowanshannock Creek (17-E)	Yes
PA0254401 (Sewage)	Darlington STP One Municipal Park Drive Ligonier, PA 15658	Westmoreland County Ligonier Township	Loyalhanna Creek (18-C)	Yes
PA0093165 (Sewage)	PA American Water Co. Claysville STP 800 W Hershey Park Drive Hershey, PA 17033-2400	Washington County Donegal Township	Unnamed Tributary to Dutch Fork (20-E)	Yes
PA0205338 (Sewage)	Walch SRSTP 204 Brallier Drive Ligonier, PA 15658-9268	Westmoreland County Ligonier Township	Unnamed Tributary to Loyalhanna Creek (18-C)	Yes
PA0093254 (Sewage)	Sugar Creek Rest STP 120 Lakeside Drive Worthington, PA 16262-5102	Armstrong County Sugarcreek Township	Unnamed Tributary to Patterson Creek (18-F)	Yes
PA0000272 (Industrial)	PA American Water Aldrich WTP 800 W Hershey Park Drive Hershey, PA 17033-2400	Washington County Union Township	Monongahela River (19-C)	Yes
PA0203696 (Sewage)	South Side Area School District 4949 State Route 151 Hookstown, PA 15050-1439	Beaver County Greene Township	Unnamed Tributary to Service Creek (20-D)	Yes
PA0033219 (Sewage)	Little Creek Estates PO Box 364 Sewickley, PA 15143-0364	Beaver County New Sewickley Township	UNT of Brush Creek (20-C)	Yes
PA0092274 (Sewage)	Pleasant Unity STP 370 Pleasant Unity Mutual Road Greensburg, PA 15601	Westmoreland County Unity Township	Unnamed Tributary of Sewickley Creek (19-D)	Yes
PA0218359 (Sewage)	Green Township Municipal Authority WWTP PO Box 129 Commodore, PA 15729-0129	Indiana County Green Township	Unnamed Tributary of North Branch Two Lick Creek (18-D)	No
PA0218693 (Sewage)	Luzerne Township Sewer Authority WWTF P O Box 241 Labelle, PA 15450-0241	Fayette County Luzerne Township	Monongahela River (19-C)	Yes
PA0001228 (Industrial)	Curtiss-Wright Electro-Mechanical Corporation 1000 Wright Way Cheswick, PA 15024-1008	Allegheny County Harmar Township	Unnamed Tributary to the Allegheny River (18-A)	Yes

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0221961 (Sewage)	Timberlee Valley STP 800 S Washington Street Evans City, PA 16033-9208	Butler County Connoquenessing Township	Crab Run (20-C)	Yes

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0263974 (Sewage)	Joel Steele SRSTP 138 Saint Joe Road Butler, PA 16002-0050	Butler County Oakland Township	Unnamed Tributary of Bonnie Brook (20-C)	Yes

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

NPDES Permit No. PA0255301, Industrial, SIC Code 4941, **Springdale Borough Allegheny County**, 325 School Street, Springdale, PA 15144.

This proposed facility is located in Springdale Borough, **Allegheny County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated Industrial.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

NPDES Permit No. PA0265187, Sewage, SIC Code 8800, **Christine Mueller**, 1491 Bimber Run Road, Tidioute, PA 16351.

This proposed facility is located in Limestone Township, **Warren County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated Sewage.

NPDES Permit No. PA0265217, Sewage, SIC Code 8800, **Velma Chizewick**, 20 N Branch Road, Eldred, PA 16731-3902.

This proposed facility is located in Eldred Township, **McKean County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated Sewage.

NPDES Permit No. PA0265284, Sewage, SIC Code 4952, 8800, **Leon Pilon**, 267 W Eldred Road, Eldred, PA 16731-2705.

This proposed facility is located in Eldred Township, **McKean County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated Sewage.

NPDES Permit No. PA0265136, Sewage, SIC Code 4952, 8800, **Unity Presbyterian Church**, 1857 Mercer West Middlesex Road, Mercer, PA 16137.

This proposed facility is located in Lackawannock Township, **Mercer County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated Sewage.

NPDES Permit No. PA0265268, Sewage, SIC Code 8800, **Charles Meuser**, PO Box 6, Youngsville, PA 16371.

This proposed facility is located in Brokenstraw Township, **Warren County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated Sewage.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

WQM Permit No. 0717401, Sewerage, **Amato Properties**, 176 Mountain View Drive, Tyrone, PA 16686.

This proposed facility is located in Antis Township, **Blair County**.

Description of Proposed Action/Activity:

This permit approves the construction of sewage facilities consisting of the following: The subject facility is a 0.0004 MGD (or 400 gpd) treatment facility. This single family residential small flow treatment facility is being proposed to replace a malfunctioning/failing onlot sewage disposal system. The NPDES application has been processed as a Small Flow Treatment Facility due to the type of sewage and the design flow rate for the facility. The subject facility treats wastewater using the Singulair 960 and Hydro-Kinetic Bio-Film Reactor (HKBFR) combination. Upon revised drawings from John DeLacio of Advanced Treatment, the Singulair 960 will include the BK2000 component to conform with NSF 40 certification and the BFR will include a Norweco AT 1500 uv disinfection unit. The sewage transfers from the treatment tanks to the point of discharge by gravity.

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

WQM Permit No. 0217402, Sewage, **South Fayette Township Municipal Authority**, 900 Presto Sygan Road, Bridgeville, PA 15017.

This proposed facility is located in South Fayette Township, **Allegheny County**.

Description of Proposed Action/Activity: Millers Run Sanitary Sewer improvements.

WQM Permit No. 0217200, Industrial, SIC Code 4941, **Springdale Borough**, 325 School Street, Springdale, PA 15144.

This proposed facility is located in Springdale Borough, **Allegheny County**.

Description of Proposed Action/Activity:

- Construction of Two (2) 26,000-gallon backwash setting basins with 120 linear feet of 8" PVC pipe and connection to an existing 48" storm sewer.
- Replacement of existing greensand pressure filters with combined air/water backwash system.

WQM Permit No. 3284205 A-2, Industrial, SIC Code 1389, **Fluid Recovery Service LLC**, Creekside Facility, P.O. Box 232, Creekside, PA 15732-0232.

This existing facility is located in Washington Township, **Indiana County**.

Description of Proposed Action/Activity: Wastewater Treatment Facility upgrade including the addition of the following; mobile evaporation units, distillate storage tank, concentrate equalization tank, concentrate storage tank, moving bed-bioreactor, dissolved air flotation unit, and a finished water tank.

WQM Permit No. 3286201 A-4, T-3, Industrial, SIC Code 1381, **Fluid Recovery Service LLC**, Josephine Facility, PO Box 232, Creekside, PA 15732-0232.

This existing facility is located in Burrell Township, **Indiana County**.

Description of Proposed Action/Activity: Wastewater Treatment Facility upgrade including the addition of the following; mobile evaporation units, distillate storage tank, concentrate storage tank, moving bed-bioreactor, dissolved air flotation unit, and a finished water tank.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 6182201 A-3, Industrial, SIC Code 1389, **Fluid Recovery Service LLC**, PO Box 232, Creekside, PA 15732-0232.

This existing facility is located in Cranberry Township, **Venango County**.

Description of Proposed Action/Activity: Amendment to install proposed evaporation units, storage tanks, treatment tanks, and chemical feed equipment.

WQM Permit No. 2094402 A-1, Sewage, **Meadville Area Sewer Authority Crawford County**, 1320 Park Avenue, Meadville, PA 16335-3114.

This existing facility is located in Meadville City, **Crawford County**.

Description of Proposed Action/Activity: Construct new pump station and force main.

WQM Permit No. 6217409, Sewage, **Christine Mueller**, 1491 Bimber Run Road, Tidioute, PA 16351.

This proposed facility is located in Limestone Township, **Warren County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 4217403, Sewage, **Velma Chizewick**, 20 North Branch Road, Eldred, PA 16731-3902.

This proposed facility is located in Eldred Township, **McKean County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 4217404, Sewage, **Leon Pilon**, 267 W Eldred Road, Eldred, PA 16731-2705.

This proposed facility is located in Eldred Township, **McKean County**.

Description of Proposed Action/Activity: Small Flow Treatment Facility.

WQM Permit No. 4317406, Sewage, **Unity Presbyterian Church**, 1857 Mercer West Middlesex Road, Mercer, PA 16137.

This proposed facility is located in Lackawannock Township, **Mercer County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 6217412, Sewage, **Charles Meuser**, PO Box 6, Youngsville, PA 16371.

This proposed facility is located in Brokenstraw Township, **Warren County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

V. NPDES Waiver Stormwater Discharges from MS4 Actions

The following waiver applications have been approved for a 5-year period. The Department is issuing waivers for the MS4s listed below in lieu of NPDES permit coverage.

Southwest Regional Office: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

NPDES

Waiver No.	Applicant Name & Address	Municipality, County	Receiving Water(s)/Use(s)
PAG136382	East Vandergrift Borough Westmoreland County 254 Kennedy Avenue East Vandergrift, PA 15629	East Vandergrift Borough, Westmoreland	Kiskiminetas River/WWF

<i>NPDES Waiver No.</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Receiving Water(s)/Use(s)</i>
PAG136336	Glenfield Borough 265 Dawson Avenue Sewickley, PA 15143-2225	Glenfield Borough, Allegheny	Ohio River/WWF
PAG136186	Everson Borough 232 Brown Street Everson, PA 15631-1108	Everson Borough, Fayette	Jacobs Creek/WWF
PAG136125	Dawson Borough PO Box 68 Dawson, PA 15428-0068	Dawson Borough, Fayette	Dickerson Run/WWF

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD230014	MIPC, LLC 920 Cherry Tree Road Aston, PA 19014-1570	Delaware	Upper Chichester Township	Boozers Run WWF-MF
PAD510018	Delaware Valley Recycling, Inc. P.O. Box 323 Skipack, PA 19474	Philadelphia	City of Philadelphia	Schuylkill River WWF-MF
PAD460014	Wyndmoor Properties, LLC 8218 Ardmore Avenue Wyndmoor, PA 19038	Montgomery	Springfield Township	Tributary 00854 to Wissahickon Creek TSF-MF

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD350004	Scranton Lackawanna Industrial Building Co P.O. Box 431 Scranton, PA 18501	Lackawanna	City of Scranton Moosic Borough	Stafford Meadow Brook (HQ-CWF, MF)
PAD450031	Hard Rock Trucking and Excavating, LLC 784 Frable Road Brodheads ville, PA 18322	Monroe	Hamilton Township	McMichaels Creek (HQ-CWF, MF)
PAD450018	Jaroslav Wojtach 121 Grove Street Elmwood Park, NJ 74072	Monroe	Coolbaugh Township Mount Pocono Borough	East Branch of Red Run (HQ-CWF, MF)
PAD580003	Scott & Longacre Trucking, LLC 1413 Longacres Road Susquehanna, PA 18847	Susquehanna	Great Bend Township	UNT to Salt Lick Creek (HQ-CWF, MF)
PAD480025	Ashview Development Co., LLC 230 East Dell Road Bath, PA 18014	Northampton	Bushkill Township	Tributary to Bushkill Creek (HQ-CWF, MF)
PAD450042	UGI Utilities, Inc. 2525 N. 12th Street Suite 360 Reading, PA 19605	Monroe	Pocono Township Paradise Township	Swiftwater Creek (HQ-CWF, MF) Scot Run (HQ-CWF, MF)
PAD640007	PPL Electric Utilities Corporation 2 North 9th Street GENN 4 Allentown, PA 18101	Wayne	Dyberry Township Texas Township Honesdale Borough	Dyberry Creek (HQ-CWF, MF) Lackawaxen River (HQ-TSF, MF)

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges from Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges from Small Flow Treatment Facilities
PAG-5	General Permit for Discharges from Petroleum Product Contaminated Groundwater Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines
PAG-11	General Permit for Discharges from Aquatic Animal Production Facilities
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
PAG-14	(To Be Announced)
PAG-15	General Permit for Discharges from the Application of Pesticides

General Permit Type—PAG-02

Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Thornbury Township Delaware County	PAC230028	Toll PA IV, LP 250 Gibraltar Road Horsham, PA 19044-2323	Chester Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Chaddsford Township Delaware County	PAC230035	The Henderson Group 112 Chesley Drive Suite 200 Media, PA 19063	Brandywine Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Aston Township Delaware County	PAC230043	Neumann University One Neumann Drive Aston, PA 19014	Chester Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Radnor Township Delaware County	PAC230038	Villanova University 800 East Lancaster Avenue Villanova, PA 19085	Unnamed Tributary to Darby Creek CWF-MF Unnamed Tributary to Mill Creek CWF-TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Worcester Township Montgomery County	PAC460083	Whitehall Development Partners, LP P.O. Box 140 Skippack, PA 19474	Unnamed Tributary to Stony Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Upper Pottsgrove Township Montgomery County	PAC460121	Crossroads Housing Associates, LP 726 Yorklyn Road Suite 150 Hockessin, DE 19707	Sprogels Run WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

NOTICES

7101

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Upper Providence Township Montgomery County	PAC460125	Providence Business Park 3, LLC 1030 West Germantown Pike East Norriton, PA 19403	Schuylkill River WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
City of Philadelphia Philadelphia County	PAC510014	Mid Atlantic Social Security Center 300 Spring Garden Street Philadelphia, PA 19123	Delaware River WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Upper Providence Township Montgomery County	PAC460125	Providence Business Park 3 LLC 1030 West Germantown Pike East Norriton, PA 19403	Schuylkill River WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Lower Frederick Township Montgomery County	PAC460016	KTMT 1, LP 1030 Reed Avenue Suite 100 Wyomissing, PA 19610	Perkiomen Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Whitemarsh Township Montgomery County	PAC460088	Phipps Station Group, LLC P.O. Box 280 1120 Bethlehem Pike Spring House, PA 19477	Plymouth Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Towamencin Township Montgomery County	PAC460090	S & P Harleysville, LLC 111 Presidential Boulevard Suite 201 Bala Cynwyd, PA 19033	West Branch Skippack Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Norristown Borough Montgomery County	PAC460122	Progressive Housing Ventures, LLC 5 Great Valley Parkway Suite 210 Malvern, PA 19355	Stony Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Whitemarsh Township Montgomery County	PAC460052	The Hill at Whitemarsh 4000 Fox Hound Drive Lafayette Hill, PA 19444	Wissahickon TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Pennsburg Borough Montgomery County	PAC460009	Sands Brothers Partnership, LP 501 North West End Boulevard Quakertown, PA 18951	Unnamed to Perkiomen Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
New Hanover Township Montgomery County	PAC460042	Nick & Les, Inc. 3801 Germantown Pike Collegetown, PA 19426	Minister Creek Tributary TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
City of Scranton Lackawanna County	PAC350023	CFI Design Management Inc. 6296 Rucker Rd, Ste C Indianapolis, IN 46220	Lackawanna River (CWF-MF)	Lackawanna County Conservation District 570-392-3086
Dickson City Borough Lackawanna County	PAC350022	Stone Run Realty and Hodlings LLC 347 N Main St Dickson City, PA 18519	Lackawanna River (CWF-MF)	Lackawanna County Conservation District 570-392-3086

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Benton Township Lackawanna County	PAC350020	Terry and Cassandra Fitzsimmons 241 Brian Lane Dalton, PA 18414	Unnamed Tributaries to South Branch Tunkhannock Creek (CWF-MF)	Lackawanna County Conservation District 570-392-3086
Hazle Township Luzerne County	PAC400037	Great Hazleton Community Area New Development Organization One South Church St Hazleton, PA 18201	Stony Creek (CWF-MF)	Luzerne Conservation District 570-674-7991
Nanticoke City Newport Township Hanover Township Luzerne County	PAC400020	Earth Conservancy 101 South Main Street Ashley, PA 18706	Unnamed Tributary to Nanticoke Creek (CWF-MF)	Luzerne Conservation District 570-674-7991
Reilly Township Schuylkill County	PAC540012	Rober & Patricia Whithelder 88 W Donaldson St Tremont, PA 17981	Swatara Creek (CWF-MF)	Schuylkill County Conservation District 570-622-3742
Washington Township Wyoming County	PAC660007	The Procter & Gamble Paper Products Co. PO Box 32 SR 0087 Mehoopany, PA 18629	Susquehanna River (WWF)	Wyoming County Conservation District 570-836-2589

Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Wolf Twp, Lycoming Cnty	PAC410015	David A. Thomas 555 Cemetery Drive Hughesville, PA 17737	UNT to Wolf Run— CWF	Lycoming County Conservation District 542 County Farm Rd Ste 202 Montoursville, PA 17754 (570) 433-3003
Buffalo Twp, Union Cnty	PAC600018	Alan Ard 1483 Black Run Rd Lewisburg, PA 17837	Limestone Run— WWF, MF	Union County Conservation District Union County Government Center 155 N 15th St Lewisburg, PA 17837 (570) 524-3860

*Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake,
Waterways and Wetlands Program Manager, 412-442-4000.*

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office and Phone No.</i>
Conemaugh Township	PAC560006	Peoples Gas, LLC 375 North Shore Drive Pittsburgh, PA 15212	UNT to Soap Hollow Run (CWF); UNT to Stonycreek River (CWF)	Somerset County Conservation District 6024 Glades Pike Suite 103 Somerset, PA 15501 (814) 445-4652
Paint Township	PAC560007	Paint Township 1741 Basin Drive Windber, PA 15963	UNT to Seese Run (CWF)	Somerset County Conservation District 6024 Glades Pike Suite 103 Somerset, PA 15501 (814) 445-4652

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office and Phone No.</i>
Shade Township	PAC560012	Shade Creek Watershed Association 314 Central Avenue Suite 205 Central City, PA 15926	Coal Run/Dark Shade Creek (CWF)	Somerset County Conservation District 6024 Glades Pike Suite 103 Somerset, PA 15501 (814) 445-4652

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Union Township, Lawrence County	PAC370019	Union Township Patrick Angiolelli 1910 Municipal Drive New Castle, PA 16101	UNT to Shenango River WWF	Lawrence County Conservation District 430 Court Street New Castle, PA 16101 724-652-4512
Brookville Borough, Jefferson County	PAC330008	Cottage Real Estate LLC 178 Lewis Drive Somerset, PA 15501	Clement Run CWF	Jefferson County Conservation District 1514 Route 28 Brookville, PA 15825 814-849-7463
Summit Township, Butler County	PAC100073	Pennsylvania American Water 300 Galley Road McMurray, PA 15317	Coal Run WWF	Butler County Conservation District 122 McCune Drive Butler, PA 16001 724-284-5270

General Permit Type—PAC

Cambria District: Environmental Program Manager, 286 Industrial Park Road, Ebensburg, PA 15931-4119.

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Boggs Township, Clearfield County	PAC680008	Bureau of Abandoned Mine Reclamation Cambria Office 286 Industrial Park Road Ebensburg, PA 15931-4119	Laurel Run (CWF)	Attention: Patrick M. Webb PA DEP Cambria Office 286 Industrial Park Road Ebensburg, PA 15931-4119 814-472-1800
Susquehanna Township, Cambria County	PAC680009	Bureau of Abandoned Mine Reclamation Cambria Office 286 Industrial Park Road Ebensburg, PA 15931-4119	Walnut Run (CWF)	Attention: Patrick M. Webb PA DEP Cambria Office 286 Industrial Park Road Ebensburg, PA 15931-4119 814-472-1800
Newport Township Luzerne County	PAC700003	PA DEP Bureau of Abandoned Mine Reclamation 2 Public Square Fifth Floor Wilkes-Barre, PA 18701-0790	Newport Creek, South Branch CWF) PA DEP	Bureau of Abandoned Mine Reclamation 2 Public Square Fifth Floor Wilkes-Barre, PA 18701-0790 (570) 826-2371

General Permit Type—PAG-03

<i>Facility Location Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Allentown City Lehigh County	PAG032232	Eastern Metal Recycling 143 Harding Avenue Bellmawr, NJ 08031-2430	Jordan Creek—2-C	DEP North East Regional Office Clean Water Program 2 Public Square Wilkes-Barre, PA 18701-1915 570.826.2511
Robinson Township Washington County	PAG036206	Anthony Allega, Inc. 5585 Canal Road Valley View, OH 44125	Unnamed Tributary of Little Raccoon Run—20-D WWF	DEP South West Regional Office Clean Water Program 400 Waterfront Drive Pittsburgh, PA 15222-4745 412.442.4000
Sharon City, Mercer County	PAG038357	Mercer Scrap 200 Stewart Ave Sharon PA 16146	Shenango River	DEP NWRO Clean Water Program 230 Chestnut Street Meadville, PA 16335-3481 814-332-6942
Waterford Township Erie County	PAG038360	Shearers Foods LLC 821 Route 97 Waterford, PA 16441-2843	Unnamed Tributary of LeBoeuf Creek— 16-A	DEP North West Regional Office Clean Water Program 230 Chestnut Street Meadville, PA 16335-3481 814-332-6942

General Permit Type—PAG-4

<i>Facility Location Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Newton Township Lackawanna County	PAG042239	St. Benedict Church 301 S. State Street Clarks Summit, PA 18411	Unnamed Tributary to Gardner Creek— 4-G CWF/MF	DEP Northeast Regional Office Clean Water Program 2 Public Square Wilkes-Barre, PA 18701-1915 570.826.2511

General Permit Type—PAG-7

<i>Facility Location & County/ Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Site Name & Location</i>	<i>Contact Office & Phone No.</i>
Antrim Township, Franklin County	PAG073514	Greencastle Borough Franklin County 60 N. Washington Street Greencastle, PA 17225	Greencastle STP 10339 Grant Shook Rd Greencastle, PA 17225	DEP—SCRO— Clean Water Program 909 Elmerton Ave. Harrisburg, PA 17110-8200 717-705-4707
Swatara Township, Dauphin County	PAG073521	Swatara Township Auth PO Box 4920 Harrisburg, PA 17111	Swatara TWP WWTP 8675 Paxton St Hummelstown, PA 17036	DEP—SCRO— Clean Water Program 909 Elmerton Ave. Harrisburg, PA 17110-8200 717-705-4707

General Permit Type—PAG-8

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Site Name & Location</i>	<i>Contact Office & Phone No.</i>
Telford Borough Telford Borough Montgomery and Bucks Counties	PAG080006	Telford Borough Authority 122 Penn Avenue Telford, PA 18969	Telford Borough Authority 109 Telford Pike Telford, PA 18969	Southeast Region Clean Water 484.250.5970

General Permit Type—PAG-9

<i>Facility Location & County/ Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Site Name & Location</i>	<i>Contact Office & Phone No.</i>
Metal Township, Franklin County	PAG093541	Art Bidel Enterprises Inc. 11468 Creek Rd Fannettsburg, PA 17221	Art Bidel Enterprises Inc. 11468 Creek Rd Fannettsburg, PA 17221	DEP—SCRO— Clean Water 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707

General Permit Type—PAG-10

<i>Facility Location Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Smith Township Washington County	PAG106206	Rover Pipeline, LLC 1300 Main Street Houston, TX 77002	Raccoon Creek 20-D WWF	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive Pittsburgh, PA 15222-4745 412.442.4000

General Permit Type—PAG-12

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Millcreek Township, Lebanon County	PAG123581	Elvin Nolt 11 Setherb Road Richland, PA 17087-9404	Watershed 3-C	DEP—SCRO—CW 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Lykens Township, Dauphin County	PAG123822	Collette Farms LLC 90 Court Street Bethel, PA 19507	Watershed 6-C	DEP—SCRO—CW 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Manor Township, Lancaster County	PAG123543	Harnish Alan 3425 Blue Rock Road Lancaster, PA 17603-9775	Watershed 7-J	DEP—SCRO—CW 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Napier Township, Bedford County	PAG123854	LHF Enterprises LLC 932 Turner Camp Road Schellsburg, PA 15559	Watershed 11-C	DEP—SCRO—CW 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707

MS4 PAG-13 Notices of Intent Received

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Waiver Application Submitted (Y/N)</i>	<i>Pollutant Reduction Plan Submitted (Y/N)</i>
PAG136105	Fallowfield Township 9 Memorial Drive Charleroi, PA 15022-3404	Fallowfield Township, Washington County	Y	N
PAG136384	Smith Township Washington County 100 Courson Hill Road Washington, PA 15301	Smith Township, Washington County	Yes	No
PAG136396	Upper Burrell Township 3735 Seventh Street New Kensington, PA 15067	Upper Burrell Township, Westmoreland County	Yes	No
PAG136348	Aleppo Township 100 North Drive Sewickley, PA 15143-2383	Aleppo Township, Allegheny County	Yes	No
PAG136123	Blawnox Borough 376 Freeport Road Blawnox, PA 15238-3440	Blawnox Borough, Allegheny County	N	N

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Waiver Application Submitted (Y/N)</i>	<i>Pollutant Reduction Plan Submitted (Y/N)</i>
PAG136314	Emsworth Borough Allegheny County 171 Center Avenue Emsworth, PA 15202-1507	Emsworth Borough, Allegheny County	N	Y
PAG136177	Harrison Township PO Box 376 Natrona Heights, PA 15065-0376	Harrison Township, Allegheny County	N	N
PAG136340	Windber Borough 1401 Graham Avenue Windber, PA 15963-1709	Windber Borough, Somerset County	Y	Y
PAG136190	Chalfant Borough 144 Lynwood Avenue East Pittsburgh, PA 15112	Chalfant Borough, Allegheny County	Y	Y

STATE CONSERVATION COMMISSION

NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

CAFO NMP PUBLIC NOTICE SPREADSHEET—ACTIONS (Approval/Disapproval)

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units (AEUs)</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
(Owner) Arlin Benner 880 Pinkerton Rd Mount Joy, PA 17552	Chester	327.4	1,950.00	Dairy	N/A	Approved
(Operator) Cochranville Farm Arlin Benner Dairy Operations 2100 Glenville Road Cochranville, PA 19330						
West Fallowfield Township Hickory Hollow Farm, LLC R. Lamar Harnish 491 Barnsley Road Oxford, PA 19363-4105	Chester	1,000	620.25	Swine	EV/HQ	Approved
East Nottingham Township						

**NUTRIENT MANAGEMENT PLAN
PUBLIC NOTICE SPREADSHEET—ACTIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Anthony Oberholtzer 1500 Pine Grove Road Bethel, PA 19507	Berks	210	447.88	Poultry (Broilers)	NA	Approved
Ryan Rutt 524 North Garfield Road Bernville, PA 19506	Berks	200	1,024.16	Poultry, Swine	NA	Approved
Hetrickdale Farms 69 Hetrick Road Bernville, PA 19506	Berks	2,141.4	2,968.61	Dairy	NA	NA
Monte Edgin 10368 Chester Furnace Rd Shirleysburg, PA 17260	Huntingdon	152.7	517.79	Swine	Old Womans Creek/Aughwick Creek—NA	Approved

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act.

Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401.

Operations Permit # 1517514 issued to: **Camphill Special School**, 1784 Fairview Road, Glenmoore, PA 19343, **PWS ID # 1150226**, East Vincent Township, **Chester County** on October 30, 2017 for the operation of Caustic Soda Feed facilities approved under construction permit # 1517514.

Operations Permit # 4616535 issued to: **North Penn Water Authority**, 800 Forty Foot Road, Lansdale, PA 19446, **PWS ID # 1460034**, Souderton Borough, **Montgomery County** on October 24, 2017 for the operation of Upgrades to Lawn Avenue Booster Station and Addition of a Mixer in Lawn Avenue tank facilities approved under construction permit # 4616535.

Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Permit No. 2400114, Operation Permit, Public Water Supply.

Applicant	Aqua Pennsylvania, Inc. 1 Aqua Way White Haven, PA 18661
Municipality	Butler Township
County	Luzerne
Type of Facility	PWS
Consulting Engineer	Chad M. Lello, P.E. Pennoni Associates, Inc. 672 N. River Street Suite 313 Plains, PA 18705
Permit to Operate Issued	October 31, 2017

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 0617505, Public Water Supply.

Applicant	DS Services of America, Inc.
Municipality	Heidelberg Township
County	Berks
Responsible Official	Travis Thornton, Director Water Resources 2300 Windy Ridge Pkwy Suite # 500N Atlanta, GA 30339
Type of Facility	Installation of chlorine disinfection and bulk water loading facilities at the existing Bethany Children's Home bulk spring water facility.

Consulting Engineer Gary J. Toplak, PE
Toplak & Associates, PC
112 Pineview Road
Baden, PA 15005

Permit to Construct 10/20/2017
Issued

Operation Permit No. 6717512 MA issued to: **Pennsylvania American Water (PWS ID No. 7210029)**, Fairview Township, **York County** on 10/30/2017 for facilities submitted under Application No. 6717512 MA.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit No. 0217524, Public Water Supply.

Applicant **Springdale Borough**
325 School Street
Springdale, PA 15144

[Borough or Township] Springdale Borough

County **Allegheny**

Type of Facility James Street waterline project

Consulting Engineer Bankson Engineers, Inc.
267 Blue Run Road
Suite 200
Cheswick, PA 15024

Permit to Construct November 1, 2017
Issued

Operations Permit issued to: **Pennsylvania American Water Company**, 800 West Hersheypark Drive, Hershey, PA 17033, (**PWSID # 5020039**) Baldwin Borough and the City of Pittsburgh, **Allegheny County** on November 1, 2017 for the operation of facilities approved under Construction Permit # 0217544.

Operations Permit issued to: **Municipal Authority of Westmoreland County**, 124 Park & Pool Road, New Stanton, PA 15672, (**PWSID # 5650032**) Bell Township, **Westmoreland County** on November 1, 2017 for the operation of facilities approved under Construction Permit # 6517512.

Operations Permit issued to: **Municipal Authority of Westmoreland County**, 124 Park & Pool Road, New Stanton, PA 15672, (**PWSID # 5650032**) Bell Township, **Westmoreland County** on November 1, 2017 for the operation of facilities approved under Construction Permit # 6516509.

Permit No. 0285507-T1, Minor Amendment. Public Water Supply.

Applicant **Hampton Shaler Water Authority**
PO Box 66
3101 McCully Road
Allison Park, PA 15101

[Borough or Township] Sharpsburg Borough

County **Allegheny**

Type of Facility Transfer of the Sharpsburg water system to Hampton Shaler Water Authority

Consulting Engineer

Permit to Operate October 26, 2017
Issued

WATER ALLOCATIONS

Actions taken on applications received under the act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) relating to the acquisition of rights to divert waters of the Commonwealth.

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

WA 22-1038, Water Allocations. **Pennsylvania American Water (PWS ID No. 7220017)**, Lebanon County. The applicant is requesting the right to purchase up to a maximum of 800,000 gpd, based on a 30-day average, from the City of Lebanon Authority to serve customers in Annville Township through an existing interconnection. Permittee Contact: David R. Kauffman, Vice-President—Engineering, Pennsylvania-American Water, 800 West Hershey Park Drive, Hershey, PA 17033. Consulting Engineer: Dale R. Glatfelter, PE, Gannett Flemming, Inc., PO Box 67100, Harrisburg, PA 17106. Permit Issued: 11/3/2017.

WA 06-1016A, Water Allocations. **Wernersville Municipal Authority (PWS ID No. 3060076)**, Berks County. Wernersville Municipal Authority has submitted an application requesting the right to purchase up to 0.409 million gallons per day, based on a 30-day average, from the Western Berks Water Authority. Permittee Contact: Robert Walborn, Manager, Wernersville Municipal Authority, PO Box 145, Wernersville, PA 19565-0145. Consulting Engineer: Holly C. Cinkutis, PE, Great Valley Consultants, 75 Commerce Drive, Wyomissing, PA 19610. Permit Issued: 10/26/2017.

WA 38-264-C, Water Allocations. **City of Lebanon Authority (PWS ID No. 7380010)**, Lebanon County. Modification Order issued for the purchase of a maximum of 800,000 gpd, based on a 30-day average, by the Pennsylvania American Water Company through an existing interconnection. Permittee Contact: Jonathan R. Beers, Executive Director, City of Lebanon Authority, 2311 Ridgeview Road, Lebanon, PA 17042. Permit Issued: 11/3/2017.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WA56-1010, Water Allocations. **Conemaugh Township Municipal Authority**, 113 South Main Street, PO Box 429, Davidsville, PA 15928, **Somerset County**. The right to purchase up to 200,000 gallons of water per day, as a peak month, 30-day average, from the Somerset County General Authority.

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act (35 P.S. § 750.5).

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Upper Frankford Township	660 Mohawk Rd Newville, PA 17241	Cumberland

Plan Description: Approval of a revision to the official plan of Upper Frankford Township, Franklin County. The project is known as Dogwood Acres Campground. The plan provides for a sewage treatment plant to serve a

campground with flows of 3,286 gallons per day which is currently served by a best technical guidance onlot sewage disposal system. The proposed development is located on Enola Road. The Department's review of the plan revision has not identified any significant impacts resulting from this proposal. The DEP Code Number for this planning module is A3-21930-111-3 and the APS Id is 805185. Any permits must be obtained in the name of the property owner.

Northcentral Region: Clean Water Program Manager, 208 West Third Street, Williamsport, PA 17701.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Bald Eagle Township	12 Fairpoint Road Mill Hall, PA 17751	Clinton

Plan Description: The approved plan provides for upgrades to the Clinton County Sewer Authority's Draketown Regional Pump Station and replacement of approximately 850 feet of 8 inch cast iron forcemain under Bald Eagle Creek through a combination of directional drilling and open cut. Both the upstream and downstream sections of this forcemain have already been replaced, leaving this remaining section to act as a bottleneck. Four pumps, two on the Mill Hall/East Nittany Valley Joint Municipal Authority side and two on the Bald Eagle Township Authority side of the Draketown Regional Pump Station will be replaced. The existing pumps were previously retrofitted with vortex style impellers which reduced the pumping capacity. The proposed pumps will restore the pumping capacity to the originally permitted design capacity. In addition, the two actuated valves for the bypass management tank return water will be extended above grade so they are above the ground water level, and two maceration manholes will be installed, one on each influent line upstream of the pump station. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

SEWAGE FACILITIES ACT PLAN DISAPPROVAL

Plan Disapprovals Under the Pennsylvania Sewage Facilities Act.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. 717-705-4707. Telephone: 717-705-4707.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
South Hanover Township	161 Patriot Way Hershey, PA 17033-2498	Dauphin

Plan Description: The sewage planning exemption request submitted for the Daniel & Meredith Mills Subdivision, DEP Code No. A3-22930-192-2E, APS Id 954433, is disapproved. The purpose of this plan is to create one new single family residential building lot to use an individual onlot sewage disposal system and a residual tract with an existing dwelling an onlot sewage disposal system. The project is located on the north side of Hanshue Road, southwest of the junction with Shetland Drive. A preliminary hydrogeologic study is required because the proposed subdivision is within 1/4 mile of a well documented to exceed 5 PPM nitrate-N and onlot sewage disposal is

proposed. Reference: Chapter 71, Section 71.51(b)(1)(ii) and South Hanover Township's Act 537 Sewage Facilities Plan (1989 submission). Therefore, the proposal must be submitted using the Component 2 sewage planning module forms.

**HAZARDOUS SITES CLEAN-UP
UNDER THE ACT OF
OCTOBER 18, 1988**

**Public Notice of Proposed settlement under
HSCA/CERCLA**

Turtle Creek HSCA Site, Montgomery County

The Department of Environmental Protection (Department), under the authority of the Hazardous Sites Cleanup Act (HSCA), 35 P.S. § 6020.101 et seq., and the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA), 42 U.S.C.A. § 9601 et seq., has entered into a proposed Prospective Purchaser Agreement ("PPA") with Lewis 18, LLC and Lewis 20, LLC (collectively "Purchasers") related to the Turtle Creek HSCA Site ("Turtle Creek Site") in Limerick Township, Montgomery County, Pennsylvania.

The Turtle Creek Site involves a plume of groundwater contamination associated with two properties located at 640 North Lewis Road and 508 North Lewis Road in Royersford, PA. The groundwater contamination consists primarily of volatile organic compounds ("VOCs") stemming from certain manufacturing operations at the two identified properties which has impacted adjacent residential areas in Limerick Township. Purchasers wish to purchase certain parcels of the Turtle Creek Site for development purposes. The Department has determined that Purchasers neither caused nor contributed to the releases of hazardous substances at the Site.

Under the terms and conditions of the Prospective Purchaser Agreement, Purchasers will make a contribution to the Department's past response costs at the Site, will agree to provide access to the properties to the Department, and will not exacerbate any of the contamination associated with the Site.

This notice is provided pursuant to Section 1113 of HSCA, 35 P.S. § 6020.1113. The PPA may be examined from 8 AM to 4 PM at the Department's offices at 2 East Main Street, Norristown, PA by contacting either Bonnie McClennen at 484-250-5965 or Anderson Lee Hartzell at 484-250-5866. A public comment period on the PPA will extend for a period of 60 days from the date of this notice. Interested persons may submit written comments regarding the PPA to the Department by submitting them to Ms. McClennen in the Environmental Cleanup and Brownfields Program at the above address.

**LAND RECYCLING AND
ENVIRONMENTAL REMEDIATION**

**UNDER ACT 2, 1995
PREAMBLE 2**

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to

document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

POCAL Industries-Scranton Facility, 100 Electric Street, Scranton City, **Lackawanna County**. Hocage Consulting, Inc., 987 Haddon Ave, Collingswood, NJ 08108 on behalf of Tamares Real Estate Holdings, Inc., 1500 Broadway, 24th Floor, New York, NY 10036 has submitted a Final Report concerning remediation of site soils contaminated with cadmium and lead. The report is intended to document remediation of the site to meet Statewide Health Standards.

Above & Beyond Senior Living Facility, 5844 Daniel Street, Upper Macungie Township, **Lehigh County**. JMT Environmental Technologies, PO Box 22044, Lehigh Valley, PA 18002-2044, on behalf of Above & Beyond Senior Living Facility, 5844 Daniel Street, Allentown, PA 18104 has submitted a Final Report concerning remediation of site soils contaminated with # 2 fuel oil. The report is intended to document remediation of the site to meet Statewide Health Standards.

Former Solovey Service Station, 274 North River Street, Plains Township, **Luzerne County**. Groundwater Sciences Corporation, 2601 Market Place Street, Suite 310, Harrisburg, PA 17110, on behalf of Roberts Oil Company, 646 Meadows Lane, Dallas, PA 18612 has submitted a Remedial Investigation Report and Cleanup Plan concerning remediation of site groundwater contaminated due to historic use of underground storage tanks storing petroleum at the site. The predominant contaminants identified are volatile organic compounds and lead. The report is intended to document remediation of the site to meet the Site-Specific Standard.

315 Columbia Street, 315 Columbia Street, Bethlehem City, **Northampton County**. Environmental Consulting, Inc., 2002 Renaissance Boulevard, Suite 110, King of Prussia, PA 19406, on behalf of JG Petrucci Company, Inc., 171 Route 173, Suite 201, Asbury, NJ 08802 has submitted a Remedial Investigation Report, Risk Assessment, and Cleanup Plan concerning remediation of site groundwater contaminated due to historic use at the site. The predominant contaminants identified are volatile organic compounds, specifically tetrachloroethylene (PCE). The report is intended to document remediation of the site to meet the Site-Specific Standard.

Suburban Propane, 245 Smith Street, New Milford, **Susquehanna County**. Cemats, 3232 Seneca Turnpike, P.O. Box 68, Canastota, NY 13032, on behalf of Suburban Propane, P.O. Box 4833, Syracuse, NY 13221, has submitted a Remedial Investigation Report concerning remediation of site soil and groundwater contaminated due historic releases from a petroleum distribution facility at the site. The predominant contaminants identified are volatile organic compounds. The report is intended to document remediation of the site to meet the Site-Specific Standard.

Harold Evans Residence, 1915 Hopewell Road, Bethlehem City, **Northampton County**. JMT Environmental Technologies Inc., P.O. Box 22044, Lehigh Valley, PA 18002, on behalf of Harold Evans, 1915 Hopewell Road, Bethlehem, PA 18017, has submitted a Final Report concerning remediation of site soils contaminated with # 2 fuel oil. The report is intended to document remediation of the site to meet Statewide Health Standards.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

WellSpan Ephrata Community Hospital, 166 Martin Avenue, PA 17522, Ephrata Borough, **Lancaster County**. Reliance Environmental, Inc., 235 North Duke Street, Lancaster, PA 17602, on behalf of Ephrata Medical Service Group, Inc., 169 Martin Avenue, Ephrata, PA 17522, submitted a Final Report concerning site soil contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Residential Statewide Health Standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which dem-

onstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

LNL Machine Tools, Inc., 1912 North Reading Road, Stevens, PA 17578, East Cocalico Township, **Lancaster County**. Reliance Environmental, Inc., 235 North Duke Street, Lancaster, PA 17602, on behalf of LNL Machine Tools, Inc., 1912 North Reading Road, Stevens, PA 17578, submitted a Final Report concerning remediation of site soil contaminated with No. 2 fuel oil and unleaded gasoline. The Final Report demonstrated attainment of the Nonresidential Statewide Health Standard, and was approved by the Department on October 24, 2017.

Miller Chemical & Fertilizer, LLC, 120, 150 and 170 Radio Road, Hanover, PA 17331, Conewago Township, **Adams County**. Ramboll Environ US Corporation, 4350 North Fairfax Drive, Suite 300, Arlington, VA 22203, on behalf of Miller Chemical & Fertilizer, LLC, 120 Radio Road, Hanover, PA 17332, submitted a Remedial Investigation and Final Report concerning remediation of site soil contaminated with fertilizer run-off. The Final Report demonstrated attainment of the Background, Nonresidential Statewide Health and Site-Specific Standards, and was approved by the Department on October 25, 2017.

Former Yorktowne Cabinets, 100 Redco Avenue, Red Lion, PA 17356, Red Lion Borough and Windsor Township, **York County**. Buchar Horn, Inc., 445 West Philadelphia Street, P.O. Box 15040, York, PA 17405-7040, on behalf of Tri Boro Construction, 465 Locust Street, P.O. Box 8, Dallastown, PA 17313, submitted a Remedial Investigation and Final Report concerning remediation of

site soil and groundwater contaminated from LUSTs and historic industrial use. The report was administratively incomplete and was disapproved by the Department on October 31, 2017.

Walker Elementary School, 7864 William Penn Highway, Mifflintown, PA 17059, Walker Township, **Juniata County**. P. Joseph Lehman, Inc., Olde Farm Office Centre, P.O. Box 419, Hollidaysburg, PA 16648, on behalf of Juniata County School District, 7864 William Penn Highway, Mifflintown, PA 17059, submitted a Final Report concerning remediation of site groundwater contaminated with # 2 fuel oil. The Final Report did not demonstrate attainment of the Residential Statewide Health Standard, and was disapproved by the Department on November 2, 2017.

HAZARDOUS WASTE TRANSPORTER LICENSE

Actions on applications for Hazardous Waste Transporter License received under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003) and regulations to transport hazardous waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, PO Box 69170, Harrisburg, PA 17106-9170.

Renewal Applications Received

Tri-Line Carriers GP Inc., 1179 Ridgeway Rd, Woodstock, ON N4S 0A9. License No. PA-AH 0736. Effective Oct 30, 2017.

Chemtron Corp., 35850 Schneider Ct., Avon, OH 44011. License No. PA-AH 0199. Effective Oct 30, 2017.

LEI, Inc., PO Box 550, Independence, LA 70443. License No. PA-AH 0811. Effective Nov 01, 2017.

Graf Brothers Leasing, Inc., 166 Lafayette Road, Salisbury, MA 01952. License No. PA-AH 0836. Effective Nov 02, 2017.

McCutcheon Enterprises, Inc., 250 Park Rd, Apollo, PA 15613-8730. License No. PA-AH 0130. Effective Nov 01, 2017.

The Environmental Service Group (NY), Inc., 177 Wales Avenue, Tonawanda, NY 14150. License No. PA-AH S144. Effective Nov 03, 2017.

WM Curbside, LLC, 301 Stanhope Street, Pittsburgh, PA 15204. License No. PA-AH 0793. Effective Nov 06, 2017.

J and D Trucking, Inc., 3526 NW Boulevard, Vineland, NJ 08360. License No. PA-AH 0652. Effective Nov 06, 2017.

Hazardous Waste Transporter License Reissued

Tri-Line Carriers GP Inc., 1179 Ridgeway Rd, Woodstock, ON N4S 0A9. License No. PA-AH 0736. Effective Oct 31, 2017.

Chemtron Corp., 35850 Schneider Ct., Avon, OH 44011. License No. PA-AH 0199. Effective Oct 31, 2017.

LEI, Inc., PO Box 550, Independence, LA 70443. License No. PA-AH 0811. Effective Nov 02, 2017.

Graf Brothers Leasing, Inc., 166 Lafayette Road, Salisbury, MA 01952. License No. PA-AH 0836. Effective Nov 02, 2017.

McCutcheon Enterprises, Inc., 250 Park Rd, Apollo, PA 15613-8730. License No. PA-AH 0130. Effective Nov 02, 2017.

The Environmental Service Group (NY), Inc., 177 Wales Avenue, Tonawanda, NY 14150. License No. PA-AH S144. Effective Nov 06, 2017.

WM Curbside, LLC, 301 Stanhope Street, Pittsburgh, PA 15204. License No. PA-AH 0793. Effective Nov 06, 2017.

J and D Trucking, Inc., 3526 NW Boulevard, Vineland, NJ 08360. License No. PA-AH 0652. Effective Nov 06, 2017.

Hazardous Waste Transporter License Expired

Environmental Management Specialist, Inc., 2055 Grief Road, Zanesville, OH 43701. License No. PA-AH 0806. Effective Oct 31, 2017.

Willow Creek Stonework and Supply LLC DBA Willow Creek Environmental, 74 Willow Creek Road, Reading, PA 19605. License No. PA-AH 0830. Effective Oct 31, 2017.

Mountain Energy Services Inc., 205 West Tioga Street, Tunkhannock, PA 18657. License No. PA-AH 0832. Effective Oct 31, 2017.

REGULATED MEDICAL AND CHEMOTHERAPEUTIC WASTE TRANSPORTER LICENSES

Actions on applications for Regulated Medical and Chemotherapeutic Waste Transporter License received under the Solid Waste Management Act and the act of June 28, 1988 (P.L. 525, No. 93) and regulations to transport regulated medical and chemotherapeutic waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, PO Box 69170, Harrisburg, PA 17106-9170.

Renewal Applications Received

JPS Equipment Co., PO Box 788, Edgemont, PA 19028. License No. PA-HC 0142. Effective Nov 01, 2017.

MDB BioMed LLC, 116 Level Road, Collegeville, PA 19426. License No. PA-HC 0269. Effective Nov 03, 2017.

Regulated Medical and Chemotherapeutic Waste Transporter Reissued

JPS Equipment Co., PO Box 788, Edgemont, PA 19028. License No. PA-HC 0142. Effective Nov 02, 2017.

Regulated Medical and Chemotherapeutic Waste Transporter License Expired

Weavertown Transport Leasing, Inc., 2 Dorrington Road, Carnegie, PA 15106. License No. PA-HC 0020. Effective Oct 31, 2017.

HAZARDOUS WASTE TREATMENT, STORAGE AND DISPOSAL FACILITIES

Permits issued, suspended, expired, denied, revoked, reinstated or returned under the Solid Waste Management Act and Regulations to Operate a Hazardous Waste Treatment, Storage, or Disposal Facility.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

PA067098822. Cycle Chem, Inc., 550 Industrial Drive, Lewisberry, PA 17339-9534, Fairview Township, York County. A Class 3 Permit Modification authorizing the acceptance and storage of Polychlorinated Biphenyl

(PCB) waste at Cycle Chem, Inc. was issued by the Southcentral Regional Office on October 27, 2017.

PAR000514182. National Standard LLC, Mount Joy Site, 1000 East Main Street—Impoundment, Mount Joy, PA 17552, Mount Joy Borough, Lancaster County. A Class 1 Permit Modification was issued by the Southcentral Regional Office for changes to existing permit requirements for the groundwater abatement system, monitoring parameters and minor administrative changes to the permit. The Class 1 permit modification was issued on November 1, 2017.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permit Issued Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 300659. Magnesita Refractories Company, 425 S Salem Church Road, York, PA 17408-5955 West Manchester Township, York County. A major permit modification was issued on October 30, 2017, approving a vertical expansion of the Magnesita Class III Residual Waste Landfill and increasing the overall volume and life expectancy of the landfill. This permit is issued in accordance with Article V of the Solid Waste Management Act, 35 P.S. §§ 6018.101, et seq.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Norman Frederick, P.E., Environmental Engineer Manager—Telephone: 570-826-2409.

GP1-35-013: Scranton School District (425 North Washington Avenue, Scranton, PA 18503) on November 1, 2017 for the installation and operation of two new boilers at the site located in Scranton Borough, Lackawanna County.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

GP1-67-03141A: Sonoco Display & Packaging (200 Boxwood Lane, York, PA 17402) on October 27, 2017, for two existing natural gas/# 2 oil fired boilers, 10.03 and 16.74 MMBtu, respectively, at the packaging manufacturing facility located in Springettsbury Township, York County. The general permit authorization was renewed.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

GP3-59-237: Chad Cross (19316 Route 6, Mansfield, PA 16933) on October 31, 2017, to construct and operate one McCloskey Model J50 jaw crusher and to continue to operate five nonmetallic mineral crushers, three vibratory screens, and four stacking conveyers pursuant to General Plan Approval and/or General Operating Permit For Portable Nonmetallic Mineral Processing Plants (BAQ-GPA/GP-3) at the Hemlock Hill Quarry located in Sullivan Township, **Tioga County**.

GP9-59-237: Chad Cross (19316 Route 6, Mansfield, PA 16933) on October 31, 2017, to construct and operate one 350 bhp Caterpillar model C9 diesel-fired engine and to continue to operate six nonroad diesel-fired engines pursuant to the General Plan Approval and/or General Operating Permit for Diesel or No. 2 Fuel-fired Internal Combustion Engines (BAQ-GPA/GP-9) at the Hemlock Hill Quarry located in Sullivan Township, **Tioga County**.

Plan Approvals Issued under the Air Pollution Control Act and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Norman Frederick, P.E., Environmental Engineer Manager—Telephone: 570-826-2409.

48-00003D: Keystone Cement Company, (PO Box A, Routes 329 and 987, Bath, PA 18014) On November 6, 2017 for the construction and operation of a new SNCR with ammonia injection system on the No. 1 Kiln at their facility in East Allen Township, **Northampton County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Alan Binder, P.E., Environmental Engineer Manager—Telephone: 412-442-4168.

63-00922D: Robinson Power Company, LLC (P.O. Box 127, 563 Route 18, Burgettstown, PA 15021) on October 27, 2017, to construct a 1,000 MW natural gas-fired combined cycle power plant named the Beech Hollow Project in Robinson Township, **Washington County**.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James A. Beach, New Source Review Chief—Telephone: 484-250-5920.

15-0009C: AGC Chemicals America Inc. (255 S. Bailey Road, Downingtown, PA 19335-2003) On October 24, 2017, for the modification of the polytetrafluoroethylene (PTFE) free flow process to retain four ovens along with the fluid bed dryer and the installation of a cartridge filter in line between cyclone and the scrubber in Caln Township, **Chester County**.

23-0047G: Evonik Corporation (1200 W Front Street, Chester, PA 19013-3438) On November 2, 2017 for the replacement of two existing baghouses (ID Nos. 1615 and 1620) with new baghouses in Chester City, **Delaware County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

21-05037B: Union Quarries, Inc. (PO Box 686, Carlisle, PA 17013) on October 27, 2017, for the installation of a 550 ton per hour limestone crushing plant to replace the existing plant at the Bonny Brook quarry in South Middleton Township, **Cumberland County**. The plant will include a jaw crusher, cone crushers, several screens and a battery of conveyors, and will be controlled by a wet suppression system. The plan approval was extended.

06-05069X: East Penn Manufacturing Co., Inc. (P.O. Box 147, Lyon Station, PA 19536) on November 1, 2017, for modifying A-2 Facility production lines. The sources are located at the Lyon Station lead-acid battery assembly facility in Richmond Township, **Berks County**. The plan approval was extended.

01-05037B: Gettysburg Energy & Nutrient Recovery Facility, LLC (71 Old Mill Bottom Road North, Suite 101, Annapolis, MD 21409) on November 1, 2017, for the construction and temporary operation of an energy and nutrient recovery facility utilizing egg layer manure located in Tyrone Township, **Adams County**. The plan approval was extended, with a revised compliance schedule.

36-05107D: Pepperidge Farm, Inc. (2195 North Reading Road, Denver, PA 17517) on November 1, 2017, for the installation of a new Catalytic Oxidizer 5 to control Cracker Oven 8 and re-routing the exhaust so only Cracker Oven 7 exhausts to Catalytic Oxidizer 4 at the Pepperidge Farm bakery located in East Cocalico Township, **Berks County**. The plan approval was extended.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

59-00005J: Dominion Transmission, Inc. (5000 Dominion Blvd., Glen Allen, VA 23060) on November 3, 2017, to extend the authorization for the construction of a 12.07 million Btu per hour ETI model THE-1207 natural-gas fired salt bath heater (Source ID 044) and a 3.0 million Btu per hour Ajax model WRFG-3000 natural-gas fired boiler (Source ID 045) at the Sabinsville Compressor Station located in Clymer Township, **Tioga County** to May 2, 2018. The plan approval has been extended.

18-00009F: Clinton County Solid Waste Authority (P.O. Box 209, McElhattan, PA 17748) on October 27, 2017, for the construction and operation of the Northside municipal solid waste landfill expansion located in Wayne Township, **Clinton County**. The plan approval has been extended to May 22, 2018.

18-00021B: Avery Dennison Performance Polymers (171 Draketown Road, Mill Hall, PA 17751) on October 27, 2017, for the construction and operation of the R-100 emulsion reactor system at their facility located in Bald Eagle Township, **Clinton County**. The plan approval has been extended May 3, 2018.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

25-1043A: Barrel O' Fun Snack Foods Company East (821 Route 97 South, Waterford, PA 16441) on October 30, 2017, effective October 31, 2017, has issued a plan approval extension for the proposed construction of 6 Batch Kettle Fryers (2,700 #/hr of chips), a Corn Puff Line, a Corn Popper, and a hot water boiler in Waterford Township, **Erie County**. This expires April 30, 2018.

42-095C: Georgia Pacific Corrugated, LLC—Bradford Plant (One Owens Way, Bradford, PA 16701) on November 2, 2017, effective November 30, 2017, has issued a plan approval extension for the installation of a cyclone as replacement for existing control devices associated with Source ED 101 in Bradford Township, **McKean County**. This is a State Only facility. This expires May 31, 2018.

Title V Operating Permits Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

36-05146: EPP Renewable Energy LLC (1605 N. Cedar Crest Blvd., Suite 509, Allentown, PA 18104-2355) on October 30, 2017, for the landfill gas-to-energy facility associated with the Frey Farm Landfill located in Manor Township, **Lancaster County**. The Title V permit was renewed.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

20-00035: Molded Fiber Glass Companies, Tray Company (6175 US Highway 6, Linesville, PA 16424). On October 30, 2017, the Department issued the renewal of the Title V Operating Permit for the Reinforced Plastic Manufacturing Facility, located in Linesville Borough, **Crawford County**. The facility's major emission sources include: Two (2) 4.2 MMBtu/hr Boilers, Air Make-Up & Space Heaters (16.1 MMBtu/hr), Process Heaters (0.55 MMBtu/hr), Closed Molding Operations, a Degreasing Operation, an Emergency Generator (80 kW), Finishing Operations, a Wet Resin Mix Room, two (2) Preform Ovens/Machines, a Curing Oven, a Surface Coating Operation, and eight (8) Resin Storage Tanks. The facility is electing to limit its styrene throughput for the Closed Molding Operations, its solvent usage for the Degreasing Operation, its preform throughput for the Preform Ovens/Machines, and its surface coating usage for the Surface Coating Operation in order to maintain its VOC emissions below major thresholds (50 tons per year), thus avoiding recently promulgated RACT requirements. The potential emissions of the major pollutants from the facility with these limitations are as follows: PM₁₀: 3.89 TPY, PM_{2.5}: 0.27 TPY, NO_x: 11.48 TPY, SO_x: 0.07 TPY, CO: 5.23 TPY, VOC: 48.93 TPY, Styrene: 43.60 TPY, and CO₂: 13,452 TPY; thus, the facility is subject to Title V requirements for potential emissions of a single Hazardous Air Pollutant in excess of ten (10) tons (Styrene). The Boilers and Process Heater are subject to 40 CFR 63 Subpart DDDDD NESHAP for Major Sources: Industrial, Commercial, and Institutional Boilers and Process Heaters. The Emergency Generator is subject to 40 CFR 63 Subpart ZZZZ NESHAP for Stationary Reciprocating In-

ternal Combustion Engines. The facility is subject to 40 CFR 63 Subpart WWWW NESHAP for Reinforced Plastic Composites Production. The renewal permit contains emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

33-00140: Dominion Transmission, Inc. Punxsutawney Station (88 Laska Road, Punxsutawney, PA). On October 23, 2017, the Department issued the renewal of the Title V Operating Permit for the natural gas transmission and distribution station located in Perry Township, **Jefferson County**. The facility's major emission sources include: Boiler 1 (Ajax Wgfd-5500), Miscellaneous Combustion Units (<2.5 MMBtu/Hr.), Compressor Engine 1 (4,200 HP), Compressor Engine 2 (4,200 HP), an Auxiliary Generator (550 HP Caterpillar), Miscellaneous Storage Tanks, Compressor Engine 3 (4,735 HP), a Compressor Turbine, and Facility Pumps, Valves, Flanges, etc. The potential emissions of the major pollutants from the facility are as follows: PM₁₀: 4.36 TPY, NO_x: 219.43 TPY, SO_x: 1.68 TPY, CO: 126.65 TPY, VOC: 55.54 TPY, HAPs: 35.17 TPY, Formaldehyde: 23.39 TPY, and CO₂: 77,489.62 TPY; thus, the facility is subject to Title V requirements for potential NO_x, CO, VOC, HAPs, and CO₂e emissions. Boiler 1 is subject to 40 CFR 63 Subpart DDDDD for industrial, commercial, and institutional boilers and process heaters located at major sources of HAP. The three compressor engines (1, 2, and 3) are exempted from 40 CFR Part 63, Subpart ZZZZ. The auxiliary emergency generator is also exempt from Subpart ZZZZ except for the requirements of § 63.6640(f)(2). The boiler, compressor engines, auxiliary generator, compressor turbine, line heater, and fugitive sources (pumps, valves, flanges, etc.) are subject to the new presumptive RACT requirements of 25 Pa. Code § 129.97. The renewal permit contains emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

09-00068: Orchard Hill Memorial Park (80 Kelly Road, Quakertown, PA 18951) On November 2, 2017, for the renewal of a State Only Operating Permit for an animal crematory in Richland Township, **Bucks County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Norman Frederick, P.E., Environmental Engineer Manager—Telephone: 570-826-2409.

45-00004: Tobyhanna Army Depot (11 Hap Arnold Boulevard, Tobyhanna, PA 18466-5002) issued on 1/3/17, for the operation of a commercial service industry and supply facility in Coolbaugh Township, **Monroe County**. This is a renewal of a State-Only operating permit. The State-Only operating permit includes emission limits, work practice standards, testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within applicable air quality requirements.

40-00120: Cargill Cocoa & Chocolate, Inc., Hazleton Plant (400 Stoney Creek Road, Hazle Township, PA

18202). On November 6, 2017, the Department issued a renewal State-Only Synthetic Minor Permit for the manufacturing of Chocolate and Cocoa Products facility located in Hazle, **Luzerne County**. The main sources at this facility consists of a boiler and breaking, winnowing, and shell loadout processes. The control devices consist of baghouses and a Regenerative Thermal Oxidizer (RTO). The sources are considered a minor emission source of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. The operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

22-05046: Pennsy Supply Co., Inc. (1001 Paxton Street, PO Box 3331, Harrisburg, PA 17105-3331) on October 31, 2017, for the batch asphalt and concrete production operations at the Fiddler's Elbow North Quarry located in Lower Swatara Township, **Dauphin County**. The State-only permit was renewed.

06-03021: Post Precision Castings, Inc. (PO Box A, Strausstown, PA 19559-0100) on October 31, 2017, for the metal casting facility located in Upper Tulpehocken Township, **Berks County**. The State-only permit was renewed.

22-03017: Hoover Funeral Home & Crematory, Inc. (6011 Linglestown Road, Harrisburg, PA 17112-1208) on October 31, 2017, for the human crematory at the facility located in Lower Paxton Township, **Dauphin County**. The State-only permit was renewed.

07-05031: Union Tank Car Co. (Chestnut Ave. & 6th Streets, PO Box 2003, Altoona, PA 16603-2003) on October 31, 2017, for the rail car repair facility located in Altoona City, **Blair County**. The State-only permit was renewed.

34-03009: D&S Shavings (504 Pine Grove Drive, Mifflintown, PA 17059-8070) on October 24, 2017, for the log shaving facility located in Fermanagh Township, **Juniata County**.

06-05149: Fleetwood Industries, Inc. (225 Peach Street, Leesport, PA 19533-8644) on October 30, 2017, for the wood furniture manufacturing facility located in Ontelaunee Township, **Berks County**. The State-only permit was renewed.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

19-00006: Big Heart Pet Brands, Inc. (6670 Low Street, Bloomsburg, PA 17815) on October 27, 2017, for renewal of the State Only operating permit for their Bloomsburg facility located in South Centre Township, **Columbia County**. The operating permit includes emission limits and work practice standards along with testing, monitoring, record keeping and reporting requirements to ensure the facility complies with all applicable air quality regulations.

49-00009: Masonite Corporation (980, Point Township Drive, Northumberland, PA 17857), issued State Only operating permit on November 1, 2017, for their Northumberland Door Plant located in Point Township, **Northumberland County**. The facility's main sources include five (5) spray booths, two (2) pre-finish lines, a milling and sanding operation, a gluing operation, a cleanup operation one emergency generator, one parts washer and several space heaters. This renewal permit also incorporates, via administrative amendment, the permit terms and conditions for a new automated paint spray line (auto paint line, Source ID P117) and a new manual paint spray booth (spray booth, Source ID P118) constructed under plan approval 49-00009D. The State Only operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Tom Joseph, P.E., Facilities Permitting Chief—Telephone: 412-442-4336.

OP-11-00497: Gautier Steel Ltd. (80 Clinton Street, Johnstown, PA 15901-2200) State Only Operating Permit Renewal issuance date October 31, 2017, for continued operation of their facility located in City of Johnstown, **Cambria County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matt Williams, Facilities Permitting Chief at Telephone: 814-332-6940.

20-00256: Choicewood/Weaber, Inc. (11117 Skyline Dr., Titusville, PA 16354), on October 30, 2017, the Department issued the renewal of the State-Only Operating Permit of a woodworking facility, located in Oil Creek Township, **Crawford County**, that produces moldings and S4S boards from hardwood lumbers. Permitted sources at the facility are the various woodworking operations, silo-to-truck transfer of sawdust, a degreaser, and miscellaneous natural gas combustion. With PTEs of 5.85, 0.44, 0.09, 0.023, and 0.003 TPY for PM, NO_x, CO, VOC, and SO_x, respectively, the facility is Natural Minor. None of the permitted sources is subject to MACT. In the renewal permit, only minor changes are made that include the addition of 25 Pa. Code § 121.7 (Prohibition of air pollution) and a general testing requirement as Site-Level Requirements for the facility.

33-00152: Dominion Transmission, Inc. Stoney Run Station (Route 36, Punxsutawney, PA). On October 30, 2017, the Department issued a new State Only Natural Minor Operating Permit for the natural gas production station located in Gaskill Township, **Jefferson County**. The facility's major emission sources include: three (3) two-stroke lean-burn natural gas-fired engines (384 HP), a TEG (tri-ethylene glycol) natural gas dehydrator (25 mmSCF/day) and its 0.50 MMBtu/hr natural gas-fired reboiler, two (2) storage tanks, and facility fugitives. The potential emissions of the major pollutants from the facility are as follows: PM₁₀: 1.7 TPY, NO_x: 82.1 TPY, SO_x: 0.022 TPY, CO: 27.5 TPY, and VOC: 43.1 TPY; thus, the facility is a natural minor. The three engines are subject to 40 CFR Part 63, Subpart ZZZZ, NESHAP for stationary RICE, and the TEG dehydrator is subject to 40 CFR Part 63, Subpart HH, NESHAP for natural gas production facilities. The permit contains emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

42-00194: Glenn O Hawbaker Shinglehouse Plant 8 (711 E. College Ave., Bellefonte, PA 16823-6854), the Department on October 31, 2017 issued the renewal of the State Only Operating Permit for the sand and gravel operations located in Ceres Township, **McKean County**. The facility is a Natural Minor. The primary sources at the facility include crushers, conveyors, screening, and material stockpiles. The facility is subject to 40 CFR Part 60, Subpart OOO—pertaining to nonmetallic mineral processing. The Water spray is used to minimize fugitive emissions from the mineral processing. The facility occasionally uses a Powerscreen Commander 510 which is a mobile unit for screening that is limited to 2,000 hours of use on a 12-month consecutive period. The unit is powered by a Deutz 1012C Diesel engine rated at 97 HP. The facility is restricted to 16 hours per day, 6 days per week, and 3,840 hours per year. The capacity of the crushers is limited to 350 TPH. The potential emissions from the facility are less than the following: 6.09 TPY NO_x; 0.28 TPY hydrocarbons; 0.16 TPY SO_x; 7.79 TPY PM₁₀; and, 1.22 TPY CO. The renewal permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

61-00200: Webco Industries Tube Division (363 Seneca Street, Oil City, PA 16301-1311), the Department on October 31, 2017, issued the renewal of the State Only Operating Permit for the steel pipe and tube manufacturing operations located in Oil City, **Venango County**. The facility is a Natural Minor. The primary sources at the facility include two larger space heaters (8 MMBtu/hr each), a radiant tube furnace, a gas generator, parts washers, emergency generators, a cold draw lube tank, an induction line electric furnace and space heaters (less than 2.5 MMBtu/hr). The potential emissions from the facility are less than the following: 13 TPY NO_x; 13 TPY CO; 1.2 TPY PM; 0.1 TPY SO_x; and 2.9 TPY VOC. The emergency engines are subject to 40 CFR 63 Subpart ZZZZ pertaining to NESHAPs for Reciprocating Internal Combustion Engines. The renewal permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

Philadelphia: Air Management Services, 321 University Avenue, Philadelphia, PA 19104-4543, Contact: Edward Wiener, Chief, Source Registration at 215 685 9476.

The City of Philadelphia, Air Management Services (AMS) issued a Minor State Only Operating Permit for the following facility:

N15-001: Ivy Hill Cemetery Company (1201 Easton Road, Philadelphia, PA 19150) issued on October 31, 2017 for the operation of a human crematory in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include two (2) natural gas fired 150 pounds per hour cremation units, two (2) natural gas fired 100 pounds per hour cremation units, and two (2) natural gas fired 200 pounds per hour cremation units. The mercury emission limits for the two (2) 200 pounds per hour cremation units were removed as crematory incinerators do not meet the definition of hospital, medical and infectious waste incinerators and are therefore not subject to 40 CFR Part 60, Subpart Ce, Table 1.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief—Telephone: 412-442-4336.

OP-65-00599: Saint Vincent College (300 Fraser Purchase Road, Latrobe, PA 15650) Administrative Amendment, issued on November 2, 2017, to change the name of the Responsible Official on the permit. The name of the Responsible Official is now Douglas E. Eppley. The Latrobe Campus is located in Unity Township, **Westmoreland County**.

Operating Permits Denied, Terminated, Suspended or Revoked under the Air Pollution Control Act and 25 Pa. Code §§ 127.431 and 127.461.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

GP5-08-393B: HEP Pennsylvania Gathering, LLC (16211 La Cantera Parkway, Suite 202, San Antonio, TX 78256) on October 24, 2017, the General Plan Approval and/or General Operating Permit for Natural Gas Compression and/or Processing Facilities (BAQ-GPA/GP5) was terminated for the Moyer Compressor Station located in Herrick Township, **Bradford County**, due to all air contaminant sources having been removed from the site and operation of the facility having ceased.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law; the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.20a). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to applications will also address the application permitting requirements of the following statutes: the Air Quality Pollution Act (35 P.S. §§ 4001—4014); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1002).

Coal Permits Issued

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

30831303 and NPDES No. PA0013511. Cumberland Contura, LLC, (158 Portal Road, PO Box 1020, Waynesburg, PA 15370). To revise the permit for the Cumberland Mine in Whiteley and Wayne Townships, **Greene County** and related NPDES Permit for installation of twenty-nine GOB-Ventilation Boreholes in Panels 67 and 68. Surface Acres Proposed 17.64. No additional discharges. The application was considered administratively complete on May 19, 2017. Application received March 7, 2017. Permit issued October 17, 2017.

63981301 and NPDES No. PA0215171. The Ohio County Coal Company, (46226 National Road, St. Clairsville, OH 43950). To transfer the permit for the Ohio County Mine in West Finley Township, **Washington County** and related NPDES Permit from Consolidation Coal Company, Shoemaker Mine to The Ohio County Coal Company, Ohio County Mine. No additional discharges. The application was considered administratively complete on April 14, 2016. Application received January 8, 2016. Permit issued October 23, 2017.

56841328 and NPDES No. PA0033677. Rosebud Mining Company, (301 Market Street, Kittanning, PA 16201). To revise the permit for the Mine 78 in Adams Township, **Cambria County** and related NPDES Permit to construct the Blue Shaft site for an air and elevator shaft and a sedimentation pond for surface runoff for NPDES Outfall 006. Surface Acres Proposed 19.3. Receiving Stream: Unnamed Tributary to Sandy Run, classified for the following use: CWF. The application was considered administratively complete on April 28, 2015. Application received December 11, 2014. Permit issued October 26, 2017.

30950701 and NPDES No. PA0215619. Consolidation Coal Company, (46226 National Road, St. Clairsville, OH 43950). To renew the permit for the Hughes Hollow Slurry Impoundment in Wayne and Gilmore Townships, **Greene County** and related NPDES. No discharges. The application was considered administratively complete on July 20, 2015. Application received March 5, 2015. Permit issued October 27, 2017.

NPDES No. PA0236012. Rosebud Mining Company, (301 Market Street, Kittanning, PA 16201). To renew and revise the Crooked Creek Preparation Plant in Washington Township, **Indiana County** to add Outfall 004. Surface Acres Proposed 27.5. Receiving Stream: UNT 46761 to Crooked Creek, classified for the following use: CWF. Receiving Stream: UNT to UNT 46761 to Crooked Creek, classified for the following use: CWF. The application was considered administratively complete on August 2, 2016. Application received February 2, 2016. Permit issued October 27, 2017.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.

Permit No. 11130103 and NPDES No. PA0269204, Laurel Sand & Stone Inc., 210 East Main Street, P.O. Box 556, Ligonier, PA 15658, commencement, operation and restoration of a bituminous surface and auger mine to include the use of biosolids as a soil amendment in Jackson Township, **Cambria County**, affecting 264 acres. Receiving streams: unnamed tributaries to/and South Branch of Blacklick Creek and unnamed tributaries to/and Bracken Run classified for the following use: cold water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: July 3, 2017. Permit issued: October 27, 2017.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

17070103 and NPDES PA0256498. Rosebud Mining Company (301 Market Street, Kittanning, PA 16201). Permit renewal for continued operation and restoration of a bituminous surface coal mine located in Girard Township, **Clearfield County** affecting 326.1 acres. Receiving stream(s): Unnamed Tributary to Little Deer Creek and

Deer Creek classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: July 28, 2017. Permit issued: October 30, 2017.

New Stanton District Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

30090101 and NPDES Permit No. PA0251607. Shannopin Materials, LLC, (103 Corporate Drive, Suite 102, Morgantown, WV 26501-4582). Permit renewal issued for continued mining to an existing bituminous surface mine, located in Monongahela Township, **Greene County**, affecting 120.0 acres. Receiving streams: unnamed tributaries to Dunkard Creek and unnamed tributaries to Monongahela River. Application received: December 21, 2015. Renewal permit issued: October 31, 2017

Noncoal Permits Issued

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.

PAM417019-GP104. Gettysburg Granite, LLC, 31 Center Mills Road, Aspers, PA 17304. General NPDES Permit for stormwater discharges associated with mining activities on Noncoal Permit No. 01092801 located in Mt. Joy Township, **Adams County**. Receiving stream: Rock Creek, classified for the following uses: Warm Water Fishes and Migratory Fishes. There are no potable water supplies located within 10 miles downstream. Notice of Intent for Coverage received: September 11, 2017. Coverage Approved: October 27, 2017.

PAM417025-GP104. Roger D. Fleisher, 300 Homestead Road, Newport, PA 17074. General NPDES Permit for stormwater discharges associated with mining activities on Noncoal Permit No. 50040801 located in Oliver Township, **Perry County**. Receiving stream: Juniata River classified for the following uses: Warm Water Fishes, Migratory Fishes. There are no potable water supplies located within 10 miles downstream. Notice of Intent for Coverage received: October 16, 2017. Coverage Approved: November 2, 2017.

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

PAM617014. Wroblewski Sand & Gravel, Inc. (12907 Half Moon Road, Wattsburg, PA 16442) General NPDES Permit for stormwater discharges associated with mining activities on Mine Drainage Permit No. 4876SM6 in Venango Township, **Erie County**. Receiving streams: Unnamed tributary to West Branch French Creek. Application received: August 21, 2017. Permit Issued: October 30, 2017.

PAM617029. William J. & Sue A. Thompson (16521 Phelps Road, Linesville, PA 16424) General NPDES Permit for stormwater discharges associated with mining activities on Mine Drainage Permit No. 2079301 in Conneaut Township, **Crawford County**. Receiving streams: Unnamed tributary to Shenango River. Application received: October 5, 2017. Permit Issued: October 30, 2017.

PAM617030. Meadville Redi-Mix Concrete, Inc. (P.O. Box 418, Meadville, PA 16335) General NPDES Permit for stormwater discharges associated with mining activities on Mine Drainage Permit No. 4876SM19 in East Fairfield Township, **Crawford County**. Receiving streams: French Creek. Application received: October 5, 2017. Permit Issued: October 30, 2017.

PAM617023. Lehigh Hanson ECC, Inc. (2200 Springfield Pike, Connellsville, PA 15425) General NPDES Permit for stormwater discharges associated with mining activities on Mine Drainage Permit No. 3174SM14 in North Beaver Township, **Lawrence County**. Receiving streams: Unnamed tributary to Hickory Run. Application received: September 7, 2017. Permit Issued: October 30, 2017.

PAM617033. B & P Slag Corp. (1504 Highland Avenue, New Castle, PA 16105) General NPDES Permit for stormwater discharges associated with mining activities on Mine Drainage Permit No. 37820207 in Union Township, **Lawrence County**. Receiving streams: Mahoning River. Application received: October 13, 2017. Permit Issued: October 30, 2017.

PAM617036. James H. Glover (900 French Creek Road, Waterford, PA 16441) General NPDES Permit for stormwater discharges associated with mining activities on Mine Drainage Permit No. 25870302 in LeBoeuf Township, **Erie County**. Receiving streams: Unnamed tributary to French Creek. Application received: October 16, 2017. Permit Issued: October 30, 2017.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

12920801. Steven S. Troncione (605 E. Second Street, Emporium, PA 15834). Final bond release for small industrial minerals surface mine located in Portage Township, **Cameron County**. Restoration of 1.0 acre completed. Receiving stream(s): Driftwood Branch of Sinnemahoning Creek. Application received: October 25, 2017. Final bond release approved: October 27, 2017.

New Stanton District Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

26840301 and NPDES Permit No. PA0200042. Norman Thomson (P.O. Box 10, Lemont Furnace, PA 15456). NPDES renewal application for continued mining to an existing large noncoal surface mine, located in North Union Township, **Fayette County**, affecting 50.2 acres. Receiving streams: unnamed tributary to Cove Run, classified for the following use: WWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Renewal application received: May 26, 2014. Renewal application issued: November 3, 2017.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 58170812. Robert K. Volk, (2318 Narrow Gouge Road, Montrose, PA 18801), commencement, operation and restoration of a quarry operation in Rush Township, **Susquehanna County** affecting 4.0 acres, receiving stream: Elk Lake Stream to East Branch Wyalusing Creek. Application received: August 14, 2017. Permit issued: October 31, 2017.

Permit No. PAM117034. Robert K. Volk, (2318 Narrow Gouge Road, Montrose, PA 18801), General NPDES Stormwater Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 58170812 in Rush Township, **Susquehanna County**, receiving stream: Elk Lake Stream to East Branch Wyalusing Creek. Application received: August 14, 2017. Permit issued: October 31, 2017.

Permit No. 58172505. B & D Stone, LLC, (26907 SR 92, Susquehanna, PA 18847), commencement, operation and restoration of a GP105 quarry operation in Harmony Township, **Susquehanna County** affecting 10.0 acres, receiving stream: unnamed tributary to Starrucca Creek and Canawacta to Susquehanna River. Application received: April 17, 2017. Permit issued: October 31, 2017.

Permit No. PAM117019. B & D Stone, LLC, (26907 SR 92, Susquehanna, PA 18847), General NPDES Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 58172505 in Harmony Township, **Susquehanna County**, receiving stream: unnamed tributary to Starrucca Creek and Canawacta to Susquehanna River. Application received: April 17, 2017. Permit issued: October 31, 2017.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Issued

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

04174103. Wampum Hardware Co. (2856 Stoystown Road, Friedens, PA 15541-7020) Blasting activity permit for stone removal for Oil & Gas well pad in Marion Township, **Beaver County**. This blasting activity permit expires on December 31, 2017. Permit Issued: October 24, 2017.

10174005. Sippel Development Co., Inc. (174 Tomlinson Drive, Zelienople, PA 16063) Blasting activity permit for construction blasting in Middlesex Township, **Butler County**. This blasting activity permit expires July 1, 2018. Permit Issued: November 1, 2017.

New Stanton District Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

65174003. Senex Explosives Inc. (234 Landfill Road, Scottdale, PA 15683). Blasting activity permit for the construction of the Republic Services Inc., located in East Huntingdon Township, **Westmoreland County** with an expiration date of October 1, 2018. Blasting permit issued: October 30, 2017.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 40174118. Maurer & Scott Sales, Inc., (122 Thomas Street, Coopersburg, PA 18036), construction blasting for Latona Trucking South Main Street Project in Jenkins Township, **Luzerne County** with an expiration date of October 31, 2018. Permit issued: October 27, 2017.

Permit No. 46174122. American Rock Mechanics, Inc., (7531 Chestnut Street, Zionsville, PA 18092), construction blasting for Northgate Phase 5B in Upper Hanover Township, **Montgomery County** with an expiration date of October 19, 2018. Permit issued: October 27, 2017.

Permit No. 06174120. Brubacher Excavating, Inc., (825 Reading Road, Bowmansville, PA 17507), construction blasting for 78 Trade Center in Upper Bern Township, **Berks County** with an expiration date of October 25, 2018. Permit issued: October 31, 2017.

Permit No. 06174121. Douglas Explosives, Inc., (2052 Philipsburg Bigler Highway, Philipsburg, PA 16866), construction blasting for Well Cultivation Facility in South Heidelberg Township, **Berks County** with an expiration date of December 1, 2017. Permit issued: October 31, 2017.

Permit No. 67174117. Maine Drilling & Blasting, Inc., (P.O. Box 1140, Gardiner, ME 04345), construction blasting for North Zarfoss Drive in West Manchester Township, **York County** with an expiration date of October 26, 2018. Permit issued: October 31, 2017.

Permit No. 22174105. Keystone Blasting Service, (15 Hopeland Road, Lititz, PA 17543), construction blasting for Creekvale Development in East Hanover Township, **Dauphin County** with an expiration date of October 30, 2018. Permit issued: November 3, 2017.

Permit No. 36174146. Keystone Blasting Service, (15 Hopeland Road, Lititz, PA 17543), construction blasting for Grace Press Warehouse in Earl Township, **Lancaster County** with an expiration date of December 30, 2017. Permit issued: November 3, 2017.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Permits, Environmental Assessments and 401 Water Quality Certifications Issued:

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Waterway and Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5900.

E23-538. Borough of Ridley Park, 105 E. Ward Street, Ridley Park, PA 19078, Borough of Ridley Park, **Delaware County**, ACOE Philadelphia District.

To construct and maintain about 110-long by 4-foot wide sidewalk in the floodplain along north side, and about 500 feet long by 5-foot wide walkway in the floodway/floodplain along south side situated along the Little Crum Creek (WWF, MF) associated with the pedestrian improvements in the borough. The project also includes about 110-foot eroded streambank stabilization near the culvert approved per GP112314311.

The site is located about 1,000 feet southeast from intersection of Haverford Road and Arlington Avenue (Lansdowne, PA USGS Quadrangle, Latitude: 39.877496; Longitude: -75.333427).

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

E09-1006. Dierstein Millhafen, LLC, 266 Rockhill Road, Quakertown, PA 18951, West Rockhill Township, **Bucks County**, ACOE Philadelphia District.

To construct and maintain 24 feet, by 20 feet by 4 feet high low flow stream bridge crossing Mill Creek and associated wetland for the purpose of future land development.

The site is located on the southwest corner of State Road (AKA "SR 152") and Keystone Drive (Telford, PA USGS map; Latitude: 40.3429; Longitude: -75.3111).

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

E15-876. Arthur Sulzer, 2 Peter Gamble Lane, Glen Mills, PA 19342, Pocopson Township, **Chester County**, ACOE Philadelphia District.

To remove the existing dwelling structure and to construct and maintain a new house (a.k.a. Cabin 13) at the same location in and along the 100-year floodway of the Brandywine Creek.

The site is located at 13 Cabin Club Lane, PA USGS Quadrangle Map, Unionville, PA, Latitude: 39.928; Longitude: -75.643.

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

E09-885. Highglen-Pineville Quakertown Associates, LP, 8120 Old York Road, Elkins Park, PA 19027, Richland Township, **Bucks County**, ACOE Philadelphia District.

To perform the following activities associated with the Trainers Corner Shopping Center:

1. To place and maintain fill in 0.095 acre of wetlands (PEM) associated with the construction of the proposed S.R. 0309 multi-directional access drive. The construction of this access drive may also temporarily impact wetlands.

2. To extend an existing 48-inch storm water outfall structure (EW 1) into wetlands associated with the construction of the proposed access drive.

3. To construct and maintain a 15-inch stormwater outfall structure (EW 2) into wetlands associated with the construction of the proposed access drive.

4. To modify an existing stream enclosure consisting of two pipes, a 48-inch RCP, and a 29-inch by 45-inch RCP. This enclosure which carries an unnamed tributary to Tohicken Creek (TSF) across S.R. 0309 was previously authorized by an encroachment Permit No. E09-738. The existing 29-inch by 45-inch RCP structure will be extended upstream by construction of 75 linear feet of twin 19-inch by 30-inch RCP and associated endwall. The existing 48-inch RCP structure will be modified by replacing the upstream 15 linear feet of pipe and endwall and placing a junction box and stormwater outfall associated with the proposed inlet 6.

5. The permittee has proposed to compensate wetland fill by constructing an on-site wetland replacement area.

The site is located just northwest of the intersection of Bethlehem Pike (S.R. 0309) and Old Bethlehem Pike (Quakertown, PA, USGS Quadrangle N:13.1 inches; W:15.3 inches) in Richland Township, Bucks County.

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Northeast Regional Office, Waterways and Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone 570-826-2511.

E45-607. Stroud Township, 1211 North Fifth Street, Stroudsburg, PA 18360. Stroud Township, **Monroe County**, Army Corps of Engineers Philadelphia District.

To remove portions of an existing structure and to construct and maintain a 4,100 square foot building and deck impacting 0.002 acre within the 100-year floodplain of the Brodhead Creek (HQ-CWF, MF). The project is located at 1539 Cherrylane Road (East Stroudsburg, PA Quadrangle Latitude: 41° 3' 27"; Longitude: -75° 13' 5") in Stroud Township, Monroe County.

E13-189. Jim Thorpe Borough, 101 East 10th Street, Jim Thorpe, PA 18229, Jim Thorpe Borough, **Carbon County**, Army Corps of Engineers Philadelphia District.

To construct and maintain the following water obstructions and encroachments associated with a proposed 10-foot wide, 925-foot long asphalt pedestrian trail and an existing 10-foot wide, 3,700-foot long gravel pedestrian trail:

1) A 10-foot wide, 125-foot long section of asphalt walking trail with 5-foot wide gravel shoulders and 210-LF of R-8 riprap slope protection along the eastern bank resulting in 1,096 ft³ of fill in the floodway of the Lehigh River (TSF, MF).

2) A 10-foot wide, 115-foot long section of asphalt walking trail with 5-foot wide gravel shoulders resulting in 242 ft³ of cut in the floodway of the Lehigh River (TSF, MF).

3) Roadway maintenance activities consisting of the at-grade replacement of the gravel walking surface along a 20-foot wide, 260-foot long section of an existing pedestrian trail within the floodway of the Lehigh River (TSF, MF).

The project is located approximately 0.5 mile south of the intersection of Route 209 and Route 903 (Lehighon, PA Quadrangle Latitude: 40° 51' 37"; Longitude: -75° 44' 14") in Jim Thorpe Borough, Carbon County.

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake, Waterways and Wetlands Program Manager, 412-442-4000.

E04-364, Borough of Ambridge, 600 Eleventh Street, Ambridge, PA 15003, Ambridge Borough, **Beaver County**, Pittsburgh ACOE District.

Has been given consent to:

Replace, operate, and maintain a recently damaged 60" diameter RCP stormwater outfall (AKA # SW-07) with a 60" diameter CCP stormwater outfall within the Ohio River (WWF), to repair, operate and maintain a second, recently damaged 36" diameter STL stormwater outfall (AKA # SW-08) within the Ohio River (WWF), to replace, operate and maintain fill that was recently washed away along the Ohio River and to construct operate and maintain 60" RCP barrels filled with concrete along the toe of slope of the riverbank to form breakwater for the purpose of reconstructing previously constructed stormwater outfalls along the right descending bank of the Ohio River, approximately 0.01 mile upstream from the Ambridge Woodlawn Bridge (Quadrangle: Ambridge, PA: Latitude: 40° 35' 30"; Longitude: -80° 14' 3"; N:16.5, W:15.1) in Ambridge Township, Beaver County.

E32-514, Plenary Walsh Keystone Partners, Park West Two, Third Floor, 2000 Cliff Mine Road, Pittsburgh, PA 15275, Washington Township, **Indiana County**, Pittsburgh ACOE District.

Has been given consent to:

1. Remove an existing, 42.0' long by 36.7' wide, single span, steel I-beam bridge, over South Branch Plum Creek (CWF), with underclearance of 9.0';

2. Construct and maintain a replacement, 51' long by 45.25' wide, single span cantilever abutment bridge over South Branch Plum Creek (CWF), with underclearance of 10.42';

3. Place and maintain fill in 480 square feet of PEM wetland;

4. Construct and maintain rock slope protection in the floodway on the upstream and downstream side of the new structure, R-6 rock riprap scour protection along both abutments, and associated improvements to the guiderails, approach roads and stormwater drainage;

5. Place and maintain fill in 221 LF of an Unnamed Tributary (UNT) to Plum Creek (CWF); and

6. Construct and maintain 150 LF of relocated channel of the aforementioned UNT to Plum Creek;

This project will permanent impact approximately 261' of watercourse, and 0.01 acre of wetland, and will temporarily impact 68' of watercourse, and 0.02 acre of wetland. For the purpose of replacing the existing, SR 0954,

structurally deficient structure over PA South Branch Plum Creek (CWF), which is located near the intersection of Cooper Valley and Five Points Road (Ernest, PA USGS topographic quadrangle; Latitude: 40° 43' 43.0"; Longitude: -79° 12' 03.0"; Sub-basin: 17E; Pittsburgh Corps District), in Washington Township, Indiana County.

E65-977, Plenary Walsh Keystone Partners, Park West Two, Third Floor, 2000 Cliff Mine Road, Pittsburgh, PA 15275, Ligonier Township, **Westmoreland County**, Pittsburgh ACOE District.

Has been given consent to:

1. Remove an existing single span, steel girder bridge and construct and maintain a replacement single span composite prestressed PA bulb tee bridge, with a span of 82' and an under clearance of 10' 1" over Mill Creek (CWF) (aka Stream 1) at the same location.

2. Place and maintain fill within 141 linear feet of an unnamed tributary (UNT) to Mill Creek (aka Stream 2) and relocate and reconstruct 141 linear feet of replacement channel to form a confluence with Mill Creek.

3. Place and maintain fill in 0.053 acre of floodway.

For the purpose of replacing a structurally deficient bridge. The project will cumulatively result in 229 linear feet of temporary impact and 261 linear feet of permanent impact stream impacts to Mill Creek and a UNT to Mill Creek and 0.053 acre of permanent floodway impact. The project is located near the intersection of Peoples Road and State Route 0711 (Quadrangle: Wilpen; Latitude: 40° 15' 5.4"; Longitude: -79° 13' 17.5"); in Ligonier Township, Westmoreland County.

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

E42-373, PA DCNR, 8th Fl., RCSOB, 400 Market Street, PO Box 8451, Harrisburg, PA 17101-8451. Buck Run Road over E Branch Clarion River structure replacement, in Sergeant Township, **McKean County**, ACOE Pittsburgh District (Hazel Hurst, PA Quadrangle N: 41°, 38', 38.44"; W: 78°, 31', 52").

Remove the exiting bridge and ford and to construct and maintain a single span pre-stressed concrete spread box beam bridge having a clear span of 50 feet and minimum underclearance of 5.33 feet across East Branch Clarion River and permanently impacting a deminimus area (1,543 square feet) of PEM wetland on Buck Run Road within Elk State Forest (Hazel Hurst, PA Quadrangle N: 41°, 38', 38.44"; W: -78°, 31', 52") in Sergeant Township, McKean County.

E24-265, PA DCNR, 8th Fl., RCSOB, 400 Market Street, PO Box 8451 Harrisburg, PA 17101-8451. Straight Creek Road structure replacement in Jones Township, **Elk County**, ACOE Pittsburgh District (Glen Hazel, PA Quadrangle N: 41°, 35', 37"; W: -78°, 30', 51").

Remove the existing bridge and ford crossing and to construct and maintain a pre-stressed concrete spread box beam bridge with an out-to-out width of 21 feet, a clear span of 46.19 feet and a minimum underclearance of 3.75 feet providing a waterway opening of 188 square feet on a 60 degree skew across Straight Creek on Straight Creek Road within Elk State Forest resulting in 0.285 acre of temporary stream impacts, 0.156 acre of perma-

nent stream impact, and 0.01 acre of temporary wetland impact. (Glen Hazel, PA Quadrangle N: 41°35'37", W: -78°30'51") in Jones Township, Elk County.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Southwest District: Oil & Gas Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222.

ESCGP-2 # ESX11-125-0105 Renewal
Applicant Name Range Resources—Appalachia, LLC
Contact Person Karl Matz
Address 3000 Town Center Boulevard
City, State, Zip Canonsburg, PA 15317
County Washington County
Township(s) Hanover Township
Receiving Stream(s) and Classification(s) UNTs to Kings Creek (WWF)

ESCGP-2 # ESX11-125-0037 Renewal
Applicant Name Range Resources—Appalachia, LLC
Contact Person Karl Matz
Address 3000 Town Center Boulevard
City, State, Zip Canonsburg, PA 15317
County Washington County
Township(s) Independence Township
Receiving Stream(s) and Classification(s) UNT to Hanen Run (HQ-WWF) and Hanen Run (HQ-WWF)

ESCGP-2 # ESX17-059-0019
Applicant Name Rice Drilling B, LLC
Contact Person Joseph Mallow
Address 2200 Rice Drive
City, State, Zip Canonsburg, PA 15317
County Greene County
Township(s) Perry Township
Receiving Stream(s) and Classification(s) UNTs to Dunkard Creek (WWF) & Watkins Run (WWF)

ESCGP-2 # ESX17-059-0022

Applicant Name EQM OPCO, LLC
 Contact Person Brinton Goettel
 Address 555 Southpointe Blvd
 City, State, Zip Canonsburg, PA 15317
 County Greene County
 Township(s) Jefferson Township
 Receiving Stream(s) and Classification(s) Rush Run
 (WWF), UNTs to Rush Run (WWF), UNT to South Fork
 Tenmile Creek (WWF)

ESCGP-2 # ESX11-007-0005 Renewal

Applicant Name Range Resources—Appalachia, LLC
 Contact Person Karl Matz
 Address 3000 Town Center Boulevard
 City, State, Zip Canonsburg, PA 15317
 County Beaver County
 Township(s) Hanover Township
 Receiving Stream(s) and Classification(s) UNT to Little
 Traverse Creek (WWF) and Raccoon Creek (WWF)

ESCGP-2 # ESX14-059-0077 Major Modification

Applicant Name EQM OPCO, LLC
 Contact Person Brinton Goettel
 Address 555 Southpointe Blvd
 City, State, Zip Canonsburg, PA 15317
 County Greene County
 Township(s) Center Township
 Receiving Stream(s) and Classification(s) UNTs to
 McCourtney Run (HQ-WWF), UNTs to West Run
 (HQ-WWF), UNT to Hoge Run (EV), UNTs to South
 Fork Ten Mile Creek (HQ-WWF), South Fork Ten Mile
 Creek (HQ-WWF)

ESCGP-2 # ESX17-059-0013

Applicant Name EQT Production Company
 Contact Person Todd Klaner
 Address 2400 Ansys Drive, Suite 200
 City, State, Zip Canonsburg, PA 15317
 County Greene County
 Township(s) Morgan Township
 Receiving Stream(s) and Classification(s) UNTs to East
 and West Branch Tenmile Creek (TSF)

ESCGP-2 # ESX12-125-0042

Applicant Name CNX Gas Company, LLC
 Contact Person Erika Whetstone
 Address 1000 Consol Energy Drive
 City, State, Zip Canonsburg, PA 15317
 County Washington County
 Township(s) Morris Township
 Receiving Stream(s) and Classification(s) UNTs to Short
 Creek (TSF)

ESCGP-2 # ESX12-125-0100 Renewal

Applicant Name Range Resources—Appalachia, LLC
 Contact Person Karl Matz
 Address 3000 Town Center Boulevard
 City, State, Zip Canonsburg, PA 15317
 County Washington County
 Township(s) Smith Township
 Receiving Stream(s) and Classification(s) UNT to Raccoon
 Creek (WWF) & UNT to Burgetts Fork (WWF)

ESCGP-2 # ESX17-059-0010

Applicant Name CNX Gas Company, LLC
 Contact Person Erika Whetstone
 Address 1000 Consol Energy Drive
 City, State, Zip Canonsburg, PA 15317
 County Greene County
 Township(s) Richhill Township
 Receiving Stream(s) and Classification(s) UNTs to
 Dunkard Fork (WWF), UNTs to South Fork Dunkard
 Fork (TSF) & UNTs to Barnesy Run (TSF)

*Northwest Region: Oil and Gas Program Manager, 230
 Chestnut St., Meadville, PA 16335.*

ESCGP-2 # ESG17-031-0003-Windy Oakland Well Pad

Applicant Laurel Mountain Production, LLC
 Contact Mr. Joel Hoffman
 Address 61 McMurray Road, Suite 300
 City Pittsburgh State PA Zip Code 15241
 County Clarion Township(s) Perry
 Receiving Stream(s) and Classification(s) Clarion River/
 Turkey Run-Clarion River, UNT to Clarion River/
 Turkey Run-Clarion River

*Eastern Region: Oil & Gas Management Program Man-
 ager, 208 West Third Street, Williamsport, PA 17701.*

ESCGP-2 # ESG29-105-17-0017

Applicant Name JKLM Energy LLC
 Contact Person Scott Blauvelt
 Address 2200 Georgetowne Dr, Suite 500
 City, State, Zip Sewickley, PA 15143
 County Potter
 Township(s) Ulysses
 Receiving Stream(s) and Classification(s) UNTs to Cush-
 ing Hollow (HQ-CWF)
 Secondary—Cushing Hollow (HQ-CWF)

ESCGP-2 # ESG29-081-16-0038(01)

Applicant Name ARD Operating LLC
 Contact Person Stephen Barondeau
 Address 33 W Third St, Suite 300
 City, State, Zip Williamsport, PA 17701
 County Lycoming
 Township(s) Cascade
 Receiving Stream(s) and Classification(s) UNT to Slacks
 Run (HQ-CWF); Slacks Run (HQ-CWF); UNT to Potash
 Hollow Run (EV)
 Secondary—Slacks Run (HQ-CWF); Lycoming Ck (EV);
 Pleasant Stream (EV)

ESCGP-2 # ESX29-117-17-0046

Applicant Name SWEPI LP
 Contact Person Jason Shoemaker
 Address 150 N Dairy Ashford, E1296-E
 City, State, Zip Houston, TX 77079
 County Tioga
 Township(s) Sullivan
 Receiving Stream(s) and Classification(s) Corey Ck (CWF)

ESCGP-2 # ESX13-081-0006(01)

Applicant Name ARD Operating LLC
 Contact Person Stephen Barondeau
 Address 33 W Third St, Suite 300
 City, State, Zip Williamsport, PA 17701
 County Lycoming
 Township(s) McIntyre
 Receiving Stream(s) and Classification(s) UNT to Frozen
 Run (HQ-CWF)
 Secondary—Frozen Run (HQ-CWF)

ESCGP-2 # ESG29-081-14-0006(01)

Applicant Name Inflection Energy PA LLC
 Contact Person Gregg Saunders
 Address 101 W 3rd St, 5th Fl
 City, State, Zip Williamsport, PA 17701
 County Lycoming
 Township(s) Upper Fairfield
 Receiving Stream(s) and Classification(s) UNT to
 Loyalsock Ck (EV)
 Secondary—Loyalsock Ck (EV)

SPECIAL NOTICES

Notice of Certification to Perform Radon-Related Activities in Pennsylvania

In the month of October 2017 Department of Environmental Protection of the Commonwealth of Pennsylvania, under the authority contained in the Radon Certification Act, act of July 9, 1987, P.L. 238, No. 43 (63 P.S. §§ 2001—2014) and regulations promulgated thereunder at 25 Pa. Code Chapter 240, has certified the persons listed below to perform radon-related activities in Pennsylvania. The period of certification is 2 years. (For a complete list of persons currently certified to perform radon-related activities in Pennsylvania and for information as to the specific testing devices that persons certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P.O. Box 8469, Harrisburg, PA 17105-8469, (1-800-23RADON).

<i>Name</i>	<i>Address</i>	<i>Type of Certification</i>
Kevin Adams	208 Latimer Avenue Strabane, PA 15363	Mitigation
Airottox	14 East Main Street Lansdale, PA 19446	Mitigation
J. Keith Baicker Radiation Data	P.O. Box 150 Skillman, NJ 08558	Mitigation
Kyle Baicker-McKee	P.O. Box 150 Skillman, NJ 08558	Laboratory Analysis
Diane Clerkin	424 Marion Avenue Lower Gwynedd, PA 19002	Testing
Bryan Cole	317 McWilliams Road Trafford, PA 15085	Testing
Brent Durborow	1738 North 3rd Street, Suite A Harrisburg, PA 17102	Testing
Bruce Eichenlaub	535 Derr Hill Road Lock Haven, PA 17745	Mitigation
Timothy Gentry	P.O. Box 1956 Horsham, PA 19044	Testing
James Gibson	776 Jernee Mill Road, Suite 128 Sayreville, NJ 08872	Mitigation
Albert Gordon	106 Lyric Way Warrington, PA 18976	Testing
David Grammer RAdata, Inc.	27 Ironia Road, Unit 2 Flanders, NJ 07836	Laboratory Analysis
Ross Hartley	115 Hospital Road Gettysburg, PA 17325	Testing
Robert Huska, Jr.	1329 Glendale Road York, PA 17403	Testing
Justin Isacco	2 Kingsford Drive Pittsburgh, PA 15202	Testing
Anthony Kalavoda	8020 Mine Street Fogelsville, PA 18051	Mitigation
Billy Kresge	283 Slocum Avenue Exeter, PA 18643	Testing
John McDermott, III	590 Centerville Road, # 134 Lancaster, PA 17601	Testing
Patrick McManus	608 Cedardale Drive North Huntingdon, PA 15642	Testing
Sara Miller All Pro Inspections	250 Stone Jug Road Biglerville, PA 17307	Testing
Joseph Miloser, Jr.	160 Rustic Ridge Fombell, PA 16123	Mitigation
Radiation Data	P.O. Box 150 Skillman, NJ 08558	Laboratory Analysis
Michael Rife	1418 Baltimore Street, Ste. 12-132 Hanover, PA 17331	Testing

<i>Name</i>	<i>Address</i>	<i>Type of Certification</i>
Edward Robbins	13 Charter Oak Court Doylestown, PA 18901	Testing
Dominic Romagnoli	8020 Mine Street Fogelsville, PA 18051	Mitigation
Rhadshee Rowland	201 Penn Center Boulevard, Ste. 400 Pittsburgh, PA 15237	Testing
David Scott	417 Pikeland Avenue Spring City, PA 19475	Testing
Charles Smith	211 Sumac Circle Morgantown, WV 26508	Testing
Fred B. Smith, II	282 Longstreet Drive Gettysburg, PA 17325	Testing & Mitigation
Michael Smith ECS Mid-Atlantic, LLC	56 Grumbacher Road, Suite D York, PA 17406	Testing
Maria Stinger	P.O. Box 15811 Pittsburgh, PA 15244	Testing
Kenneth Struder	P.O. Box 72722 Thorndale, PA 19372	Laboratory Analysis
Dale Thorson Premier Termite & Pest Control	800 Antietam Drive Douglassville, PA 19518	Mitigation
Matthew Tracy	17 Sunnybrook Drive Doylestown, PA 18901	Testing
Robert Vail, Jr.	24 Amanda Lane Scott Township, PA 18433	Mitigation
William Whiting	11879 Lake Drive Conneaut Lake, PA 19316	Testing
Gary Winterrowd	1765 Cambridge Drive State College, PA 16803	Testing

Final State Water Quality Certification Required by Section 401 of the Clean Water Act for the Equitrans, LP H-156 Bare Pipe Replacement Project

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake, PE, 412-442-4000.

WQ05-016. Equitrans, LP (Applicant), 625 Liberty Avenue, Suite 1700; Pittsburgh, PA 15222-3114. H-156 Bare Pipe Replacement Project (Project), in Independence and Findlay Townships, **Beaver and Allegheny Counties** (respectively), in the ACOE Pittsburgh District. The Project includes the replacement of three sections of existing pipeline. The First Segment starts approximately 0.9 mile west of the intersection of Bocktown Road with Independence Road, Independence Township, Beaver County (Aliquippa, PA Quadrangle Latitude: 40°32'51.23" Longitude: -80°19'6.07") and ends in a field approximately 0.5 mile east of Bocktown Cork Road, Independence Township, Beaver County (Aliquippa, PA Quadrangle Latitude: 40°32'1.20"; Longitude: -80°18'9.99").

The Second Segment starts just to the south of the Pittsburgh International Airport, Findlay Township, Allegheny County (Clinton, PA Quadrangle Latitude: 40°29'7.41" Longitude: -80°14'49.07") and ends along an existing access road approximately 0.25 mile to the east of Enlow Road, Findlay Township, Allegheny County (Clinton, PA Quadrangle Latitude: 40°28'30.17"; Longitude: -80°14'9.96").

The Third Segment starts along McClaren Road approximately 0.08 mile north of the intersection with Garden Lane, Findlay Township, Allegheny County (Clinton, PA Quadrangle Latitude: 40°27'53.79" Longitude: -80°13'11.33") and ends in a wooded area approximately 0.1 mile northwest of Hemlock Road, Findlay Township, Allegheny County (Clinton, PA Quadrangle Latitude: 40°27'40.61"; Longitude: -80°12'47.23").

On January 30, 1988, Equitrans, LP received an Order Issuing Certificate from the Federal Energy Regulatory Commission (FERC) authorizing Equitrans to abandon, construct and operate certain facilities as part of the H-156 Pipeline Project in Beaver and Allegheny County, Pennsylvania (FERC Docket No. CP89-676). The activities described in this request are covered under the automatic blanket certificate and reported to the FERC on a yearly basis. A year-end submission to the FERC of all projects completed in the previous calendar year is due May 1 of every year.

On July 28, 2017, Applicant requested a State water quality certification from the Department of Environmental Protection (Department), as required by Section 401 of the Clean Water Act (33 U.S.C.A. § 1341), to ensure that the construction, operation and maintenance of the Project will protect water quality in Pennsylvania through compliance with State water quality standards and associated State law requirements, which are consistent with the requirements of the Clean Water Act.

To allow for the modernization of the H-156 pipeline for integrity assessment through the use of in-line inspection, Equitrans proposes to replace approximately 13,800 linear feet of 8-inch diameter bare natural gas pipe with coated, 8-inch diameter natural gas pipe within the existing right-of-way. The Project is part of Equitrans' compliance program and is required to maintain the

integrity of the operating system. The use of lift and lay construction for this project means that the replacement pipeline will be located in the same trench as the existing line. The existing 8-inch pipeline will be taken out of service, purged and removed. The new pipeline will utilize the same permanent right-of-way as the existing line during construction; there are no deviations anticipated. The project will utilize traditional open cut or conventional bore construction techniques for all nine stream and one wetland crossing locations. The nine stream and one wetland crossings occur within the following receiving waters: Raccoon Creek, Raredon Run and Montour Run.

The Project, as proposed, includes replacement of approximately 13,800 LF of one 8" diameter gas line across 3 pipeline segments. The Project, as proposed, will require approximately 37.68 acres of earth disturbance, and impacts to 492 linear feet of an Unnamed Tributary (UNT) to Raccoon Creek, a UNT to Raredon Run, and UNT's to Montour Run, 1.66 acre of floodway, 0.03 acre of temporary PEM wetland impacts, and 0.04 acre of PEM permanent impacts.

There are seven temporary access roads planned for the Project utilizing both existing unpaved roads/driveways as well as the development of proposed temporary access roads to support this project that will be returned to preexisting conditions upon completion. The pipeline will be installed using a typical 75-foot wide limit of disturbance (LOD) for pipeline construction with areas of temporary work space adjacent to the LOD, and a typical 40-foot LOD for the access roads to allow access to the pipeline corridor. The construction ROW will be reduced to a 50-foot-width at streams and wetlands. The permanent ROW width will be 50 feet centered on the pipeline. There is no anticipated permanent increase in impervious area or in stormwater runoff due to the construction of the pipeline.

The Department published notice of its proposed State water quality certification in the *Pennsylvania Bulletin* on Saturday, September 2, 2017 (47 Pa.B. 5232) and received no comments from the public.

The Department certifies to Applicant that the construction, operation and maintenance of the Project will not violate applicable State water quality standards set forth in 25 Pa. Code Chapter 93, provided Applicant complies with the permitting programs, criteria and conditions established pursuant to State law:

1. *Discharge Permit*—Applicant shall obtain and comply with a Department National Pollutant Discharge Elimination System (NPDES) permit for the discharge of water from the hydrostatic testing of the pipeline pursuant to Pennsylvania's Clean Streams Law (35 P.S. §§ 691.1—691.1001), and all applicable implementing regulations (25 Pa. Code Chapter 92a).

2. *Erosion and Sediment Control Permit*—Applicant shall obtain and comply with the Department's Chapter 102 Erosion and Sediment Control General Permit for Earth Disturbance Associated with Oil and Gas Exploration, Production, Processing or Treatment issued pursuant to Pennsylvania's Clean Streams Law and Storm Water Management Act (32 P.S. §§ 680.1—680.17), and all applicable implementing regulations (25 Pa. Code Chapter 102).

3. *Water Obstruction and Encroachment Permits*—Applicant shall obtain and comply with a Department Chapter 105 Water Obstruction and Encroachment Permits for the construction, operation and maintenance of all water obstructions and encroachments associated with the project pursuant to Pennsylvania's Clean Streams Law, Dam Safety and Encroachments Act (32 P.S. §§ 673.1—693.27), and Flood Plain Management Act (32 P.S. §§ 679.101—679.601.), and all applicable implementing regulations (25 Pa. Code Chapter 105).

4. *Water Quality Monitoring*—The Department retains the right to specify additional studies or monitoring to ensure that the receiving water quality is not adversely impacted by any operational and construction process that may be employed by Applicant.

5. *Operation*—Applicant shall at all times properly operate and maintain all Project facilities and systems of treatment and control (and related appurtenances) which are installed to achieve compliance with the terms and conditions of this State Water Quality Certification and all required permits, authorizations and approvals. Proper operation and maintenance includes adequate laboratory controls, appropriate quality assurance procedures, and the operation of backup or auxiliary facilities or similar systems installed by Applicant.

6. *Inspection*—The Project, including all relevant records, are subject to inspection at reasonable hours and intervals by an authorized representative of the Department to determine compliance with this State Water Quality Certification, including all required State water quality permits and State water quality standards. A copy of this certification shall be available for inspection by the Department during such inspections of the Project.

7. *Transfer of Projects*—If Applicant intends to transfer any legal or equitable interest in the Project which is affected by this State Water Quality Certification, Applicant shall serve a copy of this certification upon the prospective transferee of the legal and equitable interest at least 30 days prior to the contemplated transfer and shall simultaneously inform the Department Regional Office of such intent. Notice to the Department shall include a transfer agreement signed by the existing and new owner containing a specific date for transfer of certification responsibility, coverage, and liability between them.

8. *Correspondence*—All correspondence with and submittals to the Department concerning this State Water Quality Certification shall be addressed to the Department of Environmental Protection, Southwest Regional Office, Dana Drake, PE, Program Manager, Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222.

9. *Reservation of Rights*—The Department may suspend or revoke this State Water Quality Certification if it determines that Applicant has not complied with the terms and conditions of this certification. The Department may require additional measures to achieve compliance with applicable law, subject to Applicant's applicable procedural and substantive rights.

10. *Other Laws*—Nothing in this State Water Quality Certification shall be construed to preclude the institution of any legal action or relieve Applicant from any responsibilities, liabilities or penalties established pursuant to any applicable Federal or State law or regulation.

11. *Severability*—The provisions of this State Water Quality Certification are severable and should any provision of this certification be declared invalid or unenforceable, the remainder of the certification shall not be affected thereby.

Any person aggrieved by this action may file a petition for review pursuant to Section 19(d) of the Federal Natural Gas Act, 15 U.S.C.A. § 717r(d), with the Office of the Clerk, United States Court of Appeals for the Third Circuit, 21400 U.S. Courthouse, 601 Market Street, Philadelphia, PA 19106-1790 within 30 days of publication of this notice, or within 30 days of receipt of written notice of this action, whichever occurs first. Important legal rights are at stake, so you should show this document to a lawyer at once.

[Pa.B. Doc. No. 17-1886. Filed for public inspection November 17, 2017, 9:00 a.m.]

Stream Redesignation Evaluations of Unnamed Tributary to Whetstone Run and Marsh Creek; Water Quality Standards Review

Under 25 Pa. Code § 93.4d (relating to processing of petitions, evaluations and assessments to change a designed use) the Department of Environmental Protection (Department) gives notice that evaluations will be conducted on the stream sections listed to determine the proper aquatic life use designation in this Commonwealth's Water Quality Standards.

<i>Stream Name</i>	<i>County</i>	<i>Tributary to</i>
Unnamed Tributary (UNT) to Whetstone Run	Delaware	Whetstone Run
Marsh Creek	Chester	East Branch Brandywine Creek

The UNT to Whetstone Run assessment is being conducted in response to a rulemaking petition submitted to the Environmental Quality Board (Board) by the Darby Creek Valley Association. On October 18, 2016, the Board accepted the rulemaking petition for study under 25 Pa. Code Chapter 23 (relating to Environmental Quality Board policy for processing petitions—statement of policy). The UNT to Whetstone Run basin is currently designated Warm Water Fishes, as identified in 25 Pa. Code § 93.9g (relating to Drainage List G). The petitioner is requesting the basin be redesignated to High Quality.

The Marsh Creek assessment is being conducted in response to a rulemaking petition submitted to the Board by the French and Pickering Creeks Conservation Trust. On March 21, 2017, the Board accepted the rulemaking petition for study under 25 Pa. Code Chapter 23. The Marsh Creek basin is currently designated High Quality—Trout Stocking, as identified in 25 Pa. Code § 93.9g. The petitioner is requesting the three basins be redesignated to Exceptional Value.

Persons who have technical data concerning the water quality, instream habitat or biological condition of these stream sections are encouraged to make it available to the Department for consideration in the assessments. These assessments may lead to a recommendation to the Board for redesignation.

Data should be submitted to Mark Brickner, Division of Water Quality, Bureau of Clean Water, P.O. Box 8774,

Harrisburg, PA 17105-8774, or mbrickner@pa.gov. Data should be submitted by Monday, December 18, 2017. Questions concerning this evaluation can be directed to Mark Brickner at (717) 787-9637.

The petitions are available to the public accessible on the Department's web site at www.dep.pa.gov (select "Public Participation," then "Environmental Quality Board (EQB)," then "2016 Meetings," under "October 18, 2016," see "Rulemaking Petition: Unnamed Tributary to Whetstone Run (25 Pa. Code § 93.9g)"; select "2017 Meetings," under "March 21, 2017," see "Rulemaking Petition: Marsh Creek (25 Pa. Code § 93.9g)") or by contacting the Environmental Quality Board, P.O. Box 8477, Harrisburg, PA 17105-8477, (717) 787-4526.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Mark Brickner directly at (717) 787-9637 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 17-1887. Filed for public inspection November 17, 2017, 9:00 a.m.]

DEPARTMENT OF HEALTH

Health Research Advisory Committee Meeting

The Department of Health's Health Research Advisory Committee (Committee), established by section 903(b) of the Tobacco Settlement Act (35 P.S. § 5701.903(b)), will hold a public meeting on November 30, 2017, from 9 a.m. to 11 a.m. The meeting will be held in Room 129, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120.

The purpose of this meeting is to discuss the history of the Committee and to begin the planning process for State Fiscal Year 2017-2018. The meeting is open to the public. No reservations are required. The meeting is not a public hearing and therefore public testimony or comments, or both, are not part of the meeting agenda.

For additional information or persons with disabilities who wish to attend the meeting and require an auxiliary aid, service or other accommodation, contact Penny E. Harris, MEd, CAC, LPC, Public Health Program Manager, Health Research Office, or Sylvia Golas, DMD, MPH, Public Health Program Administrator, Health Research Office, (717) 231-2825, ra-healthresearch@pa.gov, by mail to Health and Welfare Building, Room 833, 625 Forster Street, Harrisburg, PA 17120-0701, or for speech and/or hearing-impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

This meeting is subject to cancellation without notice.

RACHEL L. LEVINE, MD,
Acting Secretary

[Pa.B. Doc. No. 17-1888. Filed for public inspection November 17, 2017, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Proposed Federal Section 1115 Application for Substance Use Disorder; Public Hearing Sched- ule

The Department of Human Services (Department) is making available for public review and comment the proposed Federal Section 1115 Demonstration waiver application for substance use disorder (SUD) services.

The purpose of this Demonstration is to afford continued access to high quality, medically necessary treatment for opioid use disorder and other SUDs. The Commonwealth recognizes the importance of a full continuum of treatment services, including residential services that are provided in a cost-effective manner and for a length of stay that is governed by appropriate clinical guidelines. This Demonstration is critical to provide the necessary funding to support the continuation of medically necessary services.

The goals of this Demonstration are to:

1. Improve the overall population health outcomes for Medicaid beneficiaries diagnosed with an SUD by:
 - a. Reducing overdose deaths
 - b. Increasing the number of Medicaid beneficiaries who access substance use treatment
 - c. Increasing the rate of retention in treatment across all levels of care
2. Decrease utilization of high-cost emergency department and hospital services by:
 - a. Decreasing the number of emergency department visits and inpatient admissions
 - b. Decreasing the number of readmissions to the same level of care or higher levels of care for a primary SUD diagnosis
3. Improve care transition across the continuum of substance use services by:
 - a. Enhancing coordination of care with other behavioral and physical health services
 - b. Enhancing the process for transitions between levels of care

The 1115 Demonstration waiver application is available at <http://www.healthchoices.pa.gov/info/about/behavioral/1115WaiverApplicationforSUD/index.htm>. In addition, copies of the application are available upon written request to the Director, Bureau of Policy, Planning, and Program Development, Office of Mental Health and Substance Abuse Services, 11th Floor, Commonwealth Tower, 303 Walnut Street, Harrisburg, PA 17101.

Public Hearing Schedule

The Department will hold four public hearings throughout this Commonwealth to accept testimony on the proposed 1115 Demonstration waiver application. The Department will also present updates and solicit comment on the waiver application at the Medical Assistance Advisory Committee meeting on December 14, 2017.

The schedule of dates, times and locations for the public hearings is listed as follows:

December 4, 2017, 10 a.m. to 12 p.m.
OMHSAS NE Field Office Conference Room
100 Lackawanna Avenue
Scranton, PA

December 5, 2017, 10 a.m. to 12 p.m.
Norristown State Hospital Auditorium
1001 Sterigere Street
Norristown, PA

December 8, 2017, 8 a.m. to 10 a.m.
Child Welfare Resource Center
403 East Winding Hill Road
Mechanicsburg, PA

December 11, 2017, 1 p.m. to 3 p.m.
Shenango Crossing
2520 New Butler Road
New Castle, PA 16101

Public Comment

The Department seeks public input on the proposed 1115 Demonstration waiver application for SUD services. The 30-day public comment period will begin on November 18, 2017, and end on December 18, 2017. Persons who wish to testify on the proposed 1115 Demonstration waiver application at one of the public hearings should schedule a time by calling (717) 772-7900. Persons from outside the Harrisburg area may send a written request, including telephone number, to Satoko Hariyama, Bureau of Policy, Planning and Program Development, Office of Mental Health and Substance Abuse Services, 11th Floor, Commonwealth Tower, 303 Walnut Street, Harrisburg, PA 17101.

Individuals also may submit written comments at any of the public hearings or by e-mail to RA-PWOMHSASComm@pa.gov or by mail to the address of the previously identified contact person. The Department will consider all comments received by December 18, 2017, in developing the final waiver application.

Persons with a disability who require auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

TERESA D. MILLER,
Acting Secretary

Fiscal Note: 14-NOT-1190. No fiscal impact; (8) recommendations adoption.

[Pa.B. Doc. No. 17-1889. Filed for public inspection November 17, 2017, 9:00 a.m.]

DEPARTMENT OF LABOR AND INDUSTRY

Uniform Construction Code Review and Advisory Council 2017 and 2018 Meeting Schedule

The Uniform Construction Code Review and Advisory Council will hold meetings on the following dates: November 20, 2017; December 13, 2017; January 24, 2018; February 13, 2018; March 6, 2018; March 20, 2018; April 3, 2018; and April 17, 2018. The meetings will begin at

10 a.m. at the Department of Labor and Industry, 651 Boas Street, Room E-100, 1st Floor, Harrisburg, PA 17121.

Additional information concerning these meetings may be found on the Department of Labor and Industry web site at www.dli.pa.gov (select "Uniform Construction Code," then "UCC Review & Advisory Council").

Questions concerning these meetings may be directed to Cindy Holtry at (717) 783-4560.

W. GERARD OLEKSIK,
Acting Secretary

[Pa.B. Doc. No. 17-1890. Filed for public inspection November 17, 2017, 9:00 a.m.]

Workers' Compensation Appeal Board 2018 Hearing Schedule

<i>Date</i>	<i>Room</i>	<i>Time</i>
Wednesday, January 3, 2018	319 Eastgate Center Harrisburg, PA 17102	TBD
Thursday, January 4, 2018	319 Eastgate Center Harrisburg, PA 17102	TBD
Tuesday, January 23, 2018	Room 310, 411 7th Avenue Pittsburgh, PA 15219	TBD
Wednesday, January 24, 2018	Room 310, 411 7th Avenue Pittsburgh, PA 15219	TBD
Thursday, January 25, 2018	Room 310, 411 7th Avenue Pittsburgh, PA 15219	TBD
Tuesday, February 6, 2018	Room 401, 1110 North 8th Street Philadelphia, PA 19107	TBD
Wednesday, February 7, 2018	Room 401, 1110 North 8th Street Philadelphia, PA 19107	TBD
Thursday, February 8, 2018	Room 401, 1110 North 8th Street Philadelphia, PA 19107	TBD
Tuesday, March 6, 2018	Room 310, 411 7th Avenue Pittsburgh, PA 15219	TBD
Wednesday, March 7, 2018	Room 310, 411 7th Avenue Pittsburgh, PA 15219	TBD
Tuesday, March 20, 2018	321 Spruce Street 3rd Floor Scranton, PA 18503	TBD
Wednesday, March 21, 2018	321 Spruce Street 3rd Floor Scranton, PA 18503	TBD
Tuesday, April 3, 2018	Room 401, 1110 North 8th Street Philadelphia, PA 19107	TBD
Wednesday, April 4, 2018	Room 401, 1110 North 8th Street Philadelphia, PA 19107	TBD
Thursday, April 5, 2018	Room 401, 1110 North 8th Street Philadelphia, PA 19107	TBD
Tuesday, April 17, 2018	310 Eastgate Center Harrisburg, PA 17102	TBD
Wednesday, April 18, 2018	310 Eastgate Center Harrisburg, PA 17102	TBD
Tuesday, April 24, 2018	3400 Lovell Place 13th and Holland Streets Erie, PA 16503	TBD
Tuesday, May 1, 2018	Room 310, 411 7th Avenue Pittsburgh, PA 15219	TBD
Wednesday, May 2, 2018	Room 310, 411 7th Avenue Pittsburgh, PA 15219	TBD
Tuesday, May 22, 2018	321 Spruce Street 3rd Floor Scranton, PA 18503	TBD
Wednesday, May 23, 2018	321 Spruce Street 3rd Floor Scranton, PA 18503	TBD

NOTICES

7129

<i>Date</i>	<i>Room</i>	<i>Time</i>
Tuesday, June 5, 2018	Room 401, 1110 North 8th Street Philadelphia, PA 19107	TBD
Wednesday, June 6, 2018	Room 401, 1110 North 8th Street Philadelphia, PA 19107	TBD
Tuesday, June 19, 2018	319 Eastgate Center Harrisburg, PA 17102	TBD
Wednesday, June 20, 2018	319 Eastgate Center Harrisburg, PA 17102	TBD
Tuesday, July 10, 2018	Room 310, 411 7th Avenue Pittsburgh, PA 15219	TBD
Wednesday, July 11, 2018	3400 Lovell Place 13th and Holland Streets Erie, PA 16503	TBD
Tuesday, July 24, 2018	321 Spruce Street 3rd Floor Scranton, PA 18503	TBD
Wednesday, July 25, 2018	321 Spruce Street 3rd Floor Scranton, PA 18503	TBD
Tuesday, August 7, 2018	Room 401, 1110 North 8th Street Philadelphia, PA 19107	TBD
Wednesday, August 8, 2018	Room 401, 1110 North 8th Street Philadelphia, PA 19107	TBD
Thursday, August 9, 2018	Room 401, 1110 North 8th Street Philadelphia, PA 19107	TBD
Wednesday, September 5, 2018	Room 310, 411 7th Avenue Pittsburgh, PA 15219	TBD
Thursday, September 6, 2018	Room 310, 411 7th Avenue Pittsburgh, PA 15219	TBD
Wednesday, September 12, 2018	321 Spruce Street 3rd Floor Scranton, PA 18503	TBD
Thursday, September 13, 2018	321 Spruce Street 3rd Floor Scranton, PA 18503	TBD
Tuesday, October 2, 2018	319 Eastgate Center Harrisburg, PA 17102	TBD
Wednesday, October 3, 2018	319 Eastgate Center Harrisburg, PA 17102	TBD
Tuesday, October 16, 2018	Room 401, 1110 North 8th Street Philadelphia, PA 19107	TBD
Wednesday, October 17, 2018	Room 401, 1110 North 8th Street Philadelphia, PA 19107	TBD
Thursday, October 18, 2018	Room 401, 1110 North 8th Street Philadelphia, PA 19107	TBD
Tuesday, October 30, 2018	3400 Lovell Place 13th and Holland Streets Erie, PA 16503	TBD
Wednesday, November 7, 2018	Room 310, 411 7th Avenue Pittsburgh, PA 15219	TBD
Thursday, November 8, 2018	Room 310, 411 7th Avenue Pittsburgh, PA 15219	TBD
Wednesday, November 14, 2018	310 Eastgate Center Harrisburg, PA 17102	TBD
Tuesday, December 4, 2018	Room 401, 1110 North 8th Street Philadelphia, PA 19107	TBD

<i>Date</i>	<i>Room</i>	<i>Time</i>
Wednesday, December 5, 2018	Room 401, 1110 North 8th Street Philadelphia, PA 19107	TBD
Thursday, December 6, 2018	Room 401, 1110 North 8th Street Philadelphia, PA 19107	TBD
Tuesday, December 18, 2018	321 Spruce Street 3rd Floor Scranton, PA 18503	TBD
Wednesday, December 19, 2018	321 Spruce Street 3rd Floor Scranton, PA 18503	TBD

W. GERARD OLEKSIK,
Acting Secretary

[Pa.B. Doc. No. 17-1891. Filed for public inspection November 17, 2017, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania \$300,000 Bonus Crossword Instant Lottery Game 1312

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania \$300,000 Bonus Crossword (hereinafter “\$300,000 Bonus Crossword”). The game number is PA-1312.

2. *Price:* The price of a \$300,000 Bonus Crossword instant lottery game ticket is \$10.

3. *Play Symbols:* Each \$300,000 Bonus Crossword instant lottery game ticket will feature a “YOUR LETTERS” area, two crossword puzzle play grids known as “GRID 1” and “GRID 2” respectively, a “\$50 BONUS WORDS” area, a “\$100 BONUS WORDS” area and a “2X BONUS” area. The “2X BONUS” area is played in conjunction with “GRID 1” and “GRID 2,” but cannot be used to multiply prizes in either the “\$50 BONUS WORDS” area or the “\$100 BONUS WORDS” area. The “\$50 BONUS WORDS” and the “\$100 BONUS WORDS” play areas are played separately. The play symbols located in the “YOUR LETTERS” area are: the letters A through and including Z. The play symbols located in “GRID 1” and “GRID 2” are: the letters A through and including Z. The play symbols located in the “\$50 BONUS WORDS” area and the “\$100 BONUS WORDS” area are: the letters A through and including Z. The play symbols and their captions located in the “2X BONUS” area are: NO BONUS (TRY AGAIN) symbol, TRY AGAIN (NO BONUS) symbol, NO BONUS (TRY AGAIN) symbol, TRY AGAIN (NO BONUS) symbol and a 2X (2TIMES) symbol.

4. *Prizes:* The prizes that can be won in “GRID 1” are: \$10, \$20, \$40, \$100, \$200, \$400, \$1,000, \$10,000 and \$30,000. The prizes that can be won in “GRID 2” are: \$10, \$20, \$50, \$100, \$500, \$1,000, \$10,000, \$30,000 and \$300,000. The prize that can be won in the “\$50 BONUS WORDS” area is \$50. The prize that can be won in the “\$100 BONUS WORDS” area is \$100. A player can win up to 4 times on a ticket.

5. *Approximate Number of Tickets Printed For the Game:* Approximately 8,400,000 tickets will be printed for the \$300,000 Bonus Crossword instant lottery game.

6. *Determination of Prize Winners:*

(a) Holders of tickets where the player completely matches ten words in “GRID 2,” using only the letters found in the “YOUR LETTERS” area, on a single ticket, shall be entitled to a prize of \$300,000.

(b) Holders of tickets where the player completely matches ten words in “GRID 1,” using only the letters found in the “YOUR LETTERS” area, on a single ticket, shall be entitled to a prize of \$30,000.

(c) Holders of tickets where the player completely matches nine words in “GRID 2,” using only the letters found in the “YOUR LETTERS” area, on a single ticket, shall be entitled to a prize of \$30,000.

(d) Holders of tickets where the player completely matches nine words in “GRID 1,” using only the letters found in the “YOUR LETTERS” area, on a single ticket, shall be entitled to a prize of \$10,000.

(e) Holders of tickets where the player completely matches eight words in “GRID 2,” using only the letters found in the “YOUR LETTERS” area, on a single ticket, shall be entitled to a prize of \$10,000.

(f) Holders of tickets where the player completely matches eight words in “GRID 1,” using only the letters found in the “YOUR LETTERS” area, on a single ticket, shall be entitled to a prize of \$1,000.

(g) Holders of tickets where the player completely matches seven words in “GRID 2,” using only the letters found in the “YOUR LETTERS” area, on a single ticket, shall be entitled to a prize of \$1,000.

(h) Holders of tickets on which a 2X (2TIMES) symbol appears in the “2X BONUS” area, and on which the player completely matches six words in “GRID 2,” using only the letters found in the “YOUR LETTERS” area, on a single ticket, shall be entitled to a prize of \$1,000.

(i) Holders of tickets on which a 2X (2TIMES) symbol appears in the “2X BONUS” area, and on which the player completely matches seven words in “GRID 1,” using only the letters found in the “YOUR LETTERS” area, on a single ticket, shall be entitled to a prize of \$800.

(j) Holders of tickets where the player completely matches six words in “GRID 2,” using only the letters

found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$500.

(k) Holders of tickets where the player completely matches seven words in "GRID 1," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$400.

(l) Holders of tickets on which a 2X (2TIMES) symbol appears in the "2X BONUS" area, and on which the player completely matches six words in "GRID 1," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$400.

(m) Holders of tickets where the player completely matches six words in "GRID 1," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$200.

(n) Holders of tickets on which a 2X (2TIMES) symbol appears in the "2X BONUS" area, and on which the player completely matches five words in "GRID 1" or "GRID 2," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$200.

(o) Holders of tickets where the player completely matches five words in "GRID 1" or "GRID 2," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$100.

(p) Holders of tickets on which a 2X (2TIMES) symbol appears in the "2X BONUS" area, and on which the player completely matches four words in "GRID 2," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$100.

(q) Holders of tickets where the player completely matches one entire eight-letter word in the "\$100 BONUS WORDS" area, using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$100.

(r) Holders of tickets on which a 2X (2TIMES) symbol appears in the "2X BONUS" area, and on which the player completely matches four words in "GRID 1," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$80.

(s) Holders of tickets where the player completely matches four words in "GRID 2," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$50.

(t) Holders of tickets where the player completely matches one entire four-letter word in the "\$50 BONUS WORDS" area, using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$50.

(u) Holders of tickets where the player completely matches four words in "GRID 1," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$40.

(v) Holders of tickets on which a 2X (2TIMES) symbol appears in the "2X BONUS" area, and on which the player completely matches three words in "GRID 1" or "GRID 2," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$40.

(w) Holders of tickets where the player completely matches three words in "GRID 1" or "GRID 2," using only

the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$20.

(x) Holders of tickets on which a 2X (2TIMES) symbol appears in the "2X BONUS" area, and on which the player completely matches two words in "GRID 1" or "GRID 2," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$20.

(y) Holders of tickets where the player completely matches two words in "GRID 1" or "GRID 2," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$10.

7. Game Play Instructions for the \$300,000 Bonus Crossword game are:

(a) The player shall scratch the "YOUR LETTERS" area to reveal 18 letters. For each of the 18 letters revealed in the "YOUR LETTERS" area, the player shall rub the same letter each time it is found in "GRID 1," "GRID 2," the "\$50 BONUS WORDS" area and the "\$100 BONUS WORDS" area.

(b) When a player reveals two or more entire words in "GRID 1" or "GRID 2," the player is entitled to win a prize as described in Section 6.

(c) The player shall also scratch the "2X BONUS" area. When a player reveals a 2X (2TIMES) symbol in the "2X BONUS" box, the player shall double any prize won in either crossword "GRID." Words in either the "\$50 BONUS WORDS" area or the "\$100 BONUS WORDS" area are not multiplied using the "2X BONUS" box.

(d) Only the highest prize won in each "GRID" will be paid if the ticket meets the criteria established in 61 Pa. Code § 819.213 (relating to ticket validation and requirements).

(e) When a player reveals at least one entire four-letter word in the "\$50 BONUS WORDS" area, or at least one entire eight-letter word in the "\$100 BONUS WORDS" area, the player is entitled to win a prize as described in Section 6.

(f) For purposes of this game, a word in either crossword "GRID" must contain at least three letters and cannot be formed by linking letters diagonally or by reading the letters from the bottom to the top.

(g) Every single letter square of a word must be matched and letters combined to form a word. The word must appear in an unbroken horizontal or vertical string of letters in "GRID 1," "GRID 2," the "\$50 BONUS WORDS" area or the "\$100 BONUS WORDS" area. There will only be one word in an unbroken horizontal or vertical string of letters.

(h) Every single letter in the unbroken string must be revealed in the "YOUR LETTERS" area and must be included to form a word.

(i) The possible complete words for each ticket in the game are shown on the "GRID 1," "GRID 2," "\$50 BONUS WORDS" and "\$100 BONUS WORDS" play areas. The player must match all of the letters in a possible complete word in order to complete the word.

8. Number and Description of Prizes and Approximate Odds: The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

<i>GRID 1</i> Win With:	<i>GRID 2</i> Win With:	<i>\$50 BONUS</i> WORDS Win With:	<i>\$100 BONUS</i> WORDS Win With:	Win:	<i>Approximate</i> <i>Odds Are 1 In:</i>	<i>Approximate No.</i> <i>Of Winners Per</i> <i>8,400,000 Tickets:</i>
	2 WORDS			\$10	13.33	630,000
2 WORDS				\$10	13.33	630,000
2 WORDS	2 WORDS			\$20	15	560,000
	3 WORDS			\$20	60	140,000
3 WORDS				\$20	60	140,000
3 WORDS	3 WORDS			\$40	300	28,000
2 WORDS w/ 2X BONUS	2 WORDS w/ 2X BONUS			\$40	300	28,000
	3 WORDS w/ 2X BONUS			\$40	300	28,000
3 WORDS w/ 2X BONUS				\$40	300	28,000
4 WORDS				\$40	300	28,000
4 WORDS	2 WORDS			\$50	600	14,000
		\$50		\$50	60	140,000
	4 WORDS			\$50	600	14,000
2 WORDS		\$50		\$60	6,000	1,400
	2 WORDS	\$50		\$60	6,000	1,400
2 WORDS w/ 2X BONUS	3 WORDS w/ 2X BONUS			\$60	6,000	1,400
3 WORDS w/ 2X BONUS	2 WORDS w/ 2X BONUS			\$60	12,000	700
2 WORDS	4 WORDS			\$60	12,000	700
4 WORDS	3 WORDS			\$60	12,000	700
2 WORDS	3 WORDS	\$50		\$80	24,000	350
3 WORDS	2 WORDS	\$50		\$80	24,000	350
3 WORDS w/ 2X BONUS	3 WORDS w/ 2X BONUS			\$80	12,000	700
4 WORDS w/ 2X BONUS				\$80	24,000	350
			\$100	\$100	600	14,000
4 WORDS	2 WORDS	\$50		\$100	1,200	7,000
	4 WORDS	\$50		\$100	1,200	7,000
4 WORDS w/ 2X BONUS	2 WORDS w/ 2X BONUS			\$100	400	21,000
	4 WORDS w/ 2X BONUS			\$100	1,200	7,000
	5 WORDS			\$100	1,200	7,000
5 WORDS				\$100	1,200	7,000
4 WORDS w/ 2X BONUS	2 WORDS w/ 2X BONUS	\$50		\$150	12,000	700
	4 WORDS w/ 2X BONUS	\$50		\$150	12,000	700
	4 WORDS	\$50 × 2		\$150	12,000	700
5 WORDS		\$50		\$150	12,000	700
	4 WORDS		\$100	\$150	12,000	700
	4 WORDS	\$50	\$100	\$200	12,000	700
4 WORDS	2 WORDS	\$50	\$100	\$200	6,000	1,400
	4 WORDS w/ 2X BONUS	\$50 × 2		\$200	12,000	700
4 WORDS w/ 2X BONUS	2 WORDS w/ 2X BONUS		\$100	\$200	24,000	350
	5 WORDS w/ 2X BONUS			\$200	24,000	350
5 WORDS w/ 2X BONUS				\$200	10,000	840
6 WORDS				\$200	24,000	350
6 WORDS	5 WORDS		\$100	\$400	12,000	700
5 WORDS	5 WORDS		\$100 × 2	\$400	4,800	1,750
5 WORDS w/ 2X BONUS	5 WORDS w/ 2X BONUS			\$400	12,000	700
6 WORDS w/ 2X BONUS				\$400	15,000	560
7 WORDS				\$400	20,000	420
5 WORDS w/ 2X BONUS	5 WORDS w/ 2X BONUS		\$100	\$500	12,000	700

<i>GRID 1</i> Win With:	<i>GRID 2</i> Win With:	<i>\$50 BONUS</i> WORDS Win With:	<i>\$100 BONUS</i> WORDS Win With:	Win:	<i>Approximate</i> <i>Odds Are 1 In:</i>	<i>Approximate No.</i> <i>Of Winners Per</i> <i>8,400,000 Tickets:</i>
6 WORDS w/ 2X BONUS			\$100	\$500	8,000	1,050
7 WORDS			\$100	\$500	8,000	1,050
7 WORDS w/ 2X BONUS	6 WORDS			\$500	24,000	350
	5 WORDS w/ 2X BONUS			\$1,000	12,000	700
	6 WORDS w/ 2X BONUS			\$1,000	12,000	700
	7 WORDS			\$1,000	24,000	350
8 WORDS				\$1,000	40,000	210
	8 WORDS			\$10,000	840,000	10
9 WORDS				\$10,000	840,000	10
	9 WORDS			\$30,000	840,000	10
10 WORDS				\$30,000	840,000	10
	10 WORDS			\$300,000	840,000	10

Scratch “YOUR LETTERS” to reveal 18 letters. Rub each matching letter every time it is found on either crossword GRID. Each letter’s square, when rubbed gently, will turn white. When you have matched the letters of two (2) or more entire words on either crossword GRID, win the corresponding prize shown in the prize key for that GRID. Only the highest prize won in each crossword GRID will be paid.

Each crossword GRID is played separately.

2X BONUS: Reveal a “2X” (2TIMES) symbol in the 2X BONUS box, double any prize won in either crossword GRID. Bonus words are not multiplied.

\$50 BONUS: Using the “YOUR LETTERS,” match one entire four-letter word to win \$50. Bonus words are not multiplied.

\$100 BONUS: Using the “YOUR LETTERS,” match one entire eight-letter word to win \$100. Bonus words are not multiplied.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell \$300,000 Bonus Crossword instant lottery game tickets.

10. *Retailer Bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which he qualifies on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed Prize Money:* For a period of 1 year from the announced close of \$300,000 Bonus Crossword, prize money from winning \$300,000 Bonus Crossword instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If

no claim is made within 1 year of the announced close of the \$300,000 Bonus Crossword instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote \$300,000 Bonus Crossword or through normal communications methods.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 17-1892. Filed for public inspection November 17, 2017, 9:00 a.m.]

Pennsylvania \$3 Million Mega Multiplier Instant Lottery Game 1311

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania \$3 Million Mega Multiplier (hereinafter “\$3 Million Mega Multiplier”). The game number is PA-1311.

2. *Price:* The price of a \$3 Million Mega Multiplier instant lottery game ticket is \$30.

3. *Play Symbols:* Each \$3 Million Mega Multiplier instant lottery game ticket will contain one play area featuring a "WINNING NUMBERS" area, a "YOUR NUMBERS" area and a "Bonus" area. The "YOUR NUMBERS" area will feature a "Multiplier" area under each "Prize" area, containing one multiplier symbol. The "Bonus" area is played separately. The play symbols and their captions located in the "WINNING NUMBERS" area are: 3 (THREE), 4 (FOUR), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWNIN), 30 (THIRTY), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN), 40 (FORTY), 41 (FRYONE), 42 (FRYTWO), 43 (FRYTHR), 44 (FRYFOR), 45 (FRYFIV), 46 (FRYSIX), 47 (FRYSVN), 48 (FRYEGT), and 49 (FRYNIN). The play symbols and their captions located in the "YOUR NUMBERS" area are: 3 (THREE), 4 (FOUR), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWNIN), 30 (THIRTY), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN), 40 (FORTY), 41 (FRYONE), 42 (FRYTWO), 43 (FRYTHR), 44 (FRYFOR), 45 (FRYFIV), 46 (FRYSIX), 47 (FRYSVN), 48 (FRYEGT), and 49 (FRYNIN), and a MEGA (WINALL) symbol. The prize play symbols and their captions located in the "Bonus" area are: NO BONUS (TRY AGAIN) symbol, TRY AGAIN (NO BONUS) symbol, NO BONUS (TRY AGAIN) symbol, TRY AGAIN (NO BONUS) symbol, \$30⁰⁰ (THIRTY), \$40⁰⁰ (FORTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$200 (TWO HUN), \$300 (THR HUN) and \$500 (FIV HUN). The multiplier symbols and their captions located in the "Multiplier" area of the "YOUR NUMBERS" area are: 1X (PRIZE) symbol, 2X (2TIMES) symbol, 5X (5TIMES) symbol, 10X (10TIMES) symbol, 20X (20TIMES) symbol, 50X (50TIMES) symbol and a 100X (100TMES) symbol.

4. *Prize Symbols:* The prize symbols and their captions located in the "YOUR NUMBERS" area are: \$30⁰⁰ (THIRTY), \$40⁰⁰ (FORTY), \$50⁰⁰ (FIFTY), \$60⁰⁰ (SIXTY), \$100 (ONE HUN), \$200 (TWO HUN), \$300 (THR HUN), \$500 (FIV HUN), \$1,000 (ONE THO), \$3,000 (THR THO), \$30,000 (TRY THO), \$300,000 (THRHUNTHO) and \$3MILL (THR MIL). The prize symbols and their captions located in the "Bonus" area are: \$30⁰⁰ (THIRTY), \$40⁰⁰ (FORTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$200 (TWO HUN), \$300 (THR HUN) and \$500 (FIV HUN).

5. *Prizes:* The prizes that can be won in this game are: \$30, \$40, \$50, \$60, \$100, \$200, \$300, \$500, \$1,000, \$3,000, \$30,000, \$300,000 and \$3,000,000. A player can win up to 30 times on a ticket. The prizes that can be won in the "Bonus" area are: \$30, \$40, \$50, \$100, \$200, \$300 and \$500.

6. *Approximate Number of Tickets Printed For the Game:* Approximately 6,000,000 tickets will be printed for the \$3 Million Mega Multiplier instant lottery game.

7. *Determination of Prize Winners:*

(a) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols, and a prize symbol of \$3MILL (THR MIL) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, and a 1X (PRIZE) multiplier symbol appears in the "Multiplier" area under that prize symbol, on a single ticket, shall be entitled to a prize of \$3,000,000. This prize shall be paid as a one-time, lump sum cash payment.

(b) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols, and a prize symbol of \$300,000 (THRHUNTHO) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, and a 1X (PRIZE) multiplier symbol appears in the "Multiplier" area under that prize symbol, on a single ticket, shall be entitled to a prize of \$300,000.

(c) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols, and a prize symbol of \$3,000 (THR THO) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, and a 100X (100TMES) multiplier symbol appears in the "Multiplier" area under that prize symbol, on a single ticket, shall be entitled to a prize of \$300,000.

(d) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols, and a prize symbol of \$30,000 (TRY THO) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, and a 1X (PRIZE) multiplier symbol appears in the "Multiplier" area under that prize symbol, on a single ticket, shall be entitled to a prize of \$30,000.

(e) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols, and a prize symbol of \$300 (THR HUN) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, and a 100X (100TMES) multiplier symbol appears in the "Multiplier" area under that prize symbol, on a single ticket, shall be entitled to a prize of \$30,000.

(f) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols, and a prize symbol of \$3,000 (THR THO) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, and a 1X (PRIZE) multiplier symbol appears in the "Multiplier" area under that prize symbol, on a single ticket, shall be entitled to a prize of \$3,000.

(g) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols, and a prize symbol of \$60⁰⁰ (SIXTY) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, and a 50X (50TIMES) multiplier symbol appears in the "Multiplier" area under that prize symbol, on a single ticket, shall be entitled to a prize of \$3,000.

(h) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols, and a prize symbol of \$30⁰⁰ (THIRTY) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, and a 100X (100TMES) multiplier symbol appears in the "Multiplier" area under that prize symbol, on a single ticket, shall be entitled to a prize of \$3,000.

(i) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a MEGA (WINALL) symbol, and a prize symbol of \$100 (ONE HUN) appears in all twenty-five "Prize" areas, on a single ticket, shall be entitled to a prize of \$2,500.

(j) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols, and a prize symbol of \$30⁰⁰ (THIRTY) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, and a 50X (50TIMES) multiplier symbol appears in the "Multiplier" area under that prize symbol, on a single ticket, shall be entitled to a prize of \$1,500.

(k) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a MEGA (WINALL) symbol, and a prize symbol of \$50⁰⁰ (FIFTY) appears in all twenty-five "Prize" areas, on a single ticket, shall be entitled to a prize of \$1,250.

(l) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols, and a prize symbol of \$1,000 (ONE THO) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, and a 1X (PRIZE) multiplier symbol appears in the "Multiplier" area under that prize symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(m) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols, and a prize symbol of \$500 (FIV HUN) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, and a 2X (2TIMES) multiplier symbol appears in the "Multiplier" area under that prize symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(n) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols, and a prize symbol of \$100 (ONE HUN) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, and a 10X (10TIMES) multiplier symbol appears in the "Multiplier" area under that prize symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(o) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols, and a prize symbol of \$50⁰⁰ (FIFTY) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, and a 20X (20TIMES) multiplier symbol appears in the "Multiplier" area under that prize symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(p) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a MEGA (WINALL) symbol, and a prize symbol of \$40⁰⁰ (FORTY) appears in all twenty-five "Prize" areas, on a single ticket, shall be entitled to a prize of \$1,000.

(q) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols, and a prize symbol of \$40⁰⁰ (FORTY) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, and a 20X (20TIMES) multiplier symbol appears in the "Multiplier" area under that prize symbol, on a single ticket, shall be entitled to a prize of \$800.

(r) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a MEGA (WINALL) symbol,

and a prize symbol of \$30⁰⁰ (THIRTY) appears in all twenty-five "Prize" areas, on a single ticket, shall be entitled to a prize of \$750.

(s) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols, and a prize symbol of \$30⁰⁰ (THIRTY) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, and a 20X (20TIMES) multiplier symbol appears in the "Multiplier" area under that prize symbol, on a single ticket, shall be entitled to a prize of \$600.

(t) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols, and a prize symbol of \$500 (FIV HUN) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, and a 1X (PRIZE) multiplier symbol appears in the "Multiplier" area under that prize symbol, on a single ticket, shall be entitled to a prize of \$500.

(u) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols, and a prize symbol of \$100 (ONE HUN) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, and a 5X (5TIMES) multiplier symbol appears in the "Multiplier" area under that prize symbol, on a single ticket, shall be entitled to a prize of \$500.

(v) Holders of tickets upon which a \$500 (FIV HUN) symbol appears in the "Bonus" area, on a single ticket, shall be entitled to a prize of \$500.

(w) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols, and a prize symbol of \$40⁰⁰ (FORTY) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, and a 10X (10TIMES) multiplier symbol appears in the "Multiplier" area under that prize symbol, on a single ticket, shall be entitled to a prize of \$400.

(x) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols, and a prize symbol of \$300 (THR HUN) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, and a 1X (PRIZE) multiplier symbol appears in the "Multiplier" area under that prize symbol, on a single ticket, shall be entitled to a prize of \$300.

(y) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols, and a prize symbol of \$30⁰⁰ (THIRTY) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, and a 10X (10TIMES) multiplier symbol appears in the "Multiplier" area under that prize symbol, on a single ticket, shall be entitled to a prize of \$300.

(z) Holders of tickets upon which a \$300 (THR HUN) symbol appears in the "Bonus" area, on a single ticket, shall be entitled to a prize of \$300.

(aa) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols, and a prize symbol of \$50⁰⁰ (FIFTY) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, and a 5X (5TIMES) multiplier symbol appears in the "Multiplier" area under that prize symbol, on a single ticket, shall be entitled to a prize of \$250.

(bb) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols, and a prize symbol of \$200 (TWO HUN) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, and a 1X (PRIZE) multiplier symbol appears in the "Multiplier" area under that prize symbol, on a single ticket, shall be entitled to a prize of \$200.

(cc) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols, and a prize symbol of \$100 (ONE HUN) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, and a 2X (2TIMES) multiplier symbol appears in the "Multiplier" area under that prize symbol, on a single ticket, shall be entitled to a prize of \$200.

(dd) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols, and a prize symbol of \$40⁰⁰ (FORTY) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, and a 5X (5TIMES) multiplier symbol appears in the "Multiplier" area under that prize symbol, on a single ticket, shall be entitled to a prize of \$200.

(ee) Holders of tickets upon which a \$200 (TWO HUN) symbol appears in the "Bonus" area, on a single ticket, shall be entitled to a prize of \$200.

(ff) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols, and a prize symbol of \$30⁰⁰ (THIRTY) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, and a 5X (5TIMES) multiplier symbol appears in the "Multiplier" area under that prize symbol, on a single ticket, shall be entitled to a prize of \$150.

(gg) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols, and a prize symbol of \$100 (ONE HUN) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, and a 1X (PRIZE) multiplier symbol appears in the "Multiplier" area under that prize symbol, on a single ticket, shall be entitled to a prize of \$100.

(hh) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols, and a prize symbol of \$50⁰⁰ (FIFTY) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, and a 2X (2TIMES) multiplier symbol appears in the "Multiplier" area under that prize symbol, on a single ticket, shall be entitled to a prize of \$100.

(ii) Holders of tickets upon which a \$100 (ONE HUN) symbol appears in the "Bonus" area, on a single ticket, shall be entitled to a prize of \$100.

(jj) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols, and a prize symbol of \$60⁰⁰ (SIXTY) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, and a 1X (PRIZE) multiplier symbol appears in the "Multiplier" area under that prize symbol, on a single ticket, shall be entitled to a prize of \$60.

(kk) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols, and a prize symbol of \$30⁰⁰ (THIRTY) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, and a 2X (2TIMES) multiplier symbol appears in the "Multiplier" area under that prize symbol, on a single ticket, shall be entitled to a prize of \$60.

(ll) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols, and a prize symbol of \$50⁰⁰ (FIFTY) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, and a 1X (PRIZE) multiplier symbol appears in the "Multiplier" area under that prize symbol, on a single ticket, shall be entitled to a prize of \$50.

(mm) Holders of tickets upon which a \$50⁰⁰ (FIFTY) symbol appears in the "Bonus" area, on a single ticket, shall be entitled to a prize of \$50.

(nn) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols, and a prize symbol of \$40⁰⁰ (FORTY) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, and a 1X (PRIZE) multiplier symbol appears in the "Multiplier" area under that prize symbol, on a single ticket, shall be entitled to a prize of \$40.

(oo) Holders of tickets upon which a \$40⁰⁰ (FORTY) symbol appears in the "Bonus" area, on a single ticket, shall be entitled to a prize of \$40.

(pp) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols, and a prize symbol of \$30⁰⁰ (THIRTY) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, and a 1X (PRIZE) multiplier symbol appears in the "Multiplier" area under that prize symbol, on a single ticket, shall be entitled to a prize of \$30.

(qq) Holders of tickets upon which a \$30⁰⁰ (THIRTY) symbol appears in the "Bonus" area, on a single ticket, shall be entitled to a prize of \$30.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

When Any Of Your Numbers Match Any Winning Number, Win Prize Shown Under The Matching Number. Win With:

	<i>BONUS:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 6,000,000 Tickets</i>
\$30	\$30 w/ BONUS	\$30	10	600,000
\$40	\$40 w/ BONUS	\$30	30	200,000
\$40	\$40 w/ BONUS	\$40	37.5	160,000
\$50	\$50 w/ BONUS	\$40	60	100,000
\$30	\$30 w/ BONUS	\$50	15	400,000
\$30 w/ 2X	\$30 w/ BONUS	\$50	25	240,000
		\$60	300	20,000
		\$60	300	20,000

NOTICES

7137

When Any Of Your Numbers
Match Any Winning Number,
Win Prize Shown Under The
Matching Number. Win With:

	BONUS:	Win:	Approximate Odds Are 1 In:	Approximate No. Of Winners Per 6,000,000 Tickets
\$60		\$60	300	20,000
\$50 × 2		\$100	150	40,000
\$50	\$50 w/ BONUS	\$100	300	20,000
\$30 w/ 2X	\$40 w/ BONUS	\$100	100	60,000
	\$100 w/ BONUS	\$100	100	60,000
\$50 w/ 2X		\$100	75	80,000
\$100		\$100	100	60,000
\$40 × 5		\$200	3,000	2,000
\$50 × 4		\$200	3,000	2,000
\$100 × 2		\$200	3,000	2,000
\$50	(\$30 w/ BONUS) × 5	\$200	3,000	2,000
\$100	\$100 w/ BONUS	\$200	3,000	2,000
\$30 w/ 5X	\$50 w/ BONUS	\$200	3,000	2,000
(\$50 w/ 2X) × 2		\$200	3,000	2,000
\$50 w/ 2X	(\$50 w/ BONUS) × 2	\$200	3,000	2,000
\$40 w/ 5X		\$200	3,000	2,000
\$100 w/ 2X		\$200	2,000	3,000
\$200		\$200	2,000	3,000
\$100 × 3		\$300	4,000	1,500
\$40 w/ 5X	(\$50 w/ BONUS) × 2	\$300	4,000	1,500
(\$30 w/ 5X) × 2		\$300	3,000	2,000
\$30 w/ 5X	(\$100 w/ BONUS) + (\$50 w/ BONUS)	\$300	4,000	1,500
\$50 w/ 5X	\$50 w/ BONUS	\$300	4,000	1,500
\$100 w/ 2X	\$100 w/ BONUS	\$300	4,000	1,500
\$30 w/ 10X		\$300	4,000	1,500
\$300		\$300	4,000	1,500
\$50 × 10		\$500	8,000	750
\$30 × 15	\$50 w/ BONUS	\$500	8,000	750
\$30 w/ 10X	(\$40 w/ BONUS) × 5	\$500	6,000	1,000
\$40 w/ 10X	(\$50 w/ BONUS) × 2	\$500	8,000	750
(\$30 w/ 5X) × 2	(\$100 w/ BONUS) × 2	\$500	8,000	750
\$50 w/ 2X	(\$100 w/ BONUS) × 4	\$500	8,000	750
\$100 w/ 5X		\$500	8,000	750
\$500		\$500	8,000	750
MEGA w/ (\$40 × 25)		\$1,000	6,000	1,000
MEGA w/ (\$30 × 25)	(\$50 w/ BONUS) × 5	\$1,000	4,000	1,500
\$100 × 10		\$1,000	12,000	500
\$30 × 20	(\$100 w/ BONUS) × 4	\$1,000	12,000	500
\$30 w/ 20X	(\$100 w/ BONUS) × 4	\$1,000	12,000	500
\$40 w/ 20X	(\$40 w/ BONUS) × 5	\$1,000	12,000	500
\$50 w/ 20X		\$1,000	12,000	500
\$100 w/ 10X		\$1,000	12,000	500
\$500 w/ 2X		\$1,000	12,000	500
\$1,000		\$1,000	12,000	500
MEGA w/ (\$50 × 25)	(((\$500 w/ BONUS) × 3) + (\$200 w/ BONUS) + (\$50 w/ BONUS))	\$3,000	1,200,000	5
MEGA w/ (\$100 × 25)	\$500 w/ BONUS	\$3,000	1,200,000	5
\$500 × 3	(\$300 w/ BONUS) × 5	\$3,000	1,200,000	5
\$30 w/ 50X	(\$500 w/ BONUS) × 3	\$3,000	1,200,000	5
(\$30 w/ 50X) × 2		\$3,000	1,200,000	5
\$30 w/ 100X		\$3,000	1,200,000	5
\$60 w/ 50X		\$3,000	1,200,000	5
\$3,000		\$3,000	1,200,000	5
\$300 w/ 100X		\$30,000	1,200,000	5
\$30,000		\$30,000	1,200,000	5
\$3,000 w/ 100X		\$300,000	1,200,000	5
\$300,000		\$300,000	1,200,000	5
\$3,000,000		\$3,000,000	1,200,000	5

Multiply any prize won by the multiplier shown under that prize.

Reveal a "MEGA" (WINALL) symbol, win all 25 prizes shown!

BONUS: Reveal a cash prize amount in any spot in the BONUS area, win that amount. BONUS is played separately.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell \$3 Million Mega Multiplier instant lottery game tickets.

10. *Retailer Bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which he qualifies on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed Prize Money:* For a period of 1 year from the announced close of \$3 Million Mega Multiplier, prize money from winning \$3 Million Mega Multiplier instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the \$3 Million Mega Multiplier instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote \$3 Million Mega Multiplier or through normal communications methods.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 17-1893. Filed for public inspection November 17, 2017, 9:00 a.m.]

Pennsylvania Lucky Numbers Instant Lottery Game 1313

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of

instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Lucky Numbers (hereinafter referred to as “Lucky Numbers”). The game number is PA-1313.

2. *Price:* The price of a Lucky Numbers instant lottery game ticket is \$5.

3. *Play Symbols:* Each Lucky Numbers instant lottery game ticket will contain one play area featuring a “WINNING NUMBERS” area and a “YOUR NUMBERS” area. The play symbols and their captions located in the “WINNING NUMBERS” area are: 1 (ONE), 2 (TWO), 4 (FOUR), 5 (FIVE), 6 (SIX), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRTY), 32 (THYTWO), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 38 (THYEGT), 39 (THYNIN) and 40 (FORTY). The play symbols and their captions located in the “YOUR NUMBERS” area are: 1 (ONE), 2 (TWO), 4 (FOUR), 5 (FIVE), 6 (SIX), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRTY), 32 (THYTWO), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 38 (THYEGT), 39 (THYNIN), 40 (FORTY), 7 (SVN) symbol, 13 (THRTN) symbol and a LUCKY (WINALL) symbol.

4. *Prize Symbols:* The prize symbols and their captions located in the “YOUR NUMBERS” area are: \$5⁰⁰ (FIV DOL), \$10⁰⁰ (TEN DOL), \$20⁰⁰ (TWENTY), \$40⁰⁰ (FORTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$200 (TWO HUN), \$400 (FOR HUN), \$500 (FIV HUN), \$1,000 (ONE THO), \$5,000 (FIV THO) and \$100,000 (ONEHUNTHO).

5. *Prizes:* The prizes that can be won in this game are: \$5, \$10, \$20, \$40, \$50, \$100, \$200, \$400, \$500, \$1,000, \$5,000 and \$100,000. A player can win up to 12 times on a ticket.

6. *Approximate Number of Tickets Printed For the Game:* Approximately 9,600,000 tickets will be printed for the Lucky Numbers instant lottery game.

7. Determination of Prize Winners:

(a) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$100,000 (ONEHUNTHO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$100,000.

(b) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$5,000 (FIV THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$5,000.

(c) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$1,000 (ONE THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(d) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a LUCKY (WINALL)

the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$10.

(y) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a 7 (SVN) symbol or a 13 (THRTN) symbol, and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the "prize" area under that 7 (SVN) symbol or 13 (THRTN) symbol, on a single ticket, shall be entitled to a prize of \$10.

(z) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the "prize" area under the

matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$5.

(aa) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a 7 (SVN) symbol or a 13 (THRTN) symbol, and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the "prize" area under that 7 (SVN) symbol or 13 (THRTN) symbol, on a single ticket, shall be entitled to a prize of \$5.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

<i>When Any Of Your Numbers Match Any Winning Number, Win Prize Shown Under The Matching Number. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 9,600,000 Tickets:</i>
\$5 w/ 7 SYMBOL	\$5	25	384,000
\$5 w/ 13 SYMBOL	\$5	25	384,000
\$5	\$5	60	160,000
\$5 × 2	\$10	60	160,000
(\$5 w/ 7 SYMBOL) + \$5	\$10	120	80,000
(\$5 w/ 13 SYMBOL) + \$5	\$10	120	80,000
(\$5 w/ 7 SYMBOL) + (\$5 w/ 13 SYMBOL)	\$10	60	160,000
\$10 w/ 7 SYMBOL	\$10	120	80,000
\$10 w/ 13 SYMBOL	\$10	120	80,000
\$10	\$10	60	160,000
\$5 × 4	\$20	300	32,000
\$10 × 2	\$20	300	32,000
(\$10 w/ 7 SYMBOL) + (\$10 w/ 13 SYMBOL)	\$20	120	80,000
(\$10 w/ 7 SYMBOL) × 2	\$20	150	64,000
(\$10 w/ 13 SYMBOL) × 2	\$20	150	64,000
\$20 w/ 7 SYMBOL	\$20	300	32,000
\$20 w/ 13 SYMBOL	\$20	300	32,000
\$20	\$20	300	32,000
\$10 × 4	\$40	600	16,000
((10 w/ 7 SYMBOL) × 2) + ((10 w/ 13 SYMBOL) × 2)	\$40	600	16,000
\$40 w/ 7 SYMBOL	\$40	600	16,000
\$40 w/ 13 SYMBOL	\$40	600	16,000
\$40	\$40	600	16,000
\$5 × 10	\$50	600	16,000
(\$10 w/ 7 SYMBOL) × 5	\$50	600	16,000
(\$10 w/ 13 SYMBOL) × 5	\$50	600	16,000
\$50 w/ 7 SYMBOL	\$50	600	16,000
\$50 w/ 13 SYMBOL	\$50	600	16,000
\$50	\$50	600	16,000
LUCKY w/ ((\$10 × 8) + (\$5 × 4))	\$100	1,200	8,000
LUCKY w/ ((\$20 × 2) + (\$10 × 2) + (\$5 × 8))	\$100	1,200	8,000
\$10 × 10	\$100	6,000	1,600
\$20 × 5	\$100	6,000	1,600
(\$40 w/ 7 SYMBOL) + (\$40 w/ 13 SYMBOL) + (\$10 w/ 7 SYMBOL) + (\$10 w/ 13 SYMBOL)	\$100	6,000	1,600
(\$50 w/ 7 SYMBOL) + (\$50 w/ 13 SYMBOL)	\$100	3,429	2,800
\$100 w/ 7 SYMBOL	\$100	3,429	2,800
\$100 w/ 13 SYMBOL	\$100	3,429	2,800
\$100	\$100	6,000	1,600
LUCKY w/ ((\$50 × 2) + (\$10 × 10))	\$200	8,000	1,200
LUCKY w/ ((\$5 × 10) + \$100 + \$50)	\$200	8,000	1,200
\$20 × 10	\$200	24,000	400
\$50 × 4	\$200	24,000	400
(\$40 w/ 7 SYMBOL) × 5	\$200	60,000	160

When Any Of Your Numbers
Match Any Winning Number,
Win Prize Shown Under The
Matching Number. Win With:

	Win:	Approximate Odds Are 1 In:	Approximate No. Of Winners Per 9,600,000 Tickets:
(\$40 w/ 13 SYMBOL) × 5	\$200	60,000	160
(\$100 w/ 7 SYMBOL) + (\$100 w/ 13 SYMBOL)	\$200	24,000	400
\$200 w/ 7 SYMBOL	\$200	40,000	240
\$200 w/ 13 SYMBOL	\$200	40,000	240
\$200	\$200	24,000	400
LUCKY w/ ((\$100 × 2) + (\$20 × 10))	\$400	24,000	400
LUCKY w/ ((\$10 × 10) + \$200 + \$100)	\$400	24,000	400
\$40 × 10	\$400	24,000	400
\$100 × 4	\$400	40,000	240
\$400 w/ 7 SYMBOL	\$400	60,000	160
\$400 w/ 13 SYMBOL	\$400	40,000	240
\$400	\$400	60,000	160
LUCKY w/ ((\$200 × 2) + (\$100 × 5) + (\$20 × 5))	\$1,000	320,000	30
\$100 × 10	\$1,000	320,000	30
(\$200 w/ 7 SYMBOL) × 5	\$1,000	320,000	30
(\$200 w/ 13 SYMBOL) × 5	\$1,000	320,000	30
\$1,000	\$1,000	320,000	30
\$500 × 10	\$5,000	960,000	10
\$5,000	\$5,000	960,000	10
\$100,000	\$100,000	960,000	10

Reveal a “7” (SVN) symbol or a “13” (THRTN) symbol, win prize shown under that symbol automatically.

Reveal a “LUCKY” (WINALL) symbol, win all 12 prizes shown!

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Lucky Numbers instant lottery game tickets.

10. *Retailer Bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which he qualifies on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Lucky Numbers, prize money from winning Lucky Numbers instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Lucky Numbers instant lottery game, the right of a ticket holder to claim

the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Lucky Numbers or through normal communications methods.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 17-1894. Filed for public inspection November 17, 2017, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Application for Lease of Right-of-Way

Under 67 Pa. Code § 495.4(d) (relating to application procedure), an application to lease highway right-of-way has been made to the Department of Transportation by Steel City Mower and Plow, Inc., 4126 Library Road, Pittsburgh, PA 15234 seeking to lease highway right-of-way located beneath SR 3038 (Legislative Route 02060, Section 1), Castle Shannon Borough, Allegheny County containing 2,107 ± square feet for purposes of storage.

Interested persons are invited to submit, within 30 days from the publication of this notice in the *Pennsylvania Bulletin*, written comments, suggestions or objections regarding the approval of this application to Cheryl Moon-Sirianni, PE, District Engineer, Engineering District 11-0, 45 Thoms Run Road, Bridgeville, PA 15017.

Questions regarding this application or the proposed use may be directed to Jeff Powell, District Property

Manager, 45 Thoms Run Road, Bridgeville, PA 15017, (412) 429-4835.

LESLIE S. RICHARDS,
Secretary

[Pa.B. Doc. No. 17-1895. Filed for public inspection November 17, 2017, 9:00 a.m.]

FISH AND BOAT COMMISSION

Classification of Wild Trout Streams; Proposed Additions and Revisions; January 2018

Under 58 Pa. Code § 57.11 (relating to listing of wild trout streams), it is the policy of the Fish and Boat Commission (Commission) to accurately identify and classify stream sections supporting naturally reproducing populations of trout as wild trout streams. The Commission's Fisheries Management Division maintains the list of wild trout streams. The Executive Director, with the approval of the Commission, will from time-to-time publish the list of wild trout streams in the *Pennsylvania Bulletin*. The listing of a stream section as a wild trout stream is a biological designation that does not determine how it is managed. The Commission relies upon many factors in determining the appropriate management of streams.

At the next Commission meeting on January 22 and 23, 2018, the Commission will consider changes to its list of wild trout streams. Specifically, the Commission will consider the addition of the following streams or portions of streams to the list:

<i>County of Mouth</i>	<i>Stream Name</i>	<i>Section Limits</i>	<i>Tributary to</i>	<i>Mouth Lat/Lon</i>
Bradford	Cabin Run	Headwaters to Mouth	Schrader Creek	41.602222 76.676944
Bradford	Carbon Run	Headwaters to Mouth	Schrader Creek	41.630556 76.643333
Bradford	Chaffee Run	Headwaters to Downstream Boundary SGL 219	Wappasening Creek	41.933889 76.214444
Bradford	UNT to Black Creek (RM 7.58)	Headwaters to Mouth	Black Creek	41.597398 76.514881
Bradford	UNT to Deep Hollow Run (RM 1.08)	Headwaters to Mouth	Deep Hollow Run	41.636150 76.518360
Bradford	UNT to Deep Hollow Run (RM 1.97)	Headwaters to Mouth	Deep Hollow Run	41.623800 76.519560
Bradford	UNT to Millstone Creek (RM 4.63)	Headwaters to Mouth	Millstone Creek	41.626090 76.538900
Bradford	UNT to Millstone Creek (RM 4.83)	Headwaters to Mouth	Millstone Creek	41.623269 76.538747
Bradford	UNT to Schrader Creek (RM 8.36)	Headwaters to Mouth	Schrader Creek	41.639861 76.595296
Bradford	UNT to Sugar Run (RM 0.79)	Headwaters to Mouth	Sugar Run	41.618600 76.631990
Bradford	Wolf Run	Headwaters to Mouth	Schrader Creek	41.595833 76.707500
Cambria	UNT to Chest Creek (RM 21.74)	Headwaters to Mouth	Chest Creek	40.671159 78.664583
Cambria	UNT to Clearfield Creek (RM 47.04)	Headwaters to Mouth	Clearfield Creek	40.706615 78.513362
Cambria	UNT to Clearfield Creek (RM 50.22)	Headwaters to Mouth	Clearfield Creek	40.685724 78.500608
Cambria	UNT to Clearfield Creek (RM 53.66)	Headwaters to Mouth	Clearfield Creek	40.651424 78.490079
Carbon	UNT (RM 1.60) to UNT to Mahoning Creek (RM 7.18)	Headwaters to Mouth	UNT to Mahoning Creek (RM 7.18)	40.803540 75.820730
Carbon	UNT to Lehigh River (RM 40.05)	Headwaters to Mouth	Lehigh River	40.800468 75.671040
Carbon	UNT to Lizard Creek (RM 0.51)	Headwaters to Mouth	Lizard Creek	40.792010 75.671900

NOTICES

7143

<i>County of Mouth</i>	<i>Stream Name</i>	<i>Section Limits</i>	<i>Tributary to</i>	<i>Mouth Lat / Lon</i>
Centre	Little Marsh Creek	Headwaters to Mouth	Marsh Creek	41.039555 77.720154
Centre	UNT to Big Poe Creek (RM 6.01)	Headwaters to Mouth	Big Poe Creek	40.805750 77.513660
Centre	UNT to Big Poe Creek (RM 6.81)	Headwaters to Mouth	Big Poe Creek	40.801550 77.525510
Centre	UNT to Boal Gap Run (RM 1.75)	Headwaters to Mouth	Boal Gap Run	40.771116 77.663660
Centre	UNT to Elk Creek (RM 1.51)	Headwaters to Sink at RM 3.24	Elk Creek	40.883509 77.466350
Centre	UNT to Logan Branch (RM 3.88)	Headwaters to Mouth	Logan Branch	40.870662 77.759553
Centre	UNT to Penns Creek (RM 50.21)	Headwaters to Mouth	Penns Creek	40.852880 77.449110
Centre	UNT to Pine Creek (RM 5.12)	Headwaters to Mouth	Pine Creek	40.887392 77.392866
Centre	UNT to Pine Creek (RM 7.91)	Headwaters to Mouth	Pine Creek	40.900841 77.357306
Centre	UNT to Rapid Run (RM 13.18)	Headwaters to Mouth	Rapid Run	40.986271 77.218712
Centre	Wildcat Gap Run	Headwaters to Mouth	Big Poe Creek	40.801340 77.523559
Clearfield	Hughey Run	Headwaters to Mouth	Bilger Run	40.999592 78.603271
Clearfield	UNT to Clearfield Creek (RM 4.34)	Headwaters to Mouth	Clearfield Creek	40.992648 78.409731
Columbia	Geisinger Hollow Run	Headwaters to Mouth	Creasy Hollow Run	41.113049 76.363873
Crawford	Boles Run	Headwaters to Mouth	French Creek	41.798287 80.092916
Elk	UNT to Clarion River (RM 81.32)	Headwaters to Mouth	Clarion River	41.389998 78.862662
Elk	UNT to Clarion River (RM 98.45)	Headwaters to Mouth	Clarion River	41.450532 78.695755
Elk	UNT to Clarion River (RM 99.57)	Headwaters to Mouth	Clarion River	41.451903 78.677510
Elk	UNT to Clarion River (RM 100.50)	Headwaters to Mouth	Clarion River	41.463220 78.673035
Elk	UNT to Elk Creek (RM 1.81)	Headwaters to Mouth	Elk Creek	41.430705 78.708655
Elk	UNT to Elk Creek (RM 4.42)	Headwaters to Mouth	Elk Creek	41.418330 78.685004
Elk	UNT to Elk Creek (RM 6.13)	Headwaters to Mouth	Elk Creek	41.417606 78.654571
Jefferson	Acy Run	Headwaters to Mouth	North Fork Redbank Creek	41.263906 78.948848
Jefferson	Red Lick Run	Headwaters to Mouth	North Fork Redbank Creek	41.199683 79.075332
Jefferson	Seneca Run	Headwaters to Mouth	North Fork Redbank Creek	41.257125 78.962106
Jefferson	Sugar Camp Run	Headwaters to Mouth	North Fork Redbank Creek	41.176834 79.073667
Jefferson	Sugarcamp Run	Headwaters to Mouth	North Fork Redbank Creek	41.185188 79.075264

<i>County of Mouth</i>	<i>Stream Name</i>	<i>Section Limits</i>	<i>Tributary to</i>	<i>Mouth Lat / Lon</i>
Jefferson	UNT (RM 0.04) to UNT to North Fork Redbank Creek (RM 10.15)	Headwaters to Mouth	UNT to North Fork Redbank Creek (RM 10.15)	41.248748 79.016788
Jefferson	UNT to North Fork Redbank Creek (RM 4.14)	Headwaters to Mouth	North Fork Redbank Creek	41.209386 79.063536
Jefferson	UNT to North Fork Redbank Creek (RM 5.32)	Headwaters to Mouth	North Fork Redbank Creek	41.223564 79.057449
Jefferson	UNT to North Fork Redbank Creek (RM 6.10)	Headwaters to Mouth	North Fork Redbank Creek	41.228601 79.048445
Jefferson	UNT to North Fork Redbank Creek (RM 10.15)	Headwaters to Mouth	North Fork Redbank Creek	41.248679 79.017633
Jefferson	UNT to North Fork Redbank Creek (RM 14.96)	Headwaters to Mouth	North Fork Redbank Creek	41.263244 78.956560
Jefferson	UNT to Red Lick Run (RM 1.00)	Headwaters to Mouth	Red Lick Run	41.207280 79.089522
Jefferson	Yeomans Run	Headwaters to Mouth	North Fork Redbank Creek	41.187503 79.076122
Luzerne	Obendoffers Creek	Headwaters to Mouth	North Branch Susquehanna River	41.362500 75.808056
Luzerne	UNT to Harveys Creek (RM 9.27)	Headwaters to Mouth	Harveys Creek	41.301951 76.042620
Luzerne	UNT to Harveys Creek (RM 9.93)	Headwaters to Mouth	Harveys Creek	41.305040 76.054404
Lycoming	Fourth Gap Run	Headwaters to Mouth	UNT to White Deer Hole Creek (RM 16.50)	41.089320 77.121130
Lycoming	UNT to White Deer Hole Creek (RM 18.61)	Headwaters to Mouth	White Deer Hole Creek	41.097490 77.159680
Mifflin	UNT to Swift Run (RM 0.46)	Headwaters to Mouth	Swift Run	40.824404 77.404481
Mifflin	UNT to Swift Run (RM 0.47)	Headwaters to Mouth	Swift Run	40.824289 77.404511
Mifflin	UNT to Swift Run (RM 0.56)	Headwaters to Mouth	Swift Run	40.823097 77.405246
Northampton	Mill Creek	Headwaters to Mouth	Delaware River	40.837939 75.096975
Northampton	UNT to Allegheny Creek (RM 0.26)	Headwaters to Mouth	Allegheny Creek	40.852220 75.092140
Perry	Cold Spring Run	Headwaters to Mouth	Shaeffer Run	40.251373 77.577718
Pike	Fairview Outlet	Headwaters to Mouth	Kleinhans Lake	41.371389 75.159722
Pike	Little Blooming Grove Creek	Headwaters to Mouth	Lackawaxen River	41.467580 75.075482
Pike	Mill Creek	Headwaters to Mouth	Lackawaxen River	41.478682 75.033060
Pike	O'donnell Creek	Headwaters to Mouth	Lackawaxen River	41.486108 75.026435
Pike	Rattlesnake Creek	Headwaters to Mouth	Masthope Creek	41.552643 75.088586
Pike	UNT to West Falls Creek (Fawn Lake Outflow)	Headwaters to Mouth	West Falls Creek	41.498358 75.069288
Potter	Cotton Brook	Headwaters to Mouth	Genesee River	41.974598 77.852547
Potter	Ellisburg Creek	Headwaters to Mouth	West Branch Genesee River	41.929955 77.894669

NOTICES

7145

<i>County of Mouth</i>	<i>Stream Name</i>	<i>Section Limits</i>	<i>Tributary to</i>	<i>Mouth Lat / Lon</i>
Potter	Leadville Hollow Run	Headwaters to Mouth	West Branch Genesee River	41.974865 77.882538
Potter	Mundy Brook	Headwaters to Mouth	Genesee River	41.983626 77.862426
Potter	Musto Hollow Run	Headwaters to Mouth	Genesee River	41.936720 77.803157
Potter	Nelson Hollow Run	Headwaters to Mouth	West Branch Genesee River	41.950156 77.884449
Potter	Shanty Hollow Run	Headwaters to Mouth	Genesee River	41.950814 77.824122
Sullivan	Barnes Brook	Headwaters to Mouth	North Branch Mehoopany Creek	41.519722 76.235278
Sullivan	Oxhorn Run	Headwaters to Mouth	Painter Run	41.311389 76.440556
Sullivan	UNT to Elk Creek (RM 6.76)	Headwaters to Mouth	Elk Creek	41.537078 76.665763
Sullivan	UNT to Glass Creek (RM 1.10)	Headwaters to Mouth	Glass Creek	41.437364 76.415331
Sullivan	UNT to Glass Creek (RM 1.81)	Headwaters to Mouth	Glass Creek	41.428152 76.415857
Sullivan	UNT to Glass Creek (RM 1.91)	Headwaters to Mouth	Glass Creek	41.426930 76.416440
Sullivan	UNT to Glass Creek (RM 2.49)	Headwaters to Mouth	Glass Creek	41.419620 76.418390
Sullivan	UNT to Kettle Creek (RM 4.87)	Headwaters to Mouth	Kettle Creek	41.421710 76.626620
Sullivan	UNT to Porter Creek (RM 2.68)	Headwaters to Mouth	Porter Creek	41.553540 76.712840
Tioga	Fellows Creek	Headwaters to Mouth	Tioga River	41.685833 76.935278
Union	UNT (RM 0.75) to UNT to Spruce Run (RM 8.25)	Headwaters to Mouth	Spruce Run (RM 8.25)	41.034210 77.061958
Union	UNT (RM 0.99) to UNT to Rapid Run (RM 4.87)	Headwaters to Mouth	Rapid Run (RM 4.87)	41.001652 77.085709
Union	UNT to Penns Creek (RM 33.57)	Headwaters to Mouth	Penns Creek	40.856648 77.251151
Union	UNT to Rapid Run (RM 4.87)	Headwaters to Mouth	Rapid Run	40.988327 77.084900
Union	UNT to Rapid Run (RM 5.98)	Headwaters to Mouth	Rapid Run	40.987041 77.104980
Union	UNT to Rapid Run (RM 8.16)	Headwaters to Mouth	Rapid Run	40.985470 77.143349
Union	UNT to Rapid Run (RM 10.47)	Headwaters to Mouth	Rapid Run	40.980785 77.184288
Union	UNT to Rapid Run (RM 10.98)	Headwaters to Mouth	Rapid Run	40.987049 77.188087
Union	UNT to Spruce Run (RM 4.09)	Headwaters to Mouth	Spruce Run	41.026550 76.982368
Union	UNT to Spruce Run (RM 8.25)	Headwaters to Mouth	Spruce Run	41.024792 77.056580
Wayne	UNT to Delaware River (RM 290.54)	Headwaters to Mouth	Delaware River	41.618674 75.058614
Wyoming	Martin Creek	Headwaters to Mouth	North Branch Susquehanna River	41.455278 75.892778

The Commission also will consider the following revisions to the section limits of streams on the list:

<i>County of Mouth</i>	<i>Stream Name</i>	<i>Current Limits</i>	<i>Revised Limits</i>	<i>Tributary to</i>	<i>Mouth Lat/Lon</i>
Pike	Bush Kill	Headwaters Downstream to Delaware State Forest	Headwaters to Mouth	Delaware River	41.408611 74.742500
Tioga	Babb Creek	Benchmark 1698 Upstream of Sand Run to Long Run	Headwaters to Mouth	Pine Creek	41.553890 77.381668

Persons with comments, objections or suggestions concerning the classification of the streams listed may submit them in writing to the Executive Director, Fish and Boat Commission, P.O. Box 67000, Harrisburg, PA 17106-7000, within 30 days after publication of this notice in the *Pennsylvania Bulletin*. Comments submitted by facsimile will not be accepted.

Comments also may be submitted electronically by completing the form at www.fishandboat.com/regcomments. If an acknowledgment of electronic comments is not received by the sender within 2 working days, the comments should be retransmitted to ensure receipt. Electronic comments submitted in any other manner will not be accepted.

JOHN A. ARWAY,
Executive Director

[Pa.B. Doc. No. 17-1896. Filed for public inspection November 17, 2017, 9:00 a.m.]

Proposed Changes to List of Class A Wild Trout Waters; January 2018

The Fish and Boat Commission (Commission) is considering changes to its list of Class A Wild Trout Streams. Under 58 Pa. Code § 57.8a (relating to Class A wild trout streams), it is the Commission's policy to manage self-sustaining Class A wild trout populations as a renewable natural resource to conserve that resource and the angling it provides. Class A wild trout populations represent the best of this Commonwealth's naturally reproducing trout fisheries. With rare exceptions, the Commission manages these stream sections solely for the perpetuation of the wild trout fishery with no stocking.

Criteria developed for Class A Wild Trout fisheries are species specific. Wild Trout Biomass Class Criteria include provisions for:

(i) *Wild Brook Trout Fisheries*

(A) Total brook trout biomass of at least 30 kg/ha (26.7 lbs/acre).

(B) Total biomass of brook trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(C) Brook trout biomass must comprise at least 75% of the total trout biomass.

(ii) *Wild Brown Trout Fisheries*

(A) Total brown trout biomass of at least 40 kg/ha (35.6 lbs/acre).

(B) Total biomass of brown trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(C) Brown trout biomass must comprise at least 75% of the total trout biomass.

(iii) *Mixed Wild Brook and Brown Trout Fisheries*

(A) Combined brook and brown trout biomass of at least 40 kg/ha (35.6 lbs/acre).

(B) Total biomass of brook trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(C) Total biomass of brown trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(D) Brook trout biomass must comprise less than 75% of the total trout biomass.

(E) Brown trout biomass must comprise less than 75% of the total trout biomass.

(iv) *Wild Rainbow Trout Fisheries*

Total biomass of rainbow trout less than 15 cm (5.9 inches) in total length of at least 2.0 kg/ha (1.78 lbs/acre).

(v) *Mixed Wild Brook and Rainbow Trout Fisheries*

(A) Combined brook and rainbow trout biomass of at least 40 kg/ha (35.6 lbs/acre).

(B) Total biomass of brook trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(C) Total biomass of rainbow trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(D) Brook trout biomass shall comprise less than 75% of the total trout biomass.

(E) Rainbow trout biomass shall comprise less than 75% of the total trout biomass.

(vi) *Mixed Wild Brown and Rainbow Trout Fisheries*

(A) Combined brown and rainbow trout biomass of at least 40 kg/ha (35.6 lbs/acre).

(B) Total biomass of brown trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(C) Total biomass of rainbow trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(D) Brown trout biomass shall comprise less than 75% of the total trout biomass.

(E) Rainbow trout biomass shall comprise less than 75% of the total trout biomass.

During recent surveys, Commission staff documented the following stream sections to have Class A wild trout populations. The Commission intends to consider adding these waters to its list of Class A Wild Trout Streams at its meeting on January 22 and 23, 2018.

<i>County</i>	<i>Stream</i>	<i>Section</i>	<i>Limits</i>	<i>Tributary to</i>	<i>Mouth Lat / Lon</i>	<i>Brook Trout (kg/ha)</i>	<i>Brown Trout (kg/ha)</i>	<i>Rainbow Trout (kg/ha)</i>	<i>Length (miles)</i>	<i>Survey Year</i>
Bradford	UNT to Deep Hollow Run (RM 1.97)	1	Headwaters to Mouth	Deep Hollow Run	41.623800 76.519560	44.85	—	—	0.83	2017
Cambria	Bradley Run	1	Headwaters to Mouth	Clearfield Creek	40.511040 78.586922	25.99	78.24	—	4.76	2017
Cambria	Clearfield Creek	1	Headwaters to UNT at Amsbry	West Branch Susquehanna River	41.024722 78.399722	0.99	57.55	—	7.25	2017
Cambria	Little Chest Creek	1	Headwaters to Mouth	Chest Creek	40.631781 78.647341	55.66	2.17	—	4.73	2017
Cambria	UNT to Chest Creek (RM 21.74)	1	Headwaters to Mouth	Chest Creek	40.671159 78.664583	121.52	—	—	0.62	2017
Cambria	UNT to Clearfield Creek (RM 47.04)	1	Headwaters to Mouth	Clearfield Creek	40.706615 78.513362	42.43	—	—	0.93	2017
Cambria	West Branch Susquehanna River	2	Outflow of treatment plant to upstream boundary of flood control in Cherry Tree	Susquehanna River	40.881111 76.797222	0.50	43.18	—	8.48	2017
Cameron	East Branch Hicks Run	1	Headwaters to Hicks Run Road (T-310)	Hicks Run	41.377500 78.279722	68.66	—	—	2.15	2017
Cameron	Middle Branch Hicks Run	1	Headwaters to Mouth	West Branch Hicks Run	41.425278 78.360275	82.27	21.78	—	1.78	2017
Centre	Boal Gap Run	1	Headwaters to Mouth	Sinking Creek	40.792500 77.665278	35.87	16.44	—	4.35	2017
Centre	Penns Creek	1	Headwaters to State Route 45	Susquehanna River	40.750000 76.857780	—	95.32	2.01	6.78	2017
Centre	Railroad Creek	1	Headwaters to Mouth	Elk Creek	40.972778 77.295280	45.63	2.91	—	1.75	2017
Centre	UNT to Pine Creek (RM 5.12)	1	Headwaters to Sink at RM 2.39	Pine Creek	40.887392 77.392866	36.49	0.21	—	1.30	2017
Centre	UNT to Pine Creek (RM 7.91)	1	Headwaters to Mouth	Pine Creek	40.900841 77.357306	2.17	70.14	—	1.67	2017
Clearfield	Hughey Run	1	Headwaters to Mouth	Bilger Run	40.999592 78.603271	61.01	—	—	1.86	2017
Clearfield	Moravian Run	1	Headwaters to UNT to Moravian Run (RM 6.10)	West Branch Susquehanna River	41.049416 78.258591	34.66	—	—	2.59	2017
Clearfield	Poplar Run	1	Headwaters to Mouth	Bell Run	40.930000 78.646667	41.07	0.08	—	3.63	2017
Clinton	Drake Hollow Run	1	Headwaters to Mouth	Hall Run	41.286770 77.788353	42.06	0.58	—	1.06	2017
Clinton	Gravel Lick	1	Headwaters to Mouth	Hall Run	41.275555 77.769447	36.71	—	—	2.19	2017

<i>County</i>	<i>Stream</i>	<i>Section</i>	<i>Limits</i>	<i>Tributary to</i>	<i>Mouth Lat / Lon</i>	<i>Brook Trout (kg/ha)</i>	<i>Brown Trout (kg/ha)</i>	<i>Rainbow Trout (kg/ha)</i>	<i>Length (miles)</i>	<i>Survey Year</i>
Clinton	Hall Run	1	Headwaters to South Renovo Reservoir	West Branch Susquehanna River	41.318365 77.788674	46.92	1.72	—	2.17	2017
Clinton/ Lycoming	Dutch Hollow Run	1	Headwaters to Mouth	Pine Creek	41.219251 77.322188	45.18	8.97	—	2.35	2017
Clinton/ Potter	County Line Branch	2	Dyer Branch to Mouth	Young Womans Creek	41.468056 77.623333	32.49	25.78	—	2.18	2017
Luzerne	Boston Run	1	Headwaters to Mouth	Kitchen Creek	41.296944 76.273333	30.95	—	—	1.19	2017
Luzerne	Obendoffers Creek	1	Headwaters to Mouth	North Branch Susquehanna River	41.362500 75.808056	44.28	—	—	2.44	2017
Lycoming	UNT to White Deer Hole Creek (RM 18.61)	1	Headwaters to Mouth	White Deer Hole Creek	41.097490 77.159680	33.76	—	—	0.68	2017
Mifflin	Rock Run	1	Headwaters to Mouth	Swift Run	40.816944 77.417221	31.24	6.64	—	1.86	2017
Mifflin/ Union	Little Weikert Run	1	Headwaters to Mouth	Weikert Run	40.826942 77.352219	36.20	16.59	—	3.77	2017
Potter	Wenzel Hollow Run	1	Headwaters to Mouth	Little Kettle Creek	41.627819 77.715347	54.58	3.00	—	2.06	2017
Potter	West Branch Pine Creek	1	Headwaters to Lyman Run	Pine Creek	41.733056 77.644167	22.16	34.98	—	11.08	2017
Union	Henstep Run	1	Headwaters to Mouth	Penns Creek	40.858612 77.245003	46.64	2.03	—	3.18	2017
Union	Kurtz Gap Run	1	Headwaters to Mouth	Sand Spring Run	41.047108 77.107285	30.20	—	—	1.04	2017
Union	Lyman Gap Run	1	Headwaters to Mouth	White Deer Creek	41.065720 77.045219	41.68	0.35	—	1.64	2017
Union	Mile Run	1	Headwaters to Mouth	White Deer Creek	41.063056 77.067222	49.10	—	—	1.98	2017
Union	Spruce Run	1	Headwaters to Mouth	Laurel Run	40.889099 77.196350	11.52	29.75	—	3.62	2017

Persons with comments, objections or suggestions concerning the additions are invited to submit comments in writing to the Executive Director, Fish and Boat Commission, P.O. Box 67000, Harrisburg, PA 17106-7000, within 30 days after publication of this notice in the *Pennsylvania Bulletin*. Comments also may be submitted electronically by completing the form at www.fishandboat.com/regcomments. If an acknowledgment of electronic comments is not received by the sender within 2 working

days, the comments should be retransmitted to ensure receipt. Electronic comments submitted in any other manner will not be accepted.

JOHN A. ARWAY,
Executive Director

[Pa.B. Doc. No. 17-1897. Filed for public inspection November 17, 2017, 9:00 a.m.]

Triploid Grass Carp Permit Application

Under 58 Pa. Code § 71.7 (relating to triploid grass carp), the Fish and Boat Commission (Commission) may issue permits to stock triploid grass carp in Commonwealth waters. Triploid grass carp are sterile fish that may, in appropriate circumstances, help control aquatic vegetation. The Commission has determined consistent with 58 Pa. Code § 71.7(e)(3) to seek public input with respect to any proposed stockings of triploid grass carp in waters having a surface area of more than 5 acres.

Interested persons are invited to submit written comments, objections or suggestions about the notice to the Executive Director, Fish and Boat Commission, P.O. Box 67000, Harrisburg, PA 17106-7000, within 10 days after publication of this notice in the *Pennsylvania Bulletin*. Comments submitted by facsimile will not be accepted. Comments also may be submitted electronically by completing the form at www.fishandboat.com/regcomments. If an acknowledgment of electronic comments is not received by the sender within 2 working days, the comments should be retransmitted to ensure receipt.

The following application to stock triploid grass carp in waters having a surface area of greater than 5 acres is currently undergoing staff review:

<i>Applicant</i>	<i>Water</i>	<i>Location of Water</i>	<i>Description of Water</i>	<i>Nature of Vegetation to be Controlled</i>
Wildwood Rod and Gun Club	Wildwood Lake N 41° 27' 04.36" W -75° 22' 50.10"	Lake Ariel, Lake Township, Wayne County	92-acre lake discharges by tributary to Roamingwood Lake	Bladderwort <i>Utricularia spp</i> , Elodea <i>Elodea Canadensis</i> , Coontail <i>Cerataophyllum demersum</i> , Eelgrass <i>Valisneria spp</i> , Naiad <i>Najas spp</i> , Pondweed Sago <i>P. pectinatus</i> , Pondweed Largeleaf <i>P. amplifolius</i>

JOHN A. ARWAY,
Executive Director

[Pa.B. Doc. No. 17-1898. Filed for public inspection November 17, 2017, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Filing of Final Rulemaking

The Independent Regulatory Review Commission (Commission) received the following regulation. It is scheduled to be considered on the date noted. The Commission's public meetings are held at 333 Market Street, 14th Floor, Harrisburg, PA at 10 a.m. To obtain a copy of the regulation, interested parties should first contact the promulgating agency. If a copy cannot be obtained from the promulgating agency, the Commission will provide a copy or it can be viewed on the Commission's web site at www.irrc.state.pa.us.

<i>Final Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>	<i>Public Meeting</i>
47-17	Milk Marketing Board Uniform System of Accounts	10/31/17	12/7/17

GEORGE D. BEDWICK,
Chairperson

[Pa.B. Doc. No. 17-1899. Filed for public inspection November 17, 2017, 9:00 a.m.]

INSURANCE DEPARTMENT

Appeal of Envision Insurance Company; Pennsylvania Life and Health Insurance Guaranty Association; Doc. No. 17-10-016

Under 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure), a prehearing telephone conference shall be held on November 21, 2017, at 1 p.m. On or before November 17, 2017, each party shall designate the persons participating in the telephone conference and a telephone number to be used for each individual. Motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed with the Administrative Hearings Office on or before November 20, 2017.

This is an appeal by a member of the Pennsylvania Life and Health Insurance Guaranty Association (PLHIGA) from a determination by the Board of Directors (Board) of PLHIGA dated June 22, 2017, in which the Board denied or declined to act upon the member's appeal from PLHIGA's assessment in connection with the liquidation of Penn Treaty Network America Insurance Company and/or American Network Insurance Company. The appeal seeks a determination that certain premiums associated with Medicare Parts C and D products are not subject to assessment.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Human Resources at (717) 783-4308.

JESSICA K. ALTMAN,
Acting Insurance Commissioner

[Pa.B. Doc. No. 17-1900. Filed for public inspection November 17, 2017, 9:00 a.m.]

Application for Renewal of Designation as a Certified Reinsurer

Hannover Rück SE of Hannover, Germany has applied for renewal of its designation as a certified reinsurer in this Commonwealth. The application was received on November 2, 2017, and was made under section 319.1(a) of The Insurance Company Law of 1921 (40 P.S. § 442.1(a)) and 31 Pa. Code § 161.3a (relating to requirements for certified reinsurers).

Persons who wish to comment on the application are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Kimberly A. Rankin, Director, Bureau of Company Licensing and Financial Analysis, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, krankin@pa.gov. Comments received will be forwarded to the applicant for appropriate response.

JESSICA K. ALTMAN,
Acting Insurance Commissioner

[Pa.B. Doc. No. 17-1901. Filed for public inspection November 17, 2017, 9:00 a.m.]

Application and Request for a Certificate of Authority to Provide a Continuing Care Retirement Community by Maybrook-C Evergreen Opco, LLC

Maybrook-C Evergreen Opco, LLC has applied for a Certificate of Authority to operate a Continuing Care Retirement Community at The Grove at Harmony in Harmony, PA. The initial filing was received on November 1, 2017, and was made under the Continuing-Care Provider Registration and Disclosure Act (40 P.S. §§ 3201—3225).

Persons wishing to comment on the grounds of public or private interest to the issuance of a Certificate of Authority are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient details to inform the Department of the exact basis of the statement. Written statements should be directed to Karen M. Feather, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, kfeather@pa.gov.

JESSICA K. ALTMAN,
Acting Insurance Commissioner

[Pa.B. Doc. No. 17-1902. Filed for public inspection November 17, 2017, 9:00 a.m.]

Application and Request for a Certificate of Authority to Provide a Continuing Care Retirement Community by Maybrook-C Overlook Opco, LLC

Maybrook-C Overlook Opco, LLC has applied for a Certificate of Authority to operate a Continuing Care Retirement Community at The Grove at New Wilmington in New Wilmington, PA. The initial filing was received on November 1, 2017, and was made under the Continuing-Care Provider Registration and Disclosure Act (40 P.S. §§ 3201—3225).

Persons wishing to comment on the grounds of public or private interest to the issuance of a Certificate of Authority are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient details to inform the Department of the exact basis of the statement. Written statements should be directed to Karen M. Feather, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, kfeather@pa.gov.

JESSICA K. ALTMAN,
Acting Insurance Commissioner

[Pa.B. Doc. No. 17-1903. Filed for public inspection November 17, 2017, 9:00 a.m.]

Application and Request for a Certificate of Authority to Provide a Continuing Care Retirement Community by Maybrook-C Silver Oaks Opco, LLC

Maybrook-C Silver Oaks Opco, LLC has applied for a Certificate of Authority to operate a Continuing Care Retirement Community at The Grove at New Castle in New Castle, PA. The initial filing was received on November 1, 2017, and was made under the Continuing-Care Provider Registration and Disclosure Act (40 P.S. §§ 3201—3225).

Persons wishing to comment on the grounds of public or private interest to the issuance of a Certificate of Authority are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient details to inform the Department of the exact basis of the statement. Written statements should be directed to Karen M. Feather, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, kfeather@pa.gov.

JESSICA K. ALTMAN,
Acting Insurance Commissioner

[Pa.B. Doc. No. 17-1904. Filed for public inspection November 17, 2017, 9:00 a.m.]

Application and Request for a Certificate of Authority to Provide a Continuing Care Retirement Community by Maybrook-C Whitecliff Opco, LLC

Maybrook-C Whitecliff Opco, LLC has applied for a Certificate of Authority to operate a Continuing Care Retirement Community at The Grove at Greenville in Greenville, PA. The initial filing was received on November 1, 2017, and was made under the Continuing-Care Provider Registration and Disclosure Act (40 P.S. §§ 3201—3225).

Persons wishing to comment on the grounds of public or private interest to the issuance of a Certificate of Authority are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient details to inform the Department of the exact basis of the statement. Written statements should be directed to Karen M. Feather, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, kfeather@pa.gov.

JESSICA K. ALTMAN,
Acting Insurance Commissioner

[Pa.B. Doc. No. 17-1905. Filed for public inspection November 17, 2017, 9:00 a.m.]

Application and Request for a Certificate of Authority to Provide a Continuing Care Retirement Community by Maybrook-P Denver Opco, LLC

Maybrook-P Denver Opco, LLC has applied for a Certificate of Authority to operate a Continuing Care Retirement Community at The Gardens at Stevens in Stevens, PA. The initial filing was received on November 1, 2017, and was made under the Continuing-Care Provider Registration and Disclosure Act (40 P.S. §§ 3201—3225).

Persons wishing to comment on the grounds of public or private interest to the issuance of a Certificate of Authority are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient details to inform the Department of the exact basis of the statement. Written statements should be directed to Karen M. Feather, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, kfeather@pa.gov.

JESSICA K. ALTMAN,
Acting Insurance Commissioner

[Pa.B. Doc. No. 17-1906. Filed for public inspection November 17, 2017, 9:00 a.m.]

Application and Request for a Certificate of Authority to Provide a Continuing Care Retirement Community by Maybrook-P Twin Oaks Opco, LLC

Maybrook-P Twin Oaks Opco, LLC has applied for a Certificate of Authority to operate a Continuing Care Retirement Community at The Gardens at Campbelltown in Palmyra, PA. The initial filing was received on November 1, 2017, and was made under the Continuing-Care Provider Registration and Disclosure Act (40 P.S. §§ 3201—3225).

Persons wishing to comment on the grounds of public or private interest to the issuance of a Certificate of Authority are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient details to inform the Department of the exact basis of the statement. Written statements should be directed to Karen M. Feather, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, kfeather@pa.gov.

JESSICA K. ALTMAN,
Acting Insurance Commissioner

[Pa.B. Doc. No. 17-1907. Filed for public inspection November 17, 2017, 9:00 a.m.]

Jackson National Life Insurance Company (SERFF # IASL-131253463); Rate Increase Filing for Several Individual LTC Forms

Jackson National Life Insurance Company is requesting approval to increase the premium 25% on 27 policyholders with individual LTC forms LTC 1/98 PA and QLTC 1/98 PA.

Unless formal administrative action is taken prior to February 1, 2018, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) web site at www.insurance.pa.gov (hover the cursor over the "Consumers" tab, then select "Long Term Care Rate Filing").

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department's Harrisburg office.

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, jlaverty@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JESSICA K. ALTMAN,
Acting Insurance Commissioner

[Pa.B. Doc. No. 17-1908. Filed for public inspection November 17, 2017, 9:00 a.m.]

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insureds have requested a hearing as authorized by the act of June 17, 1998 (P.L. 464, No. 68) (Act 68) in connection with the termination of the insureds' automobile insurance policies. The hearings will be held in accordance with the requirements of Act 68; 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law); 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). The administrative hearings will be held as follows. Failure by the appellants to appear at the scheduled hearing may result in dismissal with prejudice.

The following hearings will be held in the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102.

Appeal of Diane Senn; File No. 17-198-215796; American Select Insurance Company; Doc. No. P17-10-018; December 12, 2017, 10 a.m.

Appeal of Walter and Joan Theal; File No. 17-116-215565; GEICO; Doc. No. P17-10-020; December 20, 2017, 9:30 a.m.

Following the hearing and receipt of the stenographic transcript, the Acting Insurance Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Acting Insurance Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Acting Insurance Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend a previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Human Resources at (717) 783-4308.

JESSICA K. ALTMAN,
Acting Insurance Commissioner

[Pa.B. Doc. No. 17-1909. Filed for public inspection November 17, 2017, 9:00 a.m.]

United of Omaha Life Insurance Company (SERFF # MUTA-131005145); Rate Increase Filing for Several Individual LTC Forms

United of Omaha Life Insurance Company is requesting approval to increase the premium an average of 11.8% (increases range from 0% to 44.6%) on 246 policyholders with individual LTC forms LTC06UI-TQ, LTC06UI-G5-TQ, LTC06UI-G10-TQ, LTC06UI-G15-TQ, LTC06UI-NTQ, LTC06UI-G5-NTQ, LTC06UI-G10-NTQ and LTC06UI-G15-NTQ.

Unless formal administrative action is taken prior to February 1, 2018, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) web site at www.insurance.pa.gov (hover the cursor over the "Consumers" tab, then select "Long Term Care Rate Filing").

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department's Harrisburg office.

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, jlaverty@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JESSICA K. ALTMAN,
Acting Insurance Commissioner

[Pa.B. Doc. No. 17-1910. Filed for public inspection November 17, 2017, 9:00 a.m.]

LEGISLATIVE REFERENCE BUREAU

Documents Filed But Not Published

The Legislative Reference Bureau (Bureau) accepted the following documents during the preceding calendar month for filing without publication under 1 Pa. Code § 3.13(b) (relating to contents of *Bulletin*). The Bureau will continue to publish on a monthly basis either a summary table identifying the documents accepted during the preceding calendar month under this subsection or a statement that no documents have been received. For questions concerning or copies of documents filed, but not published, call (717) 783-1530.

Executive Board

Resolution No. CB-17-023, Dated October 10, 2017. Authorizes the interest arbitration award between the

Commonwealth and the Pennsylvania State Corrections Officers Association. The Award provides for the establishment of rates of pay, hours of work, and other conditions of employment for the period July 1, 2017, through June 30, 2020.

Governor's Office

Administrative Circular No. 17-13—Holidays—2018,
Dated October 20, 2017.

LAURA CAMPBELL,
Director
Pennsylvania Code and Bulletin

[Pa.B. Doc. No. 17-1911. Filed for public inspection November 17, 2017, 9:00 a.m.]

MILK MARKETING BOARD

Hearing and Presubmission Schedule; Milk Marketing Area No. 1

Under the provisions of the Milk Marketing Law (31 P.S. §§ 700j-101—700j-1302), the Milk Marketing Board (Board) will conduct a public hearing for Milk Marketing Area No. 1 on January 3, 2018, at 10:45 a.m. in Room 202, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA.

The purpose of the hearing is to receive testimony and exhibits concerning cost replacement in Milk Marketing Area No. 1. Evidence will be limited to the following: annualized processing, packaging and delivery costs; updated costs for containers, ingredients and Class II products; updated labor, utility and insurance costs based on comparisons between costs per point for the first halves of calendar years 2016 and 2017; skim and butterfat contents of products regulated by the Board; adjustment for shrinkage, sales of bulk products and cream processing costs; monthly adjustments to in-store handling costs; and a reasonable rate of return to milk dealers and stores. Evidence and testimony will be considered regarding the heating fuel adjuster in Milk Marketing Area No. 1. Evidence and testimony will be considered regarding the diesel fuel cost adjuster in Milk Marketing Area No. 1.

The staff of the Board is deemed to be a party to this hearing, and the attorney representing staff is deemed to have entered his appearance. Other persons who wish to present evidence may be included on the Board's list of parties by: (1) having their attorney file with the Board on or before 3 p.m. on December 4, 2017, a notice of appearance substantially in the form prescribed by 1 Pa. Code § 31.25 (relating to form of notice of appearance); or (2) if unrepresented by counsel, filing with the Board on or before 3 p.m. on December 4, 2017, notification of their desire to be included as a party. Parties should indicate in their notices of appearance if alternate means of service, that is, e-mail or fax, are acceptable. Notices of appearance filed electronically should be directed to deberly@pa.gov.

The parties shall observe the following requirements for advance filing of witness information and exhibits:

1. By 2 p.m. on December 8, 2017, Board staff shall file with the Board, in person or by mail, one original and four single-sided copies and ensure receipt by all other parties of one copy of:

a. A list of witnesses who will testify for the party, along with a statement of the subjects concerning which each witness will testify. A witness who will be offered as an expert shall be so identified, along with the witness's area or areas of proposed expertise. For expert witnesses there shall also be filed a statement of the substance of the facts and opinions to which the expert is expected to testify and a summary of the grounds for each opinion.

b. Each exhibit to be presented, including testimony to be offered in written form.

2. By 2 p.m. on December 15, 2017, each responding party shall file and serve as set forth in paragraph 1 information concerning rebuttal witnesses and copies of rebuttal exhibits.

3. By 2 p.m. on December 21, 2017, each party shall file and serve as set forth in paragraph 1 information concerning surrebuttal witnesses and copies of surrebuttal exhibits.

Parties that wish to offer in evidence documents on file with the Board, public documents or records in other proceedings before the Board, or who wish the Board to take official notice of facts, shall comply with, respectively, 1 Pa. Code § 35.164, § 35.165, § 35.167 or § 35.173. Whenever these rules require production of a document as an exhibit, copies shall be provided to each Board member and to all other parties; in addition, at least twenty copies shall be available for distribution to nonparties attending the hearing.

Requests by parties for Board staff to provide data pertinent to the hearing shall be made in writing and received in the Board office by 1 p.m. on December 18, 2017.

The filing address for the Board is Milk Marketing Board, Room 110, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA 17110.

TIM MOYER,
Secretary

[Pa.B. Doc. No. 17-1912. Filed for public inspection November 17, 2017, 9:00 a.m.]

Hearing and Presubmission Schedule; Milk Marketing Area No. 5

Under the provisions of the Milk Marketing Law (31 P.S. §§ 700j-101—700j-1302), the Milk Marketing Board (Board) will conduct a public hearing for Milk Marketing Area No. 5 on January 3, 2018, at 10 a.m. in Room 202, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA.

The purpose of the hearing is to receive testimony and exhibits concerning cost replacement in Milk Marketing Area No. 5. Evidence will be limited to the following: annualized processing, packaging and delivery costs; updated costs for containers, ingredients and Class II products; updated labor, utility and insurance costs based on comparisons between costs per point for the first halves of calendar years 2016 and 2017; skim and butterfat contents of products regulated by the Board; adjustment for shrinkage, sales of bulk products and cream processing costs; monthly adjustments to in-store handling costs; and a reasonable rate of return to milk dealers and stores. Evidence and testimony will be considered regarding the heating fuel adjuster in Milk

Marketing Area No. 5. Evidence and testimony will be considered regarding the diesel fuel cost adjuster in Milk Marketing Area No. 5.

The staff of the Board is deemed to be a party to this hearing, and the attorney representing staff is deemed to have entered his appearance. Other persons who wish to present evidence may be included on the Board's list of parties by: (1) having their attorney file with the Board on or before 3 p.m. on December 4, 2017, a notice of appearance substantially in the form prescribed by 1 Pa. Code § 31.25 (relating to form of notice of appearance); or (2) if unrepresented by counsel, filing with the Board on or before 3 p.m. on December 4, 2017, notification of their desire to be included as a party. Parties should indicate in their notices of appearance if alternate means of service, that is, e-mail or fax, are acceptable. Notices of appearance filed electronically should be directed to deberly@pa.gov.

The parties shall observe the following requirements for advance filing of witness information and exhibits:

1. By 2 p.m. on December 8, 2017, Board staff shall file with the Board, in person or by mail, one original and four single-sided copies and ensure receipt by all other parties of one copy of:

a. A list of witnesses who will testify for the party, along with a statement of the subjects concerning which each witness will testify. A witness who will be offered as an expert shall be so identified, along with the witness's area or areas of proposed expertise. For expert witnesses there shall also be filed a statement of the substance of the facts and opinions to which the expert is expected to testify and a summary of the grounds for each opinion.

b. Each exhibit to be presented, including testimony to be offered in written form.

2. By 2 p.m. on December 15, 2017, each responding party shall file and serve as set forth in paragraph 1 information concerning rebuttal witnesses and copies of rebuttal exhibits.

3. By 2 p.m. on December 21, 2017, each party shall file and serve as set forth in paragraph 1 information concerning surrebuttal witnesses and copies of surrebuttal exhibits.

Parties that wish to offer in evidence documents on file with the Board, public documents or records in other proceedings before the Board, or who wish the Board to take official notice of facts, shall comply with, respectively, 1 Pa. Code § 35.164, § 35.165, § 35.167 or § 35.173. Whenever these rules require production of a document as an exhibit, copies shall be provided to each Board member and to all other parties; in addition, at least twenty copies shall be available for distribution to nonparties attending the hearing.

Requests by parties for Board staff to provide data pertinent to the hearing shall be made in writing and received in the Board office by 1 p.m. on December 18, 2017.

The filing address for the Board is Milk Marketing Board, Room 110, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA 17110.

TIM MOYER,
Secretary

[Pa.B. Doc. No. 17-1913. Filed for public inspection November 17, 2017, 9:00 a.m.]

Hearing and Presubmission Schedule; Milk Marketing Area No. 6

Under the provisions of the Milk Marketing Law (31 P.S. §§ 700j-101—700j-1302), the Milk Marketing Board (Board) will conduct a public hearing for Milk Marketing Area No. 6 on January 3, 2018, at 10:30 a.m. in Room 202, Department of Agriculture Building, 2301 North Cameron Street, Harrisburg, PA.

The purpose of the hearing is to receive testimony and exhibits concerning cost replacement in Milk Marketing Area No. 6. Evidence will be limited to the following: annualized processing, packaging and delivery costs; updated costs for containers, ingredients and Class II products; updated labor, utility and insurance costs based on comparisons between costs per point for the first halves of calendar years 2016 and 2017; skim and butterfat contents of products regulated by the Board; adjustment for shrinkage, sales of bulk products and cream processing costs; monthly adjustments to in-store handling costs; and a reasonable rate of return to milk dealers and stores. Evidence and testimony will be considered regarding the heating fuel adjuster in Milk Marketing Area No. 6. Evidence and testimony will be considered regarding the diesel fuel cost adjuster in Milk Marketing Area No. 6.

The staff of the Board is deemed to be a party to this hearing, and the attorney representing staff is deemed to have entered his appearance. Other persons who wish to present evidence may be included on the Board's list of parties by: (1) having their attorney file with the Board on or before 3 p.m. on December 4, 2017, a notice of appearance substantially in the form prescribed by 1 Pa. Code § 31.25 (relating to form of notice of appearance); or (2) if unrepresented by counsel, filing with the Board on or before 3 p.m. on December 4, 2017, notification of their desire to be included as a party. Parties should indicate in their notices of appearance if alternate means of service, that is, e-mail or fax, are acceptable. Notices of appearance filed electronically should be directed to deberly@pa.gov.

The parties shall observe the following requirements for advance filing of witness information and exhibits:

1. By 2 p.m. on December 8, 2017, Board staff shall file with the Board, in person or by mail, one original and four single-sided copies and ensure receipt by all other parties of one copy of:

a. A list of witnesses who will testify for the party, along with a statement of the subjects concerning which each witness will testify. A witness who will be offered as an expert shall be so identified, along with the witness's area or areas of proposed expertise. For expert witnesses there shall also be filed a statement of the substance of the facts and opinions to which the expert is expected to testify and a summary of the grounds for each opinion.

b. Each exhibit to be presented, including testimony to be offered in written form.

2. By 2 p.m. on December 15, 2017, each responding party shall file and serve as set forth in paragraph 1 information concerning rebuttal witnesses and copies of rebuttal exhibits.

3. By 2 p.m. on December 21, 2017, each party shall file and serve as set forth in paragraph 1 information concerning surrebuttal witnesses and copies of surrebuttal exhibits.

Parties that wish to offer in evidence documents on file with the Board, public documents or records in other

proceedings before the Board, or who wish the Board to take official notice of facts, shall comply with, respectively, 1 Pa. Code § 35.164, § 35.165, § 35.167 or § 35.173. Whenever these rules require production of a document as an exhibit, copies shall be provided to each Board member and to all other parties; in addition, at least twenty copies shall be available for distribution to nonparties attending the hearing.

Requests by parties for Board staff to provide data pertinent to the hearing shall be made in writing and received in the Board office by 1 p.m. on December 18, 2017.

The filing address for the Board is Milk Marketing Board, Room 110, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA 17110.

TIM MOYER,
Secretary

[Pa.B. Doc. No. 17-1914. Filed for public inspection November 17, 2017, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

General Rule Transaction

A-2017-2631964. Business Network Long Distance, Inc. Application of Business Network Long Distance, Inc. for approval of a general rule transaction.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before December 4, 2017. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

Applicant: Business Network Long Distance, Inc.

Through and By: Kenny Perkins, Sr., Chairperson/CEO, RTC Associates, LLC, 3075 Breckinridge Boulevard, Suite 425, Duluth, GA 30096-4981

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 17-1915. Filed for public inspection November 17, 2017, 9:00 a.m.]

General Rule Transaction

A-2017-2631963. Communications Network Billing, Inc. Application of Communications Network Billing, Inc. for approval of a general rule transaction.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before December 4, 2017. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant. The documents filed in support of the application are available for inspection

and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

Applicant: Communications Network Billing, Inc.

Through and By: Kenny Perkins, Sr., Chairperson/CEO, RTC Associates, LLC, 3075 Breckinridge Boulevard, Suite 425, Duluth, GA 30096-4981

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 17-1916. Filed for public inspection November 17, 2017, 9:00 a.m.]

General Rule Transaction

A-2017-2631961. Integrated Services, Inc. Application of Integrated Services, Inc. for approval of a general rule transaction.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before December 4, 2017. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

Applicant: Integrated Services, Inc.

Through and By: Kenny Perkins, Sr., Chairperson/CEO, RTC Associates, LLC, 3075 Breckinridge Boulevard, Suite 425, Duluth, GA 30096-4981

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 17-1917. Filed for public inspection November 17, 2017, 9:00 a.m.]

General Rule Transaction

A-2017-2631960. Multiline Long Distance, Inc. Application of Multiline Long Distance, Inc. for approval of a general rule transaction.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before December 4, 2017. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

Applicant: Multiline Long Distance, Inc.

Through and By: Kenny Perkins, Sr., Chairperson/CEO, RTC Associates, LLC, 3075 Breckinridge Boulevard, Suite 425, Duluth, GA 30096-4981

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 17-1918. Filed for public inspection November 17, 2017, 9:00 a.m.]

General Rule Transaction

A-2017-2631958. National Access Long Distance, Inc. Application of National Access Long Distance, Inc. for approval of a general rule transaction.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before December 4, 2017. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

Applicant: National Access Long Distance, Inc.

Through and By: Kenny Perkins, Sr., Chairperson/CEO, RTC Associates, LLC, 3075 Breckinridge Boulevard, Suite 425, Duluth, GA 30096-4981

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 17-1919. Filed for public inspection November 17, 2017, 9:00 a.m.]

General Rule Transaction

A-2017-2631956. Nationwide Long Distance, Inc. Application of Nationwide Long Distance, Inc. for approval of a general rule transaction.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before December 4, 2017. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

Applicant: Nationwide Long Distance, Inc.

Through and By: Kenny Perkins, Sr., Chairperson/CEO, RTC Associates, LLC, 3075 Breckinridge Boulevard, Suite 425, Duluth, GA 30096-4981

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 17-1920. Filed for public inspection November 17, 2017, 9:00 a.m.]

General Rule Transaction

A-2017-2631952. Network Service Billing, Inc. Application of Network Service Billing, Inc. for approval of a general rule transaction.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before December 4, 2017. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant. The documents filed

in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

Applicant: Network Service Billing, Inc.

Through and By: Kenny Perkins, Sr., Chairperson/CEO, RTC Associates, LLC, 3075 Breckinridge Boulevard, Suite 425, Duluth, GA 30096-4981

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 17-1921. Filed for public inspection November 17, 2017, 9:00 a.m.]

Natural Gas Distribution Service

A-2017-2631919. UGI Penn Natural Gas, Inc. Application of UGI Penn Natural Gas, Inc. for approval to provide natural gas distribution service to the public in the additional territory of Waymart Borough, Wayne County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before December 4, 2017. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

Applicant: UGI Penn Natural Gas, Inc.

Through and By Counsel: Mark C. Morrow, Esquire, Chief Regulatory Counsel, UGI Corporation, P.O. Box 858, Valley Forge, PA 19482

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 17-1922. Filed for public inspection November 17, 2017, 9:00 a.m.]

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by December 4, 2017. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Application of the following for approval to begin operating as *contract carriers* for transportation of persons as described under the application.

A-2017-2631673. Zenride, LLC (122 Chestnut Street, Suite 300B, Philadelphia, Philadelphia County, PA 19106) for the right to begin to transport, as a contract carrier, by motor vehicle, persons for Amcord Care, Inc. for nonmedical purposes, between points in the Counties of Bucks, Montgomery and Philadelphia.

Application of the following for the approval of the right and privilege to *discontinue/abandon* operating as *common carriers* by motor vehicle and for cancellation of the certificate of public convenience as described under the application.

A-2016-2547573. Jose A. Torres, Jr., t/a Ruth's Movers (817 Muschlitz Street, Bethlehem, Northampton County, PA 18015) discontinuance of service and cancellation of its certificate, as a common carrier, by motor vehicle, household goods in use, between points in the Counties of Berks, Bucks, Carbon, Lehigh, Monroe, Montgomery, Northampton and Pike.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 17-1923. Filed for public inspection November 17, 2017, 9:00 a.m.]

Service of Notice of Motor Carrier Formal Complaints

Formal complaints have been issued by the Pennsylvania Public Utility Commission. Answers must be filed in accordance with 52 Pa. Code (relating to public utilities). Answers are due December 4, 2017, and must be made with the Secretary, Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy to the First Deputy Chief Prosecutor, Pennsylvania Public Utility Commission.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. A-1 Express Delivery Service, Inc.; Doc. No. C-2017-2625317

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to A-1 Express Delivery Service, Inc., (respondent) is under suspension effective September 10, 2017 for failure to maintain evidence of insurance on file with this Commission.
2. That respondent maintains a principal place of business at 1450 West Peachtree Street NW, Atlanta, GA 30309.
3. That respondent was issued a Certificate of Public Convenience by this Commission on July 28, 2016, at A-8918793.

4. That respondent has failed to maintain evidence of Liability insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-8918793 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
P.O. Box 3265
Harrisburg, PA 17105-3265

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 9/26/2017

David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
 Pennsylvania Public Utility Commission
 Bureau of Investigation and Enforcement
 P.O. Box 3265
 Harrisburg, PA 17105-3265

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services
 Pennsylvania Public Utility Commission
 P.O. Box 3265
 Harrisburg, PA 17105-3265

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 P.O. Box 3265
 Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. LVL Trucking Company, LLC; Doc. No. C-2017-2625752

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth

of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to LVL Trucking Company, LLC, (respondent) is under suspension effective September 12, 2017 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at 314 Orchard Drive, Pittsburgh, PA 15228.

3. That respondent was issued a Certificate of Public Convenience by this Commission on October 08, 2010, at A-8912648.

4. That respondent has failed to maintain evidence of Liability insurance and Cargo insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-8912648 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
 David W. Loucks, Chief
 Motor Carrier Enforcement
 Bureau of Investigation and Enforcement
 P.O. Box 3265
 Harrisburg, PA 17105-3265

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 9/26/2017

David W. Loucks, Chief
 Motor Carrier Enforcement
 Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 P.O. Box 3265
 Harrisburg, PA 17105-3265

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
 Pennsylvania Public Utility Commission
 Bureau of Investigation and Enforcement
 P.O. Box 3265
 Harrisburg, PA 17105-3265

Or, emailed to Mr. Swindler at: RA-PCCmpltResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services
 Pennsylvania Public Utility Commission
 P.O. Box 3265
 Harrisburg, PA 17105-3265

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 P.O. Box 3265
 Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound

by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Dean L. Moose, t/a Virostick Moving & Storage; Doc. No. C-2017-2626194

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Dean L. Moose, t/a Virostick Moving & Storage, (respondent) is under suspension effective September 14, 2017 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at 598 North Stone Base Road, Mercer, PA 16137.

3. That respondent was issued a Certificate of Public Convenience by this Commission on May 04, 2009, at A-8910345.

4. That respondent has failed to maintain evidence of Cargo insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-8910345 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
P.O. Box 3265
Harrisburg, PA 17105-3265

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 9/26/2017

David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
P.O. Box 3265
Harrisburg, PA 17105-3265

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. SNK Contracting, Inc.; Doc. No. C-2017-2627446

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to SNK Contracting, Inc., (respondent) is under suspension effective September 23, 2017 for failure to maintain evidence of insurance on file with this Commission.
2. That respondent maintains a principal place of business at 4192 Slope Hill Road, Mount Pleasant, PA 15666.
3. That respondent was issued a Certificate of Public Convenience by this Commission on April 04, 2016, at A-8918516.

4. That respondent has failed to maintain evidence of Liability insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-8918516 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
P.O. Box 3265
Harrisburg, PA 17105-3265

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 10/3/2017

David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
P.O. Box 3265
Harrisburg, PA 17105-3265

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 17-1924. Filed for public inspection November 17, 2017, 9:00 a.m.]

Telecommunications

A-2017-2631647. Mahanoy & Mahantango Telephone Company and Level 3 Communications, LLC. Joint petition of Mahanoy & Mahantango Telephone Company and Level 3 Communications, LLC for approval of an interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Mahanoy & Mahantango Telephone Company and Level 3 Communications, LLC, by their counsel, filed on October 31, 2017, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. Comments are due on or before 10 days after the date of publication of this notice. The documents filed in support of Mahanoy & Mahantango Telephone Company and Level 3 Communications, LLC joint petition are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, at the Commission's web site at www.puc.pa.gov and at the applicant's business address.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 17-1925. Filed for public inspection November 17, 2017, 9:00 a.m.]

Telecommunications

A-2017-2631662. Windstream Pennsylvania, LLC and Broadview Networks, Inc. Joint petition of Windstream Pennsylvania, LLC and Broadview Networks, Inc. for approval of an interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Windstream Pennsylvania, LLC and Broadview Networks, Inc., by their counsel, filed on October 31, 2017, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. Comments are due on or before 10 days after the date of publication of this notice. The documents filed in support of Windstream Pennsylvania, LLC and Broadview Networks, Inc. joint petition are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, at the Commission's web site at www.puc.pa.gov and at the applicant's business address.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 17-1926. Filed for public inspection November 17, 2017, 9:00 a.m.]

PHILADELPHIA PARKING AUTHORITY

Service of Notice of Motor Carrier Applications in the City of Philadelphia

The following permanent authority applications to render service as a common carrier in the City of Philadelphia have been filed with the Philadelphia Parking Authority's (PPA) Taxicab and Limousine Division (TLD). Formal protests must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority) with the TLD's Office of the Clerk, 2415 South Swanson Street, Philadelphia, PA 19148, no later than December 4, 2017. The nonrefundable protest filing fee is \$5,000 payable to the PPA by certified check or money order. The applications are available for inspection at the TLD between 9 a.m. and 4 p.m., Monday through Friday (contact TLD Director Christine Kirlin, Esq. at (215) 683-9653 to make an appointment) or may be inspected at the business addresses of the respective applicants.

Doc. No. A-17-10-04. Masum Transportation, Inc. (45 South 52nd Street, Philadelphia, PA 19139): An application for a medallion taxicab certificate of public convenience (CPC) to transport persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return.

Doc. No. A-17-10-05. Afizah Trans, Inc. (352 Margate Road, Upper Darby, PA 19082): An application for a medallion taxicab CPC to transport persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return.

Doc. No. A-17-11-01. Lindon Cab, Inc. (415 West Cayuga Street, Philadelphia, PA 19140): An application for a medallion taxicab CPC to transport persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* Danielle Friedman, Esq., 2301 Church Street, Philadelphia, PA 19124.

CLARENA TOLSON,
Executive Director

[Pa.B. Doc. No. 17-1927. Filed for public inspection November 17, 2017, 9:00 a.m.]

PORT OF PITTSBURGH COMMISSION

Financial Statement

Summary Financial Information
Derived from the Audited Financial Statements

Summary Statement of Net Position
June 30, 2017

<u>Assets and Deferred Outflows of Resources</u>	
<u>Assets:</u>	
Cash and cash equivalents	\$ 2,569,443
Other assets	744,850
Capital assets, net of accumulated depreciation/amortization	696,834
Total Assets	<u>4,011,127</u>
<u>Deferred Outflows of Resources</u>	<u>224,213</u>
Total Assets and Deferred Outflows of Resources	<u>\$ 4,235,340</u>
<u>Liabilities, Deferred Inflows of Resources, and Net Position</u>	
<u>Liabilities</u>	<u>\$ 4,052,087</u>
<u>Deferred Inflow of Resources</u>	<u>65,004</u>
<u>Net Position:</u>	
Net investment in capital assets	(1,314,800)
Restricted for port development	<u>1,433,049</u>
Total Net Position	<u>118,249</u>
Total Liabilities, Deferred Inflows of Resources, and Net Position	<u>\$ 4,235,340</u>

Summary Statement of Activities
Year Ended June 30, 2017

<u>Functions/Programs</u>	<u>Expenses</u>	<u>Program Revenues</u>		<u>Net (Expense) Revenue and Changes in Net Position</u>
		<u>Charges for Services</u>	<u>Operating Grants and Contributions</u>	<u>Governmental Activities</u>
<u>Governmental Activities:</u>				
Port development	<u>\$ 2,122,463</u>	<u>\$ 11,449</u>	<u>\$ 1,964,675</u>	\$ (146,339)
General revenues:				
Miscellaneous income				83
Investment income				<u>18,835</u>
Change in Net Position				(127,421)
Net Position:				
Beginning of year				<u>245,670</u>
Ending of year				<u>\$ 118,249</u>

MARY ANN BUCCI,
Executive Director

[Pa.B. Doc. No. 17-1928. Filed for public inspection November 17, 2017, 9:00 a.m.]

SUSQUEHANNA RIVER BASIN COMMISSION

Commission Meeting

The Susquehanna River Basin Commission (Commission) will hold its regular business meeting on Friday, December 8, 2017, at 9 a.m. at the Loews Annapolis Hotel, Windmill Point Room, 2nd Floor, Powerhouse Building, 126 West Street, Annapolis, MD 21401. Details concerning the matters to be addressed at the business meeting are contained in the Supplementary Information section of this notice.

For further information contact Jason E. Oyler, General Counsel, (717) 238-0423, Ext. 1312.

Supplementary Information

The business meeting will include actions or presentations on the following items: (1) informational presentation of interest to the Lower Susquehanna Subbasin area; (2) resolution concerning Fiscal Year 2019 Federal funding of the Groundwater and Streamflow Information Program; (3) resolution adopting amendments to Commission's By-laws; (4) ratification/approval of contracts/grants; (5) rulemaking action to codify in the Commission's regulations and strengthen the Commission's Access to Records Policy providing rules and procedures for the

public to request and receive the Commission's public records; (6) report on delegated settlements; and (7) Regulatory Program projects.

The Regulatory Program projects and the final rulemaking were the subject of a public hearing conducted by the Commission on November 2, 2017, notice for which was published at 82 FR 46343 (October 4, 2017) and 82 FR 47407 (October 12, 2017), respectively.

The public is invited to attend the Commission's business meeting. Comments on the Regulatory Program projects and the final rulemaking were subject to a deadline of November 13, 2017. Written comments pertaining to other items on the agenda at the business meeting may be mailed to the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788, or submitted electronically through <http://www.srbc.net/pubinfo/publicparticipation.htm>. The comments are due to the Commission on or before December 1, 2017. Comments will not be accepted at the business meeting noticed herein.

Authority: Pub.L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806—808

Dated: November 2, 2017

ANDREW D. DEHOFF,
Executive Director

[Pa.B. Doc. No. 17-1929. Filed for public inspection November 17, 2017, 9:00 a.m.]

